



**Program Directory for
Tivoli NetView for z/OS
Japanese**

Version 5 Release 2, Modification Level 00

Program Number 5697-ENV

FMID HENV520

for Use with
z/OS

Document Date: October 2006

GI10-3210-03

Note!

Before using this information and the product it supports, be sure to read the general information under Appendix A, "Notices" on page 55.

A form for reader's comments appears at the back of this publication. When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© **Copyright International Business Machines Corporation 1986, 2006. All rights reserved.**

Note to U.S. Government Users — Documentation related to restricted rights — Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.

1.0 Introduction

This Program Directory is intended for the system programmer responsible for program installation and maintenance. It contains information concerning the material and procedures associated with the installation of Tivoli NetView for z/OS. This publication refers to Tivoli NetView for z/OS as Tivoli NetView for z/OS Version 5 Release 2.

The Program Directory contains the following sections:

- 2.0, "Program Materials" on page 5 identifies the basic and optional program materials and documentation for Tivoli NetView for z/OS Version 5 Release 2.
- 3.0, "Program Support" on page 11 describes the Tivoli support available for Tivoli NetView for z/OS Version 5 Release 2.
- 4.0, "Program and Service Level Information" on page 13 lists the APARs (program level) and PTFs (service level) incorporated into Tivoli NetView for z/OS Version 5 Release 2.
- 5.0, "Installation Requirements and Considerations" on page 14 identifies the resources and considerations required for installing and using Tivoli NetView for z/OS Version 5 Release 2.
- 6.0, "Installation Instructions" on page 36 provides detailed installation instructions for Tivoli NetView for z/OS Version 5 Release 2. It also describes the procedures for activating the functions of Tivoli NetView for z/OS Version 5 Release 2, or refers to appropriate publications.
- Appendix B, "Program Level Information" on page 58 provides program level information for Tivoli NetView for z/OS Version 5 Release 2.

Before installing Tivoli NetView for z/OS Version 5 Release 2, read the *CBPDO Memo To Users* and the *CBPDO Memo To Users Extension* that were supplied with this program in softcopy form as well as this Program Directory and then keep them for future reference. Section 3.2, "Preventive Service Planning" on page 11 tells you how to find any updates to the information and procedures in this Program Directory.

Tivoli NetView for z/OS Version 5 Release 2 is supplied in a Custom-Built Product Delivery Offering (CBPDO, 5751-CS3). The Program Directory is provided in softcopy form on the CBPDO tape which is identical to the hardcopy form provided with your order. Your CBPDO contains a softcopy preventive service planning (PSP) upgrade for this product. All service and HOLDDATA for Tivoli NetView for z/OS Version 5 Release 2 are included on the CBPDO tape.

Do not use this Program Directory if you are installing Tivoli NetView for z/OS Version 5 Release 2 with a SystemPac or ServerPac. When using these offerings, use the jobs and documentation supplied with the offering. This documentation may point you to specific sections of the Program Directory as required.

1.1 Tivoli NetView for z/OS Version 5 Release 2 Description

Building on the already rich functionality of Tivoli NetView for OS/390 Version 5 Release 1, Version 5 Release 2 provides these additional enhancements.

- Additional TCP/IP support
 - TCP/IP Connection Management
 - Online access to formatted, real-time Packet Trace data
 - Automated response to intrusions
 - MSM TCP/IP Agent enhancements
 - Support for Hot Standby Router Protocol
 - Layer 2 support
 - Support for Comprehensive Network Address Translator (CNAT)
 - Native TRACERTE
 - Support for SNMPv3 encryption and authentication
 - IPv6 toleration and limited support
- Product Integration
 - NetView for z/OS Tivoli Enterprise Portal Agent
 - Open incident reports in leading problem management products
- Sysplex topology
- Security
 - Support for mixed-case passwords when running with z/OS V1.7 or later
 - Support for Application-Transparent Transport Layer Security (AT-TLS) when running with z/OS V1.7 or later
- Enhanced web browser interface
 - Most NetView views, panels and displays now available through browser interface
 - Embedded WebSphere Application Server - Express
 - Dynamic loading of MIBs
- Automation
 - Intercept and revise attributes (color, text, routing code, etc.) of original messages, not copies
 - Event correlation

- Simpler installation, customization and ease of use
 - Expanded CNMSTYLE support
 - Stylesheet migration tool
 - Stylesheet reporting tool
 - Elimination of the need for DSICMD migration members
 - Case-sensitive commands insulated from OVERRIDE NETVASIS
- Graphics
 - Increased RODM capacity, up to approximately 2 million objects
 - Stop NETCONV session from different task than started it
 - Pre-definable and automatic NETCONV sessions
 - Save NMC log to file
 - Customizable NMC Data1, Data2, etc., field labels
 - Sort and size columns in NMC detail views and event viewer

1.2 Tivoli NetView for z/OS Version 5 Release 2 FMIDs

Tivoli NetView for z/OS Version 5 Release 2 consists of the following FMIDs:

- HENV520
- JENV522
- JENV523
- JENV525

2.0 Program Materials

A Tivoli program is identified by a program number and a feature number. The program number for Tivoli NetView for z/OS Version 5 Release 2 is 5697-ENV and its feature number is 5822.

Basic Machine-Readable Materials are materials that are supplied under the base license and feature numbers, and are required for the use of the product. Optional Machine-Readable Materials are orderable under separate feature numbers, and are not required for the product to function.

The program announcement material describes the features supported by Tivoli NetView for z/OS Version 5 Release 2. Ask your Tivoli representative for this information if you have not already received a copy.

2.1 Basic Machine-Readable Material

The distribution medium for this program is magnetic tape or downloadable files. It is installed using SMP/E, and is in SMP/E RELFILE format. See 6.0, "Installation Instructions" on page 36 for more information about how to install the program.

Figure 1 describes the physical tape.

NOTE!

If Tivoli NetView for z/OS Version 5 Release 2 was shipped to you in a CBPDO, you will need to reference the CBPDO Memo To Users Extension for the physical tape layout of the Basic Machine-Readable Materials.

Figure 2 on page 6 and Figure 3 on page 7 describe the file content.

Notes:

- If you are installing Tivoli NetView for z/OS Version 5 Release 2 using the Custom-Built Product Delivery Offering (CBPDO) (5751-CS3), some of the information in these figures may not be valid. Consult the CBPDO documentation for actual values.

<i>Figure 1 (Page 1 of 2). Basic Material: Program Tape</i>				
Medium	Feature Number	Physical Volume	External Label	VOLSER
3480 cart	5822	1	E 1/2 VOLSER=JNV520	JNV520
3480 cart	5822	2	E 2/2 VOLSER=JNV520	JNV523

<i>Figure 1 (Page 2 of 2). Basic Material: Program Tape</i>				
Medium	Feature Number	Physical Volume	External Label	VOLSER
CDROM			LCD4-4916 Tivoli NetView for z/OS Volume 1	
CDROM			LCD7-0828 Tivoli NetView for z/OS Volume 2	
CDROM			LCD7-0829 Tivoli NetView for z/OS Tivoli Enterprise Portal Agent	
CDROM			LK2T-6175-01 Tivoli NetView for z/OS Online Library	
CDROM			LCD7-0830 Tivoli NetView for z/OS Kit	

Figure 2 describes the program file content for Tivoli NetView for z/OS Version 5 Release 2. You can refer to the *CBPDO Memo To Users Extension* to see where the files reside on the tape.

Notes:

1. The data set attributes in this table should be used in the JCL of jobs reading the data sets, but since the data sets are in IEBCOPY unloaded format, their actual attributes may be different.
2. If any RELFILES are identified as PDSEs, ensure that SMPTLIB data sets are allocated as PDSEs.

<i>Figure 2 (Page 1 of 2). Program File Content Base tape</i>				
Name	ORG	RECFM	RECL	BLK SIZE
SMPMCS	SEQ	FB	80	8800
HENV520.F1	SEQ	FB	80	8800
HENV520.F2	SEQ	U	0	6144
HENV520.F3	SEQ	FB	80	8800

Figure 2 (Page 2 of 2). Program File Content Base tape

Name	O R G	R E C F M	L R E C L	BLK SIZE
HENV520.F4	SEQ	FB	80	3125
HENV520.F5	SEQ	VB	1028	6168
JENV522.F1	SEQ	FB	80	8800
JENV522.F2	SEQ	FB	80	8800

Figure 3. Program File Content Base tape 2

Name	O R G	R E C F M	L R E C L	BLK SIZE
SMPMCS	SEQ	FB	80	8800
JENV523.F1	SEQ	FB	80	8800
JENV523.F2	SEQ	U	0	6144
JENV523.F3	SEQ	FB	80	8800
JENV523.F4	SEQ	VB	1028	6168
JENV523.F5	SEQ	VB	6160	24656
JENV525.F1	SEQ	FB	80	8800
JENV525.F2	SEQ	FB	125	3125
JENV525.F3	SEQ	FB	80	8800
JENV525.F4	SEQ	U	0	6144
JENV525.F5	SEQ	VB	516	8256

2.2 Optional Machine-Readable Material

No optional machine-readable materials are provided for Tivoli NetView for z/OS Version 5 Release 2.

2.3 Program Publications

The following sections identify the basic and optional publications for Tivoli NetView for z/OS Version 5 Release 2.

2.3.1 Basic Program Publications

Figure 4 on page 8 identifies the basic unlicensed program publications for Tivoli NetView for z/OS Version 5 Release 2. One copy of each of these publications is included when you order the basic materials for Tivoli NetView for z/OS Version 5 Release 2. For additional copies, contact your IBM and/or Tivoli representative.

<i>Figure 4. Basic Material: Unlicensed Publications</i>	
Publication Title	Form Number
<i>Tivoli NetView for z/OS Version 5.2 Licensed Program Specifications</i>	GC31-8848
<i>Tivoli NetView for z/OS Version 5.2 Installation: Getting Started</i>	SC31-8872
<i>Tivoli NetView for z/OS Version 5.2 Installations: Migration Guide</i>	SC31-8873
<i>Tivoli NetView for z/OS Version 5.2 Tuning Guide⁽¹⁾</i>	SC31-8869
(1) When available	

Figure 5 identifies the basic licensed program publications for Tivoli NetView for z/OS Version 5 Release 2. The first copy is available at no charge to licensees of the basic material by ordering the 7xxx Feature Number. Order additional copies using the 8xxx Feature Number. A fee is charged for additional copies.

<i>Figure 5. Basic Material: Licensed Publications</i>	
Publication Title	Form Number
<i>Tivoli NetView for z/OS Version 5.2 Troubleshooting Guide</i>	LY43-0093

Figure 6 identifies the basic unlicensed or licensed publications that are not available in hardcopy form, but are available through the internet or other media for Tivoli NetView for z/OS Version 5 Release 2.

<i>Figure 6 (Page 1 of 2). Basic Material: Other Unlicensed or Licensed Publications</i>		
Publication Title	Form Number	How Available
<i>Tivoli NetView for z/OS Version 5.2 Administration Reference</i>	SC31-8854	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Security Reference</i>	SC31-8870	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Installation: Configuring Graphical Components</i>	SC31-8875	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Installation: Configuring Additional Components</i>	SC31-8874	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 User's Guide</i>	GC31-8849	PDF on CD

Figure 6 (Page 2 of 2). Basic Material: Other Unlicensed or Licensed Publications

Publication Title	Form Number	How Available
<i>Tivoli NetView for z/OS Version 5.2 Application Programmer's Guide</i>	SC31-8855	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Automation Guide</i>	SC31-8853	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Command Reference Volume I</i>	SC31-8857	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Command Reference Volume II</i>	SC31-8858	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Messages and Codes</i>	SC31-8866	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Customization Guide</i>	SC31-8859	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Programming: Assembler</i>	SC31-8860	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Programming: PL/I and C</i>	SC31-8861	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Programming: REXX and the NetView Command List Language</i>	SC31-8862	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Data Model Reference</i>	SC31-8864	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 RODM & GMFHS Programmer's Guide</i>	SC31-8865	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Programming: Pipes</i>	SC31-8863	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Automated Operations Network User's Guide</i>	GC31-8851	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Automated Operations Network Customization Guide</i>	SC31-8871	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 SNA Topology Manager Implementation Guide</i>	SC31-8868	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 NetView Management Console User's Guide</i>	GC31-8852	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 MultiSystem Manager User's Guide</i>	GC31-8850	PDF on CD
<i>Tivoli NetView for z/OS Version 5.2 Web Application User's Guide</i>	GC31-9381	PDF on CD

2.3.2 Optional Program Publications

No optional publications are provided for Tivoli NetView for z/OS Version 5 Release 2.

2.4 Program Source Materials

No program source materials or viewable program listings are provided for Tivoli NetView for z/OS Version 5 Release 2.

2.5 Publications Useful During Installation

The publications listed in Figure 7 may be useful during the installation of Tivoli NetView for z/OS Version 5 Release 2. To order copies, contact your IBM representative or visit the IBM Publications Center on the World Wide Web at:

<http://www.ibm.com/shop/publications/order>

Publication Title	Form Number
<i>IBM SMP/E for z/OS and OS/390 User's Guide</i>	SA22-7773
<i>IBM SMP/E for z/OS and OS/390 Commands</i>	SA22-7771
<i>IBM SMP/E for z/OS and OS/390 Reference</i>	SA22-7772
<i>IBM SMP/E for z/OS and OS/390 Messages, Codes, and Diagnosis</i>	GA22-7770
<i>z/OS V1R4 UNIX System Services Command Reference</i>	SA22-7805
<i>z/OS V1R4 UNIX System Services Messages and Codes</i>	SA22-7807
<i>z/OS V1R4 Communications Server IP Configuration Guide</i>	SC31-8775
<i>MVS Custom-Built Offering Planning and Installation</i>	SC23-0352

3.0 Program Support

This section describes the Tivoli support available for Tivoli NetView for z/OS Version 5 Release 2.

3.1 Program Services

Contact your IBM and/or Tivoli representative for specific information about available program services.

3.2 Preventive Service Planning

Before installing Tivoli NetView for z/OS Version 5 Release 2, you should review the current Preventive Service Planning (PSP) information. If you obtained Tivoli NetView for z/OS Version 5 Release 2 as part of a CBPDO, there is HOLDDATA and PSP information included on the CBPDO.

If the CBPDO for Tivoli NetView for z/OS Version 5 Release 2 is more than two weeks old when you install it, you should contact the IBM and/or Tivoli Support Center or use S/390 SoftwareXcel to obtain the current "PSP Bucket".

For program support, access the Software Support web site at <http://www-3.ibm.com/software/support/>

PSP Buckets are identified by UPGRADEs, which specify product levels, and SUBSETs, which specify the FMIDs for a product level. The UPGRADE and SUBSET values for Tivoli NetView for z/OS Version 5 Release 2 are:

Figure 8. PSP Upgrade and Subset ID

UPGRADE	SUBSET	Description
TIVNETV520	HENV520	NetView System Services Base
	JENV522	NetView System Services Japanese
	JENV523	NetView Enterprise Base
	JENV525	NetView Enterprise Japanese

3.3 Statement of Support Procedures

Report any difficulties you have using this program to your Tivoli Support Center. If an APAR is required, the Support Center will provide the address to which any needed documentation can be sent.

Figure 9 identifies the component IDs (COMPID) for Tivoli NetView for z/OS Version 5 Release 2.

Figure 9. Component IDs

FMID	COMPID	Component Name	RETAIN Release
HENV520	5697ENV00	NetView System Services Base	520
JENV522	5697ENV00	NetView System Services Japanese	522
JENV523	5697ENV00	NetView Enterprise Base	523
JENV525	5697ENV00	NetView Enterprise Japanese	525

4.0 Program and Service Level Information

This section identifies the program and any relevant service levels of Tivoli NetView for z/OS Version 5 Release 2. The program level refers to the APAR fixes incorporated into the program. The service level refers to the PTFs incorporated into the program.

4.1 Program Level Information

Appendix B, "Program Level Information" on page 58 lists the APAR fixes for previous releases of NetView that have been incorporated into Tivoli NetView for z/OS Version 5 Release 2.

4.2 Service Level Information

No PTFs against this release of Tivoli NetView for z/OS Version 5 Release 2 have been incorporated into the product tape.

5.0 Installation Requirements and Considerations

The following sections identify the system requirements for installing and activating Tivoli NetView for z/OS Version 5 Release 2. The following terminology is used:

- *Driving system*: the system used to install the program.
- *Target system*: the system on which the program is installed.

In many cases, the same system can be used as both a driving system and a target system. However, you may want to set up a clone of your system to use as a target system by making a separate IPL-able copy of the running system. The clone should include copies of all system libraries that SMP/E updates, copies of the SMP/E CSI data sets that describe the system libraries, and your PARMLIB and PROCLIB.

Some cases where two systems should be used include the following:

- When installing a new level of a product that is already installed, the new product will delete the old one. By installing onto a separate target system, you can test the new product while still keeping the old one in production.
- When installing a product that shares libraries or load modules with other products, the installation can disrupt the other products. Installing onto a test system or clone will allow you to assess these impacts without disrupting your production system.

5.1 Driving System Requirements

This section describes the environment of the driving system required to install Tivoli NetView for z/OS Version 5 Release 2.

5.1.1 Machine Requirements

The driving system can run in any hardware environment that supports the required software.

5.1.2 Programming Requirements

Figure 10 (Page 1 of 2). Driving System Software Requirements

Program Number	Product Name and Minimum VRM/Service Level
The following:	
5694-A01	z/OS Version 1 Release 4 or later
	- OR -
5655-G52	z/OS.e Version 1 Release 4 or later

<i>Figure 10 (Page 2 of 2). Driving System Software Requirements</i>	
Program Number	Product Name and Minimum VRM/Service Level
	- AND -
5655-G44	IBM SMP/E for z/OS and OS/390 Version 3 Release 1 or later

5.2 Target System Requirements

This section describes the environment of the target system required to install and use Tivoli NetView for z/OS Version 5 Release 2.

5.2.1 Machine Requirements

The target system can run in any hardware environment that supports the required software.

5.2.2 Programming Requirements

5.2.2.1 Installation Requisites

An installation requisite is defined as a product that is required and **must** be present or one that is not required but **should** be present on the system for the successful installation of this product.

A mandatory installation requisite identifies products that are required, without exception, or this product **will not install** on your system. This includes products specified as PREs or REQs.

<i>Figure 11. Mandatory Installation Requisites</i>	
Program Number	Product Name and Minimum VRM/Service Level
5694-A01	z/OS Release 1.4 or later
	- OR -
5655-G52	z/OS.e Version 1 Release 4 or later

A conditional installation requisite identifies products that are **not** required for successful install but may resolve such things as certain warning messages at installation time. They include products that are specified as IF REQs.

Figure 12. Conditional Installation Requisites

Program Number	Product Name and Minimum VRM/Service Level	Function
-	ACF/NCP Version 4.3.1 or later	All functions related to the ACF/NCP program
5697-D10	Tivoli Management Framework for OS/390 Version 3.7.1	Installation of Graphical Enterprise Workstation Components from OS/390 using Tivoli Software Installation Service (SIS)
Any one of the following:		
5695-014	IBM Library for REXX on zSeries Release 1.4 (FMID HWJ9140,JWJ9142)	Running Compiled REXX Clists or Programs (See notes 1 & 2 below)
	IBM Library for REXX on zSeries Alternate Library Release 1.4 (FMID HWJ9143,JWJ9144)	Running Compiled REXX Clists or Programs (See notes 1 & 2 below)

Notes:

1. If you compile AON REXX Command Lists, the IBM Compiler for SAA REXX/370 R4(or higher) is needed.
2. Several components of NetView have REXX programs that have been compiled with the ALTERNATE option. If you access the REXX library from NetView (or from z/OS UNIX System Services for NetView's z/OS UNIX System Services Related Components), these REXX programs are run in compiled mode. Otherwise, the REXX alternate library is used and these REXX programs are run in the interpreted mode. Some of the components of NetView that have compiled REXX programs are MultiSystem Manager, UNIX for OS/390 Command Server, and the TSO Command Server.

The TSO server jobs themselves are either batch TSO jobs or started tasks which should be set up to access the REXX library so that the TSO server REXX program will run in compiled mode. Otherwise, the REXX alternate library is used and the server will run in interpreted mode.

Note: Your z/OS environment must be modified so that the REXX data set you are using (either SEAGLPA or SEAGALT) is APF-authorized. Edit your APF member in SYS1.PARMLIB and add the REXX data set (SEAGLPA or SEAGALT) if it is not already there. Re-IPL z/OS if necessary. If your system is set up to use dynamic APF services, you can avoid re-IPLing z/OS by using the SETPROG command to dynamically update the APF list. Refer to the Initialization and Tuning Reference for your z/OS system for more information on authorizing data sets.

5.2.2.2 Operational Requisites

An operational requisite is defined as a product that is required and **must** be present or a product that is not required but **should** be present on the system in order for this product to operate all or some of its functions.

A mandatory operational requisite identifies products that are required, without exception, or this product **will not operate** its basic function unless the requisite is met. This includes products specified as PREs or REQs.

Tivoli NetView for z/OS Version 5 Release 2 has no mandatory operational requisites.

A conditional operational requisite identifies products that are **not required** for the basic function but are needed at run time for this product to utilize specific functions. They may include products specified as IF REQs.

Tivoli NetView for z/OS Version 5 Release 2 has no conditional operational requisites.

5.2.2.3 Toleration/Coexistence Requisites

A toleration/coexistence requisite is defined as a product which must be present on a sharing system. These systems can be other systems in a multisystem environment (not necessarily sysplex), a shared DASD environment (such as test and production), or systems that reuse the same DASD at different time intervals.

Tivoli NetView for z/OS Version 5 Release 2 has no toleration/coexistence requisites.

5.2.2.4 Incompatibility (Negative) Requisites

A negative requisite identifies products which must *not* be installed on the same system as this product.

Tivoli NetView for z/OS Version 5 Release 2 has no negative requisites.

5.2.3 DASD Storage Requirements

Tivoli NetView for z/OS Version 5 Release 2 libraries can reside on all supported DASD types.

Figure 13 lists the total space required for each type of library.

Library Type	Total Space Required
Target	3455 Tracks of 3390
Distribution	3632 Tracks of 3390

Figure 13 (Page 2 of 2). Total DASD Space Required by Tivoli NetView for z/OS Version 5 Release 2

Library Type	Total Space Required
HFS	150 Tracks of 3390

Notes:

1. Tivoli recommends use of system determined block sizes for efficient DASD utilization for all non-RECFM U data sets. For RECFM U data sets, Tivoli recommends a block size of 32760, which is the most efficient from a performance and DASD utilization perspective.

2. Abbreviations used for the data set type are:

- U** Unique data set, allocated by this product and used only by this product. To determine the correct storage needed for this data set, this table provides all required information; no other tables (or Program Directories) need to be referenced for the data set size.
- S** Shared data set, allocated by this product and used by this product and others. To determine the correct storage needed for this data set, the storage size given in this table needs to be added to other tables (perhaps in other Program Directories). If the data set already exists, it must have enough free space to accommodate the storage size given in this table.
- E** Existing shared data set, used by this product and others. This data set is NOT allocated by this product. To determine the correct storage needed for this data set, the storage size given in this table needs to be added to other tables (perhaps in other program directories). This existing data set must have enough free space to accommodate the storage size given in this table.

If you currently have a previous release of this product installed in these libraries, the installation of this release will delete the old one and reclaim the space used by the old release and any service that had been installed. You can determine whether or not these libraries have enough space by deleting the old release with a dummy function, compressing the libraries, and comparing the space requirements with the free space in the libraries.

For more information on the names and sizes of the required data sets, please refer to 6.1.8, "Allocate SMP/E Target and Distribution Libraries" on page 43.

3. Abbreviations used for the HFS Path type are:

- N** New path, created by this product.
- X** Path created by this product, but may already exist from a previous release.
- P** Previously existing path, created by another product.

4. All target and distribution libraries listed have the following attributes:

- The default name of the data set may be changed.
- The default block size of the data set may be changed.
- The data set may be merged with another data set that has equivalent characteristics.
- The data set may be either a PDS or a PDSE.

5. All target libraries listed have the following attributes:

- The data set may be SMS-managed.
- It is not required for the data set to be SMS-managed.
- It is not required for the data set to reside on the IPL volume.
- The values in the "Member Type" column are not necessarily the actual SMP/E element types identified in the SMPMCS.

6. All target libraries listed which contain load modules have the following attributes:

- The data set may be in the LPA.
- It is not required for the data set to be in the LPA.
- The data set may be in the LNKLST.
- It is not required for the data set to be APF-authorized.

Figure 14 estimates the storage requirements for the SMPCSI data set for SMP/E. This estimate must be added to those of any other programs and services being installed to determine the total additional space requirements.

<i>Figure 14. Storage Requirements for SMPCSI Data Sets for SMP/E for Tivoli NetView for z/OS Version 5 Release 2</i>		
DASD	Tracks Required for SMPCSI Data	Tracks Required for SMPCSI Index
3390	1230	61

<i>Figure 15. Storage Requirements for SMP/E Work Data Sets</i>							
Library DDNAME	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks	
SMPWRK1	S	PDS	FB	80	10	250	
SMPWRK2	S	PDS	FB	80	10	250	
SMPWRK3	S	PDS	FB	80	10	250	
SMPWRK4	S	PDS	FB	80	10	250	
SMPWRK6	S	PDS	FB	80	25	250	
SYSUT1	U	SEQ	--	--	3	-	
SYSUT2	U	SEQ	--	--	2	-	
SYSUT3	U	SEQ	--	--	2	-	
SYSUT4	U	SEQ	--	--	2	-	

The following table provides an estimate of the storage needed in the SMP/E data sets for Tivoli NetView for z/OS Version 5 Release 2. The estimates must be added to those of any other programs and service being installed to determine the total additional storage requirements.

If the table indicates that the SMPLTS data set must be a PDSE, but, your existing SMPLTS is a PDS, you will need to allocate a new PDSE and copy you existing SMPLTS into it and then change the SMPLTS DDDEF entry to indicate the new PDSE data set.

Figure 16. Storage Requirements for SMP/E Work Sets

Library DDNAME	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
SMPLTS (1)	S	PDS	U	0	296	18
SMPMTS	S	PDS	FB	80	1	1
SMPPTS	S	PDS	FB	80	24	1
SMPSCDS	S	PDS	FB	80	8	5
SMPSTS	S	PDS	FB	80	1	1

Note: (1) If you are using SMP/E 3.2 or higher, than the SMPLTS dataset is not needed. If you have allocated it, it will be empty.

The following figures describe the target and distribution libraries and HFS paths required to install Tivoli NetView for z/OS Version 5 Release 2. The storage requirements of Tivoli NetView for z/OS Version 5 Release 2 must be added to the storage required by other programs having data in the same library or path.

Note: The data in these tables should be used when determining which libraries can be merged into common data sets. In addition, since some ALIAS names may not be unique, ensure that no naming conflicts will be introduced before merging libraries.

Figure 17 (Page 1 of 2). Storage Requirements for Tivoli NetView for z/OS Version 5 Release 2 Target Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
BNJPNL2	PNL	ANY	U	PO	FB	80	8	5
BNJSRC1	Source	ANY	U	PO	FB	80	12	3
CNMCLST	CLIST	ANY	U	PO	FB	80	722	55
CNMINST	SAMP	ANY	U	PO	FB	80	6	2
CNMLINK	LMOD	ANY	U	PO	U	0	867	205
CNMPNL1	PNL	ANY	U	PO	FB	80	100	175
CNMSAMP	SAMP	ANY	U	PO	FB	80	400	35
DSIPARM	SAMP	ANY	U	PO	FB	80	100	15

Figure 17 (Page 2 of 2). Storage Requirements for Tivoli NetView for z/OS Version 5 Release 2 Target Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
DSIPRF	SAMP	ANY	U	PO	FB	80	2	1
NVULIB	LMOD	ANY	U	PO	U	0	4	6
SBNJPNL3	PNL	ANY	U	PO	FB	80	391	240
SCNMAGNT	DATA	ANY	U	PO	VB	6160	2	1
SCNMLNKN	LMOD	ANY	U	PO	U	0	1	1
SCNMLNK1	LMOD	ANY	U	PO	U	0	1	1
SCNMLPA1	LMOD	ANY	U	PO	U	0	2	2
SCNMMAC1	MACRO	ANY	U	PO	FB	80	145	15
SCNMMJPN	LMOD	ANY	U	PO	U	0	8	9
SCNMPNL2	PNL	ANY	U	PO	FB	80	590	140
SCNMPLIB	PNL	ANY	U	PO	FB	80	5	2
SCNMUXCL	EXEC	ANY	U	PO	VB	516	4	2
SCNMUXLK	LMOD	ANY	U	PO	U	0	60	2
SCNMUXMS	SAMP	ANY	U	PO	FB	80	4	1
SDSIMSG1	MSG	ANY	U	PO	FB	80	10	1
SDSIOPEN	SAMP	ANY	U	PO	FB	80	3	1
SDUIMSG1	MSG	ANY	U	PO	FB	80	3	1
SEKGLANG	MSG	ANY	U	PO	FB	125	2	1
SFLBDAT1	TABLE	ANY	U	PO	VB	1028	6	1

Figure 18. Tivoli NetView for z/OS Version 5 Release 2 HFS Paths

DDNAME	T Y P E	Path Name
SCNMUX00	N	/usr/lpp/netview/v5r2/bin/IBM/
SCNMUX01	N	/usr/lpp/netview/v5r2/samples/IBM/
SCNMUX02	N	/usr/lpp/netview/v5r2/lib/IBM/
SCNMUX03	N	/usr/lpp/netview/v5r2/mibs/IBM/
SCNMUX07	N	/usr/lpp/netview/v5r2/samples/properties/IBM/

Figure 19. Storage Requirements for Tivoli NetView for z/OS Version 5 Release 2 Distribution Libraries

Library DDNAME	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
ABNJPNL2	U	PO	FB	80	10	5
ABNJPNL3	U	PO	FB	80	380	240
ABNJSRC1	U	PO	FB	80	14	3
ACNMAGNT	U	PO	VB	6160	2	1
ACNMCLST	U	PO	FB	80	722	55
ACNMINST	U	PO	FB	80	6	2
ACNMLINK	U	PO	U	0	1000	700
ACNMMAC1	U	PO	FB	80	140	15
ACNMMJPN	U	PO	U	0	8	8
ACNMPNL1	U	PO	FB	80	100	175
ACNMPNL2	U	PO	FB	80	600	175
ACNMSAMP	U	PO	FB	80	345	33
ACNMUXCL	U	PO	VB	516	100	5
ACNMUXLK	U	PO	U	0	60	2
ACNMUXMS	U	PO	FB	80	2	1
ADSIMSG1	U	PO	FB	80	10	1
ADSIOPEN	U	PO	FB	80	2	1
ADSIPARM	U	PO	FB	80	85	15
ADSIPRF	U	PO	FB	80	2	1
ADUIMSG1	U	PO	FB	80	2	1
AEKGLANG	U	PO	FB	125	1	1
AFLBDAT1	U	PO	VB	1028	5	1
ANVULIB	U	PO	U	0	5	7

5.3 FMIDs Deleted

Installing Tivoli NetView for z/OS Version 5 Release 2 may result in the deletion of other FMIDs. To see what FMIDs will be deleted, examine the ++VER statement in the product's SMPMCS.

If you do not wish to delete these FMIDs at this time, you must install Tivoli NetView for z/OS Version 5 Release 2 into separate SMP/E target and distribution zones.

Note: These FMIDs will not automatically be deleted from the Global Zone. Consult the SMP/E manuals for instructions on how to do this.

5.4 Special Considerations

The following table identifies README file names and installation methods associated with the noted Tivoli NetView for z/OS Version 5 Release 2 components.

<i>Figure 20. README file names and installation methods for Tivoli NetView for z/OS Version 5 Release 2 Components.</i>			
Component Name	Web Page ¹	CD ²	README
NetView Web Application	x	x	znetview_webapp_readme_ja.htm
NetView Common Event Infrastructure	x	x	nvcei_read.me
Viewer for Log XML files	x	x	logxmlviewer_readme.html
NMC Topology Console	x	x	egvread3.me
NMC Topology Server	x	x	egvread4.me
NetView Visual BLDVIEWS	x	x	VBVreadme.txt
MultiSystem Manager Agents	x	x	msmagnt.me
MultiSystem Manager IP Agents	x	x	msmip.me
MultiSystem Manager TMR Agents	x	x	msmtmr.me
NetView 3270 Management Console	x	x	flbread2.me
(1) URL: http://www.tivoli.com/nv390_supported			
(2) The readme documentation on the Tivoli NetView for z/OS Version 5 Release 2 CDROM is located in the readmes directory.			

The following NetView functions and features require the specified program levels or subsequent upward-compatible levels unless stated otherwise:

5.4.1 For all NetView Users

- Depending on your release of z/OS you must apply the following PTF
 - If running z/OS V1.4 you will need
 - UA18467
 - If running z/OS V1.4.2 you will need
 - UA18469
 - If running z/OS V1.5 you will need

UA18470

If running z/OS V1.6 you will need

UA18468

5.4.2 TCP/IP Connection Management

- z/OS V1.4, or later
- If running z/OS V1.5 you will need
Communication Server for z/OS PTF UK07069
- If running z/OS V1.6 you will need
Communication Server for z/OS PTF UK06110
Communication Server for z/OS PTF UK07070
- If running z/OS V1.7 you will need
Communication Server for z/OS PTF UK06111
Communication Server for z/OS PTF UK07071

5.4.3 IP Packet Trace Formatting

- z/OS V1.4, or later
- If running z/OS V1.7 you will need
Communication Server for z/OS PTF UK06112

5.4.4 NetView for z/OS Tivoli Enterprise Portal Agent

- IBM Tivoli OMEGAMON XE for Mainframe Networks V3.1
- CandleNet Portal components require Sun Microsystems JRE version of 1.4.2 or higher
- IBM Tivoli OMEGAMON Platform 3.6.0
- Optionally IBM Tivoli OMEGAMON DE for Distributed Systems V3.0.1 is required to link between NetView for z/OS Tivoli Enterprise Portal Agent and OMEGAMON XE for Mainframe Networks V3.1 workspaces.
- Any Hardware that supports any of the following operating systems
Microsoft Windows 2000 Professional
Windows 2000 Server
Windows 2000 Advanced Server
Windows 2003 Server Standard
Windows 2003 Server Enterprise

Red Hat Enterprise Linux WS 2.1 (Intel)
SUSE LINUX Enterprise Server 8 (Intel)
SUSE LINUX Enterprise Server 9 (Intel)
Red Hat Enterprise Linux AS 2.1 (Intel)
Red Hat Enterprise Linux ES 2.1 (Intel)
Red Hat Enterprise Linux WS 2.1 (Intel)
Red Hat Enterprise Linux AS 3 (Intel)
Red Hat Enterprise Linux ES 3 (Intel)
Red Hat Enterprise Linux WS 3 (Intel)
Red Hat Enterprise Linux AS 4 (Intel)
Red Hat Enterprise Linux ES 4 (Intel)
Red Hat Enterprise Linux WS 4 (Intel)
Solaris 9, or later
AIX 5.1 (5765-E61) at Recommended Maintenance level 05, or later

Additional prerequisites to run on AIX

C Set++ for AIX Applications xIC.rte 3.6.6.0, or later

IBM class libraries ibmcxx.ioc.rte 3.6.6.0, or later, and ibmcxx.rte 3.6.6.0, or later

Information Presentation Facility ipfx.rte 2.2.0.0, or later

IX Certificate and SSL Base ACME Toolkit gskta.rte 7.0.3.12., or later

Note: xIC.rte, ibmcxx.ioc.rte, ibmcxx.rte, ipfx.rte, and gskta.rte are in on the IBM Tivoli NetView for z/OS V5R2 product CD.

HP-UX V11, or later

5.4.5 Opening Incident Records from NetView

One of the following

- For IBM Tivoli Information Management
 - IBM Tivoli Information Management for z/OS V7.1 with PTFs UA16790 and UA19553.
 - Web Access for Information Management V1.2
 - IBM z/OS HTTP Server 5.2 or 5.3
- For Peregrine ServiceCenter
 - ServiceCenter Server 6.0 Server
 - ServiceCenter Web Client or Windows client for Database Management

- Optionally, ServiceCenter Web Client for additional management of incidents

5.4.6 Application-Transparent Transport Layer Security (AT-TLS)

- z/OS V1.7, (Communications Server) or later

5.4.7 Mixed-Case Passwords

- z/OS V1.7 Security Server (RACF) or later

5.4.8 Comprehensive Network Address Translator (CNAT) Support

- IBM Tivoli NetView 7.2, or later

5.4.9 Support for Hot Standby Router Protocol (HSRP)

- IBM Tivoli NetView 7.1, or later

5.4.10 Support for Common Event Infrastructure

- IBM WebSphere Application Server V6.0.2 or the embedded version of IBM WebSphere Application Server - Express V6.0.2 for the appropriate operating system

5.4.11 Tivoli NetView Management Console, NetView 3270 Management Console

- Topology Server
 - Any Hardware that supports any of the following operating systems
 - AIX 5.1 (5765-E61) or later with
 - C Set++ for AIX Applications xIC.rte 3.6.6.0 or later
 - IBM class libraries ibmcxx.ioc.rte 3.6.6.0 for later and ibmcxx.rt 3.6.6.0 or later
 - Information Presentation Facility ipfx.rte.2.2.0.0 or later
 - AIX Certificate and SSL Base ACME Toolkit gskta.rte 7.0.3.12 or later
 - Note:** xIC.rte, ibmcxx.ioc.rte, ibmcxx.rte ipfx.rte and gskta.rte are included on the Tivoli NetView for z/OS Version 5 Release 2 product CD
 - Windows 2000 Professional
 - Windows 2000 Server
 - Windows 2000 Advanced Server
 - Windows Server 2003 Standard
 - Windows Server 2003 Enterprise
 - Windows XP Professional

- SuSE Linux Enterprise Server 8 for zSeries
- SuSE Linux Enterprise Server 9 for zSeries
- Red Hat Enterprise Server AS 3.0
- Red Hat Enterprise Server AS 4.0
- Processor speed minimum of 350 MHz
- Memory minimum 128 MB, 256 MB recommended
- Install footprint of 60 MB of additional fixed disk space

Prerequisites for z/Linux

- TCP/IP and ksh (Korn shell) RPM package
- gsk6bas-6.0-7.6.s390.rpm which is the Linux for zSeries Base Security kit (GSKit). This is available on CD.
- SUSE LINUX Enterprise Server 9 for zSeries and Red Hat Enterprise AS 4.0 x390 (64-bit) platforms require RPM packages for compatibility mode.

- Topology Console

- Any Hardware that supports any of the following operating systems with TCP/IP installed

- Windows 2000 Professional
- Windows 2000 Server
- Windows 2000 Advanced Server
- Windows Server 2003 Standard
- Windows Server 2003 Enterprise
- Windows XP Professional
- SuSE Linux Enterprise Server 8 (Intel)
- SuSE Linux Enterprise Server 9 (Intel)
- SuSE Linux Enterprise Server 9 (AMD64/EM64T)
- Red Hat Enterprise Linux 2.1
- Red Hat Enterprise Linux AS 3 (Intel)
- Red Hat Enterprise Linux ES 3 (Intel)
- Red Hat Enterprise Linux WS 3 (Intel)
- Red Hat Enterprise Linux AS 4 (Intel)
- Red Hat Enterprise Linux ES 4 (Intel)
- Red Hat Enterprise Linux WS 4 (Intel)
- Red Hat Enterprise Linux 4.0 (AMD64/EM64T)

- Solaris 9, or later
- Processor speed minimum of 350 MHz
- Memory 256 MB
- Install footprint of 50 MB of additional fixed disk space
- Color display 1024 x 768, 256 colors
- Maximum color palette is 16-bit high color; 256-color palette recommended (32-bit true color is not supported.)
- Server communications with NetView for z/OS using LU 6.2
 - For LU 6.2 connections
 - For AIX, IBM Communications Server for AIX, Version 6.1 (5765-E51)
 - For Windows IBM Communications Server for Windows NT 6.1.1 or later
- For additional information on installing the NetView 3270 Management Console, refer to the readme file identified in Figure 20 on page 23.

5.4.12 Considerations for NMC Server Audit Log

To use a Web browser to view the audit log requires a browser which supports XSL (eXtensible Stylesheet Language). Common browsers which support XSL include:

- Mozilla 1.7 or later
- Microsoft Internet Explorer 6.0 or later

5.4.13 Considerations for NetView Web Application

- HTTP Server and Web Application Server
 - Any Hardware that supports any of the following operating systems running IBM WebSphere Application Server V6.0.2, or the embedded version of the IBM WebSphere Application Server Express V6.0.2
 - AIX 5.1 (5765-E61) at Recommended Maintenance level 05, or later
 - Windows 2000 Server SP4
 - Windows 2000 Advanced Server SP4
 - Windows Server 2003 Standard
 - Windows Server 2003 Enterprise
 - SuSE Linux Enterprise Server 8 for zSeries
 - SuSE Linux Enterprise Server 9 for zSeries
 - For additional requirements for IBM Websphere Application Server V6.0.2, Advanced Edition, see the WebSphere documentation for the applicable platform.

- Processor speed of at least 350MHZ
- 256MB minimum
- 68 MB of additional fixed disk space

Note: If the NetView Web Application is installed on the same work- station as an existing Tivoli NetView for NT or Tivoli NetView for AIX or in the same logical partition (LPAR) as IP resource discovery and management on Linux on zSeries, port assignment changes are required as described in the NetView Web Application README.

- Web Browsers

- Mozilla 1.7 or later
 - SUSE Linux Enterprise Server 8 (Intel)
 - SUSE Linux Enterprise Server 9 (Intel)
 - SUSE Linux Enterprise Server 9 (AMD64/EM64T)
 - Red Hat Enterprise Linux AS 2.1 (Intel)
 - Red Hat Enterprise Linux ES 2.1 (Intel)
 - Red Hat Enterprise Linux WS 2.1 (Intel)
 - Red Hat Enterprise Linux AS 3 (Intel)
 - Red Hat Enterprise Linux ES 3 (Intel)
 - Red Hat Enterprise Linux WS 3 (Intel)
 - Red Hat Enterprise Linux AS 4 (Intel)
 - Red Hat Enterprise Linux ES 4 (Intel)
 - Red Hat Enterprise Linux WS 4 (Intel)
 - Red Hat Enterprise Linux 4 (AMD64/EM64T)
 - HP-UX 11, or later
 - Solaris 9 or later
- Internet Explorer 6.0 or later
 - Windows 2000 Professional
 - Windows 2000 Server
 - Windows 2000 Advanced Server
 - Windows Server 2003 Standard
 - Windows Server 2003 Enterprise
 - Windows XP Professional

5.4.14 Considerations for DYNAMIC VIPA and Sysplex Distribution Support

NetView Web Application prerequisites

5.4.15 Considerations for TCP/IP Resource Discovery and Management on Linux zSeries

- SuSE Linux Enterprise Server 8 for zSeries
- SuSE Linux Enterprise Server 9 for zSeries
- Red Hat Enterprise Linux AS 3.0 for zSeries
- NetView Integrated TCP/IP Services Component (ITSC) 7.1.4

5.4.16 Considerations for Launching Tivoli Business System Manager (TBSM) from NMC or NMC from TBSM

- TBSM V1R5 (5698-BSM) or later

5.4.17 Considerations for SNMP MIB Browser, Real-time Poller

The prerequisites for the NetView Web Application

5.4.18 Considerations for Event Automation Service to and from the Tivoli Enterprise Console (TEC)

- The Event Automation Service requires the following:
 - Tivoli Enterprise Console (TEC) 3.8 or 3.9

Using secure framework communication also requires:

- Tivoli Management Framework for OS/390 3.7.1 (5697-D10, 5698-FRA)
- For additional information on installing Event Automation Service workstation component, refer to the readme file identified in Figure 20 on page 23.

5.4.19 Considerations for issuing Commands from Tivoli Management Environment to OS/390 or z/OS

- NetView Management Console Topology Server or Tivoli Management Framework for OS/390 3.6.1 (5697-D10, 5698-FRA)

5.4.20 Considerations for OS/390 TCP/IP Stack Management and Telnet 3270 Management

- Optional: In order to be able to dynamically add to the set of resources monitored and displayed at NMC, DB2 for OS/390 Version5 Release 1 (5655-DB2) or later is required

5.4.21 Considerations for Beeper/Pager Support

- IBM NetFinity for OS/2 Version 5.0 or later (if using the IBM sample for beeper/pager requests).

5.4.22 Support for IBM LAN Network Manager Enhanced Command Interface

- IBM LAN Network Manager Version 2.0 (03H3519, 03H3523 or 03H3527)

5.4.23 Management of Frame Relay (DTE) and Ethernet

- ACF/NCP Version 6 (5688-231)

5.4.24 NetView Parallel Transmission Group Support

- ACF/NCP Version 5 Release 4 (5668-738)

5.4.25 NetView Network Asset Management

Provides NCP vital product data (VPD) and hardware device vital product information for those devices that support the Request Product Set ID (PSID) architecture or signal converters that support LPDA-2 commands:

- ACF/NCP Version 4 Release 3.1 (5668-854) for the 3725
- ACF/NCP Version 5 Release 4 (5668-738) or later for the 3720 or 3745

5.4.26 NetView Performance Monitor (NPM) Alerts

- NPM Version 1 Release 6 (5665-333 MVS) or later for session alerts

5.4.27 Considerations for SAF Security Checking

OS/390 Version 2 Release 10 (5647-A01) or z/OS (5694-A01) Security Server or later or an equivalent SAF product is required for SAF security checking of each of the following functions:

- RODM connections
- NetView operator passwords
- RMTCMD through the RMTOPS Class
- NetView command authorization

- NetView Span of Control access
- NetView operator logon information
- Graphical View security
- List RACF profile for NetView operators

5.4.28 Considerations for Tivoli NetView for z/OS Version 5 Release 2 Automated Operations Network Component

- Dynamic Display Facility (DDF) requires either a 3x79 Terminal with Extended Attribute Support with a display capable of seven colors or a workstation that supports the NetView 3270 Management Console, or a workstation-based 327x terminal emulator program that provides Extended Attribute Support with a display capable of seven colors.
- The SNA Automation feature has these additional requirements for Switched Network Backup Automation:
 - IBM 586x modems (except Model 1) with 2 or 4 wire SNBU couplers, if desired, or
 - The 786x, 7855, or LPDA-2 command set capable modems

Note: Only the 786x Models 45, 46, and 47 can automatically switch back from SNBU.

Note: To use the SNBU automation, ACF/NCP Version 4 Release 3.1 (5684-854), or later is required. ACF/NCP Version 5 Release 4 (5668-738) or later is required for complete DMPX support of IBM 7861/8 Model 4x modems.
- TCP/IP for AIX Automation has these additional requirements:

TCP/IP for AIX automation uses SNA to communicate between Tivoli NetView for AIX and Tivoli NetView for z/OS, and requires:

 - AIX 5.1 (5694-A01) or later
 - Tivoli NetView for AIX 7.1.4 or later
 - AIX NetView Service Point 1.3.3 (5621-107)

Note: If 1.2.2 is already installed, PTF U473211 provides an upgrade to 1.3.3

 - IBM Communication Server for AIX 6.1 (5765-E51)

5.4.28.1 System Considerations for the MultiSystem Manager LAN Network Manager Feature

The MultiSystem Manager LAN Network Manager feature of Tivoli NetView for z/OS Version 5 Release 2 requires:

- IBM LAN Network Manager 2.0 (03H3519, 03H3523 or 03H3527) with NetView connectivity.
- Communications Manager/2 Version 1 Release 1 (79G0258 or 79G0257) or later configured with Service Point Application Router (SPAR)

5.4.28.2 System Considerations for the MultiSystem Manager NetFinity Network Feature

The MultiSystem Manager NetFinity Networks feature of Tivoli NetView for z/OS Version 5 Release 2 requires:

- Any IBM Personal Computer or compatible computer as required for NetFinity will support the topology agent for NetFinity. The topology agent for NetFinity is shipped with the NetFinity product.
- NetFinity Manager Version 5.0 or later running on OS/2 or Windows NT
- Windows NT:
 - TCP/IP connectivity
- OS/2:
 - Communications Server for OS/2, Personal Communications for OS/2 or Communications Manager as per the requirements for NetFinity Manager V5.0 SNA communication

5.4.28.3 System Considerations for the MultiSystem Manager TMR Feature

The MultiSystem Manager Tivoli Management Region (TMR) feature of Tivoli NetView for z/OS Version 5 Release 2 requires:

- IBM Tivoli Monitoring 5.1.2
- A compatible level between each of the following:
 - Tivoli Management Framework 3.7.1 or 4.1.1
 - Tivoli Enterprise Console (TEC) 3.8 or 3.9
- Any of the following Operating Systems:
 - AIX 5.1 (5765-E61) or later
 - Windows 2000 Server
 - Windows 2000 Advanced Server
 - Windows Server 2003 Standard
 - Windows Server 2003 Advanced
 - Solaris 9 or later
 - HP UX 11 or later
 - SUSE LINUX Enterprise Server 8
 - SUSE LINUX Enterprise Server 9
 - SUSE LINUX Enterprise Server 9 (ADM64/EM64T)
 - Red Hat Enterprise Linux AS 3 (INTEL)
 - Red Hat Enterprise Linux ES 3 (INTEL)

- Red Hat Enterprise Linux WS 3 (INTEL)
- Red Hat Enterprise Linux AS 4 (INTEL)
- Red Hat Enterprise Linux ES 4 (INTEL)
- Red Hat Enterprise Linux WS 4 (INTEL)
- Red Hat Enterprise Linux 4 (AMD64/EM64T)

5.4.28.4 Considerations for Sending Commands from Tivoli NetView for z/OS Version 5 Release 2 to TEC

Sending commands from Tivoli NetView for z/OS Version 5 Release 2 to TEC requires:

- The MultiSystem Manager Tivoli Management Region (TMR) Feature

5.4.28.5 System Considerations for the MultiSystem Manager IP Network Feature

The MultiSystem Manager Internet Protocol feature requires the Event Automation Service (EAS) component of Tivoli NetView for z/OS.

The MultiSystem Manager Internet Protocol feature of Tivoli NetView for z/OS Version 5 Release 2 runs in many different environments. The requirements for each environment are included below:

- **AIX**

When the MultiSystem Manager IP agent is installed on Tivoli NetView for AIX, the IP agent can communicate with Tivoli NetView for z/OS via SNA or TCP/IP. If you are using TCP/IP to communicate between the IP agent and Tivoli NetView for z/OS, the following are required:

- AIX 5.1 (5765-E61) at Recommended Maintenance level 05, or later
- Tivoli NetView for AIX 7.1.4 or later

If you are using SNA to communicate between the MultiSystem Manager IP agent and Tivoli NetView for z/OS, the following are required:

- AIX NetView Service Point Version 1 Release 3.3 (5621-107)

Note: If 1.2.2 is already installed, PTF U473211 provides an upgrade to 1.3.3

- IBM Communication Server for AIX V6.1 (5765-E51), or late

- **HP-UX**

The MultiSystem Manager IP network feature for HP-UX uses TCP/IP to communicate between the MultiSystem Manager IP agent and Tivoli NetView for z/OS. The MultiSystem Manager IP agent for HP OpenView running on HP-UX requires:

- HP-UX Version 11 or later
- Hewlett Packard Network Node Manager (HP OpenView) Version 5 Release 1, or later

- **Windows**

The MultiSystem Manager IP network feature for Windows uses TCP/IP to communicate between the MultiSystem Manager IP agent and Tivoli NetView for z/OS. The MultiSystem Manager IP agent for Tivoli NetView for Windows requires:

- One of the following
 - Windows 2000 Professional
 - Windows 2000 Server
 - Windows 2000 Advanced Server
 - Windows Server 2003 Standard
 - Windows Server 2003 Enterprise
 - Windows XP Professional
- Tivoli NetView for Windows 7.1.4, or later

- **Solaris**

The MultiSystem Manager IP network agent for Solaris uses TCP/IP to communicate between the MultiSystem Manager IP agent and Tivoli NetView for z/OS. The agent can be installed on Tivoli NetView for Solaris or Hewlett Packard Network Node Manager.

- The MultiSystem Manager IP feature for Tivoli NetView for Solaris requires:
 - Solaris 9 or later
 - Tivoli NetView for Solaris V7.1.4, or later
- The MultiSystem Manager IP agent for OpenView for Solaris requires:
 - Solaris 9 or later
 - Hewlett Packard Network Node Manager (HP OpenView) Version 5 Release 1 or later

- **Linux**

The MultiSystem Manager IP network feature for Linux uses TCP/IP to communicate between the MultiSystem Manager IP agent and Tivoli NetView for z/OS. The agent requires one of the following:

- SUSE LINUX Enterprise Server 8 for zSeries
- SUSE LINUX Enterprise Server 9 for zSeries
- Red Hat Enterprise Linux 3.0 for zSeries
- NetView Integrated TCP/IP Services Component (ITSC) 7.1.4, or later

You are now aware of all of the installation requirements for Tivoli NetView for z/OS Version 5 Release 2. Proceed to 6.0, “Installation Instructions” on page 36 to begin your product installation.

6.0 Installation Instructions

This chapter describes the installation method and the step-by-step procedures to install and to activate the functions of Tivoli NetView for z/OS Version 5 Release 2.

If you obtained Tivoli NetView for z/OS Version 5 Release 2 as part of a CBPDO, you can use the RIMLIB job on the CBPDO tape to run the SMP/E RECEIVE as well as any service, HOLDDATA, or preventive service planning (PSP) information included on the CBPDO tape. For more information, refer to the *MVS CBPDO Memo to User Extension* included with the CBPDO.

This release of the Tivoli NetView for z/OS Version 5 Release 2 program is installed using the SMP/E RECEIVE, APPLY, and ACCEPT commands.

The procedure outlined in this chapter assumes that the user has a knowledge of SMP/E based on the *SMP/E User's Guide*. To resolve any SMP/E related problems in the procedure, refer to the *SMP/E User's Guide* and the *SMP/E Reference*. This installation process does not cover the PARMLIB or other changes to z/OS that are required to run Tivoli NetView for z/OS Version 5 Release 2. The z/OS changes required to run Tivoli NetView for z/OS Version 5 Release 2 are discussed in the *Tivoli NetView for z/OS Installation: Getting Started, SC31-8872*.

Please note the following:

- The sample jobs are shown using REGION=0M. A region value equal to 0K or 0M gives the job all the storage available below and above 16 megabytes. Be aware that this can affect the performance of other jobs running in the system. If you do not choose to run with a region size of 0M, refer to z/OS SMP/E Reference, SA22-7772, for more information on how to determine region sizes.
- If you want to install Tivoli NetView for z/OS Version 5 Release 2 into its own SMP/E environment, consult the SMP/E manuals for instructions on creating and initializing the SMPCSI and the SMP/E control data sets. Sample SMP/E jobs have been shipped with NetView and can be found listed in Figure 22 on page 39.
- Sample jobs have been provided to help perform some or all of the installation tasks. The SMP/E jobs assume that all DDDEF entries required for SMP/E execution have been defined in the appropriate zones.
- The SMP/E dialogs may be used instead of the sample jobs to accomplish the SMP/E installation steps.
- If you will be installing the IBM Library for REXX on zSeries (5695-014) for use with Tivoli NetView for z/OS Version 5 Release 2 then you should refer to its Program Directory for instructions on how to perform the installation.

The two basic choices for installing Tivoli NetView for z/OS Version 5 Release 2 are:

1. **Install into new target and distribution zones. This is the recommended method for Tivoli NetView for z/OS Version 5 Release 2 for users who will continue to use a prior version of NetView after Tivoli NetView for z/OS Version 5 Release 2 has been installed.** SMP/E jobs will

load the necessary code into the appropriate libraries, then try to delete any prior releases of NetView. Since you are installing into new CSI zones there is nothing to delete. SMP/E will continue by saying there was nothing deleted. There is no need to give any dummy library names for your prior NetView because SMP/E has no way to know that a previous release was ever installed.

When your testing is finished and you have migrated completely to Tivoli NetView for z/OS Version 5 Release 2, you can run a delete job to remove the old NetView, MultiSystem Manager, and AON/ANO FMIDs from the CSI zone(s). At that time you will have to provide SMP/E with access to the old LPALIB and LINKLIB libraries. For more information see 6.1.14.1, "APPLYing Tivoli NetView for z/OS Version 5 Release 2 on a System Having NCCF or NetView Already Installed" on page 46. The *Tivoli NetView for z/OS Installation: Configuring Additional Components, SC31-8874* contains additional information on running more than one NetView in a single host.

- 2. Install the NetView program within existing target and distribution zones. This is the recommended method for installing Tivoli NetView for z/OS Version 5 Release 2 for those who wish to delete their prior release of NetView without keeping the prior and the new NetView available for use at the same time (as in choice 1).** If you install Tivoli NetView for z/OS Version 5 Release 2 into the same zone, you must provide access to your prior libraries via DDDEFs or DD statements. SMP/E will remove all traces of your previous release of NetView, including the FMIDs. In addition, you have to provide access to your SYS1.LPALIB so SMP/E may remove the old LPALIB modules. If by chance there are some traces of prior releases that still exist in SMP/E even though the libraries have been deleted, SMP/E will know and you will have to allocate dummy libraries for SMP/E and then apply again. When the apply and accept are complete, you may delete the dummy libraries. Be careful not to delete your real SYS1.LPALIB and SYS1.LINKLIB libraries. For more information see 6.1.14.1, "APPLYing Tivoli NetView for z/OS Version 5 Release 2 on a System Having NCCF or NetView Already Installed" on page 46.

If you are installing Tivoli NetView for z/OS Version 5 Release 2 into existing SMP/E zones and/or existing target and distribution libraries, you should first make a backup of the zones, the target and distribution libraries and other SMP/E data sets that will be changed during the installation. This backup will allow you to start over in case a severe error occurs during installation.

There is no SYSGEN support for Tivoli NetView for z/OS Version 5 Release 2. If a SYSGEN is performed after the installation of Tivoli NetView for z/OS Version 5 Release 2 is complete, the GENERATE facility of SMP/E can be used to re-install Tivoli NetView for z/OS Version 5 Release 2.

6.1 Installing Tivoli NetView for z/OS Version 5 Release 2

The samples provided with Tivoli NetView for z/OS Version 5 Release 2 must be customized to work in your system's environment. Where possible, the samples call attention to places where customization is necessary; however, it is possible that additional customization might be required. For example, job card information might need to be customized. In addition to this program directory, read the comments in the JCL samples. They are designed to make it easy to find required changes. Some of the JCL values which should be verified and are most likely to need customization are coded in lower case; a JCL error occurs if the values are overlooked.

6.1.1 SMP/E Considerations for Installing Tivoli NetView for z/OS Version 5 Release 2

This release of Tivoli NetView for z/OS Version 5 Release 2 is installed using the SMP/E RECEIVE, APPLY, and ACCEPT commands. The SMP/E dialogs may be used to accomplish the SMP/E installation steps.

6.1.2 SMP/E Environment

All SMP/E installation jobs provided assume that all necessary DD statements for the execution of SMP/E are defined using DDDEFs.

Sample jobs are provided to assist you in installing Tivoli NetView for z/OS Version 5 Release 2. After the RECEIVE step has been completed, the sample jobs can be found in SMPTLIB: **IBM.JENV522.F2**. Make a copy of these jobs in your own library and modify them to use during the installation of Tivoli NetView for z/OS Version 5 Release 2. Or you can use the UNLOAD job provided in the program directory to copy the install JCL from the tape. See 6.1.5, "Sample Jobs" on page 39.

In the sample SMP/E jobs provided, the name of the SMP/E CSI is GLOBAL. The global zone name in the SMP/E CSI is GLOBAL. The distribution zone name is dzone. The target zone name is tzone. The sample jobs should be updated to reflect the CSI and zone names used at your installation.

6.1.3 SMP/E Options Subentry Values

The recommended values for some SMP/E CSI subentries are shown in Figure 21. Use of values lower than these may result in failures in the installation process. DSSPACE is a subentry in the GLOBAL options entry. PEMAX is a subentry of the GENERAL entry in the GLOBAL options entry. Refer to the SMP/E manuals for instructions on updating the global zone.

<i>Figure 21. SMP/E Options Subentry Values</i>		
SUB-ENTRY	Value	Comment
DSSPACE	(300,500,900)	Use 900 directory blocks
PEMAX	SMP/E Default	Tivoli recommends using the SMP/E default for PEMAX.

6.1.4 SMP/E CALLLIBS Processing

Tivoli NetView for z/OS Version 5 Release 2 uses the CALLLIBS function provided in SMP/E to resolve external references during installation. When Tivoli NetView for z/OS Version 5 Release 2 is installed, ensure that DDDEFs exist for the following libraries:

- CSSLIB
- SCEELKED
- SEZADPIL

- SEZACMTX
- SISPLOAD

Note: The DDDEFs above are used only to resolve the link-edit for Tivoli NetView for z/OS Version 5 Release 2 using CALLLIBS. These data sets are not updated during the installation of Tivoli NetView for z/OS Version 5 Release 2.

If you are running a release of SMP/E prior to 3.2 verify that the SMP/E SMPLTS data set has been allocated. Refer to *SMP/E Reference* for information on allocating the SMPLTS data set.

Note: For Tivoli NetView for z/OS Version 5 Release 2, 296 tracks of 3390 DASD space is adequate for the SMPLTS.

6.1.5 Sample Jobs

The following sample installation jobs are provided as part of the product to help you install Tivoli NetView for z/OS Version 5 Release 2:

Figure 22 (Page 1 of 2). Sample Installation Jobs

Job Name	Job Type	Description	RELFILE
CNMJSMPJ	SMPZONE	Sample job to allocate SMP/E datasets	IBM.JENV522.F2
CNMJCSIJ	SMPZONE	Sample job to allocate global, target and dlib zones, define the globalzone and default options to SMP/E	IBM.JENV522.F2
CNMJUCLJ	SMPZONE	Sample job to update DSSPACE and/or PEMAX if using existing zones	IBM.JENV522.F2
CNMRCVNJ	RECEIVE	RECEIVE job for System Services Base	IBM.JENV522.F2
CNMRCVEJ	RECEIVE	RECEIVE job for Enterprise Base	IBM.JENV522.F2
CNMALOCJ	ALLOCATE	Allocate job for target and distribution libraries for Tivoli NetView for z/OS Version 5 Release 2 host.	IBM.JENV522.F2
CNMJMKPJ	MKDIR	Sample job to create HFS mount point directory of target HFS data set that was allocated. Must be done from ID with root authority.	IBM.JENV522.F2
CNMJMKMJ	MKDIR	Rexx exec invoked by CNMJMKPJ to create the HFS mount point directory of the target HFS data set.	IBM.JENV522.F2
CNMJMKXJ	MKDIR	Sample job to execute the exec that creates HFS directories for z/OS UNIX System Services related components. Must be done from ID with root authority. HFS paths	IBM.JENV522.F2
CNMJMKDJ	MKDIR	Rexx exec to create HFS directories for z/OS UNIX System Services related components HFS paths	IBM.JENV522.F2
CNMDDEFJ	DDDEF	Sample job to define SMP/E DDDEFs for NetView	IBM.JENV522.F2

Figure 22 (Page 2 of 2). Sample Installation Jobs

Job Name	Job Type	Description	RELFILE
CNMAPLYJ	APPLY	APPLY job for NetView. Must be done from ID with root authority.	IBM.JENV522.F2
CNMACPTJ	ACCEPT	ACCEPT job for NetView	IBM.JENV522.F2
CNMJUMCS	PRINT	Sample job to print out SMPMCS	IBM.JENV522.F2

You can access the sample installation jobs by performing an SMP/E RECEIVE and then copying the jobs from the relfiles to a work data set for editing and submission. See Figure 22 on page 39 to find the appropriate relfile data set.

You may copy the jobs from the tape or product files by submitting the job below. Use either the //TAPEIN or the //FILEIN DD statement, depending on your distribution medium, and comment out or delete the other statement. Add a job card and change the lowercase parameters to uppercase values to meet your site's requirements before submitting.

```
//UNLOAD EXEC PGM=IEBCOPY
//SYSPRINT DD SYSOUT=*
//TAPEIN DD DSN=IBM.JENV522.F2,UNIT=tunit,
// LABEL=(x,SL),DISP=OLD,
// VOL=SER=JNV520
//*FILEIN DD DSN=IBM.JENV522.F2,UNIT=SYSALLDA,DISP=SHR,
//* VOL=SER=filevol
//OUT DD DSN=NETVIEW.V5R2M0.INSTALL,
// DISP=(NEW,CATLG,DELETE),
// VOL=SER=dasdvol,UNIT=SYSALLDA,
// SPACE=(8800,(15,10,15))
//SYSUT3 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1))
//SYSIN DD *
COPY INDD=xxxxIN,OUTDD=OUT
/*
```

In the sample above, update the statements as noted below:

If using TAPEIN:

tunit is the unit value matching the product tape.

x is the tape file number where the data set can be found.

Refer to the documentation provided by CBPDO to see where IBM.JENV522.F2 is on the tape.

If using FILEIN

filevol is the volume serial of the DASD device where the downloaded files reside.

OUT

dasdvol is the volume serial of the DASD device where the output data set will reside.

SYSIN

xxxxIN is either TAPEIN or FILEIN depending on your input DD statement.

6.1.6 Establish the Correct SMP/E Environment for Tivoli NetView for z/OS Version 5 Release 2

6.1.6.1 SMP/E Data Sets for Tivoli NetView for z/OS Version 5 Release 2

If you chose to allocate a NetView SMP/E CSI then you may also wish to allocate separate SMP/E data sets for use with the new zones. Sample CNMJSMPJ is provided in NETVIEW.V5R2M0.INSTALL for that purpose. It is important that the data set names match between sample job CNMJSMPJ and those that are specified in all of the installation jobs supplied with Tivoli NetView for z/OS Version 5 Release 2. CNMJSMPJ is written to allow for a customer supplied second level qualifier to the data set names but does not require it. If you choose to add a second level qualifier you should code it in the SMPSLQ parameter and be sure it contains the trailing period (e.g. SMPSLQ=USER.).

- **Expected Return Codes and Messages:** The CNMJSMPJ job is considered successful if return code zero is received.

6.1.6.2 SMP/E CSI for Tivoli NetView for z/OS Version 5 Release 2

Users who wish to allocate new CSI data sets and create a separate set of global, distribution and target zones for NetView may do so using the sample CNMJCSIJ supplied in NETVIEW.V5R2M0.INSTALL. CNMJCSIJ will allocate and prime a global CSI data set, allocate and prime separate CSI data sets for the target and distribution zones, and initialize the zones once the CSIs are allocated and primed. Along with following the directions specified in the comments of the CNMJCSIJ sample, you should review the SMP/E options defined in CNMJCSIJ. These options were chosen for maximum flexibility and a minimum number of later updates; you may wish to change some options. For example, the NOPURGE option, prevents the deletion of global zone SYSMOD entries, HOLDDATA entries, SMPPTS MCS entries and SMPTLIB data sets during ACCEPT processing. Specifying PURGE could save some disk space if the consequences are acceptable. The *SMP/E User's Guide* and the *SMP/E Reference* will be helpful in determining whether or not to specify NOPURGE.

The ACCJCLIN option tells SMP/E to save inline JCLIN in the distribution zone whenever a SYSMOD containing inline JCLIN is ACCEPTed. The ACCJCLIN option can be specified in the CNMJCSIJ sample job, or a separate UCLIN job can be executed at a later time to add this option. For more information on the ACCJCLIN indicator, see the description of inline JCLIN in the SMP/E manuals.

- **Expected Return Codes and Messages:** The CNMJCSIJ job is considered successful if return code zero is received. If this is the first time you have run this job, and have uncommented the step to delete existing CSI's, and there are no existing CSIs to delete, you will get a return code of 8 for the delete step.

6.1.6.3 OS/390 Release 10 SMP/E or later access to Tivoli NetView for z/OS Version 5 Release 2 Data Sets

Tivoli NetView for z/OS Version 5 Release 2 now has its own MACLIB and AMACLIB data sets instead of using the system data sets. They are SCNMMAC1 and ACNMMAC1.

To establish the correct SMP/E access to Tivoli NetView for z/OS Version 5 Release 2 data sets, complete the following steps:

- Ensure that the SMP/E space requirements outlined in Figure 15 on page 19 and Figure 16 on page 20 are met by the SMP/E environment that will be used to install Tivoli NetView for z/OS Version 5 Release 2. If you choose to use samples CNMJSMPJ and CNMJCSIJ to create your SMP/E environment, these requirements are met and you may continue to 6.1.7, “Perform SMP/E RECEIVE.” If you are **not** using CNMJSMPJ and CNMJCSIJ to create your SMP/E environment, read the following items.
 - Storage requirements for the SMPCSI data sets are found in Figure 14 on page 19.
 - CNMJUCLJ, found in NETVIEW.V5R2M0.INSTALL, can be used to set DSSPACE and PEMAX to the values shown in Figure 21 on page 38. CNMJUCLJ should only be used if the values in your current OPTIONS entry are less than the values shown in Figure 21 on page 38.
 - Run CNMJUCLJ, if necessary, before proceeding to 6.1.7, “Perform SMP/E RECEIVE” .

Expected Return Codes and Messages: The CNMJUCLJ job is considered successful if return code zero is received.

6.1.7 Perform SMP/E RECEIVE

Perform an SMP/E RECEIVE for Tivoli NetView for z/OS Version 5 Release 2.

Having obtained Tivoli NetView for z/OS Version 5 Release 2 as part of a CBPDO, use the RCVPDO job found in the CBPDO RIMLIB data set to RECEIVE the Tivoli NetView for z/OS Version 5 Release 2 FMIDs as well as any service, HOLDDATA, or preventive service planning (PSP) information included on the CBPDO tape. For more information, refer to the documentation included with the CBPDO.

Edit and submit sample receive jobs CNMRCVNJ and CNMRCVEJ to perform the SMP/E RECEIVE for Tivoli NetView for z/OS Version 5 Release 2. Consult the instructions in the sample jobs for more information. You will need to run both CNMRCVNJ and CNMRCVEJ.

After choosing which jobs you should run, make the changes as indicated in the JCL comments (as well as any other changes required by your site) and submit the jobs.

- **CNMRCVNJ:**

The JCL contained in the sample job CNMRCVNJ should be run for all installations.

Expected Return Codes and Messages: The CNMRCVNJ job is considered successful if return code zero is received.

- **CNMRCVEJ:**

The JCL contained in the sample job CNMRCVEJ should be run for all installations.

Expected Return Codes and Messages: The CNMRCVEJ job is considered successful if return code zero is received.

6.1.8 Allocate SMP/E Target and Distribution Libraries

6.1.8.1 Allocate SMP/E Target and Distribution Libraries

Ensure that the Tivoli NetView for z/OS Version 5 Release 2 target and distribution libraries have sufficient space. To see the minimum sizes needed refer to Figure 19 on page 22 and Figure 17 on page 20. To allow for maintenance, the space allocations in allocation samples are larger than the actual minimum space required.

If you are installing the NetView program for the first time, or want to install a new copy of NetView, the allocation sample, CNMALOCJ, can be used to create the target and distribution libraries which are used exclusively by Tivoli NetView for z/OS Version 5 Release 2.

Optionally, CNMALOCJ can also allocate a target HFS data set, 'hhhhh.NETVIEW.V5R2J.HFS', that can be used to install NetView code.

Note: You are not required to allocate a target HFS data set, however, it is recommended. If you do not wish to allocate a target HFS data set for NetView, you can still install into either your root HFS data set or into another HFS data set. Currently, CNMALOCJ will not allocate a target HFS data set. If you wish to allocate one you must uncomment the ALLOC2 step before running the CNMALOCJ sample job.

The target library SCNMLPA1 must be cataloged in the master catalog so that it can later be concatenated to SYS1.LPALIB via the LPALSTxx member of SYS1.PARMLIB. The target library CNMLINK must also be cataloged in the master catalog if it is to be added to the linklist via the LNKLSTxx member of SYS1.PARMLIB. The LPALIB and LINKLIST concatenations are discussed further in the *Tivoli NetView for z/OS Installation: Getting Started, SC31-8872*.

If you are allocating new Tivoli NetView for z/OS Version 5 Release 2 libraries run CNMALOCJ. After running CNMALOCJ you should proceed to 6.1.9, "Create Hierarchical File System Mount Point Directory" on page 44.

- **CNMALOCJ:**

Expected Return Codes and Messages: The CNMALOCJ job is considered successful if return code zero is received.

6.1.9 Create Hierarchical File System Mount Point Directory

A mount point directory is required for the USS code. You can use CNMJMKPJ to create the HFS mount point directory, <PathPrefix>/usr/lpp/netview/, which will be used to mount your target HFS data set. CNMJMKPJ must be run by a userid that has SAF READ access to BPX.SUPERUSER.

Note: CNMJMKPJ assumes that the <PathPrefix>/usr/lpp/ directories already exist. If these directories do not exist, manually create the <PathPrefix>/usr/lpp/ directories **before** submitting CNMJMKPJ.

Note: When editing sample CNMJMKPJ, be sure that you use the same <PathPrefix> value when you edit sample CNMDDEFJ. The default value that is shipped with Tivoli NetView for z/OS Version 5 Release 2 is null. Remember that pathnames in z/OS UNIX System Services are case sensitive.

- **CNMJMKPJ:**

Expected Return Codes and Messages: The CNMJMKPJ job is considered successful if return code zero is received.

6.1.10 Mount The Target Hierarchical File System Dataset

If you chose to allocate a new HFS, as defined in sample CNMALOCJ, then use the following TSO/E command to mount the target HFS dataset that was allocated by sample CNMALOCJ at the mount point directory:

```
MOUNT FILESYSTEM('hhhhh.NETVIEW.V5R2J.HFS')
      MOUNTPOINT('<PathPrefix>/usr/lpp/netview/')
      TYPE(HFS) MODE(RDWR)
```

'hhhhh.NETVIEW.V5R2J.HFS' is the name of your target HFS dataset and <PathPrefix> is the high-level directory name that will be used in sample CNMDDEFJ. Be sure to mount the target HFS dataset in read/write mode. After the steps in this program directory have been completed, you should re-mount the target HFS dataset in read only mode in order to protect the data installed. This command must be entered by a userid that has SAF READ access to BPX.SUPERUSER.

Note: If you re-ipl your target system, you will have to re-enter this command in order to re-mount the target HFS dataset. To automatically mount the target HFS dataset during the ipl process, modify your BPXPRMxx member of SYS1.PARMLIB. Instructions for modifying your BPXPRMxx member are provided in the *Tivoli NetView for z/OS Installation: Getting Started, SC31-8872*.

6.1.11 Allocate HFS Paths

6.1.12 Create Hierarchical File System Directories

For Tivoli NetView for z/OS Version 5 Release 2, edit and submit sample CNMJMKXJ which creates HFS directories for z/OS UNIX System Services related components in NetView. CNMJMKXJ must be run by a userid that has SAF READ access to BPX.SUPERUSER.

Note: When editing sample CNMJMKXJ, be sure that you use the same <PathPrefix> value in sample CNMDDEFJ.

- **CNMJMKXJ:**

Expected Return Codes and Messages: The CNMJMKXJ job is considered successful if return code zero is received.

6.1.13 Create DDDEF Entries

Add the DDDEFs for Tivoli NetView for z/OS Version 5 Release 2 target libraries and distribution libraries (for SMP/E CALLLIB and RESTORE processing) to the target zone into which Tivoli NetView for z/OS Version 5 Release 2 will be APPLyed. Also add the DDDEFs for distribution libraries to the distribution zone into which Tivoli NetView for z/OS Version 5 Release 2 will be ACCEPTed.

Run CNMDDEFJ before proceeding. Consult the instructions in the sample job for more information.

Note: Because pathnames in z/OS UNIX System Services are case sensitive, be sure when you change <PathPrefix> in the DDDEF3 step not to change the case of any characters in the HFS pathname.

- **CNMDDEFJ:**

Expected Return Codes and Messages: The CNMDDEFJ job is considered successful if return code zero is received.

6.1.14 Perform SMP/E APPLY

Edit and submit sample job CNMAPLYJ to perform an SMP/E APPLY CHECK for Tivoli NetView for z/OS Version 5 Release 2. Consult the instructions in the sample job for more information. You will have to uncomment the CHECK operand in order to run that function.

To receive the full benefit of the SMP/E Causer SYSMOD Summary Report, do *not* bypass the following on the APPLY CHECK: PRE, ID, REQ, and IFREQ. This is because the SMP/E root cause analysis identifies the cause only of **ERRORS** and not of **WARNINGS** (SYSMODs that are bypassed are treated as warnings, not errors, by SMP/E).

Once you have taken any actions indicated by the APPLY CHECK, remove or comment out the CHECK operand and run the job again to perform the APPLY.

Note: The GROUPEXTEND operand indicates that SMP/E apply all requisite SYSMODs. The requisite SYSMODS might be applicable to other functions.

If you have previously installed NetView or NCCF into target libraries that you will continue to use with Tivoli NetView for z/OS Version 5 Release 2, you will need to let SMP/E remove the old NetView or NCCF from those target libraries at APPLY time. See section 6.1.14.1, “APPLYing Tivoli NetView for z/OS Version 5 Release 2 on a System Having NCCF or NetView Already Installed” on page 46 for more information.

The APPLY job, CNMAPLYJ will apply one or more FMIDs. You may choose to apply FMIDs individually, or all at once. Make the changes as indicated in the JCL comments contained in CNMAPLYJ (as well as any other changes required by your site) and submit the job. Remember, you must comment out any FMIDs that you will not be applying.

Note: It is **strongly** recommended that you APPLY the NetView components in the order listed in the sample apply job. This is because Tivoli NetView for z/OS Version 5 Release 2 has many dependencies between components. These dependencies will cause unresolved external reference messages to be generated during the APPLY. The correct order for applying is

- HENV520
- JENV522
- JENV523
- JENV525

Note: The CNMAPLYJ job must be run by a userid that has SAF READ access to BPX.SUPERUSER.

Warning: Because Tivoli NetView for z/OS Version 5 Release 2 has been divided into several FMIDs this release, some load modules will be built with parts from multiple FMIDs. SMP/E will handle this automatically for you by keeping track of what parts are needed and adding them into load modules as they are applied. However, this means that some linkage editor steps will initially finish with a return code of 4. In order to keep the APPLY step from ending prematurely, you must set SMP/E to allow a return code of 4. (This is done automatically if you use the SMP/E sample installation jobs provided). This can also be done by using the SMP/E dialogs or UCLIN to set the return code for specific utilities such as IEWL, the binder.

- **CNMAPLYJ:**

Expected Return Codes and Messages from APPLY CHECK: The job is considered successful if return code zero is received.

Expected Return Codes and Messages from APPLY: The job is considered successful if return code zero is received.

6.1.14.1 APPLYing Tivoli NetView for z/OS Version 5 Release 2 on a System Having NCCF or NetView Already Installed

You should do either 6.1.14.1.1, “Deleting a Previous Release of NCCF or NetView” on page 47 or 6.1.14.1.2, “Running with a Previous Release of NCCF or NetView” on page 47, but not both.

6.1.14.1.1 Deleting a Previous Release of NCCF or NetView: If you have previously installed NetView or NCCF into system libraries and you will use those libraries again with Tivoli NetView for z/OS Version 5 Release 2, but you do not want to continue using this release after your Tivoli NetView for z/OS Version 5 Release 2 install, you will need to use SMP/E to remove the old NetView or NCCF from those libraries when SMP/E installs Tivoli NetView for z/OS Version 5 Release 2.

This is particularly important when the prior release of NetView or NCCF was installed into SYS1.LINKLIB and/or SYS1.LPALIB. If you do not remove the previous release of NetView or NCCF from SYS1.LINKLIB and SYS1.LPALIB, the newly installed system will be executing the previous NetView or NCCF modules instead of Tivoli NetView for z/OS Version 5 Release 2 modules.

For SMP/E to remove the previous release of NetView or NCCF from your system's libraries, you will have to take the following steps:

- You will have to run your APPLY job using your old NetView or NCCF libraries and SMP/E zone.
- During an APPLY, all the elements from a previous release are deleted from your target libraries. If you have previously deleted old libraries or elements within a library, the SMP/E entry for them will still exist. An attempt will be made to delete elements, and processing will continue whether or not they are found. However, if SMP/E cannot find the data sets, it will halt the APPLY until you provide access to them. In this case, allocate dummy libraries and delete them after the APPLY.
- Any old NetView data sets that are deleted should be removed from your SMP/E zone DDDEFs (CNMDDDEFJ). If you have a previous version of MultiSystem Manager or AON/ANO installed you will need to delete those data sets as well.
- Since the APPLY will have deleted BNJMTERM from SYS1.LPALIB, no IPLs should be performed with the CLPA option until the library SCNMLPA1 is concatenated to SYS1.LPALIB via a LPALSTxx member of SYS1.PARMLIB (refer to the *Tivoli NetView for z/OS Installation: Getting Started, SC31-8872*).

Warning: If an IPL is performed before the SCNMLPA1 data set is allocated, a warning message will be displayed saying that the SCNMLPA1 data set cannot be allocated, and NetView will not start correctly.

To lessen the exposure to this situation, you might want to add SCNMLPA1 to the LPALSTxx member (refer to *Tivoli NetView for z/OS Installation: Getting Started, SC31-8872*) before actually APPLYing Tivoli NetView for z/OS Version 5 Release 2.

6.1.14.1.2 Running with a Previous Release of NCCF or NetView: If you have previously installed NetView or NCCF and you plan to continue using this release after your Tivoli NetView for z/OS Version 5 Release 2 install, you **MUST** use separate SMP/E target zones for your Tivoli NetView for z/OS Version 5 Release 2 install. After your period of testing Tivoli NetView for z/OS Version 5 Release 2 is finished, you should delete the previous release of NetView or NCCF. If the previous level of NetView is earlier than Version 2 Release 1 (or NetView Version 1 Release 3 MVS/ESA) then you must manually delete the old modules from SYS1.LPALIB and SYS1.LINKLIB since the new release uses modules which are placed in SCNMLPA1 rather than LPALIB and CNMLINK instead of LINKLIB. These modules in SCNMLPA1 are downward compatible with previous releases and the most recent version should be used.

When your migration is complete and you wish to delete your previous release of NCCF or NetView, you may run an SMP/E job using a dummy FMID to delete the previous release and its parts from the old libraries and the previous release's target and distribution zones. A UCLIN job is used to clean out references to the dummy FMID from the CSI zones. This assumes you have installed Tivoli NetView for z/OS Version 5 Release 2 in a separate CSI(s) or zone(s) from the previous release. Figure 23 lists the releases prior to Tivoli NetView for z/OS Version 5 Release 2.

Figure 23 (Page 1 of 2). NetView FMIDs to delete by Version/Release

Version/Release	MVS/370	MVS/XA	MVS/ESA
NetView V1R1	HNV1102	HNV1103	N/A ¹
NetView V1R2	HNV1202	HNV1203	N/A ¹
NetView V1R3	N/A ²	HNV1303	HVNW140
NetView V2R1	N/A ²	HVWW101	HXYZ101
NetView V2R2	N/A ²	HVWW200	HXYZ200
NetView V2R3	N/A ²	HVWW300	HXYZ300
NetView V2R4	N/A ²	N/A ³	HXYZ400
NetView V3R1	N/A ²	N/A ³	HPZ8100, HPZ8130
TME 10 NetView V1R1	N/A ²	N/A ³	HPZ8200
TME 10 NetView V1R2	N/A ²	N/A ³	HPZ8300
TME 10 NetView V1R3	N/A ²	N/A ³	HPZ8400
Tivoli NetView for z/OS V1R4	N/A ²	N/A ³	HPZ8500
Tivoli NetView for z/OS V5R1	N/A ²	N/A ³	HENV510
MultiSystem Manager V1R1	N/A ⁴	N/A ⁵	HFLC100
MultiSystem Manager V1R2	N/A ⁴	N/A ⁵	HFLC200
MultiSystem Manager V2R1	N/A ⁴	N/A ⁵	HFLC300
MultiSystem Manager V2R2	N/A ⁴	N/A ⁵	HFLC400

Figure 23 (Page 2 of 2). NetView FMIDs to delete by Version/Release

Version/Release	MVS/370	MVS/XA	MVS/ESA
AON/ANO FMIDs	N/A ⁶	N/A ⁷	HLR6110, HLR6200, HML6110, HML6111, H080100

Notes:

1. NetView was not shipped in MVS/ESA for this release.
2. NetView was not shipped in MVS/370 for this release.
3. NetView was not shipped in MVS/XA for this release.
4. MultiSystem Manager was not shipped in MVS/370.
5. MultiSystem Manager was not shipped in MVS/XA.
6. AON/ANO was not shipped in MVS/370 for this release.
7. AON/ANO was not shipped in MVS/XA for this release.

If you have not accepted all of your maintenance, you may have additional work to complete the cleanup of your global zones. You should use the REJECT command to delete any SYSMODs and HOLDDATA applicable to the dummy function and the old function. In addition, you should delete the FMIDs from the GLOBALZONE entry to prevent SMP/E from receiving any SYSMODs or HOLDDATA applicable to either of those functions. Here are examples of the commands you can use to do this:

```

SET      BDY(GLOBAL)      /* Set to global zone.      */
REJECT  HOLDDATA NOFMID  /* Reject SYSMODs, HOLDDATA */
        DELETEFMID      /* for the deleted functions.*/
        (nvdelet fmid2d1) /* Delete the FMIDs from the */
                          /* GLOBALZONE entry.        */
    
```

Figure 24. Additional delete logic

6.1.14.2 Running and verifying the APPLY of Tivoli NetView for z/OS Version 5 Release 2

Run the apply job CNMAPLYJ. It should end with a return code of 0. If the code is non zero then analyze the reports from the APPLY and take whatever action is necessary to resolve the errors. The analysis of APPLY reports is covered in detail in the *SMP/E User's Guide*.

Load module DSITCT will not be deleted during APPLY processing for customers who have the TCAM interface module, IEDQB1, installed with NCCF. This is not an error.

You should be aware that you may receive a return code of 0 and still find unresolved references in your APPLY output. This is normal and not a problem. With SMP/E R8 and higher many modules are built twice. The first version is built without any references to HLL libraries resolved and stored in an SMP/E dataset, SMPLTS. This version will have unresolved external references. It is used by SMP/E to rebuild the module if you should update the level of any of your HLL's. SMP/E then builds the useable version of the module with the HLL libraries, resolving any external references. If the useable version builds correctly the APPLY job will end with a return code of 0. Please note that this is an explanation of how

CALLLIBS works, not an instruction to run REPORT CALLLIBS each time maintenance is applied to your high level language. This need was eliminated in Language Environment Version 1 Release 3 and is applicable to all z/OS releases. You will still need to run REPORT CALLLIBS if your products have maintenance applied, but not if your high level language source is LE V1R3 or higher which includes all levels of OS/390 Release 3 or later.

Note: There are some load modules that will not have all their external references resolved by the APPLY. This is because they may need to be linked in with user code, because they are used by another FMID to build a larger load module, or because they need a part from an FMID that has not yet been applied. The ACTION column will indicate if and how the external references will be resolved. If the ACTION column says "NONE" then this module will never have its external references resolved. This is not a problem. It means that the load module is never executed by itself, but is used to build a larger load module in a different product.

Depending on the level of z/OS used, you will receive additional warning and informational messages when you run the APPLY jobs. Most of these are not a problem. Figure 25 lists the messages, and the approximate number of times each message will occur, for each set of FMIDs. This is not meant to be an exact list, as the level of your operating system may cause variations in the results, but is meant to be used as a guide in assessing whether your APPLY ran correctly. Note that, if you are using SMP/E 3.2 or higher you will not receive any of the messages listed in Figure 25.

<i>Figure 25. Warning and Informational Messages Received during APPLY</i>		
Message Number	HENV520 JENV521	JENV523 JENV524
GIM23913I	4825	1014
GIM23913W	3	0
GIM23914I	0	0
IEW2454W	33	175
IEW2646W	1	0
IEW2651W	1	0
IEW2650I	11	37

6.1.15 Perform SMP/E ACCEPT

Edit and submit sample job CNMACPTJ to perform an SMP/E ACCEPT CHECK for Tivoli NetView for z/OS Version 5 Release 2. Consult the instructions in the sample job for more information.

To receive the full benefit of the SMP/E Causer SYSMOD Summary Report, do *not* bypass the following on the ACCEPT CHECK: PRE, ID, REQ, and IFREQ. This is because the SMP/E root cause analysis identifies the cause only of **ERRORS** and not of **WARNINGS** (SYSMODs that are bypassed are treated as warnings, not errors, by SMP/E).

Before using SMP/E to load new distribution libraries, it is recommended that you set the ACCJCLIN indicator in the distribution zone. This will cause entries produced from JCLIN to be saved in the distribution zone whenever a SYSMOD containing inline JCLIN is ACCEPTed. For more information on the ACCJCLIN indicator, see the description of inline JCLIN in the SMP/E manuals.

Once you have taken any actions indicated by the ACCEPT CHECK, remove the CHECK operand and run the job again to perform the ACCEPT.

Note: The GROUPEXTEND operand indicates that SMP/E accept all requisite SYSMODs. The requisite SYSMODS might be applicable to other functions.

Edit and submit sample accept jobs to perform an SMP/E ACCEPT for Tivoli NetView for z/OS Version 5 Release 2. Consult the instructions in the sample job for more information.

If you have previously installed NetView or NCCF into distribution libraries that you will continue to use with Tivoli NetView for z/OS Version 5 Release 2, you will need to let SMP/E remove the old NetView or NCCF from those distribution libraries at ACCEPT time.

CNMACPTJ, supplied in NETVIEW.V5R2M0.INSTALL will accept one or more FMIDs. You will need to run this job for each FMID for which you did a RECEIVE and APPLY.

After choosing which FMIDs you should run, make the changes as indicated in the JCL comments contained in CNMACPTJ (as well as any other changes required by your site) and submit the job. Remember, you must comment out any FMIDs that you will not be accepting. The analysis of ACCEPT reports is covered in detail in *SMP/E User's Guide*.

- **CNMACPTJ:**

Expected Return Codes and Messages from ACCEPT CHECK: The job is considered successful if return code 0 is received.

Expected Return Codes and Messages from ACCEPT: The job is considered successful if return code 0 is received.

If PTFs containing replacement modules are being ACCEPTed, SMP/E ACCEPT processing will linkedit/bind the modules into the distribution libraries. During this processing, the Linkage Editor or Binder may issue messages documenting unresolved external references, resulting in a return code of 4 from the ACCEPT step. These messages can be ignored, because the distribution libraries are not executable and the unresolved external references will not affect the executable system libraries.

6.1.15.1 ACCEPTing Tivoli NetView for z/OS Version 5 Release 2 on a System Having NCCF or NetView Already Installed

You should do either 6.1.15.1.1, "Deleting a Previous Release of NCCF or NetView" or 6.1.15.1.2, "Running with a Previous Release of NCCF or NetView" on page 52, but not both.

6.1.15.1.1 Deleting a Previous Release of NCCF or NetView: If you have previously installed NetView or NCCF into system libraries and you will reuse those libraries with Tivoli NetView for z/OS Version 5 Release 2, but you do NOT want to continue using this release after your Tivoli NetView for z/OS Version

5 Release 2 install you will need to let SMP/E remove the old NetView or NCCF from those libraries when SMP/E installs Tivoli NetView for z/OS Version 5 Release 2.

To allow SMP/E to remove the old NetView or NCCF from your system's libraries, you will have to take the following steps:

- You will have to run your ACCEPT job using your old NetView or NCCF libraries and SMP/E zone.
- During an ACCEPT, all the elements from a previous release are deleted from your distribution libraries. If you have previously deleted old libraries or elements within a library, the SMP/E entry for them will still exist. An attempt will be made to delete them and processing will continue whether or not the element is found. However, if SMP/E cannot find the data sets, it will halt the ACCEPT until you provide access to them. In this case, allocate dummy libraries and delete them after the ACCEPT.
- Any old NetView data sets that are deleted should also be removed from your SMP/E zone DDDEFs. If you have a previous version of MultiSystem Manager or AON/ANO installed you will need to delete those data sets as well.

6.1.15.1.2 Running with a Previous Release of NCCF or NetView: If you have previously installed NetView or NCCF and you plan to continue using this release after your Tivoli NetView for z/OS Version 5 Release 2 install, you **MUST** use separate SMP/E distribution zones for your Tivoli NetView for z/OS Version 5 Release 2 install.

When your migration is complete and you wish to delete your previous release of NCCF or NetView, you may run the dummy SMP/E job to delete the old distribution libraries from the previous release's CSI zone. This assumes you have installed Tivoli NetView for z/OS Version 5 Release 2 in a separate CSI from the previous release. This process is described in 6.1.14.1.2, "Running with a Previous Release of NCCF or NetView" on page 47 and the jobs provided perform the receive, apply, and accept steps.

6.1.16 Installing the PTFs

For information concerning PTF installation, refer to *SMP/E User's Guide*.

APPLY and ACCEPT any CUM tape received with this product.

6.1.16.1 Publications Useful During Installation

No additional publications are provided for Tivoli NetView for z/OS Version 5 Release 2.

6.1.17 Cleaning Up Obsolete Data Sets, Paths, and DDDEFs

The following data sets, allocated and used by previous releases of this product, are no longer used in this release. You may choose to delete these obsolete data sets after you delete the previous release from your system.

- &HLQ.&SLQ.SEKGCAS1

- &HLQ..&SLQ.AEKGCAS1
- &HLQ..&SLQ.SEKGLUTB
- &HLQ..&SLQ.AEKGLUTB
- &HLQ..&SLQ.SEKGPNL1
- &HLQ..&SLQ.AEKGPNL1
- &HLQ..&SLQ.SEKGSMP1
- &HLQ..&SLQ.AEKGSMP1
- &HLQ..&SLQ.SEKGMOD1
- &HLQ..&SLQ.AEKGMOD1
- &HLQ..&SLQ.SEKGMOD2
- &HLQ..&SLQ.SEKGLNK1
- &HLQ..&SLQ.SEZLCLST
- &HLQ..&SLQ.AEZLCLST
- &HLQ..&SLQ.SEZLINST
- &HLQ..&SLQ.AEZLINST
- &HLQ..&SLQ.SEZLLINK
- &HLQ..&SLQ.AEZLLINK
- &HLQ..&SLQ.SEZLPNLU
- &HLQ..&SLQ.AEZLPNLU
- &HLQ..&SLQ.SEZLSAMP
- &HLQ..&SLQ.AEZLSAMP

The following HFS paths, created and used by previous releases of this product, are no longer used in this release. You may choose to delete these obsolete HFS paths after you delete the previous release from your system.

- /usr/lpp/netview/bin/IBM/
- /usr/lpp/netview/samples/IBM/
- /usr/lpp/netview/lib/IBM/
- /usr/lpp/netview/mibs/IBM/
- /usr/lpp/netview/doc/IBM/
- /usr/lpp/netview/man/C/cat1/IBM/
- /usr/lpp/netview/samples/properties/IBM
- /usr/lpp/netview/samples/properties/startup/IBM

- /usr/lpp/netview/V5R1/*

The following DDDEF entries, created and used by previous releases of this product, are no longer used in this release. You may choose to delete these obsolete DDDEF entries after you delete the previous release from your system.

- SEKGCAS1
- AEKGCAS1
- SEKGLUTB
- AEKGLUTB
- SEKGPNL1
- AEKGPNL1
- SEKGSMP1
- AEKGSMP1
- SEKGMOD1
- AEKGMOD1
- SEKGMOD2
- SEKGLNK1
- SEZLCLST
- AEZLCLST
- SEZLINST
- AEZLINST
- SEZLLINK
- AEZLLINK
- SEZLPNLU
- AEZLPNLU
- SEZLSAMP
- AEZLSAMP

6.2 Activating Tivoli NetView for z/OS Version 5 Release 2

The publication *Tivoli NetView for z/OS Installation: Getting Started, SC31-8872* contains the step-by-step procedures to activate the functions of Tivoli NetView for z/OS Version 5 Release 2. For additional information refer to the publications noted in Figure 4 on page 8.

Appendix A. Notices

References in this document to IBM products, programs, or services do not imply that IBM intends to make these available in all countries in which IBM operates. Any reference to an IBM product, program, or service is not intended to state or imply that only IBM's product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe on any of IBM's intellectual property rights may be used instead of the IBM product, program, or service. Evaluation and verification of operation in conjunction with other products, except those expressly designated by IBM, is the user's responsibility.

APAR numbers are provided in this document to assist in locating PTFs that may be required. Ongoing problem reporting may result in additional APARs being created. Therefore, the APAR lists in this document may not be complete. To obtain current service recommendations and to identify current product service requirements, always contact the IBM Customer Support Center or use S/390 SoftwareXcel to obtain the current "PSP Bucket".

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to the

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, New York 10504-1785
USA

For online versions of this book, we authorize you to:

- Copy, modify, and print the documentation contained on the media, for use within your enterprise, provided you reproduce the copyright notice, all warning statements, and other required statements on each copy or partial copy.
- Transfer the original unaltered copy of the documentation when you transfer the related IBM product (which may be either machines you own, or programs, if the program's license terms permit a transfer). You must, at the same time, destroy all other copies of the documentation.

You are responsible for payment of any taxes, including personal property taxes, resulting from this authorization.

THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Some jurisdictions do not allow the exclusion of implied warranties, so the above exclusion may not apply to you.

Your failure to comply with the terms above terminates this authorization. Upon termination, you must destroy your machine readable documentation.

A.1 Trademarks

The following terms are trademarks of the IBM Corporation in the United States or other countries or both:

CBPDO	ACF/VTAM
IBM®	APPN
ACF/VTAM	IBM
APPN	Tivoli
IBM	NetView
Tivoli	Operating System/2
NetView	OS/2
Operating System/2	OS/390
OS/2	MVS
OS/390	MVS/370
MVS	MVS/XA
MVS/370	MVS/ESA
MVS/XA	CBPDO
MVS/ESA	RACF
CBPDO	System/370
RACF	System/390
System/370	ServicePac
System/390	SystemPac
ServicePac	Parallel Sysplex
SystemPac	VTAM
Parallel Sysplex	SAA
VTAM	Language Environment
SAA	OS/390 UNIX System Services
Language Environment	AIX
OS/390 UNIX System Services	Netfinity
AIX	RISC System/6000
Netfinity	RISC/6000
RISC System/6000	RS/6000
RISC/6000	POWERserver
RS/6000	Tivoli Management Environment
POWERserver	Global Enterprise Manager
Tivoli Management Environment	LPDA
Global Enterprise Manager	DB2
LPDA	CandleNet Portal
DB2	OMEGAMON

Tivoli Management Framework Tivoli Management Region Tivoli Enterprise Console Tivoli Global Enterprise Manager

- Microsoft Corporation
Microsoft
Windows
Windows NT
Windows 95
Windows 98
Windows 2000
- Intel Corporation
Pentium
- Novell, Inc.
Novell
NetWare
- SUN Microsystems, Inc.
JAVA
Solaris
Sparc
- Hewlett Packard Company
HP-UX
- X/Open Company Limited
UNIX
- CISCO Systems, Inc.
CISCO

Other company, product, and service names mentioned in this document may be trademarks or servicemarks of others.

Appendix B. Program Level Information

The following APAR fixes against previous releases of NetView have been incorporated into Tivoli NetView for z/OS Version 5 Release 2:

OA01523	OA02136	OA02762	OA03340	OA03834
OA01535	OA02160	OA02777	OA03341	OA03836
OA01543	OA02164	OA02799	OA03371	OA03842
OA01548	OA02181	OA02811	OA03375	OA03844
OA01587	OA02191	OA02812	OA03393	OA03862
OA01614	OA02232	OA02818	OA03394	OA03896
OA01645	OA02246	OA02831	OA03409	OA03897
OA01666	OA02251	OA02836	OA03410	OA03925
OA01671	OA02257	OA02861	OA03411	OA03926
OA01688	OA02258	OA02862	OA03413	OA03930
OA01691	OA02260	OA02863	OA03499	OA03933
OA01703	OA02264	OA02883	OA03538	OA03938
OA01706	OA02298	OA02917	OA03540	OA03957
OA01718	OA02309	OA02920	OA03573	OA03963
OA01724	OA02335	OA02935	OA03575	OA03964
OA01728	OA02356	OA02944	OA03576	OA03976
OA01752	OA02358	OA02961	OA03587	OA03982
OA01767	OA02364	OA02969	OA03598	OA03992
OA01777	OA02370	OA02971	OA03600	OA04000
OA01783	OA02393	OA03015	OA03638	OA04042
OA01805	OA02398	OA03019	OA03722	OA04104
OA01821	OA02402	OA03027	OA03724	OA04105
OA01822	OA02432	OA03045	OA03725	OA04121
OA01824	OA02472	OA03053	OA03729	OA04128
OA01827	OA02473	OA03080	OA03736	OA04241
OA01833	OA02482	OA03086	OA03750	OA04258
OA01903	OA02497	OA03089	OA03752	OA04267
OA01907	OA02515	OA03092	OA03763	OA04304
OA01909	OA02526	OA03097	OA03774	OA04353
OA01975	OA02533	OA03098	OA03784	OA04381
OA01993	OA02535	OA03174	OA03798	OA04433
OA02015	OA02545	OA03206	OA03799	OA04440
OA02020	OA02557	OA03208	OA03800	OA04457
OA02062	OA02618	OA03212	OA03804	OA04474
OA02071	OA02647	OA03215	OA03807	OA04476
OA02073	OA02725	OA03257	OA03813	OA04477
OA02077	OA02748	OA03298	OA03814	OA04487
OA02084	OA02751	OA03330	OA03828	OA04521
OA02099	OA02758	OA03339	OA03831	OA04545

OA04559	OA05206	OA05878	OA06524	OA07202
OA04583	OA05224	OA05886	OA06536	OA07217
OA04584	OA05238	OA05890	OA06547	OA07227
OA04610	OA05239	OA05906	OA06559	OA07230
OA04627	OA05243	OA05909	OA06561	OA07234
OA04628	OA05258	OA05919	OA06566	OA07252
OA04641	OA05276	OA05939	OA06580	OA07253
OA04643	OA05286	OA05964	OA06590	OA07254
OA04667	OA05290	OA05965	OA06595	OA07305
OA04668	OA05291	OA05970	OA06597	OA07306
OA04678	OA05304	OA05973	OA06598	OA07315
OA04738	OA05354	OA05986	OA06631	OA07325
OA04743	OA05430	OA05991	OA06656	OA07338
OA04775	OA05431	OA06015	OA06657	OA07377
OA04796	OA05436	OA06056	OA06675	OA07378
OA04811	OA05456	OA06084	OA06680	OA07384
OA04815	OA05466	OA06093	OA06693	OA07408
OA04828	OA05490	OA06117	OA06700	OA07420
OA04831	OA05505	OA06145	OA06705	OA07444
OA04880	OA05512	OA06157	OA06706	OA07455
OA04887	OA05522	OA06182	OA06736	OA07474
OA04898	OA05539	OA06208	OA06743	OA07492
OA04899	OA05553	OA06226	OA06768	OA07509
OA04936	OA05564	OA06236	OA06782	OA07516
OA04937	OA05577	OA06241	OA06812	OA07517
OA04955	OA05583	OA06242	OA06825	OA07529
OA04963	OA05585	OA06257	OA06826	OA07540
OA04978	OA05595	OA06265	OA06828	OA07547
OA04998	OA05601	OA06273	OA06832	OA07564
OA04999	OA05621	OA06277	OA06835	OA07583
OA05011	OA05622	OA06298	OA06851	OA07601
OA05013	OA05640	OA06299	OA06856	OA07670
OA05014	OA05643	OA06301	OA06872	OA07741
OA05017	OA05656	OA06317	OA06882	OA07747
OA05018	OA05662	OA06321	OA06928	OA07752
OA05024	OA05679	OA06334	OA06986	OA07754
OA05029	OA05760	OA06335	OA07010	OA07755
OA05066	OA05768	OA06337	OA07029	OA07756
OA05070	OA05781	OA06410	OA07056	OA07781
OA05082	OA05829	OA06465	OA07062	OA07800
OA05089	OA05834	OA06466	OA07089	OA07804
OA05140	OA05839	OA06482	OA07124	OA07813
OA05178	OA05840	OA06506	OA07141	OA07835
OA05189	OA05845	OA06512	OA07175	OA07844
OA05202	OA05852	OA06517	OA07190	OA07848
				OA07892

OA07893	OA08497	OA09548	OA10416	OA11424
OA07899	OA08533	OA09610	OA10427	OA11447
OA07922	OA08549	OA09672	OA10432	OA11494
OA07930	OA08552	OA09702	OA10465	OA11510
OA07938	OA08569	OA09705	OA10468	OA11542
OA07947	OA08593	OA09748	OA10507	OA11588
OA07958	OA08605	OA09757	OA10544	OA11594
OA07974	OA08628	OA09772	OA10548	OA11676
OA07994	OA08639	OA09778	OA10567	OA11788
OA07995	OA08649	OA09781	OA10712	OA11813
OA08020	OA08653	OA09790	OA10727	OA11850
OA08051	OA08697	OA09811	OA10730	OA11900
OA08056	OA08739	OA09821	OA10732	OA11915
OA08070	OA08740	OA09830	OA10733	OA11964
OA08071	OA08827	OA09852	OA10766	OA12006
OA08081	OA08847	OA09863	OA10787	OA12008
OA08115	OA08851	OA09893	OA10788	OA12094
OA08116	OA08904	OA09945	OA10792	OA12095
OA08117	OA08933	OA09999	OA10815	OA12163
OA08134	OA08934	OA10032	OA10829	OA12177
OA08146	OA08943	OA10035	OA10862	OA12183
OA08223	OA08958	OA10036	OA10867	OA12212
OA08235	OA08974	OA10046	OA10887	OA12228
OA08247	OA08989	OA10047	OA10905	OA12340
OA08255	OA08998	OA10067	OA10907	OA12414
OA08257	OA09153	OA10068	OA10935	OA12450
OA08288	OA09156	OA10069	OA10962	OA12514
OA08296	OA09161	OA10070	OA10971	OA12532
OA08298	OA09209	OA10088	OA10990	OA12548
OA08313	OA09250	OA10098	OA11000	OA12621
OA08332	OA09255	OA10122	OA11016	OA12630
OA08335	OA09260	OA10140	OA11024	OA12768
OA08337	OA09261	OA10142	OA11072	OA12852
OA08349	OA09262	OA10161	OA11141	OA12950
OA08368	OA09263	OA10166	OA11142	OA13072
OA08377	OA09264	OA10168	OA11173	OA13083
OA08379	OA09293	OA10199	OA11192	OA13140
OA08386	OA09304	OA10200	OA11215	OA13167
OA08388	OA09328	OA10234	OA11230	OW18382
OA08431	OA09334	OA10257	OA11247	OW21096
OA08436	OA09343	OA10299	OA11251	OW21358
OA08461	OA09394	OA10353	OA11281	OW21663
OA08474	OA09455	OA10367	OA11300	OW21665
OA08480	OA09511	OA10394	OA11344	OW22271
OA08484	OA09546	OA10411	OA11348	OW22747
				OW23540

OW23587	OW25072	OW26294	OW27903	OW28990
OW23650	OW25087	OW26310	OW27929	OW29020
OW23683	OW25101	OW26321	OW27943	OW29086
OW23739	OW25319	OW26332	OW27944	OW29094
OW23806	OW25367	OW26364	OW27992	OW29100
OW23869	OW25444	OW26388	OW27996	OW29120
OW23954	OW25491	OW26409	OW28000	OW29168
OW23986	OW25504	OW26420	OW28005	OW29197
OW24010	OW25519	OW26442	OW28006	OW29230
OW24049	OW25591	OW26447	OW28018	OW29270
OW24053	OW25597	OW26505	OW28040	OW29316
OW24085	OW25607	OW26642	OW28128	OW29365
OW24098	OW25629	OW26743	OW28162	OW29393
OW24129	OW25630	OW26754	OW28186	OW29454
OW24130	OW25631	OW26789	OW28198	OW29459
OW24161	OW25639	OW26797	OW28222	OW29481
OW24166	OW25641	OW26798	OW28250	OW29489
OW24323	OW25680	OW26801	OW28273	OW29506
OW24351	OW25709	OW26803	OW28298	OW29571
OW24356	OW25760	OW26838	OW28359	OW29579
OW24414	OW25832	OW26868	OW28360	OW29621
OW24451	OW25852	OW26882	OW28402	OW29637
OW24457	OW25923	OW26932	OW28435	OW29679
OW24520	OW25927	OW26996	OW28453	OW29729
OW24544	OW25936	OW27075	OW28466	OW29754
OW24553	OW25942	OW27102	OW28487	OW29755
OW24555	OW25944	OW27158	OW28492	OW29780
OW24556	OW25968	OW27159	OW28499	OW29801
OW24557	OW26026	OW27222	OW28508	OW29802
OW24558	OW26048	OW27228	OW28530	OW29803
OW24559	OW26055	OW27288	OW28565	OW29804
OW24628	OW26056	OW27305	OW28566	OW29809
OW24667	OW26081	OW27381	OW28575	OW29828
OW24714	OW26083	OW27507	OW28577	OW29851
OW24782	OW26088	OW27509	OW28607	OW29894
OW24783	OW26117	OW27541	OW28652	OW29898
OW24807	OW26158	OW27542	OW28744	OW29907
OW24809	OW26165	OW27555	OW28745	OW29943
OW24810	OW26168	OW27556	OW28747	OW29958
OW24853	OW26189	OW27634	OW28757	OW30085
OW24926	OW26197	OW27695	OW28758	OW30107
OW25007	OW26268	OW27755	OW28771	OW30165
OW25015	OW26272	OW27762	OW28777	OW30185
OW25021	OW26276	OW27810	OW28843	OW30186
OW25042	OW26282	OW27853	OW28958	OW30187
				OW30223

OW30231	OW31092	OW32501	OW33475	OW34548
OW30262	OW31118	OW32502	OW33498	OW34552
OW30270	OW31141	OW32507	OW33503	OW34553
OW30279	OW31164	OW32552	OW33513	OW34561
OW30286	OW31165	OW32561	OW33563	OW34563
OW30296	OW31172	OW32562	OW33650	OW34624
OW30297	OW31182	OW32569	OW33666	OW34638
OW30302	OW31196	OW32575	OW33667	OW34656
OW30331	OW31219	OW32584	OW33683	OW34723
OW30364	OW31302	OW32602	OW33705	OW34739
OW30374	OW31304	OW32794	OW33728	OW34743
OW30395	OW31386	OW32818	OW33732	OW34758
OW30429	OW31414	OW32837	OW33804	OW34793
OW30431	OW31468	OW32842	OW33835	OW34831
OW30438	OW31504	OW32843	OW33836	OW34833
OW30446	OW31505	OW32855	OW33869	OW34834
OW30448	OW31530	OW32918	OW33870	OW34835
OW30460	OW31555	OW32945	OW33908	OW34906
OW30462	OW31574	OW32956	OW33953	OW34975
OW30500	OW31587	OW32957	OW33961	OW34997
OW30509	OW31603	OW32965	OW33978	OW35047
OW30526	OW31604	OW32974	OW34022	OW35082
OW30533	OW31736	OW32979	OW34084	OW35125
OW30538	OW31740	OW32986	OW34138	OW35176
OW30539	OW31741	OW32997	OW34139	OW35223
OW30542	OW31747	OW33013	OW34143	OW35249
OW30547	OW31763	OW33016	OW34153	OW35255
OW30577	OW31769	OW33081	OW34172	OW35262
OW30817	OW31801	OW33100	OW34188	OW35263
OW30829	OW31826	OW33139	OW34272	OW35267
OW30834	OW31866	OW33140	OW34283	OW35268
OW30848	OW31910	OW33163	OW34296	OW35278
OW30857	OW31997	OW33178	OW34374	OW35279
OW30911	OW32034	OW33201	OW34375	OW35280
OW30917	OW32096	OW33208	OW34396	OW35281
OW30944	OW32153	OW33217	OW34444	OW35290
OW30946	OW32167	OW33219	OW34490	OW35306
OW30982	OW32185	OW33222	OW34496	OW35344
OW30985	OW32186	OW33231	OW34504	OW35349
OW31005	OW32282	OW33318	OW34516	OW35376
OW31006	OW32284	OW33319	OW34521	OW35387
OW31019	OW32370	OW33320	OW34530	OW35393
OW31023	OW32428	OW33323	OW34539	OW35396
OW31070	OW32444	OW33331	OW34540	OW35432
OW31073	OW32483	OW33438	OW34543	OW35451
				OW35497

OW35519	OW36193	OW36915	OW37584	OW38281
OW35520	OW36194	OW36916	OW37586	OW38285
OW35547	OW36195	OW36917	OW37605	OW38289
OW35552	OW36221	OW36944	OW37617	OW38309
OW35556	OW36249	OW36964	OW37649	OW38313
OW35559	OW36252	OW36966	OW37658	OW38314
OW35572	OW36255	OW36994	OW37682	OW38323
OW35609	OW36291	OW37017	OW37697	OW38335
OW35623	OW36292	OW37019	OW37706	OW38349
OW35634	OW36300	OW37020	OW37707	OW38368
OW35635	OW36336	OW37045	OW37714	OW38389
OW35636	OW36370	OW37051	OW37715	OW38454
OW35639	OW36388	OW37052	OW37721	OW38455
OW35661	OW36396	OW37065	OW37729	OW38467
OW35682	OW36400	OW37083	OW37761	OW38472
OW35689	OW36439	OW37087	OW37779	OW38476
OW35718	OW36451	OW37093	OW37792	OW38506
OW35721	OW36457	OW37095	OW37798	OW38523
OW35723	OW36490	OW37133	OW37799	OW38555
OW35747	OW36499	OW37147	OW37806	OW38608
OW35804	OW36505	OW37155	OW37808	OW38614
OW35806	OW36511	OW37158	OW37855	OW38617
OW35823	OW36538	OW37163	OW37914	OW38630
OW35859	OW36560	OW37196	OW37953	OW38636
OW35861	OW36572	OW37198	OW37969	OW38639
OW35863	OW36578	OW37222	OW38023	OW38653
OW35875	OW36593	OW37278	OW38032	OW38680
OW35891	OW36606	OW37287	OW38047	OW38682
OW35892	OW36610	OW37329	OW38052	OW38684
OW35898	OW36639	OW37342	OW38057	OW38688
OW35925	OW36661	OW37354	OW38081	OW38689
OW35942	OW36680	OW37406	OW38085	OW38706
OW35966	OW36681	OW37441	OW38112	OW38748
OW36036	OW36711	OW37463	OW38121	OW38760
OW36037	OW36712	OW37465	OW38145	OW38781
OW36038	OW36737	OW37485	OW38153	OW38811
OW36039	OW36743	OW37486	OW38163	OW38834
OW36040	OW36754	OW37493	OW38171	OW38838
OW36044	OW36791	OW37502	OW38175	OW38879
OW36045	OW36794	OW37512	OW38186	OW38891
OW36101	OW36799	OW37539	OW38207	OW38897
OW36118	OW36827	OW37556	OW38213	OW38915
OW36132	OW36856	OW37568	OW38228	OW38916
OW36184	OW36858	OW37573	OW38231	OW38945
OW36192	OW36877	OW37575	OW38256	OW38952
				OW38953

OW38956	OW39900	OW40881	OW41809	OW42773
OW38958	OW39916	OW40888	OW41850	OW42789
OW38981	OW39946	OW40913	OW41937	OW42795
OW39012	OW39997	OW40949	OW41988	OW42809
OW39018	OW40052	OW40981	OW41989	OW42844
OW39045	OW40063	OW41010	OW42032	OW42871
OW39074	OW40073	OW41070	OW42161	OW42874
OW39081	OW40142	OW41088	OW42201	OW42898
OW39095	OW40146	OW41102	OW42213	OW42932
OW39113	OW40193	OW41103	OW42221	OW42984
OW39133	OW40196	OW41107	OW42224	OW43023
OW39140	OW40217	OW41129	OW42236	OW43033
OW39158	OW40242	OW41131	OW42250	OW43072
OW39161	OW40254	OW41143	OW42258	OW43183
OW39173	OW40269	OW41201	OW42264	OW43184
OW39180	OW40281	OW41202	OW42319	OW43185
OW39197	OW40300	OW41233	OW42337	OW43186
OW39202	OW40309	OW41268	OW42357	OW43187
OW39212	OW40310	OW41314	OW42361	OW43285
OW39214	OW40321	OW41321	OW42367	OW43312
OW39234	OW40346	OW41337	OW42377	OW43321
OW39271	OW40348	OW41339	OW42387	OW43377
OW39284	OW40363	OW41362	OW42407	OW43401
OW39314	OW40396	OW41402	OW42413	OW43438
OW39315	OW40406	OW41421	OW42419	OW43446
OW39322	OW40463	OW41449	OW42442	OW43473
OW39361	OW40513	OW41456	OW42506	OW43483
OW39373	OW40525	OW41498	OW42511	OW43506
OW39388	OW40533	OW41513	OW42512	OW43513
OW39403	OW40545	OW41519	OW42516	OW43528
OW39424	OW40550	OW41521	OW42523	OW43529
OW39490	OW40607	OW41527	OW42530	OW43556
OW39550	OW40616	OW41559	OW42568	OW43594
OW39588	OW40675	OW41571	OW42576	OW43608
OW39621	OW40676	OW41590	OW42620	OW43623
OW39642	OW40697	OW41632	OW42632	OW43625
OW39689	OW40720	OW41633	OW42651	OW43642
OW39700	OW40771	OW41639	OW42676	OW43654
OW39702	OW40778	OW41640	OW42686	OW43659
OW39710	OW40795	OW41643	OW42706	OW43684
OW39752	OW40825	OW41660	OW42718	OW43691
OW39787	OW40828	OW41662	OW42743	OW43719
OW39848	OW40846	OW41691	OW42753	OW43729
OW39863	OW40863	OW41756	OW42771	OW43761
OW39880	OW40874	OW41766	OW42772	OW43764
				OW43809

OW43819	OW44643	OW45741	OW46493	OW47448
OW43844	OW44650	OW45746	OW46496	OW47465
OW43853	OW44688	OW45752	OW46526	OW47487
OW43857	OW44746	OW45782	OW46580	OW47500
OW43860	OW44755	OW45812	OW46588	OW47501
OW43884	OW44760	OW45814	OW46594	OW47517
OW43922	OW44819	OW45825	OW46595	OW47529
OW43934	OW44835	OW45836	OW46634	OW47530
OW43955	OW44848	OW45849	OW46655	OW47538
OW43958	OW44852	OW45875	OW46663	OW47626
OW43976	OW44926	OW45880	OW46694	OW47671
OW43989	OW44933	OW45890	OW46711	OW47684
OW44006	OW44996	OW45932	OW46727	OW47686
OW44022	OW45079	OW45933	OW46737	OW47760
OW44032	OW45099	OW45946	OW46776	OW47798
OW44035	OW45118	OW45948	OW46837	OW47808
OW44075	OW45135	OW45988	OW46844	OW47816
OW44082	OW45143	OW45999	OW46845	OW47858
OW44092	OW45150	OW46031	OW46847	OW47889
OW44110	OW45218	OW46038	OW46850	OW47929
OW44133	OW45240	OW46039	OW46852	OW47995
OW44135	OW45243	OW46095	OW46857	OW48091
OW44141	OW45254	OW46098	OW46888	OW48101
OW44157	OW45289	OW46120	OW46952	OW48103
OW44162	OW45319	OW46140	OW46990	OW48144
OW44173	OW45334	OW46148	OW47022	OW48146
OW44181	OW45337	OW46164	OW47023	OW48170
OW44219	OW45338	OW46176	OW47043	OW48238
OW44242	OW45354	OW46193	OW47060	OW48277
OW44284	OW45396	OW46196	OW47099	OW48322
OW44329	OW45397	OW46228	OW47113	OW48342
OW44345	OW45423	OW46258	OW47157	OW48378
OW44347	OW45432	OW46261	OW47175	OW48408
OW44353	OW45433	OW46276	OW47190	OW48409
OW44366	OW45454	OW46319	OW47193	OW48423
OW44379	OW45460	OW46321	OW47286	OW48429
OW44402	OW45466	OW46341	OW47303	OW48472
OW44409	OW45491	OW46364	OW47307	OW48505
OW44411	OW45506	OW46413	OW47343	OW48506
OW44416	OW45526	OW46426	OW47362	OW48612
OW44542	OW45574	OW46431	OW47373	OW48628
OW44562	OW45600	OW46432	OW47374	OW48645
OW44572	OW45651	OW46437	OW47377	OW48651
OW44588	OW45658	OW46452	OW47422	OW48696
OW44599	OW45728	OW46483	OW47423	OW48704
				OW48725

OW48766	OW49462	OW50456	OW51401	OW52328
OW48781	OW49467	OW50465	OW51427	OW52399
OW48820	OW49470	OW50483	OW51443	OW52401
OW48821	OW49489	OW50489	OW51448	OW52409
OW48822	OW49519	OW50498	OW51452	OW52413
OW48826	OW49534	OW50512	OW51464	OW52455
OW48895	OW49551	OW50537	OW51486	OW52485
OW48948	OW49552	OW50545	OW51531	OW52508
OW48949	OW49574	OW50555	OW51532	OW52548
OW48964	OW49630	OW50558	OW51535	OW52550
OW49011	OW49636	OW50562	OW51543	OW52556
OW49014	OW49647	OW50595	OW51584	OW52590
OW49016	OW49655	OW50633	OW51669	OW52591
OW49017	OW49659	OW50651	OW51699	OW52601
OW49018	OW49660	OW50685	OW51708	OW52610
OW49079	OW49720	OW50700	OW51724	OW52636
OW49083	OW49721	OW50758	OW51726	OW52638
OW49084	OW49731	OW50760	OW51748	OW52677
OW49092	OW49735	OW50806	OW51749	OW52709
OW49101	OW49770	OW50814	OW51751	OW52712
OW49105	OW49800	OW50816	OW51795	OW52716
OW49142	OW49817	OW50817	OW51800	OW52720
OW49161	OW49969	OW50844	OW51806	OW52740
OW49168	OW49981	OW50861	OW51817	OW52785
OW49173	OW49982	OW50866	OW51850	OW52787
OW49218	OW50013	OW50912	OW51877	OW52875
OW49220	OW50092	OW50918	OW51891	OW52944
OW49242	OW50104	OW50945	OW51927	OW52971
OW49266	OW50117	OW50991	OW51953	OW52973
OW49271	OW50118	OW50995	OW51986	OW52977
OW49300	OW50133	OW50996	OW51997	OW53057
OW49314	OW50210	OW51014	OW52002	OW53060
OW49323	OW50228	OW51037	OW52004	OW53061
OW49331	OW50241	OW51205	OW52062	OW53067
OW49356	OW50297	OW51211	OW52114	OW53085
OW49366	OW50333	OW51217	OW52120	OW53114
OW49389	OW50351	OW51238	OW52137	OW53124
OW49391	OW50364	OW51280	OW52150	OW53130
OW49393	OW50368	OW51298	OW52152	OW53144
OW49394	OW50369	OW51300	OW52171	OW53148
OW49407	OW50401	OW51306	OW52175	OW53158
OW49409	OW50408	OW51322	OW52190	OW53207
OW49411	OW50412	OW51332	OW52228	OW53241
OW49438	OW50423	OW51335	OW52275	OW53261
OW49452	OW50449	OW51371	OW52299	OW53269
				OW53333

OW53363	OW54239	OW54870	OW55647	OW56265
OW53368	OW54248	OW54874	OW55653	OW56268
OW53462	OW54269	OW54907	OW55685	OW56304
OW53482	OW54271	OW54930	OW55690	OW56335
OW53530	OW54274	OW54978	OW55703	OW56370
OW53540	OW54282	OW55021	OW55713	OW56379
OW53568	OW54356	OW55032	OW55741	OW56380
OW53597	OW54371	OW55050	OW55751	OW56412
OW53605	OW54386	OW55054	OW55761	OW56432
OW53645	OW54387	OW55056	OW55762	OW56451
OW53726	OW54395	OW55067	OW55770	OW56470
OW53727	OW54454	OW55126	OW55771	OW56482
OW53808	OW54455	OW55147	OW55797	OW56483
OW53811	OW54487	OW55149	OW55799	OW56495
OW53819	OW54489	OW55179	OW55826	OW56501
OW53836	OW54518	OW55180	OW55847	OW56529
OW53841	OW54528	OW55184	OW55865	OW56533
OW53889	OW54546	OW55216	OW55866	OW56550
OW53890	OW54554	OW55223	OW55870	OW56553
OW53899	OW54556	OW55252	OW55879	OW56561
OW53901	OW54559	OW55268	OW55895	OW56562
OW53926	OW54569	OW55304	OW55903	OW56567
OW53939	OW54592	OW55321	OW55912	OW56570
OW53951	OW54603	OW55322	OW55927	OW56571
OW53984	OW54620	OW55339	OW55934	OW56572
OW53999	OW54632	OW55363	OW55958	OW56574
OW54016	OW54644	OW55385	OW55973	OW56576
OW54017	OW54676	OW55442	OW55990	OW56618
OW54021	OW54681	OW55444	OW56034	OW56631
OW54029	OW54687	OW55470	OW56035	OW56671
OW54038	OW54696	OW55482	OW56037	OW56711
OW54041	OW54711	OW55483	OW56038	OW56770
OW54066	OW54724	OW55527	OW56040	OW56772
OW54069	OW54725	OW55555	OW56041	OW56773
OW54071	OW54730	OW55557	OW56042	OW56782
OW54095	OW54731	OW55581	OW56047	OW56820
OW54113	OW54732	OW55592	OW56070	OW56873
OW54119	OW54753	OW55597	OW56084	OW56879
OW54127	OW54761	OW55606	OW56119	OW56899
OW54143	OW54771	OW55633	OW56128	OW56903
OW54152	OW54780	OW55637	OW56161	OW56920
OW54154	OW54792	OW55639	OW56173	OW56922
OW54181	OW54811	OW55640	OW56208	OW56958
OW54182	OW54856	OW55641	OW56216	OW56959
OW54201	OW54858	OW55642	OW56225	OW56960
				OW56966

OW57010	OW57380	PQ00423	PQ03922	PQ11596
OW57011	OW57386	PQ00547	PQ04885	PQ11716
OW57012	OW57391	PQ00656	PQ05013	PQ11790
OW57022	OW57429	PQ00829	PQ05095	PQ13324
OW57042	OW57492	PQ01363	PQ05145	PQ13352
OW57063	OW57494	PQ01535	PQ05592	PQ14111
OW57094	OW57503	PQ01586	PQ05948	PQ14243
OW57102	OW57567	PQ01944	PQ06645	PQ14496
OW57145	OW57600	PQ02105	PQ07038	PQ18149
OW57150	OW57677	PQ02829	PQ07227	PQ18277
OW57155	PN91938	PQ02837	PQ07889	PQ18745
OW57163	PN92148	PQ02880	PQ07988	PQ19036
OW57181	PN92323	PQ02928	PQ08401	PQ20383
OW57190	PN92474	PQ03164	PQ08751	PQ23475
OW57195	PN92686	PQ03200	PQ08905	PQ23523
OW57216	PQ00155	PQ03519	PQ10205	PQ27211
OW57223	PQ00240	PQ03548	PQ10380	PQ32257
OW57308	PQ00257	PQ03549	PQ11102	PQ32282
OW57344	PQ00417	PQ03831	PQ11471	VM62783

Contacting Customer Support

For support for this or any Tivoli product, you can contact Tivoli Customer Support in one of the following ways:

Submit a problem management record (PMR) electronically at **IBMSERV/IBMLINK**.

Submit a problem management record (PMR) electronically from our Web site at <http://www.tivoli.com/support>.

Send e-mail to **support@tivoli.com**.

Customers in the United States can also call 1-800-TIVOLI8 (1-800-848-6548).

International customers should consult the Web site for customer support telephone numbers.

You can also review the *Customer Support Handbook*, which is available on our Web site at <http://www.tivoli.com/support/handbook/>.

When you contact Tivoli Customer Support, be prepared to provide identification information for your company so that support personnel can readily assist you. Company identification information may also be needed to access various online services available on the Web site.

The support Web site offers extensive information, including a guide to support services (the Customer Support Handbook); frequently asked questions (FAQs); and documentation for all Tivoli products, including Release Notes, Redbooks, and Whitepapers. The documentation for some product releases is available in both PDF and HTML formats. Translated documents are also available for some product releases.

You can order documentation by e-mail at **swdist@tivoli.com**. Please provide the publication number, part number, or order number of the desired document. Alternatively, you can provide the document title, version number, and date of publication.

We are very interested in hearing about your experience with Tivoli products and documentation. We also welcome your suggestions for improvements. If you have comments or suggestions about our documentation, please contact us in one of the following ways:

Send e-mail to **pubs@tivoli.com**.

Complete our customer feedback survey at <http://www.tivoli.com/support/feedback>.



Printed in U.S.A.

G110-3210-03

