

---

# Applix TM1 Internal Technical Bulletin

## **Silent and Console Installation Options for UNIX TM1 Server**

Date: December 21, 2006

Relevant TM1 Versions: 9.0 SP2 and later

This bulletin describes silent and console installation options that are available for the UNIX TM1 server. These options can be run from a command line and do not require an X windows system.



## Silent Installation

To run a silent UNIX TM1 server installation, enter the following line at a command prompt:

```
<path_to_directory_containing_TM1_setup_bin_executable>./setup.bin -silent
```

The TM1 server will be installed silently without user input, using the following default values:

<b>Install directory:</b>	/opt/Applix/TM1
<b>Components:</b>	TM1 Server, Admin Server
<b>Server Name:</b>	Planning Sample
<b>Server TCP/IP port:</b>	12345
<b>Admin Host:</b>	(blank, defaults to machine where TM1 server is running)
<b>Path to TM1 Database:</b>	/opt/Applix/TM1/Custom/TM1Data/PlanSamp
<b>Administrative username:</b>	Admin
<b>Administrative password:</b>	(blank)

## Console Installation

To run a console UNIX TM1 server installation, enter the following line at a command prompt:

```
<path_to_directory_containing_TM1_setup.bin_executable>./setup.bin -console
```

You will be prompted to enter server parameter values required to install and run the TM1 server.

