



System i
ILE C/C++ Language Reference

Version 6 Release 1

SC09-7852-01





System i
ILE C/C++ Language Reference

Version 6 Release 1

SC09-7852-01

Note!

Before using this information and the product it supports, be sure to read the general information under "Notices" on page 329.

| This edition applies to version 6, release 1, modification 0 of IBM WebSphere® Development Studio for System i
| (program 5761-WDS), ILE C/C++ compilers, and to all subsequent releases and modifications until otherwise
| indicated in new editions. This edition replaces *ILE C/C++ Language Reference*, SC09-7852-00.

IBM welcomes your comments. You can send them by the Internet to the following address:

compinfo@ca.ibm.com

Include the title and order number of this book, and the page number or topic related to your comment. Be sure to include your e-mail address if you want a reply.

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© Copyright International Business Machines Corporation 1998, 2008. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

About ILE C/C++ Language Reference (SC09-7852-01) vii

Who should read this book	vii
Highlighting Conventions	vii
How to Read the Syntax Diagrams	viii
Prerequisite and related information	ix
How to send your comments	x

Summary of changes xi

Chapter 1. Scope and Linkage 1

Scope	2
Local Scope	2
Function Scope	3
Function Prototype Scope	3
Global Scope	3
Class Scope	3
Name Spaces of Identifiers	4
Name Hiding	5
Program Linkage	6
Internal Linkage	6
External Linkage	6
No Linkage	7
Linkage Specifications — Linking to Non-C++ Programs	7
Name Mangling	8

Chapter 2. Lexical Elements 11

Tokens	11
Punctuators	11
Alternative Tokens	12
Source Program Character Set	12
Escape Sequences	12
The Unicode Standard	13
Trigraph Sequences	14
Multibyte Characters	14
Comments	15
Identifiers	17
Reserved Identifiers	17
Case Sensitivity and Special Characters in Identifiers	17
Keywords	18
Keywords for language extensions	18
Alternative Representations of Operators and Punctuators	18
Literals	19
Boolean Literals	19
Integer Literals	19
Decimal Integer Literals	20
Hexadecimal Integer Literals	20
Octal Integer Literals	21
Floating-Point Literals	21
Packed Decimal Literals	22
Character Literals	23
String Literals	24

Chapter 3. Declarations 27

Declaration Overview	27
The <code>__align</code> Specifier	28
Objects	28
Storage Class Specifiers	29
<code>auto</code> Storage Class Specifier	30
<code>extern</code> Storage Class Specifier	30
<code>mutable</code> Storage Class Specifier	32
<code>register</code> Storage Class Specifier	32
<code>static</code> Storage Class Specifier	33
<code>__thread</code> Storage Class Specifier	34
<code>typedef</code>	35
Type Specifiers	36
Type Names	37
Compatible Types	37
Simple Type Specifiers	38
Boolean Variables	39
<code>char</code> and <code>wchar_t</code> Type Specifiers	39
The <code>wchar_t</code> Type Specifier	40
Binary Floating-Point Variables	40
Decimal Floating-Point Variables	41
Packed Decimal Variables	42
Integer Variables	43
<code>void</code> Type	43
Compound Types	44
Structures	45
Declaring and Defining a Structure	46
Defining a Structure Variable	46
Initializing Structures	47
Declaring Structure Types and Variables in the Same Statement	47
Declaring and Using Bit Fields in Structures	48
Unions	51
Declaring a Union	51
Defining a Union Variable	52
Anonymous Unions	53
Enumerations	54
Declaring an Enumeration Data Type	54
Enumeration Constants	54
Defining Enumeration Variables	55
Defining an Enumeration Type and Enumeration Objects	56
Type Qualifiers	57
The <code>const</code> Type Qualifier	58
The <code>volatile</code> Type Qualifier	59
ILE Type Qualifiers	60
The <code>__ptr128</code> Qualifier	60
The <code>__ptr64</code> Qualifier	60
The <code>asm</code> Declaration	61
Incomplete Types	61

Chapter 4. Declarators 63

Initializers	64
Pointers	65

Declaring Pointers	66
Assigning Pointers	66
Initializing Pointers.	66
Using Pointers	67
Pointer Arithmetic	67
Arrays	69
Declaring Arrays	70
Initializing Arrays	71
Function Specifiers	74
References	74
Initializing References	75

Chapter 5. Expressions and Operators 77

Operator Precedence and Associativity	78
Lvalues and Rvalues	80
Primary Expressions	82
Identifier Expressions	82
Integer Constant Expressions	83
Parenthesized Expressions ()	83
C++ Scope Resolution Operator ::	84
Postfix Expressions	85
Function Call Operator ()	86
Array Subscripting Operator []	87
Dot Operator	88
Arrow Operator ->	89
The typeid Operator	89
static_cast Operator.	90
reinterpret_cast Operator	91
const_cast Operator.	92
dynamic_cast Operator	93
Unary Expressions	95
Increment ++.	95
Decrement --	96
Unary Plus +.	96
Unary Minus -	96
Logical Negation !	96
Bitwise Negation ~.	97
Address &.	97
Indirection *	98
sizeof Operator	98
C++ new Operator	99
Initializing Objects Created with the new Operator	102
set_new_handler() — Set Behavior for new Failure	102
C++ delete Operator	103
Cast Expressions	104
Binary Expressions	105
Multiplication *.	106
Division /	106
Remainder %	106
Addition +	106
Subtraction -	107
Bitwise Left and Right Shift << >>	107
Relational < > <= >=	108
Equality == !=	109
Bitwise AND &.	110
Bitwise Exclusive OR ^	110
Bitwise Inclusive OR 	111
Logical AND &&	111
Logical OR 	112

C++ Pointer to Member Operators .* ->*	112
Conditional Expressions	113
Type of Conditional C Expressions	113
Type of Conditional C++ Expressions	114
Examples of Conditional Expressions	114
Assignment Expressions	115
Simple Assignment =.	115
Compound Assignment	115
Comma Expressions	116
C++ throw Expressions	118

Chapter 6. Implicit Type Conversions 119

Integral and Floating-Point Promotions	119
Standard Type Conversions.	120
Lvalue-to-Rvalue Conversions.	120
Boolean Conversions	121
Integral Conversions	121
Floating-Point Conversions	122
Pointer Conversions	122
Reference Conversions	123
Pointer-to-Member Conversions	123
Qualification Conversions	124
Function Argument Conversions	124
Other Conversions	124
Arithmetic Conversions	125
The explicit Keyword.	126

Chapter 7. Functions 129

C++ Enhancements to C Functions	129
Function Declarations	130
C++ Function Declarations	132
Multiple Function Declarations	132
Parameter Names in Function Declarations	132
Examples of Function Declarations	133
Function Definitions	134
Ellipsis and void	137
Examples of Function Definitions.	138
The main() Function	139
Arguments to main	139
Example of Arguments to main	139
Calling Functions and Passing Arguments.	140
Passing Arguments by Value	141
Passing Arguments by Reference	142
Default Arguments in C++ Functions	143
Restrictions on Default Arguments	144
Evaluating Default Arguments	145
Function Return Values	145
Using References as Return Types	146
Allocation and Deallocation Functions	146
Pointers to Functions	147
Inline Functions	148

Chapter 8. Statements 149

Labels	149
Expression Statements	150
Resolving Ambiguous Statements in C++	150
Block Statement	151
if Statement	152
switch Statement	153
while Statement	157

do Statement	158
for Statement	158
break Statement	160
continue Statement	160
return Statement	162
Value of a return Expression and Function Value	163
goto Statement	163
Null Statement	164

Chapter 9. Preprocessor Directives 165

Preprocessor Overview	165
Preprocessor Directive Format	166
Macro Definition and Expansion (#define)	166
Object-Like Macros	166
Function-Like Macros	167
Scope of Macro Names (#undef)	170
# Operator	170
Macro Concatenation with the ## Operator	171
Preprocessor Error Directive (#error)	172
File Inclusion (#include)	172
ISO Standard Predefined Macro Names	173
Conditional Compilation Directives	174
#if, #elif	175
#ifdef	176
#ifndef	176
#else	177
#endif	177
Line Control (#line)	178
Null Directive (#)	179
Pragma Directives (#pragma)	179

Chapter 10. Namespaces 181

Defining Namespaces	181
Declaring Namespaces	181
Creating a Namespace Alias	181
Creating an Alias for a Nested Namespace	182
Extending Namespaces	182
Namespaces and Overloading	182
Unnamed Namespaces	183
Namespace Member Definitions	184
Namespaces and Friends	185
Using Directive	185
The using Declaration and Namespaces	186
Explicit Access	187

Chapter 11. Overloading 189

Overloading Functions	189
Restrictions on Overloaded Functions	189
Overloading Operators	191
Overloading Unary Operators	192
Overloading Increment and Decrement	193
Overloading Binary Operators	194
Overloading Assignments	195
Overloading Function Calls	196
Overloading Subscripting	197
Overloading Class Member Access	198
Overload Resolution	199
Implicit Conversion Sequences	199
Resolving Addresses of Overloaded Functions	200

Chapter 12. Classes 203

Declaring Class Types	203
Using Class Objects	204
Classes and Structures	205
Scope of Class Names	206
Incomplete Class Declarations	207
Nested Classes	207
Local Classes	209
Local Type Names	210

Chapter 13. Class Members and Friends 213

Class Member Lists	213
Data Members	214
Member Functions	214
const and volatile Member Functions	215
Virtual Member Functions	216
Special Member Functions	216
Member Scope	216
Pointers to Members	218
The this Pointer	219
Static Members	221
Using the Class Access Operators with Static Members	221
Static Data Members	222
Static Member Functions	224
Member Access	225
Friends	227
Friend Scope	229
Friend Access	231

Chapter 14. Inheritance 233

Derivation	235
Inherited Member Access	237
Protected Members	237
Access Control of Base Class Members	239
The using Declaration and Class Members	239
Overloading Member Functions from Base and Derived Classes	241
Changing the Access of a Class Member	242
Multiple Inheritance	243
Virtual Base Classes	244
Multiple Access	245
Ambiguous Base Classes	246
Virtual Functions	249
Ambiguous Virtual Function Calls	252
Virtual Function Access	254
Abstract Classes	254

Chapter 15. Special Member Functions 257

Constructors and Destructors Overview	257
Constructors	258
Default Constructors	258
Explicit Initialization with Constructors	260
Initializing Base Classes and Members	261
Construction Order of Derived Class Objects	265
Destructors	265
Free Store	268
Temporary Objects	272

User-Defined Conversions	273
Conversion by Constructor	274
Conversion Functions	275
Copy Constructors	276
Copy Assignment Operators	277
Chapter 16. Templates	281
Template Parameters	282
Type Template Parameters	282
Non-Type Template Parameters	282
Template Template Parameters	283
Default Arguments for Template Parameters	283
Template Arguments	284
Template Type Arguments	284
Template Non-Type Arguments	284
Template Template Arguments	286
Class Templates	287
Class Template Declarations and Definitions	288
Static Data Members and Templates	289
Member Functions of Class Templates	289
Friends and Templates	289
Function Templates	290
Template Argument Deduction	291
Deducing Type Template Arguments	294
Deducing Non-Type Template Arguments	296
Overloading Function Templates	296
Partial Ordering of Function Templates	297
Template Instantiation	298
Implicit Instantiation	298
Explicit Instantiation	299
Template Specialization	300
Explicit Specialization	300
Definition and Declaration of Explicit Specializations	301
Explicit Specialization and Scope	302
Class Members of Explicit Specializations	302
Explicit Specialization of Function Templates	303
Explicit Specialization of Members of Class Templates	303

Partial Specialization	305
Template Parameter and Argument Lists of Partial Specializations	306
Matching of Class Template Partial Specializations	306
Name Binding and Dependent Names	307
The typename Keyword	308
The Keyword template as Qualifier	308

Chapter 17. Exception Handling . . . 311

The try Keyword	311
Nested Try Blocks	313
catch Blocks	313
Function try block Handlers	314
Arguments of catch Blocks	317
Matching between Exceptions Thrown and Caught	317
Order of Catching	317
The throw Expression	318
Rethrowing an Exception	319
Stack Unwinding	320
Exception Specifications	322
Special Exception Handling Functions	324
unexpected()	324
terminate()	325
set_unexpected() and set_terminate()	326
Example Using the Exception Handling Functions	327

Notices 329

Programming Interface Information	330
Trademarks and Service Marks	331
Industry Standards	331

Index 333

About ILE C/C++ Language Reference (SC09-7852-01)

The *C/C++ Language Reference* describes the syntax, semantics, and IBM implementation of the C and C++ programming languages. Syntax and semantics constitute a complete specification of a programming language, but complete implementations can differ because of extensions. The IBM implementations of Standard C and Standard C++ attest to the organic nature of programming languages, reflecting pragmatic considerations and advances in programming techniques, which are factors that influence growth and change. The language extensions to C and C++ also reflect the changing needs of modern programming environments.

The aims of this reference are to provide a description of the C and C++ languages outside of any comprehensive historical context, and to promote a programming style that emphasizes portability. The expression *Standard C* is a generic term for the current formal definition of the C language, preprocessor, and runtime library. The expression is ambiguous because subsequent formal definitions of the language have appeared while implementations of its predecessors are still in use. This reference describes a C language consistent with the C89 language level. To avoid further ambiguity and confusion with K&R C, this reference uses *ISO C* to mean Standard C, avoiding the term *Standard C*, and the term *Classic C* to refer to the C language plus the generally accepted extensions produced by Brian Kernighan and Dennis Ritchie (K&R C) that were in use prior to ISO C. The expression *Standard C++* is unambiguous because there has been only one formal definition of the language.

The C and C++ languages described in this reference are based on the following standards:

- The C language described in *Programming languages – C* (ISO/IEC 9899:1990), henceforth referred to as C89. This was the first ISO C standard.
- The C++ language described in *Programming languages – C++* (ISO/IEC 14882:1998), the first formal definition of the language.

▶ 400 The C++ language described in this reference is consistent with Standard C++ and documents the features supported by the IBM C++ compiler.

Who should read this book

The focus of this book is on the fundamentals and intricacies of the C and C++ languages. The availability of a particular language feature at a particular language level is controlled by compiler options. Comprehensive coverage of the possibilities offered by the compiler options is available in *ILE C/C++ Compiler Reference*.

The depth of coverage assumes some previous experience with C or another programming language. The intent is to present the syntax and semantics of each language implementation to help you write good programs. The compiler does not enforce certain conventions of programming style, even though they lead to well-ordered programs.

A program that conforms strictly to its language specification will have maximum portability among different environments. In theory, a program that compiles correctly with one standards-conforming compiler will compile and execute correctly under all other conforming compilers, insofar as hardware differences permit. A program that correctly exploits the extensions to the language that are provided by the language implementation can improve the efficiency of its object code.

Highlighting Conventions

Bold Identifies commands, keywords, files, directories, and other items whose names are predefined by the system.

Highlighting

Italics Identify parameters whose actual names or values are to be supplied by the programmer. *Italics* are also used for the first mention of new terms.

Example Identifies examples of specific data values, examples of text similar to what you might see displayed, examples of portions of program code, messages from the system, or information that you should actually type.

Examples are intended to be instructional and do not attempt to minimize run time, conserve storage, or check for errors. The examples do not demonstrate all of the possible uses of language constructs. Some examples are only code fragments and will not compile without additional code.

How to Read the Syntax Diagrams

- Read the syntax diagrams from left to right, from top to bottom, following the path of the line.

The  symbol indicates the beginning of a command, directive, or statement.

The  symbol indicates that the command, directive, or statement syntax is continued on the next line.

The  symbol indicates that a command, directive, or statement is continued from the previous line.

The  symbol indicates the end of a command, directive, or statement.


Diagrams of syntactical units other than complete commands, directives, or statements start with the  symbol and end with the  symbol.

Note: In the following diagrams, *statement* represents a C or C++ command, directive, or statement.

- Required items appear on the horizontal line (the main path).



- Optional items appear below the main path.



- If you can choose from two or more items, they appear vertically, in a stack.

If you *must* choose one of the items, one item of the stack appears on the main path.



If choosing one of the items is optional, the entire stack appears below the main path.



The item that is the default appears above the main path.




- An arrow returning to the left above the main line indicates an item that can be repeated.



A repeat arrow above a stack indicates that you can make more than one choice from the stacked items, or repeat a single choice.

- Keywords appear in nonitalic letters and should be entered exactly as shown (for example, `extern`). Variables appear in italicized lowercase letters (for example, *identifier*). They represent user-supplied names or values.
- If punctuation marks, parentheses, arithmetic operators, or other such symbols are shown, you must enter them as part of the syntax.

The following syntax diagram example shows the syntax for the **#pragma comment** directive. See “Pragma Directives (#pragma)” on page 179 for information on the **#pragma** directive.



- 1 This is the start of the syntax diagram.
- 2 The symbol `#` must appear first.
- 3 The keyword `pragma` must appear following the `#` symbol.
- 4 The name of the pragma comment must appear following the keyword `pragma`.
- 5 An opening parenthesis must be present.
- 6 The comment type must be entered only as one of the types indicated: `compiler`, `date`, `timestamp`, `copyright`, or `user`.
- 7 A comma must appear between the comment type `copyright` or `user`, and an optional character string.
- 8 A character string must follow the comma. The character string must be enclosed in double quotation marks.
- 9 A closing parenthesis is required.
- 10 This is the end of the syntax diagram.

The following examples of the **#pragma comment** directive are syntactically correct according to the diagram shown above:

```
#pragma comment(date)
#pragma comment(user)
#pragma comment(copyright,"This text will appear in the module")
```

Prerequisite and related information

Use the IBM i5/OS Information Center as your starting point for IBM System i™ technical information.

You can access the information center two ways:

- From the following Web site:

<http://www.ibm.com/systems/i/infocenter/>

- From the *i5/OS Information Center CD, SK3T-4091*. This CD-ROM is included with your new System i hardware or i5/OS software upgrade order. You can also order the CD-ROM from the IBM Publications Center:

<http://www.ibm.com/shop/publications/order>

Reading the Syntax Diagrams

- | The i5/OS Information Center contains new and updated system information, such as software and hardware installation, Linux, WebSphere, Java, high availability, database, logical partitions, CL commands, and system application programming interfaces (APIs). In addition, it provides advisors and finders to assist in planning, troubleshooting, and configuring your system hardware and software.
 - | With every new hardware order, you receive the *System i Access for Windows DVD, SK3T-4098*. This DVD provides for the installation of the IBM System i Access for Windows licensed program. System i Access Family offers client and server capabilities for connecting PCs to System i models.
-

How to send your comments

- | Your feedback is important in helping to provide the most accurate and high-quality information. If you have any comments about this book or any other System i documentation, fill out the readers' comment form at the back of this book.
 - If you prefer to send comments by mail, use the readers' comment form with the address that is printed on the back. If you are mailing a readers' comment form from a country or region other than the United States, you can give the form to the local IBM branch office or IBM representative for postage-paid mailing.
 - If you prefer to send comments by FAX, use either of the following numbers:
 - United States, Canada, and Puerto Rico: 1-800-937-3430
 - Other countries or regions: 1-507-253-5192
 - If you prefer to send comments electronically, use one of these e-mail addresses:
 - Comments on books:
RCHCLERK@us.ibm.com
 - Comments on the i5/OS Information Center:
RCHINFOC@us.ibm.com
- | Be sure to include the following:
 - The name of the book or i5/OS Information Center topic.
 - The publication number of a book.
 - The page number or topic of a book to which your comment applies.

Summary of changes

Changes to this information for this edition include:

- Support for the `__thread` storage class specifier.
- Support for decimal floating-point data types.
- All modules will be enabled to use teraspace addresses, even those compiled with `TERASPACE(*NO)`.

Chapter 1. Scope and Linkage

Scope is the largest region of program text in which a name can potentially be used without qualification to refer to an entity; that is, the largest region in which the name potentially is valid. Broadly speaking, scope is the general context used to differentiate the meanings of entity names. The rules for scope combined with those for name resolution enable the compiler to determine whether a reference to an identifier is legal at a given point in a file.

The scope of a declaration and the visibility of an identifier are related but distinct concepts. Scope is the mechanism by which it is possible to limit the visibility of declarations in a program. The *visibility* of an identifier is that region of program text from which the object associated with the identifier can be legally accessed. Scope can exceed visibility, but visibility cannot exceed scope. Scope exceeds visibility when a duplicate identifier is used in an inner declarative region, thereby hiding the object declared in the outer declarative region. The original identifier cannot be used to access the first object until the scope of the duplicate identifier (the lifetime of the second object) has ended.

Thus, the scope of an identifier is interrelated with the *storage duration* of the identified object, which is the length of time that an object remains in an identified region of storage. The lifetime of the object is influenced by its storage duration, which in turn was affected by the scope of the object identifier.

Linkage refers to the use or availability of a name across multiple translation units or within a single translation unit. The term *translation unit* refers to a source code file plus all the header and other source files that are included after preprocessing with the `#include` directive, minus any source lines skipped because of conditional preprocessing directives. Linkage allows the correct association of each instance of an identifier with one particular object or function.

Scope and linkage are distinguishable in that scope is for the benefit of the compiler, whereas linkage is for the benefit of the binder. During the translation of a source file to object code, the compiler keeps track of the identifiers that have external linkage and stores them as exports in a module. The binder is thereby able to determine which names have external linkage, but is unaware of those with internal or no linkage.

Related References

- “Program Linkage” on page 6

Scope

The *scope* of an identifier is the largest region of the program text in which the identifier can potentially be used to refer to its object. In C++, the object being referred to must be unique. However, the name to access the object, the identifier itself, can be reused. The meaning of the identifier depends upon the context in which the identifier is used. Scope is the general context used to distinguish the meanings of names.

The scope of an identifier is possibly noncontiguous. One of the ways that breakage occurs is when the same name is reused to declare a different entity, thereby creating a contained declarative region (inner) and a containing declarative region (outer). Thus, point of declaration is a factor affecting scope. Exploiting the possibility of a noncontiguous scope is the basis for the technique called *information hiding*.

The concept of scope that exists in C was expanded and refined in C++. The following table shows the kinds of scopes and the minor differences in terminology.

Scope

Kinds of scope

C

C++

block
function
function prototype
file (global)

local
function
function prototype
global namespace
namespace
class

In all declarations, the identifier is in scope before the initializer. The following example demonstrates this:

```
int x;  
void f() {  
  
    int x = x;  
}
```

The `x` declared in function `f()` has local scope, not global namespace scope.

C++ The remainder of this section pertains to C++ only.

Global scope or *global namespace scope* is the outermost namespace scope of a program, in which objects, functions, types and templates can be defined. A user-defined namespace can be nested within the global scope using namespace definitions, and each user-defined namespace is a different scope, distinct from the global scope.

A function name that is first declared as a friend of a class is in the innermost nonclass scope that encloses the class. A function name that is first declared in an outer namespace will not be used as the friend declaration. For example,

```
int f();  
  
namespace A {  
    class X {  
        friend f(); // refers to A::f() not to ::f();  
    }  
    f() { /* definition of f() */ }  
}
```

If the friend function is a member of another class, it has the scope of that class. The scope of a class name first declared as a friend of a class is the first nonclass enclosing scope.

The implicit declaration of the class is not visible until another declaration of that same class is seen.

Local Scope

A name has *local scope* or *block scope* if it is declared in a block. A name with local scope can be used in that block and in blocks enclosed within that block, but the name must be declared before it is used. When the block is exited, the names declared in the block are no longer available.

Parameter names for a function have the scope of the outermost block of that function. Also if the function is declared and not defined, these parameter names have function prototype scope.

When one block is nested inside another, the variables from the outer block are usually visible in the nested block. However, if the declaration of a variable in a nested block has the same name as a variable

that is declared in an enclosing block, the declaration in the nested block hides the variable that was declared in the enclosing block. The original declaration is restored when program control returns to the outer block. This is called *block visibility*.

Name resolution in a local scope begins in the immediate scope in which the name is used and continues outward with each enclosing scope. The order in which scopes are searched during name resolution causes the phenomenon of information hiding. A declaration in an enclosing scope is hidden by a declaration of the same identifier in a nested scope.

Related References

- “Block Statement” on page 151

Function Scope

The only type of identifier with *function scope* is a label name. A label is implicitly declared by its appearance in the program text and is visible throughout the function that declares it.

A label can be used in a **goto** statement before the actual label is seen.

Related References

- “Labels” on page 149

Function Prototype Scope

In a function declaration (also called a *function prototype*) or in any function declarator—except the declarator of a function definition—parameter names have *function prototype scope*. Function prototype scope terminates at the end of the nearest enclosing function declarator.

Related References

- “Function Declarations” on page 130

Global Scope

C A name has *global scope* if the identifier’s declaration appears outside of any block. A name with global scope and internal linkage is visible from the point where it is declared to the end of the translation unit.

C++ A name has *global namespace scope* if the identifier’s declaration appears outside of all blocks, namespaces, and classes. A name with global namespace scope and internal linkage is visible from the point where it is declared to the end of the translation unit.

A name with global (namespace) scope is also accessible for the initialization of global variables. If that name is declared **extern**, it is also visible at link time in all object files being linked.

Related References

- Chapter 10, “Namespaces,” on page 181
- “Internal Linkage” on page 6

Class Scope

C++ A name declared within a member function hides a declaration of the same name whose scope extends to or past the end of the member function’s class.

When the scope of a declaration extends to or past the end of a class definition, the regions defined by the member definitions of that class are included in the scope of the class. Members defined lexically outside of the class are also in this scope. In addition, the scope of the declaration includes any portion of the declarator following the identifier in the member definitions.

Scope

The name of a class member has *class scope* and can only be used in the following cases:

- In a member function of that class
- In a member function of a class derived from that class
- After the . (dot) operator applied to an instance of that class
- After the . (dot) operator applied to an instance of a class derived from that class, as long as the derived class does not hide the name
- After the -> (arrow) operator applied to a pointer to an instance of that class
- After the -> (arrow) operator applied to a pointer to an instance of a class derived from that class, as long as the derived class does not hide the name
- After the :: (scope resolution) operator applied to the name of a class
- After the :: (scope resolution) operator applied to a class derived from that class.

Related References

- Chapter 12, “Classes,” on page 203
- “Scope of Class Names” on page 206
- “Access Control of Base Class Members” on page 239

Name Spaces of Identifiers

Name spaces are the various syntactic contexts within which an identifier can be used. Within the same context and the same scope, an identifier must uniquely identify an entity. Note that the term *name space* as used here applies to C as well as C++ and does not refer to the C++ namespace language feature. The compiler sets up *name spaces* to distinguish among identifiers referring to different kinds of entities. Identical identifiers in different name spaces do not interfere with each other, even if they are in the same scope.

The same identifier can declare different objects as long as each identifier is unique within its name space. The syntactic context of an identifier within a program lets the compiler resolve its name space without ambiguity.

Within each of the following four name spaces, the identifiers must be unique.

- *Tags* of these types must be unique within a single scope:
 - Enumerations
 - Structures and unions
- *Members* of structures, unions, and classes must be unique within a single structure, union, or class type.
- *Statement labels* have function scope and must be unique within a function.
- All other *ordinary identifiers* must be unique within a single scope:
 - C function names (C++ function names can be overloaded)
 - Variable names
 - Names of function parameters
 - Enumeration constants
 - typedef names.

You can redefine identifiers in the same name space but within enclosed program blocks.

Structure tags, structure members, variable names, and statement labels are in four different name spaces. No name conflict occurs among the items named `student` in the following example:

```
int get_item()
{
    struct student    /* structure tag                */
    {
        char name[20]; /* this structure member may not be named student */
        int section;
        int id;
    } sam;           /* this structure variable should not be named student */
}
```

```

goto student;
student::;      /* null statement label      */
return 0;

student fred;   /* legal struct declaration in C++ */
}

```

The compiler interprets each occurrence of `student` by its context in the program. For example, when `student` appears after the keyword `struct`, it is a structure tag. The name `student` may not be used for a structure member of `struct student`. When `student` appears after the `goto` statement, the compiler passes control to the null statement label. In other contexts, the identifier `student` refers to the structure variable.

Name Hiding

C++ If a class name or enumeration name is in scope and not hidden it is *visible*. A class name or enumeration name can be hidden by an explicit declaration of that same name — as an object, function, or enumerator — in a nested declarative region or derived class. The class name or enumeration name is hidden wherever the object, function, or enumerator name is visible. This process is referred to as *name hiding*.

In a member function definition, the declaration of a local name hides the declaration of a member of the class with the same name. The declaration of a member in a derived class hides the declaration of a member of a base class of the same name.

Suppose a name `x` is a member of namespace `A`, and suppose that the members of namespace `A` are visible in a namespace `B` because of a `using` declaration. A declaration of an object named `x` in namespace `B` will hide `A::x`. The following example demonstrates this:

```

#include <iostream>
#include <typeinfo>
using namespace std;

namespace A {
    char x;
};

namespace B {
    using namespace A;
    int x;
};

int main() {
    cout << typeid(B::x).name() << endl;
}

```

The following is the output of the above example:

```
int
```

The declaration of the integer `x` in namespace `B` hides the character `x` introduced by the `using` declaration.

Related References

- Chapter 12, “Classes,” on page 203
- “Member Functions” on page 214
- “Member Scope” on page 216
- Chapter 10, “Namespaces,” on page 181

Program Linkage

Linkage determines whether identifiers that have identical names refer to the same object, function, or other entity, even if those identifiers appear in different translation units. The linkage of an identifier depends on how it was declared. There are three types of linkages: external, internal, and no linkage.

- Identifiers with *external linkage* can be seen (and referred to) in other translation units.
- Identifiers with *internal linkage* can only be seen within the translation unit.
- Identifiers with *no linkage* can only be seen in the scope in which they are defined.

Linkage does not affect scoping, and normal name lookup considerations apply.

▶ 400 You can have linkage between translation units written in different programming languages, which is called *language linkage*. Language linkage enables the close relationship among all ILE languages by allowing code in one ILE language to link with code written in another ILE language. In C++, all identifiers have a language linkage, which by default is C++. Language linkage must be consistent across translation units. Non-C or non-C++ language linkage implies that an identifier has external linkage.

| For i5/OS-specific usage information, see "Using ILE C/C++ Call Conventions," chapter 23 in *ILE C/C++ Programmer's Guide*.

Internal Linkage

The following kinds of identifiers have internal linkage:

- Objects, references, or functions explicitly declared **static**.
- Objects or references declared in namespace scope (or global scope in C) with the specifier **const** and neither explicitly declared **extern**, nor previously declared to have external linkage.
- Data members of an anonymous union.
- ▶ C++ Function templates explicitly declared **static**.
- ▶ C++ Identifiers declared in the unnamed namespace.

A function declared inside a block will usually have external linkage. An object declared inside a block will usually have external linkage if it is specified **extern**. If a variable that has **static** storage is defined outside a function, the variable has internal linkage and is available from the point where it is defined to the end of the current translation unit.

If the declaration of an identifier has the keyword **extern** and if a previous declaration of the identifier is visible at namespace or global scope, the identifier has the same linkage as the first declaration.

External Linkage

▶ C In global scope, identifiers for the following kinds of entities declared without the **static** storage class specifier have external linkage:

- An object.
- A function.

If an identifier in C is declared with the **extern** keyword and if a previous declaration of an object or function with the same identifier is visible, the identifier has the same linkage as the first declaration. For example, a variable or function that is first declared with the keyword **static** and later declared with the keyword **extern** has internal linkage. However, a variable or function that has no linkage and was later declared with a linkage specifier will have the linkage that was expressly specified.

▶ C++ In namespace scope, the identifiers for the following kinds of entities have external linkage:

- A reference or an object that does not have internal linkage.
- A function that does not have internal linkage.
- A named class or enumeration.

- An unnamed class or enumeration defined in a typedef declaration.
- An enumerator of an enumeration that has external linkage.
- A template, unless it is a function template with internal linkage.
- A namespace, unless it is declared in an unnamed namespace.

If the identifier for a class has external linkage, then, in the implementation of that class, the identifiers for the following will also have external linkage:

- A member function.
- A static data member.
- A class of class scope.
- An enumeration of class scope.

No Linkage

The following kinds of identifiers have no linkage:

- Names that have neither external or internal linkage
- Names declared in local scopes (with exceptions like certain entities declared with the **extern** keyword)
- Identifiers that do not represent an object or a function, including labels, enumerators, **typedef** names that refer to entities with no linkage, type names, function parameters, and template names

You cannot use a name with no linkage to declare an entity with linkage. For example, you cannot use the name of a class or enumeration or a **typedef** name referring to an entity with no linkage to declare an entity with linkage. The following example demonstrates this:

```
int main() {
    struct A { };
    // extern A a1;
    typedef A myA;
    // extern myA a2;
}
```


The compiler will not allow the declaration of a1 with external linkage. Class A has no linkage. The compiler will not allow the declaration of a2 with external linkage. The **typedef** name a2 has no linkage because A has no linkage.

Linkage Specifications — Linking to Non-C++ Programs

▶ 400 ▶ C On an i5/OS system, language linkage is available for C through the use of #pragma argument. See chapter 3 "ILE C/C++ Pragma" in *ILE C/C++ Compiler Reference* and chapter 23 "Using ILE C/C++ Call Conventions" in *ILE C/C++ Programmer's Guide* for more information.

▶ C++ Linkage between C++ and non-C++ code fragments is called *language linkage*. All function types, function names, and variable names have a language linkage, which by default is C++.

You can link C++ object modules to object modules produced using other source languages such as C by using a *linkage specification*. The syntax is:



The *string_literal* is used to specify the linkage associated with a particular function. String literals used in linkage specifications should be considered as case-sensitive. All platforms support the following values for *string_literal*

Linkage Specifications

"C++"	Unless otherwise specified, objects and functions have this default linkage specification.
"C"	Indicates linkage to a C procedure

Calling shared libraries that were written before C++ needed to be taken into account requires the `#include` directive to be within an `extern "C" {}` declaration.

```
extern "C" {  
#include "shared.h"  
}
```

The following example shows a C printing function that is called from C++.

```
// in C++ program  
extern "C" int displayfoo(const char *);  
int main() {  
    return displayfoo("hello");  
}  
  
/* in C program */  
#include <stdio.h>  
extern int displayfoo(const char * str) {  
    while (*str) {  
        putchar(*str);  
        putchar(' ');  
        ++str;  
    }  
    putchar('\n');  
}
```

Name Mangling

C++ Name mangling is the encoding of function and variable names into unique names so that linkers can separate common names in the language. Type names may also be mangled. The compiler generates function names with an encoding of the types of the function arguments when the module is compiled. Name mangling is commonly used to facilitate the overloading feature and visibility within different scopes. Name mangling also applies to variable names. If a variable is in a namespace, the name of the namespace is mangled into the variable name so that the same variable name can exist in more than one namespace. The C++ compiler also mangles C variable names to identify the namespace in which the C variable resides.

The scheme for producing a mangled name differs with the object model used to compile the source code: the mangled name of an object of a class compiled using one object model will be different from that of an object of the same class compiled using a different object model. The object model is controlled by compiler option or by pragma.

Name mangling is not desirable when linking C modules with libraries or object files compiled with a C++ compiler. To prevent the C++ compiler from mangling the name of a function, you can apply the `extern "C"` linkage specifier to the declaration or declarations, as shown in the following example:

```
extern "C" {  
    int f1(int);  
    int f2(int);  
    int f3(int);  
};
```

This declaration tells the compiler that references to the functions `f1`, `f2`, and `f3` should not be mangled.

The `extern "C"` linkage specifier can also be used to prevent mangling of functions that are defined in C++ so that they can be called from C. For example,

```
extern "C" {  
    void p(int){  
        /* not mangled */  
    }  
};
```

Linkage Specifications

Chapter 2. Lexical Elements

A *lexical element* refers to a character or groupings of characters that may legally appear in a source file. This section contains discussions of the basic lexical elements and conventions of the C and C++ programming languages: tokens, character sets, comments, identifiers, and literals.

Tokens

Source code is treated during preprocessing and compilation as a sequence of *tokens*. A token is the smallest independent unit of meaning in a program, as defined by the compiler. There are five different types of tokens:

- Identifiers
- Keywords
- Literals
- Operators
- Punctuators

Adjacent identifiers, keywords, and literals must be separated with white space. Other tokens should be separated by white space to make the source code more readable. White space includes blanks, horizontal and vertical tabs, new lines, form feeds, and comments.

Punctuators

A *punctuator* is a token that has syntactic and semantic meaning to the compiler, but the exact significance depends on the context. A punctuator can also be token that is used in the syntax of the preprocessor. At the C89 language level, a punctuator does not cause an action. For example, a comma is a punctuator in an argument list or in an initializer list, but is an operator when used within a parenthesized expression.

At the C89 language level, a punctuator can be a character that separates tokens, such as:

[] () { } , : ;

or any of the following:

* = ... #

C89 restricts the use of the number sign # to preprocessor directives only.

C++ In addition to the C89 punctuators and preprocessing tokens, C++ increases the number of legal tokens for a punctuator or preprocessing token to include the C and C++ operators. A punctuator that specifies an operation to be performed is known as an *operator*. C++ allows the following tokens, which include preprocessing tokens that are converted by the preprocessor into tokens for operators and punctuators:

.	->	++	--	.*	->*
&	+	-	~	!	::
/	%	<<	>>	new	delete
<	>	<=	>=	==	!=
^		&&		?	
*=	/=	%=	+=	-=	
<<=	>>=	&=	^=	=	##
<:	:>	<%	%>	%:	%:%:
and	and_eq	bitand	bitor	comp	
not	not_eq	or	or_eq	xor	xor_eq

Tokens

Alternative Tokens

C and C++ provide alternative representations for some operators and punctuators. The following table lists the operators and punctuators and their alternative representation:

Operator or Punctuator	Alternative Representation
{	<%
}	%>
[<:
]	:>
#	%:
##	%:%:
&&	and
	bitor
	or
^	xor
~	compl
&	bitand
&=	and_eq
=	or_eq
^=	xor_eq
!	not
!=	not_eq

Source Program Character Set

The following lists the basic *source character set* that must be available at both compile and run time:

- The uppercase and lowercase letters of the English alphabet

```
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
```

- The decimal digits 0 through 9

```
0 1 2 3 4 5 6 7 8 9
```

- The following graphic characters:

```
! " # % & ' ( ) * + , - . / :  
; < = > ? [ \ ] _ { } ~
```

- The caret (^) character in ASCII (bitwise exclusive OR symbol) or the equivalent not (¬) character in EBCDIC
 - The split vertical bar (|) character in ASCII, which may be represented by the vertical bar (|) character on EBCDIC systems
- The space character
 - The control characters representing new-line, horizontal tab, vertical tab, and form feed, and end of string (NULL character)

Depending on the implementation and compiler option, other specialized identifiers, such as the dollar sign (\$) or characters in national character sets, may be allowed to appear in an identifier.

Escape Sequences

You can represent any member of the execution character set by an *escape sequence*. They are primarily used to put nonprintable characters in character and string literals. For example, you can use escape sequences to put such characters as tab, carriage return, and backspace into an output stream.



An escape sequence contains a backslash (\) symbol followed by one of the escape sequence characters or an octal or hexadecimal number. A hexadecimal escape sequence contains an x followed by one or more hexadecimal digits (0-9, A-F, a-f). An octal escape sequence uses up to three octal digits (0-7). The value of the hexadecimal or octal number specifies the value of the desired character or wide character.

Note: The line continuation sequence (\ followed by a new-line character) is not an escape sequence. It is used in character strings to indicate that the current line continues on the next line.

The escape sequences and the characters they represent are:

Escape Sequence	Character Represented
\a	Alert (bell, alarm)
\b	Backspace
\f	Form feed (new page)
\n	New-line
\r	Carriage return
\t	Horizontal tab
\v	Vertical tab
\'	Single quotation mark
\"	Double quotation mark
\?	Question mark
\\	Backslash

The value of an escape sequence represents the member of the character set used at run time. Escape sequences are translated during preprocessing. For example, on a system using the ASCII character codes, the value of the escape sequence \x56 is the letter V. On a system using EBCDIC character codes, the value of the escape sequence \xE5 is the letter V.

Use escape sequences only in character constants or in string literals. An error message is issued if an escape sequence is not recognized.

In string and character sequences, when you want the backslash to represent itself (rather than the beginning of an escape sequence), you must use a \\ backslash escape sequence. For example:

```
cout << "The escape sequence \\n." << endl;
```

This statement results in the following output:

```
The escape sequence \n.
```

The Unicode Standard

The *Unicode Standard* is the specification of an encoding scheme for written characters and text. It is a universal standard that enables consistent encoding of multilingual text and allows text data to be interchanged internationally without conflict. The ISO standards for C and C++ refer to *ISO/IEC 10646-1:2000, Information Technology—Universal Multiple-Octet Coded Character Set (UCS)*. (The term *octet* is used by ISO to refer to a byte.) The ISO/IEC 10646 standard is more restrictive than the Unicode Standard in the number of encoding forms: a character set that conforms to ISO/IEC 10646 is also conformant to the Unicode Standard.

The Unicode Standard specifies a unique numeric value and name for each character and defines three encoding forms for the bit representation of the numeric value. The name/value pair creates an identity

Character Set

for a character. The hexadecimal value representing a character is called a *code point*. The specification also describes overall character properties, such as case, directionality, alphabetic properties, and other semantic information for each character. Modeled on ASCII, the Unicode Standard treats alphabetic characters, ideographic characters, and symbols, and allows implementation-defined character codes in reserved code point ranges. The encoding scheme of the Unicode Standard is therefore sufficiently flexible to handle all known character encoding requirements, including coverage of historical scripts from any country in the world.

C++ allows the universal character name construct defined in ISO/IEC 10646 to represent characters outside the basic source character set. The universal character name is permitted in identifiers, character constants, and string literals. This language feature is independent of the language level specified at compile time.

The following table shows the generic universal character name construct and how it corresponds to the ISO/IEC 10646 short name.

Universal character name	ISO/IEC 10646 short name
<code>\UNNNNNNNN</code>	<code>NNNNNNNN</code>
<code>\uNNNN</code>	<code>0000NNNN</code>

where N is a hexadecimal digit

C++ disallows the hexadecimal values representing characters in the base source code set and the code points reserved by ISO/IEC 10646 for control characters. The following characters are also disallowed:

- Any character whose short identifier is less than 00A0. The exceptions are 0024 (\$), 0040 (@), or 0060 (ˆ).
- Any character whose short identifier is in the code point range D800 through DFFF inclusive.

Trigraph Sequences

Some characters from the C and C++ character set are not available in all environments. You can enter these characters into a C or C++ source program using a sequence of three characters called a *trigraph*. The trigraph sequences are:

Trigraph	Single character	Description
<code>??=</code>	<code>#</code>	pound sign
<code>??{</code>	<code>[</code>	left bracket
<code>??}</code>	<code>]</code>	right bracket
<code>??<</code>	<code>{</code>	left brace
<code>??></code>	<code>}</code>	right brace
<code>??/</code>	<code>\</code>	backslash
<code>??^</code>	<code>^</code>	caret
<code>??!</code>	<code> </code>	vertical bar
<code>??-</code>	<code>~</code>	tilde

The preprocessor replaces trigraph sequences with the corresponding single-character representation.

Multibyte Characters

A *multibyte character* is a character whose bit representation fits into one or more bytes and is a member of the *extended character set*. The extended character set is a superset of the basic character set. The term *wide character* is a character whose bit representation accommodates an object of type `wchar_t`, capable of representing any character in the current locale.

Related References

- “char and wchar_t Type Specifiers” on page 39

Comments

A *comment* is text replaced during preprocessing by a single space character; the compiler therefore ignores all comments.

There are two kinds of comments:

- The `/*` (slash, asterisk) characters, followed by any sequence of characters (including new lines), followed by the `*/` characters. This kind of comment is commonly called a *C-style comment*.
-  The `//` (two slashes) characters followed by any sequence of characters. A new line not immediately preceded by a backslash terminates this form of comment. This kind of comment is commonly called a *single-line comment* or a *C++ comment*. A C++ comment can span more than one physical source line if it is joined into one logical source line with line-continuation (`\`) characters. The backslash character can also be represented by a trigraph.

You can put comments anywhere the language allows white space. You cannot nest C-style comments inside other C-style comments. Each comment ends at the first occurrence of `*/`.

Multibyte characters can also be included within a comment.

Note: The `/*` or `*/` characters found in a character constant or string literal do not start or end comments.

In the following program, the second `printf()` is a comment:

```
#include <stdio.h>

int main(void)
{
    printf("This program has a comment.\n");
    /* printf("This is a comment line and will not print.\n"); */
    return 0;
}
```

Because the second `printf()` is equivalent to a space, the output of this program is:

This program has a comment.

Because the comment delimiters are inside a string literal, `printf()` in the following program is not a comment.

```
#include <stdio.h>

int main(void)
{
    printf("This program does not have \
/* NOT A COMMENT */ a comment.\n");
    return 0;
}
```

The output of the program is:

This program does not have
/* NOT A COMMENT */ a comment.

In the following example, the comments are highlighted:

```
/* A program with nested comments. */
```

```
#include <stdio.h>

int main(void)
{
    test_function();
}
```

Comments

```
    return 0;
}

int test_function(void)
{
    int number;
    char letter;
    /*
    number = 55;
    letter = 'A';
    /* number = 44; */
    */
    return 999;
}
```

In `test_function`, the compiler reads the first `/*` through to the first `*/`. The second `*/` causes an error. To avoid commenting over comments already in the source code, you should use conditional compilation preprocessor directives to cause the compiler to bypass sections of a program. For example, instead of commenting out the above statements, change the source code in the following way:

```
/* A program with conditional compilation to avoid nested comments.
*/
#define TEST_FUNCTION 0
#include <stdio.h>

int main(void)
{
    test_function();
    return 0;
}

int test_function(void)
{
    int number;
    char letter;
    #if TEST_FUNCTION
    number = 55;
    letter = 'A';
    /*number = 44;*/
    #endif /*TEST_FUNCTION */
}
```

You can nest single line comments within C-style comments. For example, the following program will not output anything:

```
#include <stdio.h>

int main(void)
{
    /*
    printf("This line will not print.\n");
    // This is a single line comment
    // This is another single line comment
    printf("This line will also not print.\n");
    */
    return 0;
}
```

Related References

- “Trigraph Sequences” on page 14

Identifiers

Identifiers provide names for the following language elements:

- Functions
- Objects
- Labels
- Function parameters
- Macros and macro parameters
- Typedefs
- Enumerated types and enumerators
- Struct and union names
- **C++** Classes and class members
- **C++** Templates
- **C++** Template parameters
- **C++** Namespaces

An identifier consists of an arbitrary number of letters, digits, or the underscore character in the form:



C++ The universal character names for letters and digits outside of the basic source character set are also allowed.

Reserved Identifiers

Identifiers with two initial underscores or an initial underscore followed by an uppercase letter are reserved globally for the use by the compiler.

C Identifiers that begin with an underscore are reserved as identifiers with file scope in both the ordinary and tag name spaces.

C++ C++ extends the C reservations to include more identifiers in a larger name space. Any name that contains double underscores anywhere is reserved. Any identifier that begins with an underscore is reserved in the global namespace.

Case Sensitivity and Special Characters in Identifiers

The compiler distinguishes between uppercase and lowercase letters in identifiers. For example, PROFIT and profit represent different identifiers.

Avoid creating identifiers that begin with an underscore (`_`) for function names and variable names.

The first character in an identifier must be a letter. The `_` (underscore) character is considered a letter; however, identifiers beginning with an underscore are reserved by the compiler for identifiers at global namespace scope.

Identifiers that contain two consecutive underscores or begin with an underscore followed by a capital letter are reserved in all contexts.

You should always include the appropriate headers when using standard library functions.

Identifiers

Although the names of system calls and library functions are not reserved words if you do not include the appropriate headers, avoid using them as identifiers. Duplication of a predefined name can lead to confusion for the maintainers of your code and can cause errors at link time or run time. If you include a library in a program, be aware of the function names in that library to avoid name duplications. You should always include the appropriate headers when using standard library functions.

Keywords

Keywords are identifiers reserved by the language for special use. Although you can use them for preprocessor macro names, it is poor programming style. Only the exact spelling of keywords is reserved. For example, `auto` is reserved but `AUTO` is not. The following lists the keywords common to both the C and C++ languages:

<code>auto</code>	<code>double</code>	<code>int</code>	<code>struct</code>
<code>break</code>	<code>else</code>	<code>long</code>	<code>switch</code>
<code>case</code>	<code>enum</code>	<code>register</code>	<code>typedef</code>
<code>char</code>	<code>extern</code>	<code>return</code>	<code>union</code>
<code>const</code>	<code>float</code>	<code>short</code>	<code>unsigned</code>
<code>continue</code>	<code>for</code>	<code>signed</code>	<code>void</code>
<code>default</code>	<code>goto</code>	<code>sizeof</code>	<code>volatile</code>
<code>do</code>	<code>if</code>	<code>static</code>	<code>while</code>

 The C++ language also reserves the following keywords:

<code>asm</code>	<code>export</code>	<code>private</code>	<code>true</code>
<code>bool</code>	<code>false</code>	<code>protected</code>	<code>try</code>
<code>catch</code>	<code>friend</code>	<code>public</code>	<code>typeid</code>
<code>class</code>	<code>inline</code>	<code>reinterpret_cast</code>	<code>typename</code>
<code>const_cast</code>	<code>mutable</code>	<code>static_cast</code>	<code>using</code>
<code>delete</code>	<code>namespace</code>	<code>template</code>	<code>virtual</code>
<code>dynamic_cast</code>	<code>new</code>	<code>this</code>	<code>wchar_t</code>
<code>explicit</code>	<code>operator</code>	<code>throw</code>	

Keywords for language extensions

 In addition to standard language keywords, ILE C/C++ reserves identifiers for language extensions and for future use. The following keywords are reserved for use in language extensions:

<code>decimal</code>	<code>_Decimal64</code>	<code>__align</code>	<code>__ptr128</code>	<code>__thread</code>
<code>_Decimal</code>	<code>_Decimal128</code>	<code>__alignof</code>	<code>__ptr64</code>	
<code>_Decimal32</code>		<code>_Packed</code>		

Alternative Representations of Operators and Punctuators


In addition to the reserved language keywords, the following alternative representations of operators and punctuators are also reserved in C and C++:

<code>and</code>	<code>bitor</code>	<code>not_eq</code>	<code>xor</code>
<code>and_eq</code>	<code>compl</code>	<code>or</code>	<code>xor_eq</code>
<code>bitand</code>	<code>not</code>	<code>or_eq</code>	


Literals

The term *literal constant* or *literal* refers to a value that occurs in a program and cannot be changed. The C language uses the term *constant* in place of the noun *literal*. The adjective *literal* adds to the concept of a constant the notion that we can speak of it only in terms of its value. A literal constant is nonaddressable, which means that its value is stored somewhere in memory, but we have no means of accessing that address.

Every *literal* has a value and a data type. The value of any literal does not change while the program runs and must be in the range of representable values for its type. The following are the available types of literals:

-  Boolean
- Integer
- Character
- Floating-point
-  Packed decimal
- String

Boolean Literals


 There are only two boolean literals: **true** and **false**. These literals have type **bool** and are not lvalues.

Related References

- “Boolean Variables” on page 39
- “Lvalues and Rvalues” on page 80

Integer Literals

Integer literals can represent decimal, octal, or hexadecimal values. They are numbers that do not have a decimal point or an exponential part. However, an integer literal may have a prefix that specifies its base, or a suffix that specifies its type.



The data type of an integer literal is determined by its form, value, and suffix. The following table lists the integer literals and shows the possible data types. The smallest data type that can represent the constant value is used to store the constant.

Integer Literal	Possible Data Types
unsuffixed decimal	int, long int, unsigned long int, long long int
unsuffixed octal	int, unsigned int, long int, unsigned long int, long long int, unsigned long long int
unsuffixed hexadecimal	int, unsigned int, long int, unsigned long int, long long int, unsigned long long int

Literals

Integer Literal	Possible Data Types
decimal, octal, or hexadecimal suffixed by u or U	unsigned int, unsigned long int, unsigned long long int
decimal suffixed by l or L	long int, long long int
octal or hexadecimal suffixed by l or L	long int, unsigned long int, long long int, unsigned long long int
decimal, octal, or hexadecimal suffixed by both u or U , and l or L	unsigned long int, unsigned long long int
decimal suffixed by ll or LL	long long int
octal or hexadecimal suffixed by ll or LL	long long int, unsigned long long int
decimal, octal, or hexadecimal suffixed by both u or U , and ll or LL	unsigned long long int

A plus (+) or minus (-) symbol can precede an integer literal. The operator is treated as a unary operator rather than as part of the literal.

Decimal Integer Literals

A *decimal integer literal* contains any of the digits 0 through 9. The first digit cannot be 0.



Integer literals beginning with the digit 0 are interpreted as an octal integer literal rather than as a decimal integer literal.

The following are examples of decimal literals:

```
485976
-433132211
+20
5
```

A plus (+) or minus (-) symbol can precede the decimal integer literal. The operator is treated as a unary operator rather than as part of the literal.

Hexadecimal Integer Literals

A *hexadecimal integer literal* begins with the 0 digit followed by either an x or X, followed by any combination of the digits 0 through 9 and the letters a through f or A through F. The letters A (or a) through F (or f) represent the values 10 through 15, respectively.



The following are examples of hexadecimal integer literals:

```
0x3b24
0XF96
0x21
0x3AA
0X29b
0X4bD
```


Literals

The suffix `f` or `F` indicates a type of `float`, and the suffix `l` or `L` indicates a type of `long double`. The suffix `df` or `DF` indicates a type of `_Decimal32`. The suffix `dd` or `DD` indicates a type of `_Decimal64`. The suffix `dl` or `DL` indicates a type of `_Decimal128`. Mixed case decimal floating-point suffixes are not valid. For example, `dD` and `Df` are not valid suffixes. If a suffix is not specified, the floating-point constant has a type `double`.

A plus (+) or minus (-) symbol can precede a floating-point literal. However, it is not part of the literal; it is interpreted as a unary operator.

The following are examples of binary floating-point literals:

Floating-Point Constant	Value
5.3876e4	53,876
4e-11	0.00000000004
1e+5	100000
7.321E-3	0.007321
3.2E+4	32000
0.5e-6	0.0000005
0.45	0.45
6.e10	60000000000

When using decimal floating-point data, more accurate results will occur if decimal floating-point literals are used. As previously stated, if a suffix is not specified, a floating-point constant has type `double`.

Consider this initialization:

- `_Decimal64 rate = 0.1;`

The constant `0.1` has type `double`, which cannot accurately represent the decimal value `0.1`. The variable `rate` will get a value slightly different from `0.1`. The definition should be coded as follows:

- `_Decimal64 rate = 0.1dd;`

When the decimal floating-point literals are converted or when the constant decimal floating-point expressions are resolved, the default rounding mode used will be "round to the nearest, ties to even."

 When you use the `printf` function to display a floating-point constant value, make certain that the `printf` conversion code modifiers that you specify are large enough for the floating-point constant value.

Related References

- "Binary Floating-Point Variables" on page 40
- "Decimal Floating-Point Variables" on page 41
- "Unary Expressions" on page 95

Packed Decimal Literals

  A *packed decimal literal* is a kind of floating-point literal that provides the ability to accurately represent large numeric quantities. It can consist of an integral part, a decimal point, a fractional part, and the mandatory suffix `D`. A packed decimal literal can have up to sixty-three significant digits, including integral and fractional parts.

A packed decimal literal is of the form:



Both the integral and fractional parts are made up of decimal digits. You can omit either the integral part or the fractional part, but not both.

Related References

- See *ILE C/C++ Programmer's Guide* for more information.

Character Literals

A *character literal* contains a sequence of characters or escape sequences enclosed in single quotation mark symbols, for example 'c'. A character literal may be prefixed with the letter L, for example L'c'. A character literal without the L prefix is an *ordinary character literal* or a *narrow character literal*. A character literal with the L prefix is a *wide character literal*. An ordinary character literal that contains more than one character or escape sequence (excluding single quotes (')), backslashes (\) or new-line characters) is a *multicharacter literal*.

Character literals have the following form:



At least one character or escape sequence must appear in the character literal. The characters can be from the source program character set, excluding the single quotation mark, backslash and new-line symbols. A character literal must appear on a single logical source line.

C A character literal has type **int**.

C++ A character literal that contains only one character has type **char**, which is an integral type.

In both C and C++, a wide character literal has type **wchar_t**, and a multicharacter literal has type **int**.

400 The value of a narrow or wide character literal containing a single character is the numeric representation of the character in the character set used at run time. The lowest four bytes represent the value of an integer character literal that contains more than one character. The lowest two bytes of the lowest multibyte character represent the value of a wide character literal. For the locale type `utf LOCALETYPE(*LOCALEUTF)`, the lowest four bytes of the lowest multibyte character represent the value of the wide character literal.

You can represent the double quotation mark symbol by itself, but you must use the backslash symbol followed by a single quotation mark symbol (\' escape sequence) to represent the single quotation mark symbol.

You can represent the new-line character by the \n new-line escape sequence.

You can represent the backslash character by the \\ backslash escape sequence.

The following are examples of character literals:

Literals

```
'a'  
'\''  
L'\0'  
'('
```

Related References

- “char and wchar_t Type Specifiers” on page 39

String Literals

A *string literal* contains a sequence of characters or escape sequences enclosed in double quotation mark symbols.



A string literal with the prefix **L** is a *wide string literal*. A string literal without the prefix **L** is an *ordinary* or *narrow string literal*.

C The type of a narrow string literal is array of **char** and the type of a wide string literal is array of **wchar_t**.

C++ The type of a narrow string literal is array of **const char** and the type of a wide string literal is array of **const wchar_t**. Both types have **static** storage duration.

The following are examples of string literals:

```
char  
titles[ ] = "Handel's \"Water Music\"";  
char *mail_addr = "Last Name   First Name   MI   Street Address \  
    City   Province   Postal code";  
char *temp_string = "abc" "def" "ghi"; /* *temp_string = "abcdefghi\0" */  
wchar_t *wide_string = L"longstring";
```

A null ('\0') character is appended to each string. For a wide string literal, the value '\0' of type **wchar_t** is appended. By convention, programs recognize the end of a string by finding the null character.

Multiple spaces contained within a string literal are retained.

To continue a string on the next line, use the line continuation character (\ symbol) followed by optional whitespace and a new-line character (required). In the following example, the string literal second causes a compile-time error.

```
char *first = "This string continues onto the next\  
line, where it ends."; /* compiles successfully. */  
char *second = "The comment makes the \  
invisible to the compiler."; /* compilation error. */
```

Concatenation

Another way to continue a string is to have two or more consecutive strings. Adjacent string literals will be concatenated to produce a single string. If a wide string literal and a narrow string literal are adjacent to each other, the resulting behavior is undefined. The following example demonstrates this:

```
"hello " "there" /* is equivalent to "hello there" */  
"hello " L"there" /* the behavior at the C89 language level is undefined */  
"hello" "there" /* is equivalent to "hellothere" */
```

Characters in concatenated strings remain distinct. For example, the strings `"\xab"` and `"3"` are concatenated to form `"\xab3"`. However, the characters `\xab` and `3` remain distinct and are not merged to form the hexadecimal character `\xab3`.

Following any concatenation, `'\0'` of type **char** is appended at the end of each string. C++ programs find the end of a string by scanning for this value. For a wide string literal, `'\0'` of type **wchar_t** is appended. For example:

```
char *first = "Hello ";           /* stored as "Hello \0"    */
char *second = "there";          /* stored as "there\0"    */
char *third = "Hello " "there";  /* stored as "Hello there\0" */
```

Related References

- “char and wchar_t Type Specifiers” on page 39
- “Type Qualifiers” on page 57
- “static Storage Class Specifier” on page 33

Literals

Chapter 3. Declarations

A *declaration* establishes the names and characteristics of data objects and functions used in a program. A *definition* allocates storage for data objects or specifies the body for a function, and associates an identifier with that object or function. When you declare or define a type, no storage is allocated.

In diverse ways, declarations determine the interrelated attributes of an object: storage class, type, scope, visibility, storage duration, and linkage.

Declaration Overview


Declarations determine the following properties of data objects and their identifiers:

- Scope, which describes the region of program text in which an identifier can be used to access its object.
- Visibility, which describes the region of program text from which legal access can be made to the identifier's object.
- Duration, which defines the period during which the identifiers have real, physical objects allocated in memory.
- Linkage, which describes the correct association of an identifier to one particular object.
- Type, which determines how much memory is allocated to an object and how the bit patterns found in the storage allocation of that object should be interpreted by the program.

The lexical order of elements of a declaration for a data object is as follows:

- Storage duration and linkage specification
- Type specification
- Declarators, which introduce identifiers and make use of type qualifiers and storage qualifiers
- Initializers, which initialize storage with initial values

All data declarations have the form:



The following table shows examples of declarations and definitions. The identifiers declared in the first column do not allocate storage; they refer to a corresponding definition. In the case of a function, the corresponding definition is the code or body of the function. The identifiers declared in the second column allocate storage; they are both declarations and definitions.

Declarations	Declarations and Definitions
<code>extern double pi;</code>	<code>double pi = 3.14159265;</code>
<code>float square(float x);</code>	<code>float square(float x) { return x*x; }</code>
<code>struct payroll;</code>	<code>struct payroll { char *name; float salary; } employee;</code>

Related References

Declarations

- Chapter 4, “Declarators,” on page 63

The `__align` Specifier

400 The `__align` keyword allows you to specify an explicit alignment for a data structure. The keyword is an orthogonal language extension intended to be used in the definition of an aggregate type or in the declaration of a first-level variable. The specified byte boundary affects the alignment of an aggregate as a whole, not that of its members. The `__align` specifier can be applied to an aggregate definition nested within another aggregate definition, but not to individual elements of an aggregate or class. The alignment specification is ignored for parameters and automatic variables.

A declaration takes one of the following forms:

►► `declarator __align (int_constant) identifier ;`

Structure or union syntax:

►► `__align (int_constant) struct_or_union_specifier [tag] { struct_declaration_list } ;`

where:

int_constant

Is a positive integer value indicating the byte-alignment boundary. The legal values are 1, 2, 4, 8, or 16.

struct_or_union_specifier

Is a structure or union specifier.

struct_declaration_list

Is a structure declaration list.

tag

Is a structure or union identifier.

Restrictions and limitations

The `__align` specifier cannot be used where the size of the variable alignment is smaller than the size of the type alignment.

Not all alignments may be representable in an object file.

The `__align` specifier cannot be applied to the following:

- Individual elements within an aggregate definition.
- Individual elements of an array.
- Variables of incomplete type.
- Aggregates declared but not defined.
- Other types of declarations or definitions, such as a typedef, a function, or an enumeration.

400 The alignment of an aggregate is not guaranteed to be aligned in memory on the boundary specified by `__align`. The reason is that certain i5/OS types require a specific alignment. If an aggregate has a member that is of one of these types, the alignment specified by `__align` on the aggregate will be superseded by that required by its member. For example, a 16-byte pointer must be aligned on a 16-byte boundary.

Objects

An *object* is a region of storage that contains a value or group of values. Each value can be accessed using its identifier or a more complex expression that refers to the object. In addition, each object has a unique *data type*. Both the identifier and data type of an object are established in the object *declaration*.

The data type of an object determines the initial storage allocation for that object and the interpretation of the values during subsequent access. It is also used in any type checking operations.

Both C and C++ have built-in, or *fundamental*, data types and user-defined data types. Standard data types include signed and unsigned integers, floating-point numbers, and characters. User-defined types include enumerations, structures, and unions. All C++ classes are considered user-defined types.

An instance of a class type is commonly called a *class object*. The individual class members are also called objects. The set of all member objects comprises a class object.

Related References

- “Lvalues and Rvalues” on page 80
- Chapter 12, “Classes,” on page 203

Storage Class Specifiers

A storage class specifier is used to refine the declaration of a variable, a function, and parameters. The storage class specifier used within the declaration determines whether:

- The object has internal, external, or no linkage
- The object is to be stored in memory or in a register, if available
- The object receives the default initial value 0 or an indeterminate default initial value
- The object can be referenced throughout a program or only within the function, block, or source file where the variable is defined
- The storage duration for the object is *static* (storage is maintained throughout program run time), *automatic* (storage is maintained only during the execution of the block where the object is defined), or *thread* (storage is maintained throughout the current thread of execution).

For a variable, its default storage duration, scope, and linkage depend on where it is declared: whether inside or outside a block statement or the body of a function. When these defaults are not satisfactory, you can specify an explicit storage class: **auto**, **static**, **extern**, **register**, or **__thread**. In C++, you have the additional option of being able to specify the storage class **mutable** for a class data member to make it modifiable, even though the member is part of an object that has been declared **const**.

For a function, the storage class specifier determines the linkage of the function. The only options are **extern** and **static**. A function that is declared with the **extern** storage class specifier has external linkage, which means that it can be called from other translation units. A function declared with the **static** storage class specifier has internal linkage, which means that it may be called only within the translation unit in which it is defined. The default for a function is external linkage.

 The only storage class that can be specified for a function parameter is **register**. The reason is that function parameters have the same properties as auto variables: automatic storage duration, block scope, and no linkage.

Declarations with the **auto** or **register** storage class specifier result in automatic storage. Those with the **static** storage class specifier result in static storage.

Most local declarations that do not include the **extern** storage class specifier allocate storage; however, function declarations and type declarations do not allocate storage.

The only storage class specifiers allowed in a namespace or global scope declaration are **static**, **extern**, and **__thread**. In C++, the use of **static** for a specifying internal linkage is deprecated. Use the unnamed namespace instead.

The storage class specifiers in C and C++ are:

- **auto**
- **extern**

Storage Class Specifiers

-  **mutable**
- **register**
- **static**
- **__thread**
- **typedef**

typedef is categorized as a storage class specifier because of similarities in syntax rather than functionality and because a **typedef** declaration does not allocate storage.

auto Storage Class Specifier

The **auto** storage class specifier lets you explicitly declare a variable with *automatic storage*. The **auto** storage class is the default for variables declared inside a block. A variable *x* that has automatic storage is deleted when the block in which *x* was declared exits.

You can only apply the **auto** storage class specifier to names of variables declared in a block or to names of function parameters. However, these names by default have automatic storage. Therefore the storage class specifier **auto** is usually redundant in a data declaration.

Initialization

You can initialize any **auto** variable except parameters. If you do not explicitly initialize an automatic object, its value is indeterminate. If you provide an initial value, the expression representing the initial value can be any valid C or C++ expression. The object is then set to that initial value each time the program block that contains the object's definition is entered.

Note that if you use the **goto** statement to jump into the middle of a block, automatic variables within that block are not initialized.

Storage duration

Objects with the **auto** storage class specifier have automatic storage duration. Each time a block is entered, storage for **auto** objects defined in that block is made available. When the block is exited, the objects are no longer available for use. An object declared with no linkage specification and without the **static** storage class specifier has automatic storage duration.

If an **auto** object is defined within a function that is recursively invoked, memory is allocated for the object at each invocation of the block.

Linkage

An **auto** variable has block scope and no linkage.

Related References

- “Block Statement” on page 151
- “goto Statement” on page 163
- “Function Declarations” on page 130

extern Storage Class Specifier

The **extern** storage class specifier lets you declare objects and functions that several source files can use. An **extern** variable, function definition, or declaration makes the described variable or function usable by the succeeding part of the current source file. This declaration does not replace the definition. The declaration is used to describe the variable that is externally defined.

An **extern** declaration can appear outside a function or at the beginning of a block. If the declaration describes a function or appears outside a function and describes an object with external linkage, the keyword **extern** is optional. If you do not specify a storage class specifier, the function is assumed to have external linkage.

If a declaration for an identifier already exists at file scope, any **extern** declaration of the same identifier found within a block refers to that same object. If no other declaration for the identifier exists at file scope, the identifier has external linkage.

It is an error to include a declaration for the same function with the storage class specifier **static** before the declaration with no storage class specifier because of the incompatible declarations. Including the **extern** storage class specifier on the original declaration is valid and the function has internal linkage.

► **C++** The following remarks pertain to C++ only:

- C++ restricts the use of the **extern** storage class specifier to the names of objects or functions. Using the **extern** specifier with type declarations is illegal.
- In C++, an **extern** declaration cannot appear in class scope.

Initialization

You can initialize any object with the **extern** storage class specifier at global scope in C or at namespace scope in C++. The initializer for an **extern** object must either:

- Appear as part of the definition and the initial value must be described by a constant expression. OR
- Reduce to the address of a previously declared object with static storage duration. You may modify this object with pointer arithmetic. (In other words, you may modify the object by adding or subtracting an integral constant expression.)

If you do not explicitly initialize an **extern** variable, its initial value is zero of the appropriate type. Initialization of an **extern** object is completed by the time the program starts running.

Storage duration

All **extern** objects have static storage duration. Memory is allocated for **extern** objects before the main function begins running, and is freed when the program terminates. The scope of the variable depends on the location of the declaration in the program text. If the declaration appears within a block, the variable has block scope; otherwise, it has file scope.

Linkage

► **C** Like the scope, the linkage of a variable declared **extern** depends on the placement of the declaration in the program text. If the variable declaration appears outside of any function definition and has been declared **static** earlier in the file, the variable has internal linkage; otherwise, it has external linkage in most cases. All object declarations that occur outside a function and that do not contain a storage class specifier declare identifiers with external linkage. All function definitions that do not specify a storage class define functions with external linkage.

► **C++** For objects in the unnamed namespace, the linkage may be external, but the name is unique, and so from the perspective of other translation units, the name effectively has internal linkage.

Related References

- “External Linkage” on page 6
- “Internal Linkage” on page 6
- “static Storage Class Specifier” on page 33
- “Class Scope” on page 3
- Chapter 10, “Namespaces,” on page 181

Storage Class Specifiers

- “Inline Functions” on page 148

mutable Storage Class Specifier

C++ The **mutable** storage class specifier is used only on a class data member to make it modifiable even though the member is part of an object declared as **const**. You cannot use the mutable specifier with names declared as **static** or **const**, or reference members.

```
class A
{
    public:
        A() : x(4), y(5) { };
        mutable int x;
        int y;
};

int main()
{
    const A var2;
    var2.x = 345;
    // var2.y = 2345;
}
```

In this example, the compiler would not allow the assignment `var2.y = 2345` because `var2` has been declared as **const**. The compiler will allow the assignment `var2.x = 345` because `A::x` has been declared as **mutable**.

register Storage Class Specifier

The **register** storage class specifier indicates to the compiler that the value of the object should reside in a machine register. The compiler is not required to honor this request. Because of the limited size and number of registers available on most systems, few variables can actually be put in registers. If the compiler does not allocate a machine register for a **register** object, the object is treated as having the storage class specifier **auto**. A **register** storage class specifier indicates that the object, such as a loop control variable, is heavily used and that the programmer hopes to enhance performance by minimizing access time.

An object having the **register** storage class specifier must be defined within a block or declared as a parameter to a function.

Initialization

You can initialize any **register** object except parameters. If you do not initialize an automatic object, its value is indeterminate. If you provide an initial value, the expression representing the initial value can be any valid C or C++ expression. The object is then set to that initial value each time the program block that contains the object's definition is entered.

Storage duration

Objects with the **register** storage class specifier have automatic storage duration. Each time a block is entered, storage for **register** objects defined in that block is made available. When the block is exited, the objects are no longer available for use.

If a **register** object is defined within a function that is recursively invoked, memory is allocated for the variable at each invocation of the block.

Linkage

Since a **register** object is treated as the equivalent to an object of the **auto** storage class, it has no linkage.

C Restrictions

- The **register** storage class specifier is legal only for variables declared in a block. You cannot use it in global scope data declarations.
- A register does not have an address. Therefore, you cannot apply the address operator (&) to a **register** variable.

C++ Restrictions

- You cannot use the **register** storage class specifier when declaring objects in namespace scope.
- Unlike C, C++ lets you take the address of an object with the **register** storage class. For example:

```
register int i;
int* b = &i;    // valid in C++, but not in C
```

static Storage Class Specifier

The **static** storage class specifier lets you define objects or functions with internal linkage, which means that each instance of a particular identifier represents the same object or function within one file only. In addition, objects declared **static** have *static storage duration*, which means that memory for these objects is allocated when the program begins running and is freed when the program terminates.

Static storage duration for an object is different from file or global scope: an object can have static duration but local scope. On the other hand, the **static** storage class specifier can be used in a function declaration only if it is at file scope.

The **static** storage class specifier can only be applied to the following names:

- Objects
- Functions
- Class members
- Anonymous unions

You cannot declare any of the following as **static**:

- Type declarations
- Function declarations within a block
- Function parameters

C The keyword **static** is the major mechanism in C to enforce information hiding. C++ enforces information hiding through the namespace language feature and the access control of classes.

C++ The use of the keyword **static** to limit the scope of external variables is deprecated for declaring objects in namespace scope.

Initialization

You initialize a **static** object with a constant expression, or an expression that reduces to the address of a previously declared **extern** or **static** object, possibly modified by a constant expression. If you do not explicitly initialize a **static** (or external) variable, it will have a value of zero of the appropriate type.

A **static** variable in a block is initialized only one time, prior to program execution, whereas an **auto** variable that has an initializer is initialized every time it comes into existence.

Each time a recursive function is called, it gets a new set of **auto** variables. However, if the function has a **static** variable, the same storage location is used by all calls of the function.

C++ A static object of class type will use the default constructor if you do not initialize it. Automatic and register variables that are not initialized will have undefined values.

Storage Class Specifiers

In C++, you may initialize a **static** object with a non-constant expression, but the following usage has been deprecated:

```
static int staticInt = 5;
int main()
{
    // . . .
}
```

C++ provides the namespaces language feature to limit the scope of external variables.

Linkage

A declaration of an object or file that contains the **static** storage class specifier and has file scope, gives the identifier internal linkage. Each instance of the particular identifier therefore represents the same object or function within one file only.

Example

Suppose a static variable *x* has been declared in function *f()*. When the program exits the scope of *f()*, *x* is not destroyed. The following example demonstrates this:

```
#include <stdio.h>

int f(void) {
    static int x = 0;
    x++;
    return x;
}

int main(void) {
    int j;
    for (j = 0; j < 5; j++) {
        printf("Value of f(): %d\n", f());
    }
    return 0;
}
```

The following is the output of the above example:

```
Value of f(): 1
Value of f(): 2
Value of f(): 3
Value of f(): 4
Value of f(): 5
```

Because *x* is a static variable, it is not reinitialized to 0 on successive calls to *f()*.

| **__thread** Storage Class Specifier

| Objects declared **__thread** have *thread storage duration*, which means that memory for these objects is allocated when the thread begins running and is freed when the thread terminates.

| Thread storage duration for an object is different from file or global scope: an object can have thread duration but local scope.

| The **__thread** storage class specifier can be applied only to the following names:

- | • Objects declared at file scope
- | • Objects declared at block scope with the `extern` or `static` storage class specifier
- | • Static class members
- | • Anonymous unions

| You cannot declare any of the following as **__thread**:

- | • Type declarations
- | • Functions
- | • Function parameters
- | • Class objects that have a non-trivial constructor class.

| Initialization

| You initialize a **__thread** object with a constant expression, or an expression that reduces to the address of a previously declared **__thread** object, possibly modified by a constant expression. If you do not explicitly initialize a **__thread** variable, it will have a value of zero of the appropriate type.

| A **__thread** variable is initialized only one time, before thread execution.

| Linkage

| The **__thread** storage class specifier does not affect the linkage of an object; it only affects the storage duration of the object. The **__thread** storage class specifier is unique because it can be used in combination with other storage class specifiers. The other storage class specifier affects the linkage of the object, and the **__thread** storage class specifier affects the storage duration of the object.

| Example

| The **__thread** storage specifier can be used only on variables with static scope and must immediately follow any **extern** or **static** storage class specifiers. The following are examples:

- | • Non-local variables

```
|  __thread int i;           /* external linkage */
|  extern __thread struct state s; /* external linkage */
|  static __thread char *p;    /* internal linkage */
```

- | • Local variables

```
|  int foo(void) {
|      static __thread int tlsVal=0; /* internal linkage */
|      extern __thread int tlsVal2=1; /* external linkage */
|      return ++tlsVal;
|  }
```

- | • Class member variables

```
|  class A {
|      static __thread int tlsInstance; /* internal linkage */
|  };
```

| typedef

A **typedef** declaration lets you define your own identifiers that can be used in place of type specifiers such as **int**, **float**, and **double**. A **typedef** declaration does not reserve storage. The names you define using **typedef** are not new data types, but synonyms for the data types or combinations of data types they represent. The name space for a **typedef** name is the same as other identifiers.

When an object is defined using a **typedef** identifier, the properties of the defined object are exactly the same as if the object were defined by explicitly listing the data type associated with the identifier.

Examples of typedef Declarations

The following statements declare **LENGTH** as a synonym for **int** and then use this **typedef** to declare **length**, **width**, and **height** as integer variables:

```
typedef int LENGTH;
LENGTH length, width, height;
```

Storage Class Specifiers

The following declarations are equivalent to the above declaration:

```
int length, width, height;
```

Similarly, **typedef** can be used to define a class type (structure, union, or C++ class). For example:

```
typedef struct {
    int scruples;
    int drams;
    int grains;
} WEIGHT;
```

The structure WEIGHT can then be used in the following declarations:

```
WEIGHT chicken, cow, horse, whale;
```

In the following example, the type of yds is "pointer to function with no parameter specified, returning int".

```
typedef int SCROLL();
extern SCROLL *yds;
```

In the following typedefs, the token struct is part of the type name: the type of ex1 is struct a; the type of ex2 is struct b.

```
typedef struct a { char x; } ex1, *ptr1;
typedef struct b { char x; } ex2, *ptr2;
```

Type ex1 is compatible with the type struct a and the type of the object pointed to by ptr1. Type ex1 is not compatible with char, ex2, or struct b.

▶ C++ The remainder of this section pertains to C++ only.

In C++, a **typedef** name must be different from any class type name declared within the same scope. If the **typedef** name is the same as a class type name, it can only be so if that **typedef** is a synonym of the class name. This condition is not the same as in C. The following can be found in standard C headers:

```
typedef class C { /* data and behavior */ } C;
```

A C++ class defined in a **typedef** without being named is given a dummy name and the **typedef** name for linkage. Such a class cannot have constructors or destructors. For example:

```
typedef class {
    Trees();
} Trees;
```

Here the function Trees() is an ordinary member function of a class whose type name is unspecified. In the above example, Trees is an alias for the unnamed class, not the class type name itself, so Trees() cannot be a constructor for that class.

Type Specifiers

Type specifiers indicate the type of the object or function being declared. The following are the available kinds of type specifiers:

- Simple type specifiers
- Enumerated specifiers
- **const** and **volatile** qualifiers
- ▶ C++ Class specifiers
- ▶ C++ Elaborated type specifiers

The term *scalar types* collectively refers in C to arithmetic types or pointer types. In C++, scalar types include all the cv-qualified versions of the C scalar types, plus all the cv-qualified versions of enumeration and pointer-to-member types.

The term *aggregate type* refers in both C and C++ to array and structure types.

► **C++** In C++, types must be declared in declarations. They may not be declared in expressions.

Type Names

A data type, more precisely, a *type name*, is required in several contexts as something that you must specify without declaring an object; for example, when writing an explicit cast expression or when applying the `sizeof` operator to a type. Syntactically, the name of a data type is the same as a declaration of a function or object of that type, but without the identifier.

To read or write a type name correctly, put an "imaginary" identifier within the syntax, splitting the type name into simpler components. For example, `int` is a type specifier, and it always appears to the left of the identifier in a declaration. An imaginary identifier is unnecessary in this simple case. However, `int * [5]` (an array of 5 pointers to `int`) is also the name of a type. The type specifier `int *` always appears to the left of the identifier, and the array subscripting operator always appears to the right. In this case, an imaginary identifier is helpful in distinguishing the type specifier.

As a general rule, the identifier in a declaration always appears to the left of the subscripting and function call operators, and to the right of a type specifier, type qualifier, or indirection operator. Only the subscripting, function call, and indirection operators may appear in a declaration. They bind according to normal operator precedence, which is that the indirection operator is of lower precedence than either the subscripting or function call operators, which have equal ranking in the order of precedence. Parentheses may be used to control the binding of the indirection operator.

It is possible to have a type name within a type name. For example, in a function type, the parameter type syntax nests within the function type name. The same rules of thumb still apply, recursively.

The following constructions illustrate applications of the type naming rules.

```
int * [5]      /* array of 5 pointers to int           */
int (*) [5]   /* pointer to an array of 5 ints         */
int * ()      /* function with no parameter specification        */
              returning a pointer to int           */
int * (void) /* function with no parameters returning an int   */
int (*const []) (unsigned int, ...)
              /* array of an unspecified number of
              constant pointers to functions returning an int
              Each function takes one parameter of type unsigned int
              and an unspecified number of other parameters */
```

The compiler turns any function designator into a pointer to the function. This behavior simplifies the syntax of function calls.

```
int foo(float); /* foo is a function designator */
int (*p)(float); /* p is a pointer to a function */
p=&foo;          /* legal, but redundant */
p=foo;          /* legal because the compiler turns foo into a function pointer */
```

► **C++** In C++, the keywords `typename` and `class`, which are interchangeable, indicate the name of the type.

Compatible Types

► **C** The concept of compatible types combines the notions of being able to use two types together without modification (as in an assignment expression), being able to substitute one for the other without

Type Specifiers

modification, and uniting them into a composite type. A *composite type* is that which results from combining two compatible types. Determining the resultant composite type for two compatible types is similar to following the usual binary conversions of integral types when they are combined with some arithmetic operators.

Obviously, two types that are the same are compatible; their composite type is the same type. Less obvious are the rules governing type compatibility of non-identical types, function prototypes, and type-qualified types. Names in typedef definitions are only synonyms for types, and so typedef names can possibly indicate identical and therefore compatible types. Pointers, functions, and arrays with certain properties can also be compatible types.

Identical Types

The presence of type specifiers in various combinations for arithmetic types may or may not indicate different types. For example, the type **signed int** is the same as **int**, except when used as the types of bit fields; but **char**, **signed char**, and **unsigned char** are different types.

The presence of a type qualifier changes the type. That is, **const int** is not the same type as **int**, and therefore the two types are not compatible.

Two arithmetic types are compatible only if they are the same type.

Compatibility Across Separately Compiled Source Files

The definition of a structure, union, or enumeration results in a new type. When the definitions for two structures, unions, or enumerations are defined in separate source files, each file can theoretically contain a different definition for an object of that type with the same name. The two declarations must be compatible, or the run time behavior of the program is undefined. Therefore, the compatibility rules are more restrictive and specific than those for compatibility within the same source file. For structure, union, and enumeration types defined in separately compiled files, the composite type is the type in the current source file.

The requirements for compatibility between two structure, union, or enumerated types declared in separate source files are as follows:

- If one is declared with a tag, the other must also be declared with the same tag.
- If both are completed types, their members must correspond exactly in number, be declared with compatible types, and have matching names.

For enumerations, corresponding members must also have the same values.

For structures and unions, the following additional requirements must be met for type compatibility:

- Corresponding members must be declared in the same order (applies to structures only).
- Corresponding bit fields must have the same widths.

▶ **C++** A separate notion of type compatibility as distinct from being of the same type does not exist in C++. Generally speaking, type checking in C++ is stricter than in C: identical types are required in situations where C would only require compatible types.

Simple Type Specifiers

A *simple type specifier* either specifies a (previously declared) user-defined type or a *fundamental type*. A fundamental type is a one that is built into the language. The following outline shows the categories of fundamental types:

- Arithmetic types
 - Integral types
 - ▶ **C++** **bool**

- **char**
- **wchar_t**
- Signed integer types
 - **signed char**
 - **short int**
 - **int**
 - **long int**
- Unsigned integer types
 - **unsigned char**
 - **unsigned short int**
 - **unsigned int**
 - **unsigned long int**
- | - Binary floating-point types
 - | - **float**
 - | - **double**
 - | - **long double**
- | -  Decimal floating-point types
 - | - **_Decimal32**
 - | - **_Decimal64**
 - | - **_Decimal128**
- | - Packed decimal
 - **void**

Boolean Variables

 Variables of type **bool** can hold either one of two values: true or false. An rvalue of type **bool** can be promoted to an integral type. A **bool** rvalue of false is promoted to the value 0, and a **bool** rvalue of true is promoted to the value 1.

The result of the equality, relational, and logical operators is of type **bool**: either of the Boolean constants true or false.

Use the type specifier **bool** and the literals true and false to make boolean logic tests. A *boolean logic test* is used to express the results of a logical operation. For example:

```
bool f(int a, int b)
{
    return a==b;
}
```

If a and b have the same value, f() returns true. If not, f() returns false.

char and wchar_t Type Specifiers

The **char** specifier has the following syntax:



The **char** specifier is an integral type.

A **char** has enough storage to represent a character from the basic character set. The amount of storage allocated for a **char** is implementation-dependent.

You initialize a variable of type **char** with a character literal (consisting of one character) or with an expression that evaluates to an integer.

Type Specifiers

Use **signed char** or **unsigned char** to declare numeric variables that occupy a single byte.

C++ For the purposes of distinguishing overloaded functions, a C++ **char** is a distinct type from **signed char** and **unsigned char**.

Examples of the char Type Specifier

The following example defines the identifier `end_of_string` as a constant object of type **char** having the initial value `\0` (the null character):

```
const char end_of_string = '\0';
```

The following example defines the **unsigned char** variable `switches` as having the initial value 3:

```
unsigned char switches = 3;
```

The following example defines `string_pointer` as a pointer to a character:

```
char *string_pointer;
```

The following example defines `name` as a pointer to a character. After initialization, `name` points to the first letter in the character string "Johnny":

```
char *name = "Johnny";
```

The following example defines a one-dimensional array of pointers to characters. The array has three elements. Initially they are a pointer to the string "Venus", a pointer to "Jupiter", and a pointer to "Saturn":

```
static char *planets[ ] = { "Venus", "Jupiter", "Saturn" };
```

The wchar_t Type Specifier: The **wchar_t** type specifier is an integral type that has enough storage to represent a wide character literal. (A wide character literal is a character literal that is prefixed with the letter L, for example `L'x'`)

Binary Floating-Point Variables

There are three types of binary floating-point variables:

- **float**
- **double**
- **long double**

To declare a data object that is a binary floating-point type, use the following **float** specifier:



The declarator for a simple binary floating-point declaration is an identifier. Initialize a simple binary floating-point variable with a float constant or with a variable or expression that evaluates to an integer or binary floating-point number. The storage class of a variable determines how you initialize the variable.

Examples of Binary Floating-Point Data Types

The following example defines the identifier `pi` as an object of type **double**:

```
double pi;
```

The following example defines the **float** variable `real_number` with the initial value 100.55:

```
static float real_number = 100.55f;
```

Note: If you do not add the `f` suffix to a binary floating-point literal, that number will be of type **double**. If you initialize an object of type **float** with an object of type **double**, the compiler will implicitly convert the object of type **double** to an object of type **float**.

The following example defines the **float** variable `float_var` with the initial value `0.0143`:

```
float float_var = 1.43e-2f;
```

The following example declares the **long double** variable `maximum`:

```
extern long double maximum;
```

The following example defines the array `table` with 20 elements of type **double**:

```
double table[20];
```

Related References

- “Floating-Point Literals” on page 21
- “Assignment Expressions” on page 115

Decimal Floating-Point Variables

There are three types of decimal floating-point variables:

- `_Decimal32`
- `_Decimal64`
- `_Decimal128`

In business and financial applications, computations for numeric data need to be exact (with no rounding errors) unless explicitly rounded or need to be supported by detailed analyses that are auditable to be correct. These applications need a way to avoid any conversion errors introduced by computations. The most efficient way to avoid those errors is to use decimal arithmetic. Decimal floating-point is similar to both packed decimal and binary floating point. However, decimal floating-point can contain large numbers (like binary floating point) with rules for manipulation that more closely follow packed decimal.

Within the C language type hierarchy, decimal floating-point types are base types, real types, and arithmetic types. The types `float`, `double`, and `long double` are called generic floating point types, which have the same rank as decimal floating-point types. The generic floating point types and the decimal floating-point types are real types.

The `_Decimal32` data type is considered a storage format only, which means no computation will be performed directly on `_Decimal32` data. Instead, a `_Decimal32` data type will be converted to a `_Decimal64` data type prior to computation. If the result of the computation is also `_Decimal32`, the result will be converted back to `_Decimal32`.

There is no default argument promotion for the decimal floating-point types. Decimal floating-point data will not be promoted or widened when passed to a function whose argument list is either defined with an ellipsis or to a function that has no prototype.

The following examples show valid and not valid uses of decimal floating-point types. Implicit and explicit conversions between other data types are also shown.

```
| _Decimal32 dfp32a = 200E-2df; // ok
| _Decimal64 dfp64a = 2.0dd;   // ok
| _Decimal128 dfp128a = 2.0d1; // ok
| _Decimal32 dfp32b = 1.0;     // ok, implicit conversion of double
|                               // to _Decimal32
| _Decimal64 dfp64b = 1.0f;    // ok, implicit conversion of float
|                               // to _Decimal64
| _Decimal128 dfp128b = 1.0dL; // error, mixed case suffix not valid
|
| int i = 4;
```

Type Specifiers

```
| double dbl = 4.0;
|
| _Decimal64 multByTwo ( _Decimal64 );
| void miscFunc ( ... );
|
| dfp64a = dfp64a + dfp64b;      // ok
| dfp32a++;                      // ok, dfp32a =
|                               // (_Decimal32) ((_Decimal64)dfp32a+1.0dd)
| dfp128a = dfp128b | 2.0dl;     // error, DFP data cannot be used with
|                               // "|" operator
| if (dfp64a>=dfp32a) dfp64a--;  // ok, _Decimal32 promoted to _Decimal64
|                               // for compare
| dfp128a = dfp64b - dfp32a;     // ok, _Decimal32 promoted to _Decimal64
|                               // for subtraction, then implicit
|                               // conversion to _Decimal128 for
|                               // the assignment
| dbl = dfp32b * i;              // ok, _Decimal32 converted to _Decimal64
|                               // for computation, int promoted to
|                               // _Decimal64, then implicit conversion
|                               // to double for the assignment
| dfp64a = dbl - dfp64b;         // error, double and _Decimal64 same
|                               // rank, no promotion
| dfp64a = (Decimal64)dbl - dfp64b;
|                               // ok, explicit cast from double to
|                               // _Decimal64
| dfp128a += dbl;                // error, same as dfp128a = dfp128a + dbl
| dfp64a = multByTwo(dfp32b);    // ok, _Decimal32 implicitly converted
|                               // to _Decimal64
| dfp64b = multByTwo(i);         // ok, int implicitly converted to
|                               // _Decimal64
| miscFunc(dfp32b);              // ok, _Decimal32 passed, no default
|                               // argument promotion
| miscFunc(dfp32a+dfp32b);      // ok, _Decimal32 vars converted to
|                               // _Decimal64 for the add, then
|                               // converted back to _Decimal32 for
|                               // the call argument
```

Related References

- “Floating-Point Literals” on page 21
- “Arithmetic Conversions” on page 125

Packed Decimal Variables

400 The *packed decimal* data type is supported as an extension to ISO C89 and Standard C++. The data type provides the ability to accurately represent large numeric quantities. It can consist of an integral part, a decimal point, a fractional part, and the suffix D. A variable of packed decimal type can have up to sixty-three significant digits, including integral and fractional parts.

A packed decimal data type is of the form:

►► $\boxed{\text{decimal}} \text{ } (\text{---}n\text{---}, \text{---}precision\text{---}) \text{ } \text{---}$ ◀◀
 └─_Decimal─┘

where n represents the total number of significant digits, to a maximum of value of 63, and $precision$ represents the number of digits of precision. The value of $precision$ must be less than or equal to n .

For example,

```
decimal(4,2) x = 12.34D;      /* Requires #include <decimal.h>      */
_Decimal(4,2) y = 12.34d;    /* Declaration without including <decimal.h> */
```

See “Using Packed Decimal Data in a C Program,” chapter 26 in *ILE C/C++ Programmer’s Guide*.

Integer Variables

Integer variables fall into the following categories:

- integral types
 -  `bool`
 - `char`
 - `wchar_t`
 - signed integer types
 - `signed char`
 - `short int`
 - `int`
 - `long int`
 - unsigned integer types
 - `unsigned char`
 - `unsigned short int`
 - `unsigned int`
 - `unsigned long int`

The default integer type for a bit field is **unsigned**.

The amount of storage allocated for integer data is implementation-dependent.

The **unsigned** prefix indicates that the object is a nonnegative integer. Each unsigned type provides the same size storage as its signed equivalent. For example, `int` reserves the same storage as **unsigned int**. Because a signed type reserves a sign bit, an unsigned type can hold a larger positive integer value than the equivalent signed type.

The declarator for a simple integer definition or declaration is an identifier. You can initialize a simple integer definition with an integer constant or with an expression that evaluates to a value that can be assigned to an integer. The storage class of a variable determines how you can initialize the variable.

 When the arguments in overloaded functions and overloaded operators are integer types, two integer types that both come from the same group are not treated as distinct types. For example, you cannot overload an `int` argument against a **signed int** argument.

Examples of Integer Data Types

The following example defines the **short int** variable `flag`:

```
short int flag;
```

The following example defines the **int** variable `result`:

```
int result;
```

The following example defines the **unsigned long int** variable `ss_number` as having the initial value 438888834 :

```
unsigned long ss_number = 438888834ul;
```

void Type

The **void** data type always represents an empty set of values. The only object that can be declared with the type specifier **void** is a pointer.

When a function does not return a value, you should use **void** as the type specifier in the function definition and declaration. An argument list for a function taking no arguments is **void**.

Type Specifiers

You cannot declare a variable of type **void**, but you can explicitly convert any expression to type **void**. The resulting expression can only be used as one of the following:

- An expression statement
- The left operand of a comma expression
- The second or third operand in a conditional expression.

Example of void Type

In the following example, the function `find_max` is declared as having type **void**.

Note:  The use of the `sizeof` operator in the line `find_max(numbers, (sizeof(numbers) / sizeof(numbers[0])))`; is a standard method of determining the number of elements in an array.

```
/**
** Example of void type
**/
#include <stdio.h>

/* declaration of function find_max */
extern void find_max(int x[ ], int j);

int main(void)
{
    static int numbers[ ] = { 99, 54, -102, 89};

    find_max(numbers, (sizeof(numbers) / sizeof(numbers[0])));

    return(0);
}

void find_max(int x[ ], int j)
{ /* begin definition of function find_max */
    int i, temp = x[0];

    for (i = 1; i < j; i++)
    {
        if (x[i] > temp)
            temp = x[i];
    }
    printf("max number = %d\n", temp);
} /* end definition of function find_max */
```

Compound Types

 C++ formally defines the concept of a compound type and how one can be constructed. Many of the compound types originated in C.

You are using a compound type when you construct any of the following:

- An array of objects of a given type
- Any functions, which have parameters of a given type and return void or objects of a given type
- A pointer to **void**, to an object, or to a function of a given type
- A reference to an object or function of a given type
- A class
- A union
- An enumeration
- A pointer to a non-static class member

Structures

A *structure* contains an ordered group of data objects. Unlike the elements of an array, the data objects within a structure can have varied data types. Each data object in a structure is a *member* or *field*.

▶ **C++** In C++, a structure member must be a complete type.

Use structures to group logically related objects. For example, to allocate storage for the components of one address, define the following variables:

```
int street_no;
char *street_name;
char *city;
char *prov;
char *postal_code;
```

To allocate storage for more than one address, group the components of each address by defining a structure data type and as many variables as you need to have the structure data type.

▶ **C++** In C++, a structure is the same as a class except that its members and inheritance are public by default.

In the following example, line `int street_no;` through to `char *postal_code;` declare the structure tag `address`:

```
struct address {
    int street_no;
    char *street_name;
    char *city;
    char *prov;
    char *postal_code;
};
struct address perm_address;
struct address temp_address;
struct address *p_perm_address = &perm_address;
```

The variables `perm_address` and `temp_address` are instances of the structure data type `address`. Both contain the members described in the declaration of `address`. The pointer `p_perm_address` points to a structure of `address` and is initialized to point to `perm_address`.

Refer to a member of a structure by specifying the structure variable name with the dot operator (`.`) or a pointer with the arrow operator (`->`) and the member name. For example, both of the following:

```
perm_address.prov = "Ontario";
p_perm_address -> prov = "Ontario";
```

assign a pointer to the string "Ontario" to the pointer `prov` that is in the structure `perm_address`.

All references to structures must be fully qualified. In the example, you cannot reference the fourth field by `prov` alone. You must reference this field by `perm_address.prov`.

Structures with identical members but different names are not compatible and cannot be assigned to each other.

Structures are not intended to conserve storage. If you need direct control of byte mapping, use pointers.

Compatible Structures

▶ **C** Each structure definition creates a new structure type that is neither the same as nor compatible with any other structure type in the same source file. However, a type specifier that is a reference to a


Type Specifiers

previously defined structure type is the same type. The structure tag associates the reference with the definition, and effectively acts as the type name. To illustrate this, only the types of structures `j` and `k` are the same.

```
struct { int a; int b; } h;  
struct { int a; int b; } i;  
struct S { int a; int b; } j;  
struct S k;
```

Declaring and Defining a Structure: A *structure type definition* describes the members that are part of the structure. It contains the **struct** keyword followed by an optional identifier (the structure tag) and a brace-enclosed list of members.

A declaration of a structure data type has the form:



The keyword **struct** followed by an identifier (tag) gives a name to the data type. If you do not provide a tag name, you must put all variable definitions that refer to it within the declaration of the data type.

A *structure declaration* has the same form as a structure definition except the declaration does not have a brace-enclosed list of members. A *structure definition* has the same form as the declaration of that structure data type, but ends with a semicolon.

Defining Structure Members

The list of members provides the structure data type with a description of the values that can be stored in the structure. In C, a structure member may be of any type except "function returning T" (for some type T), any incomplete type, and `void`. Because incomplete types are not allowed as a structure member, a structure type may not contain an instance of itself as a member, but is allowed to contain a pointer to an instance of itself.

The definition of a structure member has the form of a variable declaration. The names of structure members must be distinct within a single structure, but the same member name may be used in another structure type that is defined within the same scope, and may even be the same as a variable, function, or type name. A member that does not represent a bit field can be of any data type, which can be qualified with either of the type qualifiers **volatile** or **const**. The result is an lvalue. However, a bit field without a type qualifier can be declared as a structure member. If the bit field is unnamed, it does not participate in initialization, and will have indeterminate value after initialization.

C Structure members are assigned to memory addresses in increasing order, with the first component starting at the beginning address of the structure name itself. To allow proper alignment of components, holes or padding may appear between any consecutive members in the structure layout.

Defining a Structure Variable: **C** A structure variable definition contains an optional storage class keyword, the **struct** keyword, a structure tag, a declarator, and an optional identifier. The structure tag indicates the data type of the structure variable.

C++ The keyword **struct** is optional in C++.

You can declare structures having any storage class. Structures declared with the **register** storage class specifier are treated as automatic structures.

Initializing Structures: An initializer for a structure is a brace-enclosed comma-separated list of values. An initializer is preceded by an equal sign (=). In the absence of designations, memory for structure members is allocated in the order declared, and memory address are assigned in increasing order, with the first component starting at the beginning address of the structure name itself. You do not have to initialize all members of a structure. The default initializer for a structure with static storage is the recursive default for each component; a structure with automatic storage has none.

C The initializer for an automatic variable of a structure or any aggregate type must be a constant expression.

Example

The following definition shows a completely initialized structure:

```
struct address {
    int street_no;
    char *street_name;
    char *city;
    char *prov;
    char *postal_code;
};
static struct address perm_address =
    { 3, "Savona Dr.", "Dundas", "Ontario", "L4B 2A1"};
```

The values of perm_address are:

Member	Value
perm_address.street_no	3
perm_address.street_name	address of string "Savona Dr."
perm_address.city	address of string "Dundas"
perm_address.prov	address of string "Ontario"
perm_address.postal_code	address of string "L4B 2A1"

The following definition shows a partially initialized structure:

```
struct address {
    int street_no;
    char *street_name;
    char *city;
    char *prov;
    char *postal_code;
};
struct address temp_address =
    { 44, "Knyvet Ave.", "Hamilton", "Ontario" };
```

The values of temp_address are:

Member	Value
temp_address.street_no	44
temp_address.street_name	address of string "Knyvet Ave."
temp_address.city	address of string "Hamilton"
temp_address.prov	address of string "Ontario"
temp_address.postal_code	value depends on the storage class.

Note: The initial value of uninitialized structure members like temp_address.postal_code depends on the storage class associated with the member.

Declaring Structure Types and Variables in the Same Statement: **C** To define a structure type and a structure variable in one statement, put a declarator and an optional initializer after the type definition. To specify a storage class specifier for the variable, you must put the storage class specifier at the beginning of the statement.

Type Specifiers

For example:

```
static struct {
    int street_no;
    char *street_name;
    char *city;
    char *prov;
    char *postal_code;
} perm_address, temp_address;
```

Because this example does not name the structure data type, `perm_address` and `temp_address` are the only structure variables that will have this data type. Putting an identifier after **struct**, lets you make additional variable definitions of this data type later in the program.

The structure type (or tag) cannot have the **volatile** qualifier, but a member or a structure variable can be defined as having the **volatile** qualifier.

For example:

```
static struct class1 {
    char descript[20];
    volatile long code;
    short complete;
} volatile file1, file2;
struct class1 subfile;
```

This example qualifies the structures `file1` and `file2`, and the structure member `subfile.code` as **volatile**.

Declaring and Using Bit Fields in Structures: Both C and C++ allow integer members to be stored into memory spaces smaller than the compiler would ordinarily allow. These space-saving structure members are called *bit fields*, and their width in bits can be explicitly declared. Bit fields are used in programs that must force a data structure to correspond to a fixed hardware representation and are unlikely to be portable.

The syntax for declaring a bit field is as follows:

```
▶▶—type_specifier—┐:—constant_expression—;—▶▶
                   └declarator┘
```

A bit field declaration contains a type specifier followed by an optional declarator, a colon, a constant integer expression that indicates the field width in bits, and a semicolon. A bit field declaration may not use either of the type qualifiers, **const** or **volatile**.

▶ **C++** C++ extends the list of allowable types for bit fields to include any integral type or enumeration type.

In either language, when you assign a value that is out of range to a bit field, the low-order bit pattern is preserved and the appropriate bits are assigned.

Bit fields with a length of 0 must be unnamed. Unnamed bit fields cannot be referenced or initialized. A zero-width bit field can cause the next field to be aligned on the next container boundary where the container is the same size as the underlying type of the bit field.

The following restrictions apply to bit fields. You cannot:

- Define an array of bit fields
- Take the address of a bit field
- Have a pointer to a bit field

- Have a reference to a bit field

The following structure has three bit-field members `kingdom`, `phylum`, and `genus`, occupying 12, 6, and 2 bits respectively:

```
struct taxonomy {
    int kingdom : 12;
    int phylum : 6;
    int genus : 2;
};
```

Alignment of Bit Fields

If a series of bit fields does not add up to the size of an `int`, padding can take place. The amount of padding is determined by the alignment characteristics of the members of the structure.

The following example demonstrates padding, and is valid for all implementations. Suppose that an `int` occupies 4 bytes. The example declares the identifier `kitchen` to be of type `struct on_off`:

```
struct on_off {
    unsigned light : 1;
    unsigned toaster : 1;
    int count;          /* 4 bytes */
    unsigned ac : 4;
    unsigned : 4;
    unsigned clock : 1;
    unsigned : 0;
    unsigned flag : 1;
} kitchen ;
```

The structure `kitchen` contains eight members totalling 16 bytes. The following table describes the storage that each member occupies:

Member Name	Storage Occupied
<code>light</code>	1 bit
<code>toaster</code>	1 bit
(padding — 30 bits)	To the next <code>int</code> boundary
<code>count</code>	The size of an <code>int</code> (4 bytes)
<code>ac</code>	4 bits
(unnamed field)	1 bit
<code>clock</code>	1 bit
(padding — 23 bits)	To the next <code>int</code> boundary (unnamed field)
<code>flag</code>	1 bit
(padding — 31 bits)	To the next <code>int</code> boundary

All references to structure fields must be fully qualified. For instance, you cannot reference the second field by `toaster`. You must reference this field by `kitchen.toaster`.

The following expression sets the `light` field to 1:

```
kitchen.light = 1;
```

When you assign to a bit field a value that is out of its range, the bit pattern is preserved and the appropriate bits are assigned. The following expression sets the `toaster` field of the `kitchen` structure to 0 because only the least significant bit is assigned to the `toaster` field:

```
kitchen.toaster = 2;
```

Type Specifiers

Example Program Using Structures: The following program finds the sum of the integer numbers in a linked list:

```
/**
 ** Example program illustrating structures using linked lists
 **/

#include <stdio.h>

struct record {
    int number;
    struct record *next_num;
};

int main(void)
{
    struct record name1, name2, name3;
    struct record *recd_pointer = &name1;
    int sum = 0;

    name1.number = 144;
    name2.number = 203;
    name3.number = 488;

    name1.next_num = &name2;
    name2.next_num = &name3;
    name3.next_num = NULL;

    while (recd_pointer != NULL)
    {
        sum += recd_pointer->number;
        recd_pointer = recd_pointer->next_num;
    }
    printf("Sum = %d\n", sum);

    return(0);
}
```

The structure type `record` contains two members: the integer number and `next_num`, which is a pointer to a structure variable of type `record`.

The record type variables `name1`, `name2`, and `name3` are assigned the following values:

Member Name	Value
<code>name1.number</code>	144
<code>name1.next_num</code>	The address of <code>name2</code>
<code>name2.number</code>	203
<code>name2.next_num</code>	The address of <code>name3</code>
<code>name3.number</code>	488
<code>name3.next_num</code>	NULL (Indicating the end of the linked list.)

The variable `recd_pointer` is a pointer to a structure of type `record`. It is initialized to the address of `name1` (the beginning of the linked list).

The **while** loop causes the linked list to be scanned until `recd_pointer` equals `NULL`. The statement:
`recd_pointer = recd_pointer->next_num;`

advances the pointer to the next object in the list.

Related References

- “Incomplete Types” on page 61

Unions

A *union* is an object similar to a structure except that all of its members start at the same location in memory. A union can contain the value of only one of its members at a time. The default initializer for a union with static storage is the default for the first component; a union with automatic storage has none.

The storage allocated for a union is the storage required for the largest member of the union (plus any padding that is required so that the union will end at a natural boundary of its member having the most stringent requirements). All of a union's components are effectively overlaid in memory: each member of a union is allocated storage starting at the beginning of the union, and only one member can occupy the storage at a time.

► **C** Only the first member of a union can be initialized.

Compatible Unions


► **C** Each union definition creates a new union type that is neither the same as nor compatible with any other union type in the same source file. However, a type specifier that is a reference to a previously defined union type is the same type. The union tag associates the reference with the definition, and effectively acts as the type name.

► **C++** In C++, a union is a limited form of the class type. It can contain access specifiers (public, protected, private), member data, and member functions, including constructors and destructors. It cannot contain virtual member functions or static data members. Default access of members in a union is public. A union cannot be used as a base class and cannot be derived from a base class.

C++ places additional limitations on the allowable data types for a union member. In C++, a union member cannot be a class object that has a constructor, destructor, or overloaded copy assignment operator, nor can it be of reference type. A union member cannot be declared with the keyword **static**.

Declaring a Union: A *union type definition* contains the **union** keyword followed by an optional identifier (tag) and a brace-enclosed list of members.

A union definition has the following form:



A *union declaration* has the same form as a union definition except that the declaration has no brace-enclosed list of members.

The *identifier* is a tag given to the union specified by the member list. Once a tag is specified, any subsequent declaration of the union (in the same scope) can be made by declaring the tag and omitting the member list. If a tag is not specified, all variable definitions that refer to that union must be placed within the statement that defines the data type.

The list of members provides the data type with a description of the objects that can be stored in the union.

A union member definition has same form as a variable declaration.

Type Specifiers

A member of a union can be referenced the same way as a member of a structure.

For example:

```
union {
    char birthday[9];
    int age;
    float weight;
} people;
```

```
people.birthday[0] = '\n';
```

assigns '\n' to the first element in the character array birthday, a member of the union people.

A union can represent only one of its members at a time. In the example, the union people contains either age, birthday, or weight but never more than one of these. The printf statement in the following example does not give the correct result because people.age replaces the value assigned to people.birthday in the first line:

```
#include <stdio.h>
#include <string.h>


union {
    char birthday[9];
    int age;
    float weight;
} people;

int main(void) {
    strcpy(people.birthday, "03/06/56");
    printf("%s\n", people.birthday);
    people.age = 38;
    printf("%s\n", people.birthday);
}
```

The output of the above example will be similar to the following:

```
03/06/56
&
```

Defining a Union Variable:  A union variable definition has the following form:



You must declare the union data type before you can define a union having that type.

You can initialize only the first member of a union.

The following example shows how you would initialize the first union member birthday of the union variable people:

```
union {
    char birthday[9];
    int age;
    float weight;
} people = {"23/07/57"};
```

You can define a union data type and a union of that type in the same statement by placing the variable declarator after the data type definition. The storage class specifier for the variable must appear at the beginning of the statement.

Anonymous Unions: An *anonymous union* is a union without a class name. It cannot be followed by a declarator. An anonymous union is not a type; it defines an unnamed object and it cannot have member functions.

The member names of an anonymous union must be distinct from other names within the scope in which the union is declared. You can use member names directly in the union scope without any additional member access syntax.

For example, in the following code fragment, you can access the data members `i` and `cptr` directly because they are in the scope containing the anonymous union. Because `i` and `cptr` are union members and have the same address, you should only use one of them at a time. The assignment to the member `cptr` will change the value of the member `i`.

```
void f()
{
    union { int i; char* cptr ; };
    /* . . . */
    i = 5;
    cptr = "string_in_union"; // overrides the value 5
}
```

C++ An anonymous union cannot have protected or private members. A global or namespace anonymous union must be declared with the keyword **static**.

Examples of Unions: The following example defines a union data type (not named) and a union variable (named `length`). The member of `length` can be a **long int**, a **float**, or a **double**.

```
union {
    float meters;
    double centimeters;
    long inches;
} length;
```

The following example defines the union type data as containing one member. The member can be named `charctr`, `whole`, or `real`. The second statement defines two data type variables: `input` and `output`.

```
union data {
    char charctr;
    int whole;
    float real;
};
union data input, output;
```

The following statement assigns a character to `input`:

```
input.charctr = 'h';
```

The following statement assigns a floating-point number to member `output`:

```
output.real = 9.2;
```

The following example defines an array of structures named `records`. Each element of `records` contains three members: the integer `id_num`, the integer `type_of_input`, and the union variable `input`. `input` has the union data type defined in the previous example.

```
struct {
    int id_num;
    int type_of_input;
    union data input;
} records[10];
```

Type Specifiers

The following statement assigns a character to the structure member `input` of the first element of `records`:

```
records[0].input.charctr = 'g';
```

Enumerations

An *enumeration* is a data type consisting of a set of values that are named integral constants. It is also referred to as an *enumerated type* because you must list (enumerate) each of the values in creating a name for each of them. A named value in an enumeration is called an *enumeration constant*. In addition to providing a way of defining and grouping sets of integral constants, enumerations are useful for variables that have a small number of possible values.


You can define an enumeration data type and all variables that have that enumeration type in one statement, or you can declare an enumeration type separately from the definition of variables of that type. The identifier associated with the data type (not an object) is called an *enumeration tag*. Each distinct enumeration is a different enumeration type.

Compatible Enumerations

C In C, each enumerated type must be compatible with the integer type that represents it. Enumeration variables and constants are treated by the compiler as integer types. Consequently, in C you can freely mix the values of different enumerated types, regardless of type compatibility.

C++ C++ treats enumerated types as distinct from each other and from integer types. You must explicitly cast an integer in order to use it as an enumeration value.


Declaring an Enumeration Data Type: An enumeration type declaration contains the `enum` keyword followed by an optional identifier (the enumeration tag) and a brace-enclosed list of enumerators. Commas separate each enumerator in the enumerator list. A declaration of an enumeration has the form:



The keyword `enum`, followed by the identifier, names the data type (like the tag on a `struct` data type). The list of enumerators provides the data type with a set of values.

In C, each enumerator represents an integer value. In C++, each enumerator represents a value that can be converted to an integral value.

An enumerator has the form:



To conserve space, enumerations may be stored in spaces smaller than that of an `int`.

Enumeration Constants: When you define an enumeration data type, you specify a set of identifiers that the data type represents. Each identifier in this set is an *enumeration constant*.

The value of the constant is determined in the following way:

1. An equal sign (=) and a constant expression after the enumeration constant gives an explicit value to the constant. The identifier represents the value of the constant expression.
2. If no explicit value is assigned, the leftmost constant in the list receives the value zero (0).

3. Identifiers with no explicitly assigned values receive the integer value that is one greater than the value represented by the previous identifier.

C In C, enumeration constants have type **int**. If a constant expression is used as an initializer, the value of the expression cannot exceed the range of **int** (that is, `INT_MIN` to `INT_MAX` as defined in the header `<limits.h>`).

C++ In C++, each enumeration constant has a value that can be promoted to a signed or unsigned integer value and a distinct type that does not have to be integral. Use an enumeration constant anywhere an integer constant is allowed, or for C++, anywhere a value of the enumeration type is allowed.

Each enumeration constant must be unique within the scope in which the enumeration is defined. In the following example, second declarations of `average` and `poor` cause compiler errors:

```
func()
{
    enum score { poor, average, good };
    enum rating { below, average, above };
    int poor;
}
```

The following data type declarations list `oats`, `wheat`, `barley`, `corn`, and `rice` as enumeration constants. The number under each constant shows the integer value.

```
enum grain { oats, wheat, barley, corn, rice };
/*      0      1      2      3      4      */

enum grain { oats=1, wheat, barley, corn, rice };
/*      1      2      3      4      5      */

enum grain { oats, wheat=10, barley, corn=20, rice };
/*      0      10      11      20      21      */
```

It is possible to associate the same integer with two different enumeration constants. For example, the following definition is valid. The identifiers `suspend` and `hold` have the same integer value.

```
enum status { run, clear=5, suspend, resume, hold=6 };
/*      0      5      6      7      6      */
```

Defining Enumeration Variables: An enumeration variable definition has the following form:

```

┌──────────────────────────────────enum──enumeration_data_type_name──identifier──────────────────────────────────┐
└──storage_class_specifier──┘
┌──────────────────────────────────=──enumeration_constant──────────────────────────────────────────────────────────┐
└────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────┘
```

You must declare the enumeration data type before you can define a variable having that type.

C++ The initializer for an enumeration variable contains the `=` symbol followed by an expression *enumeration_constant*. In C++, the initializer must have the same type as the associated enumeration type.

The first line of the following example declares the enumeration `grain`. The second line defines the variable `g_food` and gives `g_food` the initial value of `barley` (2).

```
enum grain { oats, wheat, barley, corn, rice };
enum grain g_food = barley;
```

The type specifier `enum grain` indicates that the value of `g_food` is a member of the enumerated data type `grain`.

Type Specifiers

► **C++** The **enum** keyword is optional when declaring a variable with enumeration type. However, it is required when declaring the enumeration itself. For example, both statements declare a variable of enumeration type:

```
enum grain g_food = barley;
    grain cob_food = corn;
```

Defining an Enumeration Type and Enumeration Objects: You can define a type and a variable in one statement by using a declarator and an optional initializer after the type definition. To specify a storage class specifier for the variable, you must put the storage class specifier at the beginning of the declaration. For example:

```
register enum score { poor=1, average, good } rating = good;
```

► **C++** C++ also lets you put the storage class immediately before the declarator list. For example:

```
enum score { poor=1, average, good } register rating = good;
```

Either of these examples is equivalent to the following two declarations:

```
enum score { poor=1, average, good };
register enum score rating = good;
```

Both examples define the enumeration data type `score` and the variable `rating`. `rating` has the storage class specifier **register**, the data type `enum score`, and the initial value `good`.

Combining a data type definition with the definitions of all variables having that data type lets you leave the data type unnamed. For example:

```
enum { Sunday, Monday, Tuesday, Wednesday, Thursday, Friday,
      Saturday } weekday;
```

defines the variable `weekday`, which can be assigned any of the specified enumeration constants.

Example Program Using Enumerations: The following program receives an integer as input. The output is a sentence that gives the French name for the weekday that is associated with the integer. If the integer is not associated with a weekday, the program prints "C'est le mauvais jour."

```
/**
 ** Example program using enumerations
 **/

#include <stdio.h>

enum days {
    Monday=1, Tuesday, Wednesday,
    Thursday, Friday, Saturday, Sunday
} weekday;

void french(enum days);

int main(void)
{
    int num;

    printf("Enter an integer for the day of the week.  "
           "Mon=1,...,Sun=7\n");
    scanf("%d", &num);
    weekday=num;
    french(weekday);
    return(0);
}

void french(enum days weekday)
{
    switch (weekday)
```

```

{
  case Monday:
    printf("Le jour de la semaine est lundi.\n");
    break;
  case Tuesday:
    printf("Le jour de la semaine est mardi.\n");
    break;
  case Wednesday:
    printf("Le jour de la semaine est mercredi.\n");
    break;
  case Thursday:
    printf("Le jour de la semaine est jeudi.\n");
    break;
  case Friday:
    printf("Le jour de la semaine est vendredi.\n");
    break;
  case Saturday:
    printf("Le jour de la semaine est samedi.\n");
    break;
  case Sunday:
    printf("Le jour de la semaine est dimanche.\n");
    break;
  default:
    printf("C'est le mauvais jour.\n");
}
}

```

Type Qualifiers

C recognizes the type qualifiers, **const** and **volatile**, which C++ refers to as *cv-qualifiers*. In both languages, the cv-qualifiers are meaningful only in expressions that are lvalues. C++ allows a cv-qualifier to apply to functions, which is disallowed in C.

Syntax for the const and volatile keywords

For a **volatile** or **const** pointer, you must put the keyword between the * and the identifier. For example:

```

int * volatile x;      /* x is a volatile pointer to an int */
int * const y = &z;   /* y is a const pointer to the int variable z */

```

For a pointer to a **volatile** or **const** data object, the type specifier, qualifier, and storage class specifier can be in any order. For example:

```

volatile int *x;      /* x is a pointer to a volatile int
or
int volatile *x;      /* x is a pointer to a volatile int */

const int *y;        /* y is a pointer to a const int
or
int const *y;        /* y is a pointer to a const int */

```

In the following example, the pointer to y is a constant. You can change the value that y points to, but you cannot change the value of y:

```
int * const y
```

In the following example, the value that y points to is a constant integer and cannot be changed. However, you can change the value of y:

```
const int * y
```

For other types of **volatile** and **const** variables, the position of the keyword within the definition (or declaration) is less important. For example:

Type Specifiers

```
volatile struct omega {
    int limit;
    char code;
} group;
```

provides the same storage as:

```
struct omega {
    int limit;
    char code;
} volatile group;
```

In both examples, only the structure variable `group` receives the **volatile** qualifier. Similarly, if you specified the **const** keyword instead of **volatile**, only the structure variable `group` receives the **const** qualifier. The **const** and **volatile** qualifiers when applied to a structure, union, or class also apply to the members of the structure, union, or class.

Although enumeration, class, structure, and union variables can receive the **volatile** or **const** qualifier, enumeration, class, structure, and union tags do not carry the **volatile** or **const** qualifier. For example, the `blue` structure does not carry the **volatile** qualifier:

```
volatile struct whale {
    int weight;
    char name[8];
} beluga;
struct whale blue;
```

The keywords **volatile** and **const** cannot separate the keywords **enum**, **class**, **struct**, and **union** from their tags.

You can declare or define a **volatile** or **const** function only if it is a nonstatic member function. You can define or declare any function to return a pointer to a **volatile** or **const** function.

An item can be both **const** and **volatile**. In this case the item cannot be legitimately modified by its own program but can be modified by some asynchronous process.

You can put more than one qualifier on a declaration but you cannot specify the same qualifier more than once on a declaration.

The const Type Qualifier

 The **const** qualifier explicitly declares a data object as something that cannot be changed. Its value is set at initialization. You cannot use **const** data objects in expressions requiring a modifiable lvalue. For example, a **const** data object cannot appear on the lefthand side of an assignment statement.

An object that is declared **const** is guaranteed to remain constant for its lifetime, not throughout the entire execution of the program. For this reason, a `const` object cannot be used in constant expressions. In the following example, the `const` object `k` is declared within `foo`, is initialized to the value of `foo`'s argument, and remains constant until the function returns. In C, `k` cannot be used to specify the length of an array because that value will not be known until `foo` is called.

```
void foo(int j)
{
    const int k = j;
    int ary[k]; /* Violates rule that the length of each
                array must be known to the compiler */
}
```

In C, a `const` object that is declared outside a block has external linkage and can be shared among files. In the following example, you cannot use `k` to specify the length of the array because it is probably defined in another file.

```
extern const int k;
int ary[k];      /* Another violation of the rule that the length of
                  each array must be known to the compiler */
```

A top-level declaration of a `const` object without an explicit storage class is considered to be **extern** in C, but is considered **static** in C++.

```
const int k = 12; /* Different meanings in C and C++ */

static const int k2 = 120; /* Same meaning in C and C++ */
extern const int k3 = 121; /* Same meaning in C and C++ */
```

In C++, all `const` declarations must have initializers, except those referencing externally defined constants.

C++ The remainder of this section pertains to C++ only.

A `const` object can appear in a constant expression if it is an integer and it is initialized to a constant. The following example demonstrates this.

```
const int k = 10;
int ary[k];      /* allowed in C++, not legal in C */
```

In C++, a `const` object can be defined in header files because a `const` object has internal linkage by default.

const Pointers

The keyword **const** for pointers can appear before the type, after the type, or in both places. The following are legal declarations:

```
const int * ptr1;      /* A pointer to a constant integer:
                       the value pointed to cannot be changed */
int * const ptr2;     /* A constant pointer to integer:
                       the integer can be changed, but ptr2
                       cannot point to anything else */
const int * const ptr3; /* A constant pointer to a constant integer:
                       neither the value pointed to
                       nor the pointer itself can be changed */
```

Declaring an object to be `const` means that the `this` pointer is a pointer to a `const` object. A `const this` pointer can be used only with `const` member functions.

const Member Functions

Declaring a member function **const** means that the `this` pointer is a pointer to a `const` object. Data members of the class will be `const` within that function. The function is still able to change the value, but requires a `const_cast` to do so:

```
void foo::p() const{
    member = 1;          // illegal
    const_cast<int&>(member) = 1; // a bad practice but legal
}
```

A better technique would be to declare member **mutable**.

The volatile Type Qualifier

The **volatile** qualifier maintains consistency of memory access to data objects. Volatile objects are read from memory each time their value is needed, and written back to memory each time they are changed. The **volatile** qualifier declares a data object that can have its value changed in ways outside the control of

Type Specifiers

detection of the compiler (such as a variable updated by the system clock). The compiler is thereby notified not to apply certain optimizations to code referring to the object.

Accessing any lvalue expression that is **volatile**-qualified produces a side effect. A side effect means that the state of the execution environment changes.

References to an object of type "pointer to **volatile**" may be optimized, but no optimization can occur to references to the object to which it points. An explicit cast must be used to assign a value of type "pointer to **volatile**T" to an object of type "pointer to T". The following shows valid uses of **volatile** objects.

```
volatile int * pvol;  
int *ptr;  
pvol = ptr;           /* Legal */  
ptr = (int *)pvol;   /* Explicit cast required */
```

C A signal-handling function may store a value in a variable of type `sig_atomic_t`, provided that the variable is declared **volatile**. This is an exception to the rule that a signal-handling function may not access variables with static storage duration.

ILE Type Qualifiers

400 The following type qualifiers have been introduced into C and C++ as language extensions to address needs that are specific to the i5/OS operating system.

See chapter 22 "Using Pointers in a Program" and chapter 29 "Using Teraspace in ILE C and C++ Programs" in *ILE C/C++ Programmer's Guide* for more information.

The `__ptr128` Qualifier

400 The keyword `__ptr128` is a qualifier that can be applied to a pointer type to explicitly specify its size as 16 bytes and a 16-byte alignment. This language extension is provided to facilitate porting applications to the i5/OS operating system and, more specifically, to allow applications to take advantage of the teraspace storage model and runtime environment.

The `__ptr128` qualifier specifies a traditional pointer, as opposed to a process local pointer, which is 8 bytes and has no special alignment requirement. A process local pointer is used to access teraspace storage. The `__ptr128` keyword can appear in the declarator part of a pointer declaration, wherever a C++ cv-qualifier can be used.

For example,

```
int * __ptr128 p;
```

declares `p` to be a 16-byte pointer to `int`.

```
int * __ptr128 const r;
```

declares `r` to be a const 16-byte pointer.

The `__ptr64` Qualifier

400 The keyword `__ptr64` is a qualifier that can be applied to a pointer type to constrain its size to 8 bytes. An 8-byte pointer, also referred to as a *process local pointer*, is used to access teraspace storage. The language extension is provided to facilitate porting applications to the i5/OS operating system and, more specifically, to allow applications to take advantage of the teraspace storage model and runtime environment. The ILE C/C++ compiler silently performs one level of conversion between 8-byte and 16-byte pointers during an assignment operation or parameter association.

The `__ptr64` qualifier specifies a process local pointer, which is 8 bytes and has no special alignment requirement. The `__ptr64` keyword can appear in the declarator part of a pointer declaration, wherever a C++ cv-qualifier can be used.

The asm Declaration

The keyword **asm** stands for assembly code. In this implementation, the compiler recognizes and ignores the keyword **asm** in a declaration.

Incomplete Types

The following are incomplete types:

- Type **void**
- Array of unknown size
- Arrays of elements that are of incomplete type
- Structure, union, or enumerations that have no definition
-  Pointers to class types that are declared but not defined
-  Classes that are declared but not defined

void is an incomplete type that cannot be completed. Incomplete structure or union and enumeration tags must be completed before being used to declare an object, although you can define a pointer to an incomplete structure or union.

The following examples illustrate incomplete types:

```
void *incomplete_ptr;  
struct dimension linear; /* no previous definition of dimension */
```

void is an incomplete type that cannot be completed. Incomplete structure, union, or enumeration tags must be completed before being used to declare an object. However, you can define a pointer to an incomplete structure or union.

Chapter 4. Declarators

A *declarator* designates a data object or function. Declarators appear in most data definitions and declarations and in some type definitions.


In a declarator, you can specify the type of an object to be an array, a pointer, or a reference. You can also perform initialization in a declarator.

A declarator has the form:


declarator



direct_declarator



pointer_operator




C The syntax for a declarator name in C:

declarator_id



C++ The syntax for a declarator name in C++:

declarator_id



Notes on the declarator syntax

Declarators

- The *cv_qualifiers* variable represents one or a combination of **const** and **volatile**. In C, you cannot declare or define a **volatile** or **const** function. However, in C++, you can qualify a nonstatic member function with a cv-qualifier **const** or **volatile**.
-  The variables *exception_specification* and *nested_name_specifier* and the scope resolution operator `::` are available only in C++.
-  An *identifier_expression* can be a qualified or unqualified identifier. The complexity added by scope resolution operator, templates, and other advanced features does not exist for C.
-  A *nested_name_specifier* is a qualified identifier expression.

The following table provides some examples of declarators:

Example	Description
<code>int owner</code>	owner is an int data object.
<code>int *node</code>	node is a pointer to an int data object.
<code>int names[126]</code>	names is an array of 126 int elements.
<code>int *action()</code>	action is a function returning a pointer to an int .
<code>volatile int min</code>	min is an int that has the volatile qualifier.
<code>int * volatile volume</code>	volume is a volatile pointer to an int .
<code>volatile int * next</code>	next is a pointer to a volatile int .
<code>volatile int * sequence[5]</code>	sequence is an array of five pointers to volatile int objects.
<code>extern const volatile int clock</code>	clock is a constant and volatile integer with static storage duration and external linkage.

Initializers

An *initializer* is an optional part of a data declaration that specifies an initial value of a data object. The initializers that are legal for a particular declaration depend on the type and storage class of the object to be initialized.

The initialization properties and special requirements of each data type are described in the section for that data type.

The initializer consists of the = symbol followed by an initial *expression* or a brace-enclosed list of initial expressions separated by commas. Individual expressions must be separated by commas, and groups of expressions can be enclosed in braces and separated by commas. Braces ({ }) are optional if the initializer for a character string is a string literal. The number of initializers must not be greater than the number of elements to be initialized. The initial expression evaluates to the first value of the data object.

To assign a value to an arithmetic or pointer type, use the simple initializer: = *expression*. For example, the following data definition uses the initializer = 3 to set the initial value of group to 3:

```
int group = 3;
```

For unions, structures, and aggregate classes (classes with no constructors, base classes, virtual functions, or private or protected members), the set of initial expressions must be enclosed in braces unless the initializer is a string literal.

In an array, structure, or union initialized using a brace-enclosed initializer list, any members or subscripts that are not initialized are implicitly initialized to zero of the appropriate type.

Example

In the following example, only the first eight elements of the array `grid` are explicitly initialized. The remaining four elements that are not explicitly initialized are initialized as if they were explicitly initialized to zero.

```
static short grid[3][4] = {0, 0, 0, 1, 0, 0, 1, 1};
```

The initial values of `grid` are:

Element	Value	Element	Value
<code>grid[0][0]</code>	0	<code>grid[1][2]</code>	1
<code>grid[0][1]</code>	0	<code>grid[1][3]</code>	1
<code>grid[0][2]</code>	0	<code>grid[2][0]</code>	0
<code>grid[0][3]</code>	1	<code>grid[2][1]</code>	0
<code>grid[1][0]</code>	0	<code>grid[2][2]</code>	0
<code>grid[1][1]</code>	0	<code>grid[2][3]</code>	0

In C++, you can initialize variables at namespace scope with nonconstant expressions. In C, you cannot do the same at global scope. In either C or C++, `__thread` variables cannot be initialized with nonconstant expressions.

C++ The remainder of this section pertains to C++ only.

If your code jumps over declarations that contain initializations, the compiler generates an error. For example, the following code is not valid:

```
goto skiplabel;    // error - jumped over declaration
int i = 3;        // and initialization of i

skiplabel: i = 4;
```

You can initialize classes in external, static, and automatic definitions. The initializer contains an = (equal sign) followed by a brace-enclosed, comma-separated list of values. You do not need to initialize all members of a class.

Pointers

A *pointer* type variable holds the address of a data object or a function. A pointer can refer to an object of any one data type; it cannot refer to a bit field or a reference. A pointer is classified as a scalar type, which means that it can hold only one value at a time.

Some common uses for pointers are:

- To access dynamic data structures such as linked lists, trees, and queues.
- To access elements of an array or members of a structure or C++ class.
- To access an array of characters as a string.
- To pass the address of a variable to a function. (In C++, you can also use a reference to do this.) By referencing a variable through its address, a function can change the contents of that variable.

C The remainder of this section pertains to C only.

You cannot use pointers to reference objects that are declared with the **register** storage class specifier.

Two pointer types with the same type qualifiers are compatible if they point to objects of compatible types. The composite type for two compatible pointer types is the similarly qualified pointer to the composite type.

Initializers

Declaring Pointers

The following example declares `pcoat` as a pointer to an object having type **long**:

```
long *pcoat;
```

If the keyword **volatile** appears before the `*`, the declarator describes a pointer to a **volatile** object. If the keyword **volatile** appears between the `*` and the identifier, the declarator describes a **volatile** pointer. The keyword **const** operates in the same manner as the **volatile** keyword. In the following example, `pvolt` is a constant pointer to an object having type **short**:

```
extern short * const pvolt;
```

The following example declares `pnut` as a pointer to an **int** object having the **volatile** qualifier:

```
extern int volatile *pnut;
```

The following example defines `psoup` as a **volatile** pointer to an object having type **float**:

```
float * volatile psoup;
```

The following example defines `pfowl` as a pointer to an enumeration object of type `bird`:

```
enum bird *pfowl;
```

The next example declares `pvish` as a pointer to a function that takes no parameters and returns a **char** object:

```
char (*pvish)(void);
```

Assigning Pointers

When you use pointers in an assignment operation, you must ensure that the types of the pointers in the operation are compatible.

The following example shows compatible declarations for the assignment operation:

```
float subtotal;  
float * sub_ptr;  
/* ... */  
sub_ptr = &subtotal;  
printf("The subtotal is %f\n", *sub_ptr);
```

The next example shows incompatible declarations for the assignment operation:

```
double league;  
int * minor;  
/* ... */  
minor = &league;    /* error */
```

Initializing Pointers

The initializer is an `=` (equal sign) followed by the expression that represents the address that the pointer is to contain. The following example defines the variables `time` and `speed` as having type **double** and `amount` as having type pointer to a **double**. The pointer `amount` is initialized to point to `total`:

```
double total, speed, *amount = &total;
```

The compiler converts an unsubscripted array name to a pointer to the first element in the array. You can assign the address of the first element of an array to a pointer by specifying the name of the array. The following two sets of definitions are equivalent. Both define the pointer `student` and initialize `student` to the address of the first element in `section`:

```
int section[80];  
int *student = section;
```

is equivalent to:

```
int section[80];
int *student = &section[0];
```

You can assign the address of the first character in a string constant to a pointer by specifying the string constant in the initializer.

The following example defines the pointer variable `string` and the string constant `"abcd"`. The pointer `string` is initialized to point to the character `a` in the string `"abcd"`.

```
char *string = "abcd";
```

The following example defines `weekdays` as an array of pointers to string constants. Each element points to a different string. The pointer `weekdays[2]`, for example, points to the string `"Tuesday"`.

```
static char *weekdays[ ] =
{
    "Sunday", "Monday", "Tuesday", "Wednesday",
    "Thursday", "Friday", "Saturday"
};
```

A pointer can also be initialized to null using any integer constant expression that evaluates to 0, for example `char * a=0;`. Such a pointer is a *null pointer*. It does not point to any object.

Using Pointers

Two operators are commonly used in working with pointers, the address (&) operator and the indirection (*) operator. You can use the & operator to refer to the address of an object. For example, the assignment in the following function assigns the address of `x` to the variable `p_to_int`. The variable `p_to_int` has been defined as a pointer:

```
void f(int x, int *p_to_int)
{
    p_to_int = &x;
}
```

The * (indirection) operator lets you access the value of the object a pointer refers to. The assignment in the following example assigns to `y` the value of the object that `p_to_float` points to:

```
void g(float y, float *p_to_float) {
    y = *p_to_float;
}
```

The assignment in the following example assigns the value of `z` to the variable that `*p_to_char` references:

```
void h(char z, char *p_to_char) {
    *p_to_char = z;
}
```

Pointer Arithmetic

You can perform a limited number of arithmetic operations on pointers. These operations are:

- Increment and decrement
- Addition and subtraction
- Comparison
- Assignment

The increment (++) operator increases the value of a pointer by the size of the data object the pointer refers to. For example, if the pointer refers to the second element in an array, the ++ makes the pointer refer to the third element in the array.

The decrement (--) operator decreases the value of a pointer by the size of the data object the pointer refers to. For example, if the pointer refers to the second element in an array, the -- makes the pointer refer to the first element in the array.

Initializers

You can add an integer to a pointer but you cannot add a pointer to a pointer.

If the pointer `p` points to the first element in an array, the following expression causes the pointer to point to the third element in the same array:

```
p = p + 2;
```

If you have two pointers that point to the same array, you can subtract one pointer from the other. This operation yields the number of elements in the array that separate the two addresses that the pointers refer to.

You can compare two pointers with the following operators: `==`, `!=`, `<`, `>`, `<=`, and `>=`.

Pointer comparisons are defined only when the pointers point to elements of the same array. Pointer comparisons using the `==` and `!=` operators can be performed even when the pointers point to elements of different arrays.

You can assign to a pointer the address of a data object, the value of another compatible pointer or the `NULL` pointer.

Example Program Using Pointers

The following program contains pointer arrays:

```
/******  
** Program to search for the first occurrence of a specified **  
** character string in an array of character strings. **  
*****/  
  
#include <stdio.h>  
#include <stdlib.h>  
#include <string.h>  
  
#define SIZE 20  
  
int main(void)  
{  
    static char *names[ ] = { "Jim", "Amy", "Mark", "Sue", NULL };  
    char * find_name(char **, char *);  
    char new_name[SIZE], *name_pointer;  
  
    printf("Enter name to be searched.\n");  
    scanf("%s", new_name);  
    name_pointer = find_name(names, new_name);  
    printf("name %s%sfound\n", new_name,  
        (name_pointer == NULL) ? " not " : " ");  
} /* End of main */  
  
/******  
** Function find_name. This function searches an array of **  
** names to see if a given name already exists in the array. **  
** It returns a pointer to the name or NULL if the name is **  
** not found. **  
** **  
** char **array is a pointer to arrays of pointers (existing names) **  
** char *strng is a pointer to character array entered (new name) **  
*****/  
  
char * find_name(char **array, char *strng)  
{  
    for (; *array != NULL; array++) /* for each name */  
    {  
        if (strcmp(*array, strng) == 0) /* if strings match */
```

```

        return(*arry);           /* found it!           */
    }
    return(*arry);               /* return the pointer */
} /* End of find_name */

```

Interaction with this program could produce the following sessions:

Output Enter name to be searched.

Input Mark

Output name Mark found

or:

Output Enter name to be searched.

Input Deborah

Output name Deborah not found

Arrays

An *array* is a collection of objects of the same data type. Individual objects in an array, called *elements*, are accessed by their position in the array. The subscripting operator (`[]`) provides the mechanics for creating an index to array elements. This form of access is called *indexing* or *subscripting*. An array facilitates the coding of repetitive tasks by allowing the statements executed on each element to be put into a loop that iterates through each element in the array.

The C and C++ languages provide limited built-in support for an array type: reading and writing individual elements. Assignment of one array to another, the comparison of two arrays for equality, returning self-knowledge of size are operations unsupported by either language.

An array type describes contiguously allocated memory for a set of objects of a particular type. The array type is derived from the type of its elements, in what is called *array type derivation*. If array objects are of incomplete type, the array type is also considered incomplete.

Array elements may not be of type **void** or of function type. However, arrays of pointers to functions are allowed. In C++, array elements may not be of reference type or of an abstract class type.

 Two array types that are similarly qualified are compatible if the types of their elements are compatible. For example,

```

char ex1[25];
const char ex2[25];

```

are not compatible. The composite type of two compatible array types is an array with the composite element type. The sizes of both original types must be equivalent if they are known.

Except in certain contexts, an unsubscripted array name (for example, `region` instead of `region[4]`) represents a pointer whose value is the address of the first element of the array, provided that the array has previously been declared. The exceptions are when the array name passes the array itself. For example, the array name passes the entire array when it is the operand of the **sizeof** operator or the address (**&**) operator.


Similarly, an array type in the parameter list of a function is converted to the corresponding pointer type. Information about the size of the argument array is lost when the array is accessed from within the function body.

Initializers

Declaring Arrays

The array declarator contains an identifier followed by an optional *subscript declarator*. An identifier preceded by an asterisk (*) is an array of pointers.

A subscript declarator has the form:



where *constant_expression* is a constant integer expression, indicating the size of the array, which must be positive.

The subscript declarator describes the number of dimensions in the array and the number of elements in each dimension. Each bracketed expression, or subscript, describes a different dimension and must be a constant expression.

The following example defines a one-dimensional array that contains four elements having type **char**:

```
char
list[4];
```

The first subscript of each dimension is 0. The array `list` contains the elements:

```
list[0]
list[1]
list[2]
list[3]
```

The following example defines a two-dimensional array that contains six elements of type **int**:

```
int
roster[3][2];
```

Multidimensional arrays are stored in row-major order. When elements are referred to in order of increasing storage location, the last subscript varies the fastest. For example, the elements of array `roster` are stored in the order:

```
roster[0][0]
roster[0][1]
roster[1][0]
roster[1][1]
roster[2][0]
roster[2][1]
```

In storage, the elements of `roster` would be stored as:



```

↑      ↑      ↑
roster[0][0]  roster[0][1]
roster[1][0]

```

You can leave the first (and only the first) set of subscript brackets empty in

- Array definitions that contain initializations
- **extern** declarations
- Parameter declarations

In array definitions that leave the first set of subscript brackets empty, the initializer determines the number of elements in the first dimension. In a one-dimensional array, the number of initialized elements becomes the total number of elements. In a multidimensional array, the initializer is compared to the subscript declarator to determine the number of elements in the first dimension.

Initializing Arrays

The initializer for an array is a comma-separated list of constant expressions enclosed in braces (`{ }`). The initializer is preceded by an equal sign (`=`). You do not need to initialize all elements in an array. If an array is partially initialized, elements that are not initialized receive the value `0` of the appropriate type. The same applies to elements of arrays with static storage duration. (All file-scope variables and function-scope variables declared with the **static** keyword have static storage duration.)

The following definition shows a completely initialized one-dimensional array:

```
static int number[3] = { 5, 7, 2 };
```

The array `number` contains the following values: `number[0]` is 5, `number[1]` is 7; `number[2]` is 2. When you have an expression in the subscript declarator defining the number of elements (in this case 3), you cannot have more initializers than the number of elements in the array.

The following definition shows a partially initialized one-dimensional array:

```
static int number1[3] = { 5, 7 };
```

The values of `number1` are: `number1[0]` and `number1[1]` are the same as in the previous definition, but `number1[2]` is `0`.

Instead of an expression in the subscript declarator defining the number of elements, the following one-dimensional array definition defines one element for each initializer specified:

```
static int item[ ] = { 1, 2, 3, 4, 5 };
```

The compiler gives `item` the five initialized elements, because no size was specified and there are five initializers.

You can initialize a one-dimensional character array by specifying:

- A brace-enclosed comma-separated list of constants, each of which can be contained in a character
- A string constant (Braces surrounding the constant are optional)

Initializing a string constant places the null character (`\0`) at the end of the string if there is room or if the array dimensions are not specified.

The following definitions show character array initializations:

```
static char name1[ ] = { 'J', 'a', 'n' };
static char name2[ ] = { "Jan" };
static char name3[4] = "Jan";
```

Initializers

These definitions create the following elements:

Element	Value	Element	Value	Element	Value
name1[0]	J	name2[0]	J	name3[0]	J
name1[1]	a	name2[1]	a	name3[1]	a
name1[2]	n	name2[2]	n	name3[2]	n
		name2[3]	\0	name3[3]	\0

Note that the following definition would result in the null character being lost:

```
static char name3[3]="Jan";
```

C++ When initializing an array of characters with a string, the number of characters in the string — including the terminating '\0' — must not exceed the number of elements in the array.

You can initialize a multidimensional array using any of the following techniques:

- Listing the values of all elements you want to initialize, in the order that the compiler assigns the values. The compiler assigns values by increasing the subscript of the last dimension fastest. This form of a multidimensional array initialization looks like a one-dimensional array initialization. The following definition completely initializes the array `month_days`:

```
static month_days[2][12] =
{
    31, 28, 31, 30, 31, 30, 31, 31, 30, 31, 30, 31,
    31, 29, 31, 30, 31, 30, 31, 31, 30, 31, 30, 31
};
```

- Using braces to group the values of the elements you want initialized. You can put braces around each element, or around any nesting level of elements. The following definition contains two elements in the first dimension (you can consider these elements as rows). The initialization contains braces around each of these two elements:

```
static int month_days[2][12] =
{
    { 31, 28, 31, 30, 31, 30, 31, 31, 30, 31, 30, 31 },
    { 31, 29, 31, 30, 31, 30, 31, 31, 30, 31, 30, 31 }
};
```

- Using nested braces to initialize dimensions and elements in a dimension selectively.

The following definition explicitly initializes six elements in a 12-element array:

```
static int matrix[3][4] =
{
    {1, 2},
    {3, 4},
    {5, 6}
};
```

The initial values of `matrix` are shown in the following table. All other elements are initialized to zero.

Element	Value	Element	Value
matrix[0][0]	1	matrix[1][2]	0
matrix[0][1]	2	matrix[1][3]	0
matrix[0][2]	0	matrix[2][0]	5
matrix[0][3]	0	matrix[2][1]	6
matrix[1][0]	3	matrix[2][2]	0
matrix[1][1]	4	matrix[2][3]	0

Example Programs Using Arrays

The following program defines a floating-point array called `prices`.

The first `for` statement prints the values of the elements of `prices`. The second `for` statement adds five percent to the value of each element of `prices`, and assigns the result to `total`, and prints the value of `total`.

```
/**
 ** Example of one-dimensional arrays
 **/

#include <stdio.h>
#define ARR_SIZE 5

int main(void)
{
    static float const prices[ARR_SIZE] = { 1.41, 1.50, 3.75, 5.00, .86 };
    auto float total;
    int i;

    for (i = 0; i < ARR_SIZE; i++)
    {
        printf("price = $%.2f\n", prices[i]);
    }

    printf("\n");

    for (i = 0; i < ARR_SIZE; i++)
    {
        total = prices[i] * 1.05;
        printf("total = $%.2f\n", total);
    }

    return(0);
}
```

This program produces the following output:

```
price = $1.41
price = $1.50
price = $3.75
price = $5.00
price = $0.86
```

```
total = $1.48
total = $1.58
total = $3.94
total = $5.25
total = $0.90
```

The following program defines the multidimensional array `salary_tbl`. A `for` loop prints the values of `salary_tbl`.

```
/**
 ** Example of a multidimensional array
 **/

#include <stdio.h>
#define ROW_SIZE 3
#define COLUMN_SIZE 5

int main(void)
{
    static int
    salary_tbl[ROW_SIZE][COLUMN_SIZE] =
    {
```

Initializers

```
    { 500, 550, 600, 650, 700 },
    { 600, 670, 740, 810, 880 },
    { 740, 840, 940, 1040, 1140 }
};
int grade , step;

for (grade = 0; grade < ROW_SIZE; ++grade)
    for (step = 0; step < COLUMN_SIZE; ++step)
    {
        printf("salary_tbl[%d] [%d] = %d\n",
            grade, step, salary_tbl[grade] [step]);
    }

return(0);
}
```

This program produces the following output:

```
salary_tbl[0] [0] = 500
salary_tbl[0] [1] = 550
salary_tbl[0] [2] = 600
salary_tbl[0] [3] = 650
salary_tbl[0] [4] = 700
salary_tbl[1] [0] = 600
salary_tbl[1] [1] = 670
salary_tbl[1] [2] = 740
salary_tbl[1] [3] = 810
salary_tbl[1] [4] = 880
salary_tbl[2] [0] = 740
salary_tbl[2] [1] = 840
salary_tbl[2] [2] = 940
salary_tbl[2] [3] = 1040
salary_tbl[2] [4] = 1140
```

Function Specifiers

► **C++** The function specifier **inline** is used to make a suggestion to the compiler to incorporate the code of a function into the code at the point of the call. Instead of creating a single set of the function instructions in memory, the compiler is supposed to copy the code from the inline function directly into the calling function. However, a standards-compliant compiler may ignore this suggestion for better optimization.

Both regular functions and member functions can be declared inline. A member function can be made inline by using the keyword **inline**, even if the function is declared outside of the class declaration.

The keywords **virtual** and **explicit** are used only in C++ function declarations as function specifiers.

The function specifier **virtual** can only be used in nonstatic member function declarations.

The function specifier **explicit** can only be used in declarations of constructors within a class declaration. It is used to control unwanted implicit type conversions when an object is being initialized. An explicit constructor differs from a non-explicit constructor in that an explicit constructor can only construct objects where direct initialization syntax or explicit casts are used.

References

► **C++** A *reference* is an alias or an alternative name for an object. All operations applied to a reference act on the object to which the reference refers. The address of a reference is the address of the aliased object.

A reference type is defined by placing the reference declarator `&` after the type specifier. You must initialize all references except function parameters when they are defined. Once defined, a reference cannot be reassigned. What happens when you try to reassign a reference turns out to be the assignment of a new value to the target.

Because arguments of a function are passed by value, a function call does not modify the actual values of the arguments. If a function needs to modify the actual value of an argument or needs to return more than one value, the argument must be *passed by reference* (as opposed to being *passed by value*). Passing arguments by reference can be done using either references or pointers. Unlike C, C++ does not force you to use pointers if you want to pass arguments by reference. The syntax of using a reference is somewhat simpler than that of using a pointer. Passing an object by reference enables the function to change the object being referred to without creating a copy of the object within the scope of the function. Only the address of the actual original object is put on the stack, not the entire object.

For example:

```
int f(int&);
int main()
{
    extern int i;
    f(i);
}
```

You cannot tell from the function call `f(i)` that the argument is being passed by reference.

References to NULL are not allowed.

Initializing References

The object that you use to initialize a reference must be of the same type as the reference, or it must be of a type that is convertible to the reference type. If you initialize a reference to a constant using an object that requires conversion, a temporary object is created. In the following example, a temporary object of type `float` is created:

```
int i;
const float& f = i; // reference to a constant float
```

When you initialize a reference with an object, you *bind* that reference to that object.

Attempting to initialize a nonconstant reference with an object that requires a conversion is an error.

Once a reference has been initialized, it cannot be modified to refer to another object. For example:

```
int num1 = 10;
int num2 = 20;

int &RefOne = num1;           // valid
int &RefOne = num2;           // error, two definitions of RefOne
RefOne = num2;                // assign num2 to num1
int &RefTwo;                  // error, uninitialized reference
int &RefTwo = num2;           // valid
```

Note that the initialization of a reference is not the same as an assignment to a reference. Initialization operates on the actual reference by initializing the reference with the object it is an alias for. Assignment operates through the reference on the object referred to.

A reference can be declared without an initializer:

- When it is used in an parameter declaration
- In the declaration of a return type for a function call
- In the declaration of class member within its class declaration
- When the `extern` specifier is explicitly used

References

You cannot have references to any of the following:

- Other references
- Bit fields
- Arrays of references
- Pointers to references

Direct Binding

Suppose a reference *r* of type *T* is initialized by an expression *e* of type *U*.

The reference *r* is *bound directly* to *e* if the following statements are true:

- Expression *e* is an lvalue
- *T* is the same type as *U*, or *T* is a base class of *U*
- *T* has the same, or more, **const** or **volatile** qualifiers than *U*

The reference *r* is also bound directly to *e* if *e* can be implicitly converted to a type such that the previous list of statements is true.

Chapter 5. Expressions and Operators

Expressions are sequences of operators, operands, and punctuators that specify a computation. The evaluation of expressions is based on the operators that the expressions contain and the context in which they are used. An expression can result in a value and can produce side effects. A *side effect* is a change in the state of the execution environment.

Both ISO C and ISO C++ heed points in the execution sequence at which all side effects of previous evaluations are complete and no side effects of subsequent evaluations will have occurred. Such times are called *sequence points*. A scalar object may be modified only once between successive sequence points; otherwise, the result is undefined. Sequence points occur at the completion of all expressions that are not part of a larger expression, such as in the following situations:

- After the evaluation of the first operand of a logical AND `&&`, logical OR `||`, conditional `?:`, or comma expression
- After the evaluation of the arguments in a function call
- At the end of a full declarator
- At the end of a full expression
- Before a library function returns
- After the actions of a formatted I/O function conversion specifier
- Before and after a call to a comparison function, and between any call to the comparison function and any movement of the objects passed as arguments to that function call

The term *full expression* can mean an initializer, an expression statement, the expression in a return statement, and the control expressions in a conditional, iterative, or `switch` statement. This includes each expression in a `for` statement.

C++ C++ operators can be defined to behave differently when applied to operands of class type. This is called operator *overloading*. This chapter describes the behavior of operators that are not overloaded.

Related References

- “Lvalues and Rvalues” on page 80
- “Overloading Operators” on page 191

Operator Precedence and Associativity

Two operator characteristics determine how operands group with operators: *precedence* and *associativity*. Precedence is the priority for grouping different types of operators with their operands. Associativity is the left-to-right or right-to-left order for grouping operands to operators that have the same precedence. An operator’s precedence is meaningful only if other operators with higher or lower precedence are present. Expressions with higher-precedence operators are evaluated first. The grouping of operands can be forced by using parentheses.

For example, in the following statements, the value of 5 is assigned to both `a` and `b` because of the right-to-left associativity of the `=` operator. The value of `c` is assigned to `b` first, and then the value of `b` is assigned to `a`.

```
b = 9;
c = 5;
a = b = c;
```

Because the order of subexpression evaluation is not specified, you can explicitly force the grouping of operands with operators by using parentheses.

Operator Precedence and Associativity

In the expression

`a + b * c / d`

the `*` and `/` operations are performed before `+` because of precedence. `b` is multiplied by `c` before it is divided by `d` because of associativity.

The following table lists the C and C++ language operators in order of precedence and shows the direction of associativity for each operator.

The C++ scope resolution operator (`::`) has the highest precedence. The comma operator has the lowest precedence. Operators that have the same rank have the same precedence.

Precedence and associativity of C and C++ operators

Rank	Right Associative?	Operator Function	Usage
1	yes	 global scope resolution	<code>:: name_or_qualified name</code>
1		 class or namespace scope resolution	<code>class_or_namespace :: member</code>
2		member selection	<code>object . member</code>
2		member selection	<code>pointer -> member</code>
2		subscripting	<code>pointer [expr]</code>
2		function call	<code>expr (expr_list)</code>
2		value construction	<code>type (expr_list)</code>
2		postfix increment	<code>lvalue ++</code>
2		postfix decrement	<code>lvalue --</code>
2	yes	 type identification	<code>typeid (type)</code>
2	yes	 type identification at run time	<code>typeid (expr)</code>
2	yes	 conversion checked at compile time	<code>static_cast < type > (expr)</code>
2	yes	 conversion checked at run time	<code>dynamic_cast < type > (expr)</code>
2	yes	 unchecked conversion	<code>reinterpret_cast < type > (expr)</code>
2	yes	 <code>const</code> conversion	<code>const_cast < type > (expr)</code>
3	yes	size of object in bytes	<code>sizeof expr</code>
3	yes	size of type in bytes	<code>sizeof (type)</code>
3	yes	prefix increment	<code>++ lvalue</code>
3	yes	prefix decrement	<code>-- lvalue</code>
3	yes	bitwise negation	<code>~ expr</code>
3	yes	not	<code>! expr</code>
3	yes	unary minus	<code>- expr</code>
3	yes	unary plus	<code>+ expr</code>
3	yes	address of	<code>& lvalue</code>
3	yes	indirection or dereference	<code>* expr</code>
3	yes	 create (allocate memory)	<code>new type</code>
3	yes	 create (allocate and initialize memory)	<code>new type (expr_list) type</code>
3	yes	 create (placement)	<code>new type (expr_list) type (expr_list)</code>
3	yes	 destroy (deallocate memory)	<code>delete pointer</code>
3	yes	 destroy array	<code>delete [] pointer</code>
3	yes	type conversion (cast)	<code>(type) expr</code>

Precedence and associativity of C and C++ operators

Rank	Right Associative?	Operator Function	Usage
4		member selection	<i>object .* ptr_to_member</i>
4		member selection	<i>object ->* ptr_to_member</i>
5		multiplication	<i>expr * expr</i>
5		division	<i>expr / expr</i>
5		modulo (remainder)	<i>expr % expr</i>
6		binary addition	<i>expr + expr</i>
6		binary subtraction	<i>expr - expr</i>
7		bitwise shift left	<i>expr << expr</i>
7		bitwise shift right	<i>expr >> expr</i>
8		less than	<i>expr < expr</i>
8		less than or equal to	<i>expr <= expr</i>
8		greater than	<i>expr > expr</i>
8		greater than or equal to	<i>expr >= expr</i>
9		equal	<i>expr == expr</i>
9		not equal	<i>expr != expr</i>
10		bitwise AND	<i>expr & expr</i>
11		bitwise exclusive OR	<i>expr ^ expr</i>
12		bitwise inclusive OR	<i>expr expr</i>
13		logical AND	<i>expr && expr</i>
14		logical inclusive OR	<i>expr expr</i>
15		conditional expression	<i>expr ? expr : expr</i>
16	yes	simple assignment	<i>lvalue = expr</i>
16	yes	multiply and assign	<i>lvalue *= expr</i>
16	yes	divide and assign	<i>lvalue /= expr</i>
16	yes	modulo and assign	<i>lvalue %= expr</i>
16	yes	add and assign	<i>lvalue += expr</i>
16	yes	subtract and assign	<i>lvalue -= expr</i>
16	yes	shift left and assign	<i>lvalue <<= expr</i>
16	yes	shift right and assign	<i>lvalue >>= expr</i>
16	yes	bitwise AND and assign	<i>lvalue &= expr</i>
16	yes	bitwise exclusive OR and assign	<i>lvalue ^= expr</i>
16	yes	bitwise inclusive OR and assign	<i>lvalue = expr</i>
17	yes	 throw expression	throw <i>expr</i>
18		comma (sequencing)	<i>expr , expr</i>

The order of evaluation for function call arguments or for the operands of binary operators is not specified. Avoid writing ambiguous expressions such as:

```
z = (x * ++y) / func1(y);
func2(++i, x[i]);
```

In the example above, `++y` and `func1(y)` might not be evaluated in the same order by all C language implementations. If `y` has the value of 1 before the first statement, it is not known whether or not the value of 1 or 2 is passed to `func1()`. In the second statement, if `i` has the value of 1 before the expression is evaluated, it is not known whether `x[1]` or `x[2]` is passed as the second argument to `func2()`.

Examples of Expressions and Precedence

The parentheses in the following expressions explicitly show how the compiler groups operands and operators.

Operator Precedence and Associativity

```
total = (4 + (5 * 3));  
total = (((8 * 5) / 10) / 3);  
total = (10 + (5/3));
```

If parentheses did not appear in these expressions, the operands and operators would be grouped in the same manner as indicated by the parentheses. For example, the following expressions produce the same output.

```
total = (4+(5*3));  
total = 4+5*3;
```

Because the order of grouping operands with operators that are both associative and commutative is not specified, the compiler can group the operands and operators in the expression:

```
total = price + prov_tax +  
city_tax;
```

in the following ways (as indicated by parentheses):

```
total = (price + (prov_tax + city_tax));  
total = ((price + prov_tax) + city_tax);  
total = ((price + city_tax) + prov_tax);
```

The grouping of operands and operators does not affect the result unless one ordering causes an overflow and another does not. For example, if `price = 32767`, `prov_tax = -42`, and `city_tax = 32767`, and all three of these variables have been declared as integers, the third statement `total = ((price + city_tax) + prov_tax)` will cause an integer overflow and the rest will not.

Because intermediate values are rounded, different groupings of floating-point operators may give different results.

In certain expressions, the grouping of operands and operators can affect the result. For example, in the following expression, each function call might be modifying the same global variables.

```
a = b() + c() + d();
```

This expression can give different results depending on the order in which the functions are called.

If the expression contains operators that are both associative and commutative and the order of grouping operands with operators can affect the result of the expression, separate the expression into several expressions. For example, the following expressions could replace the previous expression if the called functions do not produce any side effects that affect the variable `a`.

```
a = b();  
a += c();  
a += d();
```

Lvalues and Rvalues

An *object* is a region of storage that can be examined and stored into. An *lvalue* is an expression that refers to such an object. An lvalue does not necessarily permit modification of the object it designates. For example, a **const** object is an lvalue that cannot be modified. The term *modifiable lvalue* is used to emphasize that the lvalue allows the designated object to be changed as well as examined. The following object types are lvalues, but not modifiable lvalues:

- An array type
- An incomplete type
- A **const**-qualified type
- An object is a structure or union type and one of its members has a **const**-qualified type

Because these lvalues are not modifiable, they cannot appear on the left side of an assignment statement.

The term *rvalue* refers to a data value that is stored at some address in memory. An *rvalue* is an expression that cannot have a value assigned to it. Both a literal constant and a variable can serve as an rvalue. When an lvalue appears in a context that requires an rvalue, the lvalue is implicitly converted to an rvalue. The reverse, however, is not true: an rvalue cannot be converted to an lvalue. Rvalues always have complete types or the void type.

C ISO C defines a *function designator* as an expression that has function type. A function designator is distinct from an object type or an lvalue. It can be the name of a function or the result of dereferencing a function pointer. The C language also differentiates between its treatment of a function pointer and an object pointer.

C++ On the other hand, in C++, a function call that returns a reference is an lvalue. Otherwise, a function call is an rvalue expression. In C++, every expression produces an *lvalue*, an *rvalue*, or no value.

In both C and C++, certain operators require lvalues for some of their operands. The table below lists these operators and additional constraints on their usage.

Operator	Requirement
& (unary)	Operand must be an lvalue.
++ --	Operand must be an lvalue. This applies to both prefix and postfix forms.
= += -= *= %= <<= >>= &= ^= =	Left operand must be an lvalue.

For example, all assignment operators evaluate their right operand and assign that value to their left operand. The left operand must be a modifiable lvalue or a reference to a modifiable object.

The address operator (&) requires an lvalue as an operand while the increment (++) and the decrement (--) operators require a modifiable lvalue as an operand. The following example shows expressions and their corresponding lvalues.

Expression	Lvalue
x = 42	x
*ptr = newvalue	*ptr
a++	a
C++ int& f()	The function call to f()

Related References

- “Lvalue-to-Rvalue Conversions” on page 120

Primary Expressions

Primary expressions fall into the following general categories:

- Names (identifiers)
- Literals (constants)
- Parenthesized expressions
- **C++** The **this** pointer
- **C++** Names qualified by the scope resolution operator (::)

Names

Ivalue

The value of a name depends on its type, which is determined by how that name is declared. The following table shows whether a name is an lvalue expression.

Primary expressions: Names

Name declared as	Evaluates to	Is an lvalue
Variable of arithmetic, pointer, enumeration, structure, or union type	An object of that type	Lvalue
Enumeration constant	The associated integer value	Not an lvalue
Array	That array. In contexts subject to conversions, a pointer to the first object in the array, except where the name is used as the argument to the <code>sizeof</code> operator.	 Not an lvalue
Function	That function. In contexts subject to conversions, a pointer to that function, except where the name is used as the argument to the <code>sizeof</code> operator, or as the function in a function call expression.	 Not an lvalue  Lvalue

As an expression, a name may not refer to a label, typedef name, structure component name, union component name, structure tag, union tag, or enumeration tag. Names that can be referred to by a name in an expression reside in a name space that is separate from that of names for these purposes. Some of these names may be referred to within expressions by means of special constructs. For example, the dot or arrow operators may be used to refer to structure and union component names; typedef names may be used in casts or as an argument to the `sizeof` operator.

Literals

A literal is a numeric constant or string literal. When a literal is evaluated as an expression, its value is a constant. A lexical constant is never an lvalue. However, a string literal is an lvalue.

Related References

- “Literals” on page 19
- “The this Pointer” on page 219


Identifier Expressions

 An identifier expression, or *id-expression*, is a restricted form of primary expression. Syntactically, an *id-expression* requires a higher level of complexity than a simple identifier to provide a name for all of the language elements of C++.

An *id-expression* can be either a qualified or unqualified identifier. It can also appear after the dot and arrow operators.

Syntax – id-expression



unqualified_id:**qualified_id:****Related References**

- “Identifiers” on page 17
- Chapter 4, “Declarators,” on page 63

Integer Constant Expressions

An *integer compile-time constant* is a value that is determined during compilation and cannot be changed at run time. An *integer compile-time constant expression* is an expression that is composed of constants and evaluated to a constant.

An integer constant expression is an expression that is composed of only the following:

- literals
- enumerators
- **const** variables
- **static** data members of integral or enumeration types
- casts to integral types
- **sizeof** expressions

You must use an integer constant expression in the following situations:

- In the subscript declarator as the description of an array bound.
- After the keyword **case** in a **switch** statement.
- In an enumerator, as the numeric value of an enum constant.
- In a bit-field width specifier.
- In the preprocessor **#if** statement. (Enumeration constants, address constants, and **sizeof** cannot be specified in a preprocessor **#if** statement.)


Related References

- “Literals” on page 19
- “Enumerations” on page 54


Parenthesized Expressions ()

Use parentheses to explicitly force the order of expression evaluation. The following expression does not use parentheses to group operands and operators. The parentheses surrounding `weight`, `zipcode` are used to form a function call. Note how the compiler groups the operands and operators in the expression according to the rules for operator precedence and associativity:

lvalue



The following expression is similar to the previous expression, but it contains parentheses that change how the operands and operators are grouped:



In an expression that contains both associative and commutative operators, you can use parentheses to specify the grouping of operands with operators. The parentheses in the following expression guarantee the order of grouping operands with the operators:

```
x = f + (g + h);
```

C++ Scope Resolution Operator ::

C++ The `::` (scope resolution) operator is used to qualify hidden names so that you can still use them. You can use the unary scope operator if a namespace scope or global scope name is hidden by an explicit declaration of the same name in a block or class. For example:

```
int count = 0;

int main(void) {
    int count = 0;
```

```

::count = 1; // set global count to 1
count = 2;  // set local count to 2
return 0;
}

```

The declaration of `count` declared in the `main()` function hides the integer named `count` declared in global namespace scope. The statement `::count = 1` accesses the variable named `count` declared in global namespace scope.

You can also use the class scope operator to qualify class names or class member names. If a class member name is hidden, you can use it by qualifying it with its class name and the class scope operator.

In the following example, the declaration of the variable `X` hides the class type `X`, but you can still use the static class member `count` by qualifying it with the class type `X` and the scope resolution operator.

```

#include <iostream>
using namespace std;

class X
{
public:
    static int count;
};
int X::count = 10;           // define static data member

int main ()
{
    int X = 0;              // hides class type X
    cout << X::count << endl; // use static member of class X
}

```

Related References

- “Scope of Class Names” on page 206
- Chapter 10, “Namespaces,” on page 181

Postfix Expressions

Postfix operators are operators that appear after their operands. A *postfix expression* is a primary expression, or a primary expression that contains a postfix operator. The following summarizes the available postfix operators:

Precedence and associativity of postfix operators

Rank	Right Associative?	Operator Function	Usage
2		member selection	<i>object</i> . <i>member</i>
2		member selection	<i>pointer</i> -> <i>member</i>
2		subscripting	<i>pointer</i> [<i>expr</i>]
2		function call	<i>expr</i> (<i>expr_list</i>)
2		value construction	<i>type</i> (<i>expr_list</i>)
2		postfix increment	<i>lvalue</i> ++
2		postfix decrement	<i>lvalue</i> --
2	yes	 type identification	typeid (<i>type</i>)
2	yes	 type identification at run time	typeid (<i>expr</i>)
2	yes	 conversion checked at compile time	static_cast < <i>type</i> > (<i>expr</i>)
2	yes	 conversion checked at run time	dynamic_cast < <i>type</i> > (<i>expr</i>)
2	yes	 unchecked conversion	reinterpret_cast < <i>type</i> > (<i>expr</i>)

Ivalue

Precedence and associativity of postfix operators

Rank	Right Associative?	Operator Function	Usage
2	yes	 <code>const</code> conversion	<code>const_cast < type > (expr)</code>

Function Call Operator ()

A *function call* is an expression containing a simple type name and a parenthesized argument list. The argument list can contain any number of expressions separated by commas. It can also be empty.

For example:

```
stub()
overdue(account, date, amount)
notify(name, date + 5)
report(error, time, date, ++num)
```

There are two kinds of function calls: ordinary function calls and C++ member function calls. Any function may call itself except for the function `main`.

Type of a Function Call

The type of a function call expression is the return type of the function. This type can either be a complete type, a reference type, or the type `void`. A function call is an lvalue if and only if the type of the function is a reference.

Arguments and Parameters

A *function argument* is an expression that you use within the parentheses of a function call. A *function parameter* is an object or reference declared within the parentheses of a function declaration or definition. When you call a function, the arguments are evaluated, and each parameter is initialized with the value of the corresponding argument. The semantics of argument passing are identical to those of assignment.

A function can change the values of its non-const parameters, but these changes have no effect on the argument unless the parameter is a reference type.

Linkage and Function Calls

 In C, if a function definition has external linkage and a return type of `int`, calls to the function can be made before it is explicitly declared because an implicit declaration of `extern int func();` is assumed. This is *not* true for C++.

Type Conversions of Arguments

Arguments that are arrays or functions are converted to pointers before being passed as function arguments.

Arguments passed to nonprototyped C functions undergo conversions: type `short` or `char` parameters are converted to `int`, and `float` parameters to `double`. Use a cast expression for other conversions.

The compiler compares the data types provided by the calling function with the data types that the called function expects and performs necessary type conversions. For example, when function `funct` is called, argument `f` is converted to a `double`, and argument `c` is converted to an `int`:

```
char * funct (double d, int i);
    /* ... */
int main(void)
{
    float f;
```

```

    char c;
    funct(f, c) /* f is converted to a double, c is converted to an int */
    return 0;
}

```

Evaluation Order of Arguments

The order in which arguments are evaluated is not specified. Avoid such calls as:

```
method(sample1, batch.process--, batch.process);
```

In this example, `batch.process--` might be evaluated last, causing the last two arguments to be passed with the same value.

Example of Function Calls

In the following example, `main` passes `func` two values: 5 and 7. The function `func` receives copies of these values and accesses them by the identifiers: `a` and `b`. The function `func` changes the value of `a`. When control passes back to `main`, the actual values of `x` and `y` are not changed. The called function `func` only receives copies of the values of `x` and `y`, not the variables themselves.

```

/**
 ** This example illustrates function calls
 **/

#include <stdio.h>

void func (int a, int b)
{
    a += b;
    printf("In func, a = %d    b = %d\n", a, b);
}

int main(void)
{
    int x = 5, y = 7;
    func(x, y);
    printf("In main, x = %d    y = %d\n", x, y);
    return 0;
}

```

This program produces the following output:

```

In func, a = 12    b = 7
In main, x = 5    y = 7

```

Array Subscripting Operator []

A postfix expression followed by an expression in [] (brackets) specifies an element of an array. The expression within the brackets is referred to as a *subscript*. The first element of an array has the subscript zero.

By definition, the expression `a[b]` is equivalent to the expression `*((a) + (b))`, and, because addition is associative, it is also equivalent to `b[a]`. Between expressions `a` and `b`, one must be a pointer to a type `T`, and the other must have integral or enumeration type. The result of an array subscript is an lvalue. The following example demonstrates this:

```

#include <stdio.h>

int main(void) {
    int a[3] = { 10, 20, 30 };
    printf("a[0] = %d\n", a[0]);
}

```

Ivalue

```
printf("a[1] = %d\n", 1[a]);  
printf("a[2] = %d\n", *(2 + a));  
return 0;  
}
```

The following is the output of the above example:

```
a[0] = 10  
a[1] = 20  
a[2] = 30
```

C++ The above restrictions on the types of expressions required by the subscript operator, as well as the relationship between the subscript operator and pointer arithmetic, do not apply if you overload **operator[]** of a class.

The first element of each array has the subscript 0. The expression `contract[35]` refers to the 36th element in the array `contract`.

In a multidimensional array, you can reference each element (in the order of increasing storage locations) by incrementing the right-most subscript most frequently.

For example, the following statement gives the value 100 to each element in the array `code[4][3][6]`:

```
for (first = 0; first < 4; ++first)  
{  
    for (second = 0; second < 3; ++second)  
    {  
        for (third = 0; third < 6; ++third)  
        {  
            code[first][second][third] =  
                100;  
        }  
    }  
}
```


Dot Operator .

The `.` (dot) operator is used to access class, structure, or union members. The member is specified by a postfix expression, followed by a `.` (dot) operator, followed by a possibly qualified identifier or a pseudo-destructor name. The postfix expression must be an object of type **class**, **struct** or **union**. The name must be a member of that object.

The value of the expression is the value of the selected member. If the postfix expression and the name are lvalues, the expression value is also an lvalue. If the postfix expression is type-qualified, the same type qualifiers will apply to the designated member in the resulting expression.

Pseudo-destructors

C++ A *pseudo-destructor* is a destructor of a nonclass type named *type_name* in the following syntax diagram :



Arrow Operator ->

The -> (arrow) operator is used to access class, structure or union members using a pointer. A postfix expression, followed by an -> (arrow) operator, followed by a possibly qualified identifier or a pseudo-destructor name, designates a member of the object to which the pointer points. (A *pseudo-destructor* is a destructor of a nonclass type.) The postfix expression must be a pointer to an object of type **class**, **struct** or **union**. The name must be a member of that object.

The value of the expression is the value of the selected member. If the name is an lvalue, the expression value is also an lvalue. If the expression is a pointer to a qualified type, the same type-qualifiers will apply to the designated member in the resulting expression.

Related References

- "Dot Operator ." on page 88

The typeid Operator

C++ The **typeid** operator provides a program with the ability to retrieve the actual derived type of the object referred to by a pointer or a reference. This operator, along with the `dynamic_cast` operator, are provided for run-time type identification (RTTI) support in C++. The operator has the following form:

►► typeid (expr) 

The **typeid** operator returns an lvalue of type **const std::type_info** that represents the type of expression *expr*. You must include the standard template library header `<typeinfo>` to use the **typeid** operator.

If *expr* is a reference or a dereferenced pointer to a polymorphic class, **typeid** will return a **type_info** object that represents the object that the reference or pointer denotes at run time. If it is not a polymorphic class, **typeid** will return a **type_info** object that represents the type of the reference or dereferenced pointer. The following example demonstrates this:

```
#include <iostream>
#include <typeinfo>
using namespace std;

struct A { virtual ~A() { } };
struct B : A { };

struct C { };
struct D : C { };

int main() {
    B bobj;
    A* ap = &bobj;
    A& ar = bobj;
    cout << "ap: " << typeid(*ap).name() << endl;
    cout << "ar: " << typeid(ar).name() << endl;

    D dobj;
    C* cp = &dobj;
    C& cr = dobj;
    cout << "cp: " << typeid(*cp).name() << endl;
    cout << "cr: " << typeid(cr).name() << endl;
}
```

The following is the output of the above example:

```
ap: B
ar: B
cp: C
cr: C
```

lvalue

Classes A and B are polymorphic; classes C and D are not. Although `cp` and `cr` refer to an object of type D, `typeid(*cp)` and `typeid(cr)` return objects that represent class C.

Lvalue-to-rvalue, array-to-pointer, and function-to-pointer conversions will not be applied to *expr*. For example, the output of the following example will be `int [10]`, not `int *`:

```
#include <iostream>
#include <typeinfo>
using namespace std;

int main() {
    int myArray[10];
    cout << typeid(myArray).name() << endl;
}
```

If *expr* is a class type, that class must be completely defined.

The `typeid` operator ignores top-level `const` or `volatile` qualifiers.

static_cast Operator

 The *static_cast operator* converts a given expression to a specified type.

Syntax – static_cast

►► `static_cast` ◀◀ *Type* ◀◀ (◀◀ *expression* ◀◀) ◀◀

The following is an example of the `static_cast` operator.

```
#include <iostream>
using namespace std;

int main() {
    int j = 41;
    int v = 4;
    float m = j/v;
    float d = static_cast<float>(j)/v;
    cout << "m = " << m << endl;
    cout << "d = " << d << endl;
}
```

The following is the output of the above example:

```
m = 10
d = 10.25
```

In this example, `m = j/v;` produces an answer of type `int` because both `j` and `v` are integers. Conversely, `d = static_cast<float>(j)/v;` produces an answer of type `float`. The `static_cast` operator converts variable `j` to a type `float`. This allows the compiler to generate a division with an answer of type `float`. All `static_cast` operators resolve at compile time and do not remove any `const` or `volatile` modifiers.

Applying the `static_cast` operator to a null pointer will convert it to a null pointer value of the target type.

You can explicitly convert a pointer of a type A to a pointer of a type B if A is a base class of B. If A is not a base class of B, a compiler error will result.

You may cast an lvalue of a type A to a type B& if the following are true:

- A is a base class of B
- You are able to convert a pointer of type A to a pointer of type B

- The type B has the same or greater **const** or **volatile** qualifiers than type A
- A is not a virtual base class of B

The result is an lvalue of type B.

A pointer to member type can be explicitly converted into a different pointer to member type if both types are pointers to members of the same class. This form of explicit conversion may also take place if the pointer to member types are from separate classes, however one of the class types must be derived from the other.

reinterpret_cast Operator

C++ A *reinterpret_cast* operator handles conversions between unrelated types.

Syntax – reinterpret_cast

►► reinterpret_cast <Type> (expression) ◀◀

The *reinterpret_cast* operator produces a value of a new type that has the same bit pattern as its argument. You cannot cast away a **const** or **volatile** qualification. You can explicitly perform the following conversions:

- A pointer to any integral type large enough to hold it
- A value of integral or enumeration type to a pointer
- A pointer to a function to a pointer to a function of a different type
- A pointer to an object to a pointer to an object of a different type
- A pointer to a member to a pointer to a member of a different class or type, if the types of the members are both function types or object types

A null pointer value is converted to the null pointer value of the destination type.

Given an lvalue expression of type T and an object x, the following two conversions are synonymous:

- `reinterpret_cast<T>(x)`
- `*reinterpret_cast<T*>(&x)`

ISO C++ also supports C-style casts. The two styles of explicit casts have different syntax but the same semantics, and either way of reinterpreting one type of pointer as an incompatible type of pointer is usually invalid. The *reinterpret_cast* operator, as well as the other named cast operators, is more easily spotted than C-style casts, and highlights the paradox of a strongly typed language that allows explicit casts.

The C++ compiler detects and quietly fixes most but not all violations. It is important to remember that even though a program compiles, its source code may not be completely correct. On some platforms, performance optimizations are predicated on strict adherence to ISO aliasing rules. Although the C++ compiler tries to help with type-based aliasing violations, it cannot detect all possible cases.

The following example violates the aliasing rule, but will execute as expected when compiled unoptimized in C++ or in K&R C. It will also successfully compile optimized in C++, but will not necessarily execute as expected. The offending line 7 causes an old or uninitialized value for x to be printed.

```
1 extern int y = 7.;
2
3 int main() {
4     float x;
5     int i;
```

lvalue

```
6     x = y;
7     i = *(int *) &x;
8     printf("i=%d. x=%f.\n", i, x);
9 }
```

The next code example contains an incorrect cast that the compiler cannot even detect because the cast is across two different files.

```
1 /* separately compiled file 1 */
2     extern float f;
3     extern int * int_pointer_to_f = (int *) &f; /* suspicious cast */
4
5 /* separately compiled file 2 */
6     extern float f;
7     extern int * int_pointer_to_f;
8     f = 1.0;
9     int i = *int_pointer_to_f;           /* no suspicious cast but wrong */
```

In line 8, there is no way for the compiler to know that `f = 1.0` is storing into the same object that `int i = *int_pointer_to_f` is loading from.

Related References

- “Standard Type Conversions” on page 120
- “User-Defined Conversions” on page 273

const_cast Operator

C++ A *const_cast* operator is used to add or remove a **const** or **volatile** modifier to or from a type.

Syntax – const_cast

►►—const_cast—◄—Type—►—(—expression—)—————►

Type and the type of *expression* may only differ with respect to their **const** and **volatile** qualifiers. Their cast is resolved at compile time. A single **const_cast** expression may add or remove any number of **const** or **volatile** modifiers.

The result of a **const_cast** expression is an rvalue unless *Type* is a reference type. In this case, the result is an lvalue.

Types can not be defined within **const_cast**.

The following demonstrates the use of the **const_cast** operator:

```
#include <iostream>
using namespace std;

void f(int* p) {
    cout << *p << endl;
}

int main(void) {
    const int a = 10;
    const int* b = &a;

    // Function f() expects int*, not const int*
    // f(b);
    int* c = const_cast<int*>(b);
    f(c);

    // Lvalue is const
    // *b = 20;
```

```

// Undefined behavior
// *c = 30;

int a1 = 40;
const int* b1 = &a1;
int* c1 = const_cast<int>(b1);

// Integer a1, the object referred to by c1, has
// not been declared const
*c1 = 50;

return 0;
}

```

The compiler will not allow the function call `f(b)`. Function `f()` expects a pointer to an **int**, not a **const int**. The statement `int* c = const_cast<int>(b)` returns a pointer `c` that refers to `a` without the **const** qualification of `a`. This process of using **const_cast** to remove the **const** qualification of an object is called *casting away constness*. Consequently the compiler will allow the function call `f(c)`.

The compiler would not allow the assignment `*b = 20` because `b` points to an object of type **const int**. The compiler will allow the `*c = 30`, but the behavior of this statement is undefined. If you cast away the constness of an object that has been explicitly declared as **const**, and attempt to modify it, the results are undefined.

However, if you cast away the constness of an object that has not been explicitly declared as **const**, you can modify it safely. In the above example, the object referred to by `b1` has not been declared **const**, but you cannot modify this object through `b1`. You may cast away the constness of `b1` and modify the value to which it refers.

Related References

- “Type Qualifiers” on page 57

dynamic_cast Operator

 The *dynamic_cast* operator performs type conversions at run time. The **dynamic_cast** operator guarantees the conversion of a pointer to a base class to a pointer to a derived class, or the conversion of an lvalue referring to a base class to a reference to a derived class. A program can thereby use a class hierarchy safely. This operator and the `typeid` operator provide run-time type information (RTTI) support in C++.

The expression `dynamic_cast<T>(v)` converts the expression `v` to type `T`. Type `T` must be a pointer or reference to a complete class type or a pointer to void. If `T` is a pointer and the **dynamic_cast** operator fails, the operator returns a null pointer of type `T`. If `T` is a reference and the **dynamic_cast** operator fails, the operator throws the exception `std::bad_cast`. You can find this class in the standard library header `<typeinfo>`.

If `T` is a void pointer, then **dynamic_cast** will return the starting address of the object pointed to by `v`. The following example demonstrates this:

```

#include <iostream>
using namespace std;

struct A {
    virtual ~A() { };
};

struct B : A { };

int main() {
    B bobj;
}

```

Ivalue

```
A* ap = &bobj;
void * vp = dynamic_cast<void *>(ap);
cout << "Address of vp : " << vp << endl;
cout << "Address of bobj: " << &bobj << endl;
}
```

The output of this example will be similar to the following. Both `vp` and `&bobj` will refer to the same address:

```
Address of vp : 12FF6C
Address of bobj: 12FF6C
```

The primary purpose for the **dynamic_cast** operator is to perform type-safe *downcasts*. A downcast is the conversion of a pointer or reference to a class A to pointer or reference to a class B, where class A is a base class of B. The problem with downcasts is that a pointer of type A* can and must point to any object of a class that has been derived from A. The **dynamic_cast** operator ensures that if you convert a pointer of class A to a pointer of a class B, the object that A points to belongs to class B or a class derived from B.

The following example demonstrates the use of the **dynamic_cast** operator:

```
#include <iostream>
using namespace std;

struct A {
    virtual void f() { cout << "Class A" << endl; }
};

struct B : A {
    virtual void f() { cout << "Class B" << endl; }
};

struct C : A {
    virtual void f() { cout << "Class C" << endl; }
};

void f(A* arg) {
    B* bp = dynamic_cast<B*>(arg);
    C* cp = dynamic_cast<C*>(arg);

    if (bp)
        bp->f();
    else if (cp)
        cp->f();
    else
        arg->f();
};

int main() {
    A aobj;
    C cobj;
    A* ap = &cobj;
    A* ap2 = &aobj;
    f(ap);
    f(ap2);
}
```

The following is the output of the above example:

```
Class C
Class A
```

The function `f()` determines whether the pointer `arg` points to an object of type A, B, or C. The function does this by trying to convert `arg` to a pointer of type B, then to a pointer of type C, with the **dynamic_cast** operator. If the **dynamic_cast** operator succeeds, it returns a pointer that points to the object denoted by `arg`. If **dynamic_cast** fails, it returns `0`.

You may perform downcasts with the `dynamic_cast` operator only on polymorphic classes. In the above example, all the classes are polymorphic because class A has a virtual function. The `dynamic_cast` operator uses the run-time type information generated from polymorphic classes.

Related References

- “Derivation” on page 235
- “User-Defined Conversions” on page 273

Unary Expressions

A *unary expression* contains one operand and a unary operator. All unary operators have the same precedence and have right-to-left associativity. A unary expression is therefore a postfix expression.

As indicated in the following descriptions, the usual arithmetic conversions are performed on the operands of most unary expressions.

The following table summarizes the operators for unary expressions:

Precedence and associativity of unary operators

Rank	Right Associative?	Operator Function	Usage
3	yes	size of object in bytes	<code>sizeof (expr)</code>
3	yes	size of type in bytes	<code>sizeof type</code>
3	yes	prefix increment	<code>++ lvalue</code>
3	yes	prefix decrement	<code>-- lvalue</code>
3	yes	complement	<code>~ expr</code>
3	yes	not	<code>! expr</code>
3	yes	unary minus	<code>- expr</code>
3	yes	unary plus	<code>+ expr</code>
3	yes	address of	<code>& lvalue</code>
3	yes	indirection or dereference	<code>* expr</code>
3	yes	 create (allocate memory)	<code>new type</code>
3	yes	 create (allocate and initialize memory)	<code>new type (expr_list) type</code>
3	yes	 create (placement)	<code>new type (expr_list) type (expr_list)</code>
3	yes	 destroy (deallocate memory)	<code>delete pointer</code>
3	yes	 destroy array	<code>delete [] pointer</code>
3	yes	type conversion (cast)	<code>(type) expr</code>

Increment ++

The `++` (increment) operator adds 1 to the value of a scalar operand, or if the operand is a pointer, increments the operand by the size of the object to which it points. The operand receives the result of the increment operation. The operand must be a modifiable lvalue of arithmetic or pointer type.

You can put the `++` before or after the operand. If it appears before the operand, the operand is incremented. The incremented value is then used in the expression. If you put the `++` after the operand, the value of the operand is used in the expression *before* the operand is incremented. For example:

```
play = ++play1 + play2++;
```

is similar to the following expressions; `play2` is altered before `play`:

```
int temp, temp1, temp2;
```

```
temp1 = play1 + 1;
```

Unary Expressions

```
temp2 = play2;
play1 = temp1;
temp = temp1 + temp2;
play2 = play2 + 1;
play = temp;
```

The result has the same type as the operand after integral promotion.

The usual arithmetic conversions on the operand are performed.

Decrement --

The -- (decrement) operator subtracts 1 from the value of a scalar operand, or if the operand is a pointer, decreases the operand by the size of the object to which it points. The operand receives the result of the decrement operation. The operand must be a modifiable lvalue.

You can put the -- before or after the operand. If it appears before the operand, the operand is decremented, and the decremented value is used in the expression. If the -- appears after the operand, the current value of the operand is used in the expression and the operand is decremented.

For example:

```
play = --play1 + play2--;
```

is similar to the following expressions; play2 is altered before play:

```
int temp, temp1, temp2;
```

```
temp1 = play1 - 1;
temp2 = play2;
play1 = temp1;
temp = temp1 + temp2;
play2 = play2 - 1;
play = temp;
```

The result has the same type as the operand after integral promotion, but is not an lvalue.

The usual arithmetic conversions are performed on the operand.

Unary Plus +

The + (unary plus) operator maintains the value of the operand. The operand can have any arithmetic type or pointer type. The result is not an lvalue.

The result has the same type as the operand after integral promotion.

Note: Any plus sign in front of a constant is not part of the constant.

Unary Minus -

The - (unary minus) operator negates the value of the operand. The operand can have any arithmetic type. The result is not an lvalue.

For example, if quality has the value 100, -quality has the value -100.

The result has the same type as the operand after integral promotion.

Note: Any minus sign in front of a constant is not part of the constant.

Logical Negation !

The ! (logical negation) operator determines whether the operand evaluates to 0 (false) or nonzero (true).

C The expression yields the value 1 (true) if the operand evaluates to 0, and yields the value 0 (false) if the operand evaluates to a nonzero value.

C++ The expression yields the value **true** if the operand evaluates to false (0), and yields the value **false** if the operand evaluates to true (nonzero). The operand is implicitly converted to **bool**, and the type of the result is **bool**.

The following two expressions are equivalent:

```
!right;
right == 0;
```

Bitwise Negation ~

The `~` (bitwise negation) operator yields the bitwise complement of the operand. In the binary representation of the result, every bit has the opposite value of the same bit in the binary representation of the operand. The operand must have an integral type. The result has the same type as the operand but is not an lvalue.

Suppose `x` represents the decimal value 5. The 16-bit binary representation of `x` is:

```
0000000000000101
```

The expression `~x` yields the following result (represented here as a 16-bit binary number):

```
111111111111010
```

Note that the `~` character can be represented by the trigraph `??~`.

The 16-bit binary representation of `~0` is:

```
1111111111111111
```

Address &

The `&` (address) operator yields a pointer to its operand. The operand must be an lvalue, a function designator, or a qualified name. It cannot be a bit field, nor can it have the storage class **register**.

If the operand is an lvalue or function, the resulting type is a pointer to the expression type. For example, if the expression has type **int**, the result is a pointer to an object having type **int**.

If the operand is a qualified name and the member is not static, the result is a pointer to a member of class and has the same type as the member. The result is not an lvalue.

If `p_to_y` is defined as a pointer to an **int** and `y` as an **int**, the following expression assigns the address of the variable `y` to the pointer `p_to_y`:

```
p_to_y = &y;
```

C++ The remainder of this section pertains to C++ only.

The ampersand symbol `&` is used in C++ as a reference declarator in addition to being the address operator. The meanings are related but not identical.

```
int target;
int &rTarg = target; // rTarg is a reference to an integer.
                  // The reference is initialized to refer to target.
void f(int*& p);    // p is a reference to a pointer
```

If you take the address of a reference, it returns the address of its target. Using the previous declarations, `&rTarg` is the same memory address as `&target`.

Unary Expressions

You may take the address of a register variable.

You can use the `&` operator with overloaded functions only in an initialization or assignment where the left side uniquely determines which version of the overloaded function is used.

Related References

- “Pointers” on page 65
- “References” on page 74

Indirection *

The `*` (indirection) operator determines the value referred to by the pointer-type operand. The operand cannot be a pointer to an incomplete type. If the operand points to an object, the operation yields an lvalue referring to that object. If the operand points to a function, the result is a function designator in C or, in C++, an lvalue referring to the object to which the operand points. Arrays and functions are converted to pointers.

The type of the operand determines the type of the result. For example, if the operand is a pointer to an `int`, the result has type `int`.

Do not apply the indirection operator to any pointer that contains an address that is not valid, such as `NULL`. The result is not defined.

If `p_to_y` is defined as a pointer to an `int` and `y` as an `int`, the expressions:

```
p_to_y = &y;  
*p_to_y = 3;
```

cause the variable `y` to receive the value 3.

Related References

- “Pointers” on page 65

sizeof Operator

The `sizeof` operator yields the size in *bytes* of the operand, which can be an expression or the parenthesized name of a type. A `sizeof` expression has the form:

```
▶▶ sizeof [ expr | (type-name) ] ▶▶
```

The result for either kind of operand is not an lvalue, but a constant integer value. The type of the result is the unsigned integral type `size_t` defined in the header file `stddef.h`.

The `sizeof` operator applied to a type name yields the amount of memory that would be used by an object of that type, including any internal or trailing padding. The size of any of the three kinds of `char` objects (**unsigned**, **signed**, or plain) is the size of a byte, 1. The `sizeof` operator may not be applied to:

- A bit field
- A function type
- An undefined structure or class
- An incomplete type (such as `void`)

The `sizeof` operator applied to an expression yields the same result as if it had been applied to only the name of the type of the expression. At compile time, the compiler analyzes the expression to determine its type, but does not evaluate it. None of the usual type conversions that occur in the type analysis of the expression are directly attributable to the `sizeof` operator. However, if the operand contains operators that perform conversions, the compiler does take these conversions into consideration in determining the type.

The second line of the following sample causes the usual arithmetic conversions to be performed. Assuming that a **short** uses 2 bytes of storage and an **int** uses 4 bytes,

```
short x; ... sizeof (x)          /* the value of sizeof operator is 2 */
short x; ... sizeof (x + 1)     /* value is 4, result of addition is type int */
```

The result of the expression `x + 1` has type **int** and is equivalent to `sizeof(int)`. The value is also 4 if `x` has type **char**, **short**, or **int** or any enumeration type.

Types cannot be defined in a **sizeof** expression.

In the following example, the compiler is able to evaluate the size at compile time. The operand of **sizeof**, an expression, is not evaluated. The value of `b` is the integer constant 5, from initialization to the end of program run time:

```
#include <stdio.h>

int main(void){
    int b = 5;
    sizeof(b++);
    return 0;
}
```

Except in preprocessor directives, you can use a **sizeof** expression wherever an integral constant is required. One of the most common uses for the **sizeof** operator is to determine the size of objects that are referred to during storage allocation, input, and output functions.

Another use of **sizeof** is in porting code across platforms. You should use the **sizeof** operator to determine the size that a data type represents. For example:

```
sizeof(int);
```

The result of a **sizeof** expression depends on the type it is applied to.

Operand	Result
An array	The result is the total number of bytes in the array. For example, in an array with 10 elements, the size is equal to 10 times the size of a single element. The compiler does not convert the array to a pointer before evaluating the expression.
C++ A class	The result is always nonzero, and is equal to the number of bytes in an object of that class including any padding required for placing class objects in an array.
C++ A reference	The result is the size of the referenced object.

C++ new Operator

C++ The **new** operator provides dynamic storage allocation. The syntax for an allocation expression containing the **new** operator is:

```

→ [::] new [(-argument_list-)] [(-type-)] [(-initial_value-)]
   [(-new_type-)]

```

If you prefix **new** with the scope resolution operator (`::`), the global operator **new()** is used. If you specify an *argument_list*, the overloaded **new** operator that corresponds to that *argument_list* is used. The *type* is an existing built-in or user-defined type. A *new_type* is a type that has not already been defined and can include type specifiers and declarators.

Unary Expressions

An allocation expression containing the **new** operator is used to find storage in free store for the object being created. The *new expression* returns a pointer to the object created and can be used to initialize the object. If the object is an array, a pointer to the initial element is returned.

You can use `set_new_handler()` only to specify what **new** does when it fails.

You cannot use the **new** operator to allocate function types, **void**, or incomplete class types because these are not object types. However, you can allocate pointers to functions with the **new** operator. You cannot create a reference with the **new** operator.

When the object being created is an array, only the first dimension can be a general expression. All subsequent dimensions must be constant integral expressions. The first dimension can be a general expression even when an existing *type* is used. You can create an array with zero bounds with the **new** operator. For example:

```
char * c = new char[0];
```

In this case, a pointer to a unique object is returned.

An object created with **operator new()** or **operator new[]()** exists until the **operator delete()** or **operator delete[]()** is called to deallocate the object's memory. A **delete** operator or a destructor will not be implicitly called for an object created with a **new** that has not been explicitly deallocated before the end of the program.

If parentheses are used within a new type, parentheses should also surround the new type to prevent syntax errors.

In the following example, storage is allocated for an array of pointers to functions:

```
void f();
void g();

int main(void)
{
    void (**p)(), (**q)();
    // declare p and q as pointers to pointers to void functions
    p = new (void (*[3])());
    // p now points to an array of pointers to functions
    q = new void(*[3])(); // error
    // error - bound as 'q = (new void) (*[3])();'
    p[0] = f; // p[0] to point to function f
    q[2] = g; // q[2] to point to function g
    p[0](); // call f()
    q[2](); // call g()
    return (0);
}
```

However, the second use of **new** causes an erroneous binding of `q = (new void) (*[3])()`.

The type of the object being created cannot contain class declarations, enumeration declarations, or **const** or **volatile** types. It can contain pointers to **const** or **volatile** objects.

For example, `const char*` is allowed, but `char* const` is not.

Placement Syntax

Additional arguments can be supplied to **new** by using the *argument_list*, also called the *placement syntax*. If placement arguments are used, a declaration of **operator new()** or **operator new[]()** with these arguments must exist. For example:

```

#include <new>
using namespace std;

class X
{
public:
    void* operator new(size_t,int, int){ /* ... */ }
};

// ...

int main ()
{
    X* ptr = new(1,2) X;
}

```

The placement syntax is commonly used to invoke the global placement new function. The global placement new function initializes an object or objects at the location specified by the placement argument in the placement new expression. This location must address storage that has previously been allocated by some other means, because the global placement new function does not itself allocate memory. In the following example, no new memory is allocated by the calls `new(whole) X(8);`, `new(seg2) X(9);`, or `new(seg3) X(10);`. Instead, the constructors `X(8)`, `X(9)`, and `X(10)` are called to reinitialize the memory allocated to the buffer `whole`.

Because placement new does not allocate memory, you should not use `delete` to deallocate objects created with the placement syntax. You can only delete the entire memory pool (`delete whole`). In the example, you can keep the memory buffer but destroy the object stored in it by explicitly calling a destructor.

```

#include <new>
class X
{
public:
    X(int n): id(n){ }
    ~X(){ }
private:
    int id;
    // ...
};

int main()
{
    char* whole = new char[ 3 * sizeof(X) ]; // a 3-part buffer
    X * p1 = new(whole) X(8);                // fill the front
    char* seg2 = &whole[ sizeof(X) ];        // mark second segment
    X * p2 = new(seg2) X(9);                // fill second segment
    char* seg3 = &whole[ 2 * sizeof(X) ];    // mark third segment
    X * p3 = new(seg3) X(10);               // fill third segment

    p2->~X(); // clear only middle segment, but keep the buffer
    // ...
    return 0;
}

```

The placement new syntax can also be used for passing parameters to an allocation routine rather than to a constructor.

Related References

- “Free Store” on page 268
- “set_new_handler() — Set Behavior for new Failure” on page 102
- “C++ delete Operator” on page 103
- “C++ Scope Resolution Operator ::” on page 84
- “Constructors and Destructors Overview” on page 257
- “Objects” on page 28

Unary Expressions

Initializing Objects Created with the new Operator

C++ You can initialize objects created with the **new** operator in several ways. For nonclass objects, or for class objects without constructors, a *new initializer* expression can be provided in a new expression by specifying (*expression*) or (). For example:

```
double* pi = new double(3.1415926);
int* score = new int(89);
float* unknown = new float();
```

If a class does not have a default constructor, the new initializer must be provided when any object of that class is allocated. The arguments of the new initializer must match the arguments of a constructor.

You cannot specify an initializer for arrays. You can initialize an array of class objects only if the class has a default constructor. The constructor is called to initialize each array element (class object).

Initialization using the new initializer is performed only if **new** successfully allocates storage.

Related References

- “Free Store” on page 268
- “Constructors and Destructors Overview” on page 257

set_new_handler() — Set Behavior for new Failure

C++ When the **new** operator creates a new object, it calls the **operator new()** or **operator new[]()** function to obtain the needed storage.

When **new** cannot allocate storage to create a new object, it calls a *new handler* function if one has been installed by a call to `set_new_handler()`. The `std::set_new_handler()` function is declared in the header `<new>`. Use it to call a new handler you have defined or the default new handler.

Your new handler must perform one of the following:

- obtain more storage for memory allocation, then return
- throw an exception of type `std::bad_alloc` or a class derived from `std::bad_alloc`
- call either `abort()` or `exit()`

The `set_new_handler()` function has the prototype:

```
typedef void(*PNH)();
PNH set_new_handler(PNH);
```

`set_new_handler()` takes as an argument a pointer to a function (the new handler), which has no arguments and returns void. It returns a pointer to the previous new handler function.

If you do not specify your own `set_new_handler()` function, **new** throws an exception of type `std::bad_alloc`.

The following program fragment shows how you could use `set_new_handler()` to return a message if the **new** operator cannot allocate storage:

```
#include <iostream>
#include <new>
#include <cstdlib>
using namespace std;

void no_storage()
{
    std::cerr << "Operator new failed: no storage is
    available.\n";
    std::exit(1);
}

int main(void)
```

```
{
    std::set_new_handler(&no_storage);
    // Rest of program ...
}
```

If the program fails because **new** cannot allocate storage, the program exits with the message:

```
Operator new failed:
no storage is available.
```

Related References

- “C++ new Operator” on page 99
- “Free Store” on page 268

C++ delete Operator

C++ The **delete** operator destroys the object created with **new** by deallocating the memory associated with the object.

The **delete** operator has a **void** return type. It has the syntax:

```
▶▶ [::] delete object_pointer ▶▶
```

The operand of **delete** must be a pointer returned by **new**, and cannot be a pointer to constant. Deleting a null pointer has no effect.

The **delete[]** operator frees storage allocated for array objects created with **new[]**. The **delete** operator frees storage allocated for individual objects created with **new**.

It has the syntax:

```
▶▶ [::] delete [—] array ▶▶
```

The result of deleting an array object with **delete** is undefined, as is deleting an individual object with **delete[]**. The array dimensions do not need to be specified with **delete[]**.

The result of any attempt to access a deleted object or array is undefined.

If a destructor has been defined for a class, **delete** invokes that destructor. Whether a destructor exists or not, **delete** frees the storage pointed to by calling the function **operator delete()** of the class if one exists.

The global **::operator delete()** is used if:

- The class has no **operator delete()**.
- The object is of a nonclass type.
- The object is deleted with the **::delete** expression.

The global **::operator delete[]()** is used if:

- The class has no **operator delete[]()**
- The object is of a nonclass type
- The object is deleted with the **::delete[]** expression.

The default global **operator delete()** only frees storage allocated by the default global **operator new()**. The default global **operator delete[]()** only frees storage allocated for arrays by the default global **operator new[]()**.

Unary Expressions

Related References

- “Free Store” on page 268
- “Constructors and Destructors Overview” on page 257
- “void Type” on page 43

Cast Expressions

The cast operator is used for *explicit type conversions*. This operator has the following form, where T is a type, and $expr$ is an expression:

$(T) expr$

It converts the value of $expr$ to the type T . In C, the result of this operation is not an lvalue. In C++, the result of this operation is an lvalue if T is a reference; in all other cases, the result is an rvalue.

 The remainder of this section pertains to C++ only.

A cast is a valid lvalue if its operand is an lvalue. In the following simple assignment expression, the right-hand side is first converted to the specified type, then to the type of the inner left-hand side expression, and the result is stored. The value is converted back to the specified type, and becomes the value of the assignment. In the following example, i is of type `char *`.

```
(int)i = 8 // This is equivalent to the following expression
(int)(i = (char*) (int)(8))
```

For compound assignment operation applied to a cast, the arithmetic operator of the compound assignment is performed using the type resulting from the cast, and then proceeds as in the case of simple assignment. The following expressions are equivalent. Again, i is of type `char *`.

```
(int)i += 8 // This is equivalent to the following expression
(int)(i = (char*) (int)((int)i = 8))
```

Taking the address of an lvalue cast will not work because the address operator may not be applied to a bit field.

You can also use the following function-style notation to convert the value of $expr$ to the type T :

$expr(T)$

A function-style cast with no arguments, such as $X()$ is equivalent to the declaration $X t()$, where t is a temporary object. Similarly, a function-style cast with more than one argument, such as $X(a, b)$, is equivalent to the declaration $X t(a, b)$.

For C++, the operand can have class type. If the operand has class type, it can be cast to any type for which the class has a user-defined conversion function. Casts can invoke a constructor, if the target type is a class, or they can invoke a conversion function, if the source type is a class. They can be ambiguous if both conditions hold.

An explicit type conversion can also be expressed by using the C++ type conversion operator `static_cast`.

Example

The following demonstrates the use of the cast operator. The example dynamically creates an integer array of size 10:

```
#include <stdlib.h>

int main(void) {
```

```

int* myArray = (int*) malloc(10 * sizeof(int));
free(myArray);
return 0;
}

```

The `malloc()` library function returns a **void** pointer that points to memory that will hold an object of the size of its argument. The statement `int* myArray = (int*) malloc(10 * sizeof(int))` does the following

- Creates a void pointer that points to memory that can hold ten integers.
- Converts that **void** pointer into an integer pointer with the use of the cast operator.
- Assigns that integer pointer to `myArray`. Because a name of an array is the same as a pointer to the initial element of the array, `myArray` is an array of ten integers stored in the memory created by the call to `malloc()`.

Binary Expressions

A *binary expression* contains two operands separated by one operator.

Not all binary operators have the same precedence.

All binary operators have left-to-right associativity.

The order in which the operands of most binary operators are evaluated is not specified. To ensure correct results, avoid creating binary expressions that depend on the order in which the compiler evaluates the operands.

As indicated in the following descriptions, the usual arithmetic conversions are performed on the operands of most binary expressions.

The following table summarizes the operators for binary expressions:

Precedence and associativity of binary operators

Rank	Right Associative?	Operator Function	Usage
5		multiplication	<i>expr</i> * <i>expr</i>
5		division	<i>expr</i> / <i>expr</i>
5		modulo (remainder)	<i>expr</i> % <i>expr</i>
6		binary addition	<i>expr</i> + <i>expr</i>
6		binary subtraction	<i>expr</i> - <i>expr</i>
7		bitwise shift left	<i>expr</i> << <i>expr</i>
7		bitwise shift right	<i>expr</i> >> <i>expr</i>
8		less than	<i>expr</i> < <i>expr</i>
8		less than or equal to	<i>expr</i> <= <i>expr</i>
8		greater than	<i>expr</i> > <i>expr</i>
8		greater than or equal to	<i>expr</i> >= <i>expr</i>
9		equal	<i>expr</i> == <i>expr</i>
9		not equal	<i>expr</i> != <i>expr</i>
10		bitwise AND	<i>expr</i> & <i>expr</i>
11		bitwise exclusive OR	<i>expr</i> ^ <i>expr</i>
12		bitwise inclusive OR	<i>expr</i> <i>expr</i>
13		logical AND	<i>expr</i> && <i>expr</i>
14		logical inclusive OR	<i>expr</i> <i>expr</i>
16	yes	simple assignment	<i>lvalue</i> = <i>expr</i>
16	yes	multiply and assign	<i>lvalue</i> *= <i>expr</i>
16	yes	divide and assign	<i>lvalue</i> /= <i>expr</i>
16	yes	modulo and assign	<i>lvalue</i> %= <i>expr</i>
16	yes	add and assign	<i>lvalue</i> += <i>expr</i>

Binary Expressions

Precedence and associativity of binary operators

Rank	Right Associative?	Operator Function	Usage
16	yes	subtract and assign	<i>lvalue -= expr</i>
16	yes	shift left and assign	<i>lvalue <<= expr</i>
16	yes	shift right and assign	<i>lvalue >>= expr</i>
16	yes	bitwise AND and assign	<i>lvalue &= expr</i>
16	yes	bitwise exclusive OR and assign	<i>lvalue ^= expr</i>
16	yes	bitwise inclusive OR and assign	<i>lvalue = expr</i>
18		comma (sequencing)	<i>expr , expr</i>

Related References

- “Operator Precedence and Associativity” on page 77
- “Arithmetic Conversions” on page 125

Multiplication *

The * (multiplication) operator yields the product of its operands. The operands must have an arithmetic or enumeration type. The result is not an lvalue. The usual arithmetic conversions on the operands are performed.

Because the multiplication operator has both associative and commutative properties, the compiler can rearrange the operands in an expression that contains more than one multiplication operator. For example, the expression:

```
sites * number * cost
```

can be interpreted in any of the following ways:

```
(sites * number) * cost  
sites * (number * cost)  
(cost * sites) * number
```

Division /

The / (division) operator yields the algebraic quotient of its operands. Throwing away the fractional part is often called *truncation toward zero*. The operands must have an arithmetic or enumeration type. The right operand may not be zero: the result is undefined if the right operand evaluates to 0. For example, expression $7 / 4$ yields the value 1 (rather than 1.75 or 2). The result is not an lvalue.

The usual arithmetic conversions on the operands are performed.

Remainder %

The % (remainder) operator yields the remainder from the division of the left operand by the right operand. For example, the expression $5 \% 3$ yields 2. The result is not an lvalue.

Both operands must have an integral or enumeration type. If the right operand evaluates to 0, the result is undefined. If either operand has a negative value, the result is such that the following expression always yields the value of a if b is not 0 and a/b is representable:

```
( a / b ) * b + a %b;
```

The usual arithmetic conversions on the operands are performed.

Addition +

The + (addition) operator yields the sum of its operands. Both operands must have an arithmetic type, or one operand must be a pointer to an object type and the other operand must have an integral or enumeration type.

When both operands have an arithmetic type, the usual arithmetic conversions on the operands are performed. The result has the type produced by the conversions on the operands and is not an lvalue.

A pointer to an object in an array can be added to a value having integral type. The result is a pointer of the same type as the pointer operand. The result refers to another element in the array, offset from the original element by the amount of the integral value treated as a subscript. If the resulting pointer points to storage outside the array, other than the first location outside the array, the result is undefined. A pointer to one element past the end of an array cannot be used to access the memory content at that address. The compiler does not provide boundary checking on the pointers. For example, after the addition, `ptr` points to the third element of the array:

```
int array[5];
int *ptr;
ptr = array + 2;
```

Subtraction –

The `-` (subtraction) operator yields the difference of its operands. Both operands must have an arithmetic or enumeration type, or the left operand must have a pointer type and the right operand must have the same pointer type or an integral or enumeration type. You cannot subtract a pointer from an integral value.

When both operands have an arithmetic type, the usual arithmetic conversions on the operands are performed. The result has the type produced by the conversions on the operands and is not an lvalue.

When the left operand is a pointer and the right operand has an integral type, the compiler converts the value of the right to an address offset. The result is a pointer of the same type as the pointer operand.

If both operands are pointers to elements in the same array, the result is the number of objects separating the two addresses. The number is of type `ptrdiff_t`, which is defined in the header file `stddef.h`. Behavior is undefined if the pointers do not refer to objects in the same array.

400 The type of the result of pointer difference arithmetic will be `ptrdiff_t` if the `TERASPACE(*NO)` compiler option is specified. If the `TERASPACE(*YES)` compiler option is specified, the result of the pointer difference arithmetic will be of type signed long long.

Bitwise Left and Right Shift << >>

The bitwise shift operators move the bit values of a binary object. The left operand specifies the value to be shifted. The right operand specifies the number of positions that the bits in the value are to be shifted. The result is not an lvalue. Both operands have the same precedence and are left-to-right associative.

Operator	Usage
<<	Indicates the bits are to be shifted to the left.
>>	Indicates the bits are to be shifted to the right.

Each operand must have an integral or enumeration type. The compiler performs integral promotions on the operands, and then the right operand is converted to type `int`. The result has the same type as the left operand (after the arithmetic conversions).

The right operand should not have a negative value or a value that is greater than or equal to the width in bits of the expression being shifted. The result of bitwise shifts on such values is unpredictable.

If the right operand has the value 0, the result is the value of the left operand (after the usual arithmetic conversions).

Binary Expressions

The `<<` operator fills vacated bits with zeros. For example, if `left_op` has the value 4019, the bit pattern (in 16-bit format) of `left_op` is:

```
0000111110110011
```

The expression `left_op << 3` yields:

```
0111110110011000
```

The expression `left_op >> 3` yields:

```
0000000111110110
```

Relational `<` `>` `<=` `>=`

The relational operators compare two operands and determine the validity of a relationship.

C The type of the result is **int** and has the values 1 if the specified relationship is true, and 0 if false.

C++ The type of the result is **bool** and has the values **true** or **false**.

The result is not an lvalue.

The following table describes the four relational operators:

Operator	Usage
<code><</code>	Indicates whether the value of the left operand is less than the value of the right operand.
<code>></code>	Indicates whether the value of the left operand is greater than the value of the right operand.
<code><=</code>	Indicates whether the value of the left operand is less than or equal to the value of the right operand.
<code>>=</code>	Indicates whether the value of the left operand is greater than or equal to the value of the right operand.

Both operands must have arithmetic or enumeration types or be pointers to the same type.

C The result has type **int**.

C++ The result has type **bool**.

If the operands have arithmetic types, the usual arithmetic conversions on the operands are performed.

When the operands are pointers, the result is determined by the locations of the objects to which the pointers refer. If the pointers do not refer to objects in the same array, the result is not defined.

A pointer can be compared to a constant expression that evaluates to 0. You can also compare a pointer to a pointer of type **void***. The pointer is converted to a pointer of type **void***.

If two pointers refer to the same object, they are considered equal. If two pointers refer to nonstatic members of the same object, the pointer to the object declared later is greater, provided that they are not separated by an access specifier; otherwise the comparison is undefined. If two pointers refer to data members of the same union, they have the same address value.

If two pointers refer to elements of the same array, or to the first element beyond the last element of an array, the pointer to the element with the higher subscript value is greater.

You can only compare members of the same object with relational operators.

Relational operators have left-to-right associativity. For example, the expression:

```
a < b <= c
```

is interpreted as:

```
(a < b) <= c
```

If the value of *a* is less than the value of *b*, the first relationship yields 1 in C, or **true** in C++. The compiler then compares the value **true** (or 1) with the value of *c* (integral promotions are carried out if needed).

Equality == !=

The equality operators, like the relational operators, compare two operands for the validity of a relationship. The equality operators, however, have a lower precedence than the relational operators.

C The type of the result is **int** and has the values 1 if the specified relationship is true, and 0 if false.

C++ The type of the result is **bool** and has the values **true** or **false**.

The following table describes the two equality operators:

Operator	Usage
==	Indicates whether the value of the left operand is equal to the value of the right operand.
!=	Indicates whether the value of the left operand is not equal to the value of the right operand.

Both operands must have arithmetic or enumeration types or be pointers to the same type, or one operand must have a pointer type and the other operand must be a pointer to void or a null pointer. The result is type **int** in C or **bool** in C++.

If the operands have arithmetic types, the usual arithmetic conversions on the operands are performed.

If the operands are pointers, the result is determined by the locations of the objects to which the pointers refer.

If one operand is a pointer and the other operand is an integer having the value 0, the == expression is true only if the pointer operand evaluates to NULL. The != operator evaluates to true if the pointer operand does *not* evaluate to NULL.

You can also use the equality operators to compare pointers to members that are of the same type but do not belong to the same object. The following expressions contain examples of equality and relational operators:

```
time < max_time == status < complete
letter != EOF
```

Note: The equality operator (==) should not be confused with the assignment (=) operator.

For example,

```
if (x == 3)    evaluates to true (or 1) if x is equal to three. Equality tests like this should be coded with spaces between the operator and the operands to prevent unintentional assignments.
```

```
while
if (x = 3)    is taken to be true because (x = 3) evaluates to a nonzero value (3). The expression also assigns the value 3 to x.
```

Binary Expressions

Related References

- “Simple Assignment =” on page 115

Bitwise AND &

The & (bitwise AND) operator compares each bit of its first operand to the corresponding bit of the second operand. If both bits are 1's, the corresponding bit of the result is set to 1. Otherwise, it sets the corresponding result bit to 0.

Both operands must have an integral or enumeration type. The usual arithmetic conversions on each operand are performed. The result has the same type as the converted operands.

Because the bitwise AND operator has both associative and commutative properties, the compiler can rearrange the operands in an expression that contains more than one bitwise AND operator.

The following example shows the values of a, b, and the result of a & b represented as 16-bit binary numbers:

bit pattern of a	0000000001011100
bit pattern of b	0000000000101110
bit pattern of a & b	0000000000001100

Note: The bitwise AND (&) should not be confused with the logical AND. (&&) operator. For example,

```
1 & 4 evaluates to 0
while
1 && 4 evaluates to true
```

Related References

- “Logical AND &&” on page 111

Bitwise Exclusive OR ^

The bitwise exclusive OR operator (in EBCDIC, the ^ symbol is represented by the \neg symbol) compares each bit of its first operand to the corresponding bit of the second operand. If both bits are 1's or both bits are 0's, the corresponding bit of the result is set to 0. Otherwise, it sets the corresponding result bit to 1.

Both operands must have an integral or enumeration type. The usual arithmetic conversions on each operand are performed. The result has the same type as the converted operands and is not an lvalue.

Because the bitwise exclusive OR operator has both associative and commutative properties, the compiler can rearrange the operands in an expression that contains more than one bitwise exclusive OR operator. Note that the ^ character can be represented by the trigraph ??'.

The following example shows the values of a, b, and the result of a ^ b represented as 16-bit binary numbers:

bit pattern of a	0000000001011100
bit pattern of b	0000000000101110
bit pattern of a ^ b	0000000001110010

Related References

- “Trigraph Sequences” on page 14

Bitwise Inclusive OR |

The `|` (bitwise inclusive OR) operator compares the values (in binary format) of each operand and yields a value whose bit pattern shows which bits in either of the operands has the value 1. If both of the bits are 0, the result of that bit is 0; otherwise, the result is 1.

Both operands must have an integral or enumeration type. The usual arithmetic conversions on each operand are performed. The result has the same type as the converted operands and is not an lvalue.

Because the bitwise inclusive OR operator has both associative and commutative properties, the compiler can rearrange the operands in an expression that contains more than one bitwise inclusive OR operator. Note that the `|` character can be represented by the trigraph `??|`.

The following example shows the values of `a`, `b`, and the result of `a | b` represented as 16-bit binary numbers:

```
bit pattern of a      0000000001011100
bit pattern of b      0000000000101110
bit pattern of a | b  0000000001111110
```

Note: The bitwise OR (`|`) should not be confused with the logical OR (`||`) operator. For example,

```
1 | 4 evaluates to 5
while
1 || 4 evaluates to true
```

Related References

- “Trigraph Sequences” on page 14
- “Logical OR `||`” on page 112

Logical AND &&

The `&&` (logical AND) operator indicates whether both operands are true.

C If both operands have nonzero values, the result has the value 1. Otherwise, the result has the value 0. The type of the result is `int`. Both operands must have a arithmetic or pointer type. The usual arithmetic conversions on each operand are performed.

C++ If both operands have values of `true`, the result has the value `true`. Otherwise, the result has the value `false`. Both operands are implicitly converted to `bool` and the result type is `bool`.

Unlike the `&` (bitwise AND) operator, the `&&` operator guarantees left-to-right evaluation of the operands. If the left operand evaluates to 0 (or `false`), the right operand is not evaluated.

The following examples show how the expressions that contain the logical AND operator are evaluated:

Expression	Result
<code>1 && 0</code>	false or 0
<code>1 && 4</code>	true or 1
<code>0 && 0</code>	false or 0

The following example uses the logical AND operator to avoid division by zero:

```
(y != 0) && (x / y)
```

The expression `x / y` is not evaluated when `y != 0` evaluates to 0 (or `false`).

Binary Expressions

Note: The logical AND (&&) should not be confused with the bitwise AND (&) operator. For example:

```
1 && 4 evaluates to 1 (or true)
while
1 & 4 evaluates to 0
```

Related References

- “Bitwise AND &” on page 110

Logical OR ||

The || (logical OR) operator indicates whether either operand is true.

C If either of the operands has a nonzero value, the result has the value 1. Otherwise, the result has the value 0. The type of the result is **int**. Both operands must have a arithmetic or pointer type. The usual arithmetic conversions on each operand are performed.

C++ If either operand has a value of **true**, the result has the value **true**. Otherwise, the result has the value **false**. Both operands are implicitly converted to **bool** and the result type is **bool**.

Unlike the | (bitwise inclusive OR) operator, the || operator guarantees left-to-right evaluation of the operands. If the left operand has a nonzero (or **true**) value, the right operand is not evaluated.

The following examples show how expressions that contain the logical OR operator are evaluated:

Expression	Result
1 0	true or 1
1 4	true or 1
0 0	false or 0

The following example uses the logical OR operator to conditionally increment y:

```
++x || ++y;
```

The expression ++y is not evaluated when the expression ++x evaluates to a nonzero (or **true**) quantity.

Note: The logical OR (||) should not be confused with the bitwise OR (|) operator. For example:

```
1 || 4 evaluates to 1 (or true)
while
1 | 4 evaluates to 5
```

Related References

- “Bitwise Inclusive OR |” on page 111

C++ Pointer to Member Operators .* ->*

C++ There are two pointer to member operators: .* and ->*.

The .* operator is used to dereference pointers to class members. The first operand must be of class type. If the type of the first operand is class type T, or is a class that has been derived from class type T, the second operand must be a pointer to a member of a class type T.

The ->* operator is also used to dereference pointers to class members. The first operand must be a pointer to a class type. If the type of the first operand is a pointer to class type T, or is a pointer to a class derived from class type T, the second operand must be a pointer to a member of class type T.

The `.*` and `->*` operators bind the second operand to the first, resulting in an object or function of the type specified by the second operand.

If the result of `.*` or `->*` is a function, you can only use the result as the operand for the `()` (function call) operator. If the second operand is an lvalue, the result of `.*` or `->*` is an lvalue.

Related References

- “Lvalues and Rvalues” on page 80
- “Pointers to Members” on page 218

Conditional Expressions

A *conditional expression* is a compound expression that contains a condition that is implicitly converted to type `bool` in C++(`operand1`), an expression to be evaluated if the condition evaluates to true (`operand2`), and an expression to be evaluated if the condition has the value false (`operand3`).

The conditional expression contains one two-part operator. The `?` symbol follows the condition, and the `:` symbol appears between the two action expressions. All expressions that occur between the `?` and `:` are treated as one expression.

The first operand must have a scalar type. The type of the second and third operands must be one of the following:

- An arithmetic type
- A compatible pointer, structure, or union type
- `void`

The second and third operands can also be a pointer or a null pointer constant.

Two objects are compatible when they have the same type but not necessarily the same type qualifiers (**volatile** or **const**). Pointer objects are compatible if they have the same type or are pointers to `void`.

The first operand is evaluated, and its value determines whether the second or third operand is evaluated:

- If the value is true, the second operand is evaluated.
- If the value is false, the third operand is evaluated.

The result is the value of the second or third operand.

If the second and third expressions evaluate to arithmetic types, the usual arithmetic conversions are performed on the values. The types of the second and third operands determine the type of the result as shown in the following tables.

Conditional expressions have right-to-left associativity with respect to their first and third operands. The leftmost operand is evaluated first, and then only one of the remaining two operands is evaluated. The following expressions are equivalent:

```
a ? b : c ? d : e ? f : g
a ? b : (c ? d : (e ? f : g))
```

Type of Conditional C Expressions

In C, a conditional expression is not an lvalue, nor is its result.

Type of One Operand	Type of Other Operand	Type of Result
Arithmetic	Arithmetic	Arithmetic type after usual arithmetic conversions

Conditional Expressions

Type of One Operand	Type of Other Operand	Type of Result
Structure or union type	Compatible structure or union type	Structure or union type with all the qualifiers on both operands
void	void	void
Pointer to compatible type	Pointer to compatible type	Pointer to type with all the qualifiers specified for the type
Pointer to type	C: The constant 0 cast as void* C++: NULL pointer (the constant 0)	Pointer to type
Pointer to object or incomplete type	Pointer to void	Pointer to void with all the qualifiers specified for the type

Type of Conditional C++ Expressions

In C++, a conditional expression is a valid lvalue if its type is not **void**, and its result is an lvalue.

Type of One Operand	Type of Other Operand	Type of Result
Reference to type	Reference to type	Reference after usual reference conversions
Class T	Class T	Class T
Class T	Class X	Class type for which a conversion exists. If more than one possible conversion exists, the result is ambiguous.
throw expression	Other (type, pointer, reference)	Type of the expression that is not a throw expression

Examples of Conditional Expressions

The following expression determines which variable has the greater value, y or z, and assigns the greater value to the variable x:

```
x = (y > z) ? y : z;
```

The following is an equivalent statement:

```
if (y > z)
    x = y;
else
    x = z;
```

The following expression calls the function `printf`, which receives the value of the variable `c`, if `c` evaluates to a digit. Otherwise, `printf` receives the character constant `'x'`.

```
printf(" c = %c\n", isdigit(c) ? c : 'x');
```

If the last operand of a conditional expression contains an assignment operator, use parentheses to ensure the expression evaluates properly. For example, the `=` operator has higher precedence than the `?:` operator in the following expression:

```
int i,j,k;
(i == 7) ? j ++ : k = j;
```

The compiler will interpret this expression as if it were parenthesized this way:

```
int i,j,k;
((i == 7) ? j ++ : k) = j;
```

That is, `k` is treated as the third operand, not the entire assignment expression `k = j`.

To assign the value of `j` to `k` when `i == 7` is false, enclose the last operand in parentheses:

```
int i,j,k;
(i == 7) ? j ++ : (k = j);
```

Assignment Expressions

An *assignment expression* stores a value in the object designated by the left operand. There are two types of assignment operators: simple assignment and compound assignment.

The left operand in all assignment expressions must be a modifiable lvalue. The type of the expression is the type of the left operand. The value of the expression is the value of the left operand after the assignment has completed.

The result of an assignment expression is not an lvalue in C, but is an lvalue in C++.

All assignment operators have the same precedence and have right-to-left associativity.

Simple Assignment =

The simple assignment operator has the following form:

lvalue = *expr*

The operator stores the value of the right operand *expr* in the object designated by the left operand *lvalue*.

The left operand must be a modifiable lvalue. The type of an assignment operation is the type of the left operand.

If the left operand is not a class type, the right operand is implicitly converted to the type of the left operand. This converted type will not be qualified by **const** or **volatile**.

If the left operand is a class type, that type must be complete. The copy assignment operator of the left operand will be called.

If the left operand is an object of reference type, the compiler will assign the value of the right operand to the object denoted by the reference.

Related References

- “Lvalues and Rvalues” on page 80
- “Pointers” on page 65
- “Type Qualifiers” on page 57

Compound Assignment

The compound assignment operators consist of a binary operator and the simple assignment operator. They perform the operation of the binary operator on both operands and store the result of that operation into the left operand, which must be a modifiable lvalue.

The following table shows the operand types of compound assignment expressions:

Operator	Left Operand	Right Operand
<code>+=</code> or <code>-=</code>	Arithmetic	Arithmetic
<code>+=</code> or <code>-=</code>	Pointer	Integral type
<code>*=</code> , <code>/=</code> , and <code>%=</code>	Arithmetic	Arithmetic
<code><<=</code> , <code>>>=</code> , <code>&=</code> , <code>^=</code> , and <code> =</code>	Integral type	Integral type

Assignment Expressions

Note that the expression

```
a *= b + c
```

is equivalent to

```
a = a * (b + c)
```

and *not*

```
a = a * b + c
```

The following table lists the compound assignment operators and shows an expression using each operator:

Operator	Example	Equivalent Expression
+=	index += 2	index = index + 2
-=	*(pointer++) -= 1	*pointer = *(pointer++) - 1
*=	bonus *= increase	bonus = bonus * increase
/=	time /= hours	time = time / hours
%=	allowance %= 1000	allowance = allowance % 1000
<<=	result <<= num	result = result << num
>>=	form >>= 1	form = form >> 1
&=	mask &= 2	mask = mask & 2
^=	test ^= pre_test	test = test ^ pre_test
=	flag = ON	flag = flag ON

Although the equivalent expression column shows the left operands (from the example column) twice, it is in effect evaluated only once.

C++ In addition to the table of operand types, an expression is implicitly converted to the cv-unqualified type of the left operand if it is not of class type. However, if the left operand is of class type, the class becomes complete, and assignment to objects of the class behaves as a copy assignment operation. Compound expressions and conditional expressions are lvalues in C++, which allows them to be a left operand in a compound assignment expression.

Comma Expressions

A *comma expression* contains two operands of any type separated by a comma and has left-to-right associativity. The left operand is fully evaluated, possibly producing side effects, and its value, if there is one, is discarded. The right operand is then evaluated. The type and value of the result of a comma expression are those of its right operand, after the usual unary conversions. In C, the result of a comma expression is not an lvalue. In C++, the result is an lvalue if the right operand is an lvalue. The following statements are equivalent:

```
r = (a,b,...,c);  
a; b; r = c;
```

The difference is that the comma operator may be suitable for expression contexts, such as loop control expressions.

Similarly, the address of a compound expression can be taken if the right operand is an lvalue.

```
&(a, b)  
a, &b
```

Any number of expressions separated by commas can form a single expression because the comma operator is associative. The use of the comma operator guarantees that the subexpressions will be evaluated in left-to-right order, and the value of the last becomes the value of the entire expression.

In the following example, if `omega` has the value 11, the expression increments `delta` and assigns the value 3 to `alpha`:

```
alpha = (delta++, omega % 4);
```

A sequence point occurs after the evaluation of the first operand. The value of `delta` is discarded.

For example, the value of the expression:

```
intensity++, shade * increment, rotate(direction);
```

is the value of the expression:

```
rotate(direction)
```

The primary use of the comma operator is to produce side effects in the following situations:

- Calling a function
- Entering or repeating an iteration loop
- Testing a condition
- Other situations where a side effect is required but the result of the expression is not immediately needed

In some contexts where the comma character is used, parentheses are required to avoid ambiguity. For example, the function

```
f(a, (t = 3, t + 2), c);
```

has only three arguments: the value of `a`, the value 5, and the value of `c`. Other contexts in which parentheses are required are in field-length expressions in structure and union declarator lists, enumeration value expressions in enumeration declarator lists, and initialization expressions in declarations and initializers.

In the previous example, the comma is used to separate the argument expressions in a function invocation. In this context, its use does not guarantee the order of evaluation (left to right) of the function arguments.

The following table gives some examples of the uses of the comma operator:

Statement	Effects
<code>for (i=0; i<2; ++i, f());</code>	A for statement in which <code>i</code> is incremented and <code>f()</code> is called at each iteration.
<code>if (f(), ++i, i>1) { /* ... */ }</code>	An if statement in which function <code>f()</code> is called, variable <code>i</code> is incremented, and variable <code>i</code> is tested against a value. The first two expressions within this comma expression are evaluated before the expression <code>i>1</code> . Regardless of the results of the first two expressions, the third is evaluated and its result determines whether the if statement is processed.
<code>func((++a, f(a)));</code>	A function call to <code>func()</code> in which <code>a</code> is incremented, the resulting value is passed to a function <code>f()</code> , and the return value of <code>f()</code> is passed to <code>func()</code> . The function <code>func()</code> is passed only a single argument, because the comma expression is enclosed in parentheses within the function argument list.

C++ throw Expressions

▶ **C++** A *throw* expression is used to throw exceptions to C++ exception handlers. A throw expression is of type **void**.

Related References

- Chapter 17, “Exception Handling,” on page 311
- “void Type” on page 43

Chapter 6. Implicit Type Conversions

An expression *e* of a given type is *implicitly converted* if used in one of the following situations:

- Expression *e* is used as an operand of an arithmetic or logical operation.
- Expression *e* is used as a condition in an **if** statement or an iteration statement (such as a **for** loop). Expression *e* will be converted to **bool** (or **int** in C).
- Expression *e* is used in a **switch** statement. Expression *e* will be converted to an integral type.
- Expression *e* is used in an initialization. This includes the following:
 - An assignment is made to an lvalue that has a different type than *e*.
 - A function is provided an argument value of *e* that has a different type than the parameter.
 - Expression *e* is specified in the **return** statement of a function, and *e* has a different type from the defined return type for the function.

The compiler will allow an implicit conversion of an expression *e* to a type *T* if and only if the compiler would allow the following statement:

```
T var = e;
```

For example when you add values having different data types, both values are first converted to the same type: when a **short int** value and an **int** value are added together, the **short int** value is converted to the **int** type.

You can perform explicit type conversions using one of the cast operators, the function style cast, or the C-style cast.

Integral and Floating-Point Promotions

An *integral promotion* is the conversion of one integral type to another where the second type can hold all possible values of the first type. Certain fundamental types can be used wherever an integer can be used. The following fundamental types can be converted through integral promotion are:

- **char**
-  **bool**
- **wchar_t**
- **short int**
- enumerators
- objects of enumeration type
- integer bit fields (both signed and unsigned)

Except for **wchar_t**, if the value cannot be represented by an **int**, the value is converted to an **unsigned int**. For **wchar_t**, if an **int** can represent all the values of the original type, the value is converted to the type that can best represent all the values of the original type. For example, if a **long** can represent all the values, the value is converted to a **long**.

| Binary Floating-Point Promotions

| You can convert an rvalue of type **float** to an rvalue of type **double**. The value of the expression is unchanged. This conversion is a *binary floating-point promotion*.

| Decimal Floating-Point Promotions

|  You can convert an rvalue of type **_Decimal32** to an rvalue of type **_Decimal64**, an rvalue of type **_Decimal32** to an rvalue of type **_Decimal128**, or an rvalue of type **_Decimal64** to an rvalue of type **_Decimal128**. The value of the expression is unchanged. This conversion is a *decimal floating-point promotion*.

Standard Type Conversions

When these conversions occur, the conversion of the value to the new type is exact.

Standard Type Conversions

Many C and C++ operators cause *implicit type conversions*, which change the type of an expression. When you add values having different data types, both values are first converted to the same type. For example, when a **short int** value and an **int** value are added together, the **short int** value is converted to the **int** type. It can result in loss of data if the value of the original object is outside the range representable by the shorter type.

Implicit type conversions can occur when:

- An operand is prepared for an arithmetic or logical operation.
- An assignment is made to an lvalue that has a different type than the assigned value.
- A function is provided an argument value that has a different type than the parameter.
- The value specified in the **return** statement of a function has a different type from the defined return type for the function.

You can perform explicit type conversions using the C-style cast, the C++ function-style cast, or one of the C++ cast operators.

```
#include <iostream>
using namespace std;

int main() {
    float num = 98.76;
    int x1 = (int) num;
    int x2 = int(num);
    int x3 = static_cast<int>(num);

    cout << "x1 = " << x1 << endl;
    cout << "x2 = " << x2 << endl;
    cout << "x3 = " << x3 << endl;
}
```

The following is the output of the above example:

```
x1 = 98
x2 = 98
x3 = 98
```

The integer x1 is assigned a value in which num has been explicitly converted to an **int** with the C-style cast. The integer x2 is assigned a value that has been converted with the function-style cast. The integer x3 is assigned a value that has been converted with the **static_cast** operator.

Related References

- “User-Defined Conversions” on page 273

Lvalue-to-Rvalue Conversions

If an lvalue appears in a situation in which the compiler expects an rvalue, the compiler converts the lvalue to an rvalue.

An lvalue e of a type T can be converted to an rvalue if T is not a function or array type. The type of e after conversion will be T. The following table lists exceptions to this:

Situation before conversion	Resulting behavior
T is an incomplete type	compile-time error
e refers to an uninitialized object	undefined behavior
e refers to an object not of type T	undefined behavior

Situation before conversion	Resulting behavior
C++ e refers to an object not of type T, nor a type derived from T	undefined behavior
C++ T is a non-class type	the type of e after conversion is T, not qualified by either const or volatile

Related References

- “Lvalues and Rvalues” on page 80

Boolean Conversions

C++ You can convert integral, floating-point, arithmetic, enumeration, pointer, and pointer to member rvalue types to an rvalue of type **bool**. A zero, null pointer, or null member pointer value is converted to **false**. All other values are converted to **true**.

The following is an example of boolean conversions:

```
void f(int* a, int b)
{
    bool d = a; // false if a == NULL
    bool e = b; // false if b == 0
}
```

The variable d will be **false** if a is equal to a null pointer. Otherwise, d will be **true**. The variable e will be **false** if b is equal to zero. Otherwise, e will be **true**.

Related References

- “Boolean Variables” on page 39

Integral Conversions

You can convert the following:

- An rvalue of integer type (including signed and unsigned integer types) to another rvalue of integer type
- An rvalue of enumeration type to an rvalue of integer type

If you are converting an integer a to an unsigned type, the resulting value x is the least unsigned integer such that a and x are congruent modulo 2^n , where n is the number of bits used to represent an unsigned type. If two numbers a and x are congruent modulo 2^n , the following expression is true, where the function `pow(m, n)` returns the value of m to the power of n:

```
a % pow(2, n) == x % pow(2, n)
```

If you are converting an integer a to a signed type, the compiler does not change the resulting value if the new type is large enough to hold a. If the new type is not large enough, the behavior is defined by the compiler.

C++ If you are converting a **bool** to an integer, values of **false** are converted to 0; values of **true** are converted to 1.

Integer promotions belong to a different category of conversions; they are not integral conversions.

Related References

- “Integer Variables” on page 43

Standard Type Conversions

Floating-Point Conversions

You can convert an rvalue of floating-point type to another rvalue of floating-point type.

- | Floating-point promotions (for example, converting from **float** to **double**) belong to a different category of conversions; they are not floating-point conversions.

Related References

- “Binary Floating-Point Variables” on page 40
- “Integral and Floating-Point Promotions” on page 119
- “Decimal Floating-Point Variables” on page 41

Pointer Conversions

Pointer conversions are performed when pointers are used, including pointer assignment, initialization, and comparison.

- |  Conversions among the seven kinds of pointers are described in “C/C++ Pointer Support,” in chapter 29 “Using Teraspace in ILE C and C++ Programs” of *ILE C/C++ Programmer’s Guide*.

 Conversions that involve pointers must use an explicit type cast. The exceptions to this rule are the allowable assignment conversions for C pointers. In the following table, a **const**-qualified lvalue cannot be used as a left operand of the assignment.

Table 1. Legal assignment conversions for C pointers

Left operand type	Permitted right operand types
pointer to (object) T	the constant 0 a pointer to a type compatible with T a pointer to void (void*)
pointer to (function) F	the constant 0 a pointer to a function compatible with F

The referenced type of the left operand must have the same qualifiers as the right operand. An object pointer may be an incomplete type if the other pointer has type **void***.

Pointer arguments given to functions should be explicitly cast to ensure that the correct type expected by the function is being passed. The generic object pointer in C is **void***, but there is no generic function pointer.

Conversion to **void***

Any pointer to an object of a type T, optionally type-qualified, can be converted to **void***, keeping the same **const** or **volatile** qualifications.

 The allowable assignment conversions involving **void*** as the left operand are shown in the following table.

Table 2. Legal assignment conversions in C for **void***

Left operand type	Permitted right operand types
(void*)	the constant 0 a pointer to (object) T (void*)
 8-byte pointer	16-pointer
 16-pointer	8-byte pointer

The object T may be an incomplete type.

▶ **C++** Pointers to functions cannot be converted to the type `void*` with a standard conversion: this can be accomplished explicitly, provided that a `void*` has sufficient bits to hold it.

Derived-to-Base Conversions

▶ **C++** You can convert an rvalue pointer of type `B*` to an rvalue pointer of class `A*` where `A` is an accessible base class of `B` as long as the conversion is not ambiguous. The conversion is ambiguous if the expression for the accessible base class can refer to more than one distinct class. The resulting value points to the base class subobject of the derived class object. If the pointer of type `B*` is null, it will be converted to a null pointer of type `A*`. Note that you cannot convert a pointer to a class into a pointer to its base class if the base class is a virtual base class of the derived class.

Null Pointer Constants

A constant expression that evaluates to zero is a *null pointer constant*. This expression can be converted to a pointer. This pointer will be a null pointer (pointer with a zero value), and is guaranteed not to point to any object.

Array-to-Pointer Conversions

You can convert an lvalue or rvalue with type "array of N," where `N` is the type of a single element of the array, to `N*`. The result is a pointer to the initial element of the array. You cannot perform the conversion if the expression is used as the operand of the `&` (address) operator or the `sizeof` operator.

Function-to-Pointer Conversions

You can convert an lvalue that is a function of type `T` to an rvalue that is a pointer to a function of type `T`, except when the expression is used as the operand of the `&` (address) operator, the `()` (function call) operator, or the `sizeof` operator.

Reference Conversions

▶ **C++** A reference conversion can be performed wherever a reference initialization occurs, including reference initialization done in argument passing and function return values. A reference to a class can be converted to a reference to an accessible base class of that class as long as the conversion is not ambiguous. The result of the conversion is a reference to the base class subobject of the derived class object.

Reference conversion is allowed if the corresponding pointer conversion is allowed.

Pointer-to-Member Conversions

▶ **C++** Pointer-to-member conversion can occur when pointers to members are initialized, assigned, or compared. Note that pointer to a member is not the same as a pointer to an object or a pointer to a function.

A constant expression that evaluates to zero can be converted to the null pointer to a member.

A pointer to a member of a base class can be converted to a pointer to a member of a derived class if the following conditions are true:

- The conversion is not ambiguous. The conversion is ambiguous if multiple instances of the base class are in the derived class.

Standard Type Conversions

- A pointer to the derived class can be converted to a pointer to the base class. If this is the case, the base class is said to be *accessible*.
- Member types must match. For example suppose class A is a base class of class B. You cannot convert a pointer to member of A of type **int** to a pointer to member of type B of type **float**.
- The base class cannot be virtual.

Qualification Conversions

C++ You can convert an rvalue of type $cv1 T^*$ where $cv1$ is any combination of zero or more **const** or **volatile** qualifications, to an rvalue of type $cv2 T^*$ if $cv2 T^*$ is more **const** or **volatile** qualified than $cv1 T^*$.

You can convert an rvalue of type pointer to member of a class X of $cv1 T$, to an rvalue of type pointer to member of a class X of $cv2 T$ if $cv2 T$ is more **const** or **volatile** qualified than $cv1 T$.

Related References

- “Type Qualifiers” on page 57

Function Argument Conversions

C If a function declaration is present and includes declared argument types, the compiler performs type checking. If no function declaration is visible when a function is called, or when an expression appears as an argument in the variable part of a prototype argument list, the compiler performs default argument promotions or converts the value of the expression before passing any arguments to the function. The automatic conversions consist of the following:

- Integral promotions
- Arguments with type **float** are converted to type **double**.

C++ Function declarations in C++ must always specify their parameter types. Also, functions may not be called if it has not already been declared.

Related References

- “Integral and Floating-Point Promotions” on page 119
- “Function Declarations” on page 130

Other Conversions

400 Conversions among the seven kinds of pointers are described in “C/C++ Pointer Support,” in chapter 29 “Using Teraspace in ILE C and C++ Programs” of *ILE C/C++ Programmer’s Guide*.

The void type

By definition, the **void** type has no value. Therefore, it cannot be converted to any other type, and no other value can be converted to **void** by assignment. However, a value can be explicitly cast to **void**.

Structure or union types

No conversions between structure or union types are allowed, except for the following. In C, an assignment conversion between compatible structure or union types is allowed if the right operand is of a type compatible with that of the left operand.

Table 3. Legal assignment conversions in C for structure or union types

Left operand type	Permitted right operand types
C a structure or union type	a compatible structure or union type

Class types

C++ There are no standard conversions between class types, but you can write your own conversion operators for class types.

Enumeration types

C In C, when you define a value using the **enum** type specifier, the value is treated as an **int**. Conversions to and from an **enum** value proceed as for the **int** type.

You can convert from an **enum** to any integral type but not from an integral type to an **enum**.

Related References

- “void Type” on page 43
- “User-Defined Conversions” on page 273
- “Enumerations” on page 54

Arithmetic Conversions

The conversions depend on the specific operator and the type of the operand or operands. However, many operators perform similar conversions on operands of integer and floating-point types. These standard conversions are known as the *arithmetic conversions* because they apply to the types of values ordinarily used in arithmetic.

Arithmetic conversions are used for matching operands of arithmetic operators.

Arithmetic conversion proceeds in the following order:

Operand Type	Conversion
C One operand has _Decimal128 type, and the other is not long double, double, or float type.	The other operand is converted to _Decimal128 . ¹
C One operand has _Decimal64 type, and the other is not long double, double, or float type.	The other operand is converted to _Decimal64 . ¹
C One operand has _Decimal32 type, and the other is not long double, double, or float type.	The other operand is converted to _Decimal32 . ¹
One operand has long double type	The other operand is converted to long double .
One operand has double type	The other operand is converted to double .
One operand has float type	The other operand is converted to float .
400 One operand has packed decimal type	The other operand is converted to packed decimal .
One operand has unsigned long long int type	The other operand is converted to unsigned long long int
One operand has long long type.	The other operand is converted to long long .
One operand has unsigned long int type	The other operand is converted to unsigned long int .
One operand has unsigned int type and the other operand has long int type and the value of the unsigned int can be represented in a long int	The operand with unsigned int type is converted to long int .
One operand has unsigned int type and the other operand has long int type and the value of the unsigned int cannot be represented in a long int	Both operands are converted to unsigned long int .
One operand has long int type	The other operand is converted to long int .

Arithmetic Conversions

Operand Type	Conversion
One operand has unsigned int type	The other operand is converted to unsigned int .
Both operands have int type	The result is type int .

Notes:

1. An explicit cast is required to convert between a binary floating-point type and a decimal floating-point type.

Related References

- Chapter 5, “Expressions and Operators,” on page 77
- “Integer Variables” on page 43
- “Binary Floating-Point Variables” on page 40
- “Decimal Floating-Point Variables” on page 41

The explicit Keyword

C++ A constructor declared with only one argument and without the `explicit` keyword is a *converting constructor*. You can construct objects with a converting constructor using the assignment operator. Declaring a constructor of this type with the `explicit` keyword prevents this behavior. The *explicit* keyword controls unwanted implicit type conversions. It can only be used in declarations of constructors within a class declaration. For example, except for the default constructor, the constructors in the following class are converting constructors.

```
class A
{ public:
  A();
  A(int);
  A(const char*, int = 0);
};
```

The following declarations are legal.

```
A c = 1;
A d = "Venditti";
```

The first declaration is equivalent to `A c = A(1)`.

If you declare the constructor of the class with the `explicit` keyword, the previous declarations would be illegal.

For example, if you declare the class as:

```
class A
{ public:
  explicit A();
  explicit A(int);
  explicit A(const char*, int = 0);
};
```

You can only assign values that match the values of the class type.

For example, the following statements will be legal:

```
A a1;
A a2 = A(1);
A a3(1);
A a4 = A("Venditti");
A* p = new A(1);
A a5 = (A)1;
A a6 = static_cast<A>(1);
```

Related References

- “Conversion by Constructor” on page 274

Arithmetic Conversions

Chapter 7. Functions

In the context of programming languages, the term *function* means an assemblage of statements used for computing an output value. The word is used less strictly than in mathematics, where it means a set relating input variables *uniquely* to output variables. Functions in C or C++ programs may not produce consistent outputs for all inputs, may not produce output at all, or may have side effects. Functions can be understood as user-defined operations, in which the parameters of the parameter list, if any, are the operands.

Functions fall into two categories: those written by you and those provided with the C language implementation. The latter are called *library functions*, since they belong to the library of functions supplied with the compiler.

The result of a function is called its *return value*. The data type of the return value is called the *return type*. A function identifier preceded by its return type and followed by its parameter list is called a *function declaration* or *function prototype*. The term *function body* refers to the statements that represent the actions that the function performs. The body of a function is enclosed in braces, which creates what is called a *function block*. The function return type, followed by its name, parameter list, and body constitute the *function definition*.

The function name followed by the function call operator, `()`, causes evaluation of the function. If the function has been defined to receive parameters, the values that are to be sent into the function are listed inside the parentheses of the function call operator. These values are the *arguments* for the parameters, and the process just described is called *passing arguments* to the function.

C++ In C++, the parameter list of a function is referred to as its *signature*. The name and signature of a function uniquely identify it. As the word itself suggests, the function signature is used by the compiler to distinguish among the different instances of overloaded functions.

Related References

- Chapter 11, “Overloading,” on page 189

C++ Enhancements to C Functions

C++ The C++ language provides many enhancements to C functions. These are:

- Reference arguments
- Default arguments
- Reference return types
- Inline functions
- Member functions
- Overloaded functions
- Operator functions
- Constructor and destructor functions
- Conversion functions
- Virtual functions
- Function templates
- Exception specifications
- Constructor initializers

Related References

- “Passing Arguments by Reference” on page 142
- “Default Arguments in C++ Functions” on page 143

C++ Enhancements to C Functions

- “Using References as Return Types” on page 146
- “Inline Functions” on page 148
- “Member Functions” on page 214
- “Overloading Functions” on page 189
- “Overloading Operators” on page 191
- “Constructors and Destructors Overview” on page 257
- “Conversion Functions” on page 275
- “Virtual Functions” on page 249


Function Declarations

A function *declaration* establishes the name of the function and the number and types of its parameters. A function declaration consists of a return type, a name, and a parameter list. In addition, a function declaration may optionally specify the function’s linkage. In C++, the declaration can also specify an exception specification, a const-qualification, or a volatile-qualification.

A declaration informs the compiler of the format and existence of a function prior to its use. A function can be declared several times in a program, provided that all the declarations agree. Every function must be declared implicitly or explicitly before it can be called. In C89, if a function is called without an explicit prototype, the compiler provides an implicit declaration. The compiler checks for mismatches between the parameters of a function call and those in the function declaration. The compiler also uses the declaration for argument type checking and argument conversions.

A function *definition* contains a function declaration and the body of the function. A function can only have one definition.

Declarations are typically placed in header files, while function definitions appear in source files.



A *function argument* is an expression that you use within the parentheses of a function call. A *function parameter* is an object or reference declared within the parenthesis of a function declaration or definition. When you call a function, the arguments are evaluated, and each parameter is initialized with the value of the corresponding argument. The semantics of argument passing are identical to those of assignment.

Some declarations do not name the parameters within the parameter lists; the declarations simply specify the types of parameters and the return values. This is called *prototyping*. A function prototype consists of the function return type, the name of the function, and the parameter list. The following example demonstrates this:

```
int func(int,long);
```

Function prototypes are required for compatibility between C and C++. The non-prototype form of a function that has an empty parameter list means that the function takes an unknown number of parameters in C, whereas in C++, it means that it takes no parameters.

Function Return Type

You can define a function to return any type of value, except arrays and the result of a function call. These exclusions must be handled by returning a pointer to the array or function. A function may return a pointer to function, or a pointer to the first element of an array, but it may not return a value that has a type of array or function. To indicate that the function does not return a value, declare it with a return type of **void**.

A function cannot be declared as returning a data object having a **volatile** or **const** type, but it can return a pointer to a **volatile** or **const** object.

▶ C++ Limitations When Declaring Functions in C++

Every function declaration must specify a return type.

▶ 400 The ILE C++ compiler supports implicit int as a function return type, provided that `LANGLVL(*EXTENDED)` or `LANGLVL(*LEGACY)` has been specified.

Only member functions may have **const** or **volatile** specifiers after the parenthesized parameter list.

The *exception_specification* limits the function from throwing only a specified list of exceptions.

Other Limitations When Declaring a Function

The ellipsis (...) may be the only argument in C++. In this case, the comma is not required. In C, you cannot have an ellipsis as the only argument.

Types cannot be defined in return or argument types. For example, the C++ compiler will allow the following declaration of `print()`:

```
struct X { int i; };
void print(X x);
```

The C compiler will allow the following declaration:

```
struct X { int i; };
void print(struct X x);
```

Neither the C nor C++ compiler will not allow the following declaration of the same function:

```
void print(struct X { int i; } x); //error
```

This example attempts to declare a function `print()` that takes an object `x` of class `X` as its argument. However, the class definition is not allowed within the argument list.

In another example, the C++ compiler will allow the following declaration of `counter()`:

```
enum count {one, two, three};
count counter();
```

Similarly, the C compiler will allow the following declaration:

```
enum count {one, two, three};
enum count counter();
```

Neither compiler will not allow the following declaration of the same function:

```
enum count{one, two, three} counter(); //error
```

In the attempt to declare `counter()`, the enumeration type definition cannot appear in the return type of the function declaration.

Related References

Function Declarations

- “Type Qualifiers” on page 57
- “Exception Specifications” on page 322

C++ Function Declarations

C++ In C++, you can specify the qualifiers **volatile** and **const** in member function declarations. You can also specify exception specifications in function declarations. All C++ functions must be declared before they can be called.

Related References

- “Type Qualifiers” on page 57
- “const and volatile Member Functions” on page 215
- “Exception Specifications” on page 322

Multiple Function Declarations

C++ All function declarations for one particular function must have the same number and type of parameters, and must have the same return type.

These return and parameter types are part of the function type, although the default arguments and exception specifications are not.

If a previous declaration of an object or function is visible in an enclosing scope, the identifier has the same linkage as the first declaration. However, a variable or function that has no linkage and later declared with a linkage specifier will have the linkage you have specified.

For the purposes of argument matching, ellipsis and linkage keywords are considered a part of the function type. They must be used consistently in all declarations of a function. If the only difference between the parameter types in two declarations is in the use of **typedef** names or unspecified argument array bounds, the declarations are the same. A **const** or **volatile** type qualifier is also part of the function type, but can only be part of a declaration or definition of a nonstatic member function.

If two function declarations match in both return type and parameter lists, then the second declaration is treated as redeclaration of the first. The following example declares the same function:

```
int foo(const string &bar);
int foo(const string &);
```

Declaring two functions differing only in return type is not valid function overloading, and is flagged as a compile-time error. For example:

```
void f();
int f();    // error, two definitions differ only in
           // return type

int g()
{
    return f();
}
```

Related References

- “Overloading Functions” on page 189

Parameter Names in Function Declarations

C++ You can supply parameter names in a function declaration, but the compiler ignores them except in the following two situations:

1. If two parameter names have the same name within a single declaration. This is an error.
2. If a parameter name is the same as a name outside the function. In this case the name outside the function is hidden and cannot be used in the parameter declaration.

In the following example, the third parameter name `intersects` is meant to have enumeration type `subway_line`, but this name is hidden by the name of the first parameter. The declaration of the function `subway()` causes a compile-time error because `subway_line` is not a valid type name because the first parameter name `subway_line` hides the namespace scope `enum` type and cannot be used again in the second parameter.

```
enum subway_line {yonge,
university, spadina, bloor};
int subway(char * subway_line, int stations,
           subway_line intersects);
```

Examples of Function Declarations

The following code fragments show several function declarations. The first declares a function `f` that takes two integer arguments and has a return type of `void`:

```
void f(int, int);
```

The following code fragment declares a pointer `p1` to a function that takes a pointer to a constant character and returns an integer:

```
int (*p1) (const char*);
```

The following code fragment declares a function `f1` that takes an integer argument, and returns a pointer to a function that takes an integer argument and returns an integer:

```
int (*f1(int)) (int);
```

Alternatively, a `typedef` can be used for the complicated return type of function `f1`:

```
typedef int f1_return_type(int);
f1_return_type* f1(int);
```

 The remainder of this section pertains to C++ only.

The following declaration is of an external function `f2` that takes a constant integer as its first argument, can have a variable number and variable types of other arguments, and returns type `int`.

```
int extern f2(const int ...);
```

However, in C, a comma is required before the ellipsis:

```
int extern f2(const int, ...);
```

Function `f3` has a return type `int`, and takes an `int` argument with a default value that is the value returned from function `f2`:

```
const int j = 5;
int f3( int x = f2(j) );
```

Function `f6` is a `const` class member function of class `X`, takes no arguments, and has a return type of `int`:

```
class X
{
public:
    int f6() const;
};
```

Function `f4` takes no arguments, has return type `void`, and can throw class objects of types `X` and `Y`.

```
class X;
class Y;

// ...

void f4() throw(X,Y);
```

Function Declarations


Function `f5` takes no arguments, has return type `void`, and will call `unexpected()` if it throws an exception of any type.

```
void f5() throw();
```

Function Definitions

A *function definition* contains a function declaration and the body of a function.


C The syntax for a C function definition is as follows:



function_body:




C++ The syntax for a C++ function definition is as follows:




function_body:



body:



catch_handlers:

In both languages, a function definition contains the following:

- At least one *type specifier*, which determines the type of value that the function returns. For example, the syntax for a function that returns an **unsigned long int** uses three type specifiers.
- An optional *storage class specifier* **extern** or **static**, which determines the scope of the function. If a storage class specifier is not given, the function has external linkage.
- A *function declarator* is the function name followed by a parenthesized list of parameter types and names each parameter that the function expects. In the following function definition, `f(int a, int b)` is the function declarator:

```
int f(int a, int b) {
    return a + b;
}
```

- A *block statement*, which contains data definitions and code.

► **C++** A C++ function definition may optionally contain the following:

- **const** or **volatile** specifiers after the function declarator for a member function.
- An *exception specification*, which limits the function from throwing only a specified list of exceptions.
- A *try block* with one or more *catch handlers* instead of a *block statement*.
- A *constructor initializer list* before the block statement if the function definition is for a constructor. In the following definition of class `A`, `x(0)`, `y('c')` is the constructor initializer list:

```
class A {
    int x;
    char y;
public:
    A() : x(0), y('c') { }
};
```

A function can be called by itself or by other functions. By default, function definitions have external linkage, and can be called by functions defined in other files. A storage class specifier of **static** means that the function name has global scope only, and can be directly invoked only from within the same translation unit.

► **C++** This use of **static** is deprecated in C++. Instead, place the function in the unnamed namespace.

► **C** In C, if a function definition has external linkage and a return type of **int**, calls to the function can be made before it is visible because an implicit declaration of `extern int func();` is assumed. To be compatible with C++, all functions must be declared with prototypes.

► **C** If the function does not return a value, use the keyword **void** as the type specifier. If the function does not take any parameters, use the keyword **void** rather than an empty parameter list to indicate that the function is not passed any arguments. In C, a function with an empty parameter list signifies a function that takes an unknown number of parameters; in C++, it means it takes no parameters.

► **C** In C, you cannot declare a function as a struct or union member.

Compatibility of Function Declarations

Function Definitions

All declarations for a given function must be compatible; that is, the return type is the same and the parameters have the same type.

Compatibility of Function Types

C The notion of type compatibility pertains only to C. For two function types to be compatible, the return types must be compatible. If both function types are specified without prototypes, this is the only requirement.

For two functions declared with prototypes, the composite type must meet the following additional requirements:

- If one of the function types has a parameter type list, the composite type is a function prototype with the same parameter type list.
- If both types are function types with parameter lists, then each parameter in the parameter list of the composite is the composite type of the corresponding parameters.

and may use the `[*]` notation in their sequences of declarator specifiers to specify variable length array types.

If the function declarator is not part of the function definition, the parameters may have incomplete type. The parameters may also specify variable length array types by using the `[*]` notation in their sequences of declarator specifiers. The following are examples of compatible function prototype declarators:

```
double maximum(int n, int m, double a[n][m]);
double maximum(int n, int m, double a[*][*]);
double maximum(int n, int m, double a[ ][*]);
double maximum(int n, int m, double a[ ][m]);
```

Examples of Function Definitions

The following example is a definition of the function `sum`:

```
int sum(int x,int y)
{
    return(x + y);
}
```

The function `sum` has external linkage, returns an object that has type `int`, and has two parameters of type `int` declared as `x` and `y`. The function body contains a single statement that returns the sum of `x` and `y`.

In the following example, `ary` is an array of two function pointers. Type casting is performed to the values assigned to `ary` for compatibility:

```
#include <stdio.h>

typedef void (*ARYTYPE)();

int func1(void);
void func2(double a);

int main(void)
{
    double num = 333.3333;
    int retnum;
    ARYTYPE ary[2];
    ary[0]=(ARYTYPE)func1;
    ary[1]=(ARYTYPE)func2;

    retnum=((int (*)(void))ary[0])(); /* calls func1 */
    printf("number returned = %i\n", retnum);
    ((void (*)(double))ary[1])(num); /* calls func2 */
}
```

```

    return(0);
}

int func1(void)
{
    int number=3;
    return number;
}

void func2(double a)
{
    printf("result of func2 = %f\n", a);
}

```

The following is the output of the above example:

```

number
returned = 3
result of func2 = 333.333300

```

Related References

- “extern Storage Class Specifier” on page 30
- “static Storage Class Specifier” on page 33
- “Type Qualifiers” on page 57

Ellipsis and void

An ellipsis at the end of the parameter specifications is used to specify that a function has a variable number of parameters. The number of parameters is equal to, or greater than, the number of parameter specifications. At least one parameter declaration must come before the ellipsis.

```
int f(int, ...);
```

► **C++** The comma before the ellipsis is optional. In addition, a parameter declaration is not required before the ellipsis.

► **C** The comma before the ellipsis as well as a parameter declaration before the ellipsis are both required in C.

| ► **C** Parameter promotions are performed as needed, but no type checking is done on the variable arguments. For decimal floating-point types, no parameter promotion is performed.

You can declare a function with no arguments in two ways:

```
int f(void);
int f();
```

► **C++** An empty argument declaration list or the argument declaration list of (void) indicates a function that takes no arguments.

► **C** An empty argument declaration list means that the function may take any number or type of parameters.

The type **void** cannot be used as an argument type, although types derived from **void** (such as pointers to **void**) can be used.

In the following example, the function `f()` takes one integer argument and returns no value, while `g()` expects no arguments and returns an integer.

```
void f(int);
int g(void);
```

Function Definitions

Examples of Function Definitions

The following example contains a function declarator `i_sort` with `table` declared as a pointer to `int` and `length` declared as type `int`. Note that arrays as parameters are implicitly converted to a pointer to the element type.

```
/**
 ** This example illustrates function definitions.
 ** Note that arrays as parameters are implicitly
 ** converted to a pointer to the type.
 **/

#include <stdio.h>

void i_sort(int table[ ], int length);

int main(void)
{
    int table[ ]={1,5,8,4};
    int length=4;
    printf("length is %d\n",length);
    i_sort(table,length);
}

void i_sort(int table[ ], int length)
{
    int i, j, temp;

    for (i = 0; i < length -1; i++)
        for (j = i + 1; j < length; j++)
            if (table[i] > table[j])
                {
                    temp = table[i];
                    table[i] = table[j];
                    table[j] = temp;
                }
}
```

The following are examples of function declarations (also called *function prototypes*):

```
double square(float x);
int area(int x,int y);
static char *search(char);
```

The following example illustrates how a **typedef** identifier can be used in a function declarator:

```
typedef struct tm_fmt { int minutes;
                       int hours;
                       char am_pm;
                       } struct_t;
long time_seconds(struct_t arrival)
```

The following function `set_date` declares a pointer to a structure of type `date` as a parameter. `date_ptr` has the storage class specifier **register**.

```
void set_date(register struct date *date_ptr)
{
    date_ptr->mon = 12;
    date_ptr->day = 25;
    date_ptr->year = 87;
}
```

The main() Function

When a program begins running, the system calls the function `main`, which marks the entry point of the program. Every program must have one function named `main`. No other function in the program can be called `main`. A `main` function has one of two forms:

```

▶ C int main (void) block_statement

▶ C++ int main ( )block_statement
int main (int argc, char ** argv)block_statement

```

The argument `argc` is the number of command-line arguments passed to the program. The argument `argv` is a pointer to an array of strings, where `argv[0]` is the name you used to run your program from the command-line, `argv[1]` the first argument that you passed to your program, `argv[2]` the second argument, and so on.

By default, `main` has the storage class **extern**.

▶ C++ You cannot declare `main` as **inline** or **static**. You cannot call `main` from within a program or take the address of `main`. You cannot overload this function.

Arguments to main

The function `main` can be declared with or without parameters.

```
int main(int argc, char *argv[])
```

Although any name can be given to these parameters, they are usually referred to as `argc` and `argv`.

The first parameter, `argc` (argument count), has type **int** and indicates how many arguments were entered on the command line.

The second parameter, `argv` (argument vector), has type array of pointers to **char** array objects. **char** array objects are null-terminated strings.

The value of `argc` indicates the number of pointers in the array `argv`. If a program name is available, the first element in `argv` points to a character array that contains the program name or the invocation name of the program that is being run. If the name cannot be determined, the first element in `argv` points to a null character.

This name is counted as one of the arguments to the function `main`. For example, if only the program name is entered on the command line, `argc` has a value of 1 and `argv[0]` points to the program name.

Regardless of the number of arguments entered on the command line, `argv[argc]` always contains `NULL`.

Example of Arguments to main

The following program backward prints the arguments entered on a command line such that the last argument is printed first:

```

#include <stdio.h>
int main(int argc, char *argv[])
{
    while (--argc > 0)
        printf("%s ", argv[argc]);
}

```

Invoking this program from a command line with the following:

```
backward string1 string2
```

main

gives the following output:

```
string2 string1
```

The arguments `argc` and `argv` would contain the following values:

Object	Value
<code>argc</code>	3
<code>argv[0]</code>	pointer to string "backward"
<code>argv[1]</code>	pointer to string "string1"
<code>argv[2]</code>	pointer to string "string2"
<code>argv[3]</code>	NULL

Note: Be careful when entering mixed case characters on a command line because some environments are not case-sensitive. Also, the exact format of the string pointed to by `argv[0]` is system-dependent.

Calling Functions and Passing Arguments

The arguments of a function call are used to initialize the parameters of the function definition. Array expressions and C function designators as arguments are converted to pointers before the call.

Integral and floating-point promotions will first be done to the values of the arguments before the function is called.

The type of an argument is checked against the type of the corresponding parameter in the function declaration. All standard and user-defined type conversions are applied as necessary. The value of each argument expression is converted to the type of the corresponding parameter as if by assignment.

For example:

```
#include <stdio.h>
#include <math.h>

/* Declaration */
extern double root(double, double);

/* Definition */
double root(double value, double base) {
    double temp = exp(log(value)/base);
    return temp;
}

int main(void) {
    int value = 144;
    int base = 2;
    printf("The root is: %f\n", root(value, base));
    return 0;
}
```

The output is The root is: 12.000000

In the above example, because the function `root` is expecting arguments of type **double**, the two **int** arguments `value` and `base` are implicitly converted to type **double** when the function is called.

The order in which arguments are evaluated and passed to the function is implementation-defined. For example, the following sequence of statements calls the function `tester`:

```
int x;
x = 1;
tester(x++, x);
```

The call to `tester` in the example may produce different results on different compilers. Depending on the implementation, `x++` may be evaluated first or `x` may be evaluated first. To avoid the ambiguity and have `x++` evaluated first, replace the preceding sequence of statements with the following:

```
int x, y;
x = 1;
y = x++;
tester(y, x);
```

C++ The remainder of this section pertains only to C ++.

If a nonstatic class member function is passed as an argument, the argument is converted to a pointer to member.

If a class has a destructor or a copy constructor that does more than a bitwise copy, passing a class object by value results in the construction of a temporary that is actually passed by reference.

It is an error when a function argument is a class object and all of the following properties hold:

- The class needs a copy constructor.
- The class does not have a user-defined copy constructor.
- A copy constructor cannot be generated for that class.

Passing Arguments by Value

If you call a function with an argument that corresponds to a non-reference parameter, you have passed that argument by value. The parameter is initialized with the value of the argument. You can change the value of the parameter (if that parameter has not been declared `const`) within the scope of the function, but these changes will not affect the value of the argument in the calling function.

The following are examples of passing arguments by value:

The following statement calls the function `printf`, which receives a character string and the return value of the function `sum`, which receives the values of `a` and `b`:

```
printf("sum = %d\n", sum(a,b));
```

The following program passes the value of `count` to the function `increment`, which increases the value of the parameter `x` by 1.

```
/**
 ** An example of passing an argument to a function
 **/

#include <stdio.h>

void increment(int);

int main(void)
{
    int count = 5;

    /* value of count is passed to the function */
    increment(count);
    printf("count = %d\n", count);

    return(0);
}

void increment(int x)
```

Calling Functions and Passing Arguments

```
{
    ++x;
    printf("x = %d\n", x);
}
```

The output illustrates that the value of `count` in `main` remains unchanged:

```
x = 6
count = 5
```

Related References

- “Function Call Operator ()” on page 86

Passing Arguments by Reference

Passing by reference refers to a method of passing arguments where the value of an argument in the calling function can be modified in the called function.

To pass an argument by reference, you declare the corresponding parameter with a reference type.

The following example shows how arguments are passed by reference. Note that reference parameters are initialized with the actual arguments when the function is called.

```
#include <stdio.h>

void swapnum(int &i, int &j) {
    int temp = i;
    i = j;
    j = temp;
}

int main(void) {
    int a = 10;
    int b = 20;

    swapnum(a, b);
    printf("A is %d and B is %d\n", a, b);
    return 0;
}
```

When the function `swapnum()` is called, the actual values of the variables `a` and `b` are exchanged because they are passed by reference. The output is:

```
A is 20 and B is 10
```

You must define the parameters of `swapnum()` as references if you want the values of the actual arguments to be modified by the function `swapnum()`.

 In order to modify a reference that is **const**-qualified, you must cast away its constness with the **const_cast** operator. The following example demonstrates this:

```
#include <iostream>
using namespace std;

void f(const int& x) {
    int* y = const_cast<int>(&x);
    (*y)++;
}

int main() {
    int a = 5;
    f(a);
    cout << a << endl;
}
```

This example outputs 6.

You can modify the values of nonconstant objects through pointer parameters. The following example demonstrates this:

```
#include <stdio.h>

int main(void)
{
    void increment(int *x);
    int count = 5;

    /* address of count is passed to the function */
    increment(&count);
    printf("count = %d\n", count);

    return(0);
}

void increment(int *x)
{
    ++*x;
    printf("*x = %d\n", *x);
}
```

The following is the output of the above code:

```
*x = 6
count = 6
```

The example passes the address of count to increment(). Function increment() increments count through the pointer parameter x.

Default Arguments in C++ Functions

 You can provide default values for function parameters. For example:

```
#include <iostream>
using namespace std;

int a = 1;
int f(int a) { return a; }
int g(int x = f(a)) { return x; }

int h() {
    a = 2;
    {
        int a = 3;
        return g();
    }
}

int main() {
    cout << h() << endl;
}
```

This example prints 2 to standard output, because the a referred to in the declaration of g() is the one at file scope, which has the value 2 when g() is called.

The default argument must be implicitly convertible to the parameter type.

A pointer to a function must have the same type as the function. Attempts to take the address of a function by reference without specifying the type of the function will produce an error. The type of a function is not affected by arguments with default values.

Default Arguments in C++ Functions

The following example shows that default arguments are not considered part of a function's type. The default argument allows you to call a function without specifying all of the arguments, it does not allow you to create a pointer to the function that does not specify the types of all the arguments. Function `f` can be called without an explicit argument, but the pointer `badpointer` cannot be defined without specifying the type of the argument:

```
int f(int = 0);
void g()
{
    int a = f(1);           // ok
    int b = f();           // ok, default argument used
}
int (*pointer)(int) = &f;  // ok, type of f() specified (int)
int (*badpointer)() = &f; // error, badpointer and f have
                          // different types. badpointer must
                          // be initialized with a pointer to
                          // a function taking no arguments.
```

Related References

- "Pointers to Functions" on page 147

Restrictions on Default Arguments

Of the operators, only the function call operator and the operator `new` can have default arguments when they are overloaded.

Parameters with default arguments must be the trailing parameters in the function declaration parameter list. For example:

```
void f(int a, int b = 2, int c = 3); // trailing defaults
void g(int a = 1, int b = 2, int c); // error, leading defaults
void h(int a, int b = 3, int c);    // error, default in middle
```

Once a default argument has been given in a declaration or definition, you cannot redefine that argument, even to the same value. However, you can add default arguments not given in previous declarations. For example, the last declaration below attempts to redefine the default values for `a` and `b`:

```
void f(int a, int b, int c=1); // valid
void f(int a, int b=1, int c); // valid, add another default
void f(int a=1, int b, int c); // valid, add another default
void f(int a=1, int b=1, int c=1); // error, redefined defaults
```

You can supply any default argument values in the function declaration or in the definition. Any parameters in the parameter list following a default argument value must have a default argument value specified in this or a previous declaration of the function.

You cannot use local variables in default argument expressions. For example, the compiler generates errors for both function `g()` and function `h()` below:

```
void f(int a)
{
    int b=4;
    void g(int c=a); // Local variable "a" cannot be used here
    void h(int d=b); // Local variable "b" cannot be used here
}
```

Related References

- "Function Call Operator ()" on page 86
- "C++ new Operator" on page 99
- "Default Arguments in C++ Functions" on page 143

Evaluating Default Arguments

When a function defined with default arguments is called with trailing arguments missing, the default expressions are evaluated. For example:

```
void f(int a, int b = 2, int c = 3); // declaration
// ...
int a = 1;
f(a);           // same as call f(a,2,3)
f(a,10);        // same as call f(a,10,3)
f(a,10,20);     // no default arguments
```

Default arguments are checked against the function declaration and evaluated when the function is called. The order of evaluation of default arguments is undefined. Default argument expressions cannot use other parameters of the function. For example:

```
int f(int q = 3, int r = q); // error
```

The argument `r` cannot be initialized with the value of the argument `q` because the value of `q` may not be known when it is assigned to `r`. If the above function declaration is rewritten:

```
int q=5;
int f(int q = 3, int r = q); // error
```

The value of `r` in the function declaration still produces an error because the variable `q` defined outside of the function is hidden by the argument `q` declared for the function. Similarly:

```
typedef double D;
int f(int D, int z = D(5.3) ); // error
```

Here the type `D` is interpreted within the function declaration as the name of an integer. The type `D` is hidden by the argument `D`. The cast `D(5.3)` is therefore not interpreted as a cast because `D` is the name of the argument not a type.

In the following example, the nonstatic member `a` cannot be used as an initializer because `a` does not exist until an object of class `X` is constructed. You can use the static member `b` as an initializer because `b` is created independently of any objects of class `X`. You can declare the member `b` after its use as a default argument because the default values are not analyzed until after the final bracket `}` of the class declaration.

```
class X
{
    int a;
    f(int z = a) ; // error
    g(int z = b) ; // valid
    static int b;
};
```

Related References

- “Default Arguments in C++ Functions” on page 143

Function Return Values

You must return a value from a function unless the function has a return type of `void`.

The return value is specified in a **return** statement. The following code fragment shows a function definition, including the **return** statement:

```
int add(int i, int j)
{
    return i + j; // return statement
}
```

The function `add()` can be called as shown in the following code fragment:

Function Return Values

```
int a = 10,  
    b = 20;  
int answer = add(a, b); // answer is 30
```

In this example, the return statement initializes a variable of the returned type. The variable `answer` is initialized with the `int` value 30. The type of the returned expression is checked against the returned type. All standard and user-defined conversions are performed as necessary.

Each time a function is called, new copies of its variables with automatic storage are created. Because the storage for these automatic variables may be reused after the function has terminated, a pointer or reference to an automatic variable should not be returned.

► **C++** If a class object is returned, a temporary object may be created if the class has copy constructors or a destructor.

Related References

- “return Statement” on page 162
- “Value of a return Expression and Function Value” on page 163
- “Temporary Objects” on page 272

Using References as Return Types

References can also be used as return types for functions. The reference returns the lvalue of the object to which it refers. This allows you to place function calls on the left side of assignment statements.

► **C++** Referenced return values are used when assignment operators and subscripting operators are overloaded so that the results of the overloaded operators can be used as actual values.

Note: Returning a reference to an automatic variable gives unpredictable results.

Allocation and Deallocation Functions

► **C++** You may define your own new operator or allocation function as a class member function or a global namespace function with the following restrictions:

- The first parameter must be of type `std::size_t`. It cannot have a default parameter.
- The return type must be of type `void*`.
- Your allocation function may be a template function. Neither the first parameter nor the return type may depend on a template parameter.
- If you declare your allocation function with the empty exception specification `throw()`, your allocation function must return a null pointer if your function fails. Otherwise, your function must throw an exception of type `std::bad_alloc` or a class derived from `std::bad_alloc` if your function fails.

You may define your own delete operator or deallocation function as a class member function or a global namespace function with the following restrictions:

- The first parameter must be of type `void*`.
- The return type must be of type `void`.
- Your deallocation function may be a template function. Neither the first parameter nor the return type may depend on a template parameter.

The following example defines replacement functions for global namespace `new` and `delete`:

```
#include <cstdio>  
#include <cstdlib>  
  
using namespace std;  
  
void* operator new(size_t sz) {  
    printf("operator new with %d bytes\n", sz);  
    void* p = malloc(sz);  
}
```

```

    if (p == 0) printf("Memory error\n");
    return p;
}

void operator delete(void* p) {
    if (p == 0) printf ("Deleting a null pointer\n");
    else {
        printf("delete object\n");
        free(p);
    }
}

struct A {
    const char* data;
    A() : data("Text String") { printf("Constructor of S\n"); }
    ~A() { printf("Destructor of S\n"); }
};

int main() {
    A* ap1 = new A;
    delete ap1;

    printf("Array of size 2:\n");
    A* ap2 = new A[2];
    delete[] ap2;
}

```

The following is the output of the above example:

```

operator
new with 40 bytes
operator new with 33 bytes
operator new with 4 bytes
Constructor of S
Destructor of S
delete object
Array of size 2:
operator new with 16 bytes
Constructor of S
Constructor of S
Destructor of S
Destructor of S
delete object

```

Related References

- “Free Store” on page 268

Pointers to Functions

A pointer to a function points to the address of the executable code of the function. You can use pointers to call functions and to pass functions as arguments to other functions. You cannot perform pointer arithmetic on pointers to functions.

The type of a pointer to a function is based on both the return type and parameter types of the function.

A declaration of a pointer to a function must have the pointer name in parentheses. The function call operator () has a higher precedence than the dereference operator *. Without them, the compiler interprets the statement as a function that returns a pointer to a specified return type. For example:

```

int *f(int a);          /* function f returning an int*          */
int (*g)(int a);       /* pointer g to a function returning an int          */
char (*h)(int, int)    /* h is a function
                       that takes two integer parameters and returns char */

```

Pointers to Functions

In the first declaration, `f` is interpreted as a function that takes an `int` as argument, and returns a pointer to an `int`. In the second declaration, `g` is interpreted as a pointer to a function that takes an `int` argument and that returns an `int`.

Related References

- “Pointer Conversions” on page 122

Inline Functions

An inline function is one for which the compiler copies the code from the function definition directly into the code of the calling function rather than creating a separate set of instructions in memory. Instead of transferring control to and from the function code segment, a modified copy of the function body may be substituted directly for the function call. In this way, the performance overhead of a function call is avoided.

A function is declared inline by using the **inline** function specifier or by defining a member function within a class or structure definition. The **inline** specifier is only a suggestion to the compiler that an inline expansion can be performed; the compiler is free to ignore the suggestion.

The following code fragment shows an inline function definition.

```
inline int add(int i, int j) { return i + j; }
```

The use of the **inline** specifier does not change the meaning of the function. However, the inline expansion of a function may not preserve the order of evaluation of the actual arguments. Inline expansion also does not change the linkage of a function: the linkage is external by default.

C++ In C++, both member and nonmember functions can be inlined. Member functions that are implemented inside the body of a class declaration are implicitly declared inline. Constructors, copy constructors, assignment operators, and destructors that are created by the compiler are also implicitly declared inline. An inline function that the compiler does not inline is treated similarly to an ordinary function: only a single copy of the function exists, regardless of the number of translation units in which it is defined.

The compiler might still choose not to inline the **extern inline** function `two`, despite the presence of the **inline** function specifier.

Related References

- “Member Functions” on page 214
- “extern Storage Class Specifier” on page 30

Chapter 8. Statements

A statement, the smallest independent computational unit, specifies an action to be performed. In most cases, statements are executed in sequence. The following is a summary of the statements available in C and C++:

- labeled statements
 - identifier labels
 - **case** labels
 - **default** labels
- expression statements
- block or compound statements
- selection statements
 - **if** statements
 - **switch** statements
- iteration statements
 - **while** statements
 - **do** statements
 - **for** statements
- jump statements
 - **break** statements
 - **continue** statements
 - **return** statements
 - **goto** statements
- declaration statements
-  **try** blocks

Labels

There are three kinds of labels: identifier, case, and default.

Identifier label statements have the following form:

▶▶—*identifier*—:—*statement*—▶▶

The label consists of the *identifier* and the colon (:) character.

 A label name must be unique within the function in which it appears.

 In C++, an identifier label may only be used as the target of a **goto** statement. A **goto** statement can use a label before its definition. Identifier labels have their own name space; you do not have to worry about identifier labels conflicting with other identifiers. However, you may not redeclare a label within a function.

Case and default label statements only appear in **switch** statements. These labels are accessible only within the closest enclosing **switch** statement.

Case statements have the following form:

▶▶—*case*—*constant_expression*—:—*statement*—▶▶

Default label statements have the following form:

Labels

▶▶—default—:—*statement*—▶▶

Examples of Labels

```
comment_complete : ;           /* null statement label */
test_for_null : if (NULL == pointer)
```

Related References

- “goto Statement” on page 163
- “switch Statement” on page 153

Expression Statements

An *expression statement* contains an expression. The expression can be null.

An expression statement has the form:

▶▶ `[expression];` ▶▶

An expression statement evaluates *expression*, then discards the value of the expression. An expression statement without an expression is a null statement.

Examples of Expressions

```
printf("Account Number: \n");      /* call to the printf */
marks = dollars * exch_rate;        /* assignment to marks */
(difference < 0) ? ++losses : ++gain; /* conditional increment */
```

Related References

- Chapter 5, “Expressions and Operators,” on page 77

Resolving Ambiguous Statements in C++

▶ C++ The C++ syntax does not disambiguate between expression statements and declaration statements. The ambiguity arises when an expression statement has a function-style cast as its left-most subexpression. (Note that, because C does not support function-style casts, this ambiguity does not occur in C programs.) If the statement can be interpreted both as a declaration and as an expression, the statement is interpreted as a declaration statement.

Note: The ambiguity is resolved only on a syntactic level. The disambiguation does not use the meaning of the names, except to assess whether or not they are type names.

The following expressions disambiguate into expression statements because the ambiguous subexpression is followed by an assignment or an operator. `type_spec` in the expressions can be any type specifier:

```
type_spec(i)++;           // expression statement
type_spec(i,3)<<d;        // expression statement
type_spec(i)->l=24;       // expression statement
```

In the following examples, the ambiguity cannot be resolved syntactically, and the statements are interpreted as declarations. `type_spec` is any type specifier:

```
type_spec(*i)(int);      // declaration
type_spec(j)[5];         // declaration
type_spec(m) = { 1, 2 }; // declaration
type_spec(*k) (float(3)); // declaration
```

The last statement above causes a compile-time error because you cannot initialize a pointer with a float value.

Any ambiguous statement that is not resolved by the above rules is by default a declaration statement. All of the following are declaration statements:

```
type_spec(a);           // declaration
type_spec(*b)();       // declaration
type_spec(c)=23;       // declaration
type_spec(d),e,f,g=0;  // declaration
type_spec(h)(e,3);     // declaration
```


Related References

- Chapter 3, “Declarations,” on page 27
- Chapter 5, “Expressions and Operators,” on page 77
- “Function Call Operator ()” on page 86

Block Statement

A *block statement*, or *compound statement*, lets you group any number of data definitions, declarations, and statements into one statement. All definitions, declarations, and statements enclosed within a single set of braces are treated as a single statement. You can use a block wherever a single statement is allowed.

A block statement has the form:



C At the C89 language level, definitions and declarations must precede any statements.

C++ Declarations and definitions can appear anywhere, mixed in with other code.

A block defines a local scope. If a data object is usable within a block and its identifier is not redefined, all nested blocks can use that data object.

Example of Blocks

The following program shows how the values of data objects change in nested blocks:

```
/**
** This example shows how data objects change in nested blocks.
**/
#include <stdio.h>

int main(void)
{
    int x = 1;           /* Initialize x to 1 */
    int y = 3;

    if (y > 0)
    {
        int x = 2;      /* Initialize x to 2 */
        printf("second x = %4d\n", x);
    }
}
```

Block Statement

```
    printf("first x = %4d\n", x);
    return(0);
}
```

The program produces the following output:

```
second x = 2
first x = 1
```

Two variables named `x` are defined in `main`. The first definition of `x` retains storage while `main` is running. However, because the second definition of `x` occurs within a nested block, `printf("second x = %4d\n", x);` recognizes `x` as the variable defined on the previous line. Because `printf("first x = %4d\n", x);` is not part of the nested block, `x` is recognized as the first definition of `x`.

if Statement

An `if` statement is a selection statement that allows more than one possible flow of control.

C++ An *if statement* lets you conditionally process a statement when the specified test expression, implicitly converted to **bool**, evaluates to **true**. If the implicit conversion to **bool** fails the program is ill-formed.

C In C, an *if statement* lets you conditionally process a statement when the specified test expression evaluates to a nonzero value. The test expression must be of arithmetic or pointer type.

You can optionally specify an **else** clause on the **if** statement. If the test expression evaluates to **false** (or in C, a zero value) and an **else** clause exists, the statement associated with the **else** clause runs. If the test expression evaluates to **true**, the statement following the expression runs and the **else** clause is ignored.

An `if` statement has the form:

```
▶▶ if (—expression—) —statement—
    └─ else —statement ─┘
```

When `if` statements are nested and **else** clauses are present, a given **else** is associated with the closest preceding `if` statement within the same block.

A single statement following any selection statements (**if**, **switch**) is treated as a compound statement containing the original statement. As a result any variables declared on that statement will be out of scope after the `if` statement. For example:

```
if (x)
int i;
```

is equivalent to:

```
if (x)
{ int i; }
```

Variable `i` is visible only within the `if` statement. The same rule applies to the **else** part of the `if` statement.

Examples of if Statements

The following example causes `grade` to receive the value `A` if the value of `score` is greater than or equal to `90`.

```
if (score >= 90)
    grade = 'A';
```

The following example displays Number is positive if the value of number is greater than or equal to 0. If the value of number is less than 0, it displays Number is negative.

```
if (number >= 0)
    printf("Number is positive\n");
else
    printf("Number is negative\n");
```

The following example shows a nested if statement:

```
if (paygrade == 7)
    if (level >= 0 && level <= 8)
        salary *= 1.05;
    else
        salary *= 1.04;
else
    salary *= 1.06;
cout << "salary is " << salary << endl;
```

The following example shows a nested if statement that does not have an **else** clause. Because an **else** clause always associates with the closest if statement, braces might be needed to force a particular **else** clause to associate with the correct if statement. In this example, omitting the braces would cause the **else** clause to associate with the nested if statement.

```
if (kegs > 0) {
    if (furlongs > kegs)
        fpk = furlongs/kegs;
}
else
    fpk = 0;
```

The following example shows an if statement nested within an **else** clause. This example tests multiple conditions. The tests are made in order of their appearance. If one test evaluates to a nonzero value, a statement runs and the entire if statement ends.

```
if (value > 0)
    ++increase;
else if (value == 0)
    ++break_even;
else
    ++decrease;
```

switch Statement

A *switch statement* is a selection statement that lets you transfer control to different statements within the **switch** body depending on the value of the switch expression. The **switch** expression must evaluate to an integral or enumeration value. The body of the **switch** statement contains *case clauses* that consist of

- A **case** label
- An optional **default** label
- A **case** expression
- A list of statements.


If the value of the **switch** expression equals the value of one of the case expressions, the statements following that case expression are processed. If not, the default label statements, if any, are processed.

A **switch** statement has the form:

```
►►—switch—(—expression—)—switch_body—◄◄
```

switch Statement

The *switch body* is enclosed in braces and can contain definitions, declarations, *case clauses*, and a *default clause*. Each case clause and default clause can contain statements.



Note: An initializer within a *type_definition*, *file_scope_data_declaration* or *block_scope_data_declaration* is ignored.


A *case clause* contains a *case label* followed by any number of statements. A case clause has the form:



A *case label* contains the word **case** followed by an integral constant expression and a colon. The value of each integral constant expression must represent a different value; you cannot have duplicate **case** labels. Anywhere you can put one **case** label, you can put multiple **case** labels. A case label has the form:



A *default clause* contains a **default** label followed by one or more statements. You can put a **case** label on either side of the **default** label. A **switch** statement can have only one **default** label. A *default_clause* has the form:



The **switch** statement passes control to the statement following one of the labels or to the statement following the **switch** body. The value of the expression that precedes the **switch** body determines which statement receives control. This expression is called the *switch expression*.

The value of the **switch** expression is compared with the value of the expression in each **case** label. If a matching value is found, control is passed to the statement following the **case** label that contains the matching value. If there is no matching value but there is a **default** label in the **switch** body, control passes to the **default** labelled statement. If no matching value is found, and there is no **default** label anywhere in the **switch** body, no part of the **switch** body is processed.

When control passes to a statement in the **switch** body, control only leaves the **switch** body when a **break** statement is encountered or the last statement in the **switch** body is processed.

If necessary, an integral promotion is performed on the controlling expression, and all expressions in the **case** statements are converted to the same type as the controlling expression. The **switch** expression can also be of class type if there is a single conversion to integral or enumeration type.

Restrictions and Limitations

You can put data definitions at the beginning of the **switch** body, but the compiler does not initialize **auto** and **register** variables at the beginning of a **switch** body. You can have declarations in the body of the **switch** statement.

You cannot use a **switch** statement to jump over initializations.

 In C++, you cannot transfer control over a declaration containing an explicit or implicit initializer unless the declaration is located in an inner block that is completely bypassed by the transfer of control. All declarations within the body of a **switch** statement that contain initializers must be contained in an inner block.

Examples of switch Statements

The following **switch** statement contains several **case** clauses and one **default** clause. Each clause contains a function call and a **break** statement. The **break** statements prevent control from passing down through each statement in the **switch** body.

If the **switch** expression evaluated to '/', the switch statement would call the function divide. Control would then pass to the statement following the **switch** body.

```
char key;

printf("Enter an arithmetic operator\n");
scanf("%c",&key);

switch (key)
{
    case '+':
        add();
        break;

    case '-':
        subtract();
        break;

    case '*':
        multiply();
        break;

    case '/':
        divide();
        break;

    default:
        printf("invalid key\n");
        break;
}
```

If the switch expression matches a case expression, the statements following the case expression are processed until a **break** statement is encountered or the end of the **switch** body is reached. In the following example, **break** statements are not present. If the value of text[i] is equal to 'A', all three counters are incremented. If the value of text[i] is equal to 'a', lettera and total are increased. Only total is increased if text[i] is not equal to 'A' or 'a'.

switch Statement

```
char text[100];
int capa, lettera, total;

// ...

for (i=0; i<sizeof(text); i++) {

    switch (text[i])
    {
        case 'A':
            capa++;
        case 'a':
            lettera++;
        default:
            total++;
    }
}
```

The following **switch** statement performs the same statements for more than one **case** label:

```
/**
** This example contains a switch statement that performs
** the same statement for more than one case label.
**/

#include <stdio.h>

int main(void)
{
    int month;

    /* Read in a month value */
    printf("Enter month: ");
    scanf("%d", &month);

    /* Tell what season it falls into */
    switch (month)
    {
        case 12:
        case 1:
        case 2:
            printf("month %d is a winter month\n", month);
            break;

        case 3:
        case 4:
        case 5:
            printf("month %d is a spring month\n", month);
            break;

        case 6:
        case 7:
        case 8:
            printf("month %d is a summer month\n", month);
            break;

        case 9:
        case 10:
        case 11:
            printf("month %d is a fall month\n", month);
            break;

        case 66:
        case 99:
        default:
            printf("month %d is not a valid month\n", month);
    }
}
```

```

}
return(0);
}

```

If the expression `month` has the value 3, control passes to the statement:

```
printf("month %d is a spring month\n",
month);
```

The **break** statement passes control to the statement following the **switch** body.

while Statement

A *while statement* repeatedly runs the body of a loop until the controlling expression evaluates to **false** (or 0 in C).

A **while** statement has the form:

```
▶▶ while (—expression—) —statement— ▶▶
```

▶ **C** The *expression* must be of arithmetic or pointer type.

The expression is evaluated to determine whether or not to process the body of the loop.

▶ **C++** The expression must be convertible to **bool**.

If the expression evaluates to **false**, the body of the loop never runs. If the expression does not evaluate to **false**, the loop body is processed. After the body has run, control passes back to the expression. Further processing depends on the value of the condition.

A **break**, **return**, or **goto** statement can cause a **while** statement to end, even when the condition does not evaluate to **false**.

▶ **C++** A **throw** expression also can cause a **while** statement to end prior to the condition being evaluated.

Example of while Statements

In the following program, `item[index]` triples and is printed out, as long as the value of the expression `++index` is less than `MAX_INDEX`. When `++index` evaluates to `MAX_INDEX`, the **while** statement ends.

```
/**
 ** This example illustrates the while statement.
 **/

#define MAX_INDEX (sizeof(item) / sizeof(item[0]))
#include <stdio.h>

int main(void)
{
    static int item[ ] = { 12, 55, 62, 85, 102 };
    int index = 0;

    while (index < MAX_INDEX)
    {
        item[index] *= 3;
        printf("item[%d] = %d\n", index, item[index]);
        ++index;
    }
}
```

while Statement

```
    }  
    return(0);  
}
```

do Statement

A *do statement* repeatedly runs a statement until the test expression evaluates to **false** (or 0 in C). Because of the order of processing, the statement is run at least once.

A **do** statement has the form:

►►—do—*statement*—while—(*expression*)—;—◄◄

► C++ The controlling *expression* must be convertible to type **bool**.

► C The *expression* must be of arithmetic or pointer type.

The body of the loop is run before the controlling **while** clause is evaluated. Further processing of the **do** statement depends on the value of the **while** clause. If the **while** clause does not evaluate to **false**, the statement runs again. When the **while** clause evaluates to **false**, the statement ends.

A **break**, **return**, or **goto** statement can cause the processing of a **do** statement to end, even when the **while** clause does not evaluate to **false**.

► C++ A **throw** expression also can cause a **while** statement to end prior to the condition being evaluated.

Example of do Statements

The following example keeps incrementing *i* while *i* is less than 5:

```
#include <stdio.h>  
  
int main(void) {  
    int i = 0;  
    do {  
        i++;  
        printf("Value of i: %d\n", i);  
    }  
    while (i < 5);  
    return 0;  
}
```

The following is the output of the above example:

```
Value of i: 1  
Value of i: 2  
Value of i: 3  
Value of i: 4  
Value of i: 5
```

for Statement

A *for statement* lets you do the following:

- Evaluate an expression before the first iteration of the statement (*initialization*)
- Specify an expression to determine whether or not the statement should be processed (the *condition*)
- Evaluate an expression after each iteration of the statement (often used to increment for each iteration)
- Repeatedly process the statement if the controlling part does not evaluate to **false** (or 0 in C).

A **for** statement has the form:

```
▶▶ for ( [expression1] ; [expression2] ; [expression3] ) statement ▶▶
```

expression1 Is the *initialization expression*. It is evaluated only before the *statement* is processed for the first time. You can use this expression to initialize a variable. If you do not want to evaluate an expression prior to the first iteration of the statement, you can omit this expression.

expression2 Is the *conditional expression*. It is evaluated before each iteration of the *statement*.

▶ **C** It must evaluate to an arithmetic or pointer type.

If it evaluates to **false** (or 0 in C), the statement is not processed and control moves to the next statement following the **for** statement. If *expression2* does not evaluate to **false**, the statement is processed. If you omit *expression2*, it is as if the expression had been replaced by **true**, and the **for** statement is not terminated by failure of this condition.

expression3 Is evaluated after each iteration of the *statement*. This expression is often used for incrementing, decrementing, or assigning to a variable. This expression is optional.

A **break**, **return**, or **goto** statement can cause a **for** statement to end, even when the second expression does not evaluate to **false**. If you omit *expression2*, you must use a **break**, **return**, or **goto** statement to end the **for** statement.

▶ **C++** In C++ programs, you can also use *expression1* to declare a variable as well as initialize it. If you declare a variable in this expression, or anywhere else in *statement*, that variable goes out of scope at the end of the **for** loop.

Examples of for Statements

The following **for** statement prints the value of count 20 times. The **for** statement initially sets the value of count to 1. After each iteration of the statement, count is incremented.

```
int count;
for (count = 1; count <= 20; count++)
    printf("count = %d\n", count);
```

The following sequence of statements accomplishes the same task. Note the use of the **while** statement instead of the **for** statement.

```
int count = 1;
while (count <= 20)
{
    printf("count = %d\n", count);
    count++;
}
```

The following **for** statement does not contain an initialization expression:

```
for (; index > 10; --index)
{
    list[index] = var1 + var2;
    printf("list[%d] = %d\n", index,
        list[index]);
}
```

The following **for** statement will continue running until scanf receives the letter e:

```
for (;;)
{
    scanf("%c", &letter);
```

for Statement

```
if (letter == '\n')
    continue;
if (letter == 'e')
    break;
printf("You entered the letter %c\n", letter);
}
```

The following **for** statement contains multiple initializations and increments. The comma operator makes this construction possible. The first comma in the **for** expression is a punctuator for a declaration. It declares and initializes two integers, *i* and *j*. The second comma, a comma operator, allows both *i* and *j* to be incremented at each step through the loop.

```
for (int i = 0,
     j = 50; i < 10; ++i, j += 50)
{
    cout << "i = " << i << "and j = " << j
        << endl;
}
```

The following example shows a nested **for** statement. It prints the values of an array having the dimensions [5][3].

```
for (row = 0; row < 5; row++)
    for (column = 0; column < 3; column++)
        printf("%d\n",
              table[row][column]);
```

The outer statement is processed as long as the value of *row* is less than 5. Each time the outer **for** statement is executed, the inner **for** statement sets the initial value of *column* to zero and the statement of the inner **for** statement is executed 3 times. The inner statement is executed as long as the value of *column* is less than 3.

break Statement

A *break statement* lets you end an *iterative* (**do**, **for**, or **while**) statement or a **switch** statement and exit from it at any point other than the logical end. A **break** may only appear on one of these statements.

A **break** statement has the form:

```
▶▶—break—;—————▶▶
```

In an iterative statement, the **break** statement ends the loop and moves control to the next statement outside the loop. Within nested statements, the **break** statement ends only the smallest enclosing **do**, **for**, **switch**, or **while** statement.

In a **switch** statement, the **break** passes control out of the **switch** body to the next statement outside the **switch** statement.

continue Statement

A *continue statement* ends the current iteration of a loop. Program control is passed from the **continue** statement to the end of the loop body.

A **continue** statement has the form:

```
▶▶—continue—;—————▶▶
```

A **continue** statement can only appear within the body of an iterative statement.

The **continue** statement ends the processing of the action part of an iterative (**do**, **for**, or **while**) statement and moves control to the loop continuation portion of the statement. For example, if the iterative statement is a **for** statement, control moves to the third expression in the condition part of the statement, then to the second expression (the test) in the condition part of the statement.

Within nested statements, the **continue** statement ends only the current iteration of the **do**, **for**, or **while** statement immediately enclosing it.

Examples of continue Statements

The following example shows a **continue** statement in a **for** statement. The **continue** statement causes processing to skip over those elements of the array `rates` that have values less than or equal to 1.

```
/**
 ** This example shows a continue statement in a for statement.
 **/

#include <stdio.h>
#define SIZE 5

int main(void)
{
    int i;
    static float rates[SIZE] = { 1.45, 0.05, 1.88, 2.00, 0.75 };

    printf("Rates over 1.00\n");
    for (i = 0; i < SIZE; i++)
    {
        if (rates[i] <= 1.00) /* skip rates <= 1.00 */
            continue;
        printf("rate = %.2f\n", rates[i]);
    }

    return(0);
}
```

The program produces the following output:

```
Rates over 1.00
rate = 1.45
rate = 1.88
rate = 2.00
```

The following example shows a **continue** statement in a nested loop. When the inner loop encounters a number in the array `strings`, that iteration of the loop ends. Processing continues with the third expression of the inner loop. The inner loop ends when the `'\0'` escape sequence is encountered.

```
/**
 ** This program counts the characters in strings that are part
 ** of an array of pointers to characters. The count excludes
 ** the digits 0 through 9.
 **/

#include <stdio.h>
#define SIZE 3

int main(void)
{
    static char *strings[SIZE] = { "ab", "c5d", "e5" };
    int i;
    int letter_count = 0;
    char *pointer;
    for (i = 0; i < SIZE; i++) /* for each string */
        for (pointer = strings[i]; *pointer != '\0'; /* for each character */)
            letter_count++;
}
```

continue Statement

```
    ++pointer)
    {
        /* if a number */
        if (*pointer >= '0' && *pointer <= '9')
            continue;
        letter_count++;
    }
    printf("letter count = %d\n", letter_count);
    return(0);
}
```

The program produces the following output:

```
letter count = 5
```

return Statement

A *return statement* ends the processing of the current function and returns control to the caller of the function.

A **return** statement has one of two forms:

```
►►—return—┐—————;—————◄◄
           └—expression—┘
```

A value-returning function must include an *expression* in the **return** statement. A function with a return type is `void` cannot contain an *expression* in its return statement.

For a function of return type `void`, a return statement is not strictly necessary. If the end of such a function is reached without encountering a **return** statement, control is passed to the caller as if a **return** statement without an expression were encountered. In other words, an implicit return takes place upon completion of the final statement, and control automatically returns to the calling function. A function can contain multiple **return** statements. For example:

```
void copy( int *a, int *b, int c)
{
    /* Copy array a into b, assuming both arrays are the same size */
    if (!a || !b)      /* if either pointer is 0, return */
        return;

    if (a == b)       /* if both parameters refer */
        return;      /* to same array, return */

    if (c == 0)       /* nothing to copy */
        return;

    for (int i = 0; i < c; ++i) /* do the copying */
        b[i] = a[i];
    /* implicit return */
}
```

In this example, the **return** statement is used to cause a premature termination of the function, similar to a **break** statement.

An expression appearing in a **return** statement is converted to the return type of the function in which the statement appears. If no implicit conversion is possible, the **return** statement is invalid.

Value of a return Expression and Function Value

If an expression is present on a **return** statement, the value of the expression is returned to the caller. If the data type of the expression is different from the function return type, conversion of the return value takes place as if the value of the expression were assigned to an object with the same function return type.

The value of the **return** statement for a function of return type `void` means that the function does not return a value. If an expression is not given on a **return** statement in a function declared with a non-`void` return type, the compiler issues an error message.

You cannot use a **return** statement with an expression when the function is declared as returning type `void`.

Examples of return Statements

```
return;           /* Returns no value          */
return result;   /* Returns the value of result */
return 1;        /* Returns the value 1         */
return (x * x);  /* Returns the value of x * x  */
```

The following function searches through an array of integers to determine if a match exists for the variable `number`. If a match exists, the function `match` returns the value of `i`. If a match does not exist, the function `match` returns the value `-1` (negative one).

```
int match(int number, int array[ ], int n)
{
    int i;

    for (i = 0; i < n; i++)
        if (number == array[i])
            return (i);
    return(-1);
}
```

goto Statement

A *goto statement* causes your program to unconditionally transfer control to the statement associated with the label specified on the **goto** statement.

A **goto** statement has the form:

▶▶ `goto label_identifier;` ▶▶

Because the **goto** statement can interfere with the normal sequence of processing, it makes a program more difficult to read and maintain. Often, a **break** statement, a **continue** statement, or a function call can eliminate the need for a **goto** statement.

If an active block is exited using a **goto** statement, any local variables are destroyed when control is transferred from that block.

You cannot use a **goto** statement to jump over initializations.

Example of goto Statements

The following example shows a **goto** statement that is used to jump out of a nested loop. This function could be written without using a **goto** statement.

goto Statement

```
/**
 ** This example shows a goto statement that is used to
 ** jump out of a nested loop.
 **/

#include <stdio.h>
void display(int matrix[3][3]);

int main(void)
{
    int matrix[3][3]= {1,2,3,4,5,2,8,9,10};
    display(matrix);
    return(0);
}

void display(int matrix[3][3])
{
    int i, j;

    for (i = 0; i < 3; i++)
        for (j = 0; j < 3; j++)
            {
                if ( (matrix[i][j] < 1) || (matrix[i][j] > 6) )
                    goto out_of_bounds;
                printf("matrix[%d][%d] = %d\n", i, j, matrix[i][j]);
            }
    return;
    out_of_bounds: printf("number must be 1 through 6\n");
}
```

Null Statement

The *null statement* performs no operation. It has the form:

▶▶ ; ————— ▶▶

A null statement can hold the label of a labeled statement or complete the syntax of an iterative statement.

Examples of Null Statements

The following example initializes the elements of the array `price`. Because the initializations occur within the `for` expressions, a statement is only needed to finish the `for` syntax; no operations are required.

```
for (i = 0; i < 3; price[i++] = 0)
    ;
```

A null statement can be used when a label is needed before the end of a block statement. For example:

```
void func(void) {
    if (error_detected)
        goto depart;
    /* further processing */
    depart: ; /* null statement required */
}
```

Chapter 9. Preprocessor Directives

A *preprocessor directive* is a line in a source file that begins with the character # to distinguish it from lines of source program text and that ends with the newline character. The effect of a preprocessor directive is a change to the text of the source code before other translation, and the result is new source code that does not contain the directives. The preprocessed source code must be a valid C or C++ program, because it becomes the input to the compiler.

The syntax of a preprocessor directive is independent of but similar to the syntax of the rest of the language, and the lexical conventions of the preprocessing phase differ from those of the compiler. The normal C and C++ tokens are preprocessed, as well as other characters that enable the recognition of file names, the presence and absence of white space, and the location of end-of-line markers.

Preprocessor directives and the related subject of macro expansion are discussed in this section. After an overview of preprocessor directives, the topics covered include textual macros, file inclusion, ISO standard and predefined macro names, conditional compilation directives, and pragmas.

Preprocessor Overview

Preprocessing is a preliminary operation on C and C++ files before they are passed to the compiler. It allows you to do the following:

- Replace tokens in the current file with specified replacement tokens
- Imbed files within the current file
- Conditionally compile sections of the current file
- Generate diagnostic messages
- Change the line number of the next line of source and change the file name of the current file
- Apply machine-specific rules to specified sections of code

A *token* is a series of characters delimited by white space. The only white space allowed on a preprocessor directive is the space, horizontal tab, vertical tab, form feed, and comments. The new-line character can also separate preprocessor tokens.

The preprocessed source program file must be a valid C or C++ program.

The preprocessor is controlled by the following directives:

<code>#define</code>	Defines a macro.
<code>#undef</code>	Removes a preprocessor macro definition.
<code>#error</code>	Defines text for a compile-time error message.
<code>#include</code>	Inserts text from another source file.
<code>#if</code>	Conditionally suppresses portions of source code, depending on the result of a constant expression.
<code>#ifdef</code>	Conditionally includes source text if a macro name is defined.
<code>#ifndef</code>	Conditionally includes source text if a macro name is not defined.
<code>#else</code>	Conditionally includes source text if the previous <code>#if</code> , <code>#ifdef</code> , <code>#ifndef</code> , or <code>#elif</code> test fails.
<code>#elif</code>	Conditionally includes source text if the previous <code>#if</code> , <code>#ifdef</code> , <code>#ifndef</code> , or <code>#elif</code> test fails, depending on the value of a constant expression.
<code>#endif</code>	Ends conditional text.
<code>#line</code>	Supplies a line number for compiler messages.
<code>#pragma</code>	Specifies implementation-defined instructions to the compiler.

Preprocessor Directive Format

Preprocessor directives begin with the # token followed by a preprocessor keyword. The # token must appear as the first character that is not white space on a line. The # is not part of the directive name and can be separated from the name with white spaces.


A preprocessor directive ends at the new-line character unless the last character of the line is the \ (backslash) character. If the \ character appears as the last character in the preprocessor line, the preprocessor interprets the \ and the new-line character as a continuation marker. The preprocessor deletes the \ (and the following new-line character) and splices the physical source lines into continuous logical lines. White space is allowed between backslash and the end of line character or the physical end of record. However, this white space is usually not visible during editing.

Except for some **#pragma** directives, preprocessor directives can appear anywhere in a program.

Macro Definition and Expansion (#define)

A *preprocessor define directive* directs the preprocessor to replace all subsequent occurrences of a macro with specified replacement tokens.

A preprocessor **#define** directive has the form:



The **#define** directive can contain an object-like definition or a function-like definition.

#define versus const

- The **#define** directive can be used to create a name for a numerical, character, or string constant, whereas a **const** object of any type can be declared.
- A **const** object is subject to the scoping rules for variables, whereas a constant created using **#define** is not.
- Unlike a **const** object, the value of a macro does not appear in the intermediate source code used by the compiler because they are expanded inline. The inline expansion makes the macro value unavailable to the debugger.
- A macro can be used in a constant expression, such as an array bound, whereas a **const** object cannot.
-  The compiler does not type-check a macro, including macro arguments.

Related References

- "Object-Like Macros"
- "Function-Like Macros" on page 167
- "The const Type Qualifier" on page 58

Object-Like Macros

An *object-like macro definition* replaces a single identifier with the specified replacement tokens. The following object-like definition causes the preprocessor to replace all subsequent instances of the identifier **COUNT** with the constant **1000** :

```
#define COUNT 1000
```

If the statement

```
int arry[COUNT];
```

appears after this definition and in the same file as the definition, the preprocessor would change the statement to

```
int arry[1000];
```

in the output of the preprocessor.

Other definitions can make reference to the identifier COUNT:

```
#define MAX_COUNT COUNT + 100
```

The preprocessor replaces each subsequent occurrence of MAX_COUNT with COUNT + 100, which the preprocessor then replaces with 1000 + 100.

If a number that is partially built by a macro expansion is produced, the preprocessor does not consider the result to be a single value. For example, the following will not result in the value 10.2 but in a syntax error.

```
#define a 10
a.2
```

Identifiers that are partially built from a macro expansion may not be produced. Therefore, the following example contains two identifiers and results in a syntax error:

```
#define d efg
abcd
```

Function-Like Macros

More complex than object-like macros, a function-like macro definition declares the names of formal parameters within parentheses, separated by commas. An empty formal parameter list is legal: such a macro can be used to simulate a function that takes no arguments.

Function-like macro definition:

An identifier followed by a parameter list in parentheses and the replacement tokens. The parameters are imbedded in the replacement code. White space cannot separate the identifier (which is the name of the macro) and the left parenthesis of the parameter list. A comma must separate each parameter.

For portability, you should not have more than 31 parameters for a macro. The parameter list may end with an ellipsis (...). In this case, the identifier `__VA_ARGS__` may appear in the replacement list.

Function-like macro invocation:

An identifier followed by a comma-separated list of arguments in parentheses. The number of arguments should match the number of parameters in the macro definition, unless the parameter list in the definition ends with an ellipsis. In this latter case, the number of arguments in the invocation should exceed the number of parameters in the definition. The excess are called *trailing arguments*. Once the preprocessor identifies a function-like macro invocation, argument substitution takes place. A parameter in the replacement code is replaced by the corresponding argument. If trailing arguments are permitted by the macro definition, they are merged with the intervening commas to replace the identifier `__VA_ARGS__`, as if they were a single argument. Any macro invocations contained in the argument itself are completely replaced before the argument replaces its corresponding parameter in the replacement code. This language feature is an orthogonal extension of C++.

If the identifier list does not end with an ellipsis, the number of arguments in a macro invocation must be the same as the number of parameters in the corresponding macro definition. During parameter

#define

substitution, any arguments remaining after all specified arguments have been substituted (including any separating commas) are combined into one argument called the variable argument. The variable argument will replace any occurrence of the identifier `__VA_ARGS__` in the replacement list. The following example illustrates this:

```
#define debug(...)    fprintf(stderr, __VA_ARGS__)

debug("flag");      /*  Becomes fprintf(stderr, "flag");  */
```

Commas in the macro invocation argument list do not act as argument separators when they are:

- In character constants
- In string literals
- Surrounded by parentheses

The following line defines the macro `SUM` as having two parameters `a` and `b` and the replacement tokens `(a + b)`:

```
#define SUM(a,b) (a + b)
```

This definition would cause the preprocessor to change the following statements (if the statements appear after the previous definition):

```
c = SUM(x,y);
c = d * SUM(x,y);
```

In the output of the preprocessor, these statements would appear as:

```
c = (x + y);
c = d * (x + y);
```

Use parentheses to ensure correct evaluation of replacement text. For example, the definition:

```
#define SQR(c) ((c) * (c))
```

requires parentheses around each parameter `c` in the definition in order to correctly evaluate an expression like:

```
y = SQR(a + b);
```

The preprocessor expands this statement to:

```
y = ((a + b) * (a + b));
```

Without parentheses in the definition, the correct order of evaluation is not preserved, and the preprocessor output is:

```
y = (a + b * a + b);
```

Arguments of the `#` and `##` operators are converted *before* replacement of parameters in a function-like macro.

Once defined, a preprocessor identifier remains defined and in scope independent of the scoping rules of the language. The scope of a macro definition begins at the definition and does not end until a corresponding **#undef** directive is encountered. If there is no corresponding **#undef** directive, the scope of the macro definition lasts until the end of the translation unit.

A recursive macro is not fully expanded. For example, the definition

```
#define x(a,b) x(a+1,b+1) + 4
```

expands

```
x(20,10)
```

to

```
x(20+1,10+1) + 4
```

rather than trying to expand the macro `x` over and over within itself. After the macro `x` is expanded, it is a call to function `x()`.

A definition is not required to specify replacement tokens. The following definition removes all instances of the token `debug` from subsequent lines in the current file:

```
#define debug
```

You can change the definition of a defined identifier or macro with a second preprocessor **#define** directive only if the second preprocessor **#define** directive is preceded by a preprocessor **#undef** directive. The **#undef** directive nullifies the first definition so that the same identifier can be used in a redefinition.

Within the text of the program, the preprocessor does not scan character constants or string constants for macro invocations.

Example of #define Directives

The following program contains two macro definitions and a macro invocation that refers to both of the defined macros:

```
/**
 ** This example illustrates #define directives.
 **/

#include <stdio.h>

#define SQR(s) ((s) * (s))
#define PRNT(a,b) \
    printf("value 1 = %d\n", a); \
    printf("value 2 = %d\n", b) ;

int main(void)
{
    int x = 2;
    int y = 3;

    PRNT(SQR(x),y);

    return(0);
}
```

After being interpreted by the preprocessor, this program is replaced by code equivalent to the following:

```
#include <stdio.h>

int main(void)
{
    int x = 2;
    int y = 3;

    printf("value 1 = %d\n", ( (x) * (x) ) );
    printf("value 2 = %d\n", y);

    return(0);
}
```

This program produces the following output:

```
value 1 = 4
value 2 = 3
```

#undef

Scope of Macro Names (#undef)

A *preprocessor undef directive* causes the preprocessor to end the scope of a preprocessor definition.

A preprocessor **#undef** directive has the form:

▶▶ `#undef identifier` ◀◀

If the identifier is not currently defined as a macro, **#undef** is ignored.

Example of #undef Directives

The following directives define BUFFER and SQR:

```
#define BUFFER 512
#define SQR(x) ((x) * (x))
```

The following directives nullify these definitions:

```
#undef BUFFER
#undef SQR
```

Any occurrences of the identifiers BUFFER and SQR that follow these **#undef** directives are not replaced with any replacement tokens. Once the definition of a macro has been removed by an **#undef** directive, the identifier can be used in a new **#define** directive.

Operator

The # (single number sign) operator converts a parameter of a function-like macro into a character string literal. For example, if macro ABC is defined using the following directive:

```
#define ABC(x) #x
```

all subsequent invocations of the macro ABC would be expanded into a character string literal containing the argument passed to ABC. For example:

Invocation	Result of Macro Expansion
ABC(1)	"1"
ABC>Hello there)	"Hello there"

The # operator should not be confused with the null directive.

Use the # operator in a function-like macro definition according to the following rules:

- A parameter following # operator in a function-like macro is converted into a character string literal containing the argument passed to the macro.
- White-space characters that appear before or after the argument passed to the macro are deleted.
- Multiple white-space characters imbedded within the argument passed to the macro are replaced by a single space character.
- If the argument passed to the macro contains a string literal and if a \ (backslash) character appears within the literal, a second \ character is inserted before the original \ when the macro is expanded.
- If the argument passed to the macro contains a " (double quotation mark) character, a \ character is inserted before the " when the macro is expanded.
- The conversion of an argument into a string literal occurs before macro expansion on that argument.
- If more than one ## operator or # operator appears in the replacement list of a macro definition, the order of evaluation of the operators is not defined.
- If the result of the macro expansion is not a valid character string literal, the behavior is undefined.

Example of the # Operator

The following examples demonstrate the use of the # operator:

```
#define STR(x)      #x
#define XSTR(x)    STR(x)
#define ONE       1
```

Invocation	Result of Macro Expansion
STR(\n "\n" '\n')	"\n \"\n\" '\n'"
STR(ONE)	"ONE"
XSTR(ONE)	"1"
XSTR("hello")	"\"hello\""

Macro Concatenation with the ## Operator

The ## (double number sign) operator concatenates two tokens in a macro invocation (text and/or arguments) given in a macro definition.

If a macro XY was defined using the following directive:

```
#define XY(x,y)    x##y
```

the last token of the argument for x is concatenated with the first token of the argument for y.

Use the ## operator according to the following rules:

- The ## operator cannot be the very first or very last item in the replacement list of a macro definition.
- The last token of the item in front of the ## operator is concatenated with first token of the item following the ## operator.
- Concatenation takes place before any macros in arguments are expanded.
- If the result of a concatenation is a valid macro name, it is available for further replacement even if it appears in a context in which it would not normally be available.
- If more than one ## operator and/or # operator appears in the replacement list of a macro definition, the order of evaluation of the operators is not defined.

Examples of the ## Operator

The following examples demonstrate the use of the ## operator:

```
#define ArgArg(x, y)    x##y
#define ArgText(x)     x##TEXT
#define TextArg(x)     TEXT##x
#define TextText      TEXT##text
#define Jitter         1
#define bug             2
#define Jitterbug      3
```

Invocation	Result of Macro Expansion
ArgArg(lady, bug)	"ladybug"
ArgText(con)	"conTEXT"
TextArg(book)	"TEXTbook"
TextText	"TEXTtext"
ArgArg(Jitter, bug)	3

#error

Preprocessor Error Directive (#error)

A *preprocessor error directive* causes the preprocessor to generate an error message and causes the compilation to fail.

A **#error** directive has the form:

```
▶▶ #error preprocessor_token ▶▶
```

The **#error** directive is often used in the **#else** portion of a **#if-#elif-#else** construct, as a safety check during compilation. For example, **#error** directives in the source file can prevent code generation if a section of the program is reached that should be bypassed.

For example, the directive

```
#define BUFFER_SIZE 255

#if BUFFER_SIZE < 256
#error "BUFFER_SIZE is too small."
#endif
```

generates the error message:

```
BUFFER_SIZE is too small.
```

File Inclusion (#include)

A *preprocessor include directive* causes the preprocessor to replace the directive with the contents of the specified file.

A preprocessor **#include** directive has the form:

```
▶▶ #include "file_name" ▶▶
      <file_name>
      <header_name>
      identifiers
```

In all C and C++ implementations, the preprocessor resolves macros contained in an **#include** directive. After macro replacement, the resulting token sequence must consist of a file name enclosed in either double quotation marks or the characters < and >.

For example:

```
#define MONTH <july.h>
#include MONTH
```

If the file name is enclosed in double quotation marks, for example:

```
#include "payroll.h"
```

the preprocessor treats it as a user-defined file, and searches for the file in a manner defined by the preprocessor.

If the file name is enclosed in angle brackets, for example:

```
#include <stdio.h>
```

it is treated as a system-defined file, and the preprocessor searches for the file in a manner defined by the preprocessor.

The new-line and > characters cannot appear in a file name delimited by < and >. The new-line and " (double quotation marks) character cannot appear in a file name delimited by " and ", although > can.

Declarations that are used by several files can be placed in one file and included with **#include** in each file that uses them. For example, the following file `defs.h` contains several definitions and an inclusion of an additional file of declarations:

```
/* defs.h */
#define TRUE 1
#define FALSE 0
#define BUFFERSIZE 512
#define MAX_ROW 66
#define MAX_COLUMN 80
int hour;
int min;
int sec;
#include "mydefs.h"
```

You can embed the definitions that appear in `defs.h` with the following directive:

```
#include "defs.h"
```

In the following example, a **#define** combines several preprocessor macros to define a macro that represents the name of the C standard I/O header file. A **#include** makes the header file available to the program.

```
#define C_IO_HEADER <stdio.h>

/* The following is equivalent to:
 * #include <stdio.h>
 */

#include C_IO_HEADER
```

ISO Standard Predefined Macro Names

Both C and C++ provide the following predefined macro names as specified in the ISO C language standard. Except for `__FILE__` and `__LINE__`, the value of the predefined macros remain the constant throughout the translation unit.

Macro Name Description

`__DATE__` A character string literal containing the date when the source file was compiled. The value of `__DATE__` changes as the compiler processes any include files that are part of your source program. The date is in the form:

```
"Mmm dd yyyy"
```

where:

`Mmm` Represents the month in an abbreviated form (Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, or Dec).
`dd` Represents the day. If the day is less than 10, the first d is a blank character.
`yyyy` Represents the year.

`__FILE__` A character string literal containing the name of the source file.

The value of `__FILE__` changes as the compiler processes include files that are part of your source program. It can be set with the **#line** directive.

`__LINE__` An integer representing the current source line number.

#include

The value of `__LINE__` changes during compilation as the compiler processes subsequent lines of your source program. It can be set with the `#line` directive.

`__STDC__` For C, the integer 1 (one) indicates that the C compiler supports the ISO standard. If you set the language level to anything other than ANSI, this macro is undefined. (When a macro is undefined, it behaves as if it had the integer value 0 when used in a `#if` statement.)

For C++, this macro is predefined to have the value 0 (zero). This indicates that the C++ language is not a proper superset of C, and that the compiler does not conform to ISO C.

`__STDC_VERSION__` The integer constant of type **long int**: 199409L for the C89 language level.

`__TIME__` A character string literal containing the time when the source file was compiled.

The value of `__TIME__` changes as the compiler processes any include files that are part of your source program. The time is in the form:

```
"hh:mm:ss"
```

where:

hh Represents the hour.

mm Represents the minutes.

ss Represents the seconds.

`__cplusplus` For C++ programs, this macro expands to the long integer literal 199711L, indicating that the compiler is a C++ compiler. For C programs, this macro is not defined. Note that this macro name has no trailing underscores.

In addition to the predefined macros required by the language standard, the predefined macro `__IBMC__` indicates the level of the C compiler, and the predefined macro `__IBMCPP__` indicates that of the C++ compiler.

Related References

- “Line Control (`#line`)” on page 178
- “Object-Like Macros” on page 166

Conditional Compilation Directives

A *preprocessor conditional compilation directive* causes the preprocessor to conditionally suppress the compilation of portions of source code. These directives test a constant expression or an identifier to determine which tokens the preprocessor should pass on to the compiler and which tokens should be bypassed during preprocessing. The directives are:

- **#if**
- **#ifdef**
- **#else**
- **#ifndef**
- **#elif**
- **#endif**

The preprocessor conditional compilation directive spans several lines:

- The condition specification line (beginning with **#if**, **#ifdef**, or **#ifndef**)
- Lines containing code that the preprocessor passes on to the compiler if the condition evaluates to a nonzero value (optional)
- The **#elif** line (optional)
- Lines containing code that the preprocessor passes on to the compiler if the condition evaluates to a nonzero value (optional)
- The **#else** line (optional)

- Lines containing code that the preprocessor passes on to the compiler if the condition evaluates to zero (optional)
- The preprocessor **#endif** directive

For each **#if**, **#ifdef**, and **#ifndef** directive, there are zero or more **#elif** directives, zero or one **#else** directive, and one matching **#endif** directive. All the matching directives are considered to be at the same nesting level.

You can nest conditional compilation directives. In the following directives, the first **#else** is matched with the **#if** directive.

```
#ifdef MACNAME
/* tokens added if MACNAME is defined */
#   if TEST <=10
/* tokens added if MACNAME is defined and TEST <= 10 */
#   else
/* tokens added if MACNAME is defined and TEST > 10 */
#   endif
#else
/* tokens added if MACNAME is not defined */
#endif
```

Each directive controls the block immediately following it. A block consists of all the tokens starting on the line following the directive and ending at the next conditional compilation directive at the same nesting level.


Each directive is processed in the order in which it is encountered. If an expression evaluates to zero, the block following the directive is ignored.

When a block following a preprocessor directive is to be ignored, the tokens are examined only to identify preprocessor directives within that block so that the conditional nesting level can be determined. All tokens other than the name of the directive are ignored.

Only the first block whose expression is nonzero is processed. The remaining blocks at that nesting level are ignored. If none of the blocks at that nesting level has been processed and there is a **#else** directive, the block following the **#else** directive is processed. If none of the blocks at that nesting level has been processed and there is no **#else** directive, the entire nesting level is ignored.

#if, #elif

The **#if** and **#elif** directives compare the value of *constant_expression* to zero:



If the constant expression evaluates to a nonzero value, the lines of code that immediately follow the condition are passed on to the compiler.

If the expression evaluates to zero and the conditional compilation directive contains a preprocessor **#elif** directive, the source text located between the **#elif** and the next **#elif** or preprocessor **#else** directive is selected by the preprocessor to be passed on to the compiler. The **#elif** directive cannot appear after the preprocessor **#else** directive.

All macros are expanded, any defined() expressions are processed and all remaining identifiers are replaced with the token 0.

Conditional Compilation

The *constant_expression* that is tested must be integer constant expressions with the following properties:

- No casts are performed.
- Arithmetic is performed using **long int** values.
- The *constant_expression* can contain defined macros. No other identifiers can appear in the expression.
- The *constant_expression* can contain the unary operator **defined**. This operator can be used only with the preprocessor keyword **#if** or **#elif**. The following expressions evaluate to 1 if the *identifier* is defined in the preprocessor, otherwise to 0:

```
defined identifier  
defined(identifier)
```

For example:

```
#if defined(TEST1) || defined(TEST2)
```

Note: If a macro is not defined, a value of 0 (zero) is assigned to it. In the following example, TEST must be a macro identifier:


```
#if TEST >= 1  
    printf("i = %d\n", i);  
    printf("array[i] = %d\n", array[i]);  
#elif TEST < 0  
    printf("array subscript out of bounds \n");  
#endif
```

#ifdef

The **#ifdef** directive checks for the existence of macro definitions.

If the identifier specified is defined as a macro, the lines of code that immediately follow the condition are passed on to the compiler.

The preprocessor **#ifdef** directive has the form:



The following example defines MAX_LEN to be 75 if EXTENDED is defined for the preprocessor. Otherwise, MAX_LEN is defined to be 50.


```
#ifdef EXTENDED  
#   define MAX_LEN 75  
#else  
#   define MAX_LEN 50  
#endif
```

#ifndef

The **#ifndef** directive checks whether a macro is not defined.

If the identifier specified is not defined as a macro, the lines of code immediately follow the condition are passed on to the compiler.

The preprocessor **#ifndef** directive has the form:



An identifier must follow the **#ifndef** keyword. The following example defines `MAX_LEN` to be 50 if `EXTENDED` is not defined for the preprocessor. Otherwise, `MAX_LEN` is defined to be 75.

```
#ifndef EXTENDED
#   define MAX_LEN 50
#else
#   define MAX_LEN 75
#endif
```

#else

If the condition specified in the **#if**, **#ifdef**, or **#ifndef** directive evaluates to 0, and the conditional compilation directive contains a preprocessor **#else** directive, the lines of code located between the preprocessor **#else** directive and the preprocessor **#endif** directive is selected by the preprocessor to be passed on to the compiler.

The preprocessor **#else** directive has the form:

```
▶▶ #else token_sequence newline_character ▶▶
```

#endif

The preprocessor **#endif** directive ends the conditional compilation directive.

It has the form:

```
▶▶ #endif newline_character ▶▶
```

Examples of Conditional Compilation Directives

The following example shows how you can nest preprocessor conditional compilation directives:

```
#if defined(TARGET1)
#   define SIZEOF_INT 16
#   ifdef PHASE2
#       define MAX_PHASE 2
#   else
#       define MAX_PHASE 8
#   endif
#elif defined(TARGET2)
#   define SIZEOF_INT 32
#   define MAX_PHASE 16
#else
#   define SIZEOF_INT 32
#   define MAX_PHASE 32
#endif
```

The following program contains preprocessor conditional compilation directives:

```
/**
 ** This example contains preprocessor
 ** conditional compilation directives.
 **/

#include <stdio.h>

int main(void)
{
    static int array[ ] = { 1, 2, 3, 4, 5 };
    int i;
```

Conditional Compilation

```
    for (i = 0; i <= 4; i++)
    {
        array[i] *= 2;
#ifdef TEST
        if TEST >= 1
            printf("i = %d\n", i);
            printf("array[i] = %d\n",
                array[i]);
#endif
    }
    return(0);
}
```

Line Control (#line)

A *preprocessor line control directive* supplies line numbers for compiler messages. It causes the compiler to view the line number of the next source line as the specified number.

A preprocessor **#line** directive has the form:

"_file_name_"/>". A horizontal line with arrowheads at both ends passes through the boxes. A bracket below the boxes is labeled 'characters'."/>

```
▶▶ #line [decimal_constant] ["_file_name_"]
```

In order for the compiler to produce meaningful references to line numbers in preprocessed source, the preprocessor inserts **#line** directives where necessary (for example, at the beginning and after the end of included text).

A file name specification enclosed in double quotation marks can follow the line number. If you specify a file name, the compiler views the next line as part of the specified file. If you do not specify a file name, the compiler views the next line as part of the current source file.

In all C and C++ implementations, the token sequence on a **#line** directive is subject to macro replacement. After macro replacement, the resulting character sequence must consist of a decimal constant, optionally followed by a file name enclosed in double quotation marks.

Example of the #line Directive

You can use **#line** control directives to make the compiler provide more meaningful error messages. The following program uses **#line** control directives to give each function an easily recognizable line number:

```
/**
 ** This example illustrates #line directives.
 **/

#include <stdio.h>
#define LINE200 200

int main(void)
{
    func_1();
    func_2();
}

#line 100
func_1()
{
    printf("Func_1 - the current line number is %d\n", _LINE_ );
}
```

```
#line LINE200
func_2()
{
    printf("Func_2 - the current line number is %d\n", __LINE_ _);
}
```

This program produces the following output:

```
Func_1 - the current line number is 102
Func_2 - the current line number is 202
```

Null Directive (#)

The *null directive* performs no action. It consists of a single # on a line of its own.

The null directive should not be confused with the # operator or the character that starts a preprocessor directive.

In the following example, if MINVAL is a defined macro name, no action is performed. If MINVAL is not a defined identifier, it is defined 1.

```
#ifdef MINVAL
#
#else
#define MINVAL 1
#endif
```

Related References

- “# Operator” on page 170

Pragma Directives (#pragma)

A *pragma* is an implementation-defined instruction to the compiler. It has the general form:

```
▶▶ #pragma character_sequence new-line ▶▶
```

where *character_sequence* is a series of characters giving a specific compiler instruction and arguments, if any. The *new-line* character must terminate a pragma directive.

The *character_sequence* on a pragma is subject to macro substitutions. For example,

```
#define
XX_ISO_DATA
isolated_call(LG_ISO_DATA)
// ...
#pragma XX_ISO_DATA
```

More than one pragma construct can be specified on a single **#pragma** directive. The compiler ignores unrecognized pragmas.

#pragma

Chapter 10. Namespaces

C++ A *namespace* is an optionally named scope. You declare names inside a namespace as you would for a class or an enumeration. You can access names declared inside a namespace the same way you access a nested class name by using the scope resolution (::) operator. However namespaces do not have the additional features of classes or enumerations. The primary purpose of the namespace is to add an additional identifier (the name of the namespace) to a name.

Related References

- “C++ Scope Resolution Operator ::” on page 84

Defining Namespaces

C++ In order to uniquely identify a namespace, use the **namespace** keyword.

Syntax – namespace

```
▶ namespace identifier { namespace_body }
```

The *identifier* in an original namespace definition is the name of the namespace. The identifier may not be previously defined in the declarative region in which the original namespace definition appears, except in the case of extending namespace. If an identifier is not used, the namespace is an *unnamed namespace*.

Related References

- “Unnamed Namespaces” on page 183

Declaring Namespaces

C++ The identifier used for a namespace name should be unique. It should not be used previously as a global identifier.

```
namespace Raymond {  
    // namespace body here...  
}
```

In this example, Raymond is the identifier of the namespace. If you intend to access a namespace’s elements, the namespace’s identifier must be known in all translation units.

Related References

- “Global Scope” on page 3

Creating a Namespace Alias

C++ An alternate name can be used in order to refer to a specific namespace identifier.

```
namespace INTERNATIONAL_BUSINESS_MACHINES {  
    void f();  
}
```

```
namespace IBM = INTERNATIONAL_BUSINESS_MACHINES;
```

In this example, the IBM identifier is an alias for INTERNATIONAL_BUSINESS_MACHINES. This is useful for referring to long namespace identifiers.

If a namespace name or alias is declared as the name of any other entity in the same declarative region, a compiler error will result. Also, if a namespace name defined at global scope is declared as the name of any other entity in any global scope of the program, a compiler error will result.

Related References

- “Global Scope” on page 3

Creating an Alias for a Nested Namespace

C++ Namespace definitions hold declarations. Since a namespace definition is a declaration itself, namespace definitions can be nested.

An alias can also be applied to a nested namespace.

```
namespace INTERNATIONAL_BUSINESS_MACHINES {
    int j;
    namespace NESTED_IBM_PRODUCT {
        void a() { j++; }
        int j;
        void b() { j++; }
    }
}
namespace NIBM = INTERNATIONAL_BUSINESS_MACHINES::NESTED_IBM_PRODUCT
```

In this example, the NIBM identifier is an alias for the namespace NESTED_IBM_PRODUCT. This namespace is nested within the INTERNATIONAL_BUSINESS_MACHINES namespace.

Extending Namespaces

C++ Namespaces are extensible. You can add subsequent declarations to a previously defined namespace. Extensions may appear in files separate from or attached to the original namespace definition. For example:

```
namespace X { // namespace definition
    int a;
    int b;
}

namespace X { // namespace extension
    int c;
    int d;
}

namespace Y { // equivalent to namespace X
    int a;
    int b;
    int c;
    int d;
}
```

In this example, namespace X is defined with a and b and later extended with c and d. namespace X now contains all four members. You may also declare all of the required members within one namespace. This method is represented by namespace Y. This namespace contains a, b, c, and d.

Namespaces and Overloading

C++ You can overload functions across namespaces. For example:

```
// Original X.h:
f(int);

// Original Y.h:
```

```

    f(char);

// Original program.c:
#include "X.h"
#include "Y.h"

void z()
{
    f('a'); // calls f(char) from Y.h
}

```

Namespaces can be introduced to the previous example without drastically changing the source code.

```

// New X.h:
namespace X {
    f(int);
}

// New Y.h:
namespace Y {
    f(char);
}

// New program.c:
#include "X.h"
#include "Y.h"

using namespace X;
using namespace Y;

void z()
{
    f('a'); // calls f() from Y.h
}

```

In program.c, function void z() calls function f(), which is a member of namespace Y. If you place the using directives in the header files, the source code for program.c remains unchanged.

Related References

- Chapter 11, “Overloading,” on page 189

Unnamed Namespaces

 A namespace with no identifier before an opening brace produces an *unnamed namespace*. Each translation unit may contain its own unique unnamed namespace. The following example demonstrates how unnamed namespaces are useful.

```

#include <iostream>

using namespace std;

namespace {
    const int i = 4;
    int variable;
}

int main()
{
    cout << i << endl;
    variable = 100;
    return 0;
}

```

In the previous example, the unnamed namespace permits access to `i` and `variable` without using a scope resolution operator.

The following example illustrates an improper use of unnamed namespaces.

```
#include <iostream>

using namespace std;

namespace {
    const int i = 4;
}

int i = 2;

int main()
{
    cout << i << endl; // error
    return 0;
}
```

Inside `main`, `i` causes an error because the compiler cannot distinguish between the global name and the unnamed namespace member with the same name. In order for the previous example to work, the namespace must be uniquely identified with an identifier and `i` must specify the namespace it is using.

You can extend an unnamed namespace within the same translation unit. For example:

```
#include <iostream>

using namespace std;

namespace {
    int variable;
    void funct (int);
}

namespace {
    void funct (int i) { cout << i << endl; }
}

int main()
{
    funct(variable);
    return 0;
}
```

both the prototype and definition for `funct` are members of the same unnamed namespace.

Note: Items defined in an unnamed namespace have internal linkage. Rather than using the keyword `static` to define items with internal linkage, define them in an unnamed namespace instead.

Related References

- “Program Linkage” on page 6
- “Internal Linkage” on page 6

Namespace Member Definitions

 A namespace can define its own members within itself or externally using explicit qualification. The following is an example of a namespace defining a member internally:

```
namespace A {
    void b() { /* definition */ }
}
```

Within namespace `A` member `void b()` is defined internally.

A namespace can also define its members externally using explicit qualification on the name being defined. The entity being defined must already be declared in the namespace and the definition must appear after the point of declaration in a namespace that encloses the declaration's namespace.

The following is an example of a namespace defining a member externally:

```
namespace A {
    namespace B {
        void f();
    }
    void B::f() { /* defined outside of B */ }
}
```

In this example, function `f()` is declared within namespace `B` and defined (outside `B`) in `A`.

Namespaces and Friends

C++ Every name first declared in a namespace is a member of that namespace. If a friend declaration in a non-local class first declares a class or function, the friend class or function is a member of the innermost enclosing namespace.

The following is an example of this structure:

```
// f has not yet been defined
void z(int);
namespace A {
    class X {
        friend void f(X); // A::f is a friend
    };
    // A::f is not visible here
    X x;
    void f(X) { /* definition */ } // f() is defined and known to be a friend
}

using A::x;

void z()
{
    A::f(x); // OK
    A::X::f(x); // error: f is not a member of A::X
}
```

In this example, function `f()` can only be called through namespace `A` using the call `A::f(s)`; Attempting to call function `f()` through class `X` using the `A::X::f(x)`; call results in a compiler error. Since the friend declaration first occurs in a non-local class, the friend function is a member of the innermost enclosing namespace and may only be accessed through that namespace.

Related References

- “Friends” on page 227

Using Directive

C++ A *using directive* provides access to all namespace qualifiers and the scope operator. This is accomplished by applying the `using` keyword to a namespace identifier.

Syntax – Using directive

►►—using—namespace—*name*—;—◄◄

The *name* must be a previously defined namespace. The using directive may be applied at the global and local scope but not the class scope. Local scope takes precedence over global scope by hiding similar declarations.

If a scope contains a using directive that nominates a second namespace and that second namespace contains another using directive, the using directive from the second namespace will act as if it resides within the first scope.

```
namespace A {
    int i;
}
namespace B {
    int i;
    using namespace A;
}
void f()
{
    using namespace B;
    i = 7; // error
}
```

In this example, attempting to initialize *i* within function *f()* causes a compiler error, because function *f()* cannot know which *i* to call; *i* from namespace A, or *i* from namespace B.

Related References

- “The using Declaration and Class Members” on page 239

The using Declaration and Namespaces

C++ A *using declaration* provides access to a specific namespace member. This is accomplished by applying the using keyword to a namespace name with its corresponding namespace member.

Syntax – Using declaration

►►—using—namespace—::—member—◀◀

In this syntax diagram, the qualifier name follows the using declaration and the *member* follows the qualifier name. For the declaration to work, the member must be declared inside the given namespace. For example:

```
namespace A {
    int i;
    int k;
    void f;
    void g;
}
```

```
using A::k
```

In this example, the using declaration is followed by *A*, the name of namespace A, which is then followed by the scope operator (*::*), and *k*. This format allows *k* to be accessed outside of namespace A through a using declaration. After issuing a using declaration, any extension made to that specific namespace will not be known at the point at which the using declaration occurs.

Overloaded versions of a given function must be included in the namespace prior to that given function’s declaration. A using declaration may appear at namespace, block and class scope.

Related References

- “The using Declaration and Class Members” on page 239

Explicit Access

C++ To explicitly qualify a member of a namespace, use the namespace identifier with a `::` scope resolution operator.

Syntax – Explicit access qualification

▶▶ `namespace_name::member` ◀◀

For example:

```
namespace VENDITTI {  
    void j()  
};
```

```
VENDITTI::j();
```

In this example, the scope resolution operator provides access to the function `j` held within namespace `VENDITTI`. The scope resolution operator `::` is used to access identifiers in both global and local namespaces. Any identifier in an application can be accessed with sufficient qualification. Explicit access cannot be applied to an unnamed namespace.

Related References

- “C++ Scope Resolution Operator `::`” on page 84

Chapter 11. Overloading

C++ If you specify more than one definition for a function name or an operator in the same scope, you have *overloaded* that function name or operator.

An *overloaded declaration* is a declaration that had been declared with the same name as a previously declared declaration in the same scope, except that both declarations have different types.

If you call an overloaded function name or operator, the compiler determines the most appropriate definition to use by comparing the argument types you used to call the function or operator with the parameter types specified in the definitions. The process of selecting the most appropriate overloaded function or operator is called *overload resolution*.

Overloading Functions

C++ You overload a function name *f* by declaring more than one function with the name *f* in the same scope. The declarations of *f* must differ from each other by the types and/or the number of arguments in the argument list. When you call an overloaded function named *f*, the correct function is selected by comparing the argument list of the function call with the parameter list of each of the overloaded candidate functions with the name *f*. A *candidate function* is a function that can be called based on the context of the call of the overloaded function name.

Consider a function `print`, which displays an **int**. As shown in the following example, you can overload the function `print` to display other types, for example, **double** and **char***. You can have three functions with the same name, each performing a similar operation on a different data type:

```
#include <iostream>
using namespace std;

void print(int i) {
    cout << " Here is int " << i << endl;
}
void print(double f) {
    cout << " Here is float " << f << endl;
}

void print(char* c) {
    cout << " Here is char* " << c << endl;
}

int main() {
    print(10);
    print(10.10);
    print("ten");
}
```

The following is the output of the above example:

```
Here is int 10
Here is float 10.1
Here is char* ten
```

Restrictions on Overloaded Functions

C++ You cannot overload the following function declarations if they appear in the same scope. Note that this list applies only to explicitly declared functions and those that have been introduced through **using** declarations:

- Function declarations that differ only by return type. For example, you cannot declare the following declarations:

```
int f();
float f();
```

- Member function declarations that have the same name and the same parameter types, but one of these declarations is a static member function declaration. For example, you cannot declare the following two member function declarations of `f()`:

```
struct A {
    static int f();
    int f();
};
```

- Member function template declarations that have the same name, the same parameter types, and the same template parameter lists, but one of these declarations is a static template member function declaration.
- Function declarations that have equivalent parameter declarations. These declarations are not allowed because they would be declaring the same function.
- Function declarations with parameters that differ only by the use of **typedef** names that represent the same type. Note that a **typedef** is a synonym for another type, not a separate type. For example, the following two declarations of `f()` are declarations of the same function:

```
typedef int I;
void f(float, int);
void f(float I);
```

- Function declarations with parameters that differ only because one is a pointer and the other is an array. For example, the following are declarations of the same function:

```
f(char*);
f(char[10]);
```

The first array dimension is insignificant when differentiating parameters; all other array dimensions are significant. For example, the following are declarations of the same function:

```
g(char(*)[20]);
g(char[5][20]);
```

The following two declarations are *not* equivalent:

```
g(char(*)[20]);
g(char(*)[40]);
```

- Function declarations with parameters that differ only because one is a function type and the other is a pointer to a function of the same type. For example, the following are declarations of the same function:

```
void f(int(float));
void f(int (*)(float));
```

- Function declarations with parameters that differ only because of **const** and **volatile** qualifiers. This only applies if you apply any of these qualifiers appear at the outermost level of an parameter type specification. For example, the following are declarations of the same function:

```
int f(int);
int f(const int);
int f(volatile int);
```

Note that you can differentiate parameters with **const** and **volatile** qualifiers if you apply these qualifiers *within* a parameter type specification. For example, the following declarations are *not* equivalent:

```
void g(int*);
void g(const int*);
void g(volatile int*);
```

The following declarations are also not equivalent:

```
void g(float&);
void g(const float&);
void g(volatile float&);
```

- Function declarations with parameters that differ only because their default arguments differ. For example, the following are declarations of the same function:

```
void f(int);
void f(int i = 10);
```

- Multiple functions with extern "C" language-linkage and the same name, regardless of whether their parameter lists are different.

Overloading Operators

C++ You can redefine or overload the function of most built-in operators in C++. These operators can be overloaded globally or on a class-by-class basis. Overloaded operators are implemented as functions and can be member functions or global functions.

An overloaded operator is called an *operator function*. You declare an operator function with the keyword **operator** preceding the operator. Overloaded operators are distinct from overloaded functions, but like overloaded functions, they are distinguished by the number and types of operands used with the operator.

Consider the standard + (plus) operator. When this operator is used with operands of different standard types, the operators have slightly different meanings. For example, the addition of two integers is not implemented in the same way as the addition of two floating-point numbers. C++ allows you to define your own meanings for the standard C++ operators when they are applied to class types. In the following example, a class called `complx` is defined to model complex numbers, and the + (plus) operator is redefined in this class to add two complex numbers.

// This example illustrates overloading the plus (+) operator.

```
#include <iostream>
using namespace std;

class complx
{
    double real,
           imag;
public:
    complx( double real = 0., double imag = 0.); // constructor
    complx operator+(const complx& c) const;    // operator+()
};

// define constructor
complx::complx( double r, double i )
{
    real = r; imag = i;
}

// define overloaded + (plus) operator
complx complx::operator+ (const complx& c) const
{
    complx result;
    result.real = (this->real + c.real);
    result.imag = (this->imag + c.imag);
    return result;
}

int main()
{
    complx x(4,4);
    complx y(6,6);
    complx z = x + y; // calls complx::operator+()
}
```

You can overload any of the following operators:

+	-	*	/	%	^	&		~
!	=	<	>	+=	--	*=	/=	%=
^=	&=	=	<<	>>	<<=	>>=	==	!=
<=	>=	&&		++	--	,	->*	->
()	[]	new	delete	new[]	delete[]			

where () is the function call operator and [] is the subscript operator.

You can overload both the unary and binary forms of the following operators:

+	-	*	&
---	---	---	---

You cannot overload the following operators:

.	.*	::	?:
---	----	----	----

You cannot overload the preprocessor symbols # and ##.

An operator function can be either a nonstatic member function, or a nonmember function with at least one parameter that has class, reference to class, enumeration, or reference to enumeration type.

You cannot change the precedence, grouping, or the number of operands of an operator.

An overloaded operator (except for the function call operator) cannot have default arguments or an ellipsis in the argument list.

You must declare the overloaded =, [], (), and -> operators as nonstatic member functions to ensure that they receive lvalues as their first operands.

The operators **new**, **delete**, **new[]**, and **delete[]** do not follow the general rules described in this section.

All operators except the = operator are inherited.

Overloading Unary Operators

C++ You overload a unary operator with either a nonstatic member function that has no parameters, or a nonmember function that has one parameter. Suppose a unary operator @ is called with the statement @t, where t is an object of type T. A nonstatic member function that overloads this operator would have the following form:

```
return_type operator@()
```

A nonmember function that overloads the same operator would have the following form:

```
return_type operator@(T)
```

An overloaded unary operator may return any type.

The following example overloads the ! operator:

```
#include <iostream>
using namespace std;

struct X { };

void operator!(X) {
    cout << "void operator!(X)" << endl;
}
```

```

struct Y {
    void operator!() {
        cout << "void Y::operator!()" << endl;
    }
};

struct Z { };

int main() {
    X ox; Y oy; Z oz;
    !ox;
    !oy;
    // !oz;
}

```

The following is the output of the above example:

```

void operator!(X)
void Y::operator!()

```

The operator function call !ox is interpreted as operator!(x). The call !oy is interpreted as y.operator!(). (The compiler would not allow !oz because the ! operator has not been defined for class Z.)

Related References

- “Unary Expressions” on page 95

Overloading Increment and Decrement

 You overload the prefix increment operator ++ with either a nonmember function operator that has one argument of class type or a reference to class type, or with a member function operator that has no arguments.

In the following example, the increment operator is overloaded in both ways:

```

class X {
public:
    // member prefix ++x
    void operator++() { }
};

class Y { };

// non-member prefix ++y
void operator++(Y&) { }

int main() {
    X x;
    Y y;

    // calls x.operator++()
    ++x;

    // explicit call, like ++x
    x.operator++();

    // calls operator++(y)
    ++y;

    // explicit call, like ++y
    operator++(y);
}

```

The postfix increment operator `++` can be overloaded for a class type by declaring a nonmember function `operator++()` with two arguments, the first having class type and the second having type `int`. Alternatively, you can declare a member function `operator++()` with one argument having type `int`. The compiler uses the `int` argument to distinguish between the prefix and postfix increment operators. For implicit calls, the default value is zero.

For example:

```
class X {
public:
    // member postfix x++
    void operator++(int) { };
};

class Y { };

// nonmember postfix y++
void operator++(Y&, int) { };

int main() {
    X x;
    Y y;

    // calls x.operator++(0)
    // default argument of zero is supplied by compiler
    x++;
    // explicit call to member postfix x++
    x.operator++(0);

    // calls operator++(y, 0)
    y++;

    // explicit call to non-member postfix y++
    operator++(y, 0);
}
```

The prefix and postfix decrement operators follow the same rules as their increment counterparts.

Related References

- “Increment `++`” on page 95
- “Decrement `--`” on page 96

Overloading Binary Operators

C++ You overload a binary unary operator with either a nonstatic member function that has one parameter, or a nonmember function that has two parameters. Suppose a binary operator `@` is called with the statement `t @ u`, where `t` is an object of type `T`, and `u` is an object of type `U`. A nonstatic member function that overloads this operator would have the following form:

```
return_type operator@(T)
```

A nonmember function that overloads the same operator would have the following form:

```
return_type operator@(T, U)
```

An overloaded binary operator may return any type.

The following example overloads the `*` operator:

```
struct X {

    // member binary operator
    void operator*(int) { }
```

```

};

// non-member binary operator
void operator*(X, float) { }

int main() {
    X x;
    int y = 10;
    float z = 10;

    x * y;
    x * z;
}

```

The call `x * y` is interpreted as `x.operator*(y)`. The call `x * z` is interpreted as `operator*(x, z)`.

Related References

- “Binary Expressions” on page 105

Overloading Assignments

C++ You overload the assignment operator, **`operator=`**, with a nonstatic member function that has only one parameter. You cannot declare an overloaded assignment operator that is a nonmember function. The following example shows how you can overload the assignment operator for a particular class:

```

struct X {
    int data;
    X& operator=(X& a) { return a; }
    X& operator=(int a) {
        data = a;
        return *this;
    }
};

int main() {
    X x1, x2;
    x1 = x2;      // call x1.operator=(x2)
    x1 = 5;      // call x1.operator=(5)
}

```

The assignment `x1 = x2` calls the copy assignment operator `X& X::operator=(X&)`. The assignment `x1 = 5` calls the copy assignment operator `X& X::operator=(int)`. The compiler implicitly declares a copy assignment operator for a class if you do not define one yourself. Consequently, the copy assignment operator (**`operator=`**) of a derived class hides the copy assignment operator of its base class.

However, you can declare any copy assignment operator as virtual. The following example demonstrates this:

```

#include <iostream>
using namespace std;

struct A {
    A& operator=(char) {
        cout << "A& A::operator=(char)" << endl;
        return *this;
    }
    virtual A& operator=(const A&) {
        cout << "A& A::operator=(const A&)" << endl;
        return *this;
    }
};

struct B : A {
    B& operator=(char) {

```

```

        cout << "B& B::operator=(char)" << endl;
        return *this;
    }
    virtual B& operator=(const A&) {
        cout << "B& B::operator=(const A&)" << endl;
        return *this;
    }
};

struct C : B { };

int main() {
    B b1;
    B b2;
    A* ap1 = &b1;
    A* ap2 = &b1;
    *ap1 = 'z';
    *ap2 = b2;

    C c1;
    // c1 = 'z';
}

```

The following is the output of the above example:

```

A& A::operator=(char)
B& B::operator=(const A&)

```

The assignment `*ap1 = 'z'` calls `A& A::operator=(char)`. Because this operator has not been declared **virtual**, the compiler chooses the function based on the type of the pointer `ap1`. The assignment `*ap2 = b2` calls `B& B::operator=(const &A)`. Because this operator has been declared **virtual**, the compiler chooses the function based on the type of the object that the pointer `ap1` points to. The compiler would not allow the assignment `c1 = 'z'` because the implicitly declared copy assignment operator declared in class `C` hides `B& B::operator=(char)`.

Related References

- “Copy Assignment Operators” on page 277
- “Assignment Expressions” on page 115

Overloading Function Calls

C++ The function call operator, when overloaded, does not modify how functions are called. Rather, it modifies how the operator is to be interpreted when applied to objects of a given type.

You overload the function call operator, **operator()**, with a nonstatic member function that has any number of parameters. If you overload a function call operator for a class its declaration will have the following form:

```
return_type operator()(parameter_list)
```

Unlike all other overloaded operators, you can provide default arguments and ellipses in the argument list for the function call operator.

The following example demonstrates how the compiler interprets function call operators:

```

struct A {
    void operator()(int a, char b, ...) { }
    void operator()(char c, int d = 20) { }
};

int main() {
    A a;
}

```

```

    a(5, 'z', 'a', 0);
    a('z');
// a();
}

```

The function call `a(5, 'z', 'a', 0)` is interpreted as `a.operator()(5, 'z', 'a', 0)`. This calls `void A::operator()(int a, char b, ...)`. The function call `a('z')` is interpreted as `a.operator>('z')`. This calls `void A::operator()(char c, int d = 20)`. The compiler would not allow the function call `a()` because its argument list does not match any function call parameter list defined in class `A`.

The following example demonstrates an overloaded function call operator:

```

class Point {
private:
    int x, y;
public:
    Point() : x(0), y(0) { }
    Point& operator()(int dx, int dy) {
        x += dx;
        y += dy;
        return *this;
    }
};

int main() {
    Point pt;

    // Offset this coordinate x with 3 points
    // and coordinate y with 2 points.
    pt(3, 2);
}

```

The above example reinterprets the function call operator for objects of class `Point`. If you treat an object of `Point` like a function and pass it two integer arguments, the function call operator will add the values of the arguments you passed to `Point::x` and `Point::y` respectively.

Related References

- “Function Call Operator ()” on page 86

Overloading Subscripting

 You overload `operator[]` with a nonstatic member function that has only one parameter. The following example is a simple array class that has an overloaded subscripting operator. The overloaded subscripting operator throws an exception if you try to access the array outside of its specified bounds:

```

#include <iostream>
using namespace std;

template <class T> class MyArray {
private:
    T* storage;
    int size;
public:
    MyArray(int arg = 10) {
        storage = new T[arg];
        size = arg;
    }

    ~MyArray() {
        delete[] storage;
        storage = 0;
    }

    T& operator[](const int location) throw (const char *);
};

```

```

template <class T> T& MyArray<T>::operator[](const int location)
    throw (const char *) {
    if (location < 0 || location >= size) throw "Invalid array access";
    else return storage[location];
}

int main() {
    try {
        MyArray<int> x(13);
        x[0] = 45;
        x[1] = 2435;
        cout << x[0] << endl;
        cout << x[1] << endl;
        x[13] = 84;
    }
    catch (const char* e) {
        cout << e << endl;
    }
}

```

The following is the output of the above example:

```

45
2435
Invalid array access

```

The expression `x[1]` is interpreted as `x.operator[](1)` and calls `int& MyArray<int>::operator[](const int)`.

Related References

- “Array Subscripting Operator []” on page 87

Overloading Class Member Access

 You overload `operator->` with a nonstatic member function that has no parameters. The following example demonstrates how the compiler interprets overloaded class member access operators:

```

struct Y {
    void f() { };
};

struct X {
    Y* ptr;
    Y* operator->() {
        return ptr;
    };
};

int main() {
    X x;
    x->f();
}

```

The statement `x->f()` is interpreted as `(x.operator->())->f()`.

The `operator->` is used (often in conjunction with the pointer-dereference operator) to implement “smart pointers.” These pointers are objects that behave like normal pointers except they perform other tasks when you access an object through them, such as automatic object deletion (either when the pointer is destroyed, or the pointer is used to point to another object), or reference counting (counting the number of smart pointers that point to the same object, then automatically deleting the object when that count reaches zero).

One example of a smart pointer is included in the C++ Standard Library called `auto_ptr`. You can find it in the `<memory>` header. The `auto_ptr` class implements automatic object deletion.

Related References

- “Arrow Operator `->`” on page 89

Overload Resolution

C++ The process of selecting the most appropriate overloaded function or operator is called *overload resolution*.

Suppose that `f` is an overloaded function name. When you call the overloaded function `f()`, the compiler creates a set of *candidate functions*. This set of functions includes all of the functions named `f` that can be accessed from the point where you called `f()`. The compiler may include as a candidate function an alternative representation of one of those accessible functions named `f` to facilitate overload resolution.

After creating a set of candidate functions, the compiler creates a set of *viable functions*. This set of functions is a subset of the candidate functions. The number of parameters of each viable function agrees with the number of arguments you used to call `f()`.

The compiler chooses the *best viable function*, the function declaration that the C++ run time will use when you call `f()`, from the set of viable functions. The compiler does this by *implicit conversion sequences*. An implicit conversion sequence is the sequence of conversions required to convert an argument in a function call to the type of the corresponding parameter in a function declaration. The implicit conversion sequences are ranked; some implicit conversion sequences are better than others. The compiler tries to find one viable function in which all of its parameters have either better or equal-ranked implicit conversion sequences than all of the other viable functions. The viable function that the compiler finds is the best viable function. The compiler will not allow a program in which the compiler was able to find more than one best viable function.

You can override an exact match by using an explicit cast. In the following example, the second call to `f()` matches with `f(void*)`:

```
void f(int) { };
void f(void*) { };

int main() {
    f(0xaabb);           // matches f(int);
    f((void*) 0xaabb);  // matches f(void*)
}
```

Related References

- “Implicit Conversion Sequences”

Implicit Conversion Sequences

C++ An *implicit conversion sequence* is the sequence of conversions required to convert an argument in a function call to the type of the corresponding parameter in a function declaration.

The compiler will try to determine an implicit conversion sequence for each argument. It will then categorize each implicit conversion sequence in one of three categories and rank them depending on the category. The compiler will not allow any program in which it cannot find an implicit conversion sequence for an argument.

The following are the three categories of conversion sequences in order from best to worst:

- Standard conversion sequences
- User-defined conversion sequences
- Ellipsis conversion sequences

Note: Two standard conversion sequences or two user-defined conversion sequences may have different ranks.

Standard Conversion Sequences

Standard conversion sequences are categorized in one of three ranks. The ranks are listed in order from best to worst:

- Exact match: This rank includes the following conversions:
 - Identity conversions
 - Lvalue-to-rvalue conversions
 - Array-to-pointer conversions
 - Qualification conversions
- Promotion: This rank includes integral and floating point promotions.
- Conversion: This rank includes the following conversions:
 - Integral and floating-point conversions
 - Floating-integral conversions
 - Pointer conversions
 - Pointer-to-member conversions
 - Boolean conversions

The compiler ranks a standard conversion sequence by its worst-ranked standard conversion. For example, if a standard conversion sequence has a floating-point conversion, then that sequence has conversion rank.

User-Defined Conversion Sequences

A *user-defined conversion sequence* consists of the following:

- A standard conversion sequence
- A user-defined conversion
- A second standard conversion sequence

A user-defined conversion sequence A is better than a user-defined conversion sequence B if the both have the same user-defined conversion function or constructor, and the second standard conversion sequence of A is better than the second standard conversion sequence of B.

Ellipsis Conversion Sequences

An *ellipsis conversion sequence* occurs when the compiler matches an argument in a function call with a corresponding ellipsis parameter.

Related References

- “Lvalue-to-Rvalue Conversions” on page 120
- “Pointer Conversions” on page 122
- “Qualification Conversions” on page 124
- “Integral Conversions” on page 121
- “Floating-Point Conversions” on page 122
- “Boolean Conversions” on page 121

Resolving Addresses of Overloaded Functions

 If you use an overloaded function name `f` without any arguments, that name can refer to a function, a pointer to a function, a pointer to member function, or a specialization of a function template. Because you did not provide any arguments, the compiler cannot perform overload resolution the same

way it would for a function call or for the use of an operator. Instead, the compiler will try to choose the best viable function that matches the type of one of the following expressions, depending on where you have used `f`:

- An object or reference you are initializing
- The left side of an assignment
- A parameter of a function or a user-defined operator
- The return value of a function, operator, or conversion
- An explicit type conversion

If the compiler chose a declaration of a nonmember function or a static member function when you used `f`, the compiler matched the declaration with an expression of type pointer-to-function or reference-to-function. If the compiler chose a declaration of a nonstatic member function, the compiler matched that declaration with an expression of type pointer-to-member function. The following example demonstrates this:

```
struct X {
    int f(int) { return 0; }
    static int f(char) { return 0; };
}

int main() {
    int (X::*a)(int) = &X::f;
    // int (*b)(int) = &X::f;
    int (*c)(int) = &X::f;
}
```

The compiler will not allow the initialization of the function pointer `b`. No nonmember function or static function of type `int(int)` has been declared.

If `f` is a template function, the compiler will perform template argument deduction to determine which template function to use. If successful, it will add that function to the list of viable functions. If there is more than one function in this set, including a non-template function, the compiler will eliminate all template functions from the set. If there are only template functions in this set, the compiler will choose the most specialized template function. The following example demonstrates this:

```
template<class T> int f(T) { return 0; }
template<> int f(int) { return 0; }
int f(int) { return 0; }

int main() {
    int (*a)(int) = f;
    a(1);
}
```

The function call `a(1)` calls `int f(int)`.

Related References

- “Pointers to Functions” on page 147
- “Pointers to Members” on page 218
- “Function Templates” on page 290
- “Explicit Specialization” on page 300

Chapter 12. Classes

C++ A *class* is a mechanism for creating user-defined data types. It is similar to the C language structure data type. In C, a structure is composed of a set of data members. In C++, a class type is like a C structure, except that a class is composed of a set of data members and a set of operations that can be performed on the class.

In C++, a class type can be declared with the keywords **union**, **struct**, or **class**. A union object can hold any one of a set of named members. Structure and class objects hold a complete set of members. Each class type represents a unique set of class members including data members, member functions, and other type names. The default access for members depends on the class key:

- The members of a class declared with the keyword **class** are private by default. A class is inherited privately by default.
- The members of a class declared with the keyword **struct** are public by default. A structure is inherited publicly by default.
- The members of a union (declared with the keyword **union**) are public by default. A union cannot be used as a base class in derivation.

Once you create a class type, you can declare one or more objects of that class type. For example:

```
class X
{
    /* define class members here */
};
int main()
{
    X xobject1;        // create an object of class type X
    X xobject2;        // create another object of class type X
}
```

You may have *polymorphic* classes in C++. Polymorphism is the ability to use a function name that appears in different classes (related by inheritance), without knowing exactly the class the function belongs to at compile time.


C++ allows you to redefine standard operators and functions through the concept of overloading. Operator overloading facilitates data abstraction by allowing you to use classes as easily as built-in types.

Declaring Class Types

C++ A class declaration creates a unique type class name.

A *class specifier* is a type specifier used to declare a class. Once a class specifier has been seen and its members declared, a class is considered to be defined even if the member functions of that class are not yet defined. A class specifier has the following form:

Syntax – Class Specifier



The *class_name* is a unique identifier that becomes a reserved word within its scope. Once a class name is declared, it hides other declarations of the same name within the enclosing scope.

Declaring Class Objects

The *member_list* specifies the class members, both data and functions, of the class *class_name*. If the *member_list* of a class is empty, objects of that class have a nonzero size. You can use a *class_name* within the *member_list* of the class specifier itself as long as the size of the class is not required.

The *base_clause* specifies the base class or classes from which the class *class_name* inherits members. If the *base_clause* is not empty, the class *class_name* is called a *derived class*.

A *structure* is a class declared with the *class_key* **struct**. The members and base classes of a structure are public by default. A *union* is a class declared with the *class_key* **union**. The members of a union are public by default; a union holds only one data member at a time.

An *aggregate class* is a class that has no user-defined constructors, no private or protected non-static data members, no base classes, and no virtual functions.

Using Class Objects

C++ You can use a class type to create instances or *objects* of that class type. For example, you can declare a class, structure, and union with class names *X*, *Y*, and *Z* respectively:

```
class X {
    // members of class X
};

struct Y {
    // members of struct Y
};

union Z {
    // members of union Z
};
```

You can then declare objects of each of these class types. Remember that classes, structures, and unions are all types of C++ classes.

```
int main()
{
    X xobj;      // declare a class object of class type X
    Y yobj;      // declare a struct object of class type Y
    Z zobj;      // declare a union object of class type Z
}
```

In C++, unlike C, you do not need to precede declarations of class objects with the keywords **union**, **struct**, and **class** unless the name of the class is hidden. For example:

```
struct Y { /* ... */ };
class X { /* ... */ };
int main ()
{
    int X;      // hides the class name X
    Y yobj;     // valid
    X xobj;     // error, class name X is hidden
    class X xobj; // valid
}
```

When you declare more than one class object in a declaration, the declarators are treated as if declared individually. For example, if you declare two objects of class *S* in a single declaration:

```
class S { /* ... */ };
int main()
{
    S S,T; // declare two objects of class type S
}
```

this declaration is equivalent to:

```
class S { /* ... */ };
int main()
{
    S S;
    class S T;      // keyword class is required
                   // since variable S hides class type S
}

```

but is not equivalent to:

```
class S { /* ... */ };
int main()
{
    S S;
    S T;           // error, S class type is hidden
}

```

You can also declare references to classes, pointers to classes, and arrays of classes. For example:

```
class X { /* ... */ };
struct Y { /* ... */ };
union Z { /* ... */ };
int main()
{
    X xobj;
    X &xref = xobj;      // reference to class object of type X
    Y *yptr;           // pointer to struct object of type Y
    Z zarray[10];      // array of 10 union objects of type Z
}

```

Objects of class types that are not copy restricted can be assigned, passed as arguments to functions, and returned by functions.

Classes and Structures

 The C++ class is an extension of the C language structure. Because the only difference between a structure and a class is that structure members have public access by default and a class members have private access by default, you can use the keywords **class** or **struct** to define equivalent classes.

For example, in the following code fragment, the class *X* is equivalent to the structure *Y*:

```
class X {
    // private by default
    int a;

public:
    // public member function
    int f() { return a = 5; };
};

struct Y {
    // public by default
    int f() { return a = 5; };

private:
    // private data member
    int a;
};

```

Declaring Class Objects

If you define a structure and then declare an object of that structure using the keyword `class`, the members of the object are still public by default. In the following example, `main()` has access to the members of `obj_X` even though `obj_X` has been declared using an elaborated type specifier that uses the class key `class`:

```
#include <iostream>
using namespace std;

struct X {
    int a;
    int b;
};

class X obj_X;

int main() {
    obj_X.a = 0;
    obj_X.b = 1;
    cout << "Here are a and b: " << obj_X.a << " " << obj_X.b << endl;
}
```

The following is the output of the above example:

Here are a and b: 0 1

Related References


- “Structures” on page 45

Scope of Class Names


C++ A class declaration introduces the class name into the scope where it is declared. Any class, object, function or other declaration of that name in an enclosing scope is hidden.

If a class name is declared in the same scope as a function, enumerator, or object with the same name, you must refer to that class using an *elaborated type specifier*:

Syntax – Elaborated Type Specifier



Syntax – Nested Name Specifier



The following example must use an elaborated type specifier to refer to class `A` because this class is hidden by the definition of the function `A()`:

```
class A { };

void A (class A*) { };

int main()
```

```
{
    class A* x;
    A(x);
}
```

The declaration `class A* x` is an elaborated type specifier. Declaring a class with the same name of another function, enumerator, or object as demonstrated above is not recommended.

An elaborated type specifier can also be used in the incomplete declaration of a class type to reserve the name for a class type within the current scope.

Incomplete Class Declarations

C++ An *incomplete class declaration* is a class declaration that does not define any class members. You cannot declare any objects of the class type or refer to the members of a class until the declaration is complete. However, an incomplete declaration allows you to make specific references to a class prior to its definition as long as the size of the class is not required.

For example, you can define a pointer to the structure `first` in the definition of the structure `second`. Structure `first` is declared in an incomplete class declaration prior to the definition of `second`, and the definition of `oneptr` in structure `second` does not require the size of `first`:

```
struct first;           // incomplete declaration of struct first

struct second          // complete declaration of struct second
{
    first* oneptr;     // pointer to struct first refers to
                     // struct first prior to its complete
                     // declaration

    first one;        // error, you cannot declare an object of
                     // an incompletely declared class type

    int x, y;
};

struct first           // complete declaration of struct first
{
    second two;        // define an object of class type second
    int z;
};
```

However, if you declare a class with an empty member list, it is a complete class declaration. For example:

```
class X;               // incomplete class declaration
class Z {};           // empty member list
class Y
{
public:
    X yobj;           // error, cannot create an object of an
                     // incomplete class type
    Z zobj;           // valid
};
```

Related References

- “Class Member Lists” on page 213

Nested Classes

C++ A *nested class* is declared within the scope of another class. The name of a nested class is local to its enclosing class. Unless you use explicit pointers, references, or object names, declarations in a nested class can only use visible constructs, including type names, static members, and enumerators from the enclosing class and global variables.

Scope of Class Names

Member functions of a nested class follow regular access rules and have no special access privileges to members of their enclosing classes. Member functions of the enclosing class have no special access to members of a nested class. The following example demonstrates this:

```
class A {
    int x;

    class B { };

    class C {

        // The compiler cannot allow the following
        // declaration because A::B is private:
        //   B b;

        int y;
        void f(A* p, int i) {

            // The compiler cannot allow the following
            // statement because A::x is private:
            //   p->x = i;

        }
    };

    void g(C* p) {

        // The compiler cannot allow the following
        // statement because C::y is private:
        //   int z = p->y;
    }
};

int main() { }
```

The compiler would not allow the declaration of object `b` because class `A::B` is private. The compiler would not allow the statement `p->x = i` because `A::x` is private. The compiler would not allow the statement `int z = p->y` because `C::y` is private.

You can define member functions and static data members of a nested class in namespace scope. For example, in the following code fragment, you can access the static members `x` and `y` and member functions `f()` and `g()` of the nested class nested by using a qualified type name. Qualified type names allow you to define a **typedef** to represent a qualified class name. You can then use the **typedef** with the `::` (scope resolution) operator to refer to a nested class or class member, as shown in the following example:

```
class outside
{
public:
    class nested
    {
    public:
        static int x;
        static int y;
        int f();
        int g();
    };
};

int outside::nested::x = 5;
int outside::nested::f() { return 0; };

typedef outside::nested outnest;    // define a typedef
int outnest::y = 10;                // use typedef with ::
int outnest::g() { return 0; };
```

However, using a typedef to represent a nested class name hides information and may make the code harder to understand.

You cannot use a typedef name in an elaborated type specifier. To illustrate, you cannot use the following declaration in the above example:

```
class outnest obj;
```

A nested class may inherit from private members of its enclosing class. The following example demonstrates this:

```
class A {
private:
    class B { };
    B *z;

    class C : private B {
private:
        B y;
//      A::B y2;
        C *x;
//      A::C *x2;
    };
};
```

The nested class `A::C` inherits from `A::B`. The compiler does not allow the declarations `A::B y2` and `A::C *x2` because both `A::B` and `A::C` are private.

Local Classes

C++ A *local class* is declared within a function definition. Declarations in a local class can only use type names, enumerations, static variables from the enclosing scope, as well as external variables and functions.

For example:

```
int x; // global variable
void f() // function definition
{
    static int y; // static variable y can be used by
                // local class
    int x; // auto variable x cannot be used by
          // local class
    extern int g(); // extern function g can be used by
                  // local class

    class local // local class
    {
        int g() { return x; } // error, local variable x
                            // cannot be used by g
        int h() { return y; } // valid,static variable y
        int k() { return ::x; } // valid, global x
        int l() { return g(); } // valid, extern function g
    };
}

int main()
{
    local* z; // error: the class local is not visible
    // ...}
```

Member functions of a local class have to be defined within their class definition, if they are defined at all. As a result, member functions of a local class are inline functions. Like all member functions, those defined within the scope of a local class do not need the keyword **inline**.

Scope of Class Names

A local class cannot have static data members. In the following example, an attempt to define a static member of a local class causes an error:

```
void f()
{
    class local
    {
        int f();           // error, local class has noninline
                          // member function
        int g() {return 0;} // valid, inline member function
        static int a;      // error, static is not allowed for
                          // local class
        int b;           // valid, nonstatic variable
    };
}
// . . .
```

An enclosing function has no special access to members of the local class.

Related References

- “Member Functions” on page 214
- “Inline Functions” on page 148

Local Type Names

 Local type names follow the same scope rules as other names. Type names defined within a class declaration have class scope and cannot be used outside their class without qualification.

If you use a class name, **typedef** name, or a constant name that is used in a type name, in a class declaration, you cannot redefine that name after it is used in the class declaration.

For example:

```
int main ()
{
    typedef double db;
    struct st
    {
        db x;
        typedef int db; // error
        db y;
    };
}
```

The following declarations are valid:

```
typedef float T;
class s {
    typedef int T;
    void f(const T);
};
```

Here, function `f()` takes an argument of type `s::T`. However, the following declarations, where the order of the members of `s` has been reversed, cause an error:

```
typedef float T;
class s {
    void f(const T);
    typedef int T;
};
```

In a class declaration, you cannot redefine a name that is not a class name, or a **typedef** name to a class name or **typedef** name once you have used that name in the class declaration.

Related References

- “Scope” on page 1
- “typedef” on page 35

Scope of Class Names


Chapter 13. Class Members and Friends

C++ This section discusses the declaration of class members with respect to the information hiding mechanism and how a class can grant functions and classes access to its nonpublic members by the use of the friend mechanism. C++ expands the concept of information hiding to include the notion of having a public class interface but a private implementation. It is the mechanism for limiting direct access to the internal representation of a class type by functions in a program.

Class Member Lists

C++ An optional *member list* declares subobjects called *class members*. Class members can be data, functions, nested types, and enumerators.

Syntax – Class Member List



The member list follows the class name and is placed between braces. The following applies to member lists, and members of member lists:

- A *member_declaration* or a *member_definition* may be a declaration or definition of a data member, member function, nested type, or enumeration. (The enumerators of an enumeration defined in a class member list are also members of the class.)
- A member list is the only place where you can declare class members.
- Friend declarations are not class members but must appear in member lists.
- The member list in a class definition declares all the members of a class; you cannot add members elsewhere.
- You cannot declare a member twice in a member list.
- You may declare a data member or member function as **static** but not **auto**, **extern**, or **register**.
- You may declare a nested class, a member class template, or a member function, and define it outside the class.
- You must define static data members outside the class.
- Nonstatic members that are class objects must be objects of previously defined classes; a class A cannot contain an object of class A, but it can contain a pointer or reference to an object of class A.
- You must specify all dimensions of a nonstatic array member.

A *constant initializer* (= *constant_expression*) may only appear in a class member of integral or enumeration type that has been declared **static**.

A *pure specifier* (= 0) indicates that a function has no definition. It is only used with member functions declared as **virtual** and replaces the function definition of a member function in the member list.

An *access specifier* is one of **public**, **private**, or **protected**.

A *member declaration* declares a class member for the class containing the declaration.

Class Member Lists

The order of allocation of nonstatic class members separated by an *access_specifier* is implementation-dependent.

Suppose *A* is a name of a class. The following class members of *A* must have a name different from *A*:

- All data members
- All type members
- All enumerators of enumerated type members
- All members of all anonymous union members

Data Members

C++ Data members include members that are declared with any of the fundamental types, as well as other types, including pointer, reference, array types, bit fields, and user-defined types. You can declare a data member the same way as a variable, except that explicit initializers are not allowed inside the class definition. However, a const static data member of integral or enumeration type may have an explicit initializer.

If an array is declared as a nonstatic class member, you must specify all of the dimensions of the array.

A class can have members that are of a class type or are pointers or references to a class type. Members that are of a class type must be of a class type that has been previously declared. An incomplete class type can be used in a member declaration as long as the size of the class is not needed. For example, a member can be declared that is a pointer to an incomplete class type.

A class *X* cannot have a member that is of type *X*, but it can contain pointers to *X*, references to *X*, and static objects of *X*. Member functions of *X* can take arguments of type *X* and have a return type of *X*. For example:

```
class X
{
    X();
    X *xptr;
    X &xref;
    static X xcount;
    X xfunc(X);
};
```

Member Functions

C++ *Member functions* are operators and functions that are declared as members of a class. Member functions do not include operators and functions declared with the **friend** specifier. These are called *friends* of a class. You can declare a member function as **static**; this is called a *static member function*. A member function that is not declared as **static** is called a *nonstatic member function*.

Suppose that you create an object named *x* of class *A*, and class *A* has a nonstatic member function *f()*. If you call the function *x.f()*, the keyword **this** in the body of *f()* is the address of *x*.

The definition of a member function is within the scope of its enclosing class. The body of a member function is analyzed after the class declaration so that members of that class can be used in the member function body, even if the member function definition appears before the declaration of that member in the class member list. When the function *add()* is called in the following example, the data variables *a*, *b*, and *c* can be used in the body of *add()*.

```
class x
{
public:
    int add()           // inline member function add
```

```

        {return a+b+c;};
private:
    int a,b,c;
};

```

Inline Member Functions

You may either define a member function inside its class definition, or you may define it outside if you have already declared (but not defined) the member function in the class definition.

A member function that is defined inside its class member list is called an *inline member function*. Member functions containing a few lines of code are usually declared inline. In the above example, `add()` is an inline member function. If you define a member function outside of its class definition, it must appear in a namespace scope enclosing the class definition. You must also qualify the member function name using the scope resolution (`::`) operator.

An equivalent way to declare an inline member function is to either declare it in the class with the **inline** keyword (and define the function outside of its class) or to define it outside of the class declaration using the **inline** keyword.

In the following example, member function `Y::f()` is an inline member function:

```

struct Y {
private:
    char a*;
public:
    char* f() { return a; }
};

```

The following example is equivalent to the previous example; `Y::f()` is an inline member function:

```

struct Y {
private:
    char a*;
public:
    char* f();
};

inline char* Z::f() { return a; }

```

The **inline** specifier does not affect the linkage of a member or nonmember function: linkage is external by default.

Member Functions of Local Classes

Member functions of a local class must be defined within their class definition. As a result, member functions of a local class are implicitly inline functions. These inline member functions have no linkage.

Related References

- “Friends” on page 227
- “Static Member Functions” on page 224
- Chapter 7, “Functions,” on page 129
- “Inline Functions” on page 148
- “Local Classes” on page 209

const and volatile Member Functions

 A member function declared with the **const** qualifier can be called for constant and nonconstant objects. A nonconstant member function can only be called for a nonconstant object. Similarly, a member

Member Functions

function declared with the **volatile** qualifier can be called for volatile and nonvolatile objects. A nonvolatile member function can only be called for a nonvolatile object.

Related References

- “Type Qualifiers” on page 57
- “The const Type Qualifier” on page 58

Virtual Member Functions

C++ Virtual member functions are declared with the keyword **virtual**. They allow dynamic binding of member functions. Because all virtual functions must be member functions, virtual member functions are simply called *virtual functions*.

If the definition of a virtual function is replaced by a pure specifier in the declaration of the function, the function is said to be declared pure. A class that has at least one pure virtual function is called an *abstract class*.

Related References

- “Virtual Functions” on page 249
- “Abstract Classes” on page 254

Special Member Functions

C++ *Special member functions* are used to create, destroy, initialize, convert, and copy class objects. These include the following:

- Constructors
- Destructors
- Conversion constructors
- Conversion functions
- Copy constructors

Related References

- Chapter 15, “Special Member Functions,” on page 257

Member Scope

C++ Member functions and static members can be defined outside their class declaration if they have already been declared, but not defined, in the class member list. Nonstatic data members are defined when an object of their class is created. The declaration of a static data member is not a definition. The declaration of a member function is a definition if the body of the function is also given.

Whenever the definition of a class member appears outside of the class declaration, the member name must be qualified by the class name using the `::` (scope resolution) operator.

The following example defines a member function outside of its class declaration.

```
#include <iostream>
using namespace std;

struct X {
    int a, b ;

    // member function declaration only
    int add();
};

// global variable
int a = 10;
```

```
// define member function outside its class declaration
int X::add() { return a + b; }

int main() {
    int answer;
    X xobject;
    xobject.a = 1;
    xobject.b = 2;
    answer = xobject.add();
    cout << xobject.a << " + " << xobject.b << " = " << answer << endl;
}
```

The output for this example is: 1 + 2 = 3

All member functions are in class scope even if they are defined outside their class declaration. In the above example, the member function `add()` returns the data member `a`, not the global variable `a`.

The name of a class member is local to its class. Unless you use one of the class access operators, `.` (dot), or `->` (arrow), or `::` (scope resolution) operator, you can only use a class member in a member function of its class and in nested classes. You can only use types, enumerations and static members in a nested class without qualification with the `::` operator.

The order of search for a name in a member function body is:

1. Within the member function body itself
2. Within all the enclosing classes, including inherited members of those classes
3. Within the lexical scope of the body declaration

The search of the enclosing classes, including inherited members, is demonstrated in the following example:

```
class A { /* ... */ };
class B { /* ... */ };
class C { /* ... */ };
class Z : A {
    class Y : B {
        class X : C { int f(); /* ... */ };
    };
};
int Z::Y::X f()
{
    char j;
    return 0;
}
```

In this example, the search for the name `j` in the definition of the function `f` follows this order:

1. In the body of the function `f`
2. In `X` and in its base class `C`
3. In `Y` and in its base class `B`
4. In `Z` and in its base class `A`
5. In the lexical scope of the body of `f`. In this case, this is global scope.

Note that when the containing classes are being searched, only the definitions of the containing classes and their base classes are searched. The scope containing the base class definitions (global scope, in this example) is not searched.

Related References

- “Class Scope” on page 3

Pointers to Members

C++ Pointers to members allow you to refer to nonstatic members of class objects. You cannot use a pointer to member to point to a static class member because the address of a static member is not associated with any particular object. To point to a static class member, you must use a normal pointer.

You can use pointers to member functions in the same manner as pointers to functions. You can compare pointers to member functions, assign values to them, and use them to call member functions. Note that a member function does not have the same type as a nonmember function that has the same number and type of arguments and the same return type.

Pointers to members can be declared and used as shown in the following example:

```
#include <iostream>
using namespace std;

class X {
public:
    int a;
    void f(int b) {
        cout << "The value of b is " << b << endl;
    }
};

int main() {

    // declare pointer to data member
    int X::*ptiptr = &X::a;

    // declare a pointer to member function
    void (X::* ptfptr) (int) = &X::f;

    // create an object of class type X
    X xobject;

    // initialize data member
    xobject.*ptiptr = 10;

    cout << "The value of a is " << xobject.*ptiptr << endl;

    // call member function
    (xobject.*ptfptr) (20);
}
```

The output for this example is:

```
The value of a is 10
The value of b is 20
```

To reduce complex syntax, you can declare a **typedef** to be a pointer to a member. A pointer to a member can be declared and used as shown in the following code fragment:

```
typedef int X::*my_pointer_to_member;
typedef void (X::*my_pointer_to_function) (int);

int main() {
    my_pointer_to_member ptiptr = &X::a;
    my_pointer_to_function ptfptr = &X::f;
    X xobject;
    xobject.*ptiptr = 10;
    cout << "The value of a is " << xobject.*ptiptr << endl;
    (xobject.*ptfptr) (20);
}
```

The pointer to member operators `.*` and `->*` are used to bind a pointer to a member of a specific class object. Because the precedence of `()` (function call operator) is higher than `.*` and `->*`, you must use parentheses to call the function pointed to by `ptf`.

Related References

- “C++ Pointer to Member Operators `.*` `->*`” on page 112
- “Objects” on page 28

The `this` Pointer

C++ The keyword `this` identifies a special type of pointer. Suppose that you create an object named `x` of class `A`, and class `A` has a nonstatic member function `f()`. If you call the function `x.f()`, the keyword `this` in the body of `f()` is the address of `x`. You cannot declare the `this` pointer or make assignments to it.

A static member function does not have a `this` pointer.

The type of the `this` pointer for a member function of a class type `X`, is `X* const`. If the member function is declared with the `const` qualifier, the type of the `this` pointer for that member function for class `X`, is `const X* const`. If the member function is declared with the `volatile` qualifier, the type of the `this` pointer for that member function for class `X` is `volatile X* const`. For example, the compiler will not allow the following:

```
struct A {
    int a;
    int f() const { return a++; }
};
```

The compiler will not allow the statement `a++` in the body of function `f()`. In the function `f()`, the `this` pointer is of type `A* const`. The function `f()` is trying to modify part of the object to which `this` points.

The `this` pointer is passed as a hidden argument to all nonstatic member function calls and is available as a local variable within the body of all nonstatic functions.

For example, you can refer to the particular class object that a member function is called for by using the `this` pointer in the body of the member function. The following code example produces the output `a = 5`:

```
#include <iostream>
using namespace std;

struct X {
private:
    int a;
public:
    void Set_a(int a) {

        // The 'this' pointer is used to retrieve 'xobj.a'
        // hidden by the automatic variable 'a'
        this->a = a;
    }
    void Print_a() { cout << "a = " << a << endl; }
};

int main() {
    X xobj;
    int a = 5;
    xobj.Set_a(a);
    xobj.Print_a();
}
```

In the member function `Set_a()`, the statement `this->a = a` uses the `this` pointer to retrieve `xobj.a` hidden by the automatic variable `a`.

The this Pointer

Unless a class member name is hidden, using the class member name is equivalent to using the class member name with the **this** pointer and the class member access operator (->).

The example in the first column of the following table shows code that uses class members without the **this** pointer. The code in the second column uses the variable **THIS** to simulate the first column's hidden use of the **this** pointer:

Code without using this pointer	Equivalent code, the THIS variable simulating the hidden use of the this pointer
<pre>#include <string> #include <iostream> using namespace std; struct X { private: int len; char *ptr; public: int GetLen() { return len; } char * GetPtr() { return ptr; } X& Set(char *); X& Cat(char *); X& Copy(X&); void Print(); }; X& X::Set(char *pc) { len = strlen(pc); ptr = new char[len]; strcpy(ptr, pc); return *this; } X& X::Cat(char *pc) { len += strlen(pc); strcat(ptr,pc); return *this; } X& X::Copy(X& x) { Set(x.GetPtr()); return *this; } void X::Print() { cout << ptr << endl; } int main() { X xobj1; xobj1.Set("abcd") .Cat("efgh"); xobj1.Print(); X xobj2; xobj2.Copy(xobj1) .Cat("ijkl"); xobj2.Print(); }</pre>	<pre>#include <string> #include <iostream> using namespace std; struct X { private: int len; char *ptr; public: int GetLen (X* const THIS) { return THIS->len; } char * GetPtr (X* const THIS) { return THIS->ptr; } X& Set(X* const, char *); X& Cat(X* const, char *); X& Copy(X* const, X&); void Print(X* const); }; X& X::Set(X* const THIS, char *pc) { THIS->len = strlen(pc); THIS->ptr = new char[THIS->len]; strcpy(THIS->ptr, pc); return *THIS; } X& X::Cat(X* const THIS, char *pc) { THIS->len += strlen(pc); strcat(THIS->ptr, pc); return *THIS; } X& X::Copy(X* const THIS, X& x) { THIS->Set(THIS, x.GetPtr(&x)); return *THIS; } void X::Print(X* const THIS) { cout << THIS->ptr << endl; } int main() { X xobj1; xobj1.Set(&xobj1 , "abcd") .Cat(&xobj1 , "efgh"); xobj1.Print(&xobj1); X xobj2; xobj2.Copy(&xobj2 , xobj1) .Cat(&xobj2 , "ijkl"); xobj2.Print(&xobj2); }</pre>

Both examples produces the following output:

```
abcdefgh
abcdefghijk1
```

Related References

- “Overloading Assignments” on page 195
- “Copy Constructors” on page 276

Static Members

C++ Class members can be declared using the storage class specifier **static** in the class member list. Only one copy of the static member is shared by all objects of a class in a program. When you declare an object of a class having a static member, the static member is not part of the class object.

A typical use of static members is for recording data common to all objects of a class. For example, you can use a static data member as a counter to store the number of objects of a particular class type that are created. Each time a new object is created, this static data member can be incremented to keep track of the total number of objects.

You access a static member by qualifying the class name using the `::` (scope resolution) operator. In the following example, you can refer to the static member `f()` of class type `X` as `X::f()` even if no object of type `X` is ever declared:

```
struct X {
    static int f();
};

int main() {
    X::f();
}
```

Related References

- “static Storage Class Specifier” on page 33
- “Class Member Lists” on page 213

Using the Class Access Operators with Static Members

C++ You do not have to use the class member access syntax to refer to a static member; to access a static member `s` of class `X`, you could use the expression `X::s`. The following example demonstrates accessing a static member:

```
#include <iostream>
using namespace std;

struct A {
    static void f() { cout << "In static function A::f()" << endl; }
};

int main() {

    // no object required for static member
    A::f();

    A a;
    A* ap = &a;
    a.f();
    ap->f();
}
```

The three statements `A::f()`, `a.f()`, and `ap->f()` all call the same static member function `A::f()`.

Static Members

You can directly refer to a static member in the same scope of its class, or in the scope of a class derived from the static member's class. The following example demonstrates the latter case (directly referring to a static member in the scope of a class derived from the static member's class):

```
#include <iostream>
using namespace std;

int g() {
    cout << "In function g()" << endl;
    return 0;
}

class X {
public:
    static int g() {
        cout << "In static member function X::g()" << endl;
        return 1;
    }
};

class Y: public X {
public:
    static int i;
};

int Y::i = g();

int main() { }
```

The following is the output of the above code:

```
In static member function X::g()
```

The initialization `int Y::i = g()` calls `X::g()`, not the function `g()` declared in the global namespace.

A static member can be referred to independently of any association with a class object because there is only one static member shared by all objects of a class. A static member will exist even if no objects of its class have been declared.

Related References

- "Dot Operator `.`" on page 88
- "Arrow Operator `->`" on page 89

Static Data Members

 Only one copy of a static data member of a class exists; it is shared with all objects of that class.

Static data members of a class in namespace scope have external linkage. Static data members follow the usual class access rules, except that they can be initialized in file scope. Static data members and their initializers can access other static private and protected members of their class. The initializer for a static data member is in the scope of the class declaring the member.

A static data member can be of any type except for **void** or **void** qualified with **const** or **volatile**.

The declaration of a static data member in the member list of a class is not a definition. The definition of a static data member is equivalent to an external variable definition. You must define the static member outside of the class declaration in namespace scope.

For example:

```
class X
{
public:
    static int i;
};
int X::i = 0; // definition outside class declaration
```

Once you define a static data member, it exists even though no objects of the static data member's class exist. In the above example, no objects of class X exist even though the static data member X::i has been defined.

The following example shows how you can initialize static members using other static members, even though these members are private:

```
class C {
    static int i;
    static int j;
    static int k;
    static int l;
    static int m;
    static int n;
    static int p;
    static int q;
    static int r;
    static int s;
    static int f() { return 0; }
    int a;
public:
    C() { a = 0; }
};

C c;
int C::i = C::f(); // initialize with static member function
int C::j = C::i; // initialize with another static data member
int C::k = c.f(); // initialize with member function from an object
int C::l = c.j; // initialize with data member from an object
int C::s = c.a; // initialize with nonstatic data member
int C::r = 1; // initialize with a constant value

class Y : private C { } y;

int C::m = Y::f();
int C::n = Y::r;
int C::p = y.r; // error
int C::q = y.f(); // error
```

The initializations of C::p and C::x cause errors because y is an object of a class that is derived privately from C, and its members are not accessible to members of C.

If a static data member is of **const** integral or **const** enumeration type, you may specify a *constant initializer* in the static data member's declaration. This constant initializer must be an integral constant expression. Note that the constant initializer is not a definition. You still need to define the static member in an enclosing namespace. The following example demonstrates this:

```
#include <iostream>
using namespace std;

struct X {
    static const int a = 76;
};

const int X::a;

int main() {
    cout << X::a << endl;
}
```

Static Members

The tokens = 76 at the end of the declaration of static data member a is a constant initializer.

Notes:

1. You can have only one definition of a static member in a program. Unnamed classes and classes contained within unnamed classes cannot have static data members.
2. You cannot declare a static data member as **mutable**.
3. Local classes cannot have static data members.
4. You can declare 'static __thread' member data in C++ class objects.

Static Member Functions

C++ You cannot have static and nonstatic member functions with the same names and the same number and type of arguments.

Like static data members, you may access a static member function `f()` of a class `A` without using an object of class `A`.

A static member function does not have a **this** pointer. The following example demonstrates this:

```
#include <iostream>
using namespace std;

struct X {
private:
    int i;
    static int si;
public:
    void set_i(int arg) { i = arg; }
    static void set_si(int arg) { si = arg; }

    void print_i() {
        cout << "Value of i = " << i << endl;
        cout << "Again, value of i = " << this->i << endl;
    }

    static void print_si() {
        cout << "Value of si = " << si << endl;
        // cout << "Again, value of si = " << this->si << endl;
    }
};

int X::si = 77;    // Initialize static data member

int main() {
    X xobj;
    xobj.set_i(11);
    xobj.print_i();

    // static data members and functions belong to the class and
    // can be accessed without using an object of class X
    X::print_si();
    X::set_si(22);
    X::print_si();
}
```

The following is the output of the above example:

```
Value of i = 11
Again, value of i = 11
Value of si = 77
Value of si = 22
```

The compiler does not allow the member access operation `this->si` in function `A::print_si()` because this member function has been declared as static, and therefore does not have a **this** pointer.

You can call a static member function using the **this** pointer of a nonstatic member function. In the following example, the nonstatic member function `printall()` calls the static member function `f()` using the **this** pointer:

```
#include <iostream>
using namespace std;

class C {
    static void f() {
        cout << "Here is i: " << i << endl;
    }
    static int i;
    int j;
public:
    C(int firstj): j(firstj) { }
    void printall();
};

void C::printall() {
    cout << "Here is j: " << this->j << endl;
    this->f();
}

int C::i = 3;

int main() {
    C obj_C(0);
    obj_C.printall();
}
```

The following is the output of the above example:

```
Here is j: 0
Here is i: 3
```

A static member function cannot be declared with the keywords **virtual**, **const**, **volatile**, or **const volatile**.

A static member function can access only the names of static members, enumerators, and nested types of the class in which it is declared. Suppose a static member function `f()` is a member of class `X`. The static member function `f()` cannot access the nonstatic members `X` or the nonstatic members of a base class of `X`.

Related References

- “The this Pointer” on page 219

Member Access

 *Member access* determines if a class member is accessible in an expression or declaration. Suppose `x` is a member of class `A`. Class member `x` can be declared to have one of the following levels of accessibility:

- **public**: `x` can be used anywhere without the access restrictions defined by `private` or `protected`.
- **private**: `x` can be used only by the members and friends of class `A`.
- **protected**: `x` can be used only by the members and friends of class `A`, and the members and friends of classes derived from class `A`.

Members of classes declared with the keyword **class** are private by default. Members of classes declared with the keyword **struct** or **union** are public by default.

Member Access

To control the access of a class member, you use one of the *access specifiers* **public**, **private**, or **protected** as a label in a class member list. The following example demonstrates these access specifiers:

```
struct A {
    friend class C;
private:
    int a;
public:
    int b;
protected:
    int c;
};

struct B : A {
    void f() {
        // a = 1;
        b = 2;
        c = 3;
    }
};

struct C {
    void f(A x) {
        x.a = 4;
        x.b = 5;
        x.c = 6;
    }
};

int main() {
    A y;
    // y.a = 7;
    y.b = 8;
    // y.c = 9;

    B z;
    // z.a = 10;
    z.b = 11;
    // z.c = 12;
}
```

The following table lists the access of data members `A::a`, `A::b`, and `A::c` in various scopes of the above example:

Scope	<code>A::a</code>	<code>A::b</code>	<code>A::c</code>
function <code>B::f()</code>	No access. Member <code>A::a</code> is private.	Access. Member <code>A::b</code> is public.	Access. Class B inherits from A.
function <code>C::f()</code>	Access. Class C is a friend of A.	Access. Member <code>A::b</code> is public.	Access. Class C is a friend of A.
object <code>y</code> in <code>main()</code>	No access. Member <code>y.a</code> is private.	Access. Member <code>y.a</code> is public.	No access. Member <code>y.c</code> is protected.
object <code>z</code> in <code>main()</code>	No access. Member <code>z.a</code> is private.	Access. Member <code>z.a</code> is public.	No access. Member <code>z.c</code> is protected.

An access specifier specifies the accessibility of members that follow it until the next access specifier or until the end of the class definition. You can use any number of access specifiers in any order. If you later define a class member within its class definition, its access specification must be the same as its declaration. The following example demonstrates this:

```
class A {
    class B;
    public:
        class B { };
};
```

The compiler will not allow the definition of class B because this class has already been declared as private.

A class member has the same access control regardless whether it has been defined within its class or outside its class.

Access control applies to names. In particular, if you add access control to a typedef name, it affects only the typedef name. The following example demonstrates this:

```
class A {
    class B { };
    public:
        typedef B C;
};

int main() {
    A::C x;
    // A::B y;
}
```

The compiler will allow the declaration `A::C x` because the typedef name `A::C` is public. The compiler would not allow the declaration `A::B y` because `A::B` is private.

Note that accessibility and visibility are independent. Visibility is based on the scoping rules of C++. A class member can be visible and inaccessible at the same time.

Friends

C++ A friend of a class *X* is a function or class that is not a member of *X*, but is granted the same access to *X* as the members of *X*. Functions declared with the **friend** specifier in a class member list are called *friend functions* of that class. Classes declared with the **friend** specifier in the member list of another class are called *friend classes* of that class.

A class *Y* must be defined before any member of *Y* can be declared a friend of another class.

In the following example, the friend function `print` is a member of class *Y* and accesses the private data members `a` and `b` of class *X*.

```
#include <iostream>
using namespace std;

class X;

class Y {
public:
    void print(X& x);
};

class X {
    int a, b;
    friend void Y::print(X& x);
public:
    X() : a(1), b(2) { }
};

void Y::print(X& x) {
    cout << "a is " << x.a << endl;
}
```

Friends

```
    cout << "b is " << x.b << endl;
}

int main() {
    X xobj;
    Y yobj;
    yobj.print(xobj);
}
```

The following is the output of the above example:

```
a is 1
b is 2
```

You can declare an entire class as a friend. Suppose class F is a friend of class A. This means that every member function and static data member definition of class F has access to class A.

In the following example, the friend class F has a member function `print` that accesses the private data members `a` and `b` of class X and performs the same task as the friend function `print` in the above example. Any other members declared in class F also have access to all members of class X:

```
#include <iostream>
using namespace std;

class X {
    int a, b;
    friend class F;
public:
    X() : a(1), b(2) { }
};

class F {
public:
    void print(X& x) {
        cout << "a is " << x.a << endl;
        cout << "b is " << x.b << endl;
    }
};

int main() {
    X xobj;
    F fobj;
    fobj.print(xobj);
}
```

The following is the output of the above example:

```
a is 1
b is 2
```

You must use an elaborated type specifier when you declare a class as a friend. The following example demonstrates this:

```
class F;
class G;
class X {
    friend class F;
    friend G;
};
```

You cannot define a class in a friend declaration. For example, the compiler will not allow the following:

```
class F;
class X {
    friend class F { };
};
```

However, you can define a function in a friend declaration. The class must be a non-local class, function, the function name must be unqualified, and the function has namespace scope. The following example demonstrates this:

```
class A {
    void g();
};

void z() {
    class B {
        // friend void f() { };
    };
}

class C {
    // friend void A::g() { }
    friend void h() { }
};
```

The compiler would not allow the function definition of `f()` or `g()`. The compiler will allow the definition of `h()`.

You cannot declare a friend with a storage class specifier.

Related References

- “Member Access” on page 225
- “Inherited Member Access” on page 237

Friend Scope

 The name of a friend function or class first introduced in a friend declaration is not in the scope of the class granting friendship (also called the *enclosing class*) and is not a member of the class granting friendship.

The name of a function first introduced in a friend declaration is in the scope of the first nonclass scope that contains the enclosing class. The body of a function provided in a friend declaration is handled in the same way as a member function defined within a class. Processing of the definition does not start until the end of the outermost enclosing class. In addition, unqualified names in the body of the function definition are searched for starting from the class containing the function definition.

A class that is first declared in a friend declaration is equivalent to an **extern** declaration. For example:

```
class B {};
```

```
class A
{
    friend class B; // global class B is a friend of A
};
```

If the name of a friend class has been introduced before the friend declaration, the compiler searches for a class name that matches the name of the friend class beginning at the scope of the friend declaration. If the declaration of a nested class is followed by the declaration of a friend class with the same name, the nested class is a friend of the enclosing class.

The scope of a friend class name is the first nonclass enclosing scope. For example:

```
class A {
    class B { // arbitrary nested class definitions
        friend class C;
    };
};
```

is equivalent to:

Friends

```
class C;
class A {
    class B { // arbitrary nested class definitions
        friend class C;
    };
};
```

If the friend function is a member of another class, you need to use the scope resolution operator (::). For example:

```
class A {
public:
    int f() { }
};

class B {
    friend int A::f();
};
```

Friends of a base class are not inherited by any classes derived from that base class. The following example demonstrates this:

```
class A {
    friend class B;
    int a;
};

class B { };

class C : public B {
    void f(A* p) {
//    p->a = 2;
    }
};
```

The compiler would not allow the statement `p->a = 2` because class `C` is not a friend of class `A`, although `C` inherits from a friend of `A`.

Friendship is not transitive. The following example demonstrates this:

```
class A {
    friend class B;
    int a;
};

class B {
    friend class C;
};

class C {
    void f(A* p) {
//    p->a = 2;
    }
};
```

The compiler would not allow the statement `p->a = 2` because class `C` is not a friend of class `A`, although `C` is a friend of a friend of `A`.

If you declare a friend in a local class, and the friend's name is unqualified, the compiler will look for the name only within the innermost enclosing nonclass scope. You must declare a function before declaring it as a friend of a local scope. You do not have to do so with classes. However, a declaration of a friend class will hide a class in an enclosing scope with the same name. The following example demonstrates this:

```

class X { };
void a();

void f() {
    class Y { };
    void b();
    class A {
        friend class X;
        friend class Y;
        friend class Z;
    //    friend void a();
    //    friend void b();
    //    friend void c();
    };
    ::X moocow;
    // X moocow2;
}

```

In the above example, the compiler will allow the following statements:

- `friend class X`: This statement does not declare `::X` as a friend of `A`, but the local class `X` as a friend, even though this class is not otherwise declared.
- `friend class Y`: Local class `Y` has been declared in the scope of `f()`.
- `friend class Z`: This statement declares the local class `Z` as a friend of `A` even though `Z` is not otherwise declared.
- `friend void b()`: Function `b()` has been declared in the scope of `f()`.
- `::X moocow`: This declaration creates an object of the nonlocal class `::X`.

The compiler would not allow the following statements:

- `friend void a()`: This statement does not consider function `a()` declared in namespace scope. Since function `a()` has not been declared in the scope of `f()`, the compiler would not allow this statement.
- `friend void c()`: Since function `c()` has not been declared in the scope of `f()`, the compiler would not allow this statement.
- `X moocow2`: This declaration tries to create an object of the local class `X`, not the nonlocal class `::X`. Since local class `X` has not been defined, the compiler would not allow this statement.

Related References

- “Local Classes” on page 209

Friend Access

 A friend of a class can access the private and protected members of that class. Normally, you can only access the private members of a class through member functions of that class, and you can only access the protected members of a class through member functions of a class or classes derived from that class.

Friend declarations are not affected by access specifiers.

Related References

- “Member Access” on page 225

Friends

Chapter 14. Inheritance

C++ *Inheritance* is a mechanism of reusing and extending existing classes without modifying them.

Inheritance is almost like embedding an object into a class. Suppose that you declare an object *x* of class *A* in the class definition of *B*. As a result, class *B* will have access to all the public data members and member functions of class *A*. However, in class *B*, you have to access the data members and member functions of class *A* through object *x*. The following example demonstrates this:

```
#include <iostream>
using namespace std;

class A {
    int data;
public:
    void f(int arg) { data = arg; }
    int g() { return data; }
};

class B {
public:
    A x;
};

int main() {
    B obj;
    obj.x.f(20);
    cout << obj.x.g() << endl;
    // cout << obj.g() << endl;
}
```

In the main function, object *obj* accesses function *A::f()* through its data member *B::x* with the statement *obj.x.f(20)*. Object *obj* accesses *A::g()* in a similar manner with the statement *obj.x.g()*. The compiler would not allow the statement *obj.g()* because *g()* is a member function of class *A*, not class *B*.

The inheritance mechanism lets you use a statement like *obj.g()* in the above example. In order for that statement to be legal, *g()* must be a member function of class *B*.

Inheritance lets you include the names and definitions of another class's members as part of a new class. The class whose members you want to include in your new class is called a *base class*. Your new class is *derived* from the base class. Your new class will contain a *subobject* of the type of the base class. The following example is the same as the previous example except it uses the inheritance mechanism to give class *B* access to the members of class *A*:

```
#include <iostream>
using namespace std;

class A {
    int data;
public:
    void f(int arg) { data = arg; }
    int g() { return data; }
};

class B : public A { };

int main() {
```

```

    B obj;
    obj.f(20);
    cout << obj.g() << endl;
}

```

Class A is a base class of class B. The names and definitions of the members of class A are included in the definition of class B; class B inherits the members of class A. Class B is derived from class A. Class B contains a subobject of type A.

You can also add new data members and member functions to the derived class. You can modify the implementation of existing member functions or data by overriding base class member functions or data in the newly derived class.

You may derive classes from other derived classes, thereby creating another level of inheritance. The following example demonstrates this:

```

struct A { };
struct B : A { };
struct C : B { };

```

Class B is a derived class of A, but is also a base class of C. The number of levels of inheritance is only limited by resources.

Multiple inheritance allows you to create a derived class that inherits properties from more than one base class. Because a derived class inherits members from all its base classes, ambiguities can result. For example, if two base classes have a member with the same name, the derived class cannot implicitly differentiate between the two members. Note that, when you are using multiple inheritance, the access to names of base classes may be ambiguous.

A *direct base class* is a base class that appears directly as a base specifier in the declaration of its derived class.

An *indirect base class* is a base class that does not appear directly in the declaration of the derived class but is available to the derived class through one of its base classes. For a given class, all base classes that are not direct base classes are indirect base classes. The following example demonstrates direct and indirect base classes:

```

class A {
public:
    int x;
};
class B : public A {
public:
    int y;
};
class C : public B { };

```

Class B is a direct base class of C. Class A is a direct base class of B. Class A is an indirect base class of C. (Class C has x and y as its data members.)

Polymorphic functions are functions that can be applied to objects of more than one type. In C++, polymorphic functions are implemented in two ways:

- Overloaded functions are statically bound at compile time.
- C++ provides virtual functions. A *virtual function* is a function that can be called for a number of different user-defined types that are related through derivation. Virtual functions are bound dynamically at run time.

Related References


- “Multiple Access” on page 245
- “Multiple Inheritance” on page 243

- “Virtual Functions” on page 249

Derivation

C++ Inheritance is implemented in C++ through the mechanism of derivation. Derivation allows you to derive a class, called a *derived class*, from another class, called a *base class*.

Syntax – Derived Class Derivation



In the declaration of a derived class, you list the base classes of the derived class. The derived class inherits its members from these base classes.

The *qualified_class_specifier* must be a class that has been previously declared in a class declaration.

An *access specifier* is one of **public**, **private**, or **protected**.

The **virtual** keyword can be used to declare virtual base classes.

The following example shows the declaration of the derived class D and the base classes V, B1, and B2. The class B1 is both a base class and a derived class because it is derived from class V and is a base class for D:

```
class V { /* ... */ };
class B1 : virtual public V { /* ... */ };
class B2 { /* ... */ };
class D : public B1, private B2 { /* ... */ };
```

Classes that are declared but not defined are not allowed in base lists.

For example:

```
class X;

// error
class Y: public X { };
```

The compiler will not allow the declaration of class Y because X has not been defined.

When you derive a class, the derived class inherits class members of the base class. You can refer to inherited members (base class members) as if they were members of the derived class. For example:

```
class Base {
public:
    int a,b;
};

class Derived : public Base {
public:
    int c;
};
```

Derivation

```
int main() {
    Derived d;
    d.a = 1;    // Base::a
    d.b = 2;    // Base::b
    d.c = 3;    // Derived::c
}
```

The derived class can also add new class members and redefine existing base class members. In the above example, the two inherited members, `a` and `b`, of the derived class `d`, in addition to the derived class member `c`, are assigned values. If you redefine base class members in the derived class, you can still refer to the base class members by using the `::` (scope resolution) operator. For example:

```
#include <iostream>
using namespace std;

class Base {
public:
    char* name;
    void display() {
        cout << name << endl;
    }
};

class Derived: public Base {
public:
    char* name;
    void display() {
        cout << name << ", " << Base::name << endl;
    }
};

int main() {
    Derived d;
    d.name = "Derived Class";
    d.Base::name = "Base Class";

    // call Derived::display()
    d.display();

    // call Base::display()
    d.Base::display();
}
```

The following is the output of the above example:

```
Derived Class, Base Class
Base Class
```

You can manipulate a derived class object as if it were a base class object. You can use a pointer or a reference to a derived class object in place of a pointer or reference to its base class. For example, you can pass a pointer or reference to a derived class object `D` to a function expecting a pointer or reference to the base class of `D`. You do not need to use an explicit cast to achieve this; a standard conversion is performed. You can implicitly convert a pointer to a derived class to point to an accessible unambiguous base class. You can also implicitly convert a reference to a derived class to a reference to a base class.

The following example demonstrates a standard conversion from a pointer to a derived class to a pointer to a base class:

```
#include <iostream>
using namespace std;

class Base {
public:
    char* name;
    void display() {
        cout << name << endl;
    }
};
```

```

    }
};

class Derived: public Base {
public:
    char* name;
    void display() {
        cout << name << ", " << Base::name << endl;
    }
};

int main() {
    Derived d;
    d.name = "Derived Class";
    d.Base::name = "Base Class";

    Derived* dptr = &d;

    // standard conversion from Derived* to Base*
    Base* bptr = dptr;

    // call Base::display()
    bptr->display();
}

```

The following is the output of the above example:

```
Base Class
```

The statement `Base* bptr = dptr` converts a pointer of type `Derived` to a pointer of type `Base`.

The reverse case is not allowed. You cannot implicitly convert a pointer or a reference to a base class object to a pointer or reference to a derived class. For example, the compiler will not allow the following code if the classes `Base` and `Class` are defined as in the above example:

```

int main() {
    Base b;
    b.name = "Base class";

    Derived* dptr = &b;
}

```

The compiler will not allow the statement `Derived* dptr = &b` because the statement is trying to implicitly convert a pointer of type `Base` to a pointer of type `Derived`.

If a member of a derived class and a member of a base class have the same name, the base class member is hidden in the derived class. If a member of a derived class has the same name as a base class, the base class name is hidden in the derived class.


Related References

- “Virtual Base Classes” on page 244
- “Incomplete Class Declarations” on page 207
- “C++ Scope Resolution Operator `::`” on page 84

Inherited Member Access

This section discusses the access rules affecting a protected nonstatic base class member and how to declare a derived class using an access specifier.

Protected Members

 A protected nonstatic base class member can be accessed by members and friends of any classes derived from that base class by using one of the following:

Inherited Member Access

- A pointer to a directly or indirectly derived class
- A reference to a directly or indirectly derived class
- An object of a directly or indirectly derived class

If a class is derived privately from a base class, all protected base class members become private members of the derived class.

If you reference a protected nonstatic member *x* of a base class *A* in a friend or a member function of a derived class *B*, you must access *x* through a pointer to, reference to, or object of a class derived from *A*. However, if you are accessing *x* to create a pointer to member, you must qualify *x* with a nested name specifier that names the derived class *B*. The following example demonstrates this:

```
class A {
public:
protected:
    int i;
};

class B : public A {
    friend void f(A*, B*);
    void g(A*);
};

void f(A* pa, B* pb) {
// pa->i = 1;
    pb->i = 2;

// int A::* point_i = &A::i;
    int A::* point_i2 = &B::i;
}

void B::g(A* pa) {
// pa->i = 1;
    i = 2;

// int A::* point_i = &A::i;
    int A::* point_i2 = &B::i;
}

void h(A* pa, B* pb) {
// pa->i = 1;
// pb->i = 2;
}

int main() { }
```

Class *A* contains one protected data member, an integer *i*. Because *B* derives from *A*, the members of *B* have access to the protected member of *A*. Function *f()* is a friend of class *B*:

- The compiler would not allow `pa->i = 1` because *pa* is not a pointer to the derived class *B*.
- The compiler would not allow `int A::* point_i = &A::i` because *i* has not been qualified with the name of the derived class *B*.

Function *g()* is a member function of class *B*. The previous list of remarks about which statements the compiler would and would not allow apply for *g()* except for the following:

- The compiler allows `i = 2` because it is equivalent to `this->i = 2`.

Function *h()* cannot access any of the protected members of *A* because *h()* is neither a friend or a member of a derived class of *A*.

Related References

- “References” on page 74
- “Objects” on page 28

Access Control of Base Class Members

C++ When you declare a derived class, an access specifier can precede each base class in the base list of the derived class. This does not alter the access attributes of the individual members of a base class as seen by the base class, but allows the derived class to restrict the access control of the members of a base class.

You can derive classes using any of the three access specifiers:

- In a **public** base class, public and protected members of the base class remain public and protected members of the derived class.
- In a **protected** base class, public and protected members of the base class are protected members of the derived class.
- In a **private** base class, public and protected members of the base class become private members of the derived class.

In all cases, private members of the base class remain private. Private members of the base class cannot be used by the derived class unless friend declarations within the base class explicitly grant access to them.

In the following example, class `d` is derived publicly from class `b`. Class `b` is declared a public base class by this declaration.

```
class b { };
class d : public b // public derivation
{ };
```

You can use both a structure and a class as base classes in the base list of a derived class declaration:

- If the derived class is declared with the keyword **class**, the default access specifier in its base list specifiers is **private**.
- If the derived class is declared with the keyword **struct**, the default access specifier in its base list specifiers is **public**.

In the following example, private derivation is used by default because no access specifier is used in the base list and the derived class is declared with the keyword **class**:

```
struct B
{ };
class D : B // private derivation
{ };
```

Members and friends of a class can implicitly convert a pointer to an object of that class to a pointer to either:

- A direct private base class
- A protected base class (either direct or indirect)

Related References

- “Member Access” on page 225
- “Member Scope” on page 216

The using Declaration and Class Members

C++ A using declaration in a definition of a class `A` allows you to introduce a *name* of a data member or member function from a base class of `A` into the scope of `A`.

You would need a using declaration in a class definition if you want to create a set of overload a member functions from base and derived classes, or you want to change the access of a class member.

Inherited Member Access

Syntax – using Declaration

► using typename :: *nested_name_specifier* *unqualified_id* ;

:: *unqualified_id* ;

A using declaration in a class A may name one of the following:

- A member of a base class of A
- A member of an anonymous union that is a member of a base class of A
- An enumerator for an enumeration type that is a member of a base class of A

The following example demonstrates this:

```
struct Z {
    int g();
};

struct A {
    void f();
    enum E { e };
    union { int u; };
};

struct B : A {
    using A::f;
    using A::e;
    using A::u;
    // using Z::g;
};
```

The compiler would not allow the using declaration using `Z::g` because Z is not a base class of A.

A using declaration cannot name a template. For example, the compiler will not allow the following:

```
struct A {
    template<class T> void f(T);
};

struct B : A {
    using A::f<int>;
};
```

Every instance of the name mentioned in a using declaration must be accessible. The following example demonstrates this:

```
struct A {
private:
    void f(int);
public:
    int f();
protected:
    void g();
};

struct B : A {
    // using A::f;
    using A::g;
};
```

The compiler would not allow the using declaration using `A::f` because `void A::f(int)` is not accessible from B even though `int A::f()` is accessible.

Overloading Member Functions from Base and Derived Classes

C++ A member function named `f` in a class `A` will hide all other members named `f` in the base classes of `A`, regardless of return types or arguments. The following example demonstrates this:

```
struct A {
    void f() { }
};

struct B : A {
    void f(int) { }
};

int main() {
    B obj_B;
    obj_B.f(3);
    // obj_B.f();
}
```

The compiler would not allow the function call `obj_B.f()` because the declaration of `void B::f(int)` has hidden `A::f()`.

To overload, rather than hide, a function of a base class `A` in a derived class `B`, you introduce the name of the function into the scope of `B` with a `using` declaration. The following example is the same as the previous example except for the `using` declaration using `A::f`:

```
struct A {
    void f() { }
};

struct B : A {
    using A::f;
    void f(int) { }
};

int main() {
    B obj_B;
    obj_B.f(3);
    obj_B.f();
}
```

Because of the `using` declaration in class `B`, the name `f` is overloaded with two functions. The compiler will now allow the function call `obj_B.f()`.

You can overload virtual functions in the same way. The following example demonstrates this:

```
#include <iostream>
using namespace std;

struct A {
    virtual void f() { cout << "void A::f()" << endl; }
    virtual void f(int) { cout << "void A::f(int)" << endl; }
};

struct B : A {
    using A::f;
    void f(int) { cout << "void B::f(int)" << endl; }
};

int main() {
    B obj_B;
    B* pb = &obj_B;
    pb->f(3);
    pb->f();
}
```

Inherited Member Access

The following is the output of the above example:

```
void B::f(int)
void A::f()
```

Suppose that you introduce a function `f` from a base class `A` a derived class `B` with a using declaration, and there exists a function named `B::f` that has the same parameter types as `A::f`. Function `B::f` will hide, rather than conflict with, function `A::f`. The following example demonstrates this:

```
#include <iostream>
using namespace std;

struct A {
    void f() { }
    void f(int) { cout << "void A::f(int)" << endl; }
};

struct B : A {
    using A::f;
    void f(int) { cout << "void B::f(int)" << endl; }
};

int main() {
    B obj_B;
    obj_B.f(3);
}
```

The following is the output of the above example:

```
void B::f(int)
```

Changing the Access of a Class Member

 Suppose class `B` is a direct base class of class `A`. To restrict access of class `B` to the members of class `A`, derive `B` from `A` using either the access specifiers **protected** or **private**.

To increase the access of a member `x` of class `A` inherited from class `B`, use a using declaration. You cannot restrict the access to `x` with a using declaration. You may increase the access of the following members:

- A member inherited as **private**. (You cannot increase the access of a member declared as **private** because a using declaration must have access to the member's name.)
- A member either inherited or declared as **protected**

The following example demonstrates this:

```
struct A {
protected:
    int y;
public:
    int z;
};

struct B : private A { };

struct C : private A {
public:
    using A::y;
    using A::z;
};

struct D : private A {
protected:
    using A::y;
    using A::z;
};

struct E : D {
    void f() {
```

```

    y = 1;
    z = 2;
}
};

struct F : A {
public:
    using A::y;
private:
    using A::z;
};

int main() {
    B obj_B;
    // obj_B.y = 3;
    // obj_B.z = 4;

    C obj_C;
    obj_C.y = 5;
    obj_C.z = 6;

    D obj_D;
    // obj_D.y = 7;
    // obj_D.z = 8;

    F obj_F;
    obj_F.y = 9;
    obj_F.z = 10;
}

```

The compiler would not allow the following assignments from the above example:

- `obj_B.y = 3` and `obj_B.z = 4`: Members `y` and `z` have been inherited as **private**.
- `obj_D.y = 7` and `obj_D.z = 8`: Members `y` and `z` have been inherited as **private**, but their access have been changed to **protected**.

The compiler allows the following statements from the above example:

- `y = 1` and `z = 2` in `D::f()`: Members `y` and `z` have been inherited as **private**, but their access have been changed to **protected**.
- `obj_C.y = 5` and `obj_C.z = 6`: Members `y` and `z` have been inherited as **private**, but their access have been changed to **public**.
- `obj_F.y = 9`: The access of member `y` has been changed from **protected** to **public**.
- `obj_F.z = 10`: The access of member `z` is still **public**. The **private** using declaration using `A::z` has no effect on the access of `z`.

Multiple Inheritance

 You can derive a class from any number of base classes. Deriving a class from more than one direct base class is called *multiple inheritance*.

In the following example, classes `A`, `B`, and `C` are direct base classes for the derived class `X`:


```

class A { /* ... */ };
class B { /* ... */ };
class C { /* ... */ };
class X : public A, private B, public C { /* ... */ };

```

The following *inheritance graph* describes the inheritance relationships of the above example. An arrow points to the direct base class of the class at the tail of the arrow:

Multiple Inheritance




The order of derivation is relevant only to determine the order of default initialization by constructors and cleanup by destructors.

A direct base class cannot appear in the base list of a derived class more than once:

```
class B1 { /* ... */ }; // direct base class
class D : public B1, private B1 { /* ... */ }; // error
```

However, a derived class can inherit an indirect base class more than once, as shown in the following example:



```
class L { /* ... */ }; // indirect base class
class B2 : public L { /* ... */ };
class B3 : public L { /* ... */ };
class D : public B2, public B3 { /* ... */ }; // valid
```

In the above example, class D inherits the indirect base class L once through class B2 and once through class B3. However, this may lead to ambiguities because two subobjects of class L exist, and both are accessible through class D. You can avoid this ambiguity by referring to class L using a qualified class name. For example:

B2::L

or

B3::L.


You can also avoid this ambiguity by using the base specifier **virtual** to declare a base class.

Virtual Base Classes

C++ Suppose you have two derived classes B and C that have a common base class A, and you also have another class D that inherits from B and C. You can declare the base class A as *virtual* to ensure that B and C share the same subobject of A.

In the following example, an object of class D has two distinct subobjects of class L, one through class B1 and another through class B2. You can use the keyword **virtual** in front of the base class specifiers in the *base lists* of classes B1 and B2 to indicate that only one subobject of type L, shared by class B1 and class B2, exists.

For example:




```

class L { /* ... */ }; // indirect base class
class B1 : virtual public L { /* ... */ };
class B2 : virtual public L { /* ... */ };
class D : public B1, public B2 { /* ... */ }; // valid
  
```

Using the keyword **virtual** in this example ensures that an object of class D inherits only one subobject of class L.

A derived class can have both virtual and nonvirtual base classes. For example:



```

class V { /* ... */ };
class B1 : virtual public V { /* ... */ };
class B2 : virtual public V { /* ... */ };
class B3 : public V { /* ... */ };
class X : public B1, public B2, public B3 { /* ... */ };
  
```

In the above example, class X has two subobjects of class V, one that is shared by classes B1 and B2 and one through class B3.

Multiple Access

C++ In an inheritance graph containing virtual base classes, a name that can be reached through more than one path is accessed through the path that gives the most access.

For example:

```

class L {
public:
    void f();
};

class B1 : private virtual L { };

class B2 : public virtual L { };

class D : public B1, public B2 {
public:
    void f() {
  
```

Multiple Inheritance

```
    // L::f() is accessed through B2
    // and is public
    L::f();
}
};
```

In the above example, the function `f()` is accessed through class `B2`. Because class `B2` is inherited publicly and class `B1` is inherited privately, class `B2` offers more access.

Ambiguous Base Classes

C++ When you derive classes, ambiguities can result if base and derived classes have members with the same names. Access to a base class member is ambiguous if you use a name or qualified name that does not refer to a unique function or object. The declaration of a member with an ambiguous name in a derived class is not an error. The ambiguity is only flagged as an error if you use the ambiguous member name.

For example, suppose that two classes named `A` and `B` both have a member named `x`, and a class named `C` inherits from both `A` and `B`. An attempt to access `x` from class `C` would be ambiguous. You can resolve ambiguity by qualifying a member with its class name using the scope resolution (`::`) operator.

```
class B1 {
public:
    int i;
    int j;
    void g(int) { }
};

class B2 {
public:
    int j;
    void g() { }
};

class D : public B1, public B2 {
public:
    int i;
};

int main() {
    D dobj;
    D *dptr = &dobj;
    dptr->i = 5;
    // dptr->j = 10;
    dptr->B1::j = 10;
    // dobj.g();
    dobj.B2::g();
}
```

The statement `dptr->j = 10` is ambiguous because the name `j` appears both in `B1` and `B2`. The statement `dobj.g()` is ambiguous because the name `g` appears both in `B1` and `B2`, even though `B1::g(int)` and `B2::g()` have different parameters.

The compiler checks for ambiguities at compile time. Because ambiguity checking occurs before access control or type checking, ambiguities may result even if only one of several members with the same name is accessible from the derived class.

Name Hiding

Suppose two subobjects named `A` and `B` both have a member name `x`. The member name `x` of subobject `B` *hides* the member name `x` of subobject `A` if `A` is a base class of `B`. The following example demonstrates this:

```

struct A {
    int x;
};

struct B: A {
    int x;
};

struct C: A, B {
    void f() { x = 0; }
};

int main() {
    C i;
    i.f();
}

```

The assignment `x = 0` in function `C::f()` is not ambiguous because the declaration `B::x` has hidden `A::x`. However, the compiler will warn you that deriving `C` from `A` is redundant because you already have access to the subobject `A` through `B`.

A base class declaration can be hidden along one path in the inheritance graph and not hidden along another path. The following example demonstrates this:

```

struct A { int x; };
struct B { int y; };
struct C: A, virtual B { };
struct D: A, virtual B {
    int x;
    int y;
};
struct E: C, D { };

int main() {
    E e;
    // e.x = 1;
    e.y = 2;
}

```

The assignment `e.x = 1` is ambiguous. The declaration `D::x` hides `A::x` along the path `D::A::x`, but it does not hide `A::x` along the path `D::A::x`. Therefore the variable `x` could refer to either `D::x` or `A::x`. The assignment `e.y = 2` is not ambiguous. The declaration `D::y` hides `B::y` along both paths `D::B::y` and `C::B::y` because `B` is a virtual base class.

Ambiguity and using Declarations

Suppose you have a class named `C` that inherits from a class named `A`, and `x` is a member name of `A`. If you use a using declaration to declare `A::x` in `C`, then `x` is also a member of `C`; `C::x` does not hide `A::x`. Therefore using declarations cannot resolve ambiguities due to inherited members. The following example demonstrates this:

```

struct A {
    int x;
};

struct B: A { };

struct C: A {
    using A::x;
};

struct D: B, C {
    void f() { x = 0; }
};

```

Multiple Inheritance

```
int main() {
    D i;
    i.f();
}
```

The compiler will not allow the assignment `x = 0` in function `D::f()` because it is ambiguous. The compiler can find `x` in two ways: as `B::x` or as `C::x`.

Unambiguous Class Members

The compiler can unambiguously find static members, nested types, and enumerators defined in a base class `A` regardless of the number of subobjects of type `A` an object has. The following example demonstrates this:

```
struct A {
    int x;
    static int s;
    typedef A* Pointer_A;
    enum { e };
};

int A::s;

struct B: A { };

struct C: A { };

struct D: B, C {
    void f() {
        s = 1;
        Pointer_A pa;
        int i = e;
        // x = 1;
    }
};

int main() {
    D i;
    i.f();
}
```

The compiler allows the assignment `s = 1`, the declaration `Pointer_A pa`, and the statement `int i = e`. There is only one static variable `s`, only one typedef `Pointer_A`, and only one enumerator `e`. The compiler would not allow the assignment `x = 1` because `x` can be reached either from class `B` or class `C`.

Pointer Conversions

Conversions (either implicit or explicit) from a derived class pointer or reference to a base class pointer or reference must refer unambiguously to the same accessible base class object. (An *accessible base class* is a publicly derived base class that is neither hidden nor ambiguous in the inheritance hierarchy.) For example:

```
class W { /* ... */ };
class X : public W { /* ... */ };
class Y : public W { /* ... */ };
class Z : public X, public Y { /* ... */ };
int main ()
{
    Z z;
    X* xptr = &z;    // valid
    Y* yptr = &z;    // valid
    W* wptr = &z;    // error, ambiguous reference to class W
                    // X's W or Y's W ?
}
```

You can use virtual base classes to avoid ambiguous reference. For example:

```
class W { /* ... */ };
class X : public virtual W { /* ... */ };
class Y : public virtual W { /* ... */ };
class Z : public X, public Y { /* ... */ };
int main ()
{
    Z z;
    X* xptr = &z;    // valid
    Y* yptr = &z;    // valid
    W* wptr = &z;    // valid, W is virtual therefore only one
                    // W subobject exists
}
```

Overload Resolution

Overload resolution takes place *after* the compiler unambiguously finds a given function name. The following example demonstrates this:

```
struct A {
    int f() { return 1; }
};

struct B {
    int f(int arg) { return arg; }
};

struct C: A, B {
    int g() { return f(); }
};
```

The compiler will not allow the function call to `f()` in `C::g()` because the name `f` has been declared both in `A` and `B`. The compiler detects the ambiguity error before overload resolution can select the base match `A::f()`.

Related References

- “C++ Scope Resolution Operator `::`” on page 84
- “Virtual Base Classes” on page 244

Virtual Functions

 By default, C++ matches a function call with the correct function definition at compile time. This is called *static binding*. You can specify that the compiler match a function call with the correct function definition at run time; this is called *dynamic binding*. You declare a function with the keyword **virtual** if you want the compiler to use dynamic binding for that specific function.

The following examples demonstrate the differences between static and dynamic binding. The first example demonstrates static binding:

```
#include <iostream>
using namespace std;

struct A {
    void f() { cout << "Class A" << endl; }
};

struct B: A {
    void f() { cout << "Class B" << endl; }
};

void g(A& arg) {
    arg.f();
}
```

Virtual Functions

```
int main() {
    B x;
    g(x);
}
```

The following is the output of the above example:

Class A

When function `g()` is called, function `A::f()` is called, although the argument refers to an object of type B. At compile time, the compiler knows only that the argument of function `g()` will be a reference to an object derived from A; it cannot determine whether the argument will be a reference to an object of type A or type B. However, this can be determined at run time. The following example is the same as the previous example, except that `A::f()` is declared with the **virtual** keyword:

```
#include <iostream>
using namespace std;

struct A {
    virtual void f() { cout << "Class A" << endl; }
};

struct B: A {
    void f() { cout << "Class B" << endl; }
};

void g(A& arg) {
    arg.f();
}

int main() {
    B x;
    g(x);
}
```

The following is the output of the above example:

Class B

The **virtual** keyword indicates to the compiler that it should choose the appropriate definition of `f()` not by the type of reference, but by the type of object that the reference refers to.

Therefore, a *virtual function* is a member function you may redefine for other derived classes, and can ensure that the compiler will call the redefined virtual function for an object of the corresponding derived class, even if you call that function with a pointer or reference to a base class of the object.

A class that declares or inherits a virtual function is called a *polymorphic class*.

You redefine a virtual member function, like any member function, in any derived class. Suppose you declare a virtual function named `f` in a class A, and you derive directly or indirectly from A a class named B. If you declare a function named `f` in class B with the same name and same parameter list as `A::f`, then `B::f` is also virtual (regardless whether or not you declare `B::f` with the **virtual** keyword) and it *overrides* `A::f`. However, if the parameter lists of `A::f` and `B::f` are different, `A::f` and `B::f` are considered different, `B::f` does not override `A::f`, and `B::f` is not virtual (unless you have declared it with the **virtual** keyword). Instead `B::f` *hides* `A::f`. The following example demonstrates this:

```
#include <iostream>
using namespace std;

struct A {
    virtual void f() { cout << "Class A" << endl; }
};
```

```

struct B: A {
    void f(int) { cout << "Class B" << endl; }
};

struct C: B {
    void f() { cout << "Class C" << endl; }
};

int main() {
    B b; C c;
    A* pa1 = &b;
    A* pa2 = &c;
    // b.f();
    pa1->f();
    pa2->f();
}

```

The following is the output of the above example:

```

Class A
Class C

```

The function `B::f` is not virtual. It hides `A::f`. Thus the compiler will not allow the function call `b.f()`. The function `C::f` is virtual; it overrides `A::f` even though `A::f` is not visible in `C`.

If you declare a base class destructor as virtual, a derived class destructor will override that base class destructor, even though destructors are not inherited.

The return type of an overriding virtual function may differ from the return type of the overridden virtual function. This overriding function would then be called a *covariant virtual function*. Suppose that `B::f` overrides the virtual function `A::f`. The return types of `A::f` and `B::f` may differ if all the following conditions are met:

- The function `B::f` returns a reference or pointer to a class of type `T`, and `A::f` returns a pointer or a reference to an unambiguous direct or indirect base class of `T`.
- The `const` or `volatile` qualification of the pointer or reference returned by `B::f` has the same or less `const` or `volatile` qualification of the pointer or reference returned by `A::f`.
- The return type of `B::f` must be complete at the point of declaration of `B::f`, or it can be of type `B`.

The following example demonstrates this:

```

#include <iostream>
using namespace std;

struct A { };

class B : private A {
    friend class D;
    friend class F;
};

A global_A;
B global_B;

struct C {
    virtual A* f() {
        cout << "A* C::f()" << endl;
        return &global_A;
    }
};

struct D : C {
    B* f() {
        cout << "B* D::f()" << endl;
        return &global_B;
    }
}

```

Virtual Functions

```
};

struct E;

struct F : C {
    // Error:
    // E is incomplete
    // E* f();
};

struct G : C {
    // Error:
    // A is an inaccessible base class of B
    // B* f();
};

int main() {
    D d;
    C* cp = &d;
    D* dp = &d;

    A* ap = cp->f();
    B* bp = dp->f();
};
```

The following is the output of the above example:

```
B* D::f()
B* D::f()
```

The statement `A* ap = cp->f()` calls `D::f()` and converts the pointer returned to type `A*`. The statement `B* bp = dp->f()` calls `D::f()` as well but does not convert the pointer returned; the type returned is `B*`. The compiler would not allow the declaration of the virtual function `F::f()` because `E` is not a complete class. The compiler would not allow the declaration of the virtual function `G::f()` because class `A` is not an accessible base class of `B` (unlike friend classes `D` and `F`, the definition of `B` does not give access to its members for class `G`).

A virtual function cannot be global or static because, by definition, a virtual function is a member function of a base class and relies on a specific object to determine which implementation of the function is called. You can declare a virtual function to be a friend of another class.

If a function is declared virtual in its base class, you can still access it directly using the scope resolution (`::`) operator. In this case, the virtual function call mechanism is suppressed and the function implementation defined in the base class is used. In addition, if you do not override a virtual member function in a derived class, a call to that function uses the function implementation defined in the base class.

A virtual function must be one of the following:

- Defined
- Declared pure
- Defined and declared pure

A base class containing one or more pure virtual member functions is called an *abstract class*.

Ambiguous Virtual Function Calls

 You cannot override one virtual function with two or more ambiguous virtual functions. This can happen in a derived class that inherits from two nonvirtual bases that are derived from a virtual base class.

For example:

```
class V {
public:
    virtual void f() { }
};

class A : virtual public V {
    void f() { }
};

class B : virtual public V {
    void f() { }
};

// Error:
// Both A::f() and B::f() try to override V::f()
class D : public A, public B { };

int main() {
    D d;
    V* vptr = &d;

    // which f(), A::f() or B::f()?
    vptr->f();
}
```

The compiler will not allow the definition of class D. In class A, only A::f() will override V::f(). Similarly, in class B, only B::f() will override V::f(). However, in class D, both A::f() and B::f() will try to override V::f(). This attempt is not allowed because it is not possible to decide which function to call if a D object is referenced with a pointer to class V, as shown in the above example. Only one function can override a virtual function.

A special case occurs when the ambiguous overriding virtual functions come from separate instances of the same class type. In the following example, class D has two separate subobjects of class A:

```
#include <iostream>
using namespace std;

struct A {
    virtual void f() { cout << "A::f()" << endl; };
};

struct B : A {
    void f() { cout << "B::f()" << endl; };
};

struct C : A {
    void f() { cout << "C::f()" << endl; };
};

struct D : B, C { };

int main() {
    D d;

    B* bp = &d;
    A* ap = bp;
    D* dp = &d;

    ap->f();
    // dp->f();
}
```

Virtual Functions

Class D has two occurrences of class A, one inherited from B, and another inherited from C. Therefore there are also two occurrences of the virtual function `A::f`. The statement `ap->f()` calls `D::B::f`. However the compiler would not allow the statement `dp->f()` because it could either call `D::B::f` or `D::C::f`.

Virtual Function Access

C++ The access for a virtual function is specified when it is declared. The access rules for a virtual function are not affected by the access rules for the function that later overrides the virtual function. In general, the access of the overriding member function is not known.

If a virtual function is called with a pointer or reference to a class object, the type of the class object is not used to determine the access of the virtual function. Instead, the type of the pointer or reference to the class object is used.

In the following example, when the function `f()` is called using a pointer having type `B*`, `bptr` is used to determine the access to the function `f()`. Although the definition of `f()` defined in class D is executed, the access of the member function `f()` in class B is used. When the function `f()` is called using a pointer having type `D*`, `dptr` is used to determine the access to the function `f()`. This call produces an error because `f()` is declared private in class D.

```
class B {
public:
    virtual void f();
};

class D : public B {
private:
    void f();
};

int main() {
    D dobj;
    B* bptr = &dobj;
    D* dptr = &dobj;

    // valid, virtual B::f() is public,
    // D::f() is called
    bptr->f();

    // error, D::f() is private
    dptr->f();
}
```

Abstract Classes

C++ An *abstract class* is a class that is designed to be specifically used as a base class. An abstract class contains at least one *pure virtual function*. You declare a pure virtual function by using a *pure specifier* (`= 0`) in the declaration of a virtual member function in the class declaration.

The following is an example of an abstract class::

```
class AB {
public:
    virtual void f() = 0;
};
```

Function `AB::f` is a pure virtual function. A function declaration cannot have both a pure specifier and a definition. For example, the compiler will not allow the following:

```
struct A {
    virtual void g() { } = 0;
};
```

You cannot use an abstract class as a parameter type, a function return type, or the type of an explicit conversion, nor can you declare an object of an abstract class. You can, however, declare pointers and references to an abstract class. The following example demonstrates this:

```
struct A {
    virtual void f() = 0;
};

struct B : A {
    virtual void f() { }
};

// Error:
// Class A is an abstract class
// A g();

// Error:
// Class A is an abstract class
// void h(A);
A& i(A&);

int main() {

    // Error:
    // Class A is an abstract class
    // A a;

    A* pa;
    B b;

    // Error:
    // Class A is an abstract class
    // static_cast<A>(b);
}
```

Class A is an abstract class. The compiler would not allow the function declarations `A g()` or `void h(A)`, declaration of object `a`, nor the static cast of `b` to type A.

Virtual member functions are inherited. A class derived from an abstract base class will also be abstract unless you override each pure virtual function in the derived class.

For example:

```
class AB {
public:
    virtual void f() = 0;
};

class D2 : public AB {
    void g();
};

int main() {
    D2 d;
}
```

The compiler will not allow the declaration of object `d` because `D2` is an abstract class; it inherited the pure virtual function `f()` from `AB`. The compiler will allow the declaration of object `d` if you define function `D2::g()`.

Note that you can derive an abstract class from a nonabstract class, and you can override a non-pure virtual function with a pure virtual function.

Abstract Classes

You can call member functions from a constructor or destructor of an abstract class. However, the results of calling (directly or indirectly) a pure virtual function from its constructor are undefined. The following example demonstrates this:

```
struct A {  
    A() {  
        direct();  
        indirect();  
    }  
    virtual void direct() = 0;  
    virtual void indirect() { direct(); }  
};
```

The default constructor of A calls the pure virtual function `direct()` both directly and indirectly (through `indirect()`).

Chapter 15. Special Member Functions

► C++ The default constructor, destructor, copy constructor, and copy assignment operator are *special member functions*. These functions create, destroy, convert, initialize, and copy class objects.

Constructors and Destructors Overview

► C++ Because classes have complicated internal structures, including data and functions, object initialization and cleanup for classes is much more complicated than it is for simple data structures. Constructors and destructors are special member functions of classes that are used to construct and destroy class objects. Construction may involve memory allocation and initialization for objects. Destruction may involve cleanup and deallocation of memory for objects.

Like other member functions, constructors and destructors are declared within a class declaration. They can be defined inline or external to the class declaration. Constructors can have default arguments. Unlike other member functions, constructors can have member initialization lists. The following restrictions apply to constructors and destructors:

- Constructors and destructors do not have return types nor can they return values.
- References and pointers cannot be used on constructors and destructors because their addresses cannot be taken.
- Constructors cannot be declared with the keyword **virtual**.
- Constructors and destructors cannot be declared **static**, **const**, or **volatile**.
- Unions cannot contain class objects that have constructors or destructors.

Constructors and destructors obey the same access rules as member functions. For example, if you declare a constructor with protected access, only derived classes and friends can use it to create class objects.

The compiler automatically calls constructors when defining class objects and calls destructors when class objects go out of scope. A constructor does not allocate memory for the class object its **this** pointer refers to, but may allocate storage for more objects than its class object refers to. If memory allocation is required for objects, constructors can explicitly call the **new** operator. During cleanup, a destructor may release objects allocated by the corresponding constructor. To release objects, use the **delete** operator.

Derived classes do not inherit constructors or destructors from their base classes, but they do call the constructor and destructor of base classes. Destructors can be declared with the keyword **virtual**.

Constructors are also called when local or temporary class objects are created, and destructors are called when local or temporary objects go out of scope.

You can call member functions from constructors or destructors. You can call a virtual function, either directly or indirectly, from a constructor or destructor of a class A. In this case, the function called is the one defined in A or a base class of A, but not a function overridden in any class derived from A. This avoids the possibility of accessing an unconstructed object from a constructor or destructor. The following example demonstrates this:

```
#include <iostream>
using namespace std;

struct A {
    virtual void f() { cout << "void A::f()" << endl; }
    virtual void g() { cout << "void A::g()" << endl; }
    virtual void h() { cout << "void A::h()" << endl; }
};
```

```

struct B : A {
    virtual void f() { cout << "void B::f()" << endl; }
    B() {
        f();
        g();
        h();
    }
};

struct C : B {
    virtual void f() { cout << "void C::f()" << endl; }
    virtual void g() { cout << "void C::g()" << endl; }
    virtual void h() { cout << "void C::h()" << endl; }
};

int main() {
    C obj;
}

```

The following is the output of the above example:

```

void B::f()
void A::g()
void A::h()

```

The constructor of B does not call any of the functions overridden in C because C has been derived from B, although the example creates an object of type C named obj.

You can use the **typeid** or the **dynamic_cast** operator in constructors or destructors, as well as member initializers of constructors.

Related References

- “C++ new Operator” on page 99
- “C++ delete Operator” on page 103
- “Free Store” on page 268

Constructors

C++ A *constructor* is a member function with the same name as its class. For example:

```

class X {
public:
    X();    // constructor for class X
};

```

Constructors are used to create, and can initialize, objects of their class type.

You cannot declare a constructor as **virtual** or **static**, nor can you declare a constructor as **const**, **volatile**, or **const volatile**.

You do not specify a return type for a constructor. A return statement in the body of a constructor cannot have a return value.

Related References

- “Free Store” on page 268

Default Constructors

C++ A *default constructor* is a constructor that either has no parameters, or if it has parameters, *all* the parameters have default values.

If no user-defined constructor exists for a class A and one is needed, the compiler implicitly *declares* a constructor `A::A()`. This constructor is an inline public member of its class. The compiler will implicitly *define* `A::A()` when the compiler uses this constructor to create an object of type A. The constructor will have no constructor initializer and a null body.

The compiler first implicitly defines the implicitly declared constructors of the base classes and nonstatic data members of a class A before defining the implicitly declared constructor of A. No default constructor is created for a class that has any constant or reference type members.

A constructor of a class A is *trivial* if all the following are true:

- It is implicitly defined
- A has no virtual functions and no virtual base classes
- All the direct base classes of A have trivial constructors
- The classes of all the nonstatic data members of A have trivial constructors

If any of the above are false, then the constructor is *nontrivial*.

A union member cannot be of a class type that has a nontrivial constructor.

Like all functions, a constructor can have default arguments. They are used to initialize member objects. If default values are supplied, the trailing arguments can be omitted in the expression list of the constructor. Note that if a constructor has any arguments that do not have default values, it is not a default constructor.

A *copy constructor* for a class A is a constructor whose first parameter is of type `A&`, `const A&`, `volatile A&`, or `const volatile A&`. Copy constructors are used to make a copy of one class object from another class object of the same class type. You cannot use a copy constructor with an argument of the same type as its class; you must use a reference. You can provide copy constructors with additional parameters as long as they all have default arguments. If a user-defined copy constructor does not exist for a class and one is needed, the compiler implicitly creates a copy constructor, with public access, for that class. A copy constructor is not created for a class if any of its members or base classes have an inaccessible copy constructor.

The following code fragment shows two classes with constructors, default constructors, and copy constructors:

```
class X {
public:

    // default constructor, no arguments
    X();

    // constructor
    X(int, int , int = 0);

    // copy constructor
    X(const X&);

    // error, incorrect argument type
    X(X);
};

class Y {
public:

    // default constructor with one
    // default argument
    Y( int = 0);
```

```

// default argument
// copy constructor
Y(const Y&, int = 0);
};

```

Related References

- “Copy Constructors” on page 276

Explicit Initialization with Constructors

C++ A class object with a constructor must be explicitly initialized or have a default constructor. Except for aggregate initialization, explicit initialization using a constructor is the only way to initialize nonstatic constant and reference class members.

A class object that has no constructors, no virtual functions, no private or protected members, and no base classes is called an *aggregate*. Examples of aggregates are C-style structures and unions.

You explicitly initialize a class object when you create that object. There are two ways to initialize a class object:

- Using a parenthesized expression list. The compiler calls the constructor of the class using this list as the constructor’s argument list.
- Using a single initialization value and the = operator. Because this type of expression is an initialization, not an assignment, the assignment operator function, if one exists, is not called. The type of the single argument must match the type of the first argument to the constructor. If the constructor has remaining arguments, these arguments must have default values.

The syntax for an initializer that explicitly initializes a class object with a constructor is:



The following example shows the declaration and use of several constructors that explicitly initialize class objects:

```

// This example illustrates explicit initialization
// by constructor.
#include <iostream>
using namespace std;

class complx {
    double re, im;
public:

    // default constructor
    complx() : re(0), im(0) { }

    // copy constructor
    complx(const complx& c) { re = c.re; im = c.im; }

    // constructor with default trailing argument
    complx( double r, double i = 0.0) { re = r; im = i; }

    void display() {
        cout << "re = " << re << " im = " << im << endl;
    }
}

```

```

};

int main() {

    // initialize with complx(double, double)
    complx one(1);

    // initialize with a copy of one
    // using complx::complx(const complx&)
    complx two = one;

    // construct complx(3,4)
    // directly into three
    complx three = complx(3,4);

    // initialize with default constructor
    complx four;

    // complx(double, double) and construct
    // directly into five
    complx five = 5;

    one.display();
    two.display();
    three.display();
    four.display();
    five.display();
}

```

The above example produces the following output:

```

re = 1 im = 0
re = 1 im = 0
re = 3 im = 4
re = 0 im = 0
re = 5 im = 0

```

Related References

- “Initializers” on page 64

Initializing Base Classes and Members

C++ Constructors can initialize their members in two different ways. A constructor can use the arguments passed to it to initialize member variables in the constructor definition:


```
complx(double r, double i = 0.0) { re = r; im = i; }
```

Or a constructor can have an *initializer list* within the definition but prior to the function body:

```
complx(double r, double i = 0) : re(r), im(i) { /* ... */ }
```

Both methods assign the argument values to the appropriate data members of the class.

The syntax for a constructor initializer list is:



Include the initialization list as part of the function definition, not as part of the constructor declaration. For example:

```

#include <iostream>
using namespace std;

class B1 {
    int b;
public:
    B1() { cout << "B1::B1()" << endl; };

    // inline constructor
    B1(int i) : b(i) { cout << "B1::B1(int)" << endl; }
};
class B2 {
    int b;
protected:
    B2() { cout << "B1::B1()" << endl; }

    // noninline constructor
    B2(int i);
};

// B2 constructor definition including initialization list
B2::B2(int i) : b(i) { cout << "B2::B2(int)" << endl; }

class D : public B1, public B2 {
    int d1, d2;
public:
    D(int i, int j) : B1(i+1), B2(), d1(i) {
        cout << "D1::D1(int, int)" << endl;
        d2 = j;}
};

int main() {
    D obj(1, 2);
}

```

The following is the output of the above example:

```

B1::B1(int)
B1::B1()
D1::D1(int, int)

```

If you do not explicitly initialize a base class or member that has constructors by calling a constructor, the compiler automatically initializes the base class or member with a default constructor. In the above example, if you leave out the call `B2()` in the constructor of class `D` (as shown below), a constructor initializer with an empty expression list is automatically created to initialize `B2`. The constructors for class `D`, shown above and below, result in the same construction of an object of class `D`:

```

class D : public B1, public B2 {
    int d1, d2;
public:

    // call B2() generated by compiler
    D(int i, int j) : B1(i+1), d1(i) {
        cout << "D1::D1(int, int)" << endl;
        d2 = j;}
};

```

In the above example, the compiler will automatically call the default constructor for `B2()`.

Note that you must declare constructors as public or protected to enable a derived class to call them. For example:

```

class B {
    B() { }
};

```

```

class D : public B {
    // error: implicit call to private B() not allowed
    D() { }
};

```

The compiler does not allow the definition of `D::D()` because this constructor cannot access the private constructor `B::B()`.

You must initialize the following with an initializer list: base classes with no default constructors, reference data members, non-static const data members, or a class type which contains a constant data member. The following example demonstrates this:

```

class A {
public:
    A(int) { }
};

class B : public A {
    static const int i;
    const int j;
    int &k;
public:
    B(int& arg) : A(0), j(1), k(arg) { }
};

int main() {
    int x = 0;
    B obj(x);
};

```

The data members `j` and `k`, as well as the base class `A` must be initialized in the initializer list of the constructor of `B`.

You can use data members when initializing members of a class. The following example demonstrate this:

```

struct A {
    int k;
    A(int i) : k(i) { }
};

struct B: A {
    int x;
    int i;
    int j;
    int& r;
    B(int i): r(x), A(i), j(this->i), i(i) { }
};

```

The constructor `B(int i)` initializes the following:

- `B::r` to refer to `B::x`
- Class `A` with the value of the argument to `B(int i)`
- `B::j` with the value of `B::i`
- `B::i` with the value of the argument to `B(int i)`

You can also call member functions (including virtual member functions) or use the operators `typeid` or `dynamic_cast` when initializing members of a class. However if you perform any of these operations in a member initialization list before all base classes have been initialized, the behavior is undefined. The following example demonstrates this:

```

#include <iostream>
using namespace std;

struct A {
    int i;
};

```

```

    A(int arg) : i(arg) {
        cout << "Value of i: " << i << endl;
    }
};

struct B : A {
    int j;
    int f() { return i; }
    B();
};

B::B() : A(f()), j(1234) {
    cout << "Value of j: " << j << endl;
}

int main() {
    B obj;
}

```

The output of the above example would be similar to the following:

```

Value of i: 8
Value of j: 1234

```

The behavior of the initializer `A(f())` in the constructor of `B` is undefined. The run time will call `B::f()` and try to access `A::i` even though the base `A` has not been initialized.

The following example is the same as the previous example except that the initializers of `B::B()` have different arguments:

```

#include <iostream>
using namespace std;

struct A {
    int i;
    A(int arg) : i(arg) {
        cout << "Value of i: " << i << endl;
    }
};

struct B : A {
    int j;
    int f() { return i; }
    B();
};

B::B() : A(5678), j(f()) {
    cout << "Value of j: " << j << endl;
}

int main() {
    B obj;
}

```

The following is the output of the above example:

```

Value of i: 5678
Value of j: 5678

```

The behavior of the initializer `j(f())` in the constructor of `B` is well-defined. The base class `A` is already initialized when `B::j` is initialized.

Related References

- “Default Constructors” on page 258
- “The typeid Operator” on page 89

- “dynamic_cast Operator” on page 93

Construction Order of Derived Class Objects

C++ When a derived class object is created using constructors, it is created in the following order:

1. Virtual base classes are initialized, in the order they appear in the base list.
2. Nonvirtual base classes are initialized, in declaration order.
3. Class members are initialized in declaration order (regardless of their order in the initialization list).
4. The body of the constructor is executed.

The following example demonstrates this:

```
#include <iostream>
using namespace std;
struct V {
    V() { cout << "V()" << endl; }
};
struct V2 {
    V2() { cout << "V2()" << endl; }
};
struct A {
    A() { cout << "A()" << endl; }
};
struct B : virtual V {
    B() { cout << "B()" << endl; }
};
struct C : B, virtual V2 {
    C() { cout << "C()" << endl; }
};
struct D : C, virtual V {
    A obj_A;
    D() { cout << "D()" << endl; }
};
int main() {
    D c;
}
```

The following is the output of the above example:

```
V()
V2()
B()
C()
A()
D()
```

The above output lists the order in which the C++ run time calls the constructors to create an object of type D.

Related References

- “Virtual Base Classes” on page 244

Destructors

C++ *Destructors* are usually used to deallocate memory and do other cleanup for a class object and its class members when the object is destroyed. A destructor is called for a class object when that object passes out of scope or is explicitly deleted.

A destructor is a member function with the same name as its class prefixed by a ~ (tilde). For example:

```

class X {
public:
    // Constructor for class X
    X();
    // Destructor for class X
    ~X();
};

```

A destructor takes no arguments and has no return type. Its address cannot be taken. Destructors cannot be declared **const**, **volatile**, **const volatile** or **static**. A destructor can be declared **virtual** or pure **virtual**.

If no user-defined destructor exists for a class and one is needed, the compiler implicitly declares a destructor. This implicitly declared destructor is an inline public member of its class.

The compiler will implicitly define an implicitly declared destructor when the compiler uses the destructor to destroy an object of the destructor's class type. Suppose a class A has an implicitly declared destructor. The following is equivalent to the function the compiler would implicitly define for A:

```
~A::A() { }
```

The compiler first implicitly defines the implicitly declared destructors of the base classes and nonstatic data members of a class A before defining the implicitly declared destructor of A

A destructor of a class A is *trivial* if all the following are true:

- It is implicitly defined
- All the direct base classes of A have trivial destructors
- The classes of all the nonstatic data members of A have trivial destructors

If any of the above are false, then the destructor is *nontrivial*.

A union member cannot be of a class type that has a nontrivial destructor.

Class members that are class types can have their own destructors. Both base and derived classes can have destructors, although destructors are not inherited. If a base class A or a member of A has a destructor, and a class derived from A does not declare a destructor, a default destructor is generated.

The default destructor calls the destructors of the base class and members of the derived class.

The destructors of base classes and members are called in the reverse order of the completion of their constructor:

1. The destructor for a class object is called before destructors for members and bases are called.
2. Destructors for nonstatic members are called before destructors for base classes are called.
3. Destructors for nonvirtual base classes are called before destructors for virtual base classes are called.

When an exception is thrown for a class object with a destructor, the destructor for the temporary object thrown is not called until control passes out of the catch block.

Destructors are implicitly called when an automatic object (a local object that has been declared **auto** or **register**, or not declared as **static** or **extern**) or temporary object passes out of scope. They are implicitly called at program termination for constructed external and static objects. Destructors are invoked when you use the **delete** operator for objects created with the **new** operator.

For example:

```

#include <string>

class Y {
private:
    char * string;

```

```

    int number;
public:
    // Constructor
    Y(const char*, int);
    // Destructor
    ~Y() { delete[] string; }
};

// Define class Y constructor
Y::Y(const char* n, int a) {
    string = strcpy(new char[strlen(n) + 1 ], n);
    number = a;
}

int main () {
    // Create and initialize
    // object of class Y
    Y yobj = Y("somestring", 10);

    // ...

    // Destructor ~Y is called before
    // control returns from main()
}

```

You can use a destructor explicitly to destroy objects, although this practice is not recommended. However to destroy an object created with the placement **new** operator, you can explicitly call the object's destructor. The following example demonstrates this:

```

#include <new>
#include <iostream>
using namespace std;
class A {
public:
    A() { cout << "A::A()" << endl; }
    ~A() { cout << "A::~A()" << endl; }
};
int main () {
    char* p = new char[sizeof(A)];
    A* ap = new (p) A;
    ap->A::~A();
    delete [] p;
}

```

The statement `A* ap = new (p) A` dynamically creates a new object of type `A` not in the free store but in the memory allocated by `p`. The statement `delete [] p` will delete the storage allocated by `p`, but the run time will still believe that the object pointed to by `ap` still exists until you explicitly call the destructor of `A` (with the statement `ap->A::~A()`).

Nonclass types have a *pseudo destructor*. The following example calls the pseudo destructor for an integer type:

```

typedef int I;
int main() {
    I x = 10;
    x.I::~~I();
    x = 20;
}

```

The call to the pseudo destructor, `x.I::~~I()`, has no effect at all. Object `x` has not been destroyed; the assignment `x = 20` is still valid. Because pseudo destructors require the syntax for explicitly calling a destructor for a nonclass type to be valid, you can write code without having to know whether or not a destructor exists for a given type.

Related References

- “Temporary Objects” on page 272

Free Store

C++ *Free store* is a pool of memory available for you to allocate (and deallocate) storage for objects during the execution of your program. The **new** and **delete** operators are used to allocate and deallocate free store, respectively.

You can define your own versions of **new** and **delete** for a class by overloading them. You can declare the **new** and **delete** operators with additional parameters. When **new** and **delete** operate on class objects, the class member operator functions **new** and **delete** are called, if they have been declared.

If you create a class object with the **new** operator, one of the operator functions **operator new()** or **operator new[]()** (if they have been declared) is called to create the object. An **operator new()** or **operator new[]()** for a class is always a static class member, even if it is not declared with the keyword **static**. It has a return type **void*** and its first parameter must be the size of the object type and have type **std::size_t**. It cannot be virtual.

Type **std::size_t** is an implementation-dependent unsigned integral type defined in the standard library header `<cstddef>`. When you overload the **new** operator, you must declare it as a class member, returning type **void***, with its first parameter of type **std::size_t**. You can declare additional parameters in the declaration of **operator new()** or **operator new[]()**. Use the placement syntax to specify values for these parameters in an allocation expression.

The following example overloads two operator **new** functions:

- `X::operator new(size_t sz)`: This overloads the default **new** operator by allocating memory with the C function `malloc()`, and throwing a string (instead of `std::bad_alloc`) if `malloc()` fails.
- `X::operator new(size_t sz, int location)`: This function takes an additional integer parameter, `location`. This function implements a very simplistic “memory manager” that manages the storage of up to three `X` objects.

Static array `X::buffer` holds three `Node` objects. Each `Node` object contains a pointer to an `X` object named `data` and a boolean variable named `filled`. Each `X` object stores an integer called `number`.

When you use this **new** operator, you pass the argument `location` which indicates the array location of `buffer` where you want to “create” your new `X` object. If the array location is not “filled” (the data member of `filled` is equal to `false` at that array location), the **new** operator returns a pointer pointing to the `X` object located at `buffer[location]`.

```
#include <new>
#include <iostream>

using namespace std;

class X;

struct Node {
    X* data;
    bool filled;
    Node() : filled(false) { }
};

class X {
    static Node buffer[];

public:
    int number;

    enum { size = 3};

    void* operator new(size_t sz) throw (const char*) {
```

```

    void* p = malloc(sz);
    if (sz == 0) throw "Error: malloc() failed";
    cout << "X::operator new(size_t)" << endl;
    return p;
}

void *operator new(size_t sz, int location) throw (const char*) {
    cout << "X::operator new(size_t, " << location << ")" << endl;
    void* p = 0;
    if (location < 0 || location >= size || buffer[location].filled == true) {
        throw "Error: buffer location occupied";
    }
    else {
        p = malloc(sizeof(X));
        if (p == 0) throw "Error: Creating X object failed";
        buffer[location].filled = true;
        buffer[location].data = (X*) p;
    }
    return p;
}

static void printbuffer() {
    for (int i = 0; i < size; i++) {
        cout << buffer[i].data->number << endl;
    }
}

};

Node X::buffer[size];

int main() {
    try {
        X* ptr1 = new X;
        X* ptr2 = new(0) X;
        X* ptr3 = new(1) X;
        X* ptr4 = new(2) X;
        ptr2->number = 10000;
        ptr3->number = 10001;
        ptr4->number = 10002;
        X::printbuffer();
        X* ptr5 = new(0) X;
    }
    catch (const char* message) {
        cout << message << endl;
    }
}

```

The following is the output of the above example:

```

X::operator new(size_t)
X::operator new(size_t, 0)
X::operator new(size_t, 1)
X::operator new(size_t, 2)
10000
10001
10002
X::operator new(size_t, 0)
Error: buffer location occupied

```

The statement `X* ptr1 = new X` calls `X::operator new(sizeof(X))`. The statement `X* ptr2 = new(0) X` calls `X::operator new(sizeof(X),0)`.

The **delete** operator destroys an object created by the **new** operator. The operand of **delete** must be a pointer returned by **new**. If **delete** is called for an object with a destructor, the destructor is invoked before the object is deallocated.

If you destroy a class object with the **delete** operator, the operator function **operator delete()** or **operator delete[]()** (if they have been declared) is called to destroy the object. An **operator delete()** or **operator delete[]()** for a class is always a static member, even if it is not declared with the keyword **static**. Its first parameter must have type **void***. Because **operator delete()** and **operator delete[]()** have a return type **void**, they cannot return a value.

The following example shows the declaration and use of the operator functions **operator new()** and **operator delete()**:

```
#include <cstdlib>
#include <iostream>
using namespace std;

class X {
public:
    void* operator new(size_t sz) throw (const char*) {
        void* p = malloc(sz);
        if (p == 0) throw "malloc() failed";
        return p;
    }

    // single argument
    void operator delete(void* p) {
        cout << "X::operator delete(void*)" << endl;
        free(p);
    }
};

class Y {
    int filler[100];
public:

    // two arguments
    void operator delete(void* p, size_t sz) throw (const char*) {
        cout << "Freeing " << sz << " byte(s)" << endl;
        free(p);
    };
};

int main() {
    X* ptr = new X;

    // call X::operator delete(void*)
    delete ptr;

    Y* yptr = new Y;

    // call Y::operator delete(void*, size_t)
    // with size of Y as second argument
    delete yptr;
}
```

The above example will generate output similar to the following:

```
X::operator delete(void*)
Freeing 400 byte(s)
```

The statement `delete ptr` calls `X::operator delete(void*)`. The statement `delete yptr` calls `Y::operator delete(void*, size_t)`.

The result of trying to access a deleted object is undefined because the value of the object can change after deletion.

If **new** and **delete** are called for a class object that does not declare the operator functions **new** and **delete**, or they are called for a nonclass object, the global operators **new** and **delete** are used. The global operators **new** and **delete** are provided in the C++ library.

The C++ operators for allocating and deallocating arrays of class objects are **operator new[]()** and **operator delete[]()**.

You cannot declare the **delete** operator as virtual. However you can add polymorphic behavior to your **delete** operators by declaring the destructor of a base class as virtual. The following example demonstrates this:

```
#include <iostream>
using namespace std;

struct A {
    virtual ~A() { cout << "~A()" << endl; };
    void operator delete(void* p) {
        cout << "A::operator delete" << endl;
        free(p);
    }
};

struct B : A {
    void operator delete(void* p) {
        cout << "B::operator delete" << endl;
        free(p);
    }
};

int main() {
    A* ap = new B;
    delete ap;
}
```

The following is the output of the above example:

```
~A()
B::operator delete
```

The statement `delete ap` uses the **delete** operator from class B instead of class A because the destructor of A has been declared as virtual.

Although you can get polymorphic behavior from the **delete** operator, the **delete** operator that is statically visible must still be accessible even though another **delete** operator might be called. For example, in the above example, the function `A::operator delete(void*)` must be accessible even though the example calls `B::operator delete(void*)` instead.

Virtual destructors do not have any affect on deallocation operators for arrays (**operator delete[]()**). The following example demonstrates this:

```
#include <iostream>
using namespace std;

struct A {
    virtual ~A() { cout << "~A()" << endl; }
    void operator delete[](void* p, size_t) {
        cout << "A::operator delete[]" << endl;
        ::delete [] p;
    }
};

struct B : A {
    void operator delete[](void* p, size_t) {
        cout << "B::operator delete[]" << endl;
    }
};
```

```

        ::delete [] p;
    }
};

int main() {
    A* bp = new B[3];
    delete[] bp;
};

```

The behavior of the statement `delete[] bp` is undefined.

When you overload the **delete** operator, you must declare it as class member, returning type **void**, with the first parameter having type **void***, as described above. You can add a second parameter of type **size_t** to the declaration. You can only have one **operator delete()** or **operator delete[]()** for a single class.

Related References

- “C++ new Operator” on page 99
- “C++ delete Operator” on page 103
- “Placement Syntax” on page 100
- “Allocation and Deallocation Functions” on page 146

Temporary Objects

C++ It is sometimes necessary for the compiler to create temporary objects. They are used during reference initialization and during evaluation of expressions including standard type conversions, argument passing, function returns, and evaluation of the **throw** expression.

When a temporary object is created to initialize a reference variable, the name of the temporary object has the same scope as that of the reference variable. When a temporary object is created during the evaluation of a full-expression (an expression that is not a subexpression of another expression), it is destroyed as the last step in its evaluation that lexically contains the point where it was created.

There are two exceptions in the destruction of full-expressions:

- The expression appears as an initializer for a declaration defining an object: the temporary object is destroyed when the initialization is complete.
- A reference is bound to a temporary object: the temporary object is destroyed at the end of the reference’s lifetime.

If a temporary object is created for a class with constructors, the compiler calls the appropriate (matching) constructor to create the temporary object.

When a temporary object is destroyed and a destructor exists, the compiler calls the destructor to destroy the temporary object. When you exit from the scope in which the temporary object was created, it is destroyed. If a reference is bound to a temporary object, the temporary object is destroyed when the reference passes out of scope unless it is destroyed earlier by a break in the flow of control. For example, a temporary object created by a constructor initializer for a reference member is destroyed on leaving the constructor.

In cases where such temporary objects are redundant, the compiler does not construct them, in order to create more efficient optimized code. This behavior could be a consideration when you are debugging your programs, especially for memory problems.

Related References

- “Arguments of catch Blocks” on page 317
- “Initializing References” on page 75
- “Cast Expressions” on page 104
- “Function Return Values” on page 145

User-Defined Conversions

C++ *User-defined conversions* allow you to specify object conversions with constructors or with conversion functions. User-defined conversions are implicitly used in addition to standard conversions for conversion of initializers, functions arguments, function return values, expression operands, expressions controlling iteration, selection statements, and explicit type conversions.

There are two types of user-defined conversions:

- Conversion by constructor
- Conversion functions

The compiler can use only one user-defined conversion (either a conversion constructor or a conversion function) when implicitly converting a single value. The following example demonstrates this:

```
class A {
    int x;
public:
    operator int() { return x; };
};

class B {
    A y;
public:
    operator A() { return y; };
};

int main () {
    B b_obj;
    // int i = b_obj;
    int j = A(b_obj);
}
```

The compiler would not allow the statement `int i = b_obj`. The compiler would have to implicitly convert `b_obj` into an object of type `A` (with `B::operator A()`), then implicitly convert that object to an integer (with `A::operator int()`). The statement `int j = A(b_obj)` explicitly converts `b_obj` into an object of type `A`, then implicitly converts that object to an integer.

User-defined conversions must be unambiguous, or they are not called. A conversion function in a derived class does not hide another conversion function in a base class unless both conversion functions convert to the same type. Function overload resolution selects the most appropriate conversion function. The following example demonstrates this:

```
class A {
    int a_int;
    char* a_carp;
public:
    operator int() { return a_int; }
    operator char*() { return a_carp; }
};

class B : public A {
    float b_float;
    char* b_carp;
public:
    operator float() { return b_float; }
    operator char*() { return b_carp; }
};

int main () {
    B b_obj;
    // long a = b_obj;
    char* c_p = b_obj;
}
```

The compiler would not allow the statement `long a = b_obj`. The compiler could either use `A::operator int()` or `B::operator float()` to convert `b_obj` into a **long**. The statement `char* c_p = b_obj` uses `B::operator char*()` to convert `b_obj` into a **char*** because `B::operator char*()` hides `A::operator char*()`.

When you call a constructor with an argument and you have not defined a constructor accepting that argument type, only standard conversions are used to convert the argument to another argument type acceptable to a constructor for that class. No other constructors or conversions functions are called to convert the argument to a type acceptable to a constructor defined for that class. The following example demonstrates this:

```
class A {
public:
    A() { }
    A(int) { }
};

int main() {
    A a1 = 1.234;
    // A moocow = "text string";
}
```

The compiler allows the statement `A a1 = 1.234`. The compiler uses the standard conversion of converting 1.234 into an **int**, then implicitly calls the converting constructor `A(int)`. The compiler would not allow the statement `A moocow = "text string";` converting a text string to an integer is not a standard conversion.

Related References

- “Standard Type Conversions” on page 120

Conversion by Constructor

 A *converting constructor* is a single-parameter constructor that is declared without the function specifier **explicit**. The compiler uses converting constructors to convert objects from the type of the first parameter to the type of the converting constructor’s class. The following example demonstrates this:

```
class Y {
    int a, b;
    char* name;
public:
    Y(int i) { };
    Y(const char* n, int j = 0) { };
};

void add(Y) { };

int main() {

    // equivalent to
    // obj1 = Y(2)
    Y obj1 = 2;

    // equivalent to
    // obj2 = Y("somestring",0)
    Y obj2 = "somestring";

    // equivalent to
    // obj1 = Y(10)
    obj1 = 10;

    // equivalent to
    // add(Y(5))
    add(5);
}
```

The above example has the following two converting constructors:

- `Y(int i)` which is used to convert integers to objects of class `Y`.
- `Y(const char* n, int j = 0)` which is used to convert pointers to strings to objects of class `Y`.

The compiler will not implicitly convert types as demonstrated above with constructors declared with the **explicit** keyword. The compiler will only use explicitly declared constructors in **new** expressions, the **static_cast** expressions and explicit casts, and the initialization of bases and members. The following example demonstrates this:

```
class A {
public:
    explicit A() { };
    explicit A(int) { };
};

int main() {
    A z;
    // A y = 1;
    A x = A(1);
    A w(1);
    A* v = new A(1);
    A u = (A)1;
    A t = static_cast<A>(1);
}
```

The compiler would not allow the statement `A y = 1` because this is an implicit conversion; class `A` has no conversion constructors.


A copy constructor is a converting constructor.

Related References

- “The explicit Keyword” on page 126
- “C++ new Operator” on page 99
- “static_cast Operator” on page 90

Conversion Functions

C++ You can define a member function of a class, called a *conversion function*, that converts from the type of its class to another specified type.



A conversion function that belongs to a class `X` specifies a conversion from the class type `X` to the type specified by the *conversion_type*. The following code fragment shows a conversion function called `operator int()`:

```
class Y {
    int b;
public:
    operator int();
};
Y::operator int() {
    return b;
}
void f(Y obj) {
```

```

int i = int(obj);
int j = (int)obj;
int k = i + obj;
}

```

All three statements in function `f(Y)` use the conversion function `Y::operator int()`.

Classes, enumerations, **typedef** names, function types, or array types cannot be declared or defined in the *conversion_type*. You cannot use a conversion function to convert an object of type `A` to type `A`, to a base class of `A`, or to **void**.

Conversion functions have no arguments, and the return type is implicitly the conversion type. Conversion functions can be inherited. You can have virtual conversion functions but not static ones.

Related References

- “Standard Type Conversions” on page 120
- “User-Defined Conversions” on page 273
- “Conversion by Constructor” on page 274
- Chapter 6, “Implicit Type Conversions,” on page 119

Copy Constructors

 The *copy constructor* lets you create a new object from an existing one by initialization. A copy constructor of a class `A` is a nontemplate constructor in which the first parameter is of type `A&`, `const A&`, `volatile A&`, or `const volatile A&`, and the rest of its parameters (if there are any) have default values.

If you do not declare a copy constructor for a class `A`, the compiler will implicitly declare one for you, which will be an inline public member.

The following example demonstrates implicitly defined and user-defined copy constructors:

```

#include <iostream>
using namespace std;

struct A {
    int i;
    A() : i(10) { }
};

struct B {
    int j;
    B() : j(20) {
        cout << "Constructor B(), j = " << j << endl;
    }

    B(B& arg) : j(arg.j) {
        cout << "Copy constructor B(B&), j = " << j << endl;
    }

    B(const B&, int val = 30) : j(val) {
        cout << "Copy constructor B(const B&, int), j = " << j << endl;
    }
};

struct C {
    C() { }
    C(C&) { }
};

int main() {
    A a;
    A a1(a);
}

```

```

B b;
const B b_const;
B b1(b);
B b2(b_const);
const C c_const;
// C c1(c_const);
}

```

The following is the output of the above example:

```

Constructor B(), j = 20
Constructor B(), j = 20
Copy constructor B(B&), j = 20
Copy constructor B(const B&, int), j = 30

```

The statement `A a1(a)` creates a new object from `a` with an implicitly defined copy constructor. The statement `B b1(b)` creates a new object from `b` with the user-defined copy constructor `B::B(B&)`. The statement `B b2(b_const)` creates a new object with the copy constructor `B::B(const B&, int)`. The compiler would not allow the statement `C c1(c_const)` because a copy constructor that takes as its first parameter an object of type `const C&` has not been defined.

The implicitly declared copy constructor of a class `A` will have the form `A::A(const A&)` if the following are true:

- The direct and virtual bases of `A` have copy constructors whose first parameters have been qualified with **const** or **const volatile**
- The nonstatic class type or array of class type data members of `A` have copy constructors whose first parameters have been qualified with **const** or **const volatile**

If the above are not true for a class `A`, the compiler will implicitly declare a copy constructor with the form `A::A(A&)`.

The compiler cannot allow a program in which the compiler must implicitly define a copy constructor for a class `A` and one or more of the following are true:

- Class `A` has a nonstatic data member of a type which has an inaccessible or ambiguous copy constructor.
- Class `A` is derived from a class which has an inaccessible or ambiguous copy constructor.

The compiler will implicitly define an implicitly declared constructor of a class `A` if you initialize an object of type `A` or an object derived from class `A`.

An implicitly defined copy constructor will copy the bases and members of an object in the same order that a constructor would initialize the bases and members of the object.

Related References

- “Constructors and Destructors Overview” on page 257

Copy Assignment Operators

 The *copy assignment operator* lets you create a new object from an existing one by initialization. A copy assignment operator of a class `A` is a nonstatic nontemplate member function that has one of the following forms:

- `A::operator=(A)`
- `A::operator=(A&)`
- `A::operator=(const A&)`
- `A::operator=(volatile A&)`
- `A::operator=(const volatile A&)`

If you do not declare a copy assignment operator for a class A, the compiler will implicitly declare one for you which will be inline public.

The following example demonstrates implicitly defined and user-defined copy assignment operators:

```
#include <iostream>
using namespace std;

struct A {
    A& operator=(const A&) {
        cout << "A::operator=(const A&)" << endl;
        return *this;
    }

    A& operator=(A&) {
        cout << "A::operator=(A&)" << endl;
        return *this;
    }
};

class B {
    A a;
};

struct C {
    C& operator=(C&) {
        cout << "C::operator=(C&)" << endl;
        return *this;
    }
    C() { }
};

int main() {
    B x, y;
    x = y;

    A w, z;
    w = z;

    C i;
    const C j();
    // i = j;
}
```

The following is the output of the above example:

```
A::operator=(const A&)
A::operator=(A&)
```

The assignment `x = y` calls the implicitly defined copy assignment operator of B, which calls the user-defined copy assignment operator `A::operator=(const A&)`. The assignment `w = z` calls the user-defined operator `A::operator=(A&)`. The compiler will not allow the assignment `i = j` because an operator `C::operator=(const C&)` has not been defined.

The implicitly declared copy assignment operator of a class A will have the form `A& A::operator=(const A&)` if the following are true:

- A direct or virtual base B of class A has a copy assignment operator whose parameter is of type `const B&`, `const volatile B&`, or `B`.
- A non-static class type data member of type X that belongs to class A has a copy constructor whose parameter is of type `const X&`, `const volatile X&`, or `X`.

If the above are not true for a class A, the compiler will implicitly declare a copy assignment operator with the form `A& A::operator=(A&)`.

The implicitly declared copy assignment operator returns a reference to the operator's argument.

The copy assignment operator of a derived class hides the copy assignment operator of its base class.

The compiler cannot allow a program in which the compiler must implicitly define a copy assignment operator for a class A and one or more of the following are true:

- Class A has a nonstatic data member of a **const** type or a reference type
- Class A has a nonstatic data member of a type which has an inaccessible copy assignment operator
- Class A is derived from a base class with an inaccessible copy assignment operator.

An implicitly defined copy assignment operator of a class A will first assign the direct base classes of A in the order that they appear in the definition of A. Next, the implicitly defined copy assignment operator will assign the nonstatic data members of A in the order of their declaration in the definition of A.

Related References

- "Assignment Expressions" on page 115

Chapter 16. Templates

C++ A *template* describes a set of related classes or set of related functions in which a list of parameters in the declaration describe how the members of the set vary. The compiler generates new classes or functions when you supply arguments for these parameters; this process is called *template instantiation*. This class or function definition generated from a template and a set of template parameters is called a *specialization*.

400 For i5/OS-specific usage information, see "Using Templates in C++ Programs," chapter 28 in *ILE C/C++ Programmer's Guide*.

Syntax – Template Declaration

►► `[export] template <—template_parameter_list—> —declaration—` ►►

The compiler accepts and silently ignores the `export` keyword on a template.

The *template_parameter_list* is a comma-separated list of the following kinds of template parameters:

- non-type
- type
- template

The *declaration* is one of the following:

- a declaration or definition of a function or a class
- a definition of a member function or a member class of a class template
- a definition of a static data member of a class template
- a definition of a static data member of a class nested within a class template
- a definition of a member template of a class or class template

The *identifier* of a *type* is defined to be a *type_name* in the scope of the template declaration. A template declaration can appear as a namespace scope or class scope declaration.

The following example demonstrates the use of a class template:

```
template<class L> class Key
{
    L k;
    L* kptr;
    int length;
public:
    Key(L);
    // ...
};
```

Suppose the following declarations appear later:

```
Key<int> i;
Key<char*> c;
Key<mytype> m;
```

The compiler would create three objects. The following table shows the definitions of these three objects if they were written out in source form as regular classes, not as templates:

<code>class Key<int> i;</code>	<code>class Key<char*> c;</code>	<code>class Key<mytype> m;</code>
<pre>class Key { int k; int * kptr; int length; public: Key(int); // ... };</pre>	<pre>class Key { char* k; char** kptr; int length; public: Key(char*); // ... };</pre>	<pre>class Key { mytype k; mytype* kptr; int length; public: Key(mytype); // ... };</pre>

Note that these three classes have different names. The arguments contained within the angle braces are not just the arguments to the class names, but part of the class names themselves. `Key<int>` and `Key<char*>` are class names.

Template Parameters

C++ There are three kinds of template parameters:

- type
- non-type
- template

You can interchange the keywords `class` and `typename` in a template parameter declaration. You cannot use storage class specifiers (`static` and `auto`) in a template parameter declaration.

Type Template Parameters

C++ The following is the syntax of a type template parameter declaration:

Syntax – Type Template Parameter Declaration



The *identifier* is the name of a type.

Non-Type Template Parameters

C++ The syntax of a non-type template parameter is the same as a declaration of one of the following types:

- integral or enumeration
- pointer to object or pointer to function
- reference to object or reference to function
- pointer to member

Non-type template parameters that are declared as arrays or functions are converted to pointers or pointer to functions, respectively. The following example demonstrates this:

```
template<int a[4]> struct A { };
template<int f(int)> struct B { };
```

```
int i;
int g(int) { return 0;}
```

```
A<&i> x;
B<&g> y;
```

The type of `&i` is `int *`, and the type of `&g` is `int (*)(int)`.

You may qualify a non-type template parameter with **const** or **volatile**.

You cannot declare a non-type template parameter as a floating point, class, or void type.

Non-type template parameters are not lvalues.

Template Template Parameters

C++ The following is the syntax of a template template parameter declaration:

Syntax – Template Template Parameter Declaration

```
▶▶ template <—template-parameter-list—> class [identifier] [==id-expression]
```

The following example demonstrates a declaration and use of a template template parameter:

```
template<template <class T> class X> class A { };  
template<class T> class B { };
```

```
A<B> a;
```

Default Arguments for Template Parameters

C++ Template parameters may have default arguments. The set of default template arguments accumulates over all declarations of a given template. The following example demonstrates this:

```
template<class T, class U = int> class A;  
template<class T = float, class U> class A;
```

```
template<class T, class U> class A {  
    public:  
        T x;  
        U y;  
};
```

```
A<> a;
```

The type of member `a.x` is **float**, and the type of `a.y` is **int**.

You cannot give default arguments to the same template parameters in different declarations in the same scope. For example, the compiler will not allow the following:

```
template<class T = char> class X;  
template<class T = char> class X { };
```

If one template parameter has a default argument, then all template parameters following it must also have default arguments. For example, the compiler will not allow the following:

```
template<class T = char, class U, class V = int> class X { };
```

Template parameter `U` needs a default argument or the default for `T` must be removed.

The scope of a template parameter starts from the point of its declaration to the end of its template definition. This implies that you may use the name of a template parameter in other template parameter declarations and their default arguments. The following example demonstrates this:

```
template<class T = int> class A;  
template<class T = float> class B;  
template<class V, V obj> class A;  
// a template parameter (T) used as the default argument  
// to another template parameter (U)  
template<class T, class U = T> class C { };
```

Template Arguments

▶ **C++** There are three kinds of template arguments corresponding to the three types of template parameters:

- type
- non-type
- template

A template argument must match the type and form specified by the corresponding parameter declared in the template.

To use the default value of a template parameter, you omit the corresponding template argument. However, even if all template parameters have defaults, you still must use the <> brackets. For example, the following will yield a syntax error:

```
template<class T = int> class X { };
X<> a;
X b;
```

The last declaration, `X b`, will yield an error.

Template Type Arguments

▶ **C++** You cannot use one of the following as a template argument for a type template parameter:

- a local type
- a type with no linkage
- an unnamed type
- a type compounded from any of the above types

If it is ambiguous whether a template argument is a type or an expression, the template argument is considered to be a type. The following example demonstrates this:

```
template<class T> void f() { };
template<int i> void f() { };

int main() {
    f<int>();
}
```

The function call `f<int>()` calls the function with `T` as a template argument – the compiler considers `int()` as a type – and therefore implicitly instantiates and calls the first `f()`.

Template Non-Type Arguments

▶ **C++** A non-type template argument provided within a template argument list is an expression whose value can be determined at compile time. Such arguments must be constant expressions, addresses of functions or objects with external linkage, or addresses of static class members. Non-type template arguments are normally used to initialize a class or to specify the sizes of class members.

For non-type integral arguments, the instance argument matches the corresponding template argument as long as the instance argument has a value and sign appropriate to the argument type.

For non-type address arguments, the type of the instance argument must be of the form `identifier` or `&identifier`, and the type of the instance argument must match the template argument exactly, except that a function name is changed to a pointer to function type before matching.

The resulting values of non-type template arguments within a template argument list form part of the template class type. If two template class names have the same template name and if their arguments have identical values, they are the same class.

In the following example, a class template is defined that requires a non-type template `int` argument as well as the type argument:

```
template<class T, int size> class myfilebuf
{
    T* filepos;
    static int array[size];
public:
    myfilebuf() { /* ... */ }
    ~myfilebuf();
    advance(); // function defined elsewhere in program
};
```

In this example, the template argument `size` becomes a part of the template class name. An object of such a template class is created with both the type argument `T` of the class and the value of the non-type template argument `size`.

An object `x`, and its corresponding template class with arguments `double` and `size=200`, can be created from this template with a value as its second template argument:

```
myfilebuf<double,200> x;
```

`x` can also be created using an arithmetic expression:

```
myfilebuf<double,10*20> x;
```

The objects created by these expressions are identical because the template arguments evaluate identically. The value `200` in the first expression could have been represented by an expression whose result at compile time is known to be equal to `200`, as shown in the second construction.

Note: Arguments that contain the `<` symbol or the `>` symbol must be enclosed in parentheses to prevent it from being parsed as a template argument list delimiter when it is being used as a relational operator or a nested template delimiter. For example, the arguments in the following definition are valid:

```
myfilebuf<double, (75>25)> x; // valid
```

The following definition, however, is not valid because the greater than operator (`>`) is interpreted as the closing delimiter of the template argument list:

```
myfilebuf<double, 75>25> x; // error
```

If the template arguments do not evaluate identically, the objects created are of different types:

```
myfilebuf<double,200> x; // create object x of class
                        // myfilebuf<double,200>
myfilebuf<double,200.0> y; // error, 200.0 is a double,
                        // not an int
```

The instantiation of `y` fails because the value `200.0` is of type `double`, and the template argument is of type `int`.

The following two objects:

```
myfilebuf<double, 128> x
myfilebuf<double, 512> y
```

are objects of separate template specializations. Referring either of these objects later with `myfilebuf<double>` is an error.

A class template does not need to have a type argument if it has non-type arguments. For example, the following template is a valid class template:

```

template<int i> class C
{
    public:
        int k;
        C() { k = i; }
};

```

This class template can be instantiated by declarations such as:

```

class C<100>;
class C<200>;

```

Again, these two declarations refer to distinct classes because the values of their non-type arguments differ.

Template Template Arguments

C++ A template argument for a template template parameter is the name of a class template.

When the compiler tries to find a template to match the template template argument, it only considers primary class templates. (A *primary template* is the template that is being specialized.) The compiler will not consider any partial specialization even if their parameter lists match that of the template template parameter. For example, the compiler will not allow the following code:

```

template<class T, int i> class A {
    int x;
};

template<class T> class A<T, 5> {
    short x;
};

template<template<class T> class U> class B1 { };

B1<A> c;

```

The compiler will not allow the declaration `B1<A> c`. Although the partial specialization of `A` seems to match the template template parameter `U` of `B1`, the compiler considers only the primary template of `A`, which has different template parameters than `U`.

The compiler considers the partial specializations based on a template template argument once you have instantiated a specialization based on the corresponding template template parameter. The following example demonstrates this:

```

#include <iostream>
using namespace std;

template<class T, class U> class A {
    int x;
};

template<class U> class A<int, U> {
    short x;
};

template<template<class T, class U> class V> class B {
    V<int, char> i;
    V<char, char> j;
};

B<A> c;

```

```
int main() {
    cout << typeid(c.i.x).name() << endl;
    cout << typeid(c.j.x).name() << endl;
}
```

The following is the output of the above example:

```
short
int
```

The declaration `V<int, char> i` uses the partial specialization while the declaration `V<char, char> j` uses the primary template.

Class Templates

C++ The relationship between a class template and an individual class is like the relationship between a class and an individual object. An individual class defines how a group of objects can be constructed, while a class template defines how a group of classes can be generated.

Note the distinction between the terms *class template* and *template class*:

Class template is a template used to generate template classes. You cannot declare an object of a class template.

Template class is an instance of a class template.

A template definition is identical to any valid class definition that the template might generate, except for the following:

- The class template definition is preceded by

```
template
< template-parameter-list >
```

where *template-parameter-list* is a comma-separated list of one or more of the following kinds of template parameters:

- type
 - non-type
 - template
- Types, variables, constants and objects within the class template can be declared using the template parameters as well as explicit types (for example, **int** or **char**).

A class template can be declared without being defined by using an elaborated type specifier. For example:

```
template
<class L,class T> class key;
```

This reserves the name as a class template name. All template declarations for a class template must have the same types and number of template arguments. Only one template declaration containing the class definition is allowed.

Note: When you have nested template argument lists, you must have a separating space between the `>` at the end of the inner list and the `>` at the end of the outer list. Otherwise, there is an ambiguity between the output operator `>>` and two template list delimiters `>`.

```
template <class L,class T> class key { /* ... */
};
template <class L> class vector { /* ... */ };;
```

```
int main ()
```

```

{
    class key <int, vector<int> >;
    // implicitly instantiates template
}

```

Objects and function members of individual template classes can be accessed by any of the techniques used to access ordinary class member objects and functions. Given a class template:

```

template<class T> class vehicle
{
public:
    vehicle() { /* ... */ } // constructor
    ~vehicle() {}; // destructor
    T kind[16];
    T* drive();
    static void roadmap();
    // ...
};

```

and the declaration:

```
vehicle<char> bicycle; // instantiates the template
```

the constructor, the constructed object, and the member function `drive()` can be accessed with any of the following (assuming the standard header file `<string.h>` is included in the program file):

constructor	<pre>vehicle<char> bicycle; // constructor called automatically, // object bicycle created</pre>
object bicycle	<pre>strcpy (bicycle.kind, "10 speed"); bicycle.kind[0] = '2';</pre>
function <code>drive()</code>	<pre>char* n = bicycle.drive();</pre>
function <code>roadmap()</code>	<pre>vehicle<char>::roadmap();</pre>

Class Template Declarations and Definitions

C++ A class template must be declared before any declaration of a corresponding template class. A class template definition can only appear once in any single translation unit. A class template must be defined before any use of a template class that requires the size of the class or refers to members of the class.

In the following example, the class template `key` is declared before it is defined. The declaration of the pointer `keyiptr` is valid because the size of the class is not needed. The declaration of `keyi`, however, causes an error.

```

template <class L> class key; // class template declared,
// not defined yet
//
class key<int> *keyiptr; // declaration of pointer
//
class key<int> keyi; // error, cannot declare keyi
// without knowing size
//
template <class L> class key // now class template defined
{ /* ... */ };

```

If a template class is used before the corresponding class template is defined, the compiler issues an error. A class name with the appearance of a template class name is considered to be a template class. In other words, angle brackets are valid in a class name only if that class is a template class.

The definition of a class template is not compiled until the definition of a template class is required. At that point, the class template definition is compiled using the argument list of the template class to instantiate the template arguments. Any errors in the class definition are flagged at this time.

Static Data Members and Templates

C++ Each class template instantiation has its own copy of any static data members. The static declaration can be of template argument type or of any defined type.

You must separately define static members. The following example demonstrates this:

```
template <class T> class K
{
public:
    static T x;
};
template <class T> T K<T> ::x;

int main()
{
    K<int>::x = 0;
}
```

The statement `template<class T> T K<T>::x` defines the static member of class `T`, while the statement in the `main()` function initializes the data member for `K`.

Member Functions of Class Templates

C++ You may define a template member function outside of its class template definition.

When you call a member function of a class template specialization, the compiler will use the template arguments that you used to generate the class template. The following example demonstrates this:

```
template<class T> class X {
public:
    T operator+(T);
};

template<class T> T X<T>::operator+(T arg1) {
    return arg1;
};

int main() {
    X<char> a;
    X<int> b;
    a + 'z';
    b + 4;
}
```

The overloaded addition operator has been defined outside of class `X`. The statement `a + 'z'` is equivalent to `a.operator+('z')`. The statement `b + 4` is equivalent to `b.operator+(4)`.

Friends and Templates

C++ There are four kinds of relationships between classes and their friends when templates are involved:

- *One-to-many*: A non-template function may be a friend to all template class instantiations.
- *Many-to-one*: All instantiations of a template function may be friends to a regular non-template class.
- *One-to-one*: A template function instantiated with one set of template arguments may be a friend to one template class instantiated with the same set of template arguments. This is also the relationship between a regular non-template class and a regular non-template friend function.

- *Many-to-many*: All instantiations of a template function may be a friend to all instantiations of the template class.

The following example demonstrates these relationships:

```
class B{
    template<class V> friend int j();
}
```

```
template<class S> g();
```

```
template<class T> class A {
    friend int e();
    friend int f(T);
    friend int g<T>();
    template<class U> friend int h();
};
```

- Function `e()` has a one-to-many relationship with class `A`. Function `e()` is a friend to all instantiations of class `A`.
- Function `f()` has a one-to-one relationship with class `A`. The compiler will give you a warning for this kind of declaration similar to the following:
The friend function declaration "f" will cause an error when the enclosing template class is instantiated with arguments that declare a friend function that does not match an existing definition. The function declares only one function because it is not a template but the function type depends on one or more template parameters.
- Function `g()` has a one-to-one relationship with class `A`. Function `g()` is a function template. It must be declared before here or else the compiler will not recognize `g<T>` as a template name. For each instantiation of `A` there is one matching instantiation of `g()`. For example, `g<int>` is a friend of `A<int>`.
- Function `h()` has a many-to-many relationship with class `A`. Function `h()` is a function template. For all instantiations of `A` all instantiations of `h()` are friends.
- Function `j()` has a many-to-one relationship with class `B`.

These relationships also apply to friend classes.

Function Templates

C++ A *function template* defines how a group of functions can be generated.

A non-template function is not related to a function template, even though the non-template function may have the same name and parameter profile as those of a specialization generated from a template. A non-template function is never considered to be a specialization of a function template.

The following example implements the QuickSort algorithm with a function template named `quicksort`:

```
#include <iostream>
#include <cstdlib>
using namespace std;

template<class T> void quicksort(T a[], const int& leftarg, const int& rightarg)
{
    if (leftarg < rightarg) {

        T pivotvalue = a[leftarg];
        int left = leftarg - 1;
        int right = rightarg + 1;

        for(;;) {

            while (a[--right] > pivotvalue);
            while (a[++left] < pivotvalue);

            if (left >= right) break;
        }
    }
}
```

```

    T temp = a[right];
    a[right] = a[left];
    a[left] = temp;
}

int pivot = right;
quicksort(a, leftarg, pivot);
quicksort(a, pivot + 1, rightarg);
}

int main(void) {
    int sortme[10];

    for (int i = 0; i < 10; i++) {
        sortme[i] = rand();
        cout << sortme[i] << " ";
    };
    cout << endl;

    quicksort<int>(sortme, 0, 10 - 1);

    for (int i = 0; i < 10; i++) cout << sortme[i] << "
";
    cout << endl;
    return 0;
}

```

The above example will have output similar to the following:

```

16838 5758 10113 17515 31051 5627 23010 7419 16212 4086
4086 5627 5758 7419 10113 16212 16838 17515 23010 31051

```

This QuickSort algorithm will sort an array of type `T` (whose relational and assignment operators have been defined). The template function takes one template argument and three function arguments:

- the type of the array to be sorted, `T`
- the name of the array to be sorted, `a`
- the lower bound of the array, `leftarg`
- the upper bound of the array, `rightarg`

In the above example, you can also call the `quicksort()` template function with the following statement:

```
quicksort(sortme, 0, 10 - 1);
```

You may omit any template argument if the compiler can deduce it by the usage and context of the template function call. In this case, the compiler deduces that `sortme` is an array of type `int`.

Template Argument Deduction

 When you call a template function, you may omit any template argument that the compiler can determine or *deduce* by the usage and context of that template function call.

The compiler tries to deduce a template argument by comparing the type of the corresponding template parameter with the type of the argument used in the function call. The two types that the compiler compares (the template parameter and the argument used in the function call) must be of a certain structure in order for template argument deduction to work. The following lists these type structures:

```

T
const T
volatile T
T&
T*
T[10]
A<T>

```

```

C(*) (T)
T(*) ()
T(*) (U)
T C::*
C T::*
T U::*
T (C::*) ()
C (T::*) ()
D (C::*) (T)
C (T::*) (U)
T (C::*) (U)
T (U::*) ()
T (U::*) (V)
E[10][i]
B<i>
TT<T>
TT<i>
TT<C>

```

- T, U, and V represent a template type argument
- 10 represents any integer constant
- i represents a template non-type argument
- [i] represents an array bound of a reference or pointer type, or a non-major array bound of a normal array.
- TT represents a template template argument
- (T), (U), and (V) represents an argument list that has at least one template type argument
- () represents an argument list that has no template arguments
- <T> represents a template argument list that has at least one template type argument
- <i> represents a template argument list that has at least one template non-type argument
- <C> represents a template argument list that has no template arguments dependent on a template parameter

The following example demonstrates the use of each of these type structures. The example declares a template function using each of the above structures as an argument. These functions are then called (without template arguments) in order of declaration. The example outputs the same list of type structures:

```

#include <iostream>
using namespace std;

template<class T> class A { };
template<int i> class B { };

class C {
public:
    int x;
};

class D {
public:
    C y;
    int z;
};

template<class T> void f (T)           { cout << "T" << endl; };
template<class T> void f1(const T)     { cout << "const T" << endl; };
template<class T> void f2(volatile T) { cout << "volatile T" << endl; };
template<class T> void g (T*)         { cout << "T*" << endl; };
template<class T> void g (T&)         { cout << "T&" << endl; };
template<class T> void g1(T[10])      { cout << "T[10]" << endl; };
template<class T> void h1(A<T>)       { cout << "A<T>" << endl; };

void test_1() {
    A<char> a;
    C c;
}

```

```

    f(c);   f1(c);   f2(c);
    g(c);   g(&c);   g1(&c);
    h1(a);
}

template<class T>          void j(C*)(T) { cout << "C(*) (T)" << endl; };
template<class T>          void j(T*()) { cout << "T(*) ()" << endl; };
template<class T, class U> void j(T*)(U) { cout << "T(*) (U)" << endl; };

void test_2() {
    C (*c_pfunct1)(int);
    C (*c_pfunct2)(void);
    int (*c_pfunct3)(int);
    j(c_pfunct1);
    j(c_pfunct2);
    j(c_pfunct3);
}

template<class T>          void k(T C::*) { cout << "T C::*" << endl; };
template<class T>          void k(C T::*) { cout << "C T::*" << endl; };
template<class T, class U> void k(T U::*) { cout << "T U::*" << endl; };

void test_3() {
    k(&C::x);
    k(&D::y);
    k(&D::z);
}

template<class T>          void m(T (C::*)() )
    { cout << "T (C::*)()" << endl; };
template<class T>          void m(C (T::*)() )
    { cout << "C (T::*)()" << endl; };
template<class T>          void m(D (C::*)(T))
    { cout << "D (C::*)(T)" << endl; };
template<class T, class U> void m(C (T::*)(U))
    { cout << "C (T::*)(U)" << endl; };
template<class T, class U> void m(T (C::*)(U))
    { cout << "T (C::*)(U)" << endl; };
template<class T, class U> void m(T (U::*)() )
    { cout << "T (U::*)()" << endl; };
template<class T, class U, class V> void m(T (U::*)(V))
    { cout << "T (U::*)(V)" << endl; };

void test_4() {
    int (C::*f_membp1)(void);
    C (D::*f_membp2)(void);
    D (C::*f_membp3)(int);
    m(f_membp1);
    m(f_membp2);
    m(f_membp3);

    C (D::*f_membp4)(int);
    int (C::*f_membp5)(int);
    int (D::*f_membp6)(void);
    m(f_membp4);
    m(f_membp5);
    m(f_membp6);

    int (D::*f_membp7)(int);
    m(f_membp7);
}

template<int i> void n(C[10][i]) { cout << "E[10][i]" << endl; };
template<int i> void n(B<i>)     { cout << "B<i>" << endl; };

void test_5() {

```

```

    C array[10][20];
    n(array);
    B<20> b;
    n(b);
}

template<template<class> class TT, class T> void p1(TT<T>)
    { cout << "TT<T>" << endl; };
template<template<int> class TT, int i> void p2(TT<i>)
    { cout << "TT<i>" << endl; };
template<template<class> class TT> void p3(TT<C>)
    { cout << "TT<C>" << endl; };

void test_6() {
    A<char> a;
    B<20> b;
    A<C> c;
    p1(a);
    p2(b);
    p3(c);
}

int main() { test_1(); test_2(); test_3(); test_4(); test_5(); test_6(); }

```

Deducing Type Template Arguments

 The compiler can deduce template arguments from a type composed of several of the listed type structures. The following example demonstrates template argument deduction for a type composed of several type structures:

```

template<class T> class Y { };

template<class T, int i> class X {
public:
    Y<T> f(char[20][i]) { return x; };
    Y<T> x;
};

template<template<class> class T, class U, class V, class W, int i>
    void g( T<U> (V::*)(W[20][i]) ) { };

int main()
{
    Y<int> (X<int, 20>::*p)(char[20][20]) = &X<int, 20>::f;
    g(p);
}

```

The type `Y<int> (X<int, 20>::*p)(char[20][20])T<U> (V::*)(W[20][i])` is based on the type structure `T (U::*)(V)`:

- T is `Y<int>`
- U is `X<int, 20>`
- V is `char[20][20]`

If you qualify a type with the class to which that type belongs, and that class (a *nested name specifier*) depends on a template parameter, the compiler will not deduce a template argument for that parameter. If a type contains a template argument that cannot be deduced for this reason, all template arguments in that type will not be deduced. The following example demonstrates this:

```

template<class T, class U, class V>
    void h(typename Y<T>::template Z<U>, Y<T>, Y<V>) { };

int main() {
    Y<int>::Z<char> a;
    Y<int> b;
    Y<float> c;
}

```

```

h<int, char, float>(a, b, c);
h<int, char>(a, b, c);
// h<int>(a, b, c);
}

```

The compiler will not deduce the template arguments T and U in typename Y<T>::template Z<U> (but it will deduce the T in Y<T>). The compiler would not allow the template function call h<int>(a, b, c) because U is not deduced by the compiler.

The compiler can deduce a function template argument from a pointer to function or pointer to member function argument given several overloaded function names. However, none of the overloaded functions may be function templates, nor can more than one overloaded function match the required type. The following example demonstrates this:

```

template<class T> void f(void(*) (T,int)) { };

template<class T> void g1(T, int) { };

void g2(int, int) { };
void g2(char, int) { };

void g3(int, int, int) { };
void g3(float, int) { };

int main() {
// f(&g1);
// f(&g2);
  f(&g3);
}

```

The compiler would not allow the call f(&g1) because g1() is a function template. The compiler would not allow the call f(&g2) because both functions named g2() match the type required by f().

The compiler cannot deduce a template argument from the type of a default argument. The following example demonstrates this:

```

template<class T> void f(T = 2, T = 3) { };

int main() {
  f(6);
// f();
  f<int>();
}

```

The compiler allows the call f(6) because the compiler deduces the template argument (**int**) by the value of the function call's argument. The compiler would not allow the call f() because the compiler cannot deduce template argument from the default arguments of f().

The compiler cannot deduce a template type argument from the type of a non-type template argument. For example, the compiler will not allow the following:

```

template<class T, T i> void f(int[20][i]) { };

int main() {
  int a[20][30];
  f(a);
}

```

The compiler cannot deduce the type of template parameter T.

Deducing Non-Type Template Arguments

C++ The compiler cannot deduce the value of a major array bound unless the bound refers to a reference or pointer type. Major array bounds are not part of function parameter types. The following code demonstrates this:

```
template<int i> void f(int a[10][i]) { };
template<int i> void g(int a[i]) { };
template<int i> void h(int (&a)[i]) { };

int main () {
    int b[10][20];
    int c[10];
    f(b);
    // g(c);
    h(c);
}
```

The compiler would not allow the call `g(c)`; the compiler cannot deduce template argument `i`.

The compiler cannot deduce the value of a non-type template argument used in an expression in the template function's parameter list. The following example demonstrates this:

```
template<int i> class X { };

template<int i> void f(X<i - 1>) { };

int main () {
    X<0> a;
    f<1>(a);
    // f(a);
}
```

In order to call function `f()` with object `a`, the function must accept an argument of type `X<0>`. However, the compiler cannot deduce that the template argument `i` must be equal to 1 in order for the function template argument type `X<i - 1>` to be equivalent to `X<0>`. Therefore the compiler would not allow the function call `f(a)`.

If you want the compiler to deduce a non-type template argument, the type of the parameter must match exactly the type of value used in the function call. For example, the compiler will not allow the following:

```
template<int i> class A { };
template<short d> void f(A<d>) { };

int main() {
    A<1> a;
    f(a);
}
```

The compiler will not convert `int` to `short` when the example calls `f()`.

However, deduced array bounds may be of any integral type.

Overloading Function Templates

C++ You may overload a function template either by a non-template function or by another function template.

If you call the name of an overloaded function template, the compiler will try to deduce its template arguments and check its explicitly declared template arguments. If successful, it will instantiate a function template specialization, then add this specialization to the set of *candidate functions* used in overload

resolution. The compiler proceeds with overload resolution, choosing the most appropriate function from the set of candidate functions. Non-template functions take precedence over template functions. The following example describes this:

```
#include <iostream>
using namespace std;

template<class T> void f(T x, T y) { cout << "Template" << endl; }

void f(int w, int z) { cout << "Non-template" << endl; }

int main() {
    f( 1, 2 );
    f('a', 'b');
    f( 1, 'b');
}
```

The following is the output of the above example:

```
Non-template
Template
Non-template
```

The function call `f(1, 2)` could match the argument types of both the template function and the non-template function. The non-template function is called because a non-template function takes precedence in overload resolution.

The function call `f('a', 'b')` can only match the argument types of the template function. The template function is called.

Argument deduction fails for the function call `f(1, 'b')`; the compiler does not generate any template function specialization and overload resolution does not take place. The non-template function resolves this function call after using the standard conversion from `char` to `int` for the function argument `'b'`.

Partial Ordering of Function Templates

 A function template specialization might be ambiguous because template argument deduction might associate the specialization with more than one of the overloaded definitions. The compiler will then choose the definition that is the most specialized. This process of selecting a function template definition is called *partial ordering*.

A template `X` is more specialized than a template `Y` if every argument list that matches the one specified by `X` also matches the one specified by `Y`, but not the other way around. The following example demonstrates partial ordering:

```
template<class T> void f(T) { }
template<class T> void f(T*) { }
template<class T> void f(const T*) { }

template<class T> void g(T) { }
template<class T> void g(T&) { }

template<class T> void h(T) { }
template<class T> void h(T, ...) { }

int main() {
    const int *p;
    f(p);

    int q;
    // g(q);
    // h(q);
}
```

The declaration `template<class T> void f(const T*)` is more specialized than `template<class T> void f(T*)`. Therefore, the function call `f(p)` calls `template<class T> void f(const T*)`. However, neither `void g(T)` nor `void g(T&)` is more specialized than the other. Therefore, the function call `g(q)` would be ambiguous.

Ellipses do not affect partial ordering. Therefore, the function call `h(q)` would also be ambiguous.

The compiler uses partial ordering in the following cases:

- Calling a function template specialization that requires overload resolution.
- Taking the address of a function template specialization.
- When a friend function declaration, an explicit instantiation, or explicit specialization refers to a function template specialization.
- Determining the appropriate deallocation function that is also a function template for a given placement operator `new`.

Template Instantiation

C++ The act of creating a new definition of a function, class, or member of a class from a template declaration and one or more template arguments is called *template instantiation*. The definition created from a template instantiation is called a *specialization*.

Implicit Instantiation

C++ Unless a template specialization has been explicitly instantiated or explicitly specialized, the compiler will generate a specialization for the template only when it needs the definition. This is called *implicit instantiation*.

If the compiler must instantiate a class template specialization and the template is declared, you must also define the template.

For example, if you declare a pointer to a class, the definition of that class is not needed and the class will not be implicitly instantiated. The following example demonstrates when the compiler instantiates a template class:

```
template<class T> class X {
public:
    X* p;
    void f();
    void g();
};
```

```
X<int>* q;
X<int> r;
X<float>* s;
r.f();
s->g();
```

The compiler requires the instantiation of the following classes and functions:

- `X<int>` when the object `r` is declared
- `X<int>::f()` at the member function call `r.f()`
- `X<float>` and `X<float>::g()` at the class member access function call `s->g()`

Therefore, the functions `X<T>::f()` and `X<T>::g()` must be defined in order for the above example to compile. (The compiler will use the default constructor of class `X` when it creates object `r`.) The compiler does not require the instantiation of the following definitions:

- class `X` when the pointer `p` is declared
- `X<int>` when the pointer `q` is declared
- `X<float>` when the pointer `s` is declared

The compiler will implicitly instantiate a class template specialization if it is involved in pointer conversion or pointer to member conversion. The following example demonstrates this:

```
template<class T> class B { };
template<class T> class D : public B<T> { };

void g(D<double>* p, D<int>* q)
{
    B<double>* r = p;
    delete q;
}
```

The assignment `B<double>* r = p` converts `p` of type `D<double>*` to a type of `B<double>*`; the compiler must instantiate `D<double>`. The compiler must instantiate `D<int>` when it tries to delete `q`.

If the compiler implicitly instantiates a class template that contains static members, those static members are not implicitly instantiated. The compiler will instantiate a static member only when the compiler needs the static member's definition. Every instantiated class template specialization has its own copy of static members. The following example demonstrates this:

```
template<class T> class X {
public:
    static T v;
};

template<class T> T X<T>::v = 0;

X<char*> a;
X<float> b;
X<float> c;
```

Object `a` has a static member variable `v` of type `char*`. Object `b` has a static variable `v` of type `float`. Objects `b` and `c` share the single static data member `v`.

An implicitly instantiated template is in the same namespace where you defined the template.

If a function template or a member function template specialization is involved with overload resolution, the compiler implicitly instantiates a declaration of the specialization.

Explicit Instantiation

 You can explicitly tell the compiler when it should generate a definition from a template. This is called *explicit instantiation*.

Syntax – Explicit Instantiation Declaration

►►—`template`—`template_declaration`—►►

The following are examples of explicit instantiations:

```
template<class T> class Array { void mf(); };
template class Array<char>; // explicit instantiation
template void Array<int>::mf(); // explicit instantiation

template<class T> void sort(Array<T>& v) { }
template void sort(Array<char>&); // explicit instantiation

namespace N {
    template<class T> void f(T&) { }
}

template void N::f<int>(int&);
// The explicit instantiation is in namespace N.
```

```

int* p = 0;
template<class T> T g(T = &p);
template char g(char);           // explicit instantiation

template <class T> class X {
private:
    T v(T arg) { return arg; };
};

template int X<int>::v(int);     // explicit instantiation

template<class T> T g(T val) { return val;}
template<class T> void Array<T>::mf() { }

```

A template declaration must be in scope at the point of instantiation of the template's explicit instantiation. An explicit instantiation of a template specialization is in the same namespace where you defined the template.

Access checking rules do not apply to names in explicit instantiations. Template arguments and names in a declaration of an explicit instantiation may be private types or objects. In the above example, the compiler allows the explicit instantiation template `int X<int>::v(int)` even though the member function is declared private.

The compiler does not use default arguments when you explicitly instantiate a template. In the above example the compiler allows the explicit instantiation template `char g(char)` even though the default argument is an address of type `int`.

The following examples show template instantiation using **extern**:

```

template<class T>class C {
    static int i;
    void f(T) { }
};
template<class U>int C<U>::i = 0;
extern template C<int>; // extern explicit template instantiation
C<int>c; // does not cause instantiation of C<int>::i
        // or C<int>::f(int) in this file,
        // but the class is instantiated for mapping
C<char>d; // normal instantiations

template<class C> C foo(C c) { return c; }
extern template int foo<int>(int); // extern explicit template instantiation
int i = foo(1); // does not cause instantiation of the body of foo<int>

```

Template Specialization

C++ The act of creating a new definition of a function, class, or member of a class from a template declaration and one or more template arguments is called *template instantiation*. The definition created from a template instantiation is called a *specialization*. A *primary template* is the template that is being specialized.


Explicit Specialization

C++ When you instantiate a template with a given set of template arguments the compiler generates a new definition based on those template arguments. You can override this behavior of definition generation. You can instead specify the definition the compiler uses for a given set of template arguments. This is called *explicit specialization*. You can explicitly specialize any of the following:

- Function or class template
- Member function of a class template
- Static data member of a class template
- Member class of a class template

- Member function template of a class template
- Member class template of a class template

Syntax – Explicit Specialization Declaration



The **template<>** prefix indicates that the following template declaration takes no template parameters. The *declaration_name* is the name of a previously declared template. Note that you can forward-declare an explicit specialization so the *declaration_body* is optional, at least until the specialization is referenced.

The following example demonstrates explicit specialization:

using namespace std;

```
template<class T = float, int i = 5> class A
{
    public:
        A();
        int value;
};

template<> class A<> { public: A(); };
template<> class A<double, 10> { public: A(); };

template<class T, int i> A<T, i>::A() : value(i) {
    cout << "Primary template, "
        << "non-type argument is " << value << endl;
}

A<>::A() {
    cout << "Explicit specialization "
        << "default arguments" << endl;
}

A<double, 10>::A() {
    cout << "Explicit specialization "
        << "<double, 10>" << endl;
}

int main() {
    A<int,6> x;
    A<> y;
    A<double, 10> z;
}
```

The following is the output of the above example:

```
Primary template non-type argument is: 6
Explicit specialization default arguments
Explicit specialization <double, 10>
```

This example declared two explicit specializations for the *primary template* (the template which is being specialized) class A. Object x uses the constructor of the primary template. Object y uses the explicit specialization `A<>::A()`. Object z uses the explicit specialization `A<double, 10>::A()`.

Definition and Declaration of Explicit Specializations

C++ The definition of an explicitly specialized class is unrelated to the definition of the primary template. You do not have to define the primary template in order to define the specialization (nor do you have to define the specialization in order to define the primary template). For example, the compiler will allow the following:

```

template<class T> class A;
template<> class A<int>;

template<> class A<int> { /* ... */ };

```

The primary template is not defined, but the explicit specialization is.

You can use the name of an explicit specialization that has been declared but not defined the same way as an incompletely defined class. The following example demonstrates this:

```

template<class T> class X { };
template<> class X<char>;
X<char>* p;
X<int> i;
// X<char> j;

```

The compiler does not allow the declaration `X<char> j` because the explicit specialization of `X<char>` is not defined.

Explicit Specialization and Scope

C++ A declaration of a primary template must be in scope at the *point of declaration* of the explicit specialization. In other words, an explicit specialization declaration must appear after the declaration of the primary template. For example, the compiler will not allow the following:

```

template<> class A<int>;
template<class T> class A;

```

An explicit specialization is in the same namespace as the definition of the primary template.

Class Members of Explicit Specializations

C++ A member of an explicitly specialized class is not implicitly instantiated from the member declaration of the primary template. You have to explicitly define members of a class template specialization. You define members of an explicitly specialized template class as you would normal classes, without the **template**<> prefix. In addition, you can define the members of an explicit specialization inline; no special template syntax is used in this case. The following example demonstrates a class template specialization:

```

template<class T> class A {
public:
    void f(T);
};

template<> class A<int> {
public:
    int g(int);
};

int A<int>::g(int arg) { return 0; }

int main() {
    A<int> a;
    a.g(1234);
}

```

The explicit specialization `A<int>` contains the member function `g()`, which the primary template does not.

If you explicitly specialize a template, a member template, or the member of a class template, then you must declare this specialization before that specialization is implicitly instantiated. For example, the compiler will not allow the following code:

```

template<class T> class A { };

void f() { A<int> x; }
template<> class A<int> { };

int main() { f(); }

```

The compiler will not allow the explicit specialization `template<> class A<int> { };` because function `f()` uses this specialization (in the construction of `x`) before the specialization.

Explicit Specialization of Function Templates

C++ In a function template specialization, a template argument is optional if the compiler can deduce it from the type of the function arguments. The following example demonstrates this:

```

template<class T> class X { };
template<class T> void f(X<T>);
template<> void f(X<int>);

```

The explicit specialization `template<> void f(X<int>)` is equivalent to `template<> void f<int>(X<int>)`.

You cannot specify default function arguments in a declaration or a definition for any of the following:

- Explicit specialization of a function template
- Explicit specialization of a member function template

For example, the compiler will not allow the following code:

```

template<class T> void f(T a) { };
template<> void f<int>(int a = 5) { };

template<class T> class X {
    void f(T a) { }
};
template<> void X<int>::f(int a = 10) { };

```

Explicit Specialization of Members of Class Templates

C++ Each instantiated class template specialization has its own copy of any static members. You may explicitly specialize static members. The following example demonstrates this:

```

template<class T> class X {
public:
    static T v;
    static void f(T);
};

template<class T> T X<T>::v = 0;
template<class T> void X<T>::f(T arg) { v = arg; }

template<> char* X<char*>::v = "Hello";
template<> void X<float>::f(float arg) { v = arg * 2; }

int main() {
    X<char*> a, b;
    X<float> c;
    c.f(10);
}

```

This code explicitly specializes the initialization of static data member `X::v` to point to the string "Hello" for the template argument `char*`. The function `X::f()` is explicitly specialized for the template argument `float`. The static data member `v` in objects `a` and `b` point to the same string, "Hello". The value of `c.v` is equal to 20 after the call function call `c.f(10)`.

You can nest member templates within many enclosing class templates. If you explicitly specialize a template nested within several enclosing class templates, you must prefix the declaration with `template<>` for every enclosing class template you specialize. You may leave some enclosing class

templates unspecialized, however you cannot explicitly specialize a class template unless its enclosing class templates are also explicitly specialized. The following example demonstrates explicit specialization of nested member templates:

```
#include <iostream>
using namespace std;

template<class T> class X {
public:
    template<class U> class Y {
    public:
        template<class V> void f(U,V);
        void g(U);
    };
};

template<class T> template<class U> template<class V>
void X<T>::Y<U>::f(U, V) { cout << "Template 1" << endl; }

template<class T> template<class U>
void X<T>::Y<U>::g(U) { cout << "Template 2" << endl; }

template<> template<>
void X<int>::Y<int>::g(int) { cout << "Template 3" << endl; }

template<> template<> template<class V>
void X<int>::Y<int>::f(int, V) { cout << "Template 4" << endl; }

template<> template<> template<>
void X<int>::Y<int>::f<int>(int, int) { cout << "Template 5" << endl; }

// template<> template<class U> template<class V>
// void X<char>::Y<U>::f(U, V) { cout << "Template 6" << endl; }

// template<class T> template<>
// void X<T>::Y<float>::g(float) { cout << "Template 7" << endl; }

int main() {
    X<int>::Y<int> a;
    X<char>::Y<char> b;
    a.f(1, 2);
    a.f(3, 'x');
    a.g(3);
    b.f('x', 'y');
    b.g('z');
}
```

The following is the output of the above program:

```
Template 5
Template 4
Template 3
Template 1
Template 2
```

- The compiler would not allow the template specialization definition that would output "Template 6" because it is attempting to specialize a member (function `f()`) without specialization its containing class (Y).
- The compiler would not allow the template specialization definition that would output "Template 7" because the enclosing class of class Y (which is class X) is not explicitly specialized.

A friend declaration cannot declare an explicit specialization.

Partial Specialization

C++ When you instantiate a class template, the compiler creates a definition based on the template arguments you have passed. Alternatively, if all those template arguments match those of an explicit specialization, the compiler uses the definition defined by the explicit specialization.

A *partial specialization* is a generalization of explicit specialization. An explicit specialization only has a template argument list. A partial specialization has both a template argument list and a template parameter list. The compiler uses the partial specialization if its template argument list matches a subset of the template arguments of a template instantiation. The compiler will then generate a new definition from the partial specialization with the rest of the unmatched template arguments of the template instantiation.

You cannot partially specialize function templates.

Syntax – Partial Specialization

```
▶▶—template—<template_parameter_list>—declaration_name—<template_argument_list>—————▶
▶—declaration_body—————▶▶▶▶
```

The *declaration_name* is a name of a previously declared template. Note that you can forward-declare a partial specialization so that the *declaration_body* is optional.

The following demonstrates the use of partial specializations:

```
#include <iostream>
using namespace std;

template<class T, class U, int I> struct X
{ void f() { cout << "Primary template" << endl; } };

template<class T, int I> struct X<T, T*, I>
{ void f() { cout << "Partial specialization 1" << endl; } };

template<class T, class U, int I> struct X<T*, U, I>
{ void f() { cout << "Partial specialization 2" << endl; } };

template<class T> struct X<int, T*, 10>
{ void f() { cout << "Partial specialization 3" << endl; } };

template<class T, class U, int I> struct X<T, U*, I>
{ void f() { cout << "Partial specialization 4" << endl; } };

int main() {
    X<int, int, 10> a;
    X<int, int*, 5> b;
    X<int*, float, 10> c;
    X<int, char*, 10> d;
    X<float, int*, 10> e;
    // X<int, int*, 10> f;
    a.f(); b.f(); c.f(); d.f(); e.f();
}
```

The following is the output of the above example:

Primary template
Partial specialization 1
Partial specialization 2
Partial specialization 3
Partial specialization 4

The compiler would not allow the declaration `X<int, int*, 10> f` because it can match template struct `X<T, T*, I>`, template struct `X<int, T*, 10>`, or template struct `X<T, U*, I>`, and none of these declarations are a better match than the others.

Each class template partial specialization is a separate template. You must provide definitions for each member of a class template partial specialization.

Template Parameter and Argument Lists of Partial Specializations

C++ Primary templates do not have template argument lists; this list is implied in the template parameter list.

Template parameters specified in a primary template but not used in a partial specialization are omitted from the template parameter list of the partial specialization. The order of a partial specialization's argument list is the same as the order of the primary template's implied argument list.

In a template argument list of a partial template parameter, you cannot have an expression that involves non-type arguments unless that expression is only an identifier. In the following example, the compiler will not allow the first partial specialization, but will allow the second one:

```
template<int I, int J> class X { };

// Invalid partial specialization
template<int I> class <I * 4, I + 3> { };

// Valid partial specialization
template <int I> class <I, I> { };
```

The type of a non-type template argument cannot depend on a template parameter of a partial specialization. The compiler will not allow the following partial specialization:

```
template<class T, T i> class X { };

// Invalid partial specialization
template<class T> class X<T, 25> { };
```

A partial specialization's template argument list cannot be the same as the list implied by the primary template.

You cannot have default values in the template parameter list of a partial specialization.

Matching of Class Template Partial Specializations

C++ The compiler determines whether to use the primary template or one of its partial specializations by matching the template arguments of the class template specialization with the template argument lists of the primary template and the partial specializations:

- If the compiler finds only one specialization, then the compiler generates a definition from that specialization.
- If the compiler finds more than one specialization, then the compiler tries to determine which of the specializations is the most specialized. A template `X` is more specialized than a template `Y` if every argument list that matches the one specified by `X` also matches the one specified by `Y`, but not the other way around. If the compiler cannot find the most specialized specialization, then the use of the class template is ambiguous; the compiler will not allow the program.
- If the compiler does not find any matches, then the compiler generates a definition from the primary template.

Name Binding and Dependent Names

C++ *Name binding* is the process of finding the declaration for each name that is explicitly or implicitly used in a template. The compiler may bind a name in the definition of a template, or it may bind a name at the instantiation of a template.

A *dependent name* is a name that depends on the type or the value of a template parameter. For example:

```
template<class T> class U : A<T>
{
    typename T::B x;
    void f(A<T>& y)
    {
        *y++;
    }
};
```

The dependent names in this example are the base class `A<T>`, the type name `T::B`, and the variable `y`.

The compiler binds dependent names when a template is instantiated. The compiler binds non-dependent names when a template is defined. For example:

```
void f(double) { cout << "Function f(double)" << endl; }

template<class T> void g(T a) {
    f(123);
    h(a);
}

void f(int) { cout << "Function f(int)" << endl; }
void h(double) { cout << "Function h(double)" << endl; }

void i() {
    extern void h(int);
    g<int>(234);
}

void h(int) { cout << "Function h(int)" << endl; }
```

The following is the output if you call function `i()`:

```
Function f(double)
Function h(double)
```

The *point of definition* of a template is located immediately before its definition. In this example, the point of definition of the function template `g(T)` is located immediately before the keyword **template**. Because the function call `f(123)` does not depend on a template argument, the compiler will consider names declared before the definition of function template `g(T)`. Therefore, the call `f(123)` will call `f(double)`. Although `f(int)` is a better match, it is not in scope at the point of definition of `g(T)`.

The *point of instantiation* of a template is located immediately before the declaration that encloses its use. In this example, the point of instantiation of the call to `g<int>(234)` is located immediately before `i()`. Because the function call `h(a)` depends on a template argument, the compiler will consider names declared before the instantiation of function template `g(T)`. Therefore, the call `h(a)` will call `h(double)`. It will not consider `h(int)`, because this function was not in scope at the point of instantiation of `g<int>(234)`.

Point of instantiation binding implies the following:

- A template parameter cannot depend on any local name or class member.
- An unqualified name in a template cannot depend on a local name or class member.

The typename Keyword

C++ Use the keyword **typename** if you have a qualified name that refers to a type and depends on a template parameter. Only use the keyword **typename** in template declarations and definitions. The following example illustrates the use of the keyword **typename**:

```
template<class T> class A
{
    T::x(y);
    typedef char C;
    A::C d;
}
```

The statement `T::x(y)` is ambiguous. It could be a call to function `x()` with a nonlocal argument `y`, or it could be a declaration of variable `y` with type `T::x`. C++ will interpret this statement as a function call. In order for the compiler to interpret this statement as a declaration, you would add the keyword **typename** to the beginning of it. The statement `A::C d;` is ill-formed. The class `A` also refers to `A<T>` and thus depends on a template parameter. You must add the keyword **typename** to the beginning of this declaration:

```
    typename A::C d;
```

You can also use the keyword **typename** in place of the keyword **class** in template parameter declarations.

The Keyword template as Qualifier

C++ Use the keyword **template** as a qualifier to distinguish member templates from other names. The following example illustrates when you must use **template** as a qualifier:

```
class A
{
    public:
        template<class T> T function_m() { };
};

template<class U> void function_n(U argument)
{
    char object_x = argument.function_m<char>();
}
```

The declaration `char object_x = argument.function_m<char>();` is ill-formed. The compiler assumes that the `<` is a less-than operator. In order for the compiler to recognize the function template call, you must add the **template** quantifier:

```
char object_x = argument.template function_m<char>();
```

If the name of a member template specialization appears after a `.`, `->`, or `::` operator, and that name has explicitly qualified template parameters, prefix the member template name with the keyword **template**. The following example demonstrates this use of the keyword **template**:

```
#include <iostream>
using namespace std;

class X {
    public:
        template <int j> struct S {
            void h() {
                cout << "member template's member function: " << j << endl;
            }
        };
        template <int i> void f() {
            cout << "Primary: " << i << endl;
        }
}
```

```

};

template<> void X::f<20>() {
    cout << "Specialized, non-type argument = 20" << endl;
}

template<class T> void g(T* p) {
    p->template f<100>();
    p->template f<20>();
    typename T::template S<40> s; // use of scope operator on a member template
    s.h();
}

int main()
{
    X temp;
    g(&temp);
}

```

The following is the output of the above example:

```

Primary: 100
Specialized, non-type argument = 20
member template's member function: 40

```

If you do not use the keyword **template** in these cases, the compiler will interpret the < as a less-than operator. For example, the following line of code is ill-formed:

```
p->f<100>();
```

The compiler interprets f as a non-template member, and the < as a less-than operator.

Chapter 17. Exception Handling

C++ *Exception handling* is a mechanism that separates code that detects and handles exceptional circumstances from the rest of your program. Note that an exceptional circumstance is not necessarily an error.

When a function detects an exceptional situation, you represent this with an object. This object is called an *exception object*. In order to deal with the exceptional situation you *throw the exception*. This passes control, as well as the exception, to a designated block of code in a direct or indirect caller of the function that threw the exception. This block of code is called a *handler*. In a handler, you specify the types of exceptions that it may process. The C++ run time, together with the generated code, will pass control to the first appropriate handler that is able to process the exception thrown. When this happens, an exception is *caught*. A handler may *rethrow* an exception so it can be caught by another handler.

| **400** For i5/OS-specific usage information, see "Handling Exceptions in a Program," chapter 21 in *ILE C/C++ Programmer's Guide*.

The exception handling mechanism is made up of the following elements:

- **try** blocks: a block of code that may throw an exception that you want to handle with special processing
- **catch** blocks or handlers: a block of code that is executed when a try block encounters an exception
- **throw** expression: indicates when your program encounters an exception
- exception specifications: specify which exceptions (if any) a function may throw
- `unexpected()` function: called when a function throws an exception not specified by an exception specification
- `terminate()` function: called for exceptions that are not caught

Related References

- "The try Keyword"
- "catch Blocks" on page 313
- "The throw Expression" on page 318
- "Exception Specifications" on page 322
- "unexpected()" on page 324
- "terminate()" on page 325

The try Keyword


C++ You use a *try block* to indicate which areas in your program that might throw exceptions you want to handle immediately. You use a *function try block* to indicate that you want to detect exceptions in the entire body of a function.

Syntax – try Block



▶▶ try { statements } handler ▶▶

Syntax — Function try Block



The following is an example of a function try block with a member initializer, a function try block and a try block:

```
#include <iostream>
using namespace std;

class E {
public:
    const char* error;
    E(const char* arg) : error(arg) { }
};

class A {
public:
    int i;

    // A function try block with a member
    // initializer
    A() try : i(0) {
        throw E("Exception thrown in A()");
    }
    catch (E& e) {
        cout << e.error << endl;
    }
};

// A function try block
void f() try {
    throw E("Exception thrown in f()");
}
catch (E& e) {
    cout << e.error << endl;
}

void g() {
    throw E("Exception thrown in g()");
}

int main() {
    f();

    // A try block
    try {
        g();
    }
    catch (E& e) {
        cout << e.error << endl;
    }
    A x;
}
```

The following is the output of the above example:

```
Exception thrown in f()
Exception thrown in g()
Exception thrown in A()
```

The constructor of class A has a function try block with a member initializer. Function f() has a function try block. The main() function contains a try block.

Related References

- “Initializing Base Classes and Members” on page 261

Nested Try Blocks

C++ When try blocks are nested and a **throw** occurs in a function called by an inner try block, control is transferred outward through the nested try blocks until the first catch block is found whose argument matches the argument of the throw expression.

For example:

```
try
{
    func1();
    try
    {
        func2();
    }
    catch (spec_err) { /* ... */ }
    func3();
}
catch (type_err) { /* ... */ }
// if no throw is issued, control resumes here.
```

In the above example, if `spec_err` is thrown within the inner try block (in this case, from `func2()`), the exception is caught by the inner catch block, and, assuming this catch block does not transfer control, `func3()` is called. If `spec_err` is thrown after the inner try block (for instance, by `func3()`), it is not caught and the function `terminate()` is called. If the exception thrown from `func2()` in the inner try block is `type_err`, the program skips out of both try blocks to the second catch block without invoking `func3()`, because no appropriate catch block exists following the inner try block.

You can also nest a try block within a catch block.

Related References

- “`terminate()`” on page 325
- “`unexpected()`” on page 324
- “Special Exception Handling Functions” on page 324

catch Blocks

C++ The following is the syntax for an exception handler or a catch block:

```
▶▶—catch—(—exception_declaration—)—{—statements—}—▶▶
```

You can declare a handler to catch many types of exceptions. The allowable objects that a function can catch are declared in the parentheses following the **catch** keyword (the *exception_declaration*). You can catch objects of the fundamental types, base and derived class objects, references, and pointers to all of these types. You can also catch **const** and **volatile** types. The *exception_declaration* cannot be an incomplete type, or a reference or pointer to an incomplete type other than one of the following:

- **void***
- **const void***
- **volatile void***
- **const volatile void***

You cannot define a type in an *exception_declaration*.

You can also use the `catch(...)` form of the handler to catch all thrown exceptions that have not been caught by a previous `catch` block. The ellipsis in the catch argument indicates that any exception thrown can be handled by this handler.

If an exception is caught by a `catch(...)` block, there is no direct way to access the object thrown. Information about an exception caught by `catch(...)` is very limited.

You can declare an optional variable name if you want to access the thrown object in the catch block.

A catch block can only catch accessible objects. The object caught must have an accessible copy constructor.

Related References

- “Type Qualifiers” on page 57
- “Member Access” on page 225

Function try block Handlers

C++ The scope and lifetime of the parameters of a function or constructor extend into the handlers of a function try block. The following example demonstrates this:

```
void f(int &x) try {
    throw 10;
}
catch (const int &i)
{
    x = i;
}

int main() {
    int v = 0;
    f(v);
}
```

The value of `v` after `f()` is called is 10.

A function try block on `main()` does not catch exceptions thrown in destructors of objects with static storage duration, or constructors of namespace scope objects.

The following example throws an exception from a destructor of a static object:

```
#include <iostream>
using namespace std;

class E {
public:
    const char* error;
    E(const char* arg) : error(arg) { }
};

class A {
public: ~A() { throw E("Exception in ~A()"); }
};

class B {
public: ~B() { throw E("Exception in ~B()"); }
};

int main() try {
    cout << "In main" << endl;
    static A cow;
    B bull;
}
```

```

}
catch (E& e) {
    cout << e.error << endl;
}

```

The following is the output of the above example:

```

In main
Exception in ~B()

```

The run time will not catch the exception thrown when object `cow` is destroyed at the end of the program.

The following example throws an exception from a constructor of a namespace scope object:

```

#include <iostream>
using namespace std;

class E {
public:
    const char* error;
    E(const char* arg) : error(arg) { }
};

namespace N {
    class C {
    public:
        C() {
            cout << "In C()" << endl;
            throw E("Exception in C()");
        }
    };

    C calf;
};

int main() try {
    cout << "In main" << endl;
}
catch (E& e) {
    cout << e.error << endl;
}

```

The following is the output of the above example:

```

In C()

```

The compiler will not catch the exception thrown when object `calf` is created.

In a function try block's handler, you cannot have a jump into the body of a constructor or destructor.

A return statement cannot appear in a function try block's handler of a constructor.

When the function try block's handler of an object's constructor or destructor is entered, fully constructed base classes and members of that object are destroyed. The following example demonstrates this:

```

#include
<iostream>
using namespace std;

class E {
    public:
        const char* error;
        E(const char* arg) : error(arg) { };
};

class B {

```

```

    public:
        B() { };
        ~B() { cout << "~B() called" << endl; };
};

class D : public B {
    public:
        D();
        ~D() { cout << "~D() called" << endl; };
};

D::~D() try : B() {
    throw E("Exception in D()");
}
catch(E& e) {
    cout << "Handler of function try block of D(): " << e.error << endl;
};

int main() {
    D val;
};

```

The following is the output of the above example:

```

~B() called
Handler of function try block of D(): Exception in D()

```

When the function try block's handler of D() is entered, the run time first calls the destructor of the base class of D, which is B. The destructor of D is not called because val is not fully constructed.

The run time will rethrow an exception at the end of a function try block's handler of a constructor or destructor. All other functions will return once they have reached the end of their function try block's handler. The following example demonstrates this:

```

#include <iostream>
using namespace std;

class E {
    public:
        const char* error;
        E(const char* arg) : error(arg) { };
};

class A {
    public:
        A() try { throw E("Exception in A()"); }
        catch(E& e) { cout << "Handler in A(): " << e.error << endl; }
};

int f() try {
    throw E("Exception in f()");
    return 0;
}
catch(E& e) {
    cout << "Handler in f(): " << e.error << endl;
    return 1;
}

int main() {
    int i = 0;
    try { A cow; }
    catch(E& e) {
        cout << "Handler in main(): " << e.error << endl;
    }

    try { i = f(); }
    catch(E& e) {

```

```

        cout << "Another handler in main(): " << e.error << endl;
    }

    cout << "Returned value of f(): " << i << endl;
}

```

The following is the output of the above example:

```

Handler in A(): Exception in A()
Handler in main(): Exception in A()
Handler in f(): Exception in f()
Returned value of f(): 1

```

Related References

- “The main() Function” on page 139
- “static Storage Class Specifier” on page 33
- Chapter 10, “Namespaces,” on page 181
- “Destructors” on page 265

Arguments of catch Blocks

C++ If you specify a class type for the argument of a catch block (the *exception_declaration*), the compiler uses a copy constructor to initialize that argument. If that argument does not have a name, the compiler initializes a temporary object and destroys it when the handler exits.

The ISO C++ specification does not require the compiler to construct temporary objects in cases where they are redundant.

Related References

- “Temporary Objects” on page 272

Matching between Exceptions Thrown and Caught

C++ An argument in the catch argument of a handler matches an argument in the *assignment_expression* of the throw expression (throw argument) if any of the following conditions is met:

- The catch argument type matches the type of the thrown object.
- The catch argument is a public base class of the thrown class object.
- The catch specifies a pointer type, and the thrown object is a pointer type that can be converted to the pointer type of the catch argument by standard pointer conversion.

Note: If the type of the thrown object is **const** or **volatile**, the catch argument must also be a **const** or **volatile** for a match to occur. However, a **const**, **volatile**, or reference type catch argument can match a nonconstant, nonvolatile, or nonreference object type. A nonreference catch argument type matches a reference to an object of the same type.

Related References

- “Pointer Conversions” on page 122
- “Type Qualifiers” on page 57
- “References” on page 74
- “Special Exception Handling Functions” on page 324

Order of Catching

C++ If the compiler encounters an exception in a try block, it will try each handler in order of appearance.

If a catch block for objects of a base class precedes a catch block for objects of a class derived from that base class, the compiler issues a warning and continues to compile the program despite the unreachable code in the derived class handler.

A catch block of the form **catch(...)** must be the last catch block following a try block or an error occurs. This placement ensures that the **catch(...)** block does not prevent more specific catch blocks from catching exceptions intended for them.

If the run time cannot find a matching handler in the current scope, the run time will continue to find a matching handler in a dynamically surrounding try block. The following example demonstrates this:

```
#include <iostream>
using namespace std;

class E {
public:
    const char* error;
    E(const char* arg) : error(arg) { };
};

class F : public E {
public:
    F(const char* arg) : E(arg) { };
};

void f() {
    try {
        cout << "In try block of f()" << endl;
        throw E("Class E exception");
    }
    catch (F& e) {
        cout << "In handler of f()";
        cout << e.error << endl;
    }
};

int main() {
    try {
        cout << "In main" << endl;
        f();
    }
    catch (E& e) {
        cout << "In handler of main: ";
        cout << e.error << endl;
    };
    cout << "Resume execution in main" << endl;
}
```

The following is the output of the above example:

```
In main
In try block of f()
In handler of main: Class E exception
Resume execution in main
```

In function `f()`, the run time could not find a handler to handle the exception of type `E` thrown. The run time finds a matching handler in a dynamically surrounding try block: the try block in the `main()` function.

If the run time cannot find a matching handler in the program, it calls the `terminate()` function.

Related References

- “The try Keyword” on page 311
- “`terminate()`” on page 325

The throw Expression

 You use a *throw expression* to indicate that your program has encountered an exception.

Syntax – throw Expression



The type of *assignment_expression* cannot be an incomplete type, or a pointer to an incomplete type other than one of the following:

- **void***
- **const void***
- **volatile void***
- **const volatile void***

The *assignment_expression* is treated the same way as a function argument in a call or the operand of a return statement.

If the *assignment_expression* is a class object, the copy constructor and destructor of that object must be accessible. For example, you cannot throw a class object that has its copy constructor declared as private.

Related References

- “Incomplete Types” on page 61

Rethrowing an Exception

C++ If a catch block cannot handle the particular exception it has caught, you can rethrow the exception. The rethrow expression (**throw** without *assignment_expression*) causes the originally thrown object to be rethrown.

Because the exception has already been caught at the scope in which the rethrow expression occurs, it is rethrown out to the next dynamically enclosing try block. Therefore, it cannot be handled by catch blocks at the scope in which the rethrow expression occurred. Any catch blocks for the dynamically enclosing try block have an opportunity to catch the exception.

The following example demonstrates rethrowing an exception:

```
#include <iostream>
using namespace std;

struct E {
    const char* message;
    E() : message("Class E") { }
};

struct E1 : E {
    const char* message;
    E1() : message("Class E1") { }
};

struct E2 : E {
    const char* message;
    E2() : message("Class E2") { }
};

void f() {
    try {
        cout << "In try block of f()" << endl;
        cout << "Throwing exception of type E1" << endl;
        E1 myException;
        throw myException;
    }
    catch (E2& e) {
        cout << "In handler of f(), catch (E2& e)" << endl;
    }
}
```

```

        cout << "Exception: " << e.message << endl;
        throw;
    }
    catch (E1& e) {
        cout << "In handler of f(), catch (E1& e)" << endl;
        cout << "Exception: " << e.message << endl;
        throw;
    }
    catch (E& e) {
        cout << "In handler of f(), catch (E& e)" << endl;
        cout << "Exception: " << e.message << endl;
        throw;
    }
}

int main() {
    try {
        cout << "In try block of main()" << endl;
        f();
    }
    catch (E2& e) {
        cout << "In handler of main(), catch (E2& e)" << endl;
        cout << "Exception: " << e.message << endl;
    }
    catch (...) {
        cout << "In handler of main(), catch (...)" << endl;
    }
}

```

The following is the output of the above example:

```

In try block of main()
In try block of f()
Throwing exception of type E1
In handler of f(), catch (E1& e)
Exception: Class E1
In handler of main(), catch (...)

```

The try block in the main() function calls function f(). The try block in function f() throws an object of type E1 named myException. The handler catch (E1 &e) catches myException. The handler then rethrows myException with the statement throw to the next dynamically enclosing try block: the try block in the main() function. The handler catch(...) catches myException.

Related References

- “The throw Expression” on page 318

Stack Unwinding

C++ When an exception is thrown and control passes from a try block to a handler, the C++ run time calls destructors for all automatic objects constructed since the beginning of the try block. This process is called *stack unwinding*. The automatic objects are destroyed in reverse order of their construction. (Automatic objects are local objects that have been declared **auto** or **register**, or not declared **static** or **extern**. An automatic object *x* is deleted whenever the program exits the block in which *x* is declared.)

If an exception is thrown during construction of an object consisting of subobjects or array elements, destructors are only called for those subobjects or array elements successfully constructed before the exception was thrown. A destructor for a local static object will only be called if the object was successfully constructed.

If during stack unwinding a destructor throws an exception and that exception is not handled, the terminate() function is called. The following example demonstrates this:

```

#include <iostream>
using namespace std;

struct E {
    const char* message;
    E(const char* arg) : message(arg) { }
};

void my_terminate() {
    cout << "Call to my_terminate" << endl;
};

struct A {
    A() { cout << "In constructor of A" << endl; }
    ~A() {
        cout << "In destructor of A" << endl;
        throw E("Exception thrown in ~A()");
    }
};

struct B {
    B() { cout << "In constructor of B" << endl; }
    ~B() { cout << "In destructor of B" << endl; }
};

int main() {
    set_terminate(my_terminate);

    try {
        cout << "In try block" << endl;
        A a;
        B b;
        throw("Exception thrown in try block of main()");
    }
    catch (const char* e) {
        cout << "Exception: " << e << endl;
    }
    catch (...) {
        cout << "Some exception caught in main()" << endl;
    }

    cout << "Resume execution of main()" << endl;
}

```

The following is the output of the above example:

```

In try block
In constructor of A
In constructor of B
In destructor of B
In destructor of A
Call to my_terminate

```

In the try block, two automatic objects are created: a and b. The try block throws an exception of type **const char***. The handler `catch (const char* e)` catches this exception. The C++ run time unwinds the stack, calling the destructors for a and b in reverse order of their construction. The destructor for a throws an exception. Since there is no handler in the program that can handle this exception, the C++ run time calls `terminate()`. (The function `terminate()` calls the function specified as the argument to `set_terminate()`. In this example, `terminate()` has been specified to call `my_terminate()`.)

Related References

- “`terminate()`” on page 325
- “`set_unexpected()` and `set_terminate()`” on page 326

Exception Specifications

▶ **C++** C++ provides a mechanism to ensure that a given function is limited to throwing only a specified list of exceptions. An exception specification at the beginning of any function acts as a guarantee to the function's caller that the function will throw only the exceptions contained in the exception specification.

For example, a function:

```
void translate() throw(unknown_word,bad_grammar) { /* ... */ }
```

explicitly states that it will only throw exception objects whose types are `unknown_word` or `bad_grammar`, or any type derived from `unknown_word` or `bad_grammar`.

Syntax – Exception Specification

▶▶ throw (type_id_list) ▶▶

The *type_id_list* is a comma-separated list of types. In this list you cannot specify an incomplete type, a pointer or a reference to an incomplete type, other than a pointer to **void**, optionally qualified with **const** and/or **volatile**. You cannot define a type in an exception specification.

A function with no exception specification allows all exceptions. A function with an exception specification that has an empty *type_id_list*, **throw()**, does not allow any exceptions to be thrown.

An exception specification is not part of a function's type.

An exception specification may only appear at the end of a function declarator of a function, pointer to function, reference to function, pointer to member function declaration, or pointer to member function definition. An exception specification cannot appear in a typedef declaration. The following declarations demonstrate this:

```
void f() throw(int);
void (*g)() throw(int);
void h(void i() throw(int));
// typedef int (*j)() throw(int); This is an error.
```

The compiler would not allow the last declaration, `typedef int (*j)() throw(int)`.

Suppose that class `A` is one of the types in the *type_id_list* of an exception specification of a function. That function may throw exception objects of class `A`, or any class publicly derived from class `A`. The following example demonstrates this:

```
class A { };
class B : public A { };
class C { };

void f(int i) throw (A) {
    switch (i) {
        case 0: throw A();
        case 1: throw B();
        default: throw C();
    }
}

void g(int i) throw (A*) {
    A* a = new A();
    B* b = new B();
    C* c = new C();
    switch (i) {
        case 0: throw a;
```

```

        case 1: throw b;
        default: throw c;
    }
}

```

Function `f()` can throw objects of types `A` or `B`. If the function tries to throw an object of type `C`, the compiler will call `unexpected()` because type `C` has not been specified in the function's exception specification, nor does it derive publicly from `A`. Similarly, function `g()` cannot throw pointers to objects of type `C`; the function may throw pointers of type `A` or pointers of objects that derive publicly from `A`.

A function that overrides a virtual function can only throw exceptions specified by the virtual function. The following example demonstrates this:

```

class A {
    public:
        virtual void f() throw (int, char);
};

class B : public A {
    public: void f() throw (int) { }
};

/* The following is not allowed. */
/*
    class C : public A {
        public: void f() { }
    };

    class D : public A {
        public: void f() throw (int, char, double) { }
    };
*/

```

The compiler allows `B::f()` because the member function may throw only exceptions of type `int`. The compiler would not allow `C::f()` because the member function may throw any kind of exception. The compiler would not allow `D::f()` because the member function can throw more types of exceptions (`int`, `char`, and `double`) than `A::f()`.

Suppose that you assign or initialize a pointer to function named `x` with a function or pointer to function named `y`. The pointer to function `x` can only throw exceptions specified by the exception specifications of `y`. The following example demonstrates this:

```

void (*f)();
void (*g)();
void (*h)() throw (int);

void i() {
    f = h;
//  h = g;  This is an error.
}

```

The compiler allows the assignment `f = h` because `f` can throw any kind of exception. The compiler would not allow the assignment `h = g` because `h` can only throw objects of type `int`, while `g` can throw any kind of exception.

Implicitly declared special member functions (default constructors, copy constructors, destructors, and copy assignment operators) have exception specifications. An implicitly declared special member function will have in its exception specification the types declared in the functions' exception specifications that the special function invokes. If any function that a special function invokes allows all exceptions, then that special function allows all exceptions. If all the functions that a special function invokes allow no exceptions, then that special function will allow no exceptions. The following example demonstrates this:

Exception Specifications

```
class A {
public:
    A() throw (int);
    A(const A&) throw (float);
    ~A() throw();
};

class B {
public:
    B() throw (char);
    B(const A&);
    ~B() throw();
};

class C : public B, public A { };
```

The following special functions in the above example have been implicitly declared:

```
C::C() throw (int, char);
C::C(const C&); // Can throw any type of exception, including float
C::~~C() throw();
```

The default constructor of `C` can throw exceptions of type `int` or `char`. The copy constructor of `C` can throw any kind of exception. The destructor of `C` cannot throw any exceptions.

Related References

- “Incomplete Types” on page 61
- “Function Declarations” on page 130
- “Pointers to Functions” on page 147
- Chapter 15, “Special Member Functions,” on page 257
- “unexpected()”

Special Exception Handling Functions

C++ Not all thrown errors can be caught and successfully dealt with by a catch block. In some situations, the best way to handle an exception is to terminate the program. Two special library functions are implemented in C++ to process exceptions not properly handled by catch blocks or exceptions thrown outside of a valid try block. These functions are `unexpected()` and `terminate()`.

unexpected()

C++ When a function with an exception specification throws an exception that is not listed in its exception specification, the C++ run time does the following:

1. The `unexpected()` function is called.
2. The `unexpected()` function calls the function pointed to by `unexpected_handler`. By default, `unexpected_handler` points to the function `terminate()`.

You can replace the default value of `unexpected_handler` with the function `set_unexpected()`.

Although `unexpected()` cannot return, it may throw (or rethrow) an exception. Suppose the exception specification of a function `f()` has been violated. If `unexpected()` throws an exception allowed by the exception specification of `f()`, then the C++ run time will search for another handler at the call of `f()`. The following example demonstrates this:

```
#include <iostream>
using namespace std;

struct E {
    const char* message;
    E(const char* arg) : message(arg) { }
};
```

```

void my_unexpected() {
    cout << "Call to my_unexpected" << endl;
    throw E("Exception thrown from my_unexpected");
}

void f() throw(E) {
    cout << "In function f(), throw const char* object" << endl;
    throw("Exception, type const char*, thrown from f()");
}

int main() {
    set_unexpected(my_unexpected);
    try {
        f();
    }
    catch (E& e) {
        cout << "Exception in main(): " << e.message << endl;
    }
}

```

The following is the output of the above example:

```

In function f(), throw const char* object
Call to my_unexpected
Exception in main(): Exception thrown from my_unexpected


```

The `main()` function's `try` block calls function `f()`. Function `f()` throws an object of type `const char*`. However the exception specification of `f()` allows only objects of type `E` to be thrown. The function `unexpected()` is called. The function `unexpected()` calls `my_unexpected()`. The function `my_unexpected()` throws an object of type `E`. Since `unexpected()` throws an object allowed by the exception specification of `f()`, the handler in the `main()` function may handle the exception.

If `unexpected()` did not throw (or rethrow) an object allowed by the exception specification of `f()`, then the C++ run time does one of two things:

- If the exception specification of `f()` included the class `std::bad_exception`, `unexpected()` will throw an object of type `std::bad_exception`, and the C++ run time will search for another handler at the call of `f()`.
- If the exception specification of `f()` did not include the class `std::bad_exception`, the function `terminate()` is called.

terminate()

 In some cases, the exception handling mechanism fails and a call to `void terminate()` is made. This `terminate()` call occurs in any of the following situations:

- The exception handling mechanism cannot find a handler for a thrown exception. The following are more specific cases of this:
 - During stack unwinding, a destructor throws an exception and that exception is not handled.
 - The expression that is thrown also throws an exception, and that exception is not handled.
 - The constructor or destructor of a non-local static object throws an exception, and the exception is not handled.
 - A function registered with `atexit()` throws an exception, and the exception is not handled. The following demonstrates this:

```

extern "C" printf(char* ...);
#include <exception>
#include <cstdlib>
using namespace std;

void f() {
    printf("Function f()\n");
    throw "Exception thrown from f()";
}

```

Special Exception Handling Functions

```
void g() { printf("Function g()\n"); }
void h() { printf("Function h()\n"); }

void my_terminate() {
    printf("Call to my_terminate\n");
    abort();
}

int main() {
    set_terminate(my_terminate);
    atexit(f);
    atexit(g);
    atexit(h);
    printf("In main\n");
}
```

The following is the output of the above example:

```
In main
Function h()
Function g()
Function f()
Call to my_terminate
```

To register a function with `atexit()`, you pass a parameter to `atexit()` a pointer to the function you want to register. At normal program termination, `atexit()` calls the functions you have registered with no arguments in reverse order. The `atexit()` function is in the `<cstdlib>` library.

- A throw expression without an operand tries to rethrow an exception, and no exception is presently being handled.
- A function `f()` throws an exception that violates its exception specification. The `unexpected()` function then throws an exception which violates the exception specification of `f()`, and the exception specification of `f()` did not include the class `std::bad_exception`.
- The default value of `unexpected_handler` is called.

The `terminate()` function calls the function pointed to by `terminate_handler`. By default, `terminate_handler` points to the function `abort()`, which exits from the program. You can replace the default value of `terminate_handler` with the function `set_terminate()`.

A terminate function cannot return to its caller, either by using `return` or by throwing an exception.

set_unexpected() and set_terminate()

C++ The function `unexpected()`, when invoked, calls the function most recently supplied as an argument to `set_unexpected()`. If `set_unexpected()` has not yet been called, `unexpected()` calls `terminate()`.

The function `terminate()`, when invoked, calls the function most recently supplied as an argument to `set_terminate()`. If `set_terminate()` has not yet been called, `terminate()` calls `abort()`, which ends the program.

You can use `set_unexpected()` and `set_terminate()` to register functions you define to be called by `unexpected()` and `terminate()`. The functions `set_unexpected()` and `set_terminate()` are included in the standard header files. Each of these functions has as its return type and its argument type a pointer to function with a **void** return type and no arguments. The pointer to function you supply as the argument becomes the function called by the corresponding special function: the argument to `set_unexpected()` becomes the function called by `unexpected()`, and the argument to `set_terminate()` becomes the function called by `terminate()`.

Both `set_unexpected()` and `set_terminate()` return a pointer to the function that was previously called by their respective special functions (`unexpected()` and `terminate()`). By saving the return values, you can restore the original special functions later so that `unexpected()` and `terminate()` will once again call `terminate()` and `abort()`.

If you use `set_terminate()` to register your own function, the function should not return to its caller but terminate execution of the program.

Example Using the Exception Handling Functions

 The following example shows the flow of control and special functions used in exception handling:

```
#include <iostream>
#include <exception>
using namespace std;

class X { };
class Y { };
class A { };

// pfv type is pointer to function returning void
typedef void (*pfv)();

void my_terminate() {
    cout << "Call to my terminate" << endl;
    abort();
}

void my_unexpected() {
    cout << "Call to my_unexpected()" << endl;
    throw;
}

void f() throw(X,Y, bad_exception) {
    throw A();
}

void g() throw(X,Y) {
    throw A();
}

int main()
{
    pfv old_term = set_terminate(my_terminate);
    pfv old_unex = set_unexpected(my_unexpected);
    try {
        cout << "In first try block" << endl;
        f();
    }
    catch(X) {
        cout << "Caught X" << endl;
    }
    catch(Y) {
        cout << "Caught Y" << endl;
    }
    catch (bad_exception& e1) {
        cout << "Caught bad_exception" << endl;
    }
    catch (...) {
        cout << "Caught some exception" << endl;
    }

    cout << endl;

    try {
```

Special Exception Handling Functions

```
    cout << "In second try block" << endl;
    g();
}
catch(X) {
    cout << "Caught X" << endl;
}
catch(Y) {
    cout << "Caught Y" << endl;
}
catch (bad_exception& e2) {
    cout << "Caught bad_exception" << endl;
}
catch (...) {
    cout << "Caught some exception" << endl;
}
}
```

The following is the output of the above example:

```
In first try block
Call to my_unexpected()
Caught bad_exception
```

```
In second try block
Call to my_unexpected()
Call to my_terminate
```

At run time, this program behaves as follows:

1. The call to `set_terminate()` assigns to `old_term` the address of the function last passed to `set_terminate()` when `set_terminate()` was previously called.
2. The call to `set_unexpected()` assigns to `old_unex` the address of the function last passed to `set_unexpected()` when `set_unexpected()` was previously called.
3. Within the first try block, function `f()` is called. Because `f()` throws an unexpected exception, a call to `unexpected()` is made. `unexpected()` in turn calls `my_unexpected()`, which prints a message to standard output. The function `my_unexpected()` tries to rethrow the exception of type `A`. Because class `A` has not been specified in the exception specification of function `f()`, `my_unexpected()` throws an exception of type `bad_exception`.
4. Because `bad_exception` has been specified in the exception specification of function `f()`, the handler `catch (bad_exception& e1)` is able to handle the exception.
5. Within the second try block, function `g()` is called. Because `g()` throws an unexpected exception, a call to `unexpected()` is made. The `unexpected()` throws an exception of type `bad_exception`. Because `bad_exception` has not been specified in the exception specification of `g()`, `unexpected()` calls `terminate()`, which calls the function `my_terminate()`.
6. `my_terminate()` displays a message then calls `abort()`, which terminates the program.

Note that the catch blocks following the second try block are not entered, because the exception was handled by `my_unexpected()` as an unexpected throw, not as a valid exception.

Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106-0032, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation

Software Interoperability Coordinator, Department YBWA
3605 Highway 52 N
Rochester, MN 55901 U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this information and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement, or any equivalent agreement between us.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples may include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrates programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

© (your company name) (year). Portions of this code are derived from IBM Corp. Sample Programs. © Copyright IBM Corp. 1998, 2007. All rights reserved.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

Programming Interface Information

Programming interface information is intended to help you create application software using this program.

General-use programming interfaces allow the customer to write application software that obtains the services of this program's tools.

However, this information may also contain diagnosis, modification, and tuning information. Diagnosis, modification, and tuning information is provided to help you debug your application software.

Warning: Do not use this diagnosis, modification, and tuning information as a programming interface because it is subject to change.

Trademarks and Service Marks

The following terms are trademarks of International Business Machines Corporation in the United States, or other countries, or both:

IBM	iSeries	System i
IBM (logo)	i5/OS	WebSphere
Integrated Language Environment		

- | Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.
- | Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Other company, product, and service names, may be trademarks or service marks of others.

Industry Standards

The following standards are supported:

- The C language is consistent with the International Standard C (ANSI/ISO-IEC 9899–1990 [1992]). This standard has officially replaced American National Standard for Information Systems-Programming Language C (X3.159–1989) and is technically equivalent to the ANSI C standard. The compiler supports the changes adopted into the C Standard by ISO/IEC 9899:1990/Amendment 1:1994.
- The C++ language is consistent with the International Standard for Information Systems-Programming Language C++ (ISO/IEC 14882:1998).

Index

Special characters

`__align` 18, 28
`__alignof` 18
`__cdecl` 147
`__ptr128` 18, 60
`__ptr64` 18, 60
`__thread` storage class specifier 34
`__VA_ARGS__` identifier 167
`_Decimal` 18, 42
`_Decimal128` 18
`_Decimal32` 18
`_Decimal64` 18
`_Packed` 18
`-` (subtraction operator) 107
`-` (unary minus operator) 96
`--` (decrement operator) 96
`->` (arrow operator) 89
`,` (comma operator) 116
`::` (scope resolution operator) 84
`!` (logical negation operator) 96
`!=` (not equal to operator) 109
`? :` (conditional operators) 113
`/` (division operator) 106
`/=` (compound assignment operator) 115
`.` (dot operator) 88
`$` 12
`*` (indirection operator) 98
`*` (multiplication operator) 106
`*=` (compound assignment operator) 115
`\` continuation character 24, 166
`\` escape character 12
`[]` (array subscript operator) 87
`%` (remainder) 106
`>` (greater than operator) 108
`>>` (right-shift operator) 107
`>>=` (compound assignment operator) 115
`>=` (greater than or equal to operator) 108
`<` (less than operator) 108
`<<` (left-shift operator) 107
`<<=` (compound assignment operator) 115
`<=` (less than or equal to operator) 108
`|` (bitwise inclusive OR operator) 111
`||` (logical OR operator) 112
`&` (address operator) 97
`&` (bitwise AND operator) 110
`&` (reference declarator) 74
`&&` (logical AND operator) 111
`&=` (compound assignment operator) 115
`#` preprocessor directive character 166
`#` preprocessor operator 170
`##` (macro concatenation) 171
`+` (addition operator) 106
`+` (unary plus operator) 96
`++` (increment operator) 95
`+=` (compound assignment operator) 115
`=` (simple assignment operator) 115
`==` (equal to operator) 109

`^` (bitwise exclusive OR operator) 110
`^=` (compound assignment operator) 115
`~` (bitwise negation operator) 97

A

aborting functions 326
abstract classes 252, 254
access rules
 base classes 239
 class types 203, 226
 friends 231
 members 225
 multiple access 245
 protected members 237
 virtual functions 254
access specifiers 213, 225, 235, 242
 in class derivations 239
accessibility 225, 245
addition operator (+) 106
address operator (&) 67, 97
 lvalue cast 104
aggregate types 37, 260
 initialization 47, 260
alias 74
alignment
 bit fields 48, 49
 structure members 46
 structures and unions 28
allocation
 expressions 99
 functions 146
ambiguities
 base and derived member names 246
 base classes 244
 resolving 150, 247
 virtual function calls 252
AND operator, bitwise (&) 110
AND operator, logical (&&) 111
`argc` (argument count) 139
 example 139
arguments
 default 143
 evaluation 145
 macro 167
 main function 139
 of catch blocks 317
 passing 129, 140
 passing by reference 142
 passing by value 141
 trailing 167
`argv` (argument vector) 139
 example 139
arithmetic conversions 125
arithmetic types 38
 type compatibility 38
arrays
 array-to-pointer conversions 123
 as function parameter 69
 declaration 70, 214
 description 69

arrays (*continued*)
 initializing 71
 multidimensional 70
 subscripting operator 87
 type compatibility 69
ASCII character codes 13
`asm` 18, 61
assignment operator (=)
 compound 115
 pointers 66
 simple 115
associativity of operators 77
`atexit` function 325
auto storage class specifier 30

B

base classes
 abstract 254
 access rules 239
 ambiguities 244, 246
 direct 243
 indirect 234, 244
 initialization 261
 multiple access 254
 pointers to 236
 virtual 244, 249
base list 244
best viable function 199
binary expressions and operators 105
binary float type specifier 40
binding 75
 direct 76
 dynamic 249
 static 249
 virtual functions 249
bit fields 48
 as structure member 46
bitwise negation operator (~) 97
block statement 151
block visibility 3
boolean
 conversions 121
 literals 19
 variables 39
break statement 160

C

candidate functions 189, 199
case label 154
cast expressions 104
catch blocks 135, 311, 313
 argument matching 317
 order of catching 317
char type specifier 39
character
 data types 39
 literals 23
 multibyte 14

- character set
 - extended 14
 - source 12
- class members
 - access operators 88
 - access rules 225
 - class member list 213
 - declaration 213
 - initialization 261
 - order of allocation 214
- class templates
 - declaration and definition 288
 - distinction from *template class* 287
 - explicit specialization 303
 - member functions 289
 - static data members 289
- classes 205
 - abstract 254
 - access rules 225
 - aggregate 204
 - base 235
 - base list 235
 - class objects 28, 29
 - class specifiers 203
 - class templates 287
 - declarations 203
 - incomplete 207, 214
 - derived 235
 - friends 227
 - inheritance 233
 - keywords 203
 - local 209
 - member functions 214
 - member lists 213
 - member scope 216
 - nested 207, 229
 - overview 203
 - polymorphic 203
 - scope of names 206
 - static members 221
 - this pointer 219
 - using declaration 239
 - virtual 244, 249
- Classic C vii
- comma 116
- comments 15
- compatible types
 - across source files 38
 - arithmetic types 38
 - arrays 69
 - in conditional expressions 113
- composite types 37
 - across source files 38
- compound
 - assignment 115
 - expression 116
 - statement 151
 - types 44
- concatenation
 - macros 171
- conditional compilation directives 174
 - elif preprocessor directive 175
 - else preprocessor directive 177
 - endif preprocessor directive 177
 - examples 177
 - if preprocessor directive 175
 - ifdef preprocessor directive 176

- conditional compilation directives
 - (*continued*)
 - ifndef preprocessor directive 176
- conditional expression (? :) 113, 116
- const 58
 - casting away constness 142
 - member functions 215
 - object 80
 - placement in type name 37
 - qualifier 57
 - vs. #define 166
- const_cast 92, 142
- constant expressions 54, 83
- constant initializers 213
- constructors 258
 - converting 126, 274
 - copy 276
 - default 258
 - exception handling 320
 - initialization
 - explicit 260
 - initializer list 135
 - nontrivial 259, 266
 - overview 257
 - trivial 259, 266
- continuation character 24, 166
- continue statement 160
- conversion
 - constructors 274
 - function 275
 - implicit conversion sequences 199
- conversion sequence
 - ellipsis 200
 - implicit 199
 - standard 200
 - user-defined 200
- conversions
 - argument expressions 140
 - arithmetic 125
 - array-to-pointer 123
 - boolean 121
 - cast 104
 - derived-to-base 123
 - explicit keyword 126
 - floating-point 122
 - function arguments 124
 - function-to-pointer 123
 - integral 121
 - lvalue-to-rvalue 81, 120, 200
 - pointer 122
 - pointer to derived class 248
 - pointer to member 123
 - qualification 124
 - references 123
 - standard 120
 - user-defined 273
 - void pointer 122
- copy assignment operators 277
- copy constructors 276
- covariant virtual functions 251
- CPLUSPLUS macro 174
- cv-qualifier 46, 57, 64
 - in function definition 135
 - syntax 57

D

- data members
 - description 214
 - scope 216
 - static 222
- DATE macro 173
- deallocation
 - expressions 103
 - functions 146
- decimal floating-point variables 41
- decimal integer literals 20
- declarations
 - classes 203, 207
 - description 27
 - friend specifier in member list 227
 - friends 231
 - pointers to members 218
 - resolving ambiguous statements 150
 - syntax 27, 37
 - unsubscripted arrays 71
- declarative region 1
- declarators
 - description 63
 - reference 74
- decrement operator (--) 96
- default
 - clause 154
 - constructors 258
 - label 154
- define preprocessor directive 166
- defined unary operator 175
- definitions
 - description 27
 - macro 166
 - member function 214
- delete operator 103
- dependent names 307
- dereferencing operator 98
- derivation 235
 - array type 69
 - public, protected, private 239
- derived classes
 - catch block 317
 - construction order 265
 - pointers to 236
- destructors 265
 - exception handling 320
 - overview 257
 - pseudo 88, 267
- digraph 18
- direct base class 243
- division operator (/) 106
- do statement 158
- dollar sign 12
- dot operator 88
- double type specifier 40
- downcast 94
- dynamic binding 249
- dynamic_cast 93

E

- EBCDIC character codes 13
- elaborated type specifier 206
- elif preprocessor directive 175

- ellipsis
 - conversion sequence 200
 - in function declaration 131
 - in function definition 137
 - in macro argument list 167
- else
 - preprocessor directive 177
 - statement 152
- enclosing class 214, 229
- endif preprocessor directive 177
- entry point
 - program 139
- enum
 - keyword 54, 56
- enumerations 54
 - compatibility 38, 54
 - declaration 54
 - initialization 55
- enumerator 54
- equal to operator (==) 109
- error preprocessor directive 172
- escape character \ 12
- escape sequence 12
 - alarm \a 13
 - backslash \\ 13
 - backspace \b 13
 - carriage return \r 13
 - double quotation mark \" 13
 - form feed \f 13
 - horizontal tab \t 13
 - new-line \n 13
 - question mark \? 13
 - single quotation mark \' 13
 - vertical tab \v 13
- exception handling 311
 - argument matching 317
 - catch blocks 313
 - arguments 317
 - constructors 320
 - destructors 320
 - example, C++ 327
 - exception objects 311
 - function try blocks 311
 - handlers 311, 313
 - order of catching 317
 - rethrowing exceptions 319
 - set_terminate 326
 - set_unexpected 326
 - special functions 324
 - stack unwinding 320
 - terminate function 325
 - throw expressions 313, 318
 - try blocks 311
 - try exceptions 314
 - unexpected function 324
- exceptions
 - declaration 313
 - function try block handlers 314
 - specification 135, 322
- exclusive OR operator, bitwise (^) 110
- explicit
 - function specifier 74
 - instantiation, templates 299
 - keyword 126, 274
 - specializations, templates 300, 301
 - type conversions 104
- exponent 21

- expressions
 - allocation 99
 - assignment 115
 - binary 105
 - cast 104
 - comma 116
 - conditional 113
 - deallocation 103
 - description 77
 - full 77
 - integer constant 83
 - new initializer 102
 - parenthesized 83
 - pointer to member 112
 - primary 81
 - resolving ambiguous statements 150
 - statement 150
 - throw 118, 318
 - unary 95
- extern storage class specifier 6, 8, 30
 - implicit declaration 86
 - with function pointers 148

F

- file inclusion 172
- FILE macro 173
- file scope data declarations
 - unsubscripted arrays 71
- float type specifier 40, 41
- floating-point
 - conversion 122
 - literal 21
 - promotion 119
- for statement 158
- free store 268
 - delete operator 103
 - new operator 99
- friend
 - access rules 231
 - implicit conversion of pointers 239
 - member functions 214
 - nested classes 229
 - relationships with classes when templates are involved 289
 - scope 229
 - specifier 227
 - virtual functions 252
- function designator 81
- function specifier
 - explicit 126, 274
- function templates
 - explicit specialization 303
- function try blocks 135, 311
 - handlers 314
- function-like macro 167
- functions 129
 - allocation 146
 - arguments 86, 129, 130
 - conversions 124
 - block 129
 - body 129
 - C++ enhancements 129
 - calling 140
 - calls 86
 - as lvalue 81
 - class templates 289

- functions (*continued*)
 - conversion function 275
 - deallocation 146
 - declaration 129, 130
 - C++ 132
 - examples 133
 - exception specification 131
 - multiple 132
 - parameter names 132
 - default arguments 143
 - evaluation 145
 - restrictions 144
 - definition 129, 130, 134
 - constructor initializer list 135
 - declarator 135
 - examples 138
 - exception specification 135
 - return type 135
 - scope 135
 - storage class specifier 135
 - try block 135
 - type specifiers 135
 - exception handling 324
 - exception specification 322
 - friends 227
 - function call operator 129
 - function templates 290
 - function-to-pointer conversions 123
 - inline 148, 215
 - library functions 129
 - main 139
 - name 130, 135
 - overloading 189
 - parameters 86, 130, 140
 - pointers to 147
 - polymorphic 234
 - prototype 129, 130
 - return statements 162
 - return type 129, 135, 145, 146
 - return value 129, 145
 - signature 129
 - specifiers 74, 148
 - template function
 - template argument deduction 291
 - type name 37
 - virtual 216, 249, 252
- fundamental type 38

G

- global variable 3, 6
 - uninitialized 31
- goto statement 163
 - restrictions 163
- greater than operator (>) 108
- greater than or equal to operator (>=) 108

H

- handlers 313
- hexadecimal integer literals 20
- hidden names 204, 206

I

- identifiers 17, 81
 - case sensitivity 17
 - id-expression 64, 82
 - labels 149
 - linkage 6
 - name space 4
 - reserved 17, 18
 - special characters 12, 17
- if
 - preprocessor directive 175
 - statement 152
- ifdef preprocessor directive 176
- ifndef preprocessor directive 176
- implementation dependency
 - allocation of binary floating-point types 40
 - allocation of integral types 43
- implicit conversion 119
 - boolean 121
 - lvalue 81
 - pointer to derived class 236, 239
 - pointers to base class 237
 - types 119
- implicit instantiation
 - templates 298
- include preprocessor directive 172
- inclusive OR operator, bitwise (!) 111
- incomplete type 61, 69
 - as structure member 46
 - class declaration 207
- increment operator (++) 95
- indentation of code 166
- indirect base class 234, 244
- indirection operator (*) 67, 98
- information hiding 1, 3, 213, 237
- inheritance
 - multiple 234, 243
 - overview 233
- initialization
 - aggregate types 47
 - auto object 30
 - base classes 261
 - class members 261
 - extern object 31
 - references 123
 - register object 32
 - static data members 224
 - static object 33
 - union member 51
- initializer lists 135
- initializers 64
 - aggregate types 47
 - enumerations 55
 - initializer list 64, 261
 - unions 51
- inline
 - function specifier 74
 - functions 148, 215
- integer
 - constant expressions 54, 83
 - conversion 121
 - conversions 121
 - data types 43
 - implicit int 135
 - literals 19
 - promotion 119

K

- K&R C vii
- keywords 18
 - exception handling 311
 - language extension 18
 - template 281, 308
 - underscore characters 18

L

- label
 - implicit declaration 3
 - in switch statement 154
 - statement 149
- language extension 18
 - i5/OS 60
- language extension keywords
 - __align 18
 - __alignof 18
 - __ptr128 18
 - __ptr64 18
 - __thread 18
 - _Decimal 18
 - _Decimal128 18
 - _Decimal32 18
 - _Decimal64 18
 - _Packed 18
 - decimal 18
- left-shift operator (<<) 107
- less than operator (<) 108
- less than or equal to operator (<=) 108
- LINE macro 173
- line preprocessor directive 178
- linkage 1, 6
 - auto storage class specifier 30
 - const cv-qualifier 58
 - extern storage class specifier 8, 31
 - external 6, 86
 - in function definition 135
 - inline member functions 215
 - internal 6, 33
 - language 7
 - multiple function declarations 132
 - none 7
 - register storage class specifier 32
 - specifications 7
 - static storage class specifier 34
 - with function pointers 148
- linking to non-C++ programs 7
- literals 19
 - boolean 19
 - character 23
 - floating-point 21
 - integer 19
 - data types 19
 - decimal 20
 - hexadecimal 20
 - octal 21
 - string 24
- local
 - classes 209
 - type names 210
- logical operators
 - !(logical negation) 96
 - || (logical OR) 112
 - && (logical AND) 111

- long double type specifier 40
- long long type specifier 43
- long type specifier 43
- lvalues 57, 80, 81
 - casting 104
 - conversions 81, 120, 200

M

- macro
 - definition 166
 - function-like 167
 - invocation 167
 - object-like 166
 - variable argument 167
- main function 139
 - arguments 139
 - example 139
- member functions
 - const and volatile 215
 - definition 214
 - friend 214
 - special 216
 - static 224
 - this pointer 219, 254
- member lists 204, 213
- members
 - access 225
 - access control 242
 - class member access operators 88
 - data 214
 - pointers to 112, 218
 - protected 237
 - scope 216
 - static 208, 221
 - virtual functions 216
- modifiable lvalue 80, 115
- modulo operator (%) 106
- multibyte character 14
- multicharacter literal 23
- multidimensional arrays 70
- multiple
 - access 245
 - inheritance 234, 243
- multiplication operator (*) 106
- mutable storage class specifier 32

N

- name binding 307
- name hiding 5, 84
 - accessible base class 248
 - ambiguities 246
- name space
 - class names 206
 - context 5
 - of identifiers 4
- names
 - conflicts 4
 - hidden 84, 204, 206
 - local type 210
 - mangling 8
 - resolution 3, 239, 247
- namespaces 181
 - alias 181, 182
 - declaring 181

- namespaces (*continued*)
 - defining 181
 - explicit access 187
 - extending 182
 - friends 185
 - member definitions 184
 - overloading 182
 - unnamed 183
 - user-defined 2
 - using declaration 186
 - using directive 185
- narrow character literal 23
- nested classes
 - friend scope 229
 - scope 207
- new operator
 - default arguments 144
 - description 99
 - initializer expression 102
 - placement syntax 100, 268, 269
 - set_new_handler function 102
- not equal to operator (!=) 109
- null
 - character \0 24
 - pointer 67
 - pointer constants 123
 - preprocessor directive 179
 - statement 164
- number sign (#)
 - preprocessor directive character 166
 - preprocessor operator 170

O

- object-like macro 166
- objects 80
 - class
 - declarations 204
 - description 28
 - lifetime 1
- octal integer literals 21
- one's complement operator (~) 97
- operator functions 191
- operators 11
 - (subtraction) 107
 - (decrement) 96
 - > (arrow) 89
 - >* (pointer to member) 112
 - , (comma) 116
 - :: (scope resolution) 84
 - ! (logical negation) 96
 - != (not equal to) 109
 - ? : (conditional) 113
 - / (division) 106
 - . (dot) 88
 - * (pointer to member) 112
 - () (function call) 86, 129
 - * (indirection) 98
 - * (multiplication) 106
 - (unary minus) 96
 - [] (array subscripting) 87
 - % (remainder) 106
 - > (greater than) 108
 - >> (right- shift) 107
 - >= (greater than or equal to) 108
 - < (less than) 108
 - << (left- shift) 107

- operators (*continued*)
 - <= (less than or equal to) 108
 - | (bitwise inclusive OR) 111
 - || (logical OR) 112
 - & (address) 97
 - & (bitwise AND) 110
 - && (logical AND) 111
 - + (addition) 106
 - ++ (increment) 95
 - = (simple assignment) 115
 - == (equal to) 109
 - ^ (bitwise exclusive OR) 110
 - alignof 18
 - alternative representations 12, 18
 - assignment 115
 - copy assignment 277
 - associativity 77
 - binary 105
 - bitwise negation operator (~) 97
 - compound assignment 115
 - const_cast 92
 - defined 175
 - delete 103, 269
 - dynamic_cast 93
 - equality 109
 - expressions 85
 - new 99, 268
 - operators 85
 - overloading 191, 214
 - binary 194
 - unary 192
 - pointer to member 112, 219
 - precedence 77
 - examples 79
 - type names 37
 - preprocessor
 - # 170
 - ## 171
 - reinterpret_cast 91
 - relational 108
 - scope resolution 236, 246, 252
 - sizeof 98
 - static_cast 90
 - typeid 89
 - unary 95
 - unary plus operator (+) 96
- OR operator, logical (||) 112
- overload resolution 199, 249
 - resolving addresses of overloaded functions 200
- overloading
 - delete operator 269
 - description 189
 - function templates 296
 - functions 189, 241
 - restrictions 189
 - new operator 268
 - operators 191, 203
 - assignment 195
 - binary 194
 - class member access 198
 - decrement 193
 - function call 196
 - increment 193
 - subscripting 197
 - unary 192
- overriding virtual functions 253

- overriding virtual functions (*continued*)
 - covariant virtual function 251

P

- packed
 - structure member 48
- packed decimal
 - data type 18, 42
 - literal 22
- parenthesized expressions 37, 83
- pass by reference 74, 142
- pass by value 141
- placement syntax 100, 269
- pointer to member
 - conversions 123
 - declarations 218
 - operators 112, 219
- pointers
 - compatible 65
 - const 59
 - conversions 122, 248
 - cv-qualified 66
 - description 65
 - generic 122
 - i5/OS 122, 124
 - null 67
 - pointer arithmetic 67
 - this 219
 - to functions 147
 - to members 112, 218
 - type-qualified 66
 - void* 122
- polymorphism
 - polymorphic classes 203, 250
 - polymorphic functions 234
- postfix
 - ++ and -- 95, 96
 - expression 85
 - operator 85
- pound sign (#)
 - preprocessor directive character 166
 - preprocessor operator 170
- pragmas
 - preprocessor directive 179
- precedence of operators 77
- predefined macros
 - __IBMC__ 174
 - __IBMCPP__ 174
 - CPLUSPLUS 174
 - DATE 173
 - FILE 173
 - LINE 173
 - STDC 174
 - STDC_VERSION 174
 - TIME 174
- prefix
 - ++ and -- 95, 96
 - hexadecimal integer literals 20
 - octal integer literals 21
- preprocessor directives 165
 - conditional compilation 174
 - preprocessing overview 165
 - special character 166
- preprocessor operator
 - # 170
 - ## 171

- primary expressions 81
- promotions
 - function argument values 140
 - integral and floating-point 119
- prototype 130
- pseudo- destructors 88
- punctuators 11
 - alternative representations 12, 18
- pure specifier 213, 216, 252, 254
- pure virtual functions 254

Q

- qualification conversions 124
- qualified name 84, 208
- qualifiers
 - const 57, 135
 - i5/OS 18, 60
 - volatile 57, 59, 135

R

- references
 - as return types 146
 - binding 75
 - conversions 123
 - declarator 97
 - description 74
 - initialization 75
- register storage class specifier 32
- reinterpret_cast 91
- remainder operator (%) 106
- return statement 145, 162
 - value 163
- return type
 - reference as 146
 - size_t 98
- right-shift operator (>>) 107
- RTTI support 89
- rvalues 80

S

- scalar types 37, 65
- scope 1
 - class 3
 - class names 206
 - description 1
 - enclosing and nested 3
 - friends 229
 - function 3
 - function prototype 3
 - global 3
 - global namespace 3
 - identifiers 4
 - local (block) 2
 - local classes 209
 - macro names 170
 - member 216
 - nested classes 207
- scope resolution operator
 - ambiguous base classes 246
 - description 84
 - inheritance 236
 - virtual functions 252
- sequence point 77, 117

- set_new_handler function 102
- set_terminate function 326
- set_unexpected function 324, 326
- shift operators << and >> 107
- short type specifier 43
- side effect 60, 77
- signed type specifiers
 - char 39
 - int 43
 - long 43
 - long long 43
- simple type specifiers 38
 - char 39
 - wchar_t 39
- size_t 98
- sizeof operator 98
- space character 166
- special characters 12
- special member functions 216
- specifiers
 - access control 239
 - inline 148
 - pure 216
 - storage class 29
- splice preprocessor directive ## 171
- stack unwinding 320
- Standard C vii
- Standard C++ vii
- standard type conversions 119, 120
- statements 149
 - block 151
 - break 160
 - continue 160
 - do 158
 - expressions 150
 - for 158
 - goto 163
 - if 152
 - labels 149
 - null 164
 - resolving ambiguities 150
 - return 145, 162
 - selection 152, 153
 - switch 153
 - while 157
- static
 - binding 249
 - data members 222
 - initialization of data members 224
 - member functions 224
 - members 208, 221
 - storage class specifier 33
 - linkage 34
- static storage class specifier 6
- static_cast 90
- STDC macro 174
- STDC_VERSION macro 174
- storage class specifiers 29, 135
 - auto 30
 - extern 30
 - mutable 32
 - register 32
 - static 33
- storage duration 1
 - auto storage class specifier 30
 - extern storage class specifier 31
 - register storage class specifier 32

- storage duration (*continued*)
 - static 33
- string
 - literal 24
 - terminator 24
- stringize preprocessor directive # 170
- struct type specifier 46
- structures 45, 205
 - alignment 28
 - as base class 239
 - as class type 203, 204
 - compatibility 38, 45
 - identifier (tag) 46
 - initialization 47
 - members 46
 - alignment 46
 - layout in memory 46, 47
 - packed 48
 - padding 46
 - name spaces within 5
 - packed 46
- subscript declarator
 - in arrays 70
- subscripting operator 69, 87
 - in type name 37
- subtraction operator (-) 107
- suffix
 - floating-point literals 21
 - integer literal constants 19
- switch statement 153

T

- tags
 - enumeration 54
 - structure 45, 46
 - union 51
- template arguments 284
 - deduction 291
 - deduction, non-type 296
 - deduction, type 294
 - non-type 284
 - template 286
 - type 284
- template keyword 308
- templates
 - arguments
 - non-type 284
 - type 284
 - class
 - declaration and definition 288
 - distinction from *template class* 287
 - explicit specialization 303
 - member functions 289
 - static data members 289
 - declaration 281
 - dependent names 307
 - explicit specializations 300, 302
 - class members 302
 - declaration 301
 - definition and declaration 301
 - function templates 303
 - function
 - argument deduction 296
 - overloading 296
 - partial ordering 297
 - function templates 290

- templates (*continued*)
 - type template argument
 - deduction 294
 - instantiation 281, 298, 300
 - explicit 299
 - implicit 298
 - name binding 307
 - parameters 282
 - default arguments 283
 - non-type 282
 - template 283
 - type 282
 - partial specialization 305
 - matching 306
 - parameter and argument lists 306
 - point of definition 307
 - point of instantiation 307
 - relationship between classes and their
 - friends 289
 - scope 302
 - specialization 281, 298, 300
- temporary objects 272, 317
- terminate function 311, 313, 317, 320, 324, 325
 - set_terminate 326
- this pointer 59, 219, 254
- throw expressions 118, 311, 318
 - argument matching 317
 - rethrowing exceptions 319
 - within nested try blocks 313
- TIME macro 174
- tokens 11, 165
 - alternative representations for
 - operators and punctuators 12
- translation unit 1
- trigraph sequences 14
- truncation
 - integer division 106
- try blocks 311
 - in function definition 135
 - nested 313
- try keyword 311
- type name 37
 - local 210
 - qualified 84, 208
 - typename keyword 308
- type qualifiers
 - const 57, 58
 - const and volatile 64
 - in structure member definition 46
 - volatile 57
- type specifier 36
 - (long) double 40
 - binary float 40
 - char 39
 - class types 203
 - decimal float 41
 - elaborated 206
 - enumeration 54
 - in function definition 135
 - int 43
 - long 43
 - long long 43
 - short 43
 - simple 38
 - unsigned 43
 - wchar_t 39, 43

- typedef specifier 35
 - and type compatibility 37
 - class declaration 210
 - local type names 210
 - pointers to members 218
 - qualified type name 208
- typeid operator 89
- typename keyword 308
- types
 - aggregates 37
 - class 203
 - compatible 37
 - composite 37
 - compound 44
 - conversions 104
 - enumerated 54
 - packed decimal 42
 - scalar 37

U

- unary expressions 95
- unary operators 95
 - minus (-) 96
 - plus (+) 96
- undef preprocessor directive 170
- underscore character 17, 18
- unexpected function 311, 324, 325
 - set_unexpected 326
- Unicode 13
- unions 51
 - as class type 203, 204
 - compatibility 38, 51
 - initialization 51
 - specifier 51
- universal character name 13, 17, 23
- unnamed namespaces 183
- unsigned type specifiers
 - char 39
 - int 43
 - long 43
 - long long 43
 - short 43
- unsubscripted arrays
 - description 69, 71
- user-defined conversions 273
- using declarations 186, 239, 247
 - changing member access 242
 - overloading member functions 241
- using directive 185

V

- variable length array
 - sizeof 98
- variably modified types
 - size evaluation 140
- virtual
 - base classes 235, 244, 249
 - function specifier 74
- virtual functions 216, 249
 - access 254
 - ambiguous calls 252
 - overriding 253
 - pure specifier 254
- visibility 1, 5

- visibility (*continued*)
 - block 3
 - class members 227
- void 43
 - argument type 137
 - in function definition 135, 137
 - pointer 122
- volatile
 - member functions 215
 - qualifier 57, 59

W

- wchar_t type specifier 23, 39, 43
- while statement 157
- white space 11, 15, 165, 166, 170
- wide characters
 - literals 23

Readers' Comments — We'd Like to Hear from You

System i
ILE C/C++ Language Reference
Version 6 Release 1

Publication No. SC09-7852-01

We appreciate your comments about this publication. Please comment on specific errors or omissions, accuracy, organization, subject matter, or completeness of this book. The comments you send should pertain to only the information in this manual or product and the way in which the information is presented.

For technical questions and information about products and prices, please contact your IBM branch office, your IBM business partner, or your authorized remarketer.

When you send comments to IBM, you grant IBM a nonexclusive right to use or distribute your comments in any way it believes appropriate without incurring any obligation to you. IBM or any other organizations will only use the personal information that you supply to contact you about the issues that you state on this form.

Comments:

Thank you for your support.

Submit your comments using one of these channels:

- Send your comments to the address on the reverse side of this form.
- Send a fax to the following number: United States and Canada: 1-800-937-3430
Other countries: 1-507-253-5192
- Send your comments via e-mail to: RCHCLERK@us.ibm.com

If you would like a response from IBM, please fill in the following information:

Name

Address

Company or Organization

Phone No.

E-mail address



Fold and Tape

Please do not staple

Fold and Tape




NO POSTAGE
NECESSARY
IF MAILED IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 40 ARMONK, NEW YORK

POSTAGE WILL BE PAID BY ADDRESSEE

IBM Corporation
ATTN DEPT 542 IDCLERK
3605 HWY 52 N
ROCHESTER, MN 55901-7829



Fold and Tape

Please do not staple

Fold and Tape



Program Number: 5761-WDS

SC09-7852-01

