



HOME

User Manual

DELMIA Process Engineer<sup>®</sup>

## MCM Installation Guideline



# Foreword

This describes Process Engineer operation and basic functions you need to be familiar with when dealing with MCM Installation.

While developing these functions we have made every effort to create a clearly organized, easy-to-understand program structure.

A user-friendly interface as well as a clear menu guide will enable you to quickly learn how to operate the program and to get familiar with its functions so that you can carry out your planning tasks in a quick and reliable way.

## **No Liability or Guarantee**

Our programs and manuals have been compiled with great care and to the best of our knowledge. They have also been tested in a production setting. However, we assume no liability and provide no guarantee that the software and related descriptions are free of error or are suitable for special purposes.

DELMIA assumes no liability for any damage that may arise from the use of this software. By using this software, the user acknowledges this exclusion from liability and shall hold DELMIA exempt from all claims.

## **Copyright**

The information in our documents may be copied and distributed for internal purposes provided it is done free of charge and the contents are not altered or distorted.

Any other form of usage, especially the sale on CD-ROM or in any other publication in whole or in part is only permitted after prior written consent by DELMIA.

Some parts of this software are owned by Unigraphics Solutions Inc. and are copyrighted © 2011. All rights reserved.

Some parts of this software are owned by combit® GmbH and are copyrighted. Report-/Print module List and Label® Version 15.0: Copyright combit® GmbH 1991-2011.

## **Modifications**

Moreover, DELMIA retains the right to make modifications and improvements to the product described in this manual at any time without prior notification.

DELMIA and the 3DS logo are registered trademarks of Dassault Systèmes or its subsidiaries, in the United States or other countries.

This clause applies to all acquisitions of DASSAULT SYSTÈMES commercial computer software by or for the United States federal government, or by any prime contractor or subcontractor (at any tier) under any contract, grant, cooperative agreement, or other activity with the federal government. By accepting delivery of this software, the United States government hereby agrees that this software qualifies as “commercial” computer software within the meaning of the acquisition regulation(s) applicable to this procurement. The terms and conditions of the DASSAULT SYSTÈMES standard commercial end user license agreement shall pertain to the United States government’s use and disclosure of this software, and shall supersede any conflicting contractual terms

and conditions. If the DASSAULT SYSTÈMES standard commercial license fails to meet the United States government's needs or is inconsistent in any respect with United States Federal law, the United States government agrees to return this software, unused, to DASSAULT SYSTÈMES. The following additional statement applies only to acquisitions governed by DFARS Subpart 227.4 (October 1988): "Restricted Rights – use, duplication, and disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252-227-7013 (Oct. 1988)."

© 2001-2011 Dassault Systèmes - All Rights Reserved

# Table of Contents

<b>1. Introduction</b>	<b>1</b>
1.1 How to Use this Manual	1
1.2 Documentation Conventions and Symbols	1
1.3 New Functions in MCM Installation Guideline	2
<b>2. MCM Installation and Preparation</b>	<b>3</b>
2.1 Preparation of ENOVIA	3
2.2 Installation and Preparation of IPD Web Services	3
2.3 Customize Manufacturing Hub	3
<b>Index</b>	<b>4</b>

# 1.Introduction

This manual explains how to use the Process Engineer MCM Installation Guideline for your planning purposes.

## 1.1 How to Use this Manual

This manual enables you to get familiar with the operation and functions of the MCM Installation Guideline. This manual briefly describes:

- How to prepare for MCM Installation



### Note

*When handling the MCM Installation functions, please also refer to the general introduction to Process Engineer in the General Introduction Manual.*



Click [General Introduction](#) to access the manual.

## 1.2 Documentation Conventions and Symbols

The symbols used in this manual are intended to provide you with keys to the contents in an immediately understandable manner.



This symbol is used to introduce key concepts that are covered in the sections immediately following this symbol. As a result, this symbol most frequently appears at the beginning of chapters or sections.



### Note

*This symbol is used to mark notes, which provide you with additional information you need to have for further work. You will either find the Note sign at the beginning of a chapter or in a particular text passage in the chapter. Texts bearing this sign are additionally marked with **Note**. The text is always in italics.*



### Caution

*This symbol indicates that the text that follows describes particular circumstances that you must avoid to avoid potential errors with the operation of the program or harm to data. You will either find the Caution sign at the beginning of a chapter or near a particular text passage in the chapter. Texts that are introduced by this sign are additionally marked with **Caution**. The text is always in italics.*

### Example

This symbol marks examples which serve to illustrate a certain situation.

This symbol marks the individual operational steps involved in a particular operating instruction. Operating instructions describe operational steps, for example, how to open a menu or execute a function.



This symbol marks listed subjects. The symbol for listed subjects can be either used to structure a continuous text or to list main subject keywords.



This symbol marks list inside a bulleted or numbered list.



This symbol marks cross reference information that is available in another manual.

## 1.3 New Functions in MCM Installation Guideline

No new functionality has been added for this release.

## 2.MCM Installation and Preparation

The availability of Manufacturing Change Management (MCM) is controlled by a separate license. You must have this license installed to open a project which is Change Management (CMC) controlled.

The installation procedure for Manufacturing Change Management consists of three parts:

- 1) Preparation of ENOVIA for Common Change Management
- 2) Installation and preparation of IPD Web Services for communication between ENOVIA and IPD
- 3) Customize Manufacturing Hub

Parts 1 and 2 are only necessary if MCM should work integrated with ENOVIA Change Management.

### 2.1 Preparation of ENOVIA

*Please refer to the following ENOVIA manual:*

[LCA Administration Guide: Common Change Management Set Up](#)

### 2.2 Installation and Preparation of IPD Web Services

*Please refer to the [Web Service Installation Manual](#)*

### 2.3 Customize Manufacturing Hub

*Please refer to the [IPD Server Manual](#)*

# Index

## C

Customize Manufacturing Hub ..... 3

## I

Installation and Preparation of IPD Web  
Services ..... 3

## M

MCM Installation and Preparation ..... 3

## N

Nonliability ..... ii

## P

Preparation of ENOVIA ..... 3