

Data Exchange Security (DS9) - Supplier application

BPA Delivery 6 for V5R19 (V5.6)

Installation Guide

Table of Contents

Table of Contents	2
Introduction.....	3
DS9 Supplier Installation	4
Un-installing the DS9 Supplier application	8

Introduction

This document describes the installation procedure for the BPA DS9 at Supplier Site.


Note: this BPA works on Microsoft® Windows XP Professional 32/64 bit – Service Pack 2.

DS9 Supplier Installation


1. Launch setup.exe




2. Click "Next"




3. Click "Next"



4. Click "Change" if needed and then "Next"




5. Click "Browse" if needed then "Next"



6. Click "Install"



7. Click "Finish"




8. Click "Yes" to restart now or "No" to restart later

New environment

The installer will create a new environment, DS9 SUPP, on the desktop.


Additional operations to perform:

In order to decrypt data from OEM you need to register the OEM ID they will provide. To do so, please launch the application ISPDS9IDRegister.exe which is located where you installed DS9 Supplier code.




Select OEM ID selection / open
Select the TXT file received and select OK.

If there is an error in the file, user will get following error:



If everything goes fine, then the message is:



Un-installing the DS9 Supplier application

Un-installation must be run from the Control Panel -> Add or Remove Programs
Select the *Dassault Systemes Software BPA DS9 Supplier Component* application, and click on "Remove"

