

IBM GLOBAL SERVICES



IBM Global Services - IBM eServer iSeries

A30  
XML Tooling  
Don Yantzi



Miami, FL

Oct 17-21, 2005

why "i"? it's simple.

© 2005 IBM Corporation

## Agenda

- XML Introduction
  - XML, DTD, XML Schema and XSLT
- Getting Started With the Tools
- XML Tools in Development Studio Client
  - The Editors - XML, DTD and XML Schema
  - XML to XML Mappings
  - XML JavaBeans
  - XML From SQL Query Wizard
  - Relational DB to XML Mapping
- Summary and References



IBM Software Group

## XML Introduction

**WebSphere** software



**@business software**

IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation

## eXtensible Markup Language (XML)

Defines the  
grammar (rules), but  
Not the vocabulary

- Platform and language independent way to describe data
- Defines rules for creating a tag-based language
  - Not restricted to a predefined set of tags
  - Actual languages are typically defined in a domain
    - Program Call Markup Language (PCML)
    - Electronic Business using XML (ebXML)
    - Astronomical Markup Language (AML)
  - Or create your own
- Well formed vs. Valid
  - Well formed XML documents comply with all XML syntax rules
  - Valid documents are well formed and comply with a DTD or XML Schema

The XML specification outlines rules that an XML document must follow in order to be well formed. It does not specify any specific tag (element) names or attribute names. It specifies what a tag is and that it can have attributes and the syntax for specifying all of this. So, XML itself is not a language, but describes a class of languages. Each language will be domain specific (or even application specific) such as the examples given on this slide. The actual tag and attribute names are specified in language specific DTD or XML Schema. If the tags, attributes and structure of an XML document comply with its associated DTD or Schema then the document is also valid.

## Example XML Document

```
<?xml version="1.0" encoding="UTF-8"?>
<invoice orderno="674728">
  <customer custno="19282">
    <customerName>Sporting Clothes Inc.</customerName>
    <address>100 Main Street, Toronto, ON</address>
  </customer>
  <product prodno="5" unitprice="47.00">
    <prodname>Bomber Jacket</prodname>
    <color>Black</color>
    <sqty>2</sqty>
    <lqty>4</lqty>
  </product>
  <amount terms="balance in 30 days">
    <subtotal>386.00</subtotal>
    <taxes>19.30</taxes>
    <total>405.30</total>
  </amount>
</invoice>
```

Here is an example XML document showing the XML declaration (very first line), some tags and attributes. One question that frequently comes up is when to use elements versus attributes. It is really upto the designer of the XML language. In the example shown the prodno attribute for product could just as well have been a prodno element within the product element.

## Document Type Definition (DTD)

Defines the  
vocabulary

- XML documents can be associated with a DTD
- This is where you declare
  - What tag names are valid for your XML language
  - What attributes and data each tag can have
  - Which tags can be nested
  - Declare your own entities
  - Specifies the rules (metadata) for composition of an XML document

Document Type Definitions are used to specify a specific XML language. So for each of the examples shown on the first XML slide (PCML, ebXML, AML) will have a corresponding DTD which describes the language. So DTD's do not contain any data, they describe the tags and attributes that are then used to markup the actual data in an XML document. A DTD can be linked to an XML document either externally using the first DOCTYPE declaration shown or can be included within the XML document itself using the second declaration shown.

## Example DTD

```
<?xml version='1.0' encoding="UTF-8"?>
<!ELEMENT address (#PCDATA)>
<!ELEMENT amount (subtotal,taxes,total)>
<!ATTLIST amount terms CDATA #IMPLIED>
<!ELEMENT color (#PCDATA)>
<!ELEMENT customer (customerName,address)>
<!ELEMENT product (prodname,color,((sqty?,lqty)|(mqty,lqty,xlqty)))>
<!ATTLIST product prodno CDATA #IMPLIED
                unitprice CDATA #IMPLIED>
<!ELEMENT sqty (#PCDATA)>
```

Defines address element which can contain only character data

Customer element must contain one customerName element and one address element

Product element has two attributes; prodno and unitprice

An example DTD. The thing to point out here is that DTDs do not use XML syntax and therefore require a different set of skills (therefore increasing the learning curve.) The tooling can definitely help with this, but XML Schemas are a better alternative.

## Problems with DTDs

- Limited data types
  - Basically restricted to character data
- Does not use XML syntax
- Not very expressive
  - Can only restrict lists to
    - Zero or more
    - One or more
    - Zero or one
  - Cannot specify minimum and maximum values for numeric data types
- No support for XML namespaces
  - Namespaces provide a way to qualify tags, similar to package names in Java

Some problems with DTDs. Basically they only support character data type and are not able to express anything but very simple constraints.



## XML Schema

- Fixes the problems with DTDs
  - Replacement for DTDs
- Written using XML syntax
- Lots of built in data types
  - String, boolean, byte, short, int, float, double, unsigned, date, time, ...
- Support for user defined types
- Ability to restrict and extend other types
  - Inheritance

XML Schema came out a couple of years after DTDs and addresses most (if not all) of the shortcomings of DTDs.

## Example XML Schema

```

<schema targetNamespace="http://www.ibm.com/CWSTOCK"
  xmlns="http://www.w3.org/2001/XMLSchema"
  xmlns:CWSTOCK="http://www.ibm.com/CWSTOCK">
  <element name="SQLResult">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded"
          minOccurs="0" ref="CWSTOCK:CWSTOCK"/>
      </sequence>
    </complexType>
  </element>
  <element name="CWSTOCK">
    <complexType>
      <sequence>
        <element ref="CWSTOCK:PRODNO"/>
        <element ref="CWSTOCK:PRODNAME"/>
      </sequence>
    </complexType>
  </element>
  <element name="PRODNO">
    <simpleType>
      <restriction base="decimal">
        <totalDigits value="5"/>
      </restriction>
    </simpleType>
  </element>

```

Element  
declaration

Note: Only a  
portion of the file  
is shown here

Built in  
numeric type

With the extra functionality provided by XML Schema comes additional complexity in the language. We won't get into the details of XML Schema here because of this complexity. Again this is where the tooling can really help out. The user only needs to understand the concepts and the tools will generate the XML code.

## Extensible Stylesheet Language Transformations

- XSLT
  - Extensible Stylesheet Language for Transformations
  - Language (rules) for transforming XML documents into other XML documents
    - Converting XML document to an HTML document for displaying in a browser
    - Converting address format used by company A to address format used by company B
  - Requires an XSLT processor
    - Xalan from Apache is commonly used

XSL and XSLT provide the fourth key XML technology (the first three are the XML language itself, DTDs and XML Schema.) Remember that XML is used to describe the data not how the data should be rendered in a user interface. This is the job of XSL. It is similar to CSS and is used to specify the presentation of an XML document. Although part of XSL, XSLT can be used independently to perform any XML to XML transformation. This is very useful if two applications are communicating via XML but each uses a slightly different XML syntax. XSLT can be used to transform one syntax into another. For example:

- To change element or attribute names
- To changes attributes into elements and vice versa

## Parsers: Reading and Writing An XML Document

- XML parsers are used for reading and writing XML documents
- The XML parser
  - Reads the document
  - Makes sure it is well formed
  - Checks if it is valid (only if a DTD or XML Schema is specified)
  - Builds a tree structure out of the data
- Your program then uses the method calls in the parser to access the data
- Xerces is the most commonly used XML parser for Java
  - Open Source
    - Managed by the Apache Software Foundation
  - IBM ships XML parsers for RPG, COBOL, C and C++

When you use XML with your application you do not need to write the code to read the XML document and parse out the actual data from the elements and attributes. This is handled for you by an XML parser. The parser will check that an XML document is well formed and valid and will build a tree structure out of the data contained in the document. Your application then uses the parser APIs to retrieve the data.



IBM Software Group

## XML Development Tools


**WebSphere** software



**@business software**

IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation



This is the full list of XML tools available in Development Studio Client. As you can see, it is extremely rich.

- An editor for creating and visualizing XML files. This editor includes a wizard to generate a Java Bean to parse and generate the XML.
- An editor for creating Document Type Definitions, with minimal Document Type Definition (DTD) skills. DTDs can be deduced from sample XML files. This editor includes a wizard to generate a Java Bean to parse and generate any XML conforming to the DTD.
- An editor for creating XML Schemas, which are replacing the older DTD's, with minimal XML Schema skills. Schemas can be deduced from sample XML files or DTD's. This editor includes a wizard to generate a Java Bean to parse and generate any XML conforming to the schema.
- A mapper tool that takes two XML DTDs or Schemas and allows you to map the tags and attributes from one to the other. The result is an XSLT file, that when run in an XSLT engine will map an XML file to an output XML file. XSLT is a standard language for defining XML mappings, and there are many engines that can "run" XSLT. Such an engine is supplied in Development Studio Client and WebSphere Application Server.
- An XSLT trace editor. This will "run" and XSLT and map one XML file to another. You can single-step through the transformation and see the output being generated.

## XML Tools (continued)

### ▪ XML and SQL Query Wizard

- To create an XML file from an SQL query
- To store data from an XML file into a relational database
- Use generated code to perform both at runtime
- Uses standard JDBC

### ▪ RDB to XML Mapping Editor

- To map one+ relational tables to a target XML file
- To create XML files from relational tables
- To store data from XML files to relational tables
- Generates Document Access Definition (DAD) script that is used at runtime with DB2 XML Extenders

•A wizard that will generate an XML file from an SQL query. This can be a static one-time only operation, or you can generate a Java bean that will do this at runtime.

•The SQL query wizard generates code that uses JDBC drivers, therefore it will work with any database that supports JDBC

•A wizard that maps database tables to target XML tags and attributes. This then generates code that turns queries into XML and turns XML into database updates.

•The Relational database to XML mapping editor uses DAD scripts with DB2 XML Extenders, this means the generated code will only work with a DB2 database

•However the RDB to XML mapping editor provides more flexibility in specifying mappings between XML elements and attributes and columns in the relation tables



IBM Software Group

## XML Development Tools: Getting Started

**WebSphere** software



IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation



IBM eServer iSeries

IBM

Preferences

Workbench

- Appearance
- Capabilities
- Colors and Fonts
- Compare/Patch
- Editors
- File Associations
- Keys
- Label Decorations
- Linked Resources
- Local History
- Perspectives
- Search
- Startup and Shutdown
- Ant
- Build Order
- Component Test
- Crystal Enterprise
- Crystal Reports Designer
- Crystal Reports Viewers
- Data
- HATS
- Help
- Install/Update
- Internet
- iSeries Projects
- J2EE
- Java
- LPEX Editor
- Modeling
- Plug-in Development
- Process

Capabilities

Prompt when enabling capabilities

Capabilities:

- iSeries Application Developer
- Java Developer
- Modeler
- Requirement Management
- Reusable Asset Management
- Team
- Tester
- Web Developer (advanced)
- Web Developer (typical)
- Web Service Developer
- XML Developer
- Core XML Support
- XML Development

Description:

Create XML documents.


Import... Export... OK Cancel

© 2005 IBM Corporation

why "i"? it's simple.

## Workbench Perspectives

- Perspectives define which views, menus and wizards are shown in the Workbench
- There is no XML Perspective [anymore]
  - XML tools can be used in any perspective
  - XML is typically used in some larger development project
    - Java, Web, RPG / COBOL, EGL



Customize any perspective to add XML shortcuts


Perspectives are used in the Workbench to provide a coherent selection and layout of views related to a specific type of development (Java, XML, WebFACING, ...)

By default the XML perspective shows the Navigator, outline and tasks views. The navigator view shows all resources in the user's workspace. The outline view is a standard Workbench view for showing the outline of the resource currently opened in the editor. It works for XML and other resource types like Java and SQL scripts. The tasks view is another standard workbench view and shows all errors, warnings and tasks in the workspace.

## Projects



- Highest level of organization for resources in the Workspace
- Contains files and folders
  - All file and folders must be inside of a project
- Projects can have
  - A type (Java, iSeries, Server, Web, Simple)
  - Properties
- There is no XML project
  - XML is typically not used by itself
  - Store your XML resources in another type of project:
    - Web, Java, ...
    - Use the simple project type for learning the XML tools

Projects provide the highest level of grouping resources (source files, graphics, executables, ...) in the workspace. Projects always have a type such as Java, WebFacing, Web. Those projects that are not linked to a specific type of development should use the "Simple" type. By default projects map to a subdirectory of the workspace directory on the local file system with the same name as the project. However, there is no XML project because XML resources are usually used in the context of some bigger application should as a Java or Web application.



The first thing we are going to look at is generating an XML file. Typically XML files are generated by applications not manually, however if you are creating a DTD or XML Schema it may be easier to first create a sample XML document the way it should look and then generate the DTD or Schema from the XML document. To create a new XML document first select the project (or folder) where the document will be created, right click and select new -> XML File


## Create XML File Wizard



The first page of the new XML File wizard asks if you are creating this file from a DTD, Schema or from scratch. If you have an existing DTD or Schema it is a good idea to specify that here. This will:

- Allow the wizard to generate the XML code to link the XML file to the DTD / Schema
- Allow the content assist in the XML editor to provide you with a better list of options

The second page of the wizard just asks for the XML file name. The target project /folder is already selected based on what was selected when the wizard was launched.





IBM Software Group

## XML Development Tools: Editors

**WebSphere** software




IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation

## XML Editor

- Edit and validate XML files
- Create XML test documents
- Import existing XML files for structured viewing
- Associate XML files with DTDs or XML schemas
- Two views - the Design view and the Source view

–Views are kept synchronized – easily switch between them while editing!



The XML Editor has many uses. The first thing to note about the XML editor is that it has two different views; design and source. These views are kept synchronized so you can switch between them while editing without having to save the file first. The XML editor adds some actions to the workbench toolbar. If performance becomes an issue when editing XML documents you can turn off the grammar constraint checking. This will prevent the editor from performing live grammar checking. To check grammar you can then either save the file or use the validate XML file action.



IBM eServer iSeries

## XML Editor: Design View

Right click on nodes in XML document (or Outline view) to get a context sensitive popup menu of actions

If XML document is associated with a DTD or Schema then the extra information is used to provide a list of allowed elements and attributes

Select a cell in the table to directly edit values

Element	Value
shipTo	(name, street, city, state, zip)
country	US
name	Alice Smith
street	125 Maple Street
city	Mill Valley
state	CA
zip	90952
shipTo	(name, street, city, state, zip)
country	US
name	Robert Smith
street	8 Oak Avenue
city	Old Town
state	PA
zip	95819
po:comment	Hurry, my lawn is going wild!
items	(item*)
item	(productName, quantity, USPrice, comment?, shipDate?)
productName	872-AA
comment	Lawnmower

© 2005 IBM Corporation

why "i"? it's simple.

The XML editor's design view gives you a tabular tree view of the XML document. This view allows you to edit an XML document without having to worry about the underlying XML syntax. Each element and attribute is represented by a single row in the table. You can expand and collapse elements to see their contents. To change the value of an element / attribute click the cell in the right and column of the table and simply enter the new value. To create / delete elements and attributes click on the target node and select the appropriate action from the popup menu.

IBM eServer iSeries

# XML Editor: Source View

- Token highlighting
- Content assist
- Automatic formatting
- Spell checking
- Cut, copy, paste
- Unlimited undo / redo

The screenshot displays the XML Editor interface. The main window shows the source code for 'PurchaseOrder.xml'. The code includes elements like <street>, <city>, <state>, <zip>, </billTo>, <po:comment>, <items>, <item>, </item>, and </items>. An 'Outline' view on the right shows a tree structure of the XML document. A popup menu is visible at the bottom, listing elements like 'shipDate' and 'USPrice' with their data types.

You can get the same popup menu from the previous slide on nodes in the outline view.

Tip: Use the outline view and editor together for some powerful editing capabilities!

© 2005 IBM Corporation

why "i"? it's simple.

The source view of the XML editor lets you directly edit the XML source code. Just like the Java editor in WDS*c*, the XML editor provides content assist to help you with element and attribute names. Use the popup menus in the content view to quickly insert / delete elements and attributes (just like the popup menus in the design view.)

## DTD and XML Schema Editors

- Provide many of the same capabilities as the XML editor
  - Source views
  - Graphical editing
  - Context sensitive popup menus for adding new items
  - Display a high level structure of the file in the Outline view
  - Use the properties view for modifying attributes of the selected element
  
- DTDs and XML Schemas can be created from
  - Scratch
  - Existing XML documents
    - Reverse engineers DTD or Schema by examining the structure of the existing XML document
  - Each other

IBM eServer iSeries

IBM

DTD Editor

Resource - Invoice.dtd - IBM Rational Software Development Platform

File Edit Navigate Search Project Run Window Help

Navigator Outline X

\*PurchaseOrder.xml Invoice.dtd PurchaseOrder.xsd

Invoice.dtd

- <?xml version="1.0" encoding="UTF-8" ?>
- <ELEMENT Invoice (Header, Item)\*>
- <ELEMENT Header (Date, invoiceNumber CDATA #REQUIRED)>
- <!ATTLIST Header invoiceNumber CDATA #REQUIRED>
- <ELEMENT Item (description, price CDATA #REQUIRED, discount (promotion) #REQUIRED)>
- <!ATTLIST Item description CDATA #REQUIRED, price CDATA #REQUIRED, discount (promotion) CDATA #REQUIRED>
- <ELEMENT Date ((Month, Day, Year)\*)>
- <!ELEMENT BillTo ((Address, description)\*)>
- <!ELEMENT BillTo ((Address, description)\*)>
- Address
  - street1
  - street2
  - city
  - zip
  - country
- street1
- street2
- city
- state
- province
- zip
- country

Tasks Snippets Properties

General attribute

Name discount

Type Enumerated Name Tokens

Usage Default


Default Value regular

Use the editor, outline view and properties view all together when editing DTDs

Add new items via pop-up menus in outline view and changes values in properties view. No need to know the exact DTD syntax, the editor will generate it for you

© 2005 IBM Corporation

why "i"? it's simple.



This is the XML schema editor. The outline of the XML file is shown on the left. The right is the XML schema editor that allows editing of the XML schema, either in visual mode or source mode. The editor also has a graph view that shows a graphical view of the XML schema

IBM eServer iSeries

### XML Schema Editor Graph View

Resource - PurchaseOrder.xsd - IBM Rational Software Development

File Edit Source Navigate Search Project Run XSD Window Help

\*PurchaseOrder.xml Invoice.dtd PurchaseOrder.xsd

PurchaseOrderType

- shipTo (type = po:USAddress)
- billTo (type = po:USAddress)
- po:comment

USAddress

- name (type = string)
- street (type = string)
- city (type = string)
- state (type = token, unsignedByte, unsignedInt)
- zip (type = decimal)

Source Graph Writable Smart Insert 20 : 5

© 2005 IBM Corporation

why "i"? it's simple.

The graph view allows you to expand and collapse details of the schema using the + and - connectors.

Edit values directly in graph view



IBM Software Group

## XML Development Tools: XML to XML Mappings

**WebSphere** software




**@business software**

IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation

## XML to XML Mapping Editor

- Input files
  - One or more *source* DTDs or XML Schemas
  - A *target* DTD or XML Schema
- Input information (using the XML to XML mapping editor)
  - What **source** elements map to what **target** elements
- Output
  - An **XSLT** file that captures the mapping





IBM eServer iSeries

## XML to XML Mapping Wizard

**File name and location to store mapping information**

**Select source DTDs or source XML Schemas**

**Specify root (top level) element for source and target**

**Select target DTD or XML Schema**

© 2005 IBM Corporation

why "i"? it's simple.

**XML to XML Mapping Editor**

**Process**

1. Select a source element or attribute
2. Select the target element or attribute
3. Create a mapping or define an XSLT function between the two.

Source	Applied Function/Grouping
order:Order	
id	getOrderId
order:Date-Received	
order:Year	Year
order:Month	Month
order:Day	Day
order:Quantity	webOrder:Quantity
order:Purchaser-Order-Id	webOrder:Id
order:Purchaser-Item-C...	webOrder:Item-code
order:Unit-Price	getPrice
order:Total	*

© 2005 IBM Corporation

why "i"? it's simple.

Here we see the XML-to-XML mapping editor. In the upper right we see an outline of the mappings. In the middle we see the input xml on the left, and the output xml on the right. To map two tags or attributes, select one on the left, and one on the right, and select the map button from the toolbar in the view at the bottom.

That bottom view shows the mappings so far. Once the nodes have been mapped, right click and select "Generate XSLT" to generate the XSLT that captures the mapping data.

## Generating XSLT From XMX File

The screenshot illustrates the process of generating an XSLT script from an XMX file. On the left, the Navigator window shows a project structure with 'Order.xmx' selected. A context menu is open over 'Order.xmx', with 'Generate XSLT ...' highlighted. An arrow points from this menu item to the 'Order.xsl' window, which displays XSLT code. A text box explains that the XSLT script is automatically generated from the .xmx file.

```
<!-- Remaining Templates -->
<!-- The remaining section defines the template rules. The last templ
<!-- rule is a generic identity transformation used for moving comple
<!-- tree fragments from an input source to the result tree.
<!-- =====
<!-- Newly-defined element template -->
<xsl:template name="order:Order">
  <order:Order>
    <xsl:variable name="getOrderId" select="user0:getOrderId()"/>
    <xsl:variable name="getPrice" select="user0:getPrice(/webOrder:Pu
    <xsl:attribute name="id">
      <xsl:value-of select="$getOrderId"/>
    </xsl:attribute>
    <xsl:call-template name="order:Date-Received"/>
    <order:Quantity>
      <xsl:value-of select="/webOrder:Purchase
    </order:Quantity>
  </order:Order>
</xsl:template>
```


XSLT script is automatically generated from the .xmx file

## XSL Debug


- Playback tool designed to work with XML-to-XML mapping editor
  - To test the generated XSLT transformation file
    - Apply the XSLT to an input XML file
    - Verify the output XML or HTML file is valid
    - Records the transformation made by the XALAN XSLT processor
  - Steps through the transformation
    - Highlights the transformation rules as they are fired
    - View the output XML or HTML in "real time"

# XSL Debug

Select the source XML and XSL files in the navigator view and select Apply XSL from the popup menu



Type of output (XML, HTML, text, ...) determined by the <xsl:output> element in .xsl file





IBM Software Group

## XML Development Tools: Generating Java Beans

**WebSphere** software



IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation


## Generating JavaBeans from DTD or XML Schema

- Generated JavaBeans handle the XML parsing for you!
  - You don't have to learn how to code XML parser API calls!
  - More natural way of working with XML documents
- Use the JavaBeans in your Java applications, Servlets or EJBs to:
  - Read existing XML documents and retrieve the information
    - The XML file is read from an input stream (disk, socket, ...),  
parsed and returned as instances of the JavaBeans
  - Create a new XML file
    - Use the Factory class to create a new XML document by creating  
instances of the JavaBeans




# Generating JavaBeans

JavaBeans can be generated from either a DTD or XML Schema



## Generated JavaBeans



- Generated JavaBeans
  - One Java class for each complex element type
  - Each class has getter / setter methods for attributes
- Use the XML Schema beans runtime to
  - Load XML files into generated JavaBeans
  - Save JavaBeans back to XML file



IBM Software Group

## XML Development Tools: XML and SQL Wizard

**WebSphere** software





IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation

## XML and SQL Query Wizard

- Generate the following from an SQL query:
  - XML file and HTML file - Both contain the query results
  - DTD or XML Schema - Describes format of the resulting XML file
  - XSLT - For transforming resulting XML document to HTML
  - XST
    - XML query template file
    - Use XST file in your application to generate the XML file from the SQL query at runtime
    - Requires the following runtimes (all shipped with WDS*c*)
      - Xerces XML parser and Xalan XSL processor (Apache)
      - SQLToXML (IBM)
- Can also be used for writing XML documents to a relational database
- First you need to create an SQL query either manually or using the Data perspective

# XML and SQL Query Wizard




## XML and SQL Query Wizard

In the resulting XML file each column in the database table will be stored as either a separate element or as an attribute (with one element per row)


Optionally generate a DTD or XML Schema for that describes the results of the query

Generate the query template file if you will be rerunning the query at runtime in your Java application



## Result

- ▶ HTML and XML files with results of running the SQL query
- ▶ XML Schema file which describes format of results
- ▶ XSL file for transforming XML result to HTML
- ▶ XST query template file for executing the query at runtime





IBM Software Group

## XML Development Tools: Relational Database to XML Mapping

**WebSphere** software



IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation



## Relational DB to XML Mapping

- Map XML data to a relational data
  - And relational data to XML data
  
- Generate a Document Access Definition (DAD) file
  - Use DAD file with DB2 XML Extender to
    - Retrieve relational data into XML files
    - Store XML files to a relational database
  - Also generates a test harness
  
- How is this different from XML-SQL Wizard?
  - More flexible
  - More work
    - Mappings must be specified in the mapping editor
  - Must be used in conjunction with DB2 XML Extenders



IBM Software Group

## XML Development Tools: Summary

**WebSphere** software



IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation

## Summary

- Lots of great XML Tools
  - XML, DTD, XML Schema and XSLT wizards and editors
  - Generate JavaBeans to easily read, write and create XML documents in Java
  - Tools for creating XML documents from and writing XML documents to relational databases
- Plus, as an integrated tool in the Workbench the XML Tooling inherits:
  - Searching
  - Team development (CVS, Rational ClearCase, iSeries SCM vendors)
  - Integration with other tooling
    - Java development tools
    - Web development tools
    - WebSphere test environment
    - iSeries development tools
  - Integrated, online help
  - Easy to use import and export wizards



IBM Software Group

## XML Development Tools: Additional Resources

**WebSphere** software



**@business software**

IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation

## XML and the iSeries

- How do I access XML on the iSeries
- XML Toolkit for iSeries
  - licensed program 5733-XT1
  - Contains two XML parsers
    - XML4C 4.0
      - Use with C++
    - XML4PR 4.0 (PR -> Procedure Languages)
      - Use with ILE C, ILE RPG and ILE COBOL
- XML Parser for Java
  - Shipped as part of OS/400
  - /QIBM/ProdData/Os400/xml/lib
  - Includes Xerces parser and Xalan processor

## Lots of Information on the Web

- [w3c.org](http://w3c.org)  
XML Standards
- [ibm.com/developer/XML](http://ibm.com/developer/XML)  
Links to online articles
- [xml.org](http://xml.org)  
Links to online articles
- [xml.apache.org](http://xml.apache.org)  
XML Xerces parser  
XSLT Xalan processor
- [xfront.com](http://xfront.com)  
Tutorial on XML Schema



IBM Software Group

## Reference

**WebSphere** software



IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation

## XML Syntax


- Elements (tags)

- **<tagName>data</tagName>**
- Main building blocks of an XML document
- Data goes between the start and end tags
- All start tags must have an end tag
- Elements can be nested
  - But they must be properly nested
- Empty element  
**<tagName></tagName>**  
or  
**<tagName/>**


- Comments

- <!-- This is a comment -->**
- Can appear almost anywhere in an XML document

```
<name>
  <firstname>
    Don
  <lastname>
    Yantzi
  </firstname>
  </lastname>
</name>
```



```
<name>
  <firstname>
    Don
  </firstname>
  <lastname>
    Yantzi
  </lastname>
</name>
```



Some of the basic rules of XML



## XML Syntax - 2

- Attributes

`<tagName attribute="value" attribute2="value2">`

Specified in the start tag of an element

Value must be in double quotes

- Processing Instructions

`<?target ... ?>`

Allows you to embed processing instructions for parsers, external software

All XML files begin with an optional XML declaration PI

`<?xml version="1.0"?>`

The syntax of attributes and comments. All data in XML is assumed to be parsed character data. This means that it cannot contain any markup or else the XML parser will try to interpret the markup and likely cause the XML validation to fail. If you need to include markup or other special characters in your XML documents you can use a CDATA section which is not parsed by the XML parsers. It is important to know what the terms are, not so much the specific syntax because the tools can help with that!

## Document Type Definition - Declaring an element

- `<!ELEMENT elementName content-model>`
  - Content model determines what the element can contain
  - Allowable values:
    - EMPTY
      - Element cannot contain anything, but may still have attributes
    - #PCDATA
      - Element can contain only character data
    - Element content
      - Element can contain only elements
      - Specified by listing all possible children elements and their allowed multiplicity (\* zero or more, + one or more, ? zero or one)
    - Mixed content
      - Element can contains both #PCDATA and element content
    - Any
      - Essentially mixed content with no restrictions on the elements

This slide shows the DTD syntax for declaring an element. The `elementName` is simply the name of the tag that will be used in the corresponding XML documents.

For each element you specify the what the element can contain (between the start and end tags). This is known as the content model as the possible values are listed on this slide.

## Document Type Definition – Declaring an attribute

- `<!ATTLIST elementName attributeName type default>`
- Type values
  - CDATA - Character data used for attribute
  - Enumeration - All allowed values are explicitly enumerated
- Defaults
  - `#REQUIRED` - A value for this attribute must be provided
  - `#IMPLIED` - Value is optional, there is no default if no value is specified
  - `Value` - Value is optional, if no value is specified in element then *value* is the default
  - `#FIXED value` - Attribute value must be *value*, attribute does not have to be explicitly specified in the XML element

This slide shows the syntax for declaring an attribute. The declaration includes the element name the attribute is associated with and the attribute name.

You also specify a type for an attribute (character or an enumeration) as well as its default value. DTDs really only support character data types. This is one of the reasons that XML Schema is a better alternative.



IBM Software Group

## XML Development Tools: XML Security

**WebSphere** software



IBM eServer iSeries Technical Conference | XML Tools

© 2003 IBM Corporation

## XML Security

- WDSi includes tools for creating and verifying XML digital signatures
  - Digital signature ensures contents of a document are not tampered with
  - Sender: Data and tags in a document are used to create a signature, signature is then encrypted using an encryption key
    - Encryption key is contained in a certificate
  - Receiver: Computes same signature using received data and tags, also decrypts signature contained in xml document and compares the two
    - If they match then document was not tampered with
- Related information:
  - <http://www.w3.org/TR/2002/REC-xmlsig-core-20020212/>

# XML Security

Navigator

- DefaultEAR
- WebEmployeeProject
- XMLEditProject
  - anyElement
  - Invoice
    - Invoice.dtd
    - Invoice.xml
  - PurchaseOrder
    - international
    - PurchaseOrder.xml
    - PurchaseOrder.xsd
  - substitutionGroup
  - .project
  - readme.html
- XMLTransformProject

- New
- Open
- Open With
- Open As
- Copy
- Paste
- Delete
- Move...
- Rename
- Import...
- Export...
- Add Bookmark...
- Refresh
- Run Validation
- Debug on Server...
- Run on Server...
- Profile on Server...
- Debug with Device Emulator...
- Run with Device Emulator...
- Profile with Device Emulator...
- Run Ant...
- Run Javadoc Wizard...
- Validate XML File
- Team
- Compare With
- Replace With
- Transform
- XML Security**
  - Digital Signature...
  - Validate Signature...
- Link Utilities
- Web Services
- Generate
- Assign
- Properties

XML Signature

Create a digital signature  
Add authentication to the XML document by providing a signature

Do you want to create a new certificate for your digital signature?

Use an existing certificate

Create a new certificate

< Back   Next >   Finish   Cancel

**XML Signature**

**Create a certificate**

**i** You can proceed to create a certificate

Distinguished Name

Common Name: Don Yantzi

Organizational Unit: IBM Toronto Lab

Organization: IBM

Location: Toronto

State: Ontario

Country: Canada

CN=Don Yantzi, OU=IBM Toronto Lab, O=IBM, L=Toronto, S=Ontario, C=

Alias for certificate: certificate

Key Store password: mypassword

Private Key password: mypassword

Create certificate

< Back Next > Finish Cancel

**XML Signature**

**Signed XML file name**

Specify the file name that contains the XML signature

Enter or select the parent folder:

XMLEditProject/PurchaseOrder

- DefaultEAR
- RemoteSystemsConnections
- RemoteSystemsTempFiles
- WebEmployeeProject
- XMLEditProject
  - anyElement
  - Invoice
  - PurchaseOrder
  - substitutionGroup
- XMLTransformProject

File name: PurchaseOrder-signature.xml

Advanced >>

< Back Next > Finish Cancel

The screenshot displays the IBM XML Editor interface. The main window shows the XML document structure for 'PurchaseOrder-signature.xml'. The document is a SOAP message containing a 'Signature' element. The 'Signature' element has several sub-elements: 'SignedInfo', 'SignatureMethod', 'Reference', 'SignatureValue', 'KeyInfo', and 'dsig:Object'. The 'Reference' element is highlighted, showing its 'URI' attribute pointing to a resource. The 'dsig:Object' element contains the 'Original Data' (purchase order details). Annotations with arrows point to the 'SignatureValue' and the 'dsig:Object' content.

Property	Value
URI	http://www.w3.org/2000/09/xmlsig#
URI	http://www.ibm.com
URI	http://www.w3.org/2001/XMLSchema-instance
URI	2001-01-01
URI	http://www.ibm.com/PurchaseOrder.xsd
URI	(name, street, city, state, zip)
country	US
name	Alex Smith
street	125 Maple Street
city	Mt Valley
state	CA
zip	90952

XML Digital Signature

Original Data





## Trademarks & Disclaimers

© IBM Corporation 1994-2002. All rights reserved.  
References in this document to IBM products or services do not imply that IBM intends to make them available in every country.  
The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

AS/400	IBM (logo)		
AS/400e	iSeries		
e (logo) business	OS/400		
IBM			

Lotus, Freelance Graphics, and Word Pro are registered trademarks of Lotus Development Corporation and/or IBM Corporation.  
Domino is a trademark of Lotus Development Corporation and/or IBM Corporation.

C-bus is a trademark of Corollary, Inc. in the United States, other countries, or both.  
Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.  
Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.  
ActionMedia, LANdesk, MMX, Pentium and ProShare are trademarks of Intel Corporation in the United States, other countries, or both.  
UNIX is a registered trademark of The Open Group in the United States and other countries.  
SET and the SET Logo are trademarks owned by SET Secure Electronic Transaction LLC.  
Other company, product and service names may be trademarks or service marks of others.

Information is provided "AS IS" without warranty of any kind.

All customer examples described are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics may vary by customer.

Information in this presentation concerning non-IBM products was obtained from a supplier of these products, published announcement material, or other publicly available sources and does not constitute an endorsement of such products by IBM. Sources for non-IBM list prices and performance numbers are taken from publicly available information, including vendor announcements and vendor worldwide homepages. IBM has not tested these products and cannot confirm the accuracy of performance, capability, or any other claims related to non-IBM products. Questions on the capability of non-IBM products should be addressed to the supplier of those products.

All statements regarding IBM future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only. Contact your local IBM office or IBM authorized reseller for the full text of the specific Statement of Direction.

Some information in this presentation addresses anticipated future capabilities. Such information is not intended as a definitive statement of a commitment to specific levels of performance, function or delivery schedules with respect to any future products. Such commitments are only made in IBM product announcements. The information is presented here to communicate IBM's current investment and development activities as a good faith effort to help with our customers' future planning.

Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput or performance that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the IO configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput or performance improvements equivalent to the ratios stated here.

Photographs shown are of engineering prototypes. Changes may be incorporated in production models.

## Disclaimer

- **Acknowledgment:**

This presentation is a collaborative effort of the IBM Toronto AS/400 Application Development presentation team, including work done by:

Don Yantzi, Phil Coulthard, George Farr, Claus Weiss, David Slater, Alison Butteril, Linda Cole

- **Disclaimer:**

The information contained in this document has not been submitted to any formal IBM test and is distributed on an as is basis without any warranty either express or implied. The use of this information or the implementation of any of these techniques is a customer responsibility and depends on the customers' ability to evaluate and integrate them into the customers' operational environment. While each item may have been reviewed by IBM for accuracy in a specific situation, there is no guarantee that the same or similar results will result elsewhere. Customers attempting to adapt these techniques to their own environment do so at their own risk.

- **Reproduction:**

The base presentation is the property of IBM Corporation. Permission must be obtained PRIOR to making copies of this material for any reason.