

5770-XH2 7.1 IBM i Access for Web Configuring WebSphere Application Server - Express V8.0 for IBM i

First Edition (January 2012)

This edition supplements the 7.1 IBM i Access for Web Information Center documentation.

© IBM Corporation 2012. All rights reserved.

U.S. Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corporation.

This example is for users that are not familiar with the Web serving environment. It describes all the steps necessary to get IBM i™ Access for Web running in an IBM® WebSphere® Application Server – Express V8.0 for IBM i® environment. It also describes how to verify that the setup is working.

Similar steps can be used to get IBM i Access for Web running in an IBM WebSphere Application Server V8.0 for IBM i or IBM WebSphere Application Server Network Deployment V8.0 for IBM i environment. **Note:** WebSphere Application Server profiles that are federated to the Network Deployment environment are not supported by IBM i Access for Web.

Configuring your Web serving environment consists of these steps:

- Start the IBM® Web Administration for i interface. See step 1.
- Create an HTTP sever and a WebSphere Application Server – Express V8.0 for IBM i profile. See step 2.
- Configure IBM i Access for Web. See step 3.
- Start the Web environment. See step 4.
- Use a browser to access IBM i Access for Web. See step 5.

Steps to configure the Web serving environment:

1. Start the IBM Web Administration for i interface.
 - a. Start a 5250 session to the system.
 - b. Sign on with a user profile that has at least these special authorities:
*ALLOBJ, *IOSYSCFG, *JOBCTL, and *SECADM.
 - c. Run the following command to start the web administration interface job:

```
STRTCPSVR SERVER(*HTTP) HTTPSVR(*ADMIN)
```
 - d. Minimize the 5250 session.
2. Create an HTTP server and a WebSphere Application Server – Express V8.0 for IBM i profile.
 - a. Open a browser to `http://<system_name>:2001/HTTPAdmin`
 - b. Log in with a user profile that has at least these special authorities:
*ALLOBJ, *IOSYSCFG, *JOBCTL, and *SECADM.
 - c. Select the **Setup** tabbed page.
 - d. Under Common Tasks and Wizards, select **Create Application Server**.
 - e. The Create Application Server page opens. Select **Next**.
 - f. Under WebSphere Application Server, select **V8.0 Express**, then select **Next**.
 - g. The Specify Application Server name page opens. For **Application server name**, specify `iwa80exp`. This will be the name of the WebSphere Application Server profile. Select **Next**.
 - h. The Select HTTP Server Type page opens. Select **Create a new HTTP server (powered by Apache)**, then select **Next**.

- i. The Create a new HTTP server (powered by Apache) page opens.
 - For **HTTP server name**, enter `IWA80EXP`.
 - For **Port**, specify `28000`. This port number is an example. Verify that this port is available for use, or use a port you know is available.
 - Select **Next**.
- j. The Specify Internal Ports Used by the Application Server page opens.
 - For **First port in range**, change the default value to `28005`. This port number is an example. Verify that this port is available for use, or use a port you know is available.
 - Select **Next**.
- k. The Select Sample Applications page opens. Select **Next** until the **Summary** page opens.
- l. Select **Finish**.
- m. The Web page is redisplayed with the **Manage > Application Servers** tabbed page active. **iwa80exp/iwa80exp – V8.0 Express** is listed under **Server** with a status of **Creating**. From this Web page, you can manage the WebSphere Application Server.

Use the refresh icon next to the **Creating** status to refresh the page if the page does not periodically refresh.
- n. When the status is updated to **Stopped**, select the green icon next to the **Stopped** status to start the WebSphere Application Server. The status is updated to **Starting**.

Use the refresh icon next to the **Starting** status to refresh the page if the page does not periodically refresh. IBM i Access for Web requires that the WebSphere Application Server profile is running before it can be configured.

Important: Wait for the status to be updated to **Running** before moving to the next step.
- o. Minimize the browser window.

3. Configure IBM i Access for Web.

- a. Restore the 5250 session window.
- b. To see the WebSphere Application Server profile running, run the command:

```
WRKACTJOB SBS(QWAS8)
```

- c. Verify that `IWA80EXP` is listed as a job running under the `QWAS8` subsystem. IBM i Access for Web requires the WebSphere Application Server profile to be running before it can be configured.
- d. Verify that the WebSphere Application Server profile is ready:
 - i. Enter option 5 next to the `IWA80EXP` job.
 - ii. Enter option 10 to display the job log.
 - iii. Press `F10` to display detailed messages.
 - iv. Verify the message **WebSphere application server iwa80exp ready** is listed. This message indicates that the application server is fully started and is ready for Web serving.
 - v. Press `F3` until you return to a command line.
- e. IBM i Access for Web provides Qshell scripts to configure the product for WebSphere Application Server – Express V8.0 for IBM i.
 - i. Start the Qshell environment using the following command:

```
QSH
```

- ii. Make the IBM i Access for Web directory containing the Qshell script the current directory. Run this command:

```
cd /QIBM/ProdData/Access/Web2/install
```

- iii. Configure IBM i Access for Web for your WebSphere Application Server profile by using the following command:

```
cfgaccweb2 -appsvrtype *WAS80EXP  
-wasprf iwa80exp -appsvr iwa80exp  
-wasinsdir /QIBM/ProdData/WebSphere/AppServer/V8/Express
```

These parameters are:

-appsvrtype

Specifies which WebSphere Application Server type to configure.

- Use `*WAS80BASE` with WebSphere Application Server V8.0 for IBM i.
- Use `*WAS80EXP` with WebSphere Application Server –Express V8.0 for IBM i.
- Use `*WAS80ND` with WebSphere Application Server Network Deployment V8.0 for IBM i.

-wasprf

Specifies which profile of the WebSphere Application Server to configure.

-appsvr

Specifies the name of the application server within the profile to configure.

-wasinsdir

Specifies the location in the IBM i integrated file system where the WebSphere Application Server edition is installed.

The default location for the WebSphere Application Server V8.0 ("Base edition") installation directory is

`/QIBM/ProdData/WebSphere/AppServer/V8/Base`. This default location is used when the `wasinsdir` parameter is not specified and the `appsvrtype` parameter is set to `*WAS80BASE`.

The default location for WebSphere Application Server - Express V8.0 installation directory is

`/QIBM/ProdData/WebSphere/AppServer/V8/Express`. This default location is used when the `wasinsdir` parameter is not specified and the `appsvrtype` parameter is set to `*WAS80EXP`.

The default location for WebSphere Application Server Network Deployment V8.0 installation directory is

Configuring WebSphere Application Server – Express V8.0 for IBM i

/QIBM/ProdData/WebSphere/AppServer/V8/ND. This default location is used when the `wasinsdir` parameter is not specified and the `appsrvtype` parameter is set to `*WAS80ND`.

If your install directory is not in a default location, you must specify the `wasinsdir` parameter.

-wasusrid

Specifies the user ID to use for WebSphere Application Server configuration changes when WebSphere security has been enabled for the profile. In this example, security was not enabled. This parameter is not required for this example.

-waspwd

Specifies the password for the user ID specified using the `-wasusrid` parameter. In this example, security was not enabled. This parameter is not required for this example.

Migration Note: If you are already using IBM i Access for Web within another Web application server, see *IBM i Access > IBM i Access for Web > IBM i Access for Web in a Web application server environment > Configuring IBM i Access for Web > New Web application server considerations* in the IBM i Information Center (<http://www.ibm.com/systems/i/infocenter/>) under Connecting to your system. This topic discusses additional `cfgaccweb2` command parameters that can be input to migrate user data from an existing configuration to this new configuration.

- iv. Several messages similar to the following are displayed:

```
Configuring IBM i Access for Web.
```

```
Preparing to perform the configuration changes.
```

```
Calling WebSphere to perform configuration changes.
```

```
IBM i Access for Web command has completed.
```

```
The WebSphere application server must be stopped and then started to enable the configuration changes.
```

- v. Press `F3` when the command completes to exit the Qshell session.

- f. If the command fails or indicates an error, refer to these log files:
 - `/QIBM/UserData/Access/Web2/logs/cmds.log`
High level, cause and recovery information; translated.
 - `/QIBM/UserData/Access/Web2/logs/cmdstrace.log`
Detailed command flow for IBM Software Service; English only.
 - g. After successfully configuring IBM i Access for Web, the WebSphere Application Server profile must be restarted to load the changes to its configuration. This will be done later.
 - h. Sign off the 5250 session and close the window.
4. Start the Web environment.
- a. Return to the browser window that is open to the **IBM Web Administration for IBM i server management** page.
 - b. Verify that the **Manage > Application Servers** tabbed page is active. **iwa80exp/iwa80exp – V8.0 Express** is listed under **Server** with a status of **Running**. Stop and restart the WebSphere Application Server profile.
 - i. Select the red icon next to the **Running** status to stop the WebSphere Application Server. If you are prompted to also stop the `IWA80EXP` HTTP server, do not clear the selection. The HTTP server should also be stopped.
 - ii. The status will be updated to **Stopping**. Select the refresh icon next to the **Stopping** status to refresh the page if the page does not periodically refresh.
 - iii. When the status is updated to **Stopped**, select the green icon next to the **Stopped** status to start the WebSphere Application Server profile. If you are prompted to also start the `IWA80EXP` HTTP server, do not clear the selection. The HTTP server should also be started.

- iv. The status will be updated to **Starting**. Select the refresh icon next to the **Starting** status to refresh the page if it does not periodically refresh.

Important: Wait for the status to be updated to **Running** before moving to the next step.

IBM i Access for Web will load and start as the WebSphere Application Server profile starts.

- c. Select the **HTTP Servers** tabbed page.
 - d. Under Server, select **IWA80EXP – Apache**. Verify that the status of this Apache HTTP server is **Running**.

If the status is **Stopped**, select the green icon next to the status to start the HTTP server. The status is updated to **Running**.
 - e. Close the browser window.
5. Use a browser to access IBM i Access for Web.

- a. Open a browser to either of the following addresses to access IBM i Access for Web:

```
http://<system_name>:28000/webaccess/iWAHome  
http://<system_name>:28000/webaccess/iWAMain
```

- b. Log in using an IBM i user profile and password. The initial load of IBM i Access for Web might take a few seconds. The WebSphere Application Server profile is loading Java™ classes for the first time. Subsequent loads of IBM i Access for Web will be faster.
- c. The IBM i Access for Web Home or Main page displays.
- d. Close the browser window.

By following the preceding steps, you completed these tasks:

- Created a WebSphere Application Server profile named `iwa80exp`.
- Created an HTTP server named `IWA80EXP`.
- Configured IBM i Access for Web for the WebSphere Application Server profile.

Configuring WebSphere Application Server – Express V8.0 for IBM i

- Stopped and restarted the WebSphere Application Server profile and HTTP server. IBM i Access for Web started when the WebSphere Application Server profile started.
- Verified that IBM i Access for Web can be accessed from a Web browser.