



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC



Corporate Specification

C-H 3-3220-129

© Copyright IBM Corp. 1993, 2001

1993-11

IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Contents

Introduction 1
1. Scope 1
1.1 Abstract 1
1.2 Objective 1
1.3 Application 1
1.4 Effective Date 1
2. Document Administration 1
2.1 Originating Area and Responsibility 1
2.2 Authorization 1
2.3 Compliance 2
2.4 Property Statement 2
3. Related Documents 2
3.1 Superseded Documents 2
3.2 Referenced External Documents 2
3.3 Referenced IBM Documents 2
3.4 Copyright Permission 2
Requirements 2
4. External Standards 2
4.1 Republic of China's CNS 11643-1986 2
4.2 Relation of the IBM Traditional Chinese Graphic Character Set for EUC and CNS 11643-1986 2
4.2.1 Character Coverage 3
4.2.1.1 IBM Selected Characters 3
4.2.1.2 User Definable Characters (UDCs) 3
4.2.2 Code Scheme 3
4.3 Relation with Other Standards 3
5. Specification of Character Repertoire 3
5.1 Identification of Graphic Characters 3
6. Character Sets and Code Pages 3
6.1 Registration of GCSGID and CPGID 3
6.2 CH-T DBCS-EUC CNS 11643 Primary Set 4
6.3 IBM CH-T TBCS-EUC CNS 11643 Remainder Set 4
7. Code Translation Correspondence 5
7.1 Code Translation Correspondence of Non-Chinese and Chinese Character Sets 5
7.2 Code Translation Correspondence of IBM Selected Characters and User Definable Characters 5
8. Format of IBM CH-T EUC Specification 5
9. ASCII Set (G0 Code Set of CH-T EUC) 6
10. CNS 11643 Primary Set (G1 Code Set of CH-T EUC) 10
10.1 Non-Chinese (CNS 11643 Plane 1) Character Set 10
10.2 Primary (CNS 11643 Plane 1) Chinese Character Set 37
11. CNS 11643 Remainder Set (G2 Code Set of CH-T EUC) 248
11.1 Secondary (CNS 11643 Plane 2) Chinese Character Set 248
11.2 User Definable Character Set 546
11.3 IBM Selected Non-Chinese Character Set 780
11.4 IBM Selected Chinese Character Set 794
Supplementary Information 795
12. Definition of Terms 795
12.1 Byte 795
12.2 Code 795
12.3 Code Page 795
12.4 Code Page Global Identifier (CPGID) 795
12.5 Code Point 795
12.6 Coded Graphic Character 795
12.7 Coded Graphic Character Set 795
12.8 Coded Graphic Character Set Global Identifier (CGCSGID) 795
12.9 DBCS 795
12.10 DBCS-EUC 795
12.11 DBCS-Host 795
12.12 DBCS-PC 795
12.13 EBCDIC 795
12.14 EBCDIC + DBCS-Host 795
12.15 EUC 795
12.16 Graphic Character 795
12.17 Graphic Character Global Identifier (GCGID) 795
12.18 Graphic Character Set 795
12.19 Graphic Character Set Global Identifier (GCSGID) 795
12.20 ISO 7/8 bit + DBCS-EUC / TBCS-EUC 795
12.21 Multi-Byte Character Set (MBCS) 796
12.22 PC Code 796
12.23 PC Code + DBCS-PC 796
12.24 Product 796
12.25 Registered Code Page 796
12.26 Registered Coded Graphic Character Set 796
12.27 SBCS 796
12.28 TBCS 796
12.29 TBCS-EUC 796
12.30 UNIX 796
12.31 Unrestricted Code Page 796
12.32 User Definable Character (UDC) 796
12.33 Ward 796
13. EUC Encoding Scheme 797
13.1 Definition 797
13.2 Traditional Chinese Environment 798
13.2.1 SEED CH-T EUC 798
13.2.2 IBM CH-T EUC 798
13.2.3 Relation with Other IBM Code Pages 799
13.2.3.1 Character Sets 799
13.2.3.2 Code Translation Correspondence 799
14. History of CNS 11643 800
14.1 CNS 11643-1984 800
14.2 CNS 11643-1986 800
14.3 CNS 11643-1988 800
14.4 CNS 11643-1989 800
14.5 CNS 11643-1992 800



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

15. Graphic Character Representation 800

Tables

1. Registration of GCSGID and CPGID for the IBM Traditional Chinese Graphic Character Set for EUC	4	14. Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC	336
2. Structure of DBCS-EUC CNS 11643 Primary Set (G1 Code Set)	4	15. Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC	380
3. Structure of TBCS-EUC CNS 11643 Remainder Set (G2 Code Set)	4	16. Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC	424
4. Format of Code Translation Corresponding Table	5	17. Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC	468
5. ASCII Set, EUC	6	18. Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC	512
6. Non-Chinese (CNS 11643 Plane 1) Character Set, EUC	10	19. User Definable Character Set (1 of 6), EUC	546
7. Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC	37	20. User Definable Character Set (2 of 6), EUC	585
8. Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC	81	21. User Definable Character Set (3 of 6), EUC	624
9. Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC	125	22. User Definable Character Set (4 of 6), EUC	663
10. Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC	169	23. User Definable Character Set (5 of 6), EUC	702
11. Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC	213	24. User Definable Character Set (6 of 6), EUC	741
12. Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC	248	25. IBM Selected Non-Chinese Character Set, EUC	780
13. Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC	292	26. IBM Selected Chinese Character Set, EUC	794
		27. Structure of EUC Encoding Framework	797
		28. SEED CH-T EUC	798
		29. IBM CH-T EUC	798
		30. IBM CH-T EUC with Other IBM Code Pages	799
		31. Code Translation Correspondence (Exception)	799

IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC and TBCS-EUC

Introduction**1. Scope****1.1 Abstract**

This document is a registry of the IBM Traditional Chinese *Graphic Character Set for Extended UNIX Code (EUC)*, in which the following are set forth:

- Repertoire of the IBM Traditional Chinese *Graphic Character Set for EUC* is specified.
- Each *graphic character* of the repertoire is identified by a *Graphic Character Global Identifier (GCGID)*.
- Three *graphic character sets*, which are the full set and the subsets of the repertoire, are specified and identified by *Graphic Character Set Global Identifiers (GCSGIDs)*.
- Two *code pages* for the *graphic character sets*: Traditional Chinese *DBCS-EUC* CNS 11643 Primary Set and *TBCS-EUC* CNS 11643 Remainder Set are specified and identified by *Code Page Global Identifiers (CPGIDs)*.
- *Code* translation correspondences between the *DBCS-EUC* or the *TBCS-EUC* and the following *code pages* are specified.
 - *DBCS-Host*
 - *DBCS-PC*
- *Code* translation correspondence between the *DBCS-EUC* or the *TBCS-EUC* and CNS 11643 (Chinese National Standard) is specified as well.

1.2 Objective

Terms in italics (except in headings) are defined in the Supplementary Information section. “Traditional Chinese” will be abbreviated to “CH-T” hereinafter. X'nn' or X'nnnn' represents a hexadecimal notation. The objectives of this document are:

- 1) To make available to all developers supporting Traditional Chinese the specification of the IBM CH-T *graphic character sets* and the *code pages* for *EUC*.
- 2) To ensure consistent implementation of the IBM CH-T *Graphic Character Sets* and the *code pages* for *EUC*.

- 3) To ensure consistent implementation of the *code* translation correspondences between the *EUC (DBCS-EUC or TBCS-EUC)* and the following *code pages*.

- *DBCS-Host*
- *DBCS-PC*

- 4) To ensure consistent implementation of the *code* translation correspondence between the *EUC (DBCS-EUC or TBCS-EUC)* and CNS 11643.

Notes:

- 1) This document is one of a set of documents defined in C-S 3-3220-019, *Coded Character Sets, Implementation*. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of the documents. Note also that the requirements for compliance with this specification are described in C-S 3-3220-019.
- 2) This document does not specify IBM CH-T *DBCS-Host* and *DBCS-PC*. They are specified in C-H 3-3220-126.

1.3 Application

This specification is applicable to all IBM *products* which implement the IBM CH-T *Graphic Character Set for EUC* specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

1.4 Effective Date

This document takes effect with its publication.

2. Document Administration**2.1 Originating Area and Responsibility**

This document is maintained by the Standards Project Authority (SPA) for SIRS 029, (*Double-Byte Character Set (DBCS)*), location code 93K, Yamato.

2.2 Authorization

Publication of this document was approved by the Standards Authorities of the affected operating units.



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC and TBCS-EUC

2.3 Compliance

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

2.4 Property Statement

This document is the property of IBM. Its use outside IBM is authorized only for responding to a request for quotation or for the performance of work for IBM. All supplier/vendor questions must be referred to the IBM purchasing department.

3. Related Documents**3.1 Superseded Documents**

None, new document.

3.2 Referenced External Documents**ISO 646**

ISO 7-bit Coded Character Set for Information Interchange

ISO 2022

ISO Standard for ISO 7-bit and 8-bit Coded Character Sets - Code Extension Techniques

ISO 6429

ISO Standard for Control Functions for 7-bit and 8-bit Coded Character Sets

ISO 8859

ISO Standard for 8-bit Single-byte Coded Graphic Character Sets

CNS 5205

Code for Information Interchange

CNS 7654

Information Processing - ISO 7-bit and 8-bit Coded Graphic Character Sets - Code extension techniques

CNS 11643

Chinese Standard Interchange Code, published by Chinese Standard Bureau.

3.3 Referenced IBM Documents**C-S 3-3220-002**

Extended BCD Interchange Code (EBCDIC)

C-S 3-3220-019

Coded Character Sets, Implementation

C-H 3-3220-050

Registry, Graphic Character Sets and Code Pages, Online Database

C-H 3-3220-055

Graphic Character Identification System, Graphic Character Global Identifier (GCGID) Structure

C-S 3-3220-102

Double-Byte Character Set (DBCS), Terminology and Code Scheme

C-H 3-3220-126

IBM Traditional Chinese Graphic Character Set, DBCS-Host and DBCS-PC

SC09-1390

Character Data Representation Architecture - Level 1, Reference

3.4 Copyright Permission

Not applicable.

Requirements**4. External Standards****4.1 Republic of China's CNS 11643-1986**

CNS 11643-1986 defines total 13,735 coded characters: 651 symbols, 33 Chinese control characters; and 13,051 Chinese characters, based on the ISO 2022 7-bit or 8-bit *code* scheme.

4.2 Relation of the IBM Traditional Chinese Graphic Character Set for EUC and CNS 11643-1986

CNS 11643-1986 has 16 planes in which each can accommodate 8,836 *graphic characters*. The IBM CH-T *EUC* supports 16 planes as the framework and the *graphic characters* defined on 1st and 2nd planes in CNS 11643.



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC and TBCS-EUC

4.2.1 Character Coverage. The IBM CH-T *Graphic Character Set* for *EUC* consists of ISO 646 IRV, CNS 11643, IBM selected characters and *user definable characters*. As to the relation with other IBM *code pages*, refer to Section 13.2.3.1 on page 799.

4.2.1.1 IBM Selected Characters. For compatibility with other IBM CH-T *code pages*, IBM has assigned 325 characters into plane 13 of CNS 11643 of G2 set as part of *TBCS-EUC* CNS 11643 Remainder Set. Those 325 characters have been defined as part of the *DBCS* on IBM CH-T *DBCS-Host* and *DBCS-PC code pages*. See C-H 3-3220-126 for more details.

4.2.1.2 User Definable Characters (UDCs). For the convenience of users, IBM has assigned 6,204 (the same number as IBM CH-T *DBCS-Host* and *DBCS-PC*) *user definable characters* into plane 12 of CNS 11643 as part of *TBCS-EUC* CNS 11643 Remainder Set.

4.2.2 Code Scheme. The *code* scheme for the IBM CH-T *EUC* is as specified in ISO 2022.

4.3 Relation with Other Standards

This document specifies *graphic character sets* and *code pages*, which are superset of the SEED CH-T *EUC* proposal which was developed in 1988. The *graphic character set* designation is in compliance with the SEED proposal. See Section 13.2.1 on page 798.

5. Specification of Character Repertoire

5.1 Identification of Graphic Characters

This document specifies the repertoire of the IBM CH-T *Graphic Character Set* for *EUC*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global Identifier (GCGID)*.

6. Character Sets and Code Pages

6.1 Registration of GCSGID and CPGID


This specification registers the full set and the subsets of the IBM CH-T *Graphic Character Set* for *EUC* and identifies them by *Graphic Character Set Global Identifiers (GCSGIDs)*.

It also specifies relevant *code pages* for those *registered coded graphic character sets*: *DBCS-EUC* CNS 11643 Primary Set and *TBCS-EUC* CNS 11643 Remainder Set, and identifies them by *Code Page Global Identifiers (CPGIDs)*.

Table 1 on page 4 specifies the *GCSGIDs* and *CPGIDs* of the *registered coded graphic character sets* of IBM CH-T *EUC*.

The registration category “U” means “Unrestricted,” which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.

Note: See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 1. Registration of GCSGID and CPGID for the IBM Traditional Chinese Graphic Character Set for EUC

CGCSGID GCSGID CPGID	Name	Character Set Size	Number of Code Points in Code Page	Category of Regis- tration
01070 00960	DBCS-EUC CNS 11643 Primary Set	6,085	8,836	U
01071 00961	TBCS-EUC CNS 11643 Remainder Set (including 7,650 CNS 11643 secondary character set, 325 IBM selected characters and 6,204 UDCs)	14,179	132,540	U
01073 00961	TBCS-EUC CNS 11643 Remainder Set (including 7,650 CNS 11643 secondary character set; excluding 325 IBM selected characters and 6,204 UDCs)	7,650	132,540	U

Note: Code pages 00960 and 00961 are defined as ISO 7-bit code pages. With the use of EUC or ISO encoding scheme, the most significant bit of each code point on the code pages may be ignored.

6.2 CH-T DBCS-EUC CNS 11643 Primary Set

The coded graphic character sets on the IBM CH-T DBCS-EUC CNS 11643 Primary Set (CPGID 00960) are structured as shown in Table 2.

Table 2. Structure of DBCS-EUC CNS 11643 Primary Set (G1 Code Set)

Wards in Hex	Content	Number of Characters
A1 to C3	Non-Chinese (CNS 11643 Plane 1) Character Set <ul style="list-style-type: none"> • 651 CNS 11643 Symbols <ul style="list-style-type: none"> – Greek, Russian, Roman Numeric – Alphanumeric and Related Symbols – Chinese numerals, Phonetic Symbols, Chinese Punctuation, Formatting and Special Symbols – Chinese Radicals • 33 Chinese Control Characters 	684
C4 to FD	Primary (CNS 11643 Plane 1) Chinese Character Set	5,401
FE	Reserved for Future Assignment	N/A

The specification of the IBM CH-T DBCS-EUC CNS 11643 Primary Set is shown in Table 6 on page 10 to Table 11 on page 213.

6.3 IBM CH-T TBCS-EUC CNS 11643 Remainder Set

The coded graphic character sets of the IBM CH-T TBCS-EUC CNS 11643 Remainder Set (CPGID 00961) are structured as shown in Table 3.

Table 3. Structure of TBCS-EUC CNS 11643 Remainder Set (G2 Code Set)

Wards in Hex	Content	Number of Characters
A2A1 to A2F2	Secondary (CNS 11643 Plane 2) Chinese Character Set	7,650
A2F3 to ABFE	Reserved for Future Assignment	N/A
ACA1 to ACE2	User Definable Character Set	6,204 *
ADA1 to ADAA	IBM Selected Non-Chinese and Chinese Character Sets	325
AEA1 to B0FE	Reserved for Future Assignment	N/A

Note: * The maximum number of the user definable characters is 6,204.

The specification of the IBM CH-T TBCS-EUC CNS 11643 Remainder Set is shown in Table 12 on page 248 to Table 26 on page 794.

IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

7. Code Translation Correspondence

The following *code* translation correspondences are defined in this specification. Also, see Section 13.2.3.2 on page 799 for the additional information.

- “DBCS-EUC CNS 11643 Primary Set” to/from “DBCS-PC”
- “TBCS-EUC CNS 11643 Remainder Set” to/from “DBCS-PC”
- “DBCS-EUC CNS 11643 Primary Set” to/from “DBCS-Host”
- “TBCS-EUC CNS 11643 Remainder Set” to/from “DBCS-Host”
- “DBCS-EUC CNS 11643 Primary Set” to/from “CNS 11643”
- “TBCS-EUC CNS 11643 Remainder Set” to/from “CNS 11643”

7.1 Code Translation Correspondence of Non-Chinese and Chinese Character Sets

In the *code* translation correspondence of first 684 characters in non-Chinese character set and 325 characters in the IBM selected non-Chinese and Chinese character sets between CH-T *EUC* and *DBCS-Host* or *DBCS-PC*, the logical conversion is not applicable and all the *code* translation correspondences are, therefore, shown in Table 6 on page 10, Table 25 on page 780, and Table 26 on page 794.

In the *code* translation correspondence of remained non-Chinese characters and Chinese characters, a logical conversion between CH-T *EUC* and *DBCS-Host* or *DBCS-PC* is possible for most of the characters. The *code* translation correspondences are shown in Table 7 on page 37 to Table 18 on page 512.

7.2 Code Translation Correspondence of IBM Selected Characters and User Definable Characters

IBM selected characters, and *user definable characters* have an empty entry for the CNS 11643 *code* column in tables as they are not defined in CNS 11643. There are two methods for the *code* translation from *EUC* to CNS 11643:

- To map them into the reserved area for *UDC* defined in CNS 11643, by ignoring the most significant bit of each *code point*.
- To substitute them.

8. Format of IBM CH-T EUC Specification

The specifications of the *coded graphic character sets* for the IBM CH-T *EUC* and the *code* translation correspondences are provided by tables. They are formatted as illustrated in Table 4.

Table 4. Format of Code Translation Corresponding Table						
Line Number (Decimal)	Graphic	EUC Code (Hex)	PC Code (Hex)	Host Code (Hex)	CNS Code (Hex)	GCGID
XXXX	X	XXXX	XXXX	XXXX	XX-XXXX	XXXXXXXX
<p>Notes:</p> <ol style="list-style-type: none"> 1) Line number in column 1 is the serial number of the listed <i>graphic characters</i> in each <i>graphic character set</i> for legibility. 2) <i>EUC code</i> column shows <i>code points</i> on CPGID 00367 for G0 <i>code set</i>, CPGID 00960 for G1 <i>code set</i>, and CPGID 00961 for G2 <i>code set</i>. CPGID 00367 is defined in C-H 3-3220-050. 3) <i>PC code</i> column shows <i>code points</i> on CPGID 01043 for <i>SBCS</i>, which is defined in C-H 3-3220-050; and CPGID 00927 for <i>DBCS</i>, which is defined in C-H 3-3220-126. 4) <i>Host code</i> column shows <i>code points</i> on CPGID 00037 for <i>SBCS</i>, which is defined in C-H 3-3220-050; and CPGID 00835 for <i>DBCS</i>, which is defined in C-H 3-3220-126. 5) <i>CNS code</i> column shows <i>code points</i> of CNS 5205 in the section for <i>EUC G0 code set</i> and CNS 11643-1986 in the sections for <i>EUC G1 and G2 code sets</i>. 6) The decimal prefix in the <i>CNS code</i> column shows the plane number out of 16 planes defined in CNS 11643. 						

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

9. ASCII Set (G0 Code Set of CH-T EUC)

Table 5 (Page 1 of 4). ASCII Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1		20	20	40	20	SP010000
2	!	21	21	5A	21	SP020000
3	"	22	22	7F	22	SP040000
4	#	23	23	7B	23	SM010000
5	\$	24	24	5B	24	SC030000
6	%	25	25	6C	25	SM020000
7	&	26	26	50	26	SM030000
8	'	27	27	7D	27	SP050000
9	(28	28	4D	28	SP060000
10)	29	29	5D	29	SP070000
11	*	2A	2A	5C	2A	SM040000
12	+	2B	2B	4E	2B	SA010000
13	,	2C	2C	6B	2C	SP080000
14	-	2D	2D	60	2D	SP100000
15	.	2E	2E	4B	2E	SP110000
16	/	2F	2F	61	2F	SP120000
17	0	30	30	F0	30	ND100000
18	1	31	31	F1	31	ND010000
19	2	32	32	F2	32	ND020000
20	3	33	33	F3	33	ND030000
21	4	34	34	F4	34	ND040000
22	5	35	35	F5	35	ND050000
23	6	36	36	F6	36	ND060000
24	7	37	37	F7	37	ND070000
25	8	38	38	F8	38	ND080000

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 5 (Page 2 of 4). ASCII Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
26	9	39	39	F9	39	ND090000
27	:	3A	3A	7A	3A	SP130000
28	;	3B	3B	5E	3B	SP140000
29	<	3C	3C	4C	3C	SA030000
30	=	3D	3D	7E	3D	SA040000
31	>	3E	3E	6E	3E	SA050000
32	?	3F	3F	6F	3F	SP150000
33	@	40	40	7C	40	SM050000
34	A	41	41	C1	41	LA020000
35	B	42	42	C2	42	LB020000
36	C	43	43	C3	43	LC020000
37	D	44	44	C4	44	LD020000
38	E	45	45	C5	45	LE020000
39	F	46	46	C6	46	LF020000
40	G	47	47	C7	47	LG020000
41	H	48	48	C8	48	LH020000
42	I	49	49	C9	49	LI020000
43	J	4A	4A	D1	4A	LJ020000
44	K	4B	4B	D2	4B	LK020000
45	L	4C	4C	D3	4C	LL020000
46	M	4D	4D	D4	4D	LM020000
47	N	4E	4E	D5	4E	LN020000
48	O	4F	4F	D6	4F	LO020000
49	P	50	50	D7	50	LP020000
50	Q	51	51	D8	51	LQ020000
51	R	52	52	D9	52	LR020000

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 5 (Page 3 of 4). ASCII Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
52	S	53	53	E2	53	LS020000
53	T	54	54	E3	54	LT020000
54	U	55	55	E4	55	LU020000
55	V	56	56	E5	56	LV020000
56	W	57	57	E6	57	LW020000
57	X	58	58	E7	58	LX020000
58	Y	59	59	E8	59	LY020000
59	Z	5A	5A	E9	5A	LZ020000
60	[5B	5B	BA	5B	SM060000
61	\	5C	5C	E0	5C	SM070000
62]	5D	5D	BB	5D	SM080000
63	^	5E	5E	B0	5E	SD150000
64	_	5F	5F	6D	5F	SP090000
65	`	60	60	79	60	SD130000
66	a	61	61	81	61	LA010000
67	b	62	62	82	62	LB010000
68	c	63	63	83	63	LC010000
69	d	64	64	84	64	LD010000
70	e	65	65	85	65	LE010000
71	f	66	66	86	66	LF010000
72	g	67	67	87	67	LG010000
73	h	68	68	88	68	LH010000
74	i	69	69	89	69	LI010000
75	j	6A	6A	91	6A	LJ010000
76	k	6B	6B	92	6B	LK010000
77	l	6C	6C	93	6C	LL010000
78	m	6D	6D	94	6D	LM010000

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 5 (Page 4 of 4). ASCII Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
79	n	6E	6E	95	6E	LN010000
80	o	6F	6F	96	6F	LO010000
81	p	70	70	97	70	LP010000
82	q	71	71	98	71	LQ010000
83	r	72	72	99	72	LR010000
84	s	73	73	A2	73	LS010000
85	t	74	74	A3	74	LT010000
86	u	75	75	A4	75	LU010000
87	v	76	76	A5	76	LV010000
88	w	77	77	A6	77	LW010000
89	x	78	78	A7	78	LX010000
90	y	79	79	A8	79	LY010000
91	z	7A	7A	A9	7A	LZ010000
92	{	7B	7B	C0	7B	SM110000
93		7C	7C	4F	7C	SM130000
94	}	7D	7D	D0	7D	SM140000
95	~	7E	7E	A1	7E	SD190000

Note: This table, which is defined as *CPGID* 00367 in C-H 3-3220-050, is listed for reference purpose only.

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

10. CNS 11643 Primary Set (G1 Code Set of CH-T EUC)**10.1 Non-Chinese (CNS 11643 Plane 1) Character Set****Table 6 (Page 1 of 27).** Non-Chinese (CNS 11643 Plane 1) Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1		A1A1	8140	4040	1-2121	SP010080
2	,	A1A2	8143	426B	1-2122	SP080080
3	,	A1A3	8141	4344	1-2123	JQ730080
4	o	A1A4	8142	4341	1-2124	JQ700080
5	.	A1A5	8144	424B	1-2125	SP110080
6	•	A1A6	8145	4345	1-2126	JQ740080
7	;	A1A7	8147	425E	1-2127	SP140080
8	:	A1A8	8146	427A	1-2128	SP130080
9	?	A1A9	8148	426F	1-2129	SP150080
10	!	A1AA	8149	425A	1-212A	SP020080
11	:	A1AB	8640	4741	1-212B	SV550080
12	...	A1AC	8163	447F	1-212C	SV440080
13	..	A1AD	8164	447E	1-212D	SV430080
14	,	A1AE	8641	4742	1-212E	SP081080
15	,	A1AF	8642	4743	1-212F	SP081084
16	.	A1B0	8643	4744	1-2130	SP111080
17	.	A1B1	8AE4	46E5	1-2131	SD630080
18	;	A1B2	8644	4745	1-2132	SP141080
19	:	A1B3	8645	4746	1-2133	SP131080
20	?	A1B4	8646	4747	1-2134	SP151080
21	!	A1B5	8647	4748	1-2135	SP021080
22		A1B6	8AA6	46A7	1-2136	SV070080
23	—	A1B7	815C	444A	1-2137	SM120080
24		A1B8	8648	4749	1-2138	SM131080
25	—	A1B9	8649	474A	1-2139	SV251080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 2 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
26		A1BA	8AB5	46B6	1-213A	SV530080
27	—	A1BB	8AB6	46B7	1-213B	SV540080
28	}}	A1BC	8ABB	46BC	1-213C	SV450080
29	~	A1BD	8ABC	46BD	1-213D	SV460080
30	(A1BE	8169	424D	1-213E	SP060080
31)	A1BF	816A	425D	1-213F	SP070080
32	⌒	A1C0	8AAB	46AC	1-2140	SP240080
33	⌓	A1C1	8AAC	46AD	1-2141	SP250080
34	{	A1C2	816F	42C0	1-2142	SM110080
35	}	A1C3	8170	42D0	1-2143	SM140080
36	~	A1C4	8AAD	46AE	1-2144	SP340080
37	~	A1C5	8AAE	46AF	1-2145	SP350080
38	[A1C6	816B	4463	1-2146	SP060081
39]	A1C7	816C	4473	1-2147	SP070081
40	⌒	A1C8	8AAF	46B0	1-2148	SP240081
41	⌓	A1C9	8AB0	46B1	1-2149	SP250081
42	【	A1CA	8179	4466	1-214A	SP060084
43	】	A1CB	817A	4476	1-214B	SP070084
44	⌒	A1CC	8AA3	46A4	1-214C	SP240084
45	⌓	A1CD	8AA4	46A5	1-214D	SP250084
46	«	A1CE	8173	4465	1-214E	SP060083
47	»	A1CF	8174	4475	1-214F	SP070083
48	⌒	A1D0	8AB1	46B2	1-2150	SP240083
49	⌓	A1D1	8AB2	46B3	1-2151	SP250083
50	<	A1D2	8171	4464	1-2152	SP060082
51	>	A1D3	8172	4474	1-2153	SP070082
52	⌒	A1D4	8AB3	46B4	1-2154	SP240082

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 3 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
53	√	A1D5	8AB4	46B5	1-2155	SP250082
54	┌	A1D6	8175	4342	1-2156	JQ710080
55	└	A1D7	8176	4343	1-2157	JQ720080
56	┐	A1D8	8A9F	46A0	1-2158	SP360080
57	└	A1D9	8AA0	46A1	1-2159	SP370080
58	┌	A1DA	8177	4442	1-215A	JQ710081
59	└	A1DB	8178	4443	1-215B	JQ720081
60	┐	A1DC	8AA1	46A2	1-215C	SP360081
61	└	A1DD	8AA2	46A3	1-215D	SP370081
62	(A1DE	864A	474B	1-215E	SP061080
63)	A1DF	864B	474C	1-215F	SP071080
64	{	A1E0	864C	474D	1-2160	SM111080
65	}	A1E1	864D	474E	1-2161	SM141080
66	[A1E2	864E	474F	1-2162	SP061081
67]	A1E3	864F	4750	1-2163	SP071081
68	‘	A1E4	8165	4461	1-2164	SP190080
69	’	A1E5	8166	4471	1-2165	SP200080
70	“	A1E6	8167	4462	1-2166	SP210080
71	”	A1E7	8168	4472	1-2167	SP220080
72	“	A1E8	8AE8	46E9	1-2168	SP210081
73	”	A1E9	8AE9	46EA	1-2169	SP220081
74	`	A1EA	814D	4279	1-216A	SD130080
75	’	A1EB	814C	4450	1-216B	SD110080
76	#	A1EC	8194	427B	1-216C	SM010080
77	&	A1ED	8195	4250	1-216D	SM030080
78	*	A1EE	8AB7	46B8	1-216E	SM040089

IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 6 (Page 4 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
79	※	A1EF	81A6	446B	1-216F	SM040088
80	§	A1F0	8198	446A	1-2170	SM240080
81	//	A1F1	8AB8	46B9	1-2171	SV090089
82	○	A1F2	819B	44E0	1-2172	SM750080
83	●	A1F3	819C	44E1	1-2173	SM580080
84	△	A1F4	81A2	44E2	1-2174	SM730080
85	▲	A1F5	81A3	44E3	1-2175	SM600080
86	◎	A1F6	819D	44E4	1-2176	SM810080
87	☆	A1F7	8199	44E5	1-2177	SS570080
88	★	A1F8	819A	44E6	1-2178	SS580080
89	◇	A1F9	819E	44E7	1-2179	SA660080
90	◆	A1FA	819F	44E8	1-217A	SM610080
91	□	A1FB	81A0	44E9	1-217B	SM450080
92	■	A1FC	81A1	44EA	1-217C	SM470080
93	▽	A1FD	81A4	44EB	1-217D	SM740080
94	▼	A1FE	81A5	44EC	1-217E	SV040080
95	Ⓢ	A2A1	8AB9	46BA	1-2221	SS780080
96	Ⓣ	A2A2	8ABA	46BB	1-2222	SS640080
97	—	A2A3	8150	42A1	1-2223	SM150080
98	—	A2A4	8650	4751	1-2224	SM620081
99	—	A2A5	8151	426D	1-2225	SP090080
100	—	A2A6	8651	4752	1-2226	SP090081
101	---	A2A7	8ABD	46BE	1-2227	SV470080
102	---	A2A8	8ABE	46BF	1-2228	SV490080
103	---	A2A9	8ABF	46C0	1-2229	SV120080
104	---	A2AA	8AC0	46C1	1-222A	SV480080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 5 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
105	˘˘	A2AB	8AC1	46C2	1-222B	SV500080
106	˘˘	A2AC	8AC2	46C3	1-222C	SV510080
107	#	A2AD	8652	4753	1-222D	SM011080
108	&	A2AE	8653	4754	1-222E	SM031080
109	⌘	A2AF	8AC3	46C4	1-222F	SM04008A
110	+	A2B0	817B	424E	1-2230	SA010080
111	-	A2B1	817C	4260	1-2231	SP100080
112	×	A2B2	817E	447A	1-2232	SA070080
113	÷	A2B3	8180	447B	1-2233	SA060080
114	±	A2B4	817D	444B	1-2234	SA020080
115	√	A2B5	8AC4	46C5	1-2235	SA800080
116	<	A2B6	8183	424C	1-2236	SA030080
117	>	A2B7	8184	426E	1-2237	SA050080
118	=	A2B8	8181	427E	1-2238	SA040080
119	≦	A2B9	8185	4467	1-2239	SA520082
120	≧	A2BA	8186	4477	1-223A	SA530082
121	≠	A2BB	8182	444C	1-223B	SA540080
122	∞	A2BC	8187	444D	1-223C	SA450080
123	≡	A2BD	8AC5	46C6	1-223D	SA700081
124	≡	A2BE	8AC6	46C7	1-223E	SA480080
125	+	A2BF	8654	4755	1-223F	SA011080
126	-	A2C0	8655	4756	1-2240	SA001080
127	<	A2C1	8656	4757	1-2241	SA031080
128	>	A2C2	8657	4758	1-2242	SA051080
129	=	A2C3	8658	4759	1-2243	SA041080
130	˘	A2C4	8160	43A1	1-2244	SD190080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 6 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
131	∩	A2C5	8AC7	46C8	1-2245	SA380080
132	∪	A2C6	8AC8	46C9	1-2246	SA390080
133	⊥	A2C7	8AC9	46CA	1-2247	SA780080
134	∠	A2C8	8ACA	46CB	1-2248	SA350088
135	└	A2C9	8ACB	46CC	1-2249	SA420080
136	┌	A2CA	8ACC	46CD	1-224A	SA850080
137	log	A2CB	8ACD	46CE	1-224B	SS880080
138	ln	A2CC	8ACE	46CF	1-224C	SS890080
139	∫	A2CD	8ACF	46D0	1-224D	SA510080
140	ϕ	A2CE	8AD0	46D1	1-224E	SA720080
141	∴	A2CF	8AD7	4478	1-224F	SS540080
142	∴	A2D0	8188	4468	1-2250	SA370080
143	♀	A2D1	818A	4479	1-2251	SM290080
144	♂	A2D2	8189	4469	1-2252	SM280080
145	⊕	A2D3	8AD1	46D2	1-2253	SA550080
146	⊙	A2D4	8AD2	46D3	1-2254	SA590080
147	↑	A2D5	81AA	44F2	1-2255	SM320080
148	↓	A2D6	81AB	44F3	1-2256	SM330080
149	→	A2D7	81A8	44F0	1-2257	SM310080
150	←	A2D8	81A9	44F1	1-2258	SM300080
151	↖	A2D9	8AD3	46D4	1-2259	SM970080
152	↗	A2DA	8AD4	46D5	1-225A	SM950080
153	↙	A2DB	8AD5	46D6	1-225B	SM980080
154	↘	A2DC	8AD6	46D7	1-225C	SM990080
155	∥	A2DD	8161	447C	1-225D	SV370080
156		A2DE	8162	424F	1-225E	SM130080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 7 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
157	/	A2DF	815E	4261	1-225F	SP120080
158	\	A2E0	815F	43E0	1-2260	SM070080
159	/	A2E1	8AD9	46DA	1-2261	SP120081
160	\	A2E2	8659	475A	1-2262	SM071080
161	\$	A2E3	8190	42E0	1-2263	SC030080
162	¥	A2E4	818F	425B	1-2264	SC050080
163	〒	A2E5	81A7	446C	1-2265	SS730080
164	¢	A2E6	8191	434A	1-2266	SC040080
165	£	A2E7	8192	424A	1-2267	SC020080
166	%	A2E8	8193	426C	1-2268	SM020080
167	@	A2E9	8197	427C	1-2269	SM050080
168	°C	A2EA	818E	444E	1-226A	SM440080
169	°F	A2EB	8ADA	46DB	1-226B	SM850080
170	\$	A2EC	865A	475B	1-226C	SC031080
171	%	A2ED	865B	475C	1-226D	SM021080
172	@	A2EE	865C	475D	1-226E	SM051080
173	mil	A2EF	8ADB	46DC	1-226F	SS800080
174	mm	A2F0	8ADC	46DD	1-2270	SS810080
175	cm	A2F1	8ADD	46DE	1-2271	SS820080
176	km	A2F2	8ADE	46DF	1-2272	SS830080
177	KM	A2F3	8ADF	46E0	1-2273	SS830081
178	m ²	A2F4	8AE0	46E1	1-2274	SS840080
179	mg	A2F5	8AE1	46E2	1-2275	SS850080
180	kg	A2F6	8AE2	46E3	1-2276	SS860080
181	cc	A2F7	8AE3	46E4	1-2277	SS870080
182	°	A2F8	818B	44ED	1-2278	SM190080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 8 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
183	尪	A2F9	8AF0	46F1	1-2279	SS900084
184	尫	A2FA	8AF1	46F2	1-227A	SS860084
185	尬	A2FB	8AF2	46F3	1-227B	SS850084
186	尭	A2FC	8AF3	46F4	1-227C	SS910084
187	尮	A2FD	8AF4	46F5	1-227D	SS920084
188	尯	A2FE	8AF5	46F6	1-227E	SS930084
189	𪛀	A3A1	8AF6	46F7	1-2321	SS940084
190	𪛁	A3A2	8AF7	46F8	1-2322	SS790084
191	糲	A3A3	8AF8	46F9	1-2323	SS810084
192	一	A3A4	8A5F	4660	1-2324	SF700081
193	一	A3A5	8A60	4661	1-2325	SF710081
194	一	A3A6	8A61	4662	1-2326	SF720081
195	一	A3A7	8A62	4663	1-2327	SF730081
196	一	A3A8	8A63	4664	1-2328	SF740081
197	一	A3A9	8A64	4665	1-2329	SF750081
198	一	A3AA	8A65	4666	1-232A	SF760081
199	一	A3AB	8A66	4667	1-232B	SF610080
200	丨	A3AC	8A67	4668	1-232C	SF770081
201	丨	A3AD	8A68	4669	1-232D	SF780081
202	丨	A3AE	8A69	466A	1-232E	SF790081
203	丨	A3AF	8A6A	466B	1-232F	SF800081
204	丨	A3B0	8A6B	466C	1-2330	SF810081
205	丨	A3B1	8A6C	466D	1-2331	SF820081
206	丨	A3B2	8A6D	466E	1-2332	SF830081
207	十	A3B3	8A6E	466F	1-2333	SF050080
208	十	A3B4	8A6F	4670	1-2334	SF070080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 9 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
209	┐	A3B5	8A70	4671	1-2335	SF060080
210	┌	A3B6	8A71	4672	1-2336	SF090080
211	└	A3B7	8A72	4673	1-2337	SF080080
212	━	A3B8	8A73	4674	1-2338	SF670080
213	—	A3B9	8A74	4675	1-2339	SF100080
214		A3BA	8A75	4676	1-233A	SF110080
215	┆	A3BB	8A76	4677	1-233B	SF650080
216	┌	A3BC	8A77	4678	1-233C	SF010080
217	└	A3BD	8A78	4679	1-233D	SF030080
218	└	A3BE	8A79	467A	1-233E	SF020080
219	┌	A3BF	8A7A	467B	1-233F	SF040080
220	┐	A3C0	8A7B	467C	1-2340	SS160080
221	┌	A3C1	8A7C	467D	1-2341	SS180080
222	└	A3C2	8A7D	467E	1-2342	SS170080
223	┐	A3C3	8A7E	467F	1-2343	SS190080
224	＝	A3C4	8A80	4681	1-2344	SF430080
225	≠	A3C5	8A81	4682	1-2345	SF360080
226	≠	A3C6	8A82	4683	1-2346	SF540080
227	≠	A3C7	8A83	4684	1-2347	SF190080
228	▲	A3C8	8A84	4685	1-2348	SF840080
229	▲	A3C9	8A85	4686	1-2349	SF850080
230	▲	A3CA	8A86	4687	1-234A	SF860080
231	▲	A3CB	8A87	4688	1-234B	SF870080
232	／	A3CC	8A88	4689	1-234C	SH020080
233	＼	A3CD	8A89	468A	1-234D	SH030080
234	×	A3CE	8A8A	468B	1-234E	SH040080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 10 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
235	0	A4A1	824F	42F0	1-2421	ND100080
236	1	A4A2	8250	42F1	1-2422	ND010080
237	2	A4A3	8251	42F2	1-2423	ND020080
238	3	A4A4	8252	42F3	1-2424	ND030080
239	4	A4A5	8253	42F4	1-2425	ND040080
240	5	A4A6	8254	42F5	1-2426	ND050080
241	6	A4A7	8255	42F6	1-2427	ND060080
242	7	A4A8	8256	42F7	1-2428	ND070080
243	8	A4A9	8257	42F8	1-2429	ND080080
244	9	A4AA	8258	42F9	1-242A	ND090080
245	I	A4AB	8B41	41F1	1-242B	NR110080
246	II	A4AC	8B42	41F2	1-242C	NR120080
247	III	A4AD	8B43	41F3	1-242D	NR130080
248	IV	A4AE	8B44	41F4	1-242E	NR140080
249	V	A4AF	8B45	41F5	1-242F	NR150080
250	VI	A4B0	8B46	41F6	1-2430	NR160080
251	VII	A4B1	8B47	41F7	1-2431	NR170080
252	VIII	A4B2	8B48	41F8	1-2432	NR180080
253	IX	A4B3	8B49	41F9	1-2433	NR190080
254	X	A4B4	8B4A	41FA	1-2434	NR200080
255		A4B5	8940	4541	1-2435	NC010080
256		A4B6	8941	4542	1-2436	NC020080
257		A4B7	8942	4543	1-2437	NC030080
258	×	A4B8	8943	4544	1-2438	NC040080
259	ø	A4B9	8944	4545	1-2439	NC050080
260	±	A4BA	8945	4546	1-243A	NC060080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 11 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
261	≡	A4BB	8946	4547	1-243B	NC070080
262	≡	A4BC	8947	4548	1-243C	NC080080
263	爻	A4BD	8948	4549	1-243D	NC090080
264	十	A4BE	8949	454A	1-243E	NC100080
265	卅	A4BF	894A	454B	1-243F	NC200080
266	卅	A4C0	894B	454C	1-2440	NC300080
267	A	A4C1	8260	42C1	1-2441	LA020080
268	B	A4C2	8261	42C2	1-2442	LB020080
269	C	A4C3	8262	42C3	1-2443	LC020080
270	D	A4C4	8263	42C4	1-2444	LD020080
271	E	A4C5	8264	42C5	1-2445	LE020080
272	F	A4C6	8265	42C6	1-2446	LF020080
273	G	A4C7	8266	42C7	1-2447	LG020080
274	H	A4C8	8267	42C8	1-2448	LH020080
275	I	A4C9	8268	42C9	1-2449	LI020080
276	J	A4CA	8269	42D1	1-244A	LJ020080
277	K	A4CB	826A	42D2	1-244B	LK020080
278	L	A4CC	826B	42D3	1-244C	LL020080
279	M	A4CD	826C	42D4	1-244D	LM020080
280	N	A4CE	826D	42D5	1-244E	LN020080
281	O	A4CF	826E	42D6	1-244F	LO020080
282	P	A4D0	826F	42D7	1-2450	LP020080
283	Q	A4D1	8270	42D8	1-2451	LQ020080
284	R	A4D2	8271	42D9	1-2452	LR020080
285	S	A4D3	8272	42E2	1-2453	LS020080
286	T	A4D4	8273	42E3	1-2454	LT020080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 12 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
287	U	A4D5	8274	42E4	1-2455	LU020080
288	V	A4D6	8275	42E5	1-2456	LV020080
289	W	A4D7	8276	42E6	1-2457	LW020080
290	X	A4D8	8277	42E7	1-2458	LX020080
291	Y	A4D9	8278	42E8	1-2459	LY020080
292	Z	A4DA	8279	42E9	1-245A	LZ020080
293	a	A4DB	8281	4281	1-245B	LA010080
294	b	A4DC	8282	4282	1-245C	LB010080
295	c	A4DD	8283	4283	1-245D	LC010080
296	d	A4DE	8284	4284	1-245E	LD010080
297	e	A4DF	8285	4285	1-245F	LE010080
298	f	A4E0	8286	4286	1-2460	LF010080
299	g	A4E1	8287	4287	1-2461	LG010080
300	h	A4E2	8288	4288	1-2462	LH010080
301	i	A4E3	8289	4289	1-2463	LI010080
302	j	A4E4	828A	4291	1-2464	LJ010080
303	k	A4E5	828B	4292	1-2465	LK010080
304	l	A4E6	828C	4293	1-2466	LL010080
305	m	A4E7	828D	4294	1-2467	LM010080
306	n	A4E8	828E	4295	1-2468	LN010080
307	o	A4E9	828F	4296	1-2469	LO010080
308	p	A4EA	8290	4297	1-246A	LP010080
309	q	A4EB	8291	4298	1-246B	LQ010080
310	r	A4EC	8292	4299	1-246C	LR010080
311	s	A4ED	8293	42A2	1-246D	LS010080
312	t	A4EE	8294	42A3	1-246E	LT010080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 13 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
313	u	A4EF	8295	42A4	1-246F	LU010080
314	v	A4F0	8296	42A5	1-2470	LV010080
315	w	A4F1	8297	42A6	1-2471	LW010080
316	x	A4F2	8298	42A7	1-2472	LX010080
317	y	A4F3	8299	42A8	1-2473	LY010080
318	z	A4F4	829A	42A9	1-2474	LZ010080
319	A	A4F5	839F	4161	1-2475	GA020080
320	B	A4F6	83A0	4162	1-2476	GB020080
321	Γ	A4F7	83A1	4163	1-2477	GG020080
322	Δ	A4F8	83A2	4164	1-2478	GD020080
323	E	A4F9	83A3	4165	1-2479	GE020080
324	Z	A4FA	83A4	4166	1-247A	GZ020080
325	H	A4FB	83A5	4167	1-247B	GE320080
326	Θ	A4FC	83A6	4168	1-247C	GT620080
327	I	A4FD	83A7	4169	1-247D	GI020080
328	K	A4FE	83A8	416A	1-247E	GK020080
329	Λ	A5A1	83A9	416B	1-2521	GL020080
330	M	A5A2	83AA	416C	1-2522	GM020080
331	N	A5A3	83AB	416D	1-2523	GN020080
332	Ξ	A5A4	83AC	416E	1-2524	GX020080
333	O	A5A5	83AD	416F	1-2525	GO020080
334	Π	A5A6	83AE	4170	1-2526	GP020080
335	P	A5A7	83AF	4171	1-2527	GR020080
336	Σ	A5A8	83B0	4172	1-2528	GS020080
337	T	A5A9	83B1	4173	1-2529	GT020080
338	Υ	A5AA	83B2	4174	1-252A	GU020080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 14 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
339	Φ	A5AB	83B3	4175	1-252B	GF020080
340	X	A5AC	83B4	4176	1-252C	GH020080
341	Ψ	A5AD	83B5	4177	1-252D	GP620080
342	Ω	A5AE	83B6	4178	1-252E	GO320080
343	α	A5AF	83BF	4141	1-252F	GA010080
344	β	A5B0	83C0	4142	1-2530	GB010080
345	γ	A5B1	83C1	4143	1-2531	GG010080
346	δ	A5B2	83C2	4144	1-2532	GD010080
347	ε	A5B3	83C3	4145	1-2533	GE010080
348	ζ	A5B4	83C4	4146	1-2534	GZ010080
349	η	A5B5	83C5	4147	1-2535	GE310080
350	θ	A5B6	83C6	4148	1-2536	GT610082
351	ι	A5B7	83C7	4149	1-2537	GI010080
352	κ	A5B8	83C8	414A	1-2538	GK010080
353	λ	A5B9	83C9	414B	1-2539	GL010080
354	μ	A5BA	83CA	414C	1-253A	GM010080
355	ν	A5BB	83CB	414D	1-253B	GN010080
356	ξ	A5BC	83CC	414E	1-253C	GX010080
357	ο	A5BD	83CD	414F	1-253D	GO010080
358	π	A5BE	83CE	4150	1-253E	GP010080
359	ρ	A5BF	83CF	4151	1-253F	GR010080
360	σ	A5C0	83D0	4152	1-2540	GS010080
361	τ	A5C1	83D1	4153	1-2541	GT010080
362	υ	A5C2	83D2	4154	1-2542	GU010080
363	φ	A5C3	83D3	4155	1-2543	GF010081
364	χ	A5C4	83D4	4156	1-2544	GH010080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 15 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
365	φ	A5C5	83D5	4157	1-2545	GP610080
366	ω	A5C6	83D6	4158	1-2546	GO310080
367	ㄣ	A5C7	8955	4556	1-2547	SB060080
368	ㄤ	A5C8	8956	4557	1-2548	SB290080
369	ㄨ	A5C9	8957	4558	1-2549	SB250080
370	ㄩ	A5CA	8958	4559	1-254A	SB160080
371	ㄚ	A5CB	8959	455A	1-254B	SB090080
372	ㄛ	A5CC	895A	455B	1-254C	SB340080
373	ㄜ	A5CD	895B	455C	1-254D	SB260080
374	ㄝ	A5CE	895C	455D	1-254E	SB240080
375	ㄞ	A5CF	895D	455E	1-254F	SB170080
376	ㄟ	A5D0	895E	455F	1-2550	SB230080
377	ㄠ	A5D1	895F	4560	1-2551	SB180080
378	ㄡ	A5D2	8960	4561	1-2552	SB220080
379	ㄢ	A5D3	8961	4562	1-2553	SB070080
380	ㄣ	A5D4	8962	4563	1-2554	SB330080
381	ㄤ	A5D5	8963	4564	1-2555	SB210080
382	ㄨ	A5D6	8964	4565	1-2556	SB080080
383	ㄩ	A5D7	8965	4566	1-2557	SB320080
384	ㄚ	A5D8	8966	4567	1-2558	SB300080
385	ㄛ	A5D9	8967	4568	1-2559	SB350080
386	ㄜ	A5DA	8968	4569	1-255A	SB360080
387	ㄝ	A5DB	8969	456A	1-255B	SB310080
388	ㄞ	A5DC	896A	456B	1-255C	SB010080
389	ㄟ	A5DD	896B	456C	1-255D	SB270080
390	ㄠ	A5DE	896C	456D	1-255E	SB100080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 16 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
391	世	A5DF	896D	456E	1-255F	SB110080
392	秀	A5E0	896E	456F	1-2560	SB020080
393	丩	A5E1	896F	4570	1-2561	SB120080
394	么	A5E2	8970	4571	1-2562	SB050080
395	又	A5E3	8971	4572	1-2563	SB280080
396	𠃉	A5E4	8972	4573	1-2564	SB030080
397	𠃊	A5E5	8973	4574	1-2565	SB130080
398	尢	A5E6	8974	4575	1-2566	SB040080
399	厶	A5E7	8975	4576	1-2567	SB140080
400	厶	A5E8	8976	4577	1-2568	SB150080
401	一	A5E9	8977	4578	1-2569	SB190080
402	𠃋	A5EA	8978	4579	1-256A	SB370080
403	凵	A5EB	8979	457A	1-256B	SB200080
404	•	A5EC	8954	4555	1-256C	SB410080
405		A5ED	8950	4551	1-256D	SB420080
406	／	A5EE	8951	4552	1-256E	SB380080
407	✓	A5EF	8952	4553	1-256F	SB390080
408	丩	A5F0	8953	4554	1-2570	SB400080
409	①	A6A1	8A40	4641	1-2621	NO010080
410	②	A6A2	8A41	4642	1-2622	NO020080
411	③	A6A3	8A42	4643	1-2623	NO030080
412	④	A6A4	8A43	4644	1-2624	NO040080
413	⑤	A6A5	8A44	4645	1-2625	NO050080
414	⑥	A6A6	8A45	4646	1-2626	NO060080
415	⑦	A6A7	8A46	4647	1-2627	NO070080
416	⑧	A6A8	8A47	4648	1-2628	NO080080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 17 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
417	㊟	A6A9	8A48	4649	1-2629	NO090080
418	㊟	A6AA	8A49	464A	1-262A	NO100080
419	①	A6AB	8A50	4651	1-262B	NO010081
420	②	A6AC	8A51	4652	1-262C	NO020081
421	③	A6AD	8A52	4653	1-262D	NO030081
422	④	A6AE	8A53	4654	1-262E	NO040081
423	⑤	A6AF	8A54	4655	1-262F	NO050081
424	⑥	A6B0	8A55	4656	1-2630	NO060081
425	⑦	A6B1	8A56	4657	1-2631	NO070081
426	⑧	A6B2	8A57	4658	1-2632	NO080081
427	⑨	A6B3	8A58	4659	1-2633	NO090081
428	⑩	A6B4	8A59	465A	1-2634	NO100081
429	i	A6B5	8B51	41B1	1-2635	NR010080
430	ii	A6B6	8B52	41B2	1-2636	NR020080
431	iii	A6B7	8B53	41B3	1-2637	NR030080
432	iv	A6B8	8B54	41B4	1-2638	NR040080
433	v	A6B9	8B55	41B5	1-2639	NR050080
434	vi	A6BA	8B56	41B6	1-263A	NR060080
435	vii	A6BB	8B57	41B7	1-263B	NR070080
436	viii	A6BC	8B58	41B8	1-263C	NR080080
437	ix	A6BD	8B59	41B9	1-263D	NR090080
438	X	A6BE	8B5A	41BA	1-263E	NR100080
439	一	A7A1	8740	4841	1-2721	T16P0080
440	丨	A7A2	8741	4842	1-2722	T16Q0080
441	、	A7A3	8742	4843	1-2723	T16R0080
442	丿	A7A4	8743	4844	1-2724	T16S0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 18 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
443	乙	A7A5	8744	4845	1-2725	T16T0080
444	丿	A7A6	8745	4846	1-2726	T16U0080
445	二	A7A7	8746	4847	1-2727	T16V0080
446	一	A7A8	8747	4848	1-2728	T16W0080
447	人	A7A9	8748	4849	1-2729	T16X0080
448	儿	A7AA	8749	484A	1-272A	T16Y0080
449	入	A7AB	874A	484B	1-272B	T16Z0080
450	八	A7AC	874B	484C	1-272C	T1700080
451	冂	A7AD	874C	484D	1-272D	T1710080
452	冃	A7AE	874D	484E	1-272E	T1720080
453	彳	A7AF	874E	484F	1-272F	T1730080
454	几	A7B0	874F	4850	1-2730	T1740080
455	凵	A7B1	8750	4851	1-2731	T1750080
456	刀	A7B2	8751	4852	1-2732	T1760080
457	力	A7B3	8752	4853	1-2733	T1770080
458	勹	A7B4	8753	4854	1-2734	T1780080
459	匕	A7B5	8754	4855	1-2735	T1790080
460	匚	A7B6	8755	4856	1-2736	T17A0080
461	匚	A7B7	8756	4857	1-2737	T17B0080
462	十	A7B8	8757	4858	1-2738	T17C0080
463	卜	A7B9	8758	4859	1-2739	T17D0080
464	冂	A7BA	8759	485A	1-273A	T17E0080
465	厂	A7BB	875A	485B	1-273B	T17F0080
466	厶	A7BC	875B	485C	1-273C	T17G0080
467	又	A7BD	875C	485D	1-273D	T17H0080
468	口	A7BE	875D	485E	1-273E	T17I0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 6 (Page 19 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
469	口	A7BF	875E	485F	1-273F	T17J0080
470	土	A7C0	875F	4860	1-2740	T17K0080
471	士	A7C1	8760	4861	1-2741	T17L0080
472	文	A7C2	8761	4862	1-2742	T17M0080
473	夕	A7C3	8762	4863	1-2743	T17N0080
474	大	A7C4	8763	4864	1-2744	T17O0080
475	女	A7C5	8764	4865	1-2745	T17P0080
476	子	A7C6	8765	4866	1-2746	T17Q0080
477	宀	A7C7	8766	4867	1-2747	T17R0080
478	寸	A7C8	8767	4868	1-2748	T17S0080
479	小	A7C9	8768	4869	1-2749	T17T0080
480	尢	A7CA	8769	486A	1-274A	T17U0080
481	尸	A7CB	876A	486B	1-274B	T17V0080
482	巾	A7CC	876B	486C	1-274C	T17W0080
483	山	A7CD	876C	486D	1-274D	T17X0080
484	巛	A7CE	876D	486E	1-274E	T17Y0080
485	工	A7CF	876E	486F	1-274F	T17Z0080
486	己	A7D0	876F	4870	1-2750	T1800080
487	巾	A7D1	8770	4871	1-2751	T1810080
488	干	A7D2	8771	4872	1-2752	T1820080
489	幺	A7D3	8772	4873	1-2753	T1830080
490	厂	A7D4	8773	4874	1-2754	T1840080
491	彡	A7D5	8774	4875	1-2755	T1850080
492	井	A7D6	8775	4876	1-2756	T1860080
493	弋	A7D7	8776	4877	1-2757	T1870080
494	弓	A7D8	8777	4878	1-2758	T1880080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 20 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
495	≡	A7D9	8778	4879	1-2759	T1890080
496	彡	A7DA	8779	487A	1-275A	T18A0080
497	彳	A7DB	877A	487B	1-275B	T18B0080
498	心	A7DC	877B	487C	1-275C	T18C0080
499	戈	A7DD	877C	487D	1-275D	T18D0080
500	戶	A7DE	877D	487E	1-275E	T18E0080
501	手	A7DF	877E	487F	1-275F	T18F0080
502	支	A7E0	8780	4881	1-2760	T18H0080
503	攴	A7E1	8781	4882	1-2761	T18I0080
504	攴	A7E2	8782	4883	1-2762	T18J0080
505	斗	A7E3	8783	4884	1-2763	T18K0080
506	斤	A7E4	8784	4885	1-2764	T18L0080
507	方	A7E5	8785	4886	1-2765	T18M0080
508	无	A7E6	8786	4887	1-2766	T18N0080
509	日	A7E7	8787	4888	1-2767	T18O0080
510	日	A7E8	8788	4889	1-2768	T18P0080
511	月	A7E9	8789	488A	1-2769	T18Q0080
512	木	A7EA	878A	488B	1-276A	T18R0080
513	欠	A7EB	878B	488C	1-276B	T18S0080
514	止	A7EC	878C	488D	1-276C	T18T0080
515	歹	A7ED	878D	488E	1-276D	T18U0080
516	殳	A7EE	878E	488F	1-276E	T18V0080
517	毋	A7EF	878F	4890	1-276F	T18W0080
518	比	A7F0	8790	4891	1-2770	T18X0080
519	毛	A7F1	8791	4892	1-2771	T18Y0080
520	氏	A7F2	8792	4893	1-2772	T18Z0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 6 (Page 21 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
521	气	A7F3	8793	4894	1-2773	T1900080
522	水	A7F4	8794	4895	1-2774	T1910080
523	火	A7F5	8795	4896	1-2775	T1920080
524	爪	A7F6	8796	4897	1-2776	T1930080
535	父	A7F7	8797	4898	1-2777	T1940080
526	爻	A7F8	8798	4899	1-2778	T1950080
527	月	A7F9	8799	489A	1-2779	T1960080
528	片	A7FA	879A	489B	1-277A	T1970080
529	牙	A7FB	879B	489C	1-277B	T1980080
530	牛	A7FC	879C	489D	1-277C	T1990080
531	犬	A7FD	879D	489E	1-277D	T19A0080
532	玄	A7FE	879E	489F	1-277E	T19B0080
533	玉	A8A1	879F	48A0	1-2821	T19C0080
534	瓜	A8A2	87A0	48A1	1-2822	T19D0080
535	瓦	A8A3	87A1	48A2	1-2823	T19E0080
536	甘	A8A4	87A2	48A3	1-2824	T19F0080
537	生	A8A5	87A3	48A4	1-2825	T19G0080
538	用	A8A6	87A4	48A5	1-2826	T19H0080
539	田	A8A7	87A5	48A6	1-2827	T19I0080
540	疋	A8A8	87A6	48A7	1-2828	T19J0080
541	疒	A8A9	87A7	48A8	1-2829	T19K0080
542	夂	A8AA	87A8	48A9	1-282A	T19L0080
543	白	A8AB	87A9	48AA	1-282B	T19M0080
544	皮	A8AC	87AA	48AB	1-282C	T19N0080
545	皿	A8AD	87AB	48AC	1-282D	T19O0080
546	目	A8AE	87AC	48AD	1-282E	T19P0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 6 (Page 22 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
547	矛	A8AF	87AD	48AE	1-282F	T19Q0080
548	矢	A8B0	87AE	48AF	1-2830	T19R0080
549	石	A8B1	87AF	48B0	1-2831	T19S0080
550	示	A8B2	87B0	48B1	1-2832	T19T0080
551	肉	A8B3	87B1	48B2	1-2833	T19U0080
552	禾	A8B4	87B2	48B3	1-2834	T19V0080
553	穴	A8B5	87B3	48B4	1-2835	T19W0080
554	立	A8B6	87B4	48B5	1-2836	T19X0080
555	竹	A8B7	87B5	48B6	1-2837	T19Y0080
556	米	A8B8	87B6	48B7	1-2838	T19Z0080
557	糸	A8B9	87B7	48B8	1-2839	T1A00080
558	缶	A8BA	87B8	48B9	1-283A	T1A10080
559	网	A8BB	87B9	48BA	1-283B	T1A20080
560	羊	A8BC	87BA	48BB	1-283C	T1A30080
561	羽	A8BD	87BB	48BC	1-283D	T1A40080
562	老	A8BE	87BC	48BD	1-283E	T1A50080
563	而	A8BF	87BD	48BE	1-283F	T1A60080
564	耒	A8C0	87BE	48BF	1-2840	T1A70080
565	耳	A8C1	87BF	48C0	1-2841	T1A80080
566	聿	A8C2	87C0	48C1	1-2842	T1A90080
567	肉	A8C3	87C1	48C2	1-2843	T1AA0080
568	臣	A8C4	87C2	48C3	1-2844	T1AB0080
569	自	A8C5	87C3	48C4	1-2845	T1AC0080
570	至	A8C6	87C4	48C5	1-2846	T1AD0080
571	臼	A8C7	87C5	48C6	1-2847	T1AE0080
572	舌	A8C8	87C6	48C7	1-2848	T1AF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 23 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
573	舛	A8C9	87C7	48C8	1-2849	T1AG0080
574	舟	A8CA	87C8	48C9	1-284A	T1AH0080
575	艮	A8CB	87C9	48CA	1-284B	T1AI0080
576	色	A8CC	87CA	48CB	1-284C	T1AJ0080
577	艸	A8CD	87CB	48CC	1-284D	T1AK0080
578	虍	A8CE	87CC	48CD	1-284E	T1AL0080
579	虫	A8CF	87CD	48CE	1-284F	T1AM0080
580	血	A8D0	87CE	48CF	1-2850	T1AN0080
581	行	A8D1	87CF	48D0	1-2851	T1AO0080
582	衣	A8D2	87D0	48D1	1-2852	T1AP0080
583	冫	A8D3	87D1	48D2	1-2853	T1AQ0080
584	見	A8D4	87D2	48D3	1-2854	T1AR0080
585	角	A8D5	87D3	48D4	1-2855	T1AS0080
586	言	A8D6	87D4	48D5	1-2856	T1AT0080
587	谷	A8D7	87D5	48D6	1-2857	T1AU0080
588	豆	A8D8	87D6	48D7	1-2858	T1AV0080
589	豕	A8D9	87D7	48D8	1-2859	T1AW0080
590	豸	A8DA	87D8	48D9	1-285A	T1AX0080
591	貝	A8DB	87D9	48DA	1-285B	T1AY0080
592	赤	A8DC	87DA	48DB	1-285C	T1AZ0080
593	走	A8DD	87DB	48DC	1-285D	T1B00080
594	足	A8DE	87DC	48DD	1-285E	T1B10080
595	身	A8DF	87DD	48DE	1-285F	T1B20080
596	車	A8E0	87DE	48DF	1-2860	T1B30080
597	辛	A8E1	87DF	48E0	1-2861	T1B40080
598	辰	A8E2	87E0	48E1	1-2862	T1B50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 24 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
599	走	A8E3	87E1	48E2	1-2863	T1B60080
600	邑	A8E4	87E2	48E3	1-2864	T1B70080
601	酉	A8E5	87E3	48E4	1-2865	T1B80080
602	采	A8E6	87E4	48E5	1-2866	T1B90080
603	里	A8E7	87E5	48E6	1-2867	T1BA0080
604	金	A8E8	87E6	48E7	1-2868	T1BB0080
605	長	A8E9	87E7	48E8	1-2869	T1BC0080
606	門	A8EA	87E8	48E9	1-286A	T1BD0080
607	阜	A8EB	87E9	48EA	1-286B	T1BE0080
608	隶	A8EC	87EA	48EB	1-286C	T1BF0080
609	隹	A8ED	87EB	48EC	1-286D	T1BG0080
610	雨	A8EE	87EC	48ED	1-286E	T1BH0080
611	青	A8EF	87ED	48EE	1-286F	T1BI0080
612	非	A8F0	87EE	48EF	1-2870	T1BJ0080
613	面	A8F1	87EF	48F0	1-2871	T1BK0080
614	革	A8F2	87F0	48F1	1-2872	T1BL0080
615	韋	A8F3	87F1	48F2	1-2873	T1BM0080
616	韭	A8F4	87F2	48F3	1-2874	T1BN0080
617	音	A8F5	87F3	48F4	1-2875	T1BO0080
618	頁	A8F6	87F4	48F5	1-2876	T1BP0080
619	風	A8F7	87F5	48F6	1-2877	T1BQ0080
620	飛	A8F8	87F6	48F7	1-2878	T1BR0080
621	食	A8F9	87F7	48F8	1-2879	T1BS0080
622	首	A8FA	87F8	48F9	1-287A	T1BT0080
623	香	A8FB	87F9	48FA	1-287B	T1BU0080
624	馬	A8FC	87FA	48FB	1-287C	T1BV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 25 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
625	骨	A8FD	87FB	48FC	1-287D	T1BW0080
626	高	A8FE	87FC	48FD	1-287E	T1BX0080
627	髟	A9A1	8840	4941	1-2921	T1C10080
628	鬥	A9A2	8841	4942	1-2922	T1C20080
629	鬯	A9A3	8842	4943	1-2923	T1C30080
630	鬲	A9A4	8843	4944	1-2924	T1C40080
631	鬼	A9A5	8844	4945	1-2925	T1C50080
632	魚	A9A6	8845	4946	1-2926	T1C60080
633	鳥	A9A7	8846	4947	1-2927	T1C70080
634	鹵	A9A8	8847	4948	1-2928	T1C80080
635	鹿	A9A9	8848	4949	1-2929	T1C90080
636	麥	A9AA	8849	494A	1-292A	T1CA0080
637	麻	A9AB	884A	494B	1-292B	T1CB0080
638	黃	A9AC	884B	494C	1-292C	T1CC0080
639	黍	A9AD	884C	494D	1-292D	T1CD0080
640	黑	A9AE	884D	494E	1-292E	T1CE0080
632	禡	A9AF	884E	494F	1-292F	T1CF0080
642	睪	A9B0	884F	4950	1-2930	T1CG0080
643	鼎	A9B1	8850	4951	1-2931	T1CH0080
644	鼓	A9B2	8851	4952	1-2932	T1CI0080
645	鼠	A9B3	8852	4953	1-2933	T1CJ0080
646	鼻	A9B4	8853	4954	1-2934	T1CK0080
647	齊	A9B5	8854	4955	1-2935	T1CL0080
648	齒	A9B6	8855	4956	1-2936	T1CM0080
649	龍	A9B7	8856	4957	1-2937	T1CN0080
650	龜	A9B8	8857	4958	1-2938	T1CO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 6 (Page 26 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
651	龠	A9B9	8858	4959	1-2939	T1CP0080
652	NULL	C2A1	8680	4781	1-4221	SE010080
653	TC ₁ (ㄅ)	C2A2	8681	4782	1-4222	SE020080
654	TC ₂ (ㄆ)	C2A3	8682	4783	1-4223	SE030080
655	TC ₃ (ㄇ)	C2A4	8683	4784	1-4224	SE040080
656	TC ₄ (ㄏ)	C2A5	8684	4785	1-4225	SE050080
657	TC ₅ (ㄏ)	C2A6	8685	4786	1-4226	SE060080
658	TC ₆ (ㄏ)	C2A7	8686	4787	1-4227	SE070080
659	BELL	C2A8	8687	4788	1-4228	SE080080
660	FE ₀ (ㄝ)	C2A9	8688	4789	1-4229	SE090080
661	FE ₁ (ㄝ)	C2AA	8689	478A	1-422A	SE100080
662	FE ₂ (ㄝ)	C2AB	868A	478B	1-422B	SE110080
663	FE ₃ (ㄝ)	C2AC	868B	478C	1-422C	SE120080
664	FE ₄ (ㄝ)	C2AD	868C	478D	1-422D	SE130080
665	FE ₅ (ㄝ)	C2AE	868D	478E	1-422E	SE140080
666	SO	C2AF	868E	478F	1-422F	SE150080
667	SI	C2B0	868F	4790	1-4230	SE160080
668	TC ₇ (ㄏ)	C2B1	8690	4791	1-4231	SE170080
669	DC ₁	C2B2	8691	4792	1-4232	SE180080
670	DC ₂	C2B3	8692	4793	1-4233	SE190080
671	DC ₃	C2B4	8693	4794	1-4234	SE200080
672	DC ₄	C2B5	8694	4795	1-4235	SE210080
673	TC ₈ (ㄏ)	C2B6	8695	4796	1-4236	SE220080
674	TC ₉ (ㄏ)	C2B7	8696	4797	1-4237	SE230080
675	TC ₁₀ (ㄏ)	C2B8	8697	4798	1-4238	SE240080
676	CAN	C2B9	8698	4799	1-4239	SE250080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 6 (Page 27 of 27). Non-Chinese (CNS 11643 Plane 1) Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
677	EM	C2BA	8699	479A	1-423A	SE260080
678	SUB	C2BB	869A	479B	1-423B	SE270080
679	ESC	C2BC	869B	479C	1-423C	SE280080
680	␣	C2BD	869C	479D	1-423D	SE290080
681	␣	C2BE	869D	479E	1-423E	SE300080
682	␣	C2BF	869E	479F	1-423F	SE310080
683	␣	C2C0	869F	47A0	1-4240	SE320080
684	DEL	C2C1	86A0	47A1	1-4241	SE330080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

10.2 Primary (CNS 11643 Plane 1) Chinese Character Set

Table 7 (Page 1 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1	一	C4A1	8C40	4C41	1-4421	T1S10080
2	乙	C4A2	8C41	4C42	1-4422	T1S20080
3	丁	C4A3	8C42	4C43	1-4423	T1S30080
4	七	C4A4	8C43	4C44	1-4424	T1S40080
5	乃	C4A5	8C44	4C45	1-4425	T1S50080
6	九	C4A6	8C45	4C46	1-4426	T1S60080
7	了	C4A7	8C46	4C47	1-4427	T1S70080
8	二	C4A8	8C47	4C48	1-4428	T1S80080
9	人	C4A9	8C48	4C49	1-4429	T1S90080
10	儿	C4AA	8C49	4C4A	1-442A	T1SA0080
11	入	C4AB	8C4A	4C4B	1-442B	T1SB0080
12	八	C4AC	8C4B	4C4C	1-442C	T1SC0080
13	几	C4AD	8C4C	4C4D	1-442D	T1SD0080
14	刀	C4AE	8C4D	4C4E	1-442E	T1SE0080
15	刁	C4AF	8C4E	4C4F	1-442F	T1SF0080
16	力	C4B0	8C4F	4C50	1-4430	T1SG0080
17	匕	C4B1	8C50	4C51	1-4431	T1SH0080
18	十	C4B2	8C51	4C52	1-4432	T1SI0080
19	卜	C4B3	8C52	4C53	1-4433	T1SJ0080
20	又	C4B4	8C53	4C54	1-4434	T1SK0080
21	三	C4B5	8C54	4C55	1-4435	T1SL0080
22	下	C4B6	8C55	4C56	1-4436	T1SM0080
23	丈	C4B7	8C56	4C57	1-4437	T1SN0080
24	上	C4B8	8C57	4C58	1-4438	T1SO0080
25	丫	C4B9	8C58	4C59	1-4439	T1SP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 2 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
26	丸	C4BA	8C59	4C5A	1-443A	T1SQ0080
27	凡	C4BB	8C5A	4C5B	1-443B	T1SR0080
28	久	C4BC	8C5B	4C5C	1-443C	T1SS0080
29	么	C4BD	8C5C	4C5D	1-443D	T1ST0080
30	也	C4BE	8C5D	4C5E	1-443E	T1SU0080
31	乞	C4BF	8C5E	4C5F	1-443F	T1SV0080
32	于	C4C0	8C5F	4C60	1-4440	T1SW0080
33	亡	C4C1	8C60	4C61	1-4441	T1SX0080
34	兀	C4C2	8C61	4C62	1-4442	T1SY0080
35	刃	C4C3	8C62	4C63	1-4443	T1SZ0080
36	勺	C4C4	8C63	4C64	1-4444	T1T00080
37	千	C4C5	8C64	4C65	1-4445	T1T10080
38	叉	C4C6	8C65	4C66	1-4446	T1T20080
39	口	C4C7	8C66	4C67	1-4447	T1T30080
40	土	C4C8	8C67	4C68	1-4448	T1T40080
41	士	C4C9	8C68	4C69	1-4449	T1T50080
42	夕	C4CA	8C69	4C6A	1-444A	T1T60080
43	大	C4CB	8C6A	4C6B	1-444B	T1T70080
44	女	C4CC	8C6B	4C6C	1-444C	T1T80080
45	子	C4CD	8C6C	4C6D	1-444D	T1T90080
46	孑	C4CE	8C6D	4C6E	1-444E	T1TA0080
47	孑	C4CF	8C6E	4C6F	1-444F	T1TB0080
48	寸	C4D0	8C6F	4C70	1-4450	T1TC0080
49	小	C4D1	8C70	4C71	1-4451	T1TD0080
50	尢	C4D2	8C71	4C72	1-4452	T1TE0080
51	尸	C4D3	8C72	4C73	1-4453	T1TF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 3 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
52	山	C4D4	8C73	4C74	1-4454	T1TG0080
53	川	C4D5	8C74	4C75	1-4455	T1TH0080
54	工	C4D6	8C75	4C76	1-4456	T1TI0080
55	己	C4D7	8C76	4C77	1-4457	T1TJ0080
56	巳	C4D8	8C77	4C78	1-4458	T1TK0080
57	巳	C4D9	8C78	4C79	1-4459	T1TL0080
58	巾	C4DA	8C79	4C7A	1-445A	T1TM0080
59	干	C4DB	8C7A	4C7B	1-445B	T1TN0080
60	井	C4DC	8C7B	4C7C	1-445C	T1TO0080
61	弋	C4DD	8C7C	4C7D	1-445D	T1TP0080
62	弓	C4DE	8C7D	4C7E	1-445E	T1TQ0080
63	才	C4DF	8C7E	4C7F	1-445F	T1TR0080
64	丑	C4E0	8C80	4C81	1-4460	T1TT0080
65	丐	C4E1	8C81	4C82	1-4461	T1TU0080
66	不	C4E2	8C82	4C83	1-4462	T1TV0080
67	中	C4E3	8C83	4C84	1-4463	T1TW0080
68	丰	C4E4	8C84	4C85	1-4464	T1TX0080
69	丹	C4E5	8C85	4C86	1-4465	T1TY0080
70	之	C4E6	8C86	4C87	1-4466	T1TZ0080
71	尹	C4E7	8C87	4C88	1-4467	T1U00080
72	予	C4E8	8C88	4C89	1-4468	T1U10080
73	云	C4E9	8C89	4C8A	1-4469	T1U20080
74	井	C4EA	8C8A	4C8B	1-446A	T1U30080
75	互	C4EB	8C8B	4C8C	1-446B	T1U40080
76	五	C4EC	8C8C	4C8D	1-446C	T1U50080
77	亢	C4ED	8C8D	4C8E	1-446D	T1U60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 4 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
78	仁	C4EE	8C8E	4C8F	1-446E	T1U70080
79	什	C4EF	8C8F	4C90	1-446F	T1U80080
80	竹	C4F0	8C90	4C91	1-4470	T1U90080
81	仆	C4F1	8C91	4C92	1-4471	T1UA0080
82	仇	C4F2	8C92	4C93	1-4472	T1UB0080
83	仍	C4F3	8C93	4C94	1-4473	T1UC0080
84	今	C4F4	8C94	4C95	1-4474	T1UD0080
85	介	C4F5	8C95	4C96	1-4475	T1UE0080
86	仄	C4F6	8C96	4C97	1-4476	T1UF0080
87	元	C4F7	8C97	4C98	1-4477	T1UG0080
88	允	C4F8	8C98	4C99	1-4478	T1UH0080
89	内	C4F9	8C99	4C9A	1-4479	T1UI0080
90	六	C4FA	8C9A	4C9B	1-447A	T1UJ0080
91	兮	C4FB	8C9B	4C9C	1-447B	T1UK0080
92	公	C4FC	8C9C	4C9D	1-447C	T1UL0080
93	冗	C4FD	8C9D	4C9E	1-447D	T1UM0080
94	凶	C4FE	8C9E	4C9F	1-447E	T1UN0080
95	分	C5A1	8C9F	4CA0	1-4521	T1UO0080
96	切	C5A2	8CA0	4CA1	1-4522	T1UP0080
97	刈	C5A3	8CA1	4CA2	1-4523	T1UQ0080
98	匀	C5A4	8CA2	4CA3	1-4524	T1UR0080
99	勾	C5A5	8CA3	4CA4	1-4525	T1US0080
100	勿	C5A6	8CA4	4CA5	1-4526	T1UT0080
101	化	C5A7	8CA5	4CA6	1-4527	T1UU0080
102	匹	C5A8	8CA6	4CA7	1-4528	T1UV0080
103	午	C5A9	8CA7	4CA8	1-4529	T1UW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 5 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
104	升	C5AA	8CA8	4CA9	1-452A	T1UX0080
105	卅	C5AB	8CA9	4CAA	1-452B	T1UY0080
106	卞	C5AC	8CAA	4CAB	1-452C	T1UZ0080
107	卮	C5AD	8CAB	4CAC	1-452D	T1V00080
108	友	C5AE	8CAC	4CAD	1-452E	T1V10080
109	及	C5AF	8CAD	4CAE	1-452F	T1V20080
110	反	C5B0	8CAE	4CAF	1-4530	T1V30080
111	壬	C5B1	8CAF	4CB0	1-4531	T1V40080
112	天	C5B2	8CB0	4CB1	1-4532	T1V50080
113	夫	C5B3	8CB1	4CB2	1-4533	T1V60080
114	太	C5B4	8CB2	4CB3	1-4534	T1V70080
115	夭	C5B5	8CB3	4CB4	1-4535	T1V80080
116	孔	C5B6	8CB4	4CB5	1-4536	T1V90080
117	少	C5B7	8CB5	4CB6	1-4537	T1VA0080
118	尢	C5B8	8CB6	4CB7	1-4538	T1VB0080
119	尺	C5B9	8CB7	4CB8	1-4539	T1VC0080
120	屯	C5BA	8CB8	4CB9	1-453A	T1VD0080
121	巴	C5BB	8CB9	4CBA	1-453B	T1VE0080
122	幻	C5BC	8CBA	4CBB	1-453C	T1VF0080
123	廿	C5BD	8CBB	4CBC	1-453D	T1VG0080
124	帛	C5BE	8CBC	4CBD	1-453E	T1VH0080
125	引	C5BF	8CBD	4CBE	1-453F	T1VI0080
126	心	C5C0	8CBE	4CBF	1-4540	T1VJ0080
127	戈	C5C1	8CBF	4CC0	1-4541	T1VK0080
128	戶	C5C2	8CC0	4CC1	1-4542	T1VL0080
129	手	C5C3	8CC1	4CC2	1-4543	T1VM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 6 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
130	扎	C5C4	8CC2	4CC3	1-4544	T1VN0080
131	支	C5C5	8CC3	4CC4	1-4545	T1VO0080
132	文	C5C6	8CC4	4CC5	1-4546	T1VP0080
133	斗	C5C7	8CC5	4CC6	1-4547	T1VQ0080
134	斤	C5C8	8CC6	4CC7	1-4548	T1VR0080
135	方	C5C9	8CC7	4CC8	1-4549	T1VS0080
136	日	C5CA	8CC8	4CC9	1-454A	T1VT0080
137	曰	C5CB	8CC9	4CCA	1-454B	T1VU0080
138	月	C5CC	8CCA	4CCB	1-454C	T1VV0080
139	木	C5CD	8CCB	4CCC	1-454D	T1VW0080
140	欠	C5CE	8CCC	4CCD	1-454E	T1VX0080
141	止	C5CF	8CCD	4CCE	1-454F	T1VY0080
142	歹	C5D0	8CCE	4CCF	1-4550	T1VZ0080
143	毋	C5D1	8CCF	4CD0	1-4551	T1W00080
144	比	C5D2	8CD0	4CD1	1-4552	T1W10080
145	毛	C5D3	8CD1	4CD2	1-4553	T1W20080
146	氏	C5D4	8CD2	4CD3	1-4554	T1W30080
147	水	C5D5	8CD3	4CD4	1-4555	T1W40080
148	火	C5D6	8CD4	4CD5	1-4556	T1W50080
149	爪	C5D7	8CD5	4CD6	1-4557	T1W60080
150	父	C5D8	8CD6	4CD7	1-4558	T1W70080
151	爻	C5D9	8CD7	4CD8	1-4559	T1W80080
152	片	C5DA	8CD8	4CD9	1-455A	T1W90080
153	牙	C5DB	8CD9	4CDA	1-455B	T1WA0080
154	牛	C5DC	8CDA	4CDB	1-455C	T1WB0080
155	犬	C5DD	8CDB	4CDC	1-455D	T1WC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 7 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
156	王	C5DE	8CDC	4CDD	1-455E	T1WD0080
157	丙	C5DF	8CDD	4CDE	1-455F	T1WE0080
158	世	C5E0	8CDE	4CDF	1-4560	T1WF0080
159	丕	C5E1	8CDF	4CE0	1-4561	T1WG0080
160	且	C5E2	8CE0	4CE1	1-4562	T1WH0080
161	丘	C5E3	8CE1	4CE2	1-4563	T1WI0080
162	主	C5E4	8CE2	4CE3	1-4564	T1WJ0080
163	乍	C5E5	8CE3	4CE4	1-4565	T1WK0080
164	乏	C5E6	8CE4	4CE5	1-4566	T1WL0080
165	乎	C5E7	8CE5	4CE6	1-4567	T1WM0080
166	以	C5E8	8CE6	4CE7	1-4568	T1WN0080
167	付	C5E9	8CE7	4CE8	1-4569	T1WO0080
168	仔	C5EA	8CE8	4CE9	1-456A	T1WP0080
169	仕	C5EB	8CE9	4CEA	1-456B	T1WQ0080
170	他	C5EC	8CEA	4CEB	1-456C	T1WR0080
171	仗	C5ED	8CEB	4CEC	1-456D	T1WS0080
172	代	C5EE	8CEC	4CED	1-456E	T1WT0080
173	令	C5EF	8CED	4CEE	1-456F	T1WU0080
174	仙	C5F0	8CEE	4CEF	1-4570	T1WV0080
175	仞	C5F1	8CEF	4CF0	1-4571	T1WW0080
176	充	C5F2	8CF0	4CF1	1-4572	T1WX0080
177	兄	C5F3	8CF1	4CF2	1-4573	T1WY0080
178	冉	C5F4	8CF2	4CF3	1-4574	T1WZ0080
179	册	C5F5	8CF3	4CF4	1-4575	T1X00080
180	冬	C5F6	8CF4	4CF5	1-4576	T1X10080
181	凹	C5F7	8CF5	4CF6	1-4577	T1X20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 8 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
182	出	C5F8	8CF6	4CF7	1-4578	T1X30080
183	凸	C5F9	8CF7	4CF8	1-4579	T1X40080
184	刊	C5FA	8CF8	4CF9	1-457A	T1X50080
185	加	C5FB	8CF9	4CFA	1-457B	T1X60080
186	功	C5FC	8CFA	4CFB	1-457C	T1X70080
187	包	C5FD	8CFB	4CFC	1-457D	T1X80080
188	匆	C5FE	8CFC	4CFD	1-457E	T1X90080
189	北	C6A1	8D40	4D41	1-4621	T1XD0080
190	匝	C6A2	8D41	4D42	1-4622	T1XE0080
191	仟	C6A3	8D42	4D43	1-4623	T1XF0080
192	半	C6A4	8D43	4D44	1-4624	T1XG0080
193	卉	C6A5	8D44	4D45	1-4625	T1XH0080
194	卡	C6A6	8D45	4D46	1-4626	T1XI0080
195	占	C6A7	8D46	4D47	1-4627	T1XJ0080
196	卯	C6A8	8D47	4D48	1-4628	T1XK0080
197	卮	C6A9	8D48	4D49	1-4629	T1XL0080
198	去	C6AA	8D49	4D4A	1-462A	T1XM0080
199	可	C6AB	8D4A	4D4B	1-462B	T1XN0080
200	古	C6AC	8D4B	4D4C	1-462C	T1XO0080
201	右	C6AD	8D4C	4D4D	1-462D	T1XP0080
202	召	C6AE	8D4D	4D4E	1-462E	T1XQ0080
203	叮	C6AF	8D4E	4D4F	1-462F	T1XR0080
204	叩	C6B0	8D4F	4D50	1-4630	T1XS0080
205	叨	C6B1	8D50	4D51	1-4631	T1XT0080
206	𠂇	C6B2	8D51	4D52	1-4632	T1XU0080
207	司	C6B3	8D52	4D53	1-4633	T1XV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 9 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
208	叵	C6B4	8D53	4D54	1-4634	T1XW0080
209	叫	C6B5	8D54	4D55	1-4635	T1XX0080
210	另	C6B6	8D55	4D56	1-4636	T1XY0080
211	只	C6B7	8D56	4D57	1-4637	T1XZ0080
212	史	C6B8	8D57	4D58	1-4638	T1Y00080
213	叱	C6B9	8D58	4D59	1-4639	T1Y10080
214	台	C6BA	8D59	4D5A	1-463A	T1Y20080
215	旬	C6BB	8D5A	4D5B	1-463B	T1Y30080
216	叭	C6BC	8D5B	4D5C	1-463C	T1Y40080
217	叻	C6BD	8D5C	4D5D	1-463D	T1Y50080
218	四	C6BE	8D5D	4D5E	1-463E	T1Y60080
219	囚	C6BF	8D5E	4D5F	1-463F	T1Y70080
220	外	C6C0	8D5F	4D60	1-4640	T1Y80080
221	央	C6C1	8D60	4D61	1-4641	T1Y90080
222	失	C6C2	8D61	4D62	1-4642	T1YA0080
223	奴	C6C3	8D62	4D63	1-4643	T1YB0080
224	奶	C6C4	8D63	4D64	1-4644	T1YC0080
225	孕	C6C5	8D64	4D65	1-4645	T1YD0080
226	它	C6C6	8D65	4D66	1-4646	T1YE0080
227	尼	C6C7	8D66	4D67	1-4647	T1YF0080
228	巨	C6C8	8D67	4D68	1-4648	T1YG0080
229	巧	C6C9	8D68	4D69	1-4649	T1YH0080
230	左	C6CA	8D69	4D6A	1-464A	T1YI0080
231	市	C6CB	8D6A	4D6B	1-464B	T1YJ0080
232	布	C6CC	8D6B	4D6C	1-464C	T1YK0080
233	平	C6CD	8D6C	4D6D	1-464D	T1YL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 10 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
234	幼	C6CE	8D6D	4D6E	1-464E	T1YM0080
235	弁	C6CF	8D6E	4D6F	1-464F	T1YN0080
236	弘	C6D0	8D6F	4D70	1-4650	T1YO0080
237	弗	C6D1	8D70	4D71	1-4651	T1YP0080
238	必	C6D2	8D71	4D72	1-4652	T1YQ0080
239	戊	C6D3	8D72	4D73	1-4653	T1YR0080
240	打	C6D4	8D73	4D74	1-4654	T1YS0080
241	扔	C6D5	8D74	4D75	1-4655	T1YT0080
242	扒	C6D6	8D75	4D76	1-4656	T1YU0080
243	扑	C6D7	8D76	4D77	1-4657	T1YV0080
244	斥	C6D8	8D77	4D78	1-4658	T1YW0080
245	旦	C6D9	8D78	4D79	1-4659	T1YX0080
246	朮	C6DA	8D79	4D7A	1-465A	T1YY0080
247	本	C6DB	8D7A	4D7B	1-465B	T1YZ0080
248	未	C6DC	8D7B	4D7C	1-465C	T1Z00080
249	末	C6DD	8D7C	4D7D	1-465D	T1Z10080
250	札	C6DE	8D7D	4D7E	1-465E	T1Z20080
251	正	C6DF	8D7E	4D7F	1-465F	T1Z30080
252	母	C6E0	8D80	4D81	1-4660	T1Z50080
253	民	C6E1	8D81	4D82	1-4661	T1Z60080
254	氏	C6E2	8D82	4D83	1-4662	T1Z70080
255	永	C6E3	8D83	4D84	1-4663	T1Z80080
256	汁	C6E4	8D84	4D85	1-4664	T1Z90080
257	汀	C6E5	8D85	4D86	1-4665	T1ZA0080
258	汜	C6E6	8D86	4D87	1-4666	T1ZB0080
259	犯	C6E7	8D87	4D88	1-4667	T1ZC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 11 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
260	玄	C6E8	8D88	4D89	1-4668	T1ZD0080
261	玉	C6E9	8D89	4D8A	1-4669	T1ZE0080
262	瓜	C6EA	8D8A	4D8B	1-466A	T1ZF0080
263	瓦	C6EB	8D8B	4D8C	1-466B	T1ZG0080
264	甘	C6EC	8D8C	4D8D	1-466C	T1ZH0080
265	生	C6ED	8D8D	4D8E	1-466D	T1ZI0080
266	用	C6EE	8D8E	4D8F	1-466E	T1ZJ0080
267	甩	C6EF	8D8F	4D90	1-466F	T1ZK0080
268	田	C6F0	8D90	4D91	1-4670	T1ZL0080
269	由	C6F1	8D91	4D92	1-4671	T1ZM0080
270	甲	C6F2	8D92	4D93	1-4672	T1ZN0080
271	申	C6F3	8D93	4D94	1-4673	T1ZO0080
272	疋	C6F4	8D94	4D95	1-4674	T1ZP0080
273	白	C6F5	8D95	4D96	1-4675	T1ZQ0080
274	皮	C6F6	8D96	4D97	1-4676	T1ZR0080
275	皿	C6F7	8D97	4D98	1-4677	T1ZS0080
276	目	C6F8	8D98	4D99	1-4678	T1ZT0080
277	矛	C6F9	8D99	4D9A	1-4679	T1ZU0080
278	矢	C6FA	8D9A	4D9B	1-467A	T1ZV0080
279	石	C6FB	8D9B	4D9C	1-467B	T1ZW0080
280	示	C6FC	8D9C	4D9D	1-467C	T1ZX0080
281	禾	C6FD	8D9D	4D9E	1-467D	T1ZY0080
282	穴	C6FE	8D9E	4D9F	1-467E	T1ZZ0080
283	立	C7A1	8D9F	4DA0	1-4721	T2000080
284	丞	C7A2	8DA0	4DA1	1-4722	T2010080
285	丢	C7A3	8DA1	4DA2	1-4723	T2020080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 12 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
286	乒	C7A4	8DA2	4DA3	1-4724	T2030080
287	乓	C7A5	8DA3	4DA4	1-4725	T2040080
288	𠂔	C7A6	8DA4	4DA5	1-4726	T2050080
289	互	C7A7	8DA5	4DA6	1-4727	T2060080
290	交	C7A8	8DA6	4DA7	1-4728	T2070080
291	亦	C7A9	8DA7	4DA8	1-4729	T2080080
292	亥	C7AA	8DA8	4DA9	1-472A	T2090080
293	仿	C7AB	8DA9	4DAA	1-472B	T20A0080
294	伉	C7AC	8DAA	4DAB	1-472C	T20B0080
295	伙	C7AD	8DAB	4DAC	1-472D	T20C0080
296	伊	C7AE	8DAC	4DAD	1-472E	T20D0080
297	佚	C7AF	8DAD	4DAE	1-472F	T20E0080
298	伍	C7B0	8DAE	4DAF	1-4730	T20F0080
299	伐	C7B1	8DAF	4DB0	1-4731	T20G0080
300	休	C7B2	8DB0	4DB1	1-4732	T20H0080
301	伏	C7B3	8DB1	4DB2	1-4733	T20I0080
302	仲	C7B4	8DB2	4DB3	1-4734	T20J0080
303	件	C7B5	8DB3	4DB4	1-4735	T20K0080
304	任	C7B6	8DB4	4DB5	1-4736	T20L0080
305	仰	C7B7	8DB5	4DB6	1-4737	T20M0080
306	𠂔	C7B8	8DB6	4DB7	1-4738	T20N0080
307	份	C7B9	8DB7	4DB8	1-4739	T20O0080
308	企	C7BA	8DB8	4DB9	1-473A	T20P0080
309	𠂔	C7BB	8DB9	4DBA	1-473B	T20Q0080
310	光	C7BC	8DBA	4DBB	1-473C	T20R0080
311	兇	C7BD	8DBB	4DBC	1-473D	T20S0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 13 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
312	兆	C7BE	8DBC	4DBD	1-473E	T20T0080
313	先	C7BF	8DBD	4DBE	1-473F	T20U0080
314	全	C7C0	8DBE	4DBF	1-4740	T20V0080
315	共	C7C1	8DBF	4DC0	1-4741	T20W0080
316	再	C7C2	8DC0	4DC1	1-4742	T20X0080
317	冰	C7C3	8DC1	4DC2	1-4743	T20Y0080
318	列	C7C4	8DC2	4DC3	1-4744	T20Z0080
319	刑	C7C5	8DC3	4DC4	1-4745	T2100080
320	划	C7C6	8DC4	4DC5	1-4746	T2110080
321	刎	C7C7	8DC5	4DC6	1-4747	T2120080
322	刎	C7C8	8DC6	4DC7	1-4748	T2130080
323	劣	C7C9	8DC7	4DC8	1-4749	T2140080
324	匈	C7CA	8DC8	4DC9	1-474A	T2150080
325	匡	C7CB	8DC9	4DCA	1-474B	T2160080
326	匠	C7CC	8DCA	4DCB	1-474C	T2170080
327	印	C7CD	8DCB	4DCC	1-474D	T2180080
328	危	C7CE	8DCC	4DCD	1-474E	T2190080
329	吉	C7CF	8DCD	4DCE	1-474F	T21A0080
330	吏	C7D0	8DCE	4DCF	1-4750	T21B0080
331	同	C7D1	8DCF	4DD0	1-4751	T21C0080
332	吊	C7D2	8DD0	4DD1	1-4752	T21D0080
333	吐	C7D3	8DD1	4DD2	1-4753	T21E0080
334	吁	C7D4	8DD2	4DD3	1-4754	T21F0080
335	时	C7D5	8DD3	4DD4	1-4755	T21G0080
336	各	C7D6	8DD4	4DD5	1-4756	T21H0080
337	向	C7D7	8DD5	4DD6	1-4757	T21I0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 14 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
338	名	C7D8	8DD6	4DD7	1-4758	T21J0080
339	合	C7D9	8DD7	4DD8	1-4759	T21K0080
340	吃	C7DA	8DD8	4DD9	1-475A	T21L0080
341	后	C7DB	8DD9	4DDA	1-475B	T21M0080
342	叻	C7DC	8DDA	4ddb	1-475C	T21N0080
343	吒	C7DD	8ddb	4DDC	1-475D	T21O0080
344	因	C7DE	8DDC	4DDD	1-475E	T21P0080
345	回	C7DF	8DDD	4DDE	1-475F	T21Q0080
346	圉	C7E0	8DDE	4DDF	1-4760	T21R0080
347	圳	C7E1	8DDF	4DE0	1-4761	T21S0080
348	地	C7E2	8DE0	4DE1	1-4762	T21T0080
349	在	C7E3	8DE1	4DE2	1-4763	T21U0080
350	圭	C7E4	8DE2	4DE3	1-4764	T21V0080
351	圻	C7E5	8DE3	4DE4	1-4765	T21W0080
352	圮	C7E6	8DE4	4DE5	1-4766	T21X0080
353	圩	C7E7	8DE5	4DE6	1-4767	T21Y0080
354	夙	C7E8	8DE6	4DE7	1-4768	T21Z0080
355	多	C7E9	8DE7	4DE8	1-4769	T2200080
356	夷	C7EA	8DE8	4DE9	1-476A	T2210080
357	夸	C7EB	8DE9	4DEA	1-476B	T2220080
358	妄	C7EC	8DEA	4DEB	1-476C	T2230080
359	奸	C7ED	8DEB	4DEC	1-476D	T2240080
360	妃	C7EE	8DEC	4DED	1-476E	T2250080
361	好	C7EF	8DED	4DEE	1-476F	T2260080
362	她	C7F0	8DEE	4DEF	1-4770	T2270080
363	如	C7F1	8DEF	4DF0	1-4771	T2280080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 15 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
364	妁	C7F2	8DF0	4DF1	1-4772	T2290080
365	字	C7F3	8DF1	4DF2	1-4773	T22A0080
366	存	C7F4	8DF2	4DF3	1-4774	T22B0080
367	宇	C7F5	8DF3	4DF4	1-4775	T22C0080
368	守	C7F6	8DF4	4DF5	1-4776	T22D0080
369	宅	C7F7	8DF5	4DF6	1-4777	T22E0080
370	安	C7F8	8DF6	4DF7	1-4778	T22F0080
371	寺	C7F9	8DF7	4DF8	1-4779	T22G0080
372	尖	C7FA	8DF8	4DF9	1-477A	T22H0080
373	屹	C7FB	8DF9	4DFA	1-477B	T22I0080
374	州	C7FC	8DFA	4DFB	1-477C	T22J0080
375	帆	C7FD	8DFB	4DFC	1-477D	T22K0080
376	并	C7FE	8DFC	4DFD	1-477E	T22L0080
377	年	C8A1	8E40	4E41	1-4821	T22P0080
378	式	C8A2	8E41	4E42	1-4822	T22Q0080
379	弛	C8A3	8E42	4E43	1-4823	T22R0080
380	忙	C8A4	8E43	4E44	1-4824	T22S0080
381	付	C8A5	8E44	4E45	1-4825	T22T0080
382	戎	C8A6	8E45	4E46	1-4826	T22U0080
383	戍	C8A7	8E46	4E47	1-4827	T22V0080
384	戍	C8A8	8E47	4E48	1-4828	T22W0080
385	成	C8A9	8E48	4E49	1-4829	T22X0080
386	扣	C8AA	8E49	4E4A	1-482A	T22Y0080
387	扛	C8AB	8E4A	4E4B	1-482B	T22Z0080
388	托	C8AC	8E4B	4E4C	1-482C	T2300080
389	收	C8AD	8E4C	4E4D	1-482D	T2310080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 16 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
390	早	C8AE	8E4D	4E4E	1-482E	T2320080
391	旨	C8AF	8E4E	4E4F	1-482F	T2330080
392	旬	C8B0	8E4F	4E50	1-4830	T2340080
393	旭	C8B1	8E50	4E51	1-4831	T2350080
394	曲	C8B2	8E51	4E52	1-4832	T2360080
395	曳	C8B3	8E52	4E53	1-4833	T2370080
396	有	C8B4	8E53	4E54	1-4834	T2380080
397	朽	C8B5	8E54	4E55	1-4835	T2390080
398	朴	C8B6	8E55	4E56	1-4836	T23A0080
399	朱	C8B7	8E56	4E57	1-4837	T23B0080
400	朶	C8B8	8E57	4E58	1-4838	T23C0080
401	次	C8B9	8E58	4E59	1-4839	T23D0080
402	此	C8BA	8E59	4E5A	1-483A	T23E0080
403	死	C8BB	8E5A	4E5B	1-483B	T23F0080
404	氛	C8BC	8E5B	4E5C	1-483C	T23G0080
405	汝	C8BD	8E5C	4E5D	1-483D	T23H0080
406	汗	C8BE	8E5D	4E5E	1-483E	T23I0080
407	汙	C8BF	8E5E	4E5F	1-483F	T23J0080
408	江	C8C0	8E5F	4E60	1-4840	T23K0080
409	池	C8C1	8E60	4E61	1-4841	T23L0080
410	汐	C8C2	8E61	4E62	1-4842	T23M0080
411	汕	C8C3	8E62	4E63	1-4843	T23N0080
412	汙	C8C4	8E63	4E64	1-4844	T23O0080
413	汛	C8C5	8E64	4E65	1-4845	T23P0080
414	洑	C8C6	8E65	4E66	1-4846	T23Q0080
415	汎	C8C7	8E66	4E67	1-4847	T23R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 7 (Page 17 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
416	灰	C8C8	8E67	4E68	1-4848	T23S0080
417	牟	C8C9	8E68	4E69	1-4849	T23T0080
418	牝	C8CA	8E69	4E6A	1-484A	T23U0080
419	百	C8CB	8E6A	4E6B	1-484B	T23V0080
420	竹	C8CC	8E6B	4E6C	1-484C	T23W0080
421	米	C8CD	8E6C	4E6D	1-484D	T23X0080
422	糸	C8CE	8E6D	4E6E	1-484E	T23Y0080
423	缶	C8CF	8E6E	4E6F	1-484F	T23Z0080
424	羊	C8D0	8E6F	4E70	1-4850	T2400080
425	羽	C8D1	8E70	4E71	1-4851	T2410080
426	老	C8D2	8E71	4E72	1-4852	T2420080
427	考	C8D3	8E72	4E73	1-4853	T2430080
428	而	C8D4	8E73	4E74	1-4854	T2440080
429	耒	C8D5	8E74	4E75	1-4855	T2450080
430	耳	C8D6	8E75	4E76	1-4856	T2460080
431	聿	C8D7	8E76	4E77	1-4857	T2470080
432	肉	C8D8	8E77	4E78	1-4858	T2480080
433	肋	C8D9	8E78	4E79	1-4859	T2490080
434	肌	C8DA	8E79	4E7A	1-485A	T24A0080
435	臣	C8DB	8E7A	4E7B	1-485B	T24B0080
436	自	C8DC	8E7B	4E7C	1-485C	T24C0080
437	至	C8DD	8E7C	4E7D	1-485D	T24D0080
438	白	C8DE	8E7D	4E7E	1-485E	T24E0080
439	舌	C8DF	8E7E	4E7F	1-485F	T24F0080
440	舛	C8E0	8E80	4E81	1-4860	T24H0080
441	舟	C8E1	8E81	4E82	1-4861	T24I0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 18 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
442	良	C8E2	8E82	4E83	1-4862	T24J0080
443	色	C8E3	8E83	4E84	1-4863	T24K0080
444	艾	C8E4	8E84	4E85	1-4864	T24L0080
445	虫	C8E5	8E85	4E86	1-4865	T24M0080
446	血	C8E6	8E86	4E87	1-4866	T24N0080
447	行	C8E7	8E87	4E88	1-4867	T24O0080
448	衣	C8E8	8E88	4E89	1-4868	T24P0080
449	西	C8E9	8E89	4E8A	1-4869	T24Q0080
450	阡	C8EA	8E8A	4E8B	1-486A	T24R0080
451	串	C8EB	8E8B	4E8C	1-486B	T24S0080
452	亨	C8EC	8E8C	4E8D	1-486C	T24T0080
453	位	C8ED	8E8D	4E8E	1-486D	T24U0080
454	住	C8EE	8E8E	4E8F	1-486E	T24V0080
455	佇	C8EF	8E8F	4E90	1-486F	T24W0080
456	佗	C8F0	8E90	4E91	1-4870	T24X0080
457	佞	C8F1	8E91	4E92	1-4871	T24Y0080
458	伴	C8F2	8E92	4E93	1-4872	T24Z0080
459	佛	C8F3	8E93	4E94	1-4873	T2500080
460	何	C8F4	8E94	4E95	1-4874	T2510080
461	估	C8F5	8E95	4E96	1-4875	T2520080
462	佐	C8F6	8E96	4E97	1-4876	T2530080
463	佑	C8F7	8E97	4E98	1-4877	T2540080
464	伽	C8F8	8E98	4E99	1-4878	T2550080
465	伺	C8F9	8E99	4E9A	1-4879	T2560080
466	伸	C8FA	8E9A	4E9B	1-487A	T2570080
467	佃	C8FB	8E9B	4E9C	1-487B	T2580080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 19 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
468	佔	C8FC	8E9C	4E9D	1-487C	T2590080
469	似	C8FD	8E9D	4E9E	1-487D	T25A0080
470	但	C8FE	8E9E	4E9F	1-487E	T25B0080
471	佣	C9A1	8E9F	4EA0	1-4921	T25C0080
472	作	C9A2	8EA0	4EA1	1-4922	T25D0080
473	你	C9A3	8EA1	4EA2	1-4923	T25E0080
474	伯	C9A4	8EA2	4EA3	1-4924	T25F0080
475	低	C9A5	8EA3	4EA4	1-4925	T25G0080
476	伶	C9A6	8EA4	4EA5	1-4926	T25H0080
477	余	C9A7	8EA5	4EA6	1-4927	T25I0080
478	佻	C9A8	8EA6	4EA7	1-4928	T25J0080
479	佈	C9A9	8EA7	4EA8	1-4929	T25K0080
480	佚	C9AA	8EA8	4EA9	1-492A	T25L0080
481	兌	C9AB	8EA9	4EAA	1-492B	T25M0080
482	克	C9AC	8EAA	4EAB	1-492C	T25N0080
483	兔	C9AD	8EAB	4EAC	1-492D	T25O0080
484	兵	C9AE	8EAC	4EAD	1-492E	T25P0080
485	冶	C9AF	8EAD	4EAE	1-492F	T25Q0080
486	冷	C9B0	8EAE	4EAF	1-4930	T25R0080
487	別	C9B1	8EAF	4EB0	1-4931	T25S0080
488	判	C9B2	8EB0	4EB1	1-4932	T25T0080
489	利	C9B3	8EB1	4EB2	1-4933	T25U0080
490	刪	C9B4	8EB2	4EB3	1-4934	T25V0080
491	剗	C9B5	8EB3	4EB4	1-4935	T25W0080
492	劫	C9B6	8EB4	4EB5	1-4936	T25X0080
493	助	C9B7	8EB5	4EB6	1-4937	T25Y0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 20 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
494	努	C9B8	8EB6	4EB7	1-4938	T25Z0080
495	劬	C9B9	8EB7	4EB8	1-4939	T2600080
496	匡	C9BA	8EB8	4EB9	1-493A	T2610080
497	即	C9BB	8EB9	4EBA	1-493B	T2620080
498	卵	C9BC	8EBA	4EBB	1-493C	T2630080
499	吝	C9BD	8EBB	4EBC	1-493D	T2640080
500	吭	C9BE	8EBC	4EBD	1-493E	T2650080
501	吞	C9BF	8EBD	4EBE	1-493F	T2660080
502	吾	C9C0	8EBE	4EBF	1-4940	T2670080
503	否	C9C1	8EBF	4EC0	1-4941	T2680080
504	呎	C9C2	8EC0	4EC1	1-4942	T2690080
505	吧	C9C3	8EC1	4EC2	1-4943	T26A0080
506	呆	C9C4	8EC2	4EC3	1-4944	T26B0080
507	呃	C9C5	8EC3	4EC4	1-4945	T26C0080
508	吳	C9C6	8EC4	4EC5	1-4946	T26D0080
509	呈	C9C7	8EC5	4EC6	1-4947	T26E0080
510	呂	C9C8	8EC6	4EC7	1-4948	T26F0080
511	君	C9C9	8EC7	4EC8	1-4949	T26G0080
512	吩	C9CA	8EC8	4EC9	1-494A	T26H0080
513	告	C9CB	8EC9	4ECA	1-494B	T26I0080
514	吹	C9CC	8ECA	4ECB	1-494C	T26J0080
515	吻	C9CD	8ECB	4ECC	1-494D	T26K0080
516	吸	C9CE	8ECC	4ECD	1-494E	T26L0080
517	吮	C9CF	8ECD	4ECE	1-494F	T26M0080
518	吵	C9D0	8ECE	4ECF	1-4950	T26N0080
519	呐	C9D1	8ECF	4ED0	1-4951	T26O0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 21 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
520	吠	C9D2	8ED0	4ED1	1-4952	T26P0080
521	吼	C9D3	8ED1	4ED2	1-4953	T26Q0080
522	呀	C9D4	8ED2	4ED3	1-4954	T26R0080
523	吱	C9D5	8ED3	4ED4	1-4955	T26S0080
524	含	C9D6	8ED4	4ED5	1-4956	T26T0080
525	吟	C9D7	8ED5	4ED6	1-4957	T26U0080
526	听	C9D8	8ED6	4ED7	1-4958	T26V0080
527	囟	C9D9	8ED7	4ED8	1-4959	T26W0080
528	困	C9DA	8ED8	4ED9	1-495A	T26X0080
529	囤	C9DB	8ED9	4EDA	1-495B	T26Y0080
530	匳	C9DC	8EDA	4EDB	1-495C	T26Z0080
531	坊	C9DD	8EDB	4EDC	1-495D	T2700080
532	坑	C9DE	8EDC	4EDD	1-495E	T2710080
533	址	C9DF	8EDD	4EDE	1-495F	T2720080
534	埤	C9E0	8EDE	4EDF	1-4960	T2730080
535	均	C9E1	8EDF	4EE0	1-4961	T2740080
536	坎	C9E2	8EE0	4EE1	1-4962	T2750080
537	圾	C9E3	8EE1	4EE2	1-4963	T2760080
538	坐	C9E4	8EE2	4EE3	1-4964	T2770080
539	坏	C9E5	8EE3	4EE4	1-4965	T2780080
540	圻	C9E6	8EE4	4EE5	1-4966	T2790080
541	壯	C9E7	8EE5	4EE6	1-4967	T27A0080
542	夾	C9E8	8EE6	4EE7	1-4968	T27B0080
543	妝	C9E9	8EE7	4EE8	1-4969	T27C0080
544	妒	C9EA	8EE8	4EE9	1-496A	T27D0080
545	妨	C9EB	8EE9	4EEA	1-496B	T27E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 22 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
546	妞	C9EC	8EEA	4EEB	1-496C	T27F0080
547	妣	C9ED	8EEB	4EEC	1-496D	T27G0080
548	妙	C9EE	8EEC	4EED	1-496E	T27H0080
549	妖	C9EF	8EED	4EEE	1-496F	T27I0080
550	妍	C9F0	8EEE	4EEF	1-4970	T27J0080
551	姪	C9F1	8EEF	4EF0	1-4971	T27K0080
552	妓	C9F2	8EF0	4EF1	1-4972	T27L0080
553	妊	C9F3	8EF1	4EF2	1-4973	T27M0080
554	妥	C9F4	8EF2	4EF3	1-4974	T27N0080
555	孝	C9F5	8EF3	4EF4	1-4975	T27O0080
556	孜	C9F6	8EF4	4EF5	1-4976	T27P0080
557	孚	C9F7	8EF5	4EF6	1-4977	T27Q0080
558	亨	C9F8	8EF6	4EF7	1-4978	T27R0080
559	完	C9F9	8EF7	4EF8	1-4979	T27S0080
560	宋	C9FA	8EF8	4EF9	1-497A	T27T0080
561	宏	C9FB	8EF9	4EFA	1-497B	T27U0080
562	尫	C9FC	8EFA	4EFB	1-497C	T27V0080
563	局	C9FD	8EFB	4EFC	1-497D	T27W0080
564	屁	C9FE	8EFC	4EFD	1-497E	T27X0080
565	尿	CAA1	8F40	4F41	1-4A21	T2810080
566	尾	CAA2	8F41	4F42	1-4A22	T2820080
567	岐	CAA3	8F42	4F43	1-4A23	T2830080
568	岑	CAA4	8F43	4F44	1-4A24	T2840080
569	岔	CAA5	8F44	4F45	1-4A25	T2850080
570	炭	CAA6	8F45	4F46	1-4A26	T2860080
571	叢	CAA7	8F46	4F47	1-4A27	T2870080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 23 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
572	希	CAA8	8F47	4F48	1-4A28	T2880080
573	序	CAA9	8F48	4F49	1-4A29	T2890080
574	庇	CAAA	8F49	4F4A	1-4A2A	T28A0080
575	床	CAAB	8F4A	4F4B	1-4A2B	T28B0080
576	廷	CAAC	8F4B	4F4C	1-4A2C	T28C0080
577	弄	CAAD	8F4C	4F4D	1-4A2D	T28D0080
578	弟	CAAE	8F4D	4F4E	1-4A2E	T28E0080
579	彤	CAAF	8F4E	4F4F	1-4A2F	T28F0080
580	形	CAB0	8F4F	4F50	1-4A30	T28G0080
581	衍	CAB1	8F50	4F51	1-4A31	T28H0080
582	役	CAB2	8F51	4F52	1-4A32	T28I0080
583	忘	CAB3	8F52	4F53	1-4A33	T28J0080
584	忌	CAB4	8F53	4F54	1-4A34	T28K0080
585	志	CAB5	8F54	4F55	1-4A35	T28L0080
586	忍	CAB6	8F55	4F56	1-4A36	T28M0080
587	忱	CAB7	8F56	4F57	1-4A37	T28N0080
588	快	CAB8	8F57	4F58	1-4A38	T28O0080
589	忸	CAB9	8F58	4F59	1-4A39	T28P0080
590	忪	CABA	8F59	4F5A	1-4A3A	T28Q0080
591	戒	CABB	8F5A	4F5B	1-4A3B	T28R0080
592	我	CABC	8F5B	4F5C	1-4A3C	T28S0080
593	抄	CABD	8F5C	4F5D	1-4A3D	T28T0080
594	抗	CABE	8F5D	4F5E	1-4A3E	T28U0080
595	抖	CABF	8F5E	4F5F	1-4A3F	T28V0080
596	技	CAC0	8F5F	4F60	1-4A40	T28W0080
597	扶	CAC1	8F60	4F61	1-4A41	T28X0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 24 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
598	抉	CAC2	8F61	4F62	1-4A42	T28Y0080
599	扭	CAC3	8F62	4F63	1-4A43	T28Z0080
600	把	CAC4	8F63	4F64	1-4A44	T2900080
601	扼	CAC5	8F64	4F65	1-4A45	T2910080
602	找	CAC6	8F65	4F66	1-4A46	T2920080
603	批	CAC7	8F66	4F67	1-4A47	T2930080
604	扳	CAC8	8F67	4F68	1-4A48	T2940080
605	杼	CAC9	8F68	4F69	1-4A49	T2950080
606	扯	CACA	8F69	4F6A	1-4A4A	T2960080
607	折	CACB	8F6A	4F6B	1-4A4B	T2970080
608	扮	CACC	8F6B	4F6C	1-4A4C	T2980080
609	投	CACD	8F6C	4F6D	1-4A4D	T2990080
610	抓	CACE	8F6D	4F6E	1-4A4E	T29A0080
611	抑	CACF	8F6E	4F6F	1-4A4F	T29B0080
612	技	CAD0	8F6F	4F70	1-4A50	T29C0080
613	改	CAD1	8F70	4F71	1-4A51	T29D0080
614	攻	CAD2	8F71	4F72	1-4A52	T29E0080
615	攸	CAD3	8F72	4F73	1-4A53	T29F0080
616	旱	CAD4	8F73	4F74	1-4A54	T29G0080
617	更	CAD5	8F74	4F75	1-4A55	T29H0080
618	束	CAD6	8F75	4F76	1-4A56	T29I0080
619	李	CAD7	8F76	4F77	1-4A57	T29J0080
620	杏	CAD8	8F77	4F78	1-4A58	T29K0080
621	材	CAD9	8F78	4F79	1-4A59	T29L0080
622	村	CADA	8F79	4F7A	1-4A5A	T29M0080
623	杜	CADB	8F7A	4F7B	1-4A5B	T29N0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 25 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
624	杖	CADC	8F7B	4F7C	1-4A5C	T29O0080
625	杞	CADD	8F7C	4F7D	1-4A5D	T29P0080
626	杉	CADE	8F7D	4F7E	1-4A5E	T29Q0080
627	杆	CADF	8F7E	4F7F	1-4A5F	T29R0080
628	杠	CAE0	8F80	4F81	1-4A60	T29T0080
629	杓	CAE1	8F81	4F82	1-4A61	T29U0080
630	杓	CAE2	8F82	4F83	1-4A62	T29V0080
631	步	CAE3	8F83	4F84	1-4A63	T29W0080
632	每	CAE4	8F84	4F85	1-4A64	T29X0080
633	求	CAE5	8F85	4F86	1-4A65	T29Y0080
634	汞	CAE6	8F86	4F87	1-4A66	T29Z0080
635	沙	CAE7	8F87	4F88	1-4A67	T2A00080
636	沁	CAE8	8F88	4F89	1-4A68	T2A10080
637	沈	CAE9	8F89	4F8A	1-4A69	T2A20080
638	沉	CAEA	8F8A	4F8B	1-4A6A	T2A30080
639	沅	CAEB	8F8B	4F8C	1-4A6B	T2A40080
640	沛	CAEC	8F8C	4F8D	1-4A6C	T2A50080
641	汪	CAED	8F8D	4F8E	1-4A6D	T2A60080
642	决	CAEE	8F8E	4F8F	1-4A6E	T2A70080
643	沐	CAEF	8F8F	4F90	1-4A6F	T2A80080
644	汰	CAF0	8F90	4F91	1-4A70	T2A90080
645	沌	CAF1	8F91	4F92	1-4A71	T2AA0080
646	汨	CAF2	8F92	4F93	1-4A72	T2AB0080
647	冲	CAF3	8F93	4F94	1-4A73	T2AC0080
648	浚	CAF4	8F94	4F95	1-4A74	T2AD0080
649	汽	CAF5	8F95	4F96	1-4A75	T2AE0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 26 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
650	沃	CAF6	8F96	4F97	1-4A76	T2AF0080
651	汲	CAF7	8F97	4F98	1-4A77	T2AG0080
652	汾	CAF8	8F98	4F99	1-4A78	T2AH0080
653	汴	CAF9	8F99	4F9A	1-4A79	T2AI0080
654	沆	CAFA	8F9A	4F9B	1-4A7A	T2AJ0080
655	汶	CAFB	8F9B	4F9C	1-4A7B	T2AK0080
656	洹	CAFC	8F9C	4F9D	1-4A7C	T2AL0080
657	沔	CAFD	8F9D	4F9E	1-4A7D	T2AM0080
658	泚	CAFE	8F9E	4F9F	1-4A7E	T2AN0080
659	沂	CBA1	8F9F	4FA0	1-4B21	T2AO0080
660	灶	CBA2	8FA0	4FA1	1-4B22	T2AP0080
661	灼	CBA3	8FA1	4FA2	1-4B23	T2AQ0080
662	災	CBA4	8FA2	4FA3	1-4B24	T2AR0080
663	灸	CBA5	8FA3	4FA4	1-4B25	T2AS0080
664	牢	CBA6	8FA4	4FA5	1-4B26	T2AT0080
665	牡	CBA7	8FA5	4FA6	1-4B27	T2AU0080
666	牠	CBA8	8FA6	4FA7	1-4B28	T2AV0080
667	狄	CBA9	8FA7	4FA8	1-4B29	T2AW0080
668	狂	CBAA	8FA8	4FA9	1-4B2A	T2AX0080
669	玖	CBAB	8FA9	4FAA	1-4B2B	T2AY0080
670	甬	CBAC	8FAA	4FAB	1-4B2C	T2AZ0080
671	甫	CBAD	8FAB	4FAC	1-4B2D	T2B00080
672	男	CBAE	8FAC	4FAD	1-4B2E	T2B10080
673	甸	CBAF	8FAD	4FAE	1-4B2F	T2B20080
674	皂	CBB0	8FAE	4FAF	1-4B30	T2B30080
675	盯	CBB1	8FAF	4FB0	1-4B31	T2B40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 27 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
676	矣	CBB2	8FB0	4FB1	1-4B32	T2B50080
677	私	CBB3	8FB1	4FB2	1-4B33	T2B60080
678	秀	CBB4	8FB2	4FB3	1-4B34	T2B70080
679	秃	CBB5	8FB3	4FB4	1-4B35	T2B80080
680	究	CBB6	8FB4	4FB5	1-4B36	T2B90080
681	系	CBB7	8FB5	4FB6	1-4B37	T2BA0080
682	罕	CBB8	8FB6	4FB7	1-4B38	T2BB0080
683	肖	CBB9	8FB7	4FB8	1-4B39	T2BC0080
684	育	CBBA	8FB8	4FB9	1-4B3A	T2BD0080
685	肝	CBBB	8FB9	4FBA	1-4B3B	T2BE0080
686	肘	CBBC	8FBA	4FBB	1-4B3C	T2BF0080
687	肛	CBBD	8FBB	4FBC	1-4B3D	T2BG0080
688	肚	CBBE	8FBC	4FBD	1-4B3E	T2BH0080
689	育	CBBF	8FBD	4FBE	1-4B3F	T2BI0080
690	良	CBC0	8FBE	4FBF	1-4B40	T2BJ0080
691	芒	CBC1	8FBF	4FC0	1-4B41	T2BK0080
692	芋	CBC2	8FC0	4FC1	1-4B42	T2BL0080
693	芍	CBC3	8FC1	4FC2	1-4B43	T2BM0080
694	見	CBC4	8FC2	4FC3	1-4B44	T2BN0080
695	角	CBC5	8FC3	4FC4	1-4B45	T2BO0080
696	言	CBC6	8FC4	4FC5	1-4B46	T2BP0080
697	谷	CBC7	8FC5	4FC6	1-4B47	T2BQ0080
698	豆	CBC8	8FC6	4FC7	1-4B48	T2BR0080
699	豕	CBC9	8FC7	4FC8	1-4B49	T2BS0080
700	貝	BCA	8FC8	4FC9	1-4B4A	T2BT0080
701	赤	CBCB	8FC9	4FCA	1-4B4B	T2BU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 28 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
702	走	CBCC	8FCA	4FCB	1-4B4C	T2BV0080
703	足	CBCD	8FCB	4FCC	1-4B4D	T2BW0080
704	身	CBCE	8FCC	4FCD	1-4B4E	T2BX0080
705	車	CBCF	8FCD	4FCE	1-4B4F	T2BY0080
706	辛	CBD0	8FCE	4FCF	1-4B50	T2BZ0080
707	辰	CBD1	8FCF	4FD0	1-4B51	T2C00080
708	迂	CBD2	8FD0	4FD1	1-4B52	T2C10080
709	迤	CBD3	8FD1	4FD2	1-4B53	T2C20080
710	迅	CBD4	8FD2	4FD3	1-4B54	T2C30080
711	迄	CBD5	8FD3	4FD4	1-4B55	T2C40080
712	巡	CBD6	8FD4	4FD5	1-4B56	T2C50080
713	邑	CBD7	8FD5	4FD6	1-4B57	T2C60080
714	邢	CBD8	8FD6	4FD7	1-4B58	T2C70080
715	邪	CBD9	8FD7	4FD8	1-4B59	T2C80080
716	邦	CBDA	8FD8	4FD9	1-4B5A	T2C90080
717	那	CBDB	8FD9	4FDA	1-4B5B	T2CA0080
718	酉	CBDC	8FDA	4FDB	1-4B5C	T2CB0080
719	采	CBDD	8FDB	4FDC	1-4B5D	T2CC0080
720	里	CBDE	8FDC	4FDD	1-4B5E	T2CD0080
721	防	CBDF	8FDD	4FDE	1-4B5F	T2CE0080
722	阮	CBE0	8FDE	4FDF	1-4B60	T2CF0080
723	阱	CBE1	8FDF	4FE0	1-4B61	T2CG0080
724	阪	CBE2	8FE0	4FE1	1-4B62	T2CH0080
725	阮	CBE3	8FE1	4FE2	1-4B63	T2CI0080
726	並	CBE4	8FE2	4FE3	1-4B64	T2CJ0080
727	乖	CBE5	8FE3	4FE4	1-4B65	T2CK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 29 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
728	乳	CBE6	8FE4	4FE5	1-4B66	T2CL0080
729	事	CBE7	8FE5	4FE6	1-4B67	T2CM0080
730	些	CBE8	8FE6	4FE7	1-4B68	T2CN0080
731	亞	CBE9	8FE7	4FE8	1-4B69	T2CO0080
732	享	CBEA	8FE8	4FE9	1-4B6A	T2CP0080
733	京	CBEB	8FE9	4FEA	1-4B6B	T2CQ0080
734	佯	CBEC	8FEA	4FEB	1-4B6C	T2CR0080
735	依	CBED	8FEB	4FEC	1-4B6D	T2CS0080
736	侍	CBEE	8FEC	4FED	1-4B6E	T2CT0080
737	佳	CBEF	8FED	4FEE	1-4B6F	T2CU0080
738	使	CBF0	8FEE	4FEF	1-4B70	T2CV0080
739	佬	CBF1	8FEF	4FF0	1-4B71	T2CW0080
740	供	CBF2	8FF0	4FF1	1-4B72	T2CX0080
741	例	CBF3	8FF1	4FF2	1-4B73	T2CY0080
742	來	CBF4	8FF2	4FF3	1-4B74	T2CZ0080
743	侃	CBF5	8FF3	4FF4	1-4B75	T2D00080
744	佰	CBF6	8FF4	4FF5	1-4B76	T2D10080
745	併	CBF7	8FF5	4FF6	1-4B77	T2D20080
746	侈	CBF8	8FF6	4FF7	1-4B78	T2D30080
747	佩	CBF9	8FF7	4FF8	1-4B79	T2D40080
748	佻	CBFA	8FF8	4FF9	1-4B7A	T2D50080
749	侖	CBFB	8FF9	4FFA	1-4B7B	T2D60080
750	份	CBFC	8FFA	4FFB	1-4B7C	T2D70080
751	侏	CBFD	8FFB	4FFC	1-4B7D	T2D80080
752	侑	CBFE	8FFC	4FFD	1-4B7E	T2D90080
753	佺	CCA1	9040	5041	1-4C21	T2DD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 30 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
754	兔	CCA2	9041	5042	1-4C22	T2DE0080
755	兒	CCA3	9042	5043	1-4C23	T2DF0080
756	兕	CCA4	9043	5044	1-4C24	T2DG0080
757	兩	CCA5	9044	5045	1-4C25	T2DH0080
758	具	CCA6	9045	5046	1-4C26	T2DI0080
759	其	CCA7	9046	5047	1-4C27	T2DJ0080
760	典	CCA8	9047	5048	1-4C28	T2DK0080
761	冽	CCA9	9048	5049	1-4C29	T2DL0080
762	函	CCAA	9049	504A	1-4C2A	T2DM0080
763	刻	CCAB	904A	504B	1-4C2B	T2DN0080
764	券	CCAC	904B	504C	1-4C2C	T2DO0080
765	刷	CCAD	904C	504D	1-4C2D	T2DP0080
766	刺	CCAE	904D	504E	1-4C2E	T2DQ0080
767	到	CCAF	904E	504F	1-4C2F	T2DR0080
768	刮	CCB0	904F	5050	1-4C30	T2DS0080
769	制	CCB1	9050	5051	1-4C31	T2DT0080
770	剝	CCB2	9051	5052	1-4C32	T2DU0080
771	劾	CCB3	9052	5053	1-4C33	T2DV0080
772	劬	CCB4	9053	5054	1-4C34	T2DW0080
773	卒	CCB5	9054	5055	1-4C35	T2DX0080
774	協	CCB6	9055	5056	1-4C36	T2DY0080
775	卓	CCB7	9056	5057	1-4C37	T2DZ0080
776	卑	CCB8	9057	5058	1-4C38	T2E00080
777	卦	CCB9	9058	5059	1-4C39	T2E10080
778	卷	CCBA	9059	505A	1-4C3A	T2E20080
779	卸	CCBB	905A	505B	1-4C3B	T2E30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 7 (Page 31 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
780	卹	CCBC	905B	505C	1-4C3C	T2E40080
781	取	CCBD	905C	505D	1-4C3D	T2E50080
782	叔	CCBE	905D	505E	1-4C3E	T2E60080
783	受	CCBF	905E	505F	1-4C3F	T2E70080
784	味	CCC0	905F	5060	1-4C40	T2E80080
785	呵	CCC1	9060	5061	1-4C41	T2E90080
786	咖	CCC2	9061	5062	1-4C42	T2EA0080
787	呖	CCC3	9062	5063	1-4C43	T2EB0080
788	咕	CCC4	9063	5064	1-4C44	T2EC0080
789	咀	CCC5	9064	5065	1-4C45	T2ED0080
790	呻	CCC6	9065	5066	1-4C46	T2EE0080
791	呷	CCC7	9066	5067	1-4C47	T2EF0080
792	咄	CCC8	9067	5068	1-4C48	T2EG0080
793	咒	CCC9	9068	5069	1-4C49	T2EH0080
794	咆	CCCA	9069	506A	1-4C4A	T2EI0080
795	呼	CCCB	906A	506B	1-4C4B	T2EJ0080
796	咐	CCCC	906B	506C	1-4C4C	T2EK0080
797	呱	CCCD	906C	506D	1-4C4D	T2EL0080
798	呶	CCCE	906D	506E	1-4C4E	T2EM0080
799	和	CCCF	906E	506F	1-4C4F	T2EN0080
800	咚	CCD0	906F	5070	1-4C50	T2EO0080
801	呢	CCD1	9070	5071	1-4C51	T2EP0080
802	周	CCD2	9071	5072	1-4C52	T2EQ0080
803	咋	CCD3	9072	5073	1-4C53	T2ER0080
804	命	CCD4	9073	5074	1-4C54	T2ES0080
805	咎	CCD5	9074	5075	1-4C55	T2ET0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 32 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
806	固	CCD6	9075	5076	1-4C56	T2EU0080
807	埝	CCD7	9076	5077	1-4C57	T2EV0080
808	坳	CCD8	9077	5078	1-4C58	T2EW0080
809	坪	CCD9	9078	5079	1-4C59	T2EX0080
810	坵	CCDA	9079	507A	1-4C5A	T2EY0080
811	坡	CCDB	907A	507B	1-4C5B	T2EZ0080
812	坦	CCDC	907B	507C	1-4C5C	T2F00080
813	坤	CCDD	907C	507D	1-4C5D	T2F10080
814	坼	CCDE	907D	507E	1-4C5E	T2F20080
815	夜	CCDF	907E	507F	1-4C5F	T2F30080
816	奉	CCE0	9080	5081	1-4C60	T2F50080
817	奇	CCE1	9081	5082	1-4C61	T2F60080
818	奈	CCE2	9082	5083	1-4C62	T2F70080
819	奄	CCE3	9083	5084	1-4C63	T2F80080
820	奔	CCE4	9084	5085	1-4C64	T2F90080
821	妾	CCE5	9085	5086	1-4C65	T2FA0080
822	妻	CCE6	9086	5087	1-4C66	T2FB0080
823	委	CCE7	9087	5088	1-4C67	T2FC0080
824	妹	CCE8	9088	5089	1-4C68	T2FD0080
825	妮	CCE9	9089	508A	1-4C69	T2FE0080
826	姑	CCEA	908A	508B	1-4C6A	T2FF0080
827	姆	CCEB	908B	508C	1-4C6B	T2FG0080
828	姐	CCEC	908C	508D	1-4C6C	T2FH0080
829	姍	CCED	908D	508E	1-4C6D	T2FI0080
830	始	CCEE	908E	508F	1-4C6E	T2FJ0080
831	姓	CCEF	908F	5090	1-4C6F	T2FK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 33 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
832	姊	CCF0	9090	5091	1-4C70	T2FL0080
833	妯	CCF1	9091	5092	1-4C71	T2FM0080
834	妳	CCF2	9092	5093	1-4C72	T2FN0080
835	媪	CCF3	9093	5094	1-4C73	T2FO0080
836	姘	CCF4	9094	5095	1-4C74	T2FP0080
837	孟	CCF5	9095	5096	1-4C75	T2FQ0080
838	孤	CCF6	9096	5097	1-4C76	T2FR0080
839	季	CCF7	9097	5098	1-4C77	T2FS0080
840	宗	CCF8	9098	5099	1-4C78	T2FT0080
841	定	CCF9	9099	509A	1-4C79	T2FU0080
842	官	CCFA	909A	509B	1-4C7A	T2FV0080
843	宜	CCFB	909B	509C	1-4C7B	T2FW0080
844	宙	CCFC	909C	509D	1-4C7C	T2FX0080
845	宛	CCFD	909D	509E	1-4C7D	T2FY0080
846	尚	CCFE	909E	509F	1-4C7E	T2FZ0080
847	屈	CDA1	909F	50A0	1-4D21	T2G00080
848	居	CDA2	90A0	50A1	1-4D22	T2G10080
849	屆	CDA3	90A1	50A2	1-4D23	T2G20080
850	岷	CDA4	90A2	50A3	1-4D24	T2G30080
851	岡	CDA5	90A3	50A4	1-4D25	T2G40080
852	岸	CDA6	90A4	50A5	1-4D26	T2G50080
853	岩	CDA7	90A5	50A6	1-4D27	T2G60080
854	岫	CDA8	90A6	50A7	1-4D28	T2G70080
855	岱	CDA9	90A7	50A8	1-4D29	T2G80080
856	岳	CDAA	90A8	50A9	1-4D2A	T2G90080
857	帘	CDAB	90A9	50AA	1-4D2B	T2GA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 34 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
858	帚	CDAC	90AA	50AB	1-4D2C	T2GB0080
859	帖	CDAD	90AB	50AC	1-4D2D	T2GC0080
860	帕	CDAE	90AC	50AD	1-4D2E	T2GD0080
861	帛	CDAF	90AD	50AE	1-4D2F	T2GE0080
862	帑	CDB0	90AE	50AF	1-4D30	T2GF0080
863	幸	CDB1	90AF	50B0	1-4D31	T2GG0080
864	庚	CDB2	90B0	50B1	1-4D32	T2GH0080
865	店	CDB3	90B1	50B2	1-4D33	T2GI0080
866	府	CDB4	90B2	50B3	1-4D34	T2GJ0080
867	底	CDB5	90B3	50B4	1-4D35	T2GK0080
868	庖	CDB6	90B4	50B5	1-4D36	T2GL0080
869	延	CDB7	90B5	50B6	1-4D37	T2GM0080
870	弦	CDB8	90B6	50B7	1-4D38	T2GN0080
871	弧	CDB9	90B7	50B8	1-4D39	T2GO0080
872	弩	CDBA	90B8	50B9	1-4D3A	T2GP0080
873	往	CDBB	90B9	50BA	1-4D3B	T2GQ0080
874	征	CDBC	90BA	50BB	1-4D3C	T2GR0080
875	佛	CDBD	90BB	50BC	1-4D3D	T2GS0080
876	彼	CDBE	90BC	50BD	1-4D3E	T2GT0080
877	忝	CDBF	90BD	50BE	1-4D3F	T2GU0080
878	忠	CDC0	90BE	50BF	1-4D40	T2GV0080
879	忽	CDC1	90BF	50C0	1-4D41	T2GW0080
880	念	CDC2	90C0	50C1	1-4D42	T2GX0080
881	忿	CDC3	90C1	50C2	1-4D43	T2GY0080
882	快	CDC4	90C2	50C3	1-4D44	T2GZ0080
883	怔	CDC5	90C3	50C4	1-4D45	T2H00080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 35 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
884	怯	CDC6	90C4	50C5	1-4D46	T2H10080
885	慌	CDC7	90C5	50C6	1-4D47	T2H20080
886	怖	CDC8	90C6	50C7	1-4D48	T2H30080
887	怪	CDC9	90C7	50C8	1-4D49	T2H40080
888	怕	CDCA	90C8	50C9	1-4D4A	T2H50080
889	怡	CDCB	90C9	50CA	1-4D4B	T2H60080
890	性	CDCC	90CA	50CB	1-4D4C	T2H70080
891	惘	CDCD	90CB	50CC	1-4D4D	T2H80080
892	佛	CDCE	90CC	50CD	1-4D4E	T2H90080
893	怛	CDCF	90CD	50CE	1-4D4F	T2HA0080
894	或	CDD0	90CE	50CF	1-4D50	T2HB0080
895	戕	CDD1	90CF	50D0	1-4D51	T2HC0080
896	房	CDD2	90D0	50D1	1-4D52	T2HD0080
897	戾	CDD3	90D1	50D2	1-4D53	T2HE0080
898	所	CDD4	90D2	50D3	1-4D54	T2HF0080
899	承	CDD5	90D3	50D4	1-4D55	T2HG0080
900	拉	CDD6	90D4	50D5	1-4D56	T2HH0080
901	拌	CDD7	90D5	50D6	1-4D57	T2HI0080
902	拄	CDD8	90D6	50D7	1-4D58	T2HJ0080
903	扞	CDD9	90D7	50D8	1-4D59	T2HK0080
904	拂	CDDA	90D8	50D9	1-4D5A	T2HL0080
905	抹	Cddb	90D9	50DA	1-4D5B	T2HM0080
906	拒	CDDC	90DA	50DB	1-4D5C	T2HN0080
907	招	CDDD	90DB	50DC	1-4D5D	T2HO0080
908	披	CDDE	90DC	50DD	1-4D5E	T2HP0080
909	拓	CDDF	90DD	50DE	1-4D5F	T2HQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 36 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
910	拔	CDE0	90DE	50DF	1-4D60	T2HR0080
911	抛	CDE1	90DF	50E0	1-4D61	T2HS0080
912	拈	CDE2	90E0	50E1	1-4D62	T2HT0080
913	抨	CDE3	90E1	50E2	1-4D63	T2HU0080
914	抽	CDE4	90E2	50E3	1-4D64	T2HV0080
915	押	CDE5	90E3	50E4	1-4D65	T2HW0080
916	拐	CDE6	90E4	50E5	1-4D66	T2HX0080
917	拙	CDE7	90E5	50E6	1-4D67	T2HY0080
918	拇	CDE8	90E6	50E7	1-4D68	T2HZ0080
919	拍	CDE9	90E7	50E8	1-4D69	T2I00080
920	抵	CDEA	90E8	50E9	1-4D6A	T2I10080
921	拚	CDEB	90E9	50EA	1-4D6B	T2I20080
922	抱	CDEC	90EA	50EB	1-4D6C	T2I30080
923	拘	CDED	90EB	50EC	1-4D6D	T2I40080
924	拖	CDEE	90EC	50ED	1-4D6E	T2I50080
925	拗	CDEF	90ED	50EE	1-4D6F	T2I60080
926	拆	CDF0	90EE	50EF	1-4D70	T2I70080
927	抬	CDF1	90EF	50F0	1-4D71	T2I80080
928	拎	CDF2	90F0	50F1	1-4D72	T2I90080
929	放	CDF3	90F1	50F2	1-4D73	T2IA0080
930	斧	CDF4	90F2	50F3	1-4D74	T2IB0080
931	於	CDF5	90F3	50F4	1-4D75	T2IC0080
932	旺	CDF6	90F4	50F5	1-4D76	T2ID0080
933	昔	CDF7	90F5	50F6	1-4D77	T2IE0080
934	易	CDF8	90F6	50F7	1-4D78	T2IF0080
935	昌	CDF9	90F7	50F8	1-4D79	T2IG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 37 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
936	昆	CDFA	90F8	50F9	1-4D7A	T2IH0080
937	昂	CDFB	90F9	50FA	1-4D7B	T2II0080
938	明	CDFC	90FA	50FB	1-4D7C	T2IJ0080
939	昀	CDFD	90FB	50FC	1-4D7D	T2IK0080
940	昏	CDFE	90FC	50FD	1-4D7E	T2IL0080
941	昕	CEA1	9140	5141	1-4E21	T2IP0080
942	昊	CEA2	9141	5142	1-4E22	T2IQ0080
943	昇	CEA3	9142	5143	1-4E23	T2IR0080
944	服	CEA4	9143	5144	1-4E24	T2IS0080
945	朋	CEA5	9144	5145	1-4E25	T2IT0080
946	杭	CEA6	9145	5146	1-4E26	T2IU0080
947	枋	CEA7	9146	5147	1-4E27	T2IV0080
948	枕	CEA8	9147	5148	1-4E28	T2IW0080
949	東	CEA9	9148	5149	1-4E29	T2IX0080
950	果	CEAA	9149	514A	1-4E2A	T2IY0080
951	杳	CEAB	914A	514B	1-4E2B	T2IZ0080
952	杷	CEAC	914B	514C	1-4E2C	T2J00080
953	枇	CEAD	914C	514D	1-4E2D	T2J10080
954	枝	CEAE	914D	514E	1-4E2E	T2J20080
955	林	CEAF	914E	514F	1-4E2F	T2J30080
956	杯	CEB0	914F	5150	1-4E30	T2J40080
957	杰	CEB1	9150	5151	1-4E31	T2J50080
958	板	CEB2	9151	5152	1-4E32	T2J60080
959	枉	CEB3	9152	5153	1-4E33	T2J70080
960	松	CEB4	9153	5154	1-4E34	T2J80080
961	析	CEB5	9154	5155	1-4E35	T2J90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 38 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
962	杵	CEB6	9155	5156	1-4E36	T2JA0080
963	枚	CEB7	9156	5157	1-4E37	T2JB0080
964	科	CEB8	9157	5158	1-4E38	T2JC0080
965	杼	CEB9	9158	5159	1-4E39	T2JD0080
966	杪	CEBA	9159	515A	1-4E3A	T2JE0080
967	杲	CEBB	915A	515B	1-4E3B	T2JF0080
968	欣	CEBC	915B	515C	1-4E3C	T2JG0080
969	武	CEBD	915C	515D	1-4E3D	T2JH0080
970	歧	CEBE	915D	515E	1-4E3E	T2JI0080
971	歿	CEBF	915E	515F	1-4E3F	T2JJ0080
972	岷	CEC0	915F	5160	1-4E40	T2JK0080
973	氛	CEC1	9160	5161	1-4E41	T2JL0080
974	泣	CEC2	9161	5162	1-4E42	T2JM0080
975	注	CEC3	9162	5163	1-4E43	T2JN0080
976	泳	CEC4	9163	5164	1-4E44	T2JO0080
977	沱	CEC5	9164	5165	1-4E45	T2JP0080
978	泌	CEC6	9165	5166	1-4E46	T2JQ0080
979	泥	CEC7	9166	5167	1-4E47	T2JR0080
980	河	CEC8	9167	5168	1-4E48	T2JS0080
981	沽	CEC9	9168	5169	1-4E49	T2JT0080
982	沾	CECA	9169	516A	1-4E4A	T2JU0080
983	沼	CECB	916A	516B	1-4E4B	T2JV0080
984	波	CECC	916B	516C	1-4E4C	T2JW0080
985	沫	CECD	916C	516D	1-4E4D	T2JX0080
986	法	CECE	916D	516E	1-4E4E	T2JY0080
987	泓	CECF	916E	516F	1-4E4F	T2JZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 39 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
988	沸	CED0	916F	5170	1-4E50	T2K00080
989	泄	CED1	9170	5171	1-4E51	T2K10080
990	油	CED2	9171	5172	1-4E52	T2K20080
991	況	CED3	9172	5173	1-4E53	T2K30080
992	沮	CED4	9173	5174	1-4E54	T2K40080
993	泗	CED5	9174	5175	1-4E55	T2K50080
994	泗	CED6	9175	5176	1-4E56	T2K60080
995	泱	CED7	9176	5177	1-4E57	T2K70080
996	沿	CED8	9177	5178	1-4E58	T2K80080
997	治	CED9	9178	5179	1-4E59	T2K90080
998	泡	CEDA	9179	517A	1-4E5A	T2KA0080
999	泛	CEDB	917A	517B	1-4E5B	T2KB0080
1000	泊	CEDC	917B	517C	1-4E5C	T2KC0080
1001	沫	CEDD	917C	517D	1-4E5D	T2KD0080
1002	泯	CEDE	917D	517E	1-4E5E	T2KE0080
1003	氐	CEDF	917E	517F	1-4E5F	T2KF0080
1004	泖	CEE0	9180	5181	1-4E60	T2KH0080
1005	泔	CEE1	9181	5182	1-4E61	T2KI0080
1006	炕	CEE2	9182	5183	1-4E62	T2KJ0080
1007	炎	CEE3	9183	5184	1-4E63	T2KK0080
1008	炒	CEE4	9184	5185	1-4E64	T2KL0080
1009	炊	CEE5	9185	5186	1-4E65	T2KM0080
1010	炙	CEE6	9186	5187	1-4E66	T2KN0080
1011	爬	CEE7	9187	5188	1-4E67	T2KO0080
1012	爭	CEE8	9188	5189	1-4E68	T2KP0080
1013	爸	CEE9	9189	518A	1-4E69	T2KQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 40 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1014	版	CEEA	918A	518B	1-4E6A	T2KR0080
1015	牧	CEEB	918B	518C	1-4E6B	T2KS0080
1016	物	CEEC	918C	518D	1-4E6C	T2KT0080
1017	狀	CEED	918D	518E	1-4E6D	T2KU0080
1018	狎	CEEE	918E	518F	1-4E6E	T2KV0080
1019	狙	CEEF	918F	5190	1-4E6F	T2KW0080
1020	狗	CEF0	9190	5191	1-4E70	T2KX0080
1021	狐	CEF1	9191	5192	1-4E71	T2KY0080
1022	玩	CEF2	9192	5193	1-4E72	T2KZ0080
1023	玨	CEF3	9193	5194	1-4E73	T2L00080
1024	玊	CEF4	9194	5195	1-4E74	T2L10080
1025	玎	CEF5	9195	5196	1-4E75	T2L20080
1026	玑	CEF6	9196	5197	1-4E76	T2L30080
1027	剛	CEF7	9197	5198	1-4E77	T2L40080
1028	疝	CEF8	9198	5199	1-4E78	T2L50080
1029	瘡	CEF9	9199	519A	1-4E79	T2L60080
1030	痃	CEFA	919A	519B	1-4E7A	T2L70080
1031	的	CEFB	919B	519C	1-4E7B	T2L80080
1032	盂	CEFC	919C	519D	1-4E7C	T2L90080
1033	盲	CEFD	919D	519E	1-4E7D	T2LA0080
1034	直	CEFE	919E	519F	1-4E7E	T2LB0080
1035	知	CFA1	919F	51A0	1-4F21	T2LC0080
1036	矽	CFA2	91A0	51A1	1-4F22	T2LD0080
1037	社	CFA3	91A1	51A2	1-4F23	T2LE0080
1038	祀	CFA4	91A2	51A3	1-4F24	T2LF0080
1039	祔	CFA5	91A3	51A4	1-4F25	T2LG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 41 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1040	秉	CFA6	91A4	51A5	1-4F26	T2LH0080
1041	柚	CFA7	91A5	51A6	1-4F27	T2LI0080
1042	空	CFA8	91A6	51A7	1-4F28	T2LJ0080
1043	穹	CFA9	91A7	51A8	1-4F29	T2LK0080
1044	竺	CFAA	91A8	51A9	1-4F2A	T2LL0080
1045	糾	CFAB	91A9	51AA	1-4F2B	T2LM0080
1046	罔	CFAC	91AA	51AB	1-4F2C	T2LN0080
1047	羌	CFAD	91AB	51AC	1-4F2D	T2LO0080
1048	𠂇	CFAE	91AC	51AD	1-4F2E	T2LP0080
1049	者	CFAF	91AD	51AE	1-4F2F	T2LQ0080
1050	肺	CFB0	91AE	51AF	1-4F30	T2LR0080
1051	肥	CFB1	91AF	51B0	1-4F31	T2LS0080
1052	肢	CFB2	91B0	51B1	1-4F32	T2LT0080
1053	肱	CFB3	91B1	51B2	1-4F33	T2LU0080
1054	股	CFB4	91B2	51B3	1-4F34	T2LV0080
1055	肫	CFB5	91B3	51B4	1-4F35	T2LW0080
1056	肩	CFB6	91B4	51B5	1-4F36	T2LX0080
1057	肴	CFB7	91B5	51B6	1-4F37	T2LY0080
1058	肪	CFB8	91B6	51B7	1-4F38	T2LZ0080
1059	肯	CFB9	91B7	51B8	1-4F39	T2M00080
1060	臥	CFBA	91B8	51B9	1-4F3A	T2M10080
1061	𠂇	CFBB	91B9	51BA	1-4F3B	T2M20080
1062	舍	CFBC	91BA	51BB	1-4F3C	T2M30080
1063	芳	CFBD	91BB	51BC	1-4F3D	T2M40080
1064	芝	CFBE	91BC	51BD	1-4F3E	T2M50080
1065	芙	CFBF	91BD	51BE	1-4F3F	T2M60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 7 (Page 42 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1066	芭	CFC0	91BE	51BF	1-4F40	T2M70080
1067	芽	CFC1	91BF	51C0	1-4F41	T2M80080
1068	茈	CFC2	91C0	51C1	1-4F42	T2M90080
1069	芹	CFC3	91C1	51C2	1-4F43	T2MA0080
1070	花	CFC4	91C2	51C3	1-4F44	T2MB0080
1071	芬	CFC5	91C3	51C4	1-4F45	T2MC0080
1072	芥	CFC6	91C4	51C5	1-4F46	T2MD0080
1073	芯	CFC7	91C5	51C6	1-4F47	T2ME0080
1074	芸	CFC8	91C6	51C7	1-4F48	T2MF0080
1075	芥	CFC9	91C7	51C8	1-4F49	T2MG0080
1076	茈	CFCA	91C8	51C9	1-4F4A	T2MH0080
1077	芾	CFCB	91C9	51CA	1-4F4B	T2MI0080
1078	芷	CFCC	91CA	51CB	1-4F4C	T2MJ0080
1079	虎	CFCD	91CB	51CC	1-4F4D	T2MK0080
1080	虱	CFCE	91CC	51CD	1-4F4E	T2ML0080
1081	初	CFCF	91CD	51CE	1-4F4F	T2MM0080
1082	表	CFD0	91CE	51CF	1-4F50	T2MN0080
1083	軋	CFD1	91CF	51D0	1-4F51	T2MO0080
1084	迎	CFD2	91D0	51D1	1-4F52	T2MP0080
1085	返	CFD3	91D1	51D2	1-4F53	T2MQ0080
1086	近	CFD4	91D2	51D3	1-4F54	T2MR0080
1087	邵	CFD5	91D3	51D4	1-4F55	T2MS0080
1088	邸	CFD6	91D4	51D5	1-4F56	T2MT0080
1089	邱	CFD7	91D5	51D6	1-4F57	T2MU0080
1090	邨	CFD8	91D6	51D7	1-4F58	T2MV0080
1091	采	CFD9	91D7	51D8	1-4F59	T2MW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 43 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1092	金	CFDA	91D8	51D9	1-4F5A	T2MX0080
1093	長	CFDB	91D9	51DA	1-4F5B	T2MY0080
1094	門	CFDC	91DA	51DB	1-4F5C	T2MZ0080
1095	阜	CFDD	91DB	51DC	1-4F5D	T2N00080
1096	陀	CFDE	91DC	51DD	1-4F5E	T2N10080
1097	阿	CFDF	91DD	51DE	1-4F5F	T2N20080
1098	阻	CFE0	91DE	51DF	1-4F60	T2N30080
1099	附	CFE1	91DF	51E0	1-4F61	T2N40080
1100	陂	CFE2	91E0	51E1	1-4F62	T2N50080
1101	隹	CFE3	91E1	51E2	1-4F63	T2N60080
1102	雨	CFE4	91E2	51E3	1-4F64	T2N70080
1103	青	CFE5	91E3	51E4	1-4F65	T2N80080
1104	非	CFE6	91E4	51E5	1-4F66	T2N90080
1105	奭	CFE7	91E5	51E6	1-4F67	T2NA0080
1106	亭	CFE8	91E6	51E7	1-4F68	T2NB0080
1107	亮	CFE9	91E7	51E8	1-4F69	T2NC0080
1108	信	CFEA	91E8	51E9	1-4F6A	T2ND0080
1109	侵	CFEB	91E9	51EA	1-4F6B	T2NE0080
1110	侯	CFEC	91EA	51EB	1-4F6C	T2NF0080
1111	便	CFED	91EB	51EC	1-4F6D	T2NG0080
1112	俠	CFEE	91EC	51ED	1-4F6E	T2NH0080
1113	俑	CFEF	91ED	51EE	1-4F6F	T2NI0080
1114	僧	CFF0	91EE	51EF	1-4F70	T2NJ0080
1115	保	CFF1	91EF	51F0	1-4F71	T2NK0080
1116	促	CFF2	91F0	51F1	1-4F72	T2NL0080
1117	侶	CFF3	91F1	51F2	1-4F73	T2NM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 7 (Page 44 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (1 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1118	俘	CFF4	91F2	51F3	1-4F74	T2NN0080
1119	俟	CFF5	91F3	51F4	1-4F75	T2NO0080
1120	俊	CFF6	91F4	51F5	1-4F76	T2NP0080
1121	俗	CFF7	91F5	51F6	1-4F77	T2NQ0080
1122	侮	CFF8	91F6	51F7	1-4F78	T2NR0080
1123	俐	CFF9	91F7	51F8	1-4F79	T2NS0080
1124	俄	CFFA	91F8	51F9	1-4F7A	T2NT0080
1125	係	CFFB	91F9	51FA	1-4F7B	T2NU0080
1126	俚	CFFC	91FA	51FB	1-4F7C	T2NV0080
1127	俎	CFFD	91FB	51FC	1-4F7D	T2NW0080
1128	兪	CFFE	91FC	51FD	1-4F7E	T2NX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 8 (Page 1 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1129	侷	D0A1	9240	5241	1-5021	T2O10080
1130	兇	D0A2	9241	5242	1-5022	T2O20080
1131	冒	D0A3	9242	5243	1-5023	T2O30080
1132	冑	D0A4	9243	5244	1-5024	T2O40080
1133	冠	D0A5	9244	5245	1-5025	T2O50080
1134	剝	D0A6	9245	5246	1-5026	T2O60080
1135	剝	D0A7	9246	5247	1-5027	T2O70080
1136	削	D0A8	9247	5248	1-5028	T2O80080
1137	前	D0A9	9248	5249	1-5029	T2O90080
1138	刺	D0AA	9249	524A	1-502A	T2OA0080
1139	剋	D0AB	924A	524B	1-502B	T2OB0080
1140	則	D0AC	924B	524C	1-502C	T2OC0080
1141	勇	D0AD	924C	524D	1-502D	T2OD0080
1142	勉	D0AE	924D	524E	1-502E	T2OE0080
1143	勃	D0AF	924E	524F	1-502F	T2OF0080
1144	勁	D0B0	924F	5250	1-5030	T2OG0080
1145	匍	D0B1	9250	5251	1-5031	T2OH0080
1146	南	D0B2	9251	5252	1-5032	T2OI0080
1147	卻	D0B3	9252	5253	1-5033	T2OJ0080
1148	厚	D0B4	9253	5254	1-5034	T2OK0080
1149	叛	D0B5	9254	5255	1-5035	T2OL0080
1150	咬	D0B6	9255	5256	1-5036	T2OM0080
1151	哀	D0B7	9256	5257	1-5037	T2ON0080
1152	咨	D0B8	9257	5258	1-5038	T2OO0080
1153	哎	D0B9	9258	5259	1-5039	T2OP0080
1154	哉	D0BA	9259	525A	1-503A	T2OQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 2 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1155	咸	D0BB	925A	525B	1-503B	T2OR0080
1156	嘍	D0BC	925B	525C	1-503C	T2OS0080
1157	咳	D0BD	925C	525D	1-503D	T2OT0080
1158	哇	D0BE	925D	525E	1-503E	T2OU0080
1159	晒	D0BF	925E	525F	1-503F	T2OV0080
1160	咽	D0C0	925F	5260	1-5040	T2OW0080
1161	咪	D0C1	9260	5261	1-5041	T2OX0080
1162	品	D0C2	9261	5262	1-5042	T2OY0080
1163	哄	D0C3	9262	5263	1-5043	T2OZ0080
1164	哈	D0C4	9263	5264	1-5044	T2P00080
1165	咯	D0C5	9264	5265	1-5045	T2P10080
1166	咫	D0C6	9265	5266	1-5046	T2P20080
1167	咱	D0C7	9266	5267	1-5047	T2P30080
1168	咻	D0C8	9267	5268	1-5048	T2P40080
1169	咩	D0C9	9268	5269	1-5049	T2P50080
1170	咧	D0CA	9269	526A	1-504A	T2P60080
1171	咿	D0CB	926A	526B	1-504B	T2P70080
1172	圉	D0CC	926B	526C	1-504C	T2P80080
1173	垂	D0CD	926C	526D	1-504D	T2P90080
1174	型	D0CE	926D	526E	1-504E	T2PA0080
1175	垠	D0CF	926E	526F	1-504F	T2PB0080
1176	垣	D0D0	926F	5270	1-5050	T2PC0080
1177	垢	D0D1	9270	5271	1-5051	T2PD0080
1178	城	D0D2	9271	5272	1-5052	T2PE0080
1179	垮	D0D3	9272	5273	1-5053	T2PF0080
1180	垓	D0D4	9273	5274	1-5054	T2PG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 3 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1181	奕	D0D5	9274	5275	1-5055	T2PH0080
1182	契	D0D6	9275	5276	1-5056	T2PI0080
1183	奏	D0D7	9276	5277	1-5057	T2PJ0080
1184	奎	D0D8	9277	5278	1-5058	T2PK0080
1185	奂	D0D9	9278	5279	1-5059	T2PL0080
1186	姜	D0DA	9279	527A	1-505A	T2PM0080
1187	妍	D0DB	927A	527B	1-505B	T2PN0080
1188	姿	D0DC	927B	527C	1-505C	T2PO0080
1189	姣	D0DD	927C	527D	1-505D	T2PP0080
1190	姨	D0DE	927D	527E	1-505E	T2PQ0080
1191	娃	D0DF	927E	527F	1-505F	T2PR0080
1192	姥	D0E0	9280	5281	1-5060	T2PT0080
1193	姪	D0E1	9281	5282	1-5061	T2PU0080
1194	姚	D0E2	9282	5283	1-5062	T2PV0080
1195	姦	D0E3	9283	5284	1-5063	T2PW0080
1196	威	D0E4	9284	5285	1-5064	T2PX0080
1197	姻	D0E5	9285	5286	1-5065	T2PY0080
1198	孩	D0E6	9286	5287	1-5066	T2PZ0080
1199	宣	D0E7	9287	5288	1-5067	T2Q00080
1200	宦	D0E8	9288	5289	1-5068	T2Q10080
1201	室	D0E9	9289	528A	1-5069	T2Q20080
1202	客	D0EA	928A	528B	1-506A	T2Q30080
1203	宥	D0EB	928B	528C	1-506B	T2Q40080
1204	封	D0EC	928C	528D	1-506C	T2Q50080
1205	屎	D0ED	928D	528E	1-506D	T2Q60080
1206	屏	D0EE	928E	528F	1-506E	T2Q70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 8 (Page 4 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1207	屍	D0EF	928F	5290	1-506F	T2Q80080
1208	屋	D0F0	9290	5291	1-5070	T2Q90080
1209	峙	D0F1	9291	5292	1-5071	T2QA0080
1210	峒	D0F2	9292	5293	1-5072	T2QB0080
1211	巷	D0F3	9293	5294	1-5073	T2QC0080
1212	帝	D0F4	9294	5295	1-5074	T2QD0080
1213	帥	D0F5	9295	5296	1-5075	T2QE0080
1214	帟	D0F6	9296	5297	1-5076	T2QF0080
1215	幽	D0F7	9297	5298	1-5077	T2QG0080
1216	庠	D0F8	9298	5299	1-5078	T2QH0080
1217	度	D0F9	9299	529A	1-5079	T2QI0080
1218	建	D0FA	929A	529B	1-507A	T2QJ0080
1219	弈	D0FB	929B	529C	1-507B	T2QK0080
1220	弭	D0FC	929C	529D	1-507C	T2QL0080
1221	彥	D0FD	929D	529E	1-507D	T2QM0080
1222	很	D0FE	929E	529F	1-507E	T2QN0080
1223	待	D1A1	929F	52A0	1-5121	T2QO0080
1224	徊	D1A2	92A0	52A1	1-5122	T2QP0080
1225	律	D1A3	92A1	52A2	1-5123	T2QQ0080
1226	徇	D1A4	92A2	52A3	1-5124	T2QR0080
1227	後	D1A5	92A3	52A4	1-5125	T2QS0080
1228	徉	D1A6	92A4	52A5	1-5126	T2QT0080
1229	怒	D1A7	92A5	52A6	1-5127	T2QU0080
1230	思	D1A8	92A6	52A7	1-5128	T2QV0080
1231	怠	D1A9	92A7	52A8	1-5129	T2QW0080
1232	急	D1AA	92A8	52A9	1-512A	T2QX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 5 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1233	恚	D1AB	92A9	52AA	1-512B	T2QY0080
1234	怨	D1AC	92AA	52AB	1-512C	T2QZ0080
1235	恍	D1AD	92AB	52AC	1-512D	T2R00080
1236	恰	D1AE	92AC	52AD	1-512E	T2R10080
1237	恨	D1AF	92AD	52AE	1-512F	T2R20080
1238	恢	D1B0	92AE	52AF	1-5130	T2R30080
1239	恆	D1B1	92AF	52B0	1-5131	T2R40080
1240	恃	D1B2	92B0	52B1	1-5132	T2R50080
1241	恬	D1B3	92B1	52B2	1-5133	T2R60080
1242	恫	D1B4	92B2	52B3	1-5134	T2R70080
1243	恪	D1B5	92B3	52B4	1-5135	T2R80080
1244	恤	D1B6	92B4	52B5	1-5136	T2R90080
1245	扁	D1B7	92B5	52B6	1-5137	T2RA0080
1246	拜	D1B8	92B6	52B7	1-5138	T2RB0080
1247	挖	D1B9	92B7	52B8	1-5139	T2RC0080
1248	按	D1BA	92B8	52B9	1-513A	T2RD0080
1249	拼	D1BB	92B9	52BA	1-513B	T2RE0080
1250	拭	D1BC	92BA	52BB	1-513C	T2RF0080
1251	持	D1BD	92BB	52BC	1-513D	T2RG0080
1252	拮	D1BE	92BC	52BD	1-513E	T2RH0080
1253	拽	D1BF	92BD	52BE	1-513F	T2RI0080
1254	指	D1C0	92BE	52BF	1-5140	T2RJ0080
1255	拱	D1C1	92BF	52C0	1-5141	T2RK0080
1256	拷	D1C2	92C0	52C1	1-5142	T2RL0080
1257	拯	D1C3	92C1	52C2	1-5143	T2RM0080
1258	括	D1C4	92C2	52C3	1-5144	T2RN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 6 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1259	拾	D1C5	92C3	52C4	1-5145	T2R00080
1260	拴	D1C6	92C4	52C5	1-5146	T2RP0080
1261	挑	D1C7	92C5	52C6	1-5147	T2RQ0080
1262	挂	D1C8	92C6	52C7	1-5148	T2RR0080
1263	政	D1C9	92C7	52C8	1-5149	T2RS0080
1264	故	D1CA	92C8	52C9	1-514A	T2RT0080
1265	斫	D1CB	92C9	52CA	1-514B	T2RU0080
1266	施	D1CC	92CA	52CB	1-514C	T2RV0080
1267	既	D1CD	92CB	52CC	1-514D	T2RW0080
1268	春	D1CE	92CC	52CD	1-514E	T2RX0080
1269	昭	D1CF	92CD	52CE	1-514F	T2RY0080
1270	映	D1D0	92CE	52CF	1-5150	T2RZ0080
1271	昧	D1D1	92CF	52D0	1-5151	T2S00080
1272	是	D1D2	92D0	52D1	1-5152	T2S10080
1273	星	D1D3	92D1	52D2	1-5153	T2S20080
1274	昨	D1D4	92D2	52D3	1-5154	T2S30080
1275	昱	D1D5	92D3	52D4	1-5155	T2S40080
1276	昫	D1D6	92D4	52D5	1-5156	T2S50080
1277	曷	D1D7	92D5	52D6	1-5157	T2S60080
1278	柿	D1D8	92D6	52D7	1-5158	T2S70080
1279	染	D1D9	92D7	52D8	1-5159	T2S80080
1280	柱	D1DA	92D8	52D9	1-515A	T2S90080
1281	柔	D1DB	92D9	52DA	1-515B	T2SA0080
1282	某	D1DC	92DA	52DB	1-515C	T2SB0080
1283	柬	D1DD	92DB	52DC	1-515D	T2SC0080
1284	架	D1DE	92DC	52DD	1-515E	T2SD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 7 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1285	枯	D1DF	92DD	52DE	1-515F	T2SE0080
1286	棚	D1E0	92DE	52DF	1-5160	T2SF0080
1287	椏	D1E1	92DF	52E0	1-5161	T2SG0080
1288	柯	D1E2	92E0	52E1	1-5162	T2SH0080
1289	柄	D1E3	92E1	52E2	1-5163	T2SI0080
1290	柑	D1E4	92E2	52E3	1-5164	T2SJ0080
1291	枊	D1E5	92E3	52E4	1-5165	T2SK0080
1292	柚	D1E6	92E4	52E5	1-5166	T2SL0080
1293	查	D1E7	92E5	52E6	1-5167	T2SM0080
1294	枸	D1E8	92E6	52E7	1-5168	T2SN0080
1295	柏	D1E9	92E7	52E8	1-5169	T2SO0080
1296	柞	D1EA	92E8	52E9	1-516A	T2SP0080
1297	柳	D1EB	92E9	52EA	1-516B	T2SQ0080
1298	枰	D1EC	92EA	52EB	1-516C	T2SR0080
1299	桺	D1ED	92EB	52EC	1-516D	T2SS0080
1300	柢	D1EE	92EC	52ED	1-516E	T2ST0080
1301	柝	D1EF	92ED	52EE	1-516F	T2SU0080
1302	柴	D1F0	92EE	52EF	1-5170	T2SV0080
1303	歪	D1F1	92EF	52F0	1-5171	T2SW0080
1304	殃	D1F2	92F0	52F1	1-5172	T2SX0080
1305	殆	D1F3	92F1	52F2	1-5173	T2SY0080
1306	段	D1F4	92F2	52F3	1-5174	T2SZ0080
1307	毒	D1F5	92F3	52F4	1-5175	T2T00080
1308	毗	D1F6	92F4	52F5	1-5176	T2T10080
1309	氟	D1F7	92F5	52F6	1-5177	T2T20080
1310	泉	D1F8	92F6	52F7	1-5178	T2T30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 8 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1311	洋	D1F9	92F7	52F8	1-5179	T2T40080
1312	洲	D1FA	92F8	52F9	1-517A	T2T50080
1313	洪	D1FB	92F9	52FA	1-517B	T2T60080
1314	流	D1FC	92FA	52FB	1-517C	T2T70080
1315	津	D1FD	92FB	52FC	1-517D	T2T80080
1316	洌	D1FE	92FC	52FD	1-517E	T2T90080
1317	洱	D2A1	9340	5341	1-5221	T2TD0080
1318	洞	D2A2	9341	5342	1-5222	T2TE0080
1319	洗	D2A3	9342	5343	1-5223	T2TF0080
1320	活	D2A4	9343	5344	1-5224	T2TG0080
1321	洽	D2A5	9344	5345	1-5225	T2TH0080
1322	派	D2A6	9345	5346	1-5226	T2TI0080
1323	洵	D2A7	9346	5347	1-5227	T2TJ0080
1324	洛	D2A8	9347	5348	1-5228	T2TK0080
1325	泵	D2A9	9348	5349	1-5229	T2TL0080
1326	洹	D2AA	9349	534A	1-522A	T2TM0080
1327	洧	D2AB	934A	534B	1-522B	T2TN0080
1328	洸	D2AC	934B	534C	1-522C	T2TO0080
1329	洹	D2AD	934C	534D	1-522D	T2TP0080
1330	洮	D2AE	934D	534E	1-522E	T2TQ0080
1331	洵	D2AF	934E	534F	1-522F	T2TR0080
1332	洎	D2B0	934F	5350	1-5230	T2TS0080
1333	洫	D2B1	9350	5351	1-5231	T2TT0080
1334	炫	D2B2	9351	5352	1-5232	T2TU0080
1335	為	D2B3	9352	5353	1-5233	T2TV0080
1336	炳	D2B4	9353	5354	1-5234	T2TW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 9 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1337	炬	D2B5	9354	5355	1-5235	T2TX0080
1338	炯	D2B6	9355	5356	1-5236	T2TY0080
1339	炭	D2B7	9356	5357	1-5237	T2TZ0080
1340	炸	D2B8	9357	5358	1-5238	T2U00080
1341	炮	D2B9	9358	5359	1-5239	T2U10080
1342	炤	D2BA	9359	535A	1-523A	T2U20080
1343	爰	D2BB	935A	535B	1-523B	T2U30080
1344	牲	D2BC	935B	535C	1-523C	T2U40080
1345	牯	D2BD	935C	535D	1-523D	T2U50080
1346	牴	D2BE	935D	535E	1-523E	T2U60080
1347	狩	D2BF	935E	535F	1-523F	T2U70080
1348	狠	D2C0	935F	5360	1-5240	T2U80080
1349	狡	D2C1	9360	5361	1-5241	T2U90080
1350	玷	D2C2	9361	5362	1-5242	T2UA0080
1351	珊	D2C3	9362	5363	1-5243	T2UB0080
1352	玻	D2C4	9363	5364	1-5244	T2UC0080
1353	玲	D2C5	9364	5365	1-5245	T2UD0080
1354	珍	D2C6	9365	5366	1-5246	T2UE0080
1355	珀	D2C7	9366	5367	1-5247	T2UF0080
1356	玳	D2C8	9367	5368	1-5248	T2UG0080
1357	甚	D2C9	9368	5369	1-5249	T2UH0080
1358	甬	D2CA	9369	536A	1-524A	T2UI0080
1359	畏	D2CB	936A	536B	1-524B	T2UJ0080
1360	界	D2CC	936B	536C	1-524C	T2UK0080
1361	畎	D2CD	936C	536D	1-524D	T2UL0080
1362	畝	D2CE	936D	536E	1-524E	T2UM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 10 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1363	疫	D2CF	936E	536F	1-524F	T2UN0080
1364	疤	D2D0	936F	5370	1-5250	T2UO0080
1365	疥	D2D1	9370	5371	1-5251	T2UP0080
1366	痰	D2D2	9371	5372	1-5252	T2UQ0080
1367	疣	D2D3	9372	5373	1-5253	T2UR0080
1368	癸	D2D4	9373	5374	1-5254	T2US0080
1369	皆	D2D5	9374	5375	1-5255	T2UT0080
1370	皇	D2D6	9375	5376	1-5256	T2UU0080
1371	皈	D2D7	9376	5377	1-5257	T2UV0080
1372	盈	D2D8	9377	5378	1-5258	T2UW0080
1373	盆	D2D9	9378	5379	1-5259	T2UX0080
1374	盃	D2DA	9379	537A	1-525A	T2UY0080
1375	盅	D2DB	937A	537B	1-525B	T2UZ0080
1376	省	D2DC	937B	537C	1-525C	T2V00080
1377	吨	D2DD	937C	537D	1-525D	T2V10080
1378	相	D2DE	937D	537E	1-525E	T2V20080
1379	眉	D2DF	937E	537F	1-525F	T2V30080
1380	看	D2E0	9380	5381	1-5260	T2V50080
1381	盾	D2E1	9381	5382	1-5261	T2V60080
1382	盼	D2E2	9382	5383	1-5262	T2V70080
1383	眇	D2E3	9383	5384	1-5263	T2V80080
1384	矜	D2E4	9384	5385	1-5264	T2V90080
1385	砂	D2E5	9385	5386	1-5265	T2VA0080
1386	研	D2E6	9386	5387	1-5266	T2VB0080
1387	砌	D2E7	9387	5388	1-5267	T2VC0080
1388	砍	D2E8	9388	5389	1-5268	T2VD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 11 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1389	袄	D2E9	9389	538A	1-5269	T2VE0080
1390	祉	D2EA	938A	538B	1-526A	T2VF0080
1391	祈	D2EB	938B	538C	1-526B	T2VG0080
1392	祇	D2EC	938C	538D	1-526C	T2VH0080
1393	禹	D2ED	938D	538E	1-526D	T2VI0080
1394	禺	D2EE	938E	538F	1-526E	T2VJ0080
1395	科	D2EF	938F	5390	1-526F	T2VK0080
1396	秒	D2F0	9390	5391	1-5270	T2VL0080
1397	秋	D2F1	9391	5392	1-5271	T2VM0080
1398	穿	D2F2	9392	5393	1-5272	T2VN0080
1399	突	D2F3	9393	5394	1-5273	T2VO0080
1400	竿	D2F4	9394	5395	1-5274	T2VP0080
1401	筭	D2F5	9395	5396	1-5275	T2VQ0080
1402	籽	D2F6	9396	5397	1-5276	T2VR0080
1403	紂	D2F7	9397	5398	1-5277	T2VS0080
1404	紅	D2F8	9398	5399	1-5278	T2VT0080
1405	紀	D2F9	9399	539A	1-5279	T2VU0080
1406	紉	D2FA	939A	539B	1-527A	T2VV0080
1407	紘	D2FB	939B	539C	1-527B	T2VW0080
1408	約	D2FC	939C	539D	1-527C	T2VX0080
1409	紘	D2FD	939D	539E	1-527D	T2VY0080
1410	缸	D2FE	939E	539F	1-527E	T2VZ0080
1411	美	D3A1	939F	53A0	1-5321	T2W00080
1412	羿	D3A2	93A0	53A1	1-5322	T2W10080
1413	耐	D3A3	93A2	53A3	1-5323	T2W30080
1414	耍	D3A4	93A3	53A4	1-5324	T2W40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 12 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1415	崑	D3A5	93A4	53A5	1-5325	T2W50080
1416	耶	D3A6	93A5	53A6	1-5326	T2W60080
1417	胖	D3A7	93A6	53A7	1-5327	T2W70080
1418	胥	D3A8	93A7	53A8	1-5328	T2W80080
1419	胚	D3A9	93A8	53A9	1-5329	T2W90080
1420	胃	D3AA	93A9	53AA	1-532A	T2WA0080
1421	胄	D3AB	93AA	53AB	1-532B	T2WB0080
1422	背	D3AC	93AB	53AC	1-532C	T2WC0080
1423	胡	D3AD	93AC	53AD	1-532D	T2WD0080
1424	胛	D3AE	93AD	53AE	1-532E	T2WE0080
1425	胎	D3AF	93AE	53AF	1-532F	T2WF0080
1426	胞	D3B0	93AF	53B0	1-5330	T2WG0080
1427	胤	D3B1	93B0	53B1	1-5331	T2WH0080
1428	胝	D3B2	93B1	53B2	1-5332	T2WI0080
1429	致	D3B3	93B2	53B3	1-5333	T2WJ0080
1430	舳	D3B4	93B3	53B4	1-5334	T2WK0080
1431	苧	D3B5	93B4	53B5	1-5335	T2WL0080
1432	范	D3B6	93B5	53B6	1-5336	T2WM0080
1433	茅	D3B7	93B6	53B7	1-5337	T2WN0080
1434	苴	D3B8	93B7	53B8	1-5338	T2WO0080
1435	苛	D3B9	93B8	53B9	1-5339	T2WP0080
1436	苦	D3BA	93B9	53BA	1-533A	T2WQ0080
1437	茄	D3BB	93BA	53BB	1-533B	T2WR0080
1438	若	D3BC	93BB	53BC	1-533C	T2WS0080
1439	茂	D3BD	93BC	53BD	1-533D	T2WT0080
1440	茱	D3BE	93BD	53BE	1-533E	T2WU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 13 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1441	蕻	D3BF	93BE	53BF	1-533F	T2WV0080
1442	苗	D3C0	93BF	53C0	1-5340	T2WW0080
1443	英	D3C1	93C0	53C1	1-5341	T2WX0080
1444	茁	D3C2	93C1	53C2	1-5342	T2WY0080
1445	苜	D3C3	93C2	53C3	1-5343	T2WZ0080
1446	苔	D3C4	93C3	53C4	1-5344	T2X00080
1447	苑	D3C5	93C4	53C5	1-5345	T2X10080
1448	苞	D3C6	93C5	53C6	1-5346	T2X20080
1449	苓	D3C7	93C6	53C7	1-5347	T2X30080
1450	苟	D3C8	93C7	53C8	1-5348	T2X40080
1451	苯	D3C9	93C8	53C9	1-5349	T2X50080
1452	茆	D3CA	93C9	53CA	1-534A	T2X60080
1453	虍	D3CB	93CA	53CB	1-534B	T2X70080
1454	虹	D3CC	93CB	53CC	1-534C	T2X80080
1455	虻	D3CD	93CC	53CD	1-534D	T2X90080
1456	虺	D3CE	93CD	53CE	1-534E	T2XA0080
1457	衍	D3CF	93CE	53CF	1-534F	T2XB0080
1458	衫	D3D0	93CF	53D0	1-5350	T2XC0080
1459	耍	D3D1	93D0	53D1	1-5351	T2XD0080
1460	觔	D3D2	93D1	53D2	1-5352	T2XE0080
1461	計	D3D3	93D2	53D3	1-5353	T2XF0080
1462	訂	D3D4	93D3	53D4	1-5354	T2XG0080
1463	訃	D3D5	93D4	53D5	1-5355	T2XH0080
1464	貞	D3D6	93D5	53D6	1-5356	T2XI0080
1465	負	D3D7	93D6	53D7	1-5357	T2XJ0080
1466	赴	D3D8	93D7	53D8	1-5358	T2XK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 14 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1467	赳	D3D9	93D8	53D9	1-5359	T2XL0080
1468	馱	D3DA	93D9	53DA	1-535A	T2XM0080
1469	軍	D3DB	93DA	53DB	1-535B	T2XN0080
1470	軌	D3DC	93DB	53DC	1-535C	T2XO0080
1471	述	D3DD	93DC	53DD	1-535D	T2XP0080
1472	迦	D3DE	93DD	53DE	1-535E	T2XQ0080
1473	迢	D3DF	93DE	53DF	1-535F	T2XR0080
1474	迪	D3E0	93DF	53E0	1-5360	T2XS0080
1475	迴	D3E1	93E0	53E1	1-5361	T2XT0080
1476	迭	D3E2	93E1	53E2	1-5362	T2XU0080
1477	迫	D3E3	93E2	53E3	1-5363	T2XV0080
1478	迳	D3E4	93E3	53E4	1-5364	T2XW0080
1479	迨	D3E5	93E4	53E5	1-5365	T2XX0080
1480	郊	D3E6	93E5	53E6	1-5366	T2XY0080
1481	郎	D3E7	93E6	53E7	1-5367	T2XZ0080
1482	郁	D3E8	93E7	53E8	1-5368	T2Y00080
1483	郤	D3E9	93E8	53E9	1-5369	T2Y10080
1484	會	D3EA	93E9	53EA	1-536A	T2Y20080
1485	酌	D3EB	93EA	53EB	1-536B	T2Y30080
1486	重	D3EC	93EB	53EC	1-536C	T2Y40080
1487	門	D3ED	93EC	53ED	1-536D	T2Y50080
1488	限	D3EE	93ED	53EE	1-536E	T2Y60080
1489	陋	D3EF	93EE	53EF	1-536F	T2Y70080
1490	陌	D3F0	93EF	53F0	1-5370	T2Y80080
1491	降	D3F1	93F0	53F1	1-5371	T2Y90080
1492	面	D3F2	93F1	53F2	1-5372	T2YA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 15 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1493	革	D3F3	93F2	53F3	1-5373	T2YB0080
1494	韋	D3F4	93F3	53F4	1-5374	T2YC0080
1495	韭	D3F5	93F4	53F5	1-5375	T2YD0080
1496	音	D3F6	93F5	53F6	1-5376	T2YE0080
1497	頁	D3F7	93F6	53F7	1-5377	T2YF0080
1498	風	D3F8	93F7	53F8	1-5378	T2YG0080
1499	飛	D3F9	93F8	53F9	1-5379	T2YH0080
1500	食	D3FA	93F9	53FA	1-537A	T2YI0080
1501	首	D3FB	93FA	53FB	1-537B	T2YJ0080
1502	香	D3FC	93FB	53FC	1-537C	T2YK0080
1503	乘	D3FD	93FC	53FD	1-537D	T2YL0080
1504	毫	D3FE	9440	5441	1-537E	T2YP0080
1505	信	D4A1	9441	5442	1-5421	T2YQ0080
1506	倍	D4A2	9442	5443	1-5422	T2YR0080
1507	傲	D4A3	9443	5444	1-5423	T2YS0080
1508	俯	D4A4	9444	5445	1-5424	T2YT0080
1509	倦	D4A5	9445	5446	1-5425	T2YU0080
1510	倥	D4A6	9446	5447	1-5426	T2YV0080
1511	俸	D4A7	9447	5448	1-5427	T2YW0080
1512	倩	D4A8	9448	5449	1-5428	T2YX0080
1513	倖	D4A9	9449	544A	1-5429	T2YY0080
1514	倆	D4AA	944A	544B	1-542A	T2YZ0080
1515	值	D4AB	944B	544C	1-542B	T2Z00080
1516	借	D4AC	944C	544D	1-542C	T2Z10080
1517	倚	D4AD	944D	544E	1-542D	T2Z20080
1518	倒	D4AE	944E	544F	1-542E	T2Z30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 16 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1519	們	D4AF	944F	5450	1-542F	T2Z40080
1520	俺	D4B0	9450	5451	1-5430	T2Z50080
1521	偃	D4B1	9451	5452	1-5431	T2Z60080
1522	偃	D4B2	9452	5453	1-5432	T2Z70080
1523	倨	D4B3	9453	5454	1-5433	T2Z80080
1524	俱	D4B4	9454	5455	1-5434	T2Z90080
1525	倡	D4B5	9455	5456	1-5435	T2ZA0080
1526	個	D4B6	9456	5457	1-5436	T2ZB0080
1527	候	D4B7	9457	5458	1-5437	T2ZC0080
1528	倘	D4B8	9458	5459	1-5438	T2ZD0080
1529	俳	D4B9	9459	545A	1-5439	T2ZE0080
1530	修	D4BA	945A	545B	1-543A	T2ZF0080
1531	倭	D4BB	945B	545C	1-543B	T2ZG0080
1532	倪	D4BC	945C	545D	1-543C	T2ZH0080
1533	俾	D4BD	945D	545E	1-543D	T2ZI0080
1534	倫	D4BE	945E	545F	1-543E	T2ZJ0080
1535	倉	D4BF	945F	5460	1-543F	T2ZK0080
1536	兼	D4C0	9460	5461	1-5440	T2ZL0080
1537	冤	D4C1	9461	5462	1-5441	T2ZM0080
1538	冥	D4C2	9462	5463	1-5442	T2ZN0080
1539	冢	D4C3	9463	5464	1-5443	T2ZO0080
1540	凍	D4C4	9464	5465	1-5444	T2ZP0080
1541	凌	D4C5	9465	5466	1-5445	T2ZQ0080
1542	准	D4C6	9466	5467	1-5446	T2ZR0080
1543	凋	D4C7	9467	5468	1-5447	T2ZS0080
1544	剖	D4C8	9468	5469	1-5448	T2ZT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 17 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1545	剗	D4C9	9469	546A	1-5449	T2ZU0080
1546	剔	D4CA	946A	546B	1-544A	T2ZV0080
1547	剛	D4CB	946B	546C	1-544B	T2ZW0080
1548	剝	D4CC	946C	546D	1-544C	T2ZX0080
1549	匪	D4CD	946D	546E	1-544D	T2ZY0080
1550	卿	D4CE	946E	546F	1-544E	T2ZZ0080
1551	原	D4CF	946F	5470	1-544F	T3000080
1552	厝	D4D0	9470	5471	1-5450	T3010080
1553	叟	D4D1	9471	5472	1-5451	T3020080
1554	哨	D4D2	9472	5473	1-5452	T3030080
1555	唐	D4D3	9473	5474	1-5453	T3040080
1556	唔	D4D4	9474	5475	1-5454	T3050080
1557	哨	D4D5	9475	5476	1-5455	T3060080
1558	哼	D4D6	9476	5477	1-5456	T3070080
1559	哥	D4D7	9477	5478	1-5457	T3080080
1560	哲	D4D8	9478	5479	1-5458	T3090080
1561	峻	D4D9	9479	547A	1-5459	T30A0080
1562	哺	D4DA	947A	547B	1-545A	T30B0080
1563	唔	D4DB	947B	547C	1-545B	T30C0080
1564	哩	D4DC	947C	547D	1-545C	T30D0080
1565	哭	D4DD	947D	547E	1-545D	T30E0080
1566	員	D4DE	947E	547F	1-545E	T30F0080
1567	唉	D4DF	9480	5481	1-545F	T30H0080
1568	哮	D4E0	9481	5482	1-5460	T30I0080
1569	哪	D4E1	9482	5483	1-5461	T30J0080
1570	哦	D4E2	9483	5484	1-5462	T30K0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 18 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1571	啣	D4E3	9484	5485	1-5463	T30L0080
1572	昏	D4E4	9485	5486	1-5464	T30M0080
1573	哽	D4E5	9486	5487	1-5465	T30N0080
1574	唏	D4E6	9487	5488	1-5466	T30O0080
1575	圃	D4E7	9488	5489	1-5467	T30P0080
1576	圉	D4E8	9489	548A	1-5468	T30Q0080
1577	埂	D4E9	948A	548B	1-5469	T30R0080
1578	埔	D4EA	948B	548C	1-546A	T30S0080
1579	埋	D4EB	948C	548D	1-546B	T30T0080
1580	埃	D4EC	948D	548E	1-546C	T30U0080
1581	堵	D4ED	948E	548F	1-546D	T30V0080
1582	夏	D4EE	948F	5490	1-546E	T30W0080
1583	套	D4EF	9490	5491	1-546F	T30X0080
1584	奘	D4F0	9491	5492	1-5470	T30Y0080
1585	奚	D4F1	9492	5493	1-5471	T30Z0080
1586	娑	D4F2	9493	5494	1-5472	T3100080
1587	娘	D4F3	9494	5495	1-5473	T3110080
1588	娜	D4F4	9495	5496	1-5474	T3120080
1589	娟	D4F5	9496	5497	1-5475	T3130080
1590	娛	D4F6	9497	5498	1-5476	T3140080
1591	媿	D4F7	9498	5499	1-5477	T3150080
1592	姬	D4F8	9499	549A	1-5478	T3160080
1593	娠	D4F9	949A	549B	1-5479	T3170080
1594	娣	D4FA	949B	549C	1-547A	T3180080
1595	媿	D4FB	949C	549D	1-547B	T3190080
1596	娥	D4FC	949D	549E	1-547C	T31A0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 19 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1597	婁	D4FD	949E	549F	1-547D	T31B0080
1598	媯	D4FE	949F	54A0	1-547E	T31C0080
1599	孫	D5A1	94A0	54A1	1-5521	T31D0080
1600	尉	D5A2	94A1	54A2	1-5522	T31E0080
1601	宰	D5A3	94A2	54A3	1-5523	T31F0080
1602	害	D5A4	94A3	54A4	1-5524	T31G0080
1603	家	D5A5	94A4	54A5	1-5525	T31H0080
1604	宴	D5A6	94A5	54A6	1-5526	T31I0080
1605	宮	D5A7	94A6	54A7	1-5527	T31J0080
1606	宵	D5A8	94A7	54A8	1-5528	T31K0080
1607	容	D5A9	94A8	54A9	1-5529	T31L0080
1608	宸	D5AA	94A9	54AA	1-552A	T31M0080
1609	射	D5AB	94AA	54AB	1-552B	T31N0080
1610	層	D5AC	94AB	54AC	1-552C	T31O0080
1611	展	D5AD	94AC	54AD	1-552D	T31P0080
1612	屐	D5AE	94AD	54AE	1-552E	T31Q0080
1613	峭	D5AF	94AE	54AF	1-552F	T31R0080
1614	峽	D5B0	94AF	54B0	1-5530	T31S0080
1615	峻	D5B1	94B0	54B1	1-5531	T31T0080
1616	峪	D5B2	94B1	54B2	1-5532	T31U0080
1617	峨	D5B3	94B2	54B3	1-5533	T31V0080
1618	峰	D5B4	94B3	54B4	1-5534	T31W0080
1619	島	D5B5	94B4	54B5	1-5535	T31X0080
1620	坎	D5B6	94B5	54B6	1-5536	T31Y0080
1621	峴	D5B7	94B6	54B7	1-5537	T31Z0080
1622	差	D5B8	94B7	54B8	1-5538	T3200080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 20 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1623	席	D5B9	94B8	54B9	1-5539	T3210080
1624	師	D5BA	94B9	54BA	1-553A	T3220080
1625	庫	D5BB	94BA	54BB	1-553B	T3230080
1626	庭	D5BC	94BB	54BC	1-553C	T3240080
1627	座	D5BD	94BC	54BD	1-553D	T3250080
1628	弱	D5BE	94BD	54BE	1-553E	T3260080
1629	徒	D5BF	94BE	54BF	1-553F	T3270080
1630	徑	D5C0	94BF	54C0	1-5540	T3280080
1631	徐	D5C1	94C0	54C1	1-5541	T3290080
1632	恙	D5C2	94C1	54C2	1-5542	T32A0080
1633	恣	D5C3	94C2	54C3	1-5543	T32B0080
1634	恥	D5C4	94C3	54C4	1-5544	T32C0080
1635	恐	D5C5	94C4	54C5	1-5545	T32D0080
1636	恕	D5C6	94C5	54C6	1-5546	T32E0080
1637	恭	D5C7	94C6	54C7	1-5547	T32F0080
1638	恩	D5C8	94C7	54C8	1-5548	T32G0080
1639	息	D5C9	94C8	54C9	1-5549	T32H0080
1640	悄	D5CA	94C9	54CA	1-554A	T32I0080
1641	悟	D5CB	94CA	54CB	1-554B	T32J0080
1642	悚	D5CC	94CB	54CC	1-554C	T32K0080
1643	悍	D5CD	94CC	54CD	1-554D	T32L0080
1644	悔	D5CE	94CD	54CE	1-554E	T32M0080
1645	悌	D5CF	94CE	54CF	1-554F	T32N0080
1646	悅	D5D0	94CF	54D0	1-5550	T32O0080
1647	悖	D5D1	94D0	54D1	1-5551	T32P0080
1648	扇	D5D2	94D1	54D2	1-5552	T32Q0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 21 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1649	拳	D5D3	94D2	54D3	1-5553	T32R0080
1650	挈	D5D4	94D3	54D4	1-5554	T32S0080
1651	拿	D5D5	94D4	54D5	1-5555	T32T0080
1652	捎	D5D6	94D5	54D6	1-5556	T32U0080
1653	挾	D5D7	94D6	54D7	1-5557	T32V0080
1654	振	D5D8	94D7	54D8	1-5558	T32W0080
1655	捕	D5D9	94D8	54D9	1-5559	T32X0080
1656	拏	D5DA	94D9	54DA	1-555A	T32Y0080
1657	搥	D5DB	94DA	54DB	1-555B	T32Z0080
1658	捏	D5DC	94DB	54DC	1-555C	T3300080
1659	捉	D5DD	94DC	54DD	1-555D	T3310080
1660	挺	D5DE	94DD	54DE	1-555E	T3320080
1661	捐	D5DF	94DE	54DF	1-555F	T3330080
1662	挽	D5E0	94DF	54E0	1-5560	T3340080
1663	挪	D5E1	94E0	54E1	1-5561	T3350080
1664	挫	D5E2	94E1	54E2	1-5562	T3360080
1665	挨	D5E3	94E2	54E3	1-5563	T3370080
1666	捍	D5E4	94E3	54E4	1-5564	T3380080
1667	捌	D5E5	94E4	54E5	1-5565	T3390080
1668	效	D5E6	94E5	54E6	1-5566	T33A0080
1669	敕	D5E7	94E6	54E7	1-5567	T33B0080
1670	料	D5E8	94E7	54E8	1-5568	T33C0080
1671	旁	D5E9	94E8	54E9	1-5569	T33D0080
1672	旅	D5EA	94E9	54EA	1-556A	T33E0080
1673	時	D5EB	94EA	54EB	1-556B	T33F0080
1674	晉	D5EC	94EB	54EC	1-556C	T33G0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 22 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1675	晏	D5ED	94EC	54ED	1-556D	T33H0080
1676	晃	D5EE	94ED	54EE	1-556E	T33I0080
1677	晒	D5EF	94EE	54EF	1-556F	T33J0080
1678	晌	D5F0	94EF	54F0	1-5570	T33K0080
1679	晷	D5F1	94F0	54F1	1-5571	T33L0080
1680	晷	D5F2	94F1	54F2	1-5572	T33M0080
1681	書	D5F3	94F2	54F3	1-5573	T33N0080
1682	朔	D5F4	94F3	54F4	1-5574	T33O0080
1683	朕	D5F5	94F4	54F5	1-5575	T33P0080
1684	朗	D5F6	94F5	54F6	1-5576	T33Q0080
1685	校	D5F7	94F6	54F7	1-5577	T33R0080
1686	核	D5F8	94F7	54F8	1-5578	T33S0080
1687	案	D5F9	94F8	54F9	1-5579	T33T0080
1688	框	D5FA	94F9	54FA	1-557A	T33U0080
1689	榧	D5FB	94FA	54FB	1-557B	T33V0080
1690	根	D5FC	94FB	54FC	1-557C	T33W0080
1691	桂	D5FD	94FC	54FD	1-557D	T33X0080
1692	桔	D5FE	9540	5541	1-557E	T3410080
1693	榭	D6A1	9541	5542	1-5621	T3420080
1694	梳	D6A2	9542	5543	1-5622	T3430080
1695	栗	D6A3	9543	5544	1-5623	T3440080
1696	桌	D6A4	9544	5545	1-5624	T3450080
1697	桑	D6A5	9545	5546	1-5625	T3460080
1698	栽	D6A6	9546	5547	1-5626	T3470080
1699	柴	D6A7	9547	5548	1-5627	T3480080
1700	桐	D6A8	9548	5549	1-5628	T3490080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 23 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1701	桀	D6A9	9549	554A	1-5629	T34A0080
1702	格	D6AA	954A	554B	1-562A	T34B0080
1703	桃	D6AB	954B	554C	1-562B	T34C0080
1704	株	D6AC	954C	554D	1-562C	T34D0080
1705	桅	D6AD	954D	554E	1-562D	T34E0080
1706	栓	D6AE	954E	554F	1-562E	T34F0080
1707	移	D6AF	954F	5550	1-562F	T34G0080
1708	桁	D6B0	9550	5551	1-5630	T34H0080
1709	殊	D6B1	9551	5552	1-5631	T34I0080
1710	殉	D6B2	9552	5553	1-5632	T34J0080
1711	殷	D6B3	9553	5554	1-5633	T34K0080
1712	氣	D6B4	9554	5555	1-5634	T34L0080
1713	氧	D6B5	9555	5556	1-5635	T34M0080
1714	氨	D6B6	9556	5557	1-5636	T34N0080
1715	氮	D6B7	9557	5558	1-5637	T34O0080
1716	氫	D6B8	9558	5559	1-5638	T34P0080
1717	泰	D6B9	9559	555A	1-5639	T34Q0080
1718	浪	D6BA	955A	555B	1-563A	T34R0080
1719	涕	D6BB	955B	555C	1-563B	T34S0080
1720	消	D6BC	955C	555D	1-563C	T34T0080
1721	涇	D6BD	955D	555E	1-563D	T34U0080
1722	浦	D6BE	955E	555F	1-563E	T34V0080
1723	浸	D6BF	955F	5560	1-563F	T34W0080
1724	海	D6C0	9560	5561	1-5640	T34X0080
1725	浙	D6C1	9561	5562	1-5641	T34Y0080
1726	涓	D6C2	9562	5563	1-5642	T34Z0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 24 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1727	漚	D6C3	9563	5564	1-5643	T3500080
1728	涉	D6C4	9564	5565	1-5644	T3510080
1729	浮	D6C5	9565	5566	1-5645	T3520080
1730	浚	D6C6	9566	5567	1-5646	T3530080
1731	浴	D6C7	9567	5568	1-5647	T3540080
1732	浩	D6C8	9568	5569	1-5648	T3550080
1733	涌	D6C9	9569	556A	1-5649	T3560080
1734	浔	D6CA	956A	556B	1-564A	T3570080
1735	浹	D6CB	956B	556C	1-564B	T3580080
1736	涅	D6CC	956C	556D	1-564C	T3590080
1737	涸	D6CD	956D	556E	1-564D	T35A0080
1738	涇	D6CE	956E	556F	1-564E	T35B0080
1739	烱	D6CF	956F	5570	1-564F	T35C0080
1740	烘	D6D0	9570	5571	1-5650	T35D0080
1741	烤	D6D1	9571	5572	1-5651	T35E0080
1742	烙	D6D2	9572	5573	1-5652	T35F0080
1743	烈	D6D3	9573	5574	1-5653	T35G0080
1744	烏	D6D4	9574	5575	1-5654	T35H0080
1745	參	D6D5	9575	5576	1-5655	T35I0080
1746	特	D6D6	9576	5577	1-5656	T35J0080
1747	狼	D6D7	9577	5578	1-5657	T35K0080
1748	狹	D6D8	9578	5579	1-5658	T35L0080
1749	狽	D6D9	9579	557A	1-5659	T35M0080
1750	狸	D6DA	957A	557B	1-565A	T35N0080
1751	狽	D6DB	957B	557C	1-565B	T35O0080
1752	茲	D6DC	957C	557D	1-565C	T35P0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 25 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1753	班	D6DD	957D	557E	1-565D	T35Q0080
1754	琉	D6DE	957E	557F	1-565E	T35R0080
1755	珮	D6DF	9580	5581	1-565F	T35T0080
1756	珠	D6E0	9581	5582	1-5660	T35U0080
1757	珪	D6E1	9582	5583	1-5661	T35V0080
1758	珞	D6E2	9583	5584	1-5662	T35W0080
1759	畔	D6E3	9584	5585	1-5663	T35X0080
1760	畝	D6E4	9585	5586	1-5664	T35Y0080
1761	畜	D6E5	9586	5587	1-5665	T35Z0080
1762	畚	D6E6	9587	5588	1-5666	T3600080
1763	留	D6E7	9588	5589	1-5667	T3610080
1764	疾	D6E8	9589	558A	1-5668	T3620080
1765	病	D6E9	958A	558B	1-5669	T3630080
1766	症	D6EA	958B	558C	1-566A	T3640080
1767	疲	D6EB	958C	558D	1-566B	T3650080
1768	疖	D6EC	958D	558E	1-566C	T3660080
1769	疽	D6ED	958E	558F	1-566D	T3670080
1770	疹	D6EE	958F	5590	1-566E	T3680080
1771	疹	D6EF	9590	5591	1-566F	T3690080
1772	痂	D6F0	9591	5592	1-5670	T36A0080
1773	疽	D6F1	9592	5593	1-5671	T36B0080
1774	皁	D6F2	9593	5594	1-5672	T36C0080
1775	皲	D6F3	9594	5595	1-5673	T36D0080
1776	益	D6F4	9595	5596	1-5674	T36E0080
1777	盍	D6F5	9596	5597	1-5675	T36F0080
1778	盍	D6F6	9597	5598	1-5676	T36G0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 26 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1779	眩	D6F7	9598	5599	1-5677	T36H0080
1780	真	D6F8	9599	559A	1-5678	T36I0080
1781	眠	D6F9	959A	559B	1-5679	T36J0080
1782	眨	D6FA	959B	559C	1-567A	T36K0080
1783	矩	D6FB	959C	559D	1-567B	T36L0080
1784	碎	D6FC	959D	559E	1-567C	T36M0080
1785	砧	D6FD	959E	559F	1-567D	T36N0080
1786	砸	D6FE	959F	55A0	1-567E	T36O0080
1787	砧	D7A1	95A0	55A1	1-5721	T36P0080
1788	破	D7A2	95A1	55A2	1-5722	T36Q0080
1789	砷	D7A3	95A2	55A3	1-5723	T36R0080
1790	砥	D7A4	95A3	55A4	1-5724	T36S0080
1791	砭	D7A5	95A4	55A5	1-5725	T36T0080
1792	租	D7A6	95A5	55A6	1-5726	T36U0080
1793	砗	D7A7	95A6	55A7	1-5727	T36V0080
1794	砲	D7A8	95A7	55A8	1-5728	T36W0080
1795	祕	D7A9	95A8	55A9	1-5729	T36X0080
1796	祐	D7AA	95A9	55AA	1-572A	T36Y0080
1797	祠	D7AB	95AA	55AB	1-572B	T36Z0080
1798	崇	D7AC	95AB	55AC	1-572C	T3700080
1799	祖	D7AD	95AC	55AD	1-572D	T3710080
1800	神	D7AE	95AD	55AE	1-572E	T3720080
1801	祝	D7AF	95AE	55AF	1-572F	T3730080
1802	祗	D7B0	95AF	55B0	1-5730	T3740080
1803	祚	D7B1	95B0	55B1	1-5731	T3750080
1804	秤	D7B2	95B1	55B2	1-5732	T3760080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 8 (Page 27 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1805	秣	D7B3	95B2	55B3	1-5733	T3770080
1806	秧	D7B4	95B3	55B4	1-5734	T3780080
1807	租	D7B5	95B4	55B5	1-5735	T3790080
1808	秦	D7B6	95B5	55B6	1-5736	T37A0080
1809	秩	D7B7	95B6	55B7	1-5737	T37B0080
1810	秘	D7B8	95B7	55B8	1-5738	T37C0080
1811	窄	D7B9	95B8	55B9	1-5739	T37D0080
1812	窈	D7BA	95B9	55BA	1-573A	T37E0080
1813	站	D7BB	95BA	55BB	1-573B	T37F0080
1814	筳	D7BC	95BB	55BC	1-573C	T37G0080
1815	笑	D7BD	95BC	55BD	1-573D	T37H0080
1816	粉	D7BE	95BD	55BE	1-573E	T37I0080
1817	紡	D7BF	95BE	55BF	1-573F	T37J0080
1818	紗	D7C0	95BF	55C0	1-5740	T37K0080
1819	紋	D7C1	95C0	55C1	1-5741	T37L0080
1820	紊	D7C2	95C1	55C2	1-5742	T37M0080
1821	素	D7C3	95C2	55C3	1-5743	T37N0080
1822	索	D7C4	95C3	55C4	1-5744	T37O0080
1823	純	D7C5	95C4	55C5	1-5745	T37P0080
1824	紐	D7C6	95C5	55C6	1-5746	T37Q0080
1825	紕	D7C7	95C6	55C7	1-5747	T37R0080
1826	級	D7C8	95C7	55C8	1-5748	T37S0080
1827	紘	D7C9	95C8	55C9	1-5749	T37T0080
1828	納	D7CA	95C9	55CA	1-574A	T37U0080
1829	紙	D7CB	95CA	55CB	1-574B	T37V0080
1830	紛	D7CC	95CB	55CC	1-574C	T37W0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 28 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1831	缺	D7CD	95CC	55CD	1-574D	T37X0080
1832	罍	D7CE	95CD	55CE	1-574E	T37Y0080
1833	羔	D7CF	95CE	55CF	1-574F	T37Z0080
1834	翅	D7D0	95CF	55D0	1-5750	T3800080
1835	翁	D7D1	95D0	55D1	1-5751	T3810080
1836	耆	D7D2	95D1	55D2	1-5752	T3820080
1837	耄	D7D3	93A1	53A2	1-5753	T2W20080
1838	耘	D7D4	95D2	55D3	1-5754	T3830080
1839	耕	D7D5	95D3	55D4	1-5755	T3840080
1840	耙	D7D6	95D4	55D5	1-5756	T3850080
1841	耗	D7D7	95D5	55D6	1-5757	T3860080
1842	耽	D7D8	95D6	55D7	1-5758	T3870080
1843	耽	D7D9	95D7	55D8	1-5759	T3880080
1844	肫	D7DA	95D8	55D9	1-575A	T3890080
1845	脂	D7DB	95D9	55DA	1-575B	T38A0080
1846	胰	D7DC	95DA	55DB	1-575C	T38B0080
1847	脅	D7DD	95DB	55DC	1-575D	T38C0080
1848	膈	D7DE	95DC	55DD	1-575E	T38D0080
1849	胴	D7DF	95DD	55DE	1-575F	T38E0080
1850	脆	D7E0	95DE	55DF	1-5760	T38F0080
1851	胸	D7E1	95DF	55E0	1-5761	T38G0080
1852	膈	D7E2	95E0	55E1	1-5762	T38H0080
1853	脈	D7E3	95E1	55E2	1-5763	T38I0080
1854	能	D7E4	95E2	55E3	1-5764	T38J0080
1855	脊	D7E5	95E3	55E4	1-5765	T38K0080
1856	胛	D7E6	95E4	55E5	1-5766	T38L0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 29 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1857	胯	D7E7	95E5	55E6	1-5767	T38M0080
1858	臭	D7E8	95E6	55E7	1-5768	T38N0080
1859	臬	D7E9	95E7	55E8	1-5769	T38O0080
1860	咎	D7EA	95E8	55E9	1-576A	T38P0080
1861	舐	D7EB	95E9	55EA	1-576B	T38Q0080
1862	航	D7EC	95EA	55EB	1-576C	T38R0080
1863	舫	D7ED	95EB	55EC	1-576D	T38S0080
1864	舩	D7EE	95EC	55ED	1-576E	T38T0080
1865	般	D7EF	95ED	55EE	1-576F	T38U0080
1866	芻	D7F0	95EE	55EF	1-5770	T38V0080
1867	茫	D7F1	95EF	55F0	1-5771	T38W0080
1868	荒	D7F2	95F0	55F1	1-5772	T38X0080
1869	荔	D7F3	95F1	55F2	1-5773	T38Y0080
1870	荊	D7F4	95F2	55F3	1-5774	T38Z0080
1871	茸	D7F5	95F3	55F4	1-5775	T3900080
1872	荐	D7F6	95F4	55F5	1-5776	T3910080
1873	草	D7F7	95F5	55F6	1-5777	T3920080
1874	茵	D7F8	95F6	55F7	1-5778	T3930080
1875	茴	D7F9	95F7	55F8	1-5779	T3940080
1876	荏	D7FA	95F8	55F9	1-577A	T3950080
1877	茲	D7FB	95F9	55FA	1-577B	T3960080
1878	茹	D7FC	95FA	55FB	1-577C	T3970080
1879	茶	D7FD	95FB	55FC	1-577D	T3980080
1880	茗	D7FE	95FC	55FD	1-577E	T3990080
1881	荀	D8A1	9640	5641	1-5821	T39D0080
1882	茱	D8A2	9641	5642	1-5822	T39E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 30 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1883	茨	D8A3	9642	5643	1-5823	T39F0080
1884	荃	D8A4	9643	5644	1-5824	T39G0080
1885	虔	D8A5	9644	5645	1-5825	T39H0080
1886	蚊	D8A6	9645	5646	1-5826	T39I0080
1887	蚪	D8A7	9646	5647	1-5827	T39J0080
1888	蚪	D8A8	9647	5648	1-5828	T39K0080
1889	蚤	D8A9	9648	5649	1-5829	T39L0080
1890	蚩	D8AA	9649	564A	1-582A	T39M0080
1891	蚌	D8AB	964A	564B	1-582B	T39N0080
1892	蚣	D8AC	964B	564C	1-582C	T39O0080
1893	蚪	D8AD	964C	564D	1-582D	T39P0080
1894	衰	D8AE	964D	564E	1-582E	T39Q0080
1895	衷	D8AF	964E	564F	1-582F	T39R0080
1896	袁	D8B0	964F	5650	1-5830	T39S0080
1897	袂	D8B1	9650	5651	1-5831	T39T0080
1898	衽	D8B2	9651	5652	1-5832	T39U0080
1899	祗	D8B3	9652	5653	1-5833	T39V0080
1900	記	D8B4	9653	5654	1-5834	T39W0080
1901	訐	D8B5	9654	5655	1-5835	T39X0080
1902	討	D8B6	9655	5656	1-5836	T39Y0080
1903	誣	D8B7	9656	5657	1-5837	T39Z0080
1904	訕	D8B8	9657	5658	1-5838	T3A00080
1905	訊	D8B9	9658	5659	1-5839	T3A10080
1906	託	D8BA	9659	565A	1-583A	T3A20080
1907	訓	D8BB	965A	565B	1-583B	T3A30080
1908	訖	D8BC	965B	565C	1-583C	T3A40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 31 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1909	訃	D8BD	965C	565D	1-583D	T3A50080
1910	訖	D8BE	965D	565E	1-583E	T3A60080
1911	豈	D8BF	965E	565F	1-583F	T3A70080
1912	豺	D8C0	965F	5660	1-5840	T3A80080
1913	豹	D8C1	9660	5661	1-5841	T3A90080
1914	財	D8C2	9661	5662	1-5842	T3AA0080
1915	貢	D8C3	9662	5663	1-5843	T3AB0080
1916	起	D8C4	9663	5664	1-5844	T3AC0080
1917	躬	D8C5	9664	5665	1-5845	T3AD0080
1918	軒	D8C6	9665	5666	1-5846	T3AE0080
1919	軻	D8C7	9666	5667	1-5847	T3AF0080
1920	軛	D8C8	9667	5668	1-5848	T3AG0080
1921	辱	D8C9	9668	5669	1-5849	T3AH0080
1922	送	D8CA	9669	566A	1-584A	T3AI0080
1923	逆	D8CB	966A	566B	1-584B	T3AJ0080
1924	迷	D8CC	966B	566C	1-584C	T3AK0080
1925	退	D8CD	966C	566D	1-584D	T3AL0080
1926	迺	D8CE	966D	566E	1-584E	T3AM0080
1927	迴	D8CF	966E	566F	1-584F	T3AN0080
1928	逃	D8D0	966F	5670	1-5850	T3AO0080
1929	追	D8D1	9670	5671	1-5851	T3AP0080
1930	遁	D8D2	9671	5672	1-5852	T3AQ0080
1931	迸	D8D3	9672	5673	1-5853	T3AR0080
1932	邕	D8D4	9673	5674	1-5854	T3AS0080
1933	郡	D8D5	9674	5675	1-5855	T3AT0080
1934	郝	D8D6	9675	5676	1-5856	T3AU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 32 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1935	郢	D8D7	9676	5677	1-5857	T3AV0080
1936	酒	D8D8	9677	5678	1-5858	T3AW0080
1937	配	D8D9	9678	5679	1-5859	T3AX0080
1938	酌	D8DA	9679	567A	1-585A	T3AY0080
1939	釘	D8DB	967A	567B	1-585B	T3AZ0080
1940	針	D8DC	967B	567C	1-585C	T3B00080
1941	釧	D8DD	967C	567D	1-585D	T3B10080
1942	釜	D8DE	967D	567E	1-585E	T3B20080
1943	針	D8DF	967E	567F	1-585F	T3B30080
1944	閃	D8E0	9680	5681	1-5860	T3B50080
1945	院	D8E1	9681	5682	1-5861	T3B60080
1946	陣	D8E2	9682	5683	1-5862	T3B70080
1947	陡	D8E3	9683	5684	1-5863	T3B80080
1948	陞	D8E4	9684	5685	1-5864	T3B90080
1949	陝	D8E5	9685	5686	1-5865	T3BA0080
1950	除	D8E6	9686	5687	1-5866	T3BB0080
1951	陞	D8E7	9687	5688	1-5867	T3BC0080
1952	陞	D8E8	9688	5689	1-5868	T3BD0080
1953	隻	D8E9	9689	568A	1-5869	T3BE0080
1954	飢	D8EA	968A	568B	1-586A	T3BF0080
1955	馬	D8EB	968B	568C	1-586B	T3BG0080
1956	骨	D8EC	968C	568D	1-586C	T3BH0080
1957	高	D8ED	968D	568E	1-586D	T3BI0080
1958	鬥	D8EE	968E	568F	1-586E	T3BJ0080
1959	鬲	D8EF	968F	5690	1-586F	T3BK0080
1960	鬼	D8F0	9690	5691	1-5870	T3BL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 33 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1961	乾	D8F1	9691	5692	1-5871	T3BM0080
1962	僭	D8F2	9692	5693	1-5872	T3BN0080
1963	偽	D8F3	9693	5694	1-5873	T3BO0080
1964	停	D8F4	9694	5695	1-5874	T3BP0080
1965	假	D8F5	9695	5696	1-5875	T3BQ0080
1966	偃	D8F6	9696	5697	1-5876	T3BR0080
1967	偌	D8F7	9697	5698	1-5877	T3BS0080
1968	做	D8F8	9698	5699	1-5878	T3BT0080
1969	偉	D8F9	9699	569A	1-5879	T3BU0080
1970	健	D8FA	969A	569B	1-587A	T3BV0080
1971	偶	D8FB	969B	569C	1-587B	T3BW0080
1972	偨	D8FC	969C	569D	1-587C	T3BX0080
1973	偕	D8FD	969D	569E	1-587D	T3BY0080
1974	偵	D8FE	969E	569F	1-587E	T3BZ0080
1975	側	D9A1	969F	56A0	1-5921	T3C00080
1976	偷	D9A2	96A0	56A1	1-5922	T3C10080
1977	偏	D9A3	96A1	56A2	1-5923	T3C20080
1978	倏	D9A4	96A2	56A3	1-5924	T3C30080
1979	倝	D9A5	96A3	56A4	1-5925	T3C40080
1980	倞	D9A6	96A4	56A5	1-5926	T3C50080
1981	兜	D9A7	96A5	56A6	1-5927	T3C60080
1982	冕	D9A8	96A6	56A7	1-5928	T3C70080
1983	鳳	D9A9	96A7	56A8	1-5929	T3C80080
1984	剪	D9AA	96A8	56A9	1-592A	T3C90080
1985	副	D9AB	96A9	56AA	1-592B	T3CA0080
1986	勒	D9AC	96AA	56AB	1-592C	T3CB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 34 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1987	務	D9AD	96AB	56AC	1-592D	T3CC0080
1988	勘	D9AE	96AC	56AD	1-592E	T3CD0080
1989	動	D9AF	96AD	56AE	1-592F	T3CE0080
1990	匐	D9B0	96AE	56AF	1-5930	T3CF0080
1991	匏	D9B1	96AF	56B0	1-5931	T3CG0080
1992	匙	D9B2	96B0	56B1	1-5932	T3CH0080
1993	匱	D9B3	96B1	56B2	1-5933	T3CI0080
1994	區	D9B4	96B2	56B3	1-5934	T3CJ0080
1995	匾	D9B5	96B3	56B4	1-5935	T3CK0080
1996	參	D9B6	96B4	56B5	1-5936	T3CL0080
1997	曼	D9B7	96B5	56B6	1-5937	T3CM0080
1998	商	D9B8	96B6	56B7	1-5938	T3CN0080
1999	啲	D9B9	96B7	56B8	1-5939	T3CO0080
2000	啦	D9BA	96B8	56B9	1-593A	T3CP0080
2001	啄	D9BB	96B9	56BA	1-593B	T3CQ0080
2002	啞	D9BC	96BA	56BB	1-593C	T3CR0080
2003	啡	D9BD	96BB	56BC	1-593D	T3CS0080
2004	哨	D9BE	96BC	56BD	1-593E	T3CT0080
2005	啊	D9BF	96BD	56BE	1-593F	T3CU0080
2006	唱	D9C0	96BE	56BF	1-5940	T3CV0080
2007	啖	D9C1	96BF	56C0	1-5941	T3CW0080
2008	問	D9C2	96C0	56C1	1-5942	T3CX0080
2009	啣	D9C3	96C1	56C2	1-5943	T3CY0080
2010	唯	D9C4	96C2	56C3	1-5944	T3CZ0080
2011	啤	D9C5	96C3	56C4	1-5945	T3D00080
2012	唸	D9C6	96C4	56C5	1-5946	T3D10080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 35 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2013	售	D9C7	96C5	56C6	1-5947	T3D20080
2014	噉	D9C8	96C6	56C7	1-5948	T3D30080
2015	噉	D9C9	96C7	56C8	1-5949	T3D40080
2016	啣	D9CA	96C8	56C9	1-594A	T3D50080
2017	噉	D9CB	96C9	56CA	1-594B	T3D60080
2018	啣	D9CC	96CA	56CB	1-594C	T3D70080
2019	啣	D9CD	96CB	56CC	1-594D	T3D80080
2020	圈	D9CE	96CC	56CD	1-594E	T3D90080
2021	國	D9CF	96CD	56CE	1-594F	T3DA0080
2022	圍	D9D0	96CE	56CF	1-5950	T3DB0080
2023	域	D9D1	96CF	56D0	1-5951	T3DC0080
2024	堅	D9D2	96D0	56D1	1-5952	T3DD0080
2025	聖	D9D3	96D1	56D2	1-5953	T3DE0080
2026	堆	D9D4	96D2	56D3	1-5954	T3DF0080
2027	埠	D9D5	96D3	56D4	1-5955	T3DG0080
2028	埠	D9D6	96D4	56D5	1-5956	T3DH0080
2029	基	D9D7	96D5	56D6	1-5957	T3DI0080
2030	堂	D9D8	96D6	56D7	1-5958	T3DJ0080
2031	堵	D9D9	96D7	56D8	1-5959	T3DK0080
2032	執	D9DA	96D8	56D9	1-595A	T3DL0080
2033	培	D9DB	96D9	56DA	1-595B	T3DM0080
2034	夠	D9DC	96DA	56DB	1-595C	T3DN0080
2035	奢	D9DD	96DB	56DC	1-595D	T3DO0080
2036	娶	D9DE	96DC	56DD	1-595E	T3DP0080
2037	婁	D9DF	96DD	56DE	1-595F	T3DQ0080
2038	婉	D9E0	96DE	56DF	1-5960	T3DR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 36 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2039	婦	D9E1	96DF	56E0	1-5961	T3DS0080
2040	婪	D9E2	96E0	56E1	1-5962	T3DT0080
2041	嫻	D9E3	96E1	56E2	1-5963	T3DU0080
2042	娼	D9E4	96E2	56E3	1-5964	T3DV0080
2043	婢	D9E5	96E3	56E4	1-5965	T3DW0080
2044	婚	D9E6	96E4	56E5	1-5966	T3DX0080
2045	婆	D9E7	96E5	56E6	1-5967	T3DY0080
2046	媵	D9E8	96E6	56E7	1-5968	T3DZ0080
2047	孰	D9E9	96E7	56E8	1-5969	T3E00080
2048	寇	D9EA	96E8	56E9	1-596A	T3E10080
2049	寅	D9EB	96E9	56EA	1-596B	T3E20080
2050	寄	D9EC	96EA	56EB	1-596C	T3E30080
2051	寂	D9ED	96EB	56EC	1-596D	T3E40080
2052	宿	D9EE	96EC	56ED	1-596E	T3E50080
2053	密	D9EF	96ED	56EE	1-596F	T3E60080
2054	尉	D9F0	96EE	56EF	1-5970	T3E70080
2055	專	D9F1	96EF	56F0	1-5971	T3E80080
2056	將	D9F2	96F0	56F1	1-5972	T3E90080
2057	屠	D9F3	96F1	56F2	1-5973	T3EA0080
2058	屨	D9F4	96F2	56F3	1-5974	T3EB0080
2059	扉	D9F5	96F3	56F4	1-5975	T3EC0080
2060	崇	D9F6	96F4	56F5	1-5976	T3ED0080
2061	崕	D9F7	96F5	56F6	1-5977	T3EE0080
2062	崎	D9F8	96F6	56F7	1-5978	T3EF0080
2063	嶮	D9F9	96F7	56F8	1-5979	T3EG0080
2064	崖	D9FA	96F8	56F9	1-597A	T3EH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 37 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2065	崢	D9FB	96F9	56FA	1-597B	T3EI0080
2066	崑	D9FC	96FA	56FB	1-597C	T3EJ0080
2067	崩	D9FD	96FB	56FC	1-597D	T3EK0080
2068	崔	D9FE	96FC	56FD	1-597E	T3EL0080
2069	崙	DAA1	9740	5741	1-5A21	T3EP0080
2070	崘	DAA2	9741	5742	1-5A22	T3EQ0080
2071	崜	DAA3	9742	5743	1-5A23	T3ER0080
2072	崗	DAA4	9743	5744	1-5A24	T3ES0080
2073	巢	DAA5	9744	5745	1-5A25	T3ET0080
2074	常	DAA6	9745	5746	1-5A26	T3EU0080
2075	帶	DAA7	9746	5747	1-5A27	T3EV0080
2076	帳	DAA8	9747	5748	1-5A28	T3EW0080
2077	帷	DAA9	9748	5749	1-5A29	T3EX0080
2078	康	DAAA	9749	574A	1-5A2A	T3EY0080
2079	庸	DAAB	974A	574B	1-5A2B	T3EZ0080
2080	庶	DAAC	974B	574C	1-5A2C	T3F00080
2081	庵	DAAD	974C	574D	1-5A2D	T3F10080
2082	庾	DAAE	974D	574E	1-5A2E	T3F20080
2083	張	DAAF	974E	574F	1-5A2F	T3F30080
2084	強	DAB0	974F	5750	1-5A30	T3F40080
2085	彗	DAB1	9750	5751	1-5A31	T3F50080
2086	彬	DAB2	9751	5752	1-5A32	T3F60080
2087	彩	DAB3	9752	5753	1-5A33	T3F70080
2088	彫	DAB4	9753	5754	1-5A34	T3F80080
2089	得	DAB5	9754	5755	1-5A35	T3F90080
2090	徙	DAB6	9755	5756	1-5A36	T3FA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 38 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2091	從	DAB7	9756	5757	1-5A37	T3FB0080
2092	徘	DAB8	9757	5758	1-5A38	T3FC0080
2093	御	DAB9	9758	5759	1-5A39	T3FD0080
2094	徠	DABA	9759	575A	1-5A3A	T3FE0080
2095	徇	DABB	975A	575B	1-5A3B	T3FF0080
2096	愆	DABC	975B	575C	1-5A3C	T3FG0080
2097	患	DABD	975C	575D	1-5A3D	T3FH0080
2098	悉	DABE	975D	575E	1-5A3E	T3FI0080
2099	悠	DABF	975E	575F	1-5A3F	T3FJ0080
2100	您	DAC0	975F	5760	1-5A40	T3FK0080
2101	惋	DAC1	9760	5761	1-5A41	T3FL0080
2102	悻	DAC2	9761	5762	1-5A42	T3FM0080
2103	悵	DAC3	9762	5763	1-5A43	T3FN0080
2104	懷	DAC4	9763	5764	1-5A44	T3FO0080
2105	情	DAC5	9764	5765	1-5A45	T3FP0080
2106	悻	DAC6	9765	5766	1-5A46	T3FQ0080
2107	悵	DAC7	9766	5767	1-5A47	T3FR0080
2108	惜	DAC8	9767	5768	1-5A48	T3FS0080
2109	悼	DAC9	9768	5769	1-5A49	T3FT0080
2110	惘	DACA	9769	576A	1-5A4A	T3FU0080
2111	惕	DACB	976A	576B	1-5A4B	T3FV0080
2112	惆	DACC	976B	576C	1-5A4C	T3FW0080
2113	惟	DACD	976C	576D	1-5A4D	T3FX0080
2114	悸	DACE	976D	576E	1-5A4E	T3FY0080
2115	惚	DACF	976E	576F	1-5A4F	T3FZ0080
2116	惇	DAD0	976F	5770	1-5A50	T3G00080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 39 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2117	戚	DAD1	9770	5771	1-5A51	T3G10080
2118	戛	DAD2	9771	5772	1-5A52	T3G20080
2119	扈	DAD3	9772	5773	1-5A53	T3G30080
2120	掠	DAD4	9773	5774	1-5A54	T3G40080
2121	控	DAD5	9774	5775	1-5A55	T3G50080
2122	捲	DAD6	9775	5776	1-5A56	T3G60080
2123	掖	DAD7	9776	5777	1-5A57	T3G70080
2124	探	DAD8	9777	5778	1-5A58	T3G80080
2125	接	DAD9	9778	5779	1-5A59	T3G90080
2126	捷	DADA	9779	577A	1-5A5A	T3GA0080
2127	捧	DADB	977A	577B	1-5A5B	T3GB0080
2128	掘	DADC	977B	577C	1-5A5C	T3GC0080
2129	措	DADD	977C	577D	1-5A5D	T3GD0080
2130	捱	DADE	977D	577E	1-5A5E	T3GE0080
2131	掩	DADF	977E	577F	1-5A5F	T3GF0080
2132	掉	DAE0	9780	5781	1-5A60	T3GH0080
2133	掃	DAE1	9781	5782	1-5A61	T3GI0080
2134	掛	DAE2	9782	5783	1-5A62	T3GJ0080
2135	捫	DAE3	9783	5784	1-5A63	T3GK0080
2136	推	DAE4	9784	5785	1-5A64	T3GL0080
2137	掄	DAE5	9785	5786	1-5A65	T3GM0080
2138	授	DAE6	9786	5787	1-5A66	T3GN0080
2139	掙	DAE7	9787	5788	1-5A67	T3GO0080
2140	採	DAE8	9788	5789	1-5A68	T3GP0080
2141	掬	DAE9	9789	578A	1-5A69	T3GQ0080
2142	排	DAEA	978A	578B	1-5A6A	T3GR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 40 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2143	掬	DAEB	978B	578C	1-5A6B	T3GS0080
2144	掀	DAEC	978C	578D	1-5A6C	T3GT0080
2145	捻	DAED	978D	578E	1-5A6D	T3GU0080
2146	振	DAEE	978E	578F	1-5A6E	T3GV0080
2147	捨	DAEF	978F	5790	1-5A6F	T3GW0080
2148	捺	DAF0	9790	5791	1-5A70	T3GX0080
2149	敝	DAF1	9791	5792	1-5A71	T3GY0080
2150	敖	DAF2	9792	5793	1-5A72	T3GZ0080
2151	救	DAF3	9793	5794	1-5A73	T3H00080
2152	教	DAF4	9794	5795	1-5A74	T3H10080
2153	敗	DAF5	9795	5796	1-5A75	T3H20080
2154	啟	DAF6	9796	5797	1-5A76	T3H30080
2155	敏	DAF7	9797	5798	1-5A77	T3H40080
2156	敘	DAF8	9798	5799	1-5A78	T3H50080
2157	敕	DAF9	9799	579A	1-5A79	T3H60080
2158	敵	DAFA	979A	579B	1-5A7A	T3H70080
2159	斜	DAFB	979B	579C	1-5A7B	T3H80080
2160	斛	DAFC	979C	579D	1-5A7C	T3H90080
2161	斬	DAFD	979D	579E	1-5A7D	T3HA0080
2162	族	DAFE	979E	579F	1-5A7E	T3HB0080
2163	旋	DBA1	979F	57A0	1-5B21	T3HC0080
2164	旌	DBA2	97A0	57A1	1-5B22	T3HD0080
2165	旒	DBA3	97A1	57A2	1-5B23	T3HE0080
2166	晝	DBA4	97A2	57A3	1-5B24	T3HF0080
2167	晚	DBA5	97A3	57A4	1-5B25	T3HG0080
2168	晤	DBA6	97A4	57A5	1-5B26	T3HH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 41 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2169	晨	DBA7	97A5	57A6	1-5B27	T3HI0080
2170	晦	DBA8	97A6	57A7	1-5B28	T3HJ0080
2171	晞	DBA9	97A7	57A8	1-5B29	T3HK0080
2172	曹	DBAA	97A8	57A9	1-5B2A	T3HL0080
2173	勗	DBAB	97A9	57AA	1-5B2B	T3HM0080
2174	望	DBAC	97AA	57AB	1-5B2C	T3HN0080
2175	梁	DBAD	97AB	57AC	1-5B2D	T3HO0080
2176	梯	DBAE	97AC	57AD	1-5B2E	T3HP0080
2177	梢	DBAF	97AD	57AE	1-5B2F	T3HQ0080
2178	梓	DBB0	97AE	57AF	1-5B30	T3HR0080
2179	梵	DBB1	97AF	57B0	1-5B31	T3HS0080
2180	桿	DBB2	97B0	57B1	1-5B32	T3HT0080
2181	桶	DBB3	97B1	57B2	1-5B33	T3HU0080
2182	梱	DBB4	97B2	57B3	1-5B34	T3HV0080
2183	梧	DBB5	97B3	57B4	1-5B35	T3HW0080
2184	梗	DBB6	97B4	57B5	1-5B36	T3HX0080
2185	械	DBB7	97B5	57B6	1-5B37	T3HY0080
2186	梃	DBB8	97B6	57B7	1-5B38	T3HZ0080
2187	棄	DBB9	97B7	57B8	1-5B39	T3I00080
2188	梭	DBBA	97B8	57B9	1-5B3A	T3I10080
2189	榔	DBBB	97B9	57BA	1-5B3B	T3I20080
2190	梅	DBBC	97BA	57BB	1-5B3C	T3I30080
2191	梔	DBBD	97BB	57BC	1-5B3D	T3I40080
2192	條	DBBE	97BC	57BD	1-5B3E	T3I50080
2193	梨	DBBF	97BD	57BE	1-5B3F	T3I60080
2194	梟	DBC0	97BE	57BF	1-5B40	T3I70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 8 (Page 42 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2195	梡	DBC1	97BF	57C0	1-5B41	T3I80080
2196	椽	DBC2	97C0	57C1	1-5B42	T3I90080
2197	欲	DBC3	97C1	57C2	1-5B43	T3IA0080
2198	殺	DBC4	97C2	57C3	1-5B44	T3IB0080
2199	毫	DBC5	97C3	57C4	1-5B45	T3IC0080
2200	毬	DBC6	97C4	57C5	1-5B46	T3ID0080
2201	氫	DBC7	97C5	57C6	1-5B47	T3IE0080
2202	涎	DBC8	97C6	57C7	1-5B48	T3IF0080
2203	涼	DBC9	97C7	57C8	1-5B49	T3IG0080
2204	淳	DBCA	97C8	57C9	1-5B4A	T3IH0080
2205	綜	DBCB	97C9	57CA	1-5B4B	T3II0080
2206	液	DBCC	97CA	57CB	1-5B4C	T3IJ0080
2207	淡	DBCD	97CB	57CC	1-5B4D	T3IK0080
2208	滄	DBCE	97CC	57CD	1-5B4E	T3IL0080
2209	淤	DBCF	97CD	57CE	1-5B4F	T3IM0080
2210	添	DBD0	97CE	57CF	1-5B50	T3IN0080
2211	淺	DBD1	97CF	57D0	1-5B51	T3IO0080
2212	清	DBD2	97D0	57D1	1-5B52	T3IP0080
2213	淇	DBD3	97D1	57D2	1-5B53	T3IQ0080
2214	淋	DBD4	97D2	57D3	1-5B54	T3IR0080
2215	涯	DBD5	97D3	57D4	1-5B55	T3IS0080
2216	淑	DBD6	97D4	57D5	1-5B56	T3IT0080
2217	澗	DBD7	97D5	57D6	1-5B57	T3IU0080
2218	淞	DBD8	97D6	57D7	1-5B58	T3IV0080
2219	淹	DBD9	97D7	57D8	1-5B59	T3IW0080
2220	澗	DBDA	97D8	57D9	1-5B5A	T3IX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 8 (Page 43 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2221	混	DBDB	97D9	57DA	1-5B5B	T3IY0080
2222	淵	DBDC	97DA	57DB	1-5B5C	T3IZ0080
2223	漸	DBDD	97DB	57DC	1-5B5D	T3J00080
2224	淒	DBDE	97DC	57DD	1-5B5E	T3J10080
2225	渚	DBDF	97DD	57DE	1-5B5F	T3J20080
2226	涵	DBE0	97DE	57DF	1-5B60	T3J30080
2227	淚	DBE1	97DF	57E0	1-5B61	T3J40080
2228	淫	DBE2	97E0	57E1	1-5B62	T3J50080
2229	淘	DBE3	97E1	57E2	1-5B63	T3J60080
2230	淪	DBE4	97E2	57E3	1-5B64	T3J70080
2231	深	DBE5	97E3	57E4	1-5B65	T3J80080
2232	淮	DBE6	97E4	57E5	1-5B66	T3J90080
2233	淨	DBE7	97E5	57E6	1-5B67	T3JA0080
2234	淆	DBE8	97E6	57E7	1-5B68	T3JB0080
2235	溜	DBE9	97E7	57E8	1-5B69	T3JC0080
2236	涪	DBEA	97E8	57E9	1-5B6A	T3JD0080
2237	淬	DBEB	97E9	57EA	1-5B6B	T3JE0080
2238	涿	DBEC	97EA	57EB	1-5B6C	T3JF0080
2239	淦	DBED	97EB	57EC	1-5B6D	T3JG0080
2240	烹	DBEE	97EC	57ED	1-5B6E	T3JH0080
2241	焉	DBEF	97ED	57EE	1-5B6F	T3JI0080
2242	焊	DBF0	97EE	57EF	1-5B70	T3JJ0080
2243	烽	DBF1	97EF	57F0	1-5B71	T3JK0080
2244	烯	DBF2	97F0	57F1	1-5B72	T3JL0080
2245	爽	DBF3	97F1	57F2	1-5B73	T3JM0080
2246	牽	DBF4	97F2	57F3	1-5B74	T3JN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 8 (Page 44 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (2 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2247	犁	DBF5	97F3	57F4	1-5B75	T3JO0080
2248	猜	DBF6	97F4	57F5	1-5B76	T3JP0080
2249	猛	DBF7	97F5	57F6	1-5B77	T3JQ0080
2250	猖	DBF8	97F6	57F7	1-5B78	T3JR0080
2251	獯	DBF9	97F7	57F8	1-5B79	T3JS0080
2252	猙	DBFA	97F8	57F9	1-5B7A	T3JT0080
2253	率	DBFB	97F9	57FA	1-5B7B	T3JU0080
2254	琅	DBFC	97FA	57FB	1-5B7C	T3JV0080
2255	琊	DBFD	97FB	57FC	1-5B7D	T3JW0080
2256	球	DBFE	97FC	57FD	1-5B7E	T3JX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 1 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2257	理	DCA1	9840	5841	1-5C21	T3K10080
2258	現	DCA2	9841	5842	1-5C22	T3K20080
2259	琺	DCA3	9842	5843	1-5C23	T3K30080
2260	瓠	DCA4	9843	5844	1-5C24	T3K40080
2261	瓶	DCA5	9844	5845	1-5C25	T3K50080
2262	瓷	DCA6	9845	5846	1-5C26	T3K60080
2263	甜	DCA7	9846	5847	1-5C27	T3K70080
2264	產	DCA8	9847	5848	1-5C28	T3K80080
2265	略	DCA9	9848	5849	1-5C29	T3K90080
2266	畦	DCAA	9849	584A	1-5C2A	T3KA0080
2267	畢	DCAB	984A	584B	1-5C2B	T3KB0080
2268	異	DCAC	984B	584C	1-5C2C	T3KC0080
2269	疏	DCAD	984C	584D	1-5C2D	T3KD0080
2270	痔	DCAE	984D	584E	1-5C2E	T3KE0080
2271	痕	DCAF	984E	584F	1-5C2F	T3KF0080
2272	疵	DCB0	984F	5850	1-5C30	T3KG0080
2273	痊	DCB1	9850	5851	1-5C31	T3KH0080
2274	瘡	DCB2	9851	5852	1-5C32	T3KI0080
2275	皎	DCB3	9852	5853	1-5C33	T3KJ0080
2276	盃	DCB4	9853	5854	1-5C34	T3KK0080
2277	盒	DCB5	9854	5855	1-5C35	T3KL0080
2278	盛	DCB6	9855	5856	1-5C36	T3KM0080
2279	脊	DCB7	9856	5857	1-5C37	T3KN0080
2280	眾	DCB8	9857	5858	1-5C38	T3KO0080
2281	眼	DCB9	9858	5859	1-5C39	T3KP0080
2282	眶	DCBA	9859	585A	1-5C3A	T3KQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 2 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2283	眸	DCBB	985A	585B	1-5C3B	T3KR0080
2284	眺	DCBC	985B	585C	1-5C3C	T3KS0080
2285	硫	DCBD	985C	585D	1-5C3D	T3KT0080
2286	硃	DCBE	985D	585E	1-5C3E	T3KU0080
2287	礪	DCBF	985E	585F	1-5C3F	T3KV0080
2288	祥	DCC0	985F	5860	1-5C40	T3KW0080
2289	票	DCC1	9860	5861	1-5C41	T3KX0080
2290	祭	DCC2	9861	5862	1-5C42	T3KY0080
2291	移	DCC3	9862	5863	1-5C43	T3KZ0080
2292	窠	DCC4	9863	5864	1-5C44	T3L00080
2293	窕	DCC5	9864	5865	1-5C45	T3L10080
2294	笠	DCC6	9865	5866	1-5C46	T3L20080
2295	笨	DCC7	9866	5867	1-5C47	T3L30080
2296	笛	DCC8	9867	5868	1-5C48	T3L40080
2297	第	DCC9	9868	5869	1-5C49	T3L50080
2298	符	DCCA	9869	586A	1-5C4A	T3L60080
2299	笙	DCCB	986A	586B	1-5C4B	T3L70080
2300	笞	DCCC	986B	586C	1-5C4C	T3L80080
2301	笮	DCCD	986C	586D	1-5C4D	T3L90080
2302	粒	DCCE	986D	586E	1-5C4E	T3LA0080
2303	粗	DCCF	986E	586F	1-5C4F	T3LB0080
2304	粕	DCD0	986F	5870	1-5C50	T3LC0080
2305	絆	DCD1	9870	5871	1-5C51	T3LD0080
2306	絃	DCD2	9871	5872	1-5C52	T3LE0080
2307	統	DCD3	9872	5873	1-5C53	T3LF0080
2308	紮	DCD4	9873	5874	1-5C54	T3LG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 3 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2309	紹	DCD5	9874	5875	1-5C55	T3LH0080
2310	紼	DCD6	9875	5876	1-5C56	T3LI0080
2311	紉	DCD7	9876	5877	1-5C57	T3LJ0080
2312	細	DCD8	9877	5878	1-5C58	T3LK0080
2313	紳	DCD9	9878	5879	1-5C59	T3LL0080
2314	組	DCDA	9879	587A	1-5C5A	T3LM0080
2315	累	DCDB	987A	587B	1-5C5B	T3LN0080
2316	終	DCDC	987B	587C	1-5C5C	T3LO0080
2317	繼	DCDD	987C	587D	1-5C5D	T3LP0080
2318	絨	DCDE	987D	587E	1-5C5E	T3LQ0080
2319	鉢	DCDF	987E	587F	1-5C5F	T3LR0080
2320	羞	DCE0	9880	5881	1-5C60	T3LT0080
2321	矜	DCE1	9881	5882	1-5C61	T3LU0080
2322	翌	DCE2	9882	5883	1-5C62	T3LV0080
2323	翎	DCE3	9883	5884	1-5C63	T3LW0080
2324	習	DCE4	9884	5885	1-5C64	T3LX0080
2325	耜	DCE5	9885	5886	1-5C65	T3LY0080
2326	聊	DCE6	9886	5887	1-5C66	T3LZ0080
2327	聆	DCE7	9887	5888	1-5C67	T3M00080
2328	脯	DCE8	9888	5889	1-5C68	T3M10080
2329	脖	DCE9	9889	588A	1-5C69	T3M20080
2330	脣	DCEA	988A	588B	1-5C6A	T3M30080
2331	脫	DCEB	988B	588C	1-5C6B	T3M40080
2332	脩	DCEC	988C	588D	1-5C6C	T3M50080
2333	脰	DCED	988D	588E	1-5C6D	T3M60080
2334	脈	DCEE	988E	588F	1-5C6E	T3M70080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 9 (Page 4 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2335	春	DCEF	988F	5890	1-5C6F	T3M80080
2336	舵	DCF0	9890	5891	1-5C70	T3M90080
2337	舷	DCF1	9891	5892	1-5C71	T3MA0080
2338	舶	DCF2	9892	5893	1-5C72	T3MB0080
2339	船	DCF3	9893	5894	1-5C73	T3MC0080
2340	莎	DCF4	9894	5895	1-5C74	T3MD0080
2341	莞	DCF5	9895	5896	1-5C75	T3ME0080
2342	莘	DCF6	9896	5897	1-5C76	T3MF0080
2343	葶	DCF7	9897	5898	1-5C77	T3MG0080
2344	莢	DCF8	9898	5899	1-5C78	T3MH0080
2345	莖	DCF9	9899	589A	1-5C79	T3MI0080
2346	莖	DCFA	989A	589B	1-5C7A	T3MJ0080
2347	莫	DCFB	989B	589C	1-5C7B	T3MK0080
2348	莒	DCFC	989C	589D	1-5C7C	T3ML0080
2349	莊	DCFD	989D	589E	1-5C7D	T3MM0080
2350	莓	DCFE	989E	589F	1-5C7E	T3MN0080
2351	莉	DDA1	989F	58A0	1-5D21	T3MO0080
2352	莠	DDA2	98A0	58A1	1-5D22	T3MP0080
2353	荷	DDA3	98A1	58A2	1-5D23	T3MQ0080
2354	荻	DDA4	98A2	58A3	1-5D24	T3MR0080
2355	茶	DDA5	98A3	58A4	1-5D25	T3MS0080
2356	莆	DDA6	98A4	58A5	1-5D26	T3MT0080
2357	莧	DDA7	98A5	58A6	1-5D27	T3MU0080
2358	處	DDA8	98A6	58A7	1-5D28	T3MV0080
2359	彪	DDA9	98A7	58A8	1-5D29	T3MW0080
2360	蛇	DDAA	98A8	58A9	1-5D2A	T3MX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 5 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2361	蚌	DDAB	98A9	58AA	1-5D2B	T3MY0080
2362	蚶	DDAC	98AA	58AB	1-5D2C	T3MZ0080
2363	蛤	DDAD	98AB	58AC	1-5D2D	T3N00080
2364	蚶	DDAE	98AC	58AD	1-5D2E	T3N10080
2365	蛆	DDAF	98AD	58AE	1-5D2F	T3N20080
2366	蛋	DDB0	98AE	58AF	1-5D30	T3N30080
2367	蚱	DDB1	98AF	58B0	1-5D31	T3N40080
2368	蚯	DDB2	98B0	58B1	1-5D32	T3N50080
2369	蛉	DDB3	98B1	58B2	1-5D33	T3N60080
2370	術	DDB4	98B2	58B3	1-5D34	T3N70080
2371	袞	DDB5	98B3	58B4	1-5D35	T3N80080
2372	袞	DDB6	98B4	58B5	1-5D36	T3N90080
2373	被	DDB7	98B5	58B6	1-5D37	T3NA0080
2374	袒	DDB8	98B6	58B7	1-5D38	T3NB0080
2375	袖	DDB9	98B7	58B8	1-5D39	T3NC0080
2376	袍	DDBA	98B8	58B9	1-5D3A	T3ND0080
2377	袋	DDBB	98B9	58BA	1-5D3B	T3NE0080
2378	覓	DDBC	98BA	58BB	1-5D3C	T3NF0080
2379	規	DDBD	98BB	58BC	1-5D3D	T3NG0080
2380	訪	DDBE	98BC	58BD	1-5D3E	T3NH0080
2381	訝	DDBF	98BD	58BE	1-5D3F	T3NI0080
2382	訣	DDC0	98BE	58BF	1-5D40	T3NJ0080
2383	訥	DDC1	98BF	58C0	1-5D41	T3NK0080
2384	許	DDC2	98C0	58C1	1-5D42	T3NL0080
2385	設	DDC3	98C1	58C2	1-5D43	T3NM0080
2386	訟	DDC4	98C2	58C3	1-5D44	T3NN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 6 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2387	訛	DDC5	98C3	58C4	1-5D45	T3NQ0080
2388	訢	DDC6	98C4	58C5	1-5D46	T3NP0080
2389	鼓	DDC7	98C5	58C6	1-5D47	T3NQ0080
2390	豚	DDC8	98C6	58C7	1-5D48	T3NR0080
2391	販	DDC9	98C7	58C8	1-5D49	T3NS0080
2392	賁	DDCA	98C8	58C9	1-5D4A	T3NT0080
2393	貫	DDCB	98C9	58CA	1-5D4B	T3NU0080
2394	貨	DDCC	98CA	58CB	1-5D4C	T3NV0080
2395	貪	DDCD	98CB	58CC	1-5D4D	T3NW0080
2396	貧	DDCE	98CC	58CD	1-5D4E	T3NX0080
2397	赧	DDCF	98CD	58CE	1-5D4F	T3NY0080
2398	赦	DDD0	98CE	58CF	1-5D50	T3NZ0080
2399	趾	DDD1	98CF	58D0	1-5D51	T3O00080
2400	趺	DDD2	98D0	58D1	1-5D52	T3O10080
2401	輓	DDD3	98D1	58D2	1-5D53	T3O20080
2402	軟	DDD4	98D2	58D3	1-5D54	T3O30080
2403	這	DDD5	98D3	58D4	1-5D55	T3O40080
2404	逍	DDD6	98D4	58D5	1-5D56	T3O50080
2405	通	DDD7	98D5	58D6	1-5D57	T3O60080
2406	逗	DDD8	98D6	58D7	1-5D58	T3O70080
2407	連	DDD9	98D7	58D8	1-5D59	T3O80080
2408	速	DDDA	98D8	58D9	1-5D5A	T3O90080
2409	逝	DDDB	98D9	58DA	1-5D5B	T3OA0080
2410	逐	DDDC	98DA	58DB	1-5D5C	T3OB0080
2411	逕	DDDD	98DB	58DC	1-5D5D	T3OC0080
2412	逞	DDDE	98DC	58DD	1-5D5E	T3OD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 7 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2413	造	DDDF	98DD	58DE	1-5D5F	T3OE0080
2414	透	DDE0	98DE	58DF	1-5D60	T3OF0080
2415	逢	DDE1	98DF	58E0	1-5D61	T3OG0080
2416	逃	DDE2	98E0	58E1	1-5D62	T3OH0080
2417	逛	DDE3	98E1	58E2	1-5D63	T3OI0080
2418	途	DDE4	98E2	58E3	1-5D64	T3OJ0080
2419	部	DDE5	98E3	58E4	1-5D65	T3OK0080
2420	郭	DDE6	98E4	58E5	1-5D66	T3OL0080
2421	都	DDE7	98E5	58E6	1-5D67	T3OM0080
2422	酬	DDE8	98E6	58E7	1-5D68	T3ON0080
2423	野	DDE9	98E7	58E8	1-5D69	T3OO0080
2424	釵	DDEA	98E8	58E9	1-5D6A	T3OP0080
2425	釳	DDEB	98E9	58EA	1-5D6B	T3OQ0080
2426	鈞	DDEC	98EA	58EB	1-5D6C	T3OR0080
2427	釧	DDED	98EB	58EC	1-5D6D	T3OS0080
2428	釹	DDEE	98EC	58ED	1-5D6E	T3OT0080
2429	釷	DDEF	98ED	58EE	1-5D6F	T3OU0080
2430	閉	DDF0	98EE	58EF	1-5D70	T3OV0080
2431	陪	DDF1	98EF	58F0	1-5D71	T3OW0080
2432	陵	DDF2	98F0	58F1	1-5D72	T3OX0080
2433	陳	DDF3	98F1	58F2	1-5D73	T3OY0080
2434	陸	DDF4	98F2	58F3	1-5D74	T3OZ0080
2435	陰	DDF5	98F3	58F4	1-5D75	T3P00080
2436	陣	DDF6	98F4	58F5	1-5D76	T3P10080
2437	陶	DDF7	98F5	58F6	1-5D77	T3P20080
2438	陷	DDF8	98F6	58F7	1-5D78	T3P30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 8 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2439	陔	DDF9	98F7	58F8	1-5D79	T3P40080
2440	雀	DDFA	98F8	58F9	1-5D7A	T3P50080
2441	雪	DDFB	98F9	58FA	1-5D7B	T3P60080
2442	零	DDFC	98FA	58FB	1-5D7C	T3P70080
2443	章	DDFD	98FB	58FC	1-5D7D	T3P80080
2444	竟	DDFE	98FC	58FD	1-5D7E	T3P90080
2445	頂	DEA1	9940	5941	1-5E21	T3PD0080
2446	頃	DEA2	9941	5942	1-5E22	T3PE0080
2447	魚	DEA3	9942	5943	1-5E23	T3PF0080
2448	鳥	DEA4	9943	5944	1-5E24	T3PG0080
2449	鹵	DEA5	9944	5945	1-5E25	T3PH0080
2450	鹿	DEA6	9945	5946	1-5E26	T3PI0080
2451	麥	DEA7	9946	5947	1-5E27	T3PJ0080
2452	麻	DEA8	9947	5948	1-5E28	T3PK0080
2453	傢	DEA9	9948	5949	1-5E29	T3PL0080
2454	傍	DEAA	9949	594A	1-5E2A	T3PM0080
2455	傳	DEAB	994A	594B	1-5E2B	T3PN0080
2456	備	DEAC	994B	594C	1-5E2C	T3PO0080
2457	傑	DEAD	994C	594D	1-5E2D	T3PP0080
2458	傀	DEAE	994D	594E	1-5E2E	T3PQ0080
2459	傖	DEAF	994E	594F	1-5E2F	T3PR0080
2460	傘	DEB0	994F	5950	1-5E30	T3PS0080
2461	傲	DEB1	9950	5951	1-5E31	T3PT0080
2462	最	DEB2	9951	5952	1-5E32	T3PU0080
2463	凱	DEB3	9952	5953	1-5E33	T3PV0080
2464	割	DEB4	9953	5954	1-5E34	T3PW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 9 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2465	剗	DEB5	9954	5955	1-5E35	T3PX0080
2466	創	DEB6	9955	5956	1-5E36	T3PY0080
2467	剩	DEB7	9956	5957	1-5E37	T3PZ0080
2468	勞	DEB8	9957	5958	1-5E38	T3Q00080
2469	勝	DEB9	9958	5959	1-5E39	T3Q10080
2470	勛	DEBA	9959	595A	1-5E3A	T3Q20080
2471	博	DEBB	995A	595B	1-5E3B	T3Q30080
2472	厥	DEBC	995B	595C	1-5E3C	T3Q40080
2473	雷	DEBD	995C	595D	1-5E3D	T3Q50080
2474	喀	DEBE	995D	595E	1-5E3E	T3Q60080
2475	喧	DEBF	995E	595F	1-5E3F	T3Q70080
2476	啼	DEC0	995F	5960	1-5E40	T3Q80080
2477	喊	DEC1	9960	5961	1-5E41	T3Q90080
2478	喝	DEC2	9961	5962	1-5E42	T3QA0080
2479	喘	DEC3	9962	5963	1-5E43	T3QB0080
2480	喂	DEC4	9963	5964	1-5E44	T3QC0080
2481	喜	DEC5	9964	5965	1-5E45	T3QD0080
2482	喪	DEC6	9965	5966	1-5E46	T3QE0080
2483	喔	DEC7	9966	5967	1-5E47	T3QF0080
2484	喇	DEC8	9967	5968	1-5E48	T3QG0080
2485	喋	DEC9	9968	5969	1-5E49	T3QH0080
2486	喃	DECA	9969	596A	1-5E4A	T3QI0080
2487	喳	DECB	996A	596B	1-5E4B	T3QJ0080
2488	單	DECC	996B	596C	1-5E4C	T3QK0080
2489	喟	DECD	996C	596D	1-5E4D	T3QL0080
2490	睡	DECE	996D	596E	1-5E4E	T3QM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 10 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2491	啲	DECF	996E	596F	1-5E4F	T3QN0080
2492	喚	DED0	996F	5970	1-5E50	T3QO0080
2493	喻	DED1	9970	5971	1-5E51	T3QP0080
2494	喬	DED2	9971	5972	1-5E52	T3QQ0080
2495	喱	DED3	9972	5973	1-5E53	T3QR0080
2496	啾	DED4	9973	5974	1-5E54	T3QS0080
2497	喉	DED5	9974	5975	1-5E55	T3QT0080
2498	喫	DED6	9975	5976	1-5E56	T3QU0080
2499	喙	DED7	9976	5977	1-5E57	T3QV0080
2500	圍	DED8	9977	5978	1-5E58	T3QW0080
2501	堯	DED9	9978	5979	1-5E59	T3QX0080
2502	堪	DEDA	9979	597A	1-5E5A	T3QY0080
2503	場	DEDB	997A	597B	1-5E5B	T3QZ0080
2504	堤	DEDC	997B	597C	1-5E5C	T3R00080
2505	堰	DEDD	997C	597D	1-5E5D	T3R10080
2506	報	DEDE	997D	597E	1-5E5E	T3R20080
2507	堡	DEDF	997E	597F	1-5E5F	T3R30080
2508	塢	DEE0	9980	5981	1-5E60	T3R50080
2509	墩	DEE1	9981	5982	1-5E61	T3R60080
2510	壹	DEE2	9982	5983	1-5E62	T3R70080
2511	壺	DEE3	9983	5984	1-5E63	T3R80080
2512	奠	DEE4	9984	5985	1-5E64	T3R90080
2513	婷	DEE5	9985	5986	1-5E65	T3RA0080
2514	媚	DEE6	9986	5987	1-5E66	T3RB0080
2515	婿	DEE7	9987	5988	1-5E67	T3RC0080
2516	媒	DEE8	9988	5989	1-5E68	T3RD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 11 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2517	媛	DEE9	9989	598A	1-5E69	T3RE0080
2518	媯	DEEA	998A	598B	1-5E6A	T3RF0080
2519	孳	DEEB	998B	598C	1-5E6B	T3RG0080
2520	孱	DEEC	998C	598D	1-5E6C	T3RH0080
2521	寒	DEED	998D	598E	1-5E6D	T3RI0080
2522	富	DEEE	998E	598F	1-5E6E	T3RJ0080
2523	寓	DEEF	998F	5990	1-5E6F	T3RK0080
2524	寐	DEF0	9990	5991	1-5E70	T3RL0080
2525	尊	DEF1	9991	5992	1-5E71	T3RM0080
2526	尋	DEF2	9992	5993	1-5E72	T3RN0080
2527	就	DEF3	9993	5994	1-5E73	T3RO0080
2528	嵌	DEF4	9994	5995	1-5E74	T3RP0080
2529	嵐	DEF5	9995	5996	1-5E75	T3RQ0080
2530	歲	DEF6	9996	5997	1-5E76	T3RR0080
2531	嵇	DEF7	9997	5998	1-5E77	T3RS0080
2532	巽	DEF8	9998	5999	1-5E78	T3RT0080
2533	幅	DEF9	9999	599A	1-5E79	T3RU0080
2534	帽	DEFA	999A	599B	1-5E7A	T3RV0080
2535	幘	DEFB	999B	599C	1-5E7B	T3RW0080
2536	幃	DEFC	999C	599D	1-5E7C	T3RX0080
2537	幾	DEFD	999D	599E	1-5E7D	T3RY0080
2538	廊	DEFE	999E	599F	1-5E7E	T3RZ0080
2539	廁	DFA1	999F	59A0	1-5F21	T3S00080
2540	廂	DFA2	99A0	59A1	1-5F22	T3S10080
2541	廨	DFA3	99A1	59A2	1-5F23	T3S20080
2542	粥	DFA4	99A2	59A3	1-5F24	T3S30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 12 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2543	彭	DFA5	99A3	59A4	1-5F25	T3S40080
2544	復	DFA6	99A4	59A5	1-5F26	T3S50080
2545	循	DFA7	99A5	59A6	1-5F27	T3S60080
2546	徨	DFA8	99A6	59A7	1-5F28	T3S70080
2547	惑	DFA9	99A7	59A8	1-5F29	T3S80080
2548	惡	DFAA	99A8	59A9	1-5F2A	T3S90080
2549	悲	DFAB	99A9	59AA	1-5F2B	T3SA0080
2550	悶	DFAC	99AA	59AB	1-5F2C	T3SB0080
2551	惠	DFAD	99AB	59AC	1-5F2D	T3SC0080
2552	愜	DFAE	99AC	59AD	1-5F2E	T3SD0080
2553	愕	DFAF	99AD	59AE	1-5F2F	T3SE0080
2554	惺	DFB0	99AE	59AF	1-5F30	T3SF0080
2555	愕	DFB1	99AF	59B0	1-5F31	T3SG0080
2556	惰	DFB2	99B0	59B1	1-5F32	T3SH0080
2557	惻	DFB3	99B1	59B2	1-5F33	T3SI0080
2558	惴	DFB4	99B2	59B3	1-5F34	T3SJ0080
2559	慨	DFB5	99B3	59B4	1-5F35	T3SK0080
2560	惱	DFB6	99B4	59B5	1-5F36	T3SL0080
2561	復	DFB7	99B5	59B6	1-5F37	T3SM0080
2562	惶	DFB8	99B6	59B7	1-5F38	T3SN0080
2563	愉	DFB9	99B7	59B8	1-5F39	T3SO0080
2564	愀	DFBA	99B8	59B9	1-5F3A	T3SP0080
2565	惕	DFBB	99B9	59BA	1-5F3B	T3SQ0080
2566	戟	DFBC	99BA	59BB	1-5F3C	T3SR0080
2567	扉	DFBD	99BB	59BC	1-5F3D	T3SS0080
2568	掣	DFBE	99BC	59BD	1-5F3E	T3ST0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 13 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2569	掌	DFBF	99BD	59BE	1-5F3F	T3SU0080
2570	描	DFC0	99BE	59BF	1-5F40	T3SV0080
2571	揀	DFC1	99BF	59C0	1-5F41	T3SW0080
2572	揩	DFC2	99C0	59C1	1-5F42	T3SX0080
2573	揉	DFC3	99C1	59C2	1-5F43	T3SY0080
2574	揆	DFC4	99C2	59C3	1-5F44	T3SZ0080
2575	揍	DFC5	99C3	59C4	1-5F45	T3T00080
2576	插	DFC6	99C4	59C5	1-5F46	T3T10080
2577	揣	DFC7	99C5	59C6	1-5F47	T3T20080
2578	提	DFC8	99C6	59C7	1-5F48	T3T30080
2579	握	DFC9	99C7	59C8	1-5F49	T3T40080
2580	搯	DFCA	99C8	59C9	1-5F4A	T3T50080
2581	搨	DFCB	99C9	59CA	1-5F4B	T3T60080
2582	揮	DFCC	99CA	59CB	1-5F4C	T3T70080
2583	捶	DFCD	99CB	59CC	1-5F4D	T3T80080
2584	援	DFCE	99CC	59CD	1-5F4E	T3T90080
2585	揪	DFCF	99CD	59CE	1-5F4F	T3TA0080
2586	換	DFD0	99CE	59CF	1-5F50	T3TB0080
2587	擯	DFD1	99CF	59D0	1-5F51	T3TC0080
2588	揚	DFD2	99D0	59D1	1-5F52	T3TD0080
2589	措	DFD3	99D1	59D2	1-5F53	T3TE0080
2590	敵	DFD4	99D2	59D3	1-5F54	T3TF0080
2591	敦	DFD5	99D3	59D4	1-5F55	T3TG0080
2592	敢	DFD6	99D4	59D5	1-5F56	T3TH0080
2593	散	DFD7	99D5	59D6	1-5F57	T3TI0080
2594	斑	DFD8	99D6	59D7	1-5F58	T3TJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 14 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2595	斐	DFD9	99D7	59D8	1-5F59	T3TK0080
2596	斯	DFDA	99D8	59D9	1-5F5A	T3TL0080
2597	普	DFDB	99D9	59DA	1-5F5B	T3TM0080
2598	晰	DFDC	99DA	59DB	1-5F5C	T3TN0080
2599	晴	DFDD	99DB	59DC	1-5F5D	T3TO0080
2600	晶	DFDE	99DC	59DD	1-5F5E	T3TP0080
2601	景	DFDF	99DD	59DE	1-5F5F	T3TQ0080
2602	暑	DFE0	99DE	59DF	1-5F60	T3TR0080
2603	智	DFE1	99DF	59E0	1-5F61	T3TS0080
2604	晾	DFE2	99E0	59E1	1-5F62	T3TT0080
2605	晷	DFE3	99E1	59E2	1-5F63	T3TU0080
2606	曾	DFE4	99E2	59E3	1-5F64	T3TV0080
2607	替	DFE5	99E3	59E4	1-5F65	T3TW0080
2608	期	DFE6	99E4	59E5	1-5F66	T3TX0080
2609	朝	DFE7	99E5	59E6	1-5F67	T3TY0080
2610	棺	DFE8	99E6	59E7	1-5F68	T3TZ0080
2611	棕	DFE9	99E7	59E8	1-5F69	T3U00080
2612	棠	DFEA	99E8	59E9	1-5F6A	T3U10080
2613	棘	DFEB	99E9	59EA	1-5F6B	T3U20080
2614	棗	DFEC	99EA	59EB	1-5F6C	T3U30080
2615	椅	DFED	99EB	59EC	1-5F6D	T3U40080
2616	棟	DFEE	99EC	59ED	1-5F6E	T3U50080
2617	棵	DFEF	99ED	59EE	1-5F6F	T3U60080
2618	森	DFF0	99EE	59EF	1-5F70	T3U70080
2619	棧	DFF1	99EF	59F0	1-5F71	T3U80080
2620	棹	DFF2	99F0	59F1	1-5F72	T3U90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 15 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2621	棒	DFF3	99F1	59F2	1-5F73	T3UA0080
2622	棲	DFF4	99F2	59F3	1-5F74	T3UB0080
2623	棣	DFF5	99F3	59F4	1-5F75	T3UC0080
2624	棋	DFF6	99F4	59F5	1-5F76	T3UD0080
2625	棍	DFF7	99F5	59F6	1-5F77	T3UE0080
2626	植	DFF8	99F6	59F7	1-5F78	T3UF0080
2627	椒	DFF9	99F7	59F8	1-5F79	T3UG0080
2628	椎	DFFA	99F8	59F9	1-5F7A	T3UH0080
2629	棉	DFFB	99F9	59FA	1-5F7B	T3UI0080
2630	棚	DFFC	99FA	59FB	1-5F7C	T3UJ0080
2631	楮	DFFD	99FB	59FC	1-5F7D	T3UK0080
2632	棗	DFFE	99FC	59FD	1-5F7E	T3UL0080
2633	款	E0A1	9A40	5A41	1-6021	T3UP0080
2634	欺	E0A2	9A41	5A42	1-6022	T3UQ0080
2635	欽	E0A3	9A42	5A43	1-6023	T3UR0080
2636	殘	E0A4	9A43	5A44	1-6024	T3US0080
2637	殖	E0A5	9A44	5A45	1-6025	T3UT0080
2638	殼	E0A6	9A45	5A46	1-6026	T3UU0080
2639	毳	E0A7	9A46	5A47	1-6027	T3UV0080
2640	氮	E0A8	9A47	5A48	1-6028	T3UW0080
2641	氣	E0A9	9A48	5A49	1-6029	T3UX0080
2642	氫	E0AA	9A49	5A4A	1-602A	T3UY0080
2643	港	E0AB	9A4A	5A4B	1-602B	T3UZ0080
2644	游	E0AC	9A4B	5A4C	1-602C	T3V00080
2645	湔	E0AD	9A4C	5A4D	1-602D	T3V10080
2646	渡	E0AE	9A4D	5A4E	1-602E	T3V20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 16 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2647	渣	E0AF	9A4E	5A4F	1-602F	T3V30080
2648	湧	E0B0	9A4F	5A50	1-6030	T3V40080
2649	湊	E0B1	9A50	5A51	1-6031	T3V50080
2650	渠	E0B2	9A51	5A52	1-6032	T3V60080
2651	渥	E0B3	9A52	5A53	1-6033	T3V70080
2652	渣	E0B4	9A53	5A54	1-6034	T3V80080
2653	減	E0B5	9A54	5A55	1-6035	T3V90080
2654	湛	E0B6	9A55	5A56	1-6036	T3VA0080
2655	湘	E0B7	9A56	5A57	1-6037	T3VB0080
2656	渤	E0B8	9A57	5A58	1-6038	T3VC0080
2657	湖	E0B9	9A58	5A59	1-6039	T3VD0080
2658	湮	E0BA	9A59	5A5A	1-603A	T3VE0080
2659	渭	E0BB	9A5A	5A5B	1-603B	T3VF0080
2660	渦	E0BC	9A5B	5A5C	1-603C	T3VG0080
2661	湯	E0BD	9A5C	5A5D	1-603D	T3VH0080
2662	渴	E0BE	9A5D	5A5E	1-603E	T3VI0080
2663	湍	E0BF	9A5E	5A5F	1-603F	T3VJ0080
2664	渺	E0C0	9A5F	5A60	1-6040	T3VK0080
2665	測	E0C1	9A60	5A61	1-6041	T3VL0080
2666	湃	E0C2	9A61	5A62	1-6042	T3VM0080
2667	渝	E0C3	9A62	5A63	1-6043	T3VN0080
2668	渾	E0C4	9A63	5A64	1-6044	T3VO0080
2669	滋	E0C5	9A64	5A65	1-6045	T3VP0080
2670	漑	E0C6	9A65	5A66	1-6046	T3VQ0080
2671	渙	E0C7	9A66	5A67	1-6047	T3VR0080
2672	灑	E0C8	9A67	5A68	1-6048	T3VS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 17 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2673	澹	E0C9	9A68	5A69	1-6049	T3VT0080
2674	湄	E0CA	9A69	5A6A	1-604A	T3VU0080
2675	浚	E0CB	9A6A	5A6B	1-604B	T3VV0080
2676	潼	E0CC	9A6B	5A6C	1-604C	T3VW0080
2677	湟	E0CD	9A6C	5A6D	1-604D	T3VX0080
2678	焙	E0CE	9A6D	5A6E	1-604E	T3VY0080
2679	焚	E0CF	9A6E	5A6F	1-604F	T3VZ0080
2680	焦	E0D0	9A6F	5A70	1-6050	T3W00080
2681	焰	E0D1	9A70	5A71	1-6051	T3W10080
2682	無	E0D2	9A71	5A72	1-6052	T3W20080
2683	然	E0D3	9A72	5A73	1-6053	T3W30080
2684	煮	E0D4	9A73	5A74	1-6054	T3W40080
2685	焜	E0D5	9A74	5A75	1-6055	T3W50080
2686	牌	E0D6	9A75	5A76	1-6056	T3W60080
2687	犄	E0D7	9A76	5A77	1-6057	T3W70080
2688	犀	E0D8	9A77	5A78	1-6058	T3W80080
2689	猶	E0D9	9A78	5A79	1-6059	T3W90080
2690	猥	E0DA	9A79	5A7A	1-605A	T3WA0080
2691	猴	E0DB	9A7A	5A7B	1-605B	T3WB0080
2692	猩	E0DC	9A7B	5A7C	1-605C	T3WC0080
2693	玞	E0DD	9A7C	5A7D	1-605D	T3WD0080
2694	琪	E0DE	9A7D	5A7E	1-605E	T3WE0080
2695	琳	E0DF	9A7E	5A7F	1-605F	T3WF0080
2696	琢	E0E0	9A80	5A81	1-6060	T3WH0080
2697	琥	E0E1	9A81	5A82	1-6061	T3WI0080
2698	琵琶	E0E2	9A82	5A83	1-6062	T3WJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 9 (Page 18 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2699	琶	E0E3	9A83	5A84	1-6063	T3WK0080
2700	琴	E0E4	9A84	5A85	1-6064	T3WL0080
2701	琯	E0E5	9A85	5A86	1-6065	T3WM0080
2702	琛	E0E6	9A86	5A87	1-6066	T3WN0080
2703	琦	E0E7	9A87	5A88	1-6067	T3WO0080
2704	琨	E0E8	9A88	5A89	1-6068	T3WP0080
2705	甥	E0E9	9A89	5A8A	1-6069	T3WQ0080
2706	甦	E0EA	9A8A	5A8B	1-606A	T3WR0080
2707	晝	E0EB	9A8B	5A8C	1-606B	T3WS0080
2708	番	E0EC	9A8C	5A8D	1-606C	T3WT0080
2709	痢	E0ED	9A8D	5A8E	1-606D	T3WU0080
2710	痛	E0EE	9A8E	5A8F	1-606E	T3WV0080
2711	瘧	E0EF	9A8F	5A90	1-606F	T3WW0080
2712	痧	E0F0	9A90	5A91	1-6070	T3WX0080
2713	痘	E0F1	9A91	5A92	1-6071	T3WY0080
2714	痞	E0F2	9A92	5A93	1-6072	T3WZ0080
2715	痠	E0F3	9A93	5A94	1-6073	T3X00080
2716	登	E0F4	9A94	5A95	1-6074	T3X10080
2717	發	E0F5	9A95	5A96	1-6075	T3X20080
2718	皖	E0F6	9A96	5A97	1-6076	T3X30080
2719	皓	E0F7	9A97	5A98	1-6077	T3X40080
2720	皴	E0F8	9A98	5A99	1-6078	T3X50080
2721	盜	E0F9	9A99	5A9A	1-6079	T3X60080
2722	晒	E0FA	9A9A	5A9B	1-607A	T3X70080
2723	短	E0FB	9A9B	5A9C	1-607B	T3X80080
2724	硝	E0FC	9A9C	5A9D	1-607C	T3X90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 19 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2725	硬	E0FD	9A9D	5A9E	1-607D	T3XA0080
2726	硯	E0FE	9A9E	5A9F	1-607E	T3XB0080
2727	稍	E1A1	9A9F	5AA0	1-6121	T3XC0080
2728	稈	E1A2	9AA0	5AA1	1-6122	T3XD0080
2729	程	E1A3	9AA1	5AA2	1-6123	T3XE0080
2730	稅	E1A4	9AA2	5AA3	1-6124	T3XF0080
2731	稀	E1A5	9AA3	5AA4	1-6125	T3XG0080
2732	窘	E1A6	9AA4	5AA5	1-6126	T3XH0080
2733	窗	E1A7	9AA5	5AA6	1-6127	T3XI0080
2734	窘	E1A8	9AA6	5AA7	1-6128	T3XJ0080
2735	童	E1A9	9AA7	5AA8	1-6129	T3XK0080
2736	竣	E1AA	9AA8	5AA9	1-612A	T3XL0080
2737	等	E1AB	9AA9	5AAA	1-612B	T3XM0080
2738	策	E1AC	9AAA	5AAB	1-612C	T3XN0080
2739	筆	E1AD	9AAB	5AAC	1-612D	T3XO0080
2740	筐	E1AE	9AAC	5AAD	1-612E	T3XP0080
2741	筒	E1AF	9AAD	5AAE	1-612F	T3XQ0080
2742	答	E1B0	9AAE	5AAF	1-6130	T3XR0080
2743	筍	E1B1	9AAF	5AB0	1-6131	T3XS0080
2744	筋	E1B2	9AB0	5AB1	1-6132	T3XT0080
2745	筏	E1B3	9AB1	5AB2	1-6133	T3XU0080
2746	筑	E1B4	9AB2	5AB3	1-6134	T3XV0080
2747	粟	E1B5	9AB3	5AB4	1-6135	T3XW0080
2748	粥	E1B6	9AB4	5AB5	1-6136	T3XX0080
2749	絞	E1B7	9AB5	5AB6	1-6137	T3XY0080
2750	結	E1B8	9AB6	5AB7	1-6138	T3XZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 20 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2751	絨	E1B9	9AB7	5AB8	1-6139	T3Y00080
2752	絕	E1BA	9AB8	5AB9	1-613A	T3Y10080
2753	紫	E1BB	9AB9	5ABA	1-613B	T3Y20080
2754	絮	E1BC	9ABA	5ABB	1-613C	T3Y30080
2755	絲	E1BD	9ABB	5ABC	1-613D	T3Y40080
2756	絡	E1BE	9ABC	5ABD	1-613E	T3Y50080
2757	給	E1BF	9ABD	5ABE	1-613F	T3Y60080
2758	絢	E1C0	9ABE	5ABF	1-6140	T3Y70080
2759	經	E1C1	9ABF	5AC0	1-6141	T3Y80080
2760	緯	E1C2	9AC0	5AC1	1-6142	T3Y90080
2761	善	E1C3	9AC1	5AC2	1-6143	T3YA0080
2762	翔	E1C4	9AC2	5AC3	1-6144	T3YB0080
2763	翕	E1C5	9AC3	5AC4	1-6145	T3YC0080
2764	晝	E1C6	9AC4	5AC5	1-6146	T3YD0080
2765	聒	E1C7	9AC5	5AC6	1-6147	T3YE0080
2766	肅	E1C8	9AC6	5AC7	1-6148	T3YF0080
2767	腕	E1C9	9AC7	5AC8	1-6149	T3YG0080
2768	腔	E1CA	9AC8	5AC9	1-614A	T3YH0080
2769	腋	E1CB	9AC9	5ACA	1-614B	T3YI0080
2770	腑	E1CC	9ACA	5ACB	1-614C	T3YJ0080
2771	腎	E1CD	9ACB	5ACC	1-614D	T3YK0080
2772	脹	E1CE	9ACC	5ACD	1-614E	T3YL0080
2773	腴	E1CF	9ACD	5ACE	1-614F	T3YM0080
2774	脾	E1D0	9ACE	5ACF	1-6150	T3YN0080
2775	臃	E1D1	9ACF	5AD0	1-6151	T3YO0080
2776	腓	E1D2	9AD0	5AD1	1-6152	T3YP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 9 (Page 21 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2777	腴	E1D3	9AD1	5AD2	1-6153	T3YQ0080
2778	舒	E1D4	9AD2	5AD3	1-6154	T3YR0080
2779	舜	E1D5	9AD3	5AD4	1-6155	T3YS0080
2780	菩	E1D6	9AD4	5AD5	1-6156	T3YT0080
2781	萃	E1D7	9AD5	5AD6	1-6157	T3YU0080
2782	菸	E1D8	9AD6	5AD7	1-6158	T3YV0080
2783	萍	E1D9	9AD7	5AD8	1-6159	T3YW0080
2784	菠	E1DA	9AD8	5AD9	1-615A	T3YX0080
2785	菅	E1DB	9AD9	5ADA	1-615B	T3YY0080
2786	萋	E1DC	9ADA	5ADB	1-615C	T3YZ0080
2787	菁	E1DD	9ADB	5ADC	1-615D	T3Z00080
2788	華	E1DE	9ADC	5ADD	1-615E	T3Z10080
2789	菱	E1DF	9ADD	5ADE	1-615F	T3Z20080
2790	菴	E1E0	9ADE	5ADF	1-6160	T3Z30080
2791	著	E1E1	9ADF	5AE0	1-6161	T3Z40080
2792	萊	E1E2	9AE0	5AE1	1-6162	T3Z50080
2793	菰	E1E3	9AE1	5AE2	1-6163	T3Z60080
2794	萌	E1E4	9AE2	5AE3	1-6164	T3Z70080
2795	菌	E1E5	9AE3	5AE4	1-6165	T3Z80080
2796	菽	E1E6	9AE4	5AE5	1-6166	T3Z90080
2797	菲	E1E7	9AE5	5AE6	1-6167	T3ZA0080
2798	菊	E1E8	9AE6	5AE7	1-6168	T3ZB0080
2799	萸	E1E9	9AE7	5AE8	1-6169	T3ZC0080
2800	菱	E1EA	9AE8	5AE9	1-616A	T3ZD0080
2801	蔔	E1EB	9AE9	5AEA	1-616B	T3ZE0080
2802	菜	E1EC	9AEA	5AEB	1-616C	T3ZF0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 9 (Page 22 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2803	蓑	E1ED	9AEB	5AEC	1-616D	T3ZG0080
2804	蕨	E1EE	9AEC	5AED	1-616E	T3ZH0080
2805	菟	E1EF	9AED	5AEE	1-616F	T3ZI0080
2806	虚	E1F0	9AEE	5AEF	1-6170	T3ZJ0080
2807	蛟	E1F1	9AEF	5AF0	1-6171	T3ZK0080
2808	蛙	E1F2	9AF0	5AF1	1-6172	T3ZL0080
2809	蛭	E1F3	9AF1	5AF2	1-6173	T3ZM0080
2810	蛔	E1F4	9AF2	5AF3	1-6174	T3ZN0080
2811	蛛	E1F5	9AF3	5AF4	1-6175	T3ZO0080
2812	蛤	E1F6	9AF4	5AF5	1-6176	T3ZP0080
2813	蚰	E1F7	9AF5	5AF6	1-6177	T3ZQ0080
2814	蛞	E1F8	9AF6	5AF7	1-6178	T3ZR0080
2815	街	E1F9	9AF7	5AF8	1-6179	T3ZS0080
2816	裁	E1FA	9AF8	5AF9	1-617A	T3ZT0080
2817	裂	E1FB	9AF9	5AFA	1-617B	T3ZU0080
2818	袱	E1FC	9AFA	5AFB	1-617C	T3ZV0080
2819	覃	E1FD	9AFB	5AFC	1-617D	T3ZW0080
2820	視	E1FE	9AFC	5AFD	1-617E	T3ZX0080
2821	註	E2A1	9B40	5B41	1-6221	T4010080
2822	詠	E2A2	9B41	5B42	1-6222	T4020080
2823	評	E2A3	9B42	5B43	1-6223	T4030080
2824	詞	E2A4	9B43	5B44	1-6224	T4040080
2825	証	E2A5	9B44	5B45	1-6225	T4050080
2826	詰	E2A6	9B45	5B46	1-6226	T4060080
2827	詔	E2A7	9B46	5B47	1-6227	T4070080
2828	詛	E2A8	9B47	5B48	1-6228	T4080080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 23 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2829	詐	E2A9	9B48	5B49	1-6229	T4090080
2830	詆	E2AA	9B49	5B4A	1-622A	T40A0080
2831	訴	E2AB	9B4A	5B4B	1-622B	T40B0080
2832	診	E2AC	9B4B	5B4C	1-622C	T40C0080
2833	訶	E2AD	9B4C	5B4D	1-622D	T40D0080
2834	誡	E2AE	9B4D	5B4E	1-622E	T40E0080
2835	象	E2AF	9B4E	5B4F	1-622F	T40F0080
2836	貂	E2B0	9B4F	5B50	1-6230	T40G0080
2837	貯	E2B1	9B50	5B51	1-6231	T40H0080
2838	貼	E2B2	9B51	5B52	1-6232	T40I0080
2839	貳	E2B3	9B52	5B53	1-6233	T40J0080
2840	貽	E2B4	9B53	5B54	1-6234	T40K0080
2841	賁	E2B5	9B54	5B55	1-6235	T40L0080
2842	費	E2B6	9B55	5B56	1-6236	T40M0080
2843	賀	E2B7	9B56	5B57	1-6237	T40N0080
2844	貴	E2B8	9B57	5B58	1-6238	T40O0080
2845	買	E2B9	9B58	5B59	1-6239	T40P0080
2846	貶	E2BA	9B59	5B5A	1-623A	T40Q0080
2847	賈	E2BB	9B5A	5B5B	1-623B	T40R0080
2848	貸	E2BC	9B5B	5B5C	1-623C	T40S0080
2849	越	E2BD	9B5C	5B5D	1-623D	T40T0080
2850	超	E2BE	9B5D	5B5E	1-623E	T40U0080
2851	趁	E2BF	9B5E	5B5F	1-623F	T40V0080
2852	跽	E2C0	9B5F	5B60	1-6240	T40W0080
2853	距	E2C1	9B60	5B61	1-6241	T40X0080
2854	跋	E2C2	9B61	5B62	1-6242	T40Y0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 9 (Page 24 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2855	跚	E2C3	9B62	5B63	1-6243	T40Z0080
2856	跑	E2C4	9B63	5B64	1-6244	T4100080
2857	跌	E2C5	9B64	5B65	1-6245	T4110080
2858	跛	E2C6	9B65	5B66	1-6246	T4120080
2859	跹	E2C7	9B66	5B67	1-6247	T4130080
2860	軻	E2C8	9B67	5B68	1-6248	T4140080
2861	軸	E2C9	9B68	5B69	1-6249	T4150080
2862	軼	E2CA	9B69	5B6A	1-624A	T4160080
2863	辜	E2CB	9B6A	5B6B	1-624B	T4170080
2864	逮	E2CC	9B6B	5B6C	1-624C	T4180080
2865	逵	E2CD	9B6C	5B6D	1-624D	T4190080
2866	週	E2CE	9B6D	5B6E	1-624E	T41A0080
2867	逸	E2CF	9B6E	5B6F	1-624F	T41B0080
2868	進	E2D0	9B6F	5B70	1-6250	T41C0080
2869	透	E2D1	9B70	5B71	1-6251	T41D0080
2870	鄂	E2D2	9B71	5B72	1-6252	T41E0080
2871	郵	E2D3	9B72	5B73	1-6253	T41F0080
2872	鄉	E2D4	9B73	5B74	1-6254	T41G0080
2873	鄺	E2D5	9B74	5B75	1-6255	T41H0080
2874	酣	E2D6	9B75	5B76	1-6256	T41I0080
2875	酥	E2D7	9B76	5B77	1-6257	T41J0080
2876	量	E2D8	9B77	5B78	1-6258	T41K0080
2877	鈔	E2D9	9B78	5B79	1-6259	T41L0080
2878	鈕	E2DA	9B79	5B7A	1-625A	T41M0080
2879	鈣	E2DB	9B7A	5B7B	1-625B	T41N0080
2880	鈉	E2DC	9B7B	5B7C	1-625C	T41O0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 25 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2881	鈞	E2DD	9B7C	5B7D	1-625D	T41P0080
2882	鈍	E2DE	9B7D	5B7E	1-625E	T41Q0080
2883	鈐	E2DF	9B7E	5B7F	1-625F	T41R0080
2884	鈇	E2E0	9B80	5B81	1-6260	T41T0080
2885	鈈	E2E1	9B81	5B82	1-6261	T41U0080
2886	閔	E2E2	9B82	5B83	1-6262	T41V0080
2887	閏	E2E3	9B83	5B84	1-6263	T41W0080
2888	開	E2E4	9B84	5B85	1-6264	T41X0080
2889	閑	E2E5	9B85	5B86	1-6265	T41Y0080
2890	間	E2E6	9B86	5B87	1-6266	T41Z0080
2891	閒	E2E7	9B87	5B88	1-6267	T4200080
2892	閔	E2E8	9B88	5B89	1-6268	T4210080
2893	隊	E2E9	9B89	5B8A	1-6269	T4220080
2894	階	E2EA	9B8A	5B8B	1-626A	T4230080
2895	隋	E2EB	9B8B	5B8C	1-626B	T4240080
2896	陽	E2EC	9B8C	5B8D	1-626C	T4250080
2897	隅	E2ED	9B8D	5B8E	1-626D	T4260080
2898	隆	E2EE	9B8E	5B8F	1-626E	T4270080
2899	隍	E2EF	9B8F	5B90	1-626F	T4280080
2900	陞	E2F0	9B90	5B91	1-6270	T4290080
2901	隄	E2F1	9B91	5B92	1-6271	T42A0080
2902	雁	E2F2	9B92	5B93	1-6272	T42B0080
2903	雅	E2F3	9B93	5B94	1-6273	T42C0080
2904	雄	E2F4	9B94	5B95	1-6274	T42D0080
2905	集	E2F5	9B95	5B96	1-6275	T42E0080
2906	雇	E2F6	9B96	5B97	1-6276	T42F0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 9 (Page 26 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2907	雯	E2F7	9B97	5B98	1-6277	T42G0080
2908	雲	E2F8	9B98	5B99	1-6278	T42H0080
2909	韌	E2F9	9B99	5B9A	1-6279	T42I0080
2910	項	E2FA	9B9A	5B9B	1-627A	T42J0080
2911	順	E2FB	9B9B	5B9C	1-627B	T42K0080
2912	須	E2FC	9B9C	5B9D	1-627C	T42L0080
2913	飧	E2FD	9B9D	5B9E	1-627D	T42M0080
2914	飪	E2FE	9B9E	5B9F	1-627E	T42N0080
2915	飯	E3A1	9B9F	5BA0	1-6321	T42O0080
2916	飩	E3A2	9BA0	5BA1	1-6322	T42P0080
2917	飲	E3A3	9BA1	5BA2	1-6323	T42Q0080
2918	飭	E3A4	9BA2	5BA3	1-6324	T42R0080
2919	馮	E3A5	9BA3	5BA4	1-6325	T42S0080
2920	馭	E3A6	9BA4	5BA5	1-6326	T42T0080
2921	黃	E3A7	9BA5	5BA6	1-6327	T42U0080
2922	黍	E3A8	9BA6	5BA7	1-6328	T42V0080
2923	黑	E3A9	9BA7	5BA8	1-6329	T42W0080
2924	亂	E3AA	9BA8	5BA9	1-632A	T42X0080
2925	傭	E3AB	9BA9	5BAA	1-632B	T42Y0080
2926	債	E3AC	9BAA	5BAB	1-632C	T42Z0080
2927	傲	E3AD	9BAB	5BAC	1-632D	T4300080
2928	傳	E3AE	9BAC	5BAD	1-632E	T4310080
2929	僅	E3AF	9BAD	5BAE	1-632F	T4320080
2930	傾	E3B0	9BAE	5BAF	1-6330	T4330080
2931	催	E3B1	9BAF	5BB0	1-6331	T4340080
2932	傷	E3B2	9BB0	5BB1	1-6332	T4350080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 27 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2933	儂	E3B3	9BB1	5BB2	1-6333	T4360080
2934	德	E3B4	9BB2	5BB3	1-6334	T4370080
2935	僂	E3B5	9BB3	5BB4	1-6335	T4380080
2936	剿	E3B6	9BB4	5BB5	1-6336	T4390080
2937	剷	E3B7	9BB5	5BB6	1-6337	T43A0080
2938	剽	E3B8	9BB6	5BB7	1-6338	T43B0080
2939	募	E3B9	9BB7	5BB8	1-6339	T43C0080
2940	勦	E3BA	9BB8	5BB9	1-633A	T43D0080
2941	勤	E3BB	9BB9	5BBA	1-633B	T43E0080
2942	勢	E3BC	9BBA	5BBB	1-633C	T43F0080
2943	勸	E3BD	9BBB	5BBC	1-633D	T43G0080
2944	匯	E3BE	9BBC	5BBD	1-633E	T43H0080
2945	嗟	E3BF	9BBD	5BBE	1-633F	T43I0080
2946	嗨	E3C0	9BBE	5BBF	1-6340	T43J0080
2947	噪	E3C1	9BBF	5BC0	1-6341	T43K0080
2948	嗦	E3C2	9BC0	5BC1	1-6342	T43L0080
2949	嗎	E3C3	9BC1	5BC2	1-6343	T43M0080
2950	嗜	E3C4	9BC2	5BC3	1-6344	T43N0080
2951	嗇	E3C5	9BC3	5BC4	1-6345	T43O0080
2952	嗑	E3C6	9BC4	5BC5	1-6346	T43P0080
2953	嗣	E3C7	9BC5	5BC6	1-6347	T43Q0080
2954	嗤	E3C8	9BC6	5BC7	1-6348	T43R0080
2955	噁	E3C9	9BC7	5BC8	1-6349	T43S0080
2956	嗚	E3CA	9BC8	5BC9	1-634A	T43T0080
2957	噏	E3CB	9BC9	5BCA	1-634B	T43U0080
2958	嗅	E3CC	9BCA	5BCB	1-634C	T43V0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 28 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2959	噲	E3CD	9BCB	5BCC	1-634D	T43W0080
2960	嗥	E3CE	9BCC	5BCD	1-634E	T43X0080
2961	嗉	E3CF	9BCD	5BCE	1-634F	T43Y0080
2962	園	E3D0	9BCE	5BCF	1-6350	T43Z0080
2963	圓	E3D1	9BCF	5BD0	1-6351	T4400080
2964	塞	E3D2	9BD0	5BD1	1-6352	T4410080
2965	塑	E3D3	9BD1	5BD2	1-6353	T4420080
2966	塘	E3D4	9BD2	5BD3	1-6354	T4430080
2967	塗	E3D5	9BD3	5BD4	1-6355	T4440080
2968	塚	E3D6	9BD4	5BD5	1-6356	T4450080
2969	塔	E3D7	9BD5	5BD6	1-6357	T4460080
2970	墳	E3D8	9BD6	5BD7	1-6358	T4470080
2971	塌	E3D9	9BD7	5BD8	1-6359	T4480080
2972	塹	E3DA	9BD8	5BD9	1-635A	T4490080
2973	塊	E3DB	9BD9	5BDA	1-635B	T44A0080
2974	塢	E3DC	9BDA	5BDB	1-635C	T44B0080
2975	埕	E3DD	9BDB	5BDC	1-635D	T44C0080
2976	塋	E3DE	9BDC	5BDD	1-635E	T44D0080
2977	奧	E3DF	9BDD	5BDE	1-635F	T44E0080
2978	嫁	E3E0	9BDE	5BDF	1-6360	T44F0080
2979	嫉	E3E1	9BDF	5BE0	1-6361	T44G0080
2980	嫌	E3E2	9BE0	5BE1	1-6362	T44H0080
2981	媾	E3E3	9BE1	5BE2	1-6363	T44I0080
2982	媽	E3E4	9BE2	5BE3	1-6364	T44J0080
2983	媪	E3E5	9BE3	5BE4	1-6365	T44K0080
2984	媳	E3E6	9BE4	5BE5	1-6366	T44L0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 29 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2985	嫂	E3E7	9BE5	5BE6	1-6367	T44M0080
2986	媼	E3E8	9BE6	5BE7	1-6368	T44N0080
2987	嵩	E3E9	9BE7	5BE8	1-6369	T44O0080
2988	嵯	E3EA	9BE8	5BE9	1-636A	T44P0080
2989	幌	E3EB	9BE9	5BEA	1-636B	T44Q0080
2990	幹	E3EC	9BEA	5BEB	1-636C	T44R0080
2991	廉	E3ED	9BEB	5BEC	1-636D	T44S0080
2992	廈	E3EE	9BEC	5BED	1-636E	T44T0080
2993	絨	E3EF	9BED	5BEE	1-636F	T44U0080
2994	彙	E3F0	9BEE	5BEF	1-6370	T44V0080
2995	傍	E3F1	9BEF	5BF0	1-6371	T44W0080
2996	微	E3F2	9BF0	5BF1	1-6372	T44X0080
2997	愚	E3F3	9BF1	5BF2	1-6373	T44Y0080
2998	意	E3F4	9BF2	5BF3	1-6374	T44Z0080
2999	慈	E3F5	9BF3	5BF4	1-6375	T4500080
3000	感	E3F6	9BF4	5BF5	1-6376	T4510080
3001	想	E3F7	9BF5	5BF6	1-6377	T4520080
3002	愛	E3F8	9BF6	5BF7	1-6378	T4530080
3003	惹	E3F9	9BF7	5BF8	1-6379	T4540080
3004	愁	E3FA	9BF8	5BF9	1-637A	T4550080
3005	愈	E3FB	9BF9	5BFA	1-637B	T4560080
3006	慎	E3FC	9BFA	5BFB	1-637C	T4570080
3007	慌	E3FD	9BFB	5BFC	1-637D	T4580080
3008	慄	E3FE	9BFC	5BFD	1-637E	T4590080
3009	慍	E4A1	9C40	5C41	1-6421	T45D0080
3010	愾	E4A2	9C41	5C42	1-6422	T45E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 30 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3011	愴	E4A3	9C42	5C43	1-6423	T45F0080
3012	愧	E4A4	9C43	5C44	1-6424	T45G0080
3013	愍	E4A5	9C44	5C45	1-6425	T45H0080
3014	愆	E4A6	9C45	5C46	1-6426	T45I0080
3015	愷	E4A7	9C46	5C47	1-6427	T45J0080
3016	戡	E4A8	9C47	5C48	1-6428	T45K0080
3017	戢	E4A9	9C48	5C49	1-6429	T45L0080
3018	搓	E4AA	9C49	5C4A	1-642A	T45M0080
3019	搾	E4AB	9C4A	5C4B	1-642B	T45N0080
3020	搞	E4AC	9C4B	5C4C	1-642C	T45O0080
3021	搪	E4AD	9C4C	5C4D	1-642D	T45P0080
3022	搭	E4AE	9C4D	5C4E	1-642E	T45Q0080
3023	搽	E4AF	9C4E	5C4F	1-642F	T45R0080
3024	搬	E4B0	9C4F	5C50	1-6430	T45S0080
3025	搏	E4B1	9C50	5C51	1-6431	T45T0080
3026	搜	E4B2	9C51	5C52	1-6432	T45U0080
3027	搔	E4B3	9C52	5C53	1-6433	T45V0080
3028	損	E4B4	9C53	5C54	1-6434	T45W0080
3029	搶	E4B5	9C54	5C55	1-6435	T45X0080
3030	搖	E4B6	9C55	5C56	1-6436	T45Y0080
3031	搗	E4B7	9C56	5C57	1-6437	T45Z0080
3032	搆	E4B8	9C57	5C58	1-6438	T4600080
3033	敬	E4B9	9C58	5C59	1-6439	T4610080
3034	斟	E4BA	9C59	5C5A	1-643A	T4620080
3035	新	E4BB	9C5A	5C5B	1-643B	T4630080
3036	暗	E4BC	9C5B	5C5C	1-643C	T4640080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 31 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3037	暉	E4BD	9C5C	5C5D	1-643D	T4650080
3038	暇	E4BE	9C5D	5C5E	1-643E	T4660080
3039	暈	E4BF	9C5E	5C5F	1-643F	T4670080
3040	暖	E4C0	9C5F	5C60	1-6440	T4680080
3041	暄	E4C1	9C60	5C61	1-6441	T4690080
3042	暘	E4C2	9C61	5C62	1-6442	T46A0080
3043	喝	E4C3	9C62	5C63	1-6443	T46B0080
3044	會	E4C4	9C63	5C64	1-6444	T46C0080
3045	榔	E4C5	9C64	5C65	1-6445	T46D0080
3046	業	E4C6	9C65	5C66	1-6446	T46E0080
3047	楚	E4C7	9C66	5C67	1-6447	T46F0080
3048	楷	E4C8	9C67	5C68	1-6448	T46G0080
3049	楠	E4C9	9C68	5C69	1-6449	T46H0080
3050	楔	E4CA	9C69	5C6A	1-644A	T46I0080
3051	極	E4CB	9C6A	5C6B	1-644B	T46J0080
3052	椰	E4CC	9C6B	5C6C	1-644C	T46K0080
3053	概	E4CD	9C6C	5C6D	1-644D	T46L0080
3054	楊	E4CE	9C6D	5C6E	1-644E	T46M0080
3055	楨	E4CF	9C6E	5C6F	1-644F	T46N0080
3056	楫	E4D0	9C6F	5C70	1-6450	T46O0080
3057	楞	E4D1	9C70	5C71	1-6451	T46P0080
3058	楓	E4D2	9C71	5C72	1-6452	T46Q0080
3059	楹	E4D3	9C72	5C73	1-6453	T46R0080
3060	榆	E4D4	9C73	5C74	1-6454	T46S0080
3061	棟	E4D5	9C74	5C75	1-6455	T46T0080
3062	楣	E4D6	9C75	5C76	1-6456	T46U0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 32 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3063	楷	E4D7	9C76	5C77	1-6457	T46V0080
3064	歇	E4D8	9C77	5C78	1-6458	T46W0080
3065	歲	E4D9	9C78	5C79	1-6459	T46X0080
3066	毀	E4DA	9C79	5C7A	1-645A	T46Y0080
3067	殿	E4DB	9C7A	5C7B	1-645B	T46Z0080
3068	毓	E4DC	9C7B	5C7C	1-645C	T4700080
3069	穢	E4DD	9C7C	5C7D	1-645D	T4710080
3070	溢	E4DE	9C7D	5C7E	1-645E	T4720080
3071	溯	E4DF	9C7E	5C7F	1-645F	T4730080
3072	滓	E4E0	9C80	5C81	1-6460	T4750080
3073	溶	E4E1	9C81	5C82	1-6461	T4760080
3074	滂	E4E2	9C82	5C83	1-6462	T4770080
3075	源	E4E3	9C83	5C84	1-6463	T4780080
3076	溝	E4E4	9C84	5C85	1-6464	T4790080
3077	滇	E4E5	9C85	5C86	1-6465	T47A0080
3078	滅	E4E6	9C86	5C87	1-6466	T47B0080
3079	溥	E4E7	9C87	5C88	1-6467	T47C0080
3080	溘	E4E8	9C88	5C89	1-6468	T47D0080
3081	溼	E4E9	9C89	5C8A	1-6469	T47E0080
3082	灑	E4EA	9C8A	5C8B	1-646A	T47F0080
3083	温	E4EB	9C8B	5C8C	1-646B	T47G0080
3084	滑	E4EC	9C8C	5C8D	1-646C	T47H0080
3085	準	E4ED	9C8D	5C8E	1-646D	T47I0080
3086	溜	E4EE	9C8E	5C8F	1-646E	T47J0080
3087	滄	E4EF	9C8F	5C90	1-646F	T47K0080
3088	滔	E4F0	9C90	5C91	1-6470	T47L0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 33 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3089	溪	E4F1	9C91	5C92	1-6471	T47M0080
3090	漂	E4F2	9C92	5C93	1-6472	T47N0080
3091	溴	E4F3	9C93	5C94	1-6473	T47O0080
3092	煎	E4F4	9C94	5C95	1-6474	T47P0080
3093	煙	E4F5	9C95	5C96	1-6475	T47Q0080
3094	煩	E4F6	9C96	5C97	1-6476	T47R0080
3095	煤	E4F7	9C97	5C98	1-6477	T47S0080
3096	煉	E4F8	9C98	5C99	1-6478	T47T0080
3097	照	E4F9	9C99	5C9A	1-6479	T47U0080
3098	煜	E4FA	9C9A	5C9B	1-647A	T47V0080
3099	煬	E4FB	9C9B	5C9C	1-647B	T47W0080
3100	煦	E4FC	9C9C	5C9D	1-647C	T47X0080
3101	煌	E4FD	9C9D	5C9E	1-647D	T47Y0080
3102	煥	E4FE	9C9E	5C9F	1-647E	T47Z0080
3103	煊	E5A1	9C9F	5CA0	1-6521	T4800080
3104	煨	E5A2	9CA0	5CA1	1-6522	T4810080
3105	煨	E5A3	9CA1	5CA2	1-6523	T4820080
3106	煨	E5A4	9CA2	5CA3	1-6524	T4830080
3107	爺	E5A5	9CA3	5CA4	1-6525	T4840080
3108	牒	E5A6	9CA4	5CA5	1-6526	T4850080
3109	猷	E5A7	9CA5	5CA6	1-6527	T4860080
3110	獅	E5A8	9CA6	5CA7	1-6528	T4870080
3111	猿	E5A9	9CA7	5CA8	1-6529	T4880080
3112	猓	E5AA	9CA8	5CA9	1-652A	T4890080
3113	瑯	E5AB	9CA9	5CAA	1-652B	T48A0080
3114	瑚	E5AC	9CAA	5CAB	1-652C	T48B0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 34 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3115	瑕	E5AD	9CAB	5CAC	1-652D	T48C0080
3116	瑟	E5AE	9CAC	5CAD	1-652E	T48D0080
3117	瑞	E5AF	9CAD	5CAE	1-652F	T48E0080
3118	瑁	E5B0	9CAE	5CAF	1-6530	T48F0080
3119	瑁	E5B1	9CAF	5CB0	1-6531	T48G0080
3120	璫	E5B2	9CB0	5CB1	1-6532	T48H0080
3121	瑛	E5B3	9CB1	5CB2	1-6533	T48I0080
3122	瑜	E5B4	9CB2	5CB3	1-6534	T48J0080
3123	當	E5B5	9CB3	5CB4	1-6535	T48K0080
3124	畸	E5B6	9CB4	5CB5	1-6536	T48L0080
3125	癍	E5B7	9CB5	5CB6	1-6537	T48M0080
3126	痰	E5B8	9CB6	5CB7	1-6538	T48N0080
3127	瘁	E5B9	9CB7	5CB8	1-6539	T48O0080
3128	痲	E5BA	9CB8	5CB9	1-653A	T48P0080
3129	痲	E5BB	9CB9	5CBA	1-653B	T48Q0080
3130	痺	E5BC	9CBA	5CBB	1-653C	T48R0080
3131	痿	E5BD	9CBB	5CBC	1-653D	T48S0080
3132	痲	E5BE	9CBC	5CBD	1-653E	T48T0080
3133	痲	E5BF	9CBD	5CBE	1-653F	T48U0080
3134	盞	E5C0	9CBE	5CBF	1-6540	T48V0080
3135	盟	E5C1	9CBF	5CC0	1-6541	T48W0080
3136	睛	E5C2	9CC0	5CC1	1-6542	T48X0080
3137	睫	E5C3	9CC1	5CC2	1-6543	T48Y0080
3138	睦	E5C4	9CC2	5CC3	1-6544	T48Z0080
3139	睽	E5C5	9CC3	5CC4	1-6545	T4900080
3140	督	E5C6	9CC4	5CC5	1-6546	T4910080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 9 (Page 35 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3141	睹	E5C7	9CC5	5CC6	1-6547	T4920080
3142	睪	E5C8	9CC6	5CC7	1-6548	T4930080
3143	睽	E5C9	9CC7	5CC8	1-6549	T4940080
3144	睜	E5CA	9CC8	5CC9	1-654A	T4950080
3145	睥	E5CB	9CC9	5CCA	1-654B	T4960080
3146	睨	E5CC	9CCA	5CCB	1-654C	T4970080
3147	睚	E5CD	9CCB	5CCC	1-654D	T4980080
3148	矮	E5CE	9CCC	5CCD	1-654E	T4990080
3149	碎	E5CF	9CCD	5CCE	1-654F	T49A0080
3150	碰	E5D0	9CCE	5CCF	1-6550	T49B0080
3151	碗	E5D1	9CCF	5CD0	1-6551	T49C0080
3152	碘	E5D2	9CD0	5CD1	1-6552	T49D0080
3153	礫	E5D3	9CD1	5CD2	1-6553	T49E0080
3154	礪	E5D4	9CD2	5CD3	1-6554	T49F0080
3155	礪	E5D5	9CD3	5CD4	1-6555	T49G0080
3156	碑	E5D6	9CD4	5CD5	1-6556	T49H0080
3157	碓	E5D7	9CD5	5CD6	1-6557	T49I0080
3158	磴	E5D8	9CD6	5CD7	1-6558	T49J0080
3159	祺	E5D9	9CD7	5CD8	1-6559	T49K0080
3160	祿	E5DA	9CD8	5CD9	1-655A	T49L0080
3161	禁	E5DB	9CD9	5CDA	1-655B	T49M0080
3162	萬	E5DC	9CDA	5CDB	1-655C	T49N0080
3163	禽	E5DD	9CDB	5CDC	1-655D	T49O0080
3164	稜	E5DE	9CDC	5CDD	1-655E	T49P0080
3165	稚	E5DF	9CDD	5CDE	1-655F	T49Q0080
3166	稠	E5E0	9CDE	5CDF	1-6560	T49R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 9 (Page 36 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3167	稔	E5E1	9CDF	5CE0	1-6561	T49S0080
3168	稟	E5E2	9CE0	5CE1	1-6562	T49T0080
3169	縲	E5E3	9CE1	5CE2	1-6563	T49U0080
3170	窟	E5E4	9CE2	5CE3	1-6564	T49V0080
3171	窠	E5E5	9CE3	5CE4	1-6565	T49W0080
3172	篛	E5E6	9CE4	5CE5	1-6566	T49X0080
3173	節	E5E7	9CE5	5CE6	1-6567	T49Y0080
3174	筠	E5E8	9CE6	5CE7	1-6568	T49Z0080
3175	筮	E5E9	9CE7	5CE8	1-6569	T4A00080
3176	筮	E5EA	9CE8	5CE9	1-656A	T4A10080
3177	梁	E5EB	9CE9	5CEA	1-656B	T4A20080
3178	粳	E5EC	9CEA	5CEB	1-656C	T4A30080
3179	粵	E5ED	9CEB	5CEC	1-656D	T4A40080
3180	經	E5EE	9CEC	5CED	1-656E	T4A50080
3181	絹	E5EF	9CED	5CEE	1-656F	T4A60080
3182	緹	E5F0	9CEE	5CEF	1-6570	T4A70080
3183	緹	E5F1	9CEF	5CF0	1-6571	T4A80080
3184	綏	E5F2	9CF0	5CF1	1-6572	T4A90080
3185	條	E5F3	9CF1	5CF2	1-6573	T4AA0080
3186	置	E5F4	9CF2	5CF3	1-6574	T4AB0080
3187	罩	E5F5	9CF3	5CF4	1-6575	T4AC0080
3188	罪	E5F6	9CF4	5CF5	1-6576	T4AD0080
3189	署	E5F7	9CF5	5CF6	1-6577	T4AE0080
3190	義	E5F8	9CF6	5CF7	1-6578	T4AF0080
3191	羨	E5F9	9CF7	5CF8	1-6579	T4AG0080
3192	群	E5FA	9CF8	5CF9	1-657A	T4AH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 37 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3193	聖	E5FB	9CF9	5CFA	1-657B	T4AI0080
3194	聘	E5FC	9CFA	5CFB	1-657C	T4AJ0080
3195	肆	E5FD	9CFB	5CFC	1-657D	T4AK0080
3196	肆	E5FE	9CFC	5CFD	1-657E	T4AL0080
3197	臄	E6A1	9D40	5D41	1-6621	T4AP0080
3198	腰	E6A2	9D41	5D42	1-6622	T4AQ0080
3199	腸	E6A3	9D42	5D43	1-6623	T4AR0080
3200	腥	E6A4	9D43	5D44	1-6624	T4AS0080
3201	腮	E6A5	9D44	5D45	1-6625	T4AT0080
3202	腳	E6A6	9D45	5D46	1-6626	T4AU0080
3203	腫	E6A7	9D46	5D47	1-6627	T4AV0080
3204	腹	E6A8	9D47	5D48	1-6628	T4AW0080
3205	腺	E6A9	9D48	5D49	1-6629	T4AX0080
3206	腦	E6AA	9D49	5D4A	1-662A	T4AY0080
3207	鼻	E6AB	9D4A	5D4B	1-662B	T4AZ0080
3208	艇	E6AC	9D4B	5D4C	1-662C	T4B00080
3209	蒂	E6AD	9D4C	5D4D	1-662D	T4B10080
3210	葦	E6AE	9D4D	5D4E	1-662E	T4B20080
3211	落	E6AF	9D4E	5D4F	1-662F	T4B30080
3212	萱	E6B0	9D4F	5D50	1-6630	T4B40080
3213	葵	E6B1	9D50	5D51	1-6631	T4B50080
3214	葦	E6B2	9D51	5D52	1-6632	T4B60080
3215	葫	E6B3	9D52	5D53	1-6633	T4B70080
3216	葉	E6B4	9D53	5D54	1-6634	T4B80080
3217	葬	E6B5	9D54	5D55	1-6635	T4B90080
3218	葛	E6B6	9D55	5D56	1-6636	T4BA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 38 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3219	萼	E6B7	9D56	5D57	1-6637	T4BB0080
3220	高	E6B8	9D57	5D58	1-6638	T4BC0080
3221	葡	E6B9	9D58	5D59	1-6639	T4BD0080
3222	董	E6BA	9D59	5D5A	1-663A	T4BE0080
3223	葩	E6BB	9D5A	5D5B	1-663B	T4BF0080
3224	葭	E6BC	9D5B	5D5C	1-663C	T4BG0080
3225	葆	E6BD	9D5C	5D5D	1-663D	T4BH0080
3226	虞	E6BE	9D5D	5D5E	1-663E	T4BI0080
3227	虜	E6BF	9D5E	5D5F	1-663F	T4BJ0080
3228	號	E6C0	9D5F	5D60	1-6640	T4BK0080
3229	蛹	E6C1	9D60	5D61	1-6641	T4BL0080
3230	蜓	E6C2	9D61	5D62	1-6642	T4BM0080
3231	蜈	E6C3	9D62	5D63	1-6643	T4BN0080
3232	蜚	E6C4	9D63	5D64	1-6644	T4BO0080
3233	蜀	E6C5	9D64	5D65	1-6645	T4BP0080
3234	蛾	E6C6	9D65	5D66	1-6646	T4BQ0080
3235	蛻	E6C7	9D66	5D67	1-6647	T4BR0080
3236	蜂	E6C8	9D67	5D68	1-6648	T4BS0080
3237	蜃	E6C9	9D68	5D69	1-6649	T4BT0080
3238	蜎	E6CA	9D69	5D6A	1-664A	T4BU0080
3239	蝻	E6CB	9D6A	5D6B	1-664B	T4BV0080
3240	衙	E6CC	9D6B	5D6C	1-664C	T4BW0080
3241	婁	E6CD	9D6C	5D6D	1-664D	T4BX0080
3242	裔	E6CE	9D6D	5D6E	1-664E	T4BY0080
3243	裙	E6CF	9D6E	5D6F	1-664F	T4BZ0080
3244	補	E6D0	9D6F	5D70	1-6650	T4C00080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 9 (Page 39 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3245	裘	E6D1	9D70	5D71	1-6651	T4C10080
3246	裝	E6D2	9D71	5D72	1-6652	T4C20080
3247	裡	E6D3	9D72	5D73	1-6653	T4C30080
3248	裊	E6D4	9D73	5D74	1-6654	T4C40080
3249	裕	E6D5	9D74	5D75	1-6655	T4C50080
3250	裊	E6D6	9D75	5D76	1-6656	T4C60080
3251	覘	E6D7	9D76	5D77	1-6657	T4C70080
3252	解	E6D8	9D77	5D78	1-6658	T4C80080
3253	訛	E6D9	9D78	5D79	1-6659	T4C90080
3254	該	E6DA	9D79	5D7A	1-665A	T4CA0080
3255	詳	E6DB	9D7A	5D7B	1-665B	T4CB0080
3256	試	E6DC	9D7B	5D7C	1-665C	T4CC0080
3257	詩	E6DD	9D7C	5D7D	1-665D	T4CD0080
3258	詰	E6DE	9D7D	5D7E	1-665E	T4CE0080
3259	誇	E6DF	9D7E	5D7F	1-665F	T4CF0080
3260	談	E6E0	9D80	5D81	1-6660	T4CH0080
3261	詣	E6E1	9D81	5D82	1-6661	T4CI0080
3262	誠	E6E2	9D82	5D83	1-6662	T4CJ0080
3263	話	E6E3	9D83	5D84	1-6663	T4CK0080
3264	誅	E6E4	9D84	5D85	1-6664	T4CL0080
3265	詭	E6E5	9D85	5D86	1-6665	T4CM0080
3266	詢	E6E6	9D86	5D87	1-6666	T4CN0080
3267	詮	E6E7	9D87	5D88	1-6667	T4CO0080
3268	詬	E6E8	9D88	5D89	1-6668	T4CP0080
3269	詹	E6E9	9D89	5D8A	1-6669	T4CQ0080
3270	諮	E6EA	9D8A	5D8B	1-666A	T4CR0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 9 (Page 40 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3271	訾	E6EB	9D8B	5D8C	1-666B	T4CS0080
3272	訖	E6EC	9D8C	5D8D	1-666C	T4CT0080
3273	豨	E6ED	9D8D	5D8E	1-666D	T4CU0080
3274	豨	E6EE	9D8E	5D8F	1-666E	T4CV0080
3275	豨	E6EF	9D8F	5D90	1-666F	T4CW0080
3276	賊	E6F0	9D90	5D91	1-6670	T4CX0080
3277	資	E6F1	9D91	5D92	1-6671	T4CY0080
3278	賈	E6F2	9D92	5D93	1-6672	T4CZ0080
3279	賄	E6F3	9D93	5D94	1-6673	T4D00080
3280	賈	E6F4	9D94	5D95	1-6674	T4D10080
3281	賈	E6F5	9D95	5D96	1-6675	T4D20080
3282	賂	E6F6	9D96	5D97	1-6676	T4D30080
3283	賂	E6F7	9D97	5D98	1-6677	T4D40080
3284	跡	E6F8	9D98	5D99	1-6678	T4D50080
3285	跟	E6F9	9D99	5D9A	1-6679	T4D60080
3286	跨	E6FA	9D9A	5D9B	1-667A	T4D70080
3287	路	E6FB	9D9B	5D9C	1-667B	T4D80080
3288	跳	E6FC	9D9C	5D9D	1-667C	T4D90080
3289	蹂	E6FD	9D9D	5D9E	1-667D	T4DA0080
3290	跪	E6FE	9D9E	5D9F	1-667E	T4DB0080
3291	跋	E7A1	9D9F	5DA0	1-6721	T4DC0080
3292	跋	E7A2	9DA0	5DA1	1-6722	T4DD0080
3293	躡	E7A3	9DA1	5DA2	1-6723	T4DE0080
3294	較	E7A4	9DA2	5DA3	1-6724	T4DF0080
3295	載	E7A5	9DA3	5DA4	1-6725	T4DG0080
3296	軾	E7A6	9DA4	5DA5	1-6726	T4DH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 41 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3297	輕	E7A7	9DA5	5DA6	1-6727	T4DI0080
3298	辟	E7A8	9DA6	5DA7	1-6728	T4DJ0080
3299	農	E7A9	9DA7	5DA8	1-6729	T4DK0080
3300	運	E7AA	9DA8	5DA9	1-672A	T4DL0080
3301	遊	E7AB	9DA9	5DAA	1-672B	T4DM0080
3302	道	E7AC	9DAA	5DAB	1-672C	T4DN0080
3303	遂	E7AD	9DAB	5DAC	1-672D	T4DO0080
3304	達	E7AE	9DAC	5DAD	1-672E	T4DP0080
3305	逼	E7AF	9DAD	5DAE	1-672F	T4DQ0080
3306	違	E7B0	9DAE	5DAF	1-6730	T4DR0080
3307	遐	E7B1	9DAF	5DB0	1-6731	T4DS0080
3308	遇	E7B2	9DB0	5DB1	1-6732	T4DT0080
3309	遏	E7B3	9DB1	5DB2	1-6733	T4DU0080
3310	過	E7B4	9DB2	5DB3	1-6734	T4DV0080
3311	遍	E7B5	9DB3	5DB4	1-6735	T4DW0080
3312	遑	E7B6	9DB4	5DB5	1-6736	T4DX0080
3313	逾	E7B7	9DB5	5DB6	1-6737	T4DY0080
3314	遁	E7B8	9DB6	5DB7	1-6738	T4DZ0080
3315	鄒	E7B9	9DB7	5DB8	1-6739	T4E00080
3316	鄔	E7BA	9DB8	5DB9	1-673A	T4E10080
3317	酬	E7BB	9DB9	5DBA	1-673B	T4E20080
3318	酪	E7BC	9DBA	5DBB	1-673C	T4E30080
3319	酪	E7BD	9DBB	5DBC	1-673D	T4E40080
3320	糶	E7BE	9DBC	5DBD	1-673E	T4E50080
3321	鈷	E7BF	9DBD	5DBE	1-673F	T4E60080
3322	鉗	E7C0	9DBE	5DBF	1-6740	T4E70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 42 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3323	鈹	E7C1	9DBF	5DC0	1-6741	T4E80080
3324	鈛	E7C2	9DC0	5DC1	1-6742	T4E90080
3325	鉀	E7C3	9DC1	5DC2	1-6743	T4EA0080
3326	鈷	E7C4	9DC2	5DC3	1-6744	T4EB0080
3327	鉛	E7C5	9DC3	5DC4	1-6745	T4EC0080
3328	鈹	E7C6	9DC4	5DC5	1-6746	T4ED0080
3329	鈳	E7C7	9DC5	5DC6	1-6747	T4EE0080
3330	鉑	E7C8	9DC6	5DC7	1-6748	T4EF0080
3331	鈐	E7C9	9DC7	5DC8	1-6749	T4EG0080
3332	鉉	E7CA	9DC8	5DC9	1-674A	T4EH0080
3333	鈷	E7CB	9DC9	5DCA	1-674B	T4EI0080
3334	鉅	E7CC	9DCA	5DCB	1-674C	T4EJ0080
3335	鈹	E7CD	9DCB	5DCC	1-674D	T4EK0080
3336	鈳	E7CE	9DCC	5DCD	1-674E	T4EL0080
3337	鉶	E7CF	9DCD	5DCE	1-674F	T4EM0080
3338	閘	E7D0	9DCE	5DCF	1-6750	T4EN0080
3339	隘	E7D1	9DCF	5DD0	1-6751	T4EO0080
3340	隔	E7D2	9DD0	5DD1	1-6752	T4EP0080
3341	隕	E7D3	9DD1	5DD2	1-6753	T4EQ0080
3342	雍	E7D4	9DD2	5DD3	1-6754	T4ER0080
3343	雋	E7D5	9DD3	5DD4	1-6755	T4ES0080
3344	雉	E7D6	9DD4	5DD5	1-6756	T4ET0080
3345	雋	E7D7	9DD5	5DD6	1-6757	T4EU0080
3346	雷	E7D8	9DD6	5DD7	1-6758	T4EV0080
3347	電	E7D9	9DD7	5DD8	1-6759	T4EW0080
3348	電	E7DA	9DD8	5DD9	1-675A	T4EX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 9 (Page 43 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3349	零	E7DB	9DD9	5DDA	1-675B	T4EY0080
3350	靖	E7DC	9DDA	5DDB	1-675C	T4EZ0080
3351	靴	E7DD	9DDB	5DDC	1-675D	T4F00080
3352	靶	E7DE	9DDC	5DDD	1-675E	T4F10080
3353	預	E7DF	9DDD	5DDE	1-675F	T4F20080
3354	頑	E7E0	9DDE	5DDF	1-6760	T4F30080
3355	頓	E7E1	9DDF	5DE0	1-6761	T4F40080
3356	頊	E7E2	9DE0	5DE1	1-6762	T4F50080
3357	頒	E7E3	9DE1	5DE2	1-6763	T4F60080
3358	頌	E7E4	9DE2	5DE3	1-6764	T4F70080
3359	飼	E7E5	9DE3	5DE4	1-6765	T4F80080
3360	飴	E7E6	9DE4	5DE5	1-6766	T4F90080
3361	飽	E7E7	9DE5	5DE6	1-6767	T4FA0080
3362	飾	E7E8	9DE6	5DE7	1-6768	T4FB0080
3363	馳	E7E9	9DE7	5DE8	1-6769	T4FC0080
3364	馱	E7EA	9DE8	5DE9	1-676A	T4FD0080
3365	馴	E7EB	9DE9	5DEA	1-676B	T4FE0080
3366	髡	E7EC	9DEA	5DEB	1-676C	T4FF0080
3367	鳩	E7ED	9DEB	5DEC	1-676D	T4FG0080
3368	亮	E7EE	9DEC	5DED	1-676E	T4FH0080
3369	鼎	E7EF	9DED	5DEE	1-676F	T4FI0080
3370	鼓	E7F0	9DEE	5DEF	1-6770	T4FJ0080
3371	鼠	E7F1	9DEF	5DF0	1-6771	T4FK0080
3372	僧	E7F2	9DF0	5DF1	1-6772	T4FL0080
3373	僮	E7F3	9DF1	5DF2	1-6773	T4FM0080
3374	僥	E7F4	9DF2	5DF3	1-6774	T4FN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 9 (Page 44 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (3 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3375	僖	E7F5	9DF3	5DF4	1-6775	T4FO0080
3376	僣	E7F6	9DF4	5DF5	1-6776	T4FP0080
3377	僚	E7F7	9DF5	5DF6	1-6777	T4FQ0080
3378	僕	E7F8	9DF6	5DF7	1-6778	T4FR0080
3379	像	E7F9	9DF7	5DF8	1-6779	T4FS0080
3380	僑	E7FA	9DF8	5DF9	1-677A	T4FT0080
3381	僱	E7FB	9DF9	5DFA	1-677B	T4FU0080
3382	僕	E7FC	9DFA	5DFB	1-677C	T4FV0080
3383	僩	E7FD	9DFB	5DFC	1-677D	T4FW0080
3384	兢	E7FE	9DFC	5DFD	1-677E	T4FX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 1 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3385	凳	E8A1	9E40	5E41	1-6821	T4G10080
3386	劃	E8A2	9E41	5E42	1-6822	T4G20080
3387	劓	E8A3	9E42	5E43	1-6823	T4G30080
3388	匱	E8A4	9E43	5E44	1-6824	T4G40080
3389	厭	E8A5	9E44	5E45	1-6825	T4G50080
3390	嗾	E8A6	9E45	5E46	1-6826	T4G60080
3391	喃	E8A7	9E46	5E47	1-6827	T4G70080
3392	嘛	E8A8	9E47	5E48	1-6828	T4G80080
3393	嘗	E8A9	9E48	5E49	1-6829	T4G90080
3394	嗽	E8AA	9E49	5E4A	1-682A	T4GA0080
3395	嘔	E8AB	9E4A	5E4B	1-682B	T4GB0080
3396	嘆	E8AC	9E4B	5E4C	1-682C	T4GC0080
3397	嘉	E8AD	9E4C	5E4D	1-682D	T4GD0080
3398	嘍	E8AE	9E4D	5E4E	1-682E	T4GE0080
3399	嘎	E8AF	9E4E	5E4F	1-682F	T4GF0080
3400	噉	E8B0	9E4F	5E50	1-6830	T4GG0080
3401	噴	E8B1	9E50	5E51	1-6831	T4GH0080
3402	噤	E8B2	9E51	5E52	1-6832	T4GI0080
3403	嘈	E8B3	9E52	5E53	1-6833	T4GJ0080
3404	嚟	E8B4	9E53	5E54	1-6834	T4GK0080
3405	嘍	E8B5	9E54	5E55	1-6835	T4GL0080
3406	團	E8B6	9E55	5E56	1-6836	T4GM0080
3407	圖	E8B7	9E56	5E57	1-6837	T4GN0080
3408	塵	E8B8	9E57	5E58	1-6838	T4GO0080
3409	塾	E8B9	9E58	5E59	1-6839	T4GP0080
3410	境	E8BA	9E59	5E5A	1-683A	T4GQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 2 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3411	墓	E8BB	9E5A	5E5B	1-683B	T4GR0080
3412	塾	E8BC	9E5B	5E5C	1-683C	T4GS0080
3413	塹	E8BD	9E5C	5E5D	1-683D	T4GT0080
3414	墅	E8BE	9E5D	5E5E	1-683E	T4GU0080
3415	塹	E8BF	9E5E	5E5F	1-683F	T4GV0080
3416	壽	E8C0	9E5F	5E60	1-6840	T4GW0080
3417	夥	E8C1	9E60	5E61	1-6841	T4GX0080
3418	夢	E8C2	9E61	5E62	1-6842	T4GY0080
3419	夤	E8C3	9E62	5E63	1-6843	T4GZ0080
3420	奪	E8C4	9E63	5E64	1-6844	T4H00080
3421	奩	E8C5	9E64	5E65	1-6845	T4H10080
3422	嫡	E8C6	9E65	5E66	1-6846	T4H20080
3423	嫦	E8C7	9E66	5E67	1-6847	T4H30080
3424	嫩	E8C8	9E67	5E68	1-6848	T4H40080
3425	嫗	E8C9	9E68	5E69	1-6849	T4H50080
3426	嫖	E8CA	9E69	5E6A	1-684A	T4H60080
3427	嫖	E8CB	9E6A	5E6B	1-684B	T4H70080
3428	嫖	E8CC	9E6B	5E6C	1-684C	T4H80080
3429	孵	E8CD	9E6C	5E6D	1-684D	T4H90080
3430	寞	E8CE	9E6D	5E6E	1-684E	T4HA0080
3431	寧	E8CF	9E6E	5E6F	1-684F	T4HB0080
3432	寡	E8D0	9E6F	5E70	1-6850	T4HC0080
3433	寥	E8D1	9E70	5E71	1-6851	T4HD0080
3434	實	E8D2	9E71	5E72	1-6852	T4HE0080
3435	寨	E8D3	9E72	5E73	1-6853	T4HF0080
3436	寢	E8D4	9E73	5E74	1-6854	T4HG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 3 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3437	寤	E8D5	9E74	5E75	1-6855	T4HH0080
3438	察	E8D6	9E75	5E76	1-6856	T4HI0080
3439	對	E8D7	9E76	5E77	1-6857	T4HJ0080
3440	屢	E8D8	9E77	5E78	1-6858	T4HK0080
3441	嶄	E8D9	9E78	5E79	1-6859	T4HL0080
3442	嶇	E8DA	9E79	5E7A	1-685A	T4HM0080
3443	幃	E8DB	9E7A	5E7B	1-685B	T4HN0080
3444	幣	E8DC	9E7B	5E7C	1-685C	T4HO0080
3445	幕	E8DD	9E7C	5E7D	1-685D	T4HP0080
3446	幘	E8DE	9E7D	5E7E	1-685E	T4HQ0080
3447	幔	E8DF	9E7E	5E7F	1-685F	T4HR0080
3448	廓	E8E0	9E80	5E81	1-6860	T4HT0080
3449	廖	E8E1	9E81	5E82	1-6861	T4HU0080
3450	弊	E8E2	9E82	5E83	1-6862	T4HV0080
3451	弊	E8E3	9E83	5E84	1-6863	T4HW0080
3452	彰	E8E4	9E84	5E85	1-6864	T4HX0080
3453	徹	E8E5	9E85	5E86	1-6865	T4HY0080
3454	慇	E8E6	9E86	5E87	1-6866	T4HZ0080
3455	愿	E8E7	9E87	5E88	1-6867	T4I00080
3456	態	E8E8	9E88	5E89	1-6868	T4I10080
3457	慷	E8E9	9E89	5E8A	1-6869	T4I20080
3458	慢	E8EA	9E8A	5E8B	1-686A	T4I30080
3459	慣	E8EB	9E8B	5E8C	1-686B	T4I40080
3460	慟	E8EC	9E8C	5E8D	1-686C	T4I50080
3461	慚	E8ED	9E8D	5E8E	1-686D	T4I60080
3462	慘	E8EE	9E8E	5E8F	1-686E	T4I70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 4 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3463	慵	E8EF	9E8F	5E90	1-686F	T4I80080
3464	截	E8F0	9E90	5E91	1-6870	T4I90080
3465	撇	E8F1	9E91	5E92	1-6871	T4IA0080
3466	摘	E8F2	9E92	5E93	1-6872	T4IB0080
3467	摔	E8F3	9E93	5E94	1-6873	T4IC0080
3468	撤	E8F4	9E94	5E95	1-6874	T4ID0080
3469	摸	E8F5	9E95	5E96	1-6875	T4IE0080
3470	摟	E8F6	9E96	5E97	1-6876	T4IF0080
3471	摺	E8F7	9E97	5E98	1-6877	T4IG0080
3472	摑	E8F8	9E98	5E99	1-6878	T4IH0080
3473	摧	E8F9	9E99	5E9A	1-6879	T4II0080
3474	牽	E8FA	9E9A	5E9B	1-687A	T4IJ0080
3475	摭	E8FB	9E9B	5E9C	1-687B	T4IK0080
3476	摻	E8FC	9E9C	5E9D	1-687C	T4IL0080
3477	敲	E8FD	9E9D	5E9E	1-687D	T4IM0080
3478	幹	E8FE	9E9E	5E9F	1-687E	T4IN0080
3479	旗	E9A1	9E9F	5EA0	1-6921	T4IO0080
3480	旂	E9A2	9EA0	5EA1	1-6922	T4IP0080
3481	幘	E9A3	9EA1	5EA2	1-6923	T4IQ0080
3482	暨	E9A4	9EA2	5EA3	1-6924	T4IR0080
3483	暝	E9A5	9EA3	5EA4	1-6925	T4IS0080
3484	榜	E9A6	9EA4	5EA5	1-6926	T4IT0080
3485	榨	E9A7	9EA5	5EA6	1-6927	T4IU0080
3486	榕	E9A8	9EA6	5EA7	1-6928	T4IV0080
3487	稿	E9A9	9EA7	5EA8	1-6929	T4IW0080
3488	榮	E9AA	9EA8	5EA9	1-692A	T4IX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 5 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3489	楨	E9AB	9EA9	5EAA	1-692B	T4IY0080
3490	構	E9AC	9EAA	5EAB	1-692C	T4IZ0080
3491	榛	E9AD	9EAB	5EAC	1-692D	T4J00080
3492	權	E9AE	9EAC	5EAD	1-692E	T4J10080
3493	榻	E9AF	9EAD	5EAE	1-692F	T4J20080
3494	樺	E9B0	9EAE	5EAF	1-6930	T4J30080
3495	榴	E9B1	9EAF	5EB0	1-6931	T4J40080
3496	槐	E9B2	9EB0	5EB1	1-6932	T4J50080
3497	檜	E9B3	9EB1	5EB2	1-6933	T4J60080
3498	榭	E9B4	9EB2	5EB3	1-6934	T4J70080
3499	槌	E9B5	9EB3	5EB4	1-6935	T4J80080
3500	榦	E9B6	9EB4	5EB5	1-6936	T4J90080
3501	槃	E9B7	9EB5	5EB6	1-6937	T4JA0080
3502	搖	E9B8	9EB6	5EB7	1-6938	T4JB0080
3503	歉	E9B9	9EB7	5EB8	1-6939	T4JC0080
3504	歌	E9BA	9EB8	5EB9	1-693A	T4JD0080
3505	氳	E9BB	9EB9	5EBA	1-693B	T4JE0080
3506	漳	E9BC	9EBA	5EBB	1-693C	T4JF0080
3507	演	E9BD	9EBB	5EBC	1-693D	T4JG0080
3508	滾	E9BE	9EBC	5EBD	1-693E	T4JH0080
3509	瀉	E9BF	9EBD	5EBE	1-693F	T4JI0080
3510	滴	E9C0	9EBE	5EBF	1-6940	T4JJ0080
3511	漩	E9C1	9EBF	5EC0	1-6941	T4JK0080
3512	漾	E9C2	9EC0	5EC1	1-6942	T4JL0080
3513	漠	E9C3	9EC1	5EC2	1-6943	T4JM0080
3514	漬	E9C4	9EC2	5EC3	1-6944	T4JN0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 10 (Page 6 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3515	漏	E9C5	9EC3	5EC4	1-6945	T4JO0080
3516	漂	E9C6	9EC4	5EC5	1-6946	T4JP0080
3517	漢	E9C7	9EC5	5EC6	1-6947	T4JQ0080
3518	滿	E9C8	9EC6	5EC7	1-6948	T4JR0080
3519	滯	E9C9	9EC7	5EC8	1-6949	T4JS0080
3520	漆	E9CA	9EC8	5EC9	1-694A	T4JT0080
3521	漱	E9CB	9EC9	5ECA	1-694B	T4JU0080
3522	漸	E9CC	9ECA	5ECB	1-694C	T4JV0080
3523	漲	E9CD	9ECB	5ECC	1-694D	T4JW0080
3524	漣	E9CE	9ECC	5ECD	1-694E	T4JX0080
3525	漕	E9CF	9ECD	5ECE	1-694F	T4JY0080
3526	漫	E9D0	9ECE	5ECF	1-6950	T4JZ0080
3527	瀑	E9D1	9ECF	5ED0	1-6951	T4K00080
3528	澈	E9D2	9ED0	5ED1	1-6952	T4K10080
3529	漪	E9D3	9ED1	5ED2	1-6953	T4K20080
3530	滬	E9D4	9ED2	5ED3	1-6954	T4K30080
3531	漁	E9D5	9ED3	5ED4	1-6955	T4K40080
3532	滲	E9D6	9ED4	5ED5	1-6956	T4K50080
3533	滌	E9D7	9ED5	5ED6	1-6957	T4K60080
3534	滷	E9D8	9ED6	5ED7	1-6958	T4K70080
3535	熔	E9D9	9ED7	5ED8	1-6959	T4K80080
3536	熙	E9DA	9ED8	5ED9	1-695A	T4K90080
3537	燻	E9DB	9ED9	5EDA	1-695B	T4KA0080
3538	熊	E9DC	9EDA	5EDB	1-695C	T4KB0080
3539	熄	E9DD	9EDB	5EDC	1-695D	T4KC0080
3540	熒	E9DE	9EDC	5EDD	1-695E	T4KD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 7 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3541	爾	E9DF	9EDD	5EDE	1-695F	T4KE0080
3542	犒	E9E0	9EDE	5EDF	1-6960	T4KF0080
3543	犖	E9E1	9EDF	5EE0	1-6961	T4KG0080
3544	獄	E9E2	9EE0	5EE1	1-6962	T4KH0080
3545	獐	E9E3	9EE1	5EE2	1-6963	T4KI0080
3546	瑤	E9E4	9EE2	5EE3	1-6964	T4KJ0080
3547	瑣	E9E5	9EE3	5EE4	1-6965	T4KK0080
3548	瑪	E9E6	9EE4	5EE5	1-6966	T4KL0080
3549	瑰	E9E7	9EE5	5EE6	1-6967	T4KM0080
3550	瑤	E9E8	9EE6	5EE7	1-6968	T4KN0080
3551	甄	E9E9	9EE7	5EE8	1-6969	T4KO0080
3552	疑	E9EA	9EE8	5EE9	1-696A	T4KP0080
3553	瘡	E9EB	9EE9	5EEA	1-696B	T4KQ0080
3554	瘍	E9EC	9EEA	5EEB	1-696C	T4KR0080
3555	瘋	E9ED	9EEB	5EEC	1-696D	T4KS0080
3556	癩	E9EE	9EEC	5EED	1-696E	T4KT0080
3557	癩	E9EF	9EED	5EEE	1-696F	T4KU0080
3558	盡	E9F0	9EEE	5EEF	1-6970	T4KV0080
3559	監	E9F1	9EEF	5EF0	1-6971	T4KW0080
3560	瞄	E9F2	9EF0	5EF1	1-6972	T4KX0080
3561	瞞	E9F3	9EF1	5EF2	1-6973	T4KY0080
3562	睿	E9F4	9EF2	5EF3	1-6974	T4KZ0080
3563	睡	E9F5	9EF3	5EF4	1-6975	T4L00080
3564	磁	E9F6	9EF4	5EF5	1-6976	T4L10080
3565	碟	E9F7	9EF5	5EF6	1-6977	T4L20080
3566	碧	E9F8	9EF6	5EF7	1-6978	T4L30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 8 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3567	礮	E9F9	9EF7	5EF8	1-6979	T4L40080
3568	礮	E9FA	9EF8	5EF9	1-697A	T4L50080
3569	礮	E9FB	9EF9	5EFA	1-697B	T4L60080
3570	禛	E9FC	9EFA	5EFB	1-697C	T4L70080
3571	福	E9FD	9EFB	5EFC	1-697D	T4L80080
3572	禍	E9FE	9EFC	5EFD	1-697E	T4L90080
3573	種	EAA1	9F40	5F41	1-6A21	T4LD0080
3574	稱	EAA2	9F41	5F42	1-6A22	T4LE0080
3575	窪	EAA3	9F42	5F43	1-6A23	T4LF0080
3576	窩	EAA4	9F43	5F44	1-6A24	T4LG0080
3577	竭	EAA5	9F44	5F45	1-6A25	T4LH0080
3578	端	EAA6	9F45	5F46	1-6A26	T4LI0080
3579	管	EAA7	9F46	5F47	1-6A27	T4LJ0080
3580	箕	EAA8	9F47	5F48	1-6A28	T4LK0080
3581	箋	EAA9	9F48	5F49	1-6A29	T4LL0080
3582	筵	EAAA	9F49	5F4A	1-6A2A	T4LM0080
3583	算	EAAB	9F4A	5F4B	1-6A2B	T4LN0080
3584	箝	EAAC	9F4B	5F4C	1-6A2C	T4LO0080
3585	箔	EAAD	9F4C	5F4D	1-6A2D	T4LP0080
3586	箏	EAAE	9F4D	5F4E	1-6A2E	T4LQ0080
3587	箬	EAAF	9F4E	5F4F	1-6A2F	T4LR0080
3588	箇	EAB0	9F4F	5F50	1-6A30	T4LS0080
3589	算	EAB1	9F50	5F51	1-6A31	T4LT0080
3590	粹	EAB2	9F51	5F52	1-6A32	T4LU0080
3591	粽	EAB3	9F52	5F53	1-6A33	T4LV0080
3592	精	EAB4	9F53	5F54	1-6A34	T4LW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 10 (Page 9 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3593	綻	EAB5	9F54	5F55	1-6A35	T4LX0080
3594	縮	EAB6	9F55	5F56	1-6A36	T4LY0080
3595	綜	EAB7	9F56	5F57	1-6A37	T4LZ0080
3596	綽	EAB8	9F57	5F58	1-6A38	T4M00080
3597	綾	EAB9	9F58	5F59	1-6A39	T4M10080
3598	綠	EABA	9F59	5F5A	1-6A3A	T4M20080
3599	緊	EABB	9F5A	5F5B	1-6A3B	T4M30080
3600	綴	EABC	9F5B	5F5C	1-6A3C	T4M40080
3601	網	EABD	9F5C	5F5D	1-6A3D	T4M50080
3602	綱	EABE	9F5D	5F5E	1-6A3E	T4M60080
3603	綺	EABF	9F5E	5F5F	1-6A3F	T4M70080
3604	綢	EAC0	9F5F	5F60	1-6A40	T4M80080
3605	綿	EAC1	9F60	5F61	1-6A41	T4M90080
3606	綵	EAC2	9F61	5F62	1-6A42	T4MA0080
3607	綸	EAC3	9F62	5F63	1-6A43	T4MB0080
3608	維	EAC4	9F63	5F64	1-6A44	T4MC0080
3609	緒	EAC5	9F64	5F65	1-6A45	T4MD0080
3610	緇	EAC6	9F65	5F66	1-6A46	T4ME0080
3611	綬	EAC7	9F66	5F67	1-6A47	T4MF0080
3612	罰	EAC8	9F67	5F68	1-6A48	T4MG0080
3613	翠	EAC9	9F68	5F69	1-6A49	T4MH0080
3614	翡	EACA	9F69	5F6A	1-6A4A	T4MI0080
3615	翟	EACB	9F6A	5F6B	1-6A4B	T4MJ0080
3616	聞	EACC	9F6B	5F6C	1-6A4C	T4MK0080
3617	聚	EACD	9F6C	5F6D	1-6A4D	T4ML0080
3618	肇	EACE	9F6D	5F6E	1-6A4E	T4MM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 10 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3619	腐	EACF	9F6E	5F6F	1-6A4F	T4MN0080
3620	膀	EAD0	9F6F	5F70	1-6A50	T4MO0080
3621	膏	EAD1	9F70	5F71	1-6A51	T4MP0080
3622	膈	EAD2	9F71	5F72	1-6A52	T4MQ0080
3623	膊	EAD3	9F72	5F73	1-6A53	T4MR0080
3624	腿	EAD4	9F73	5F74	1-6A54	T4MS0080
3625	膂	EAD5	9F74	5F75	1-6A55	T4MT0080
3626	臧	EAD6	9F75	5F76	1-6A56	T4MU0080
3627	臺	EAD7	9F76	5F77	1-6A57	T4MV0080
3628	與	EAD8	9F77	5F78	1-6A58	T4MW0080
3629	舂	EAD9	9F78	5F79	1-6A59	T4MX0080
3630	舞	EADA	9F79	5F7A	1-6A5A	T4MY0080
3631	鯁	EADB	9F7A	5F7B	1-6A5B	T4MZ0080
3632	蓉	EADC	9F7B	5F7C	1-6A5C	T4N00080
3633	蒿	EADD	9F7C	5F7D	1-6A5D	T4N10080
3634	蓆	EADE	9F7D	5F7E	1-6A5E	T4N20080
3635	蓄	EADF	9F7E	5F7F	1-6A5F	T4N30080
3636	蒙	EAE0	9F80	5F81	1-6A60	T4N50080
3637	蒹	EAE1	9F81	5F82	1-6A61	T4N60080
3638	蒲	EAE2	9F82	5F83	1-6A62	T4N70080
3639	蒜	EAE3	9F83	5F84	1-6A63	T4N80080
3640	蓋	EAE4	9F84	5F85	1-6A64	T4N90080
3641	蒸	EAE5	9F85	5F86	1-6A65	T4NA0080
3642	蓀	EAE6	9F86	5F87	1-6A66	T4NB0080
3643	蓆	EAE7	9F87	5F88	1-6A67	T4NC0080
3644	蒐	EAE8	9F88	5F89	1-6A68	T4ND0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 10 (Page 11 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3645	蒼	EAE9	9F89	5F8A	1-6A69	T4NE0080
3646	衰	EAEA	9F8A	5F8B	1-6A6A	T4NF0080
3647	蓊	EAEB	9F8B	5F8C	1-6A6B	T4NG0080
3648	蜿	EAEC	9F8C	5F8D	1-6A6C	T4NH0080
3649	蜜	EAED	9F8D	5F8E	1-6A6D	T4NI0080
3650	蜻	EAEF	9F8E	5F8F	1-6A6E	T4NJ0080
3651	蝓	EAEF	9F8F	5F90	1-6A6F	T4NK0080
3652	蜥	EAF0	9F90	5F91	1-6A70	T4NL0080
3653	蜴	EAF1	9F91	5F92	1-6A71	T4NM0080
3654	蚰	EAF2	9F92	5F93	1-6A72	T4NN0080
3655	蝕	EAF3	9F93	5F94	1-6A73	T4NO0080
3656	蝮	EAF4	9F94	5F95	1-6A74	T4NP0080
3657	蝟	EAF5	9F95	5F96	1-6A75	T4NQ0080
3658	裳	EAF6	9F96	5F97	1-6A76	T4NR0080
3659	褂	EAF7	9F97	5F98	1-6A77	T4NS0080
3660	裴	EAF8	9F98	5F99	1-6A78	T4NT0080
3661	褰	EAF9	9F99	5F9A	1-6A79	T4NU0080
3662	裸	EAFA	9F9A	5F9B	1-6A7A	T4NV0080
3663	製	EAFB	9F9B	5F9C	1-6A7B	T4NW0080
3664	裨	EAFB	9F9C	5F9D	1-6A7C	T4NX0080
3665	褚	EAFD	9F9D	5F9E	1-6A7D	T4NY0080
3666	裯	EAFE	9F9E	5F9F	1-6A7E	T4NZ0080
3667	誦	EBA1	9F9F	5FA0	1-6B21	T4O00080
3668	誌	EBA2	9FA0	5FA1	1-6B22	T4O10080
3669	語	EBA3	9FA1	5FA2	1-6B23	T4O20080
3670	誣	EBA4	9FA2	5FA3	1-6B24	T4O30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 12 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3671	認	EBA5	9FA3	5FA4	1-6B25	T4O40080
3672	誠	EBA6	9FA4	5FA5	1-6B26	T4O50080
3673	誓	EBA7	9FA5	5FA6	1-6B27	T4O60080
3674	誤	EBA8	9FA6	5FA7	1-6B28	T4O70080
3675	說	EBA9	9FA7	5FA8	1-6B29	T4O80080
3676	誥	EBA0	9FA8	5FA9	1-6B2A	T4O90080
3677	誨	EBAB	9FA9	5FAA	1-6B2B	T4OA0080
3678	誘	EBAC	9FAA	5FAB	1-6B2C	T4OB0080
3679	誑	EBAD	9FAB	5FAC	1-6B2D	T4OC0080
3680	誚	EBAE	9FAC	5FAD	1-6B2E	T4OD0080
3681	誦	EBAF	9FAD	5FAE	1-6B2F	T4OE0080
3682	豪	EBB0	9FAE	5FAF	1-6B30	T4OF0080
3683	貌	EBB1	9FAF	5FB0	1-6B31	T4OG0080
3684	貌	EBB2	9FB0	5FB1	1-6B32	T4OH0080
3685	寶	EBB3	9FB1	5FB2	1-6B33	T4OI0080
3686	賑	EBB4	9FB2	5FB3	1-6B34	T4OJ0080
3687	賒	EBB5	9FB3	5FB4	1-6B35	T4OK0080
3688	赫	EBB6	9FB4	5FB5	1-6B36	T4OL0080
3689	趙	EBB7	9FB5	5FB6	1-6B37	T4OM0080
3690	趕	EBB8	9FB6	5FB7	1-6B38	T4ON0080
3691	跼	EBB9	9FB7	5FB8	1-6B39	T4OO0080
3692	輔	EBBA	9FB8	5FB9	1-6B3A	T4OP0080
3693	輒	EBBB	9FB9	5FBA	1-6B3B	T4OQ0080
3694	輕	EBBC	9FBA	5FBB	1-6B3C	T4OR0080
3695	輓	EBBD	9FBB	5FBC	1-6B3D	T4OS0080
3696	辣	EBBE	9FBC	5FBD	1-6B3E	T4OT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 13 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3697	遠	EBBF	9FBD	5FBE	1-6B3F	T4OU0080
3698	遶	EBC0	9FBE	5FBF	1-6B40	T4OV0080
3699	遜	EBC1	9FBF	5FC0	1-6B41	T4OW0080
3700	遣	EBC2	9FC0	5FC1	1-6B42	T4OX0080
3701	遙	EBC3	9FC1	5FC2	1-6B43	T4OY0080
3702	遞	EBC4	9FC2	5FC3	1-6B44	T4OZ0080
3703	遞	EBC5	9FC3	5FC4	1-6B45	T4P00080
3704	逕	EBC6	9FC4	5FC5	1-6B46	T4P10080
3705	溜	EBC7	9FC5	5FC6	1-6B47	T4P20080
3706	鄙	EBC8	9FC6	5FC7	1-6B48	T4P30080
3707	鄙	EBC9	9FC7	5FC8	1-6B49	T4P40080
3708	鄞	EBCA	9FC8	5FC9	1-6B4A	T4P50080
3709	醇	EBCB	9FC9	5FCA	1-6B4B	T4P60080
3710	酸	EBCC	9FCA	5FCB	1-6B4C	T4P70080
3711	酷	EBCD	9FCB	5FCC	1-6B4D	T4P80080
3712	酴	EBCE	9FCC	5FCD	1-6B4E	T4P90080
3713	鉸	EBCF	9FCD	5FCE	1-6B4F	T4PA0080
3714	銆	EBD0	A1D9	61DA	1-6B50	T50A0080
3715	銀	EBD1	9FCE	5FCF	1-6B51	T4PB0080
3716	銅	EBD2	9FCF	5FD0	1-6B52	T4PC0080
3717	銘	EBD3	9FD0	5FD1	1-6B53	T4PD0080
3718	銖	EBD4	9FD1	5FD2	1-6B54	T4PE0080
3719	銌	EBD5	9FD2	5FD3	1-6B55	T4PF0080
3720	銍	EBD6	9FD3	5FD4	1-6B56	T4PG0080
3721	銎	EBD7	9FD4	5FD5	1-6B57	T4PH0080
3722	鉸	EBD8	9FD5	5FD6	1-6B58	T4PI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 14 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3723	鉸	EBD9	9FD6	5FD7	1-6B59	T4PJ0080
3724	銑	EBDA	9FD7	5FD8	1-6B5A	T4PK0080
3725	閔	EBDB	9FD8	5FD9	1-6B5B	T4PL0080
3726	閏	EBDC	9FD9	5FDA	1-6B5C	T4PM0080
3727	閏	EBDD	9FDA	5FDB	1-6B5D	T4PN0080
3728	閏	EBDE	9FDB	5FDC	1-6B5E	T4PO0080
3729	閏	EBDF	9FDC	5FDD	1-6B5F	T4PP0080
3730	閏	EBE0	9FDD	5FDE	1-6B60	T4PQ0080
3731	隙	EBE1	9FDE	5FDF	1-6B61	T4PR0080
3732	障	EBE2	9FDF	5FE0	1-6B62	T4PS0080
3733	際	EBE3	9FE0	5FE1	1-6B63	T4PT0080
3734	雌	EBE4	9FE1	5FE2	1-6B64	T4PU0080
3735	雒	EBE5	9FE2	5FE3	1-6B65	T4PV0080
3736	需	EBE6	9FE3	5FE4	1-6B66	T4PW0080
3737	鞞	EBE7	9FE4	5FE5	1-6B67	T4PX0080
3738	鞞	EBE8	9FE5	5FE6	1-6B68	T4PY0080
3739	韶	EBE9	9FE6	5FE7	1-6B69	T4PZ0080
3740	頗	EBEA	9FE7	5FE8	1-6B6A	T4Q00080
3741	頷	EBEB	9FE8	5FE9	1-6B6B	T4Q10080
3742	颯	EBEC	9FE9	5FEA	1-6B6C	T4Q20080
3743	颯	EBED	9FEA	5FEB	1-6B6D	T4Q30080
3744	餃	EBEE	9FEB	5FEC	1-6B6E	T4Q40080
3745	餅	EBEF	9FEC	5FED	1-6B6F	T4Q50080
3746	餌	EBF0	9FED	5FEE	1-6B70	T4Q60080
3747	餉	EBF1	9FEE	5FEF	1-6B71	T4Q70080
3748	駁	EBF2	9FEF	5FF0	1-6B72	T4Q80080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 15 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3749	骛	EBF3	9FF0	5FF1	1-6B73	T4Q90080
3750	骰	EBF4	9FF1	5FF2	1-6B74	T4QA0080
3751	髦	EBF5	9FF2	5FF3	1-6B75	T4QB0080
3752	魁	EBF6	9FF3	5FF4	1-6B76	T4QC0080
3753	魂	EBF7	9FF4	5FF5	1-6B77	T4QD0080
3754	鳴	EBF8	9FF5	5FF6	1-6B78	T4QE0080
3755	鳶	EBF9	9FF6	5FF7	1-6B79	T4QF0080
3756	鳳	EBFA	9FF7	5FF8	1-6B7A	T4QG0080
3757	麼	EBFB	9FF8	5FF9	1-6B7B	T4QH0080
3758	鼻	EBFC	9FF9	5FFA	1-6B7C	T4QI0080
3759	齊	EBFD	9FFA	5FFB	1-6B7D	T4QJ0080
3760	億	EBFE	9FFB	5FFC	1-6B7E	T4QK0080
3761	儀	ECA1	9FFC	5FFD	1-6C21	T4QL0080
3762	僻	ECA2	A040	6041	1-6C22	T4QP0080
3763	僵	ECA3	A041	6042	1-6C23	T4QQ0080
3764	價	ECA4	A042	6043	1-6C24	T4QR0080
3765	儂	ECA5	A043	6044	1-6C25	T4QS0080
3766	儉	ECA6	A044	6045	1-6C26	T4QT0080
3767	儉	ECA7	A045	6046	1-6C27	T4QU0080
3768	儻	ECA8	A046	6047	1-6C28	T4QV0080
3769	凜	ECA9	A047	6048	1-6C29	T4QW0080
3770	劇	ECAA	A048	6049	1-6C2A	T4QX0080
3771	劈	ECAB	A049	604A	1-6C2B	T4QY0080
3772	劉	ECAC	A04A	604B	1-6C2C	T4QZ0080
3773	劍	ECAD	A04B	604C	1-6C2D	T4R00080
3774	劊	ECAE	A04C	604D	1-6C2E	T4R10080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 16 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3775	颯	ECAF	A04D	604E	1-6C2F	T4R20080
3776	厲	ECB0	A04E	604F	1-6C30	T4R30080
3777	嘮	ECB1	A04F	6050	1-6C31	T4R40080
3778	嘻	ECB2	A050	6051	1-6C32	T4R50080
3779	嘹	ECB3	A051	6052	1-6C33	T4R60080
3780	嘲	ECB4	A052	6053	1-6C34	T4R70080
3781	嘿	ECB5	A053	6054	1-6C35	T4R80080
3782	嘴	ECB6	A054	6055	1-6C36	T4R90080
3783	擘	ECB7	A055	6056	1-6C37	T4RA0080
3784	噓	ECB8	A056	6057	1-6C38	T4RB0080
3785	噎	ECB9	A057	6058	1-6C39	T4RC0080
3786	撲	ECBA	A058	6059	1-6C3A	T4RD0080
3787	噴	ECBB	A059	605A	1-6C3B	T4RE0080
3788	嘶	ECBC	A05A	605B	1-6C3C	T4RF0080
3789	嘯	ECBD	A05B	605C	1-6C3D	T4RG0080
3790	噤	ECBE	A05C	605D	1-6C3E	T4RH0080
3791	墀	ECBF	A05D	605E	1-6C3F	T4RI0080
3792	墟	ECC0	A05E	605F	1-6C40	T4RJ0080
3793	增	ECC1	A05F	6060	1-6C41	T4RK0080
3794	墳	ECC2	A060	6061	1-6C42	T4RL0080
3795	墜	ECC3	A061	6062	1-6C43	T4RM0080
3796	墮	ECC4	A062	6063	1-6C44	T4RN0080
3797	墩	ECC5	A063	6064	1-6C45	T4RO0080
3798	墀	ECC6	A064	6065	1-6C46	T4RP0080
3799	爽	ECC7	A065	6066	1-6C47	T4RQ0080
3800	嬉	ECC8	A066	6067	1-6C48	T4RR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 17 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3801	嫻	ECC9	A067	6068	1-6C49	T4RS0080
3802	嬋	ECCA	A068	6069	1-6C4A	T4RT0080
3803	嫵	ECCB	A069	606A	1-6C4B	T4RU0080
3804	嬌	ECCC	A06A	606B	1-6C4C	T4RV0080
3805	嬈	ECCD	A06B	606C	1-6C4D	T4RW0080
3806	寮	ECCE	A06C	606D	1-6C4E	T4RX0080
3807	寬	ECCF	A06D	606E	1-6C4F	T4RY0080
3808	審	ECD0	A06E	606F	1-6C50	T4RZ0080
3809	寫	ECD1	A06F	6070	1-6C51	T4S00080
3810	層	ECD2	A070	6071	1-6C52	T4S10080
3811	履	ECD3	A071	6072	1-6C53	T4S20080
3812	嶝	ECD4	A072	6073	1-6C54	T4S30080
3813	欽	ECD5	A073	6074	1-6C55	T4S40080
3814	幢	ECD6	A074	6075	1-6C56	T4S50080
3815	幟	ECD7	A075	6076	1-6C57	T4S60080
3816	幡	ECD8	A076	6077	1-6C58	T4S70080
3817	廢	ECD9	A077	6078	1-6C59	T4S80080
3818	廚	ECDA	A078	6079	1-6C5A	T4S90080
3819	廟	ECDB	A079	607A	1-6C5B	T4SA0080
3820	廡	ECDC	A07A	607B	1-6C5C	T4SB0080
3821	廣	ECDD	A07B	607C	1-6C5D	T4SC0080
3822	廠	ECDE	A07C	607D	1-6C5E	T4SD0080
3823	彈	ECDF	A07D	607E	1-6C5F	T4SE0080
3824	影	ECE0	A07E	607F	1-6C60	T4SF0080
3825	德	ECE1	A080	6081	1-6C61	T4SH0080
3826	徵	ECE2	A081	6082	1-6C62	T4SI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 18 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3827	慶	ECE3	A082	6083	1-6C63	T4SJ0080
3828	慧	ECE4	A083	6084	1-6C64	T4SK0080
3829	慮	ECE5	A084	6085	1-6C65	T4SL0080
3830	慝	ECE6	A085	6086	1-6C66	T4SM0080
3831	慕	ECE7	A086	6087	1-6C67	T4SN0080
3832	憂	ECE8	A087	6088	1-6C68	T4SO0080
3833	感	ECE9	A088	6089	1-6C69	T4SP0080
3834	慰	ECEA	A089	608A	1-6C6A	T4SQ0080
3835	愆	ECEB	A08A	608B	1-6C6B	T4SR0080
3836	愆	ECEC	A08B	608C	1-6C6C	T4SS0080
3837	懂	ECED	A08C	608D	1-6C6D	T4ST0080
3838	憐	ECEE	A08D	608E	1-6C6E	T4SU0080
3839	憫	ECEF	A08E	608F	1-6C6F	T4SV0080
3840	憎	ECF0	A08F	6090	1-6C70	T4SW0080
3841	憬	ECF1	A090	6091	1-6C71	T4SX0080
3842	憚	ECF2	A091	6092	1-6C72	T4SY0080
3843	憤	ECF3	A092	6093	1-6C73	T4SZ0080
3844	懣	ECF4	A093	6094	1-6C74	T4T00080
3845	懣	ECF5	A094	6095	1-6C75	T4T10080
3846	戮	ECF6	A095	6096	1-6C76	T4T20080
3847	摩	ECF7	A096	6097	1-6C77	T4T30080
3848	摯	ECF8	A097	6098	1-6C78	T4T40080
3849	摹	ECF9	A098	6099	1-6C79	T4T50080
3850	撞	ECFA	A099	609A	1-6C7A	T4T60080
3851	撲	ECFB	A09A	609B	1-6C7B	T4T70080
3852	撈	ECFC	A09B	609C	1-6C7C	T4T80080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 19 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3853	撐	ECFD	A09C*	609D*	1-6C7D	T6170080
3854	撰	ECFE	A09D	609E	1-6C7E	T4TA0080
3855	撥	EDA1	A09E	609F	1-6D21	T4TB0080
3856	撓	EDA2	A09F	60A0	1-6D22	T4TC0080
3857	撕	EDA3	A0A0	60A1	1-6D23	T4TD0080
3858	撩	EDA4	A0A1	60A2	1-6D24	T4TE0080
3859	撒	EDA5	A0A2	60A3	1-6D25	T4TF0080
3860	撮	EDA6	A0A3	60A4	1-6D26	T4TG0080
3861	播	EDA7	A0A4	60A5	1-6D27	T4TH0080
3862	撫	EDA8	A0A5	60A6	1-6D28	T4TI0080
3863	撚	EDA9	A0A6	60A7	1-6D29	T4TJ0080
3864	撓	EDAA	A0A7	60A8	1-6D2A	T4TK0080
3865	擗	EDAB	A0A8	60A9	1-6D2B	T4TL0080
3866	擗	EDAC	A0A9	60AA	1-6D2C	T4TM0080
3867	擗	EDAD	A0AA	60AB	1-6D2D	T4TN0080
3868	敵	EDAE	A0AB	60AC	1-6D2E	T4TO0080
3869	敷	EDAF	A0AC	60AD	1-6D2F	T4TP0080
3870	數	EDB0	A0AD	60AE	1-6D30	T4TQ0080
3871	暮	EDB1	A0AE	60AF	1-6D31	T4TR0080
3872	暫	EDB2	A0AF	60B0	1-6D32	T4TS0080
3873	暴	EDB3	A0B0	60B1	1-6D33	T4TT0080
3874	曜	EDB4	A0B1	60B2	1-6D34	T4TU0080
3875	樣	EDB5	A0B2	60B3	1-6D35	T4TV0080
3876	樟	EDB6	A0B3	60B4	1-6D36	T4TW0080
3877	榔	EDB7	A0B4	60B5	1-6D37	T4TX0080
3878	椿	EDB8	A0B5	60B6	1-6D38	T4TY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 20 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3879	樞	EDB9	A0B6	60B7	1-6D39	T4TZ0080
3880	標	EDBA	A0B7	60B8	1-6D3A	T4U00080
3881	槽	EDBB	A0B8	60B9	1-6D3B	T4U10080
3882	模	EDBC	A0B9	60BA	1-6D3C	T4U20080
3883	樓	EDBD	A0BA	60BB	1-6D3D	T4U30080
3884	樊	EDBE	A0BB	60BC	1-6D3E	T4U40080
3885	槳	EDBF	A0BC	60BD	1-6D3F	T4U50080
3886	樂	EDC0	A0BD	60BE	1-6D40	T4U60080
3887	樅	EDC1	A0BE	60BF	1-6D41	T4U70080
3888	械	EDC2	A0BF	60C0	1-6D42	T4U80080
3889	樑	EDC3	A0C0	60C1	1-6D43	T4U90080
3890	歐	EDC4	A0C1	60C2	1-6D44	T4UA0080
3891	歎	EDC5	A0C2	60C3	1-6D45	T4UB0080
3892	殤	EDC6	A0C3	60C4	1-6D46	T4UC0080
3893	毅	EDC7	A0C4	60C5	1-6D47	T4UD0080
3894	毆	EDC8	A0C5	60C6	1-6D48	T4UE0080
3895	漿	EDC9	A0C6	60C7	1-6D49	T4UF0080
3896	潼	EDCA	A0C7	60C8	1-6D4A	T4UG0080
3897	澄	EDCB	A0C8	60C9	1-6D4B	T4UH0080
3898	潑	EDCC	A0C9	60CA	1-6D4C	T4UI0080
3899	潦	EDCD	A0CA	60CB	1-6D4D	T4UJ0080
3900	潔	EDCE	A0CB	60CC	1-6D4E	T4UK0080
3901	澆	EDCF	A0CC	60CD	1-6D4F	T4UL0080
3902	潭	EDD0	A0CD	60CE	1-6D50	T4UM0080
3903	潛	EDD1	A0CE	60CF	1-6D51	T4UN0080
3904	漚	EDD2	A0CF	60D0	1-6D52	T4UO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 10 (Page 21 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3905	潮	EDD3	A0D0	60D1	1-6D53	T4UP0080
3906	澎	EDD4	A0D1	60D2	1-6D54	T4UQ0080
3907	潺	EDD5	A0D2	60D3	1-6D55	T4UR0080
3908	潰	EDD6	A0D3	60D4	1-6D56	T4US0080
3909	潤	EDD7	A0D4	60D5	1-6D57	T4UT0080
3910	濶	EDD8	A0D5	60D6	1-6D58	T4UU0080
3911	潘	EDD9	A0D6	60D7	1-6D59	T4UV0080
3912	滕	EDDA	A0D7	60D8	1-6D5A	T4UW0080
3913	潯	EDDB	A0D8	60D9	1-6D5B	T4UX0080
3914	澗	EDDC	A0D9	60DA	1-6D5C	T4UY0080
3915	瀉	EDDD	A0DA	60DB	1-6D5D	T4UZ0080
3916	熟	EDDE	A0DB	60DC	1-6D5E	T4V00080
3917	熬	EDDF	A0DC	60DD	1-6D5F	T4V10080
3918	熱	EDE0	A0DD	60DE	1-6D60	T4V20080
3919	熨	EDE1	A0DE	60DF	1-6D61	T4V30080
3920	牖	EDE2	A0DF	60E0	1-6D62	T4V40080
3921	犛	EDE3	A0E0	60E1	1-6D63	T4V50080
3922	獎	EDE4	A0E1	60E2	1-6D64	T4V60080
3923	獬	EDE5	A0E2	60E3	1-6D65	T4V70080
3924	瑩	EDE6	A0E3	60E4	1-6D66	T4V80080
3925	璋	EDE7	A0E4	60E5	1-6D67	T4V90080
3926	璃	EDE8	A0E5	60E6	1-6D68	T4VA0080
3927	瑾	EDE9	A0E6	60E7	1-6D69	T4VB0080
3928	瑾	EDEA	A0E7	60E8	1-6D6A	T4VC0080
3929	畿	EDEB	A0E8	60E9	1-6D6B	T4VD0080
3930	瘡	EDEC	A0E9	60EA	1-6D6C	T4VE0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 22 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3931	瘡	EDED	A0EA	60EB	1-6D6D	T4VF0080
3932	癩	EDEE	A0EB	60EC	1-6D6E	T4VG0080
3933	瘤	EDEF	A0EC	60ED	1-6D6F	T4VH0080
3934	瘦	EDF0	A0ED	60EE	1-6D70	T4VI0080
3935	瘡	EDF1	A0EE	60EF	1-6D71	T4VJ0080
3936	癩	EDF2	A0EF	60F0	1-6D72	T4VK0080
3937	皚	EDF3	A0F0	60F1	1-6D73	T4VL0080
3938	皚	EDF4	A0F1	60F2	1-6D74	T4VM0080
3939	盤	EDF5	A0F2	60F3	1-6D75	T4VN0080
3940	瞎	EDF6	A0F3	60F4	1-6D76	T4VO0080
3941	瞇	EDF7	A0F4	60F5	1-6D77	T4VP0080
3942	瞇	EDF8	A0F5	60F6	1-6D78	T4VQ0080
3943	瞇	EDF9	A0F6	60F7	1-6D79	T4VR0080
3944	瞇	EDFA	A0F7	60F8	1-6D7A	T4VS0080
3945	磋	EDFB	A0F8	60F9	1-6D7B	T4VT0080
3946	磅	EDFC	A0F9	60FA	1-6D7C	T4VU0080
3947	確	EDFD	A0FA	60FB	1-6D7D	T4VV0080
3948	磊	EDFE	A0FB	60FC	1-6D7E	T4VW0080
3949	碾	EEA1	A0FC	60FD	1-6E21	T4VX0080
3950	礪	EEA2	A140	6141	1-6E22	T4W10080
3951	碼	EEA3	A141	6142	1-6E23	T4W20080
3952	礪	EEA4	A142	6143	1-6E24	T4W30080
3953	稿	EEA5	A143	6144	1-6E25	T4W40080
3954	稼	EEA6	A144	6145	1-6E26	T4W50080
3955	穀	EEA7	A145	6146	1-6E27	T4W60080
3956	稽	EEA8	A146	6147	1-6E28	T4W70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 23 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3957	稷	EEA9	A147	6148	1-6E29	T4W80080
3958	稻	EEAA	A148	6149	1-6E2A	T4W90080
3959	窰	EEAB	A149	614A	1-6E2B	T4WA0080
3960	窮	EEAC	A14A	614B	1-6E2C	T4WB0080
3961	箭	EEAD	A14B	614C	1-6E2D	T4WC0080
3962	箱	EEAE	A14C	614D	1-6E2E	T4WD0080
3963	範	EEAF	A14D	614E	1-6E2F	T4WE0080
3964	箴	EEB0	A14E	614F	1-6E30	T4WF0080
3965	篆	EEB1	A14F	6150	1-6E31	T4WG0080
3966	篇	EEB2	A150	6151	1-6E32	T4WH0080
3967	篁	EEB3	A151	6152	1-6E33	T4WI0080
3968	箠	EEB4	A152	6153	1-6E34	T4WJ0080
3969	篋	EEB5	A153	6154	1-6E35	T4WK0080
3970	糊	EEB6	A154	6155	1-6E36	T4WL0080
3971	締	EEB7	A155	6156	1-6E37	T4WM0080
3972	練	EEB8	A156	6157	1-6E38	T4WN0080
3973	緯	EEB9	A157	6158	1-6E39	T4WO0080
3974	緞	EEBA	A158	6159	1-6E3A	T4WP0080
3975	絨	EEBB	A159	615A	1-6E3B	T4WQ0080
3976	緬	EEBC	A15A	615B	1-6E3C	T4WR0080
3977	緝	EEBD	A15B	615C	1-6E3D	T4WS0080
3978	編	EEBE	A15C	615D	1-6E3E	T4WT0080
3979	緣	EEBF	A15D	615E	1-6E3F	T4WU0080
3980	線	EEC0	A15E	615F	1-6E40	T4WV0080
3981	緞	EEC1	A15F	6160	1-6E41	T4WW0080
3982	緩	EEC2	A160	6161	1-6E42	T4WX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 10 (Page 24 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3983	緹	EEC3	A161	6162	1-6E43	T4WY0080
3984	緯	EEC4	A162	6163	1-6E44	T4WZ0080
3985	緲	EEC5	A163	6164	1-6E45	T4X00080
3986	緹	EEC6	A164	6165	1-6E46	T4X10080
3987	罵	EEC7	A165	6166	1-6E47	T4X20080
3988	罷	EEC8	A166	6167	1-6E48	T4X30080
3989	羯	EEC9	A167	6168	1-6E49	T4X40080
3990	翩	EECA	A168	6169	1-6E4A	T4X50080
3991	耦	EECB	A169	616A	1-6E4B	T4X60080
3992	臄	EECC	A16A	616B	1-6E4C	T4X70080
3993	膜	EECD	A16B	616C	1-6E4D	T4X80080
3994	膝	EECE	A16C	616D	1-6E4E	T4X90080
3995	膠	EECF	A16D	616E	1-6E4F	T4XA0080
3996	膚	EED0	A16E	616F	1-6E50	T4XB0080
3997	臛	EED1	A16F	6170	1-6E51	T4XC0080
3998	蔗	EED2	A170	6171	1-6E52	T4XD0080
3999	蔽	EED3	A171	6172	1-6E53	T4XE0080
4000	蔚	EED4	A172	6173	1-6E54	T4XF0080
4001	蓮	EED5	A173	6174	1-6E55	T4XG0080
4002	蔬	EED6	A174	6175	1-6E56	T4XH0080
4003	蔭	EED7	A175	6176	1-6E57	T4XI0080
4004	蔓	EED8	A176	6177	1-6E58	T4XJ0080
4005	蔑	EED9	A177	6178	1-6E59	T4XK0080
4006	蔣	EEDA	A178	6179	1-6E5A	T4XL0080
4007	蔡	EEDB	A179	617A	1-6E5B	T4XM0080
4008	荀	EEDC	A17A	617B	1-6E5C	T4XN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 25 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4009	蓬	EEDD	A17B	617C	1-6E5D	T4XO0080
4010	蔥	EEDE	A17C	617D	1-6E5E	T4XP0080
4011	藉	EEDF	A17D	617E	1-6E5F	T4XQ0080
4012	菱	EEE0	A17E	617F	1-6E60	T4XR0080
4013	螂	EEE1	A180	6181	1-6E61	T4XT0080
4014	蝴	EEE2	A181	6182	1-6E62	T4XU0080
4015	蝶	EEE3	A182	6183	1-6E63	T4XV0080
4016	蝠	EEE4	A183	6184	1-6E64	T4XW0080
4017	蝦	EEE5	A184	6185	1-6E65	T4XX0080
4018	蝸	EEE6	A185	6186	1-6E66	T4XY0080
4019	蝨	EEE7	A186	6187	1-6E67	T4XZ0080
4020	蝙	EEE8	A187	6188	1-6E68	T4Y00080
4021	蝗	EEE9	A188	6189	1-6E69	T4Y10080
4022	蚪	EEEA	A189	618A	1-6E6A	T4Y20080
4023	蝻	EEEB	A18A	618B	1-6E6B	T4Y30080
4024	衛	EEEC	A18B	618C	1-6E6C	T4Y40080
4025	衝	EEED	A18C	618D	1-6E6D	T4Y50080
4026	謁	EEEE	A18D	618E	1-6E6E	T4Y60080
4027	複	EEEF	A18E	618F	1-6E6F	T4Y70080
4028	褒	EEF0	A18F	6190	1-6E70	T4Y80080
4029	褫	EEF1	A190	6191	1-6E71	T4Y90080
4030	褕	EEF2	A191	6192	1-6E72	T4YA0080
4031	褊	EEF3	A192	6193	1-6E73	T4YB0080
4032	誼	EEF4	A193	6194	1-6E74	T4YC0080
4033	諒	EEF5	A194	6195	1-6E75	T4YD0080
4034	談	EEF6	A195	6196	1-6E76	T4YE0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 26 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4035	諄	EEF7	A196	6197	1-6E77	T4YF0080
4036	誕	EEF8	A197	6198	1-6E78	T4YG0080
4037	請	EEF9	A198	6199	1-6E79	T4YH0080
4038	諸	EEFA	A199	619A	1-6E7A	T4YI0080
4039	課	EEFB	A19A	619B	1-6E7B	T4YJ0080
4040	諉	EEFC	A19B	619C	1-6E7C	T4YK0080
4041	諂	EEFD	A19C	619D	1-6E7D	T4YL0080
4042	調	EEFE	A19D	619E	1-6E7E	T4YM0080
4043	誰	EFA1	A19E	619F	1-6F21	T4YN0080
4044	論	EFA2	A19F	61A0	1-6F22	T4YO0080
4045	諍	EFA3	A1A0	61A1	1-6F23	T4YP0080
4046	諍	EFA4	A1A1	61A2	1-6F24	T4YQ0080
4047	誹	EFA5	A1A2	61A3	1-6F25	T4YR0080
4048	諛	EFA6	A1A3	61A4	1-6F26	T4YS0080
4049	詭	EFA7	A1A4	61A5	1-6F27	T4YT0080
4050	豎	EFA8	A1A5	61A6	1-6F28	T4YU0080
4051	豬	EFA9	A1A6	61A7	1-6F29	T4YV0080
4052	賠	EFAA	A1A7	61A8	1-6F2A	T4YW0080
4053	賞	EFAB	A1A8	61A9	1-6F2B	T4YX0080
4054	賦	EFAC	A1A9	61AA	1-6F2C	T4YY0080
4055	賤	EFAD	A1AA	61AB	1-6F2D	T4YZ0080
4056	賤	EFAE	A1AB	61AC	1-6F2E	T4Z00080
4057	賭	EFAF	A1AC	61AD	1-6F2F	T4Z10080
4058	賢	EFB0	A1AD	61AE	1-6F30	T4Z20080
4059	賈	EFB1	A1AE	61AF	1-6F31	T4Z30080
4060	賜	EFB2	A1AF	61B0	1-6F32	T4Z40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 27 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4061	質	EFB3	A1B0	61B1	1-6F33	T4Z50080
4062	賡	EFB4	A1B1	61B2	1-6F34	T4Z60080
4063	赭	EFB5	A1B2	61B3	1-6F35	T4Z70080
4064	趨	EFB6	A1B3	61B4	1-6F36	T4Z80080
4065	趣	EFB7	A1B4	61B5	1-6F37	T4Z90080
4066	蹤	EFB8	A1B5	61B6	1-6F38	T4ZA0080
4067	踐	EFB9	A1B6	61B7	1-6F39	T4ZB0080
4068	蹀	EFBA	A1B7	61B8	1-6F3A	T4ZC0080
4069	踢	EFBB	A1B8	61B9	1-6F3B	T4ZD0080
4070	踏	EFBC	A1B9	61BA	1-6F3C	T4ZE0080
4071	蹂	EFBD	A1BA	61BB	1-6F3D	T4ZF0080
4072	踮	EFBE	A1BB	61BC	1-6F3E	T4ZG0080
4073	蹠	EFBF	A1BC	61BD	1-6F3F	T4ZH0080
4074	踞	EFC0	A1BD	61BE	1-6F40	T4ZI0080
4075	躺	EFC1	A1BE	61BF	1-6F41	T4ZJ0080
4076	輝	EFC2	A1BF	61C0	1-6F42	T4ZK0080
4077	輻	EFC3	A1C0	61C1	1-6F43	T4ZL0080
4078	輟	EFC4	A1C1	61C2	1-6F44	T4ZM0080
4079	輩	EFC5	A1C2	61C3	1-6F45	T4ZN0080
4080	輦	EFC6	A1C3	61C4	1-6F46	T4ZO0080
4081	輪	EFC7	A1C4	61C5	1-6F47	T4ZP0080
4082	輜	EFC8	A1C5	61C6	1-6F48	T4ZQ0080
4083	輞	EFC9	A1C6	61C7	1-6F49	T4ZR0080
4084	輗	EFCA	A1C7	61C8	1-6F4A	T4ZS0080
4085	適	EFCB	A1C8	61C9	1-6F4B	T4ZT0080
4086	遮	EFCC	A1C9	61CA	1-6F4C	T4ZU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 28 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4087	遨	EFGD	A1CA	61CB	1-6F4D	T4ZV0080
4088	遭	EFGC	A1CB	61CC	1-6F4E	T4ZW0080
4089	遷	EFGF	A1CC	61CD	1-6F4F	T4ZX0080
4090	鄰	EFD0	A1CD	61CE	1-6F50	T4ZY0080
4091	鄭	EFD1	A1CE	61CF	1-6F51	T4ZZ0080
4092	鄧	EFD2	A1CF	61D0	1-6F52	T5000080
4093	鄧	EFD3	A1D0	61D1	1-6F53	T5010080
4094	醇	EFD4	A1D1	61D2	1-6F54	T5020080
4095	醉	EFD5	A1D2	61D3	1-6F55	T5030080
4096	醋	EFD6	A1D3	61D4	1-6F56	T5040080
4097	醃	EFD7	A1D4	61D5	1-6F57	T5050080
4098	鋅	EFD8	A1D5	61D6	1-6F58	T5060080
4099	鎋	EFD9	A1D6	61D7	1-6F59	T5070080
4100	銷	EFDA	A1D7	61D8	1-6F5A	T5080080
4101	鋪	EFDB	A1D8	61D9	1-6F5B	T5090080
4102	鋤	EFDC	A1DA	61DB	1-6F5C	T50B0080
4103	鋁	EFDD	A1DB	61DC	1-6F5D	T50C0080
4104	銳	EFDE	A1DC	61DD	1-6F5E	T50D0080
4105	銼	EFDF	A1DD	61DE	1-6F5F	T50E0080
4106	鋒	EFE0	A1DE	61DF	1-6F60	T50F0080
4107	鋇	EFE1	A1DF	61E0	1-6F61	T50G0080
4108	鋳	EFE2	A1E0	61E1	1-6F62	T50H0080
4109	鎳	EFE3	A1E1	61E2	1-6F63	T50I0080
4110	閭	EFE4	A1E2	61E3	1-6F64	T50J0080
4111	閱	EFE5	A1E3	61E4	1-6F65	T50K0080
4112	霄	EFE6	A1E4	61E5	1-6F66	T50L0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 29 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4113	霆	EFE7	A1E5	61E6	1-6F67	T50M0080
4114	震	EFE8	A1E6	61E7	1-6F68	T50N0080
4115	霉	EFE9	A1E7	61E8	1-6F69	T50O0080
4116	靠	EFEA	A1E8	61E9	1-6F6A	T50P0080
4117	鞍	EFEB	A1E9	61EA	1-6F6B	T50Q0080
4118	鞋	E FEC	A1EA	61EB	1-6F6C	T50R0080
4119	鞏	EFED	A1EB	61EC	1-6F6D	T50S0080
4120	頡	EFEE	A1EC	61ED	1-6F6E	T50T0080
4121	頰	EF EF	A1ED	61EE	1-6F6F	T50U0080
4122	頤	EFF0	A1EE	61EF	1-6F70	T50V0080
4123	颯	EFF1	A1EF	61F0	1-6F71	T50W0080
4124	養	EFF2	A1F0	61F1	1-6F72	T50X0080
4125	餓	EFF3	A1F1	61F2	1-6F73	T50Y0080
4126	餒	EFF4	A1F2	61F3	1-6F74	T50Z0080
4127	餘	EFF5	A1F3	61F4	1-6F75	T5100080
4128	駝	EFF6	A1F4	61F5	1-6F76	T5110080
4129	駐	EFF7	A1F5	61F6	1-6F77	T5120080
4130	駟	EFF8	A1F6	61F7	1-6F78	T5130080
4131	駛	EFF9	A1F7	61F8	1-6F79	T5140080
4132	駑	EFFA	A1F8	61F9	1-6F7A	T5150080
4133	駕	EFFB	A1F9	61FA	1-6F7B	T5160080
4134	駒	EFFC	A1FA	61FB	1-6F7C	T5170080
4135	駙	EFFD	A1FB	61FC	1-6F7D	T5180080
4136	骷	EFFE	A1FC	61FD	1-6F7E	T5190080
4137	髮	F0A1	A240	6241	1-7021	T51D0080
4138	髻	F0A2	A241	6242	1-7022	T51E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 30 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4139	鬧	F0A3	A242	6243	1-7023	T51F0080
4140	魅	F0A4	A243	6244	1-7024	T51G0080
4141	魄	F0A5	A244	6245	1-7025	T51H0080
4142	魷	F0A6	A245	6246	1-7026	T51I0080
4143	魯	F0A7	A246	6247	1-7027	T51J0080
4144	鳩	F0A8	A247	6248	1-7028	T51K0080
4145	鴉	F0A9	A248	6249	1-7029	T51L0080
4146	馱	F0AA	A249	624A	1-702A	T51M0080
4147	馱	F0AB	A24A	624B	1-702B	T51N0080
4148	塵	F0AC	A24B	624C	1-702C	T51O0080
4149	黎	F0AD	A24C	624D	1-702D	T51P0080
4150	墨	F0AE	A24D	624E	1-702E	T51Q0080
4151	齒	F0AF	A24E	624F	1-702F	T51R0080
4152	儒	F0B0	A24F	6250	1-7030	T51S0080
4153	儘	F0B1	A250	6251	1-7031	T51T0080
4154	儔	F0B2	A251	6252	1-7032	T51U0080
4155	儂	F0B3	A252	6253	1-7033	T51V0080
4156	儕	F0B4	A253	6254	1-7034	T51W0080
4157	冀	F0B5	A254	6255	1-7035	T51X0080
4158	冪	F0B6	A255	6256	1-7036	T51Y0080
4159	凝	F0B7	A256	6257	1-7037	T51Z0080
4160	劑	F0B8	A257	6258	1-7038	T5200080
4161	劑	F0B9	A258	6259	1-7039	T5210080
4162	勳	F0BA	A259	625A	1-703A	T5220080
4163	噲	F0BB	A25A	625B	1-703B	T5230080
4164	噫	F0BC	A25B	625C	1-703C	T5240080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 31 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4165	噹	F0BD	A25C	625D	1-703D	T5250080
4166	罍	F0BE	A25D	625E	1-703E	T5260080
4167	噤	F0BF	A25E	625F	1-703F	T5270080
4168	噸	F0C0	A25F	6260	1-7040	T5280080
4169	噪	F0C1	A260	6261	1-7041	T5290080
4170	器	F0C2	A261	6262	1-7042	T52A0080
4171	噤	F0C3	A262	6263	1-7043	T52B0080
4172	噤	F0C4	A263	6264	1-7044	T52C0080
4173	噤	F0C5	A264	6265	1-7045	T52D0080
4174	噤	F0C6	A265	6266	1-7046	T52E0080
4175	噤	F0C7	A266	6267	1-7047	T52F0080
4176	噤	F0C8	A267	6268	1-7048	T52G0080
4177	壁	F0C9	A268	6269	1-7049	T52H0080
4178	墾	F0CA	A269	626A	1-704A	T52I0080
4179	壇	F0CB	A26A	626B	1-704B	T52J0080
4180	壅	F0CC	A26B	626C	1-704C	T52K0080
4181	奮	F0CD	A26C	626D	1-704D	T52L0080
4182	嬭	F0CE	A26D	626E	1-704E	T52M0080
4183	羸	F0CF	A26E	626F	1-704F	T52N0080
4184	學	F0D0	A26F	6270	1-7050	T52O0080
4185	寰	F0D1	A270	6271	1-7051	T52P0080
4186	導	F0D2	A271	6272	1-7052	T52Q0080
4187	彊	F0D3	A272	6273	1-7053	T52R0080
4188	憲	F0D4	A273	6274	1-7054	T52S0080
4189	憑	F0D5	A274	6275	1-7055	T52T0080
4190	憩	F0D6	A275	6276	1-7056	T52U0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 32 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4191	億	F0D7	A276	6277	1-7057	T52V0080
4192	慄	F0D8	A277	6278	1-7058	T52W0080
4193	憶	F0D9	A278	6279	1-7059	T52X0080
4194	憾	F0DA	A279	627A	1-705A	T52Y0080
4195	懊	F0DB	A27A	627B	1-705B	T52Z0080
4196	懈	F0DC	A27B	627C	1-705C	T5300080
4197	戰	F0DD	A27C	627D	1-705D	T5310080
4198	擅	F0DE	A27D	627E	1-705E	T5320080
4199	擁	F0DF	A27E	627F	1-705F	T5330080
4200	擋	F0E0	A280	6281	1-7060	T5350080
4201	撻	F0E1	A281	6282	1-7061	T5360080
4202	撼	F0E2	A282	6283	1-7062	T5370080
4203	據	F0E3	A283	6284	1-7063	T5380080
4204	擄	F0E4	A284	6285	1-7064	T5390080
4205	擇	F0E5	A285	6286	1-7065	T53A0080
4206	擻	F0E6	A286	6287	1-7066	T53B0080
4207	操	F0E7	A287	6288	1-7067	T53C0080
4208	撿	F0E8	A288	6289	1-7068	T53D0080
4209	擒	F0E9	A289	628A	1-7069	T53E0080
4210	擔	F0EA	A28A	628B	1-706A	T53F0080
4211	撾	F0EB	A28B	628C	1-706B	T53G0080
4212	整	F0EC	A28C	628D	1-706C	T53H0080
4213	曆	F0ED	A28D	628E	1-706D	T53I0080
4214	曉	F0EE	A28E	628F	1-706E	T53J0080
4215	暹	F0EF	A28F	6290	1-706F	T53K0080
4216	曄	F0F0	A290	6291	1-7070	T53L0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 33 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4217	曇	F0F1	A291	6292	1-7071	T53M0080
4218	瞭	F0F2	A292	6293	1-7072	T53N0080
4219	樽	F0F3	A293	6294	1-7073	T53O0080
4220	櫟	F0F4	A294	6295	1-7074	T53P0080
4221	樺	F0F5	A295	6296	1-7075	T53Q0080
4222	橙	F0F6	A296	6297	1-7076	T53R0080
4223	橫	F0F7	A297	6298	1-7077	T53S0080
4224	橘	F0F8	A298	6299	1-7078	T53T0080
4225	樹	F0F9	A299	629A	1-7079	T53U0080
4226	橄	F0FA	A29A	629B	1-707A	T53V0080
4227	橢	F0FB	A29B	629C	1-707B	T53W0080
4228	橡	F0FC	A29C	629D	1-707C	T53X0080
4229	橋	F0FD	A29D	629E	1-707D	T53Y0080
4230	橈	F0FE	A29E	629F	1-707E	T53Z0080
4231	樵	F1A1	A29F	62A0	1-7121	T5400080
4232	機	F1A2	A2A0	62A1	1-7122	T5410080
4233	橈	F1A3	A2A1	62A2	1-7123	T5420080
4234	欵	F1A4	A2A2	62A3	1-7124	T5430080
4235	歷	F1A5	A2A3	62A4	1-7125	T5440080
4236	覽	F1A6	A2A4	62A5	1-7126	T5450080
4237	濂	F1A7	A2A5	62A6	1-7127	T5460080
4238	澗	F1A8	A2A6	62A7	1-7128	T5470080
4239	澡	F1A9	A2A7	62A8	1-7129	T5480080
4240	濃	F1AA	A2A8	62A9	1-712A	T5490080
4241	澤	F1AB	A2A9	62AA	1-712B	T54A0080
4242	濁	F1AC	A2AA	62AB	1-712C	T54B0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 34 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4243	澧	F1AD	A2AB	62AC	1-712D	T54C0080
4244	澳	F1AE	A2AC	62AD	1-712E	T54D0080
4245	激	F1AF	A2AD	62AE	1-712F	T54E0080
4246	澹	F1B0	A2AE	62AF	1-7130	T54F0080
4247	澶	F1B1	A2AF	62B0	1-7131	T54G0080
4248	瀕	F1B2	A2B0	62B1	1-7132	T54H0080
4249	澗	F1B3	A2B1	62B2	1-7133	T54I0080
4250	澗	F1B4	A2B2	62B3	1-7134	T54J0080
4251	熾	F1B5	A2B3	62B4	1-7135	T54K0080
4252	熾	F1B6	A2B4	62B5	1-7136	T54L0080
4253	燐	F1B7	A2B5	62B6	1-7137	T54M0080
4254	燒	F1B8	A2B6	62B7	1-7138	T54N0080
4255	燈	F1B9	A2B7	62B8	1-7139	T54O0080
4256	燕	F1BA	A2B8	62B9	1-713A	T54P0080
4257	烹	F1BB	A2B9	62BA	1-713B	T54Q0080
4258	療	F1BC	A2BA	62BB	1-713C	T54R0080
4259	燙	F1BD	A2BB	62BC	1-713D	T54S0080
4260	爛	F1BE	A2BC	62BD	1-713E	T54T0080
4261	燃	F1BF	A2BD	62BE	1-713F	T54U0080
4262	燄	F1C0	A2BE	62BF	1-7140	T54V0080
4263	獨	F1C1	A2BF	62C0	1-7141	T54W0080
4264	璜	F1C2	A2C0	62C1	1-7142	T54X0080
4265	璣	F1C3	A2C1	62C2	1-7143	T54Y0080
4266	璘	F1C4	A2C2	62C3	1-7144	T54Z0080
4267	璟	F1C5	A2C3	62C4	1-7145	T5500080
4268	璞	F1C6	A2C4	62C5	1-7146	T5510080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 35 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4269	瓢	F1C7	A2C5	62C6	1-7147	T5520080
4270	甌	F1C8	A2C6	62C7	1-7148	T5530080
4271	甍	F1C9	A2C7	62C8	1-7149	T5540080
4272	瘴	F1CA	A2C8	62C9	1-714A	T5550080
4273	癩	F1CB	A2C9	62CA	1-714B	T5560080
4274	痛	F1CC	A2CA	62CB	1-714C	T5570080
4275	盧	F1CD	A2CB	62CC	1-714D	T5580080
4276	盥	F1CE	A2CC	62CD	1-714E	T5590080
4277	瞠	F1CF	A2CD	62CE	1-714F	T55A0080
4278	瞞	F1D0	A2CE	62CF	1-7150	T55B0080
4279	瞟	F1D1	A2CF	62D0	1-7151	T55C0080
4280	瞥	F1D2	A2D0	62D1	1-7152	T55D0080
4281	磨	F1D3	A2D1	62D2	1-7153	T55E0080
4282	磚	F1D4	A2D2	62D3	1-7154	T55F0080
4283	磬	F1D5	A2D3	62D4	1-7155	T55G0080
4284	磧	F1D6	A2D4	62D5	1-7156	T55H0080
4285	禦	F1D7	A2D5	62D6	1-7157	T55I0080
4286	積	F1D8	A2D6	62D7	1-7158	T55J0080
4287	穎	F1D9	A2D7	62D8	1-7159	T55K0080
4288	穆	F1DA	A2D8	62D9	1-715A	T55L0080
4289	穌	F1DB	A2D9	62DA	1-715B	T55M0080
4290	穆	F1DC	A2DA	62DB	1-715C	T55N0080
4291	窺	F1DD	A2DB	62DC	1-715D	T55O0080
4292	筍	F1DE	A2DC	62DD	1-715E	T55P0080
4293	簣	F1DF	A2DD	62DE	1-715F	T55Q0080
4294	築	F1E0	A2DE	62DF	1-7160	T55R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 36 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4295	篤	F1E1	A2DF	62E0	1-7161	T55S0080
4296	筭	F1E2	A2E0	62E1	1-7162	T55T0080
4297	篡	F1E3	A2E1	62E2	1-7163	T55U0080
4298	飾	F1E4	A2E2	62E3	1-7164	T55V0080
4299	篔	F1E5	A2E3	62E4	1-7165	T55W0080
4300	糕	F1E6	A2E4	62E5	1-7166	T55X0080
4301	糖	F1E7	A2E5	62E6	1-7167	T55Y0080
4302	縊	F1E8	A2E6	62E7	1-7168	T55Z0080
4303	縑	F1E9	A2E7	62E8	1-7169	T5600080
4304	縈	F1EA	A2E8	62E9	1-716A	T5610080
4305	縛	F1EB	A2E9	62EA	1-716B	T5620080
4306	縣	F1EC	A2EA	62EB	1-716C	T5630080
4307	縞	F1ED	A2EB	62EC	1-716D	T5640080
4308	縝	F1EE	A2EC	62ED	1-716E	T5650080
4309	縿	F1EF	A2ED	62EE	1-716F	T5660080
4310	縻	F1F0	A2EE	62EF	1-7170	T5670080
4311	罹	F1F1	A2EF	62F0	1-7171	T5680080
4312	羲	F1F2	A2F0	62F1	1-7172	T5690080
4313	翰	F1F3	A2F1	62F2	1-7173	T56A0080
4314	翱	F1F4	A2F2	62F3	1-7174	T56B0080
4315	翮	F1F5	A2F3	62F4	1-7175	T56C0080
4316	擗	F1F6	A2F4	62F5	1-7176	T56D0080
4317	膳	F1F7	A2F5	62F6	1-7177	T56E0080
4318	膩	F1F8	A2F6	62F7	1-7178	T56F0080
4319	膨	F1F9	A2F7	62F8	1-7179	T56G0080
4320	臻	F1FA	A2F8	62F9	1-717A	T56H0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 37 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4321	興	F1FB	A2F9	62FA	1-717B	T56I0080
4322	艘	F1FC	A2FA	62FB	1-717C	T56J0080
4323	艙	F1FD	A2FB	62FC	1-717D	T56K0080
4324	蕊	F1FE	A2FC	62FD	1-717E	T56L0080
4325	蕙	F2A1	A340	6341	1-7221	T56P0080
4326	葦	F2A2	A341	6342	1-7222	T56Q0080
4327	蕨	F2A3	A342	6343	1-7223	T56R0080
4328	蕩	F2A4	A343	6344	1-7224	T56S0080
4329	蕃	F2A5	A344	6345	1-7225	T56T0080
4330	蕉	F2A6	A345	6346	1-7226	T56U0080
4331	蕭	F2A7	A346	6347	1-7227	T56V0080
4332	蕪	F2A8	A347	6348	1-7228	T56W0080
4333	蕞	F2A9	A348	6349	1-7229	T56X0080
4334	螃	F2AA	A349	634A	1-722A	T56Y0080
4335	螟	F2AB	A34A	634B	1-722B	T56Z0080
4336	螞	F2AC	A34B	634C	1-722C	T5700080
4337	螢	F2AD	A34C	634D	1-722D	T5710080
4338	融	F2AE	A34D	634E	1-722E	T5720080
4339	衡	F2AF	A34E	634F	1-722F	T5730080
4340	褪	F2B0	A34F	6350	1-7230	T5740080
4341	褲	F2B1	A350	6351	1-7231	T5750080
4342	褥	F2B2	A351	6352	1-7232	T5760080
4343	襪	F2B3	A352	6353	1-7233	T5770080
4344	襦	F2B4	A353	6354	1-7234	T5780080
4345	親	F2B5	A354	6355	1-7235	T5790080
4346	覲	F2B6	A355	6356	1-7236	T57A0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 10 (Page 38 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4347	諦	F2B7	A356	6357	1-7237	T57B0080
4348	諺	F2B8	A357	6358	1-7238	T57C0080
4349	諫	F2B9	A358	6359	1-7239	T57D0080
4350	諱	F2BA	A359	635A	1-723A	T57E0080
4351	謀	F2BB	A35A	635B	1-723B	T57F0080
4352	諜	F2BC	A35B	635C	1-723C	T57G0080
4353	諧	F2BD	A35C	635D	1-723D	T57H0080
4354	諮	F2BE	A35D	635E	1-723E	T57I0080
4355	諾	F2BF	A35E	635F	1-723F	T57J0080
4356	謁	F2C0	A35F	6360	1-7240	T57K0080
4357	謂	F2C1	A360	6361	1-7241	T57L0080
4358	諷	F2C2	A361	6362	1-7242	T57M0080
4359	論	F2C3	A362	6363	1-7243	T57N0080
4360	諳	F2C4	A363	6364	1-7244	T57O0080
4361	諶	F2C5	A364	6365	1-7245	T57P0080
4362	諛	F2C6	A365	6366	1-7246	T57Q0080
4363	豫	F2C7	A366	6367	1-7247	T57R0080
4364	獬	F2C8	A367	6368	1-7248	T57S0080
4365	貓	F2C9	A368	6369	1-7249	T57T0080
4366	賴	F2CA	A369	636A	1-724A	T57U0080
4367	蹄	F2CB	A36A	636B	1-724B	T57V0080
4368	躑	F2CC	A36B	636C	1-724C	T57W0080
4369	躡	F2CD	A36C	636D	1-724D	T57X0080
4370	蹂	F2CE	A36D	636E	1-724E	T57Y0080
4371	躡	F2CF	A36E	636F	1-724F	T57Z0080
4372	踵	F2D0	A36F	6370	1-7250	T5800080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 39 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4373	輻	F2D1	A370	6371	1-7251	T5810080
4374	輯	F2D2	A371	6372	1-7252	T5820080
4375	輸	F2D3	A372	6373	1-7253	T5830080
4376	轆	F2D4	A373	6374	1-7254	T5840080
4377	辨	F2D5	A374	6375	1-7255	T5850080
4378	辦	F2D6	A375	6376	1-7256	T5860080
4379	遵	F2D7	A376	6377	1-7257	T5870080
4380	遴	F2D8	A377	6378	1-7258	T5880080
4381	選	F2D9	A378	6379	1-7259	T5890080
4382	遲	F2DA	A379	637A	1-725A	T58A0080
4383	遼	F2DB	A37A	637B	1-725B	T58B0080
4384	遺	F2DC	A37B	637C	1-725C	T58C0080
4385	鄴	F2DD	A37C	637D	1-725D	T58D0080
4386	醒	F2DE	A37D	637E	1-725E	T58E0080
4387	錠	F2DF	A37E	637F	1-725F	T58F0080
4388	錶	F2E0	A380	6381	1-7260	T58H0080
4389	鋸	F2E1	A381	6382	1-7261	T58I0080
4390	錳	F2E2	A382	6383	1-7262	T58J0080
4391	錯	F2E3	A383	6384	1-7263	T58K0080
4392	錢	F2E4	A384	6385	1-7264	T58L0080
4393	鋼	F2E5	A385	6386	1-7265	T58M0080
4394	錫	F2E6	A386	6387	1-7266	T58N0080
4395	錄	F2E7	A387	6388	1-7267	T58O0080
4396	錚	F2E8	A388	6389	1-7268	T58P0080
4397	錐	F2E9	A389	638A	1-7269	T58Q0080
4398	錦	F2EA	A38A	638B	1-726A	T58R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 40 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4399	錡	F2EB	A38B	638C	1-726B	T58S0080
4400	錕	F2EC	A38C	638D	1-726C	T58T0080
4401	錮	F2ED	A38D	638E	1-726D	T58U0080
4402	錇	F2EE	A38E	638F	1-726E	T58V0080
4403	閩	F2EF	A38F	6390	1-726F	T58W0080
4404	隧	F2F0	A390	6391	1-7270	T58X0080
4405	隨	F2F1	A391	6392	1-7271	T58Y0080
4406	險	F2F2	A392	6393	1-7272	T58Z0080
4407	雕	F2F3	A393	6394	1-7273	T5900080
4408	霽	F2F4	A394	6395	1-7274	T5910080
4409	霑	F2F5	A395	6396	1-7275	T5920080
4410	霖	F2F6	A396	6397	1-7276	T5930080
4411	霍	F2F7	A397	6398	1-7277	T5940080
4412	霓	F2F8	A398	6399	1-7278	T5950080
4413	霏	F2F9	A399	639A	1-7279	T5960080
4414	靛	F2FA	A39A	639B	1-727A	T5970080
4415	靜	F2FB	A39B	639C	1-727B	T5980080
4416	靦	F2FC	A39C	639D	1-727C	T5990080
4417	鞞	F2FD	A39D	639E	1-727D	T59A0080
4418	頰	F2FE	A39E	639F	1-727E	T59B0080
4419	頰	F3A1	A39F	63A0	1-7321	T59C0080
4420	頰	F3A2	A3A0	63A1	1-7322	T59D0080
4421	頰	F3A3	A3A1	63A2	1-7323	T59E0080
4422	頰	F3A4	A3A2	63A3	1-7324	T59F0080
4423	頰	F3A5	A3A3	63A4	1-7325	T59G0080
4424	頰	F3A6	A3A4	63A5	1-7326	T59H0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 41 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4425	餐	F3A7	A3A5	63A6	1-7327	T59I0080
4426	館	F3A8	A3A6	63A7	1-7328	T59J0080
4427	餞	F3A9	A3A7	63A8	1-7329	T59K0080
4428	餽	F3AA	A3A8	63A9	1-732A	T59L0080
4429	餹	F3AB	A3A9	63AA	1-732B	T59M0080
4430	餹	F3AC	A3AA	63AB	1-732C	T59N0080
4431	駭	F3AD	A3AB	63AC	1-732D	T59O0080
4432	駢	F3AE	A3AC	63AD	1-732E	T59P0080
4433	駱	F3AF	A3AD	63AE	1-732F	T59Q0080
4434	骸	F3B0	A3AE	63AF	1-7330	T59R0080
4435	骼	F3B1	A3AF	63B0	1-7331	T59S0080
4436	髻	F3B2	A3B0	63B1	1-7332	T59T0080
4437	髭	F3B3	A3B1	63B2	1-7333	T59U0080
4438	鬩	F3B4	A3B2	63B3	1-7334	T59V0080
4439	鮑	F3B5	A3B3	63B4	1-7335	T59W0080
4440	鮑	F3B6	A3B4	63B5	1-7336	T59X0080
4441	鳩	F3B7	A3B5	63B6	1-7337	T59Y0080
4442	鴛	F3B8	A3B6	63B7	1-7338	T59Z0080
4443	鴨	F3B9	A3B7	63B8	1-7339	T5A00080
4444	鴿	F3BA	A3B8	63B9	1-733A	T5A10080
4445	鴛	F3BB	A3B9	63BA	1-733B	T5A20080
4446	默	F3BC	A3BA	63BB	1-733C	T5A30080
4447	黔	F3BD	A3BB	63BC	1-733D	T5A40080
4448	龍	F3BE	A3BC	63BD	1-733E	T5A50080
4449	龜	F3BF	A3BD	63BE	1-733F	T5A60080
4450	優	F3C0	A3BE	63BF	1-7340	T5A70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 42 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4451	償	F3C1	A3BF	63C0	1-7341	T5A80080
4452	備	F3C2	A3C0	63C1	1-7342	T5A90080
4453	儲	F3C3	A3C1	63C2	1-7343	T5AA0080
4454	勵	F3C4	A3C2	63C3	1-7344	T5AB0080
4455	噤	F3C5	A3C3	63C4	1-7345	T5AC0080
4456	噤	F3C6	A3C4	63C5	1-7346	T5AD0080
4457	噤	F3C7	A3C5	63C6	1-7347	T5AE0080
4458	噤	F3C8	A3C6	63C7	1-7348	T5AF0080
4459	嚇	F3C9	A3C7	63C8	1-7349	T5AG0080
4460	噤	F3CA	A3C8	63C9	1-734A	T5AH0080
4461	壕	F3CB	A3C9	63CA	1-734B	T5AI0080
4462	壓	F3CC	A3CA	63CB	1-734C	T5AJ0080
4463	壑	F3CD	A3CB	63CC	1-734D	T5AK0080
4464	壩	F3CE	A3CC	63CD	1-734E	T5AL0080
4465	嬰	F3CF	A3CD	63CE	1-734F	T5AM0080
4466	嬪	F3D0	A3CE	63CF	1-7350	T5AN0080
4467	嬪	F3D1	A3CF	63D0	1-7351	T5AO0080
4468	孺	F3D2	A3D0	63D1	1-7352	T5AP0080
4469	檻	F3D3	A3D1	63D2	1-7353	T5AQ0080
4470	屨	F3D4	A3D2	63D3	1-7354	T5AR0080
4471	嶼	F3D5	A3D3	63D4	1-7355	T5AS0080
4472	嶺	F3D6	A3D4	63D5	1-7356	T5AT0080
4473	嶽	F3D7	A3D5	63D6	1-7357	T5AU0080
4474	嶧	F3D8	A3D6	63D7	1-7358	T5AV0080
4475	幫	F3D9	A3D7	63D8	1-7359	T5AW0080
4476	彌	F3DA	A3D8	63D9	1-735A	T5AX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 43 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4477	徽	F3DB	A3D9	63DA	1-735B	T5AY0080
4478	應	F3DC	A3DA	63DB	1-735C	T5AZ0080
4479	懂	F3DD	A3DB	63DC	1-735D	T5B00080
4480	懇	F3DE	A3DC	63DD	1-735E	T5B10080
4481	懦	F3DF	A3DD	63DE	1-735F	T5B20080
4482	懋	F3E0	A3DE	63DF	1-7360	T5B30080
4483	戲	F3E1	A3DF	63E0	1-7361	T5B40080
4484	戴	F3E2	A3E0	63E1	1-7362	T5B50080
4485	擊	F3E3	A3E1	63E2	1-7363	T5B60080
4486	擊	F3E4	A3E2	63E3	1-7364	T5B70080
4487	擘	F3E5	A3E3	63E4	1-7365	T5B80080
4488	擠	F3E6	A3E4	63E5	1-7366	T5B90080
4489	擰	F3E7	A3E5	63E6	1-7367	T5BA0080
4490	擦	F3E8	A3E6	63E7	1-7368	T5BB0080
4491	擬	F3E9	A3E7	63E8	1-7369	T5BC0080
4492	攔	F3EA	A3E8	63E9	1-736A	T5BD0080
4493	擢	F3EB	A3E9	63EA	1-736B	T5BE0080
4494	撲	F3EC	A3EA	63EB	1-736C	T5BF0080
4495	斂	F3ED	A3EB	63EC	1-736D	T5BG0080
4496	斃	F3EE	A3EC	63ED	1-736E	T5BH0080
4497	曙	F3EF	A3ED	63EE	1-736F	T5BI0080
4498	曖	F3F0	A3EE	63EF	1-7370	T5BJ0080
4499	檀	F3F1	A3EF	63F0	1-7371	T5BK0080
4500	檔	F3F2	A3F0	63F1	1-7372	T5BL0080
4501	檄	F3F3	A3F1	63F2	1-7373	T5BM0080
4502	檢	F3F4	A3F2	63F3	1-7374	T5BN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 10 (Page 44 of 44). Primary (CNS 11643 Plane 1) Chinese Character Set (4 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4503	檜	F3F5	A3F3	63F4	1-7375	T5BQ0080
4504	櫛	F3F6	A3F4	63F5	1-7376	T5BP0080
4505	檣	F3F7	A3F5	63F6	1-7377	T5BQ0080
4506	櫟	F3F8	A3F6	63F7	1-7378	T5BR0080
4507	檠	F3F9	A3F7	63F8	1-7379	T5BS0080
4508	檐	F3FA	A3F8	63F9	1-737A	T5BT0080
4509	檠	F3FB	A3F9	63FA	1-737B	T5BU0080
4510	歎	F3FC	A3FA	63FB	1-737C	T5BV0080
4511	殮	F3FD	A3FB	63FC	1-737D	T5BW0080
4512	斃	F3FE	A3FC	63FD	1-737E	T5BX0080

Note: * See Section 13.2.3.2 on page 799 for the *code* translation correspondence between *EUC* and *DBCS-PC* or *DBCS-Host*.

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 1 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4513	氈	F4A1	A440	6441	1-7421	T5C10080
4514	濶	F4A2	A441	6442	1-7422	T5C20080
4515	濱	F4A3	A442	6443	1-7423	T5C30080
4516	濟	F4A4	A443	6444	1-7424	T5C40080
4517	濠	F4A5	A444	6445	1-7425	T5C50080
4518	濛	F4A6	A445	6446	1-7426	T5C60080
4519	濤	F4A7	A446	6447	1-7427	T5C70080
4520	濫	F4A8	A447	6448	1-7428	T5C80080
4521	濯	F4A9	A448	6449	1-7429	T5C90080
4522	澀	F4AA	A449	644A	1-742A	T5CA0080
4523	濬	F4AB	A44A	644B	1-742B	T5CB0080
4524	濡	F4AC	A44B	644C	1-742C	T5CC0080
4525	瀟	F4AD	A44C	644D	1-742D	T5CD0080
4526	濕	F4AE	A44D	644E	1-742E	T5CE0080
4527	濮	F4AF	A44E	644F	1-742F	T5CF0080
4528	濼	F4B0	A44F	6450	1-7430	T5CG0080
4529	燧	F4B1	A450	6451	1-7431	T5CH0080
4530	營	F4B2	A451	6452	1-7432	T5CI0080
4531	燮	F4B3	A452	6453	1-7433	T5CJ0080
4532	燦	F4B4	A453	6454	1-7434	T5CK0080
4533	燥	F4B5	A454	6455	1-7435	T5CL0080
4534	燭	F4B6	A455	6456	1-7436	T5CM0080
4535	燬	F4B7	A456	6457	1-7437	T5CN0080
4536	燴	F4B8	A457	6458	1-7438	T5CO0080
4537	燠	F4B9	A458	6459	1-7439	T5CP0080
4538	爵	F4BA	A459	645A	1-743A	T5CQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 2 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4539	牆	F4BB	A45A	645B	1-743B	T5CR0080
4540	獐	F4BC	A45B	645C	1-743C	T5CS0080
4541	獲	F4BD	A45C	645D	1-743D	T5CT0080
4542	璩	F4BE	A45D	645E	1-743E	T5CU0080
4543	環	F4BF	A45E	645F	1-743F	T5CV0080
4544	瓊	F4C0	A45F	6460	1-7440	T5CW0080
4545	璨	F4C1	A460	6461	1-7441	T5CX0080
4546	癆	F4C2	A461	6462	1-7442	T5CY0080
4547	療	F4C3	A462	6463	1-7443	T5CZ0080
4548	癌	F4C4	A463	6464	1-7444	T5D00080
4549	盪	F4C5	A464	6465	1-7445	T5D10080
4550	瞳	F4C6	A465	6466	1-7446	T5D20080
4551	瞪	F4C7	A466	6467	1-7447	T5D30080
4552	瞰	F4C8	A467	6468	1-7448	T5D40080
4553	瞬	F4C9	A468	6469	1-7449	T5D50080
4554	瞧	F4CA	A469	646A	1-744A	T5D60080
4555	瞭	F4CB	A46A	646B	1-744B	T5D70080
4556	矯	F4CC	A46B	646C	1-744C	T5D80080
4557	磷	F4CD	A46C	646D	1-744D	T5D90080
4558	磧	F4CE	A46D	646E	1-744E	T5DA0080
4559	磴	F4CF	A46E	646F	1-744F	T5DB0080
4560	磯	F4D0	A46F	6470	1-7450	T5DC0080
4561	礁	F4D1	A470	6471	1-7451	T5DD0080
4562	禱	F4D2	A471	6472	1-7452	T5DE0080
4563	禪	F4D3	A472	6473	1-7453	T5DF0080
4564	穗	F4D4	A473	6474	1-7454	T5DG0080
4565	蔭	F4D5	A474	6475	1-7455	T5DH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 3 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4566	簇	F4D6	A475	6476	1-7456	T5DI0080
4567	簍	F4D7	A476	6477	1-7457	T5DJ0080
4568	篋	F4D8	A477	6478	1-7458	T5DK0080
4569	篷	F4D9	A478	6479	1-7459	T5DL0080
4570	簌	F4DA	A479	647A	1-745A	T5DM0080
4571	篠	F4DB	A47A	647B	1-745B	T5DN0080
4572	糠	F4DC	A47B	647C	1-745C	T5DO0080
4573	糜	F4DD	A47C	647D	1-745D	T5DP0080
4574	糞	F4DE	A47D	647E	1-745E	T5DQ0080
4575	糝	F4DF	A47E	647F	1-745F	T5DR0080
4576	糟	F4E0	A480	6481	1-7460	T5DT0080
4577	糙	F4E1	A481	6482	1-7461	T5DU0080
4578	糝	F4E2	A482	6483	1-7462	T5DV0080
4579	縮	F4E3	A483	6484	1-7463	T5DW0080
4580	績	F4E4	A484	6485	1-7464	T5DX0080
4581	繆	F4E5	A485	6486	1-7465	T5DY0080
4582	縷	F4E6	A486	6487	1-7466	T5DZ0080
4583	縲	F4E7	A487	6488	1-7467	T5E00080
4584	縴	F4E8	A488	6489	1-7468	T5E10080
4585	縫	F4E9	A489	648A	1-7469	T5E20080
4586	總	F4EA	A48A	648B	1-746A	T5E30080
4587	縱	F4EB	A48B	648C	1-746B	T5E40080
4588	縲	F4EC	A48C	648D	1-746C	T5E50080
4589	繁	F4ED	A48D	648E	1-746D	T5E60080
4590	緯	F4EE	A48E	648F	1-746E	T5E70080
4591	縲	F4EF	A48F	6490	1-746F	T5E80080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 11 (Page 4 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4592	緇	F4F0	A490	6491	1-7470	T5E90080
4593	縵	F4F1	A491	6492	1-7471	T5EA0080
4594	縵	F4F2	A492	6493	1-7472	T5EB0080
4595	縵	F4F3	A493	6494	1-7473	T5EC0080
4596	罄	F4F4	A494	6495	1-7474	T5ED0080
4597	翳	F4F5	A495	6496	1-7475	T5EE0080
4598	翼	F4F6	A496	6497	1-7476	T5EF0080
4599	螫	F4F7	A497	6498	1-7477	T5EG0080
4600	聲	F4F8	A498	6499	1-7478	T5EH0080
4601	聰	F4F9	A499	649A	1-7479	T5EI0080
4602	聯	F4FA	A49A	649B	1-747A	T5EJ0080
4603	聳	F4FB	A49B	649C	1-747B	T5EK0080
4604	臆	F4FC	A49C	649D	1-747C	T5EL0080
4605	臃	F4FD	A49D	649E	1-747D	T5EM0080
4606	膺	F4FE	A49E	649F	1-747E	T5EN0080
4607	臂	F5A1	A49F	64A0	1-7521	T5EO0080
4608	臀	F5A2	A4A0	64A1	1-7522	T5EP0080
4609	臙	F5A3	A4A1	64A2	1-7523	T5EQ0080
4610	臚	F5A4	A4A2	64A3	1-7524	T5ER0080
4611	臉	F5A5	A4A3	64A4	1-7525	T5ES0080
4612	膾	F5A6	A4A4	64A5	1-7526	T5ET0080
4613	臨	F5A7	A4A5	64A6	1-7527	T5EU0080
4614	舉	F5A8	A4A6	64A7	1-7528	T5EV0080
4615	艱	F5A9	A4A7	64A8	1-7529	T5EW0080
4616	薪	F5AA	A4A8	64A9	1-752A	T5EX0080
4617	薄	F5AB	A4A9	64AA	1-752B	T5EY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 11 (Page 5 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4618	蕾	F5AC	A4AA	64AB	1-752C	T5EZ0080
4619	薜	F5AD	A4AB	64AC	1-752D	T5F00080
4620	薑	F5AE	A4AC	64AD	1-752E	T5F10080
4621	薺	F5AF	A4AD	64AE	1-752F	T5F20080
4622	薯	F5B0	A4AE	64AF	1-7530	T5F30080
4623	薜	F5B1	A4AF	64B0	1-7531	T5F40080
4624	薇	F5B2	A4B0	64B1	1-7532	T5F50080
4625	薨	F5B3	A4B1	64B2	1-7533	T5F60080
4626	薊	F5B4	A4B2	64B3	1-7534	T5F70080
4627	薦	F5B5	A5B4	65B5	1-7535	T5KL0080
4628	虧	F5B6	A4B3	64B4	1-7536	T5F80080
4629	蟀	F5B7	A4B4	64B5	1-7537	T5F90080
4630	蟀	F5B8	A4B5	64B6	1-7538	T5FA0080
4631	螳	F5B9	A4B6	64B7	1-7539	T5FB0080
4632	蟀	F5BA	A4B7	64B8	1-753A	T5FC0080
4633	螻	F5BB	A4B8	64B9	1-753B	T5FD0080
4634	螻	F5BC	A4B9	64BA	1-753C	T5FE0080
4635	螻	F5BD	A4BA	64BB	1-753D	T5FF0080
4636	螺	F5BE	A4BB	64BC	1-753E	T5FG0080
4637	蠟	F5BF	A4BC	64BD	1-753F	T5FH0080
4638	蟋	F5C0	A4BD	64BE	1-7540	T5FI0080
4639	褻	F5C1	A4BE	64BF	1-7541	T5FJ0080
4640	褶	F5C2	A4BF	64C0	1-7542	T5FK0080
4641	裏	F5C3	A4C0	64C1	1-7543	T5FL0080
4642	樓	F5C4	A4C1	64C2	1-7544	T5FM0080
4643	裂	F5C5	A4C2	64C3	1-7545	T5FN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 11 (Page 6 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4644	覬	F5C6	A4C3	64C4	1-7546	T5FO0080
4645	謎	F5C7	A4C4	64C5	1-7547	T5FP0080
4646	誘	F5C8	A4C5	64C6	1-7548	T5FQ0080
4647	謙	F5C9	A4C6	64C7	1-7549	T5FR0080
4648	講	F5CA	A4C7	64C8	1-754A	T5FS0080
4649	謊	F5CB	A4C8	64C9	1-754B	T5FT0080
4650	謠	F5CC	A4C9	64CA	1-754C	T5FU0080
4651	謝	F5CD	A4CA	64CB	1-754D	T5FV0080
4652	膳	F5CE	A4CB	64CC	1-754E	T5FW0080
4653	謚	F5CF	A4CC	64CD	1-754F	T5FX0080
4654	豁	F5D0	A4CD	64CE	1-7550	T5FY0080
4655	谿	F5D1	A4CE	64CF	1-7551	T5FZ0080
4656	幽	F5D2	A4CF	64D0	1-7552	T5G00080
4657	賺	F5D3	A4D0	64D1	1-7553	T5G10080
4658	賽	F5D4	A4D1	64D2	1-7554	T5G20080
4659	購	F5D5	A4D2	64D3	1-7555	T5G30080
4660	贖	F5D6	A4D3	64D4	1-7556	T5G40080
4661	賻	F5D7	A4D4	64D5	1-7557	T5G50080
4662	趨	F5D8	A4D5	64D6	1-7558	T5G60080
4663	蹉	F5D9	A4D6	64D7	1-7559	T5G70080
4664	蹋	F5DA	A4D7	64D8	1-755A	T5G80080
4665	蹈	F5DB	A4D8	64D9	1-755B	T5G90080
4666	蹊	F5DC	A4D9	64DA	1-755C	T5GA0080
4667	轄	F5DD	A4DA	64DB	1-755D	T5GB0080
4668	輓	F5DE	A4DB	64DC	1-755E	T5GC0080
4669	轂	F5DF	A4DC	64DD	1-755F	T5GD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 7 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4670	轅	F5E0	A4DD	64DE	1-7560	T5GE0080
4671	輿	F5E1	A4DE	64DF	1-7561	T5GF0080
4672	避	F5E2	A4DF	64E0	1-7562	T5GG0080
4673	遽	F5E3	A4E0	64E1	1-7563	T5GH0080
4674	還	F5E4	A4E1	64E2	1-7564	T5GI0080
4675	遺	F5E5	A4E2	64E3	1-7565	T5GJ0080
4676	邂	F5E6	A4E3	64E4	1-7566	T5GK0080
4677	邀	F5E7	A4E4	64E5	1-7567	T5GL0080
4678	鄴	F5E8	A4E5	64E6	1-7568	T5GM0080
4679	醕	F5E9	A4E6	64E7	1-7569	T5GN0080
4680	醞	F5EA	A4E7	64E8	1-756A	T5GO0080
4681	醜	F5EB	A4E8	64E9	1-756B	T5GP0080
4682	鍍	F5EC	A4E9	64EA	1-756C	T5GQ0080
4683	鎂	F5ED	A4EA	64EB	1-756D	T5GR0080
4684	錨	F5EE	A4EB	64EC	1-756E	T5GS0080
4685	鍵	F5EF	A4EC	64ED	1-756F	T5GT0080
4686	鍊	F5F0	A4ED	64EE	1-7570	T5GU0080
4687	鍬	F5F1	A4EE	64EF	1-7571	T5GV0080
4688	鍋	F5F2	A4EF	64F0	1-7572	T5GW0080
4689	錘	F5F3	A4F0	64F1	1-7573	T5GX0080
4690	鍾	F5F4	A4F1	64F2	1-7574	T5GY0080
4691	鍬	F5F5	A4F2	64F3	1-7575	T5GZ0080
4692	鍛	F5F6	A4F3	64F4	1-7576	T5H00080
4693	鍍	F5F7	A4F4	64F5	1-7577	T5H10080
4694	錫	F5F8	A4F5	64F6	1-7578	T5H20080
4695	鐳	F5F9	A4F6	64F7	1-7579	T5H30080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)


DBCS-EUC and TBCS-EUC

Table 11 (Page 8 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4696	闊	F5FA	A4F7	64F8	1-757A	T5H40080
4697	闕	F5FB	A4F8	64F9	1-757B	T5H50080
4698	闌	F5FC	A4F9	64FA	1-757C	T5H60080
4699	閩	F5FD	A4FA	64FB	1-757D	T5H70080
4700	閩	F5FE	A4FB	64FC	1-757E	T5H80080
4701	隱	F6A1	A4FC	64FD	1-7621	T5H90080
4702	隸	F6A2	A540	6541	1-7622	T5HD0080
4703	雖	F6A3	A541	6542	1-7623	T5HE0080
4704	霜	F6A4	A542	6543	1-7624	T5HF0080
4705	霞	F6A5	A543	6544	1-7625	T5HG0080
4706	鞠	F6A6	A544	6545	1-7626	T5HH0080
4707	韓	F6A7	A545	6546	1-7627	T5HI0080
4708	顛	F6A8	A546	6547	1-7628	T5HJ0080
4709	颶	F6A9	A547	6548	1-7629	T5HK0080
4710	餵	F6AA	A548	6549	1-762A	T5HL0080
4711	騁	F6AB	A549	654A	1-762B	T5HM0080
4712	駿	F6AC	A54A	654B	1-762C	T5HN0080
4713	鮮	F6AD	A54B	654C	1-762D	T5HO0080
4714	鮫	F6AE	A54C	654D	1-762E	T5HP0080
4715	鮪	F6AF	A54D	654E	1-762F	T5HQ0080
4716	鮭	F6B0	A54E	654F	1-7630	T5HR0080
4717	鴻	F6B1	A54F	6550	1-7631	T5HS0080
4718	鴿	F6B2	A550	6551	1-7632	T5HT0080
4719	麩	F6B3	A551	6552	1-7633	T5HU0080
4720	黏	F6B4	A552	6553	1-7634	T5HV0080
4721	點	F6B5	A553	6554	1-7635	T5HW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 9 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4722	黜	F6B6	A554	6555	1-7636	T5HX0080
4723	黝	F6B7	A555	6556	1-7637	T5HY0080
4724	黛	F6B8	A556	6557	1-7638	T5HZ0080
4725	𪗇	F6B9	A557	6558	1-7639	T5I00080
4726	齋	F6BA	A558	6559	1-763A	T5I10080
4727	叢	F6BB	A559	655A	1-763B	T5I20080
4728	嚕	F6BC	A55A	655B	1-763C	T5I30080
4729	嚮	F6BD	A55B	655C	1-763D	T5I40080
4730	壙	F6BE	A55C	655D	1-763E	T5I50080
4731	壘	F6BF	A55D	655E	1-763F	T5I60080
4732	嬭	F6C0	A55E	655F	1-7640	T5I70080
4733	彝	F6C1	A55F	6560	1-7641	T5I80080
4734	懣	F6C2	A560	6561	1-7642	T5I90080
4735	戳	F6C3	A561	6562	1-7643	T5IA0080
4736	擴	F6C4	A562	6563	1-7644	T5IB0080
4737	擲	F6C5	A563	6564	1-7645	T5IC0080
4738	擾	F6C6	A564	6565	1-7646	T5ID0080
4739	撐	F6C7	A565	6566	1-7647	T5IE0080
4740	擺	F6C8	A566	6567	1-7648	T5IF0080
4741	擻	F6C9	A567	6568	1-7649	T5IG0080
4742	擷	F6CA	A568	6569	1-764A	T5IH0080
4743	斷	F6CB	A569	656A	1-764B	T5II0080
4744	曜	F6CC	A56A	656B	1-764C	T5IJ0080
4745	朦	F6CD	A56B	656C	1-764D	T5IK0080
4746	檳	F6CE	A56C	656D	1-764E	T5IL0080
4747	檬	F6CF	A56D	656E	1-764F	T5IM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 10 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4748	櫃	F6D0	A56E	656F	1-7650	T5IN0080
4749	檻	F6D1	A56F	6570	1-7651	T5IO0080
4750	樽	F6D2	A570	6571	1-7652	T5IP0080
4751	權	F6D3	A571	6572	1-7653	T5IQ0080
4752	檣	F6D4	A572	6573	1-7654	T5IR0080
4753	檯	F6D5	A573	6574	1-7655	T5IS0080
4754	歟	F6D6	A574	6575	1-7656	T5IT0080
4755	歸	F6D7	A575	6576	1-7657	T5IU0080
4756	殯	F6D8	A576	6577	1-7658	T5IV0080
4757	瀉	F6D9	A577	6578	1-7659	T5IW0080
4758	瀆	F6DA	A578	6579	1-765A	T5IX0080
4759	濾	F6DB	A579	657A	1-765B	T5IY0080
4760	瀆	F6DC	A57A	657B	1-765C	T5IZ0080
4761	濺	F6DD	A57B	657C	1-765D	T5J00080
4762	瀑	F6DE	A57C	657D	1-765E	T5J10080
4763	瀏	F6DF	A57D	657E	1-765F	T5J20080
4764	燠	F6E0	A57E	657F	1-7660	T5J30080
4765	燼	F6E1	A580	6581	1-7661	T5J50080
4766	烹	F6E2	A581	6582	1-7662	T5J60080
4767	燻	F6E3	A582	6583	1-7663	T5J70080
4768	獠	F6E4	A583	6584	1-7664	T5J80080
4769	獵	F6E5	A584	6585	1-7665	T5J90080
4770	壁	F6E6	A585	6586	1-7666	T5JA0080
4771	璿	F6E7	A586	6587	1-7667	T5JB0080
4772	甕	F6E8	A587	6588	1-7668	T5JC0080
4773	癖	F6E9	A588	6589	1-7669	T5JD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 11 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4774	癘	F6EA	A589	658A	1-766A	T5JE0080
4775	癒	F6EB	A58A	658B	1-766B	T5JF0080
4776	瞽	F6EC	A58B	658C	1-766C	T5JG0080
4777	瞿	F6ED	A58C	658D	1-766D	T5JH0080
4778	瞻	F6EE	A58D	658E	1-766E	T5JI0080
4779	臉	F6EF	A58E	658F	1-766F	T5JJ0080
4780	礎	F6F0	A58F	6590	1-7670	T5JK0080
4781	禮	F6F1	A590	6591	1-7671	T5JL0080
4782	穡	F6F2	A591	6592	1-7672	T5JM0080
4783	穢	F6F3	A592	6593	1-7673	T5JN0080
4784	穠	F6F4	A593	6594	1-7674	T5JO0080
4785	竄	F6F5	A594	6595	1-7675	T5JP0080
4786	竅	F6F6	A595	6596	1-7676	T5JQ0080
4787	簫	F6F7	A596	6597	1-7677	T5JR0080
4788	簧	F6F8	A597	6598	1-7678	T5JS0080
4789	簪	F6F9	A598	6599	1-7679	T5JT0080
4790	篔	F6FA	A599	659A	1-767A	T5JU0080
4791	簣	F6FB	A59A	659B	1-767B	T5JV0080
4792	簡	F6FC	A59B	659C	1-767C	T5JW0080
4793	糧	F6FD	A59C	659D	1-767D	T5JX0080
4794	織	F6FE	A59D	659E	1-767E	T5JY0080
4795	繕	F7A1	A59E	659F	1-7721	T5JZ0080
4796	繞	F7A2	A59F	65A0	1-7722	T5K00080
4797	繚	F7A3	A5A0	65A1	1-7723	T5K10080
4798	繡	F7A4	A5A1	65A2	1-7724	T5K20080
4799	繒	F7A5	A5A2	65A3	1-7725	T5K30080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 11 (Page 12 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4800	繙	F7A6	A5A3	65A4	1-7726	T5K40080
4801	罈	F7A7	A5A4	65A5	1-7727	T5K50080
4802	翹	F7A8	A5A5	65A6	1-7728	T5K60080
4803	翻	F7A9	A5A6	65A7	1-7729	T5K70080
4804	職	F7AA	A5A7	65A8	1-772A	T5K80080
4805	聶	F7AB	A5A8	65A9	1-772B	T5K90080
4806	臍	F7AC	A5A9	65AA	1-772C	T5KA0080
4807	臄	F7AD	A5AA	65AB	1-772D	T5KB0080
4808	舊	F7AE	A5AB	65AC	1-772E	T5KC0080
4809	藏	F7AF	A5AC	65AD	1-772F	T5KD0080
4810	薩	F7B0	A5AD	65AE	1-7730	T5KE0080
4811	藍	F7B1	A5AE	65AF	1-7731	T5KF0080
4812	藐	F7B2	A5AF	65B0	1-7732	T5KG0080
4813	藉	F7B3	A5B0	65B1	1-7733	T5KH0080
4814	薰	F7B4	A5B1	65B2	1-7734	T5KI0080
4815	薺	F7B5	A5B2	65B3	1-7735	T5KJ0080
4816	臺	F7B6	A5B3	65B4	1-7736	T5KK0080
4817	蟻	F7B7	A5B5	65B6	1-7737	T5KM0080
4818	蟬	F7B8	A5B6	65B7	1-7738	T5KN0080
4819	蟲	F7B9	A5B7	65B8	1-7739	T5KO0080
4820	蟠	F7BA	A5B8	65B9	1-773A	T5KP0080
4821	覆	F7BB	A5B9	65BA	1-773B	T5KQ0080
4822	覲	F7BC	A5BA	65BB	1-773C	T5KR0080
4823	觴	F7BD	A5BB	65BC	1-773D	T5KS0080
4824	謨	F7BE	A5BC	65BD	1-773E	T5KT0080
4825	謹	F7BF	A5BD	65BE	1-773F	T5KU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 13 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4826	謬	F7C0	A5BE	65BF	1-7740	T5KV0080
4827	謫	F7C1	A5BF	65C0	1-7741	T5KW0080
4828	豐	F7C2	A5C0	65C1	1-7742	T5KX0080
4829	贅	F7C3	A5C1	65C2	1-7743	T5KY0080
4830	蹙	F7C4	A5C2	65C3	1-7744	T5KZ0080
4831	蹙	F7C5	A5C3	65C4	1-7745	T5L00080
4832	蹙	F7C6	A5C4	65C5	1-7746	T5L10080
4833	蹙	F7C7	A5C5	65C6	1-7747	T5L20080
4834	蹙	F7C8	A5C6	65C7	1-7748	T5L30080
4835	蹙	F7C9	A5C7	65C8	1-7749	T5L40080
4836	軀	F7CA	A5C8	65C9	1-774A	T5L50080
4837	轉	F7CB	A5C9	65CA	1-774B	T5L60080
4838	輒	F7CC	A5CA	65CB	1-774C	T5L70080
4839	邇	F7CD	A5CB	65CC	1-774D	T5L80080
4840	邃	F7CE	A5CC	65CD	1-774E	T5L90080
4841	邈	F7CF	A5CD	65CE	1-774F	T5LA0080
4842	醫	F7D0	A5CE	65CF	1-7750	T5LB0080
4843	醬	F7D1	A5CF	65D0	1-7751	T5LC0080
4844	釐	F7D2	A5D0	65D1	1-7752	T5LD0080
4845	鎔	F7D3	A5D1	65D2	1-7753	T5LE0080
4846	鎊	F7D4	A5D2	65D3	1-7754	T5LF0080
4847	鎖	F7D5	A5D3	65D4	1-7755	T5LG0080
4848	鎬	F7D6	A5D4	65D5	1-7756	T5LH0080
4849	鎳	F7D7	A5D5	65D6	1-7757	T5LI0080
4850	鎭	F7D8	A5D6	65D7	1-7758	T5LJ0080
4851	鎬	F7D9	A5D7	65D8	1-7759	T5LK0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 11 (Page 14 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4852	鎰	F7DA	A5D8	65D9	1-775A	T5LL0080
4853	鋤	F7DB	A5D9	65DA	1-775B	T5LM0080
4854	鎚	F7DC	A5DA	65DB	1-775C	T5LN0080
4855	鎗	F7DD	A5DB	65DC	1-775D	T5LO0080
4856	闔	F7DE	A5DC	65DD	1-775E	T5LP0080
4857	闖	F7DF	A5DD	65DE	1-775F	T5LQ0080
4858	闕	F7E0	A5DE	65DF	1-7760	T5LR0080
4859	闕	F7E1	A5DF	65E0	1-7761	T5LS0080
4860	離	F7E2	A5E0	65E1	1-7762	T5LT0080
4861	雜	F7E3	A5E1	65E2	1-7763	T5LU0080
4862	雙	F7E4	A5E2	65E3	1-7764	T5LV0080
4863	雛	F7E5	A5E3	65E4	1-7765	T5LW0080
4864	雞	F7E6	A5E4	65E5	1-7766	T5LX0080
4865	鷄	F7E7	A5E5	65E6	1-7767	T5LY0080
4866	鞣	F7E8	A5E6	65E7	1-7768	T5LZ0080
4867	鞣	F7E9	A5E7	65E8	1-7769	T5M00080
4868	鞭	F7EA	A5E8	65E9	1-776A	T5M10080
4869	龍	F7EB	A5E9	65EA	1-776B	T5M20080
4870	額	F7EC	A5EA	65EB	1-776C	T5M30080
4871	顏	F7ED	A5EB	65EC	1-776D	T5M40080
4872	題	F7EE	A5EC	65ED	1-776E	T5M50080
4873	顎	F7EF	A5ED	65EE	1-776F	T5M60080
4874	顛	F7F0	A5EE	65EF	1-7770	T5M70080
4875	颯	F7F1	A5EF	65F0	1-7771	T5M80080
4876	餽	F7F2	A5F0	65F1	1-7772	T5M90080
4877	餽	F7F3	A5F1	65F2	1-7773	T5MA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 15 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4878	餽	F7F4	A5F2	65F3	1-7774	T5MB0080
4879	饗	F7F5	A5F3	65F4	1-7775	T5MC0080
4880	馥	F7F6	A5F4	65F5	1-7776	T5MD0080
4881	騎	F7F7	A5F5	65F6	1-7777	T5ME0080
4882	髀	F7F8	A5F6	65F7	1-7778	T5MF0080
4883	鬃	F7F9	A5F7	65F8	1-7779	T5MG0080
4884	鬆	F7FA	A5F8	65F9	1-777A	T5MH0080
4885	魏	F7FB	A5F9	65FA	1-777B	T5MI0080
4886	魎	F7FC	A5FA	65FB	1-777C	T5MJ0080
4887	魍	F7FD	A5FB	65FC	1-777D	T5MK0080
4888	鯊	F7FE	A5FC	65FD	1-777E	T5ML0080
4889	鯉	F8A1	A640	6641	1-7821	T5MP0080
4890	鯽	F8A2	A641	6642	1-7822	T5MQ0080
4891	鯿	F8A3	A642	6643	1-7823	T5MR0080
4892	鯿	F8A4	A643	6644	1-7824	T5MS0080
4893	鵠	F8A5	A644	6645	1-7825	T5MT0080
4894	鵝	F8A6	A645	6646	1-7826	T5MU0080
4895	鵠	F8A7	A646	6647	1-7827	T5MV0080
4896	黠	F8A8	A647	6648	1-7828	T5MW0080
4897	孽	F8A9	A648	6649	1-7829	T5MX0080
4898	鼬	F8AA	A649	664A	1-782A	T5MY0080
4899	儂	F8AB	A64A	664B	1-782B	T5MZ0080
4900	嚙	F8AC	A64B	664C	1-782C	T5N00080
4901	嚙	F8AD	A6DF	66E0	1-782D	T5R40080
4902	壞	F8AE	A64C	664D	1-782E	T5N10080
4903	壘	F8AF	A64D	664E	1-782F	T5N20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 16 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4904	壢	F8B0	A64E	664F	1-7830	T5N30080
4905	寵	F8B1	A64F	6650	1-7831	T5N40080
4906	龐	F8B2	A650	6651	1-7832	T5N50080
4907	廬	F8B3	A651	6652	1-7833	T5N60080
4908	懲	F8B4	A652	6653	1-7834	T5N70080
4909	懷	F8B5	A653	6654	1-7835	T5N80080
4910	懶	F8B6	A654	6655	1-7836	T5N90080
4911	憎	F8B7	A655	6656	1-7837	T5NA0080
4912	攀	F8B8	A656	6657	1-7838	T5NB0080
4913	攏	F8B9	A657	6658	1-7839	T5NC0080
4914	曠	F8BA	A658	6659	1-783A	T5ND0080
4915	曝	F8BB	A659	665A	1-783B	T5NE0080
4916	櫛	F8BC	A65A	665B	1-783C	T5NF0080
4917	櫛	F8BD	A65B	665C	1-783D	T5NG0080
4918	櫛	F8BE	A65C	665D	1-783E	T5NH0080
4919	櫛	F8BF	A65D	665E	1-783F	T5NI0080
4920	瀛	F8C0	A65E	665F	1-7840	T5NJ0080
4921	瀟	F8C1	A65F	6660	1-7841	T5NK0080
4922	瀨	F8C2	A660	6661	1-7842	T5NL0080
4923	瀚	F8C3	A661	6662	1-7843	T5NM0080
4924	瀝	F8C4	A662	6663	1-7844	T5NN0080
4925	瀕	F8C5	A663	6664	1-7845	T5NO0080
4926	瀟	F8C6	A664	6665	1-7846	T5NP0080
4927	爆	F8C7	A665	6666	1-7847	T5NQ0080
4928	爍	F8C8	A666	6667	1-7848	T5NR0080
4929	牘	F8C9	A667	6668	1-7849	T5NS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 17 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4930	犢	F8CA	A668	6669	1-784A	T5NT0080
4931	獸	F8CB	A669	666A	1-784B	T5NU0080
4932	獺	F8CC	A66A	666B	1-784C	T5NV0080
4933	璽	F8CD	A66B	666C	1-784D	T5NW0080
4934	瓊	F8CE	A66C	666D	1-784E	T5NX0080
4935	瓣	F8CF	A66D	666E	1-784F	T5NY0080
4936	疇	F8D0	A66E	666F	1-7850	T5NZ0080
4937	疆	F8D1	A66F	6670	1-7851	T5O00080
4938	瘍	F8D2	A670	6671	1-7852	T5O10080
4939	癡	F8D3	A671	6672	1-7853	T5O20080
4940	矇	F8D4	A672	6673	1-7854	T5O30080
4941	礙	F8D5	A673	6674	1-7855	T5O40080
4942	禱	F8D6	A674	6675	1-7856	T5O50080
4943	穫	F8D7	A675	6676	1-7857	T5O60080
4944	穩	F8D8	A676	6677	1-7858	T5O70080
4945	簾	F8D9	A677	6678	1-7859	T5O80080
4946	簿	F8DA	A678	6679	1-785A	T5O90080
4947	籊	F8DB	A679	667A	1-785B	T5OA0080
4948	簽	F8DC	A67A	667B	1-785C	T5OB0080
4949	簷	F8DD	A67B	667C	1-785D	T5OC0080
4950	籊	F8DE	A67C	667D	1-785E	T5OD0080
4951	繫	F8DF	A67D	667E	1-785F	T5OE0080
4952	繭	F8E0	A67E	667F	1-7860	T5OF0080
4953	繹	F8E1	A680	6681	1-7861	T5OH0080
4954	繩	F8E2	A681	6682	1-7862	T5OI0080
4955	繪	F8E3	A682	6683	1-7863	T5OJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 18 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4956	繳	F8E4	A684	6685	1-7864	T5OL0080
4957	羅	F8E5	A683	6684	1-7865	T5OK0080
4958	羶	F8E6	A685	6686	1-7866	T5OM0080
4959	葵	F8E7	A686	6687	1-7867	T5ON0080
4960	羸	F8E8	A687	6688	1-7868	T5OO0080
4961	臘	F8E9	A688	6689	1-7869	T5OP0080
4962	潘	F8EA	A689	668A	1-786A	T5OQ0080
4963	藝	F8EB	A68A	668B	1-786B	T5OR0080
4964	藪	F8EC	A68B	668C	1-786C	T5OS0080
4965	藕	F8ED	A68C	668D	1-786D	T5OT0080
4966	藤	F8EE	A68D	668E	1-786E	T5OU0080
4967	藥	F8EF	A68E	668F	1-786F	T5OV0080
4968	諧	F8F0	A68F	6690	1-7870	T5OW0080
4969	蟻	F8F1	A690	6691	1-7871	T5OX0080
4970	蠅	F8F2	A691	6692	1-7872	T5OY0080
4971	蠍	F8F3	A692	6693	1-7873	T5OZ0080
4972	蟹	F8F4	A693	6694	1-7874	T5P00080
4973	蟾	F8F5	A694	6695	1-7875	T5P10080
4974	襠	F8F6	A695	6696	1-7876	T5P20080
4975	襟	F8F7	A696	6697	1-7877	T5P30080
4976	襖	F8F8	A697	6698	1-7878	T5P40080
4977	襪	F8F9	A698	6699	1-7879	T5P50080
4978	誨	F8FA	A699	669A	1-787A	T5P60080
4979	譜	F8FB	A69A	669B	1-787B	T5P70080
4980	識	F8FC	A69B	669C	1-787C	T5P80080
4981	證	F8FD	A69C	669D	1-787D	T5P90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 19 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4982	譚	F8FE	A69D	669E	1-787E	T5PA0080
4983	譚	F9A1	A69E	669F	1-7921	T5PB0080
4984	譚	F9A2	A69F	66A0	1-7922	T5PC0080
4985	譚	F9A3	A6A0	66A1	1-7923	T5PD0080
4986	譚	F9A4	A6A1	66A2	1-7924	T5PE0080
4987	贈	F9A5	A6A2	66A3	1-7925	T5PF0080
4988	贊	F9A6	A6A3	66A4	1-7926	T5PG0080
4989	蹀	F9A7	A6A4	66A5	1-7927	T5PH0080
4990	躡	F9A8	A6A5	66A6	1-7928	T5PI0080
4991	躡	F9A9	A6A6	66A7	1-7929	T5PJ0080
4992	蹶	F9AA	A6A7	66A8	1-792A	T5PK0080
4993	躡	F9AB	A6A8	66A9	1-792B	T5PL0080
4994	蹶	F9AC	A6A9	66AA	1-792C	T5PM0080
4995	蹶	F9AD	A6AA	66AB	1-792D	T5PN0080
4996	麟	F9AE	A6AB	66AC	1-792E	T5PO0080
4997	輻	F9AF	A6AC	66AD	1-792F	T5PP0080
4998	辭	F9B0	A6AD	66AE	1-7930	T5PQ0080
4999	邊	F9B1	A6AE	66AF	1-7931	T5PR0080
5000	邈	F9B2	A6AF	66B0	1-7932	T5PS0080
5001	醜	F9B3	A6B0	66B1	1-7933	T5PT0080
5002	醜	F9B4	A6B1	66B2	1-7934	T5PU0080
5003	鏡	F9B5	A6B2	66B3	1-7935	T5PV0080
5004	鏞	F9B6	A6B3	66B4	1-7936	T5PW0080
5005	鏞	F9B7	A6B4	66B5	1-7937	T5PX0080
5006	鏞	F9B8	A6B5	66B6	1-7938	T5PY0080
5007	鏞	F9B9	A6B6	66B7	1-7939	T5PZ0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 11 (Page 20 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5008	鎧	F9BA	A6B7	66B8	1-793A	T5Q00080
5009	鎧	F9BB	A6B8	66B9	1-793B	T5Q10080
5010	鑿	F9BC	A6B9	66BA	1-793C	T5Q20080
5011	鏢	F9BD	A6BA	66BB	1-793D	T5Q30080
5012	鏢	F9BE	A6BB	66BC	1-793E	T5Q40080
5013	鏢	F9BF	A6BC	66BD	1-793F	T5Q50080
5014	鏤	F9C0	A6BD	66BE	1-7940	T5Q60080
5015	鏢	F9C1	A6BE	66BF	1-7941	T5Q70080
5016	鑿	F9C2	A6BF	66C0	1-7942	T5Q80080
5017	關	F9C3	A6C0	66C1	1-7943	T5Q90080
5018	隴	F9C4	A6C1	66C2	1-7944	T5QA0080
5019	難	F9C5	A6C2	66C3	1-7945	T5QB0080
5020	霏	F9C6	A6C3	66C4	1-7946	T5QC0080
5021	霧	F9C7	A6C4	66C5	1-7947	T5QD0080
5022	靡	F9C8	A6C5	66C6	1-7948	T5QE0080
5023	韜	F9C9	A6C6	66C7	1-7949	T5QF0080
5024	韻	F9CA	A6C7	66C8	1-794A	T5QG0080
5025	類	F9CB	A6C8	66C9	1-794B	T5QH0080
5026	願	F9CC	A6C9	66CA	1-794C	T5QI0080
5027	顛	F9CD	A6CA	66CB	1-794D	T5QJ0080
5028	颯	F9CE	A6CB	66CC	1-794E	T5QK0080
5029	饅	F9CF	A6CC	66CD	1-794F	T5QL0080
5030	饅	F9D0	A6CD	66CE	1-7950	T5QM0080
5031	鶩	F9D1	A6CE	66CF	1-7951	T5QN0080
5032	騙	F9D2	A6CF	66D0	1-7952	T5QO0080
5033	鬍	F9D3	A6D0	66D1	1-7953	T5QP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 21 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5034	鯨	F9D4	A6D1	66D2	1-7954	T5QQ0080
5035	鯧	F9D5	A6D2	66D3	1-7955	T5QR0080
5036	鯖	F9D6	A6D3	66D4	1-7956	T5QS0080
5037	鯛	F9D7	A6D4	66D5	1-7957	T5QT0080
5038	鶉	F9D8	A6D5	66D6	1-7958	T5QU0080
5039	鸚	F9D9	A6D6	66D7	1-7959	T5QV0080
5040	鵲	F9DA	A6D7	66D8	1-795A	T5QW0080
5041	鶴	F9DB	A6D8	66D9	1-795B	T5QX0080
5042	鵬	F9DC	A6D9	66DA	1-795C	T5QY0080
5043	麒	F9DD	A6DA	66DB	1-795D	T5QZ0080
5044	麗	F9DE	A6DB	66DC	1-795E	T5R00080
5045	麓	F9DF	A6DC	66DD	1-795F	T5R10080
5046	麴	F9E0	A6DD	66DE	1-7960	T5R20080
5047	勸	F9E1	A6DE	66DF	1-7961	T5R30080
5048	囔	F9E2	A6E0	66E1	1-7962	T5R50080
5049	嚶	F9E3	A6E1	66E2	1-7963	T5R60080
5050	嚴	F9E4	A6E2	66E3	1-7964	T5R70080
5051	嶠	F9E5	A6E3	66E4	1-7965	T5R80080
5052	壤	F9E6	A6E4	66E5	1-7966	T5R90080
5053	孀	F9E7	A6E5	66E6	1-7967	T5RA0080
5054	孃	F9E8	A6E6	66E7	1-7968	T5RB0080
5055	孽	F9E9	A6E7	66E8	1-7969	T5RC0080
5056	寶	F9EA	A6E8	66E9	1-796A	T5RD0080
5057	嶠	F9EB	A6E9	66EA	1-796B	T5RE0080
5058	懸	F9EC	A6EA	66EB	1-796C	T5RF0080
5059	饑	F9ED	A6EB	66EC	1-796D	T5RG0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 11 (Page 22 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5060	攘	F9EE	A6EC	66ED	1-796E	T5RH0080
5061	攔	F9EF	A6ED	66EE	1-796F	T5RI0080
5062	撓	F9F0	A6EE	66EF	1-7970	T5RJ0080
5063	曦	F9F1	A6EF	66F0	1-7971	T5RK0080
5064	臚	F9F2	A6F0	66F1	1-7972	T5RL0080
5065	櫛	F9F3	A6F1	66F2	1-7973	T5RM0080
5066	瀾	F9F4	A6F2	66F3	1-7974	T5RN0080
5067	瀾	F9F5	A6F3	66F4	1-7975	T5RO0080
5068	激	F9F6	A6F4	66F5	1-7976	T5RP0080
5069	爐	F9F7	A6F5	66F6	1-7977	T5RQ0080
5070	獻	F9F8	A6F6	66F7	1-7978	T5RR0080
5071	瓏	F9F9	A6F7	66F8	1-7979	T5RS0080
5072	癢	F9FA	A6F8	66F9	1-797A	T5RT0080
5073	癥	F9FB	A6F9	66FA	1-797B	T5RU0080
5074	礪	F9FC	A6FA	66FB	1-797C	T5RV0080
5075	礪	F9FD	A6FB	66FC	1-797D	T5RW0080
5076	礪	F9FE	A6FC	66FD	1-797E	T5RX0080
5077	礪	FAA1	A740	6741	1-7A21	T5S10080
5078	竇	FAA2	A741	6742	1-7A22	T5S20080
5079	競	FAA3	A742	6743	1-7A23	T5S30080
5080	籌	FAA4	A743	6744	1-7A24	T5S40080
5081	籃	FAA5	A744	6745	1-7A25	T5S50080
5082	籍	FAA6	A745	6746	1-7A26	T5S60080
5083	糲	FAA7	A746	6747	1-7A27	T5S70080
5084	糲	FAA8	A747	6748	1-7A28	T5S80080
5085	辦	FAA9	A748	6749	1-7A29	T5S90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 23 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5086	續	FAAA	A749	674A	1-7A2A	T5SA0080
5087	繼	FAAB	A74A	674B	1-7A2B	T5SB0080
5088	纂	FAAC	A74B	674C	1-7A2C	T5SC0080
5089	畧	FAAD	A74C	674D	1-7A2D	T5SD0080
5090	耀	FAAE	A74D	674E	1-7A2E	T5SE0080
5091	臚	FAAF	A74E	674F	1-7A2F	T5SF0080
5092	艦	FAB0	A74F	6750	1-7A30	T5SG0080
5093	藻	FAB1	A750	6751	1-7A31	T5SH0080
5094	藹	FAB2	A751	6752	1-7A32	T5SI0080
5095	藓	FAB3	A752	6753	1-7A33	T5SJ0080
5096	藺	FAB4	A753	6754	1-7A34	T5SK0080
5097	蘆	FAB5	A754	6755	1-7A35	T5SL0080
5098	藟	FAB6	A755	6756	1-7A36	T5SM0080
5099	蘇	FAB7	A756	6757	1-7A37	T5SN0080
5100	蘊	FAB8	A757	6758	1-7A38	T5SO0080
5101	蠟	FAB9	A758	6759	1-7A39	T5SP0080
5102	蠕	FABA	A759	675A	1-7A3A	T5SQ0080
5103	檻	FABB	A75A	675B	1-7A3B	T5SR0080
5104	覺	FABC	A75B	675C	1-7A3C	T5SS0080
5105	觸	FABD	A75C	675D	1-7A3D	T5ST0080
5106	議	FABE	A75D	675E	1-7A3E	T5SU0080
5107	譬	FABF	A75E	675F	1-7A3F	T5SV0080
5108	警	FAC0	A75F	6760	1-7A40	T5SW0080
5109	譚	FAC1	A760	6761	1-7A41	T5SX0080
5110	諫	FAC2	A761	6762	1-7A42	T5SY0080
5111	譖	FAC3	A762	6763	1-7A43	T5SZ0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 11 (Page 24 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5112	羸	FAC4	A763	6764	1-7A44	T5T00080
5113	瞻	FAC5	A764	6765	1-7A45	T5T10080
5114	躔	FAC6	A765	6766	1-7A46	T5T20080
5115	躁	FAC7	A766	6767	1-7A47	T5T30080
5116	躑	FAC8	A767	6768	1-7A48	T5T40080
5117	躒	FAC9	A768	6769	1-7A49	T5T50080
5118	醴	FACA	A769	676A	1-7A4A	T5T60080
5119	釋	FACB	A76A	676B	1-7A4B	T5T70080
5120	鐘	FACC	A76B	676C	1-7A4C	T5T80080
5121	鏡	FACD	A76C	676D	1-7A4D	T5T90080
5122	鏞	FACE	A76D	676E	1-7A4E	T5TA0080
5123	闡	FACF	A76E	676F	1-7A4F	T5TB0080
5124	霰	FAD0	A76F	6770	1-7A50	T5TC0080
5125	飄	FAD1	A770	6771	1-7A51	T5TD0080
5126	饒	FAD2	A771	6772	1-7A52	T5TE0080
5127	饑	FAD3	A772	6773	1-7A53	T5TF0080
5128	馨	FAD4	A773	6774	1-7A54	T5TG0080
5129	騫	FAD5	A774	6775	1-7A55	T5TH0080
5130	騰	FAD6	A775	6776	1-7A56	T5TI0080
5131	騷	FAD7	A776	6777	1-7A57	T5TJ0080
5132	駟	FAD8	A777	6778	1-7A58	T5TK0080
5133	鯢	FAD9	A778	6779	1-7A59	T5TL0080
5134	鯁	FADA	A779	677A	1-7A5A	T5TM0080
5135	鹹	FADB	A77A	677B	1-7A5B	T5TN0080
5136	麵	FADC	A77B	677C	1-7A5C	T5TO0080
5137	黨	FADD	A77C	677D	1-7A5D	T5TP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 25 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5138	鯤	FADE	A77D	677E	1-7A5E	T5TQ0080
5139	齟	FADF	A77E	677F	1-7A5F	T5TR0080
5140	齠	FAE0	A780	6781	1-7A60	T5TT0080
5141	齡	FAE1	A781	6782	1-7A61	T5TU0080
5142	儷	FAE2	A782	6783	1-7A62	T5TV0080
5143	儷	FAE3	A783	6784	1-7A63	T5TW0080
5144	囁	FAE4	A784	6785	1-7A64	T5TX0080
5145	囁	FAE5	A785	6786	1-7A65	T5TY0080
5146	囂	FAE6	A786	6787	1-7A66	T5TZ0080
5147	夔	FAE7	A787	6788	1-7A67	T5U00080
5148	屬	FAE8	A788	6789	1-7A68	T5U10080
5149	巍	FAE9	A789	678A	1-7A69	T5U20080
5150	懼	FAEA	A78A	678B	1-7A6A	T5U30080
5151	懾	FAEB	A78B	678C	1-7A6B	T5U40080
5152	攝	FAEC	A78C	678D	1-7A6C	T5U50080
5153	攜	FAED	A78D	678E	1-7A6D	T5U60080
5154	爛	FAEE	A78E	678F	1-7A6E	T5U70080
5155	曩	FAEF	A78F	6790	1-7A6F	T5U80080
5156	櫻	FAF0	A790	6791	1-7A70	T5U90080
5157	欄	FAF1	A791	6792	1-7A71	T5UA0080
5158	櫺	FAF2	A792	6793	1-7A72	T5UB0080
5159	殲	FAF3	A793	6794	1-7A73	T5UC0080
5160	灌	FAF4	A794	6795	1-7A74	T5UD0080
5161	爛	FAF5	A795	6796	1-7A75	T5UE0080
5162	犧	FAF6	A796	6797	1-7A76	T5UF0080
5163	瓊	FAF7	A797	6798	1-7A77	T5UG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 26 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5164	璵	FAF8	A798	6799	1-7A78	T5UH0080
5165	癩	FAF9	A799	679A	1-7A79	T5UI0080
5166	瞞	FAFA	A79A	679B	1-7A7A	T5UJ0080
5167	籐	FAFB	A79B	679C	1-7A7B	T5UK0080
5168	纏	FAFC	A79C	679D	1-7A7C	T5UL0080
5169	續	FAFD	A79D	679E	1-7A7D	T5UM0080
5170	犀	FAFE	A79E	679F	1-7A7E	T5UN0080
5171	藜	FBA1	A79F	67A0	1-7B21	T5UO0080
5172	蘭	FBA2	A7A0	67A1	1-7B22	T5UP0080
5173	薜	FBA3	A7A1	67A2	1-7B23	T5UQ0080
5174	蠣	FBA4	A7A2	67A3	1-7B24	T5UR0080
5175	蠡	FBA5	A7A3	67A4	1-7B25	T5US0080
5176	蠱	FBA6	A7A4	67A5	1-7B26	T5UT0080
5177	蠟	FBA7	A7A5	67A6	1-7B27	T5UU0080
5178	襪	FBA8	A7A6	67A7	1-7B28	T5UV0080
5179	襪	FBA9	A7A7	67A8	1-7B29	T5UW0080
5180	覽	FBAA	A7A8	67A9	1-7B2A	T5UX0080
5181	謔	FBAB	A7A9	67AA	1-7B2B	T5UY0080
5182	護	FBAC	A7AA	67AB	1-7B2C	T5UZ0080
5183	譽	FBAD	A7AB	67AC	1-7B2D	T5V00080
5184	賊	FBAE	A7AC	67AD	1-7B2E	T5V10080
5185	躄	FBAF	A7AD	67AE	1-7B2F	T5V20080
5186	躍	FBB0	A7AE	67AF	1-7B30	T5V30080
5187	躄	FBB1	A7AF	67B0	1-7B31	T5V40080
5188	轟	FBB2	A7B0	67B1	1-7B32	T5V50080
5189	辯	FBB3	A7B1	67B2	1-7B33	T5V60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 11 (Page 27 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5190	醺	FBB4	A7B2	67B3	1-7B34	T5V70080
5191	鏹	FBB5	A7B3	67B4	1-7B35	T5V80080
5192	鐳	FBB6	A7B4	67B5	1-7B36	T5V90080
5193	鐵	FBB7	A7B5	67B6	1-7B37	T5VA0080
5194	錯	FBB8	A7B6	67B7	1-7B38	T5VB0080
5195	鐸	FBB9	A7B7	67B8	1-7B39	T5VC0080
5196	鐳	FBBA	A7B8	67B9	1-7B3A	T5VD0080
5197	鑄	FBBB	A7B9	67BA	1-7B3B	T5VE0080
5198	關	FBBC	A7BA	67BB	1-7B3C	T5VF0080
5199	霸	FBBD	A7BB	67BC	1-7B3D	T5VG0080
5200	霹	FBBE	A7BC	67BD	1-7B3E	T5VH0080
5201	露	FBBF	A7BD	67BE	1-7B3F	T5VI0080
5202	響	FBC0	A7BE	67BF	1-7B40	T5VJ0080
5203	顧	FBC1	A7BF	67C0	1-7B41	T5VK0080
5204	顛	FBC2	A7C0	67C1	1-7B42	T5VL0080
5205	饗	FBC3	A7C1	67C2	1-7B43	T5VM0080
5206	驅	FBC4	A7C2	67C3	1-7B44	T5VN0080
5207	驟	FBC5	A7C3	67C4	1-7B45	T5VO0080
5208	騫	FBC6	A7C4	67C5	1-7B46	T5VP0080
5209	驟	FBC7	A7C5	67C6	1-7B47	T5VQ0080
5210	體	FBC8	A7C6	67C7	1-7B48	T5VR0080
5211	魔	FBC9	A7C7	67C8	1-7B49	T5VS0080
5212	魘	FBCA	A7C8	67C9	1-7B4A	T5VT0080
5213	鱗	FBCB	A7C9	67CA	1-7B4B	T5VU0080
5214	鰈	FBCD	A7CA	67CB	1-7B4C	T5VV0080
5215	鶯	FBCD	A7CB	67CC	1-7B4D	T5VW0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 11 (Page 28 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5216	鶴	FBCE	A7CC	67CD	1-7B4E	T5VX0080
5217	鷓	FBCF	A7CD	67CE	1-7B4F	T5VY0080
5218	鶻	FBD0	A7CE	67CF	1-7B50	T5VZ0080
5219	鸚	FBD1	A7CF	67D0	1-7B51	T5W00080
5220	鸚	FBD2	A7D0	67D1	1-7B52	T5W10080
5221	鸚	FBD3	A7D1	67D2	1-7B53	T5W20080
5222	鸚	FBD4	A7D2	67D3	1-7B54	T5W30080
5223	鸚	FBD5	A7D3	67D4	1-7B55	T5W40080
5224	鸚	FBD6	A7D4	67D5	1-7B56	T5W50080
5225	鸚	FBD7	A7D5	67D6	1-7B57	T5W60080
5226	鸚	FBD8	A7D6	67D7	1-7B58	T5W70080
5227	鸚	FBD9	A7D7	67D8	1-7B59	T5W80080
5228	鸚	FBDA	A7D8	67D9	1-7B5A	T5W90080
5229	鸚	FBDB	A7D9	67DA	1-7B5B	T5WA0080
5230	鸚	FBDC	A7DA	67DB	1-7B5C	T5WB0080
5231	鸚	FBDD	A7DB	67DC	1-7B5D	T5WC0080
5232	鸚	FBDE	A7DC	67DD	1-7B5E	T5WD0080
5233	鸚	FBD F	A7DD	67DE	1-7B5F	T5WE0080
5234	鸚	FBE0	A7DE	67DF	1-7B60	T5WF0080
5235	鸚	FBE1	A7DF	67E0	1-7B61	T5WG0080
5236	鸚	FBE2	A7E0	67E1	1-7B62	T5WH0080
5237	鸚	FBE3	A7E1	67E2	1-7B63	T5WI0080
5238	鸚	FBE4	A7E2	67E3	1-7B64	T5WJ0080
5239	鸚	FBE5	A7E3	67E4	1-7B65	T5WK0080
5240	鸚	FBE6	A7E4	67E5	1-7B66	T5WL0080
5241	鸚	FBE7	A7E5	67E6	1-7B67	T5WM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 29 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5242	疊	FBE8	A7E6	67E7	1-7B68	T5WN0080
5243	癩	FBE9	A7E7	67E8	1-7B69	T5WO0080
5244	癬	FBEA	A7E8	67E9	1-7B6A	T5WP0080
5245	禳	FBEB	A7E9	67EA	1-7B6B	T5WQ0080
5246	籠	FBEC	A7EA	67EB	1-7B6C	T5WR0080
5247	籟	FBED	A7EB	67EC	1-7B6D	T5WS0080
5248	聾	FBEE	A7EC	67ED	1-7B6E	T5WT0080
5249	聽	FBEF	A7ED	67EE	1-7B6F	T5WU0080
5250	臧	FBF0	A7EE	67EF	1-7B70	T5WV0080
5251	襲	FBF1	A7EF	67F0	1-7B71	T5WW0080
5252	襯	FBF2	A7F0	67F1	1-7B72	T5WX0080
5253	簾	FBF3	A7F1	67F2	1-7B73	T5WY0080
5254	讀	FBF4	A7F2	67F3	1-7B74	T5WZ0080
5255	贖	FBF5	A7F3	67F4	1-7B75	T5X00080
5256	價	FBF6	A7F4	67F5	1-7B76	T5X10080
5257	躑	FBF7	A7F5	67F6	1-7B77	T5X20080
5258	躡	FBF8	A7F6	67F7	1-7B78	T5X30080
5259	轡	FBF9	A7F7	67F8	1-7B79	T5X40080
5260	鄺	FBFA	A7F8	67F9	1-7B7A	T5X50080
5261	鑄	FBFB	A7F9	67FA	1-7B7B	T5X60080
5262	鑑	FBFC	A7FA	67FB	1-7B7C	T5X70080
5263	鑿	FBFD	A7FB	67FC	1-7B7D	T5X80080
5264	霽	FBFE	A7FC	67FD	1-7B7E	T5X90080
5265	霾	FCA1	A840	6841	1-7C21	T5XD0080
5266	韃	FCA2	A841	6842	1-7C22	T5XE0080
5267	韃	FCA3	A842	6843	1-7C23	T5XF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 30 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5268	顛	FCA4	A843	6844	1-7C24	T5XG0080
5269	饜	FCA5	A844	6845	1-7C25	T5XH0080
5270	驕	FCA6	A845	6846	1-7C26	T5XI0080
5271	驍	FCA7	A846	6847	1-7C27	T5XJ0080
5272	驍	FCA8	A847	6848	1-7C28	T5XK0080
5273	鬚	FCA9	A848	6849	1-7C29	T5XL0080
5274	驚	FCAA	A849	684A	1-7C2A	T5XM0080
5275	鯁	FCAB	A84A	684B	1-7C2B	T5XN0080
5276	鰓	FCAC	A84B	684C	1-7C2C	T5XO0080
5277	鰻	FCAD	A84C	684D	1-7C2D	T5XP0080
5278	鷓	FCAE	A84D	684E	1-7C2E	T5XQ0080
5279	鷓	FCAF	A84E	684F	1-7C2F	T5XR0080
5280	鷓	FCB0	A84F	6850	1-7C30	T5XS0080
5281	鷓	FCB1	A850	6851	1-7C31	T5XT0080
5282	鷓	FCB2	A851	6852	1-7C32	T5XU0080
5283	鷓	FCB3	A852	6853	1-7C33	T5XV0080
5284	鷓	FCB4	A853	6854	1-7C34	T5XW0080
5285	鷓	FCB5	A854	6855	1-7C35	T5XX0080
5286	鷓	FCB6	A855	6856	1-7C36	T5XY0080
5287	鷓	FCB7	A856	6857	1-7C37	T5XZ0080
5288	攪	FCB8	A857	6858	1-7C38	T5Y00080
5289	攪	FCB9	A858	6859	1-7C39	T5Y10080
5290	攪	FCBA	A859	685A	1-7C3A	T5Y20080
5291	攪	FCBB	A85A	685B	1-7C3B	T5Y30080
5292	攪	FCBC	A85B	685C	1-7C3C	T5Y40080
5293	竊	FCBD	A85C	685D	1-7C3D	T5Y50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 31 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5294	籤	FCBE	A85D	685E	1-7C3E	T5Y60080
5295	蘭	FCBF	A85E	685F	1-7C3F	T5Y70080
5296	籊	FCC0	A85F	6860	1-7C40	T5Y80080
5297	纓	FCC1	A860	6861	1-7C41	T5Y90080
5298	織	FCC2	A861	6862	1-7C42	T5YA0080
5299	纒	FCC3	A862	6863	1-7C43	T5YB0080
5300	膾	FCC4	A863	6864	1-7C44	T5YC0080
5301	蘸	FCC5	A864	6865	1-7C45	T5YD0080
5302	蘿	FCC6	A865	6866	1-7C46	T5YE0080
5303	壘	FCC7	A866	6867	1-7C47	T5YF0080
5304	變	FCC8	A867	6868	1-7C48	T5YG0080
5305	邏	FCC9	A868	6869	1-7C49	T5YH0080
5306	邏	FCCA	A869	686A	1-7C4A	T5YI0080
5307	鑣	FCCB	A86A	686B	1-7C4B	T5YJ0080
5308	鑠	FCCC	A86B	686C	1-7C4C	T5YK0080
5309	錄	FCCD	A86C	686D	1-7C4D	T5YL0080
5310	曆	FCCE	A86D	686E	1-7C4E	T5YM0080
5311	顯	FCCF	A86E	686F	1-7C4F	T5YN0080
5312	駮	FCD0	A86F	6870	1-7C50	T5YO0080
5313	驚	FCD1	A870	6871	1-7C51	T5YP0080
5314	驛	FCD2	A871	6872	1-7C52	T5YQ0080
5315	驗	FCD3	A872	6873	1-7C53	T5YR0080
5316	髓	FCD4	A873	6874	1-7C54	T5YS0080
5317	體	FCD5	A874	6875	1-7C55	T5YT0080
5318	髒	FCD6	A875	6876	1-7C56	T5YU0080
5319	鱗	FCD7	A876	6877	1-7C57	T5YV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 32 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5320	鱗	FCD8	A877	6878	1-7C58	T5YW0080
5321	鰓	FCD9	A878	6879	1-7C59	T5YX0080
5322	鱉	FCDA	A879	687A	1-7C5A	T5YY0080
5323	鱗	FCDB	A87A	687B	1-7C5B	T5YZ0080
5324	微	FCDC	A87B	687C	1-7C5C	T5Z00080
5325	囑	FCDD	A87C	687D	1-7C5D	T5Z10080
5326	壩	FCDE	A87D	687E	1-7C5E	T5Z20080
5327	攪	FCDF	A87E	687F	1-7C5F	T5Z30080
5328	灑	FCE0	A880	6881	1-7C60	T5Z50080
5329	癱	FCE1	A881	6882	1-7C61	T5Z60080
5330	癩	FCE2	A882	6883	1-7C62	T5Z70080
5331	壘	FCE3	A883	6884	1-7C63	T5Z80080
5332	罐	FCE4	A884	6885	1-7C64	T5Z90080
5333	羈	FCE5	A885	6886	1-7C65	T5ZA0080
5334	蠶	FCE6	A886	6887	1-7C66	T5ZB0080
5335	燾	FCE7	A887	6888	1-7C67	T5ZC0080
5336	衢	FCE8	A888	6889	1-7C68	T5ZD0080
5337	讓	FCE9	A889	688A	1-7C69	T5ZE0080
5338	讒	FCEA	A88A	688B	1-7C6A	T5ZF0080
5339	識	FCEB	A88B	688C	1-7C6B	T5ZG0080
5340	艷	FCEC	A88C	688D	1-7C6C	T5ZH0080
5341	贛	FCED	A88D	688E	1-7C6D	T5ZI0080
5342	釀	FCEE	A88E	688F	1-7C6E	T5ZJ0080
5343	鑪	FCEF	A88F	6890	1-7C6F	T5ZK0080
5344	靈	FCF0	A890	6891	1-7C70	T5ZL0080
5345	靈	FCF1	A891	6892	1-7C71	T5ZM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 11 (Page 33 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5346	靄	FCF2	A892	6893	1-7C72	T5ZN0080
5347	靄	FCF3	A893	6894	1-7C73	T5ZO0080
5348	靄	FCF4	A894	6895	1-7C74	T5ZP0080
5349	靄	FCF5	A895	6896	1-7C75	T5ZQ0080
5350	靄	FCF6	A896	6897	1-7C76	T5ZR0080
5351	靄	FCF7	A897	6898	1-7C77	T5ZS0080
5352	靄	FCF8	A898	6899	1-7C78	T5ZT0080
5353	靄	FCF9	A899	689A	1-7C79	T5ZU0080
5354	靄	FCFA	A89A	689B	1-7C7A	T5ZV0080
5355	靄	FCFB	A89B	689C	1-7C7B	T5ZW0080
5356	靄	FCFC	A89C	689D	1-7C7C	T5ZX0080
5357	靄	FCFD	A89D	689E	1-7C7D	T5ZY0080
5358	靄	FCFE	A89E	689F	1-7C7E	T5ZZ0080
5359	靄	FDA1	A89F	68A0	1-7D21	T6000080
5360	靄	FDA2	A8A0	68A1	1-7D22	T6010080
5361	靄	FDA3	A8A1	68A2	1-7D23	T6020080
5362	靄	FDA4	A8A2	68A3	1-7D24	T6030080
5363	靄	FDA5	A8A3	68A4	1-7D25	T6040080
5364	靄	FDA6	A8A4	68A5	1-7D26	T6050080
5365	靄	FDA7	A8A5	68A6	1-7D27	T6060080
5366	靄	FDA8	A8A6	68A7	1-7D28	T6070080
5367	靄	FDA9	A8A7	68A8	1-7D29	T6080080
5368	靄	FDAA	A8A8	68A9	1-7D2A	T6090080
5369	靄	FDAB	A8A9	68AA	1-7D2B	T60A0080
5370	靄	FDAC	A8AA	68AB	1-7D2C	T60B0080
5371	靄	FDAD	A8AB	68AC	1-7D2D	T60C0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 11 (Page 34 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5372	饒	FDAE	A8AC	68AD	1-7D2E	T60D0080
5373	饒	FDAF	A8AD	68AE	1-7D2F	T60E0080
5374	饒	FDB0	A8AE	68AF	1-7D30	T60F0080
5375	饒	FDB1	A8AF	68B0	1-7D31	T60G0080
5376	灑	FDB2	A8B0	68B1	1-7D32	T60H0080
5377	灑	FDB3	A8B1	68B2	1-7D33	T60I0080
5378	灑	FDB4	A8B2	68B3	1-7D34	T60J0080
5379	灑	FDB5	A8B3	68B4	1-7D35	T60K0080
5380	灑	FDB6	A8B4	68B5	1-7D36	T60L0080
5381	灑	FDB7	A8B5	68B6	1-7D37	T60M0080
5382	灑	FDB8	A8B6	68B7	1-7D38	T60N0080
5383	灑	FDB9	A8B7	68B8	1-7D39	T60O0080
5384	灑	FDBA	A8B8	68B9	1-7D3A	T60P0080
5385	灑	FDBB	A8B9	68BA	1-7D3B	T60Q0080
5386	灑	FDBC	A8BA	68BB	1-7D3C	T60R0080
5387	灑	FDBD	A8BB	68BC	1-7D3D	T60S0080
5388	灑	FDBE	A8BC	68BD	1-7D3E	T60T0080
5389	灑	FDBF	A8BD	68BE	1-7D3F	T60U0080
5390	灑	FDC0	A8BE	68BF	1-7D40	T60V0080
5391	灑	FDC1	A8BF	68C0	1-7D41	T60W0080
5392	灑	FDC2	A8C0	68C1	1-7D42	T60X0080
5393	灑	FDC3	A8C1	68C2	1-7D43	T60Y0080
5394	灑	FDC4	A8C2	68C3	1-7D44	T60Z0080
5395	灑	FDC5	A8C3	68C4	1-7D45	T6100080
5396	灑	FDC6	A8C4	68C5	1-7D46	T6110080
5397	灑	FDC7	A8C5	68C6	1-7D47	T6120080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 11 (Page 35 of 35). Primary (CNS 11643 Plane 1) Chinese Set (5 of 5), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5398	鬱	FDC8	A8C6	68C7	1-7D48	T6130080
5399	鶴	FDC9	A8C7	68C8	1-7D49	T6140080
5400	鸞	FDCA	A8C8	68C9	1-7D4A	T6150080
5401	籟	FDCB	A8C9	68CA	1-7D4B	T6160080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

11. CNS 11643 Remainder Set (G2 Code Set of CH-T EUC)***11.1 Secondary (CNS 11643 Plane 2) Chinese Character Set*****Table 12 (Page 1 of 44).** Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1	乂	A2A1A1	A940	6941	2-2121	T62P0080
2	乚	A2A1A2	A941	6942	2-2122	T62Q0080
3	凵	A2A1A3	A942	6943	2-2123	T62R0080
4	匸	A2A1A4	A943	6944	2-2124	T62S0080
5	厂	A2A1A5	A944	6945	2-2125	T62T0080
6	万	A2A1A6	A945	6946	2-2126	T62U0080
7	冫	A2A1A7	A946	6947	2-2127	T62V0080
8	乇	A2A1A8	A947	6948	2-2128	T62W0080
9	亍	A2A1A9	A948	6949	2-2129	T62X0080
10	口	A2A1AA	A949	694A	2-212A	T62Y0080
11	中	A2A1AB	A94B	694C	2-212B	T6300080
12	彳	A2A1AC	A94C	694D	2-212C	T6310080
13	冫	A2A1AD	A94D	694E	2-212D	T6320080
14	攴	A2A1AE	A94E	694F	2-212E	T6330080
15	与	A2A1AF	A94F	6950	2-212F	T6340080
16	冫	A2A1B0	A950	6951	2-2130	T6350080
17	亍	A2A1B1	A951	6952	2-2131	T6360080
18	仂	A2A1B2	A952	6953	2-2132	T6370080
19	仇	A2A1B3	A953	6954	2-2133	T6380080
20	佩	A2A1B4	A954	6955	2-2134	T6390080
21	宄	A2A1B5	A955	6956	2-2135	T63A0080
22	矧	A2A1B6	A956	6957	2-2136	T63B0080
23	印	A2A1B7	A957	6958	2-2137	T63C0080
24	𧈧	A2A1B8	A958	6959	2-2138	T63D0080
25	圪	A2A1B9	A959	695A	2-2139	T63E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 2 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
26	殳	A2A1BA	A95A	695B	2-213A	T63F0080
27	夬	A2A1BB	A95B	695C	2-213B	T63G0080
28	心	A2A1BC	A95C	695D	2-213C	T63H0080
29	市	A2A1BD	A95D	695E	2-213D	T63I0080
30	无	A2A1BE	A95E	695F	2-213E	T63J0080
31	爰	A2A1BF	A95F	6960	2-213F	T63K0080
32	母	A2A1C0	A960	6961	2-2140	T63L0080
33	气	A2A1C1	A961	6962	2-2141	T63M0080
34	月	A2A1C2	A962	6963	2-2142	T63N0080
35	卯	A2A1C3	A963	6964	2-2143	T63O0080
36	井	A2A1C4	A964	6965	2-2144	T63P0080
37	仨	A2A1C5	A965	6966	2-2145	T63Q0080
38	仞	A2A1C6	A966	6967	2-2146	T63R0080
39	仕	A2A1C7	A967	6968	2-2147	T63S0080
40	仡	A2A1C8	A968	6969	2-2148	T63T0080
41	仝	A2A1C9	A969	696A	2-2149	T63U0080
42	仞	A2A1CA	A96A	696B	2-214A	T63V0080
43	刂	A2A1CB	A96B	696C	2-214B	T63W0080
44	刳	A2A1CC	A99D	699E	2-214C	T65A0080
45	匚	A2A1CD	A96C	696D	2-214D	T63X0080
46	冊	A2A1CE	A96D	696E	2-214E	T63Y0080
47	玓	A2A1CF	A96E	696F	2-214F	T63Z0080
48	圣	A2A1D0	A96F	6970	2-2150	T6400080
49	夬	A2A1D1	A970	6971	2-2151	T6410080
50	夆	A2A1D2	A971	6972	2-2152	T6420080
51	宁	A2A1D3	A972	6973	2-2153	T6430080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 3 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
52	宄	A2A1D4	A973	6974	2-2154	T6440080
53	余	A2A1D5	A974	6975	2-2155	T6450080
54	尻	A2A1D6	A975	6976	2-2156	T6460080
55	另	A2A1D7	A976	6977	2-2157	T6470080
56	畚	A2A1D8	A977	6978	2-2158	T6480080
57	幘	A2A1D9	A978	6979	2-2159	T6490080
58	庀	A2A1DA	A979	697A	2-215A	T64A0080
59	庖	A2A1DB	A97A	697B	2-215B	T64B0080
60	忉	A2A1DC	A97B	697C	2-215C	T64C0080
61	戍	A2A1DD	A97C	697D	2-215D	T64D0080
62	扌	A2A1DE	A97D	697E	2-215E	T64E0080
63	气	A2A1DF	A97E	697F	2-215F	T64F0080
64	丞	A2A1E0	A980	6981	2-2160	T64H0080
65	汎	A2A1E1	A981	6982	2-2161	T64I0080
66	洧	A2A1E2	A982	6983	2-2162	T64J0080
67	泐	A2A1E3	A983	6984	2-2163	T64K0080
68	汶	A2A1E4	A984	6985	2-2164	T64L0080
69	洧	A2A1E5	A985	6986	2-2165	T64M0080
70	壬	A2A1E6	A986	6987	2-2166	T64N0080
71	冂	A2A1E7	A987	6988	2-2167	T64O0080
72	肫	A2A1E8	A988	6989	2-2168	T64P0080
73	防	A2A1E9	A989	698A	2-2169	T64Q0080
74	伎	A2A1EA	A98A	698B	2-216A	T64R0080
75	优	A2A1EB	A98B	698C	2-216B	T64S0080
76	伋	A2A1EC	A98C	698D	2-216C	T64T0080
77	件	A2A1ED	A98D	698E	2-216D	T64U0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 4 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
78	伉	A2A1EE	A98E	698F	2-216E	T64V0080
79	伶	A2A1EF	A98F	6990	2-216F	T64W0080
80	佂	A2A1F0	A990	6991	2-2170	T64X0080
81	价	A2A1F1	A991	6992	2-2171	T64Y0080
82	佂	A2A1F2	A992	6993	2-2172	T64Z0080
83	佂	A2A1F3	A993	6994	2-2173	T6500080
84	佂	A2A1F4	A994	6995	2-2174	T6510080
85	佂	A2A1F5	A995	6996	2-2175	T6520080
86	佂	A2A1F6	A996	6997	2-2176	T6530080
87	佂	A2A1F7	A997	6998	2-2177	T6540080
88	佂	A2A1F8	A998	6999	2-2178	T6550080
89	佂	A2A1F9	A999	699A	2-2179	T6560080
90	佂	A2A1FA	A99A	699B	2-217A	T6570080
91	洳	A2A1FB	A99B	699C	2-217B	T6580080
92	剂	A2A1FC	A99C	699D	2-217C	T6590080
93	刑	A2A1FD	A99E	699F	2-217D	T65B0080
94	荔	A2A1FE	A99F	69A0	2-217E	T65C0080
95	囿	A2A2A1	A9A0	69A1	2-2221	T65D0080
96	圀	A2A2A2	A9A1	69A2	2-2222	T65E0080
97	圀	A2A2A3	A9A2	69A3	2-2223	T65F0080
98	圀	A2A2A4	A9A3	69A4	2-2224	T65G0080
99	圀	A2A2A5	A9A4	69A5	2-2225	T65H0080
100	囿	A2A2A6	A9A5	69A6	2-2226	T65I0080
101	囿	A2A2A7	A9A6	69A7	2-2227	T65J0080
102	圀	A2A2A8	A9A7	69A8	2-2228	T65K0080
103	圀	A2A2A9	A9A8	69A9	2-2229	T65L0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 5 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
104	均	A2A2AA	A9A9	69AA	2-222A	T65M0080
105	乔	A2A2AB	A9AA	69AB	2-222B	T65N0080
106	改	A2A2AC	A9AB	69AC	2-222C	T65O0080
107	妩	A2A2AD	A9AC	69AD	2-222D	T65P0080
108	虹	A2A2AE	A9AD	69AE	2-222E	T65Q0080
109	媼	A2A2AF	A9AE	69AF	2-222F	T65R0080
110	妯	A2A2B0	A9AF	69B0	2-2230	T65S0080
111	妍	A2A2B1	A9B0	69B1	2-2231	T65T0080
112	媿	A2A2B2	A9B1	69B2	2-2232	T65U0080
113	孖	A2A2B3	A9B2	69B3	2-2233	T65V0080
114	朶	A2A2B4	A9B3	69B4	2-2234	T65W0080
115	尅	A2A2B5	A9B4	69B5	2-2235	T65X0080
116	岬	A2A2B6	A9B5	69B6	2-2236	T65Y0080
117	岬	A2A2B7	A9B6	69B7	2-2237	T65Z0080
118	岬	A2A2B8	A9B7	69B8	2-2238	T6600080
119	岬	A2A2B9	A9B8	69B9	2-2239	T6610080
120	亢	A2A2BA	A9B9	69BA	2-223A	T6620080
121	开	A2A2BB	A9BA	69BB	2-223B	T6630080
122	庄	A2A2BC	A9BB	69BC	2-223C	T6640080
123	鼻	A2A2BD	A9BC	69BD	2-223D	T6650080
124	甯	A2A2BE	A9BD	69BE	2-223E	T6660080
125	徇	A2A2BF	A9BE	69BF	2-223F	T6670080
126	怵	A2A2C0	A9BF	69C0	2-2240	T6680080
127	忤	A2A2C1	A9C0	69C1	2-2241	T6690080
128	忤	A2A2C2	A9C1	69C2	2-2242	T66A0080
129	扌	A2A2C3	A9C3	69C4	2-2243	T66C0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 6 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
130	扌	A2A2C4	A9C4	69C5	2-2244	T66D0080
131	扌	A2A2C5	A9C5	69C6	2-2245	T66E0080
132	扌	A2A2C6	A9C6	69C7	2-2246	T66F0080
133	扌	A2A2C7	A9C7	69C8	2-2247	T66G0080
134	扌	A2A2C8	A9C8	69C9	2-2248	T66H0080
135	扌	A2A2C9	A9C9	69CA	2-2249	T66I0080
136	扌	A2A2CA	A9CA	69CB	2-224A	T66J0080
137	扌	A2A2CB	A9CB	69CC	2-224B	T66K0080
138	扌	A2A2CC	A9C2	69C3	2-224C	T66B0080
139	攷	A2A2CD	AAB7	6AB8	2-224D	T66C0080
140	晃	A2A2CE	A9CC	69CD	2-224E	T66L0080
141	杳	A2A2CF	A9CD	69CE	2-224F	T66M0080
142	杓	A2A2D0	A9CE	69CF	2-2250	T66N0080
143	杓	A2A2D1	A9CF	69D0	2-2251	T66O0080
144	杓	A2A2D2	A9D0	69D1	2-2252	T66P0080
145	杓	A2A2D3	A9D1	69D2	2-2253	T66Q0080
146	机	A2A2D4	A9D2	69D3	2-2254	T66R0080
147	束	A2A2D5	A9D3	69D4	2-2255	T66S0080
148	杓	A2A2D6	A9D4	69D5	2-2256	T66T0080
149	杓	A2A2D7	A9D5	69D6	2-2257	T66U0080
150	氽	A2A2D8	A9D6	69D7	2-2258	T66V0080
151	氽	A2A2D9	A9D7	69D8	2-2259	T66W0080
152	汙	A2A2DA	A9D8	69D9	2-225A	T66X0080
153	汙	A2A2DB	A9D9	69DA	2-225B	T66Y0080
154	汰	A2A2DC	A9DA	69DB	2-225C	T66Z0080
155	浚	A2A2DD	A9DB	69DC	2-225D	T6700080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 7 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
156	汜	A2A2DE	A9DC	69DD	2-225E	T6710080
157	洵	A2A2DF	A9DD	69DE	2-225F	T6720080
158	洲	A2A2E0	A9DE	69DF	2-2260	T6730080
159	剡	A2A2E1	A9DF	69E0	2-2261	T6740080
160	勃	A2A2E2	A9E0	69E1	2-2262	T6750080
161	犴	A2A2E3	A9E1	69E2	2-2263	T6760080
162	犵	A2A2E4	A9E2	69E3	2-2264	T6770080
163	玎	A2A2E5	A9E3	69E4	2-2265	T6780080
164	甬	A2A2E6	A9E4	69E5	2-2266	T6790080
165	虬	A2A2E7	A9E5	69E6	2-2267	T67A0080
166	窆	A2A2E8	A9E6	69E7	2-2268	T67B0080
167	网	A2A2E9	A9E7	69E8	2-2269	T67C0080
168	艸	A2A2EA	A9E8	69E9	2-226A	T67D0080
169	芋	A2A2EB	A9E9	69EA	2-226B	T67E0080
170	芳	A2A2EC	A9EA	69EB	2-226C	T67F0080
171	茆	A2A2ED	A9EB	69EC	2-226D	T67G0080
172	茈	A2A2EE	A9EC	69ED	2-226E	T67H0080
173	虍	A2A2EF	A9ED	69EE	2-226F	T67I0080
174	𠂇	A2A2F0	A9EE	69EF	2-2270	T67J0080
175	邨	A2A2F1	A9EF	69F0	2-2271	T67K0080
176	邨	A2A2F2	A9F0	69F1	2-2272	T67L0080
177	邨	A2A2F3	A9F1	69F2	2-2273	T67M0080
178	邨	A2A2F4	A9F2	69F3	2-2274	T67N0080
179	邨	A2A2F5	A9F3	69F4	2-2275	T67O0080
180	阢	A2A2F6	A9F4	69F5	2-2276	T67P0080
181	阣	A2A2F7	A9F5	69F6	2-2277	T67Q0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 8 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
182	阢	A2A2F8	A9F6	69F7	2-2278	T67R0080
183	阣	A2A2F9	A9F7	69F8	2-2279	T67S0080
184	佻	A2A2FA	A9F8	69F9	2-227A	T67T0080
185	佺	A2A2FB	A9F9	69FA	2-227B	T67U0080
186	佻	A2A2FC	A9FA	69FB	2-227C	T67V0080
187	佽	A2A2FD	A9FB	69FC	2-227D	T67W0080
188	体	A2A2FE	A9FC	69FD	2-227E	T67X0080
189	佻	A2A3A1	AA40	6A41	2-2321	T6810080
190	佺	A2A3A2	AA41	6A42	2-2322	T6820080
191	佻	A2A3A3	AA42	6A43	2-2323	T6830080
192	佽	A2A3A4	AA43	6A44	2-2324	T6840080
193	佻	A2A3A5	AA44	6A45	2-2325	T6850080
194	佺	A2A3A6	AA45	6A46	2-2326	T6860080
195	佻	A2A3A7	AA46	6A47	2-2327	T6870080
196	佽	A2A3A8	AA47	6A48	2-2328	T6880080
197	佻	A2A3A9	AA48	6A49	2-2329	T6890080
198	佺	A2A3AA	AA49	6A4A	2-232A	T68A0080
199	佻	A2A3AB	AA4A	6A4B	2-232B	T68B0080
200	佽	A2A3AC	AA4B	6A4C	2-232C	T68C0080
201	佻	A2A3AD	AA4C	6A4D	2-232D	T68D0080
202	佺	A2A3AE	AA4D	6A4E	2-232E	T68E0080
203	佻	A2A3AF	AA4E	6A4F	2-232F	T68F0080
204	佽	A2A3B0	AA4F	6A50	2-2330	T68G0080
205	佻	A2A3B1	AA50	6A51	2-2331	T68H0080
206	佺	A2A3B2	AA51	6A52	2-2332	T68I0080
207	佻	A2A3B3	AA52	6A53	2-2333	T68J0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 9 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
208	卣	A2A3B4	AA53	6A54	2-2334	T68K0080
209	郤	A2A3B5	AA54	6A55	2-2335	T68L0080
210	底	A2A3B6	AA55	6A56	2-2336	T68M0080
211	斥	A2A3B7	AA56	6A57	2-2337	T68N0080
212	呔	A2A3B8	AA57	6A58	2-2338	T68O0080
213	映	A2A3B9	AA58	6A59	2-2339	T68P0080
214	吡	A2A3BA	AA59	6A5A	2-233A	T68Q0080
215	昧	A2A3BB	AA5A	6A5B	2-233B	T68R0080
216	咬	A2A3BC	AA5B	6A5C	2-233C	T68S0080
217	吹	A2A3BD	AA5C	6A5D	2-233D	T68T0080
218	咀	A2A3BE	AA5D	6A5E	2-233E	T68U0080
219	呸	A2A3BF	AA5E	6A5F	2-233F	T68V0080
220	呿	A2A3C0	AA5F	6A60	2-2340	T68W0080
221	吡	A2A3C1	AA60	6A61	2-2341	T68X0080
222	哏	A2A3C2	AA61	6A62	2-2342	T68Y0080
223	陶	A2A3C3	AA62	6A63	2-2343	T68Z0080
224	吨	A2A3C4	AA63	6A64	2-2344	T6900080
225	哏	A2A3C5	AA64	6A65	2-2345	T6910080
226	沓	A2A3C6	AA65	6A66	2-2346	T6920080
227	囿	A2A3C7	AA66	6A67	2-2347	T6930080
228	囿	A2A3C8	AA67	6A68	2-2348	T6940080
229	园	A2A3C9	AA68	6A69	2-2349	T6950080
230	坻	A2A3CA	AA69	6A6A	2-234A	T6960080
231	垠	A2A3CB	AA6A	6A6B	2-234B	T6970080
232	垒	A2A3CC	AA6B	6A6C	2-234C	T6980080
233	垠	A2A3CD	AA6C	6A6D	2-234D	T6990080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 10 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
234	塀	A2A3CE	AA6D	6A6E	2-234E	T69A0080
235	塀	A2A3CF	AA6E	6A6F	2-234F	T69B0080
236	峯	A2A3D0	AA6F	6A70	2-2350	T69C0080
237	癸	A2A3D1	AA70	6A71	2-2351	T69D0080
238	姘	A2A3D2	AA71	6A72	2-2352	T69E0080
239	姘	A2A3D3	AA72	6A73	2-2353	T69F0080
240	姘	A2A3D4	AA73	6A74	2-2354	T69G0080
241	姘	A2A3D5	AA74	6A75	2-2355	T69H0080
242	姘	A2A3D6	AA75	6A76	2-2356	T69I0080
243	姘	A2A3D7	AA76	6A77	2-2357	T69J0080
244	姘	A2A3D8	AA77	6A78	2-2358	T69K0080
245	姘	A2A3D9	AA78	6A79	2-2359	T69L0080
246	姘	A2A3DA	AA79	6A7A	2-235A	T69M0080
247	姘	A2A3DB	AA7A	6A7B	2-235B	T69N0080
248	突	A2A3DC	AA7B	6A7C	2-235C	T69O0080
249	宅	A2A3DD	AA7C	6A7D	2-235D	T69P0080
250	尅	A2A3DE	AA7D	6A7E	2-235E	T69Q0080
251	尅	A2A3DF	AA7E	6A7F	2-235F	T69R0080
252	岍	A2A3E0	AA80	6A81	2-2360	T69T0080
253	岍	A2A3E1	AA81	6A82	2-2361	T69U0080
254	岍	A2A3E2	AA82	6A83	2-2362	T69V0080
255	岍	A2A3E3	AA83	6A84	2-2363	T69W0080
256	岍	A2A3E4	AA84	6A85	2-2364	T69X0080
257	岍	A2A3E5	AA85	6A86	2-2365	T69Y0080
258	岍	A2A3E6	AA86	6A87	2-2366	T69Z0080
259	岍	A2A3E7	AA87	6A88	2-2367	T6A00080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 11 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
260	岍	A2A3E8	AA88	6A89	2-2368	T6A10080
261	界	A2A3E9	AA89	6A8A	2-2369	T6A20080
262	逕	A2A3EA	AA8A	6A8B	2-236A	T6A30080
263	吧	A2A3EB	AA8B	6A8C	2-236B	T6A40080
264	忱	A2A3EC	AA8C	6A8D	2-236C	T6A50080
265	度	A2A3ED	AA8D	6A8E	2-236D	T6A60080
266	庀	A2A3EE	AA8E	6A8F	2-236E	T6A70080
267	庖	A2A3EF	AA8F	6A90	2-236F	T6A80080
268	庖	A2A3F0	AA90	6A91	2-2370	T6A90080
269	庖	A2A3F1	AA91	6A92	2-2371	T6AA0080
270	舛	A2A3F2	AA92	6A93	2-2372	T6AB0080
271	駝	A2A3F3	AA93	6A94	2-2373	T6AC0080
272	徂	A2A3F4	AA94	6A95	2-2374	T6AD0080
273	徂	A2A3F5	AA95	6A96	2-2375	T6AE0080
274	忒	A2A3F6	AA96	6A97	2-2376	T6AF0080
275	忒	A2A3F7	AA97	6A98	2-2377	T6AG0080
276	志	A2A3F8	AA98	6A99	2-2378	T6AH0080
277	忒	A2A3F9	AA99	6A9A	2-2379	T6AI0080
278	忒	A2A3FA	AA9A	6A9B	2-237A	T6AJ0080
279	忒	A2A3FB	AA9B	6A9C	2-237B	T6AK0080
280	忒	A2A3FC	AA9C	6A9D	2-237C	T6AL0080
281	忒	A2A3FD	AA9D	6A9E	2-237D	T6AM0080
282	忒	A2A3FE	AA9E	6A9F	2-237E	T6AN0080
283	忒	A2A4A1	AA9F	6AA0	2-2421	T6AO0080
284	忒	A2A4A2	AAA0	6AA1	2-2422	T6AP0080
285	忒	A2A4A3	AAA1	6AA2	2-2423	T6AQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 12 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
286	愴	A2A4A4	AAA2	6AA3	2-2424	T6AR0080
287	忻	A2A4A5	AAA3	6AA4	2-2425	T6AS0080
288	怀	A2A4A6	AAA4	6AA5	2-2426	T6AT0080
289	忸	A2A4A7	AAA5	6AA6	2-2427	T6AU0080
290	庀	A2A4A8	AAA6	6AA7	2-2428	T6AV0080
291	拊	A2A4A9	AAA7	6AA8	2-2429	T6AW0080
292	抚	A2A4AA	AAA8	6AA9	2-242A	T6AX0080
293	扞	A2A4AB	AAA9	6AAA	2-242B	T6AY0080
294	抗	A2A4AC	AAAA	6AAB	2-242C	T6AZ0080
295	坏	A2A4AD	AAAB	6AAC	2-242D	T6B00080
296	扌	A2A4AE	AAAC	6AAD	2-242E	T6B10080
297	扱	A2A4AF	AAAD	6AAE	2-242F	T6B20080
298	扌	A2A4B0	AAAE	6AAF	2-2430	T6B30080
299	抵	A2A4B1	AAAF	6AB0	2-2431	T6B40080
300	抚	A2A4B2	AAB0	6AB1	2-2432	T6B50080
301	抚	A2A4B3	AAB1	6AB2	2-2433	T6B60080
302	扌	A2A4B4	AAB2	6AB3	2-2434	T6B70080
303	抚	A2A4B5	AAB3	6AB4	2-2435	T6B80080
304	扌	A2A4B6	AAB4	6AB5	2-2436	T6B90080
305	扌	A2A4B7	AAB5	6AB6	2-2437	T6BA0080
306	拊	A2A4B8	AAB6	6AB7	2-2438	T6BB0080
307	扌	A2A4B9	AAB8	6AB9	2-2439	T6BD0080
308	扌	A2A4BA	AAB9	6ABA	2-243A	T6BE0080
309	昫	A2A4BB	AABA	6ABB	2-243B	T6BF0080
310	昊	A2A4BC	AABB	6ABC	2-243C	T6BG0080
311	昂	A2A4BD	AABC	6ABD	2-243D	T6BH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 13 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
312	杼	A2A4BE	AABD	6ABE	2-243E	T6BI0080
313	朽	A2A4BF	AABE	6ABF	2-243F	T6BJ0080
314	杙	A2A4C0	AABF	6AC0	2-2440	T6BK0080
315	杖	A2A4C1	AAC0	6AC1	2-2441	T6BL0080
316	杙	A2A4C2	AAC1	6AC2	2-2442	T6BM0080
317	杈	A2A4C3	AAC2	6AC3	2-2443	T6BN0080
318	柈	A2A4C4	AAC3	6AC4	2-2444	T6BO0080
319	杼	A2A4C5	AAC4	6AC5	2-2445	T6BP0080
320	柈	A2A4C6	AAC5	6AC6	2-2446	T6BQ0080
321	杙	A2A4C7	AAC6	6AC7	2-2447	T6BR0080
322	毒	A2A4C8	AAC7	6AC8	2-2448	T6BS0080
323	氫	A2A4C9	AAC8	6AC9	2-2449	T6BT0080
324	氫	A2A4CA	AAC9	6ACA	2-244A	T6BU0080
325	汧	A2A4CB	AACA	6ACB	2-244B	T6BV0080
326	汧	A2A4CC	AACB	6ACC	2-244C	T6BW0080
327	汧	A2A4CD	AACC	6ACD	2-244D	T6BX0080
328	汧	A2A4CE	AACD	6ACE	2-244E	T6BY0080
329	汧	A2A4CF	AACE	6ACF	2-244F	T6BZ0080
330	洳	A2A4D0	AACF	6AD0	2-2450	T6C00080
331	洳	A2A4D1	AAD0	6AD1	2-2451	T6C10080
332	洳	A2A4D2	AAD1	6AD2	2-2452	T6C20080
333	洳	A2A4D3	AAD2	6AD3	2-2453	T6C30080
334	洳	A2A4D4	AAD3	6AD4	2-2454	T6C40080
335	洳	A2A4D5	AAD4	6AD5	2-2455	T6C50080
336	洳	A2A4D6	AAD5	6AD6	2-2456	T6C60080
337	洳	A2A4D7	AAD6	6AD7	2-2457	T6C70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 14 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
338	泝	A2A4D8	AAD7	6AD8	2-2458	T6C80080
339	泝	A2A4D9	AAD8	6AD9	2-2459	T6C90080
340	泝	A2A4DA	AAD9	6ADA	2-245A	T6CA0080
341	泝	A2A4DB	AADA	6ADB	2-245B	T6CB0080
342	泝	A2A4DC	AADB	6ADC	2-245C	T6CC0080
343	泝	A2A4DD	AADC	6ADD	2-245D	T6CD0080
344	泝	A2A4DE	AADD	6ADE	2-245E	T6CE0080
345	泝	A2A4DF	AADE	6ADF	2-245F	T6CF0080
346	泝	A2A4E0	AADF	6AE0	2-2460	T6CG0080
347	泝	A2A4E1	AAE0	6AE1	2-2461	T6CH0080
348	泝	A2A4E2	AAE1	6AE2	2-2462	T6CI0080
349	泝	A2A4E3	AAE2	6AE3	2-2463	T6CJ0080
350	泝	A2A4E4	AAE3	6AE4	2-2464	T6CK0080
351	泝	A2A4E5	AAE4	6AE5	2-2465	T6CL0080
352	泝	A2A4E6	AAE5	6AE6	2-2466	T6CM0080
353	泝	A2A4E7	AAE6	6AE7	2-2467	T6CN0080
354	泝	A2A4E8	AAE7	6AE8	2-2468	T6CO0080
355	泝	A2A4E9	AAE8	6AE9	2-2469	T6CP0080
356	泝	A2A4EA	AAE9	6AEA	2-246A	T6CQ0080
357	泝	A2A4EB	AAEA	6AEB	2-246B	T6CR0080
358	泝	A2A4EC	AAEB	6AEC	2-246C	T6CS0080
359	泝	A2A4ED	AAEC	6AED	2-246D	T6CT0080
360	泝	A2A4EE	AAED	6AEE	2-246E	T6CU0080
361	泝	A2A4EF	AAEE	6AEF	2-246F	T6CV0080
362	泝	A2A4F0	AAEF	6AF0	2-2470	T6CW0080
363	泝	A2A4F1	AAF0	6AF1	2-2471	T6CX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 12 (Page 15 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
364	祜	A2A4F2	AAF1	6AF2	2-2472	T6CY0080
365	聒	A2A4F3	AAF2	6AF3	2-2473	T6CZ0080
366	聒	A2A4F4	AAF3	6AF4	2-2474	T6D00080
367	聒	A2A4F5	AAF4	6AF5	2-2475	T6D10080
368	聒	A2A4F6	AAF5	6AF6	2-2476	T6D20080
369	聒	A2A4F7	AAF6	6AF7	2-2477	T6D30080
370	聒	A2A4F8	AAF7	6AF8	2-2478	T6D40080
371	聒	A2A4F9	AAF8	6AF9	2-2479	T6D50080
372	聒	A2A4FA	AAF9	6AFA	2-247A	T6D60080
373	聒	A2A4FB	AAFA	6AFB	2-247B	T6D70080
374	聒	A2A4FC	AAFB	6AFC	2-247C	T6D80080
375	聒	A2A4FD	AAFC	6AFD	2-247D	T6D90080
376	聒	A2A4FE	AB40	6B41	2-247E	T6DD0080
377	聒	A2A5A1	AB41	6B42	2-2521	T6DE0080
378	聒	A2A5A2	AB42	6B43	2-2522	T6DF0080
379	聒	A2A5A3	AB43	6B44	2-2523	T6DG0080
380	聒	A2A5A4	AB44	6B45	2-2524	T6DH0080
381	聒	A2A5A5	AB45	6B46	2-2525	T6DI0080
382	聒	A2A5A6	AB46	6B47	2-2526	T6DJ0080
383	聒	A2A5A7	AB47	6B48	2-2527	T6DK0080
384	聒	A2A5A8	AB48	6B49	2-2528	T6DL0080
385	聒	A2A5A9	AB49	6B4A	2-2529	T6DM0080
386	聒	A2A5AA	AB4A	6B4B	2-252A	T6DN0080
387	聒	A2A5AB	AB4B	6B4C	2-252B	T6DO0080
388	聒	A2A5AC	AB4C	6B4D	2-252C	T6DP0080
389	聒	A2A5AD	AB4D	6B4E	2-252D	T6DQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 16 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
390	阨	A2A5AE	AB4E	6B4F	2-252E	T6DR0080
391	阨	A2A5AF	AB4F	6B50	2-252F	T6DS0080
392	阨	A2A5B0	AB50	6B51	2-2530	T6DT0080
393	𠄎	A2A5B1	AB51	6B52	2-2531	T6DU0080
394	𠄎	A2A5B2	AB52	6B53	2-2532	T6DV0080
395	𠄎	A2A5B3	AB53	6B54	2-2533	T6DW0080
396	𠄎	A2A5B4	AB54	6B55	2-2534	T6DX0080
397	𠄎	A2A5B5	AB55	6B56	2-2535	T6DY0080
398	𠄎	A2A5B6	AB56	6B57	2-2536	T6DZ0080
399	𠄎	A2A5B7	AB57	6B58	2-2537	T6E00080
400	𠄎	A2A5B8	AB58	6B59	2-2538	T6E10080
401	𠄎	A2A5B9	AB59	6B5A	2-2539	T6E20080
402	𠄎	A2A5BA	AB5A	6B5B	2-253A	T6E30080
403	𠄎	A2A5BB	AB5B	6B5C	2-253B	T6E40080
404	𠄎	A2A5BC	AB5C	6B5D	2-253C	T6E50080
405	𠄎	A2A5BD	AB5D	6B5E	2-253D	T6E60080
406	𠄎	A2A5BE	AB5E	6B5F	2-253E	T6E70080
407	𠄎	A2A5BF	AB5F	6B60	2-253F	T6E80080
408	𠄎	A2A5C0	AB60	6B61	2-2540	T6E90080
409	𠄎	A2A5C1	AB61	6B62	2-2541	T6EA0080
410	𠄎	A2A5C2	AB62	6B63	2-2542	T6EB0080
411	𠄎	A2A5C3	AB63	6B64	2-2543	T6EC0080
412	𠄎	A2A5C4	AB64	6B65	2-2544	T6ED0080
413	𠄎	A2A5C5	AB65	6B66	2-2545	T6EE0080
414	𠄎	A2A5C6	AB66	6B67	2-2546	T6EF0080
415	𠄎	A2A5C7	AB67	6B68	2-2547	T6EG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 17 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
416	倭	A2A5C8	AB68	6B69	2-2548	T6EH0080
417	侏	A2A5C9	AB69	6B6A	2-2549	T6EI0080
418	侑	A2A5CA	AB6A	6B6B	2-254A	T6EJ0080
419	倮	A2A5CB	AB6B	6B6C	2-254B	T6EK0080
420	倻	A2A5CC	AB6C	6B6D	2-254C	T6EL0080
421	冢	A2A5CD	AB6D	6B6E	2-254D	T6EM0080
422	洗	A2A5CE	AB6E	6B6F	2-254E	T6EN0080
423	冶	A2A5CF	AB6F	6B70	2-254F	T6EO0080
424	刵	A2A5D0	AB70	6B71	2-2550	T6EP0080
425	刼	A2A5D1	AB71	6B72	2-2551	T6EQ0080
426	劓	A2A5D2	AB72	6B73	2-2552	T6ER0080
427	劓	A2A5D3	AB73	6B74	2-2553	T6ES0080
428	扌	A2A5D4	AB74	6B75	2-2554	T6ET0080
429	劓	A2A5D5	AB75	6B76	2-2555	T6EU0080
430	劓	A2A5D6	AB76	6B77	2-2556	T6EV0080
431	匄	A2A5D7	AB77	6B78	2-2557	T6EW0080
432	匄	A2A5D8	AB78	6B79	2-2558	T6EX0080
433	屈	A2A5D9	AB79	6B7A	2-2559	T6EY0080
434	屋	A2A5DA	AB7A	6B7B	2-255A	T6EZ0080
435	叻	A2A5DB	AB7B	6B7C	2-255B	T6F00080
436	呖	A2A5DC	AB7C	6B7D	2-255C	T6F10080
437	咁	A2A5DD	AB7D	6B7E	2-255D	T6F20080
438	咁	A2A5DE	AB7E	6B7F	2-255E	T6F30080
439	啞	A2A5DF	AB80	6B81	2-255F	T6F50080
440	啡	A2A5E0	AB81	6B82	2-2560	T6F60080
441	咕	A2A5E1	AB82	6B83	2-2561	T6F70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 18 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
442	吗	A2A5E2	AB83	6B84	2-2562	T6F80080
443	咱	A2A5E3	AB84	6B85	2-2563	T6F90080
444	哏	A2A5E4	AB85	6B86	2-2564	T6FA0080
445	哏	A2A5E5	AB86	6B87	2-2565	T6FB0080
446	哏	A2A5E6	AB87	6B88	2-2566	T6FC0080
447	哏	A2A5E7	AB88	6B89	2-2567	T6FD0080
448	咱	A2A5E8	AB89	6B8A	2-2568	T6FE0080
449	哏	A2A5E9	AB8A	6B8B	2-2569	T6FF0080
450	哏	A2A5EA	AB8B	6B8C	2-256A	T6FG0080
451	哏	A2A5EB	AB8C	6B8D	2-256B	T6FH0080
452	哏	A2A5EC	AB8D	6B8E	2-256C	T6FI0080
453	哏	A2A5ED	AB8E	6B8F	2-256D	T6FJ0080
454	哏	A2A5EE	AB8F	6B90	2-256E	T6FK0080
455	哏	A2A5EF	AB90	6B91	2-256F	T6FL0080
456	圪	A2A5F0	AB91	6B92	2-2570	T6FM0080
457	圪	A2A5F1	AB92	6B93	2-2571	T6FN0080
458	圪	A2A5F2	AB93	6B94	2-2572	T6FO0080
459	圪	A2A5F3	AB94	6B95	2-2573	T6FP0080
460	圪	A2A5F4	AB95	6B96	2-2574	T6FQ0080
461	圪	A2A5F5	AB96	6B97	2-2575	T6FR0080
462	圪	A2A5F6	AB97	6B98	2-2576	T6FS0080
463	圪	A2A5F7	AB98	6B99	2-2577	T6FT0080
464	圪	A2A5F8	AB99	6B9A	2-2578	T6FU0080
465	圪	A2A5F9	AB9A	6B9B	2-2579	T6FV0080
466	圪	A2A5FA	AB9B	6B9C	2-257A	T6FW0080
467	圪	A2A5FB	AB9C	6B9D	2-257B	T6FX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 19 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
468	坳	A2A5FC	AB9D	6B9E	2-257C	T6FY0080
469	壘	A2A5FD	AB9E	6B9F	2-257D	T6FZ0080
470	垸	A2A5FE	AB9F	6BA0	2-257E	T6G00080
471	垠	A2A6A1	ABA0	6BA1	2-2621	T6G10080
472	垡	A2A6A2	ABA1	6BA2	2-2622	T6G20080
473	垢	A2A6A3	ABA2	6BA3	2-2623	T6G30080
474	畀	A2A6A4	ABA3	6BA4	2-2624	T6G40080
475	娃	A2A6A5	ABA4	6BA5	2-2625	T6G50080
476	妹	A2A6A6	ABA5	6BA6	2-2626	T6G60080
477	媪	A2A6A7	ABA6	6BA7	2-2627	T6G70080
478	媧	A2A6A8	ABA7	6BA8	2-2628	T6G80080
479	姐	A2A6A9	ABA8	6BA9	2-2629	T6G90080
480	媯	A2A6AA	ABA9	6BAA	2-262A	T6GA0080
481	媾	A2A6AB	ABAA	6BAB	2-262B	T6GB0080
482	媿	A2A6AC	ABAB	6BAC	2-262C	T6GC0080
483	媾	A2A6AD	ABAC	6BAD	2-262D	T6GD0080
484	媿	A2A6AE	ABAD	6BAE	2-262E	T6GE0080
485	媿	A2A6AF	ABAE	6BAF	2-262F	T6GF0080
486	媿	A2A6B0	ABAF	6BB0	2-2630	T6GG0080
487	媿	A2A6B1	ABB0	6BB1	2-2631	T6GH0080
488	媿	A2A6B2	ABB1	6BB2	2-2632	T6GI0080
489	媿	A2A6B3	ABB2	6BB3	2-2633	T6GJ0080
490	媿	A2A6B4	ABB3	6BB4	2-2634	T6GK0080
491	媿	A2A6B5	ABB4	6BB5	2-2635	T6GL0080
492	媿	A2A6B6	ABB5	6BB6	2-2636	T6GM0080
493	媿	A2A6B7	ABB6	6BB7	2-2637	T6GN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 20 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
494	宓	A2A6B8	ABB7	6BB8	2-2638	T6GO0080
495	宕	A2A6B9	ABB8	6BB9	2-2639	T6GP0080
496	戾	A2A6BA	ABB9	6BBA	2-263A	T6GQ0080
497	届	A2A6BB	ABBA	6BBB	2-263B	T6GR0080
498	屹	A2A6BC	ABBB	6BBC	2-263C	T6GS0080
499	峽	A2A6BD	ABBC	6BBD	2-263D	T6GT0080
500	峿	A2A6BE	ABBD	6BBE	2-263E	T6GU0080
501	岵	A2A6BF	ABBE	6BBF	2-263F	T6GV0080
502	岈	A2A6C0	ABBF	6BC0	2-2640	T6GW0080
503	岨	A2A6C1	ABC0	6BC1	2-2641	T6GX0080
504	岬	A2A6C2	ABC1	6BC2	2-2642	T6GY0080
505	峽	A2A6C3	ABC2	6BC3	2-2643	T6GZ0080
506	岫	A2A6C4	ABC3	6BC4	2-2644	T6H00080
507	岭	A2A6C5	ABC4	6BC5	2-2645	T6H10080
508	岍	A2A6C6	ABC5	6BC6	2-2646	T6H20080
509	岎	A2A6C7	ABC6	6BC7	2-2647	T6H30080
510	岏	A2A6C8	ABC7	6BC8	2-2648	T6H40080
511	岙	A2A6C9	ABC8	6BC9	2-2649	T6H50080
512	岜	A2A6CA	ABC9	6BCA	2-264A	T6H60080
513	岝	A2A6CB	ABCA	6BCB	2-264B	T6H70080
514	岞	A2A6CC	ABCB	6BCC	2-264C	T6H80080
515	岟	A2A6CD	ABCC	6BCD	2-264D	T6H90080
516	岠	A2A6CE	ABCD	6BCE	2-264E	T6HA0080
517	岡	A2A6CF	ABCE	6BCF	2-264F	T6HB0080
518	岢	A2A6D0	ABCF	6BD0	2-2650	T6HC0080
519	岣	A2A6D1	ABD0	6BD1	2-2651	T6HD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 21 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
520	𠄎	A2A6D2	ABD1	6BD2	2-2652	T6HE0080
521	𠄏	A2A6D3	ABD2	6BD3	2-2653	T6HF0080
522	𠄐	A2A6D4	ABD3	6BD4	2-2654	T6HG0080
523	𠄑	A2A6D5	ABD4	6BD5	2-2655	T6HH0080
524	𠄒	A2A6D6	ABD5	6BD6	2-2656	T6HI0080
525	𠄓	A2A6D7	ABD6	6BD7	2-2657	T6HJ0080
526	𠄔	A2A6D8	ABD7	6BD8	2-2658	T6HK0080
527	𠄕	A2A6D9	ABD8	6BD9	2-2659	T6HL0080
528	𠄖	A2A6DA	ABD9	6BDA	2-265A	T6HM0080
529	𠄗	A2A6DB	ABDA	6BDB	2-265B	T6HN0080
530	𠄘	A2A6DC	ABDB	6BDC	2-265C	T6HO0080
531	𠄙	A2A6DD	ABDC	6BDD	2-265D	T6HP0080
532	𠄚	A2A6DE	ABDD	6BDE	2-265E	T6HQ0080
533	𠄛	A2A6DF	ABDE	6BDF	2-265F	T6HR0080
534	𠄜	A2A6E0	ABDF	6BE0	2-2660	T6HS0080
535	𠄝	A2A6E1	ABE0	6BE1	2-2661	T6HT0080
536	𠄞	A2A6E2	ABE1	6BE2	2-2662	T6HU0080
537	𠄟	A2A6E3	ABE2	6BE3	2-2663	T6HV0080
538	𠄠	A2A6E4	ABE3	6BE4	2-2664	T6HW0080
539	𠄡	A2A6E5	ABE4	6BE5	2-2665	T6HX0080
540	𠄢	A2A6E6	ABE5	6BE6	2-2666	T6HY0080
541	𠄣	A2A6E7	ABE6	6BE7	2-2667	T6HZ0080
542	𠄤	A2A6E8	ABE7	6BE8	2-2668	T6I00080
543	𠄥	A2A6E9	ABE8	6BE9	2-2669	T6I10080
544	𠄦	A2A6EA	ABE9	6BEA	2-266A	T6I20080
545	𠄧	A2A6EB	ABEA	6BEB	2-266B	T6I30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 22 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
546	悻	A2A6EC	ABEB	6BEC	2-266C	T6I40080
547	恠	A2A6ED	ABEC	6BED	2-266D	T6I50080
548	恡	A2A6EE	ABED	6BEE	2-266E	T6I60080
549	恣	A2A6EF	ABEE	6BEF	2-266F	T6I70080
550	戔	A2A6F0	ABEF	6BF0	2-2670	T6I80080
551	扞	A2A6F1	ABF0	6BF1	2-2671	T6I90080
552	抗	A2A6F2	ABF1	6BF2	2-2672	T6IA0080
553	批	A2A6F3	ABF2	6BF3	2-2673	T6IB0080
554	拊	A2A6F4	ABF3	6BF4	2-2674	T6IC0080
555	拈	A2A6F5	ABF4	6BF5	2-2675	T6ID0080
556	拊	A2A6F6	ABF5	6BF6	2-2676	T6IE0080
557	扶	A2A6F7	ABF6	6BF7	2-2677	T6IF0080
558	拊	A2A6F8	ABF7	6BF8	2-2678	T6IG0080
559	拈	A2A6F9	ABF8	6BF9	2-2679	T6IH0080
560	拈	A2A6FA	ABF9	6BFA	2-267A	T6II0080
561	拈	A2A6FB	ABFA	6BFB	2-267B	T6IJ0080
562	拈	A2A6FC	ABFB	6BFC	2-267C	T6IK0080
563	拈	A2A6FD	ABFC	6BFD	2-267D	T6IL0080
564	拈	A2A6FE	AC40	6C41	2-267E	T6IP0080
565	拈	A2A7A1	AC41	6C42	2-2721	T6IQ0080
566	拈	A2A7A2	AC42	6C43	2-2722	T6IR0080
567	拈	A2A7A3	AC43	6C44	2-2723	T6IS0080
568	拈	A2A7A4	AC44	6C45	2-2724	T6IT0080
569	拈	A2A7A5	AC45	6C46	2-2725	T6IU0080
570	拈	A2A7A6	AC46	6C47	2-2726	T6IV0080
571	拈	A2A7A7	AC47	6C48	2-2727	T6IW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 23 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
572	叻	A2A7A8	AC48	6C49	2-2728	T6IX0080
573	𠩺	A2A7A9	AC49	6C4A	2-2729	T6IY0080
574	旻	A2A7AA	AC4A	6C4B	2-272A	T6IZ0080
575	昞	A2A7AB	AC4B	6C4C	2-272B	T6J00080
576	香	A2A7AC	AC4C	6C4D	2-272C	T6J10080
577	𠩺	A2A7AD	AC4D	6C4E	2-272D	T6J20080
578	𠩺	A2A7AE	AC4E	6C4F	2-272E	T6J30080
579	𠩺	A2A7AF	AC4F	6C50	2-272F	T6J40080
580	𠩺	A2A7B0	AC50	6C51	2-2730	T6J50080
581	𠩺	A2A7B1	AC51	6C52	2-2731	T6J60080
582	𠩺	A2A7B2	AC52	6C53	2-2732	T6J70080
583	𠩺	A2A7B3	AC53	6C54	2-2733	T6J80080
584	𠩺	A2A7B4	AC54	6C55	2-2734	T6J90080
585	𠩺	A2A7B5	AC55	6C56	2-2735	T6JA0080
586	𠩺	A2A7B6	AC56	6C57	2-2736	T6JB0080
587	𠩺	A2A7B7	AC57	6C58	2-2737	T6JC0080
588	𠩺	A2A7B8	AC58	6C59	2-2738	T6JD0080
589	𠩺	A2A7B9	AC59	6C5A	2-2739	T6JE0080
590	𠩺	A2A7BA	AC5A	6C5B	2-273A	T6JF0080
591	𠩺	A2A7BB	AC5B	6C5C	2-273B	T6JG0080
592	𠩺	A2A7BC	AC5C	6C5D	2-273C	T6JH0080
593	𠩺	A2A7BD	AC5D	6C5E	2-273D	T6JI0080
594	𠩺	A2A7BE	AC5E	6C5F	2-273E	T6JJ0080
595	𠩺	A2A7BF	AC5F	6C60	2-273F	T6JK0080
596	𠩺	A2A7C0	AC60	6C61	2-2740	T6JL0080
597	𠩺	A2A7C1	AC61	6C62	2-2741	T6JM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 24 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
598	椏	A2A7C2	AC62	6C63	2-2742	T6JN0080
599	椏	A2A7C3	AC63	6C64	2-2743	T6JO0080
600	椏	A2A7C4	AC64	6C65	2-2744	T6JP0080
601	椏	A2A7C5	AC65	6C66	2-2745	T6JQ0080
602	椏	A2A7C6	AC66	6C67	2-2746	T6JR0080
603	椏	A2A7C7	AC67	6C68	2-2747	T6JS0080
604	椏	A2A7C8	AC68	6C69	2-2748	T6JT0080
605	椏	A2A7C9	AC69	6C6A	2-2749	T6JU0080
606	吹	A2A7CA	AC6A	6C6B	2-274A	T6JV0080
607	歺	A2A7CB	AC6B	6C6C	2-274B	T6JW0080
608	歺	A2A7CC	AC6C	6C6D	2-274C	T6JX0080
609	歺	A2A7CD	AC6D	6C6E	2-274D	T6JY0080
610	氦	A2A7CE	AC6E	6C6F	2-274E	T6JZ0080
611	沓	A2A7CF	AC6F	6C70	2-274F	T6K00080
612	沓	A2A7D0	AC70	6C71	2-2750	T6K10080
613	沓	A2A7D1	AC71	6C72	2-2751	T6K20080
614	泮	A2A7D2	AC72	6C73	2-2752	T6K30080
615	泮	A2A7D3	AC73	6C74	2-2753	T6K40080
616	泮	A2A7D4	AC74	6C75	2-2754	T6K50080
617	泮	A2A7D5	AC75	6C76	2-2755	T6K60080
618	泮	A2A7D6	AC76	6C77	2-2756	T6K70080
619	泮	A2A7D7	AC77	6C78	2-2757	T6K80080
620	泮	A2A7D8	AC78	6C79	2-2758	T6K90080
621	泮	A2A7D9	AC79	6C7A	2-2759	T6KA0080
622	泮	A2A7DA	AC7A	6C7B	2-275A	T6KB0080
623	泮	A2A7DB	AC7B	6C7C	2-275B	T6KC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 25 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
624	洵	A2A7DC	AC7C	6C7D	2-275C	T6KD0080
625	洙	A2A7DD	AC7D	6C7E	2-275D	T6KE0080
626	洚	A2A7DE	AC7E	6C7F	2-275E	T6KF0080
627	洄	A2A7DF	AC80	6C81	2-275F	T6KH0080
628	洇	A2A7E0	AC81	6C82	2-2760	T6KI0080
629	洈	A2A7E1	AC82	6C83	2-2761	T6KJ0080
630	洊	A2A7E2	AC83	6C84	2-2762	T6KK0080
631	洋	A2A7E3	AC84	6C85	2-2763	T6KL0080
632	洌	A2A7E4	AC85	6C86	2-2764	T6KM0080
633	洍	A2A7E5	AC86	6C87	2-2765	T6KN0080
634	洎	A2A7E6	AC87	6C88	2-2766	T6KO0080
635	洏	A2A7E7	AC88	6C89	2-2767	T6KP0080
636	洐	A2A7E8	AC89	6C8A	2-2768	T6KQ0080
637	洑	A2A7E9	AC8A	6C8B	2-2769	T6KR0080
638	洒	A2A7EA	AC8B	6C8C	2-276A	T6KS0080
639	洓	A2A7EB	AC8C	6C8D	2-276B	T6KT0080
640	洕	A2A7EC	AC8D	6C8E	2-276C	T6KU0080
641	洖	A2A7ED	AC8E	6C8F	2-276D	T6KV0080
642	洗	A2A7EE	AC8F	6C90	2-276E	T6KW0080
643	洘	A2A7EF	AC90	6C91	2-276F	T6KX0080
644	洙	A2A7F0	AC91	6C92	2-2770	T6KY0080
645	洚	A2A7F1	AC92	6C93	2-2771	T6KZ0080
646	洛	A2A7F2	AC93	6C94	2-2772	T6L00080
647	洜	A2A7F3	AC94	6C95	2-2773	T6L10080
648	洝	A2A7F4	AC95	6C96	2-2774	T6L20080
649	洞	A2A7F5	AC96	6C97	2-2775	T6L30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 26 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
650	焮	A2A7F6	AC97	6C98	2-2776	T6L40080
651	焯	A2A7F7	AC98	6C99	2-2777	T6L50080
652	焄	A2A7F8	AC99	6C9A	2-2778	T6L60080
653	焅	A2A7F9	AC9A	6C9B	2-2779	T6L70080
654	焆	A2A7FA	AC9B	6C9C	2-277A	T6L80080
655	焇	A2A7FB	AC9C	6C9D	2-277B	T6L90080
656	焈	A2A7FC	AC9D	6C9E	2-277C	T6LA0080
657	焉	A2A7FD	AC9E	6C9F	2-277D	T6LB0080
658	焊	A2A7FE	AC9F	6CA0	2-277E	T6LC0080
659	焋	A2A8A1	ACA0	6CA1	2-2821	T6LD0080
660	焌	A2A8A2	ACA1	6CA2	2-2822	T6LE0080
661	焍	A2A8A3	ACA2	6CA3	2-2823	T6LF0080
662	焎	A2A8A4	ACA3	6CA4	2-2824	T6LG0080
663	焏	A2A8A5	ACA4	6CA5	2-2825	T6LH0080
664	焐	A2A8A6	ACA5	6CA6	2-2826	T6LI0080
665	焑	A2A8A7	ACA6	6CA7	2-2827	T6LJ0080
666	焒	A2A8A8	ACA7	6CA8	2-2828	T6LK0080
667	焓	A2A8A9	ACA8	6CA9	2-2829	T6LL0080
668	焔	A2A8AA	ACA9	6CAA	2-282A	T6LM0080
669	焕	A2A8AB	ACAA	6CAB	2-282B	T6LN0080
670	焖	A2A8AC	ACAB	6CAC	2-282C	T6LO0080
671	焗	A2A8AD	ACAC	6CAD	2-282D	T6LP0080
672	焘	A2A8AE	ACAD	6CAE	2-282E	T6LQ0080
673	焙	A2A8AF	ACAE	6CAF	2-282F	T6LR0080
674	焚	A2A8B0	ACAF	6CB0	2-2830	T6LS0080
675	焛	A2A8B1	ACB0	6CB1	2-2831	T6LT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 27 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
676	𪗇	A2A8B2	ACB1	6CB2	2-2832	T6LU0080
677	𪗈	A2A8B3	ACB2	6CB3	2-2833	T6LV0080
678	𪗉	A2A8B4	ACB3	6CB4	2-2834	T6LW0080
679	𪗊	A2A8B5	ACB4	6CB5	2-2835	T6LX0080
680	𪗋	A2A8B6	ACB5	6CB6	2-2836	T6LY0080
681	𪗌	A2A8B7	ACB6	6CB7	2-2837	T6LZ0080
682	𪗍	A2A8B8	ACB7	6CB8	2-2838	T6M00080
683	𪗎	A2A8B9	ACB8	6CB9	2-2839	T6M10080
684	𪗏	A2A8BA	ACB9	6CBA	2-283A	T6M20080
685	𪗐	A2A8BB	ACBA	6CBB	2-283B	T6M30080
686	𪗑	A2A8BC	ACBB	6CBC	2-283C	T6M40080
687	𪗒	A2A8BD	ACBC	6CBD	2-283D	T6M50080
688	𪗓	A2A8BE	ACBD	6CBE	2-283E	T6M60080
689	𪗔	A2A8BF	ACBE	6CBF	2-283F	T6M70080
690	𪗕	A2A8C0	ACBF	6CC0	2-2840	T6M80080
691	𪗖	A2A8C1	ACC0	6CC1	2-2841	T6M90080
692	𪗗	A2A8C2	ACC1	6CC2	2-2842	T6MA0080
693	𪗘	A2A8C3	ACC2	6CC3	2-2843	T6MB0080
694	𪗙	A2A8C4	ACC3	6CC4	2-2844	T6MC0080
695	𪗚	A2A8C5	ACC4	6CC5	2-2845	T6MD0080
696	𪗛	A2A8C6	ACC5	6CC6	2-2846	T6ME0080
697	𪗜	A2A8C7	ACC6	6CC7	2-2847	T6MF0080
698	𪗝	A2A8C8	ACC7	6CC8	2-2848	T6MG0080
699	𪗞	A2A8C9	ACC8	6CC9	2-2849	T6MH0080
700	𪗟	A2A8CA	ACC9	6CCA	2-284A	T6MI0080
701	𪗠	A2A8CB	ACCA	6CCB	2-284B	T6MJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 28 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
702	肱	A2A8CC	ACCB	6CCC	2-284C	T6MK0080
703	肱	A2A8CD	ACCC	6CCD	2-284D	T6ML0080
704	肱	A2A8CE	ACCD	6CCE	2-284E	T6MM0080
705	肱	A2A8CF	ACCE	6CCF	2-284F	T6MN0080
706	肱	A2A8D0	ACCF	6CD0	2-2850	T6MO0080
707	肱	A2A8D1	ACD0	6CD1	2-2851	T6MP0080
708	艾	A2A8D2	ACD1	6CD2	2-2852	T6MQ0080
709	艾	A2A8D3	ACD2	6CD3	2-2853	T6MR0080
710	艾	A2A8D4	ACD3	6CD4	2-2854	T6MS0080
711	艾	A2A8D5	ACD4	6CD5	2-2855	T6MT0080
712	艾	A2A8D6	ACD5	6CD6	2-2856	T6MU0080
713	艾	A2A8D7	ACD6	6CD7	2-2857	T6MV0080
714	艾	A2A8D8	ACD7	6CD8	2-2858	T6MW0080
715	艾	A2A8D9	ACD8	6CD9	2-2859	T6MX0080
716	艾	A2A8DA	ACD9	6CDA	2-285A	T6MY0080
717	艾	A2A8DB	ACDA	6CDB	2-285B	T6MZ0080
718	艾	A2A8DC	ACDB	6CDC	2-285C	T6N00080
719	艾	A2A8DD	ACDC	6CDD	2-285D	T6N10080
720	艾	A2A8DE	ACDD	6CDE	2-285E	T6N20080
721	艾	A2A8DF	ACDE	6CDF	2-285F	T6N30080
722	艾	A2A8E0	ACDF	6CE0	2-2860	T6N40080
723	艾	A2A8E1	ACE0	6CE1	2-2861	T6N50080
724	艾	A2A8E2	ACE1	6CE2	2-2862	T6N60080
725	艾	A2A8E3	ACE2	6CE3	2-2863	T6N70080
726	艾	A2A8E4	ACE3	6CE4	2-2864	T6N80080
727	艾	A2A8E5	ACE4	6CE5	2-2865	T6N90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 29 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
728	𪛗	A2A8E6	ACE5	6CE6	2-2866	T6NA0080
729	𪛘	A2A8E7	ACE6	6CE7	2-2867	T6NB0080
730	𪛙	A2A8E8	ACE7	6CE8	2-2868	T6NC0080
731	𪛚	A2A8E9	ACE8	6CE9	2-2869	T6ND0080
732	𪛛	A2A8EA	ACE9	6CEA	2-286A	T6NE0080
733	𪛜	A2A8EB	ACEA	6CEB	2-286B	T6NF0080
734	𪛝	A2A8EC	ACEB	6CEC	2-286C	T6NG0080
735	𪛞	A2A8ED	ACEC	6CED	2-286D	T6NH0080
736	𪛟	A2A8EE	ACED	6CEE	2-286E	T6NI0080
737	𪛠	A2A8EF	ACEE	6CEF	2-286F	T6NJ0080
738	𪛡	A2A8F0	ACEF	6CF0	2-2870	T6NK0080
739	𪛢	A2A8F1	ACF0	6CF1	2-2871	T6NL0080
740	𪛣	A2A8F2	ACF1	6CF2	2-2872	T6NM0080
741	邲	A2A8F3	ACF2	6CF3	2-2873	T6NN0080
742	邳	A2A8F4	ACF3	6CF4	2-2874	T6NO0080
743	邴	A2A8F5	ACF4	6CF5	2-2875	T6NP0080
744	邽	A2A8F6	ACF5	6CF6	2-2876	T6NQ0080
745	邾	A2A8F7	ACF6	6CF7	2-2877	T6NR0080
746	陆	A2A8F8	ACF7	6CF8	2-2878	T6NS0080
747	陆	A2A8F9	ACF8	6CF9	2-2879	T6NT0080
748	阼	A2A8FA	ACF9	6CFA	2-287A	T6NU0080
749	阽	A2A8FB	ACFA	6CFB	2-287B	T6NV0080
750	阼	A2A8FC	ACFB	6CFC	2-287C	T6NW0080
751	侏	A2A8FD	ACFC	6CFD	2-287D	T6NX0080
752	侏	A2A8FE	AD40	6D41	2-287E	T6O10080
753	𪛟	A2A9A1	AD41	6D42	2-2921	T6O20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 30 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
754	偃	A2A9A2	AD42	6D43	2-2922	T6O30080
755	倍	A2A9A3	AD43	6D44	2-2923	T6O40080
756	偈	A2A9A4	AD44	6D45	2-2924	T6O50080
757	候	A2A9A5	AD45	6D46	2-2925	T6O60080
758	俛	A2A9A6	AD46	6D47	2-2926	T6O70080
759	俔	A2A9A7	AD47	6D48	2-2927	T6O80080
760	傚	A2A9A8	AD48	6D49	2-2928	T6O90080
761	佻	A2A9A9	AD49	6D4A	2-2929	T6OA0080
762	傼	A2A9AA	AD4A	6D4B	2-292A	T6OB0080
763	俛	A2A9AB	AD4B	6D4C	2-292B	T6OC0080
764	傺	A2A9AC	AD4C	6D4D	2-292C	T6OD0080
765	傽	A2A9AD	AD4D	6D4E	2-292D	T6OE0080
766	傿	A2A9AE	AD4E	6D4F	2-292E	T6OF0080
767	佞	A2A9AF	AD4F	6D50	2-292F	T6OG0080
768	傽	A2A9B0	AD50	6D51	2-2930	T6OH0080
769	倝	A2A9B1	AD51	6D52	2-2931	T6OI0080
770	剉	A2A9B2	AD52	6D53	2-2932	T6OJ0080
771	剉	A2A9B3	AD53	6D54	2-2933	T6OK0080
772	勅	A2A9B4	AD54	6D55	2-2934	T6OL0080
773	勅	A2A9B5	AD55	6D56	2-2935	T6OM0080
774	倝	A2A9B6	AD56	6D57	2-2936	T6ON0080
775	倝	A2A9B7	AD57	6D58	2-2937	T6OO0080
776	倝	A2A9B8	AD58	6D59	2-2938	T6OP0080
777	倝	A2A9B9	AD59	6D5A	2-2939	T6OQ0080
778	倝	A2A9BA	AD5A	6D5B	2-293A	T6OR0080
779	倝	A2A9BB	AD5B	6D5C	2-293B	T6OS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 31 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
780	𠵼	A2A9BC	AD5C	6D5D	2-293C	T6OT0080
781	𠵽	A2A9BD	AD5D	6D5E	2-293D	T6OU0080
782	𠵾	A2A9BE	AD5E	6D5F	2-293E	T6OV0080
783	𠵿	A2A9BF	AD5F	6D60	2-293F	T6OW0080
784	𠶀	A2A9C0	AD60	6D61	2-2940	T6OX0080
785	𠶁	A2A9C1	AD61	6D62	2-2941	T6OY0080
786	𠶂	A2A9C2	AD62	6D63	2-2942	T6OZ0080
787	𠶃	A2A9C3	AD63	6D64	2-2943	T6P00080
788	𠶄	A2A9C4	AD64	6D65	2-2944	T6P10080
789	𠶅	A2A9C5	AD65	6D66	2-2945	T6P20080
790	𠶆	A2A9C6	AD66	6D67	2-2946	T6P30080
791	𠶇	A2A9C7	AD67	6D68	2-2947	T6P40080
792	𠶈	A2A9C8	AD68	6D69	2-2948	T6P50080
793	𠶉	A2A9C9	AD69	6D6A	2-2949	T6P60080
794	𠶊	A2A9CA	AD6A	6D6B	2-294A	T6P70080
795	𠶋	A2A9CB	AD6B	6D6C	2-294B	T6P80080
796	𠶌	A2A9CC	AD6C	6D6D	2-294C	T6P90080
797	𠶍	A2A9CD	AD6D	6D6E	2-294D	T6PA0080
798	𠶎	A2A9CE	AD6E	6D6F	2-294E	T6PB0080
799	𠶏	A2A9CF	AD6F	6D70	2-294F	T6PC0080
800	𠶐	A2A9D0	AD70	6D71	2-2950	T6PD0080
801	𠶑	A2A9D1	AD71	6D72	2-2951	T6PE0080
802	𠶒	A2A9D2	AD72	6D73	2-2952	T6PF0080
803	𠶓	A2A9D3	AD73	6D74	2-2953	T6PG0080
804	𠶔	A2A9D4	AD74	6D75	2-2954	T6PH0080
805	𠶕	A2A9D5	AD75	6D76	2-2955	T6PI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 32 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
806	堉	A2A9D6	AD76	6D77	2-2956	T6PJ0080
807	堊	A2A9D7	AD77	6D78	2-2957	T6PK0080
808	堋	A2A9D8	AD78	6D79	2-2958	T6PL0080
809	堌	A2A9D9	AD79	6D7A	2-2959	T6PM0080
810	堍	A2A9DA	AD7A	6D7B	2-295A	T6PN0080
811	堖	A2A9DB	AD7B	6D7C	2-295B	T6PO0080
812	堗	A2A9DC	AD7C	6D7D	2-295C	T6PP0080
813	堘	A2A9DD	AD7D	6D7E	2-295D	T6PQ0080
814	堙	A2A9DE	AD7E	6D7F	2-295E	T6PR0080
815	堠	A2A9DF	AD80	6D81	2-295F	T6PT0080
816	堡	A2A9E0	AD81	6D82	2-2960	T6PU0080
817	复	A2A9E1	AD82	6D83	2-2961	T6PV0080
818	参	A2A9E2	AD83	6D84	2-2962	T6PW0080
819	媪	A2A9E3	AD84	6D85	2-2963	T6PX0080
820	媥	A2A9E4	AD85	6D86	2-2964	T6PY0080
821	媆	A2A9E5	AD86	6D87	2-2965	T6PZ0080
822	媇	A2A9E6	AD87	6D88	2-2966	T6Q00080
823	媈	A2A9E7	AD88	6D89	2-2967	T6Q10080
824	媉	A2A9E8	AD89	6D8A	2-2968	T6Q20080
825	媊	A2A9E9	AD8A	6D8B	2-2969	T6Q30080
826	媋	A2A9EA	AD8B	6D8C	2-296A	T6Q40080
827	媌	A2A9EB	AD8C	6D8D	2-296B	T6Q50080
828	始	A2A9EC	AD8D	6D8E	2-296C	T6Q60080
829	媍	A2A9ED	AD8E	6D8F	2-296D	T6Q70080
830	媎	A2A9EE	AD8F	6D90	2-296E	T6Q80080
831	媏	A2A9EF	AD90	6D91	2-296F	T6Q90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 33 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
832	媏	A2A9F0	AD91	6D92	2-2970	T6QA0080
833	媠	A2A9F1	AD92	6D93	2-2971	T6QB0080
834	媡	A2A9F2	AD93	6D94	2-2972	T6QC0080
835	媡	A2A9F3	AD94	6D95	2-2973	T6QD0080
836	媢	A2A9F4	AD95	6D96	2-2974	T6QE0080
837	媣	A2A9F5	AD96	6D97	2-2975	T6QF0080
838	媤	A2A9F6	AD97	6D98	2-2976	T6QG0080
839	媥	A2A9F7	AD98	6D99	2-2977	T6QH0080
840	媆	A2A9F8	AD99	6D9A	2-2978	T6QI0080
841	媇	A2A9F9	AD9A	6D9B	2-2979	T6QJ0080
842	媈	A2A9FA	AD9B	6D9C	2-297A	T6QK0080
843	媉	A2A9FB	AD9C	6D9D	2-297B	T6QL0080
844	媊	A2A9FC	AD9D	6D9E	2-297C	T6QM0080
845	媋	A2A9FD	AD9E	6D9F	2-297D	T6QN0080
846	媌	A2A9FE	AD9F	6DA0	2-297E	T6QO0080
847	峁	A2AAA1	ADA0	6DA1	2-2A21	T6QP0080
848	峂	A2AAA2	ADA1	6DA2	2-2A22	T6QQ0080
849	峃	A2AAA3	ADA2	6DA3	2-2A23	T6QR0080
850	峄	A2AAA4	ADA3	6DA4	2-2A24	T6QS0080
851	峅	A2AAA5	ADA4	6DA5	2-2A25	T6QT0080
852	峆	A2AAA6	ADA5	6DA6	2-2A26	T6QU0080
853	峇	A2AAA7	ADA6	6DA7	2-2A27	T6QV0080
854	峈	A2AAA8	ADA7	6DA8	2-2A28	T6QW0080
855	峉	A2AAA9	ADA8	6DA9	2-2A29	T6QX0080
856	峊	A2AAAA	ADA9	6DAA	2-2A2A	T6QY0080
857	峋	A2AAAB	ADAA	6DAB	2-2A2B	T6QZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 34 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
858	峪	A2AAAC	ADAB	6DAC	2-2A2C	T6R00080
859	崑	A2AAAD	ADAC	6DAD	2-2A2D	T6R10080
860	崙	A2AAAE	ADAD	6DAE	2-2A2E	T6R20080
861	崘	A2AAAF	ADAE	6DAF	2-2A2F	T6R30080
862	崚	A2AAB0	ADAF	6DB0	2-2A30	T6R40080
863	崛	A2AAB1	ADB0	6DB1	2-2A31	T6R50080
864	崜	A2AAB2	ADB1	6DB2	2-2A32	T6R60080
865	崝	A2AAB3	ADB2	6DB3	2-2A33	T6R70080
866	崞	A2AAB4	ADB3	6DB4	2-2A34	T6R80080
867	崟	A2AAB5	ADB4	6DB5	2-2A35	T6R90080
868	崠	A2AAB6	ADB5	6DB6	2-2A36	T6RA0080
869	崡	A2AAB7	ADB6	6DB7	2-2A37	T6RB0080
870	崢	A2AAB8	ADB7	6DB8	2-2A38	T6RC0080
871	崣	A2AAB9	ADB8	6DB9	2-2A39	T6RD0080
872	崤	A2AABA	ADB9	6DBA	2-2A3A	T6RE0080
873	崥	A2AABB	ADBA	6DBB	2-2A3B	T6RF0080
874	崦	A2AABC	ADBB	6DBC	2-2A3C	T6RG0080
875	崧	A2AABD	ADBC	6DBD	2-2A3D	T6RH0080
876	崨	A2AABE	ADBD	6DBE	2-2A3E	T6RI0080
877	崩	A2AABF	ADBE	6DBF	2-2A3F	T6RJ0080
878	忒	A2AAC0	ADBF	6DC0	2-2A40	T6RK0080
879	德	A2AAC1	ADC0	6DC1	2-2A41	T6RL0080
880	校	A2AAC2	ADC1	6DC2	2-2A42	T6RM0080
881	悝	A2AAC3	ADC2	6DC3	2-2A43	T6RN0080
882	悞	A2AAC4	ADC3	6DC4	2-2A44	T6RO0080
883	悝	A2AAC5	ADC4	6DC5	2-2A45	T6RP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 35 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
884	恹	A2AAC6	ADC5	6DC6	2-2A46	T6RQ0080
885	愜	A2AAC7	ADC6	6DC7	2-2A47	T6RR0080
886	愜	A2AAC8	ADC7	6DC8	2-2A48	T6RS0080
887	恹	A2AAC9	ADC8	6DC9	2-2A49	T6RT0080
888	桃	A2AACA	ADC9	6DCA	2-2A4A	T6RU0080
889	悽	A2AACB	ADCA	6DCB	2-2A4B	T6RV0080
890	恹	A2AACC	ADCB	6DCC	2-2A4C	T6RW0080
891	恹	A2AACD	ADCC	6DCD	2-2A4D	T6RX0080
892	恹	A2AACE	ADCD	6DCE	2-2A4E	T6RY0080
893	悽	A2AACF	ADCE	6DCF	2-2A4F	T6RZ0080
894	恹	A2AAD0	ADCF	6DD0	2-2A50	T6S00080
895	恹	A2AAD1	ADD0	6DD1	2-2A51	T6S10080
896	恹	A2AAD2	ADD1	6DD2	2-2A52	T6S20080
897	扃	A2AAD3	ADD2	6DD3	2-2A53	T6S30080
898	扃	A2AAD4	ADD3	6DD4	2-2A54	T6S40080
899	拏	A2AAD5	ADD4	6DD5	2-2A55	T6S50080
900	拏	A2AAD6	ADD5	6DD6	2-2A56	T6S60080
901	拏	A2AAD7	ADD6	6DD7	2-2A57	T6S70080
902	拏	A2AAD8	ADD7	6DD8	2-2A58	T6S80080
903	拏	A2AAD9	ADD8	6DD9	2-2A59	T6S90080
904	拏	A2AADA	ADD9	6DDA	2-2A5A	T6SA0080
905	拏	A2AADB	ADDA	6ddb	2-2A5B	T6SB0080
906	拏	A2AADC	ADDB	6DDC	2-2A5C	T6SC0080
907	拏	A2AADD	ADDC	6DDD	2-2A5D	T6SD0080
908	拏	A2AADE	ADDD	6DDE	2-2A5E	T6SE0080
909	拏	A2AADF	ADDE	6DDF	2-2A5F	T6SF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 36 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
910	撈	A2AAE0	ADDF	6DE0	2-2A60	T6SG0080
911	振	A2AAE1	ADE0	6DE1	2-2A61	T6SH0080
912	栳	A2AAE2	ADE1	6DE2	2-2A62	T6SI0080
913	掖	A2AAE3	ADE2	6DE3	2-2A63	T6SJ0080
914	揀	A2AAE4	ADE3	6DE4	2-2A64	T6SK0080
915	揖	A2AAE5	ADE4	6DE5	2-2A65	T6SL0080
916	揆	A2AAE6	ADE5	6DE6	2-2A66	T6SM0080
917	抵	A2AAE7	ADE6	6DE7	2-2A67	T6SN0080
918	战	A2AAE8	ADE7	6DE8	2-2A68	T6SO0080
919	啟	A2AAE9	ADE8	6DE9	2-2A69	T6SP0080
920	斲	A2AAEA	ADE9	6DEA	2-2A6A	T6SQ0080
921	斝	A2AAEB	ADEA	6DEB	2-2A6B	T6SR0080
922	昶	A2AAEC	ADEB	6DEC	2-2A6C	T6SS0080
923	眩	A2AAED	ADEC	6DED	2-2A6D	T6ST0080
924	晡	A2AAEE	ADED	6DEE	2-2A6E	T6SU0080
925	昵	A2AAEF	ADEE	6DEF	2-2A6F	T6SV0080
926	易	A2AAF0	ADEF	6DF0	2-2A70	T6SW0080
927	昴	A2AAF1	ADF0	6DF1	2-2A71	T6SX0080
928	咄	A2AAF2	ADF1	6DF2	2-2A72	T6SY0080
929	眈	A2AAF3	ADF2	6DF3	2-2A73	T6SZ0080
930	昫	A2AAF4	ADF3	6DF4	2-2A74	T6T00080
931	昷	A2AAF5	ADF4	6DF5	2-2A75	T6T10080
932	昸	A2AAF6	ADF5	6DF6	2-2A76	T6T20080
933	昹	A2AAF7	ADF6	6DF7	2-2A77	T6T30080
934	咏	A2AAF8	ADF7	6DF8	2-2A78	T6T40080
935	昺	A2AAF9	ADF8	6DF9	2-2A79	T6T50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 37 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
936	肱	A2AAFA	ADF9	6DFA	2-2A7A	T6T60080
937	胸	A2AAFB	ADFA	6DFB	2-2A7B	T6T70080
938	柁	A2AAFC	ADFB	6DFC	2-2A7C	T6T80080
939	秘	A2AAFD	ADFC	6DFD	2-2A7D	T6T90080
940	桦	A2AAFE	AE40	6E41	2-2A7E	T6TD0080
941	林	A2ABA1	AE41	6E42	2-2B21	T6TE0080
942	柅	A2ABA2	AE42	6E43	2-2B22	T6TF0080
943	柆	A2ABA3	AE43	6E44	2-2B23	T6TG0080
944	杯	A2ABA4	AE44	6E45	2-2B24	T6TH0080
945	柇	A2ABA5	AE45	6E46	2-2B25	T6TI0080
946	椈	A2ABA6	AE46	6E47	2-2B26	T6TJ0080
947	枷	A2ABA7	AE47	6E48	2-2B27	T6TK0080
948	柈	A2ABA8	AE48	6E49	2-2B28	T6TL0080
949	拂	A2ABA9	AE49	6E4A	2-2B29	T6TM0080
950	柉	A2ABAA	AE4A	6E4B	2-2B2A	T6TN0080
951	柊	A2ABAB	AE4B	6E4C	2-2B2B	T6TO0080
952	柋	A2ABAC	AE4C	6E4D	2-2B2C	T6TP0080
953	柌	A2ABAD	AE4D	6E4E	2-2B2D	T6TQ0080
954	柍	A2ABAE	AE4E	6E4F	2-2B2E	T6TR0080
955	柎	A2ABAF	AE4F	6E50	2-2B2F	T6TS0080
956	柏	A2ABB0	AE50	6E51	2-2B30	T6TT0080
957	某	A2ABB1	AE51	6E52	2-2B31	T6TU0080
958	柑	A2ABB2	AE52	6E53	2-2B32	T6TV0080
959	柒	A2ABB3	AE53	6E54	2-2B33	T6TW0080
960	染	A2ABB4	AE54	6E55	2-2B34	T6TX0080
961	柔	A2ABB5	AE55	6E56	2-2B35	T6TY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 38 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
962	楓	A2ABB6	AE56	6E57	2-2B36	T6TZ0080
963	柰	A2ABB7	AE57	6E58	2-2B37	T6U00080
964	臬	A2ABB8	AE58	6E59	2-2B38	T6U10080
965	枕	A2ABB9	AE59	6E5A	2-2B39	T6U20080
966	粒	A2ABBA	AE5A	6E5B	2-2B3A	T6U30080
967	椌	A2ABBB	AE5B	6E5C	2-2B3B	T6U40080
968	柘	A2ABBC	AE5C	6E5D	2-2B3C	T6U50080
969	柘	A2ABBD	AE5D	6E5E	2-2B3D	T6U60080
970	柘	A2ABBE	AE5E	6E5F	2-2B3E	T6U70080
971	柘	A2ABBF	AE5F	6E60	2-2B3F	T6U80080
972	柘	A2ABC0	AE60	6E61	2-2B40	T6U90080
973	柘	A2ABC1	AE61	6E62	2-2B41	T6UA0080
974	柘	A2ABC2	AE62	6E63	2-2B42	T6UB0080
975	柘	A2ABC3	AE63	6E64	2-2B43	T6UC0080
976	柘	A2ABC4	AE64	6E65	2-2B44	T6UD0080
977	柘	A2ABC5	AE65	6E66	2-2B45	T6UE0080
978	柘	A2ABC6	AE66	6E67	2-2B46	T6UF0080
979	柘	A2ABC7	AE67	6E68	2-2B47	T6UG0080
980	柘	A2ABC8	AE68	6E69	2-2B48	T6UH0080
981	柘	A2ABC9	AE69	6E6A	2-2B49	T6UI0080
982	柘	A2ABCA	AE6A	6E6B	2-2B4A	T6UJ0080
983	柘	A2ABCB	AE6B	6E6C	2-2B4B	T6UK0080
984	柘	A2ABCC	AE6C	6E6D	2-2B4C	T6UL0080
985	柘	A2ABCD	AE6D	6E6E	2-2B4D	T6UM0080
986	柘	A2ABCE	AE6E	6E6F	2-2B4E	T6UN0080
987	柘	A2ABCF	AE6F	6E70	2-2B4F	T6UO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 39 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
988	迸	A2ABD0	AE70	6E71	2-2B50	T6UP0080
989	漚	A2ABD1	AE71	6E72	2-2B51	T6UQ0080
990	漙	A2ABD2	AE72	6E73	2-2B52	T6UR0080
991	漚	A2ABD3	AE73	6E74	2-2B53	T6US0080
992	漛	A2ABD4	AE74	6E75	2-2B54	T6UT0080
993	洒	A2ABD5	AE75	6E76	2-2B55	T6UU0080
994	漜	A2ABD6	AE76	6E77	2-2B56	T6UV0080
995	漝	A2ABD7	AE77	6E78	2-2B57	T6UW0080
996	漞	A2ABD8	AE78	6E79	2-2B58	T6UX0080
997	漟	A2ABD9	AE79	6E7A	2-2B59	T6UY0080
998	洙	A2ABDA	AE7A	6E7B	2-2B5A	T6UZ0080
999	洚	A2ABDB	AE7B	6E7C	2-2B5B	T6V00080
1000	洛	A2ABDC	AE7C	6E7D	2-2B5C	T6V10080
1001	洜	A2ABDD	AE7D	6E7E	2-2B5D	T6V20080
1002	洝	A2ABDE	AE7E	6E7F	2-2B5E	T6V30080
1003	洞	A2ABDF	AE80	6E81	2-2B5F	T6V50080
1004	洙	A2ABE0	AE81	6E82	2-2B60	T6V60080
1005	洚	A2ABE1	AE82	6E83	2-2B61	T6V70080
1006	洛	A2ABE2	AE83	6E84	2-2B62	T6V80080
1007	洜	A2ABE3	AE84	6E85	2-2B63	T6V90080
1008	洝	A2ABE4	AE85	6E86	2-2B64	T6VA0080
1009	洞	A2ABE5	AE86	6E87	2-2B65	T6VB0080
1010	油	A2ABE6	AE87	6E88	2-2B66	T6VC0080
1011	洟	A2ABE7	AE88	6E89	2-2B67	T6VD0080
1012	洠	A2ABE8	AE89	6E8A	2-2B68	T6VE0080
1013	洡	A2ABE9	AE8A	6E8B	2-2B69	T6VF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 40 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1014	滄	A2ABEA	AE8B	6E8C	2-2B6A	T6VG0080
1015	滄	A2ABEB	AE8C	6E8D	2-2B6B	T6VH0080
1016	滄	A2ABEC	AE8D	6E8E	2-2B6C	T6VI0080
1017	滄	A2ABED	AE8E	6E8F	2-2B6D	T6VJ0080
1018	炷	A2ABEE	AE8F	6E90	2-2B6E	T6VK0080
1019	炷	A2ABEF	AE90	6E91	2-2B6F	T6VL0080
1020	炷	A2ABF0	AE91	6E92	2-2B70	T6VM0080
1021	炷	A2ABF1	AE92	6E93	2-2B71	T6VN0080
1022	炷	A2ABF2	AE93	6E94	2-2B72	T6VO0080
1023	炷	A2ABF3	AE94	6E95	2-2B73	T6VP0080
1024	炷	A2ABF4	AE95	6E96	2-2B74	T6VQ0080
1025	炷	A2ABF5	AE96	6E97	2-2B75	T6VR0080
1026	炷	A2ABF6	AE97	6E98	2-2B76	T6VS0080
1027	炷	A2ABF7	AE98	6E99	2-2B77	T6VT0080
1028	炷	A2ABF8	AE99	6E9A	2-2B78	T6VU0080
1029	炷	A2ABF9	AE9A	6E9B	2-2B79	T6VV0080
1030	炷	A2ABFA	AE9B	6E9C	2-2B7A	T6VW0080
1031	炷	A2ABFB	AE9C	6E9D	2-2B7B	T6VX0080
1032	炷	A2ABFC	AE9D	6E9E	2-2B7C	T6VY0080
1033	炷	A2ABFD	AE9E	6E9F	2-2B7D	T6VZ0080
1034	炷	A2ABFE	AE9F	6EA0	2-2B7E	T6W00080
1035	狇	A2ACA1	AEA0	6EA1	2-2C21	T6W10080
1036	狇	A2ACA2	AEA1	6EA2	2-2C22	T6W20080
1037	狇	A2ACA3	AEA2	6EA3	2-2C23	T6W30080
1038	狇	A2ACA4	AEA3	6EA4	2-2C24	T6W40080
1039	狇	A2ACA5	AEA4	6EA5	2-2C25	T6W50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 41 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1040	獮	A2ACA6	AEA5	6EA6	2-2C26	T6W60080
1041	狲	A2ACA7	AEA6	6EA7	2-2C27	T6W70080
1042	玅	A2ACA8	AEA7	6EA8	2-2C28	T6W80080
1043	玆	A2ACA9	AEA8	6EA9	2-2C29	T6W90080
1044	珂	A2ACAA	AEA9	6EAA	2-2C2A	T6WA0080
1045	珈	A2ACAB	AEAA	6EAB	2-2C2B	T6WB0080
1046	坤	A2ACAC	AEAB	6EAC	2-2C2C	T6WC0080
1047	玆	A2ACAD	AEAC	6EAD	2-2C2D	T6WD0080
1048	玆	A2ACAE	AEAD	6EAE	2-2C2E	T6WE0080
1049	玆	A2ACAF	AEAE	6EAF	2-2C2F	T6WF0080
1050	玆	A2ACB0	AEAF	6EB0	2-2C30	T6WG0080
1051	玆	A2ACB1	AEB0	6EB1	2-2C31	T6WH0080
1052	玆	A2ACB2	AEB1	6EB2	2-2C32	T6WI0080
1053	玆	A2ACB3	AEB2	6EB3	2-2C33	T6WJ0080
1054	玆	A2ACB4	AEB3	6EB4	2-2C34	T6WK0080
1055	玆	A2ACB5	AEB4	6EB5	2-2C35	T6WL0080
1056	玆	A2ACB6	AEB5	6EB6	2-2C36	T6WM0080
1057	玆	A2ACB7	AEB6	6EB7	2-2C37	T6WN0080
1058	玆	A2ACB8	AEB7	6EB8	2-2C38	T6WO0080
1059	玆	A2ACB9	AEB8	6EB9	2-2C39	T6WP0080
1060	玆	A2ACBA	AEB9	6EBA	2-2C3A	T6WQ0080
1061	玆	A2ACBB	AEBA	6EBB	2-2C3B	T6WR0080
1062	玆	A2ACBC	AEBC	6EBC	2-2C3C	T6WS0080
1063	玆	A2ACBD	AEBC	6EBD	2-2C3D	T6WT0080
1064	玆	A2ACBE	AEBC	6EBE	2-2C3E	T6WU0080
1065	玆	A2ACBF	AEBC	6EBF	2-2C3F	T6WV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 42 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1066	登	A2ACC0	AEBF	6EC0	2-2C40	T6WW0080
1067	盥	A2ACC1	AEC0	6EC1	2-2C41	T6WX0080
1068	眈	A2ACC2	AEC1	6EC2	2-2C42	T6WY0080
1069	眨	A2ACC3	AEC2	6EC3	2-2C43	T6WZ0080
1070	晒	A2ACC4	AEC3	6EC4	2-2C44	T6X00080
1071	眨	A2ACC5	AEC4	6EC5	2-2C45	T6X10080
1072	眊	A2ACC6	AEC5	6EC6	2-2C46	T6X20080
1073	眇	A2ACC7	AEC6	6EC7	2-2C47	T6X30080
1074	盼	A2ACC8	AEC7	6EC8	2-2C48	T6X40080
1075	眈	A2ACC9	AEC8	6EC9	2-2C49	T6X50080
1076	矧	A2ACCA	AEC9	6ECA	2-2C4A	T6X60080
1077	矧	A2ACCB	AECA	6ECB	2-2C4B	T6X70080
1078	硃	A2ACCC	AECB	6ECC	2-2C4C	T6X80080
1079	硃	A2ACCD	AECC	6ECD	2-2C4D	T6X90080
1080	砒	A2ACCE	AECD	6ECE	2-2C4E	T6XA0080
1081	砒	A2ACCF	AECE	6ECF	2-2C4F	T6XB0080
1082	砑	A2ACD0	AECF	6ED0	2-2C50	T6XC0080
1083	砑	A2ACD1	AED0	6ED1	2-2C51	T6XD0080
1084	砑	A2ACD2	AED1	6ED2	2-2C52	T6XE0080
1085	砑	A2ACD3	AED2	6ED3	2-2C53	T6XF0080
1086	砑	A2ACD4	AED3	6ED4	2-2C54	T6XG0080
1087	砑	A2ACD5	AED4	6ED5	2-2C55	T6XH0080
1088	砑	A2ACD6	AED5	6ED6	2-2C56	T6XI0080
1089	砑	A2ACD7	AED6	6ED7	2-2C57	T6XJ0080
1090	砑	A2ACD8	AED7	6ED8	2-2C58	T6XK0080
1091	砑	A2ACD9	AED8	6ED9	2-2C59	T6XL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 43 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1092	袷	A2ACDA	AED9	6EDA	2-2C5A	T6XM0080
1093	靴	A2ACDB	AEDA	6EDB	2-2C5B	T6XN0080
1094	种	A2ACDC	AEDB	6EDC	2-2C5C	T6XO0080
1095	耗	A2ACDD	AEDC	6EDD	2-2C5D	T6XP0080
1096	祗	A2ACDE	AEDD	6EDE	2-2C5E	T6XQ0080
1097	粉	A2ACDF	AEDE	6EDF	2-2C5F	T6XR0080
1098	窰	A2ACE0	AEDF	6EE0	2-2C60	T6XS0080
1099	突	A2ACE1	AEE0	6EE1	2-2C61	T6XT0080
1100	竝	A2ACE2	AEE1	6EE2	2-2C62	T6XU0080
1101	筩	A2ACE3	AEE2	6EE3	2-2C63	T6XV0080
1102	竝	A2ACE4	AEE3	6EE4	2-2C64	T6XW0080
1103	糗	A2ACE5	AEE4	6EE5	2-2C65	T6XX0080
1104	糗	A2ACE6	AEE5	6EE6	2-2C66	T6XY0080
1105	糗	A2ACE7	AEE6	6EE7	2-2C67	T6XZ0080
1106	糗	A2ACE8	AEE7	6EE8	2-2C68	T6Y00080
1107	糗	A2ACE9	AEE8	6EE9	2-2C69	T6Y10080
1108	糗	A2ACEA	AEE9	6EEA	2-2C6A	T6Y20080
1109	糗	A2ACEB	AEEA	6EEB	2-2C6B	T6Y30080
1110	糗	A2ACEC	AEEB	6EEC	2-2C6C	T6Y40080
1111	糗	A2ACED	AEEC	6EED	2-2C6D	T6Y50080
1112	糗	A2ACEE	AEED	6EEE	2-2C6E	T6Y60080
1113	糗	A2ACEF	AEEE	6EEF	2-2C6F	T6Y70080
1114	牽	A2ACF0	AEEF	6EF0	2-2C70	T6Y80080
1115	犴	A2ACF1	AEF0	6EF1	2-2C71	T6Y90080
1116	耆	A2ACF2	AEF1	6EF2	2-2C72	T6YA0080
1117	奘	A2ACF3	AEF2	6EF3	2-2C73	T6YB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 12 (Page 44 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (1 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1118	𪗇	A2ACF4	AEF3	6EF4	2-2C74	T6YC0080
1119	𪗈	A2ACF5	AEF4	6EF5	2-2C75	T6YD0080
1120	𪗉	A2ACF6	AEF5	6EF6	2-2C76	T6YE0080
1121	𪗊	A2ACF7	AEF6	6EF7	2-2C77	T6YF0080
1122	𪗋	A2ACF8	AEF7	6EF8	2-2C78	T6YG0080
1123	𪗌	A2ACF9	AEF8	6EF9	2-2C79	T6YH0080
1124	𪗍	A2ACFA	AEF9	6EFA	2-2C7A	T6YI0080
1125	𪗎	A2ACFB	AEFA	6EFB	2-2C7B	T6YJ0080
1126	𪗏	A2ACFC	AEFB	6EFC	2-2C7C	T6YK0080
1127	𪗐	A2ACFD	AEFC	6EFD	2-2C7D	T6YL0080
1128	𪗑	A2ACFE	AF40	6F41	2-2C7E	T6YP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 13 (Page 1 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1129	脍	A2ADA1	AF41	6F42	2-2D21	T6YQ0080
1130	胙	A2ADA2	AF42	6F43	2-2D22	T6YR0080
1131	胜	A2ADA3	AF43	6F44	2-2D23	T6YS0080
1132	胸	A2ADA4	AF44	6F45	2-2D24	T6YT0080
1133	腑	A2ADA5	AF45	6F46	2-2D25	T6YU0080
1134	胎	A2ADA6	AF46	6F47	2-2D26	T6YV0080
1135	肺	A2ADA7	AF47	6F48	2-2D27	T6YW0080
1136	胗	A2ADA8	AF48	6F49	2-2D28	T6YX0080
1137	腓	A2ADA9	AF49	6F4A	2-2D29	T6YY0080
1138	胍	A2ADAA	AF4A	6F4B	2-2D2A	T6YZ0080
1139	舂	A2ADAB	AF4B	6F4C	2-2D2B	T6Z00080
1140	舂	A2ADAC	AF4C	6F4D	2-2D2C	T6Z10080
1141	舂	A2ADAD	AF4D	6F4E	2-2D2D	T6Z20080
1142	苙	A2ADAE	AF4E	6F4F	2-2D2E	T6Z30080
1143	苙	A2ADAF	AF4F	6F50	2-2D2F	T6Z40080
1144	萃	A2ADB0	AF50	6F51	2-2D30	T6Z50080
1145	苙	A2ADB1	AF51	6F52	2-2D31	T6Z60080
1146	苙	A2ADB2	AF52	6F53	2-2D32	T6Z70080
1147	苙	A2ADB3	AF53	6F54	2-2D33	T6Z80080
1148	苙	A2ADB4	AF54	6F55	2-2D34	T6Z90080
1149	苙	A2ADB5	AF55	6F56	2-2D35	T6ZA0080
1150	苙	A2ADB6	AF56	6F57	2-2D36	T6ZB0080
1151	苙	A2ADB7	AF57	6F58	2-2D37	T6ZC0080
1152	苙	A2ADB8	AF58	6F59	2-2D38	T6ZD0080
1153	苙	A2ADB9	AF59	6F5A	2-2D39	T6ZE0080
1154	苙	A2ADBA	AF5A	6F5B	2-2D3A	T6ZF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 2 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1155	荇	A2ADBB	AF5B	6F5C	2-2D3B	T6ZG0080
1156	葵	A2ADBC	AF5C	6F5D	2-2D3C	T6ZH0080
1157	苳	A2ADBD	AF5D	6F5E	2-2D3D	T6ZI0080
1158	苳	A2ADBE	AF5E	6F5F	2-2D3E	T6ZJ0080
1159	茶	A2ADBF	AF5F	6F60	2-2D3F	T6ZK0080
1160	苳	A2ADC0	AF60	6F61	2-2D40	T6ZL0080
1161	苳	A2ADC1	AF61	6F62	2-2D41	T6ZM0080
1162	苳	A2ADC2	AF62	6F63	2-2D42	T6ZN0080
1163	苳	A2ADC3	AF63	6F64	2-2D43	T6ZO0080
1164	苳	A2ADC4	AF64	6F65	2-2D44	T6ZP0080
1165	苳	A2ADC5	AF65	6F66	2-2D45	T6ZQ0080
1166	苳	A2ADC6	AF66	6F67	2-2D46	T6ZR0080
1167	蚌	A2ADC7	AF67	6F68	2-2D47	T6ZS0080
1168	蚌	A2ADC8	AF68	6F69	2-2D48	T6ZT0080
1169	虺	A2ADC9	AF69	6F6A	2-2D49	T6ZU0080
1170	虺	A2ADCA	AF6A	6F6B	2-2D4A	T6ZV0080
1171	苳	A2ADCB	AF6B	6F6C	2-2D4B	T6ZW0080
1172	苳	A2ADCC	AF6C	6F6D	2-2D4C	T6ZX0080
1173	苳	A2ADCD	AF6D	6F6E	2-2D4D	T6ZY0080
1174	苳	A2ADCE	AF6E	6F6F	2-2D4E	T6ZZ0080
1175	苳	A2ADCF	AF6F	6F70	2-2D4F	T7000080
1176	斛	A2ADD0	AF70	6F71	2-2D50	T7010080
1177	斛	A2ADD1	AF71	6F72	2-2D51	T7020080
1178	匄	A2ADD2	AF72	6F73	2-2D52	T7030080
1179	赴	A2ADD3	AF73	6F74	2-2D53	T7040080
1180	逝	A2ADD4	AF74	6F75	2-2D54	T7050080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 3 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1181	逌	A2ADD5	AF75	6F76	2-2D55	T7060080
1182	迨	A2ADD6	AF76	6F77	2-2D56	T7070080
1183	迨	A2ADD7	AF77	6F78	2-2D57	T7080080
1184	邗	A2ADD8	AF78	6F79	2-2D58	T7090080
1185	邗	A2ADD9	AF79	6F7A	2-2D59	T70A0080
1186	邗	A2ADDA	AF7A	6F7B	2-2D5A	T70B0080
1187	邗	A2ADDB	AF7B	6F7C	2-2D5B	T70C0080
1188	邗	A2ADDC	AF7C	6F7D	2-2D5C	T70D0080
1189	邗	A2ADDD	AF7D	6F7E	2-2D5D	T70E0080
1190	邗	A2ADDE	AF7E	6F7F	2-2D5E	T70F0080
1191	邗	A2ADDF	AF80	6F81	2-2D5F	T70H0080
1192	邗	A2ADE0	AF81	6F82	2-2D60	T70I0080
1193	邗	A2ADE1	AF82	6F83	2-2D61	T70J0080
1194	邗	A2ADE2	AF83	6F84	2-2D62	T70K0080
1195	邗	A2ADE3	AF84	6F85	2-2D63	T70L0080
1196	邗	A2ADE4	AF85	6F86	2-2D64	T70M0080
1197	邗	A2ADE5	AF86	6F87	2-2D65	T70N0080
1198	邗	A2ADE6	AF87	6F88	2-2D66	T70O0080
1199	邗	A2ADE7	AF88	6F89	2-2D67	T70P0080
1200	邗	A2ADE8	AF89	6F8A	2-2D68	T70Q0080
1201	邗	A2ADE9	AF8A	6F8B	2-2D69	T70R0080
1202	邗	A2ADEA	AF8B	6F8C	2-2D6A	T70S0080
1203	邗	A2ADEB	AF8C	6F8D	2-2D6B	T70T0080
1204	邗	A2ADEC	AF8D	6F8E	2-2D6C	T70U0080
1205	邗	A2ADED	AF8E	6F8F	2-2D6D	T70V0080
1206	邗	A2ADEE	AF8F	6F90	2-2D6E	T70W0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 4 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1207	俱	A2ADEF	AF90	6F91	2-2D6F	T70X0080
1208	儀	A2ADF0	AF91	6F92	2-2D70	T70Y0080
1209	儀	A2ADF1	AF92	6F93	2-2D71	T70Z0080
1210	俾	A2ADF2	AF93	6F94	2-2D72	T7100080
1211	僚	A2ADF3	AF94	6F95	2-2D73	T7110080
1212	倬	A2ADF4	AF95	6F96	2-2D74	T7120080
1213	俶	A2ADF5	AF96	6F97	2-2D75	T7130080
1214	俶	A2ADF6	AF97	6F98	2-2D76	T7140080
1215	棚	A2ADF7	AF98	6F99	2-2D77	T7150080
1216	倜	A2ADF8	AF99	6F9A	2-2D78	T7160080
1217	倕	A2ADF9	AF9A	6F9B	2-2D79	T7170080
1218	倝	A2ADFA	AF9B	6F9C	2-2D7A	T7180080
1219	倞	A2ADFB	AF9C	6F9D	2-2D7B	T7190080
1220	借	A2ADFC	AF9D	6F9E	2-2D7C	T71A0080
1221	倠	A2ADFD	AF9E	6F9F	2-2D7D	T71B0080
1222	佛	A2ADFE	AF9F	6FA0	2-2D7E	T71C0080
1223	党	A2AEA1	AFA0	6FA1	2-2E21	T71D0080
1224	凵	A2AEA2	AFA1	6FA2	2-2E22	T71E0080
1225	蕒	A2AEA3	AFA2	6FA3	2-2E23	T71F0080
1226	清	A2AEA4	AFA3	6FA4	2-2E24	T71G0080
1227	淒	A2AEA5	AFA4	6FA5	2-2E25	T71H0080
1228	涸	A2AEA6	AFA5	6FA6	2-2E26	T71I0080
1229	淨	A2AEA7	AFA6	6FA7	2-2E27	T71J0080
1230	凜	A2AEA8	AFA7	6FA8	2-2E28	T71K0080
1231	剡	A2AEA9	AFA8	6FA9	2-2E29	T71L0080
1232	剡	A2AEAA	AFA9	6FAA	2-2E2A	T71M0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 5 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1233	割	A2AEAB	AFAA	6FAB	2-2E2B	T71N0080
1234	劊	A2AEAC	AFAB	6FAC	2-2E2C	T71O0080
1235	劊	A2AEAD	AFAC	6FAD	2-2E2D	T71P0080
1236	劊	A2AEAE	AFAD	6FAE	2-2E2E	T71Q0080
1237	劊	A2AEAF	AFAE	6FAF	2-2E2F	T71R0080
1238	劊	A2AEB0	AFAF	6FB0	2-2E30	T71S0080
1239	劊	A2AEB1	AFB0	6FB1	2-2E31	T71T0080
1240	劊	A2AEB2	AFB1	6FB2	2-2E32	T71U0080
1241	劊	A2AEB3	AFB2	6FB3	2-2E33	T71V0080
1242	劊	A2AEB4	AFB3	6FB4	2-2E34	T71W0080
1243	劊	A2AEB5	AFB4	6FB5	2-2E35	T71X0080
1244	劊	A2AEB6	AFB5	6FB6	2-2E36	T71Y0080
1245	劊	A2AEB7	AFB6	6FB7	2-2E37	T71Z0080
1246	劊	A2AEB8	AFB7	6FB8	2-2E38	T7200080
1247	劊	A2AEB9	AFB8	6FB9	2-2E39	T7210080
1248	劊	A2AEBA	AFB9	6FBA	2-2E3A	T7220080
1249	劊	A2AEBB	AFBA	6FBB	2-2E3B	T7230080
1250	劊	A2AEBC	AFBB	6FBC	2-2E3C	T7240080
1251	劊	A2AEBD	AFBC	6FBD	2-2E3D	T7250080
1252	劊	A2AEBE	AFBD	6FBE	2-2E3E	T7260080
1253	劊	A2AEBF	AFBE	6FBF	2-2E3F	T7270080
1254	劊	A2AEC0	AFBF	6FC0	2-2E40	T7280080
1255	劊	A2AEC1	AFC0	6FC1	2-2E41	T7290080
1256	劊	A2AEC2	AFC1	6FC2	2-2E42	T72A0080
1257	劊	A2AEC3	AFC2	6FC3	2-2E43	T72B0080
1258	劊	A2AEC4	AFC3	6FC4	2-2E44	T72C0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 6 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1259	唛	A2AEC5	AFC4	6FC5	2-2E45	T72D0080
1260	皓	A2AEC6	AFC5	6FC6	2-2E46	T72E0080
1261	喇	A2AEC7	AFC6	6FC7	2-2E47	T72F0080
1262	唢	A2AEC8	AFC7	6FC8	2-2E48	T72G0080
1263	唢	A2AEC9	AFC8	6FC9	2-2E49	T72H0080
1264	囿	A2AECA	AFC9	6FCA	2-2E4A	T72I0080
1265	圀	A2AECB	AFCA	6FCB	2-2E4B	T72J0080
1266	垠	A2AECC	AFCB	6FCC	2-2E4C	T72K0080
1267	壘	A2AECD	AFCC	6FCD	2-2E4D	T72L0080
1268	埤	A2AECE	AFCD	6FCE	2-2E4E	T72M0080
1269	埤	A2AECF	AFCE	6FCF	2-2E4F	T72N0080
1270	埤	A2AED0	AFCF	6FD0	2-2E50	T72O0080
1271	埤	A2AED1	AFD0	6FD1	2-2E51	T72P0080
1272	埤	A2AED2	AFD1	6FD2	2-2E52	T72Q0080
1273	埤	A2AED3	AFD2	6FD3	2-2E53	T72R0080
1274	埤	A2AED4	AFD3	6FD4	2-2E54	T72S0080
1275	埤	A2AED5	AFD4	6FD5	2-2E55	T72T0080
1276	埤	A2AED6	AFD5	6FD6	2-2E56	T72U0080
1277	埤	A2AED7	AFD6	6FD7	2-2E57	T72V0080
1278	埤	A2AED8	AFD7	6FD8	2-2E58	T72W0080
1279	埤	A2AED9	AFD8	6FD9	2-2E59	T72X0080
1280	埤	A2AEDA	AFD9	6FDA	2-2E5A	T72Y0080
1281	埤	A2AEDB	AFDA	6FDB	2-2E5B	T72Z0080
1282	媿	A2AEDC	AFDB	6FDC	2-2E5C	T7300080
1283	媿	A2AEDD	AFDC	6FDD	2-2E5D	T7310080
1284	媿	A2AEDE	AFDD	6FDE	2-2E5E	T7320080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 7 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1285	嫠	A2AEDF	AFDE	6FDF	2-2E5F	T7330080
1286	媪	A2AEE0	AFDF	6FE0	2-2E60	T7340080
1287	嫫	A2AEE1	AFE0	6FE1	2-2E61	T7350080
1288	媼	A2AEE2	AFE1	6FE2	2-2E62	T7360080
1289	媾	A2AEE3	AFE2	6FE3	2-2E63	T7370080
1290	媿	A2AEE4	AFE3	6FE4	2-2E64	T7380080
1291	媾	A2AEE5	AFE4	6FE5	2-2E65	T7390080
1292	媿	A2AEE6	AFE5	6FE6	2-2E66	T73A0080
1293	媿	A2AEE7	AFE6	6FE7	2-2E67	T73B0080
1294	媿	A2AEE8	AFE7	6FE8	2-2E68	T73C0080
1295	媿	A2AEE9	AFE8	6FE9	2-2E69	T73D0080
1296	媿	A2AEEA	AFE9	6FEA	2-2E6A	T73E0080
1297	媿	A2AEEB	AFEA	6FEB	2-2E6B	T73F0080
1298	媿	A2AEEC	AFEB	6FEC	2-2E6C	T73G0080
1299	媿	A2AEED	AFEC	6FED	2-2E6D	T73H0080
1300	媿	A2AEEE	AFED	6FEE	2-2E6E	T73I0080
1301	媿	A2AEFF	AFEE	6FEF	2-2E6F	T73J0080
1302	媿	A2AEF0	AFEF	6FF0	2-2E70	T73K0080
1303	媿	A2AEF1	AFF0	6FF1	2-2E71	T73L0080
1304	媿	A2AEF2	AFF1	6FF2	2-2E72	T73M0080
1305	媿	A2AEF3	AFF2	6FF3	2-2E73	T73N0080
1306	媿	A2AEF4	AFF3	6FF4	2-2E74	T73O0080
1307	媿	A2AEF5	AFF4	6FF5	2-2E75	T73P0080
1308	媿	A2AEF6	AFF5	6FF6	2-2E76	T73Q0080
1309	媿	A2AEF7	AFF6	6FF7	2-2E77	T73R0080
1310	媿	A2AEF8	AFF7	6FF8	2-2E78	T73S0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 8 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1311	廢	A2AEF9	AFF8	6FF9	2-2E79	T73T0080
1312	廕	A2AEFA	AFF9	6FFA	2-2E7A	T73U0080
1313	𪔵	A2AEFB	AFFA	6FFB	2-2E7B	T73V0080
1314	𪔶	A2AEFC	AFFB	6FFC	2-2E7C	T73W0080
1315	𪔷	A2AEFD	AFFC	6FFD	2-2E7D	T73X0080
1316	𪔸	A2AEFE	B040	7041	2-2E7E	T7410080
1317	𪔹	A2AFA1	B041	7042	2-2F21	T7420080
1318	𪔺	A2AFA2	B042	7043	2-2F22	T7430080
1319	𪔻	A2AFA3	B043	7044	2-2F23	T7440080
1320	𪔼	A2AFA4	B044	7045	2-2F24	T7450080
1321	𪔽	A2AFA5	B045	7046	2-2F25	T7460080
1322	𪔾	A2AFA6	B046	7047	2-2F26	T7470080
1323	𪔿	A2AFA7	B047	7048	2-2F27	T7480080
1324	𪕀	A2AFA8	B048	7049	2-2F28	T7490080
1325	𪕁	A2AFA9	B049	704A	2-2F29	T74A0080
1326	𪕂	A2AFAA	B04A	704B	2-2F2A	T74B0080
1327	𪕃	A2AFAB	B04B	704C	2-2F2B	T74C0080
1328	𪕄	A2AFAC	B04C	704D	2-2F2C	T74D0080
1329	𪕅	A2AFAD	B04D	704E	2-2F2D	T74E0080
1330	𪕆	A2AFAE	B04E	704F	2-2F2E	T74F0080
1331	𪕇	A2AFAF	B04F	7050	2-2F2F	T74G0080
1332	𪕈	A2AFB0	B050	7051	2-2F30	T74H0080
1333	𪕉	A2AFB1	B051	7052	2-2F31	T74I0080
1334	𪕊	A2AFB2	B052	7053	2-2F32	T74J0080
1335	𪕋	A2AFB3	B053	7054	2-2F33	T74K0080
1336	𪕌	A2AFB4	B054	7055	2-2F34	T74L0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 9 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1337	掙	A2AFB5	B055	7056	2-2F35	T74M0080
1338	擘	A2AFB6	B056	7057	2-2F36	T74N0080
1339	擘	A2AFB7	B057	7058	2-2F37	T74O0080
1340	桶	A2AFB8	B058	7059	2-2F38	T74P0080
1341	搨	A2AFB9	B059	705A	2-2F39	T74Q0080
1342	搨	A2AFBA	B05A	705B	2-2F3A	T74R0080
1343	擗	A2AFBB	B05B	705C	2-2F3B	T74S0080
1344	搨	A2AFBC	B05C	705D	2-2F3C	T74T0080
1345	擘	A2AFBD	B05D	705E	2-2F3D	T74U0080
1346	擘	A2AFBE	B05E	705F	2-2F3E	T74V0080
1347	掙	A2AFBF	B05F	7060	2-2F3F	T74W0080
1348	掙	A2AFC0	B060	7061	2-2F40	T74X0080
1349	掙	A2AFC1	B061	7062	2-2F41	T74Y0080
1350	掙	A2AFC2	B062	7063	2-2F42	T74Z0080
1351	掙	A2AFC3	B063	7064	2-2F43	T7500080
1352	掙	A2AFC4	B064	7065	2-2F44	T7510080
1353	掙	A2AFC5	B065	7066	2-2F45	T7520080
1354	掙	A2AFC6	B066	7067	2-2F46	T7530080
1355	掙	A2AFC7	B067	7068	2-2F47	T7540080
1356	掙	A2AFC8	B068	7069	2-2F48	T7550080
1357	掙	A2AFC9	B069	706A	2-2F49	T7560080
1358	掙	A2AFCA	B06A	706B	2-2F4A	T7570080
1359	掙	A2AFCB	B06B	706C	2-2F4B	T7580080
1360	掙	A2AFCC	B06C	706D	2-2F4C	T7590080
1361	掙	A2AFCD	B06D	706E	2-2F4D	T75A0080
1362	掙	A2AFCE	B06E	706F	2-2F4E	T75B0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 10 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1363	枝	A2AFCF	B06F	7070	2-2F4F	T75C0080
1364	叢	A2AFD0	B070	7071	2-2F50	T75D0080
1365	旆	A2AFD1	B071	7072	2-2F51	T75E0080
1366	旃	A2AFD2	B072	7073	2-2F52	T75F0080
1367	旄	A2AFD3	B073	7074	2-2F53	T75G0080
1368	旆	A2AFD4	B074	7075	2-2F54	T75H0080
1369	旒	A2AFD5	B075	7076	2-2F55	T75I0080
1370	旒	A2AFD6	B076	7077	2-2F56	T75J0080
1371	旒	A2AFD7	B077	7078	2-2F57	T75K0080
1372	旒	A2AFD8	B078	7079	2-2F58	T75L0080
1373	旒	A2AFD9	B079	707A	2-2F59	T75M0080
1374	旒	A2AFDA	B07A	707B	2-2F5A	T75N0080
1375	旒	A2AFDB	B07B	707C	2-2F5B	T75O0080
1376	旒	A2AFDC	B07C	707D	2-2F5C	T75P0080
1377	旒	A2AFDD	B07D	707E	2-2F5D	T75Q0080
1378	旒	A2AFDE	B07E	707F	2-2F5E	T75R0080
1379	旒	A2AFDF	B080	7081	2-2F5F	T75T0080
1380	旒	A2AFE0	B081	7082	2-2F60	T75U0080
1381	旒	A2AFE1	B082	7083	2-2F61	T75V0080
1382	旒	A2AFE2	B083	7084	2-2F62	T75W0080
1383	旒	A2AFE3	B084	7085	2-2F63	T75X0080
1384	旒	A2AFE4	B085	7086	2-2F64	T75Y0080
1385	旒	A2AFE5	B086	7087	2-2F65	T75Z0080
1386	旒	A2AFE6	B087	7088	2-2F66	T7600080
1387	旒	A2AFE7	B088	7089	2-2F67	T7610080
1388	旒	A2AFE8	B089	708A	2-2F68	T7620080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 13 (Page 11 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1389	梢	A2AFE9	B08A	708B	2-2F69	T7630080
1390	桎	A2AFEA	B08B	708C	2-2F6A	T7640080
1391	桃	A2AFEB	B08C	708D	2-2F6B	T7650080
1392	梅	A2AFEC	B08D	708E	2-2F6C	T7660080
1393	栝	A2AFED	B08E	708F	2-2F6D	T7670080
1394	枸	A2AFEE	B08F	7090	2-2F6E	T7680080
1395	梨	A2AFEF	B090	7091	2-2F6F	T7690080
1396	柶	A2AFF0	B091	7092	2-2F70	T76A0080
1397	欸	A2AFF1	B092	7093	2-2F71	T76B0080
1398	楫	A2AFF2	B093	7094	2-2F72	T76C0080
1399	栲	A2AFF3	B094	7095	2-2F73	T76D0080
1400	栝	A2AFF4	B095	7096	2-2F74	T76E0080
1401	柒	A2AFF5	B096	7097	2-2F75	T76F0080
1402	集	A2AFF6	B097	7098	2-2F76	T76G0080
1403	欸	A2AFF7	B098	7099	2-2F77	T76H0080
1404	欸	A2AFF8	B099	709A	2-2F78	T76I0080
1405	歐	A2AFF9	B09A	709B	2-2F79	T76J0080
1406	欸	A2AFFA	B09B	709C	2-2F7A	T76K0080
1407	歐	A2AFFB	B09C	709D	2-2F7B	T76L0080
1408	峙	A2AFFC	B09D	709E	2-2F7C	T76M0080
1409	肆	A2AFFD	B09E	709F	2-2F7D	T76N0080
1410	殳	A2AFFE	B09F	70A0	2-2F7E	T76O0080
1411	眊	A2B0A1	B0A0	70A1	2-3021	T76P0080
1412	筵	A2B0A2	B0A1	70A2	2-3022	T76Q0080
1413	毳	A2B0A3	B0A2	70A3	2-3023	T76R0080
1414	翌	A2B0A4	B0A3	70A4	2-3024	T76S0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 12 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1415	毳	A2B0A5	B0A4	70A5	2-3025	T76T0080
1416	毳	A2B0A6	B0A5	70A6	2-3026	T76U0080
1417	氫	A2B0A7	B0A6	70A7	2-3027	T76V0080
1418	沖	A2B0A8	B0A7	70A8	2-3028	T76W0080
1419	浣	A2B0A9	B0A8	70A9	2-3029	T76X0080
1420	浹	A2B0AA	B0A9	70AA	2-302A	T76Y0080
1421	浺	A2B0AB	B0AA	70AB	2-302B	T76Z0080
1422	涸	A2B0AC	B0AB	70AC	2-302C	T7700080
1423	浲	A2B0AD	B0AC	70AD	2-302D	T7710080
1424	涓	A2B0AE	B0AD	70AE	2-302E	T7720080
1425	澀	A2B0AF	B0AE	70AF	2-302F	T7730080
1426	涇	A2B0B0	B0AF	70B0	2-3030	T7740080
1427	漑	A2B0B1	B0B0	70B1	2-3031	T7750080
1428	涇	A2B0B2	B0B1	70B2	2-3032	T7760080
1429	漑	A2B0B3	B0B2	70B3	2-3033	T7770080
1430	漑	A2B0B4	B0B3	70B4	2-3034	T7780080
1431	漑	A2B0B5	B0B4	70B5	2-3035	T7790080
1432	涇	A2B0B6	B0B5	70B6	2-3036	T77A0080
1433	漑	A2B0B7	B0B6	70B7	2-3037	T77B0080
1434	泥	A2B0B8	B0B7	70B8	2-3038	T77C0080
1435	涅	A2B0B9	B0B8	70B9	2-3039	T77D0080
1436	浹	A2B0BA	B0B9	70BA	2-303A	T77E0080
1437	浹	A2B0BB	B0BA	70BB	2-303B	T77F0080
1438	漑	A2B0BC	B0BB	70BC	2-303C	T77G0080
1439	浹	A2B0BD	B0BC	70BD	2-303D	T77H0080
1440	漑	A2B0BE	B0BD	70BE	2-303E	T77I0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 13 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1441	涂	A2B0BF	B0BE	70BF	2-303F	T77J0080
1442	涣	A2B0C0	B0BF	70C0	2-3040	T77K0080
1443	掣	A2B0C1	B0C0	70C1	2-3041	T77L0080
1444	沫	A2B0C2	B0C1	70C2	2-3042	T77M0080
1445	决	A2B0C3	B0C2	70C3	2-3043	T77N0080
1446	泳	A2B0C4	B0C3	70C4	2-3044	T77O0080
1447	覘	A2B0C5	B0C4	70C5	2-3045	T77P0080
1448	滂	A2B0C6	B0C5	70C6	2-3046	T77Q0080
1449	溟	A2B0C7	B0C6	70C7	2-3047	T77R0080
1450	溷	A2B0C8	B0C7	70C8	2-3048	T77S0080
1451	澗	A2B0C9	B0C8	70C9	2-3049	T77T0080
1452	浚	A2B0CA	B0C9	70CA	2-304A	T77U0080
1453	滂	A2B0CB	B0CA	70CB	2-304B	T77V0080
1454	滌	A2B0CC	B0CB	70CC	2-304C	T77W0080
1455	烜	A2B0CD	B0CC	70CD	2-304D	T77X0080
1456	焓	A2B0CE	B0CD	70CE	2-304E	T77Y0080
1457	焯	A2B0CF	B0CE	70CF	2-304F	T77Z0080
1458	烝	A2B0D0	B0CF	70D0	2-3050	T7800080
1459	焓	A2B0D1	B0D0	70D1	2-3051	T7810080
1460	焓	A2B0D2	B0D1	70D2	2-3052	T7820080
1461	焓	A2B0D3	B0D2	70D3	2-3053	T7830080
1462	焓	A2B0D4	B0D3	70D4	2-3054	T7840080
1463	焓	A2B0D5	B0D4	70D5	2-3055	T7850080
1464	焓	A2B0D6	B0D5	70D6	2-3056	T7860080
1465	焓	A2B0D7	B0D6	70D7	2-3057	T7870080
1466	焓	A2B0D8	B0D7	70D8	2-3058	T7880080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 13 (Page 14 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1467	煨	A2B0D9	B0D8	70D9	2-3059	T7890080
1468	煊	A2B0DA	B0D9	70DA	2-305A	T78A0080
1469	煃	A2B0DB	B0DA	70DB	2-305B	T78B0080
1470	煄	A2B0DC	B0DB	70DC	2-305C	T78C0080
1471	煅	A2B0DD	B0DC	70DD	2-305D	T78D0080
1472	煇	A2B0DE	B0DD	70DE	2-305E	T78E0080
1473	糞	A2B0DF	B0DE	70DF	2-305F	T78F0080
1474	牂	A2B0E0	B0DF	70E0	2-3060	T78G0080
1475	牃	A2B0E1	B0E0	70E1	2-3061	T78H0080
1476	牄	A2B0E2	B0E1	70E2	2-3062	T78I0080
1477	犖	A2B0E3	B0E2	70E3	2-3063	T78J0080
1478	犏	A2B0E4	B0E3	70E4	2-3064	T78K0080
1479	犙	A2B0E5	B0E4	70E5	2-3065	T78L0080
1480	犒	A2B0E6	B0E5	70E6	2-3066	T78M0080
1481	犛	A2B0E7	B0E6	70E7	2-3067	T78N0080
1482	犔	A2B0E8	B0E7	70E8	2-3068	T78O0080
1483	犕	A2B0E9	B0E8	70E9	2-3069	T78P0080
1484	犎	A2B0EA	B0E9	70EA	2-306A	T78Q0080
1485	犏	A2B0EB	B0EA	70EB	2-306B	T78R0080
1486	琒	A2B0EC	B0EB	70EC	2-306C	T78S0080
1487	琪	A2B0ED	B0EC	70ED	2-306D	T78T0080
1488	珒	A2B0EE	B0ED	70EE	2-306E	T78U0080
1489	珓	A2B0EF	B0EE	70EF	2-306F	T78V0080
1490	玼	A2B0F0	B0EF	70F0	2-3070	T78W0080
1491	珖	A2B0F1	B0F0	70F1	2-3071	T78X0080
1492	珗	A2B0F2	B0F1	70F2	2-3072	T78Y0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 15 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1493	珩	A2B0F3	B0F2	70F3	2-3073	T78Z0080
1494	玨	A2B0F4	B0F3	70F4	2-3074	T7900080
1495	肆	A2B0F5	B0F4	70F5	2-3075	T7910080
1496	珣	A2B0F6	B0F5	70F6	2-3076	T7920080
1497	琇	A2B0F7	B0F6	70F7	2-3077	T7930080
1498	珞	A2B0F8	B0F7	70F8	2-3078	T7940080
1499	珧	A2B0F9	B0F8	70F9	2-3079	T7950080
1500	琫	A2B0FA	B0F9	70FA	2-307A	T7960080
1501	琭	A2B0FB	B0FA	70FB	2-307B	T7970080
1502	玲	A2B0FC	B0FB	70FC	2-307C	T7980080
1503	颍	A2B0FD	B0FC	70FD	2-307D	T7990080
1504	颍	A2B0FE	B140	7141	2-307E	T79D0080
1505	瓠	A2B1A1	B141	7142	2-3121	T79E0080
1506	瓠	A2B1A2	B142	7143	2-3122	T79F0080
1507	牲	A2B1A3	B143	7144	2-3123	T79G0080
1508	眡	A2B1A4	B144	7145	2-3124	T79H0080
1509	旻	A2B1A5	B145	7146	2-3125	T79I0080
1510	疰	A2B1A6	B146	7147	2-3126	T79J0080
1511	疪	A2B1A7	B147	7148	2-3127	T79K0080
1512	痕	A2B1A8	B148	7149	2-3128	T79L0080
1513	疻	A2B1A9	B149	714A	2-3129	T79M0080
1514	疼	A2B1AA	B14A	714B	2-312A	T79N0080
1515	癩	A2B1AB	B14B	714C	2-312B	T79O0080
1516	癪	A2B1AC	B14C	714D	2-312C	T79P0080
1517	癍	A2B1AD	B14D	714E	2-312D	T79Q0080
1518	命	A2B1AE	B14E	714F	2-312E	T79R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 16 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1519	盞	A2B1AF	B14F	7150	2-312F	T79S0080
1520	貯	A2B1B0	B150	7151	2-3130	T79T0080
1521	昧	A2B1B1	B151	7152	2-3131	T79U0080
1522	眊	A2B1B2	B152	7153	2-3132	T79V0080
1523	賊	A2B1B3	B153	7154	2-3133	T79W0080
1524	腫	A2B1B4	B154	7155	2-3134	T79X0080
1525	跌	A2B1B5	B155	7156	2-3135	T79Y0080
1526	跽	A2B1B6	B156	7157	2-3136	T79Z0080
1527	眊	A2B1B7	B157	7158	2-3137	T7A00080
1528	眊	A2B1B8	B158	7159	2-3138	T7A10080
1529	眊	A2B1B9	B159	715A	2-3139	T7A20080
1530	眊	A2B1BA	B15A	715B	2-313A	T7A30080
1531	眊	A2B1BB	B15B	715C	2-313B	T7A40080
1532	砵	A2B1BC	B15C	715D	2-313C	T7A50080
1533	砵	A2B1BD	B15D	715E	2-313D	T7A60080
1534	砵	A2B1BE	B15E	715F	2-313E	T7A70080
1535	砵	A2B1BF	B15F	7160	2-313F	T7A80080
1536	砵	A2B1C0	B160	7161	2-3140	T7A90080
1537	砵	A2B1C1	B161	7162	2-3141	T7AA0080
1538	砵	A2B1C2	B162	7163	2-3142	T7AB0080
1539	砵	A2B1C3	B163	7164	2-3143	T7AC0080
1540	砵	A2B1C4	B164	7165	2-3144	T7AD0080
1541	砵	A2B1C5	B165	7166	2-3145	T7AE0080
1542	砵	A2B1C6	B166	7167	2-3146	T7AF0080
1543	砵	A2B1C7	B167	7168	2-3147	T7AG0080
1544	砵	A2B1C8	B168	7169	2-3148	T7AH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 17 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1545	祔	A2B1C9	B169	716A	2-3149	T7AI0080
1546	祛	A2B1CA	B16A	716B	2-314A	T7AJ0080
1547	祐	A2B1CB	B16B	716C	2-314B	T7AK0080
1548	祐	A2B1CC	B16C	716D	2-314C	T7AL0080
1549	祓	A2B1CD	B16D	716E	2-314D	T7AM0080
1550	袷	A2B1CE	B16E	716F	2-314E	T7AN0080
1551	袷	A2B1CF	B16F	7170	2-314F	T7AO0080
1552	絺	A2B1D0	B170	7171	2-3150	T7AP0080
1553	絺	A2B1D1	B171	7172	2-3151	T7AQ0080
1554	絺	A2B1D2	B172	7173	2-3152	T7AR0080
1555	紕	A2B1D3	B173	7174	2-3153	T7AS0080
1556	絺	A2B1D4	B174	7175	2-3154	T7AT0080
1557	絺	A2B1D5	B175	7176	2-3155	T7AU0080
1558	紕	A2B1D6	B176	7177	2-3156	T7AV0080
1559	紕	A2B1D7	B177	7178	2-3157	T7AW0080
1560	絺	A2B1D8	B178	7179	2-3158	T7AX0080
1561	窳	A2B1D9	B179	717A	2-3159	T7AY0080
1562	窳	A2B1DA	B17A	717B	2-315A	T7AZ0080
1563	窳	A2B1DB	B17B	717C	2-315B	T7B00080
1564	窳	A2B1DC	B17C	717D	2-315C	T7B10080
1565	窳	A2B1DD	B17D	717E	2-315D	T7B20080
1566	窳	A2B1DE	B17E	717F	2-315E	T7B30080
1567	窳	A2B1DF	B180	7181	2-315F	T7B50080
1568	窳	A2B1E0	B181	7182	2-3160	T7B60080
1569	笄	A2B1E1	B182	7183	2-3161	T7B70080
1570	笄	A2B1E2	B183	7184	2-3162	T7B80080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 18 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1571	筵	A2B1E3	B184	7185	2-3163	T7B90080
1572	筵	A2B1E4	B185	7186	2-3164	T7BA0080
1573	笏	A2B1E5	B186	7187	2-3165	T7BB0080
1574	笈	A2B1E6	B187	7188	2-3166	T7BC0080
1575	笊	A2B1E7	B188	7189	2-3167	T7BD0080
1576	笊	A2B1E8	B189	718A	2-3168	T7BE0080
1577	笊	A2B1E9	B18A	718B	2-3169	T7BF0080
1578	笊	A2B1EA	B18B	718C	2-316A	T7BG0080
1579	粃	A2B1EB	B18C	718D	2-316B	T7BH0080
1580	粃	A2B1EC	B18D	718E	2-316C	T7BI0080
1581	粃	A2B1ED	B18E	718F	2-316D	T7BJ0080
1582	粃	A2B1EE	B18F	7190	2-316E	T7BK0080
1583	粃	A2B1EF	B190	7191	2-316F	T7BL0080
1584	粃	A2B1F0	B191	7192	2-3170	T7BM0080
1585	粃	A2B1F1	B192	7193	2-3171	T7BN0080
1586	紉	A2B1F2	B193	7194	2-3172	T7BO0080
1587	紉	A2B1F3	B194	7195	2-3173	T7BP0080
1588	紉	A2B1F4	B195	7196	2-3174	T7BQ0080
1589	紉	A2B1F5	B196	7197	2-3175	T7BR0080
1590	紉	A2B1F6	B197	7198	2-3176	T7BS0080
1591	紉	A2B1F7	B198	7199	2-3177	T7BT0080
1592	紉	A2B1F8	B199	719A	2-3178	T7BU0080
1593	紉	A2B1F9	B19A	719B	2-3179	T7BV0080
1594	紉	A2B1FA	B19B	719C	2-317A	T7BW0080
1595	紉	A2B1FB	B19C	719D	2-317B	T7BX0080
1596	紉	A2B1FC	B19D	719E	2-317C	T7BY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 19 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1597	罍	A2B1FD	B19E	719F	2-317D	T7BZ0080
1598	罍	A2B1FE	B19F	71A0	2-317E	T7C00080
1599	罍	A2B2A1	B1A0	71A1	2-3221	T7C10080
1600	罍	A2B2A2	B1A1	71A2	2-3222	T7C20080
1601	罍	A2B2A3	B1A2	71A3	2-3223	T7C30080
1602	罍	A2B2A4	B1A3	71A4	2-3224	T7C40080
1603	罍	A2B2A5	B1A4	71A5	2-3225	T7C50080
1604	罍	A2B2A6	B1A5	71A6	2-3226	T7C60080
1605	罍	A2B2A7	B1A6	71A7	2-3227	T7C70080
1606	罍	A2B2A8	B1A7	71A8	2-3228	T7C80080
1607	罍	A2B2A9	B1A8	71A9	2-3229	T7C90080
1608	罍	A2B2AA	B1A9	71AA	2-322A	T7CA0080
1609	罍	A2B2AB	B1AA	71AB	2-322B	T7CB0080
1610	罍	A2B2AC	B1AB	71AC	2-322C	T7CC0080
1611	罍	A2B2AD	B1AC	71AD	2-322D	T7CD0080
1612	罍	A2B2AE	B1AD	71AE	2-322E	T7CE0080
1613	罍	A2B2AF	B1AE	71AF	2-322F	T7CF0080
1614	罍	A2B2B0	B1AF	71B0	2-3230	T7CG0080
1615	罍	A2B2B1	B1B0	71B1	2-3231	T7CH0080
1616	罍	A2B2B2	B1B1	71B2	2-3232	T7CI0080
1617	罍	A2B2B3	B1B2	71B3	2-3233	T7CJ0080
1618	罍	A2B2B4	B1B3	71B4	2-3234	T7CK0080
1619	罍	A2B2B5	B1B4	71B5	2-3235	T7CL0080
1620	罍	A2B2B6	B1B5	71B6	2-3236	T7CM0080
1621	罍	A2B2B7	B1B6	71B7	2-3237	T7CN0080
1622	罍	A2B2B8	B1B7	71B8	2-3238	T7CO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 20 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1623	菱	A2B2B9	B1B8	71B9	2-3239	T7CP0080
1624	菱	A2B2BA	B1B9	71BA	2-323A	T7CQ0080
1625	菱	A2B2BB	B1BA	71BB	2-323B	T7CR0080
1626	菱	A2B2BC	B1BB	71BC	2-323C	T7CS0080
1627	菱	A2B2BD	B1BC	71BD	2-323D	T7CT0080
1628	菱	A2B2BE	B1BD	71BE	2-323E	T7CU0080
1629	菱	A2B2BF	B1BE	71BF	2-323F	T7CV0080
1630	菱	A2B2C0	B1BF	71C0	2-3240	T7CW0080
1631	菱	A2B2C1	B1C0	71C1	2-3241	T7CX0080
1632	菱	A2B2C2	B1C1	71C2	2-3242	T7CY0080
1633	菱	A2B2C3	B1C2	71C3	2-3243	T7CZ0080
1634	菱	A2B2C4	B1C3	71C4	2-3244	T7D00080
1635	菱	A2B2C5	B1C4	71C5	2-3245	T7D10080
1636	菱	A2B2C6	B1C5	71C6	2-3246	T7D20080
1637	菱	A2B2C7	B1C6	71C7	2-3247	T7D30080
1638	菱	A2B2C8	B1C7	71C8	2-3248	T7D40080
1639	菱	A2B2C9	B1C8	71C9	2-3249	T7D50080
1640	菱	A2B2CA	B1C9	71CA	2-324A	T7D60080
1641	菱	A2B2CB	B1CA	71CB	2-324B	T7D70080
1642	菱	A2B2CC	B1CB	71CC	2-324C	T7D80080
1643	菱	A2B2CD	B1CC	71CD	2-324D	T7D90080
1644	菱	A2B2CE	B1CD	71CE	2-324E	T7DA0080
1645	菱	A2B2CF	B1CE	71CF	2-324F	T7DB0080
1646	菱	A2B2D0	B1CF	71D0	2-3250	T7DC0080
1647	菱	A2B2D1	B1D0	71D1	2-3251	T7DD0080
1648	菱	A2B2D2	B1D1	71D2	2-3252	T7DE0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 21 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1649	莽	A2B2D3	B1D2	71D3	2-3253	T7DF0080
1650	萑	A2B2D4	B1D3	71D4	2-3254	T7DG0080
1651	荍	A2B2D5	B1D4	71D5	2-3255	T7DH0080
1652	蒹	A2B2D6	B1D5	71D6	2-3256	T7DI0080
1653	荻	A2B2D7	B1D6	71D7	2-3257	T7DJ0080
1654	莽	A2B2D8	B1D7	71D8	2-3258	T7DK0080
1655	虢	A2B2D9	B1D8	71D9	2-3259	T7DL0080
1656	虢	A2B2DA	B1D9	71DA	2-325A	T7DM0080
1657	虢	A2B2DB	B1DA	71DB	2-325B	T7DN0080
1658	虢	A2B2DC	B1DB	71DC	2-325C	T7DO0080
1659	虢	A2B2DD	B1DC	71DD	2-325D	T7DP0080
1660	虢	A2B2DE	B1DD	71DE	2-325E	T7DQ0080
1661	虢	A2B2DF	B1DE	71DF	2-325F	T7DR0080
1662	虢	A2B2E0	B1DF	71E0	2-3260	T7DS0080
1663	虢	A2B2E1	B1E0	71E1	2-3261	T7DT0080
1664	虢	A2B2E2	B1E1	71E2	2-3262	T7DU0080
1665	虢	A2B2E3	B1E2	71E3	2-3263	T7DV0080
1666	虢	A2B2E4	B1E3	71E4	2-3264	T7DW0080
1667	虢	A2B2E5	B1E4	71E5	2-3265	T7DX0080
1668	虢	A2B2E6	B1E5	71E6	2-3266	T7DY0080
1669	虢	A2B2E7	B1E6	71E7	2-3267	T7DZ0080
1670	虢	A2B2E8	B1E7	71E8	2-3268	T7E00080
1671	虢	A2B2E9	B1E8	71E9	2-3269	T7E10080
1672	虢	A2B2EA	B1E9	71EA	2-326A	T7E20080
1673	虢	A2B2EB	B1EA	71EB	2-326B	T7E30080
1674	虢	A2B2EC	B1EB	71EC	2-326C	T7E40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 22 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1675	蚬	A2B2ED	B1EC	71ED	2-326D	T7E50080
1676	蚝	A2B2EE	B1ED	71EE	2-326E	T7E60080
1677	蚶	A2B2EF	B1EE	71EF	2-326F	T7E70080
1678	蚺	A2B2F0	B1EF	71F0	2-3270	T7E80080
1679	蚺	A2B2F1	B1F0	71F1	2-3271	T7E90080
1680	蚺	A2B2F2	B1F1	71F2	2-3272	T7EA0080
1681	袂	A2B2F3	B1F2	71F3	2-3273	T7EB0080
1682	袂	A2B2F4	B1F3	71F4	2-3274	T7EC0080
1683	袂	A2B2F5	B1F4	71F5	2-3275	T7ED0080
1684	衲	A2B2F6	B1F5	71F6	2-3276	T7EE0080
1685	衲	A2B2F7	B1F6	71F7	2-3277	T7EF0080
1686	袂	A2B2F8	B1F7	71F8	2-3278	T7EG0080
1687	衿	A2B2F9	B1F8	71F9	2-3279	T7EH0080
1688	衿	A2B2FA	B1F9	71FA	2-327A	T7EI0080
1689	袈	A2B2FB	B1FA	71FB	2-327B	T7EJ0080
1690	袈	A2B2FC	B1FB	71FC	2-327C	T7EK0080
1691	枕	A2B2FD	B1FC	71FD	2-327D	T7EL0080
1692	枝	A2B2FE	B240	7241	2-327E	T7EP0080
1693	訖	A2B3A1	B241	7242	2-3321	T7EQ0080
1694	豉	A2B3A2	B242	7243	2-3322	T7ER0080
1695	豉	A2B3A3	B243	7244	2-3323	T7ES0080
1696	豉	A2B3A4	B244	7245	2-3324	T7ET0080
1697	貶	A2B3A5	B245	7246	2-3325	T7EU0080
1698	貶	A2B3A6	B246	7247	2-3326	T7EV0080
1699	赶	A2B3A7	B247	7248	2-3327	T7EW0080
1700	赶	A2B3A8	B248	7249	2-3328	T7EX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 23 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1701	趺	A2B3A9	B249	724A	2-3329	T7EY0080
1702	踈	A2B3AA	B24A	724B	2-332A	T7EZ0080
1703	趺	A2B3AB	B24B	724C	2-332B	T7F00080
1704	鞅	A2B3AC	B24C	724D	2-332C	T7F10080
1705	鞅	A2B3AD	B24D	724E	2-332D	T7F20080
1706	趺	A2B3AE	B24E	724F	2-332E	T7F30080
1707	趺	A2B3AF	B24F	7250	2-332F	T7F40080
1708	适	A2B3B0	B250	7251	2-3330	T7F50080
1709	迨	A2B3B1	B251	7252	2-3331	T7F60080
1710	迨	A2B3B2	B252	7253	2-3332	T7F70080
1711	迨	A2B3B3	B253	7254	2-3333	T7F80080
1712	迨	A2B3B4	B254	7255	2-3334	T7F90080
1713	迨	A2B3B5	B255	7256	2-3335	T7FA0080
1714	邨	A2B3B6	B256	7257	2-3336	T7FB0080
1715	邨	A2B3B7	B257	7258	2-3337	T7FC0080
1716	邨	A2B3B8	B258	7259	2-3338	T7FD0080
1717	邨	A2B3B9	B259	725A	2-3339	T7FE0080
1718	邨	A2B3BA	B25A	725B	2-333A	T7FF0080
1719	邨	A2B3BB	B25B	725C	2-333B	T7FG0080
1720	邨	A2B3BC	B25C	725D	2-333C	T7FH0080
1721	邨	A2B3BD	B25D	725E	2-333D	T7FI0080
1722	邨	A2B3BE	B25E	725F	2-333E	T7FJ0080
1723	邨	A2B3BF	B25F	7260	2-333F	T7FK0080
1724	邨	A2B3C0	B260	7261	2-3340	T7FL0080
1725	邨	A2B3C1	B261	7262	2-3341	T7FM0080
1726	邨	A2B3C2	B262	7263	2-3342	T7FN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 24 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1727	耐	A2B3C3	B263	7264	2-3343	T7FO0080
1728	醜	A2B3C4	B264	7265	2-3344	T7FP0080
1729	釘	A2B3C5	B265	7266	2-3345	T7FQ0080
1730	鈎	A2B3C6	B266	7267	2-3346	T7FR0080
1731	鈎	A2B3C7	B267	7268	2-3347	T7FS0080
1732	陝	A2B3C8	B268	7269	2-3348	T7FT0080
1733	陟	A2B3C9	B269	726A	2-3349	T7FU0080
1734	隼	A2B3CA	B26A	726B	2-334A	T7FV0080
1735	釘	A2B3CB	B26B	726C	2-334B	T7FW0080
1736	𠂇	A2B3CC	B26C	726D	2-334C	T7FX0080
1737	鬯	A2B3CD	B26D	726E	2-334D	T7FY0080
1738	糺	A2B3CE	B26E	726F	2-334E	T7FZ0080
1739	僂	A2B3CF	B26F	7270	2-334F	T7G00080
1740	偪	A2B3D0	B270	7271	2-3350	T7G10080
1741	僖	A2B3D1	B271	7272	2-3351	T7G20080
1742	僕	A2B3D2	B272	7273	2-3352	T7G30080
1743	僂	A2B3D3	B273	7274	2-3353	T7G40080
1744	僖	A2B3D4	B274	7275	2-3354	T7G50080
1745	僖	A2B3D5	B275	7276	2-3355	T7G60080
1746	僖	A2B3D6	B276	7277	2-3356	T7G70080
1747	僖	A2B3D7	B277	7278	2-3357	T7G80080
1748	僖	A2B3D8	B278	7279	2-3358	T7G90080
1749	僖	A2B3D9	B279	727A	2-3359	T7GA0080
1750	僖	A2B3DA	B27A	727B	2-335A	T7GB0080
1751	僖	A2B3DB	B27B	727C	2-335B	T7GC0080
1752	僖	A2B3DC	B27C	727D	2-335C	T7GD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 25 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1753	儻	A2B3DD	B27D	727E	2-335D	T7GE0080
1754	倅	A2B3DE	B27E	727F	2-335E	T7GF0080
1755	僮	A2B3DF	B280	7281	2-335F	T7GH0080
1756	惶	A2B3E0	B281	7282	2-3360	T7GI0080
1757	儻	A2B3E1	B282	7283	2-3361	T7GJ0080
1758	僦	A2B3E2	B283	7284	2-3362	T7GK0080
1759	僮	A2B3E3	B284	7285	2-3363	T7GL0080
1760	僮	A2B3E4	B285	7286	2-3364	T7GM0080
1761	僦	A2B3E5	B286	7287	2-3365	T7GN0080
1762	僦	A2B3E6	B287	7288	2-3366	T7GO0080
1763	僦	A2B3E7	B288	7289	2-3367	T7GP0080
1764	僦	A2B3E8	B289	728A	2-3368	T7GQ0080
1765	僦	A2B3E9	B28A	728B	2-3369	T7GR0080
1766	僦	A2B3EA	B28B	728C	2-336A	T7GS0080
1767	溼	A2B3EB	B28C	728D	2-336B	T7GT0080
1768	劇	A2B3EC	B28D	728E	2-336C	T7GU0080
1769	劇	A2B3ED	B28E	728F	2-336D	T7GV0080
1770	劇	A2B3EE	B28F	7290	2-336E	T7GW0080
1771	劇	A2B3EF	B290	7291	2-336F	T7GX0080
1772	勸	A2B3F0	B291	7292	2-3370	T7GY0080
1773	勸	A2B3F1	B292	7293	2-3371	T7GZ0080
1774	匱	A2B3F2	B293	7294	2-3372	T7H00080
1775	屨	A2B3F3	B294	7295	2-3373	T7H10080
1776	噉	A2B3F4	B295	7296	2-3374	T7H20080
1777	噉	A2B3F5	B296	7297	2-3375	T7H30080
1778	噉	A2B3F6	B297	7298	2-3376	T7H40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 26 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1779	噶	A2B3F7	B298	7299	2-3377	T7H50080
1780	啐	A2B3F8	B299	729A	2-3378	T7H60080
1781	哏	A2B3F9	B29A	729B	2-3379	T7H70080
1782	嗒	A2B3FA	B29B	729C	2-337A	T7H80080
1783	嚏	A2B3FB	B29C	729D	2-337B	T7H90080
1784	唢	A2B3FC	B29D	729E	2-337C	T7HA0080
1785	哨	A2B3FD	B29E	729F	2-337D	T7HB0080
1786	唵	A2B3FE	B29F	72A0	2-337E	T7HC0080
1787	喇	A2B4A1	B2A0	72A1	2-3421	T7HD0080
1788	囉	A2B4A2	B2A1	72A2	2-3422	T7HE0080
1789	嘍	A2B4A3	B2A2	72A3	2-3423	T7HF0080
1790	唛	A2B4A4	B2A3	72A4	2-3424	T7HG0080
1791	唎	A2B4A5	B2A4	72A5	2-3425	T7HH0080
1792	唎	A2B4A6	B2A5	72A6	2-3426	T7HI0080
1793	唎	A2B4A7	B2A6	72A7	2-3427	T7HJ0080
1794	唎	A2B4A8	B2A7	72A8	2-3428	T7HK0080
1795	唎	A2B4A9	B2A8	72A9	2-3429	T7HL0080
1796	唎	A2B4AA	B2A9	72AA	2-342A	T7HM0080
1797	唎	A2B4AB	B2AA	72AB	2-342B	T7HN0080
1798	唎	A2B4AC	B2AB	72AC	2-342C	T7HO0080
1799	唎	A2B4AD	B2AC	72AD	2-342D	T7HP0080
1800	唎	A2B4AE	B2AD	72AE	2-342E	T7HQ0080
1801	唎	A2B4AF	B2AE	72AF	2-342F	T7HR0080
1802	唎	A2B4B0	B2AF	72B0	2-3430	T7HS0080
1803	唎	A2B4B1	B2B0	72B1	2-3431	T7HT0080
1804	唎	A2B4B2	B2B1	72B2	2-3432	T7HU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 27 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1805	執	A2B4B3	B2B2	72B3	2-3433	T7HV0080
1806	埜	A2B4B4	B2B3	72B4	2-3434	T7HW0080
1807	埜	A2B4B5	B2B4	72B5	2-3435	T7HX0080
1808	堀	A2B4B6	B2B5	72B6	2-3436	T7HY0080
1809	埜	A2B4B7	B2B6	72B7	2-3437	T7HZ0080
1810	埜	A2B4B8	B2B7	72B8	2-3438	T7I00080
1811	埜	A2B4B9	B2B8	72B9	2-3439	T7I10080
1812	埜	A2B4BA	B2B9	72BA	2-343A	T7I20080
1813	埜	A2B4BB	B2BA	72BB	2-343B	T7I30080
1814	埜	A2B4BC	B2BB	72BC	2-343C	T7I40080
1815	埜	A2B4BD	B2BC	72BD	2-343D	T7I50080
1816	埜	A2B4BE	B2BD	72BE	2-343E	T7I60080
1817	埜	A2B4BF	B2BE	72BF	2-343F	T7I70080
1818	埜	A2B4C0	B2BF	72C0	2-3440	T7I80080
1819	埜	A2B4C1	B2C0	72C1	2-3441	T7I90080
1820	埜	A2B4C2	B2C1	72C2	2-3442	T7IA0080
1821	埜	A2B4C3	B2C2	72C3	2-3443	T7IB0080
1822	埜	A2B4C4	B2C3	72C4	2-3444	T7IC0080
1823	埜	A2B4C5	B2C4	72C5	2-3445	T7ID0080
1824	埜	A2B4C6	B2C5	72C6	2-3446	T7IE0080
1825	埜	A2B4C7	B2C6	72C7	2-3447	T7IF0080
1826	埜	A2B4C8	B2C7	72C8	2-3448	T7IG0080
1827	埜	A2B4C9	B2C8	72C9	2-3449	T7IH0080
1828	埜	A2B4CA	B2C9	72CA	2-344A	T7II0080
1829	埜	A2B4CB	B2CA	72CB	2-344B	T7IJ0080
1830	埜	A2B4CC	B2CB	72CC	2-344C	T7IK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 28 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1831	塚	A2B4CD	B2CC	72CD	2-344D	T7IL0080
1832	塊	A2B4CE	B2CD	72CE	2-344E	T7IM0080
1833	塊	A2B4CF	B2CE	72CF	2-344F	T7IN0080
1834	斐	A2B4D0	B2CF	72D0	2-3450	T7IO0080
1835	媪	A2B4D1	B2D0	72D1	2-3451	T7IP0080
1836	媿	A2B4D2	B2D1	72D2	2-3452	T7IQ0080
1837	媿	A2B4D3	B2D2	72D3	2-3453	T7IR0080
1838	媿	A2B4D4	B2D3	72D4	2-3454	T7IS0080
1839	媿	A2B4D5	B2D4	72D5	2-3455	T7IT0080
1840	媿	A2B4D6	B2D5	72D6	2-3456	T7IU0080
1841	媿	A2B4D7	B2D6	72D7	2-3457	T7IV0080
1842	媿	A2B4D8	B2D7	72D8	2-3458	T7IW0080
1843	媿	A2B4D9	B2D8	72D9	2-3459	T7IX0080
1844	媿	A2B4DA	B2D9	72DA	2-345A	T7IY0080
1845	媿	A2B4DB	B2DA	72DB	2-345B	T7IZ0080
1846	媿	A2B4DC	B2DB	72DC	2-345C	T7J00080
1847	媿	A2B4DD	B2DC	72DD	2-345D	T7J10080
1848	媿	A2B4DE	B2DD	72DE	2-345E	T7J20080
1849	媿	A2B4DF	B2DE	72DF	2-345F	T7J30080
1850	媿	A2B4E0	B2DF	72E0	2-3460	T7J40080
1851	媿	A2B4E1	B2E0	72E1	2-3461	T7J50080
1852	媿	A2B4E2	B2E1	72E2	2-3462	T7J60080
1853	媿	A2B4E3	B2E2	72E3	2-3463	T7J70080
1854	媿	A2B4E4	B2E3	72E4	2-3464	T7J80080
1855	媿	A2B4E5	B2E4	72E5	2-3465	T7J90080
1856	媿	A2B4E6	B2E5	72E6	2-3466	T7JA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 29 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1857	媿	A2B4E7	B2E6	72E7	2-3467	T7JB0080
1858	嬌	A2B4E8	B2E7	72E8	2-3468	T7JC0080
1859	嫵	A2B4E9	B2E8	72E9	2-3469	T7JD0080
1860	媿	A2B4EA	B2E9	72EA	2-346A	T7JE0080
1861	媿	A2B4EB	B2EA	72EB	2-346B	T7JF0080
1862	媿	A2B4EC	B2EB	72EC	2-346C	T7JG0080
1863	媿	A2B4ED	B2EC	72ED	2-346D	T7JH0080
1864	媿	A2B4EE	B2ED	72EE	2-346E	T7JI0080
1865	媿	A2B4EF	B2EE	72EF	2-346F	T7JJ0080
1866	媿	A2B4F0	B2EF	72F0	2-3470	T7JK0080
1867	媿	A2B4F1	B2F0	72F1	2-3471	T7JL0080
1868	媿	A2B4F2	B2F1	72F2	2-3472	T7JM0080
1869	媿	A2B4F3	B2F2	72F3	2-3473	T7JN0080
1870	媿	A2B4F4	B2F3	72F4	2-3474	T7JO0080
1871	媿	A2B4F5	B2F4	72F5	2-3475	T7JP0080
1872	媿	A2B4F6	B2F5	72F6	2-3476	T7JQ0080
1873	媿	A2B4F7	B2F6	72F7	2-3477	T7JR0080
1874	媿	A2B4F8	B2F7	72F8	2-3478	T7JS0080
1875	媿	A2B4F9	B2F8	72F9	2-3479	T7JT0080
1876	媿	A2B4FA	B2F9	72FA	2-347A	T7JU0080
1877	媿	A2B4FB	B2FA	72FB	2-347B	T7JV0080
1878	媿	A2B4FC	B2FB	72FC	2-347C	T7JW0080
1879	媿	A2B4FD	B2FC	72FD	2-347D	T7JX0080
1880	媿	A2B4FE	B340	7341	2-347E	T7K10080
1881	媿	A2B5A1	B341	7342	2-3521	T7K20080
1882	媿	A2B5A2	B342	7343	2-3522	T7K30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 30 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1883	嶠	A2B5A3	B343	7344	2-3523	T7K40080
1884	嶠	A2B5A4	B344	7345	2-3524	T7K50080
1885	峯	A2B5A5	B345	7346	2-3525	T7K60080
1886	峯	A2B5A6	B346	7347	2-3526	T7K70080
1887	崙	A2B5A7	B347	7348	2-3527	T7K80080
1888	崙	A2B5A8	B348	7349	2-3528	T7K90080
1889	嶠	A2B5A9	B349	734A	2-3529	T7KA0080
1890	嶠	A2B5AA	B34A	734B	2-352A	T7KB0080
1891	廋	A2B5AB	B34B	734C	2-352B	T7KC0080
1892	廋	A2B5AC	B34C	734D	2-352C	T7KD0080
1893	廋	A2B5AD	B34D	734E	2-352D	T7KE0080
1894	廋	A2B5AE	B34E	734F	2-352E	T7KF0080
1895	庫	A2B5AF	B34F	7350	2-352F	T7KG0080
1896	涼	A2B5B0	B350	7351	2-3530	T7KH0080
1897	彌	A2B5B1	B351	7352	2-3531	T7KI0080
1898	符	A2B5B2	B352	7353	2-3532	T7KJ0080
1899	徠	A2B5B3	B353	7354	2-3533	T7KK0080
1900	徠	A2B5B4	B354	7355	2-3534	T7KL0080
1901	慙	A2B5B5	B355	7356	2-3535	T7KM0080
1902	慙	A2B5B6	B356	7357	2-3536	T7KN0080
1903	慙	A2B5B7	B357	7358	2-3537	T7KO0080
1904	慙	A2B5B8	B358	7359	2-3538	T7KP0080
1905	慙	A2B5B9	B359	735A	2-3539	T7KQ0080
1906	棺	A2B5BA	B35A	735B	2-353A	T7KR0080
1907	憊	A2B5BB	B35B	735C	2-353B	T7KS0080
1908	憊	A2B5BC	B35C	735D	2-353C	T7KT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 31 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1909	憐	A2B5BD	B35D	735E	2-353D	T7KU0080
1910	憫	A2B5BE	B35E	735F	2-353E	T7KV0080
1911	憮	A2B5BF	B35F	7360	2-353F	T7KW0080
1912	憯	A2B5C0	B360	7361	2-3540	T7KX0080
1913	憰	A2B5C1	B361	7362	2-3541	T7KY0080
1914	憱	A2B5C2	B362	7363	2-3542	T7KZ0080
1915	憲	A2B5C3	B363	7364	2-3543	T7L00080
1916	憳	A2B5C4	B364	7365	2-3544	T7L10080
1917	憴	A2B5C5	B365	7366	2-3545	T7L20080
1918	憵	A2B5C6	B366	7367	2-3546	T7L30080
1919	憶	A2B5C7	B367	7368	2-3547	T7L40080
1920	憷	A2B5C8	B368	7369	2-3548	T7L50080
1921	憸	A2B5C9	B369	736A	2-3549	T7L60080
1922	憹	A2B5CA	B36A	736B	2-354A	T7L70080
1923	憺	A2B5CB	B36B	736C	2-354B	T7L80080
1924	憻	A2B5CC	B36C	736D	2-354C	T7L90080
1925	憼	A2B5CD	B36D	736E	2-354D	T7LA0080
1926	憽	A2B5CE	B36E	736F	2-354E	T7LB0080
1927	憾	A2B5CF	B36F	7370	2-354F	T7LC0080
1928	憿	A2B5D0	B370	7371	2-3550	T7LD0080
1929	撻	A2B5D1	B371	7372	2-3551	T7LE0080
1930	撷	A2B5D2	B372	7373	2-3552	T7LF0080
1931	撸	A2B5D3	B373	7374	2-3553	T7LG0080
1932	撖	A2B5D4	B374	7375	2-3554	T7LH0080
1933	撗	A2B5D5	B375	7376	2-3555	T7LI0080
1934	撘	A2B5D6	B376	7377	2-3556	T7LJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 32 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1935	撥	A2B5D7	B377	7378	2-3557	T7LK0080
1936	招	A2B5D8	B378	7379	2-3558	T7LL0080
1937	据	A2B5D9	B379	737A	2-3559	T7LM0080
1938	措	A2B5DA	B37A	737B	2-355A	T7LN0080
1939	換	A2B5DB	B37B	737C	2-355B	T7LO0080
1940	挽	A2B5DC	B37C	737D	2-355C	T7LP0080
1941	摔	A2B5DD	B37D	737E	2-355D	T7LQ0080
1942	搨	A2B5DE	B37E	737F	2-355E	T7LR0080
1943	掇	A2B5DF	B380	7381	2-355F	T7LT0080
1944	搨	A2B5E0	B381	7382	2-3560	T7LU0080
1945	搨	A2B5E1	B382	7383	2-3561	T7LV0080
1946	搨	A2B5E2	B383	7384	2-3562	T7LW0080
1947	掇	A2B5E3	B384	7385	2-3563	T7LX0080
1948	搨	A2B5E4	B385	7386	2-3564	T7LY0080
1949	振	A2B5E5	B386	7387	2-3565	T7LZ0080
1950	棋	A2B5E6	B387	7388	2-3566	T7M00080
1951	棍	A2B5E7	B388	7389	2-3567	T7M10080
1952	搨	A2B5E8	B389	738A	2-3568	T7M20080
1953	欸	A2B5E9	B38A	738B	2-3569	T7M30080
1954	旌	A2B5EA	B38B	738C	2-356A	T7M40080
1955	睨	A2B5EB	B38C	738D	2-356B	T7M50080
1956	哺	A2B5EC	B38D	738E	2-356C	T7M60080
1957	睨	A2B5ED	B38E	738F	2-356D	T7M70080
1958	睨	A2B5EE	B38F	7390	2-356E	T7M80080
1959	鼻	A2B5EF	B390	7391	2-356F	T7M90080
1960	哲	A2B5F0	B391	7392	2-3570	T7MA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 13 (Page 33 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1961	腋	A2B5F1	B392	7393	2-3571	T7MB0080
1962	椴	A2B5F2	B393	7394	2-3572	T7MC0080
1963	榉	A2B5F3	B394	7395	2-3573	T7MD0080
1964	榧	A2B5F4	B395	7396	2-3574	T7ME0080
1965	榎	A2B5F5	B396	7397	2-3575	T7MF0080
1966	榦	A2B5F6	B397	7398	2-3576	T7MG0080
1967	栝	A2B5F7	B398	7399	2-3577	T7MH0080
1968	楫	A2B5F8	B399	739A	2-3578	T7MI0080
1969	榎	A2B5F9	B39A	739B	2-3579	T7MJ0080
1970	榧	A2B5FA	B39B	739C	2-357A	T7MK0080
1971	榧	A2B5FB	B39C	739D	2-357B	T7ML0080
1972	榧	A2B5FC	B39D	739E	2-357C	T7MM0080
1973	榧	A2B5FD	B39E	739F	2-357D	T7MN0080
1974	榧	A2B5FE	B39F	73A0	2-357E	T7MO0080
1975	榧	A2B6A1	B3A0	73A1	2-3621	T7MP0080
1976	榧	A2B6A2	B3A1	73A2	2-3622	T7MQ0080
1977	榧	A2B6A3	B3A2	73A3	2-3623	T7MR0080
1978	榧	A2B6A4	B3A3	73A4	2-3624	T7MS0080
1979	榧	A2B6A5	B3A4	73A5	2-3625	T7MT0080
1980	榧	A2B6A6	B3A5	73A6	2-3626	T7MU0080
1981	榧	A2B6A7	B3A6	73A7	2-3627	T7MV0080
1982	榧	A2B6A8	B3A7	73A8	2-3628	T7MW0080
1983	榧	A2B6A9	B3A8	73A9	2-3629	T7MX0080
1984	榧	A2B6AA	B3A9	73AA	2-362A	T7MY0080
1985	榧	A2B6AB	B3AA	73AB	2-362B	T7MZ0080
1986	榧	A2B6AC	B3AB	73AC	2-362C	T7N00080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 34 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1987	楮	A2B6AD	B3AC	73AD	2-362D	T7N10080
1988	榘	A2B6AE	B3AD	73AE	2-362E	T7N20080
1989	榟	A2B6AF	B3AE	73AF	2-362F	T7N30080
1990	榠	A2B6B0	B3AF	73B0	2-3630	T7N40080
1991	榡	A2B6B1	B3B0	73B1	2-3631	T7N50080
1992	榢	A2B6B2	B3B1	73B2	2-3632	T7N60080
1993	榣	A2B6B3	B3B2	73B3	2-3633	T7N70080
1994	榤	A2B6B4	B3B3	73B4	2-3634	T7N80080
1995	榥	A2B6B5	B3B4	73B5	2-3635	T7N90080
1996	榦	A2B6B6	B3B5	73B6	2-3636	T7NA0080
1997	榧	A2B6B7	B3B6	73B7	2-3637	T7NB0080
1998	榨	A2B6B8	B3B7*	73B8*	2-3638	TC3Q0080
1999	榩	A2B6B9	B3B8	73B9	2-3639	T7ND0080
2000	榪	A2B6BA	B3B9	73BA	2-363A	T7NE0080
2001	榫	A2B6BB	B3BA	73BB	2-363B	T7NF0080
2002	榬	A2B6BC	B3BB	73BC	2-363C	T7NG0080
2003	榭	A2B6BD	B3BC	73BD	2-363D	T7NH0080
2004	榭	A2B6BE	B3BD	73BE	2-363E	T7NI0080
2005	榭	A2B6BF	B3BE	73BF	2-363F	T7NJ0080
2006	榭	A2B6C0	B3BF	73C0	2-3640	T7NK0080
2007	榭	A2B6C1	B3C0	73C1	2-3641	T7NL0080
2008	榭	A2B6C2	B3C1	73C2	2-3642	T7NM0080
2009	氫	A2B6C3	B3C2	73C3	2-3643	T7NN0080
2010	淀	A2B6C4	B3C3	73C4	2-3644	T7NO0080
2011	涓	A2B6C5	B3C4	73C5	2-3645	T7NP0080
2012	澗	A2B6C6	B3C5	73C6	2-3646	T7NQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 35 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2013	漉	A2B6C7	B3C6	73C7	2-3647	T7NR0080
2014	溢	A2B6C8	B3C7	73C8	2-3648	T7NS0080
2015	淬	A2B6C9	B3C8	73C9	2-3649	T7NT0080
2016	凌	A2B6CA	B3C9	73CA	2-364A	T7NU0080
2017	減	A2B6CB	B3CA	73CB	2-364B	T7NV0080
2018	凍	A2B6CC	B3CB	73CC	2-364C	T7NW0080
2019	涑	A2B6CD	B3CC	73CD	2-364D	T7NX0080
2020	漬	A2B6CE	B3CD	73CE	2-364E	T7NY0080
2021	濟	A2B6CF	B3CE	73CF	2-364F	T7NZ0080
2022	漏	A2B6D0	B3CF	73D0	2-3650	T7O00080
2023	滌	A2B6D1	B3D0	73D1	2-3651	T7O10080
2024	渙	A2B6D2	B3D1	73D2	2-3652	T7O20080
2025	淖	A2B6D3	B3D2	73D3	2-3653	T7O30080
2026	潛	A2B6D4	B3D3	73D4	2-3654	T7O40080
2027	淥	A2B6D5	B3D4	73D5	2-3655	T7O50080
2028	湖	A2B6D6	B3D5	73D6	2-3656	T7O60080
2029	淝	A2B6D7	B3D6	73D7	2-3657	T7O70080
2030	澗	A2B6D8	B3D7	73D8	2-3658	T7O80080
2031	澗	A2B6D9	B3D8	73D9	2-3659	T7O90080
2032	涖	A2B6DA	B3D9	73DA	2-365A	T7OA0080
2033	潛	A2B6DB	B3DA	73DB	2-365B	T7OB0080
2034	滌	A2B6DC	B3DB	73DC	2-365C	T7OC0080
2035	滄	A2B6DD	B3DC	73DD	2-365D	T7OD0080
2036	澗	A2B6DE	B3DD	73DE	2-365E	T7OE0080
2037	滄	A2B6DF	B3DE	73DF	2-365F	T7OF0080
2038	淖	A2B6E0	B3DF	73E0	2-3660	T7OG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 13 (Page 36 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2039	溲	A2B6E1	B3E0	73E1	2-3661	T7OH0080
2040	課	A2B6E2	B3E1	73E2	2-3662	T7OI0080
2041	滷	A2B6E3	B3E2	73E3	2-3663	T7OJ0080
2042	漉	A2B6E4	B3E3	73E4	2-3664	T7OK0080
2043	滂	A2B6E5	B3E4	73E5	2-3665	T7OL0080
2044	滛	A2B6E6	B3E5	73E6	2-3666	T7OM0080
2045	瀾	A2B6E7	B3E6	73E7	2-3667	T7ON0080
2046	潤	A2B6E8	B3E7	73E8	2-3668	T7OO0080
2047	浼	A2B6E9	B3E8	73E9	2-3669	T7OP0080
2048	滄	A2B6EA	B3E9	73EA	2-366A	T7OQ0080
2049	煨	A2B6EB	B3EA	73EB	2-366B	T7OR0080
2050	煇	A2B6EC	B3EB	73EC	2-366C	T7OS0080
2051	煨	A2B6ED	B3EC	73ED	2-366D	T7OT0080
2052	煇	A2B6EE	B3ED	73EE	2-366E	T7OU0080
2053	煇	A2B6EF	B3EE	73EF	2-366F	T7OV0080
2054	煇	A2B6F0	B3EF	73F0	2-3670	T7OW0080
2055	煇	A2B6F1	B3F0	73F1	2-3671	T7OX0080
2056	煇	A2B6F2	B3F1	73F2	2-3672	T7OY0080
2057	煇	A2B6F3	B3F2	73F3	2-3673	T7OZ0080
2058	煇	A2B6F4	B3F3	73F4	2-3674	T7P00080
2059	煇	A2B6F5	B3F4	73F5	2-3675	T7P10080
2060	煇	A2B6F6	B3F5	73F6	2-3676	T7P20080
2061	煇	A2B6F7	B3F6	73F7	2-3677	T7P30080
2062	煇	A2B6F8	B3F7	73F8	2-3678	T7P40080
2063	煇	A2B6F9	B3F8	73F9	2-3679	T7P50080
2064	煇	A2B6FA	B3F9	73FA	2-367A	T7P60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 13 (Page 37 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2065	焜	A2B6FB	B3FA	73FB	2-367B	T7P70080
2066	熨	A2B6FC	B3FB	73FC	2-367C	T7P80080
2067	熨	A2B6FD	B3FC	73FD	2-367D	T7P90080
2068	焜	A2B6FE	B440	7441	2-367E	T7PD0080
2069	焜	A2B7A1	B441	7442	2-3721	T7PE0080
2070	焜	A2B7A2	B442	7443	2-3722	T7PF0080
2071	焜	A2B7A3	B443	7444	2-3723	T7PG0080
2072	焜	A2B7A4	B444	7445	2-3724	T7PH0080
2073	焜	A2B7A5	B445	7446	2-3725	T7PI0080
2074	焜	A2B7A6	B446	7447	2-3726	T7PJ0080
2075	焜	A2B7A7	B447	7448	2-3727	T7PK0080
2076	焜	A2B7A8	B448	7449	2-3728	T7PL0080
2077	焜	A2B7A9	B449	744A	2-3729	T7PM0080
2078	焜	A2B7AA	B44A	744B	2-372A	T7PN0080
2079	焜	A2B7AB	B44B	744C	2-372B	T7PO0080
2080	焜	A2B7AC	B44C	744D	2-372C	T7PP0080
2081	焜	A2B7AD	B44D	744E	2-372D	T7PQ0080
2082	焜	A2B7AE	B44E	744F	2-372E	T7PR0080
2083	焜	A2B7AF	B44F	7450	2-372F	T7PS0080
2084	焜	A2B7B0	B450	7451	2-3730	T7PT0080
2085	焜	A2B7B1	B451	7452	2-3731	T7PU0080
2086	焜	A2B7B2	B452	7453	2-3732	T7PV0080
2087	焜	A2B7B3	B453	7454	2-3733	T7PW0080
2088	焜	A2B7B4	B454	7455	2-3734	T7PX0080
2089	焜	A2B7B5	B455	7456	2-3735	T7PY0080
2090	焜	A2B7B6	B456	7457	2-3736	T7PZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 38 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2091	琿	A2B7B7	B457	7458	2-3737	T7Q00080
2092	瑇	A2B7B8	B458	7459	2-3738	T7Q10080
2093	珉	A2B7B9	B459	745A	2-3739	T7Q20080
2094	珎	A2B7BA	B45A	745B	2-373A	T7Q30080
2095	琿	A2B7BB	B45B	745C	2-373B	T7Q40080
2096	瑇	A2B7BC	B45C	745D	2-373C	T7Q50080
2097	珉	A2B7BD	B45D	745E	2-373D	T7Q60080
2098	珎	A2B7BE	B45E	745F	2-373E	T7Q70080
2099	峙	A2B7BF	B45F	7460	2-373F	T7Q80080
2100	畚	A2B7C0	B460	7461	2-3740	T7Q90080
2101	痲	A2B7C1	B461	7462	2-3741	T7QA0080
2102	痒	A2B7C2	B462	7463	2-3742	T7QB0080
2103	痲	A2B7C3	B463	7464	2-3743	T7QC0080
2104	痲	A2B7C4	B464	7465	2-3744	T7QD0080
2105	痲	A2B7C5	B465	7466	2-3745	T7QE0080
2106	痲	A2B7C6	B466	7467	2-3746	T7QF0080
2107	痲	A2B7C7	B467	7468	2-3747	T7QG0080
2108	餅	A2B7C8	B468	7469	2-3748	T7QH0080
2109	眦	A2B7C9	B469	746A	2-3749	T7QI0080
2110	猛	A2B7CA	B46A	746B	2-374A	T7QJ0080
2111	睽	A2B7CB	B46B	746C	2-374B	T7QK0080
2112	眯	A2B7CC	B46C	746D	2-374C	T7QL0080
2113	眊	A2B7CD	B46D	746E	2-374D	T7QM0080
2114	瞋	A2B7CE	B46E	746F	2-374E	T7QN0080
2115	眊	A2B7CF	B46F	7470	2-374F	T7QO0080
2116	眊	A2B7D0	B470	7471	2-3750	T7QP0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 13 (Page 39 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2117	賂	A2B7D1	B471	7472	2-3751	T7QQ0080
2118	賂	A2B7D2	B472	7473	2-3752	T7QR0080
2119	皆	A2B7D3	B473	7474	2-3753	T7QS0080
2120	詳	A2B7D4	B474	7475	2-3754	T7QT0080
2121	眇	A2B7D5	B475	7476	2-3755	T7QU0080
2122	碣	A2B7D6	B476	7477	2-3756	T7QV0080
2123	礪	A2B7D7	B477	7478	2-3757	T7QW0080
2124	碑	A2B7D8	B478	7479	2-3758	T7QX0080
2125	礪	A2B7D9	B479	747A	2-3759	T7QY0080
2126	礪	A2B7DA	B47A	747B	2-375A	T7QZ0080
2127	礪	A2B7DB	B47B	747C	2-375B	T7R00080
2128	礪	A2B7DC	B47C	747D	2-375C	T7R10080
2129	礪	A2B7DD	B47D	747E	2-375D	T7R20080
2130	礪	A2B7DE	B47E	747F	2-375E	T7R30080
2131	栩	A2B7DF	B480	7481	2-375F	T7R50080
2132	桃	A2B7E0	B481	7482	2-3760	T7R60080
2133	株	A2B7E1	B482	7483	2-3761	T7R70080
2134	桅	A2B7E2	B483	7484	2-3762	T7R80080
2135	袂	A2B7E3	B484	7485	2-3763	T7R90080
2136	袂	A2B7E4	B485	7486	2-3764	T7RA0080
2137	紫	A2B7E5	B486	7487	2-3765	T7RB0080
2138	离	A2B7E6	B487	7488	2-3766	T7RC0080
2139	稔	A2B7E7	B488	7489	2-3767	T7RD0080
2140	結	A2B7E8	B489	748A	2-3768	T7RE0080
2141	案	A2B7E9	B48A	748B	2-3769	T7RF0080
2142	稔	A2B7EA	B48B	748C	2-376A	T7RG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 40 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2143	穿	A2B7EB	B48C	748D	2-376B	T7RH0080
2144	窈	A2B7EC	B48D	748E	2-376C	T7RI0080
2145	窊	A2B7ED	B48E	748F	2-376D	T7RJ0080
2146	窋	A2B7EE	B48F	7490	2-376E	T7RK0080
2147	筇	A2B7EF	B7E3	77E4	2-376F	T89W0080
2148	筈	A2B7F0	B491	7492	2-3770	T7RM0080
2149	等	A2B7F1	B492	7493	2-3771	T7RN0080
2150	筊	A2B7F2	B493	7494	2-3772	T7RO0080
2151	筋	A2B7F3	B494	7495	2-3773	T7RP0080
2152	筌	A2B7F4	B495	7496	2-3774	T7RQ0080
2153	筍	A2B7F5	B496	7497	2-3775	T7RR0080
2154	筆	A2B7F6	B497	7498	2-3776	T7RS0080
2155	筇	A2B7F7	B498	7499	2-3777	T7RT0080
2156	筈	A2B7F8	B499	749A	2-3778	T7RU0080
2157	等	A2B7F9	B49A	749B	2-3779	T7RV0080
2158	筊	A2B7FA	B49B	749C	2-377A	T7RW0080
2159	筋	A2B7FB	B49C	749D	2-377B	T7RX0080
2160	筌	A2B7FC	B49D	749E	2-377C	T7RY0080
2161	筍	A2B7FD	B49E	749F	2-377D	T7RZ0080
2162	筆	A2B7FE	B49F	74A0	2-377E	T7S00080
2163	筇	A2B8A1	B4A0	74A1	2-3821	T7S10080
2164	筈	A2B8A2	B4A1	74A2	2-3822	T7S20080
2165	等	A2B8A3	B4A2	74A3	2-3823	T7S30080
2166	粘	A2B8A4	B4A3	74A4	2-3824	T7S40080
2167	糝	A2B8A5	B4A4	74A5	2-3825	T7S50080
2168	糞	A2B8A6	B4A5	74A6	2-3826	T7S60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 41 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2169	紵	A2B8A7	B4A6	74A7	2-3827	T7S70080
2170	紶	A2B8A8	B4A7	74A8	2-3828	T7S80080
2171	紷	A2B8A9	B4A8	74A9	2-3829	T7S90080
2172	紸	A2B8AA	B4A9	74AA	2-382A	T7SA0080
2173	紹	A2B8AB	B4AA	74AB	2-382B	T7SB0080
2174	紺	A2B8AC	B4AB	74AC	2-382C	T7SC0080
2175	紻	A2B8AD	B4AC	74AD	2-382D	T7SD0080
2176	紿	A2B8AE	B4AD	74AE	2-382E	T7SE0080
2177	紻	A2B8AF	B4AE	74AF	2-382F	T7SF0080
2178	紿	A2B8B0	B4AF	74B0	2-3830	T7SG0080
2179	紿	A2B8B1	B4B0	74B1	2-3831	T7SH0080
2180	紿	A2B8B2	B4B1	74B2	2-3832	T7SI0080
2181	紿	A2B8B3	B4B2	74B3	2-3833	T7SJ0080
2182	紿	A2B8B4	B4B3	74B4	2-3834	T7SK0080
2183	紿	A2B8B5	B4B4	74B5	2-3835	T7SL0080
2184	罍	A2B8B6	B4B5	74B6	2-3836	T7SM0080
2185	罍	A2B8B7	B4B6	74B7	2-3837	T7SN0080
2186	罍	A2B8B8	B4B7	74B8	2-3838	T7SO0080
2187	罍	A2B8B9	B4B8	74B9	2-3839	T7SP0080
2188	罍	A2B8BA	B4B9	74BA	2-383A	T7SQ0080
2189	罍	A2B8BB	B4BA	74BB	2-383B	T7SR0080
2190	罍	A2B8BC	B4BB	74BC	2-383C	T7SS0080
2191	罍	A2B8BD	B4BC	74BD	2-383D	T7ST0080
2192	罍	A2B8BE	B4BD	74BE	2-383E	T7SU0080
2193	罍	A2B8BF	B4BE	74BF	2-383F	T7SV0080
2194	罍	A2B8C0	B4BF	74C0	2-3840	T7SW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 42 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2195	簪	A2B8C1	B4C0	74C1	2-3841	T7SX0080
2196	翎	A2B8C2	B4C1	74C2	2-3842	T7SY0080
2197	絀	A2B8C3	B4C2	74C3	2-3843	T7SZ0080
2198	紉	A2B8C4	B4C3	74C4	2-3844	T7T00080
2199	紉	A2B8C5	B4C4	74C5	2-3845	T7T10080
2200	疍	A2B8C6	B4C5	74C6	2-3846	T7T20080
2201	聃	A2B8C7	B4C6	74C7	2-3847	T7T30080
2202	駟	A2B8C8	B4C7	74C8	2-3848	T7T40080
2203	腕	A2B8C9	B4C8	74C9	2-3849	T7T50080
2204	腴	A2B8CA	B4C9	74CA	2-384A	T7T60080
2205	腓	A2B8CB	B4CA	74CB	2-384B	T7T70080
2206	脛	A2B8CC	B4CB	74CC	2-384C	T7T80080
2207	脛	A2B8CD	B4CC	74CD	2-384D	T7T90080
2208	脛	A2B8CE	B4CD	74CE	2-384E	T7TA0080
2209	脛	A2B8CF	B4CE	74CF	2-384F	T7TB0080
2210	脛	A2B8D0	B4CF	74D0	2-3850	T7TC0080
2211	脛	A2B8D1	B4D0	74D1	2-3851	T7TD0080
2212	脛	A2B8D2	B4D1	74D2	2-3852	T7TE0080
2213	脛	A2B8D3	B4D2	74D3	2-3853	T7TF0080
2214	脛	A2B8D4	B4D3	74D4	2-3854	T7TG0080
2215	脛	A2B8D5	B4D4	74D5	2-3855	T7TH0080
2216	脛	A2B8D6	B4D5	74D6	2-3856	T7TI0080
2217	脛	A2B8D7	B4D6	74D7	2-3857	T7TJ0080
2218	脛	A2B8D8	B4D7	74D8	2-3858	T7TK0080
2219	脛	A2B8D9	B4D8	74D9	2-3859	T7TL0080
2220	脛	A2B8DA	B4D9	74DA	2-385A	T7TM0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 13 (Page 43 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2221	舡	A2B8DB	B4DA	74DB	2-385B	T7TN0080
2222	艸	A2B8DC	B4DB	74DC	2-385C	T7TO0080
2223	莠	A2B8DD	B4DC	74DD	2-385D	T7TP0080
2224	惹	A2B8DE	B4DD	74DE	2-385E	T7TQ0080
2225	莨	A2B8DF	B4DE	74DF	2-385F	T7TR0080
2226	菜	A2B8E0	B4DF	74E0	2-3860	T7TS0080
2227	莠	A2B8E1	B4E0	74E1	2-3861	T7TT0080
2228	荳	A2B8E2	B4E1	74E2	2-3862	T7TU0080
2229	菡	A2B8E3	B4E2	74E3	2-3863	T7TV0080
2230	菰	A2B8E4	B4E3	74E4	2-3864	T7TW0080
2231	菰	A2B8E5	B4E4	74E5	2-3865	T7TX0080
2232	菰	A2B8E6	B4E5	74E6	2-3866	T7TY0080
2233	菰	A2B8E7	B4E6	74E7	2-3867	T7TZ0080
2234	菰	A2B8E8	B4E7	74E8	2-3868	T7U00080
2235	菰	A2B8E9	B4E8	74E9	2-3869	T7U10080
2236	菰	A2B8EA	B4E9	74EA	2-386A	T7U20080
2237	菰	A2B8EB	B4EA	74EB	2-386B	T7U30080
2238	菰	A2B8EC	B4EB	74EC	2-386C	T7U40080
2239	菰	A2B8ED	B4EC	74ED	2-386D	T7U50080
2240	菰	A2B8EE	B4ED	74EE	2-386E	T7U60080
2241	菰	A2B8EF	B4EE	74EF	2-386F	T7U70080
2242	菰	A2B8F0	B4EF	74F0	2-3870	T7U80080
2243	菰	A2B8F1	B4F0	74F1	2-3871	T7U90080
2244	菰	A2B8F2	B4F1	74F2	2-3872	T7UA0080
2245	菰	A2B8F3	B4F2	74F3	2-3873	T7UB0080
2246	菰	A2B8F4	B4F3	74F4	2-3874	T7UC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 13 (Page 44 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (2 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2247	苮	A2B8F5	B4F4	74F5	2-3875	T7UD0080
2248	苮	A2B8F6	B4F5	74F6	2-3876	T7UE0080
2249	葷	A2B8F7	B4F6	74F7	2-3877	T7UF0080
2250	葷	A2B8F8	B4F7	74F8	2-3878	T7UG0080
2251	葷	A2B8F9	B4F8	74F9	2-3879	T7UH0080
2252	葷	A2B8FA	B4F9	74FA	2-387A	T7UI0080
2253	葷	A2B8FB	B4FA	74FB	2-387B	T7UJ0080
2254	葷	A2B8FC	B4FB	74FC	2-387C	T7UK0080
2255	葷	A2B8FD	B4FC	74FD	2-387D	T7UL0080

Note: * See Section 13.2.3.2 on page 799 for the *code* translation correspondence between *EUC* and *DBCS-PC* or *DBCS-Host*.

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 1 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2256	處	A2B8FE	B541	7542	2-387E	T7UQ0080
2257	庠	A2B9A1	B542	7543	2-3921	T7UR0080
2258	蛭	A2B9A2	B543	7544	2-3922	T7US0080
2259	蛭	A2B9A3	B544	7545	2-3923	T7UT0080
2260	蛭	A2B9A4	B545	7546	2-3924	T7UU0080
2261	蛭	A2B9A5	B546	7547	2-3925	T7UV0080
2262	蛭	A2B9A6	B547	7548	2-3926	T7UW0080
2263	蛭	A2B9A7	B548	7549	2-3927	T7UX0080
2264	蛭	A2B9A8	B549	754A	2-3928	T7UY0080
2265	蛭	A2B9A9	B54A	754B	2-3929	T7UZ0080
2266	蛭	A2B9AA	B54B	754C	2-392A	T7V00080
2267	蛭	A2B9AB	B54C	754D	2-392B	T7V10080
2268	蛭	A2B9AC	B54D	754E	2-392C	T7V20080
2269	蛭	A2B9AD	B54E	754F	2-392D	T7V30080
2270	蛭	A2B9AE	B54F	7550	2-392E	T7V40080
2271	蛭	A2B9AF	B550	7551	2-392F	T7V50080
2272	蛭	A2B9B0	B551	7552	2-3930	T7V60080
2273	蛭	A2B9B1	B552	7553	2-3931	T7V70080
2274	蛭	A2B9B2	B553	7554	2-3932	T7V80080
2275	蛭	A2B9B3	B554	7555	2-3933	T7V90080
2276	蛭	A2B9B4	B555	7556	2-3934	T7VA0080
2277	蛭	A2B9B5	B556	7557	2-3935	T7VB0080
2278	蛭	A2B9B6	B557	7558	2-3936	T7VC0080
2279	蛭	A2B9B7	B558	7559	2-3937	T7VD0080
2280	蛭	A2B9B8	B559	755A	2-3938	T7VE0080
2281	蛭	A2B9B9	B55A	755B	2-3939	T7VF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 2 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2282	袂	A2B9BA	B55B	755C	2-393A	T7VG0080
2283	袷	A2B9BB	B55C	755D	2-393B	T7VH0080
2284	袖	A2B9BC	B55D	755E	2-393C	T7VI0080
2285	袂	A2B9BD	B55E	755F	2-393D	T7VJ0080
2286	袷	A2B9BE	B55F	7560	2-393E	T7VK0080
2287	衤	A2B9BF	B560	7561	2-393F	T7VL0080
2288	衤	A2B9C0	B561	7562	2-3940	T7VM0080
2289	衤	A2B9C1	B562	7563	2-3941	T7VN0080
2290	衤	A2B9C2	B563	7564	2-3942	T7VO0080
2291	裘	A2B9C3	B564	7565	2-3943	T7VP0080
2292	衤	A2B9C4	B565	7566	2-3944	T7VQ0080
2293	衤	A2B9C5	B566	7567	2-3945	T7VR0080
2294	祖	A2B9C6	B567	7568	2-3946	T7VS0080
2295	衤	A2B9C7	B568	7569	2-3947	T7VT0080
2296	衤	A2B9C8	B569	756A	2-3948	T7VU0080
2297	舛	A2B9C9	B56A	756B	2-3949	T7VV0080
2298	舛	A2B9CA	B56B	756C	2-394A	T7VW0080
2299	犛	A2B9CB	B56C	756D	2-394B	T7VX0080
2300	訃	A2B9CC	B56D	756E	2-394C	T7VY0080
2301	訃	A2B9CD	B56E	756F	2-394D	T7VZ0080
2302	訃	A2B9CE	B56F	7570	2-394E	T7W00080
2303	訃	A2B9CF	B570	7571	2-394F	T7W10080
2304	犛	A2B9D0	B571	7572	2-3950	T7W20080
2305	犛	A2B9D1	B572	7573	2-3951	T7W30080
2306	犛	A2B9D2	B573	7574	2-3952	T7W40080
2307	犛	A2B9D3	B574	7575	2-3953	T7W50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 3 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2308	𧯛	A2B9D4	B575	7576	2-3954	T7W60080
2309	𧯜	A2B9D5	B576	7577	2-3955	T7W70080
2310	𧯝	A2B9D6	B577	7578	2-3956	T7W80080
2311	𧯞	A2B9D7	B578	7579	2-3957	T7W90080
2312	𧯟	A2B9D8	B579	757A	2-3958	T7WA0080
2313	𧯠	A2B9D9	B57A	757B	2-3959	T7WB0080
2314	𧯡	A2B9DA	B57B	757C	2-395A	T7WC0080
2315	𧯢	A2B9DB	B57C	757D	2-395B	T7WD0080
2316	𧯣	A2B9DC	B57D	757E	2-395C	T7WE0080
2317	𧯤	A2B9DD	B57E	757F	2-395D	T7WF0080
2318	𧯥	A2B9DE	B580	7581	2-395E	T7WH0080
2319	𧯦	A2B9DF	B581	7582	2-395F	T7WI0080
2320	𧯧	A2B9E0	B582	7583	2-3960	T7WJ0080
2321	𧯨	A2B9E1	B583	7584	2-3961	T7WK0080
2322	𧯩	A2B9E2	B584	7585	2-3962	T7WL0080
2323	𧯪	A2B9E3	B585	7586	2-3963	T7WM0080
2324	𧯫	A2B9E4	B586	7587	2-3964	T7WN0080
2325	𧯬	A2B9E5	B587	7588	2-3965	T7WO0080
2326	𧯭	A2B9E6	B588	7589	2-3966	T7WP0080
2327	𧯮	A2B9E7	B589	758A	2-3967	T7WQ0080
2328	𧯯	A2B9E8	B58A	758B	2-3968	T7WR0080
2329	𧯰	A2B9E9	B58B	758C	2-3969	T7WS0080
2330	𧯱	A2B9EA	B58C	758D	2-396A	T7WT0080
2331	𧯲	A2B9EB	B58D	758E	2-396B	T7WU0080
2332	𧯳	A2B9EC	B58E	758F	2-396C	T7WV0080
2333	𧯴	A2B9ED	B58F	7590	2-396D	T7WW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 4 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2334	邲	A2B9EE	B590	7591	2-396E	T7WX0080
2335	邲	A2B9EF	B591	7592	2-396F	T7WY0080
2336	邲	A2B9F0	B592	7593	2-3970	T7WZ0080
2337	邲	A2B9F1	B593	7594	2-3971	T7X00080
2338	邲	A2B9F2	B594	7595	2-3972	T7X10080
2339	邲	A2B9F3	B595	7596	2-3973	T7X20080
2340	邲	A2B9F4	B596	7597	2-3974	T7X30080
2341	酖	A2B9F5	B597	7598	2-3975	T7X40080
2342	酖	A2B9F6	B598	7599	2-3976	T7X50080
2343	酖	A2B9F7	B599	759A	2-3977	T7X60080
2344	龠	A2B9F8	B59A	759B	2-3978	T7X70080
2345	酖	A2B9F9	B59B	759C	2-3979	T7X80080
2346	鈇	A2B9FA	B59C	759D	2-397A	T7X90080
2347	鈇	A2B9FB	B59D	759E	2-397B	T7XA0080
2348	鈇	A2B9FC	B59E	759F	2-397C	T7XB0080
2349	鈇	A2B9FD	B59F	75A0	2-397D	T7XC0080
2350	鈇	A2B9FE	B5A0	75A1	2-397E	T7XD0080
2351	鈇	A2BAA1	B5A1	75A2	2-3A21	T7XE0080
2352	鈇	A2BAA2	B5A2	75A3	2-3A22	T7XF0080
2353	鈇	A2BAA3	B5A3	75A4	2-3A23	T7XG0080
2354	鈇	A2BAA4	B5A4	75A5	2-3A24	T7XH0080
2355	鈇	A2BAA5	B5A5	75A6	2-3A25	T7XI0080
2356	鈇	A2BAA6	B5A6	75A7	2-3A26	T7XJ0080
2357	鈇	A2BAA7	B5A7	75A8	2-3A27	T7XK0080
2358	𠄎	A2BAA8	B5A8	75A9	2-3A28	T7XL0080
2359	𠄎	A2BAA9	B5A9	75AA	2-3A29	T7XM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 5 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2360	閨	A2BAAA	B5AA	75AB	2-3A2A	T7XN0080
2361	階	A2BAAB	B5AB	75AC	2-3A2B	T7XO0080
2362	階	A2BAAC	B5AC	75AD	2-3A2C	T7XP0080
2363	階	A2BAAD	B5AD	75AE	2-3A2D	T7XQ0080
2364	階	A2BAAE	B5AE	75AF	2-3A2E	T7XR0080
2365	輪	A2BAAF	B5AF	75B0	2-3A2F	T7XS0080
2366	雉	A2BAB0	B5B0	75B1	2-3A30	T7XT0080
2367	韌	A2BAB1	B5B1	75B2	2-3A31	T7XU0080
2368	頡	A2BAB2	B5B2	75B3	2-3A32	T7XV0080
2369	飪	A2BAB3	B5B3	75B4	2-3A33	T7XW0080
2370	馗	A2BAB4	B5B4	75B5	2-3A34	T7XX0080
2371	俗	A2BAB5	B5B5	75B6	2-3A35	T7XY0080
2372	催	A2BAB6	B5B6	75B7	2-3A36	T7XZ0080
2373	儉	A2BAB7	B5B7	75B8	2-3A37	T7Y00080
2374	傚	A2BAB8	B5B8	75B9	2-3A38	T7Y10080
2375	備	A2BAB9	B5B9	75BA	2-3A39	T7Y20080
2376	傜	A2BABA	B5BA	75BB	2-3A3A	T7Y30080
2377	傜	A2BABB	B5BB	75BC	2-3A3B	T7Y40080
2378	僂	A2BABC	B5BC	75BD	2-3A3C	T7Y50080
2379	僂	A2BABD	B5BD	75BE	2-3A3D	T7Y60080
2380	僂	A2BABE	B5BE	75BF	2-3A3E	T7Y70080
2381	僂	A2BABF	B5BF	75C0	2-3A3F	T7Y80080
2382	僂	A2BAC0	B5C0	75C1	2-3A40	T7Y90080
2383	僂	A2BAC1	B5C1	75C2	2-3A41	T7YA0080
2384	僂	A2BAC2	B5C2	75C3	2-3A42	T7YB0080
2385	僂	A2BAC3	B5C3	75C4	2-3A43	T7YC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 6 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2386	𪗇	A2BAC4	B5C4	75C5	2-3A44	T7YD0080
2387	𪗈	A2BAC5	B5C5	75C6	2-3A45	T7YE0080
2388	𪗉	A2BAC6	B5C6	75C7	2-3A46	T7YF0080
2389	𪗊	A2BAC7	B5C7	75C8	2-3A47	T7YG0080
2390	𪗋	A2BAC8	B5C8	75C9	2-3A48	T7YH0080
2391	𪗌	A2BAC9	B5C9	75CA	2-3A49	T7YI0080
2392	𪗍	A2BACA	B5CA	75CB	2-3A4A	T7YJ0080
2393	𪗎	A2BACB	B5CB	75CC	2-3A4B	T7YK0080
2394	𪗏	A2BACC	B5CC	75CD	2-3A4C	T7YL0080
2395	𪗐	A2BACD	B5CD	75CE	2-3A4D	T7YM0080
2396	𪗑	A2BACE	B5CE	75CF	2-3A4E	T7YN0080
2397	𪗒	A2BACF	B5CF	75D0	2-3A4F	T7YO0080
2398	𪗓	A2BAD0	B5D0	75D1	2-3A50	T7YP0080
2399	𪗔	A2BAD1	B5D1	75D2	2-3A51	T7YQ0080
2400	𪗕	A2BAD2	B5D2	75D3	2-3A52	T7YR0080
2401	𪗖	A2BAD3	B5D3	75D4	2-3A53	T7YS0080
2402	𪗗	A2BAD4	B5D4	75D5	2-3A54	T7YT0080
2403	𪗘	A2BAD5	B5D5	75D6	2-3A55	T7YU0080
2404	𪗙	A2BAD6	B5D6	75D7	2-3A56	T7YV0080
2405	𪗚	A2BAD7	B5D7	75D8	2-3A57	T7YW0080
2406	𪗛	A2BAD8	B5D8	75D9	2-3A58	T7YX0080
2407	𪗜	A2BAD9	B5D9	75DA	2-3A59	T7YY0080
2408	𪗝	A2BADA	B5DA	75DB	2-3A5A	T7YZ0080
2409	𪗞	A2BADB	B5DB	75DC	2-3A5B	T7Z00080
2410	𪗟	A2BADC	B5DC	75DD	2-3A5C	T7Z10080
2411	𪗠	A2BADD	B5DD	75DE	2-3A5D	T7Z20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 7 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2412	嗒	A2BADE	B5DE	75DF	2-3A5E	T7Z30080
2413	嗒	A2BADF	B5DF	75E0	2-3A5F	T7Z40080
2414	圖	A2BAE0	B5E0	75E1	2-3A60	T7Z50080
2415	塹	A2BAE1	B5E1	75E2	2-3A61	T7Z60080
2416	培	A2BAE2	B5E2	75E3	2-3A62	T7Z70080
2417	墀	A2BAE3	B5E3	75E4	2-3A63	T7Z80080
2418	堞	A2BAE4	B5E4	75E5	2-3A64	T7Z90080
2419	堦	A2BAE5	B5E5	75E6	2-3A65	T7ZA0080
2420	堦	A2BAE6	B5E6	75E7	2-3A66	T7ZB0080
2421	塌	A2BAE7	B5E7	75E8	2-3A67	T7ZC0080
2422	堦	A2BAE8	B5E8	75E9	2-3A68	T7ZD0080
2423	堦	A2BAE9	B5E9	75EA	2-3A69	T7ZE0080
2424	堦	A2BAEA	B5EA	75EB	2-3A6A	T7ZF0080
2425	堦	A2BAEB	B5EB	75EC	2-3A6B	T7ZG0080
2426	塌	A2BAEC	B5EC	75ED	2-3A6C	T7ZH0080
2427	堦	A2BAED	B5ED	75EE	2-3A6D	T7ZI0080
2428	城	A2BAEE	B5EE	75EF	2-3A6E	T7ZJ0080
2429	堦	A2BAEF	B5EF	75F0	2-3A6F	T7ZK0080
2430	堦	A2BAF0	B5F0	75F1	2-3A70	T7ZL0080
2431	堦	A2BAF1	B5F1	75F2	2-3A71	T7ZM0080
2432	堦	A2BAF2	B5F2	75F3	2-3A72	T7ZN0080
2433	堦	A2BAF3	B5F3	75F4	2-3A73	T7ZO0080
2434	堦	A2BAF4	B5F4	75F5	2-3A74	T7ZP0080
2435	堦	A2BAF5	B5F5	75F6	2-3A75	T7ZQ0080
2436	堦	A2BAF6	B5F6	75F7	2-3A76	T7ZR0080
2437	堦	A2BAF7	B5F7	75F8	2-3A77	T7ZS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 8 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2438	媪	A2BAF8	B5F8	75F9	2-3A78	T7ZT0080
2439	媧	A2BAF9	B5F9	75FA	2-3A79	T7ZU0080
2440	嫫	A2BAFA	B5FA	75FB	2-3A7A	T7ZV0080
2441	媧	A2BAFB	B5FB	75FC	2-3A7B	T7ZW0080
2442	媧	A2BAFC	B5FC	75FD	2-3A7C	T7ZX0080
2443	媧	A2BAFD	B640	7641	2-3A7D	T8010080
2444	媧	A2BAFE	B641	7642	2-3A7E	T8020080
2445	媧	A2BBA1	B642	7643	2-3B21	T8030080
2446	媧	A2BBA2	B643	7644	2-3B22	T8040080
2447	媧	A2BBA3	B644	7645	2-3B23	T8050080
2448	媧	A2BBA4	B645	7646	2-3B24	T8060080
2449	媧	A2BBA5	B646	7647	2-3B25	T8070080
2450	媧	A2BBA6	B647	7648	2-3B26	T8080080
2451	媧	A2BBA7	B648	7649	2-3B27	T8090080
2452	媧	A2BBA8	B649	764A	2-3B28	T80A0080
2453	媧	A2BBA9	B64A	764B	2-3B29	T80B0080
2454	媧	A2BBAA	B64B	764C	2-3B2A	T80C0080
2455	媧	A2BBAB	B64C	764D	2-3B2B	T80D0080
2456	媧	A2BBAC	B64D	764E	2-3B2C	T80E0080
2457	媧	A2BBAD	B64E	764F	2-3B2D	T80F0080
2458	媧	A2BBAE	B64F	7650	2-3B2E	T80G0080
2459	媧	A2BBAF	B650	7651	2-3B2F	T80H0080
2460	媧	A2BBB0	B651	7652	2-3B30	T80I0080
2461	媧	A2BBB1	B652	7653	2-3B31	T80J0080
2462	媧	A2BBB2	B653	7654	2-3B32	T80K0080
2463	媧	A2BBB3	B654	7655	2-3B33	T80L0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 9 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2464	寫	A2BBB4	B655	7656	2-3B34	T80M0080
2465	窰	A2BBB5	B656	7657	2-3B35	T80N0080
2466	憲	A2BBB6	B657	7658	2-3B36	T80O0080
2467	寔	A2BBB7	B658	7659	2-3B37	T80P0080
2468	寔	A2BBB8	B659	765A	2-3B38	T80Q0080
2469	寔	A2BBB9	B65A	765B	2-3B39	T80R0080
2470	病	A2BBBA	B65B	765C	2-3B3A	T80S0080
2471	討	A2BBBB	B65C	765D	2-3B3B	T80T0080
2472	燿	A2BBBC	B65D	765E	2-3B3C	T80U0080
2473	嶠	A2BBBD	B65E	765F	2-3B3D	T80V0080
2474	嶠	A2BBBE	B65F	7660	2-3B3E	T80W0080
2475	嶠	A2BBBF	B660	7661	2-3B3F	T80X0080
2476	嶠	A2BBC0	B661	7662	2-3B40	T80Y0080
2477	嶠	A2BBC1	B662	7663	2-3B41	T80Z0080
2478	嶠	A2BBC2	B663	7664	2-3B42	T8100080
2479	嶠	A2BBC3	B664	7665	2-3B43	T8110080
2480	嶠	A2BBC4	B665	7666	2-3B44	T8120080
2481	嶠	A2BBC5	B666	7667	2-3B45	T8130080
2482	嶠	A2BBC6	B667	7668	2-3B46	T8140080
2483	嶠	A2BBC7	B668	7669	2-3B47	T8150080
2484	嶠	A2BBC8	B669	766A	2-3B48	T8160080
2485	嶠	A2BBC9	B66A	766B	2-3B49	T8170080
2486	嶠	A2BBCA	B66B	766C	2-3B4A	T8180080
2487	嶠	A2BBCB	B66C	766D	2-3B4B	T8190080
2488	嶠	A2BBCC	B66D	766E	2-3B4C	T81A0080
2489	嶠	A2BBCCD	B66E	766F	2-3B4D	T81B0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 10 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2490	嶸	A2BBCE	B66F	7670	2-3B4E	T81C0080
2491	嶸	A2BBCF	B670	7671	2-3B4F	T81D0080
2492	嶸	A2BBD0	B671	7672	2-3B50	T81E0080
2493	嶸	A2BBD1	B672	7673	2-3B51	T81F0080
2494	嶸	A2BBD2	B673	7674	2-3B52	T81G0080
2495	嶸	A2BBD3	B674	7675	2-3B53	T81H0080
2496	嶸	A2BBD4	B675	7676	2-3B54	T81I0080
2497	嶸	A2BBD5	B676	7677	2-3B55	T81J0080
2498	嶸	A2BBD6	B677	7678	2-3B56	T81K0080
2499	嶸	A2BBD7	B678	7679	2-3B57	T81L0080
2500	嶸	A2BBD8	B679	767A	2-3B58	T81M0080
2501	嶸	A2BBD9	B67A	767B	2-3B59	T81N0080
2502	嶸	A2BBDA	B67B	767C	2-3B5A	T81O0080
2503	嶸	A2BBDB	B67C	767D	2-3B5B	T81P0080
2504	嶸	A2BBDC	B67D	767E	2-3B5C	T81Q0080
2505	嶸	A2BBDD	B67E	767F	2-3B5D	T81R0080
2506	嶸	A2BBDE	B680	7681	2-3B5E	T81T0080
2507	嶸	A2BBDF	B681	7682	2-3B5F	T81U0080
2508	嶸	A2BBE0	B682	7683	2-3B60	T81V0080
2509	嶸	A2BBE1	B683	7684	2-3B61	T81W0080
2510	嶸	A2BBE2	B684	7685	2-3B62	T81X0080
2511	嶸	A2BBE3	B685	7686	2-3B63	T81Y0080
2512	嶸	A2BBE4	B686	7687	2-3B64	T81Z0080
2513	嶸	A2BBE5	B687	7688	2-3B65	T8200080
2514	嶸	A2BBE6	B688	7689	2-3B66	T8210080
2515	嶸	A2BBE7	B689	768A	2-3B67	T8220080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 11 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2516	揚	A2BBE8	B68A	768B	2-3B68	T8230080
2517	惇	A2BBE9	B68B	768C	2-3B69	T8240080
2518	惇	A2BBEA	B68C	768D	2-3B6A	T8250080
2519	懔	A2BBEB	B68D	768E	2-3B6B	T8260080
2520	愬	A2BBEC	B68E	768F	2-3B6C	T8270080
2521	愬	A2BBED	B68F	7690	2-3B6D	T8280080
2522	愬	A2BBEE	B690	7691	2-3B6E	T8290080
2523	愬	A2BBEF	B691	7692	2-3B6F	T82A0080
2524	愬	A2BBF0	B692	7693	2-3B70	T82B0080
2525	愬	A2BBF1	B693	7694	2-3B71	T82C0080
2526	愬	A2BBF2	B694	7695	2-3B72	T82D0080
2527	愬	A2BBF3	B695	7696	2-3B73	T82E0080
2528	屢	A2BBF4	B696	7697	2-3B74	T82F0080
2529	擊	A2BBF5	B697	7698	2-3B75	T82G0080
2530	弄	A2BBF6	B698	7699	2-3B76	T82H0080
2531	拚	A2BBF7	B699	769A	2-3B77	T82I0080
2532	揅	A2BBF8	B69A	769B	2-3B78	T82J0080
2533	揅	A2BBF9	B69B	769C	2-3B79	T82K0080
2534	揅	A2BBFA	B69C	769D	2-3B7A	T82L0080
2535	揅	A2BBFB	B69D	769E	2-3B7B	T82M0080
2536	揅	A2BBFC	B69E	769F	2-3B7C	T82N0080
2537	揅	A2BBFD	B69F	76A0	2-3B7D	T82O0080
2538	揅	A2BBFE	B6A0	76A1	2-3B7E	T82P0080
2539	搨	A2BCA1	B6A1	76A2	2-3C21	T82Q0080
2540	搨	A2BCA2	B6A2	76A3	2-3C22	T82R0080
2541	搨	A2BCA3	B6A3	76A4	2-3C23	T82S0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 14 (Page 12 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2542	搥	A2BCA4	B6A4	76A5	2-3C24	T82T0080
2543	揲	A2BCA5	B6A5	76A6	2-3C25	T82U0080
2544	捷	A2BCA6	B6A6	76A7	2-3C26	T82V0080
2545	概	A2BCA7	B6A7	76A8	2-3C27	T82W0080
2546	揶	A2BCA8	B6A8	76A9	2-3C28	T82X0080
2547	揀	A2BCA9	B6A9	76AA	2-3C29	T82Y0080
2548	揸	A2BCAA	B6AA	76AB	2-3C2A	T82Z0080
2549	揷	A2BCAB	B6AB	76AC	2-3C2B	T8300080
2550	揷	A2BCAC	B6AC	76AD	2-3C2C	T8310080
2551	揷	A2BCAD	B6AD	76AE	2-3C2D	T8320080
2552	揷	A2BCAE	B6AE	76AF	2-3C2E	T8330080
2553	揷	A2BCAF	B6AF	76B0	2-3C2F	T8340080
2554	揷	A2BCB0	B6B0	76B1	2-3C30	T8350080
2555	揷	A2BCB1	B6B1	76B2	2-3C31	T8360080
2556	揷	A2BCB2	B6B2	76B3	2-3C32	T8370080
2557	揷	A2BCB3	B6B3	76B4	2-3C33	T8380080
2558	揷	A2BCB4	B6B4	76B5	2-3C34	T8390080
2559	揷	A2BCB5	B6B5	76B6	2-3C35	T83A0080
2560	揷	A2BCB6	B6B6	76B7	2-3C36	T83B0080
2561	敲	A2BCB7	B6B7	76B8	2-3C37	T83C0080
2562	敲	A2BCB8	B6B8	76B9	2-3C38	T83D0080
2563	敲	A2BCB9	B6B9	76BA	2-3C39	T83E0080
2564	敲	A2BCBA	B6BA	76BB	2-3C3A	T83F0080
2565	敲	A2BCBB	B6BB	76BC	2-3C3B	T83G0080
2566	敲	A2BCBC	B6BC	76BD	2-3C3C	T83H0080
2567	敲	A2BCBD	B6BD	76BE	2-3C3D	T83I0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 13 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2568	斌	A2BCBE	B6BE	76BF	2-3C3E	T83J0080
2569	罌	A2BCBF	B6BF	76C0	2-3C3F	T83K0080
2570	輿	A2BCC0	B6C0	76C1	2-3C40	T83L0080
2571	斲	A2BCC1	B6C1	76C2	2-3C41	T83M0080
2572	旒	A2BCC2	B6C2	76C3	2-3C42	T83N0080
2573	旒	A2BCC3	B6C3	76C4	2-3C43	T83O0080
2574	碗	A2BCC4	B6C4	76C5	2-3C44	T83P0080
2575	晬	A2BCC5	B6C5	76C6	2-3C45	T83Q0080
2576	晬	A2BCC6	B6C6	76C7	2-3C46	T83R0080
2577	睽	A2BCC7	B6C7	76C8	2-3C47	T83S0080
2578	睽	A2BCC8	B6C8	76C9	2-3C48	T83T0080
2579	暘	A2BCC9	B6C9	76CA	2-3C49	T83U0080
2580	暘	A2BCCA	B6CA	76CB	2-3C4A	T83V0080
2581	睨	A2BCCB	B6CB	76CC	2-3C4B	T83W0080
2582	晉	A2BCCC	B6CC	76CD	2-3C4C	T83X0080
2583	控	A2BCCD	B6CD	76CE	2-3C4D	T83Y0080
2584	楮	A2BCCE	B6CE	76CF	2-3C4E	T83Z0080
2585	楮	A2BCCF	B6CF	76D0	2-3C4F	T8400080
2586	楸	A2BCD0	B6D0	76D1	2-3C50	T8410080
2587	楸	A2BCD1	B6D1	76D2	2-3C51	T8420080
2588	楸	A2BCD2	B6D2	76D3	2-3C52	T8430080
2589	楸	A2BCD3	B6D3	76D4	2-3C53	T8440080
2590	楸	A2BCD4	B6D4	76D5	2-3C54	T8450080
2591	楸	A2BCD5	B6D5	76D6	2-3C55	T8460080
2592	楸	A2BCD6	B6D6	76D7	2-3C56	T8470080
2593	楸	A2BCD7	B6D7	76D8	2-3C57	T8480080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 14 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2594	械	A2BCD8	B6D8	76D9	2-3C58	T8490080
2595	楷	A2BCD9	B6D9	76DA	2-3C59	T84A0080
2596	椽	A2BCDA	B6DA	76DB	2-3C5A	T84B0080
2597	椽	A2BCDB	B6DB	76DC	2-3C5B	T84C0080
2598	椽	A2BCDC	B6DC	76DD	2-3C5C	T84D0080
2599	椽	A2BCDD	B6DD	76DE	2-3C5D	T84E0080
2600	椽	A2BCDE	B6DE	76DF	2-3C5E	T84F0080
2601	椽	A2BCDF	B6DF	76E0	2-3C5F	T84G0080
2602	椽	A2BCE0	B6E0	76E1	2-3C60	T84H0080
2603	椽	A2BCE1	B6E1	76E2	2-3C61	T84I0080
2604	椽	A2BCE2	B6E2	76E3	2-3C62	T84J0080
2605	椽	A2BCE3	B6E3	76E4	2-3C63	T84K0080
2606	椽	A2BCE4	B6E4	76E5	2-3C64	T84L0080
2607	椽	A2BCE5	B6E5	76E6	2-3C65	T84M0080
2608	椽	A2BCE6	B6E6	76E7	2-3C66	T84N0080
2609	椽	A2BCE7	B6E7	76E8	2-3C67	T84O0080
2610	椽	A2BCE8	B6E8	76E9	2-3C68	T84P0080
2611	椽	A2BCE9	B6E9	76EA	2-3C69	T84Q0080
2612	椽	A2BCEA	B6EA	76EB	2-3C6A	T84R0080
2613	椽	A2BCEB	B6EB	76EC	2-3C6B	T84S0080
2614	椽	A2BCEC	B6EC	76ED	2-3C6C	T84T0080
2615	椽	A2BCED	B6ED	76EE	2-3C6D	T84U0080
2616	椽	A2BCEE	B6EE	76EF	2-3C6E	T84V0080
2617	椽	A2BCEF	B6EF	76F0	2-3C6F	T84W0080
2618	椽	A2BCF0	B6F0	76F1	2-3C70	T84X0080
2619	椽	A2BCF1	B6F1	76F2	2-3C71	T84Y0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 15 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2620	榧	A2BCF2	B6F2	76F3	2-3C72	T84Z0080
2621	榧	A2BCF3	B6F3	76F4	2-3C73	T8500080
2622	榧	A2BCF4	B6F4	76F5	2-3C74	T8510080
2623	榧	A2BCF5	B6F5	76F6	2-3C75	T8520080
2624	榧	A2BCF6	B6F6	76F7	2-3C76	T8530080
2625	榧	A2BCF7	B6F7	76F8	2-3C77	T8540080
2626	榧	A2BCF8	B6F8	76F9	2-3C78	T8550080
2627	榧	A2BCF9	B6F9	76FA	2-3C79	T8560080
2628	榧	A2BCFA	B6FA	76FB	2-3C7A	T8570080
2629	榧	A2BCFB	B6FB	76FC	2-3C7B	T8580080
2630	榧	A2BCFC	B6FC	76FD	2-3C7C	T8590080
2631	歛	A2BCFD	B740	7741	2-3C7D	T85D0080
2632	歛	A2BCFE	B741	7742	2-3C7E	T85E0080
2633	歛	A2BDA1	B742	7743	2-3D21	T85F0080
2634	歛	A2BDA2	B743	7744	2-3D22	T85G0080
2635	殮	A2BDA3	B744	7745	2-3D23	T85H0080
2636	殮	A2BDA4	B745	7746	2-3D24	T85I0080
2637	殮	A2BDA5	B746	7747	2-3D25	T85J0080
2638	殮	A2BDA6	B747	7748	2-3D26	T85K0080
2639	殮	A2BDA7	B748	7749	2-3D27	T85L0080
2640	殮	A2BDA8	B749	774A	2-3D28	T85M0080
2641	殮	A2BDA9	B74A	774B	2-3D29	T85N0080
2642	殮	A2BDAA	B74B	774C	2-3D2A	T85O0080
2643	殮	A2BDAB	B74C	774D	2-3D2B	T85P0080
2644	殮	A2BDAC	B74D	774E	2-3D2C	T85Q0080
2645	殮	A2BDAD	B74E	774F	2-3D2D	T85R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 16 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2646	清	A2BDAE	B74F	7750	2-3D2E	T85S0080
2647	滄	A2BDAF	B750	7751	2-3D2F	T85T0080
2648	滌	A2BDB0	B751	7752	2-3D30	T85U0080
2649	瀉	A2BDB1	B752	7753	2-3D31	T85V0080
2650	澗	A2BDB2	B753	7754	2-3D32	T85W0080
2651	澗	A2BDB3	B754	7755	2-3D33	T85X0080
2652	澗	A2BDB4	B755	7756	2-3D34	T85Y0080
2653	澗	A2BDB5	B756	7757	2-3D35	T85Z0080
2654	澗	A2BDB6	B757	7758	2-3D36	T8600080
2655	澗	A2BDB7	B758	7759	2-3D37	T8610080
2656	澗	A2BDB8	B759	775A	2-3D38	T8620080
2657	澗	A2BDB9	B75A	775B	2-3D39	T8630080
2658	澗	A2BD8A	B75B	775C	2-3D3A	T8640080
2659	澗	A2BDBB	B75C	775D	2-3D3B	T8650080
2660	澗	A2BDBC	B75D	775E	2-3D3C	T8660080
2661	澗	A2BDBD	B75E	775F	2-3D3D	T8670080
2662	澗	A2BDBE	B75F	7760	2-3D3E	T8680080
2663	澗	A2BDBF	B760	7761	2-3D3F	T8690080
2664	澗	A2BDC0	B761	7762	2-3D40	T86A0080
2665	澗	A2BDC1	B762	7763	2-3D41	T86B0080
2666	澗	A2BDC2	B763	7764	2-3D42	T86C0080
2667	澗	A2BDC3	B764	7765	2-3D43	T86D0080
2668	澗	A2BDC4	B765	7766	2-3D44	T86E0080
2669	澗	A2BDC5	B766	7767	2-3D45	T86F0080
2670	澗	A2BDC6	B767	7768	2-3D46	T86G0080
2671	澗	A2BDC7	B768	7769	2-3D47	T86H0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 17 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2672	澗	A2BDC8	B769	776A	2-3D48	T86I0080
2673	澗	A2BDC9	B76A	776B	2-3D49	T86J0080
2674	澗	A2BDCA	B76B	776C	2-3D4A	T86K0080
2675	澗	A2BDCB	B76C	776D	2-3D4B	T86L0080
2676	澗	A2BDCC	B76D	776E	2-3D4C	T86M0080
2677	澗	A2BDCE	B76E	776F	2-3D4D	T86N0080
2678	澗	A2BDCE	B76F	7770	2-3D4E	T86O0080
2679	澗	A2BDCF	B770	7771	2-3D4F	T86P0080
2680	澗	A2BDD0	B771	7772	2-3D50	T86Q0080
2681	澗	A2BDD1	B772	7773	2-3D51	T86R0080
2682	澗	A2BDD2	B773	7774	2-3D52	T86S0080
2683	澗	A2BDD3	B774	7775	2-3D53	T86T0080
2684	澗	A2BDD4	B775	7776	2-3D54	T86U0080
2685	澗	A2BDD5	B776	7777	2-3D55	T86V0080
2686	澗	A2BDD6	B777	7778	2-3D56	T86W0080
2687	澗	A2BDD7	B778	7779	2-3D57	T86X0080
2688	澗	A2BDD8	B779	777A	2-3D58	T86Y0080
2689	澗	A2BDD9	B77A	777B	2-3D59	T86Z0080
2690	澗	A2BDDA	B77B	777C	2-3D5A	T8700080
2691	澗	A2BDDB	B77C	777D	2-3D5B	T8710080
2692	澗	A2BDDC	B77D	777E	2-3D5C	T8720080
2693	澗	A2BDDE	B77E	777F	2-3D5D	T8730080
2694	澗	A2BDDE	B780	7781	2-3D5E	T8750080
2695	澗	A2BDDF	B781	7782	2-3D5F	T8760080
2696	澗	A2BDE0	B782	7783	2-3D60	T8770080
2697	澗	A2BDE1	B783	7784	2-3D61	T8780080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 18 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2698	熬	A2BDE2	B784	7785	2-3D62	T8790080
2699	煨	A2BDE3	B785	7786	2-3D63	T87A0080
2700	焜	A2BDE4	B786	7787	2-3D64	T87B0080
2701	煨	A2BDE5	B787	7788	2-3D65	T87C0080
2702	焜	A2BDE6	B788	7789	2-3D66	T87D0080
2703	焜	A2BDE7	B789	778A	2-3D67	T87E0080
2704	焜	A2BDE8	B78A	778B	2-3D68	T87F0080
2705	焜	A2BDE9	B78B	778C	2-3D69	T87G0080
2706	焜	A2BDEA	B78C	778D	2-3D6A	T87H0080
2707	焜	A2BDEB	B78D	778E	2-3D6B	T87I0080
2708	焜	A2BDEC	B78E	778F	2-3D6C	T87J0080
2709	焜	A2BDED	B78F	7790	2-3D6D	T87K0080
2710	焜	A2BDEE	B790	7791	2-3D6E	T87L0080
2711	焜	A2BDEF	B791	7792	2-3D6F	T87M0080
2712	焜	A2BDF0	B792	7793	2-3D70	T87N0080
2713	猷	A2BDF1	B793	7794	2-3D71	T87O0080
2714	猷	A2BDF2	B794	7795	2-3D72	T87P0080
2715	猷	A2BDF3	B795	7796	2-3D73	T87Q0080
2716	猷	A2BDF4	B796	7797	2-3D74	T87R0080
2717	猷	A2BDF5	B797	7798	2-3D75	T87S0080
2718	猷	A2BDF6	B798	7799	2-3D76	T87T0080
2719	猷	A2BDF7	B799	779A	2-3D77	T87U0080
2720	猷	A2BDF8	B79A	779B	2-3D78	T87V0080
2721	猷	A2BDF9	B79B	779C	2-3D79	T87W0080
2722	猷	A2BDFA	B79C	779D	2-3D7A	T87X0080
2723	猷	A2BDFB	B79D	779E	2-3D7B	T87Y0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 14 (Page 19 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2724	獮	A2BDFC	B79E	779F	2-3D7C	T87Z0080
2725	𪛗	A2BDFD	B79F	77A0	2-3D7D	T8800080
2726	琮	A2BDFE	B7A0	77A1	2-3D7E	T8810080
2727	琬	A2BEA1	B7A1	77A2	2-3E21	T8820080
2728	琰	A2BEA2	B7A2	77A3	2-3E22	T8830080
2729	琫	A2BEA3	B7A3	77A4	2-3E23	T8840080
2730	琬	A2BEA4	B7A4	77A5	2-3E24	T8850080
2731	琭	A2BEA5	B7A5	77A6	2-3E25	T8860080
2732	琮	A2BEA6	B7A6	77A7	2-3E26	T8870080
2733	琤	A2BEA7	B7A7	77A8	2-3E27	T8880080
2734	琦	A2BEA8	B7A8	77A9	2-3E28	T8890080
2735	琧	A2BEA9	B7A9	77AA	2-3E29	T88A0080
2736	琨	A2BEAA	B7AA	77AB	2-3E2A	T88B0080
2737	琩	A2BEAB	B7AB	77AC	2-3E2B	T88C0080
2738	琪	A2BEAC	B7AC	77AD	2-3E2C	T88D0080
2739	琫	A2BEAD	B7AD	77AE	2-3E2D	T88E0080
2740	琬	A2BEAE	B7AE	77AF	2-3E2E	T88F0080
2741	琭	A2BEAF	B7AF	77B0	2-3E2F	T88G0080
2742	甯	A2BEB0	B7B0	77B1	2-3E30	T88H0080
2743	峻	A2BEB1	B7B1	77B2	2-3E31	T88I0080
2744	畚	A2BEB2	B7B2	77B3	2-3E32	T88J0080
2745	痧	A2BEB3	B7B3	77B4	2-3E33	T88K0080
2746	瘡	A2BEB4	B7B4	77B5	2-3E34	T88L0080
2747	痛	A2BEB5	B7B5	77B6	2-3E35	T88M0080
2748	瘡	A2BEB6	B7B6	77B7	2-3E36	T88N0080
2749	癩	A2BEB7	B7B7	77B8	2-3E37	T88O0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 20 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2750	瘡	A2BEB8	B7B8	77B9	2-3E38	T88P0080
2751	瘞	A2BEB9	B7B9	77BA	2-3E39	T88Q0080
2752	癩	A2BEBA	B7BA	77BB	2-3E3A	T88R0080
2753	皯	A2BEBB	B7BB	77BC	2-3E3B	T88S0080
2754	餓	A2BEBC	B7BC	77BD	2-3E3C	T88T0080
2755	盞	A2BEBD	B7BD	77BE	2-3E3D	T88U0080
2756	睨	A2BEBE	B7BE	77BF	2-3E3E	T88V0080
2757	睇	A2BEBF	B7BF	77C0	2-3E3F	T88W0080
2758	睘	A2BEC0	B7C0	77C1	2-3E40	T88X0080
2759	睙	A2BEC1	B7C1	77C2	2-3E41	T88Y0080
2760	睚	A2BEC2	B7C2	77C3	2-3E42	T88Z0080
2761	睛	A2BEC3	B7C3	77C4	2-3E43	T8900080
2762	睜	A2BEC4	B7C4	77C5	2-3E44	T8910080
2763	睞	A2BEC5	B7C5	77C6	2-3E45	T8920080
2764	睟	A2BEC6	B7C6	77C7	2-3E46	T8930080
2765	皤	A2BEC7	B7C7	77C8	2-3E47	T8940080
2766	矧	A2BEC8	B7C8	77C9	2-3E48	T8950080
2767	硠	A2BEC9	B7C9	77CA	2-3E49	T8960080
2768	硡	A2BECA	B7CA	77CB	2-3E4A	T8970080
2769	硢	A2BECB	B7CB	77CC	2-3E4B	T8980080
2770	硣	A2BECC	B7CC	77CD	2-3E4C	T8990080
2771	硤	A2BECD	B7CD	77CE	2-3E4D	T89A0080
2772	硥	A2BECE	B7CE	77CF	2-3E4E	T89B0080
2773	硦	A2BECF	B7CF	77D0	2-3E4F	T89C0080
2774	确	A2BED0	B7D0	77D1	2-3E50	T89D0080
2775	磬	A2BED1	B7D1	77D2	2-3E51	T89E0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 14 (Page 21 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2776	碧	A2BED2	B7D2	77D3	2-3E52	T89F0080
2777	碑	A2BED3	B7D3	77D4	2-3E53	T89G0080
2778	碣	A2BED4	B7D4	77D5	2-3E54	T89H0080
2779	礞	A2BED5	B7D5	77D6	2-3E55	T89I0080
2780	礮	A2BED6	B7D6	77D7	2-3E56	T89J0080
2781	礮	A2BED7	B7D7	77D8	2-3E57	T89K0080
2782	礮	A2BED8	B7D8	77D9	2-3E58	T89L0080
2783	礮	A2BED9	B7D9	77DA	2-3E59	T89M0080
2784	稂	A2BEDA	B7DA	77DB	2-3E5A	T89N0080
2785	稃	A2BEDB	B7DB	77DC	2-3E5B	T89O0080
2786	稄	A2BEDC	B7DC	77DD	2-3E5C	T89P0080
2787	稅	A2BEDD	B7DD	77DE	2-3E5D	T89Q0080
2788	稆	A2BEDE	B7DE	77DF	2-3E5E	T89R0080
2789	穿	A2BEDF	B7DF	77E0	2-3E5F	T89S0080
2790	竦	A2BEE0	B7E0	77E1	2-3E60	T89T0080
2791	竦	A2BEE1	B7E1	77E2	2-3E61	T89U0080
2792	筊	A2BEE2	B7E2	77E3	2-3E62	T89V0080
2793	筊	A2BEE3	B490	7491	2-3E63	T77RL0080
2794	筊	A2BEE4	B7E4	77E5	2-3E64	T89X0080
2795	筊	A2BEE5	B7E5	77E6	2-3E65	T89Y0080
2796	筊	A2BEE6	B7E6	77E7	2-3E66	T89Z0080
2797	筊	A2BEE7	B7E7	77E8	2-3E67	T8A00080
2798	筊	A2BEE8	B7E8	77E9	2-3E68	T8A10080
2799	筊	A2BEE9	B7E9	77EA	2-3E69	T8A20080
2800	筊	A2BEEA	B7EA	77EB	2-3E6A	T8A30080
2801	筊	A2BEEB	B7EB	77EC	2-3E6B	T8A40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 22 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2802	糲	A2BEEC	B7EC	77ED	2-3E6C	T8A50080
2803	糳	A2BEED	B7ED	77EE	2-3E6D	T8A60080
2804	糴	A2BEEE	B7EE	77EF	2-3E6E	T8A70080
2805	糵	A2BEEF	B7EF	77F0	2-3E6F	T8A80080
2806	糶	A2BEF0	B7F0	77F1	2-3E70	T8A90080
2807	糷	A2BEF1	B7F1	77F2	2-3E71	T8AA0080
2808	糸	A2BEF2	B7F2	77F3	2-3E72	T8AB0080
2809	糹	A2BEF3	B7F3	77F4	2-3E73	T8AC0080
2810	糺	A2BEF4	B7F4	77F5	2-3E74	T8AD0080
2811	系	A2BEF5	B7F5	77F6	2-3E75	T8AE0080
2812	糼	A2BEF6	B7F6	77F7	2-3E76	T8AF0080
2813	糽	A2BEF7	B7F7	77F8	2-3E77	T8AG0080
2814	糿	A2BEF8	B7F8	77F9	2-3E78	T8AH0080
2815	糾	A2BEF9	B7F9	77FA	2-3E79	T8AI0080
2816	糒	A2BEFA	B7FA	77FB	2-3E7A	T8AJ0080
2817	糓	A2BEFB	B7FB	77FC	2-3E7B	T8AK0080
2818	糔	A2BEFC	B7FC	77FD	2-3E7C	T8AL0080
2819	糕	A2BEFD	B840	7841	2-3E7D	T8AP0080
2820	糖	A2BEFE	B841	7842	2-3E7E	T8AQ0080
2821	糗	A2BFA1	B842	7843	2-3F21	T8AR0080
2822	糘	A2BFA2	B843	7844	2-3F22	T8AS0080
2823	糙	A2BFA3	B844	7845	2-3F23	T8AT0080
2824	胃	A2BFA4	B845	7846	2-3F24	T8AU0080
2825	學	A2BFA5	B846	7847	2-3F25	T8AV0080
2826	羸	A2BFA6	B847	7848	2-3F26	T8AW0080
2827	羸	A2BFA7	B848	7849	2-3F27	T8AX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 23 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2828	羨	A2BFA8	B849	784A	2-3F28	T8AY0080
2829	翎	A2BFA9	B84A	784B	2-3F29	T8AZ0080
2830	翳	A2BFAA	B84B	784C	2-3F2A	T8B00080
2831	聃	A2BFAB	B84C	784D	2-3F2B	T8B10080
2832	聃	A2BFAC	B84D	784E	2-3F2C	T8B20080
2833	截	A2BFAD	B84E	784F	2-3F2D	T8B30080
2834	齧	A2BFAE	B84F	7850	2-3F2E	T8B40080
2835	臙	A2BFAF	B850	7851	2-3F2F	T8B50080
2836	腊	A2BFB0	B851	7852	2-3F30	T8B60080
2837	踞	A2BFB1	B852	7853	2-3F31	T8B70080
2838	臙	A2BFB2	B853	7854	2-3F32	T8B80080
2839	臙	A2BFB3	B854	7855	2-3F33	T8B90080
2840	臙	A2BFB4	B855	7856	2-3F34	T8BA0080
2841	臙	A2BFB5	B856	7857	2-3F35	T8BB0080
2842	臙	A2BFB6	B857	7858	2-3F36	T8BC0080
2843	亞	A2BFB7	B858	7859	2-3F37	T8BD0080
2844	臙	A2BFB8	B859	785A	2-3F38	T8BE0080
2845	截	A2BFB9	B85A	785B	2-3F39	T8BF0080
2846	羸	A2BFBA	B85B	785C	2-3F3A	T8BG0080
2847	羸	A2BFBB	B85C	785D	2-3F3B	T8BH0080
2848	烏	A2BFBC	B85D	785E	2-3F3C	T8BI0080
2849	麒	A2BFBD	B85E	785F	2-3F3D	T8BJ0080
2850	麟	A2BFBE	B85F	7860	2-3F3E	T8BK0080
2851	麟	A2BFBF	B860	7861	2-3F3F	T8BL0080
2852	絕	A2BFC0	B861	7862	2-3F40	T8BM0080
2853	麟	A2BFC1	B862	7863	2-3F41	T8BN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 24 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2854	荷	A2BFC2	B863	7864	2-3F42	T8BO0080
2855	菹	A2BFC3	B864	7865	2-3F43	T8BP0080
2856	蕙	A2BFC4	B865	7866	2-3F44	T8BQ0080
2857	菀	A2BFC5	B866	7867	2-3F45	T8BR0080
2858	菱	A2BFC6	B867	7868	2-3F46	T8BS0080
2859	菴	A2BFC7	B868	7869	2-3F47	T8BT0080
2860	蕨	A2BFC8	B869	786A	2-3F48	T8BU0080
2861	蕓	A2BFC9	B86A	786B	2-3F49	T8BV0080
2862	蕤	A2BFCA	B86B	786C	2-3F4A	T8BW0080
2863	蕞	A2BFCE	B86C	786D	2-3F4B	T8BX0080
2864	蕧	A2BFCC	B86D	786E	2-3F4C	T8BY0080
2865	蕨	A2BFCD	B86E	786F	2-3F4D	T8BZ0080
2866	菴	A2BFCE	B86F	7870	2-3F4E	T8C00080
2867	董	A2BFCE	B870	7871	2-3F4F	T8C10080
2868	蕨	A2BFD0	B871	7872	2-3F50	T8C20080
2869	刺	A2BFD1	B872	7873	2-3F51	T8C30080
2870	蕨	A2BFD2	B873	7874	2-3F52	T8C40080
2871	菴	A2BFD3	B874	7875	2-3F53	T8C50080
2872	菴	A2BFD4	B875	7876	2-3F54	T8C60080
2873	菴	A2BFD5	B876	7877	2-3F55	T8C70080
2874	菴	A2BFD6	B877	7878	2-3F56	T8C80080
2875	菴	A2BFD7	B878	7879	2-3F57	T8C90080
2876	菴	A2BFD8	B879	787A	2-3F58	T8CA0080
2877	菴	A2BFD9	B87A	787B	2-3F59	T8CB0080
2878	菴	A2BFDA	B87B	787C	2-3F5A	T8CC0080
2879	菴	A2BFDB	B87C	787D	2-3F5B	T8CD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 25 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2880	菝	A2BFDC	B87D	787E	2-3F5C	T8CE0080
2881	葩	A2BFDD	B87E	787F	2-3F5D	T8CF0080
2882	菹	A2BFDE	B880	7881	2-3F5E	T8CH0080
2883	苈	A2BFDF	B881	7882	2-3F5F	T8CI0080
2884	萑	A2BFE0	B882	7883	2-3F60	T8CJ0080
2885	草	A2BFE1	B883	7884	2-3F61	T8CK0080
2886	葍	A2BFE2	B884	7885	2-3F62	T8CL0080
2887	葶	A2BFE3	B885	7886	2-3F63	T8CM0080
2888	葳	A2BFE4	B886	7887	2-3F64	T8CN0080
2889	葶	A2BFE5	B887	7888	2-3F65	T8CO0080
2890	菇	A2BFE6	B888	7889	2-3F66	T8CP0080
2891	蓄	A2BFE7	B889	788A	2-3F67	T8CQ0080
2892	蓉	A2BFE8	B88A	788B	2-3F68	T8CR0080
2893	萱	A2BFE9	B88B	788C	2-3F69	T8CS0080
2894	蕤	A2BFEA	B540	7541	2-3F6A	T7UP0080
2895	蕹	A2BFEB	B88C	788D	2-3F6B	T8CT0080
2896	蒨	A2BFEC	B88D	788E	2-3F6C	T8CU0080
2897	蒨	A2BFED	B88E	788F	2-3F6D	T8CV0080
2898	蕺	A2BFEE	B88F	7890	2-3F6E	T8CW0080
2899	蕻	A2BFEF	B890	7891	2-3F6F	T8CX0080
2900	菹	A2BFF0	B891	7892	2-3F70	T8CY0080
2901	菹	A2BFF1	B892	7893	2-3F71	T8CZ0080
2902	蕻	A2BFF2	B893	7894	2-3F72	T8D00080
2903	蕻	A2BFF3	B894	7895	2-3F73	T8D10080
2904	蕻	A2BFF4	B895	7896	2-3F74	T8D20080
2905	蚌	A2BFF5	B896	7897	2-3F75	T8D30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 26 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2906	蚌	A2BFF6	B897	7898	2-3F76	T8D40080
2907	蟻	A2BFF7	B898	7899	2-3F77	T8D50080
2908	載	A2BFF8	B899	789A	2-3F78	T8D60080
2909	蛞	A2BFF9	B89A	789B	2-3F79	T8D70080
2910	蜩	A2BFFA	B89B	789C	2-3F7A	T8D80080
2911	螳	A2BFFB	B89C	789D	2-3F7B	T8D90080
2912	蝦	A2BFFC	B89D	789E	2-3F7C	T8DA0080
2913	蝗	A2BFFD	B89E	789F	2-3F7D	T8DB0080
2914	蚱	A2BFFE	B89F	78A0	2-3F7E	T8DC0080
2915	蚕	A2C0A1	B8A0	78A1	2-4021	T8DD0080
2916	蝥	A2C0A2	B8A1	78A2	2-4022	T8DE0080
2917	皇	A2C0A3	B8A2	78A3	2-4023	T8DF0080
2918	蛎	A2C0A4	B8A3	78A4	2-4024	T8DG0080
2919	蚌	A2C0A5	B8A4	78A5	2-4025	T8DH0080
2920	蜃	A2C0A6	B8A5	78A6	2-4026	T8DI0080
2921	衙	A2C0A7	B8A6	78A7	2-4027	T8DJ0080
2922	衙	A2C0A8	B8A7	78A8	2-4028	T8DK0080
2923	袷	A2C0A9	B8A8	78A9	2-4029	T8DL0080
2924	梳	A2C0AA	B8A9	78AA	2-402A	T8DM0080
2925	栢	A2C0AB	B8AA	78AB	2-402B	T8DN0080
2926	裱	A2C0AC	B8AB	78AC	2-402C	T8DO0080
2927	裱	A2C0AD	B8AC	78AD	2-402D	T8DP0080
2928	裱	A2C0AE	B8AD	78AE	2-402E	T8DQ0080
2929	裱	A2C0AF	B8AE	78AF	2-402F	T8DR0080
2930	裱	A2C0B0	B8AF	78B0	2-4030	T8DS0080
2931	裱	A2C0B1	B8B0	78B1	2-4031	T8DT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 27 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2932	柳	A2C0B2	B8B1	78B2	2-4032	T8DU0080
2933	袤	A2C0B3	B8B2	78B3	2-4033	T8DV0080
2934	暴	A2C0B4	B8B3	78B4	2-4034	T8DW0080
2935	根	A2C0B5	B8B4	78B5	2-4035	T8DX0080
2936	覘	A2C0B6	B8B5	78B6	2-4036	T8DY0080
2937	覘	A2C0B7	B8B6	78B7	2-4037	T8DZ0080
2938	覘	A2C0B8	B8B7	78B8	2-4038	T8E00080
2939	觥	A2C0B9	B8B8	78B9	2-4039	T8E10080
2940	觥	A2C0BA	B8B9	78BA	2-403A	T8E20080
2941	觥	A2C0BB	B8BA	78BB	2-403B	T8E30080
2942	詎	A2C0BC	B8BB	78BC	2-403C	T8E40080
2943	詎	A2C0BD	B8BC	78BD	2-403D	T8E50080
2944	誡	A2C0BE	B8BD	78BE	2-403E	T8E60080
2945	誡	A2C0BF	B8BE	78BF	2-403F	T8E70080
2946	詁	A2C0C0	B8BF	78C0	2-4040	T8E80080
2947	詁	A2C0C1	B8C0	78C1	2-4041	T8E90080
2948	詘	A2C0C2	B8C1	78C2	2-4042	T8EA0080
2949	詖	A2C0C3	B8C2	78C3	2-4043	T8EB0080
2950	詗	A2C0C4	B8C3	78C4	2-4044	T8EC0080
2951	詘	A2C0C5	B8C4	78C5	2-4045	T8ED0080
2952	詙	A2C0C6	B8C5	78C6	2-4046	T8EE0080
2953	詚	A2C0C7	B8C6	78C7	2-4047	T8EF0080
2954	詛	A2C0C8	B8C7	78C8	2-4048	T8EG0080
2955	詜	A2C0C9	B8C8	78C9	2-4049	T8EH0080
2956	詞	A2C0CA	B8C9	78CA	2-404A	T8EI0080
2957	貌	A2C0CB	B8CA	78CB	2-404B	T8EJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 28 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2958	猷	A2C0CC	B8CB	78CC	2-404C	T8EK0080
2959	黜	A2C0CD	B8CC	78CD	2-404D	T8EL0080
2960	貺	A2C0CE	B8CD	78CE	2-404E	T8EM0080
2961	貶	A2C0CF	B8CE	78CF	2-404F	T8EN0080
2962	貰	A2C0D0	B8CF	78D0	2-4050	T8EO0080
2963	賍	A2C0D1	B8D0	78D1	2-4051	T8EP0080
2964	賸	A2C0D2	B8D1	78D2	2-4052	T8EQ0080
2965	赳	A2C0D3	B8D2	78D3	2-4053	T8ER0080
2966	赳	A2C0D4	B8D3	78D4	2-4054	T8ES0080
2967	赳	A2C0D5	B8D4	78D5	2-4055	T8ET0080
2968	躄	A2C0D6	B8D5	78D6	2-4056	T8EU0080
2969	躄	A2C0D7	B8D6	78D7	2-4057	T8EV0080
2970	躄	A2C0D8	B8D7	78D8	2-4058	T8EW0080
2971	躄	A2C0D9	B8D8	78D9	2-4059	T8EX0080
2972	躄	A2C0DA	B8D9	78DA	2-405A	T8EY0080
2973	躄	A2C0DB	B8DA	78DB	2-405B	T8EZ0080
2974	躄	A2C0DC	B8DB	78DC	2-405C	T8F00080
2975	躄	A2C0DD	B8DC	78DD	2-405D	T8F10080
2976	躄	A2C0DE	B8DD	78DE	2-405E	T8F20080
2977	躄	A2C0DF	B8DE	78DF	2-405F	T8F30080
2978	躄	A2C0E0	B8DF	78E0	2-4060	T8F40080
2979	躄	A2C0E1	B8E0	78E1	2-4061	T8F50080
2980	輶	A2C0E2	B8E1	78E2	2-4062	T8F60080
2981	輶	A2C0E3	B8E2	78E3	2-4063	T8F70080
2982	輶	A2C0E4	B8E3	78E4	2-4064	T8F80080
2983	輶	A2C0E5	B8E4	78E5	2-4065	T8F90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 14 (Page 29 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2984	輓	A2C0E6	B8E5	78E6	2-4066	T8FA0080
2985	輓	A2C0E7	B8E6	78E7	2-4067	T8FB0080
2986	輓	A2C0E8	B8E7	78E8	2-4068	T8FC0080
2987	輓	A2C0E9	B8E8	78E9	2-4069	T8FD0080
2988	輓	A2C0EA	B8E9	78EA	2-406A	T8FE0080
2989	輓	A2C0EB	B8EA	78EB	2-406B	T8FF0080
2990	輓	A2C0EC	B8EB	78EC	2-406C	T8FG0080
2991	輓	A2C0ED	B8EC	78ED	2-406D	T8FH0080
2992	輓	A2C0EE	B8ED	78EE	2-406E	T8FI0080
2993	輓	A2C0EF	B8EE	78EF	2-406F	T8FJ0080
2994	輓	A2C0F0	B8EF	78F0	2-4070	T8FK0080
2995	輓	A2C0F1	B8F0	78F1	2-4071	T8FL0080
2996	逴	A2C0F2	B8F1	78F2	2-4072	T8FM0080
2997	逴	A2C0F3	B8F2	78F3	2-4073	T8FN0080
2998	逴	A2C0F4	B8F3	78F4	2-4074	T8FO0080
2999	鄆	A2C0F5	B8F4	78F5	2-4075	T8FP0080
3000	鄆	A2C0F6	B8F5	78F6	2-4076	T8FQ0080
3001	鄆	A2C0F7	B8F6	78F7	2-4077	T8FR0080
3002	鄆	A2C0F8	B8F7	78F8	2-4078	T8FS0080
3003	鄆	A2C0F9	B8F8	78F9	2-4079	T8FT0080
3004	鄆	A2C0FA	B8F9	78FA	2-407A	T8FU0080
3005	鄆	A2C0FB	B8FA	78FB	2-407B	T8FV0080
3006	鄆	A2C0FC	B8FB	78FC	2-407C	T8FW0080
3007	鄆	A2C0FD	B8FC	78FD	2-407D	T8FX0080
3008	鄆	A2C0FE	B940	7941	2-407E	T8G10080
3009	鄆	A2C1A1	B941	7942	2-4121	T8G20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 14 (Page 30 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3010	邨	A2C1A2	B942	7943	2-4122	T8G30080
3011	邨	A2C1A3	B943	7944	2-4123	T8G40080
3012	醜	A2C1A4	B944	7945	2-4124	T8G50080
3013	醜	A2C1A5	B945	7946	2-4125	T8G60080
3014	醜	A2C1A6	B946	7947	2-4126	T8G70080
3015	醜	A2C1A7	B947	7948	2-4127	T8G80080
3016	醜	A2C1A8	B948	7949	2-4128	T8G90080
3017	鈞	A2C1A9	B949	794A	2-4129	T8GA0080
3018	鈞	A2C1AA	B94A	794B	2-412A	T8GB0080
3019	鈞	A2C1AB	B94B	794C	2-412B	T8GC0080
3020	鈞	A2C1AC	B94C	794D	2-412C	T8GD0080
3021	鈞	A2C1AD	B94D	794E	2-412D	T8GE0080
3022	鈞	A2C1AE	B94E	794F	2-412E	T8GF0080
3023	鈞	A2C1AF	B94F	7950	2-412F	T8GG0080
3024	鈞	A2C1B0	B950	7951	2-4130	T8GH0080
3025	鈞	A2C1B1	B951	7952	2-4131	T8GI0080
3026	鈞	A2C1B2	B952	7953	2-4132	T8GJ0080
3027	鈞	A2C1B3	B953	7954	2-4133	T8GK0080
3028	鈞	A2C1B4	B954	7955	2-4134	T8GL0080
3029	鈞	A2C1B5	B955	7956	2-4135	T8GM0080
3030	鈞	A2C1B6	B956	7957	2-4136	T8GN0080
3031	鈞	A2C1B7	B957	7958	2-4137	T8GO0080
3032	鈞	A2C1B8	B958	7959	2-4138	T8GP0080
3033	鈞	A2C1B9	B959	795A	2-4139	T8GQ0080
3034	鈞	A2C1BA	B95A	795B	2-413A	T8GR0080
3035	鈞	A2C1BB	B95B	795C	2-413B	T8GS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 31 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3036	鈇	A2C1BC	B95C	795D	2-413C	T8GT0080
3037	鈇	A2C1BD	B95D	795E	2-413D	T8GU0080
3038	鈇	A2C1BE	B95E	795F	2-413E	T8GV0080
3039	𠄎	A2C1BF	B95F	7960	2-413F	T8GW0080
3040	𠄎	A2C1C0	B960	7961	2-4140	T8GX0080
3041	𠄎	A2C1C1	B961	7962	2-4141	T8GY0080
3042	𠄎	A2C1C2	B962	7963	2-4142	T8GZ0080
3043	𠄎	A2C1C3	B963	7964	2-4143	T8H00080
3044	𠄎	A2C1C4	B964	7965	2-4144	T8H10080
3045	𠄎	A2C1C5	B965	7966	2-4145	T8H20080
3046	𠄎	A2C1C6	B966	7967	2-4146	T8H30080
3047	𠄎	A2C1C7	B967	7968	2-4147	T8H40080
3048	𠄎	A2C1C8	B968	7969	2-4148	T8H50080
3049	𠄎	A2C1C9	B969	796A	2-4149	T8H60080
3050	𠄎	A2C1CA	B96A	796B	2-414A	T8H70080
3051	𠄎	A2C1CB	B96B	796C	2-414B	T8H80080
3052	𠄎	A2C1CC	B96C	796D	2-414C	T8H90080
3053	𠄎	A2C1CD	B96D	796E	2-414D	T8HA0080
3054	𠄎	A2C1CE	B96E	796F	2-414E	T8HB0080
3055	𠄎	A2C1CF	B96F	7970	2-414F	T8HC0080
3056	𠄎	A2C1D0	B970	7971	2-4150	T8HD0080
3057	𠄎	A2C1D1	B971	7972	2-4151	T8HE0080
3058	𠄎	A2C1D2	B972	7973	2-4152	T8HF0080
3059	𠄎	A2C1D3	B973	7974	2-4153	T8HG0080
3060	𠄎	A2C1D4	B974	7975	2-4154	T8HH0080
3061	𠄎	A2C1D5	B975	7976	2-4155	T8HI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 32 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3062	粼	A2C1D6	B976	7977	2-4156	T8HJ0080
3063	亂	A2C1D7	B977	7978	2-4157	T8HK0080
3064	亶	A2C1D8	B978	7979	2-4158	T8HL0080
3065	倅	A2C1D9	B979	797A	2-4159	T8HM0080
3066	僑	A2C1DA	B97A	797B	2-415A	T8HN0080
3067	僎	A2C1DB	B97B	797C	2-415B	T8HO0080
3068	槽	A2C1DC	B97C	797D	2-415C	T8HP0080
3069	標	A2C1DD	B97D	797E	2-415D	T8HQ0080
3070	僊	A2C1DE	B97E	797F	2-415E	T8HR0080
3071	僊	A2C1DF	B980	7981	2-415F	T8HT0080
3072	僊	A2C1E0	B981	7982	2-4160	T8HU0080
3073	僊	A2C1E1	B982	7983	2-4161	T8HV0080
3074	備	A2C1E2	B983	7984	2-4162	T8HW0080
3075	僊	A2C1E3	B984	7985	2-4163	T8HX0080
3076	僊	A2C1E4	B985	7986	2-4164	T8HY0080
3077	僊	A2C1E5	B986	7987	2-4165	T8HZ0080
3078	僊	A2C1E6	B987	7988	2-4166	T8I00080
3079	僊	A2C1E7	B988	7989	2-4167	T8I10080
3080	僊	A2C1E8	B989	798A	2-4168	T8I20080
3081	僊	A2C1E9	B98A	798B	2-4169	T8I30080
3082	淮	A2C1EA	B98B	798C	2-416A	T8I40080
3083	癩	A2C1EB	B98C	798D	2-416B	T8I50080
3084	剗	A2C1EC	B98D	798E	2-416C	T8I60080
3085	剗	A2C1ED	B98E	798F	2-416D	T8I70080
3086	剗	A2C1EE	B98F	7990	2-416E	T8I80080
3087	噶	A2C1EF	B990	7991	2-416F	T8I90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 33 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3088	噍	A2C1F0	B991	7992	2-4170	T8IA0080
3089	嗑	A2C1F1	B992	7993	2-4171	T8IB0080
3090	嗜	A2C1F2	B993	7994	2-4172	T8IC0080
3091	嗜	A2C1F3	B994	7995	2-4173	T8ID0080
3092	噴	A2C1F4	B995	7996	2-4174	T8IE0080
3093	嘯	A2C1F5	B996	7997	2-4175	T8IF0080
3094	噐	A2C1F6	B997	7998	2-4176	T8IG0080
3095	噏	A2C1F7	B998	7999	2-4177	T8IH0080
3096	噙	A2C1F8	B999	799A	2-4178	T8II0080
3097	噴	A2C1F9	B99A	799B	2-4179	T8IJ0080
3098	臬	A2C1FA	B99B	799C	2-417A	T8IK0080
3099	嗒	A2C1FB	B99C	799D	2-417B	T8IL0080
3100	喋	A2C1FC	B99D	799E	2-417C	T8IM0080
3101	喋	A2C1FD	B99E	799F	2-417D	T8IN0080
3102	噤	A2C1FE	B99F	79A0	2-417E	T8IO0080
3103	噤	A2C2A1	B9A0	79A1	2-4221	T8IP0080
3104	噤	A2C2A2	B9A1	79A2	2-4222	T8IQ0080
3105	噤	A2C2A3	B9A2	79A3	2-4223	T8IR0080
3106	噤	A2C2A4	B9A3	79A4	2-4224	T8IS0080
3107	噤	A2C2A5	B9A4	79A5	2-4225	T8IT0080
3108	噤	A2C2A6	B9A5	79A6	2-4226	T8IU0080
3109	噤	A2C2A7	B9A6	79A7	2-4227	T8IV0080
3110	噤	A2C2A8	B9A7	79A8	2-4228	T8IW0080
3111	噤	A2C2A9	B9A8	79A9	2-4229	T8IX0080
3112	噤	A2C2AA	B9A9	79AA	2-422A	T8IY0080
3113	噤	A2C2AB	B9AA	79AB	2-422B	T8IZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 34 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3114	塏	A2C2AC	B9AB	79AC	2-422C	T8J00080
3115	塑	A2C2AD	B9AC	79AD	2-422D	T8J10080
3116	塒	A2C2AE	B9AD	79AE	2-422E	T8J20080
3117	塓	A2C2AF	B9AE	79AF	2-422F	T8J30080
3118	塕	A2C2B0	B9AF	79B0	2-4230	T8J40080
3119	塖	A2C2B1	B9B0	79B1	2-4231	T8J50080
3120	塗	A2C2B2	B9B1	79B2	2-4232	T8J60080
3121	塘	A2C2B3	B9B2	79B3	2-4233	T8J70080
3122	塙	A2C2B4	B9B3	79B4	2-4234	T8J80080
3123	塚	A2C2B5	B9B4	79B5	2-4235	T8J90080
3124	塛	A2C2B6	B9B5	79B6	2-4236	T8JA0080
3125	塜	A2C2B7	B9B6	79B7	2-4237	T8JB0080
3126	塝	A2C2B8	B9B7	79B8	2-4238	T8JC0080
3127	壺	A2C2B9	B9B8	79B9	2-4239	T8JD0080
3128	嫗	A2C2BA	B9B9	79BA	2-423A	T8JE0080
3129	嫘	A2C2BB	B9BA	79BB	2-423B	T8JF0080
3130	嫖	A2C2BC	B9BB	79BC	2-423C	T8JG0080
3131	嫗	A2C2BD	B9BC	79BD	2-423D	T8JH0080
3132	嫘	A2C2BE	B9BD	79BE	2-423E	T8JI0080
3133	嫖	A2C2BF	B9BE	79BF	2-423F	T8JJ0080
3134	媵	A2C2C0	B9BF	79C0	2-4240	T8JK0080
3135	嫗	A2C2C1	B9C0	79C1	2-4241	T8JL0080
3136	媵	A2C2C2	B9C1	79C2	2-4242	T8JM0080
3137	嫗	A2C2C3	B9C2	79C3	2-4243	T8JN0080
3138	媵	A2C2C4	B9C3	79C4	2-4244	T8JO0080
3139	媵	A2C2C5	B9C4	79C5	2-4245	T8JP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 35 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3140	嫵	A2C2C6	B9C5	79C6	2-4246	T8JQ0080
3141	嫵	A2C2C7	B9C6	79C7	2-4247	T8JR0080
3142	嫵	A2C2C8	B9C7	79C8	2-4248	T8JS0080
3143	嫵	A2C2C9	B9C8	79C9	2-4249	T8JT0080
3144	嫵	A2C2CA	B9C9	79CA	2-424A	T8JU0080
3145	嫵	A2C2CB	B9CA	79CB	2-424B	T8JV0080
3146	嫵	A2C2CC	B9CB	79CC	2-424C	T8JW0080
3147	嫵	A2C2CD	B9CC	79CD	2-424D	T8JX0080
3148	寢	A2C2CE	B9CD	79CE	2-424E	T8JY0080
3149	寢	A2C2CF	B9CE	79CF	2-424F	T8JZ0080
3150	寢	A2C2D0	B9CF	79D0	2-4250	T8K00080
3151	匙	A2C2D1	B9D0	79D1	2-4251	T8K10080
3152	擲	A2C2D2	B9D1	79D2	2-4252	T8K20080
3153	嶧	A2C2D3	B9D2	79D3	2-4253	T8K30080
3154	嶧	A2C2D4	B9D3	79D4	2-4254	T8K40080
3155	嶧	A2C2D5	B9D4	79D5	2-4255	T8K50080
3156	嶧	A2C2D6	B9D5	79D6	2-4256	T8K60080
3157	嶧	A2C2D7	B9D6	79D7	2-4257	T8K70080
3158	嶧	A2C2D8	B9D7	79D8	2-4258	T8K80080
3159	嶧	A2C2D9	B9D8	79D9	2-4259	T8K90080
3160	嶧	A2C2DA	B9D9	79DA	2-425A	T8KA0080
3161	嶧	A2C2DB	B9DA	79DB	2-425B	T8KB0080
3162	嶧	A2C2DC	B9DB	79DC	2-425C	T8KC0080
3163	嶧	A2C2DD	B9DC	79DD	2-425D	T8KD0080
3164	嶧	A2C2DE	B9DD	79DE	2-425E	T8KE0080
3165	嶧	A2C2DF	B9DE	79DF	2-425F	T8KF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 36 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3166	幘	A2C2E0	B9DF	79E0	2-4260	T8KG0080
3167	幠	A2C2E1	B9E0	79E1	2-4261	T8KH0080
3168	幡	A2C2E2	B9E1	79E2	2-4262	T8KI0080
3169	廬	A2C2E3	B9E2	79E3	2-4263	T8KJ0080
3170	廬	A2C2E4	B9E3	79E4	2-4264	T8KK0080
3171	廬	A2C2E5	B9E4	79E5	2-4265	T8KL0080
3172	廬	A2C2E6	B9E5	79E6	2-4266	T8KM0080
3173	廬	A2C2E7	B9E6	79E7	2-4267	T8KN0080
3174	殼	A2C2E8	B9E7	79E8	2-4268	T8KO0080
3175	篋	A2C2E9	B9E8	79E9	2-4269	T8KP0080
3176	篋	A2C2EA	B9E9	79EA	2-426A	T8KQ0080
3177	忝	A2C2EB	B9EA	79EB	2-426B	T8KR0080
3178	愔	A2C2EC	B9EB	79EC	2-426C	T8KS0080
3179	慊	A2C2ED	B9EC	79ED	2-426D	T8KT0080
3180	慊	A2C2EE	B9ED	79EE	2-426E	T8KU0080
3181	慊	A2C2EF	B9EE	79EF	2-426F	T8KV0080
3182	愔	A2C2F0	B9EF	79F0	2-4270	T8KW0080
3183	慊	A2C2F1	B9F0	79F1	2-4271	T8KX0080
3184	愔	A2C2F2	B9F1	79F2	2-4272	T8KY0080
3185	愔	A2C2F3	B9F2	79F3	2-4273	T8KZ0080
3186	愔	A2C2F4	B9F3	79F4	2-4274	T8L00080
3187	愔	A2C2F5	B9F4	79F5	2-4275	T8L10080
3188	愔	A2C2F6	B9F5	79F6	2-4276	T8L20080
3189	愔	A2C2F7	B9F6	79F7	2-4277	T8L30080
3190	戡	A2C2F8	B9F7	79F8	2-4278	T8L40080
3191	戡	A2C2F9	B9F8	79F9	2-4279	T8L50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 37 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3192	戮	A2C2FA	B9F9	79FA	2-427A	T8L60080
3193	戮	A2C2FB	B9FA	79FB	2-427B	T8L70080
3194	戮	A2C2FC	B9FB	79FC	2-427C	T8L80080
3195	擥	A2C2FD	B9FC	79FD	2-427D	T8L90080
3196	擥	A2C2FE	BA40	7A41	2-427E	T8LD0080
3197	擥	A2C3A1	BA41	7A42	2-4321	T8LE0080
3198	擥	A2C3A2	BA42	7A43	2-4322	T8LF0080
3199	擥	A2C3A3	BA43	7A44	2-4323	T8LG0080
3200	擥	A2C3A4	BA44	7A45	2-4324	T8LH0080
3201	擥	A2C3A5	BA45	7A46	2-4325	T8LI0080
3202	擥	A2C3A6	BA46	7A47	2-4326	T8LJ0080
3203	擥	A2C3A7	BA47	7A48	2-4327	T8LK0080
3204	擥	A2C3A8	BA48	7A49	2-4328	T8LL0080
3205	擥	A2C3A9	BA49	7A4A	2-4329	T8LM0080
3206	擥	A2C3AA	BA4A	7A4B	2-432A	T8LN0080
3207	擥	A2C3AB	BA4B	7A4C	2-432B	T8LO0080
3208	擥	A2C3AC	BA4C	7A4D	2-432C	T8LP0080
3209	擥	A2C3AD	BA4D	7A4E	2-432D	T8LQ0080
3210	擥	A2C3AE	BA4E	7A4F	2-432E	T8LR0080
3211	擥	A2C3AF	BA4F	7A50	2-432F	T8LS0080
3212	擥	A2C3B0	BA50	7A51	2-4330	T8LT0080
3213	擥	A2C3B1	BA51	7A52	2-4331	T8LU0080
3214	擥	A2C3B2	BA52	7A53	2-4332	T8LV0080
3215	擥	A2C3B3	BA53	7A54	2-4333	T8LW0080
3216	擥	A2C3B4	BA54	7A55	2-4334	T8LX0080
3217	擥	A2C3B5	BA55	7A56	2-4335	T8LY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 38 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3218	搯	A2C3B6	BA56	7A57	2-4336	T8LZ0080
3219	擲	A2C3B7	BA57	7A58	2-4337	T8M00080
3220	擲	A2C3B8	BA58	7A59	2-4338	T8M10080
3221	搗	A2C3B9	BA59	7A5A	2-4339	T8M20080
3222	搥	A2C3BA	BA5A	7A5B	2-433A	T8M30080
3223	搥	A2C3BB	BA5B	7A5C	2-433B	T8M40080
3224	搥	A2C3BC	BA5C	7A5D	2-433C	T8M50080
3225	掣	A2C3BD	BA5D	7A5E	2-433D	T8M60080
3226	攙	A2C3BE	BA5E	7A5F	2-433E	T8M70080
3227	揀	A2C3BF	BA5F	7A60	2-433F	T8M80080
3228	揀	A2C3C0	BA60	7A61	2-4340	T8M90080
3229	揀	A2C3C1	BA61	7A62	2-4341	T8MA0080
3230	毆	A2C3C2	BA62	7A63	2-4342	T8MB0080
3231	嫵	A2C3C3	BA63	7A64	2-4343	T8MC0080
3232	旃	A2C3C4	BA64	7A65	2-4344	T8MD0080
3233	晡	A2C3C5	BA65	7A66	2-4345	T8ME0080
3234	暌	A2C3C6	BA66	7A67	2-4346	T8MF0080
3235	矚	A2C3C7	BA67	7A68	2-4347	T8MG0080
3236	曄	A2C3C8	BA68	7A69	2-4348	T8MH0080
3237	瞽	A2C3C9	BA69	7A6A	2-4349	T8MI0080
3238	瞞	A2C3CA	BA6A	7A6B	2-434A	T8MJ0080
3239	瞞	A2C3CB	BA6B	7A6C	2-434B	T8MK0080
3240	瞞	A2C3CC	BA6C	7A6D	2-434C	T8ML0080
3241	曷	A2C3CD	BA6D	7A6E	2-434D	T8MM0080
3242	膜	A2C3CE	BA6E	7A6F	2-434E	T8MN0080
3243	植	A2C3CF	BA6F	7A70	2-434F	T8MO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 39 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3244	梲	A2C3D0	BA70	7A71	2-4350	T8MP0080
3245	槩	A2C3D1	BA71	7A72	2-4351	T8MQ0080
3246	槿	A2C3D2	BA72	7A73	2-4352	T8MR0080
3247	檜	A2C3D3	BA73	7A74	2-4353	T8MS0080
3248	槲	A2C3D4	BA74	7A75	2-4354	T8MT0080
3249	椿	A2C3D5	BA75	7A76	2-4355	T8MU0080
3250	福	A2C3D6	BA76	7A77	2-4356	T8MV0080
3251	樸	A2C3D7	BA77	7A78	2-4357	T8MW0080
3252	槿	A2C3D8	BA78	7A79	2-4358	T8MX0080
3253	楂	A2C3D9	BA79	7A7A	2-4359	T8MY0080
3254	槿	A2C3DA	BA7A	7A7B	2-435A	T8MZ0080
3255	榭	A2C3DB	BA7B	7A7C	2-435B	T8N00080
3256	榑	A2C3DC	BA7C	7A7D	2-435C	T8N10080
3257	榑	A2C3DD	BA7D	7A7E	2-435D	T8N20080
3258	榑	A2C3DE	BA7E	7A7F	2-435E	T8N30080
3259	榑	A2C3DF	BA80	7A81	2-435F	T8N50080
3260	榑	A2C3E0	BA81	7A82	2-4360	T8N60080
3261	榑	A2C3E1	BA82	7A83	2-4361	T8N70080
3262	榑	A2C3E2	BA83	7A84	2-4362	T8N80080
3263	榑	A2C3E3	BA84	7A85	2-4363	T8N90080
3264	榑	A2C3E4	BA85	7A86	2-4364	T8NA0080
3265	榑	A2C3E5	BA86	7A87	2-4365	T8NB0080
3266	榑	A2C3E6	BA87	7A88	2-4366	T8NC0080
3267	榑	A2C3E7	BA88	7A89	2-4367	T8ND0080
3268	榑	A2C3E8	BA89	7A8A	2-4368	T8NE0080
3269	榑	A2C3E9	BA8A	7A8B	2-4369	T8NF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 40 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3270	櫛	A2C3EA	BA8B	7A8C	2-436A	T8NG0080
3271	窰	A2C3EB	BA8C	7A8D	2-436B	T8NH0080
3272	槩	A2C3EC	BA8D	7A8E	2-436C	T8NI0080
3273	榕	A2C3ED	BA8E	7A8F	2-436D	T8NJ0080
3274	梓	A2C3EE	BA8F	7A90	2-436E	T8NK0080
3275	椏	A2C3EF	BA90	7A91	2-436F	T8NL0080
3276	榎	A2C3F0	BA91	7A92	2-4370	T8NM0080
3277	榭	A2C3F1	BA92	7A93	2-4371	T8NN0080
3278	械	A2C3F2	BA93	7A94	2-4372	T8NO0080
3279	糊	A2C3F3	BA94	7A95	2-4373	T8NP0080
3280	榿	A2C3F4	BA95	7A96	2-4374	T8NQ0080
3281	榧	A2C3F5	BA96	7A97	2-4375	T8NR0080
3282	榫	A2C3F6	BA97	7A98	2-4376	T8NS0080
3283	榧	A2C3F7	BA98	7A99	2-4377	T8NT0080
3284	櫛	A2C3F8	BA99	7A9A	2-4378	T8NU0080
3285	榯	A2C3F9	BA9A	7A9B	2-4379	T8NV0080
3286	榭	A2C3FA	BA9B	7A9C	2-437A	T8NW0080
3287	歆	A2C3FB	BA9C	7A9D	2-437B	T8NX0080
3288	歆	A2C3FC	BA9D	7A9E	2-437C	T8NY0080
3289	歆	A2C3FD	BA9E	7A9F	2-437D	T8NZ0080
3290	歆	A2C3FE	BA9F	7AA0	2-437E	T8O00080
3291	歆	A2C4A1	BAA0	7AA1	2-4421	T8O10080
3292	歆	A2C4A2	BAA1	7AA2	2-4422	T8O20080
3293	殄	A2C4A3	BAA2	7AA3	2-4423	T8O30080
3294	毘	A2C4A4	BAA4	7AA5	2-4424	T8O50080
3295	毘	A2C4A5	BAA5	7AA6	2-4425	T8O60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 41 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3296	𪛗	A2C4A6	BAA6	7AA7	2-4426	T8O70080
3297	𪛘	A2C4A7	BAA7	7AA8	2-4427	T8O80080
3298	𪛙	A2C4A8	BAA8	7AA9	2-4428	T8O90080
3299	𪛚	A2C4A9	BAA9	7AAA	2-4429	T8OA0080
3300	𪛛	A2C4AA	BAAA	7AAB	2-442A	T8OB0080
3301	𪛜	A2C4AB	BAAB	7AAC	2-442B	T8OC0080
3302	𪛝	A2C4AC	BAAC	7AAD	2-442C	T8OD0080
3303	𪛞	A2C4AD	BAAD	7AAE	2-442D	T8OE0080
3304	𪛟	A2C4AE	BAAE	7AAF	2-442E	T8OF0080
3305	𪛠	A2C4AF	BAAF	7AB0	2-442F	T8OG0080
3306	𪛡	A2C4B0	BAB0	7AB1	2-4430	T8OH0080
3307	𪛢	A2C4B1	BAB1	7AB2	2-4431	T8OI0080
3308	𪛣	A2C4B2	BAB2	7AB3	2-4432	T8OJ0080
3309	𪛤	A2C4B3	BAB3*	7AB4*	2-4433	TC3R0080
3310	𪛥	A2C4B4	BAB4	7AB5	2-4434	T8OL0080
3311	𪛦	A2C4B5	BAB5	7AB6	2-4435	T8OM0080
3312	𪛧	A2C4B6	BAB6	7AB7	2-4436	T8ON0080
3313	𪛨	A2C4B7	BAB7	7AB8	2-4437	T8OO0080
3314	𪛩	A2C4B8	BAB8	7AB9	2-4438	T8OP0080
3315	𪛪	A2C4B9	BAB9	7ABA	2-4439	T8OQ0080
3316	𪛫	A2C4BA	BABA	7ABB	2-443A	T8OR0080
3317	𪛬	A2C4BB	BABB	7ABC	2-443B	T8OS0080
3318	𪛭	A2C4BC	BABC	7ABD	2-443C	T8OT0080
3319	𪛮	A2C4BD	BABD	7ABE	2-443D	T8OU0080
3320	𪛯	A2C4BE	BABE	7ABF	2-443E	T8OV0080
3321	𪛰	A2C4BF	BABF	7AC0	2-443F	T8OW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 42 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3322	澆	A2C4C0	BAC0	7AC1	2-4440	T8OX0080
3323	滂	A2C4C1	BAC1	7AC2	2-4441	T8OY0080
3324	滹	A2C4C2	BAC2	7AC3	2-4442	T8OZ0080
3325	滂	A2C4C3	BAC3	7AC4	2-4443	T8P00080
3326	滂	A2C4C4	BAC4	7AC5	2-4444	T8P10080
3327	滂	A2C4C5	BAC5	7AC6	2-4445	T8P20080
3328	滂	A2C4C6	BAC6	7AC7	2-4446	T8P30080
3329	滂	A2C4C7	BAC7	7AC8	2-4447	T8P40080
3330	滂	A2C4C8	BAC8	7AC9	2-4448	T8P50080
3331	滂	A2C4C9	BAC9	7ACA	2-4449	T8P60080
3332	滂	A2C4CA	BACA	7ACB	2-444A	T8P70080
3333	滂	A2C4CB	BACB	7ACC	2-444B	T8P80080
3334	滂	A2C4CC	BACC	7ACD	2-444C	T8P90080
3335	滂	A2C4CD	BACD	7ACE	2-444D	T8PA0080
3336	滂	A2C4CE	BACE	7ACF	2-444E	T8PB0080
3337	滂	A2C4CF	BACF	7AD0	2-444F	T8PC0080
3338	滂	A2C4D0	BAD0	7AD1	2-4450	T8PD0080
3339	滂	A2C4D1	BAD1	7AD2	2-4451	T8PE0080
3340	滂	A2C4D2	BAD2	7AD3	2-4452	T8PF0080
3341	滂	A2C4D3	BAD3	7AD4	2-4453	T8PG0080
3342	滂	A2C4D4	BAD4	7AD5	2-4454	T8PH0080
3343	滂	A2C4D5	BAD5	7AD6	2-4455	T8PI0080
3344	滂	A2C4D6	BAD6	7AD7	2-4456	T8PJ0080
3345	滂	A2C4D7	BAD7	7AD8	2-4457	T8PK0080
3346	滂	A2C4D8	BAD8	7AD9	2-4458	T8PL0080
3347	滂	A2C4D9	BAD9	7ADA	2-4459	T8PM0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 14 (Page 43 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3348	煇	A2C4DA	BADA	7ADB	2-445A	T8PN0080
3349	燿	A2C4DB	BADB	7ADC	2-445B	T8PO0080
3350	燿	A2C4DC	BADC	7ADD	2-445C	T8PP0080
3351	燿	A2C4DD	BADD	7ADE	2-445D	T8PQ0080
3352	燿	A2C4DE	BADE	7ADF	2-445E	T8PR0080
3353	燿	A2C4DF	BADF	7AE0	2-445F	T8PS0080
3354	燿	A2C4E0	BAE0	7AE1	2-4460	T8PT0080
3355	燿	A2C4E1	BAE1	7AE2	2-4461	T8PU0080
3356	燿	A2C4E2	BAE2	7AE3	2-4462	T8PV0080
3357	燿	A2C4E3	BAE3	7AE4	2-4463	T8PW0080
3358	燿	A2C4E4	BAE4	7AE5	2-4464	T8PX0080
3359	燿	A2C4E5	BAE5	7AE6	2-4465	T8PY0080
3360	燿	A2C4E6	BAE6	7AE7	2-4466	T8PZ0080
3361	燿	A2C4E7	BAE7	7AE8	2-4467	T8Q00080
3362	燿	A2C4E8	BAE8	7AE9	2-4468	T8Q10080
3363	燿	A2C4E9	BAE9	7AEA	2-4469	T8Q20080
3364	燿	A2C4EA	BAEA	7AEB	2-446A	T8Q30080
3365	燿	A2C4EB	BAEB	7AEC	2-446B	T8Q40080
3366	燿	A2C4EC	BAEC	7AED	2-446C	T8Q50080
3367	燿	A2C4ED	BAED	7AEE	2-446D	T8Q60080
3368	燿	A2C4EE	BAEE	7AEF	2-446E	T8Q70080
3369	燿	A2C4EF	BAEF	7AF0	2-446F	T8Q80080
3370	燿	A2C4F0	BAF0	7AF1	2-4470	T8Q90080
3371	燿	A2C4F1	BAF1	7AF2	2-4471	T8QA0080
3372	燿	A2C4F2	BAF2	7AF3	2-4472	T8QB0080
3373	燿	A2C4F3	BAF3	7AF4	2-4473	T8QC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 14 (Page 44 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (3 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3374	獐	A2C4F4	BAF4	7AF5	2-4474	T8QD0080
3375	瑄	A2C4F5	BAF5	7AF6	2-4475	T8QE0080
3376	瑛	A2C4F6	BAF6	7AF7	2-4476	T8QF0080
3377	瑛	A2C4F7	BAF7	7AF8	2-4477	T8QG0080
3378	瑛	A2C4F8	BAF8	7AF9	2-4478	T8QH0080
3379	瑛	A2C4F9	BAF9	7AFA	2-4479	T8QI0080
3380	瑛	A2C4FA	BAFA	7AFB	2-447A	T8QJ0080
3381	瑛	A2C4FB	BAFB	7AFC	2-447B	T8QK0080
3382	瑛	A2C4FC	BAFC	7AFD	2-447C	T8QL0080
3383	璦	A2C4FD	BB40	7B41	2-447D	T8QP0080

Note: * See Section 13.2.3.2 on page 799 for the *code* translation correspondence between *EUC* and *DBCS-PC* or *DBCS-Host*.

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 1 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3384	璿	A2C4FE	BB41	7B42	2-447E	T8QQ0080
3385	璿	A2C5A1	BB42	7B43	2-4521	T8QR0080
3386	璿	A2C5A2	BB43	7B44	2-4522	T8QS0080
3387	璿	A2C5A3	BB44	7B45	2-4523	T8QT0080
3388	璿	A2C5A4	BB45	7B46	2-4524	T8QU0080
3389	瓠	A2C5A5	BB46	7B47	2-4525	T8QV0080
3390	瓠	A2C5A6	BB47	7B48	2-4526	T8QW0080
3391	瓠	A2C5A7	BB48	7B49	2-4527	T8QX0080
3392	瓠	A2C5A8	BB49	7B4A	2-4528	T8QY0080
3393	瓠	A2C5A9	BB4A	7B4B	2-4529	T8QZ0080
3394	瓠	A2C5AA	BB4B	7B4C	2-452A	T8R00080
3395	瓠	A2C5AB	BB4C	7B4D	2-452B	T8R10080
3396	瓠	A2C5AC	BB4D	7B4E	2-452C	T8R20080
3397	瓠	A2C5AD	BB4E	7B4F	2-452D	T8R30080
3398	瓠	A2C5AE	BB4F	7B50	2-452E	T8R40080
3399	瓠	A2C5AF	BB50	7B51	2-452F	T8R50080
3400	癩	A2C5B0	BB51	7B52	2-4530	T8R60080
3401	癩	A2C5B1	BB52	7B53	2-4531	T8R70080
3402	癩	A2C5B2	BB53	7B54	2-4532	T8R80080
3403	癩	A2C5B3	BB54	7B55	2-4533	T8R90080
3404	癩	A2C5B4	BB55	7B56	2-4534	T8RA0080
3405	癩	A2C5B5	BB56	7B57	2-4535	T8RB0080
3406	癩	A2C5B6	BB57	7B58	2-4536	T8RC0080
3407	癩	A2C5B7	BB58	7B59	2-4537	T8RD0080
3408	癩	A2C5B8	BB59	7B5A	2-4538	T8RE0080
3409	癩	A2C5B9	BB5A	7B5B	2-4539	T8RF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 2 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3410	瘥	A2C5BA	BB5B	7B5C	2-453A	T8RG0080
3411	皙	A2C5BB	BB5C	7B5D	2-453B	T8RH0080
3412	馥	A2C5BC	BB5D	7B5E	2-453C	T8RI0080
3413	盪	A2C5BD	BB5E	7B5F	2-453D	T8RJ0080
3414	腕	A2C5BE	BB5F	7B60	2-453E	T8RK0080
3415	睥	A2C5BF	BB60	7B61	2-453F	T8RL0080
3416	瞋	A2C5C0	BB61	7B62	2-4540	T8RM0080
3417	睽	A2C5C1	BB62	7B63	2-4541	T8RN0080
3418	瞵	A2C5C2	BB63	7B64	2-4542	T8RO0080
3419	睭	A2C5C3	BB64	7B65	2-4543	T8RP0080
3420	睭	A2C5C4	BB65	7B66	2-4544	T8RQ0080
3421	睭	A2C5C5	BB66	7B67	2-4545	T8RR0080
3422	睭	A2C5C6	BB67	7B68	2-4546	T8RS0080
3423	睭	A2C5C7	BB68	7B69	2-4547	T8RT0080
3424	睭	A2C5C8	BB69	7B6A	2-4548	T8RU0080
3425	稽	A2C5C9	BB6A	7B6B	2-4549	T8RV0080
3426	碇	A2C5CA	BB6B	7B6C	2-454A	T8RW0080
3427	碇	A2C5CB	BB6C	7B6D	2-454B	T8RX0080
3428	碇	A2C5CC	BB6D	7B6E	2-454C	T8RY0080
3429	碇	A2C5CD	BB6E	7B6F	2-454D	T8RZ0080
3430	碇	A2C5CE	BB6F	7B70	2-454E	T8S00080
3431	碇	A2C5CF	BB70	7B71	2-454F	T8S10080
3432	碇	A2C5D0	BB71	7B72	2-4550	T8S20080
3433	礪	A2C5D1	BB72	7B73	2-4551	T8S30080
3434	礪	A2C5D2	BB73	7B74	2-4552	T8S40080
3435	礪	A2C5D3	BB74	7B75	2-4553	T8S50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 3 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3436	礮	A2C5D4	BB75	7B76	2-4554	T8S60080
3437	礮	A2C5D5	BB76	7B77	2-4555	T8S70080
3438	礮	A2C5D6	BB77	7B78	2-4556	T8S80080
3439	礮	A2C5D7	BB78	7B79	2-4557	T8S90080
3440	礮	A2C5D8	BB79	7B7A	2-4558	T8SA0080
3441	礮	A2C5D9	BB7A	7B7B	2-4559	T8SB0080
3442	礮	A2C5DA	BB7B	7B7C	2-455A	T8SC0080
3443	礮	A2C5DB	BB7C	7B7D	2-455B	T8SD0080
3444	礮	A2C5DC	BB7D	7B7E	2-455C	T8SE0080
3445	礮	A2C5DD	BB7E	7B7F	2-455D	T8SF0080
3446	礮	A2C5DE	BB80	7B81	2-455E	T8SH0080
3447	礮	A2C5DF	BB81	7B82	2-455F	T8SI0080
3448	礮	A2C5E0	BB82	7B83	2-4560	T8SJ0080
3449	礮	A2C5E1	BB83	7B84	2-4561	T8SK0080
3450	礮	A2C5E2	BB84	7B85	2-4562	T8SL0080
3451	礮	A2C5E3	BB85	7B86	2-4563	T8SM0080
3452	礮	A2C5E4	BB86	7B87	2-4564	T8SN0080
3453	礮	A2C5E5	BB87	7B88	2-4565	T8SO0080
3454	礮	A2C5E6	BB88	7B89	2-4566	T8SP0080
3455	礮	A2C5E7	BB89	7B8A	2-4567	T8SQ0080
3456	礮	A2C5E8	BB8A	7B8B	2-4568	T8SR0080
3457	礮	A2C5E9	BB8B	7B8C	2-4569	T8SS0080
3458	礮	A2C5EA	BB8C	7B8D	2-456A	T8ST0080
3459	礮	A2C5EB	BB8D	7B8E	2-456B	T8SU0080
3460	礮	A2C5EC	BB8E	7B8F	2-456C	T8SV0080
3461	礮	A2C5ED	BB8F	7B90	2-456D	T8SW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 4 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3462	筵	A2C5EE	BB90	7B91	2-456E	T8SX0080
3463	筵	A2C5EF	BB91	7B92	2-456F	T8SY0080
3464	筵	A2C5F0	BB92	7B93	2-4570	T8SZ0080
3465	筵	A2C5F1	BB93	7B94	2-4571	T8T00080
3466	筵	A2C5F2	BB94	7B95	2-4572	T8T10080
3467	筵	A2C5F3	BB95	7B96	2-4573	T8T20080
3468	筵	A2C5F4	BB96	7B97	2-4574	T8T30080
3469	筵	A2C5F5	BB97	7B98	2-4575	T8T40080
3470	筵	A2C5F6	BB98	7B99	2-4576	T8T50080
3471	筵	A2C5F7	BB99	7B9A	2-4577	T8T60080
3472	筵	A2C5F8	BB9A	7B9B	2-4578	T8T70080
3473	筵	A2C5F9	BB9B	7B9C	2-4579	T8T80080
3474	糗	A2C5FA	BB9C	7B9D	2-457A	T8T90080
3475	糗	A2C5FB	BB9D	7B9E	2-457B	T8TA0080
3476	縶	A2C5FC	BB9E	7B9F	2-457C	T8TB0080
3477	縶	A2C5FD	BB9F	7BA0	2-457D	T8TC0080
3478	練	A2C5FE	BBA0	7BA1	2-457E	T8TD0080
3479	紵	A2C6A1	BBA1	7BA2	2-4621	T8TE0080
3480	紵	A2C6A2	BBA2	7BA3	2-4622	T8TF0080
3481	縶	A2C6A3	BBA3	7BA4	2-4623	T8TG0080
3482	縶	A2C6A4	BBA4	7BA5	2-4624	T8TH0080
3483	縶	A2C6A5	BBA5	7BA6	2-4625	T8TI0080
3484	縶	A2C6A6	BBA6	7BA7	2-4626	T8TJ0080
3485	縶	A2C6A7	BBA7	7BA8	2-4627	T8TK0080
3486	縶	A2C6A8	BBA8	7BA9	2-4628	T8TL0080
3487	縶	A2C6A9	BBA9	7BAA	2-4629	T8TM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 5 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3488	𪗇	A2C6AA	BBAA	7BAB	2-462A	T8TN0080
3489	𪗈	A2C6AB	BBAB	7BAC	2-462B	T8TO0080
3490	𪗉	A2C6AC	BBAC	7BAD	2-462C	T8TP0080
3491	𪗊	A2C6AD	BBAD	7BAE	2-462D	T8TQ0080
3492	𪗋	A2C6AE	BBAE	7BAF	2-462E	T8TR0080
3493	𪗌	A2C6AF	BBAF	7BB0	2-462F	T8TS0080
3494	𪗍	A2C6B0	BBB0	7BB1	2-4630	T8TT0080
3495	𪗎	A2C6B1	BBB1	7BB2	2-4631	T8TU0080
3496	𪗏	A2C6B2	BBB2	7BB3	2-4632	T8TV0080
3497	𪗐	A2C6B3	BBB3	7BB4	2-4633	T8TW0080
3498	𪗑	A2C6B4	BBB4	7BB5	2-4634	T8TX0080
3499	𪗒	A2C6B5	BBB5	7BB6	2-4635	T8TY0080
3500	𪗓	A2C6B6	BBB6	7BB7	2-4636	T8TZ0080
3501	𪗔	A2C6B7	BBB7	7BB8	2-4637	T8U00080
3502	𪗕	A2C6B8	BBB8	7BB9	2-4638	T8U10080
3503	𪗖	A2C6B9	BBB9	7BBA	2-4639	T8U20080
3504	𪗗	A2C6BA	BBBA	7BBB	2-463A	T8U30080
3505	𪗘	A2C6BB	BBBB	7BBC	2-463B	T8U40080
3506	𪗙	A2C6BC	BBBC	7BBD	2-463C	T8U50080
3507	𪗚	A2C6BD	BBBD	7BBE	2-463D	T8U60080
3508	𪗛	A2C6BE	BBBE	7BBF	2-463E	T8U70080
3509	𪗜	A2C6BF	BBBF	7BC0	2-463F	T8U80080
3510	𪗝	A2C6C0	BBC0	7BC1	2-4640	T8U90080
3511	𪗞	A2C6C1	BBC1	7BC2	2-4641	T8UA0080
3512	𪗟	A2C6C2	BBC2	7BC3	2-4642	T8UB0080
3513	𪗠	A2C6C3	BBC3	7BC4	2-4643	T8UC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 6 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3514	膾	A2C6C4	BBC4	7BC5	2-4644	T8UD0080
3515	膾	A2C6C5	BBC5	7BC6	2-4645	T8UE0080
3516	膾	A2C6C6	BBC6	7BC7	2-4646	T8UF0080
3517	膾	A2C6C7	BBC7	7BC8	2-4647	T8UG0080
3518	膾	A2C6C8	BBC8	7BC9	2-4648	T8UH0080
3519	膾	A2C6C9	BBC9	7BCA	2-4649	T8UI0080
3520	膾	A2C6CA	BBCA	7BCB	2-464A	T8UJ0080
3521	膾	A2C6CB	BBCB	7BCC	2-464B	T8UK0080
3522	膾	A2C6CC	BBCC	7BCD	2-464C	T8UL0080
3523	膾	A2C6CD	BBCD	7BCE	2-464D	T8UM0080
3524	膾	A2C6CE	BBCE	7BCF	2-464E	T8UN0080
3525	膾	A2C6CF	BBCF	7BD0	2-464F	T8UO0080
3526	莢	A2C6D0	BBD0	7BD1	2-4650	T8UP0080
3527	莢	A2C6D1	BBD1	7BD2	2-4651	T8UQ0080
3528	莢	A2C6D2	BBD2	7BD3	2-4652	T8UR0080
3529	莢	A2C6D3	BBD3	7BD4	2-4653	T8US0080
3530	莢	A2C6D4	BBD4	7BD5	2-4654	T8UT0080
3531	莢	A2C6D5	BBD5	7BD6	2-4655	T8UU0080
3532	莢	A2C6D6	BBD6	7BD7	2-4656	T8UV0080
3533	莢	A2C6D7	BBD7	7BD8	2-4657	T8UW0080
3534	莢	A2C6D8	BBD8	7BD9	2-4658	T8UX0080
3535	莢	A2C6D9	BBD9	7BDA	2-4659	T8UY0080
3536	莢	A2C6DA	BBDA	7BDB	2-465A	T8UZ0080
3537	莢	A2C6DB	BBDB	7BDC	2-465B	T8V00080
3538	莢	A2C6DC	BBDC	7BDD	2-465C	T8V10080
3539	莢	A2C6DD	BBDD	7BDE	2-465D	T8V20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 7 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3540	赭	A2C6DE	BBDE	7BDF	2-465E	T8V30080
3541	歲	A2C6DF	BBDF	7BE0	2-465F	T8V40080
3542	歲	A2C6E0	BBE0	7BE1	2-4660	T8V50080
3543	勳	A2C6E1	BBE1	7BE2	2-4661	T8V60080
3544	旣	A2C6E2	BBE2	7BE3	2-4662	T8V70080
3545	韜	A2C6E3	BBE3	7BE4	2-4663	T8V80080
3546	薊	A2C6E4	BBE4	7BE5	2-4664	T8V90080
3547	曾	A2C6E5	BBE5	7BE6	2-4665	T8VA0080
3548	薊	A2C6E6	BBE6	7BE7	2-4666	T8VB0080
3549	葺	A2C6E7	BBE7	7BE8	2-4667	T8VC0080
3550	昨	A2C6E8	BBE8	7BE9	2-4668	T8VD0080
3551	惹	A2C6E9	BBE9	7BEA	2-4669	T8VE0080
3552	菱	A2C6EA	BBEA	7BEB	2-466A	T8VF0080
3553	雉	A2C6EB	BBEB	7BEC	2-466B	T8VG0080
3554	菽	A2C6EC	BBEC	7BED	2-466C	T8VH0080
3555	葦	A2C6ED	BBED	7BEE	2-466D	T8VI0080
3556	蒟	A2C6EE	BBEE	7BEF	2-466E	T8VJ0080
3557	蓐	A2C6EF	BBEF	7BF0	2-466F	T8VK0080
3558	勉	A2C6F0	BBF0	7BF1	2-4670	T8VL0080
3559	萬	A2C6F1	BBF1	7BF2	2-4671	T8VM0080
3560	草	A2C6F2	BBF2	7BF3	2-4672	T8VN0080
3561	稜	A2C6F3	BBF3	7BF4	2-4673	T8VO0080
3562	篇	A2C6F4	BBF4	7BF5	2-4674	T8VP0080
3563	葎	A2C6F5	BBF5	7BF6	2-4675	T8VQ0080
3564	蕞	A2C6F6	BBF6	7BF7	2-4676	T8VR0080
3565	葑	A2C6F7	BBF7	7BF8	2-4677	T8VS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 15 (Page 8 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3566	葯	A2C6F8	BBF8	7BF9	2-4678	T8VT0080
3567	蔬	A2C6F9	BBF9	7BFA	2-4679	T8VU0080
3568	蕨	A2C6FA	BBFA	7BFB	2-467A	T8VV0080
3569	菩	A2C6FB	BBFB	7BFC	2-467B	T8VW0080
3570	菱	A2C6FC	BBFC	7BFD	2-467C	T8VX0080
3571	蕓	A2C6FD	BC40	7C41	2-467D	T8W10080
3572	菌	A2C6FE	BC41	7C42	2-467E	T8W20080
3573	蕈	A2C7A1	BC42	7C43	2-4721	T8W30080
3574	蕙	A2C7A2	BC43	7C44	2-4722	T8W40080
3575	蕮	A2C7A3	BC44	7C45	2-4723	T8W50080
3576	蕹	A2C7A4	BC45	7C46	2-4724	T8W60080
3577	蕺	A2C7A5	BC46	7C47	2-4725	T8W70080
3578	蕻	A2C7A6	BC47	7C48	2-4726	T8W80080
3579	蕼	A2C7A7	BC48	7C49	2-4727	T8W90080
3580	蕽	A2C7A8	BC49	7C4A	2-4728	T8WA0080
3581	蝻	A2C7A9	BC4A	7C4B	2-4729	T8WB0080
3582	蚺	A2C7AA	BC4B	7C4C	2-472A	T8WC0080
3583	蝻	A2C7AB	BC4C	7C4D	2-472B	T8WD0080
3584	蝻	A2C7AC	BC4D	7C4E	2-472C	T8WE0080
3585	蚻	A2C7AD	BC4E	7C4F	2-472D	T8WF0080
3586	蚻	A2C7AE	BC4F	7C50	2-472E	T8WG0080
3587	蚻	A2C7AF	BC50	7C51	2-472F	T8WH0080
3588	蚻	A2C7B0	BC51	7C52	2-4730	T8WI0080
3589	蚻	A2C7B1	BC52	7C53	2-4731	T8WJ0080
3590	蚻	A2C7B2	BC53	7C54	2-4732	T8WK0080
3591	蚻	A2C7B3	BC54	7C55	2-4733	T8WL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 9 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3592	蜿	A2C7B4	BC55	7C56	2-4734	T8WM0080
3593	蜚	A2C7B5	BC56	7C57	2-4735	T8WN0080
3594	蝮	A2C7B6	BC57	7C58	2-4736	T8WO0080
3595	蝓	A2C7B7	BC58	7C59	2-4737	T8WP0080
3596	振	A2C7B8	BC59	7C5A	2-4738	T8WQ0080
3597	痘	A2C7B9	BC5A	7C5B	2-4739	T8WR0080
3598	裯	A2C7BA	BC5B	7C5C	2-473A	T8WS0080
3599	裱	A2C7BB	BC5C	7C5D	2-473B	T8WT0080
3600	裃	A2C7BC	BC5D	7C5E	2-473C	T8WU0080
3601	裄	A2C7BD	BC5E	7C5F	2-473D	T8WV0080
3602	装	A2C7BE	BC5F	7C60	2-473E	T8WW0080
3603	袂	A2C7BF	BC60	7C61	2-473F	T8WX0080
3604	袢	A2C7C0	BC61	7C62	2-4740	T8WY0080
3605	黝	A2C7C1	BC62	7C63	2-4741	T8WZ0080
3606	覘	A2C7C2	BC63	7C64	2-4742	T8X00080
3607	鮓	A2C7C3	BC64	7C65	2-4743	T8X10080
3608	鮔	A2C7C4	BC65	7C66	2-4744	T8X20080
3609	鮕	A2C7C5	BC66	7C67	2-4745	T8X30080
3610	鮖	A2C7C6	BC67	7C68	2-4746	T8X40080
3611	養	A2C7C7	BC68	7C69	2-4747	T8X50080
3612	習	A2C7C8	BC69	7C6A	2-4748	T8X60080
3613	觜	A2C7C9	BC6A	7C6B	2-4749	T8X70080
3614	觸	A2C7CA	BC6B	7C6C	2-474A	T8X80080
3615	誄	A2C7CB	BC6C	7C6D	2-474B	T8X90080
3616	誑	A2C7CC	BC6D	7C6E	2-474C	T8XA0080
3617	誑	A2C7CD	BC6E	7C6F	2-474D	T8XB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 10 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3618	詡	A2C7CE	BC6F	7C70	2-474E	T8XC0080
3619	詛	A2C7CF	BC70	7C71	2-474F	T8XD0080
3620	詗	A2C7D0	BC71	7C72	2-4750	T8XE0080
3621	詘	A2C7D1	BC72	7C73	2-4751	T8XF0080
3622	詙	A2C7D2	BC73	7C74	2-4752	T8XG0080
3623	詚	A2C7D3	BC74	7C75	2-4753	T8XH0080
3624	詛	A2C7D4	BC75	7C76	2-4754	T8XI0080
3625	詜	A2C7D5	BC76	7C77	2-4755	T8XJ0080
3626	詝	A2C7D6	BC77	7C78	2-4756	T8XK0080
3627	詞	A2C7D7	BC78	7C79	2-4757	T8XL0080
3628	詠	A2C7D8	BC79	7C7A	2-4758	T8XM0080
3629	登	A2C7D9	BC7A	7C7B	2-4759	T8XN0080
3630	豐	A2C7DA	BC7B	7C7C	2-475A	T8XO0080
3631	豸	A2C7DB	BC7C	7C7D	2-475B	T8XP0080
3632	豨	A2C7DC	BC7D	7C7E	2-475C	T8XQ0080
3633	豨	A2C7DD	BC7E	7C7F	2-475D	T8XR0080
3634	豨	A2C7DE	BC80	7C81	2-475E	T8XT0080
3635	豨	A2C7DF	BC81	7C82	2-475F	T8XU0080
3636	豨	A2C7E0	BC82	7C83	2-4760	T8XV0080
3637	豨	A2C7E1	BC83	7C84	2-4761	T8XW0080
3638	豨	A2C7E2	BC84	7C85	2-4762	T8XX0080
3639	豨	A2C7E3	BC85	7C86	2-4763	T8XY0080
3640	豨	A2C7E4	BC86	7C87	2-4764	T8XZ0080
3641	豨	A2C7E5	BC87	7C88	2-4765	T8Y00080
3642	豨	A2C7E6	BC88	7C89	2-4766	T8Y10080
3643	豨	A2C7E7	BC89	7C8A	2-4767	T8Y20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 15 (Page 11 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3644	趨	A2C7E8	BC8A	7C8B	2-4768	T8Y30080
3645	趨	A2C7E9	BC8B	7C8C	2-4769	T8Y40080
3646	趨	A2C7EA	BC8C	7C8D	2-476A	T8Y50080
3647	趨	A2C7EB	BC8D	7C8E	2-476B	T8Y60080
3648	趨	A2C7EC	BC8E	7C8F	2-476C	T8Y70080
3649	跄	A2C7ED	BC8F	7C90	2-476D	T8Y80080
3650	跄	A2C7EE	BC90	7C91	2-476E	T8Y90080
3651	跄	A2C7EF	BC91	7C92	2-476F	T8YA0080
3652	跄	A2C7F0	BC92	7C93	2-4770	T8YB0080
3653	跄	A2C7F1	BC93	7C94	2-4771	T8YC0080
3654	跄	A2C7F2	BC94	7C95	2-4772	T8YD0080
3655	跄	A2C7F3	BC95	7C96	2-4773	T8YE0080
3656	跄	A2C7F4	BC96	7C97	2-4774	T8YF0080
3657	跄	A2C7F5	BC97	7C98	2-4775	T8YG0080
3658	跄	A2C7F6	BC98	7C99	2-4776	T8YH0080
3659	跄	A2C7F7	BC99	7C9A	2-4777	T8YI0080
3660	跄	A2C7F8	BC9A	7C9B	2-4778	T8YJ0080
3661	跄	A2C7F9	BC9B	7C9C	2-4779	T8YK0080
3662	軋	A2C7FA	BC9C	7C9D	2-477A	T8YL0080
3663	軋	A2C7FB	BC9D	7C9E	2-477B	T8YM0080
3664	軋	A2C7FC	BC9E	7C9F	2-477C	T8YN0080
3665	軋	A2C7FD	BC9F	7CA0	2-477D	T8YO0080
3666	軋	A2C7FE	BCA0	7CA1	2-477E	T8YP0080
3667	軋	A2C8A1	BCA1	7CA2	2-4821	T8YQ0080
3668	軋	A2C8A2	BCA2	7CA3	2-4822	T8YR0080
3669	軋	A2C8A3	BCA3	7CA4	2-4823	T8YS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 12 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3670	峯	A2C8A4	BCA4	7CA5	2-4824	T8YT0080
3671	遭	A2C8A5	BCA5	7CA6	2-4825	T8YU0080
3672	邊	A2C8A6	BCA6	7CA7	2-4826	T8YV0080
3673	遄	A2C8A7	BCA7	7CA8	2-4827	T8YW0080
3674	遠	A2C8A8	BCA8	7CA9	2-4828	T8YX0080
3675	遠	A2C8A9	BCA9	7CAA	2-4829	T8YY0080
3676	鄱	A2C8AA	BCAA	7CAB	2-482A	T8YZ0080
3677	鄆	A2C8AB	BCAB	7CAC	2-482B	T8Z00080
3678	鄆	A2C8AC	BCAC	7CAD	2-482C	T8Z10080
3679	鄆	A2C8AD	BCAD	7CAE	2-482D	T8Z20080
3680	鄆	A2C8AE	BCAE	7CAF	2-482E	T8Z30080
3681	鄆	A2C8AF	BCAF	7CB0	2-482F	T8Z40080
3682	鄆	A2C8B0	BCB0	7CB1	2-4830	T8Z50080
3683	鄆	A2C8B1	BCB1	7CB2	2-4831	T8Z60080
3684	酏	A2C8B2	BCB2	7CB3	2-4832	T8Z70080
3685	醋	A2C8B3	BCB3	7CB4	2-4833	T8Z80080
3686	鉈	A2C8B4	BCB4	7CB5	2-4834	T8Z90080
3687	鉈	A2C8B5	BCB5	7CB6	2-4835	T8ZA0080
3688	鉈	A2C8B6	BCB6	7CB7	2-4836	T8ZB0080
3689	鉈	A2C8B7	BCB7	7CB8	2-4837	T8ZC0080
3690	鉈	A2C8B8	BCB8	7CB9	2-4838	T8ZD0080
3691	鉈	A2C8B9	BCB9	7CBA	2-4839	T8ZE0080
3692	鉈	A2C8BA	BCBA	7CBB	2-483A	T8ZF0080
3693	鉈	A2C8BB	BCBB	7CBC	2-483B	T8ZG0080
3694	鉈	A2C8BC	BCBC	7CBD	2-483C	T8ZH0080
3695	鉈	A2C8BD	BCBD	7CBE	2-483D	T8ZI0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 15 (Page 13 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3696	鋁	A2C8BE	BCBE	7CBF	2-483E	T8ZJ0080
3697	鋇	A2C8BF	BCBF	7CC0	2-483F	T8ZK0080
3698	鉅	A2C8C0	BCC0	7CC1	2-4840	T8ZL0080
3699	鉍	A2C8C1	BCC1	7CC2	2-4841	T8ZM0080
3700	鉅	A2C8C2	BCC2	7CC3	2-4842	T8ZN0080
3701	鉞	A2C8C3	BCC3	7CC4	2-4843	T8ZO0080
3702	鉗	A2C8C4	BCC4	7CC5	2-4844	T8ZP0080
3703	鉉	A2C8C5	BCC5	7CC6	2-4845	T8ZQ0080
3704	鉊	A2C8C6	BCC6	7CC7	2-4846	T8ZR0080
3705	鉋	A2C8C7	BCC7	7CC8	2-4847	T8ZS0080
3706	鉌	A2C8C8	BCC8	7CC9	2-4848	T8ZT0080
3707	鉍	A2C8C9	BCC9	7CCA	2-4849	T8ZU0080
3708	鉎	A2C8CA	BCCA	7CCB	2-484A	T8ZV0080
3709	鉏	A2C8CB	BCCB	7CCC	2-484B	T8ZW0080
3710	鉑	A2C8CC	BCCC	7CCD	2-484C	T8ZX0080
3711	鉒	A2C8CD	BCCD	7CCE	2-484D	T8ZY0080
3712	鉓	A2C8CE	BCCE	7CCF	2-484E	T8ZZ0080
3713	鉔	A2C8CF	BCCF	7CD0	2-484F	T9000080
3714	鉕	A2C8D0	BCD0	7CD1	2-4850	T9010080
3715	鉖	A2C8D1	BCD1	7CD2	2-4851	T9020080
3716	鉗	A2C8D2	BCD2	7CD3	2-4852	T9030080
3717	鉘	A2C8D3	BCD3	7CD4	2-4853	T9040080
3718	鉙	A2C8D4	BCD4	7CD5	2-4854	T9050080
3719	鉚	A2C8D5	BCD5	7CD6	2-4855	T9060080
3720	鉛	A2C8D6	BCD6	7CD7	2-4856	T9070080
3721	鉜	A2C8D7	BCD7	7CD8	2-4857	T9080080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 14 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3722	陸	A2C8D8	BCD8	7CD9	2-4858	T9090080
3723	隄	A2C8D9	BCD9	7CDA	2-4859	T90A0080
3724	隗	A2C8DA	BCDA	7CDB	2-485A	T90B0080
3725	睢	A2C8DB	BCDB	7CDC	2-485B	T90C0080
3726	雩	A2C8DC	BCDC	7CDD	2-485C	T90D0080
3727	雩	A2C8DD	BCDD	7CDE	2-485D	T90E0080
3728	魯	A2C8DE	BCDE	7CDF	2-485E	T90F0080
3729	震	A2C8DF	BCDF	7CE0	2-485F	T90G0080
3730	斬	A2C8E0	BCE0	7CE1	2-4860	T90H0080
3731	韌	A2C8E1	BCE1	7CE2	2-4861	T90I0080
3732	鞞	A2C8E2	BCE2	7CE3	2-4862	T90J0080
3733	鞞	A2C8E3	BCE3	7CE4	2-4863	T90K0080
3734	頡	A2C8E4	BCE4	7CE5	2-4864	T90L0080
3735	頡	A2C8E5	BCE5	7CE6	2-4865	T90M0080
3736	頡	A2C8E6	BCE6	7CE7	2-4866	T90N0080
3737	颯	A2C8E7	BCE7	7CE8	2-4867	T90O0080
3738	飶	A2C8E8	BCE8	7CE9	2-4868	T90P0080
3739	飶	A2C8E9	BCE9	7CEA	2-4869	T90Q0080
3740	駢	A2C8EA	BCEA	7CEB	2-486A	T90R0080
3741	駢	A2C8EB	BCEB	7CEC	2-486B	T90S0080
3742	駢	A2C8EC	BCEC	7CED	2-486C	T90T0080
3743	彘	A2C8ED	BCED	7CEE	2-486D	T90U0080
3744	骹	A2C8EE	BCEE	7CEF	2-486E	T90V0080
3745	骹	A2C8EF	BCEF	7CF0	2-486F	T90W0080
3746	劔	A2C8F0	BCF0	7CF1	2-4870	T90X0080
3747	鳩	A2C8F1	BCF1	7CF2	2-4871	T90Y0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 15 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3748	鴉	A2C8F2	BCF2	7CF3	2-4872	T90Z0080
3749	鳧	A2C8F3	BCF3	7CF4	2-4873	T9100080
3750	麈	A2C8F4	BCF4	7CF5	2-4874	T9110080
3751	黽	A2C8F5	BCF5	7CF6	2-4875	T9120080
3752	儼	A2C8F6	BCF6	7CF7	2-4876	T9130080
3753	儻	A2C8F7	BCF7	7CF8	2-4877	T9140080
3754	儻	A2C8F8	BCF8	7CF9	2-4878	T9150080
3755	儻	A2C8F9	BCF9	7CFA	2-4879	T9160080
3756	儻	A2C8FA	BCFA	7CFB	2-487A	T9170080
3757	儻	A2C8FB	BCFB	7CFC	2-487B	T9180080
3758	儻	A2C8FC	BCFC	7CFD	2-487C	T9190080
3759	儻	A2C8FD	BD40	7D41	2-487D	T91D0080
3760	儻	A2C8FE	BD41	7D42	2-487E	T91E0080
3761	儻	A2C9A1	BD42	7D43	2-4921	T91F0080
3762	儻	A2C9A2	BD43	7D44	2-4922	T91G0080
3763	儻	A2C9A3	BD44	7D45	2-4923	T91H0080
3764	儻	A2C9A4	BD45	7D46	2-4924	T91I0080
3765	儻	A2C9A5	BD46	7D47	2-4925	T91J0080
3766	儻	A2C9A6	BD47	7D48	2-4926	T91K0080
3767	儻	A2C9A7	BD48	7D49	2-4927	T91L0080
3768	儻	A2C9A8	BD49	7D4A	2-4928	T91M0080
3769	儻	A2C9A9	BD4A	7D4B	2-4929	T91N0080
3770	儻	A2C9AA	BD4B	7D4C	2-492A	T91O0080
3771	儻	A2C9AB	BD4C	7D4D	2-492B	T91P0080
3772	儻	A2C9AC	BD4D	7D4E	2-492C	T91Q0080
3773	儻	A2C9AD	BD4E	7D4F	2-492D	T91R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 16 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3774	噤	A2C9AE	BD4F	7D50	2-492E	T91S0080
3775	噤	A2C9AF	BD50	7D51	2-492F	T91T0080
3776	噤	A2C9B0	BD51	7D52	2-4930	T91U0080
3777	噤	A2C9B1	BD52	7D53	2-4931	T91V0080
3778	噤	A2C9B2	BD53	7D54	2-4932	T91W0080
3779	噤	A2C9B3	BD54	7D55	2-4933	T91X0080
3780	噤	A2C9B4	BD55	7D56	2-4934	T91Y0080
3781	噤	A2C9B5	BD56	7D57	2-4935	T91Z0080
3782	噤	A2C9B6	BD57	7D58	2-4936	T9200080
3783	噤	A2C9B7	BD58	7D59	2-4937	T9210080
3784	噤	A2C9B8	BD59	7D5A	2-4938	T9220080
3785	噤	A2C9B9	BD5A	7D5B	2-4939	T9230080
3786	噤	A2C9BA	BD5B	7D5C	2-493A	T9240080
3787	噤	A2C9BB	BD5C	7D5D	2-493B	T9250080
3788	噤	A2C9BC	BD5D	7D5E	2-493C	T9260080
3789	噤	A2C9BD	BD5E	7D5F	2-493D	T9270080
3790	噤	A2C9BE	BD5F	7D60	2-493E	T9280080
3791	噤	A2C9BF	BD60	7D61	2-493F	T9290080
3792	噤	A2C9C0	BD61	7D62	2-4940	T92A0080
3793	噤	A2C9C1	BD62	7D63	2-4941	T92B0080
3794	噤	A2C9C2	BD63	7D64	2-4942	T92C0080
3795	噤	A2C9C3	BD64	7D65	2-4943	T92D0080
3796	噤	A2C9C4	BD65	7D66	2-4944	T92E0080
3797	噤	A2C9C5	BD66	7D67	2-4945	T92F0080
3798	噤	A2C9C6	BD67	7D68	2-4946	T92G0080
3799	噤	A2C9C7	BD68	7D69	2-4947	T92H0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 17 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3800	墻	A2C9C8	BD69	7D6A	2-4948	T92I0080
3801	墻	A2C9C9	BD6A	7D6B	2-4949	T92J0080
3802	墻	A2C9CA	BD6B	7D6C	2-494A	T92K0080
3803	墻	A2C9CB	BD6C	7D6D	2-494B	T92L0080
3804	墻	A2C9CC	BD6D	7D6E	2-494C	T92M0080
3805	墻	A2C9CD	BD6E	7D6F	2-494D	T92N0080
3806	墻	A2C9CE	BD6F	7D70	2-494E	T92O0080
3807	墻	A2C9CF	BD70	7D71	2-494F	T92P0080
3808	墻	A2C9D0	BD71	7D72	2-4950	T92Q0080
3809	墻	A2C9D1	BD72	7D73	2-4951	T92R0080
3810	墻	A2C9D2	BD73	7D74	2-4952	T92S0080
3811	墻	A2C9D3	BD74	7D75	2-4953	T92T0080
3812	墻	A2C9D4	BD75	7D76	2-4954	T92U0080
3813	墻	A2C9D5	BD76	7D77	2-4955	T92V0080
3814	墻	A2C9D6	BD77	7D78	2-4956	T92W0080
3815	墻	A2C9D7	BD78	7D79	2-4957	T92X0080
3816	墻	A2C9D8	BD79	7D7A	2-4958	T92Y0080
3817	墻	A2C9D9	BD7A	7D7B	2-4959	T92Z0080
3818	墻	A2C9DA	BD7B	7D7C	2-495A	T9300080
3819	墻	A2C9DB	BD7C	7D7D	2-495B	T9310080
3820	墻	A2C9DC	BD7D	7D7E	2-495C	T9320080
3821	墻	A2C9DD	BD7E	7D7F	2-495D	T9330080
3822	墻	A2C9DE	BD80	7D81	2-495E	T9350080
3823	墻	A2C9DF	BD81	7D82	2-495F	T9360080
3824	墻	A2C9E0	BD82	7D83	2-4960	T9370080
3825	墻	A2C9E1	BD83	7D84	2-4961	T9380080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 15 (Page 18 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3826	嫵	A2C9E2	BD84	7D85	2-4962	T9390080
3827	嫿	A2C9E3	BD85	7D86	2-4963	T93A0080
3828	孳	A2C9E4	BD86	7D87	2-4964	T93B0080
3829	窶	A2C9E5	BD87	7D88	2-4965	T93C0080
3830	瘡	A2C9E6	BD88	7D89	2-4966	T93D0080
3831	屨	A2C9E7	BD89	7D8A	2-4967	T93E0080
3832	嶂	A2C9E8	BD8A	7D8B	2-4968	T93F0080
3833	嶗	A2C9E9	BD8B	7D8C	2-4969	T93G0080
3834	嶒	A2C9EA	BD8C	7D8D	2-496A	T93H0080
3835	嶓	A2C9EB	BD8D	7D8E	2-496B	T93I0080
3836	嶔	A2C9EC	BD8E	7D8F	2-496C	T93J0080
3837	嶕	A2C9ED	BD8F	7D90	2-496D	T93K0080
3838	嶖	A2C9EE	BD90	7D91	2-496E	T93L0080
3839	嶗	A2C9EF	BD91	7D92	2-496F	T93M0080
3840	嶘	A2C9F0	BD92	7D93	2-4970	T93N0080
3841	嶙	A2C9F1	BD93	7D94	2-4971	T93O0080
3842	嶚	A2C9F2	BD94	7D95	2-4972	T93P0080
3843	嶛	A2C9F3	BD95	7D96	2-4973	T93Q0080
3844	嶜	A2C9F4	BD96	7D97	2-4974	T93R0080
3845	嶝	A2C9F5	BD97	7D98	2-4975	T93S0080
3846	嶞	A2C9F6	BD98	7D99	2-4976	T93T0080
3847	嶟	A2C9F7	BD99	7D9A	2-4977	T93U0080
3848	嶠	A2C9F8	BD9A	7D9B	2-4978	T93V0080
3849	嶡	A2C9F9	BD9B	7D9C	2-4979	T93W0080
3850	鹿	A2C9FA	BD9C	7D9D	2-497A	T93X0080
3851	廬	A2C9FB	BD9D	7D9E	2-497B	T93Y0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 19 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3852	靡	A2C9FC	BD9E	7D9F	2-497C	T93Z0080
3853	頤	A2C9FD	BD9F	7DA0	2-497D	T9400080
3854	廝	A2C9FE	BDA0	7DA1	2-497E	T9410080
3855	廕	A2CAA1	BDA1	7DA2	2-4A21	T9420080
3856	廩	A2CAA2	BDA2	7DA3	2-4A22	T9430080
3857	廪	A2CAA3	BDA3	7DA4	2-4A23	T9440080
3858	廬	A2CAA4	BDA4	7DA5	2-4A24	T9450080
3859	彊	A2CAA5	BDA5	7DA6	2-4A25	T9460080
3860	彈	A2CAA6	BDA6	7DA7	2-4A26	T9470080
3861	彙	A2CAA7	BDA7	7DA8	2-4A27	T9480080
3862	徽	A2CAA8	BDA8	7DA9	2-4A28	T9490080
3863	愬	A2CAA9	BDA9	7DAA	2-4A29	T94A0080
3864	愬	A2CAAA	BDAA	7DAB	2-4A2A	T94B0080
3865	愬	A2CAAB	BDAB	7DAC	2-4A2B	T94C0080
3866	愬	A2CAAC	BDAC	7DAD	2-4A2C	T94D0080
3867	愬	A2CAAD	BDAD	7DAE	2-4A2D	T94E0080
3868	愬	A2CAAE	BDAE	7DAF	2-4A2E	T94F0080
3869	愬	A2CAAF	BDAF	7DB0	2-4A2F	T94G0080
3870	慄	A2CAB0	BDB0	7DB1	2-4A30	T94H0080
3871	慄	A2CAB1	BDB1	7DB2	2-4A31	T94I0080
3872	慄	A2CAB2	BDB2	7DB3	2-4A32	T94J0080
3873	慄	A2CAB3	BDB3	7DB4	2-4A33	T94K0080
3874	慄	A2CAB4	BDB4	7DB5	2-4A34	T94L0080
3875	慄	A2CAB5	BDB5	7DB6	2-4A35	T94M0080
3876	慄	A2CAB6	BDB6	7DB7	2-4A36	T94N0080
3877	慄	A2CAB7	BDB7	7DB8	2-4A37	T94O0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 20 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3878	慥	A2CAB8	BDB8	7DB9	2-4A38	T94P0080
3879	慥	A2CAB9	BDB9	7DBA	2-4A39	T94Q0080
3880	慥	A2CABA	BDBA	7DBB	2-4A3A	T94R0080
3881	慥	A2CABB	BDBB	7DBC	2-4A3B	T94S0080
3882	慥	A2CABC	BDBC	7DBD	2-4A3C	T94T0080
3883	慥	A2CABD	BDBD	7DBE	2-4A3D	T94U0080
3884	慥	A2CABE	BDBE	7DBF	2-4A3E	T94V0080
3885	慥	A2CABF	BDBF	7DC0	2-4A3F	T94W0080
3886	擻	A2CAC0	BDC0	7DC1	2-4A40	T94X0080
3887	擻	A2CAC1	BDC1	7DC2	2-4A41	T94Y0080
3888	擻	A2CAC2	BDC2	7DC3	2-4A42	T94Z0080
3889	擻	A2CAC3	BDC3	7DC4	2-4A43	T9500080
3890	擻	A2CAC4	BDC4	7DC5	2-4A44	T9510080
3891	擻	A2CAC5	BDC5	7DC6	2-4A45	T9520080
3892	擻	A2CAC6	BDC6	7DC7	2-4A46	T9530080
3893	擻	A2CAC7	BDC7	7DC8	2-4A47	T9540080
3894	擻	A2CAC8	BDC8	7DC9	2-4A48	T9550080
3895	擻	A2CAC9	BDC9	7DCA	2-4A49	T9560080
3896	擻	A2CACA	BDCA	7DCB	2-4A4A	T9570080
3897	擻	A2CACB	BDCB	7DCC	2-4A4B	T9580080
3898	擻	A2CACC	BDCC	7DCD	2-4A4C	T9590080
3899	擻	A2CACD	BDCD	7DCE	2-4A4D	T95A0080
3900	擻	A2CACE	BDCE	7DCF	2-4A4E	T95B0080
3901	擻	A2CACF	BDCF	7DD0	2-4A4F	T95C0080
3902	擻	A2CAD0	BDD0	7DD1	2-4A50	T95D0080
3903	擻	A2CAD1	BDD1	7DD2	2-4A51	T95E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 21 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3904	摠	A2CAD2	BDD2	7DD3	2-4A52	T95F0080
3905	攏	A2CAD3	BDD3	7DD4	2-4A53	T95G0080
3906	撻	A2CAD4	BDD4	7DD5	2-4A54	T95H0080
3907	撻	A2CAD5	BDD5	7DD6	2-4A55	T95I0080
3908	撻	A2CAD6	BDD6	7DD7	2-4A56	T95J0080
3909	攏	A2CAD7	BDD7	7DD8	2-4A57	T95K0080
3910	撻	A2CAD8	BDD8	7DD9	2-4A58	T95L0080
3911	撻	A2CAD9	BDD9	7DDA	2-4A59	T95M0080
3912	攏	A2CADA	BDDA	7ddb	2-4A5A	T95N0080
3913	攏	A2CADB	Bddb	7DDC	2-4A5B	T95O0080
3914	攏	A2CADC	BDDC	7DDD	2-4A5C	T95P0080
3915	撻	A2CADD	BDDD	7DDE	2-4A5D	T95Q0080
3916	撻	A2CADE	BDDE	7DDF	2-4A5E	T95R0080
3917	撻	A2CADF	BDDF	7DE0	2-4A5F	T95S0080
3918	撻	A2CAE0	BDE0	7DE1	2-4A60	T95T0080
3919	撻	A2CAE1	BDE1	7DE2	2-4A61	T95U0080
3920	撻	A2CAE2	BDE2	7DE3	2-4A62	T95V0080
3921	撻	A2CAE3	BDE3	7DE4	2-4A63	T95W0080
3922	撻	A2CAE4	BDE4	7DE5	2-4A64	T95X0080
3923	撻	A2CAE5	BDE5	7DE6	2-4A65	T95Y0080
3924	撻	A2CAE6	BDE6	7DE7	2-4A66	T95Z0080
3925	撻	A2CAE7	BDE7	7DE8	2-4A67	T9600080
3926	撻	A2CAE8	BDE8	7DE9	2-4A68	T9610080
3927	撻	A2CAE9	BDE9	7DEA	2-4A69	T9620080
3928	撻	A2CAEA	BDEA	7DEB	2-4A6A	T9630080
3929	撻	A2CAEB	BDEB	7DEC	2-4A6B	T9640080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 22 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3930	榑	A2CAEC	BDEC	7DED	2-4A6C	T9650080
3931	楷	A2CAED	BDED	7DEE	2-4A6D	T9660080
3932	榎	A2CAEE	BDEE	7DEF	2-4A6E	T9670080
3933	榧	A2CAEF	BDEF	7DF0	2-4A6F	T9680080
3934	榧	A2CAF0	BDF0	7DF1	2-4A70	T9690080
3935	榧	A2CAF1	BDF1	7DF2	2-4A71	T96A0080
3936	榧	A2CAF2	BDF2	7DF3	2-4A72	T96B0080
3937	榧	A2CAF3	BDF3	7DF4	2-4A73	T96C0080
3938	榧	A2CAF4	BDF4	7DF5	2-4A74	T96D0080
3939	榧	A2CAF5	BDF5	7DF6	2-4A75	T96E0080
3940	榧	A2CAF6	BDF6	7DF7	2-4A76	T96F0080
3941	榧	A2CAF7	BDF7	7DF8	2-4A77	T96G0080
3942	榧	A2CAF8	BDF8	7DF9	2-4A78	T96H0080
3943	榧	A2CAF9	BDF9	7DFA	2-4A79	T96I0080
3944	榧	A2CAFA	BDFA	7DFB	2-4A7A	T96J0080
3945	榧	A2CAFB	BDFB	7DFC	2-4A7B	T96K0080
3946	榧	A2CAFC	BDFC	7DFD	2-4A7C	T96L0080
3947	榧	A2CAFD	BE40	7E41	2-4A7D	T96P0080
3948	榧	A2CAFE	BE41	7E42	2-4A7E	T96Q0080
3949	榧	A2CBA1	BE42	7E43	2-4B21	T96R0080
3950	榧	A2CBA2	BE43	7E44	2-4B22	T96S0080
3951	榧	A2CBA3	BE44	7E45	2-4B23	T96T0080
3952	榧	A2CBA4	BE45	7E46	2-4B24	T96U0080
3953	榧	A2CBA5	BE46	7E47	2-4B25	T96V0080
3954	榧	A2CBA6	BE47	7E48	2-4B26	T96W0080
3955	榧	A2CBA7	BE48	7E49	2-4B27	T96X0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 23 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3956	楫	A2CBA8	BE49	7E4A	2-4B28	T96Y0080
3957	楫	A2CBA9	BE4A	7E4B	2-4B29	T96Z0080
3958	楫	A2CBAA	BE4B	7E4C	2-4B2A	T9700080
3959	馱	A2CBAB	BE4C	7E4D	2-4B2B	T9710080
3960	馱	A2CBAC	BE4D	7E4E	2-4B2C	T9720080
3961	馱	A2CBAD	BE4E	7E4F	2-4B2D	T9730080
3962	殞	A2CBAE	BE4F	7E50	2-4B2E	T9740080
3963	殞	A2CBAF	BE50	7E51	2-4B2F	T9750080
3964	殞	A2CBB0	BE51	7E52	2-4B30	T9760080
3965	馱	A2CBB1	BE52	7E53	2-4B31	T9770080
3966	馱	A2CBB2	BE53	7E54	2-4B32	T9780080
3967	馱	A2CBB3	BE54	7E55	2-4B33	T9790080
3968	祭	A2CBB4	BE55	7E56	2-4B34	T97A0080
3969	漚	A2CBB5	BE56	7E57	2-4B35	T97B0080
3970	漚	A2CBB6	BE57	7E58	2-4B36	T97C0080
3971	漚	A2CBB7	BE58	7E59	2-4B37	T97D0080
3972	漚	A2CBB8	BE59	7E5A	2-4B38	T97E0080
3973	漚	A2CBB9	BE5A	7E5B	2-4B39	T97F0080
3974	漚	A2CBBA	BE5B	7E5C	2-4B3A	T97G0080
3975	漚	A2CBBB	BE5C	7E5D	2-4B3B	T97H0080
3976	漚	A2CBBC	BE5D	7E5E	2-4B3C	T97I0080
3977	漚	A2CBBD	BE5E	7E5F	2-4B3D	T97J0080
3978	漚	A2CBBE	BE5F	7E60	2-4B3E	T97K0080
3979	漚	A2CBBF	BE60	7E61	2-4B3F	T97L0080
3980	漚	A2CBC0	BE61	7E62	2-4B40	T97M0080
3981	漚	A2CBC1	BE62	7E63	2-4B41	T97N0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 24 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3982	潯	A2CBC2	BE63	7E64	2-4B42	T97O0080
3983	潯	A2CBC3	BE64	7E65	2-4B43	T97P0080
3984	潯	A2CBC4	BE65	7E66	2-4B44	T97Q0080
3985	潯	A2CBC5	BE66	7E67	2-4B45	T97R0080
3986	潯	A2CBC6	BE67	7E68	2-4B46	T97S0080
3987	潯	A2CBC7	BE68	7E69	2-4B47	T97T0080
3988	潯	A2CBC8	BE69	7E6A	2-4B48	T97U0080
3989	潯	A2CBC9	BE6A	7E6B	2-4B49	T97V0080
3990	潯	A2CBCA	BE6B	7E6C	2-4B4A	T97W0080
3991	潯	A2CBCB	BE6C	7E6D	2-4B4B	T97X0080
3992	潯	A2CBCC	BE6D	7E6E	2-4B4C	T97Y0080
3993	潯	A2CBCD	BE6E	7E6F	2-4B4D	T97Z0080
3994	潯	A2CBCE	BE6F	7E70	2-4B4E	T9800080
3995	潯	A2CBCF	BE70	7E71	2-4B4F	T9810080
3996	潯	A2CBD0	BE71	7E72	2-4B50	T9820080
3997	潯	A2CBD1	BE72	7E73	2-4B51	T9830080
3998	潯	A2CBD2	BE73	7E74	2-4B52	T9840080
3999	潯	A2CBD3	BE74	7E75	2-4B53	T9850080
4000	潯	A2CBD4	BE75	7E76	2-4B54	T9860080
4001	潯	A2CBD5	BE76	7E77	2-4B55	T9870080
4002	潯	A2CBD6	BE77	7E78	2-4B56	T9880080
4003	潯	A2CBD7	BE78	7E79	2-4B57	T9890080
4004	潯	A2CBD8	BE79	7E7A	2-4B58	T98A0080
4005	潯	A2CBD9	BE7A	7E7B	2-4B59	T98B0080
4006	潯	A2CBDA	BE7B	7E7C	2-4B5A	T98C0080
4007	潯	A2CBDB	BE7C	7E7D	2-4B5B	T98D0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 25 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4008	灑	A2CBDC	BE7D	7E7E	2-4B5C	T98E0080
4009	灑	A2CBDD	BE7E	7E7F	2-4B5D	T98F0080
4010	灑	A2CBDE	BE80	7E81	2-4B5E	T98H0080
4011	灑	A2CBDF	BE81	7E82	2-4B5F	T98I0080
4012	灑	A2CBE0	BE82	7E83	2-4B60	T98J0080
4013	灑	A2CBE1	BE83	7E84	2-4B61	T98K0080
4014	灑	A2CBE2	BE84	7E85	2-4B62	T98L0080
4015	灑	A2CBE3	BE85	7E86	2-4B63	T98M0080
4016	灑	A2CBE4	BE86	7E87	2-4B64	T98N0080
4017	灑	A2CBE5	BE87	7E88	2-4B65	T98O0080
4018	灑	A2CBE6	BE88	7E89	2-4B66	T98P0080
4019	灑	A2CBE7	BE89	7E8A	2-4B67	T98Q0080
4020	灑	A2CBE8	BE8A	7E8B	2-4B68	T98R0080
4021	灑	A2CBE9	BE8B	7E8C	2-4B69	T98S0080
4022	灑	A2CBEA	BE8C	7E8D	2-4B6A	T98T0080
4023	灑	A2CBEB	BE8D	7E8E	2-4B6B	T98U0080
4024	灑	A2CBEC	BE8E	7E8F	2-4B6C	T98V0080
4025	灑	A2CBED	BE8F	7E90	2-4B6D	T98W0080
4026	灑	A2CBEE	BE90	7E91	2-4B6E	T98X0080
4027	灑	A2CBEF	BE91	7E92	2-4B6F	T98Y0080
4028	灑	A2CBF0	BE92	7E93	2-4B70	T98Z0080
4029	灑	A2CBF1	BE93	7E94	2-4B71	T9900080
4030	灑	A2CBF2	BE94	7E95	2-4B72	T9910080
4031	灑	A2CBF3	BE95	7E96	2-4B73	T9920080
4032	灑	A2CBF4	BE96	7E97	2-4B74	T9930080
4033	灑	A2CBF5	BE97	7E98	2-4B75	T9940080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 26 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4034	璊	A2CBF6	BE98	7E99	2-4B76	T9950080
4035	璠	A2CBF7	BE99	7E9A	2-4B77	T9960080
4036	璡	A2CBF8	BE9A	7E9B	2-4B78	T9970080
4037	璢	A2CBF9	BE9B	7E9C	2-4B79	T9980080
4038	璣	A2CBFA	BE9C	7E9D	2-4B7A	T9990080
4039	璠	A2CBFB	BE9D	7E9E	2-4B7B	T99A0080
4040	璡	A2CBFC	BE9E	7E9F	2-4B7C	T99B0080
4041	璢	A2CBFD	BE9F	7EA0	2-4B7D	T99C0080
4042	璣	A2CBFE	BEA0	7EA1	2-4B7E	T99D0080
4043	瘃	A2CCA1	BEA1	7EA2	2-4C21	T99E0080
4044	瘄	A2CCA2	BEA2	7EA3	2-4C22	T99F0080
4045	瘅	A2CCA3	BEA3	7EA4	2-4C23	T99G0080
4046	瘆	A2CCA4	BEA4	7EA5	2-4C24	T99H0080
4047	瘇	A2CCA5	BEA5	7EA6	2-4C25	T99I0080
4048	瘈	A2CCA6	BEA6	7EA7	2-4C26	T99J0080
4049	瘉	A2CCA7	BEA7	7EA8	2-4C27	T99K0080
4050	瘊	A2CCA8	BEA8	7EA9	2-4C28	T99L0080
4051	鞞	A2CCA9	BEA9	7EAA	2-4C29	T99M0080
4052	瞋	A2CCAA	BEAA	7EAB	2-4C2A	T99N0080
4053	瞋	A2CCAB	BEAB	7EAC	2-4C2B	T99O0080
4054	瞋	A2CCAC	BEAC	7EAD	2-4C2C	T99P0080
4055	戲	A2CCAD	BEAD	7EAE	2-4C2D	T99Q0080
4056	瞋	A2CCAE	BEAE	7EAF	2-4C2E	T99R0080
4057	瞋	A2CCAF	BEAF	7EB0	2-4C2F	T99S0080
4058	瞋	A2CCB0	BEB0	7EB1	2-4C30	T99T0080
4059	瞋	A2CCB1	BEB1	7EB2	2-4C31	T99U0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 15 (Page 27 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4060	睚	A2CCB2	BEB2	7EB3	2-4C32	T99V0080
4061	碚	A2CCB3	BEB3	7EB4	2-4C33	T99W0080
4062	碛	A2CCB4	BEB4	7EB5	2-4C34	T99X0080
4063	磑	A2CCB5	BEB5	7EB6	2-4C35	T99Y0080
4064	碓	A2CCB6	BEB6	7EB7	2-4C36	T99Z0080
4065	礞	A2CCB7	BEB7	7EB8	2-4C37	T9A00080
4066	礮	A2CCB8	BEB8	7EB9	2-4C38	T9A10080
4067	礱	A2CCB9	BEB9	7EBA	2-4C39	T9A20080
4068	礮	A2CCBA	BEBA	7EBB	2-4C3A	T9A30080
4069	礱	A2CCBB	BEBB	7EBC	2-4C3B	T9A40080
4070	礱	A2CCBC	BEBC	7EBD	2-4C3C	T9A50080
4071	礱	A2CCBD	BEBD	7EBE	2-4C3D	T9A60080
4072	礱	A2CCBE	BEBE	7EBF	2-4C3E	T9A70080
4073	礱	A2CCBF	BEBF	7EC0	2-4C3F	T9A80080
4074	禘	A2CCC0	BEC0	7EC1	2-4C40	T9A90080
4075	禊	A2CCC1	BEC1	7EC2	2-4C41	T9AA0080
4076	禴	A2CCC2	BEC2	7EC3	2-4C42	T9AB0080
4077	禵	A2CCC3	BEC3	7EC4	2-4C43	T9AC0080
4078	禶	A2CCC4	BEC4	7EC5	2-4C44	T9AD0080
4079	禷	A2CCC5	BEC5	7EC6	2-4C45	T9AE0080
4080	禸	A2CCC6	BEC6	7EC7	2-4C46	T9AF0080
4081	禩	A2CCC7	BEC7	7EC8	2-4C47	T9AG0080
4082	禪	A2CCC8	BEC8	7EC9	2-4C48	T9AH0080
4083	禳	A2CCC9	BEC9	7ECA	2-4C49	T9AI0080
4084	禳	A2CCCA	BECA	7ECB	2-4C4A	T9AJ0080
4085	福	A2CCCB	BECE	7ECC	2-4C4B	T9AK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 28 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4086	概	A2CCCC	BECC	7ECD	2-4C4C	T9AL0080
4087	稽	A2CCCD	BECD	7ECE	2-4C4D	T9AM0080
4088	稷	A2CCCE	BECE	7ECF	2-4C4E	T9AN0080
4089	稊	A2CCCF	BECF	7ED0	2-4C4F	T9AO0080
4090	緯	A2CCD0	BED0	7ED1	2-4C50	T9AP0080
4091	窞	A2CCD1	BED1	7ED2	2-4C51	T9AQ0080
4092	窞	A2CCD2	BED2	7ED3	2-4C52	T9AR0080
4093	窞	A2CCD3	BED3	7ED4	2-4C53	T9AS0080
4094	窞	A2CCD4	BED4	7ED5	2-4C54	T9AT0080
4095	窞	A2CCD5	BED5	7ED6	2-4C55	T9AU0080
4096	窞	A2CCD6	BED6	7ED7	2-4C56	T9AV0080
4097	窞	A2CCD7	BED7	7ED8	2-4C57	T9AW0080
4098	窞	A2CCD8	BED8	7ED9	2-4C58	T9AX0080
4099	窞	A2CCD9	BED9	7EDA	2-4C59	T9AY0080
4100	窞	A2CCDA	BEDA	7EDB	2-4C5A	T9AZ0080
4101	窞	A2CCDB	BEDB	7EDC	2-4C5B	T9B00080
4102	窞	A2CCDC	BEDC	7EDD	2-4C5C	T9B10080
4103	窞	A2CCDD	BEDD	7EDE	2-4C5D	T9B20080
4104	窞	A2CCDE	BEDE	7EDF	2-4C5E	T9B30080
4105	窞	A2CCDF	BEDF	7EE0	2-4C5F	T9B40080
4106	窞	A2CCE0	BEE0	7EE1	2-4C60	T9B50080
4107	窞	A2CCE1	BEE1	7EE2	2-4C61	T9B60080
4108	窞	A2CCE2	BEE2	7EE3	2-4C62	T9B70080
4109	窞	A2CCE3	BEE3	7EE4	2-4C63	T9B80080
4110	窞	A2CCE4	BEE4	7EE5	2-4C64	T9B90080
4111	窞	A2CCE5	BEE5	7EE6	2-4C65	T9BA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 29 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4112	粿	A2CCE6	BEE6	7EE7	2-4C66	T9BB0080
4113	粿	A2CCE7	BEE7	7EE8	2-4C67	T9BC0080
4114	粿	A2CCE8	BEE8	7EE9	2-4C68	T9BD0080
4115	綽	A2CCE9	BEE9	7EEA	2-4C69	T9BE0080
4116	粹	A2CCEA	BEEA	7EEB	2-4C6A	T9BF0080
4117	綫	A2CCEB	BEEB	7EEC	2-4C6B	T9BG0080
4118	綫	A2CCEC	BEEC	7EED	2-4C6C	T9BH0080
4119	綫	A2CCED	BEED	7EEE	2-4C6D	T9BI0080
4120	綫	A2CCEE	BEEE	7EEF	2-4C6E	T9BJ0080
4121	縷	A2CCEF	BEEF	7EF0	2-4C6F	T9BK0080
4122	緞	A2CCF0	BEF0	7EF1	2-4C70	T9BL0080
4123	縷	A2CCF1	BEF1	7EF2	2-4C71	T9BM0080
4124	緞	A2CCF2	BEF2	7EF3	2-4C72	T9BN0080
4125	緞	A2CCF3	BEF3	7EF4	2-4C73	T9BO0080
4126	緞	A2CCF4	BEF4	7EF5	2-4C74	T9BP0080
4127	緞	A2CCF5	BEF5	7EF6	2-4C75	T9BQ0080
4128	縷	A2CCF6	BEF6	7EF7	2-4C76	T9BR0080
4129	縷	A2CCF7	BEF7	7EF8	2-4C77	T9BS0080
4130	縷	A2CCF8	BEF8	7EF9	2-4C78	T9BT0080
4131	縷	A2CCF9	BEF9	7EFA	2-4C79	T9BU0080
4132	縷	A2CCFA	BEFA	7EFB	2-4C7A	T9BV0080
4133	縷	A2CCFB	BEFB	7EFC	2-4C7B	T9BW0080
4134	縷	A2CCFC	BEFC	7EFD	2-4C7C	T9BX0080
4135	縷	A2CCFD	BF40	7F41	2-4C7D	T9C10080
4136	縷	A2CCFE	BF41	7F42	2-4C7E	T9C20080
4137	縷	A2CDA1	BF42	7F43	2-4D21	T9C30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 30 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4138	繡	A2CDA2	BF43	7F44	2-4D22	T9C40080
4139	罍	A2CDA3	BF44	7F45	2-4D23	T9C50080
4140	翮	A2CDA4	BF45	7F46	2-4D24	T9C60080
4141	翬	A2CDA5	BF46	7F47	2-4D25	T9C70080
4142	翥	A2CDA6	BF47	7F48	2-4D26	T9C80080
4143	翮	A2CDA7	BF48	7F49	2-4D27	T9C90080
4144	縉	A2CDA8	BF49	7F4A	2-4D28	T9CA0080
4145	職	A2CDA9	BF4A	7F4B	2-4D29	T9CB0080
4146	瞿	A2CDAA	BF4B	7F4C	2-4D2A	T9CC0080
4147	瞿	A2CDAB	BF4C	7F4D	2-4D2B	T9CD0080
4148	瞿	A2CDAC	BF4D	7F4E	2-4D2C	T9CE0080
4149	瞿	A2CDAD	BF4E	7F4F	2-4D2D	T9CF0080
4150	瞿	A2CDAE	BF4F	7F50	2-4D2E	T9CG0080
4151	瞿	A2CDAF	BF50	7F51	2-4D2F	T9CH0080
4152	瞿	A2CDB0	BF51	7F52	2-4D30	T9CI0080
4153	瞿	A2CDB1	BF52	7F53	2-4D31	T9CJ0080
4154	瞿	A2CDB2	BF53	7F54	2-4D32	T9CK0080
4155	瞿	A2CDB3	BF54	7F55	2-4D33	T9CL0080
4156	瞿	A2CDB4	BF55	7F56	2-4D34	T9CM0080
4157	瞿	A2CDB5	BF56	7F57	2-4D35	T9CN0080
4158	瞿	A2CDB6	BF57	7F58	2-4D36	T9CO0080
4159	瞿	A2CDB7	BF58	7F59	2-4D37	T9CP0080
4160	瞿	A2CDB8	BF59	7F5A	2-4D38	T9CQ0080
4161	瞿	A2CDB9	BF5A	7F5B	2-4D39	T9CR0080
4162	瞿	A2CDBA	BF5B	7F5C	2-4D3A	T9CS0080
4163	瞿	A2CDBB	BF5C	7F5D	2-4D3B	T9CT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 31 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4164	莖	A2CDBC	BF5D	7F5E	2-4D3C	T9CU0080
4165	蒹	A2CDBD	BF5E	7F5F	2-4D3D	T9CV0080
4166	蒨	A2CDBE	BF5F	7F60	2-4D3E	T9CW0080
4167	藜	A2CDBF	BF60	7F61	2-4D3F	T9CX0080
4168	藜	A2CDC0	BF61	7F62	2-4D40	T9CY0080
4169	藜	A2CDC1	BF62	7F63	2-4D41	T9CZ0080
4170	藜	A2CDC2	BF63	7F64	2-4D42	T9D00080
4171	藜	A2CDC3	BF64	7F65	2-4D43	T9D10080
4172	藜	A2CDC4	BF65	7F66	2-4D44	T9D20080
4173	藜	A2CDC5	BF66	7F67	2-4D45	T9D30080
4174	藜	A2CDC6	BF67	7F68	2-4D46	T9D40080
4175	藜	A2CDC7	BF68	7F69	2-4D47	T9D50080
4176	藜	A2CDC8	BF69	7F6A	2-4D48	T9D60080
4177	藜	A2CDC9	BF6A	7F6B	2-4D49	T9D70080
4178	藜	A2CDCA	BF6B	7F6C	2-4D4A	T9D80080
4179	藜	A2CDCB	BF6C	7F6D	2-4D4B	T9D90080
4180	藜	A2CDCC	BF6D	7F6E	2-4D4C	T9DA0080
4181	藜	A2CDCD	BF6E	7F6F	2-4D4D	T9DB0080
4182	藜	A2CDCE	BF6F	7F70	2-4D4E	T9DC0080
4183	藜	A2CDCF	BF70	7F71	2-4D4F	T9DD0080
4184	藜	A2CDD0	BF71	7F72	2-4D50	T9DE0080
4185	藜	A2CDD1	BF72	7F73	2-4D51	T9DF0080
4186	藜	A2CDD2	BF73	7F74	2-4D52	T9DG0080
4187	藜	A2CDD3	BF74	7F75	2-4D53	T9DH0080
4188	藜	A2CDD4	BF75	7F76	2-4D54	T9DI0080
4189	藜	A2CDD5	BF76	7F77	2-4D55	T9DJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 32 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4190	蒸	A2CDD6	BF77	7F78	2-4D56	T9DK0080
4191	蕘	A2CDD7	BF78	7F79	2-4D57	T9DL0080
4192	藪	A2CDD8	BF79	7F7A	2-4D58	T9DM0080
4193	藪	A2CDD9	BF7A	7F7B	2-4D59	T9DN0080
4194	藪	A2CDDA	BF7B	7F7C	2-4D5A	T9DO0080
4195	虞	A2Cddb	BF7C	7F7D	2-4D5B	T9DP0080
4196	蜉	A2CDDC	BF7D	7F7E	2-4D5C	T9DQ0080
4197	蜉	A2CDDD	BF7E	7F7F	2-4D5D	T9DR0080
4198	蜉	A2CDDE	BF80	7F81	2-4D5E	T9DT0080
4199	蜉	A2CDDF	BF81	7F82	2-4D5F	T9DU0080
4200	蝻	A2CDE0	BF82	7F83	2-4D60	T9DV0080
4201	蝻	A2CDE1	BF83	7F84	2-4D61	T9DW0080
4202	蝻	A2CDE2	BF84	7F85	2-4D62	T9DX0080
4203	蝻	A2CDE3	BF85	7F86	2-4D63	T9DY0080
4204	蝻	A2CDE4	BF86	7F87	2-4D64	T9DZ0080
4205	蝻	A2CDE5	BF87	7F88	2-4D65	T9E00080
4206	蝻	A2CDE6	BF88	7F89	2-4D66	T9E10080
4207	蝻	A2CDE7	BF89	7F8A	2-4D67	T9E20080
4208	蝻	A2CDE8	BF8A	7F8B	2-4D68	T9E30080
4209	蝻	A2CDE9	BF8B	7F8C	2-4D69	T9E40080
4210	蝻	A2CDEA	BF8C	7F8D	2-4D6A	T9E50080
4211	蝻	A2CDEB	BF8D	7F8E	2-4D6B	T9E60080
4212	蝻	A2CDEC	BF8E	7F8F	2-4D6C	T9E70080
4213	蝻	A2CDED	BF8F	7F90	2-4D6D	T9E80080
4214	蝻	A2CDEE	BF90	7F91	2-4D6E	T9E90080
4215	蝻	A2CDEF	BF91	7F92	2-4D6F	T9EA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 33 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4216	蜒	A2CDF0	BF92	7F93	2-4D70	T9EB0080
4217	蛭	A2CDF1	BF93	7F94	2-4D71	T9EC0080
4218	蟬	A2CDF2	BF94	7F95	2-4D72	T9ED0080
4219	蠅	A2CDF3	BF95	7F96	2-4D73	T9EE0080
4220	蠍	A2CDF4	BF96	7F97	2-4D74	T9EF0080
4221	蝮	A2CDF5	BF97	7F98	2-4D75	T9EG0080
4222	蜈	A2CDF6	BF98	7F99	2-4D76	T9EH0080
4223	豎	A2CDF7	BF99	7F9A	2-4D77	T9EI0080
4224	蝮	A2CDF8	BF9A	7F9B	2-4D78	T9EJ0080
4225	蜚	A2CDF9	BF9B	7F9C	2-4D79	T9EK0080
4226	蠚	A2CDFA	BF9C	7F9D	2-4D7A	T9EL0080
4227	蠛	A2CDFB	BF9D	7F9E	2-4D7B	T9EM0080
4228	襪	A2CDFC	BF9E	7F9F	2-4D7C	T9EN0080
4229	襪	A2CDFD	BF9F	7FA0	2-4D7D	T9EO0080
4230	襪	A2CDFE	BFA0	7FA1	2-4D7E	T9EP0080
4231	襦	A2CEA1	BFA1	7FA2	2-4E21	T9EQ0080
4232	襦	A2CEA2	BFA2	7FA3	2-4E22	T9ER0080
4233	襦	A2CEA3	BFA3	7FA4	2-4E23	T9ES0080
4234	襦	A2CEA4	BFA4	7FA5	2-4E24	T9ET0080
4235	襦	A2CEA5	BFA5	7FA6	2-4E25	T9EU0080
4236	襦	A2CEA6	BFA6	7FA7	2-4E26	T9EV0080
4237	襦	A2CEA7	BFA7	7FA8	2-4E27	T9EW0080
4238	襦	A2CEA8	BFA8	7FA9	2-4E28	T9EX0080
4239	襦	A2CEA9	BFA9	7FAA	2-4E29	T9EY0080
4240	襦	A2CEAA	BFAA	7FAB	2-4E2A	T9EZ0080
4241	襦	A2CEAB	BFAB	7FAC	2-4E2B	T9F00080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 34 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4242	覲	A2CEAC	BFAC	7FAD	2-4E2C	T9F10080
4243	観	A2CEAD	BFAD	7FAE	2-4E2D	T9F20080
4244	覴	A2CEAE	BFAE	7FAF	2-4E2E	T9F30080
4245	鯀	A2CEAF	BFAF	7FB0	2-4E2F	T9F40080
4246	鯁	A2CEB0	BFB0	7FB1	2-4E30	T9F50080
4247	鯂	A2CEB1	BFB1	7FB2	2-4E31	T9F60080
4248	鯃	A2CEB2	BFB2	7FB3	2-4E32	T9F70080
4249	鯄	A2CEB3	BFB3	7FB4	2-4E33	T9F80080
4250	鯅	A2CEB4	BFB4	7FB5	2-4E34	T9F90080
4251	鯆	A2CEB5	BFB5	7FB6	2-4E35	T9FA0080
4252	鯇	A2CEB6	BFB6	7FB7	2-4E36	T9FB0080
4253	鯈	A2CEB7	BFB7	7FB8	2-4E37	T9FC0080
4254	鯉	A2CEB8	BFB8	7FB9	2-4E38	T9FD0080
4255	鯊	A2CEB9	BFB9	7FBA	2-4E39	T9FE0080
4256	鯋	A2CEBA	BFBA	7FBB	2-4E3A	T9FF0080
4257	鯌	A2CEBB	BFBB	7FBC	2-4E3B	T9FG0080
4258	鯍	A2CEBC	BFBC	7FBD	2-4E3C	T9FH0080
4259	鯎	A2CEBD	BFBD	7FBE	2-4E3D	T9FI0080
4260	鯏	A2CEBE	BFBE	7FBF	2-4E3E	T9FJ0080
4261	鯐	A2CEBF	BFBF	7FC0	2-4E3F	T9FK0080
4262	躡	A2CEC0	BFC0	7FC1	2-4E40	T9FL0080
4263	躑	A2CEC1	BFC1	7FC2	2-4E41	T9FM0080
4264	躒	A2CEC2	BFC2	7FC3	2-4E42	T9FN0080
4265	躓	A2CEC3	BFC3	7FC4	2-4E43	T9FO0080
4266	躔	A2CEC4	BFC4	7FC5	2-4E44	T9FP0080
4267	躕	A2CEC5	BFC5	7FC6	2-4E45	T9FQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 35 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4268	踰	A2CEC6	BFC6	7FC7	2-4E46	T9FR0080
4269	踰	A2CEC7	BFC7	7FC8	2-4E47	T9FS0080
4270	踰	A2CEC8	BFC8	7FC9	2-4E48	T9FT0080
4271	踰	A2CEC9	BFC9	7FCA	2-4E49	T9FU0080
4272	踰	A2CECA	BFCA	7FCB	2-4E4A	T9FV0080
4273	踰	A2CECB	BFCB	7FCC	2-4E4B	T9FW0080
4274	踰	A2CECC	BFCC	7FCD	2-4E4C	T9FX0080
4275	踰	A2CECD	BFGD	7FCE	2-4E4D	T9FY0080
4276	踰	A2CECE	BFCE	7FCF	2-4E4E	T9FZ0080
4277	踰	A2CECF	BFCF	7FD0	2-4E4F	T9G00080
4278	鄣	A2CED0	BFD0	7FD1	2-4E50	T9G10080
4279	鄣	A2CED1	BFD1	7FD2	2-4E51	T9G20080
4280	鄣	A2CED2	BFD2	7FD3	2-4E52	T9G30080
4281	鄣	A2CED3	BFD3	7FD4	2-4E53	T9G40080
4282	鄣	A2CED4	BFD4	7FD5	2-4E54	T9G50080
4283	鄣	A2CED5	BFD5	7FD6	2-4E55	T9G60080
4284	鄣	A2CED6	BFD6	7FD7	2-4E56	T9G70080
4285	鄣	A2CED7	BFD7	7FD8	2-4E57	T9G80080
4286	鄣	A2CED8	BFD8	7FD9	2-4E58	T9G90080
4287	鄣	A2CED9	BFD9	7FDA	2-4E59	T9GA0080
4288	醕	A2CEDA	BFDA	7FDB	2-4E5A	T9GB0080
4289	醕	A2CEDB	BFDB	7FDC	2-4E5B	T9GC0080
4290	醕	A2CEDC	BFDC	7FDD	2-4E5C	T9GD0080
4291	醕	A2CEDD	BFDD	7FDE	2-4E5D	T9GE0080
4292	銖	A2CEDE	BFDE	7FDF	2-4E5E	T9GF0080
4293	銖	A2CEDF	BFDG	7FE0	2-4E5F	T9GG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 36 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4294	鋤	A2CEE0	BFE0	7FE1	2-4E60	T9GH0080
4295	鋤	A2CEE1	BFE1	7FE2	2-4E61	T9GI0080
4296	鋤	A2CEE2	BFE2	7FE3	2-4E62	T9GJ0080
4297	鋤	A2CEE3	BFE3	7FE4	2-4E63	T9GK0080
4298	鋤	A2CEE4	BFE4	7FE5	2-4E64	T9GL0080
4299	鋤	A2CEE5	BFE5	7FE6	2-4E65	T9GM0080
4300	鋤	A2CEE6	BFE6	7FE7	2-4E66	T9GN0080
4301	鋤	A2CEE7	BFE7	7FE8	2-4E67	T9GO0080
4302	鋤	A2CEE8	BFE8	7FE9	2-4E68	T9GP0080
4303	鋤	A2CEE9	BFE9	7FEA	2-4E69	T9GQ0080
4304	鋤	A2CEEA	BFEA	7FEB	2-4E6A	T9GR0080
4305	鋤	A2CEEB	BFEB	7FEC	2-4E6B	T9GS0080
4306	鋤	A2CEEC	BFEC	7FED	2-4E6C	T9GT0080
4307	鋤	A2CEED	BFED	7FEE	2-4E6D	T9GU0080
4308	鋤	A2CEEE	BFEE	7FEF	2-4E6E	T9GV0080
4309	鋤	A2CEEF	BFEF	7FF0	2-4E6F	T9GW0080
4310	鋤	A2CEF0	BFF0	7FF1	2-4E70	T9GX0080
4311	鋤	A2CEF1	BFF1	7FF2	2-4E71	T9GY0080
4312	鋤	A2CEF2	BFF2	7FF3	2-4E72	T9GZ0080
4313	鋤	A2CEF3	BFF3	7FF4	2-4E73	T9H00080
4314	鋤	A2CEF4	BFF4	7FF5	2-4E74	T9H10080
4315	鋤	A2CEF5	BFF5	7FF6	2-4E75	T9H20080
4316	鋤	A2CEF6	BFF6	7FF7	2-4E76	T9H30080
4317	鋤	A2CEF7	BFF7	7FF8	2-4E77	T9H40080
4318	鋤	A2CEF8	BFF8	7FF9	2-4E78	T9H50080
4319	鋤	A2CEF9	BFF9	7FFA	2-4E79	T9H60080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 15 (Page 37 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4320	銚	A2CEFA	BFFA	7FFB	2-4E7A	T9H70080
4321	銚	A2CEFB	BFFB	7FFC	2-4E7B	T9H80080
4322	銚	A2CEFC	BFFC	7FFD	2-4E7C	T9H90080
4323	銚	A2CEFD	C040	8041	2-4E7D	T9HD0080
4324	銚	A2CEFE	C041	8042	2-4E7E	T9HE0080
4325	銚	A2CFA1	C042	8043	2-4F21	T9HF0080
4326	銚	A2CFA2	C043	8044	2-4F22	T9HG0080
4327	銚	A2CFA3	C044	8045	2-4F23	T9HH0080
4328	銚	A2CFA4	C045	8046	2-4F24	T9HI0080
4329	銚	A2CFA5	C046	8047	2-4F25	T9HJ0080
4330	銚	A2CFA6	C047	8048	2-4F26	T9HK0080
4331	銚	A2CFA7	C048	8049	2-4F27	T9HL0080
4332	銚	A2CFA8	C049	804A	2-4F28	T9HM0080
4333	銚	A2CFA9	C04A	804B	2-4F29	T9HN0080
4334	銚	A2CFAA	C04B	804C	2-4F2A	T9HO0080
4335	銚	A2CFAB	C04C	804D	2-4F2B	T9HP0080
4336	銚	A2CFAC	C04D	804E	2-4F2C	T9HQ0080
4337	銚	A2CFAD	C04E	804F	2-4F2D	T9HR0080
4338	銚	A2CFAE	C04F	8050	2-4F2E	T9HS0080
4339	銚	A2CFAF	C050	8051	2-4F2F	T9HT0080
4340	銚	A2CFB0	C051	8052	2-4F30	T9HU0080
4341	銚	A2CFB1	C052	8053	2-4F31	T9HV0080
4342	銚	A2CFB2	C053	8054	2-4F32	T9HW0080
4343	銚	A2CFB3	C054	8055	2-4F33	T9HX0080
4344	銚	A2CFB4	C055	8056	2-4F34	T9HY0080
4345	銚	A2CFB5	C056	8057	2-4F35	T9HZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 38 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4346	餗	A2CFB6	C057	8058	2-4F36	T9I00080
4347	餛	A2CFB7	C058	8059	2-4F37	T9I10080
4348	餹	A2CFB8	C059	805A	2-4F38	T9I20080
4349	餺	A2CFB9	C05A	805B	2-4F39	T9I30080
4350	餽	A2CFBA	C05B	805C	2-4F3A	T9I40080
4351	餗	A2CFBB	C05C	805D	2-4F3B	T9I50080
4352	餘	A2CFBC	C05D	805E	2-4F3C	T9I60080
4353	餙	A2CFBD	C05E	805F	2-4F3D	T9I70080
4354	餚	A2CFBE	C05F	8060	2-4F3E	T9I80080
4355	餛	A2CFBF	C060	8061	2-4F3F	T9I90080
4356	餜	A2CFC0	C061	8062	2-4F40	T9IA0080
4357	餝	A2CFC1	C062	8063	2-4F41	T9IB0080
4358	餞	A2CFC2	C063	8064	2-4F42	T9IC0080
4359	餟	A2CFC3	C064	8065	2-4F43	T9ID0080
4360	餠	A2CFC4	C065	8066	2-4F44	T9IE0080
4361	餡	A2CFC5	C066	8067	2-4F45	T9IF0080
4362	餢	A2CFC6	C067	8068	2-4F46	T9IG0080
4363	餣	A2CFC7	C068	8069	2-4F47	T9IH0080
4364	餤	A2CFC8	C069	806A	2-4F48	T9II0080
4365	餥	A2CFC9	C06A	806B	2-4F49	T9IJ0080
4366	餦	A2CFCA	C06B	806C	2-4F4A	T9IK0080
4367	餧	A2CFCB	C06C	806D	2-4F4B	T9IL0080
4368	館	A2CFCC	C06D	806E	2-4F4C	T9IM0080
4369	餩	A2CFCD	C06E	806F	2-4F4D	T9IN0080
4370	餪	A2CFCE	C06F	8070	2-4F4E	T9IO0080
4371	餫	A2CFCF	C070	8071	2-4F4F	T9IP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 39 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4372	僞	A2CFD0	C071	8072	2-4F50	T9IQ0080
4373	僂	A2CFD1	C072	8073	2-4F51	T9IR0080
4374	傲	A2CFD2	C073	8074	2-4F52	T9IS0080
4375	儼	A2CFD3	C074	8075	2-4F53	T9IT0080
4376	僱	A2CFD4	C075	8076	2-4F54	T9IU0080
4377	僞	A2CFD5	C076	8077	2-4F55	T9IV0080
4378	僇	A2CFD6	C077	8078	2-4F56	T9IW0080
4379	傲	A2CFD7	C078	8079	2-4F57	T9IX0080
4380	僈	A2CFD8	C079	807A	2-4F58	T9IY0080
4381	僉	A2CFD9	C07A	807B	2-4F59	T9IZ0080
4382	劓	A2CFDA	C07B	807C	2-4F5A	T9J00080
4383	劓	A2CFDB	C07C	807D	2-4F5B	T9J10080
4384	劓	A2CFDC	C07D	807E	2-4F5C	T9J20080
4385	劓	A2CFDD	C07E	807F	2-4F5D	T9J30080
4386	嘍	A2CFDE	C080	8081	2-4F5E	T9J50080
4387	嘍	A2CFDF	C081	8082	2-4F5F	T9J60080
4388	嘍	A2CFE0	C082	8083	2-4F60	T9J70080
4389	嘍	A2CFE1	C083	8084	2-4F61	T9J80080
4390	嘍	A2CFE2	C084	8085	2-4F62	T9J90080
4391	嘍	A2CFE3	C085	8086	2-4F63	T9JA0080
4392	嘍	A2CFE4	C086	8087	2-4F64	T9JB0080
4393	嘍	A2CFE5	C087	8088	2-4F65	T9JC0080
4394	嘍	A2CFE6	C088	8089	2-4F66	T9JD0080
4395	嘍	A2CFE7	C089	808A	2-4F67	T9JE0080
4396	嘍	A2CFE8	C08A	808B	2-4F68	T9JF0080
4397	嘍	A2CFE9	C08B	808C	2-4F69	T9JG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 40 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4398	嘽	A2CFEA	C08C	808D	2-4F6A	T9JH0080
4399	嘞	A2CFEB	C08D	808E	2-4F6B	T9JI0080
4400	嘞	A2CFEC	C08E	808F	2-4F6C	T9JJ0080
4401	嘞	A2CFED	C08F	8090	2-4F6D	T9JK0080
4402	嘞	A2CFEE	C090	8091	2-4F6E	T9JL0080
4403	嘞	A2CFEF	C091	8092	2-4F6F	T9JM0080
4404	嘞	A2CFF0	C092	8093	2-4F70	T9JN0080
4405	嘞	A2CFF1	C093	8094	2-4F71	T9JO0080
4406	嘞	A2CFF2	C094	8095	2-4F72	T9JP0080
4407	嘞	A2CFF3	C095	8096	2-4F73	T9JQ0080
4408	嘞	A2CFF4	C096	8097	2-4F74	T9JR0080
4409	嘞	A2CFF5	C097	8098	2-4F75	T9JS0080
4410	嘞	A2CFF6	C098	8099	2-4F76	T9JT0080
4411	嘞	A2CFF7	C099	809A	2-4F77	T9JU0080
4412	嘞	A2CFF8	C09A	809B	2-4F78	T9JV0080
4413	嘞	A2CFF9	C09B	809C	2-4F79	T9JW0080
4414	嘞	A2CFFA	C09C	809D	2-4F7A	T9JX0080
4415	嘞	A2CFFB	C09D	809E	2-4F7B	T9JY0080
4416	嘞	A2CFFC	C09E	809F	2-4F7C	T9JZ0080
4417	嘞	A2CFFD	C09F	80A0	2-4F7D	T9K00080
4418	嘞	A2CFFE	C0A0	80A1	2-4F7E	T9K10080
4419	嘞	A2D0A1	C0A1	80A2	2-5021	T9K20080
4420	嘞	A2D0A2	C0A2	80A3	2-5022	T9K30080
4421	嘞	A2D0A3	C0A3	80A4	2-5023	T9K40080
4422	嘞	A2D0A4	C0A4	80A5	2-5024	T9K50080
4423	嘞	A2D0A5	C0A5	80A6	2-5025	T9K60080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 15 (Page 41 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4424	燈	A2D0A6	C0A6	80A7	2-5026	T9K70080
4425	嬾	A2D0A7	C0A7	80A8	2-5027	T9K80080
4426	嬾	A2D0A8	C0A8	80A9	2-5028	T9K90080
4427	嬾	A2D0A9	C0A9	80AA	2-5029	T9KA0080
4428	屨	A2D0AA	C0AA	80AB	2-502A	T9KB0080
4429	嶙	A2D0AB	C0AB	80AC	2-502B	T9KC0080
4430	嶙	A2D0AC	C0AC	80AD	2-502C	T9KD0080
4431	嶙	A2D0AD	C0AD	80AE	2-502D	T9KE0080
4432	嶙	A2D0AE	C0AE	80AF	2-502E	T9KF0080
4433	嶙	A2D0AF	C0AF	80B0	2-502F	T9KG0080
4434	嶙	A2D0B0	C0B0	80B1	2-5030	T9KH0080
4435	嶙	A2D0B1	C0B1	80B2	2-5031	T9KI0080
4436	嶙	A2D0B2	C0B2	80B3	2-5032	T9KJ0080
4437	嶙	A2D0B3	C0B3	80B4	2-5033	T9KK0080
4438	嶙	A2D0B4	C0B4	80B5	2-5034	T9KL0080
4439	嶙	A2D0B5	C0B5	80B6	2-5035	T9KM0080
4440	嶙	A2D0B6	C0B6	80B7	2-5036	T9KN0080
4441	嶙	A2D0B7	C0B7	80B8	2-5037	T9KO0080
4442	嶙	A2D0B8	C0B8	80B9	2-5038	T9KP0080
4443	嶙	A2D0B9	C0B9	80BA	2-5039	T9KQ0080
4444	嶙	A2D0BA	C0BA	80BB	2-503A	T9KR0080
4445	嶙	A2D0BB	C0BB	80BC	2-503B	T9KS0080
4446	嶙	A2D0BC	C0BC	80BD	2-503C	T9KT0080
4447	嶙	A2D0BD	C0BD	80BE	2-503D	T9KU0080
4448	嶙	A2D0BE	C0BE	80BF	2-503E	T9KV0080
4449	嶙	A2D0BF	C0BF	80C0	2-503F	T9KW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 42 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4450	隄	A2D0C0	C0C0	80C1	2-5040	T9KX0080
4451	愍	A2D0C1	C0C1	80C2	2-5041	T9KY0080
4452	愆	A2D0C2	C0C2	80C3	2-5042	T9KZ0080
4453	熱	A2D0C3	C0C3	80C4	2-5043	T9L00080
4454	愾	A2D0C4	C0C4	80C5	2-5044	T9L10080
4455	愾	A2D0C5	C0C5	80C6	2-5045	T9L20080
4456	愾	A2D0C6	C0C6	80C7	2-5046	T9L30080
4457	愾	A2D0C7	C0C7	80C8	2-5047	T9L40080
4458	慄	A2D0C8	C0C8	80C9	2-5048	T9L50080
4459	慄	A2D0C9	C0C9	80CA	2-5049	T9L60080
4460	慄	A2D0CA	C0CA	80CB	2-504A	T9L70080
4461	慄	A2D0CB	C0CB	80CC	2-504B	T9L80080
4462	慄	A2D0CC	C0CC	80CD	2-504C	T9L90080
4463	慄	A2D0CD	C0CD	80CE	2-504D	T9LA0080
4464	慄	A2D0CE	C0CE	80CF	2-504E	T9LB0080
4465	慄	A2D0CF	C0CF	80D0	2-504F	T9LC0080
4466	慄	A2D0D0	C0D0	80D1	2-5050	T9LD0080
4467	慄	A2D0D1	C0D1	80D2	2-5051	T9LE0080
4468	慄	A2D0D2	C0D2	80D3	2-5052	T9LF0080
4469	戴	A2D0D3	C0D3	80D4	2-5053	T9LG0080
4470	擎	A2D0D4	C0D4	80D5	2-5054	T9LH0080
4471	擎	A2D0D5	C0D5	80D6	2-5055	T9LI0080
4472	擻	A2D0D6	C0D6	80D7	2-5056	T9LJ0080
4473	擻	A2D0D7	C0D7	80D8	2-5057	T9LK0080
4474	擻	A2D0D8	C0D8	80D9	2-5058	T9LL0080
4475	擻	A2D0D9	C0D9	80DA	2-5059	T9LM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 43 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4476	攪	A2D0DA	C0DA	80DB	2-505A	T9LN0080
4477	擣	A2D0DB	C0DB	80DC	2-505B	T9LO0080
4478	攪	A2D0DC	C0DC	80DD	2-505C	T9LP0080
4479	攪	A2D0DD	C0DD	80DE	2-505D	T9LQ0080
4480	攪	A2D0DE	C0DE	80DF	2-505E	T9LR0080
4481	擣	A2D0DF	C0DF	80E0	2-505F	T9LS0080
4482	擣	A2D0E0	C0E0	80E1	2-5060	T9LT0080
4483	擣	A2D0E1	C0E1	80E2	2-5061	T9LU0080
4484	擣	A2D0E2	C0E2	80E3	2-5062	T9LV0080
4485	擣	A2D0E3	C0E3	80E4	2-5063	T9LW0080
4486	擣	A2D0E4	C0E4	80E5	2-5064	T9LX0080
4487	擣	A2D0E5	C0E5	80E6	2-5065	T9LY0080
4488	擣	A2D0E6	C0E6	80E7	2-5066	T9LZ0080
4489	寬	A2D0E7	C0E7	80E8	2-5067	T9M00080
4490	斷	A2D0E8	C0E8	80E9	2-5068	T9M10080
4491	斷	A2D0E9	C0E9	80EA	2-5069	T9M20080
4492	曠	A2D0EA	C0EA	80EB	2-506A	T9M30080
4493	隴	A2D0EB	C0EB	80EC	2-506B	T9M40080
4494	際	A2D0EC	C0EC	80ED	2-506C	T9M50080
4495	曠	A2D0ED	C0ED	80EE	2-506D	T9M60080
4496	曠	A2D0EE	C0EE	80EF	2-506E	T9M70080
4497	曠	A2D0EF	C0EF	80F0	2-506F	T9M80080
4498	曠	A2D0F0	C0F0	80F1	2-5070	T9M90080
4499	櫛	A2D0F1	C0F1	80F2	2-5071	T9MA0080
4500	櫛	A2D0F2	C0F2	80F3	2-5072	T9MB0080
4501	櫛	A2D0F3	C0F3	80F4	2-5073	T9MC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 15 (Page 44 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (4 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4502	榊	A2D0F4	C0F4	80F5	2-5074	T9MD0080
4503	榭	A2D0F5	C0F5	80F6	2-5075	T9ME0080
4504	榭	A2D0F6	C0F6	80F7	2-5076	T9MF0080
4505	標	A2D0F7	C0F7	80F8	2-5077	T9MG0080
4506	榷	A2D0F8	C0F8	80F9	2-5078	T9MH0080
4507	榭	A2D0F9	C0F9	80FA	2-5079	T9MI0080
4508	榷	A2D0FA	C0FA	80FB	2-507A	T9MJ0080
4509	榷	A2D0FB	C0FB	80FC	2-507B	T9MK0080
4510	榷	A2D0FC	C0FC	80FD	2-507C	T9ML0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 16 (Page 1 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4511	糝	A2D0FD	C140	8141	2-507D	T9MP0080
4512	榼	A2D0FE	C141	8142	2-507E	T9MQ0080
4513	榶	A2D1A1	C142	8143	2-5121	T9MR0080
4514	榷	A2D1A2	C143	8144	2-5122	T9MS0080
4515	榸	A2D1A3	C144	8145	2-5123	T9MT0080
4516	榹	A2D1A4	C145	8146	2-5124	T9MU0080
4517	榺	A2D1A5	C146	8147	2-5125	T9MV0080
4518	榻	A2D1A6	C147	8148	2-5126	T9MW0080
4519	榼	A2D1A7	C148	8149	2-5127	T9MX0080
4520	榽	A2D1A8	C149	814A	2-5128	T9MY0080
4521	榾	A2D1A9	C14A	814B	2-5129	T9MZ0080
4522	榿	A2D1AA	C14B	814C	2-512A	T9N00080
4523	榾	A2D1AB	C14C	814D	2-512B	T9N10080
4524	榿	A2D1AC	C14D	814E	2-512C	T9N20080
4525	榻	A2D1AD	C14E	814F	2-512D	T9N30080
4526	榽	A2D1AE	C14F	8150	2-512E	T9N40080
4527	榾	A2D1AF	C150	8151	2-512F	T9N50080
4528	榿	A2D1B0	C151	8152	2-5130	T9N60080
4529	榻	A2D1B1	C152	8153	2-5131	T9N70080
4530	榽	A2D1B2	C153	8154	2-5132	T9N80080
4531	榾	A2D1B3	C154	8155	2-5133	T9N90080
4532	榿	A2D1B4	C155	8156	2-5134	T9NA0080
4533	榻	A2D1B5	C156	8157	2-5135	T9NB0080
4534	榽	A2D1B6	C157	8158	2-5136	T9NC0080
4535	榾	A2D1B7	C158	8159	2-5137	T9ND0080
4536	榿	A2D1B8	C159	815A	2-5138	T9NE0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 2 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4537	歎	A2D1B9	C15A	815B	2-5139	T9NF0080
4538	殞	A2D1BA	C15B	815C	2-513A	T9NG0080
4539	殞	A2D1BB	C15C	815D	2-513B	T9NH0080
4540	殞	A2D1BC	C15D	815E	2-513C	T9NI0080
4541	殞	A2D1BD	C15E	815F	2-513D	T9NJ0080
4542	殞	A2D1BE	C15F	8160	2-513E	T9NK0080
4543	麩	A2D1BF	C160	8161	2-513F	T9NL0080
4544	麩	A2D1C0	C161	8162	2-5140	T9NM0080
4545	麩	A2D1C1	C162	8163	2-5141	T9NN0080
4546	穎	A2D1C2	C163	8164	2-5142	T9NO0080
4547	縻	A2D1C3	C164	8165	2-5143	T9NP0080
4548	潏	A2D1C4	C165	8166	2-5144	T9NQ0080
4549	潏	A2D1C5	C166	8167	2-5145	T9NR0080
4550	瀆	A2D1C6	C167	8168	2-5146	T9NS0080
4551	瀆	A2D1C7	C168	8169	2-5147	T9NT0080
4552	澍	A2D1C8	C169	816A	2-5148	T9NU0080
4553	澍	A2D1C9	C16A	816B	2-5149	T9NV0080
4554	澍	A2D1CA	C16B	816C	2-514A	T9NW0080
4555	瀆	A2D1CB	C16C	816D	2-514B	T9NX0080
4556	灑	A2D1CC	C16D	816E	2-514C	T9NY0080
4557	灑	A2D1CD	C16E	816F	2-514D	T9NZ0080
4558	灑	A2D1CE	C16F	8170	2-514E	T9O00080
4559	灑	A2D1CF	C170	8171	2-514F	T9O10080
4560	灑	A2D1D0	C171	8172	2-5150	T9O20080
4561	灑	A2D1D1	C172	8173	2-5151	T9O30080
4562	灑	A2D1D2	C173	8174	2-5152	T9O40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 16 (Page 3 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4563	漁	A2D1D3	C174	8175	2-5153	T9O50080
4564	澗	A2D1D4	C175	8176	2-5154	T9O60080
4565	澗	A2D1D5	C176	8177	2-5155	T9O70080
4566	澗	A2D1D6	C177	8178	2-5156	T9O80080
4567	澗	A2D1D7	C178	8179	2-5157	T9O90080
4568	澗	A2D1D8	C179	817A	2-5158	T9OA0080
4569	澗	A2D1D9	C17A	817B	2-5159	T9OB0080
4570	澗	A2D1DA	C17B	817C	2-515A	T9OC0080
4571	澗	A2D1DB	C17C	817D	2-515B	T9OD0080
4572	澗	A2D1DC	C17D	817E	2-515C	T9OE0080
4573	澗	A2D1DD	C17E	817F	2-515D	T9OF0080
4574	澗	A2D1DE	C180	8181	2-515E	T9OH0080
4575	澗	A2D1DF	C181	8182	2-515F	T9OI0080
4576	澗	A2D1E0	C182	8183	2-5160	T9OJ0080
4577	澗	A2D1E1	C183	8184	2-5161	T9OK0080
4578	澗	A2D1E2	C184	8185	2-5162	T9OL0080
4579	澗	A2D1E3	C185	8186	2-5163	T9OM0080
4580	澗	A2D1E4	C186	8187	2-5164	T9ON0080
4581	澗	A2D1E5	C187	8188	2-5165	T9OO0080
4582	澗	A2D1E6	C188	8189	2-5166	T9OP0080
4583	澗	A2D1E7	C189	818A	2-5167	T9OQ0080
4584	澗	A2D1E8	C18A	818B	2-5168	T9OR0080
4585	澗	A2D1E9	C18B	818C	2-5169	T9OS0080
4586	澗	A2D1EA	C18C	818D	2-516A	T9OT0080
4587	澗	A2D1EB	C18D	818E	2-516B	T9OU0080
4588	澗	A2D1EC	C18E	818F	2-516C	T9OV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 4 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4589	燭	A2D1ED	C18F	8190	2-516D	T9OW0080
4590	燭	A2D1EE	C190	8191	2-516E	T9OX0080
4591	燭	A2D1EF	C191	8192	2-516F	T9OY0080
4592	燭	A2D1F0	C192	8193	2-5170	T9OZ0080
4593	燭	A2D1F1	C193	8194	2-5171	T9P00080
4594	燭	A2D1F2	C194	8195	2-5172	T9P10080
4595	燭	A2D1F3	C195	8196	2-5173	T9P20080
4596	燭	A2D1F4	C196	8197	2-5174	T9P30080
4597	燭	A2D1F5	C197	8198	2-5175	T9P40080
4598	燭	A2D1F6	C198	8199	2-5176	T9P50080
4599	燭	A2D1F7	C199	819A	2-5177	T9P60080
4600	燭	A2D1F8	C19A	819B	2-5178	T9P70080
4601	燭	A2D1F9	C19B	819C	2-5179	T9P80080
4602	燭	A2D1FA	C19C	819D	2-517A	T9P90080
4603	摩	A2D1FB	C19D	819E	2-517B	T9PA0080
4604	摩	A2D1FC	C19E	819F	2-517C	T9PB0080
4605	燻	A2D1FD	C19F	81A0	2-517D	T9PC0080
4606	燻	A2D1FE	C1A0	81A1	2-517E	T9PD0080
4607	獠	A2D2A1	C1A1	81A2	2-5221	T9PE0080
4608	獠	A2D2A2	C1A2	81A3	2-5222	T9PF0080
4609	獠	A2D2A3	C1A3	81A4	2-5223	T9PG0080
4610	獠	A2D2A4	C1A4	81A5	2-5224	T9PH0080
4611	獠	A2D2A5	C1A5	81A6	2-5225	T9PI0080
4612	獠	A2D2A6	C1A6	81A7	2-5226	T9PJ0080
4613	獠	A2D2A7	C1A7	81A8	2-5227	T9PK0080
4614	獠	A2D2A8	C1A8	81A9	2-5228	T9PL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 5 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4615	獮	A2D2A9	C1A9	81AA	2-5229	T9PM0080
4616	璇	A2D2AA	C1AA	81AB	2-522A	T9PN0080
4617	璉	A2D2AB	C1AB	81AC	2-522B	T9PO0080
4618	璠	A2D2AC	C1AC	81AD	2-522C	T9PP0080
4619	璆	A2D2AD	C1AD	81AE	2-522D	T9PQ0080
4620	璈	A2D2AE	C1AE	81AF	2-522E	T9PR0080
4621	璉	A2D2AF	C1AF	81B0	2-522F	T9PS0080
4622	璊	A2D2B0	C1B0	81B1	2-5230	T9PT0080
4623	璋	A2D2B1	C1B1	81B2	2-5231	T9PU0080
4624	璌	A2D2B2	C1B2	81B3	2-5232	T9PV0080
4625	璍	A2D2B3	C1B3	81B4	2-5233	T9PW0080
4626	璎	A2D2B4	C1B4	81B5	2-5234	T9PX0080
4627	璏	A2D2B5	C1B5	81B6	2-5235	T9PY0080
4628	璐	A2D2B6	C1B6	81B7	2-5236	T9PZ0080
4629	璑	A2D2B7	C1B7	81B8	2-5237	T9Q00080
4630	璒	A2D2B8	C1B8	81B9	2-5238	T9Q10080
4631	璓	A2D2B9	C1B9	81BA	2-5239	T9Q20080
4632	璔	A2D2BA	C1BA	81BB	2-523A	T9Q30080
4633	璕	A2D2BB	C1BB	81BC	2-523B	T9Q40080
4634	璖	A2D2BC	C1BC	81BD	2-523C	T9Q50080
4635	璗	A2D2BD	C1BD	81BE	2-523D	T9Q60080
4636	璘	A2D2BE	C1BE	81BF	2-523E	T9Q70080
4637	璙	A2D2BF	C1BF	81C0	2-523F	T9Q80080
4638	璚	A2D2C0	C1C0	81C1	2-5240	T9Q90080
4639	璛	A2D2C1	C1C1	81C2	2-5241	T9QA0080
4640	璜	A2D2C2	C1C2	81C3	2-5242	T9QB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 6 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4641	晶	A2D2C3	C1C3	81C4	2-5243	T9QC0080
4642	瞶	A2D2C4	C1C4	81C5	2-5244	T9QD0080
4643	曩	A2D2C5	C1C5	81C6	2-5245	T9QE0080
4644	磬	A2D2C6	C1C6	81C7	2-5246	T9QF0080
4645	踰	A2D2C7	C1C7	81C8	2-5247	T9QG0080
4646	磻	A2D2C8	C1C8	81C9	2-5248	T9QH0080
4647	礪	A2D2C9	C1C9	81CA	2-5249	T9QI0080
4648	礪	A2D2CA	C1CA	81CB	2-524A	T9QJ0080
4649	礪	A2D2CB	C1CB	81CC	2-524B	T9QK0080
4650	礪	A2D2CC	C1CC	81CD	2-524C	T9QL0080
4651	礪	A2D2CD	C1CD	81CE	2-524D	T9QM0080
4652	礪	A2D2CE	C1CE	81CF	2-524E	T9QN0080
4653	礪	A2D2CF	C1CF	81D0	2-524F	T9QO0080
4654	礪	A2D2D0	C1D0	81D1	2-5250	T9QP0080
4655	礪	A2D2D1	C1D1	81D2	2-5251	T9QQ0080
4656	礪	A2D2D2	C1D2	81D3	2-5252	T9QR0080
4657	礪	A2D2D3	C1D3	81D4	2-5253	T9QS0080
4658	礪	A2D2D4	C1D4	81D5	2-5254	T9QT0080
4659	礪	A2D2D5	C1D5	81D6	2-5255	T9QU0080
4660	礪	A2D2D6	C1D6	81D7	2-5256	T9QV0080
4661	礪	A2D2D7	C1D7	81D8	2-5257	T9QW0080
4662	礪	A2D2D8	C1D8	81D9	2-5258	T9QX0080
4663	礪	A2D2D9	C1D9	81DA	2-5259	T9QY0080
4664	礪	A2D2DA	C1DA	81DB	2-525A	T9QZ0080
4665	礪	A2D2DB	C1DB	81DC	2-525B	T9R00080
4666	礪	A2D2DC	C1DC	81DD	2-525C	T9R10080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 7 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4667	羸	A2D2DD	C1DD	81DE	2-525D	T9R20080
4668	旒	A2D2DE	C1DE	81DF	2-525E	T9R30080
4669	篋	A2D2DF	C1DF	81E0	2-525F	T9R40080
4670	箭	A2D2E0	C1E0	81E1	2-5260	T9R50080
4671	箬	A2D2E1	C1E1	81E2	2-5261	T9R60080
4672	箬	A2D2E2	C1E2	81E3	2-5262	T9R70080
4673	箬	A2D2E3	C1E3	81E4	2-5263	T9R80080
4674	箬	A2D2E4	C1E4	81E5	2-5264	T9R90080
4675	箬	A2D2E5	C1E5	81E6	2-5265	T9RA0080
4676	箬	A2D2E6	C1E6	81E7	2-5266	T9RB0080
4677	糅	A2D2E7	C1E7	81E8	2-5267	T9RC0080
4678	精	A2D2E8	C1E8	81E9	2-5268	T9RD0080
4679	糅	A2D2E9	C1E9	81EA	2-5269	T9RE0080
4680	糅	A2D2EA	C1EA	81EB	2-526A	T9RF0080
4681	糅	A2D2EB	C1EB	81EC	2-526B	T9RG0080
4682	糅	A2D2EC	C1EC	81ED	2-526C	T9RH0080
4683	糅	A2D2ED	C1ED	81EE	2-526D	T9RI0080
4684	糅	A2D2EE	C1EE	81EF	2-526E	T9RJ0080
4685	糅	A2D2EF	C1EF	81F0	2-526F	T9RK0080
4686	糅	A2D2F0	C1F0	81F1	2-5270	T9RL0080
4687	糅	A2D2F1	C1F1	81F2	2-5271	T9RM0080
4688	糅	A2D2F2	C1F2	81F3	2-5272	T9RN0080
4689	糅	A2D2F3	C1F3	81F4	2-5273	T9RO0080
4690	糅	A2D2F4	C1F4	81F5	2-5274	T9RP0080
4691	糅	A2D2F5	C1F5	81F6	2-5275	T9RQ0080
4692	糅	A2D2F6	C1F6	81F7	2-5276	T9RR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 8 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4693	縵	A2D2F7	C1F7	81F8	2-5277	T9RS0080
4694	種	A2D2F8	C1F8	81F9	2-5278	T9RT0080
4695	罽	A2D2F9	C1F9	81FA	2-5279	T9RU0080
4696	羴	A2D2FA	C1FA	81FB	2-527A	T9RV0080
4697	羵	A2D2FB	C1FB	81FC	2-527B	T9RW0080
4698	羶	A2D2FC	C1FC	81FD	2-527C	T9RX0080
4699	羷	A2D2FD	C240	8241	2-527D	T9S10080
4700	羸	A2D2FE	C241	8242	2-527E	T9S20080
4701	羸	A2D3A1	C242	8243	2-5321	T9S30080
4702	羸	A2D3A2	C243	8244	2-5322	T9S40080
4703	羸	A2D3A3	C244	8245	2-5323	T9S50080
4704	羸	A2D3A4	C245	8246	2-5324	T9S60080
4705	羸	A2D3A5	C246	8247	2-5325	T9S70080
4706	羸	A2D3A6	C247	8248	2-5326	T9S80080
4707	羸	A2D3A7	C248	8249	2-5327	T9S90080
4708	羸	A2D3A8	C249	824A	2-5328	T9SA0080
4709	羸	A2D3A9	C24A	824B	2-5329	T9SB0080
4710	羸	A2D3AA	C24B	824C	2-532A	T9SC0080
4711	羸	A2D3AB	C24C	824D	2-532B	T9SD0080
4712	羸	A2D3AC	C24D	824E	2-532C	T9SE0080
4713	羸	A2D3AD	C24E	824F	2-532D	T9SF0080
4714	舖	A2D3AE	C24F	8250	2-532E	T9SG0080
4715	舖	A2D3AF	C250	8251	2-532F	T9SH0080
4716	舖	A2D3B0	C251	8252	2-5330	T9SI0080
4717	舖	A2D3B1	C252	8253	2-5331	T9SJ0080
4718	舖	A2D3B2	C253	8254	2-5332	T9SK0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 16 (Page 9 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4719	煌	A2D3B3	C254	8255	2-5333	T9SL0080
4720	編	A2D3B4	C255	8256	2-5334	T9SM0080
4721	縻	A2D3B5	C256	8257	2-5335	T9SN0080
4722	寇	A2D3B6	C257	8258	2-5336	T9SO0080
4723	蒺	A2D3B7	C258	8259	2-5337	T9SP0080
4724	蒺	A2D3B8	C259	825A	2-5338	T9SQ0080
4725	蕘	A2D3B9	C25A	825B	2-5339	T9SR0080
4726	蕘	A2D3BA	C25B	825C	2-533A	T9SS0080
4727	蕘	A2D3BB	C25C	825D	2-533B	T9ST0080
4728	蕘	A2D3BC	C25D	825E	2-533C	T9SU0080
4729	蕘	A2D3BD	C25E	825F	2-533D	T9SV0080
4730	焯	A2D3BE	C25F	8260	2-533E	T9SW0080
4731	蕘	A2D3BF	C260	8261	2-533F	T9SX0080
4732	蕘	A2D3C0	C261	8262	2-5340	T9SY0080
4733	蕘	A2D3C1	C262	8263	2-5341	T9SZ0080
4734	蕘	A2D3C2	C263	8264	2-5342	T9T00080
4735	蕘	A2D3C3	C264	8265	2-5343	T9T10080
4736	蕘	A2D3C4	C265	8266	2-5344	T9T20080
4737	蕘	A2D3C5	C266	8267	2-5345	T9T30080
4738	蕘	A2D3C6	C267	8268	2-5346	T9T40080
4739	蕘	A2D3C7	C268	8269	2-5347	T9T50080
4740	蕘	A2D3C8	C269	826A	2-5348	T9T60080
4741	蕘	A2D3C9	C26A	826B	2-5349	T9T70080
4742	蕘	A2D3CA	C26B	826C	2-534A	T9T80080
4743	蕘	A2D3CB	C26C	826D	2-534B	T9T90080
4744	蕘	A2D3CC	C26D	826E	2-534C	T9TA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 10 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4745	蓼	A2D3CD	C26E	826F	2-534D	T9TB0080
4746	薰	A2D3CE	C26F	8270	2-534E	T9TC0080
4747	蘆	A2D3CF	C270	8271	2-534F	T9TD0080
4748	蕪	A2D3D0	C271	8272	2-5350	T9TE0080
4749	蘆	A2D3D1	C272	8273	2-5351	T9TF0080
4750	菌	A2D3D2	C273	8274	2-5352	T9TG0080
4751	菌	A2D3D3	C274	8275	2-5353	T9TH0080
4752	蕪	A2D3D4	C275	8276	2-5354	T9TI0080
4753	菌	A2D3D5	C276	8277	2-5355	T9TJ0080
4754	蕪	A2D3D6	C277	8278	2-5356	T9TK0080
4755	蕪	A2D3D7	C278	8279	2-5357	T9TL0080
4756	蕪	A2D3D8	C279	827A	2-5358	T9TM0080
4757	蕪	A2D3D9	C27A	827B	2-5359	T9TN0080
4758	蕪	A2D3DA	C27B	827C	2-535A	T9TO0080
4759	蕪	A2D3DB	C27C	827D	2-535B	T9TP0080
4760	蕪	A2D3DC	C27D	827E	2-535C	T9TQ0080
4761	蕪	A2D3DD	C27E	827F	2-535D	T9TR0080
4762	蕪	A2D3DE	C280	8281	2-535E	T9TT0080
4763	蕪	A2D3DF	C281	8282	2-535F	T9TU0080
4764	蕪	A2D3E0	C282	8283	2-5360	T9TV0080
4765	蕪	A2D3E1	C283	8284	2-5361	T9TW0080
4766	蕪	A2D3E2	C284	8285	2-5362	T9TX0080
4767	蕪	A2D3E3	C285	8286	2-5363	T9TY0080
4768	蕪	A2D3E4	C286	8287	2-5364	T9TZ0080
4769	蕪	A2D3E5	C287	8288	2-5365	T9U00080
4770	蕪	A2D3E6	C288	8289	2-5366	T9U10080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 16 (Page 11 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4771	號	A2D3E7	C289	828A	2-5367	T9U20080
4772	蝗	A2D3E8	C28A	828B	2-5368	T9U30080
4773	蝻	A2D3E9	C28B	828C	2-5369	T9U40080
4774	蝻	A2D3EA	C28C	828D	2-536A	T9U50080
4775	蝻	A2D3EB	C28D	828E	2-536B	T9U60080
4776	蝻	A2D3EC	C28E	828F	2-536C	T9U70080
4777	蝻	A2D3ED	C28F	8290	2-536D	T9U80080
4778	蝻	A2D3EE	C290	8291	2-536E	T9U90080
4779	蝻	A2D3EF	C291	8292	2-536F	T9UA0080
4780	蝻	A2D3F0	C292	8293	2-5370	T9UB0080
4781	蝻	A2D3F1	C293	8294	2-5371	T9UC0080
4782	蝻	A2D3F2	C294	8295	2-5372	T9UD0080
4783	蝻	A2D3F3	C295	8296	2-5373	T9UE0080
4784	蝻	A2D3F4	C296	8297	2-5374	T9UF0080
4785	蝻	A2D3F5	C297	8298	2-5375	T9UG0080
4786	蝻	A2D3F6	C298	8299	2-5376	T9UH0080
4787	蝻	A2D3F7	C299	829A	2-5377	T9UI0080
4788	蝻	A2D3F8	C29A	829B	2-5378	T9UJ0080
4789	蝻	A2D3F9	C29B	829C	2-5379	T9UK0080
4790	蝻	A2D3FA	C29C	829D	2-537A	T9UL0080
4791	蝻	A2D3FB	C29D	829E	2-537B	T9UM0080
4792	蝻	A2D3FC	C29E	829F	2-537C	T9UN0080
4793	蝻	A2D3FD	C29F	82A0	2-537D	T9UO0080
4794	蝻	A2D3FE	C2A0	82A1	2-537E	T9UP0080
4795	蝻	A2D4A1	C2A1	82A2	2-5421	T9UQ0080
4796	蝻	A2D4A2	C2A2	82A3	2-5422	T9UR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 12 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4797	螯	A2D4A3	C2A3	82A4	2-5423	T9US0080
4798	螳	A2D4A4	C2A4	82A5	2-5424	T9UT0080
4799	蝻	A2D4A5	C2A5	82A6	2-5425	T9UU0080
4800	螯	A2D4A6	C2A6	82A7	2-5426	T9UV0080
4801	蝮	A2D4A7	C2A7	82A8	2-5427	T9UW0080
4802	蜈	A2D4A8	C2A8	82A9	2-5428	T9UX0080
4803	蝻	A2D4A9	C2A9	82AA	2-5429	T9UY0080
4804	衢	A2D4AA	C2AA	82AB	2-542A	T9UZ0080
4805	禘	A2D4AB	C2AB	82AC	2-542B	T9V00080
4806	禴	A2D4AC	C2AC	82AD	2-542C	T9V10080
4807	福	A2D4AD	C2AD	82AE	2-542D	T9V20080
4808	禠	A2D4AE	C2AE	82AF	2-542E	T9V30080
4809	禴	A2D4AF	C2AF	82B0	2-542F	T9V40080
4810	禴	A2D4B0	C2B0	82B1	2-5430	T9V50080
4811	禴	A2D4B1	C2B1	82B2	2-5431	T9V60080
4812	禴	A2D4B2	C2B2	82B3	2-5432	T9V70080
4813	禴	A2D4B3	C2B3	82B4	2-5433	T9V80080
4814	禴	A2D4B4	C2B4	82B5	2-5434	T9V90080
4815	禴	A2D4B5	C2B5	82B6	2-5435	T9VA0080
4816	禴	A2D4B6	C2B6	82B7	2-5436	T9VB0080
4817	覲	A2D4B7	C2B7	82B8	2-5437	T9VC0080
4818	覲	A2D4B8	C2B8	82B9	2-5438	T9VD0080
4819	覲	A2D4B9	C2B9	82BA	2-5439	T9VE0080
4820	觶	A2D4BA	C2BA	82BB	2-543A	T9VF0080
4821	觶	A2D4BB	C2BB	82BC	2-543B	T9VG0080
4822	觶	A2D4BC	C2BC	82BD	2-543C	T9VH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 13 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4823	誨	A2D4BD	C2BD	82BE	2-543D	T9VI0080
4824	誨	A2D4BE	C2BE	82BF	2-543E	T9VJ0080
4825	誨	A2D4BF	C2BF	82C0	2-543F	T9VK0080
4826	誨	A2D4C0	C2C0	82C1	2-5440	T9VL0080
4827	誨	A2D4C1	C2C1	82C2	2-5441	T9VM0080
4828	誨	A2D4C2	C2C2	82C3	2-5442	T9VN0080
4829	誨	A2D4C3	C2C3	82C4	2-5443	T9VO0080
4830	誨	A2D4C4	C2C4	82C5	2-5444	T9VP0080
4831	誨	A2D4C5	C2C5	82C6	2-5445	T9VQ0080
4832	誨	A2D4C6	C2C6	82C7	2-5446	T9VR0080
4833	誨	A2D4C7	C2C7	82C8	2-5447	T9VS0080
4834	誨	A2D4C8	C2C8	82C9	2-5448	T9VT0080
4835	誨	A2D4C9	C2C9	82CA	2-5449	T9VU0080
4836	誨	A2D4CA	C2CA	82CB	2-544A	T9VV0080
4837	誨	A2D4CB	C2CB	82CC	2-544B	T9VW0080
4838	誨	A2D4CC	C2CC	82CD	2-544C	T9VX0080
4839	誨	A2D4CD	C2CD	82CE	2-544D	T9VY0080
4840	誨	A2D4CE	C2CE	82CF	2-544E	T9VZ0080
4841	誨	A2D4CF	C2CF	82D0	2-544F	T9W00080
4842	誨	A2D4D0	C2D0	82D1	2-5450	T9W10080
4843	誨	A2D4D1	C2D1	82D2	2-5451	T9W20080
4844	誨	A2D4D2	C2D2	82D3	2-5452	T9W30080
4845	誨	A2D4D3	C2D3	82D4	2-5453	T9W40080
4846	誨	A2D4D4	C2D4	82D5	2-5454	T9W50080
4847	誨	A2D4D5	C2D5	82D6	2-5455	T9W60080
4848	誨	A2D4D6	C2D6	82D7	2-5456	T9W70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 14 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4849	躑	A2D4D7	C2D7	82D8	2-5457	T9W80080
4850	躒	A2D4D8	C2D8	82D9	2-5458	T9W90080
4851	躓	A2D4D9	C2D9	82DA	2-5459	T9WA0080
4852	躔	A2D4DA	C2DA	82DB	2-545A	T9WB0080
4853	躕	A2D4DB	C2DB	82DC	2-545B	T9WC0080
4854	躖	A2D4DC	C2DC	82DD	2-545C	T9WD0080
4855	躗	A2D4DD	C2DD	82DE	2-545D	T9WE0080
4856	躘	A2D4DE	C2DE	82DF	2-545E	T9WF0080
4857	躙	A2D4DF	C2DF	82E0	2-545F	T9WG0080
4858	躚	A2D4E0	C2E0	82E1	2-5460	T9WH0080
4859	躛	A2D4E1	C2E1	82E2	2-5461	T9WI0080
4860	躜	A2D4E2	C2E2	82E3	2-5462	T9WJ0080
4861	躞	A2D4E3	C2E3	82E4	2-5463	T9WK0080
4862	躟	A2D4E4	C2E4	82E5	2-5464	T9WL0080
4863	躠	A2D4E5	C2E5	82E6	2-5465	T9WM0080
4864	躡	A2D4E6	C2E6	82E7	2-5466	T9WN0080
4865	躢	A2D4E7	C2E7	82E8	2-5467	T9WO0080
4866	躣	A2D4E8	C2E8	82E9	2-5468	T9WP0080
4867	躤	A2D4E9	C2E9	82EA	2-5469	T9WQ0080
4868	躥	A2D4EA	C2EA	82EB	2-546A	T9WR0080
4869	躦	A2D4EB	C2EB	82EC	2-546B	T9WS0080
4870	躧	A2D4EC	C2EC	82ED	2-546C	T9WT0080
4871	躨	A2D4ED	C2ED	82EE	2-546D	T9WU0080
4872	躩	A2D4EE	C2EE	82EF	2-546E	T9WV0080
4873	身	A2D4EF	C2EF	82F0	2-546F	T9WW0080
4874	躬	A2D4F0	C2F0	82F1	2-5470	T9WX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 15 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4875	較	A2D4F1	C2F1	82F2	2-5471	T9WY0080
4876	較	A2D4F2	C2F2	82F3	2-5472	T9WZ0080
4877	較	A2D4F3	C2F3	82F4	2-5473	T9X00080
4878	較	A2D4F4	C2F4	82F5	2-5474	T9X10080
4879	較	A2D4F5	C2F5	82F6	2-5475	T9X20080
4880	較	A2D4F6	C2F6	82F7	2-5476	T9X30080
4881	邈	A2D4F7	C2F7	82F8	2-5477	T9X40080
4882	邈	A2D4F8	C2F8	82F9	2-5478	T9X50080
4883	邈	A2D4F9	C2F9	82FA	2-5479	T9X60080
4884	邈	A2D4FA	C2FA	82FB	2-547A	T9X70080
4885	邈	A2D4FB	C2FB	82FC	2-547B	T9X80080
4886	邈	A2D4FC	C2FC	82FD	2-547C	T9X90080
4887	邈	A2D4FD	C340	8341	2-547D	T9XD0080
4888	邈	A2D4FE	C341	8342	2-547E	T9XE0080
4889	邈	A2D5A1	C342	8343	2-5521	T9XF0080
4890	邈	A2D5A2	C343	8344	2-5522	T9XG0080
4891	邈	A2D5A3	C344	8345	2-5523	T9XH0080
4892	邈	A2D5A4	C345	8346	2-5524	T9XI0080
4893	醜	A2D5A5	C346	8347	2-5525	T9XJ0080
4894	醜	A2D5A6	C347	8348	2-5526	T9XK0080
4895	醜	A2D5A7	C348	8349	2-5527	T9XL0080
4896	醜	A2D5A8	C349	834A	2-5528	T9XM0080
4897	醜	A2D5A9	C34A	834B	2-5529	T9XN0080
4898	醜	A2D5AA	C34B	834C	2-552A	T9XO0080
4899	醜	A2D5AB	C34C	834D	2-552B	T9XP0080
4900	鉸	A2D5AC	C34D	834E	2-552C	T9XQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 16 (Page 16 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4901	銀	A2D5AD	C34E	834F	2-552D	T9XR0080
4902	鏹	A2D5AE	C34F	8350	2-552E	T9XS0080
4903	鋇	A2D5AF	C350	8351	2-552F	T9XT0080
4904	鋈	A2D5B0	C351	8352	2-5530	T9XU0080
4905	銻	A2D5B1	C352	8353	2-5531	T9XV0080
4906	銲	A2D5B2	C353	8354	2-5532	T9XW0080
4907	銳	A2D5B3	C354	8355	2-5533	T9XX0080
4908	銴	A2D5B4	C355	8356	2-5534	T9XY0080
4909	銵	A2D5B5	C356	8357	2-5535	T9XZ0080
4910	銶	A2D5B6	C357	8358	2-5536	T9Y00080
4911	銷	A2D5B7	C358	8359	2-5537	T9Y10080
4912	銸	A2D5B8	C359	835A	2-5538	T9Y20080
4913	銹	A2D5B9	C35A	835B	2-5539	T9Y30080
4914	銺	A2D5BA	C35B	835C	2-553A	T9Y40080
4915	銻	A2D5BB	C35C	835D	2-553B	T9Y50080
4916	銼	A2D5BC	C35D	835E	2-553C	T9Y60080
4917	銽	A2D5BD	C35E	835F	2-553D	T9Y70080
4918	銾	A2D5BE	C35F	8360	2-553E	T9Y80080
4919	銿	A2D5BF	C360	8361	2-553F	T9Y90080
4920	鎬	A2D5C0	C361	8362	2-5540	T9YA0080
4921	鎇	A2D5C1	C362	8363	2-5541	T9YB0080
4922	鎈	A2D5C2	C363	8364	2-5542	T9YC0080
4923	鎉	A2D5C3	C364	8365	2-5543	T9YD0080
4924	鎊	A2D5C4	C365	8366	2-5544	T9YE0080
4925	鎋	A2D5C5	C366	8367	2-5545	T9YF0080
4926	鎌	A2D5C6	C367	8368	2-5546	T9YG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 17 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4927	鍍	A2D5C7	C368	8369	2-5547	T9YH0080
4928	鋼	A2D5C8	C369	836A	2-5548	T9YI0080
4929	鎢	A2D5C9	C36A	836B	2-5549	T9YJ0080
4930	鎳	A2D5CA	C36B	836C	2-554A	T9YK0080
4931	鎘	A2D5CB	C65D	865E	2-554B	TAE60080
4932	鎳	A2D5CC	C36C	836D	2-554C	T9YL0080
4933	鎳	A2D5CD	C36D	836E	2-554D	T9YM0080
4934	鎳	A2D5CE	C36E	836F	2-554E	T9YN0080
4935	閩	A2D5CF	C36F	8370	2-554F	T9YO0080
4936	閩	A2D5D0	C370	8371	2-5550	T9YP0080
4937	閩	A2D5D1	C371	8372	2-5551	T9YQ0080
4938	閩	A2D5D2	C372	8373	2-5552	T9YR0080
4939	隕	A2D5D3	C373	8374	2-5553	T9YS0080
4940	隕	A2D5D4	C374	8375	2-5554	T9YT0080
4941	雜	A2D5D5	C375	8376	2-5555	T9YU0080
4942	雪	A2D5D6	C376	8377	2-5556	T9YV0080
4943	霽	A2D5D7	C377	8378	2-5557	T9YW0080
4944	霖	A2D5D8	C378	8379	2-5558	T9YX0080
4945	靚	A2D5D9	C379	837A	2-5559	T9YY0080
4946	鞅	A2D5DA	C37A	837B	2-555A	T9YZ0080
4947	鞅	A2D5DB	C37B	837C	2-555B	T9Z00080
4948	鞅	A2D5DC	C37C	837D	2-555C	T9Z10080
4949	鞅	A2D5DD	C37D	837E	2-555D	T9Z20080
4950	養	A2D5DE	C37E	837F	2-555E	T9Z30080
4951	頰	A2D5DF	C380	8381	2-555F	T9Z50080
4952	頰	A2D5E0	C381	8382	2-5560	T9Z60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 16 (Page 18 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4953	頰	A2D5E1	C382	8383	2-5561	T9Z70080
4954	頰	A2D5E2	C383	8384	2-5562	T9Z80080
4955	頰	A2D5E3	C384	8385	2-5563	T9Z90080
4956	頰	A2D5E4	C385	8386	2-5564	T9ZA0080
4957	頰	A2D5E5	C386	8387	2-5565	T9ZB0080
4958	頰	A2D5E6	C387	8388	2-5566	T9ZC0080
4959	剛	A2D5E7	C388	8389	2-5567	T9ZD0080
4960	養	A2D5E8	C389	838A	2-5568	T9ZE0080
4961	養	A2D5E9	C38A	838B	2-5569	T9ZF0080
4962	醇	A2D5EA	C38B	838C	2-556A	T9ZG0080
4963	舖	A2D5EB	C38C	838D	2-556B	T9ZH0080
4964	館	A2D5EC	C38D	838E	2-556C	T9ZI0080
4965	餽	A2D5ED	C38E	838F	2-556D	T9ZJ0080
4966	餽	A2D5EE	C38F	8390	2-556E	T9ZK0080
4967	駟	A2D5EF	C390	8391	2-556F	T9ZL0080
4968	駟	A2D5F0	C391	8392	2-5570	T9ZM0080
4969	駟	A2D5F1	C392	8393	2-5571	T9ZN0080
4970	駟	A2D5F2	C393	8394	2-5572	T9ZO0080
4971	駟	A2D5F3	C394	8395	2-5573	T9ZP0080
4972	駟	A2D5F4	C395	8396	2-5574	T9ZQ0080
4973	駟	A2D5F5	C396	8397	2-5575	T9ZR0080
4974	駟	A2D5F6	C397	8398	2-5576	T9ZS0080
4975	駟	A2D5F7	C398	8399	2-5577	T9ZT0080
4976	駟	A2D5F8	C399	839A	2-5578	T9ZU0080
4977	駟	A2D5F9	C39A	839B	2-5579	T9ZV0080
4978	駕	A2D5FA	C39B	839C	2-557A	T9ZW0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 16 (Page 19 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4979	𪗇	A2D5FB	C39C	839D	2-557B	T9ZX0080
4980	𪗈	A2D5FC	C39D	839E	2-557C	T9ZY0080
4981	𪗉	A2D5FD	C39E	839F	2-557D	T9ZZ0080
4982	𪗊	A2D5FE	C39F	83A0	2-557E	TA000080
4983	𪗋	A2D6A1	C3A0	83A1	2-5621	TA010080
4984	𪗌	A2D6A2	C3A1	83A2	2-5622	TA020080
4985	𪗍	A2D6A3	C3A2	83A3	2-5623	TA030080
4986	𪗎	A2D6A4	C3A3	83A4	2-5624	TA040080
4987	𪗏	A2D6A5	C3A4	83A5	2-5625	TA050080
4988	𪗐	A2D6A6	C3A5	83A6	2-5626	TA060080
4989	𪗑	A2D6A7	C3A6	83A7	2-5627	TA070080
4990	𪗒	A2D6A8	C3A7	83A8	2-5628	TA080080
4991	𪗓	A2D6A9	C3A8	83A9	2-5629	TA090080
4992	𪗔	A2D6AA	C3A9	83AA	2-562A	TA0A0080
4993	𪗕	A2D6AB	C3AA	83AB	2-562B	TA0B0080
4994	𪗖	A2D6AC	C3AB	83AC	2-562C	TA0C0080
4995	𪗗	A2D6AD	C3AC	83AD	2-562D	TA0D0080
4996	𪗘	A2D6AE	C3AD	83AE	2-562E	TA0E0080
4997	𪗙	A2D6AF	C3AE	83AF	2-562F	TA0F0080
4998	𪗚	A2D6B0	C3AF	83B0	2-5630	TA0G0080
4999	𪗛	A2D6B1	C3B0	83B1	2-5631	TA0H0080
5000	𪗜	A2D6B2	C3B1	83B2	2-5632	TA0I0080
5001	𪗝	A2D6B3	C3B2	83B3	2-5633	TA0J0080
5002	𪗞	A2D6B4	C3B3	83B4	2-5634	TA0K0080
5003	𪗟	A2D6B5	C3B4	83B5	2-5635	TA0L0080
5004	𪗠	A2D6B6	C3B5	83B6	2-5636	TA0M0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 16 (Page 20 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5005	鴿	A2D6B7	C3B6	83B7	2-5637	TA0N0080
5006	鴈	A2D6B8	C3B7	83B8	2-5638	TA0O0080
5007	鴝	A2D6B9	C3B8	83B9	2-5639	TA0P0080
5008	鳴	A2D6BA	C3B9	83BA	2-563A	TA0Q0080
5009	麤	A2D6BB	C3BA	83BB	2-563B	TA0R0080
5010	默	A2D6BC	C3BB	83BC	2-563C	TA0S0080
5011	聃	A2D6BD	C3BC	83BD	2-563D	TA0T0080
5012	聃	A2D6BE	C3BD	83BE	2-563E	TA0U0080
5013	俸	A2D6BF	C3BE	83BF	2-563F	TA0V0080
5014	儻	A2D6C0	C3BF	83C0	2-5640	TA0W0080
5015	儼	A2D6C1	C3C0	83C1	2-5641	TA0X0080
5016	儻	A2D6C2	C3C1	83C2	2-5642	TA0Y0080
5017	儼	A2D6C3	C3C2	83C3	2-5643	TA0Z0080
5018	澗	A2D6C4	C3C3	83C4	2-5644	TA100080
5019	匱	A2D6C5	C3C4	83C5	2-5645	TA110080
5020	穀	A2D6C6	C3C5	83C6	2-5646	TA120080
5021	囉	A2D6C7	C3C6	83C7	2-5647	TA130080
5022	噠	A2D6C8	C3C7	83C8	2-5648	TA140080
5023	噠	A2D6C9	C3C8	83C9	2-5649	TA150080
5024	噠	A2D6CA	C3C9	83CA	2-564A	TA160080
5025	噠	A2D6CB	C3CA	83CB	2-564B	TA170080
5026	噠	A2D6CC	C3CB	83CC	2-564C	TA180080
5027	噠	A2D6CD	C3CC	83CD	2-564D	TA190080
5028	噠	A2D6CE	C3CD	83CE	2-564E	TA1A0080
5029	噠	A2D6CF	C3CE	83CF	2-564F	TA1B0080
5030	噠	A2D6D0	C3CF	83D0	2-5650	TA1C0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 21 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5031	園	A2D6D1	C3D0	83D1	2-5651	TA1D0080
5032	園	A2D6D2	C3D1	83D2	2-5652	TA1E0080
5033	墀	A2D6D3	C3D2	83D3	2-5653	TA1F0080
5034	墀	A2D6D4	C3D3	83D4	2-5654	TA1G0080
5035	據	A2D6D5	C3D4	83D5	2-5655	TA1H0080
5036	墀	A2D6D6	C3D5	83D6	2-5656	TA1I0080
5037	墀	A2D6D7	C3D6	83D7	2-5657	TA1J0080
5038	墀	A2D6D8	C3D7	83D8	2-5658	TA1K0080
5039	墀	A2D6D9	C3D8	83D9	2-5659	TA1L0080
5040	墀	A2D6DA	C3D9	83DA	2-565A	TA1M0080
5041	嬪	A2D6DB	C3DA	83DB	2-565B	TA1N0080
5042	嬪	A2D6DC	C3DB	83DC	2-565C	TA1O0080
5043	嬪	A2D6DD	C3DC	83DD	2-565D	TA1P0080
5044	嬪	A2D6DE	C3DD	83DE	2-565E	TA1Q0080
5045	嬪	A2D6DF	C3DE	83DF	2-565F	TA1R0080
5046	嬪	A2D6E0	C3DF	83E0	2-5660	TA1S0080
5047	嬪	A2D6E1	C3E0	83E1	2-5661	TA1T0080
5048	嬪	A2D6E2	C3E1	83E2	2-5662	TA1U0080
5049	嬪	A2D6E3	C3E2	83E3	2-5663	TA1V0080
5050	嬪	A2D6E4	C3E3	83E4	2-5664	TA1W0080
5051	嬪	A2D6E5	C3E4	83E5	2-5665	TA1X0080
5052	嬪	A2D6E6	C3E5	83E6	2-5666	TA1Y0080
5053	窩	A2D6E7	C3E6	83E7	2-5667	TA1Z0080
5054	嶼	A2D6E8	C3E7	83E8	2-5668	TA200080
5055	嶼	A2D6E9	C3E8	83E9	2-5669	TA210080
5056	嶼	A2D6EA	C3E9	83EA	2-566A	TA220080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 22 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5057	嶧	A2D6EB	C3EA	83EB	2-566B	TA230080
5058	嶧	A2D6EC	C3EB	83EC	2-566C	TA240080
5059	嶧	A2D6ED	C3EC	83ED	2-566D	TA250080
5060	嶧	A2D6EE	C3ED	83EE	2-566E	TA260080
5061	嶧	A2D6EF	C3EE	83EF	2-566F	TA270080
5062	嶧	A2D6F0	C3EF	83F0	2-5670	TA280080
5063	嶧	A2D6F1	C3F0	83F1	2-5671	TA290080
5064	嶧	A2D6F2	C3F1	83F2	2-5672	TA2A0080
5065	嶧	A2D6F3	C3F2	83F3	2-5673	TA2B0080
5066	嶧	A2D6F4	C3F3	83F4	2-5674	TA2C0080
5067	嶧	A2D6F5	C3F4	83F5	2-5675	TA2D0080
5068	嶧	A2D6F6	C3F5	83F6	2-5676	TA2E0080
5069	嶧	A2D6F7	C3F6	83F7	2-5677	TA2F0080
5070	嶧	A2D6F8	C3F7	83F8	2-5678	TA2G0080
5071	嶧	A2D6F9	C3F8	83F9	2-5679	TA2H0080
5072	嶧	A2D6FA	C3F9	83FA	2-567A	TA2I0080
5073	嶧	A2D6FB	C3FA	83FB	2-567B	TA2J0080
5074	嶧	A2D6FC	C3FB	83FC	2-567C	TA2K0080
5075	嶧	A2D6FD	C3FC	83FD	2-567D	TA2L0080
5076	嶧	A2D6FE	C440	8441	2-567E	TA2P0080
5077	嶧	A2D7A1	C441	8442	2-5721	TA2Q0080
5078	嶧	A2D7A2	C6E8	86E9	2-5722	TA1I0080
5079	嶧	A2D7A3	C442	8443	2-5723	TA2R0080
5080	嶧	A2D7A4	C443	8444	2-5724	TA2S0080
5081	嶧	A2D7A5	C444	8445	2-5725	TA2T0080
5082	嶧	A2D7A6	C445	8446	2-5726	TA2U0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 23 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5083	惴	A2D7A7	C446	8447	2-5727	TA2V0080
5084	慄	A2D7A8	C447	8448	2-5728	TA2W0080
5085	懼	A2D7A9	C448	8449	2-5729	TA2X0080
5086	懾	A2D7AA	C449	844A	2-572A	TA2Y0080
5087	愴	A2D7AB	C44A	844B	2-572B	TA2Z0080
5088	慄	A2D7AC	C44B	844C	2-572C	TA300080
5089	儉	A2D7AD	C44C	844D	2-572D	TA310080
5090	鈞	A2D7AE	C44D	844E	2-572E	TA320080
5091	擗	A2D7AF	C44E	844F	2-572F	TA330080
5092	搗	A2D7B0	C44F	8450	2-5730	TA340080
5093	擻	A2D7B1	C450	8451	2-5731	TA350080
5094	擻	A2D7B2	C451	8452	2-5732	TA360080
5095	擻	A2D7B3	C452	8453	2-5733	TA370080
5096	擻	A2D7B4	C453	8454	2-5734	TA380080
5097	擊	A2D7B5	C454	8455	2-5735	TA390080
5098	攪	A2D7B6	C455	8456	2-5736	TA3A0080
5099	揀	A2D7B7	C456	8457	2-5737	TA3B0080
5100	擲	A2D7B8	C457	8458	2-5738	TA3C0080
5101	擲	A2D7B9	C458	8459	2-5739	TA3D0080
5102	擲	A2D7BA	C459	845A	2-573A	TA3E0080
5103	敵	A2D7BB	C45A	845B	2-573B	TA3F0080
5104	鼓	A2D7BC	C45B	845C	2-573C	TA3G0080
5105	擻	A2D7BD	C45C	845D	2-573D	TA3H0080
5106	瞳	A2D7BE	C45D	845E	2-573E	TA3I0080
5107	噉	A2D7BF	C45E	845F	2-573F	TA3J0080
5108	噉	A2D7C0	C45F	8460	2-5740	TA3K0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 16 (Page 24 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5109	嘖	A2D7C1	C460	8461	2-5741	TA3L0080
5110	嘖	A2D7C2	C461	8462	2-5742	TA3M0080
5111	嘖	A2D7C3	C462	8463	2-5743	TA3N0080
5112	嘖	A2D7C4	C463	8464	2-5744	TA3O0080
5113	嘖	A2D7C5	C464	8465	2-5745	TA3P0080
5114	嘖	A2D7C6	C465	8466	2-5746	TA3Q0080
5115	嘖	A2D7C7	C466	8467	2-5747	TA3R0080
5116	嘖	A2D7C8	C467	8468	2-5748	TA3S0080
5117	嘖	A2D7C9	C468	8469	2-5749	TA3T0080
5118	嘖	A2D7CA	C469	846A	2-574A	TA3U0080
5119	嘖	A2D7CB	C46A	846B	2-574B	TA3V0080
5120	嘖	A2D7CC	C46B	846C	2-574C	TA3W0080
5121	嘖	A2D7CD	C46C	846D	2-574D	TA3X0080
5122	嘖	A2D7CE	C46D	846E	2-574E	TA3Y0080
5123	嘖	A2D7CF	C46E	846F	2-574F	TA3Z0080
5124	嘖	A2D7D0	C46F	8470	2-5750	TA400080
5125	嘖	A2D7D1	C470	8471	2-5751	TA410080
5126	嘖	A2D7D2	C471	8472	2-5752	TA420080
5127	嘖	A2D7D3	C472	8473	2-5753	TA430080
5128	嘖	A2D7D4	C473	8474	2-5754	TA440080
5129	嘖	A2D7D5	C474	8475	2-5755	TA450080
5130	嘖	A2D7D6	C475	8476	2-5756	TA460080
5131	嘖	A2D7D7	C476	8477	2-5757	TA470080
5132	嘖	A2D7D8	C477	8478	2-5758	TA480080
5133	嘖	A2D7D9	C478	8479	2-5759	TA490080
5134	嘖	A2D7DA	C479	847A	2-575A	TA4A0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 25 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5135	榮	A2D7DB	C47A	847B	2-575B	TA4B0080
5136	囊	A2D7DC	C47B	847C	2-575C	TA4C0080
5137	襜	A2D7DD	C47C	847D	2-575D	TA4D0080
5138	幟	A2D7DE	C47D	847E	2-575E	TA4E0080
5139	榜	A2D7DF	C47E	847F	2-575F	TA4F0080
5140	櫂	A2D7E0	C480	8481	2-5760	TA4H0080
5141	櫂	A2D7E1	C481	8482	2-5761	TA4I0080
5142	櫂	A2D7E2	C482	8483	2-5762	TA4J0080
5143	櫂	A2D7E3	C483	8484	2-5763	TA4K0080
5144	櫂	A2D7E4	C484	8485	2-5764	TA4L0080
5145	櫂	A2D7E5	C485	8486	2-5765	TA4M0080
5146	櫂	A2D7E6	C486	8487	2-5766	TA4N0080
5147	櫂	A2D7E7	C487	8488	2-5767	TA4O0080
5148	櫂	A2D7E8	C488	8489	2-5768	TA4P0080
5149	歛	A2D7E9	C489	848A	2-5769	TA4Q0080
5150	歛	A2D7EA	C48A	848B	2-576A	TA4R0080
5151	歛	A2D7EB	C48B	848C	2-576B	TA4S0080
5152	歛	A2D7EC	C48C	848D	2-576C	TA4T0080
5153	殮	A2D7ED	C48D	848E	2-576D	TA4U0080
5154	殮	A2D7EE	C48E	848F	2-576E	TA4V0080
5155	殮	A2D7EF	C48F	8490	2-576F	TA4W0080
5156	殮	A2D7F0	C490	8491	2-5770	TA4X0080
5157	殮	A2D7F1	C491	8492	2-5771	TA4Y0080
5158	殮	A2D7F2	C492	8493	2-5772	TA4Z0080
5159	殮	A2D7F3	C493	8494	2-5773	TA500080
5160	灑	A2D7F4	C494	8495	2-5774	TA510080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 26 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5161	漣	A2D7F5	C495	8496	2-5775	TA520080
5162	漣	A2D7F6	C496	8497	2-5776	TA530080
5163	漣	A2D7F7	C497	8498	2-5777	TA540080
5164	漣	A2D7F8	C498	8499	2-5778	TA550080
5165	漣	A2D7F9	C499	849A	2-5779	TA560080
5166	漣	A2D7FA	C49A	849B	2-577A	TA570080
5167	漣	A2D7FB	C49B	849C	2-577B	TA580080
5168	漣	A2D7FC	C49C	849D	2-577C	TA590080
5169	漣	A2D7FD	C49D	849E	2-577D	TA5A0080
5170	漣	A2D7FE	C49E	849F	2-577E	TA5B0080
5171	漣	A2D8A1	C49F	84A0	2-5821	TA5C0080
5172	漣	A2D8A2	C4A0	84A1	2-5822	TA5D0080
5173	漣	A2D8A3	C4A1	84A2	2-5823	TA5E0080
5174	漣	A2D8A4	C4A2	84A3	2-5824	TA5F0080
5175	漣	A2D8A5	C4A3	84A4	2-5825	TA5G0080
5176	漣	A2D8A6	C4A4	84A5	2-5826	TA5H0080
5177	漣	A2D8A7	C4A5	84A6	2-5827	TA5I0080
5178	漣	A2D8A8	C4A6	84A7	2-5828	TA5J0080
5179	漣	A2D8A9	C4A7	84A8	2-5829	TA5K0080
5180	漣	A2D8AA	C4A8	84A9	2-582A	TA5L0080
5181	漣	A2D8AB	C4A9	84AA	2-582B	TA5M0080
5182	漣	A2D8AC	C4AA	84AB	2-582C	TA5N0080
5183	漣	A2D8AD	C4AB	84AC	2-582D	TA5O0080
5184	漣	A2D8AE	C4AC	84AD	2-582E	TA5P0080
5185	漣	A2D8AF	C4AD	84AE	2-582F	TA5Q0080
5186	漣	A2D8B0	C4AE	84AF	2-5830	TA5R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 27 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5187	灤	A2D8B1	C4AF	84B0	2-5831	TA5S0080
5188	滄	A2D8B2	C4B0	84B1	2-5832	TA5T0080
5189	發	A2D8B3	C4B1	84B2	2-5833	TA5U0080
5190	燂	A2D8B4	C4B2	84B3	2-5834	TA5V0080
5191	熿	A2D8B5	C4B3	84B4	2-5835	TA5W0080
5192	燻	A2D8B6	C4B4	84B5	2-5836	TA5X0080
5193	燼	A2D8B7	C4B5	84B6	2-5837	TA5Y0080
5194	燻	A2D8B8	C4B6	84B7	2-5838	TA5Z0080
5195	燼	A2D8B9	C4B7	84B8	2-5839	TA600080
5196	燻	A2D8BA	C4B8	84B9	2-583A	TA610080
5197	燼	A2D8BB	C4B9	84BA	2-583B	TA620080
5198	燻	A2D8BC	C4BA	84BB	2-583C	TA630080
5199	燼	A2D8BD	C4BB	84BC	2-583D	TA640080
5200	燻	A2D8BE	C4BC	84BD	2-583E	TA650080
5201	燻	A2D8BF	C4BD	84BE	2-583F	TA660080
5202	燻	A2D8C0	C4BE	84BF	2-5840	TA670080
5203	燻	A2D8C1	C4BF	84C0	2-5841	TA680080
5204	燻	A2D8C2	C4C0	84C1	2-5842	TA690080
5205	燻	A2D8C3	C4C1	84C2	2-5843	TA6A0080
5206	燻	A2D8C4	C4C2	84C3	2-5844	TA6B0080
5207	燻	A2D8C5	C4C3	84C4	2-5845	TA6C0080
5208	燻	A2D8C6	C4C4	84C5	2-5846	TA6D0080
5209	燻	A2D8C7	C4C5	84C6	2-5847	TA6E0080
5210	燻	A2D8C8	C4C6	84C7	2-5848	TA6F0080
5211	燻	A2D8C9	C4C7	84C8	2-5849	TA6G0080
5212	燻	A2D8CA	C4C8	84C9	2-584A	TA6H0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 28 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5213	獬	A2D8CB	C4C9	84CA	2-584B	TA6I0080
5214	獫	A2D8CC	C4CA	84CB	2-584C	TA6J0080
5215	獬	A2D8CD	C4CB	84CC	2-584D	TA6K0080
5216	璦	A2D8CE	C4CC	84CD	2-584E	TA6L0080
5217	璦	A2D8CF	C4CD	84CE	2-584F	TA6M0080
5218	璦	A2D8D0	C4CE	84CF	2-5850	TA6N0080
5219	璦	A2D8D1	C4CF	84D0	2-5851	TA6O0080
5220	璦	A2D8D2	C4D0	84D1	2-5852	TA6P0080
5221	璦	A2D8D3	C4D1	84D2	2-5853	TA6Q0080
5222	璦	A2D8D4	C4D2	84D3	2-5854	TA6R0080
5223	璦	A2D8D5	C4D3	84D4	2-5855	TA6S0080
5224	璦	A2D8D6	C4D4	84D5	2-5856	TA6T0080
5225	獫	A2D8D7	C4D5	84D6	2-5857	TA6U0080
5226	獫	A2D8D8	C4D6	84D7	2-5858	TA6V0080
5227	獫	A2D8D9	C4D7	84D8	2-5859	TA6W0080
5228	獫	A2D8DA	C4D8	84D9	2-585A	TA6X0080
5229	獫	A2D8DB	C4D9	84DA	2-585B	TA6Y0080
5230	獫	A2D8DC	C4DA	84DB	2-585C	TA6Z0080
5231	獫	A2D8DD	C4DB	84DC	2-585D	TA700080
5232	獫	A2D8DE	C4DC	84DD	2-585E	TA710080
5233	獫	A2D8DF	C4DD	84DE	2-585F	TA720080
5234	獫	A2D8E0	C4DE	84DF	2-5860	TA730080
5235	獫	A2D8E1	C4DF	84E0	2-5861	TA740080
5236	獫	A2D8E2	C4E0	84E1	2-5862	TA750080
5237	獫	A2D8E3	C4E1	84E2	2-5863	TA760080
5238	獫	A2D8E4	C4E2	84E3	2-5864	TA770080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 29 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5239	瞠	A2D8E5	C4E3	84E4	2-5865	TA780080
5240	瞠	A2D8E6	C4E4	84E5	2-5866	TA790080
5241	瞠	A2D8E7	C4E5	84E6	2-5867	TA7A0080
5242	瞠	A2D8E8	C4E6	84E7	2-5868	TA7B0080
5243	瞠	A2D8E9	C4E7	84E8	2-5869	TA7C0080
5244	瞠	A2D8EA	C4E8	84E9	2-586A	TA7D0080
5245	瞠	A2D8EB	C4E9	84EA	2-586B	TA7E0080
5246	瞠	A2D8EC	C4EA	84EB	2-586C	TA7F0080
5247	瞠	A2D8ED	C4EB	84EC	2-586D	TA7G0080
5248	瞠	A2D8EE	C4EC	84ED	2-586E	TA7H0080
5249	瞠	A2D8EF	C4ED	84EE	2-586F	TA7I0080
5250	瞠	A2D8F0	C4EE	84EF	2-5870	TA7J0080
5251	瞠	A2D8F1	C4EF	84F0	2-5871	TA7K0080
5252	瞠	A2D8F2	C4F0	84F1	2-5872	TA7L0080
5253	瞠	A2D8F3	C4F1	84F2	2-5873	TA7M0080
5254	瞠	A2D8F4	C4F2	84F3	2-5874	TA7N0080
5255	瞠	A2D8F5	C4F3	84F4	2-5875	TA7O0080
5256	瞠	A2D8F6	C4F4	84F5	2-5876	TA7P0080
5257	瞠	A2D8F7	C4F5	84F6	2-5877	TA7Q0080
5258	瞠	A2D8F8	C4F6	84F7	2-5878	TA7R0080
5259	瞠	A2D8F9	C4F7	84F8	2-5879	TA7S0080
5260	瞠	A2D8FA	C4F8	84F9	2-587A	TA7T0080
5261	瞠	A2D8FB	C4F9	84FA	2-587B	TA7U0080
5262	瞠	A2D8FC	C4FA	84FB	2-587C	TA7V0080
5263	瞠	A2D8FD	C4FB	84FC	2-587D	TA7W0080
5264	瞠	A2D8FE	C4FC	84FD	2-587E	TA7X0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 30 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5265	窠	A2D9A1	C540	8541	2-5921	TA810080
5266	聊	A2D9A2	C541	8542	2-5922	TA820080
5267	簞	A2D9A3	C542	8543	2-5923	TA830080
5268	筭	A2D9A4	C543	8544	2-5924	TA840080
5269	簞	A2D9A5	C544	8545	2-5925	TA850080
5270	筭	A2D9A6	C545	8546	2-5926	TA860080
5271	簞	A2D9A7	C546	8547	2-5927	TA870080
5272	築	A2D9A8	C547	8548	2-5928	TA880080
5273	籠	A2D9A9	C548	8549	2-5929	TA890080
5274	蔭	A2D9AA	C549	854A	2-592A	TA8A0080
5275	簞	A2D9AB	C54A	854B	2-592B	TA8B0080
5276	簞	A2D9AC	C54B	854C	2-592C	TA8C0080
5277	簞	A2D9AD	C54C	854D	2-592D	TA8D0080
5278	簞	A2D9AE	C54D	854E	2-592E	TA8E0080
5279	蒸	A2D9AF	C54E	854F	2-592F	TA8F0080
5280	竽	A2D9B0	C54F	8550	2-5930	TA8G0080
5281	籥	A2D9B1	C550	8551	2-5931	TA8H0080
5282	箏	A2D9B2	C551	8552	2-5932	TA8I0080
5283	籥	A2D9B3	C552	8553	2-5933	TA8J0080
5284	籥	A2D9B4	C553	8554	2-5934	TA8K0080
5285	糗	A2D9B5	C554	8555	2-5935	TA8L0080
5286	糗	A2D9B6	C555	8556	2-5936	TA8M0080
5287	糗	A2D9B7	C556	8557	2-5937	TA8N0080
5288	糗	A2D9B8	C557	8558	2-5938	TA8O0080
5289	糗	A2D9B9	C558	8559	2-5939	TA8P0080
5290	糗	A2D9BA	C559	855A	2-593A	TA8Q0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 16 (Page 31 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5291	纒	A2D9BB	C55A	855B	2-593B	TA8R0080
5292	縳	A2D9BC	C55B	855C	2-593C	TA8S0080
5293	縳	A2D9BD	C55C	855D	2-593D	TA8T0080
5294	縳	A2D9BE	C55D	855E	2-593E	TA8U0080
5295	縳	A2D9BF	C55E	855F	2-593F	TA8V0080
5296	縳	A2D9C0	C55F	8560	2-5940	TA8W0080
5297	縳	A2D9C1	C560	8561	2-5941	TA8X0080
5298	縳	A2D9C2	C561	8562	2-5942	TA8Y0080
5299	縳	A2D9C3	C562	8563	2-5943	TA8Z0080
5300	縳	A2D9C4	C563	8564	2-5944	TA900080
5301	縳	A2D9C5	C564	8565	2-5945	TA910080
5302	縳	A2D9C6	C565	8566	2-5946	TA920080
5303	縳	A2D9C7	C566	8567	2-5947	TA930080
5304	縳	A2D9C8	C567	8568	2-5948	TA940080
5305	縳	A2D9C9	C568	8569	2-5949	TA950080
5306	縳	A2D9CA	C569	856A	2-594A	TA960080
5307	縳	A2D9CB	C56A	856B	2-594B	TA970080
5308	縳	A2D9CC	C56B	856C	2-594C	TA980080
5309	縳	A2D9CD	C56C	856D	2-594D	TA990080
5310	縳	A2D9CE	C56D	856E	2-594E	TA9A0080
5311	縳	A2D9CF	C56E	856F	2-594F	TA9B0080
5312	縳	A2D9D0	C56F	8570	2-5950	TA9C0080
5313	縳	A2D9D1	C570	8571	2-5951	TA9D0080
5314	縳	A2D9D2	C571	8572	2-5952	TA9E0080
5315	縳	A2D9D3	C572	8573	2-5953	TA9F0080
5316	縳	A2D9D4	C573	8574	2-5954	TA9G0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 32 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5317	臙	A2D9D5	C574	8575	2-5955	TA9H0080
5318	臚	A2D9D6	C575	8576	2-5956	TA9I0080
5319	臍	A2D9D7	C576	8577	2-5957	TA9J0080
5320	臔	A2D9D8	C577	8578	2-5958	TA9K0080
5321	臖	A2D9D9	C578	8579	2-5959	TA9L0080
5322	臗	A2D9DA	C579	857A	2-595A	TA9M0080
5323	臘	A2D9DB	C57A	857B	2-595B	TA9N0080
5324	臙	A2D9DC	C57B	857C	2-595C	TA9O0080
5325	臚	A2D9DD	C57C	857D	2-595D	TA9P0080
5326	臍	A2D9DE	C57D	857E	2-595E	TA9Q0080
5327	臔	A2D9DF	C57E	857F	2-595F	TA9R0080
5328	臖	A2D9E0	C580	8581	2-5960	TA9T0080
5329	臗	A2D9E1	C581	8582	2-5961	TA9U0080
5330	臘	A2D9E2	C582	8583	2-5962	TA9V0080
5331	臙	A2D9E3	C583	8584	2-5963	TA9W0080
5332	臚	A2D9E4	C584	8585	2-5964	TA9X0080
5333	臍	A2D9E5	C585	8586	2-5965	TA9Y0080
5334	臔	A2D9E6	C586	8587	2-5966	TA9Z0080
5335	臖	A2D9E7	C587	8588	2-5967	TAA00080
5336	臗	A2D9E8	C588	8589	2-5968	TAA10080
5337	臘	A2D9E9	C589	858A	2-5969	TAA20080
5338	臙	A2D9EA	C58A	858B	2-596A	TAA30080
5339	臚	A2D9EB	C58B	858C	2-596B	TAA40080
5340	臍	A2D9EC	C58C	858D	2-596C	TAA50080
5341	臔	A2D9ED	C58D	858E	2-596D	TAA60080
5342	臖	A2D9EE	C58E	858F	2-596E	TAA70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 33 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5343	蕈	A2D9EF	C58F	8590	2-596F	TAA80080
5344	藺	A2D9F0	C590	8591	2-5970	TAA90080
5345	藎	A2D9F1	C591	8592	2-5971	TAAA0080
5346	藏	A2D9F2	C592	8593	2-5972	TAA80080
5347	藐	A2D9F3	C593	8594	2-5973	TAA80080
5348	藑	A2D9F4	C594	8595	2-5974	TAA80080
5349	藒	A2D9F5	C595	8596	2-5975	TAAE0080
5350	藓	A2D9F6	C596	8597	2-5976	TAAF0080
5351	藔	A2D9F7	C597	8598	2-5977	TAA80080
5352	藕	A2D9F8	C598	8599	2-5978	TAAH0080
5353	藖	A2D9F9	C599	859A	2-5979	TAAI0080
5354	藗	A2D9FA	C59A	859B	2-597A	TAAJ0080
5355	藘	A2D9FB	C59B	859C	2-597B	TAAK0080
5356	藙	A2D9FC	C59C	859D	2-597C	TAA80080
5357	藚	A2D9FD	C59D	859E	2-597D	TAA80080
5358	藛	A2D9FE	C59E	859F	2-597E	TAA80080
5359	藜	A2DAA1	C59F	85A0	2-5A21	TAAO0080
5360	藜	A2DAA2	C5A0	85A1	2-5A22	TAAP0080
5361	藜	A2DAA3	C5A1	85A2	2-5A23	TAAQ0080
5362	藜	A2DAA4	C5A2	85A3	2-5A24	TAA80080
5363	藜	A2DAA5	C5A3	85A4	2-5A25	TAA80080
5364	藜	A2DAA6	C5A4	85A5	2-5A26	TAA80080
5365	藜	A2DAA7	C5A5	85A6	2-5A27	TAAU0080
5366	藜	A2DAA8	CA58	8A59	2-5A28	TAZD0080
5367	蟪	A2DAA9	C5A6	85A7	2-5A29	TAAV0080
5368	蟪	A2DAAA	C5A7	85A8	2-5A2A	TAAW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 34 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5369	蟪	A2DAAB	C5A8	85A9	2-5A2B	TAA00080
5370	螻	A2DAAC	C5A9	85AA	2-5A2C	TAA00080
5371	蝓	A2DAAD	C5AA	85AB	2-5A2D	TAA00080
5372	蝓	A2DAAE	C5AB	85AC	2-5A2E	TAB00080
5373	蝓	A2DAAF	C5AC	85AD	2-5A2F	TAB10080
5374	蝓	A2DAB0	C5AD	85AE	2-5A30	TAB20080
5375	蝓	A2DAB1	C5AE	85AF	2-5A31	TAB30080
5376	蝓	A2DAB2	C5AF	85B0	2-5A32	TAB40080
5377	蝓	A2DAB3	C5B0	85B1	2-5A33	TAB50080
5378	蝓	A2DAB4	C5B1	85B2	2-5A34	TAB60080
5379	蝓	A2DAB5	C5B2	85B3	2-5A35	TAB70080
5380	蝓	A2DAB6	C5B3	85B4	2-5A36	TAB80080
5381	蝓	A2DAB7	C5B4	85B5	2-5A37	TAB90080
5382	蝓	A2DAB8	C5B5	85B6	2-5A38	TABA0080
5383	蝓	A2DAB9	C5B6	85B7	2-5A39	TABB0080
5384	蝓	A2DABA	C5B7	85B8	2-5A3A	TABC0080
5385	蝓	A2DABB	C5B8	85B9	2-5A3B	TABD0080
5386	蝓	A2DABC	C5B9	85BA	2-5A3C	TABE0080
5387	蝓	A2DABD	C5BA	85BB	2-5A3D	TABF0080
5388	蝓	A2DABE	C5BB	85BC	2-5A3E	TABG0080
5389	蝓	A2DABF	C5BC	85BD	2-5A3F	TABH0080
5390	褰	A2DAC0	C5BD	85BE	2-5A40	TABI0080
5391	褰	A2DAC1	C5BE	85BF	2-5A41	TABJ0080
5392	褰	A2DAC2	C5BF	85C0	2-5A42	TABK0080
5393	褰	A2DAC3	C5C0	85C1	2-5A43	TABL0080
5394	褰	A2DAC4	C5C1	85C2	2-5A44	TABM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 16 (Page 35 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5395	裏	A2DAC5	C5C2	85C3	2-5A45	TABN0080
5396	襪	A2DAC6	C5C3	85C4	2-5A46	TABO0080
5397	襠	A2DAC7	C5C4	85C5	2-5A47	TABP0080
5398	襦	A2DAC8	C5C5	85C6	2-5A48	TABQ0080
5399	襦	A2DAC9	C5C6	85C7	2-5A49	TABR0080
5400	襦	A2DACA	C5C7	85C8	2-5A4A	TABS0080
5401	襦	A2DACB	C5C8	85C9	2-5A4B	TABT0080
5402	誼	A2DACC	C5C9	85CA	2-5A4C	TABU0080
5403	譚	A2DACD	C5CA	85CB	2-5A4D	TABV0080
5404	誼	A2DACE	C5CB	85CC	2-5A4E	TABW0080
5405	誠	A2DACF	C5CC	85CD	2-5A4F	TABX0080
5406	誦	A2DAD0	C5CD	85CE	2-5A50	TABY0080
5407	誦	A2DAD1	C5CE	85CF	2-5A51	TABZ0080
5408	諺	A2DAD2	C5CF	85D0	2-5A52	TAC00080
5409	諤	A2DAD3	C5D0	85D1	2-5A53	TAC10080
5410	諤	A2DAD4	C5D1	85D2	2-5A54	TAC20080
5411	諤	A2DAD5	C5D2	85D3	2-5A55	TAC30080
5412	誼	A2DAD6	C5D3	85D4	2-5A56	TAC40080
5413	論	A2DAD7	C5D4	85D5	2-5A57	TAC50080
5414	諡	A2DAD8	C5D5	85D6	2-5A58	TAC60080
5415	諡	A2DAD9	C5D6	85D7	2-5A59	TAC70080
5416	誦	A2DADA	C5D7	85D8	2-5A5A	TAC80080
5417	誦	A2DADB	C5D8	85D9	2-5A5B	TAC90080
5418	諡	A2DADC	C5D9	85DA	2-5A5C	TACA0080
5419	緞	A2DADD	C5DA	85DB	2-5A5D	TACB0080
5420	緞	A2DADE	C5DB	85DC	2-5A5E	TACC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 36 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5421	獮	A2DADF	C5DC	85DD	2-5A5F	TACD0080
5422	贈	A2DAE0	C5DD	85DE	2-5A60	TACE0080
5423	賚	A2DAE1	C5DE	85DF	2-5A61	TACF0080
5424	暉	A2DAE2	C5DF	85E0	2-5A62	TACG0080
5425	賭	A2DAE3	C5E0	85E1	2-5A63	TACH0080
5426	賊	A2DAE4	C5E1	85E2	2-5A64	TACI0080
5427	賴	A2DAE5	C5E2	85E3	2-5A65	TACJ0080
5428	賴	A2DAE6	C5E3	85E4	2-5A66	TACK0080
5429	越	A2DAE7	C5E4	85E5	2-5A67	TACL0080
5430	越	A2DAE8	C5E5	85E6	2-5A68	TACM0080
5431	躐	A2DAE9	C5E6	85E7	2-5A69	TACN0080
5432	躑	A2DAEA	C5E7	85E8	2-5A6A	TACO0080
5433	躒	A2DAEB	C5E8	85E9	2-5A6B	TACP0080
5434	躓	A2DAEC	C5E9	85EA	2-5A6C	TACQ0080
5435	躔	A2DAED	C5EA	85EB	2-5A6D	TACR0080
5436	躕	A2DAEE	C5EB	85EC	2-5A6E	TACS0080
5437	躖	A2DAEF	C5EC	85ED	2-5A6F	TACT0080
5438	躗	A2DAF0	C5ED	85EE	2-5A70	TACU0080
5439	躘	A2DAF1	C5EE	85EF	2-5A71	TACV0080
5440	躙	A2DAF2	C5EF	85F0	2-5A72	TACW0080
5441	躚	A2DAF3	C5F0	85F1	2-5A73	TACX0080
5442	躛	A2DAF4	C5F1	85F2	2-5A74	TACY0080
5443	躜	A2DAF5	C5F2	85F3	2-5A75	TACZ0080
5444	躞	A2DAF6	C5F3	85F4	2-5A76	TAD00080
5445	躟	A2DAF7	C5F4	85F5	2-5A77	TAD10080
5446	躠	A2DAF8	C5F5	85F6	2-5A78	TAD20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 37 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5447	輻	A2DAF9	C5F6	85F7	2-5A79	TAD30080
5448	輻	A2DAFA	C5F7	85F8	2-5A7A	TAD40080
5449	輻	A2DAFB	C5F8	85F9	2-5A7B	TAD50080
5450	遠	A2DAFC	C5F9	85FA	2-5A7C	TAD60080
5451	遠	A2DAFD	C5FA	85FB	2-5A7D	TAD70080
5452	遠	A2DAFE	C5FB	85FC	2-5A7E	TAD80080
5453	遠	A2DBA1	C5FC	85FD	2-5B21	TAD90080
5454	鎔	A2DBA2	C640	8641	2-5B22	TADD0080
5455	鄒	A2DBA3	C641	8642	2-5B23	TADE0080
5456	鄒	A2DBA4	C642	8643	2-5B24	TADF0080
5457	鄒	A2DBA5	C643	8644	2-5B25	TADG0080
5458	醞	A2DBA6	C644	8645	2-5B26	TADH0080
5459	醞	A2DBA7	C645	8646	2-5B27	TADI0080
5460	醞	A2DBA8	C646	8647	2-5B28	TADJ0080
5461	醞	A2DBA9	C647	8648	2-5B29	TADK0080
5462	醞	A2DBAA	C648	8649	2-5B2A	TADL0080
5463	鎔	A2DBAB	C649	864A	2-5B2B	TADM0080
5464	鎔	A2DBAC	C64A	864B	2-5B2C	TADN0080
5465	鎔	A2DBAD	C64B	864C	2-5B2D	TADO0080
5466	鎔	A2DBAE	C64C	864D	2-5B2E	TADP0080
5467	鎔	A2DBAF	C64D	864E	2-5B2F	TADQ0080
5468	鎔	A2DBB0	C64E	864F	2-5B30	TADR0080
5469	鎔	A2DBB1	C64F	8650	2-5B31	TADS0080
5470	鎔	A2DBB2	C650	8651	2-5B32	TADT0080
5471	鎔	A2DBB3	C651	8652	2-5B33	TADU0080
5472	鎔	A2DBB4	C652	8653	2-5B34	TADV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 38 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5473	鍍	A2DBB5	C653	8654	2-5B35	TADW0080
5474	鋼	A2DBB6	C654	8655	2-5B36	TADX0080
5475	鏢	A2DBB7	C655	8656	2-5B37	TADY0080
5476	鈳	A2DBB8	C656	8657	2-5B38	TADZ0080
5477	鋼	A2DBB9	C657	8658	2-5B39	TAE00080
5478	鎰	A2DBBA	C658	8659	2-5B3A	TAE10080
5479	鉈	A2DBBB	C659	865A	2-5B3B	TAE20080
5480	鉉	A2DBBC	C65A	865B	2-5B3C	TAE30080
5481	鎳	A2DBBD	C65B	865C	2-5B3D	TAE40080
5482	鉍	A2DBBE	C65C	865D	2-5B3E	TAE50080
5483	鎘	A2DBBF	C65E	865F	2-5B3F	TAE70080
5484	銀	A2DBC0	C65F	8660	2-5B40	TAE80080
5485	釷	A2DBC1	C660	8661	2-5B41	TAE90080
5486	錒	A2DBC2	C661	8662	2-5B42	TAEA0080
5487	釷	A2DBC3	C662	8663	2-5B43	TAEB0080
5488	釷	A2DBC4	C663	8664	2-5B44	TAEC0080
5489	釷	A2DBC5	C664	8665	2-5B45	TAED0080
5490	釷	A2DBC6	C665	8666	2-5B46	TAEF0080
5491	釷	A2DBC7	C666	8667	2-5B47	TAE00080
5492	釷	A2DBC8	C667	8668	2-5B48	TAE10080
5493	釷	A2DBC9	C668	8669	2-5B49	TAE20080
5494	釷	A2DBCA	C669	866A	2-5B4A	TAE30080
5495	釷	A2DBC B	C66A	866B	2-5B4B	TAE40080
5496	釷	A2DBCC	C66B	866C	2-5B4C	TAE50080
5497	釷	A2DBCD	C66C	866D	2-5B4D	TAE60080
5498	釷	A2DBCE	C66D	866E	2-5B4E	TAE70080




IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 16 (Page 39 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5499	鑰	A2DBCF	C66E	866F	2-5B4F	TAEN0080
5500	鑿	A2DBD0	C66F	8670	2-5B50	TAE00080
5501	鑿	A2DBD1	C670	8671	2-5B51	TAEP0080
5502	闕	A2DBD2	C671	8672	2-5B52	TAEQ0080
5503	闕	A2DBD3	C672	8673	2-5B53	TAER0080
5504	闕	A2DBD4	C673	8674	2-5B54	TAES0080
5505	闕	A2DBD5	C674	8675	2-5B55	TAET0080
5506	闕	A2DBD6	C675	8676	2-5B56	TAEU0080
5507	闕	A2DBD7	C676	8677	2-5B57	TAEV0080
5508	闕	A2DBD8	C677	8678	2-5B58	TAEW0080
5509	闕	A2DBD9	C678	8679	2-5B59	TAEX0080
5510	闕	A2DBDA	C679	867A	2-5B5A	TAEY0080
5511	隄	A2DBDB	C67A	867B	2-5B5B	TAEZ0080
5512	隄	A2DBDC	C67B	867C	2-5B5C	TAF00080
5513	隄	A2DBDD	C67C	867D	2-5B5D	TAF10080
5514	隄	A2DBDE	C67D	867E	2-5B5E	TAF20080
5515	隄	A2DBDF	C67E	867F	2-5B5F	TAF30080
5516	鞞	A2DBE0	C680	8681	2-5B60	TAF50080
5517	儻	A2DBE1	C681	8682	2-5B61	TAF60080
5518	鞞	A2DBE2	C682	8683	2-5B62	TAF70080
5519	鞞	A2DBE3	C683	8684	2-5B63	TAF80080
5520	鞞	A2DBE4	C684	8685	2-5B64	TAF90080
5521	頽	A2DBE5	C685	8686	2-5B65	TAFA0080
5522	頽	A2DBE6	C686	8687	2-5B66	TAFB0080
5523	頽	A2DBE7	C687	8688	2-5B67	T AFC0080
5524	燄	A2DBE8	C688	8689	2-5B68	TAFD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 40 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5525	饑	A2DBE9	C689	868A	2-5B69	TAFE0080
5526	饑	A2DBEA	C68A	868B	2-5B6A	TAFF0080
5527	饑	A2DBEB	C68B	868C	2-5B6B	TAFG0080
5528	醇	A2DBEC	C68C	868D	2-5B6C	TAFH0080
5529	駁	A2DBED	C68D	868E	2-5B6D	TAFI0080
5530	駟	A2DBEE	C68E	868F	2-5B6E	TAFJ0080
5531	駮	A2DBEF	C68F	8690	2-5B6F	TAFK0080
5532	駮	A2DBF0	C690	8691	2-5B70	TAFK0080
5533	駮	A2DBF1	C691	8692	2-5B71	TAFM0080
5534	駮	A2DBF2	C692	8693	2-5B72	TAFN0080
5535	駮	A2DBF3	C693	8694	2-5B73	TAFN0080
5536	駮	A2DBF4	C694	8695	2-5B74	TAFP0080
5537	駮	A2DBF5	C695	8696	2-5B75	TAFQ0080
5538	駮	A2DBF6	C696	8697	2-5B76	TAFR0080
5539	駮	A2DBF7	C697	8698	2-5B77	TAFS0080
5540	駮	A2DBF8	C698	8699	2-5B78	TAFU0080
5541	駮	A2DBF9	C699	869A	2-5B79	TAFU0080
5542	駮	A2DBFA	C69A	869B	2-5B7A	TAFV0080
5543	駮	A2DBFB	C69B	869C	2-5B7B	TAFW0080
5544	駮	A2DBFC	C69C	869D	2-5B7C	TAFX0080
5545	駮	A2DBFD	C69D	869E	2-5B7D	TAFY0080
5546	駮	A2DBFE	C69E	869F	2-5B7E	TAFZ0080
5547	鮫	A2DCA1	C69F	86A0	2-5C21	TAG00080
5548	鮫	A2DCA2	C6A0	86A1	2-5C22	TAG10080
5549	鮫	A2DCA3	C6A1	86A2	2-5C23	TAG20080
5550	鮫	A2DCA4	C6A2	86A3	2-5C24	TAG30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 41 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5551	鯪	A2DCA5	C6A3	86A4	2-5C25	TAG40080
5552	鯪	A2DCA6	C6A4	86A5	2-5C26	TAG50080
5553	鯪	A2DCA7	C6A5	86A6	2-5C27	TAG60080
5554	鯪	A2DCA8	C6A6	86A7	2-5C28	TAG70080
5555	鯪	A2DCA9	C6A7	86A8	2-5C29	TAG80080
5556	鯪	A2DCAA	C6A8	86A9	2-5C2A	TAG90080
5557	鯪	A2DCAB	C6A9	86AA	2-5C2B	TAGA0080
5558	鯪	A2DCAC	C6AA	86AB	2-5C2C	TAGB0080
5559	鯪	A2DCAD	C6AB	86AC	2-5C2D	TAGC0080
5560	鯪	A2DCAE	C6AC	86AD	2-5C2E	TAGD0080
5561	鯪	A2DCAF	C6AD	86AE	2-5C2F	TAGE0080
5562	鴿	A2DCB0	C6AE	86AF	2-5C30	TAGF0080
5563	鴿	A2DCB1	C6AF	86B0	2-5C31	TAGG0080
5564	鴿	A2DCB2	C6B0	86B1	2-5C32	TAGH0080
5565	鴿	A2DCB3	C6B1	86B2	2-5C33	TAGI0080
5566	鴿	A2DCB4	C6B2	86B3	2-5C34	TAGJ0080
5567	鴿	A2DCB5	C6B3	86B4	2-5C35	TAGK0080
5568	鴿	A2DCB6	C6B4	86B5	2-5C36	TAGL0080
5569	鴿	A2DCB7	C6B5	86B6	2-5C37	TAGM0080
5570	鴿	A2DCB8	C6B6	86B7	2-5C38	TAGN0080
5571	鴿	A2DCB9	C6B7	86B8	2-5C39	TAGO0080
5572	鴿	A2DCBA	C6B8	86B9	2-5C3A	TAGP0080
5573	麩	A2DCBB	C6B9	86BA	2-5C3B	TAGQ0080
5574	麩	A2DCBC	C6BA	86BB	2-5C3C	TAGR0080
5575	麩	A2DCBD	C6BB	86BC	2-5C3D	TAGS0080
5576	麩	A2DCBE	C6BC	86BD	2-5C3E	TAGT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 42 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5577	麩	A2DCBF	C6BD	86BE	2-5C3F	TAGU0080
5578	黠	A2DCC0	C6BE	86BF	2-5C40	TAGV0080
5579	黠	A2DCC1	C6BF	86C0	2-5C41	TAGW0080
5580	粉	A2DCC2	C6C0	86C1	2-5C42	TAGX0080
5581	霽	A2DCC3	C6C1	86C2	2-5C43	TAGY0080
5582	飢	A2DCC4	C6C2	86C3	2-5C44	TAGZ0080
5583	儻	A2DCC5	C6C3	86C4	2-5C45	TAH00080
5584	儻	A2DCC6	C6C4	86C5	2-5C46	TAH10080
5585	儻	A2DCC7	C6C5	86C6	2-5C47	TAH20080
5586	儻	A2DCC8	C6C6	86C7	2-5C48	TAH30080
5587	儻	A2DCC9	C6C7	86C8	2-5C49	TAH40080
5588	儻	A2DCCA	C6C8	86C9	2-5C4A	TAH50080
5589	勸	A2DCCB	C6C9	86CA	2-5C4B	TAH60080
5590	嚟	A2DCCC	C6CA	86CB	2-5C4C	TAH70080
5591	濟	A2DCCD	C6CB	86CC	2-5C4D	TAH80080
5592	嚟	A2DCCE	C6CC	86CD	2-5C4E	TAH90080
5593	嚟	A2DCCF	C6CD	86CE	2-5C4F	TAHA0080
5594	嚟	A2DCD0	C6CE	86CF	2-5C50	TAHB0080
5595	嚟	A2DCD1	C6CF	86D0	2-5C51	TAHC0080
5596	嚟	A2DCD2	C6D0	86D1	2-5C52	TAHD0080
5597	嚟	A2DCD3	C6D1	86D2	2-5C53	TAHE0080
5598	嚟	A2DCD4	C6D2	86D3	2-5C54	TAHF0080
5599	嚟	A2DCD5	C6D3	86D4	2-5C55	TAHG0080
5600	嚟	A2DCD6	C6D4	86D5	2-5C56	TAHH0080
5601	嚟	A2DCD7	C6D5	86D6	2-5C57	TAHI0080
5602	嚟	A2DCD8	C6D6	86D7	2-5C58	TAHJ0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 16 (Page 43 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5603	堪	A2DCD9	C6D7	86D8	2-5C59	TAHK0080
5604	孀	A2DCDA	C6D8	86D9	2-5C5A	TAHL0080
5605	孀	A2DCDB	C6D9	86DA	2-5C5B	TAHM0080
5606	孀	A2DCDC	C6DA	86DB	2-5C5C	TAHN0080
5607	孀	A2DCDD	C6DB	86DC	2-5C5D	TAHO0080
5608	孀	A2DCDE	C6DC	86DD	2-5C5E	TAHP0080
5609	孀	A2DCDF	C6DD	86DE	2-5C5F	TAHQ0080
5610	孀	A2DCE0	C6DE	86DF	2-5C60	TAHR0080
5611	孀	A2DCE1	C6DF	86E0	2-5C61	TAHS0080
5612	孀	A2DCE2	C6E0	86E1	2-5C62	TAHT0080
5613	孀	A2DCE3	C6E1	86E2	2-5C63	TAHU0080
5614	孀	A2DCE4	C6E2	86E3	2-5C64	TAHV0080
5615	孀	A2DCE5	C6E3	86E4	2-5C65	TAHW0080
5616	孀	A2DCE6	C6E4	86E5	2-5C66	TAHX0080
5617	孀	A2DCE7	C6E5	86E6	2-5C67	TAHY0080
5618	孀	A2DCE8	C6E6	86E7	2-5C68	TAHZ0080
5619	孀	A2DCE9	C6E7	86E8	2-5C69	TAI00080
5620	孀	A2DCEA	C6E9	86EA	2-5C6A	TAI20080
5621	孀	A2DCEB	C6EA	86EB	2-5C6B	TAI30080
5622	孀	A2DCEC	C6EB	86EC	2-5C6C	TAI40080
5623	孀	A2DCED	C6EC	86ED	2-5C6D	TAI50080
5624	孀	A2DCEE	C6ED	86EE	2-5C6E	TAI60080
5625	孀	A2DCEF	C6EE	86EF	2-5C6F	TAI70080
5626	孀	A2DCF0	C6EF	86F0	2-5C70	TAI80080
5627	孀	A2DCF1	C6F0	86F1	2-5C71	TAI90080
5628	孀	A2DCF2	C6F1	86F2	2-5C72	TAIA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 16 (Page 44 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (5 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5629	擯	A2DCF3	C6F2	86F3	2-5C73	TAIB0080
5630	擻	A2DCF4	C6F3	86F4	2-5C74	TAIC0080
5631	擿	A2DCF5	C6F4	86F5	2-5C75	TAID0080
5632	擿	A2DCF6	C6F5	86F6	2-5C76	TAIE0080
5633	擿	A2DCF7	C6F6	86F7	2-5C77	TAIF0080
5634	擿	A2DCF8	C6F7	86F8	2-5C78	TAIG0080
5635	鞞	A2DCF9	C6F8	86F9	2-5C79	TAIH0080
5636	鞞	A2DCFA	C6F9	86FA	2-5C7A	TAII0080
5637	擿	A2DCFB	C6FA	86FB	2-5C7B	TAIJ0080
5638	擿	A2DCFC	C6FB	86FC	2-5C7C	TAIK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 1 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5639	嗽	A2DCFD	C6FC	86FD	2-5C7D	TAIL0080
5640	櫛	A2DCFE	C740	8741	2-5C7E	TAIP0080
5641	櫛	A2DDA1	C741	8742	2-5D21	TAIQ0080
5642	櫛	A2DDA2	C742	8743	2-5D22	TAIR0080
5643	櫛	A2DDA3	C743	8744	2-5D23	TAIS0080
5644	櫛	A2DDA4	C744	8745	2-5D24	TAIT0080
5645	櫛	A2DDA5	C745	8746	2-5D25	TAIU0080
5646	櫛	A2DDA6	C746	8747	2-5D26	TAIV0080
5647	櫛	A2DDA7	C747	8748	2-5D27	TAIW0080
5648	櫛	A2DDA8	C748	8749	2-5D28	TAIX0080
5649	櫛	A2DDA9	C749	874A	2-5D29	TAIY0080
5650	櫛	A2DDAA	C74A	874B	2-5D2A	TAIZ0080
5651	櫛	A2DDAB	C74B	874C	2-5D2B	TAJ00080
5652	櫛	A2DDAC	C74C	874D	2-5D2C	TAJ10080
5653	櫛	A2DDAD	C74D	874E	2-5D2D	TAJ20080
5654	櫛	A2DDAE	C74E	874F	2-5D2E	TAJ30080
5655	櫛	A2DDAF	C74F	8750	2-5D2F	TAJ40080
5656	櫛	A2DDB0	C750	8751	2-5D30	TAJ50080
5657	櫛	A2DDB1	C751	8752	2-5D31	TAJ60080
5658	櫛	A2DDB2	C752	8753	2-5D32	TAJ70080
5659	櫛	A2DDB3	C753	8754	2-5D33	TAJ80080
5660	櫛	A2DDB4	C754	8755	2-5D34	TAJ90080
5661	櫛	A2DDB5	C755	8756	2-5D35	TAJA0080
5662	櫛	A2DDB6	C756	8757	2-5D36	TAJB0080
5663	斂	A2DDB7	C757	8758	2-5D37	TAJC0080
5664	殭	A2DDB8	C758	8759	2-5D38	TAJD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 2 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5665	𪗇	A2DDB9	C759	875A	2-5D39	TAJE0080
5666	𪗈	A2DDBA	C75A	875B	2-5D3A	TAJF0080
5667	𪗉	A2DDBB	C75B	875C	2-5D3B	TAJG0080
5668	𪗊	A2DDBC	C75C	875D	2-5D3C	TAJH0080
5669	𪗋	A2DDBD	C75D	875E	2-5D3D	TAJI0080
5670	𪗌	A2DDBE	C75E	875F	2-5D3E	TAJJ0080
5671	𪗍	A2DDBF	C75F	8760	2-5D3F	TAJK0080
5672	𪗎	A2DDC0	C760	8761	2-5D40	TAJL0080
5673	𪗏	A2DDC1	C761	8762	2-5D41	TAJM0080
5674	𪗐	A2DDC2	C762	8763	2-5D42	TAJN0080
5675	𪗑	A2DDC3	C763	8764	2-5D43	TAJO0080
5676	𪗒	A2DDC4	C764	8765	2-5D44	TAJP0080
5677	𪗓	A2DDC5	C765	8766	2-5D45	TAJQ0080
5678	𪗔	A2DDC6	C766	8767	2-5D46	TAJR0080
5679	𪗕	A2DDC7	C767	8768	2-5D47	TAJS0080
5680	𪗖	A2DDC8	C768	8769	2-5D48	TAJT0080
5681	𪗗	A2DDC9	C769	876A	2-5D49	TAJU0080
5682	𪗘	A2DDCA	C76A	876B	2-5D4A	TAJV0080
5683	𪗙	A2DDCB	C76B	876C	2-5D4B	TAJW0080
5684	𪗚	A2DDCC	C76C	876D	2-5D4C	TAJX0080
5685	𪗛	A2DDCD	C76D	876E	2-5D4D	TAJY0080
5686	𪗜	A2DDCE	C76E	876F	2-5D4E	TAJZ0080
5687	𪗝	A2DDCF	C76F	8770	2-5D4F	TAK00080
5688	𪗞	A2DDD0	C770	8771	2-5D50	TAK10080
5689	𪗟	A2DDD1	C771	8772	2-5D51	TAK20080
5690	𪗠	A2DDD2	C772	8773	2-5D52	TAK30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 17 (Page 3 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5691	璵	A2DDD3	C773	8774	2-5D53	TAK40080
5692	璶	A2DDD4	C774	8775	2-5D54	TAK50080
5693	璷	A2DDD5	C775	8776	2-5D55	TAK60080
5694	璸	A2DDD6	C776	8777	2-5D56	TAK70080
5695	璹	A2DDD7	C777	8778	2-5D57	TAK80080
5696	璺	A2DDD8	C778	8779	2-5D58	TAK90080
5697	璿	A2DDD9	C779	877A	2-5D59	TAKA0080
5698	璠	A2DDDA	C77A	877B	2-5D5A	TAKB0080
5699	璡	A2DDDB	C77B	877C	2-5D5B	TAKC0080
5700	璢	A2DDDC	C77C	877D	2-5D5C	TAKD0080
5701	璣	A2DDDD	C77D	877E	2-5D5D	TAKE0080
5702	璣	A2DDDE	C77E	877F	2-5D5E	TAKF0080
5703	璤	A2DDDF	C780	8781	2-5D5F	TAKH0080
5704	瘰	A2DDE0	C781	8782	2-5D60	TAKI0080
5705	瘰	A2DDE1	C782	8783	2-5D61	TAKJ0080
5706	瘰	A2DDE2	C783	8784	2-5D62	TAKK0080
5707	瘰	A2DDE3	C784	8785	2-5D63	TAKL0080
5708	璠	A2DDE4	C785	8786	2-5D64	TAKM0080
5709	璠	A2DDE5	C786	8787	2-5D65	TAKN0080
5710	璠	A2DDE6	C787	8788	2-5D66	TAKO0080
5711	璠	A2DDE7	C788	8789	2-5D67	TAKP0080
5712	璠	A2DDE8	C789	878A	2-5D68	TAKQ0080
5713	璠	A2DDE9	C78A	878B	2-5D69	TAKR0080
5714	璠	A2DDEA	C78B	878C	2-5D6A	TAKS0080
5715	璠	A2DDEB	C78C	878D	2-5D6B	TAKT0080
5716	璠	A2DDEC	C78D	878E	2-5D6C	TAKU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 4 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5717	瞶	A2DDED	C78E	878F	2-5D6D	TAKV0080
5718	矧	A2DDEE	C78F	8790	2-5D6E	TAKW0080
5719	矧	A2DDEF	C790	8791	2-5D6F	TAKX0080
5720	礪	A2DDF0	C791	8792	2-5D70	TAKY0080
5721	礪	A2DDF1	C792	8793	2-5D71	TAKZ0080
5722	礪	A2DDF2	C793	8794	2-5D72	TAL00080
5723	礪	A2DDF3	C794	8795	2-5D73	TAL10080
5724	礪	A2DDF4	C9C2	89C3	2-5D74	TAWZ0080
5725	礪	A2DDF5	C795	8796	2-5D75	TAL20080
5726	礪	A2DDF6	C796	8797	2-5D76	TAL30080
5727	礪	A2DDF7	C797	8798	2-5D77	TAL40080
5728	礪	A2DDF8	C798	8799	2-5D78	TAL50080
5729	礪	A2DDF9	C799	879A	2-5D79	TAL60080
5730	礪	A2DDFA	C79A	879B	2-5D7A	TAL70080
5731	礪	A2DDFB	C79B	879C	2-5D7B	TAL80080
5732	礪	A2DDFC	C79C	879D	2-5D7C	TAL90080
5733	礪	A2DDFD	C79D	879E	2-5D7D	TALA0080
5734	礪	A2DDFE	C79E	879F	2-5D7E	TALB0080
5735	礪	A2DEA1	C79F	87A0	2-5E21	TALC0080
5736	礪	A2DEA2	C7A0	87A1	2-5E22	TALD0080
5737	礪	A2DEA3	C7A1	87A2	2-5E23	TALE0080
5738	礪	A2DEA4	C7A2	87A3	2-5E24	TALF0080
5739	礪	A2DEA5	C7A3	87A4	2-5E25	TALG0080
5740	礪	A2DEA6	C7A4	87A5	2-5E26	TALH0080
5741	礪	A2DEA7	C7A5	87A6	2-5E27	TALI0080
5742	礪	A2DEA8	C7A6	87A7	2-5E28	TALJ0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC


Table 17 (Page 5 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5743	簞	A2DEA9	C7A7	87A8	2-5E29	TALK0080
5744	簞	A2DEAA	C7A8	87A9	2-5E2A	TALL0080
5745	簞	A2DEAB	C7A9	87AA	2-5E2B	TALM0080
5746	簞	A2DEAC	C7AA	87AB	2-5E2C	TALN0080
5747	簞	A2DEAD	C7AB	87AC	2-5E2D	TALO0080
5748	簞	A2DEAE	C7AC	87AD	2-5E2E	TALP0080
5749	簞	A2DEAF	C7AD	87AE	2-5E2F	TALQ0080
5750	簞	A2DEB0	C7AE	87AF	2-5E30	TALR0080
5751	簞	A2DEB1	C7AF	87B0	2-5E31	TALS0080
5752	簞	A2DEB2	C7B0	87B1	2-5E32	TALT0080
5753	簞	A2DEB3	C7B1	87B2	2-5E33	TALU0080
5754	簞	A2DEB4	C7B2	87B3	2-5E34	TALV0080
5755	簞	A2DEB5	C7B3	87B4	2-5E35	TALW0080
5756	簞	A2DEB6	C7B4	87B5	2-5E36	TALX0080
5757	簞	A2DEB7	C7B5	87B6	2-5E37	TALY0080
5758	簞	A2DEB8	C7B6	87B7	2-5E38	TALZ0080
5759	簞	A2DEB9	C7B7	87B8	2-5E39	TAM00080
5760	簞	A2DEBA	C7B8	87B9	2-5E3A	TAM10080
5761	簞	A2DEBB	C7B9	87BA	2-5E3B	TAM20080
5762	簞	A2DEBC	C7BA	87BB	2-5E3C	TAM30080
5763	簞	A2DEBD	C7BB	87BC	2-5E3D	TAM40080
5764	簞	A2DEBE	C7BC	87BD	2-5E3E	TAM50080
5765	簞	A2DEBF	C7BD	87BE	2-5E3F	TAM60080
5766	簞	A2DEC0	C7BE	87BF	2-5E40	TAM70080
5767	簞	A2DEC1	C7BF	87C0	2-5E41	TAM80080
5768	簞	A2DEC2	C7C0	87C1	2-5E42	TAM90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 6 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5769	緝	A2DEC3	C7C1	87C2	2-5E43	TAMA0080
5770	緝	A2DEC4	C7C2	87C3	2-5E44	TAMB0080
5771	緝	A2DEC5	C7C3	87C4	2-5E45	TAMC0080
5772	緝	A2DEC6	C7C4	87C5	2-5E46	TAMD0080
5773	緝	A2DEC7	C7C5	87C6	2-5E47	TAME0080
5774	緝	A2DEC8	C7C6	87C7	2-5E48	TAMF0080
5775	緝	A2DEC9	C7C7	87C8	2-5E49	TAMG0080
5776	縻	A2DECA	C7C8	87C9	2-5E4A	TAMH0080
5777	縻	A2DECB	C7C9	87CA	2-5E4B	TAMI0080
5778	縻	A2DECC	C7CA	87CB	2-5E4C	TAMJ0080
5779	縻	A2DECD	C7CB	87CC	2-5E4D	TAMK0080
5780	罇	A2DECE	C7CC	87CD	2-5E4E	TAML0080
5781	罇	A2DECF	C7CD	87CE	2-5E4F	TAMM0080
5782	罇	A2DED0	C7CE	87CF	2-5E50	TAMN0080
5783	罇	A2DED1	C7CF	87D0	2-5E51	TAMO0080
5784	罇	A2DED2	C7D0	87D1	2-5E52	TAMP0080
5785	罇	A2DED3	C7D1	87D2	2-5E53	TAMQ0080
5786	罇	A2DED4	C7D2	87D3	2-5E54	TAMR0080
5787	臄	A2DED5	C7D3	87D4	2-5E55	TAMS0080
5788	臄	A2DED6	C7D4	87D5	2-5E56	TAMT0080
5789	臄	A2DED7	C7D5	87D6	2-5E57	TAMU0080
5790	臄	A2DED8	C7D6	87D7	2-5E58	TAMV0080
5791	臄	A2DED9	C7D7	87D8	2-5E59	TAMW0080
5792	臄	A2DEDA	C7D8	87D9	2-5E5A	TAMX0080
5793	臄	A2DEDB	C7D9	87DA	2-5E5B	TAMY0080
5794	臄	A2DEDC	C7DA	87DB	2-5E5C	TAMZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 7 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5795	艘	A2DEDD	C7DB	87DC	2-5E5D	TAN00080
5796	艘	A2DEDE	C7DC	87DD	2-5E5E	TAN10080
5797	艘	A2DEDF	C7DD	87DE	2-5E5F	TAN20080
5798	藹	A2DEE0	C7DE	87DF	2-5E60	TAN30080
5799	藹	A2DEE1	C7DF	87E0	2-5E61	TAN40080
5800	藹	A2DEE2	C7E0	87E1	2-5E62	TAN50080
5801	藹	A2DEE3	C7E1	87E2	2-5E63	TAN60080
5802	藹	A2DEE4	C7E2	87E3	2-5E64	TAN70080
5803	藹	A2DEE5	C7E3	87E4	2-5E65	TAN80080
5804	藹	A2DEE6	C7E4	87E5	2-5E66	TAN90080
5805	藹	A2DEE7	C7E5	87E6	2-5E67	TANA0080
5806	藹	A2DEE8	C7E6	87E7	2-5E68	TANB0080
5807	藹	A2DEE9	C7E7	87E8	2-5E69	TANC0080
5808	藹	A2DEEA	C7E8	87E9	2-5E6A	TAND0080
5809	藹	A2DEEB	C7E9	87EA	2-5E6B	TANE0080
5810	藹	A2DEEC	C7EA	87EB	2-5E6C	TANF0080
5811	藹	A2DEED	C7EB	87EC	2-5E6D	TANG0080
5812	藹	A2DEEE	C7EC	87ED	2-5E6E	TANH0080
5813	藹	A2DEEF	C7ED	87EE	2-5E6F	TANI0080
5814	藹	A2DEF0	C7EE	87EF	2-5E70	TANJ0080
5815	藹	A2DEF1	C7EF	87F0	2-5E71	TANK0080
5816	藹	A2DEF2	C7F0	87F1	2-5E72	TANL0080
5817	藹	A2DEF3	C7F1	87F2	2-5E73	TANM0080
5818	藹	A2DEF4	C7F2	87F3	2-5E74	TANN0080
5819	藹	A2DEF5	C7F3	87F4	2-5E75	TANO0080
5820	藹	A2DEF6	C7F4	87F5	2-5E76	TANP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 17 (Page 8 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5821	薙	A2DEF7	C7F5	87F6	2-5E77	TANQ0080
5822	蒼	A2DEF8	C7F6	87F7	2-5E78	TANR0080
5823	萸	A2DEF9	C7F7	87F8	2-5E79	TANS0080
5824	薺	A2DEFA	C7F8	87F9	2-5E7A	TANT0080
5825	藪	A2DEFB	C7F9	87FA	2-5E7B	TANU0080
5826	薈	A2DEFC	C7FA	87FB	2-5E7C	TANV0080
5827	薹	A2DEFD	C7FB	87FC	2-5E7D	TANW0080
5828	薺	A2DEFE	C7FC	87FD	2-5E7E	TANX0080
5829	蒙	A2DFA1	C840	8841	2-5F21	TAO10080
5830	蓬	A2DFA2	C841	8842	2-5F22	TAO20080
5831	稜	A2DFA3	C842	8843	2-5F23	TAO30080
5832	莖	A2DFA4	C843	8844	2-5F24	TAO40080
5833	彪	A2DFA5	C844	8845	2-5F25	TAO50080
5834	蠟	A2DFA6	C845	8846	2-5F26	TAO60080
5835	螭	A2DFA7	C846	8847	2-5F27	TAO70080
5836	螭	A2DFA8	C847	8848	2-5F28	TAO80080
5837	蠟	A2DFA9	C848	8849	2-5F29	TAO90080
5838	蠟	A2DFAA	C849	884A	2-5F2A	TAOA0080
5839	螻	A2DFAB	C84A	884B	2-5F2B	TAOB0080
5840	螻	A2DFAC	C84B	884C	2-5F2C	TAOC0080
5841	螻	A2DFAD	C84C	884D	2-5F2D	TAOD0080
5842	螻	A2DFAE	C84D	884E	2-5F2E	TAOE0080
5843	螻	A2DFAF	C84E	884F	2-5F2F	TAOF0080
5844	螻	A2DFB0	C84F	8850	2-5F30	TAOG0080
5845	螻	A2DFB1	C850	8851	2-5F31	TAOH0080
5846	螻	A2DFB2	C851	8852	2-5F32	TAOI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 9 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5847	蠅	A2DFB3	C852	8853	2-5F33	TAOJ0080
5848	虬	A2DFB4	C853	8854	2-5F34	TAOK0080
5849	螯	A2DFB5	C854	8855	2-5F35	TAOL0080
5850	蟄	A2DFB6	C855	8856	2-5F36	TAOM0080
5851	蝨	A2DFB7	C856	8857	2-5F37	TAON0080
5852	墜	A2DFB8	C857	8858	2-5F38	TAOO0080
5853	扁	A2DFB9	C858	8859	2-5F39	TAOP0080
5854	蜚	A2DFBA	C859	885A	2-5F3A	TAOQ0080
5855	蟹	A2DFBB	C85A	885B	2-5F3B	TAOR0080
5856	蝨	A2DFBC	C85B	885C	2-5F3C	TAOS0080
5857	螯	A2DFBD	C85C	885D	2-5F3D	TAOT0080
5858	蝻	A2DFBE	C85D	885E	2-5F3E	TAOU0080
5859	襠	A2DFBF	C85E	885F	2-5F3F	TAOV0080
5860	襠	A2DFC0	C85F	8860	2-5F40	TAOW0080
5861	襠	A2DFC1	C860	8861	2-5F41	TAOX0080
5862	標	A2DFC2	C861	8862	2-5F42	TAOY0080
5863	襠	A2DFC3	C862	8863	2-5F43	TAOZ0080
5864	襠	A2DFC4	C863	8864	2-5F44	TAP00080
5865	襠	A2DFC5	C864	8865	2-5F45	TAP10080
5866	襠	A2DFC6	C865	8866	2-5F46	TAP20080
5867	覲	A2DFC7	C866	8867	2-5F47	TAP30080
5868	覲	A2DFC8	C867	8868	2-5F48	TAP40080
5869	榮	A2DFC9	C868	8869	2-5F49	TAP50080
5870	鮮	A2DFCA	C869	886A	2-5F4A	TAP60080
5871	殼	A2DFCB	C86A	886B	2-5F4B	TAP70080
5872	諱	A2DFCC	C86B	886C	2-5F4C	TAP80080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 10 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5873	諱	A2DFCD	C86C	886D	2-5F4D	TAP90080
5874	護	A2DFCE	C86D	886E	2-5F4E	TAPA0080
5875	譏	A2DFCF	C86E	886F	2-5F4F	TAPB0080
5876	謫	A2DFD0	C86F	8870	2-5F50	TAPC0080
5877	謀	A2DFD1	C870	8871	2-5F51	TAPD0080
5878	護	A2DFD2	C871	8872	2-5F52	TAPE0080
5879	諛	A2DFD3	C872	8873	2-5F53	TAPF0080
5880	論	A2DFD4	C873	8874	2-5F54	TAPG0080
5881	諷	A2DFD5	C874	8875	2-5F55	TAPH0080
5882	譽	A2DFD6	C875	8876	2-5F56	TAPI0080
5883	譽	A2DFD7	C876	8877	2-5F57	TAPJ0080
5884	晷	A2DFD8	C877	8878	2-5F58	TAPK0080
5885	論	A2DFD9	C878	8879	2-5F59	TAPL0080
5886	諫	A2DFDA	C879	887A	2-5F5A	TAPM0080
5887	謨	A2DFDB	C87A	887B	2-5F5B	TAPN0080
5888	諡	A2DFDC	C87B	887C	2-5F5C	TAPO0080
5889	賺	A2DFDD	C87C	887D	2-5F5D	TAPP0080
5890	穀	A2DFDE	C87D	887E	2-5F5E	TAPQ0080
5891	獠	A2DFDF	C87E	887F	2-5F5F	TAPR0080
5892	獠	A2DFE0	C880	8881	2-5F60	TAPT0080
5893	獠	A2DFE1	C881	8882	2-5F61	TAPU0080
5894	獠	A2DFE2	C882	8883	2-5F62	TAPV0080
5895	獠	A2DFE3	C883	8884	2-5F63	TAPW0080
5896	贓	A2DFE4	C884	8885	2-5F64	TAPX0080
5897	糖	A2DFE5	C885	8886	2-5F65	TAPY0080
5898	蹟	A2DFE6	C886	8887	2-5F66	TAPZ0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 17 (Page 11 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5899	躡	A2DFE7	C887	8888	2-5F67	TAQ00080
5900	躡	A2DFE8	C888	8889	2-5F68	TAQ10080
5901	躡	A2DFE9	C889	888A	2-5F69	TAQ20080
5902	躡	A2DFEA	C88A	888B	2-5F6A	TAQ30080
5903	躡	A2DFEB	C88B	888C	2-5F6B	TAQ40080
5904	躡	A2DFEC	C88C	888D	2-5F6C	TAQ50080
5905	躡	A2DFED	C88D	888E	2-5F6D	TAQ60080
5906	躡	A2DFEE	C88E	888F	2-5F6E	TAQ70080
5907	躡	A2DFEF	C88F	8890	2-5F6F	TAQ80080
5908	躡	A2DFF0	C890	8891	2-5F70	TAQ90080
5909	醜	A2DFF1	C891	8892	2-5F71	TAQA0080
5910	醜	A2DFF2	C892	8893	2-5F72	TAQB0080
5911	醜	A2DFF3	C893	8894	2-5F73	TAQC0080
5912	醜	A2DFF4	C894	8895	2-5F74	TAQD0080
5913	醜	A2DFF5	C895	8896	2-5F75	TAQE0080
5914	醜	A2DFF6	C896	8897	2-5F76	TAQF0080
5915	醜	A2DFF7	C897	8898	2-5F77	TAQG0080
5916	醜	A2DFF8	C898	8899	2-5F78	TAQH0080
5917	鎡	A2DFF9	C899	889A	2-5F79	TAQI0080
5918	鎡	A2DFFA	C89A	889B	2-5F7A	TAQJ0080
5919	鎡	A2DFFB	C89B	889C	2-5F7B	TAQK0080
5920	鎡	A2DFFC	C89C	889D	2-5F7C	TAQL0080
5921	鎡	A2DFFD	C89D	889E	2-5F7D	TAQM0080
5922	鎡	A2DFFE	C89E	889F	2-5F7E	TAQN0080
5923	鎡	A2E0A1	C89F	88A0	2-6021	TAQO0080
5924	鎡	A2E0A2	C8A0	88A1	2-6022	TAQP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 12 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5925	鍛	A2E0A3	C8A1	88A2	2-6023	TAQQ0080
5926	鋸	A2E0A4	C8A2	88A3	2-6024	TAQR0080
5927	鋸	A2E0A5	C8A3	88A4	2-6025	TAQS0080
5928	鋸	A2E0A6	C8A4	88A5	2-6026	TAQT0080
5929	鋸	A2E0A7	C8A5	88A6	2-6027	TAQU0080
5930	鋸	A2E0A8	C8A6	88A7	2-6028	TAQV0080
5931	鋸	A2E0A9	C8A7	88A8	2-6029	TAQW0080
5932	鋸	A2E0AA	C8A8	88A9	2-602A	TAQX0080
5933	鋸	A2E0AB	C8A9	88AA	2-602B	TAQY0080
5934	鋸	A2E0AC	C8AA	88AB	2-602C	TAQZ0080
5935	鎗	A2E0AD	C8AB	88AC	2-602D	TAR00080
5936	鎗	A2E0AE	C8AC	88AD	2-602E	TAR10080
5937	鎗	A2E0AF	C8AD	88AE	2-602F	TAR20080
5938	鎗	A2E0B0	C8AE	88AF	2-6030	TAR30080
5939	鎗	A2E0B1	C8AF	88B0	2-6031	TAR40080
5940	鎗	A2E0B2	C8B0	88B1	2-6032	TAR50080
5941	鎗	A2E0B3	C8B1	88B2	2-6033	TAR60080
5942	鎗	A2E0B4	C8B2	88B3	2-6034	TAR70080
5943	鎗	A2E0B5	C8B3	88B4	2-6035	TAR80080
5944	鎗	A2E0B6	C8B4	88B5	2-6036	TAR90080
5945	鎗	A2E0B7	C8B5	88B6	2-6037	TARA0080
5946	鎗	A2E0B8	C8B6	88B7	2-6038	TARB0080
5947	鎗	A2E0B9	C8B8	88B9	2-6039	TARD0080
5948	鎗	A2E0BA	C8B9	88BA	2-603A	TARE0080
5949	閻	A2E0BB	C8BA	88BB	2-603B	TARF0080
5950	閻	A2E0BC	C8BB	88BC	2-603C	TARG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 13 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5951	闔	A2E0BD	C8BC	88BD	2-603D	TARH0080
5952	闕	A2E0BE	C8BD	88BE	2-603E	TARI0080
5953	闕	A2E0BF	C8BE	88BF	2-603F	TARJ0080
5954	糶	A2E0C0	C8BF	88C0	2-6040	TARK0080
5955	隕	A2E0C1	C8C0	88C1	2-6041	TARL0080
5956	隕	A2E0C2	C8C1	88C2	2-6042	TARM0080
5957	隕	A2E0C3	C8C2	88C3	2-6043	TARN0080
5958	霽	A2E0C4	C8C3	88C4	2-6044	TARO0080
5959	霽	A2E0C5	C8C4	88C5	2-6045	TARP0080
5960	霽	A2E0C6	C8C5	88C6	2-6046	TARQ0080
5961	霽	A2E0C7	C8C6	88C7	2-6047	TARR0080
5962	霽	A2E0C8	C8C7	88C8	2-6048	TARS0080
5963	鞞	A2E0C9	C8C8	88C9	2-6049	TART0080
5964	鞞	A2E0CA	C8C9	88CA	2-604A	TARU0080
5965	鞞	A2E0CB	C8CA	88CB	2-604B	TARV0080
5966	鞞	A2E0CC	C8CB	88CC	2-604C	TARW0080
5967	鞞	A2E0CD	C8CC	88CD	2-604D	TARX0080
5968	鞞	A2E0CE	C8CD	88CE	2-604E	TARY0080
5969	鞞	A2E0CF	C8CE	88CF	2-604F	TARZ0080
5970	鐵	A2E0D0	C8CF	88D0	2-6050	TAS00080
5971	頤	A2E0D1	C8D0	88D1	2-6051	TAS10080
5972	頤	A2E0D2	C8D1	88D2	2-6052	TAS20080
5973	頤	A2E0D3	C8D2	88D3	2-6053	TAS30080
5974	頤	A2E0D4	C8D3	88D4	2-6054	TAS40080
5975	頤	A2E0D5	C8D4	88D5	2-6055	TAS50080
5976	頤	A2E0D6	C8D5	88D6	2-6056	TAS60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 14 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5977	峇	A2E0D7	C8D6	88D7	2-6057	TAS70080
5978	餵	A2E0D8	C8D7	88D8	2-6058	TAS80080
5979	餹	A2E0D9	C8D8	88D9	2-6059	TAS90080
5980	餺	A2E0DA	C8D9	88DA	2-605A	TASA0080
5981	餽	A2E0DB	C8DA	88DB	2-605B	TASB0080
5982	餹	A2E0DC	C8DB	88DC	2-605C	TASC0080
5983	餺	A2E0DD	C8DC	88DD	2-605D	TASD0080
5984	餽	A2E0DE	C8DD	88DE	2-605E	TASE0080
5985	餹	A2E0DF	C8DE	88DF	2-605F	TASF0080
5986	餺	A2E0E0	C8DF	88E0	2-6060	TASG0080
5987	餽	A2E0E1	C8E0	88E1	2-6061	TASH0080
5988	餹	A2E0E2	C8E1	88E2	2-6062	TASI0080
5989	餺	A2E0E3	C8E2	88E3	2-6063	TASJ0080
5990	餽	A2E0E4	C8E3	88E4	2-6064	TASK0080
5991	餹	A2E0E5	C8E4	88E5	2-6065	TASL0080
5992	餺	A2E0E6	C8E5	88E6	2-6066	TASM0080
5993	餽	A2E0E7	C8E6	88E7	2-6067	TASN0080
5994	餹	A2E0E8	C8E7	88E8	2-6068	TASO0080
5995	餺	A2E0E9	C8E8	88E9	2-6069	TASP0080
5996	餽	A2E0EA	C8E9	88EA	2-606A	TASQ0080
5997	餹	A2E0EB	C8EA	88EB	2-606B	TASR0080
5998	餺	A2E0EC	C8EB	88EC	2-606C	TASS0080
5999	餽	A2E0ED	C8EC	88ED	2-606D	TAST0080
6000	餹	A2E0EE	C8ED	88EE	2-606E	TASU0080
6001	餺	A2E0EF	C8EE	88EF	2-606F	TASV0080
6002	餽	A2E0F0	C8EF	88F0	2-6070	TASW0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 17 (Page 15 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6003	鬚	A2E0F1	C8F0	88F1	2-6071	TASX0080
6004	鬚	A2E0F2	C8F1	88F2	2-6072	TASY0080
6005	鬚	A2E0F3	C8F2	88F3	2-6073	TASZ0080
6006	鬚	A2E0F4	C8F3	88F4	2-6074	TAT00080
6007	魑	A2E0F5	C8F4	88F5	2-6075	TAT10080
6008	魑	A2E0F6	C8F5	88F6	2-6076	TAT20080
6009	魑	A2E0F7	C8F6	88F7	2-6077	TAT30080
6010	魑	A2E0F8	C8F7	88F8	2-6078	TAT40080
6011	魑	A2E0F9	C8F8	88F9	2-6079	TAT50080
6012	魑	A2E0FA	C8F9	88FA	2-607A	TAT60080
6013	魑	A2E0FB	C8FA	88FB	2-607B	TAT70080
6014	魑	A2E0FC	C8FB	88FC	2-607C	TAT80080
6015	魑	A2E0FD	C8FC	88FD	2-607D	TAT90080
6016	紫	A2E0FE	C940	8941	2-607E	TATD0080
6017	銖	A2E1A1	C941	8942	2-6121	TATE0080
6018	鯨	A2E1A2	C942	8943	2-6122	TATF0080
6019	鯨	A2E1A3	C943	8944	2-6123	TATG0080
6020	鵠	A2E1A4	C944	8945	2-6124	TATH0080
6021	鵠	A2E1A5	C945	8946	2-6125	TATI0080
6022	鵠	A2E1A6	C946	8947	2-6126	TATJ0080
6023	鵠	A2E1A7	C947	8948	2-6127	TATK0080
6024	鵠	A2E1A8	C948	8949	2-6128	TATL0080
6025	鵠	A2E1A9	C949	894A	2-6129	TATM0080
6026	鵠	A2E1AA	C94A	894B	2-612A	TATN0080
6027	鵠	A2E1AB	C94B	894C	2-612B	TATO0080
6028	鵠	A2E1AC	C94C	894D	2-612C	TATP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 16 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6029	鵠	A2E1AD	C94D	894E	2-612D	TATQ0080
6030	鵡	A2E1AE	C94E	894F	2-612E	TATR0080
6031	鵢	A2E1AF	C94F	8950	2-612F	TATS0080
6032	鵣	A2E1B0	C950	8951	2-6130	TATT0080
6033	鵤	A2E1B1	C951	8952	2-6131	TATU0080
6034	鵥	A2E1B2	C952	8953	2-6132	TATV0080
6035	鵦	A2E1B3	C953	8954	2-6133	TATW0080
6036	鵧	A2E1B4	C954	8955	2-6134	TATX0080
6037	鵨	A2E1B5	C955	8956	2-6135	TATY0080
6038	鵩	A2E1B6	C956	8957	2-6136	TATZ0080
6039	鵰	A2E1B7	C957	8958	2-6137	TAU00080
6040	鵱	A2E1B8	C958	8959	2-6138	TAU10080
6041	鵲	A2E1B9	C959	895A	2-6139	TAU20080
6042	鵳	A2E1BA	C95A	895B	2-613A	TAU30080
6043	鵴	A2E1BB	C95B	895C	2-613B	TAU40080
6044	鵵	A2E1BC	C95C	895D	2-613C	TAU50080
6045	鵶	A2E1BD	C95D	895E	2-613D	TAU60080
6046	鵷	A2E1BE	C95E	895F	2-613E	TAU70080
6047	鵸	A2E1BF	C95F	8960	2-613F	TAU80080
6048	鵹	A2E1C0	C960	8961	2-6140	TAU90080
6049	鵺	A2E1C1	C961	8962	2-6141	TAUA0080
6050	鵻	A2E1C2	C962	8963	2-6142	TAUB0080
6051	鵼	A2E1C3	C963	8964	2-6143	TAUC0080
6052	鵽	A2E1C4	C964	8965	2-6144	TAUD0080
6053	鵾	A2E1C5	C965	8966	2-6145	TAUE0080
6054	鵿	A2E1C6	C966	8967	2-6146	TAUF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 17 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6055	嚶	A2E1C7	C967	8968	2-6147	TAUG0080
6056	曝	A2E1C8	C968	8969	2-6148	TAUH0080
6057	晷	A2E1C9	C969	896A	2-6149	TAUI0080
6058	曠	A2E1CA	C96A	896B	2-614A	TAUJ0080
6059	嚙	A2E1CB	C96B	896C	2-614B	TAUK0080
6060	曩	A2E1CC	C96C	896D	2-614C	TAUL0080
6061	擱	A2E1CD	C96D	896E	2-614D	TAUM0080
6062	屨	A2E1CE	C96E	896F	2-614E	TAUN0080
6063	屨	A2E1CF	C96F	8970	2-614F	TAUO0080
6064	截	A2E1D0	C970	8971	2-6150	TAUP0080
6065	幟	A2E1D1	C971	8972	2-6151	TAUQ0080
6066	幟	A2E1D2	C972	8973	2-6152	TAUR0080
6067	懣	A2E1D3	C973	8974	2-6153	TAUS0080
6068	懣	A2E1D4	C974	8975	2-6154	TAUT0080
6069	懣	A2E1D5	C975	8976	2-6155	TAUU0080
6070	懣	A2E1D6	C976	8977	2-6156	TAUV0080
6071	懣	A2E1D7	C977	8978	2-6157	TAUW0080
6072	懣	A2E1D8	C978	8979	2-6158	TAUX0080
6073	懣	A2E1D9	C979	897A	2-6159	TAUY0080
6074	懣	A2E1DA	C97A	897B	2-615A	TAUZ0080
6075	鎧	A2E1DB	C97B	897C	2-615B	TAV00080
6076	懣	A2E1DC	C97C	897D	2-615C	TAV10080
6077	擿	A2E1DD	C97D	897E	2-615D	TAV20080
6078	擿	A2E1DE	C97E	897F	2-615E	TAV30080
6079	擿	A2E1DF	C980	8981	2-615F	TAV50080
6080	擿	A2E1E0	C981	8982	2-6160	TAV60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 18 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6081	搯	A2E1E1	C982	8983	2-6161	TAV70080
6082	揀	A2E1E2	C983	8984	2-6162	TAV80080
6083	擻	A2E1E3	C984	8985	2-6163	TAV90080
6084	缺	A2E1E4	C985	8986	2-6164	TAVA0080
6085	旛	A2E1E5	C986	8987	2-6165	TAVB0080
6086	矇	A2E1E6	C987	8988	2-6166	TAVC0080
6087	曠	A2E1E7	C988	8989	2-6167	TAVD0080
6088	瞞	A2E1E8	C989	898A	2-6168	TAVE0080
6089	檣	A2E1E9	C98A	898B	2-6169	TAVF0080
6090	檣	A2E1EA	C98B	898C	2-616A	TAVG0080
6091	標	A2E1EB	C98C	898D	2-616B	TAVH0080
6092	檣	A2E1EC	C98D	898E	2-616C	TAVI0080
6093	櫬	A2E1ED	C98E	898F	2-616D	TAVJ0080
6094	椽	A2E1EE	C98F	8990	2-616E	TAVK0080
6095	檣	A2E1EF	C990	8991	2-616F	TAVL0080
6096	櫛	A2E1F0	C991	8992	2-6170	TAVM0080
6097	櫛	A2E1F1	C992	8993	2-6171	TAVN0080
6098	櫛	A2E1F2	C993	8994	2-6172	TAVO0080
6099	櫛	A2E1F3	C994	8995	2-6173	TAVP0080
6100	歛	A2E1F4	C995	8996	2-6174	TAVQ0080
6101	鑿	A2E1F5	C996	8997	2-6175	TAVR0080
6102	氈	A2E1F6	C997	8998	2-6176	TAVS0080
6103	瀆	A2E1F7	C998	8999	2-6177	TAVT0080
6104	瀆	A2E1F8	C999	899A	2-6178	TAVU0080
6105	漣	A2E1F9	C99A	899B	2-6179	TAVV0080
6106	漣	A2E1FA	C99B	899C	2-617A	TAVW0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 17 (Page 19 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6107	澄	A2E1FB	C99C	899D	2-617B	TAVX0080
6108	澈	A2E1FC	C99D	899E	2-617C	TAVY0080
6109	澆	A2E1FD	C99E	899F	2-617D	TAVZ0080
6110	灑	A2E1FE	C99F	89A0	2-617E	TAW00080
6111	灑	A2E2A1	C9A0	89A1	2-6221	TAW10080
6112	灑	A2E2A2	C9A1	89A2	2-6222	TAW20080
6113	灑	A2E2A3	C9A2	89A3	2-6223	TAW30080
6114	灑	A2E2A4	C9A3	89A4	2-6224	TAW40080
6115	灑	A2E2A5	C9A4	89A5	2-6225	TAW50080
6116	灑	A2E2A6	C9A5	89A6	2-6226	TAW60080
6117	灑	A2E2A7	C9A6	89A7	2-6227	TAW70080
6118	灑	A2E2A8	C9A7	89A8	2-6228	TAW80080
6119	灑	A2E2A9	C9A8	89A9	2-6229	TAW90080
6120	灑	A2E2AA	C9A9	89AA	2-622A	TAWA0080
6121	灑	A2E2AB	C9AA	89AB	2-622B	TAWB0080
6122	灑	A2E2AC	C9AB	89AC	2-622C	TAWC0080
6123	灑	A2E2AD	C9AC	89AD	2-622D	TAWD0080
6124	灑	A2E2AE	C9AD	89AE	2-622E	TAWE0080
6125	灑	A2E2AF	C9AE	89AF	2-622F	TAWF0080
6126	灑	A2E2B0	C9AF	89B0	2-6230	TAWG0080
6127	灑	A2E2B1	C9B0	89B1	2-6231	TAWH0080
6128	灑	A2E2B2	C9B1	89B2	2-6232	TAWI0080
6129	灑	A2E2B3	C9B2	89B3	2-6233	TAWJ0080
6130	灑	A2E2B4	C9B3	89B4	2-6234	TAWK0080
6131	灑	A2E2B5	C9B4	89B5	2-6235	TAWL0080
6132	灑	A2E2B6	C9B5	89B6	2-6236	TAWM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 20 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6133	癩	A2E2B7	C9B6	89B7	2-6237	TAWN0080
6134	癬	A2E2B8	C9B7	89B8	2-6238	TAWO0080
6135	癩	A2E2B9	C9B8	89B9	2-6239	TAWP0080
6136	瘡	A2E2BA	C9B9	89BA	2-623A	TAWQ0080
6137	癩	A2E2BB	C9BA	89BB	2-623B	TAWR0080
6138	瘡	A2E2BC	C9BB	89BC	2-623C	TAWS0080
6139	瘡	A2E2BD	C9BC	89BD	2-623D	TAWT0080
6140	嗽	A2E2BE	C9BD	89BE	2-623E	TAWU0080
6141	敲	A2E2BF	C9BE	89BF	2-623F	TAWV0080
6142	盪	A2E2C0	C9BF	89C0	2-6240	TAWW0080
6143	曠	A2E2C1	C9C0	89C1	2-6241	TAWX0080
6144	贈	A2E2C2	C9C1	89C2	2-6242	TAWY0080
6145	礮	A2E2C3	C9C3	89C4	2-6243	TAX00080
6146	礮	A2E2C4	C9C4	89C5	2-6244	TAX10080
6147	礮	A2E2C5	C9C5	89C6	2-6245	TAX20080
6148	礮	A2E2C6	C9C6	89C7	2-6246	TAX30080
6149	礮	A2E2C7	C9C7	89C8	2-6247	TAX40080
6150	礮	A2E2C8	C9C8	89C9	2-6248	TAX50080
6151	礮	A2E2C9	C9C9	89CA	2-6249	TAX60080
6152	檣	A2E2CA	C9CA	89CB	2-624A	TAX70080
6153	檣	A2E2CB	C9CB	89CC	2-624B	TAX80080
6154	檣	A2E2CC	C9CC	89CD	2-624C	TAX90080
6155	籟	A2E2CD	C9CD	89CE	2-624D	TAXA0080
6156	籟	A2E2CE	C9CE	89CF	2-624E	TAXB0080
6157	籟	A2E2CF	C9CF	89D0	2-624F	TAXC0080
6158	籟	A2E2D0	C9D0	89D1	2-6250	TAXD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 21 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6159	簞	A2E2D1	C9D1	89D2	2-6251	TAXE0080
6160	簞	A2E2D2	C9D2	89D3	2-6252	TAXF0080
6161	簞	A2E2D3	C9D3	89D4	2-6253	TAXG0080
6162	簞	A2E2D4	C9D4	89D5	2-6254	TAXH0080
6163	簞	A2E2D5	C9D5	89D6	2-6255	TAXI0080
6164	簞	A2E2D6	C9D6	89D7	2-6256	TAXJ0080
6165	簞	A2E2D7	C9D7	89D8	2-6257	TAXK0080
6166	簞	A2E2D8	C9D8	89D9	2-6258	TAXL0080
6167	縹	A2E2D9	C9D9	89DA	2-6259	TAXM0080
6168	縹	A2E2DA	C9DA	89DB	2-625A	TAXN0080
6169	縹	A2E2DB	C9DB	89DC	2-625B	TAXO0080
6170	縹	A2E2DC	C9DC	89DD	2-625C	TAXP0080
6171	縹	A2E2DD	C9DD	89DE	2-625D	TAXQ0080
6172	縹	A2E2DE	C9DE	89DF	2-625E	TAXR0080
6173	縹	A2E2DF	C9DF	89E0	2-625F	TAXS0080
6174	縹	A2E2E0	C9E0	89E1	2-6260	TAXT0080
6175	縹	A2E2E1	C9E1	89E2	2-6261	TAXU0080
6176	縹	A2E2E2	C9E2	89E3	2-6262	TAXV0080
6177	縹	A2E2E3	C9E3	89E4	2-6263	TAXW0080
6178	縹	A2E2E4	C9E4	89E5	2-6264	TAXX0080
6179	縹	A2E2E5	C9E5	89E6	2-6265	TAXY0080
6180	縹	A2E2E6	C9E6	89E7	2-6266	TAXZ0080
6181	縹	A2E2E7	C9E7	89E8	2-6267	TAY00080
6182	縹	A2E2E8	C9E8	89E9	2-6268	TAY10080
6183	縹	A2E2E9	C9E9	89EA	2-6269	TAY20080
6184	縹	A2E2EA	C9EA	89EB	2-626A	TAY30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 22 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6185	臙	A2E2EB	C9EB	89EC	2-626B	TAY40080
6186	臚	A2E2EC	C9EC	89ED	2-626C	TAY50080
6187	臍	A2E2ED	C9ED	89EE	2-626D	TAY60080
6188	孽	A2E2EE	C9EE	89EF	2-626E	TAY70080
6189	孽	A2E2EF	C9EF	89F0	2-626F	TAY80080
6190	癩	A2E2F0	C9F0	89F1	2-6270	TAY90080
6191	蔽	A2E2F1	C9F1	89F2	2-6271	TAYA0080
6192	蔽	A2E2F2	C9F2	89F3	2-6272	TAYB0080
6193	遠	A2E2F3	C9F3	89F4	2-6273	TAYC0080
6194	壽	A2E2F4	C9F4	89F5	2-6274	TAYD0080
6195	夔	A2E2F5	C9F5	89F6	2-6275	TAYE0080
6196	奠	A2E2F6	C9F6	89F7	2-6276	TAYF0080
6197	蓁	A2E2F7	C9F7	89F8	2-6277	TAYG0080
6198	蕪	A2E2F8	C9F8	89F9	2-6278	TAYH0080
6199	瞿	A2E2F9	C9F9	89FA	2-6279	TAYI0080
6200	蓋	A2E2FA	C9FA	89FB	2-627A	TAYJ0080
6201	醜	A2E2FB	C9FB	89FC	2-627B	TAYK0080
6202	藟	A2E2FC	C9FC	89FD	2-627C	TAYL0080
6203	藪	A2E2FD	CA40	8A41	2-627D	TAYP0080
6204	藪	A2E2FE	CA41	8A42	2-627E	TAYQ0080
6205	藪	A2E3A1	CA42	8A43	2-6321	TAYR0080
6206	藪	A2E3A2	CA43	8A44	2-6322	TAYS0080
6207	藪	A2E3A3	CA44	8A45	2-6323	TAYT0080
6208	藪	A2E3A4	CA45	8A46	2-6324	TAYU0080
6209	藪	A2E3A5	CA46	8A47	2-6325	TAYV0080
6210	藪	A2E3A6	CA47	8A48	2-6326	TAYW0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 17 (Page 23 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6211	螞	A2E3A7	CA48	8A49	2-6327	TAYX0080
6212	蟻	A2E3A8	CA49	8A4A	2-6328	TAYY0080
6213	蟻	A2E3A9	CA4A	8A4B	2-6329	TAYZ0080
6214	蟻	A2E3AA	CA4B	8A4C	2-632A	TAZ00080
6215	蟻	A2E3AB	CA4C	8A4D	2-632B	TAZ10080
6216	蟻	A2E3AC	CA4D	8A4E	2-632C	TAZ20080
6217	蟻	A2E3AD	CA4E	8A4F	2-632D	TAZ30080
6218	蟻	A2E3AE	CA4F	8A50	2-632E	TAZ40080
6219	蟻	A2E3AF	CA50	8A51	2-632F	TAZ50080
6220	蟻	A2E3B0	CA51	8A52	2-6330	TAZ60080
6221	蟻	A2E3B1	CA52	8A53	2-6331	TAZ70080
6222	蟻	A2E3B2	CA53	8A54	2-6332	TAZ80080
6223	蟻	A2E3B3	CA54	8A55	2-6333	TAZ90080
6224	蟻	A2E3B4	CA55	8A56	2-6334	TAZA0080
6225	蟻	A2E3B5	CA56	8A57	2-6335	TAZB0080
6226	蟻	A2E3B6	CA57	8A58	2-6336	TAZC0080
6227	蟻	A2E3B7	CA59	8A5A	2-6337	TAZE0080
6228	蟻	A2E3B8	CA5A	8A5B	2-6338	TAZF0080
6229	蟻	A2E3B9	CA5B	8A5C	2-6339	TAZG0080
6230	蟻	A2E3BA	CA5C	8A5D	2-633A	TAZH0080
6231	蟻	A2E3BB	CA5D	8A5E	2-633B	TAZI0080
6232	蟻	A2E3BC	CA5E	8A5F	2-633C	TAZJ0080
6233	蟻	A2E3BD	CA5F	8A60	2-633D	TAZK0080
6234	蟻	A2E3BE	CA60	8A61	2-633E	TAZL0080
6235	蟻	A2E3BF	CA61	8A62	2-633F	TAZM0080
6236	蟻	A2E3C0	CA62	8A63	2-6340	TAZN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 24 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6237	襍	A2E3C1	CA63	8A64	2-6341	TAZO0080
6238	椽	A2E3C2	CA64	8A65	2-6342	TAZP0080
6239	椽	A2E3C3	CA65	8A66	2-6343	TAZQ0080
6240	欄	A2E3C4	CA66	8A67	2-6344	TAZR0080
6241	謫	A2E3C5	CA67	8A68	2-6345	TAZS0080
6242	謫	A2E3C6	CA68	8A69	2-6346	TAZT0080
6243	譎	A2E3C7	CA69	8A6A	2-6347	TAZU0080
6244	謳	A2E3C8	CA6A	8A6B	2-6348	TAZV0080
6245	謹	A2E3C9	CA6B	8A6C	2-6349	TAZW0080
6246	譔	A2E3CA	CA6C	8A6D	2-634A	TAZX0080
6247	譔	A2E3CB	CA6D	8A6E	2-634B	TAZY0080
6248	謹	A2E3CC	CA6E	8A6F	2-634C	TAZZ0080
6249	譔	A2E3CD	CA6F	8A70	2-634D	TB000080
6250	謾	A2E3CE	CA70	8A71	2-634E	TB010080
6251	謾	A2E3CF	CA71	8A72	2-634F	TB020080
6252	謫	A2E3D0	CA72	8A73	2-6350	TB030080
6253	警	A2E3D1	CA73	8A74	2-6351	TB040080
6254	警	A2E3D2	CA74	8A75	2-6352	TB050080
6255	謫	A2E3D3	CA75	8A76	2-6353	TB060080
6256	讀	A2E3D4	CA76	8A77	2-6354	TB070080
6257	諛	A2E3D5	CA77	8A78	2-6355	TB080080
6258	諛	A2E3D6	CA78	8A79	2-6356	TB090080
6259	誓	A2E3D7	CA79	8A7A	2-6357	TB0A0080
6260	誓	A2E3D8	CA7A	8A7B	2-6358	TB0B0080
6261	嚮	A2E3D9	CA7B	8A7C	2-6359	TB0C0080
6262	猥	A2E3DA	CA7C	8A7D	2-635A	TB0D0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 25 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6263	羴	A2E3DB	CA7D	8A7E	2-635B	TB0E0080
6264	獐	A2E3DC	CA7E	8A7F	2-635C	TB0F0080
6265	獐	A2E3DD	CA80	8A81	2-635D	TB0H0080
6266	𪚩	A2E3DE	CA81	8A82	2-635E	TB0I0080
6267	𪚪	A2E3DF	CA82	8A83	2-635F	TB0J0080
6268	𪚫	A2E3E0	CA83	8A84	2-6360	TB0K0080
6269	𪚬	A2E3E1	CA84	8A85	2-6361	TB0L0080
6270	𪚭	A2E3E2	CA85	8A86	2-6362	TB0M0080
6271	𪚮	A2E3E3	CA86	8A87	2-6363	TB0N0080
6272	𪚯	A2E3E4	CA87	8A88	2-6364	TB0O0080
6273	𪚰	A2E3E5	CA88	8A89	2-6365	TB0P0080
6274	𪚱	A2E3E6	CA89	8A8A	2-6366	TB0Q0080
6275	𪚲	A2E3E7	CA8A	8A8B	2-6367	TB0R0080
6276	𪚳	A2E3E8	CA8B	8A8C	2-6368	TB0S0080
6277	𪚴	A2E3E9	CA8C	8A8D	2-6369	TB0T0080
6278	𪚵	A2E3EA	CA8D	8A8E	2-636A	TB0U0080
6279	𪚶	A2E3EB	CA8E	8A8F	2-636B	TB0V0080
6280	𪚷	A2E3EC	CA8F	8A90	2-636C	TB0W0080
6281	𪚸	A2E3ED	CA90	8A91	2-636D	TB0X0080
6282	𪚹	A2E3EE	CA91	8A92	2-636E	TB0Y0080
6283	𪚺	A2E3EF	CA92	8A93	2-636F	TB0Z0080
6284	𪚻	A2E3F0	CA93	8A94	2-6370	TB100080
6285	𪚼	A2E3F1	CA94	8A95	2-6371	TB110080
6286	𪚽	A2E3F2	CA95	8A96	2-6372	TB120080
6287	𪚾	A2E3F3	CA96	8A97	2-6373	TB130080
6288	𪚿	A2E3F4	CA97	8A98	2-6374	TB140080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 26 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6289	鄺	A2E3F5	CA98	8A99	2-6375	TB150080
6290	鄺	A2E3F6	CA99	8A9A	2-6376	TB160080
6291	鄺	A2E3F7	CA9A	8A9B	2-6377	TB170080
6292	醜	A2E3F8	CA9B	8A9C	2-6378	TB180080
6293	醜	A2E3F9	CA9C	8A9D	2-6379	TB190080
6294	醜	A2E3FA	CA9D	8A9E	2-637A	TB1A0080
6295	醜	A2E3FB	CA9E	8A9F	2-637B	TB1B0080
6296	醜	A2E3FC	CA9F	8AA0	2-637C	TB1C0080
6297	錄	A2E3FD	CAA0	8AA1	2-637D	TB1D0080
6298	錄	A2E3FE	CAA1	8AA2	2-637E	TB1E0080
6299	鐳	A2E4A1	CAA2	8AA3	2-6421	TB1F0080
6300	鐳	A2E4A2	CAA3	8AA4	2-6422	TB1G0080
6301	鐳	A2E4A3	CAA4	8AA5	2-6423	TB1H0080
6302	鐳	A2E4A4	CAA5	8AA6	2-6424	TB1I0080
6303	鐳	A2E4A5	CAA6	8AA7	2-6425	TB1J0080
6304	鐳	A2E4A6	CAA7	8AA8	2-6426	TB1K0080
6305	鐳	A2E4A7	CAA8	8AA9	2-6427	TB1L0080
6306	鐳	A2E4A8	CAA9	8AAA	2-6428	TB1M0080
6307	鐳	A2E4A9	CAA	8AAB	2-6429	TB1N0080
6308	鐳	A2E4AA	CAAB	8AAC	2-642A	TB1O0080
6309	鐳	A2E4AB	CAAC	8AAD	2-642B	TB1P0080
6310	鐳	A2E4AC	CAAD	8AAE	2-642C	TB1Q0080
6311	鐳	A2E4AD	CAAE	8AAF	2-642D	TB1R0080
6312	錄	A2E4AE	CAAF	8AB0	2-642E	TB1S0080
6313	鐳	A2E4AF	C8B7	88B8	2-642F	TARC0080
6314	鐳	A2E4B0	CAB0	8AB1	2-6430	TB1T0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 27 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6315	鏡	A2E4B1	CAB1	8AB2	2-6431	TB1U0080
6316	鎡	A2E4B2	CAB2	8AB3	2-6432	TB1V0080
6317	鏡	A2E4B3	CAB3	8AB4	2-6433	TB1W0080
6318	鏡	A2E4B4	CAB4	8AB5	2-6434	TB1X0080
6319	鏡	A2E4B5	CAB5	8AB6	2-6435	TB1Y0080
6320	鏡	A2E4B6	CAB6	8AB7	2-6436	TB1Z0080
6321	鑿	A2E4B7	CAB7	8AB8	2-6437	TB200080
6322	闌	A2E4B8	CAB9	8ABA	2-6438	TB220080
6323	闌	A2E4B9	CABA	8ABB	2-6439	TB230080
6324	闌	A2E4BA	CABB	8ABC	2-643A	TB240080
6325	際	A2E4BB	CABC	8ABD	2-643B	TB250080
6326	輪	A2E4BC	CABD	8ABE	2-643C	TB260080
6327	輻	A2E4BD	CABE	8ABF	2-643D	TB270080
6328	嵩	A2E4BE	CABF	8AC0	2-643E	TB280080
6329	嵩	A2E4BF	CAC0	8AC1	2-643F	TB290080
6330	獲	A2E4C0	CAC1	8AC2	2-6440	TB2A0080
6331	離	A2E4C1	CAC2	8AC3	2-6441	TB2B0080
6332	賁	A2E4C2	CAC3	8AC4	2-6442	TB2C0080
6333	羆	A2E4C3	CAC4	8AC5	2-6443	TB2D0080
6334	羆	A2E4C4	CAC5	8AC6	2-6444	TB2E0080
6335	鞣	A2E4C5	CAC6	8AC7	2-6445	TB2F0080
6336	鞣	A2E4C6	CAC7	8AC8	2-6446	TB2G0080
6337	鞣	A2E4C7	CAC8	8AC9	2-6447	TB2H0080
6338	鞣	A2E4C8	CAC9	8ACA	2-6448	TB2I0080
6339	鞣	A2E4C9	CACA	8ACB	2-6449	TB2J0080
6340	鞣	A2E4CA	CACB	8ACC	2-644A	TB2K0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 28 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6341	鞞	A2E4CB	CACC	8ACD	2-644B	TB2L0080
6342	鞞	A2E4CC	CACD	8ACE	2-644C	TB2M0080
6343	鞞	A2E4CD	CACE	8ACF	2-644D	TB2N0080
6344	鞞	A2E4CE	CACF	8AD0	2-644E	TB2O0080
6345	鞞	A2E4CF	CAD0	8AD1	2-644F	TB2P0080
6346	鞞	A2E4D0	CAD1	8AD2	2-6450	TB2Q0080
6347	鞞	A2E4D1	CAD2	8AD3	2-6451	TB2R0080
6348	鞞	A2E4D2	CAD3	8AD4	2-6452	TB2S0080
6349	鞞	A2E4D3	CAD4	8AD5	2-6453	TB2T0080
6350	鞞	A2E4D4	CAD5	8AD6	2-6454	TB2U0080
6351	鞞	A2E4D5	CAD6	8AD7	2-6455	TB2V0080
6352	鞞	A2E4D6	CAD7	8AD8	2-6456	TB2W0080
6353	鞞	A2E4D7	CAD8	8AD9	2-6457	TB2X0080
6354	鞞	A2E4D8	CAD9	8ADA	2-6458	TB2Y0080
6355	鞞	A2E4D9	CADA	8ADB	2-6459	TB2Z0080
6356	鞞	A2E4DA	CADB	8ADC	2-645A	TB300080
6357	鞞	A2E4DB	CADC	8ADD	2-645B	TB310080
6358	鞞	A2E4DC	CADD	8ADE	2-645C	TB320080
6359	鞞	A2E4DD	CADE	8ADF	2-645D	TB330080
6360	鞞	A2E4DE	CADF	8AE0	2-645E	TB340080
6361	鞞	A2E4DF	CAE0	8AE1	2-645F	TB350080
6362	鞞	A2E4E0	CAE1	8AE2	2-6460	TB360080
6363	鞞	A2E4E1	CAE2	8AE3	2-6461	TB370080
6364	鞞	A2E4E2	CAE3	8AE4	2-6462	TB380080
6365	鞞	A2E4E3	CAE4	8AE5	2-6463	TB390080
6366	鞞	A2E4E4	CAE5	8AE6	2-6464	TB3A0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 17 (Page 29 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6367	𩺰	A2E4E5	CAE6	8AE7	2-6465	TB3B0080
6368	𩺱	A2E4E6	CAE7	8AE8	2-6466	TB3C0080
6369	𩺲	A2E4E7	CAE8	8AE9	2-6467	TB3D0080
6370	𩺳	A2E4E8	CAE9	8AEA	2-6468	TB3E0080
6371	𩺴	A2E4E9	CAEA	8AEB	2-6469	TB3F0080
6372	𩺵	A2E4EA	CAEB	8AEC	2-646A	TB3G0080
6373	𩺶	A2E4EB	CAEC	8AED	2-646B	TB3H0080
6374	𩺷	A2E4EC	CAED	8AEE	2-646C	TB3I0080
6375	𩺸	A2E4ED	CAEE	8AEF	2-646D	TB3J0080
6376	𩺹	A2E4EE	CAEF	8AF0	2-646E	TB3K0080
6377	𩺺	A2E4EF	CAF0	8AF1	2-646F	TB3L0080
6378	𩺻	A2E4F0	CAF1	8AF2	2-6470	TB3M0080
6379	𩺼	A2E4F1	CAF2	8AF3	2-6471	TB3N0080
6380	𩺽	A2E4F2	CAF3	8AF4	2-6472	TB3O0080
6381	𩺾	A2E4F3	CAF4	8AF5	2-6473	TB3P0080
6382	𩺿	A2E4F4	CAF5	8AF6	2-6474	TB3Q0080
6383	𩻀	A2E4F5	CAF6	8AF7	2-6475	TB3R0080
6384	𩻁	A2E4F6	CAF7	8AF8	2-6476	TB3S0080
6385	𩻂	A2E4F7	CAF8	8AF9	2-6477	TB3T0080
6386	𩻃	A2E4F8	CAF9	8AFA	2-6478	TB3U0080
6387	𩻄	A2E4F9	CAFA	8AFB	2-6479	TB3V0080
6388	𩻅	A2E4FA	CAFB	8AFC	2-647A	TB3W0080
6389	𩻆	A2E4FB	CAFC	8AFD	2-647B	TB3X0080
6390	𩻇	A2E4FC	CB40	8B41	2-647C	TB410080
6391	𩻈	A2E4FD	CB41	8B42	2-647D	TB420080
6392	𩻉	A2E4FE	CB42	8B43	2-647E	TB430080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 30 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6393	鴉	A2E5A1	CB43	8B44	2-6521	TB440080
6394	鴿	A2E5A2	CB44	8B45	2-6522	TB450080
6395	餘	A2E5A3	CB45	8B46	2-6523	TB460080
6396	鴿	A2E5A4	CB46	8B47	2-6524	TB470080
6397	鴿	A2E5A5	CB47	8B48	2-6525	TB480080
6398	鷓	A2E5A6	CB48	8B49	2-6526	TB490080
6399	鷓	A2E5A7	CB49	8B4A	2-6527	TB4A0080
6400	鴿	A2E5A8	CB4A	8B4B	2-6528	TB4B0080
6401	鴿	A2E5A9	CB4B	8B4C	2-6529	TB4C0080
6402	麌	A2E5AA	CB4C	8B4D	2-652A	TB4D0080
6403	麌	A2E5AB	CB4D	8B4E	2-652B	TB4E0080
6404	黠	A2E5AC	CB4E	8B4F	2-652C	TB4F0080
6405	龜	A2E5AD	CB4F	8B50	2-652D	TB4G0080
6406	龜	A2E5AE	CB50	8B51	2-652E	TB4H0080
6407	鼗	A2E5AF	CB51	8B52	2-652F	TB4I0080
6408	戲	A2E5B0	CB52	8B53	2-6530	TB4J0080
6409	駝	A2E5B1	CB53	8B54	2-6531	TB4K0080
6410	駝	A2E5B2	CB54	8B55	2-6532	TB4L0080
6411	駝	A2E5B3	CB55	8B56	2-6533	TB4M0080
6412	駝	A2E5B4	CB56	8B57	2-6534	TB4N0080
6413	齋	A2E5B5	CB57	8B58	2-6535	TB4O0080
6414	齋	A2E5B6	CB58	8B59	2-6536	TB4P0080
6415	儻	A2E5B7	CB59	8B5A	2-6537	TB4Q0080
6416	儻	A2E5B8	CB5A	8B5B	2-6538	TB4R0080
6417	劓	A2E5B9	CB5B	8B5C	2-6539	TB4S0080
6418	勸	A2E5BA	CB5C	8B5D	2-653A	TB4T0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 31 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6419	罨	A2E5BB	CB5D	8B5E	2-653B	TB4U0080
6420	嘸	A2E5BC	CB5E	8B5F	2-653C	TB4V0080
6421	嚄	A2E5BD	CB5F	8B60	2-653D	TB4W0080
6422	嚅	A2E5BE	CB60	8B61	2-653E	TB4X0080
6423	嚅	A2E5BF	CB61	8B62	2-653F	TB4Y0080
6424	嚅	A2E5C0	CB62	8B63	2-6540	TB4Z0080
6425	嚅	A2E5C1	CB63	8B64	2-6541	TB500080
6426	嚅	A2E5C2	CB64	8B65	2-6542	TB510080
6427	嚅	A2E5C3	CB65	8B66	2-6543	TB520080
6428	嚅	A2E5C4	CB66	8B67	2-6544	TB530080
6429	嚅	A2E5C5	CB67	8B68	2-6545	TB540080
6430	嚅	A2E5C6	CB68	8B69	2-6546	TB550080
6431	嚅	A2E5C7	CB69	8B6A	2-6547	TB560080
6432	嚅	A2E5C8	CB6A	8B6B	2-6548	TB570080
6433	嚅	A2E5C9	CB6B	8B6C	2-6549	TB580080
6434	嚅	A2E5CA	CB6C	8B6D	2-654A	TB590080
6435	嚅	A2E5CB	CB6D	8B6E	2-654B	TB5A0080
6436	嚅	A2E5CC	CB6E	8B6F	2-654C	TB5B0080
6437	嚅	A2E5CD	CB6F	8B70	2-654D	TB5C0080
6438	嚅	A2E5CE	CB70	8B71	2-654E	TB5D0080
6439	嚅	A2E5CF	CB71	8B72	2-654F	TB5E0080
6440	嚅	A2E5D0	CB72	8B73	2-6550	TB5F0080
6441	嚅	A2E5D1	CB73	8B74	2-6551	TB5G0080
6442	嚅	A2E5D2	CB74	8B75	2-6552	TB5H0080
6443	嚅	A2E5D3	CB75	8B76	2-6553	TB5I0080
6444	嚅	A2E5D4	CB76	8B77	2-6554	TB5J0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 32 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6445	旌	A2E5D5	CB77	8B78	2-6555	TB5K0080
6446	曠	A2E5D6	CB78	8B79	2-6556	TB5L0080
6447	櫛	A2E5D7	CB79	8B7A	2-6557	TB5M0080
6448	櫛	A2E5D8	CB7A	8B7B	2-6558	TB5N0080
6449	椶	A2E5D9	CB7B	8B7C	2-6559	TB5O0080
6450	櫛	A2E5DA	CB7C	8B7D	2-655A	TB5P0080
6451	櫛	A2E5DB	CB7D	8B7E	2-655B	TB5Q0080
6452	櫛	A2E5DC	CB7E	8B7F	2-655C	TB5R0080
6453	櫛	A2E5DD	CB80	8B81	2-655D	TB5T0080
6454	櫛	A2E5DE	CB81	8B82	2-655E	TB5U0080
6455	櫛	A2E5DF	CB82	8B83	2-655F	TB5V0080
6456	櫛	A2E5E0	CB83	8B84	2-6560	TB5W0080
6457	櫛	A2E5E1	CB84	8B85	2-6561	TB5X0080
6458	櫛	A2E5E2	CB85	8B86	2-6562	TB5Y0080
6459	櫛	A2E5E3	CB86	8B87	2-6563	TB5Z0080
6460	櫛	A2E5E4	CB87	8B88	2-6564	TB600080
6461	殮	A2E5E5	CB88	8B89	2-6565	TB610080
6462	櫛	A2E5E6	CB89	8B8A	2-6566	TB620080
6463	瀕	A2E5E7	CB8A	8B8B	2-6567	TB630080
6464	瀧	A2E5E8	CB8B	8B8C	2-6568	TB640080
6465	瀦	A2E5E9	CB8C	8B8D	2-6569	TB650080
6466	濯	A2E5EA	CB8D	8B8E	2-656A	TB660080
6467	瀦	A2E5EB	CB8E	8B8F	2-656B	TB670080
6468	瀧	A2E5EC	CB8F	8B90	2-656C	TB680080
6469	瀧	A2E5ED	CB90	8B91	2-656D	TB690080
6470	瀧	A2E5EE	CB91	8B92	2-656E	TB6A0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 33 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6471	瀨	A2E5EF	CB92	8B93	2-656F	TB6B0080
6472	漈	A2E5F0	CB93	8B94	2-6570	TB6C0080
6473	漉	A2E5F1	CB94	8B95	2-6571	TB6D0080
6474	漑	A2E5F2	CB95	8B96	2-6572	TB6E0080
6475	爌	A2E5F3	CB97	8B98	2-6573	TB6G0080
6476	爍	A2E5F4	CB98	8B99	2-6574	TB6H0080
6477	爎	A2E5F5	CB99	8B9A	2-6575	TB6I0080
6478	爏	A2E5F6	CB9A	8B9B	2-6576	TB6J0080
6479	爑	A2E5F7	CB9B	8B9C	2-6577	TB6K0080
6480	爒	A2E5F8	CB9C	8B9D	2-6578	TB6L0080
6481	爓	A2E5F9	CB9D	8B9E	2-6579	TB6M0080
6482	爕	A2E5FA	CB9E	8B9F	2-657A	TB6N0080
6483	爖	A2E5FB	CB9F	8BA0	2-657B	TB6O0080
6484	爗	A2E5FC	CBA0	8BA1	2-657C	TB6P0080
6485	爘	A2E5FD	CBA1	8BA2	2-657D	TB6Q0080
6486	爙	A2E5FE	CBA2	8BA3	2-657E	TB6R0080
6487	爚	A2E6A1	CBA3	8BA4	2-6621	TB6S0080
6488	爛	A2E6A2	CBA4	8BA5	2-6622	TB6T0080
6489	爜	A2E6A3	CBA5	8BA6	2-6623	TB6U0080
6490	濟	A2E6A4	CBA6	8BA7	2-6624	TB6V0080
6491	曠	A2E6A5	CBA7	8BA8	2-6625	TB6W0080
6492	曡	A2E6A6	CBA8	8BA9	2-6626	TB6X0080
6493	曢	A2E6A7	CBA9	8BAA	2-6627	TB6Y0080
6494	矧	A2E6A8	CBAA	8BAB	2-6628	TB6Z0080
6495	礪	A2E6A9	CBAB	8BAC	2-6629	TB700080
6496	礫	A2E6AA	CBAC	8BAD	2-662A	TB710080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 34 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6497	礪	A2E6AB	CBAD	8BAE	2-662B	TB720080
6498	礪	A2E6AC	CBAE	8BAF	2-662C	TB730080
6499	礪	A2E6AD	CBAF	8BB0	2-662D	TB740080
6500	礪	A2E6AE	CBB0	8BB1	2-662E	TB750080
6501	礪	A2E6AF	CBB1	8BB2	2-662F	TB760080
6502	礪	A2E6B0	CBB2	8BB3	2-6630	TB770080
6503	礪	A2E6B1	CBB3	8BB4	2-6631	TB780080
6504	礪	A2E6B2	CBB4	8BB5	2-6632	TB790080
6505	礪	A2E6B3	CBB5	8BB6	2-6633	TB7A0080
6506	礪	A2E6B4	CBB6	8BB7	2-6634	TB7B0080
6507	礪	A2E6B5	CBB7	8BB8	2-6635	TB7C0080
6508	礪	A2E6B6	CBB8	8BB9	2-6636	TB7D0080
6509	礪	A2E6B7	CBB9	8BBA	2-6637	TB7E0080
6510	礪	A2E6B8	CBBA	8BBB	2-6638	TB7F0080
6511	礪	A2E6B9	CBBB	8BBC	2-6639	TB7G0080
6512	礪	A2E6BA	CBBC	8BBD	2-663A	TB7H0080
6513	礪	A2E6BB	CBBD	8BBE	2-663B	TB7I0080
6514	礪	A2E6BC	CBBE	8BBF	2-663C	TB7J0080
6515	礪	A2E6BD	CBBF	8BC0	2-663D	TB7K0080
6516	礪	A2E6BE	CBC0	8BC1	2-663E	TB7L0080
6517	礪	A2E6BF	CBC1	8BC2	2-663F	TB7M0080
6518	礪	A2E6C0	CBC2	8BC3	2-6640	TB7N0080
6519	礪	A2E6C1	CBC3	8BC4	2-6641	TB7O0080
6520	礪	A2E6C2	CBC4	8BC5	2-6642	TB7P0080
6521	礪	A2E6C3	CBC5	8BC6	2-6643	TB7Q0080
6522	礪	A2E6C4	CBC6	8BC7	2-6644	TB7R0080




IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 17 (Page 35 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6523	羸	A2E6C5	CBC7	8BC8	2-6645	TB7S0080
6524	羸	A2E6C6	CBC8	8BC9	2-6646	TB7T0080
6525	羸	A2E6C7	CBC9	8BCA	2-6647	TB7U0080
6526	羸	A2E6C8	CBCA	8BCB	2-6648	TB7V0080
6527	羸	A2E6C9	CBCB	8BCC	2-6649	TB7W0080
6528	羸	A2E6CA	CBCD	8BCD	2-664A	TB7X0080
6529	羸	A2E6CB	CBCD	8BCE	2-664B	TB7Y0080
6530	羸	A2E6CC	CBCE	8BCF	2-664C	TB7Z0080
6531	羸	A2E6CD	CD83	8D84	2-664D	TBGK0080
6532	羸	A2E6CE	CBCF	8BD0	2-664E	TB800080
6533	羸	A2E6CF	CBD0	8BD1	2-664F	TB810080
6534	羸	A2E6D0	CBD1	8BD2	2-6650	TB820080
6535	羸	A2E6D1	CBD2	8BD3	2-6651	TB830080
6536	羸	A2E6D2	CBD3	8BD4	2-6652	TB840080
6537	羸	A2E6D3	CBD4	8BD5	2-6653	TB850080
6538	羸	A2E6D4	CBD5	8BD6	2-6654	TB860080
6539	羸	A2E6D5	CBD6	8BD7	2-6655	TB870080
6540	羸	A2E6D6	CBD7	8BD8	2-6656	TB880080
6541	羸	A2E6D7	CBD8	8BD9	2-6657	TB890080
6542	羸	A2E6D8	CBD9	8BDA	2-6658	TB8A0080
6543	羸	A2E6D9	CBDA	8BDB	2-6659	TB8B0080
6544	羸	A2E6DA	CBDB	8BDC	2-665A	TB8C0080
6545	羸	A2E6DB	CBDC	8BDD	2-665B	TB8D0080
6546	羸	A2E6DC	CBDD	8BDE	2-665C	TB8E0080
6547	羸	A2E6DD	CBDE	8BDF	2-665D	TB8F0080
6548	羸	A2E6DE	CBDF	8BE0	2-665E	TB8G0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 36 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6549	藜	A2E6DF	CBE0	8BE1	2-665F	TB8H0080
6550	藿	A2E6E0	CBE1	8BE2	2-6660	TB8I0080
6551	藟	A2E6E1	CBE2	8BE3	2-6661	TB8J0080
6552	摩	A2E6E2	CBE3	8BE4	2-6662	TB8K0080
6553	葱	A2E6E3	CBE4	8BE5	2-6663	TB8L0080
6554	藟	A2E6E4	CBE5	8BE6	2-6664	TB8M0080
6555	薇	A2E6E5	CBE6	8BE7	2-6665	TB8N0080
6556	蟪	A2E6E6	CBE7	8BE8	2-6666	TB8O0080
6557	螳	A2E6E7	CBE8	8BE9	2-6667	TB8P0080
6558	羸	A2E6E8	CBE9	8BEA	2-6668	TB8Q0080
6559	螳	A2E6E9	CBEA	8BEB	2-6669	TB8R0080
6560	蟪	A2E6EA	CBEB	8BEC	2-666A	TB8S0080
6561	螳	A2E6EB	CBEC	8BED	2-666B	TB8T0080
6562	蟪	A2E6EC	CBED	8BEE	2-666C	TB8U0080
6563	螳	A2E6ED	CBEE	8BEF	2-666D	TB8V0080
6564	臺	A2E6EE	CBEF	8BF0	2-666E	TB8W0080
6565	螳	A2E6EF	CBF0	8BF1	2-666F	TB8X0080
6566	螳	A2E6F0	CBF1	8BF2	2-6670	TB8Y0080
6567	螳	A2E6F1	CBF2	8BF3	2-6671	TB8Z0080
6568	蟪	A2E6F2	CBF3	8BF4	2-6672	TB900080
6569	蝶	A2E6F3	CBF4	8BF5	2-6673	TB910080
6570	禮	A2E6F4	CBF5	8BF6	2-6674	TB920080
6571	禮	A2E6F5	CBF6	8BF7	2-6675	TB930080
6572	禮	A2E6F6	CBF7	8BF8	2-6676	TB940080
6573	禪	A2E6F7	CBF8	8BF9	2-6677	TB950080
6574	禪	A2E6F8	CBF9	8BFA	2-6678	TB960080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 37 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6575	襜	A2E6F9	CBFA	8BFB	2-6679	TB970080
6576	襜	A2E6FA	CBFB	8BFC	2-667A	TB980080
6577	襞	A2E6FB	CBFC	8BFD	2-667B	TB990080
6578	襞	A2E6FC	CC40	8C41	2-667C	TB9D0080
6579	覈	A2E6FD	CC41	8C42	2-667D	TB9E0080
6580	覈	A2E6FE	CC42	8C43	2-667E	TB9F0080
6581	覈	A2E7A1	CC43	8C44	2-6721	TB9G0080
6582	覈	A2E7A2	CC44	8C45	2-6722	TB9H0080
6583	譚	A2E7A3	CC45	8C46	2-6723	TB9I0080
6584	譚	A2E7A4	CC46	8C47	2-6724	TB9J0080
6585	譚	A2E7A5	CC47	8C48	2-6725	TB9K0080
6586	譚	A2E7A6	CC48	8C49	2-6726	TB9L0080
6587	譚	A2E7A7	CC49	8C4A	2-6727	TB9M0080
6588	譚	A2E7A8	CC4A	8C4B	2-6728	TB9N0080
6589	譚	A2E7A9	CC4B	8C4C	2-6729	TB9O0080
6590	譚	A2E7AA	CC4C	8C4D	2-672A	TB9P0080
6591	譚	A2E7AB	CC4D	8C4E	2-672B	TB9Q0080
6592	譚	A2E7AC	CC4E	8C4F	2-672C	TB9R0080
6593	譚	A2E7AD	CC4F	8C50	2-672D	TB9S0080
6594	譚	A2E7AE	CC50	8C51	2-672E	TB9T0080
6595	譚	A2E7AF	CC51	8C52	2-672F	TB9U0080
6596	獫	A2E7B0	CC52	8C53	2-6730	TB9V0080
6597	獫	A2E7B1	CC53	8C54	2-6731	TB9W0080
6598	獫	A2E7B2	CC54	8C55	2-6732	TB9X0080
6599	獫	A2E7B3	CC55	8C56	2-6733	TB9Y0080
6600	獫	A2E7B4	CC56	8C57	2-6734	TB9Z0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 38 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6601	贊	A2E7B5	CC57	8C58	2-6735	TBA00080
6602	譚	A2E7B6	CC58	8C59	2-6736	TBA10080
6603	趨	A2E7B7	CC59	8C5A	2-6737	TBA20080
6604	趨	A2E7B8	CC5A	8C5B	2-6738	TBA30080
6605	趨	A2E7B9	CC5B	8C5C	2-6739	TBA40080
6606	趨	A2E7BA	CC5C	8C5D	2-673A	TBA50080
6607	躋	A2E7BB	CC5D	8C5E	2-673B	TBA60080
6608	躋	A2E7BC	CC5E	8C5F	2-673C	TBA70080
6609	躋	A2E7BD	CC5F	8C60	2-673D	TBA80080
6610	躋	A2E7BE	CC60	8C61	2-673E	TBA90080
6611	躋	A2E7BF	CC61	8C62	2-673F	TBAA0080
6612	躋	A2E7C0	CC62	8C63	2-6740	TBAB0080
6613	躋	A2E7C1	CC63	8C64	2-6741	TBAC0080
6614	躋	A2E7C2	CC64	8C65	2-6742	TBAD0080
6615	躋	A2E7C3	CC65	8C66	2-6743	TBAE0080
6616	躋	A2E7C4	CC66	8C67	2-6744	TBAF0080
6617	躋	A2E7C5	CC67	8C68	2-6745	TBAG0080
6618	躋	A2E7C6	CC68	8C69	2-6746	TBAH0080
6619	躋	A2E7C7	CC69	8C6A	2-6747	TBAI0080
6620	躋	A2E7C8	CC6A	8C6B	2-6748	TBAJ0080
6621	躋	A2E7C9	CC6B	8C6C	2-6749	TBAK0080
6622	躋	A2E7CA	CC6C	8C6D	2-674A	TBAL0080
6623	躋	A2E7CB	CC6D	8C6E	2-674B	TBAM0080
6624	躋	A2E7CC	CC6E	8C6F	2-674C	TBAN0080
6625	躋	A2E7CD	CC6F	8C70	2-674D	TBAO0080
6626	躋	A2E7CE	CC70	8C71	2-674E	TBAP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 17 (Page 39 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6627	鏹	A2E7CF	CC71	8C72	2-674F	TBAQ0080
6628	鍼	A2E7D0	CC72	8C73	2-6750	TBAR0080
6629	鏹	A2E7D1	CC73	8C74	2-6751	TBAS0080
6630	鏹	A2E7D2	CC74	8C75	2-6752	TBAT0080
6631	鏹	A2E7D3	CC75	8C76	2-6753	TBAU0080
6632	鏹	A2E7D4	CC76	8C77	2-6754	TBAV0080
6633	鏹	A2E7D5	CC77	8C78	2-6755	TBAW0080
6634	鏹	A2E7D6	CC78	8C79	2-6756	TBAX0080
6635	鏹	A2E7D7	CC79	8C7A	2-6757	TBAY0080
6636	鏹	A2E7D8	CC7A	8C7B	2-6758	TBAZ0080
6637	鏹	A2E7D9	CC7B	8C7C	2-6759	TBB00080
6638	鏹	A2E7DA	CC7C	8C7D	2-675A	TBB10080
6639	鏹	A2E7DB	CC7D	8C7E	2-675B	TBB20080
6640	鏹	A2E7DC	CC7E	8C7F	2-675C	TBB30080
6641	鏹	A2E7DD	CC80	8C81	2-675D	TBB50080
6642	鏹	A2E7DE	CC81	8C82	2-675E	TBB60080
6643	鏹	A2E7DF	CC82	8C83	2-675F	TBB70080
6644	鏹	A2E7E0	CC83	8C84	2-6760	TBB80080
6645	鏹	A2E7E1	CAB8	8AB9	2-6761	TB210080
6646	鏹	A2E7E2	CC84	8C85	2-6762	TBB90080
6647	鏹	A2E7E3	CC85	8C86	2-6763	TBBA0080
6648	鏹	A2E7E4	CC86	8C87	2-6764	TBBB0080
6649	鏹	A2E7E5	CC87	8C88	2-6765	TBBC0080
6650	鏹	A2E7E6	CC88	8C89	2-6766	TBBD0080
6651	鏹	A2E7E7	CC89	8C8A	2-6767	TBBE0080
6652	鏹	A2E7E8	CC8A	8C8B	2-6768	TBBF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 17 (Page 40 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6653	冀	A2E7E9	CC8B	8C8C	2-6769	TBBG0080
6654	爵	A2E7EA	CC8C	8C8D	2-676A	TBBH0080
6655	霧	A2E7EB	CC8D	8C8E	2-676B	TBBI0080
6656	鞞	A2E7EC	CC8E	8C8F	2-676C	TBBJ0080
6657	靈	A2E7ED	CC8F	8C90	2-676D	TBBK0080
6658	鞞	A2E7EE	CC90	8C91	2-676E	TBBL0080
6659	構	A2E7EF	CC91	8C92	2-676F	TBBM0080
6660	韞	A2E7F0	CC92	8C93	2-6770	TBBN0080
6661	鞞	A2E7F1	CC93	8C94	2-6771	TBBO0080
6662	鞞	A2E7F2	CC94	8C95	2-6772	TBBP0080
6663	鞞	A2E7F3	CC95	8C96	2-6773	TBBQ0080
6664	韻	A2E7F4	CC96	8C97	2-6774	TBBR0080
6665	韻	A2E7F5	CC97	8C98	2-6775	TBBS0080
6666	颯	A2E7F6	CC98	8C99	2-6776	TBBT0080
6667	颯	A2E7F7	CC99	8C9A	2-6777	TBBU0080
6668	颯	A2E7F8	CC9A	8C9B	2-6778	TBBV0080
6669	颯	A2E7F9	CC9B	8C9C	2-6779	TBBW0080
6670	饜	A2E7FA	CC9C	8C9D	2-677A	TBBX0080
6671	饜	A2E7FB	CC9D	8C9E	2-677B	TBBY0080
6672	饜	A2E7FC	CC9E	8C9F	2-677C	TBBZ0080
6673	饜	A2E7FD	CC9F	8CA0	2-677D	TBC00080
6674	饜	A2E7FE	CCA0	8CA1	2-677E	TBC10080
6675	駟	A2E8A1	CCA1	8CA2	2-6821	TBC20080
6676	駟	A2E8A2	CCA2	8CA3	2-6822	TBC30080
6677	駟	A2E8A3	CCA3	8CA4	2-6823	TBC40080
6678	駟	A2E8A4	CCA4	8CA5	2-6824	TBC50080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 17 (Page 41 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6679	騃	A2E8A5	CCA5	8CA6	2-6825	TBC60080
6680	騃	A2E8A6	CCA6	8CA7	2-6826	TBC70080
6681	騃	A2E8A7	CCA7	8CA8	2-6827	TBC80080
6682	騃	A2E8A8	CCA8	8CA9	2-6828	TBC90080
6683	騃	A2E8A9	CCA9	8CAA	2-6829	TBCA0080
6684	騃	A2E8AA	CCAA	8CAB	2-682A	TBCB0080
6685	騃	A2E8AB	CCAB	8CAC	2-682B	TBCC0080
6686	騃	A2E8AC	CCAC	8CAD	2-682C	TBCD0080
6687	騃	A2E8AD	CCAD	8CAE	2-682D	TBCE0080
6688	騃	A2E8AE	CCAE	8CAF	2-682E	TBCF0080
6689	騃	A2E8AF	CCAF	8CB0	2-682F	TBCG0080
6690	騃	A2E8B0	CCB0	8CB1	2-6830	TBCH0080
6691	騃	A2E8B1	CCB1	8CB2	2-6831	TBCI0080
6692	騃	A2E8B2	CCB2	8CB3	2-6832	TBCJ0080
6693	騃	A2E8B3	CCB3	8CB4	2-6833	TBCK0080
6694	騃	A2E8B4	CCB4	8CB5	2-6834	TBCL0080
6695	鰓	A2E8B5	CCB5	8CB6	2-6835	TBCM0080
6696	鰓	A2E8B6	CCB6	8CB7	2-6836	TBCN0080
6697	鰓	A2E8B7	CCB7	8CB8	2-6837	TBCO0080
6698	鰓	A2E8B8	CCB8	8CB9	2-6838	TBCP0080
6699	鰓	A2E8B9	CCB9	8CBA	2-6839	TBCQ0080
6700	鰓	A2E8BA	CCBA	8CBB	2-683A	TBCR0080
6701	鰓	A2E8BB	CCBB	8CBC	2-683B	TBCS0080
6702	鰓	A2E8BC	CCBC	8CBD	2-683C	TBCT0080
6703	鰓	A2E8BD	CCBD	8CBE	2-683D	TBCU0080
6704	鰓	A2E8BE	CCBE	8CBF	2-683E	TBCV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 42 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6705	鯨	A2E8BF	CCBF	8CC0	2-683F	TBCW0080
6706	鯨	A2E8C0	CCC0	8CC1	2-6840	TBCX0080
6707	鯨	A2E8C1	CCC1	8CC2	2-6841	TBCY0080
6708	鯨	A2E8C2	CCC2	8CC3	2-6842	TBCZ0080
6709	鯨	A2E8C3	CCC3	8CC4	2-6843	TBD00080
6710	鯨	A2E8C4	CCC4	8CC5	2-6844	TBD10080
6711	鵠	A2E8C5	CCC5	8CC6	2-6845	TBD20080
6712	鵠	A2E8C6	CCC6	8CC7	2-6846	TBD30080
6713	鵠	A2E8C7	CCC7	8CC8	2-6847	TBD40080
6714	鵠	A2E8C8	CCC8	8CC9	2-6848	TBD50080
6715	鵠	A2E8C9	CCC9	8CCA	2-6849	TBD60080
6716	鵠	A2E8CA	CCCA	8CCB	2-684A	TBD70080
6717	鵠	A2E8CB	CCCB	8CCC	2-684B	TBD80080
6718	鵠	A2E8CC	CCCC	8CCD	2-684C	TBD90080
6719	鵠	A2E8CD	CCCD	8CCE	2-684D	TBDA0080
6720	鵠	A2E8CE	CCCE	8CCF	2-684E	TBDB0080
6721	鵠	A2E8CF	CCCF	8CD0	2-684F	TBDC0080
6722	鵠	A2E8D0	CCD0	8CD1	2-6850	TBDD0080
6723	鵠	A2E8D1	CCD1	8CD2	2-6851	TBDE0080
6724	鵠	A2E8D2	CCD2	8CD3	2-6852	TBDF0080
6725	鵠	A2E8D3	CCD3	8CD4	2-6853	TBDG0080
6726	鵠	A2E8D4	CCD4	8CD5	2-6854	TBDH0080
6727	鵠	A2E8D5	CCD5	8CD6	2-6855	TBDI0080
6728	鵠	A2E8D6	CCD6	8CD7	2-6856	TBDJ0080
6729	鵠	A2E8D7	CCD7	8CD8	2-6857	TBDK0080
6730	鵠	A2E8D8	CCD8	8CD9	2-6858	TBDL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 43 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6731	鴉	A2E8D9	CCD9	8CDA	2-6859	TBDM0080
6732	鶉	A2E8DA	CCDA	8CDB	2-685A	TBDN0080
6733	鶻	A2E8DB	CCDB	8CDC	2-685B	TBDO0080
6734	駢	A2E8DC	CCDC	8CDD	2-685C	TBDP0080
6735	鶉	A2E8DD	CCDD	8CDE	2-685D	TBDQ0080
6736	鶻	A2E8DE	CCDE	8CDF	2-685E	TBDR0080
6737	鶻	A2E8DF	CCDF	8CE0	2-685F	TBDS0080
6738	鶻	A2E8E0	CCE0	8CE1	2-6860	TBDT0080
6739	廢	A2E8E1	CCE1	8CE2	2-6861	TBDU0080
6740	黼	A2E8E2	CCE2	8CE3	2-6862	TBDV0080
6741	黻	A2E8E3	CCE3	8CE4	2-6863	TBDW0080
6742	黻	A2E8E4	CCE4	8CE5	2-6864	TBDX0080
6743	齋	A2E8E5	CCE5	8CE6	2-6865	TBDY0080
6744	齋	A2E8E6	CCE6	8CE7	2-6866	TBDZ0080
6745	齋	A2E8E7	CCE7	8CE8	2-6867	TBE00080
6746	齋	A2E8E8	CCE8	8CE9	2-6868	TBE10080
6747	齋	A2E8E9	CCE9	8CEA	2-6869	TBE20080
6748	齋	A2E8EA	CCEA	8CEB	2-686A	TBE30080
6749	彈	A2E8EB	CCEB	8CEC	2-686B	TBE40080
6750	曉	A2E8EC	CCEC	8CED	2-686C	TBE50080
6751	譽	A2E8ED	CCED	8CEE	2-686D	TBE60080
6752	墀	A2E8EE	CCEE	8CEF	2-686E	TBE70080
6753	熾	A2E8EF	CCEF	8CF0	2-686F	TBE80080
6754	嶸	A2E8F0	CCF0	8CF1	2-6870	TBE90080
6755	熾	A2E8F1	CCF1	8CF2	2-6871	TBEA0080
6756	屢	A2E8F2	CCF2	8CF3	2-6872	TBEB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 17 (Page 44 of 44). Secondary (CNS 11643 Plane 2) Chinese Character Set (6 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6757	麤	A2E8F3	CCF3	8CF4	2-6873	TBEC0080
6758	儻	A2E8F4	CCF4	8CF5	2-6874	TBED0080
6759	儻	A2E8F5	CCF5	8CF6	2-6875	TBEE0080
6760	儻	A2E8F6	CCF6	8CF7	2-6876	TBEF0080
6761	攪	A2E8F7	CCF7	8CF8	2-6877	TBEG0080
6762	攪	A2E8F8	CCF8	8CF9	2-6878	TBEH0080
6763	攪	A2E8F9	CCF9	8CFA	2-6879	TBEI0080
6764	攪	A2E8FA	CCFA	8CFB	2-687A	TBEJ0080
6765	旗	A2E8FB	CCFB	8CFC	2-687B	TBEK0080
6766	隴	A2E8FC	CCFC	8CFD	2-687C	TBEL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 1 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6767	嚙	A2E8FD	CD40	8D41	2-687D	TBEP0080
6768	曜	A2E8FE	CD41	8D42	2-687E	TBEQ0080
6769	橢	A2E9A1	CD42	8D43	2-6921	TBER0080
6770	橪	A2E9A2	CD43	8D44	2-6922	TBES0080
6771	櫪	A2E9A3	CD44	8D45	2-6923	TBET0080
6772	櫬	A2E9A4	CD45	8D46	2-6924	TBEU0080
6773	櫭	A2E9A5	CD46	8D47	2-6925	TBEV0080
6774	櫮	A2E9A6	CD47	8D48	2-6926	TBEW0080
6775	櫳	A2E9A7	CD48	8D49	2-6927	TBEX0080
6776	櫬	A2E9A8	CD49	8D4A	2-6928	TBEY0080
6777	瀆	A2E9A9	CD4A	8D4B	2-6929	TBEZ0080
6778	瀇	A2E9AA	CD4B	8D4C	2-692A	TBF00080
6779	瀘	A2E9AB	CD4C	8D4D	2-692B	TBF10080
6780	瀜	A2E9AC	CD4D	8D4E	2-692C	TBF20080
6781	瀝	A2E9AD	CD4E	8D4F	2-692D	TBF30080
6782	瀞	A2E9AE	CD4F	8D50	2-692E	TBF40080
6783	瀟	A2E9AF	CD50	8D51	2-692F	TBF50080
6784	瀱	A2E9B0	CD51	8D52	2-6930	TBF60080
6785	瀲	A2E9B1	CD52	8D53	2-6931	TBF70080
6786	瀳	A2E9B2	CD53	8D54	2-6932	TBF80080
6787	瀴	A2E9B3	CD54	8D55	2-6933	TBF90080
6788	瀵	A2E9B4	CB96	8B97	2-6934	TB6F0080
6789	瀰	A2E9B5	CD55	8D56	2-6935	TBFA0080
6790	瀯	A2E9B6	CD56	8D57	2-6936	TBFB0080
6791	瀰	A2E9B7	CD57	8D58	2-6937	TBFC0080
6792	瀯	A2E9B8	CD58	8D59	2-6938	TBFD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 2 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6793	爛	A2E9B9	CD59	8D5A	2-6939	TBFE0080
6794	熾	A2E9BA	CD5A	8D5B	2-693A	TBFF0080
6795	準	A2E9BB	CD5B	8D5C	2-693B	TBFG0080
6796	獯	A2E9BC	CD5C	8D5D	2-693C	TBFH0080
6797	獮	A2E9BD	CD5D	8D5E	2-693D	TBFI0080
6798	壘	A2E9BE	CD5E	8D5F	2-693E	TBFJ0080
6799	曠	A2E9BF	CD5F	8D60	2-693F	TBFK0080
6800	鑠	A2E9C0	CD60	8D61	2-6940	TBFL0080
6801	鑡	A2E9C1	CD61	8D62	2-6941	TBFM0080
6802	鑢	A2E9C2	CD62	8D63	2-6942	TBFN0080
6803	曠	A2E9C3	CD63	8D64	2-6943	TBFO0080
6804	曠	A2E9C4	CD64	8D65	2-6944	TBFP0080
6805	曠	A2E9C5	CD65	8D66	2-6945	TBFQ0080
6806	曠	A2E9C6	CD66	8D67	2-6946	TBFR0080
6807	鑿	A2E9C7	CD67	8D68	2-6947	TBFS0080
6808	磧	A2E9C8	CD68	8D69	2-6948	TBFT0080
6809	磧	A2E9C9	CD69	8D6A	2-6949	TBFU0080
6810	礪	A2E9CA	CD6A	8D6B	2-694A	TBFV0080
6811	礪	A2E9CB	CD6B	8D6C	2-694B	TBFW0080
6812	礪	A2E9CC	CD6C	8D6D	2-694C	TBFX0080
6813	礪	A2E9CD	CD6D	8D6E	2-694D	TBFY0080
6814	礪	A2E9CE	CD6E	8D6F	2-694E	TBFZ0080
6815	礪	A2E9CF	CD6F	8D70	2-694F	TBG00080
6816	礪	A2E9D0	CD70	8D71	2-6950	TBG10080
6817	礪	A2E9D1	CD71	8D72	2-6951	TBG20080
6818	礪	A2E9D2	CD72	8D73	2-6952	TBG30080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 18 (Page 3 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6819	筵	A2E9D3	CD73	8D74	2-6953	TBG40080
6820	籊	A2E9D4	CD74	8D75	2-6954	TBG50080
6821	籊	A2E9D5	CD75	8D76	2-6955	TBG60080
6822	籊	A2E9D6	CD76	8D77	2-6956	TBG70080
6823	籊	A2E9D7	CD77	8D78	2-6957	TBG80080
6824	籊	A2E9D8	CD78	8D79	2-6958	TBG90080
6825	縹	A2E9D9	CD79	8D7A	2-6959	TBGA0080
6826	縹	A2E9DA	CD7A	8D7B	2-695A	TBGB0080
6827	縹	A2E9DB	CD7B	8D7C	2-695B	TBGC0080
6828	縹	A2E9DC	CD7C	8D7D	2-695C	TBGD0080
6829	縹	A2E9DD	CD7D	8D7E	2-695D	TBGE0080
6830	縹	A2E9DE	CD7E	8D7F	2-695E	TBGF0080
6831	縹	A2E9DF	CD80	8D81	2-695F	TBGH0080
6832	縹	A2E9E0	CD81	8D82	2-6960	TBGI0080
6833	縹	A2E9E1	CD82	8D83	2-6961	TBGJ0080
6834	縹	A2E9E2	CD84	8D85	2-6962	TBGL0080
6835	縹	A2E9E3	CD85	8D86	2-6963	TBGM0080
6836	縹	A2E9E4	CD86	8D87	2-6964	TBGN0080
6837	縹	A2E9E5	CD87	8D88	2-6965	TBGO0080
6838	縹	A2E9E6	CD88	8D89	2-6966	TBGP0080
6839	縹	A2E9E7	CD89	8D8A	2-6967	TBQQ0080
6840	縹	A2E9E8	CD8A	8D8B	2-6968	TBGR0080
6841	縹	A2E9E9	CD8B	8D8C	2-6969	TBGS0080
6842	縹	A2E9EA	CD8C	8D8D	2-696A	TBGT0080
6843	縹	A2E9EB	CD8D	8D8E	2-696B	TBGU0080
6844	縹	A2E9EC	CD8E	8D8F	2-696C	TBGV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 4 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6845	衡	A2E9ED	CD8F	8D90	2-696D	TBGW0080
6846	藝	A2E9EE	CD90	8D91	2-696E	TBGX0080
6847	競	A2E9EF	CD91	8D92	2-696F	TBGY0080
6848	蟻	A2E9F0	CD92	8D93	2-6970	TBGZ0080
6849	蟻	A2E9F1	CD93	8D94	2-6971	TBH00080
6850	蝶	A2E9F2	CD94	8D95	2-6972	TBH10080
6851	蝶	A2E9F3	CD95	8D96	2-6973	TBH20080
6852	蝶	A2E9F4	CD96	8D97	2-6974	TBH30080
6853	蝶	A2E9F5	CD97	8D98	2-6975	TBH40080
6854	禱	A2E9F6	CD98	8D99	2-6976	TBH50080
6855	禱	A2E9F7	CD99	8D9A	2-6977	TBH60080
6856	臚	A2E9F8	CD9A	8D9B	2-6978	TBH70080
6857	譽	A2E9F9	CD9B	8D9C	2-6979	TBH80080
6858	譴	A2E9FA	CD9C	8D9D	2-697A	TBH90080
6859	謨	A2E9FB	CD9D	8D9E	2-697B	TBHA0080
6860	誨	A2E9FC	CD9E	8D9F	2-697C	TBHB0080
6861	讓	A2E9FD	CD9F	8DA0	2-697D	TBHC0080
6862	諭	A2E9FE	CDA0	8DA1	2-697E	TBHD0080
6863	警	A2EAA1	CDA1	8DA2	2-6A21	TBHE0080
6864	謙	A2EAA2	CDA2	8DA3	2-6A22	TBHF0080
6865	譏	A2EAA3	CDA3	8DA4	2-6A23	TBHG0080
6866	趨	A2EAA4	CDA4	8DA5	2-6A24	TBHH0080
6867	躑	A2EAA5	CDA5	8DA6	2-6A25	TBHI0080
6868	躑	A2EAA6	CDA6	8DA7	2-6A26	TBHJ0080
6869	蹙	A2EAA7	CDA7	8DA8	2-6A27	TBHK0080
6870	躑	A2EAA8	CDA8	8DA9	2-6A28	TBHL0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)


DBCS-EUC and TBCS-EUC

Table 18 (Page 5 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6871	轉	A2EAA9	CDA9	8DAA	2-6A29	TBHM0080
6872	轉	A2EAAA	CDAA	8DAB	2-6A2A	TBHN0080
6873	轉	A2EAAAB	CDAB	8DAC	2-6A2B	TBHO0080
6874	轉	A2EAAAC	CDAC	8DAD	2-6A2C	TBHP0080
6875	轉	A2EAAD	CDAD	8DAE	2-6A2D	TBHQ0080
6876	轉	A2EAAE	CDAE	8DAF	2-6A2E	TBHR0080
6877	鄴	A2EAAF	CDAF	8DB0	2-6A2F	TBHS0080
6878	鄴	A2EAB0	CDB0	8DB1	2-6A30	TBHT0080
6879	醴	A2EAB1	CDB1	8DB2	2-6A31	TBHU0080
6880	醴	A2EAB2	CDB2	8DB3	2-6A32	TBHV0080
6881	醴	A2EAB3	CDB3	8DB4	2-6A33	TBHW0080
6882	醴	A2EAB4	CDB4	8DB5	2-6A34	TBHX0080
6883	錫	A2EAB5	CDB5	8DB6	2-6A35	TBHY0080
6884	鍤	A2EAB6	CDB6	8DB7	2-6A36	TBHZ0080
6885	鑄	A2EAB7	CDB7	8DB8	2-6A37	TBI00080
6886	錯	A2EAB8	CDB8	8DB9	2-6A38	TBI10080
6887	鑄	A2EAB9	CDB9	8DBA	2-6A39	TBI20080
6888	鑄	A2EABA	CDBA	8DBB	2-6A3A	TBI30080
6889	鍤	A2EABB	CDBB	8DBC	2-6A3B	TBI40080
6890	鑄	A2EABC	CDBC	8DBD	2-6A3C	TBI50080
6891	鑄	A2EABD	CDBD	8DBE	2-6A3D	TBI60080
6892	錯	A2EABE	CDBE	8DBF	2-6A3E	TBI70080
6893	鑄	A2EABF	CDBF	8DC0	2-6A3F	TBI80080
6894	鑄	A2EAC0	CDC0	8DC1	2-6A40	TBI90080
6895	鑄	A2EAC1	CDC1	8DC2	2-6A41	TBIA0080
6896	鑄	A2EAC2	CDC2	8DC3	2-6A42	TBIB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 18 (Page 6 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6897	鑢	A2EAC3	CDC3	8DC4	2-6A43	TBIC0080
6898	鑞	A2EAC4	CDC4	8DC5	2-6A44	TBID0080
6899	鑝	A2EAC5	CDC5	8DC6	2-6A45	TBIE0080
6900	鑞	A2EAC6	CDC6	8DC7	2-6A46	TBIF0080
6901	鑟	A2EAC7	CDC7	8DC8	2-6A47	TBIG0080
6902	鑠	A2EAC8	CDC8	8DC9	2-6A48	TBIH0080
6903	鑡	A2EAC9	CDC9	8DCA	2-6A49	TBII0080
6904	鑢	A2EACA	CDCA	8DCB	2-6A4A	TBIJ0080
6905	鑣	A2EACB	CED1	8ED2	2-6A4B	TBO20080
6906	鑤	A2EACC	CDCB	8DCC	2-6A4C	TBIK0080
6907	鑥	A2EACD	CDCC	8DCD	2-6A4D	TBIL0080
6908	鑦	A2EACE	CDCD	8DCE	2-6A4E	TBIM0080
6909	鑧	A2EACF	CDCE	8DCF	2-6A4F	TBIN0080
6910	鑨	A2EAD0	CDCF	8DD0	2-6A50	TBIO0080
6911	鑩	A2EAD1	CDD0	8DD1	2-6A51	TBIP0080
6912	鑪	A2EAD2	CDD1	8DD2	2-6A52	TBIQ0080
6913	鑳	A2EAD3	CDD2	8DD3	2-6A53	TBIR0080
6914	鑴	A2EAD4	CDD3	8DD4	2-6A54	TBIS0080
6915	鑵	A2EAD5	CDD4	8DD5	2-6A55	TBIT0080
6916	鑶	A2EAD6	CDD5	8DD6	2-6A56	TBIU0080
6917	鑷	A2EAD7	CDD6	8DD7	2-6A57	TBIV0080
6918	鑸	A2EAD8	CDD7	8DD8	2-6A58	TBIW0080
6919	鑹	A2EAD9	CDD8	8DD9	2-6A59	TBIX0080
6920	鑺	A2EADA	CDD9	8DDA	2-6A5A	TBIY0080
6921	鑻	A2EADB	CDDA	8DDB	2-6A5B	TBIZ0080
6922	鑼	A2EADC	CDDB	8DDC	2-6A5C	TBJ00080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 18 (Page 7 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6923	顛	A2EADD	CDDC	8DDD	2-6A5D	TBJ10080
6924	顛	A2EADE	CDDD	8DDE	2-6A5E	TBJ20080
6925	顛	A2EADF	CDDE	8DDF	2-6A5F	TBJ30080
6926	顛	A2EAE0	CDDF	8DE0	2-6A60	TBJ40080
6927	顛	A2EAE1	CDE0	8DE1	2-6A61	TBJ50080
6928	顛	A2EAE2	CDE1	8DE2	2-6A62	TBJ60080
6929	顛	A2EAE3	CDE2	8DE3	2-6A63	TBJ70080
6930	顛	A2EAE4	CDE3	8DE4	2-6A64	TBJ80080
6931	顛	A2EAE5	CDE4	8DE5	2-6A65	TBJ90080
6932	顛	A2EAE6	CDE5	8DE6	2-6A66	TBJA0080
6933	顛	A2EAE7	CDE6	8DE7	2-6A67	TBJB0080
6934	顛	A2EAE8	CDE7	8DE8	2-6A68	TBJC0080
6935	顛	A2EAE9	CDE8	8DE9	2-6A69	TBJD0080
6936	顛	A2EAEA	CDE9	8DEA	2-6A6A	TBJE0080
6937	顛	A2EAEB	CDEA	8DEB	2-6A6B	TBJF0080
6938	顛	A2EAEC	CDEB	8DEC	2-6A6C	TBJG0080
6939	顛	A2EAED	CDEC	8DED	2-6A6D	TBJH0080
6940	顛	A2EAEE	CDED	8DEE	2-6A6E	TBJI0080
6941	顛	A2EAEF	CDEE	8DEF	2-6A6F	TBJJ0080
6942	顛	A2EAF0	CDEF	8DF0	2-6A70	TBJK0080
6943	顛	A2EAF1	CDF0	8DF1	2-6A71	TBJL0080
6944	顛	A2EAF2	CDF1	8DF2	2-6A72	TBJM0080
6945	顛	A2EAF3	CDF2	8DF3	2-6A73	TBJN0080
6946	顛	A2EAF4	CDF3	8DF4	2-6A74	TBJO0080
6947	顛	A2EAF5	CDF4	8DF5	2-6A75	TBJP0080
6948	顛	A2EAF6	CDF5	8DF6	2-6A76	TBJQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 8 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6949	鬚	A2EAF7	CDF6	8DF7	2-6A77	TBJR0080
6950	鯉	A2EAF8	CDF7	8DF8	2-6A78	TBJS0080
6951	鯪	A2EAF9	CDF8	8DF9	2-6A79	TBJT0080
6952	鯫	A2EAF0	CDF9	8DFA	2-6A7A	TBJU0080
6953	鯰	A2EAFB	CDFA	8DFB	2-6A7B	TBJV0080
6954	鮪	A2E AFC	CDFB	8DFC	2-6A7C	TBJW0080
6955	鯨	A2EAFD	CDFC	8DFD	2-6A7D	TBJX0080
6956	鯨	A2EAFE	CE40	8E41	2-6A7E	TBK10080
6957	鯨	A2EBA1	CE41	8E42	2-6B21	TBK20080
6958	鯨	A2EBA2	CE42	8E43	2-6B22	TBK30080
6959	鯨	A2EBA3	CE43	8E44	2-6B23	TBK40080
6960	鯨	A2EBA4	CE44	8E45	2-6B24	TBK50080
6961	鯨	A2EBA5	CE45	8E46	2-6B25	TBK60080
6962	鯨	A2EBA6	CE46	8E47	2-6B26	TBK70080
6963	鯨	A2EBA7	CE47	8E48	2-6B27	TBK80080
6964	鯨	A2EBA8	CE48	8E49	2-6B28	TBK90080
6965	鯨	A2EBA9	CE49	8E4A	2-6B29	TBKA0080
6966	鯨	A2EBAA	CE4A	8E4B	2-6B2A	TBKB0080
6967	鯨	A2EBAB	CE4B	8E4C	2-6B2B	TBKC0080
6968	鯨	A2EBAC	CE4C	8E4D	2-6B2C	TBKD0080
6969	鯨	A2EBAD	CE4D	8E4E	2-6B2D	TBKE0080
6970	鯨	A2EBAE	CE4E	8E4F	2-6B2E	TBKF0080
6971	鯨	A2EBAF	CE4F	8E50	2-6B2F	TBKG0080
6972	鯨	A2EBB0	CE50	8E51	2-6B30	TBKH0080
6973	鯨	A2EBB1	CE51	8E52	2-6B31	TBKI0080
6974	鯨	A2EBB2	CE52	8E53	2-6B32	TBKJ0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)


DBCS-EUC and TBCS-EUC

Table 18 (Page 9 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6975	鵓	A2EBB3	CE53	8E54	2-6B33	TBKK0080
6976	鵓	A2EBB4	CE54	8E55	2-6B34	TBKL0080
6977	鵓	A2EBB5	CE55	8E56	2-6B35	TBKM0080
6978	鵓	A2EBB6	CE56	8E57	2-6B36	TBKN0080
6979	鵓	A2EBB7	CE57	8E58	2-6B37	TBKO0080
6980	鵓	A2EBB8	CE58	8E59	2-6B38	TBKP0080
6981	鵓	A2EBB9	CE59	8E5A	2-6B39	TBKQ0080
6982	鵓	A2EBBA	CE5A	8E5B	2-6B3A	TBKR0080
6983	鵓	A2EBBB	CE5B	8E5C	2-6B3B	TBKS0080
6984	鵓	A2EBBC	CE5C	8E5D	2-6B3C	TBKT0080
6985	鵓	A2EBBD	CE5D	8E5E	2-6B3D	TBKU0080
6986	鵓	A2EBBE	CE5E	8E5F	2-6B3E	TBKV0080
6987	鵓	A2EBBF	CE5F	8E60	2-6B3F	TBKW0080
6988	鵓	A2EBC0	CE60	8E61	2-6B40	TBKX0080
6989	鵓	A2EBC1	CE61	8E62	2-6B41	TBKY0080
6990	鵓	A2EBC2	CE62	8E63	2-6B42	TBKZ0080
6991	鵓	A2EBC3	CE63	8E64	2-6B43	TBL00080
6992	鵓	A2EBC4	CE64	8E65	2-6B44	TBL10080
6993	鵓	A2EBC5	CE65	8E66	2-6B45	TBL20080
6994	鵓	A2EBC6	CE66	8E67	2-6B46	TBL30080
6995	鵓	A2EBC7	CE67	8E68	2-6B47	TBL40080
6996	鵓	A2EBC8	CE68	8E69	2-6B48	TBL50080
6997	鵓	A2EBC9	CE69	8E6A	2-6B49	TBL60080
6998	鵓	A2EBCA	CE6A	8E6B	2-6B4A	TBL70080
6999	鵓	A2EBCB	CE6B	8E6C	2-6B4B	TBL80080
7000	鵓	A2EBCC	CE6C	8E6D	2-6B4C	TBL90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 10 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7001	龔	A2EBCD	CE6D	8E6E	2-6B4D	TBLA0080
7002	儺	A2EBCE	CE6E	8E6F	2-6B4E	TBLB0080
7003	僂	A2EBCF	CE6F	8E70	2-6B4F	TBLC0080
7004	劇	A2EBD0	CE70	8E71	2-6B50	TBLD0080
7005	劓	A2EBD1	CE71	8E72	2-6B51	TBLE0080
7006	囁	A2EBD2	CE72	8E73	2-6B52	TBLF0080
7007	嚙	A2EBD3	CE73	8E74	2-6B53	TBLG0080
7008	嚙	A2EBD4	CE74	8E75	2-6B54	TBLH0080
7009	嫻	A2EBD5	CE75	8E76	2-6B55	TBLI0080
7010	攪	A2EBD6	CE76	8E77	2-6B56	TBLJ0080
7011	歸	A2EBD7	CE77	8E78	2-6B57	TBLK0080
7012	囡	A2EBD8	CE78	8E79	2-6B58	TBLL0080
7013	靡	A2EBD9	CE79	8E7A	2-6B59	TBLM0080
7014	懽	A2EBDA	CE7A	8E7B	2-6B5A	TBLN0080
7015	攬	A2EBDB	CE7B	8E7C	2-6B5B	TBLO0080
7016	樽	A2EBDC	CE7C	8E7D	2-6B5C	TBLP0080
7017	檝	A2EBDD	CE7D	8E7E	2-6B5D	TBLQ0080
7018	檣	A2EBDE	CE7E	8E7F	2-6B5E	TBLR0080
7019	檣	A2EBDF	CE80	8E81	2-6B5F	TBLT0080
7020	檣	A2EBE0	CE81	8E82	2-6B60	TBLU0080
7021	澧	A2EBE1	CE82	8E83	2-6B61	TBLV0080
7022	澧	A2EBE2	CE83	8E84	2-6B62	TBLW0080
7023	澧	A2EBE3	CE84	8E85	2-6B63	TBLX0080
7024	澧	A2EBE4	CE85	8E86	2-6B64	TBLY0080
7025	澧	A2EBE5	CE86	8E87	2-6B65	TBLZ0080
7026	澧	A2EBE6	CE87	8E88	2-6B66	TBM00080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 18 (Page 11 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7027	濫	A2EBE7	CE88	8E89	2-6B67	TBM10080
7028	爨	A2EBE8	CE89	8E8A	2-6B68	TBM20080
7029	爨	A2EBE9	CE8A	8E8B	2-6B69	TBM30080
7030	爨	A2EBEA	CE8B	8E8C	2-6B6A	TBM40080
7031	獾	A2EBEB	CE8C	8E8D	2-6B6B	TBM50080
7032	甌	A2EBEC	CE8D	8E8E	2-6B6C	TBM60080
7033	癩	A2EBED	CE8E	8E8F	2-6B6D	TBM70080
7034	曜	A2EBEE	CE8F	8E90	2-6B6E	TBM80080
7035	確	A2EBEF	CE90	8E91	2-6B6F	TBM90080
7036	磬	A2EBF0	CE91	8E92	2-6B70	TBMA0080
7037	礫	A2EBF1	CE92	8E93	2-6B71	TBMB0080
7038	籛	A2EBF2	CE93	8E94	2-6B72	TBMC0080
7039	籟	A2EBF3	CE94	8E95	2-6B73	TBMD0080
7040	糲	A2EBF4	CE95	8E96	2-6B74	TBME0080
7041	纈	A2EBF5	CE96	8E97	2-6B75	TBMF0080
7042	纈	A2EBF6	CE97	8E98	2-6B76	TBMG0080
7043	纈	A2EBF7	CE98	8E99	2-6B77	TBMH0080
7044	纈	A2EBF8	CE99	8E9A	2-6B78	TBMI0080
7045	纈	A2EBF9	CE9A	8E9B	2-6B79	TBMJ0080
7046	纈	A2EBFA	CE9B	8E9C	2-6B7A	TBMK0080
7047	纈	A2EBFB	CE9C	8E9D	2-6B7B	TBML0080
7048	纈	A2EBFC	CE9D	8E9E	2-6B7C	TBMM0080
7049	纈	A2EBFD	CE9E	8E9F	2-6B7D	TBMN0080
7050	羸	A2EBFE	CE9F	8EA0	2-6B7E	TBMO0080
7051	襲	A2ECA1	CEA0	8EA1	2-6C21	TBMP0080
7052	襲	A2ECA2	CEA1	8EA2	2-6C22	TBMQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 12 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7053	囍	A2ECA3	CEA2	8EA3	2-6C23	TBMR0080
7054	蔭	A2ECA4	CEA3	8EA4	2-6C24	TBMS0080
7055	蕤	A2ECA5	CEA4	8EA5	2-6C25	TBMT0080
7056	藪	A2ECA6	CEA5	8EA6	2-6C26	TBMU0080
7057	藪	A2ECA7	CEA6	8EA7	2-6C27	TBMV0080
7058	蘆	A2ECA8	CEA7	8EA8	2-6C28	TBMW0080
7059	藪	A2ECA9	CEA8	8EA9	2-6C29	TBMX0080
7060	藪	A2ECAA	CEA9	8EAA	2-6C2A	TBMY0080
7061	藪	A2ECAB	CEAA	8EAB	2-6C2B	TBMZ0080
7062	藪	A2ECAC	CEAB	8EAC	2-6C2C	TBN00080
7063	藪	A2ECAD	CEAC	8EAD	2-6C2D	TBN10080
7064	藪	A2ECAE	CEAD	8EAE	2-6C2E	TBN20080
7065	藪	A2ECAF	CEAE	8EAF	2-6C2F	TBN30080
7066	蠟	A2ECB0	CEAF	8EB0	2-6C30	TBN40080
7067	蠟	A2ECB1	CEB0	8EB1	2-6C31	TBN50080
7068	蠟	A2ECB2	CEB1	8EB2	2-6C32	TBN60080
7069	蠟	A2ECB3	CEB2	8EB3	2-6C33	TBN70080
7070	蠟	A2ECB4	CEB3	8EB4	2-6C34	TBN80080
7071	蠟	A2ECB5	CEB4	8EB5	2-6C35	TBN90080
7072	蠟	A2ECB6	CEB5	8EB6	2-6C36	TBNA0080
7073	櫛	A2ECB7	CEB6	8EB7	2-6C37	TBNB0080
7074	櫛	A2ECB8	CEB7	8EB8	2-6C38	TBNC0080
7075	櫛	A2ECB9	CEB8	8EB9	2-6C39	TBND0080
7076	櫛	A2ECBA	CEB9	8EBA	2-6C3A	TBNE0080
7077	櫛	A2ECBB	CEBA	8EBB	2-6C3B	TBNF0080
7078	櫛	A2ECBC	CEBB	8EBC	2-6C3C	TBNG0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 18 (Page 13 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7079	講	A2ECBD	CEBC	8EBD	2-6C3D	TBNH0080
7080	認	A2ECBE	CEBD	8EBE	2-6C3E	TBNI0080
7081	礙	A2ECBF	CEBE	8EBF	2-6C3F	TBNJ0080
7082	譽	A2ECC0	CEBF	8EC0	2-6C40	TBNK0080
7083	贖	A2ECC1	CEC0	8EC1	2-6C41	TBNL0080
7084	鼻	A2ECC2	CEC1	8EC2	2-6C42	TBNM0080
7085	趨	A2ECC3	CEC2	8EC3	2-6C43	TBNN0080
7086	躡	A2ECC4	CEC3	8EC4	2-6C44	TBNO0080
7087	躡	A2ECC5	CEC4	8EC5	2-6C45	TBNP0080
7088	輻	A2ECC6	CEC5	8EC6	2-6C46	TBNQ0080
7089	輻	A2ECC7	CEC6	8EC7	2-6C47	TBNR0080
7090	舉	A2ECC8	CEC7	8EC8	2-6C48	TBNS0080
7091	鄂	A2ECC9	CEC8	8EC9	2-6C49	TBNT0080
7092	薈	A2ECCA	CEC9	8ECA	2-6C4A	TBNU0080
7093	鄴	A2ECCB	CECA	8ECB	2-6C4B	TBNV0080
7094	醜	A2ECCC	CECB	8ECC	2-6C4C	TBNW0080
7095	鏡	A2ECCD	CECC	8ECD	2-6C4D	TBNX0080
7096	錄	A2ECCE	CECD	8ECE	2-6C4E	TBNY0080
7097	鑲	A2ECCF	CECE	8ECF	2-6C4F	TBNZ0080
7098	鏟	A2ECD0	CECF	8ED0	2-6C50	TBO00080
7099	鏟	A2ECD1	CED0	8ED1	2-6C51	TBO10080
7100	錄	A2ECD2	CED2	8ED3	2-6C52	TBO30080
7101	鍋	A2ECD3	CED3	8ED4	2-6C53	TBO40080
7102	鑛	A2ECD4	CED4	8ED5	2-6C54	TBO50080
7103	鑠	A2ECD5	CED5	8ED6	2-6C55	TBO60080
7104	鐵	A2ECD6	CED6	8ED7	2-6C56	TBO70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 18 (Page 14 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7105	鑊	A2ECD7	CED7	8ED8	2-6C57	TBO80080
7106	鑊	A2ECD8	CED8	8ED9	2-6C58	TBO90080
7107	闌	A2ECD9	CED9	8EDA	2-6C59	TBOA0080
7108	闌	A2ECDA	CEDA	8EDB	2-6C5A	TBOB0080
7109	闌	A2ECDB	CEDB	8EDC	2-6C5B	TBOC0080
7110	闌	A2ECDC	CEDC	8EDD	2-6C5C	TBOD0080
7111	闌	A2ECDD	CEDD	8EDE	2-6C5D	TBOE0080
7112	闌	A2ECDE	CEDE	8EDF	2-6C5E	TBOF0080
7113	犇	A2ECDF	CEDF	8EE0	2-6C5F	TBOG0080
7114	犇	A2ECE0	CEE0	8EE1	2-6C60	TBOH0080
7115	犇	A2ECE1	CEE1	8EE2	2-6C61	TBOI0080
7116	犇	A2ECE2	CEE2	8EE3	2-6C62	TBOJ0080
7117	犇	A2ECE3	CEE3	8EE4	2-6C63	TBOK0080
7118	犇	A2ECE4	CEE4	8EE5	2-6C64	TBOL0080
7119	犇	A2ECE5	CEE5	8EE6	2-6C65	TBOM0080
7120	犇	A2ECE6	CEE6	8EE7	2-6C66	TBON0080
7121	犇	A2ECE7	CEE7	8EE8	2-6C67	TBOO0080
7122	犇	A2ECE8	CEE8	8EE9	2-6C68	TBOP0080
7123	犇	A2ECE9	CEE9	8EEA	2-6C69	TBOQ0080
7124	犇	A2ECEA	CEEA	8EEB	2-6C6A	TBOR0080
7125	犇	A2ECEB	CEEB	8EEC	2-6C6B	TBOS0080
7126	犇	A2ECEC	CEEC	8EED	2-6C6C	TBOT0080
7127	犇	A2ECED	CEED	8EEE	2-6C6D	TBOU0080
7128	犇	A2ECEE	CEEE	8EEF	2-6C6E	TBOV0080
7129	犇	A2ECEF	CEEF	8EF0	2-6C6F	TBOW0080
7130	犇	A2ECF0	CEF0	8EF1	2-6C70	TBOX0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 18 (Page 15 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7131	鬢	A2ECF1	CEF1	8EF2	2-6C71	TBOY0080
7132	鬚	A2ECF2	CEF2	8EF3	2-6C72	TBOZ0080
7133	鬪	A2ECF3	CEF3	8EF4	2-6C73	TBP00080
7134	鬮	A2ECF4	CEF4	8EF5	2-6C74	TBP10080
7135	鎔	A2ECF5	CEF5	8EF6	2-6C75	TBP20080
7136	鎬	A2ECF6	CEF6	8EF7	2-6C76	TBP30080
7137	鎗	A2ECF7	CEF7	8EF8	2-6C77	TBP40080
7138	鎗	A2ECF8	CEF8	8EF9	2-6C78	TBP50080
7139	鎗	A2ECF9	CEF9	8EFA	2-6C79	TBP60080
7140	鎗	A2ECFA	CEFA	8EFB	2-6C7A	TBP70080
7141	鎗	A2ECFB	CEFB	8EFC	2-6C7B	TBP80080
7142	鎗	A2ECFC	CEFC	8EFD	2-6C7C	TBP90080
7143	鎗	A2ECFD	CF40	8F41	2-6C7D	TBPD0080
7144	鵠	A2ECFE	CF41	8F42	2-6C7E	TBPE0080
7145	鵠	A2EDA1	CF42	8F43	2-6D21	TBPF0080
7146	鵠	A2EDA2	CF43	8F44	2-6D22	TBPG0080
7147	鵠	A2EDA3	CF44	8F45	2-6D23	TBPH0080
7148	鵠	A2EDA4	CF45	8F46	2-6D24	TBPI0080
7149	鵠	A2EDA5	CF46	8F47	2-6D25	TBPJ0080
7150	鵠	A2EDA6	CF47	8F48	2-6D26	TBPK0080
7151	鵠	A2EDA7	CF48	8F49	2-6D27	TBPL0080
7152	鵠	A2EDA8	CF49	8F4A	2-6D28	TBPM0080
7153	鵠	A2EDA9	CF4A	8F4B	2-6D29	TBPN0080
7154	鵠	A2EDAA	CF4B	8F4C	2-6D2A	TBPO0080
7155	鵠	A2EDAB	CF4C	8F4D	2-6D2B	TBPP0080
7156	鵠	A2EDAC	CF4D	8F4E	2-6D2C	TBPQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 16 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7157	鷓	A2EDAD	CF4E	8F4F	2-6D2D	TBPR0080
7158	鵠	A2EDAE	CF4F	8F50	2-6D2E	TBPS0080
7159	鷓	A2EDAF	CF50	8F51	2-6D2F	TBPT0080
7160	鷓	A2EDB0	CF51	8F52	2-6D30	TBPU0080
7161	鷓	A2EDB1	CF52	8F53	2-6D31	TBPV0080
7162	鷓	A2EDB2	CF53	8F54	2-6D32	TBPW0080
7163	鷓	A2EDB3	CF54	8F55	2-6D33	TBPX0080
7164	鷓	A2EDB4	CF55	8F56	2-6D34	TBPY0080
7165	鷓	A2EDB5	CF56	8F57	2-6D35	TBPZ0080
7166	鷓	A2EDB6	CF57	8F58	2-6D36	TBQ00080
7167	鷓	A2EDB7	CF58	8F59	2-6D37	TBQ10080
7168	鷓	A2EDB8	CF59	8F5A	2-6D38	TBQ20080
7169	鷓	A2EDB9	CF5A	8F5B	2-6D39	TBQ30080
7170	鷓	A2EDBA	CF5B	8F5C	2-6D3A	TBQ40080
7171	鷓	A2EDBB	CF5C	8F5D	2-6D3B	TBQ50080
7172	鷓	A2EDBC	CF5D	8F5E	2-6D3C	TBQ60080
7173	鷓	A2EDBD	CF5E	8F5F	2-6D3D	TBQ70080
7174	鷓	A2EDBE	CF5F	8F60	2-6D3E	TBQ80080
7175	鷓	A2EDBF	CF60	8F61	2-6D3F	TBQ90080
7176	鷓	A2EDC0	CF61	8F62	2-6D40	TBQA0080
7177	鷓	A2EDC1	CF62	8F63	2-6D41	TBQB0080
7178	鷓	A2EDC2	CF63	8F64	2-6D42	TBQC0080
7179	鷓	A2EDC3	CF64	8F65	2-6D43	TBQD0080
7180	鷓	A2EDC4	CF65	8F66	2-6D44	TBQE0080
7181	鷓	A2EDC5	CF66	8F67	2-6D45	TBQF0080
7182	鷓	A2EDC6	CF67	8F68	2-6D46	TBQG0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 18 (Page 17 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7183	囁	A2EDC7	CF68	8F69	2-6D47	TBQH0080
7184	變	A2EDC8	CF69	8F6A	2-6D48	TBQI0080
7185	嬾	A2EDC9	CF6A	8F6B	2-6D49	TBQJ0080
7186	變	A2EDCA	CF6B	8F6C	2-6D4A	TBQK0080
7187	巉	A2EDCB	CF6C	8F6D	2-6D4B	TBQL0080
7188	嶺	A2EDCC	CF6D	8F6E	2-6D4C	TBQM0080
7189	廡	A2EDCD	CF6E	8F6F	2-6D4D	TBQN0080
7190	攤	A2EDCE	CF6F	8F70	2-6D4E	TBQO0080
7191	攏	A2EDCF	CF70	8F71	2-6D4F	TBQP0080
7192	攏	A2EDD0	CF71	8F72	2-6D50	TBQQ0080
7193	攢	A2EDD1	CF72	8F73	2-6D51	TBQR0080
7194	權	A2EDD2	CF73	8F74	2-6D52	TBQS0080
7195	櫺	A2EDD3	CF74	8F75	2-6D53	TBQT0080
7196	櫺	A2EDD4	CF75	8F76	2-6D54	TBQU0080
7197	氍	A2EDD5	CF76	8F77	2-6D55	TBQV0080
7198	灘	A2EDD6	CF77	8F78	2-6D56	TBQW0080
7199	灘	A2EDD7	CF78	8F79	2-6D57	TBQX0080
7200	灘	A2EDD8	CF79	8F7A	2-6D58	TBQY0080
7201	濶	A2EDD9	CF7A	8F7B	2-6D59	TBQZ0080
7202	燼	A2EDDA	CF7B	8F7C	2-6D5A	TBR00080
7203	燼	A2EDDB	CF7C	8F7D	2-6D5B	TBR10080
7204	麤	A2EDDC	CF7D	8F7E	2-6D5C	TBR20080
7205	獮	A2EDDD	CF7E	8F7F	2-6D5D	TBR30080
7206	瑾	A2EDDE	CF80	8F81	2-6D5E	TBR50080
7207	璽	A2EDDF	CF81	8F82	2-6D5F	TBR60080
7208	璽	A2EDE0	CF82	8F83	2-6D60	TBR70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 18 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7209	璫	A2EDE1	CF83	8F84	2-6D61	TBR80080
7210	瘿	A2EDE2	CF84	8F85	2-6D62	TBR90080
7211	皤	A2EDE3	CF85	8F86	2-6D63	TBRA0080
7212	礪	A2EDE4	CF86	8F87	2-6D64	TBRB0080
7213	禴	A2EDE5	CF87	8F88	2-6D65	TBRC0080
7214	穰	A2EDE6	CF88	8F89	2-6D66	TBRD0080
7215	穈	A2EDE7	CF89	8F8A	2-6D67	TBRE0080
7216	箬	A2EDE8	CF8A	8F8B	2-6D68	TBRF0080
7217	箨	A2EDE9	CF8B	8F8C	2-6D69	TBRG0080
7218	籛	A2EDEA	CF8C	8F8D	2-6D6A	TBRH0080
7219	籞	A2EDEB	CF8D	8F8E	2-6D6B	TBRI0080
7220	簋	A2EDEC	CF8E	8F8F	2-6D6C	TBRJ0080
7221	籟	A2EDED	CF8F	8F90	2-6D6D	TBRK0080
7222	𦉳	A2EDEE	CF90	8F91	2-6D6E	TBRL0080
7223	繡	A2EDEF	CF91	8F92	2-6D6F	TBRM0080
7224	鑪	A2EDF0	CF92	8F93	2-6D70	TBRN0080
7225	鞞	A2EDF1	CF93	8F94	2-6D71	TBRO0080
7226	臞	A2EDF2	CF94	8F95	2-6D72	TBRP0080
7227	臚	A2EDF3	CF95	8F96	2-6D73	TBRQ0080
7228	豐	A2EDF4	CF96	8F97	2-6D74	TBRR0080
7229	藪	A2EDF5	CF97	8F98	2-6D75	TBRS0080
7230	藪	A2EDF6	CF98	8F99	2-6D76	TBRT0080
7231	藪	A2EDF7	CF99	8F9A	2-6D77	TBRU0080
7232	藪	A2EDF8	CF9A	8F9B	2-6D78	TBRV0080
7233	藪	A2EDF9	CF9B	8F9C	2-6D79	TBRW0080
7234	蠟	A2EDFA	CF9C	8F9D	2-6D7A	TBRX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 19 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7235	蟻	A2EDFB	CF9D	8F9E	2-6D7B	TBRY0080
7236	蟻	A2EDFC	CF9E	8F9F	2-6D7C	TBRZ0080
7237	螻	A2EDFD	CF9F	8FA0	2-6D7D	TBS00080
7238	螻	A2EDFE	CFA0	8FA1	2-6D7E	TBS10080
7239	襠	A2EEA1	CFA1	8FA2	2-6E21	TBS20080
7240	覲	A2EEA2	CFA2	8FA3	2-6E22	TBS30080
7241	覲	A2EEA3	CFA3	8FA4	2-6E23	TBS40080
7242	躑	A2EEA4	CFA4	8FA5	2-6E24	TBS50080
7243	躑	A2EEA5	CFA5	8FA6	2-6E25	TBS60080
7244	躑	A2EEA6	CFA6	8FA7	2-6E26	TBS70080
7245	躑	A2EEA7	CFA7	8FA8	2-6E27	TBS80080
7246	躑	A2EEA8	CFA8	8FA9	2-6E28	TBS90080
7247	躑	A2EEA9	CFA9	8FAA	2-6E29	TBSA0080
7248	躑	A2EEAA	CFAA	8FAB	2-6E2A	TBSB0080
7249	躑	A2EEAB	CFAB	8FAC	2-6E2B	TBSC0080
7250	躑	A2EEAC	CFAC	8FAD	2-6E2C	TBSD0080
7251	躑	A2EEAD	CFAD	8FAE	2-6E2D	TBSE0080
7252	躑	A2EEAE	CFAE	8FAF	2-6E2E	TBSF0080
7253	躑	A2EEAF	CFAF	8FB0	2-6E2F	TBSG0080
7254	躑	A2EEB0	CFB0	8FB1	2-6E30	TBSH0080
7255	躑	A2EEB1	CFB1	8FB2	2-6E31	TBSI0080
7256	躑	A2EEB2	CFB2	8FB3	2-6E32	TBSJ0080
7257	躑	A2EEB3	CFB3	8FB4	2-6E33	TBSK0080
7258	躑	A2EEB4	CFB4	8FB5	2-6E34	TBSL0080
7259	躑	A2EEB5	CFB5	8FB6	2-6E35	TBSM0080
7260	躑	A2EEB6	CFB6	8FB7	2-6E36	TBSN0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 18 (Page 20 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7261	鑄	A2EEB7	CFB7	8FB8	2-6E37	TBSO0080
7262	鑊	A2EEB8	CFB8	8FB9	2-6E38	TBSP0080
7263	鑿	A2EEB9	CFB9	8FBA	2-6E39	TBSQ0080
7264	鑄	A2EEBA	CFBA	8FBB	2-6E3A	TBSR0080
7265	鑄	A2EEBB	CFBB	8FBC	2-6E3B	TBSS0080
7266	鑄	A2EEBC	CFBC	8FBD	2-6E3C	TBST0080
7267	鑄	A2EEBD	CFBD	8FBE	2-6E3D	TBSU0080
7268	鑄	A2EEBE	CFBE	8FBF	2-6E3E	TBSV0080
7269	鑄	A2EEBF	CFBF	8FC0	2-6E3F	TBSW0080
7270	霧	A2EEC0	CFC0	8FC1	2-6E40	TBSX0080
7271	鞞	A2EEC1	CFC1	8FC2	2-6E41	TBSY0080
7272	巖	A2EEC2	CFC2	8FC3	2-6E42	TBSZ0080
7273	顛	A2EEC3	CFC3	8FC4	2-6E43	TBT00080
7274	𨮒	A2EEC4	CFC4	8FC5	2-6E44	TBT10080
7275	𨮓	A2EEC5	CFC5	8FC6	2-6E45	TBT20080
7276	𨮔	A2EEC6	CFC6	8FC7	2-6E46	TBT30080
7277	𨮕	A2EEC7	CFC7	8FC8	2-6E47	TBT40080
7278	𨮖	A2EEC8	CFC8	8FC9	2-6E48	TBT50080
7279	𨮗	A2EEC9	CFC9	8FCA	2-6E49	TBT60080
7280	𨮘	A2EECA	CFCA	8FCB	2-6E4A	TBT70080
7281	𨮙	A2EECB	CFCB	8FCC	2-6E4B	TBT80080
7282	𨮚	A2EECC	CFCC	8FCD	2-6E4C	TBT90080
7283	𨮛	A2EECD	CFCD	8FCE	2-6E4D	TBTA0080
7284	𨮜	A2EECE	CFCE	8FCF	2-6E4E	TBTB0080
7285	𨮝	A2EECF	CFCF	8FD0	2-6E4F	TBTC0080
7286	𨮞	A2EED0	CFD0	8FD1	2-6E50	TBTD0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 18 (Page 21 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7287	隤	A2EED1	CFD1	8FD2	2-6E51	TBTE0080
7288	昏	A2EED2	CFD2	8FD3	2-6E52	TBTF0080
7289	鬪	A2EED3	CFD3	8FD4	2-6E53	TBTG0080
7290	鬻	A2EED4	CFD4	8FD5	2-6E54	TBTH0080
7291	魘	A2EED5	CFD5	8FD6	2-6E55	TBTI0080
7292	魘	A2EED6	CFD6	8FD7	2-6E56	TBTJ0080
7293	鯨	A2EED7	CFD7	8FD8	2-6E57	TBTK0080
7294	鱈	A2EED8	CFD8	8FD9	2-6E58	TBTL0080
7295	鱈	A2EED9	CFD9	8FDA	2-6E59	TBTM0080
7296	鱈	A2EEDA	CFDA	8FDB	2-6E5A	TBTN0080
7297	鯨	A2EEDB	CFDB	8FDC	2-6E5B	TBTO0080
7298	鱈	A2EEDC	CFDC	8FDD	2-6E5C	TBTP0080
7299	鱈	A2EEDD	CFDD	8FDE	2-6E5D	TBTQ0080
7300	鱈	A2EEDE	CFDE	8FDF	2-6E5E	TBTR0080
7301	鱈	A2EEDF	CFDF	8FE0	2-6E5F	TBTS0080
7302	鰲	A2EEE0	CFE0	8FE1	2-6E60	TBTT0080
7303	鰲	A2EEE1	CFE1	8FE2	2-6E61	TBTU0080
7304	鰲	A2EEE2	CFE2	8FE3	2-6E62	TBTV0080
7305	鰲	A2EEE3	CFE3	8FE4	2-6E63	TBTW0080
7306	鰲	A2EEE4	CFE4	8FE5	2-6E64	TBTX0080
7307	鰲	A2EEE5	CFE5	8FE6	2-6E65	TBTY0080
7308	鰲	A2EEE6	CFE6	8FE7	2-6E66	TBTZ0080
7309	鰲	A2EEE7	CFE7	8FE8	2-6E67	TBU00080
7310	鰲	A2EEE8	CFE8	8FE9	2-6E68	TBU10080
7311	鰲	A2EEE9	CFE9	8FEA	2-6E69	TBU20080
7312	鰲	A2EEEA	CFEA	8FEB	2-6E6A	TBU30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 22 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7313	鷓	A2EEEB	CFEB	8FEC	2-6E6B	TBU40080
7314	鷓	A2EEEC	CFEC	8FED	2-6E6C	TBU50080
7315	鷓	A2EEED	CFED	8FEE	2-6E6D	TBU60080
7316	鷓	A2EEEE	CFEE	8FEF	2-6E6E	TBU70080
7317	鷓	A2EEEF	CFEF	8FF0	2-6E6F	TBU80080
7318	鷓	A2EEF0	CFF0	8FF1	2-6E70	TBU90080
7319	鷓	A2EEF1	CFF1	8FF2	2-6E71	TBUA0080
7320	鷓	A2EEF2	CFF2	8FF3	2-6E72	TBUB0080
7321	鷓	A2EEF3	CFF3	8FF4	2-6E73	TBUC0080
7322	鷓	A2EEF4	CFF4	8FF5	2-6E74	TBUD0080
7323	鷓	A2EEF5	CFF5	8FF6	2-6E75	TBUE0080
7324	鷓	A2EEF6	CFF6	8FF7	2-6E76	TBUF0080
7325	鷓	A2EEF7	CFF7	8FF8	2-6E77	TBUG0080
7326	鷓	A2EEF8	CFF8	8FF9	2-6E78	TBUH0080
7327	鷓	A2EEF9	CFF9	8FFA	2-6E79	TBUI0080
7328	鷓	A2EEFA	CFFA	8FFB	2-6E7A	TBUJ0080
7329	鷓	A2EEFB	CFFB	8FFC	2-6E7B	TBUK0080
7330	鷓	A2EEFC	CFFC	8FFD	2-6E7C	TBUL0080
7331	儻	A2EEFD	D040	9041	2-6E7D	TBUP0080
7332	儻	A2EEFE	D041	9042	2-6E7E	TBUQ0080
7333	墮	A2EFA1	D042	9043	2-6F21	TBUR0080
7334	墮	A2EFA2	D043	9044	2-6F22	TBUS0080
7335	墮	A2EFA3	D044	9045	2-6F23	TBUT0080
7336	墮	A2EFA4	D045	9046	2-6F24	TBUU0080
7337	墮	A2EFA5	D046	9047	2-6F25	TBUV0080
7338	墮	A2EFA6	D047	9048	2-6F26	TBUW0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 18 (Page 23 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7339	攪	A2EFA7	D048	9049	2-6F27	TBUX0080
7340	懃	A2EFA8	D049	904A	2-6F28	TBUY0080
7341	懄	A2EFA9	D04A	904B	2-6F29	TBUZ0080
7342	懅	A2EFAA	D04B	904C	2-6F2A	TBV00080
7343	攪	A2EFAB	D04C	904D	2-6F2B	TBV10080
7344	攪	A2EFAC	D04D	904E	2-6F2C	TBV20080
7345	懆	A2EFAD	D04E	904F	2-6F2D	TBV30080
7346	懇	A2EFAE	D04F	9050	2-6F2E	TBV40080
7347	攪	A2EFAF	D050	9051	2-6F2F	TBV50080
7348	懈	A2EFB0	D051	9052	2-6F30	TBV60080
7349	應	A2EFB1	D052	9053	2-6F31	TBV70080
7350	懊	A2EFB2	D053	9054	2-6F32	TBV80080
7351	灑	A2EFB3	D054	9055	2-6F33	TBV90080
7352	灑	A2EFB4	D055	9056	2-6F34	TBVA0080
7353	灑	A2EFB5	D056	9057	2-6F35	TBVB0080
7354	灑	A2EFB6	D057	9058	2-6F36	TBVC0080
7355	灑	A2EFB7	D058	9059	2-6F37	TBVD0080
7356	灑	A2EFB8	D059	905A	2-6F38	TBVE0080
7357	灑	A2EFB9	D05A	905B	2-6F39	TBVF0080
7358	灑	A2EFBA	D05B	905C	2-6F3A	TBVG0080
7359	灑	A2EFBB	D05C	905D	2-6F3B	TBVH0080
7360	灑	A2EFBC	D05D	905E	2-6F3C	TBVI0080
7361	灑	A2EFBD	D05E	905F	2-6F3D	TBVJ0080
7362	灑	A2EFBE	D05F	9060	2-6F3E	TBVK0080
7363	灑	A2EFBF	D060	9061	2-6F3F	TBVL0080
7364	灑	A2EFC0	D061	9062	2-6F40	TBVM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 24 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7365	穰	A2EFC1	D062	9063	2-6F41	TBVN0080
7366	蔎	A2EFC2	D063	9064	2-6F42	TBVO0080
7367	穰	A2EFC3	D064	9065	2-6F43	TBVP0080
7368	穰	A2EFC4	D065	9066	2-6F44	TBVQ0080
7369	穰	A2EFC5	D066	9067	2-6F45	TBVR0080
7370	穰	A2EFC6	D067	9068	2-6F46	TBVS0080
7371	穰	A2EFC7	D068	9069	2-6F47	TBVT0080
7372	穰	A2EFC8	D069	906A	2-6F48	TBVU0080
7373	穰	A2EFC9	D06A	906B	2-6F49	TBVV0080
7374	穰	A2EFCA	D06B	906C	2-6F4A	TBVW0080
7375	穰	A2EFCE	D06C	906D	2-6F4B	TBVX0080
7376	穰	A2EFCB	D06C	906D	2-6F4B	TBVX0080
7376	穰	A2EFCC	D06D	906E	2-6F4C	TBYY0080
7377	穰	A2EFCD	D06E	906F	2-6F4D	TBVZ0080
7378	穰	A2EFCE	D06F	9070	2-6F4E	TBW00080
7379	穰	A2EFCF	D070	9071	2-6F4F	TBW10080
7380	穰	A2EFD0	D071	9072	2-6F50	TBW20080
7381	穰	A2EFD1	D072	9073	2-6F51	TBW30080
7382	穰	A2EFD2	D073	9074	2-6F52	TBW40080
7383	穰	A2EFD3	D074	9075	2-6F53	TBW50080
7384	穰	A2EFD4	D075	9076	2-6F54	TBW60080
7385	穰	A2EFD5	D076	9077	2-6F55	TBW70080
7386	穰	A2EFD6	D077	9078	2-6F56	TBW80080
7387	穰	A2EFD7	D078	9079	2-6F57	TBW90080
7388	穰	A2EFD8	D079	907A	2-6F58	TBWA0080
7389	穰	A2EFD9	D07A	907B	2-6F59	TBWB0080
7390	穰	A2EFDA	D07B	907C	2-6F5A	TBWC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 18 (Page 25 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7391	鑠	A2EFDB	D07C	907D	2-6F5B	TBWD0080
7392	鐵	A2EFDC	D07D	907E	2-6F5C	TBWE0080
7393	鑊	A2EFDD	D07E	907F	2-6F5D	TBWF0080
7394	鞣	A2EFDE	D080	9081	2-6F5E	TBWH0080
7395	護	A2EFDF	D081	9082	2-6F5F	TBWI0080
7396	馘	A2EFE0	D082	9083	2-6F60	TBWJ0080
7397	臚	A2EFE1	D083	9084	2-6F61	TBWK0080
7398	鬣	A2EFE2	D084	9085	2-6F62	TBWL0080
7399	鬢	A2EFE3	D085	9086	2-6F63	TBWM0080
7400	髻	A2EFE4	D086	9087	2-6F64	TBWN0080
7401	鯨	A2EFE5	D087	9088	2-6F65	TBWO0080
7402	鯨	A2EFE6	D088	9089	2-6F66	TBWP0080
7403	鯨	A2EFE7	D089	908A	2-6F67	TBWQ0080
7404	鯨	A2EFE8	D08A	908B	2-6F68	TBWR0080
7405	鯨	A2EFE9	D08B	908C	2-6F69	TBWS0080
7406	鯨	A2EFEA	D08C	908D	2-6F6A	TBWT0080
7407	鯨	A2EFEB	D08D	908E	2-6F6B	TBWU0080
7408	鯨	A2EFEC	D08E	908F	2-6F6C	TB WV0080
7409	鯨	A2EFED	D08F	9090	2-6F6D	TBWW0080
7410	鯨	A2EFEE	D090	9091	2-6F6E	TBWX0080
7411	鯨	A2EFEF	D091	9092	2-6F6F	TB WY0080
7412	鵠	A2EFF0	D092	9093	2-6F70	TB WZ0080
7413	鵠	A2EFF1	D093	9094	2-6F71	TB X00080
7414	鵠	A2EFF2	D094	9095	2-6F72	TB X10080
7415	鵠	A2EFF3	D095	9096	2-6F73	TB X20080
7416	鵠	A2EFF4	D096	9097	2-6F74	TB X30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 18 (Page 26 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7417	鸛	A2EFF5	D097	9098	2-6F75	TBX40080
7418	鸚	A2EFF6	D098	9099	2-6F76	TBX50080
7419	鸚	A2EFF7	D099	909A	2-6F77	TBX60080
7420	鸚	A2EFF8	D09A	909B	2-6F78	TBX70080
7421	鸚	A2EFF9	D09B	909C	2-6F79	TBX80080
7422	鸚	A2EFFA	D09C	909D	2-6F7A	TBX90080
7423	鸚	A2EFFB	D09D	909E	2-6F7B	TBXA0080
7424	鸚	A2EFFC	D09E	909F	2-6F7C	TBXB0080
7425	鸚	A2EFFD	D09F	90A0	2-6F7D	TBXC0080
7426	鸚	A2EFFE	D0A0	90A1	2-6F7E	TBXD0080
7427	鸚	A2F0A1	D0A1	90A2	2-7021	TBXE0080
7428	鸚	A2F0A2	D0A2	90A3	2-7022	TBXF0080
7429	鸚	A2F0A3	D0A3	90A4	2-7023	TBXG0080
7430	鸚	A2F0A4	D0A4	90A5	2-7024	TBXH0080
7431	鸚	A2F0A5	D0A5	90A6	2-7025	TBXI0080
7432	鸚	A2F0A6	D0A6	90A7	2-7026	TBXJ0080
7433	鸚	A2F0A7	D0A7	90A8	2-7027	TBXK0080
7434	鸚	A2F0A8	D0A8	90A9	2-7028	TBXL0080
7435	鸚	A2F0A9	D0A9	90AA	2-7029	TBXM0080
7436	鸚	A2F0AA	D0AA	90AB	2-702A	TBXN0080
7437	鸚	A2F0AB	D0AB	90AC	2-702B	TBXO0080
7438	鸚	A2F0AC	D0AC	90AD	2-702C	TBXP0080
7439	鸚	A2F0AD	D0AD	90AE	2-702D	TBXQ0080
7440	鸚	A2F0AE	D0AE	90AF	2-702E	TBXR0080
7441	鸚	A2F0AF	D0AF	90B0	2-702F	TBXS0080
7442	鸚	A2F0B0	D0B0	90B1	2-7030	TBXT0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)


DBCS-EUC and TBCS-EUC

Table 18 (Page 27 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7443	齒	A2F0B1	D0B1	90B2	2-7031	TBXU0080
7444	齧	A2F0B2	D0B2	90B3	2-7032	TBXV0080
7445	齧	A2F0B3	D0B3	90B4	2-7033	TBXW0080
7446	齧	A2F0B4	D0B4	90B5	2-7034	TBXX0080
7447	齧	A2F0B5	D0B5	90B6	2-7035	TBXY0080
7448	齧	A2F0B6	D0B6	90B7	2-7036	TBXZ0080
7449	齧	A2F0B7	D0B7	90B8	2-7037	TBY00080
7450	齧	A2F0B8	D0B8	90B9	2-7038	TBY10080
7451	齧	A2F0B9	D0B9	90BA	2-7039	TBY20080
7452	齧	A2F0BA	D0BA	90BB	2-703A	TBY30080
7453	齧	A2F0BB	D0BB	90BC	2-703B	TBY40080
7454	齧	A2F0BC	D0BC	90BD	2-703C	TBY50080
7455	齧	A2F0BD	D0BD	90BE	2-703D	TBY60080
7456	齧	A2F0BE	D0BE	90BF	2-703E	TBY70080
7457	齧	A2F0BF	D0BF	90C0	2-703F	TBY80080
7458	齧	A2F0C0	D0C0	90C1	2-7040	TBY90080
7459	齧	A2F0C1	D0C1	90C2	2-7041	TBYA0080
7460	齧	A2F0C2	D0C2	90C3	2-7042	TBYB0080
7461	齧	A2F0C3	D0C3	90C4	2-7043	TBYC0080
7462	齧	A2F0C4	D0C4	90C5	2-7044	TBYD0080
7463	齧	A2F0C5	D0C5	90C6	2-7045	TBYE0080
7464	齧	A2F0C6	D0C6	90C7	2-7046	TBYF0080
7465	齧	A2F0C7	D0C7	90C8	2-7047	TBYG0080
7466	齧	A2F0C8	D0C8	90C9	2-7048	TBYH0080
7467	齧	A2F0C9	D0C9	90CA	2-7049	TBYI0080
7468	齧	A2F0CA	D0CA	90CB	2-704A	TBYJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 28 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7469	蠶	A2F0CB	D0CB	90CC	2-704B	TBYK0080
7470	蠶	A2F0CC	D0CC	90CD	2-704C	TBYL0080
7471	蠶	A2F0CD	D0CD	90CE	2-704D	TBYM0080
7472	蠶	A2F0CE	D0CE	90CF	2-704E	TBYN0080
7473	蠶	A2F0CF	D0CF	90D0	2-704F	TBYO0080
7474	躑	A2F0D0	D0D0	90D1	2-7050	TBYP0080
7475	躑	A2F0D1	D0D1	90D2	2-7051	TBYQ0080
7476	躑	A2F0D2	D0D2	90D3	2-7052	TBYR0080
7477	躑	A2F0D3	D0D3	90D4	2-7053	TBYS0080
7478	躑	A2F0D4	D0D4	90D5	2-7054	TBYT0080
7479	躑	A2F0D5	D0D5	90D6	2-7055	TBYU0080
7480	躑	A2F0D6	D0D6	90D7	2-7056	TBYV0080
7481	躑	A2F0D7	D0D7	90D8	2-7057	TBYW0080
7482	蠶	A2F0D8	D0D8	90D9	2-7058	TBYX0080
7483	蠶	A2F0D9	D0D9	90DA	2-7059	TBYY0080
7484	蠶	A2F0DA	D0DA	90DB	2-705A	TBYZ0080
7485	蠶	A2F0DB	D0DB	90DC	2-705B	TBZ00080
7486	蠶	A2F0DC	D0DC	90DD	2-705C	TBZ10080
7487	蠶	A2F0DD	D0DD	90DE	2-705D	TBZ20080
7488	蠶	A2F0DE	D0DE	90DF	2-705E	TBZ30080
7489	蠶	A2F0DF	D0DF	90E0	2-705F	TBZ40080
7490	蠶	A2F0E0	D0E0	90E1	2-7060	TBZ50080
7491	蠶	A2F0E1	D0E1	90E2	2-7061	TBZ60080
7492	蠶	A2F0E2	D0E2	90E3	2-7062	TBZ70080
7493	蠶	A2F0E3	D0E3	90E4	2-7063	TBZ80080
7494	蠶	A2F0E4	D0E4	90E5	2-7064	TBZ90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 29 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7495	鯉	A2F0E5	D0E5	90E6	2-7065	TBZA0080
7496	鯽	A2F0E6	D0E6	90E7	2-7066	TBZB0080
7497	鯿	A2F0E7	D0E7	90E8	2-7067	TBZC0080
7498	鯺	A2F0E8	D0E8	90E9	2-7068	TBZD0080
7499	鱈	A2F0E9	D0E9	90EA	2-7069	TBZE0080
7500	鱉	A2F0EA	D0EA	90EB	2-706A	TBZF0080
7501	鰻	A2F0EB	D0EB	90EC	2-706B	TBZG0080
7502	鰼	A2F0EC	D0EC	90ED	2-706C	TBZH0080
7503	鱘	A2F0ED	D0ED	90EE	2-706D	TBZI0080
7504	鱚	A2F0EE	D0EE	90EF	2-706E	TBZJ0080
7505	鰻	A2F0EF	D0EF	90F0	2-706F	TBZK0080
7506	鰻	A2F0F0	D0F0	90F1	2-7070	TBZL0080
7507	鱚	A2F0F1	D0F1	90F2	2-7071	TBZM0080
7508	鰻	A2F0F2	D0F2	90F3	2-7072	TBZN0080
7509	鰻	A2F0F3	D0F3	90F4	2-7073	TBZO0080
7510	鰻	A2F0F4	D0F4	90F5	2-7074	TBZP0080
7511	鰻	A2F0F5	D0F5	90F6	2-7075	TBZQ0080
7512	鰻	A2F0F6	D0F6	90F7	2-7076	TBZR0080
7513	鰻	A2F0F7	D0F7	90F8	2-7077	TBZS0080
7514	鰻	A2F0F8	D0F8	90F9	2-7078	TBZT0080
7515	鰻	A2F0F9	D0F9	90FA	2-7079	TBZU0080
7516	鰻	A2F0FA	D0FA	90FB	2-707A	TBZV0080
7517	鰻	A2F0FB	D0FB	90FC	2-707B	TBZW0080
7518	鰻	A2F0FC	D0FC	90FD	2-707C	TBZX0080
7519	鰻	A2F0FD	D140	9141	2-707D	TC010080
7520	鰻	A2F0FE	D141	9142	2-707E	TC020080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 30 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7521	櫥	A2F1A1	D142	9143	2-7121	TC030080
7522	櫟	A2F1A2	D143	9144	2-7122	TC040080
7523	櫛	A2F1A3	D144	9145	2-7123	TC050080
7524	櫛	A2F1A4	D145	9146	2-7124	TC060080
7525	灤	A2F1A5	D146	9147	2-7125	TC070080
7526	燈	A2F1A6	D147	9148	2-7126	TC080080
7527	擾	A2F1A7	D148	9149	2-7127	TC090080
7528	瞠	A2F1A8	D149	914A	2-7128	TC0A0080
7529	瞞	A2F1A9	D14A	914B	2-7129	TC0B0080
7530	礪	A2F1AA	D14B	914C	2-712A	TC0C0080
7531	籩	A2F1AB	D14C	914D	2-712B	TC0D0080
7532	簪	A2F1AC	D14D	914E	2-712C	TC0E0080
7533	糶	A2F1AD	D14E	914F	2-712D	TC0F0080
7534	纒	A2F1AE	D14F	9150	2-712E	TC0G0080
7535	纒	A2F1AF	D150	9151	2-712F	TC0H0080
7536	羸	A2F1B0	D151	9152	2-7130	TC0I0080
7537	羅	A2F1B1	D152	9153	2-7131	TC0J0080
7538	櫛	A2F1B2	D153	9154	2-7132	TC0K0080
7539	櫛	A2F1B3	D154	9155	2-7133	TC0L0080
7540	藁	A2F1B4	D155	9156	2-7134	TC0M0080
7541	藎	A2F1B5	D156	9157	2-7135	TC0N0080
7542	藎	A2F1B6	D157	9158	2-7136	TC0O0080
7543	藎	A2F1B7	D158	9159	2-7137	TC0P0080
7544	藎	A2F1B8	D159	915A	2-7138	TC0Q0080
7545	藎	A2F1B9	D15A	915B	2-7139	TC0R0080
7546	藎	A2F1BA	D15B	915C	2-713A	TC0S0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 18 (Page 31 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7547	鱸	A2F1BB	D15C	915D	2-713B	TC0T0080
7548	譚	A2F1BC	D15D	915E	2-713C	TC0U0080
7549	謹	A2F1BD	D15E	915F	2-713D	TC0V0080
7550	躑	A2F1BE	D15F	9160	2-713E	TC0W0080
7551	躑	A2F1BF	D160	9161	2-713F	TC0X0080
7552	躑	A2F1C0	D161	9162	2-7140	TC0Y0080
7553	鑄	A2F1C1	D162	9163	2-7141	TC0Z0080
7554	鑪	A2F1C2	D163	9164	2-7142	TC100080
7555	鐵	A2F1C3	D164	9165	2-7143	TC110080
7556	鏡	A2F1C4	D165	9166	2-7144	TC120080
7557	鑊	A2F1C5	D166	9167	2-7145	TC130080
7558	鑊	A2F1C6	D167	9168	2-7146	TC140080
7559	鑊	A2F1C7	D168	9169	2-7147	TC150080
7560	鑊	A2F1C8	D169	916A	2-7148	TC160080
7561	鑊	A2F1C9	D16A	916B	2-7149	TC170080
7562	鑊	A2F1CA	D16B	916C	2-714A	TC180080
7563	鑊	A2F1CB	D16C	916D	2-714B	TC190080
7564	鑊	A2F1CC	D16D	916E	2-714C	TC1A0080
7565	鵠	A2F1CD	D16E	916F	2-714D	TC1B0080
7566	鵠	A2F1CE	D16F	9170	2-714E	TC1C0080
7567	鵠	A2F1CF	D170	9171	2-714F	TC1D0080
7568	鸞	A2F1D0	D171	9172	2-7150	TC1E0080
7569	鸞	A2F1D1	D172	9173	2-7151	TC1F0080
7570	鸞	A2F1D2	D173	9174	2-7152	TC1G0080
7571	鸞	A2F1D3	D174	9175	2-7153	TC1H0080
7572	鸞	A2F1D4	D175	9176	2-7154	TC1I0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 32 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7573	龔	A2F1D5	D176	9177	2-7155	TC1J0080
7574	齒	A2F1D6	D177	9178	2-7156	TC1K0080
7575	齧	A2F1D7	D178	9179	2-7157	TC1L0080
7576	齧	A2F1D8	D179	917A	2-7158	TC1M0080
7577	齧	A2F1D9	D17A	917B	2-7159	TC1N0080
7578	齧	A2F1DA	D17B	917C	2-715A	TC1O0080
7579	齧	A2F1DB	D17C	917D	2-715B	TC1P0080
7580	齧	A2F1DC	D17D	917E	2-715C	TC1Q0080
7581	蠓	A2F1DD	D17E	917F	2-715D	TC1R0080
7582	燈	A2F1DE	D180	9181	2-715E	TC1T0080
7583	躡	A2F1DF	D181	9182	2-715F	TC1U0080
7584	醜	A2F1E0	D182	9183	2-7160	TC1V0080
7585	鑷	A2F1E1	D183	9184	2-7161	TC1W0080
7586	鏗	A2F1E2	D184	9185	2-7162	TC1X0080
7587	鑷	A2F1E3	D185	9186	2-7163	TC1Y0080
7588	鑷	A2F1E4	D186	9187	2-7164	TC1Z0080
7589	驤	A2F1E5	D187	9188	2-7165	TC200080
7590	鬪	A2F1E6	D1B3	91B4	2-7166	TC380080
7591	饑	A2F1E7	D188	9189	2-7167	TC210080
7592	饑	A2F1E8	D189	918A	2-7168	TC220080
7593	饑	A2F1E9	D18A	918B	2-7169	TC230080
7594	饑	A2F1EA	D18B	918C	2-716A	TC240080
7595	饑	A2F1EB	D18C	918D	2-716B	TC250080
7596	鷓	A2F1EC	D18D	918E	2-716C	TC260080
7597	壓	A2F1ED	D18E	918F	2-716D	TC270080
7598	龔	A2F1EE	D18F	9190	2-716E	TC280080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 18 (Page 33 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7599	齧	A2F1EF	D190	9191	2-716F	TC290080
7600	齧	A2F1F0	D191	9192	2-7170	TC2A0080
7601	齧	A2F1F1	D192	9193	2-7171	TC2B0080
7602	齧	A2F1F2	D193	9194	2-7172	TC2C0080
7603	齧	A2F1F3	D194	9195	2-7173	TC2D0080
7604	齧	A2F1F4	D195	9196	2-7174	TC2E0080
7605	齧	A2F1F5	D196	9197	2-7175	TC2F0080
7606	齧	A2F1F6	D197	9198	2-7176	TC2G0080
7607	齧	A2F1F7	D198	9199	2-7177	TC2H0080
7608	齧	A2F1F8	D199	919A	2-7178	TC2I0080
7609	齧	A2F1F9	D19A	919B	2-7179	TC2J0080
7610	齧	A2F1FA	D19B	919C	2-717A	TC2K0080
7611	齧	A2F1FB	D19C	919D	2-717B	TC2L0080
7612	齧	A2F1FC	D19D	919E	2-717C	TC2M0080
7613	齧	A2F1FD	D19E	919F	2-717D	TC2N0080
7614	齧	A2F1FE	D19F	91A0	2-717E	TC2O0080
7615	齧	A2F2A1	D1A0	91A1	2-7221	TC2P0080
7616	齧	A2F2A2	D1A1	91A2	2-7222	TC2Q0080
7617	齧	A2F2A3	D1A2	91A3	2-7223	TC2R0080
7618	齧	A2F2A4	D1A3	91A4	2-7224	TC2S0080
7619	齧	A2F2A5	D1A4	91A5	2-7225	TC2T0080
7620	齧	A2F2A6	D1A5	91A6	2-7226	TC2U0080
7621	齧	A2F2A7	D1A6	91A7	2-7227	TC2V0080
7622	齧	A2F2A8	D1A7	91A8	2-7228	TC2W0080
7623	齧	A2F2A9	D1A8	91A9	2-7229	TC2X0080
7624	齧	A2F2AA	D1A9	91AA	2-722A	TC2Y0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 18 (Page 34 of 34). Secondary (CNS 11643 Plane 2) Chinese Character Set (7 of 7), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
7625	櫥	A2F2AB	D1AA	91AB	2-722B	TC2Z0080
7626	爐	A2F2AC	D1AB	91AC	2-722C	TC300080
7627	竈	A2F2AD	D1AC	91AD	2-722D	TC310080
7628	躑	A2F2AE	D1AD	91AE	2-722E	TC320080
7629	鑪	A2F2AF	D1AE	91AF	2-722F	TC330080
7630	鑪	A2F2B0	D1AF	91B0	2-7230	TC340080
7631	鑪	A2F2B1	D1B0	91B1	2-7231	TC350080
7632	驩	A2F2B2	D1B1	91B2	2-7232	TC360080
7633	驩	A2F2B3	D1B2	91B3	2-7233	TC370080
7634	鷓	A2F2B4	D1B4	91B5	2-7234	TC390080
7635	蒙	A2F2B5	D1B6	91B7	2-7235	TC3B0080
7636	讀	A2F2B6	D1B7	91B8	2-7236	TC3C0080
7637	鑪	A2F2B7	D1B8	91B9	2-7237	TC3D0080
7638	鑪	A2F2B8	D1B9	91BA	2-7238	TC3E0080
7639	禮	A2F2B9	D1BA	91BB	2-7239	TC3F0080
7640	癢	A2F2BA	D1BB	91BC	2-723A	TC3G0080
7641	羸	A2F2BB	D1BC	91BD	2-723B	TC3H0080
7642	鑪	A2F2BC	D1BD	91BE	2-723C	TC3I0080
7643	鷓	A2F2BD	D1BE	91BF	2-723D	TC3J0080
7644	灑	A2F2BE	D1BF	91C0	2-723E	TC3K0080
7645	灑	A2F2BF	D1C0	91C1	2-723F	TC3L0080
7646	燻	A2F2C0	D1B5	91B6	2-7240	TC3A0080
7647	羸	A2F2C1	D1C1	91C2	2-7241	TC3M0080
7648	羸	A2F2C2	D1C2	91C3	2-7242	TC3N0080
7649	羸	A2F2C3	D1C3	91C4	2-7243	TC3O0080
7650	羸	A2F2C4	D1C4	91C5	2-7244	TC3P0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

11.2 User Definable Character Set

Table 19 (Page 1 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1		ACA1A1	DB40	C241	12-	XJ9D0080
2		ACA1A2	DB41	C242	12-	XJ9E0080
3		ACA1A3	DB42	C243	12-	XJ9F0080
4		ACA1A4	DB43	C244	12-	XJ9G0080
5		ACA1A5	DB44	C245	12-	XJ9H0080
6		ACA1A6	DB45	C246	12-	XJ9I0080
7		ACA1A7	DB46	C247	12-	XJ9J0080
8		ACA1A8	DB47	C248	12-	XJ9K0080
9		ACA1A9	DB48	C249	12-	XJ9L0080
10		ACA1AA	DB49	C24A	12-	XJ9M0080
11		ACA1AB	DB4A	C24B	12-	XJ9N0080
12		ACA1AC	DB4B	C24C	12-	XJ9O0080
13		ACA1AD	DB4C	C24D	12-	XJ9P0080
14		ACA1AE	DB4D	C24E	12-	XJ9Q0080
15		ACA1AF	DB4E	C24F	12-	XJ9R0080
16		ACA1B0	DB4F	C250	12-	XJ9S0080
17		ACA1B1	DB50	C251	12-	XJ9T0080
18		ACA1B2	DB51	C252	12-	XJ9U0080
19		ACA1B3	DB52	C253	12-	XJ9V0080
20		ACA1B4	DB53	C254	12-	XJ9W0080
21		ACA1B5	DB54	C255	12-	XJ9X0080
22		ACA1B6	DB55	C256	12-	XJ9Y0080
23		ACA1B7	DB56	C257	12-	XJ9Z0080
24		ACA1B8	DB57	C258	12-	XJA00080
25		ACA1B9	DB58	C259	12-	XJA10080
26		ACA1BA	DB59	C25A	12-	XJA20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 2 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
27		ACA1BB	DB5A	C25B	12-	XJA30080
28		ACA1BC	DB5B	C25C	12-	XJA40080
29		ACA1BD	DB5C	C25D	12-	XJA50080
30		ACA1BE	DB5D	C25E	12-	XJA60080
31		ACA1BF	DB5E	C25F	12-	XJA70080
32		ACA1C0	DB5F	C260	12-	XJA80080
33		ACA1C1	DB60	C261	12-	XJA90080
34		ACA1C2	DB61	C262	12-	XJAA0080
35		ACA1C3	DB62	C263	12-	XJAB0080
36		ACA1C4	DB63	C264	12-	XJAC0080
37		ACA1C5	DB64	C265	12-	XJAD0080
38		ACA1C6	DB65	C266	12-	XJAE0080
39		ACA1C7	DB66	C267	12-	XJAF0080
40		ACA1C8	DB67	C268	12-	XJAG0080
41		ACA1C9	DB68	C269	12-	XJAH0080
42		ACA1CA	DB69	C26A	12-	XJAI0080
43		ACA1CB	DB6A	C26B	12-	XJAJ0080
44		ACA1CC	DB6B	C26C	12-	XJAK0080
45		ACA1CD	DB6C	C26D	12-	XJAL0080
46		ACA1CE	DB6D	C26E	12-	XJAM0080
47		ACA1CF	DB6E	C26F	12-	XJAN0080
48		ACA1D0	DB6F	C270	12-	XJAO0080
49		ACA1D1	DB70	C271	12-	XJAP0080
50		ACA1D2	DB71	C272	12-	XJAQ0080
51		ACA1D3	DB72	C273	12-	XJAR0080
52		ACA1D4	DB73	C274	12-	XJAS0080
53		ACA1D5	DB74	C275	12-	XJAT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 3 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
54		ACA1D6	DB75	C276	12-	XJAU0080
55		ACA1D7	DB76	C277	12-	XJAV0080
56		ACA1D8	DB77	C278	12-	XJAW0080
57		ACA1D9	DB78	C279	12-	XJAX0080
58		ACA1DA	DB79	C27A	12-	XJAY0080
59		ACA1DB	DB7A	C27B	12-	XJAZ0080
60		ACA1DC	DB7B	C27C	12-	XJB00080
61		ACA1DD	DB7C	C27D	12-	XJB10080
62		ACA1DE	DB7D	C27E	12-	XJB20080
63		ACA1DF	DB7E	C27F	12-	XJB30080
64		ACA1E0	DB80	C281	12-	XJB50080
65		ACA1E1	DB81	C282	12-	XJB60080
66		ACA1E2	DB82	C283	12-	XJB70080
67		ACA1E3	DB83	C284	12-	XJB80080
68		ACA1E4	DB84	C285	12-	XJB90080
69		ACA1E5	DB85	C286	12-	XJBA0080
70		ACA1E6	DB86	C287	12-	XJBB0080
71		ACA1E7	DB87	C288	12-	XJBC0080
72		ACA1E8	DB88	C289	12-	XJBD0080
73		ACA1E9	DB89	C28A	12-	XJBE0080
74		ACA1EA	DB8A	C28B	12-	XJBF0080
75		ACA1EB	DB8B	C28C	12-	XJBG0080
76		ACA1EC	DB8C	C28D	12-	XJBH0080
77		ACA1ED	DB8D	C28E	12-	XJBI0080
78		ACA1EE	DB8E	C28F	12-	XJBK0080
79		ACA1EF	DB8F	C290	12-	XJBL0080
80		ACA1F0	DB90	C291	12-	XJBL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 4 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
81		ACA1F1	DB91	C292	12-	XJBM0080
82		ACA1F2	DB92	C293	12-	XJBN0080
83		ACA1F3	DB93	C294	12-	XJBO0080
84		ACA1F4	DB94	C295	12-	XJBP0080
85		ACA1F5	DB95	C296	12-	XJBQ0080
86		ACA1F6	DB96	C297	12-	XJBR0080
87		ACA1F7	DB97	C298	12-	XJBS0080
88		ACA1F8	DB98	C299	12-	XJBT0080
89		ACA1F9	DB99	C29A	12-	XJBU0080
90		ACA1FA	DB9A	C29B	12-	XJBV0080
91		ACA1FB	DB9B	C29C	12-	XJBW0080
92		ACA1FC	DB9C	C29D	12-	XJBX0080
93		ACA1FD	DB9D	C29E	12-	XJBY0080
94		ACA1FE	DB9E	C29F	12-	XJBZ0080
95		ACA2A1	DB9F	C2A0	12-	XJC00080
96		ACA2A2	DBA0	C2A1	12-	XJC10080
97		ACA2A3	DBA1	C2A2	12-	XJC20080
98		ACA2A4	DBA2	C2A3	12-	XJC30080
99		ACA2A5	DBA3	C2A4	12-	XJC40080
100		ACA2A6	DBA4	C2A5	12-	XJC50080
101		ACA2A7	DBA5	C2A6	12-	XJC60080
102		ACA2A8	DBA6	C2A7	12-	XJC70080
103		ACA2A9	DBA7	C2A8	12-	XJC80080
104		ACA2AA	DBA8	C2A9	12-	XJC90080
105		ACA2AB	DBA9	C2AA	12-	XJCA0080
106		ACA2AC	DBAA	C2AB	12-	XJCB0080
107		ACA2AD	DBAB	C2AC	12-	XJCC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 5 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
108		ACA2AE	DBAC	C2AD	12-	XJCD0080
109		ACA2AF	DBAD	C2AE	12-	XJCE0080
110		ACA2B0	DBAE	C2AF	12-	XJCF0080
111		ACA2B1	DBAF	C2B0	12-	XJCG0080
112		ACA2B2	DBB0	C2B1	12-	XJCH0080
113		ACA2B3	DBB1	C2B2	12-	XJCI0080
114		ACA2B4	DBB2	C2B3	12-	XJ CJ0080
115		ACA2B5	DBB3	C2B4	12-	XJCK0080
116		ACA2B6	DBB4	C2B5	12-	XJCL0080
117		ACA2B7	DBB5	C2B6	12-	XJCM0080
118		ACA2B8	DBB6	C2B7	12-	XJCN0080
119		ACA2B9	DBB7	C2B8	12-	XJCO0080
120		ACA2BA	DBB8	C2B9	12-	XJCP0080
121		ACA2BB	DBB9	C2BA	12-	XJCQ0080
122		ACA2BC	DBBA	C2BB	12-	XJCR0080
123		ACA2BD	DBBB	C2BC	12-	XJCS0080
124		ACA2BE	DBBC	C2BD	12-	XJCT0080
125		ACA2BF	DBBD	C2BE	12-	XJCU0080
126		ACA2C0	DBBE	C2BF	12-	XJCV0080
127		ACA2C1	DBBF	C2C0	12-	XJCW0080
128		ACA2C2	DBC0	C2C1	12-	XJ CX0080
129		ACA2C3	DBC1	C2C2	12-	XJCY0080
130		ACA2C4	DBC2	C2C3	12-	XJ CZ0080
131		ACA2C5	DBC3	C2C4	12-	XJD00080
132		ACA2C6	DBC4	C2C5	12-	XJD10080
133		ACA2C7	DBC5	C2C6	12-	XJD20080
134		ACA2C8	DBC6	C2C7	12-	XJD30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 6 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
135		ACA2C9	DBC7	C2C8	12-	XJD40080
136		ACA2CA	DBC8	C2C9	12-	XJD50080
137		ACA2CB	DBC9	C2CA	12-	XJD60080
138		ACA2CC	DBCA	C2CB	12-	XJD70080
139		ACA2CD	DBC B	C2CC	12-	XJD80080
140		ACA2CE	DBCC	C2CD	12-	XJD90080
141		ACA2CF	DBCD	C2CE	12-	XJDA0080
142		ACA2D0	DBCE	C2CF	12-	XJDB0080
143		ACA2D1	DBCF	C2D0	12-	XJDC0080
144		ACA2D2	DBD0	C2D1	12-	XJDD0080
145		ACA2D3	DBD1	C2D2	12-	XJDE0080
146		ACA2D4	DBD2	C2D3	12-	XJDF0080
147		ACA2D5	DBD3	C2D4	12-	XJDG0080
148		ACA2D6	DBD4	C2D5	12-	XJDH0080
149		ACA2D7	DBD5	C2D6	12-	XJDI0080
150		ACA2D8	DBD6	C2D7	12-	XJDJ0080
151		ACA2D9	DBD7	C2D8	12-	XJDK0080
152		ACA2DA	DBD8	C2D9	12-	XJDL0080
153		ACA2DB	DBD9	C2DA	12-	XJDM0080
154		ACA2DC	DBDA	C2DB	12-	XJDN0080
155		ACA2DD	DBDB	C2DC	12-	XJDO0080
156		ACA2DE	DBDC	C2DD	12-	XJDP0080
157		ACA2DF	DBDD	C2DE	12-	XJDQ0080
158		ACA2E0	DBDE	C2DF	12-	XJDR0080
159		ACA2E1	DBDF	C2E0	12-	XJDS0080
160		ACA2E2	DBE0	C2E1	12-	XJDT0080
161		ACA2E3	DBE1	C2E2	12-	XJDU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 7 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
162		ACA2E4	DBE2	C2E3	12-	XJDV0080
163		ACA2E5	DBE3	C2E4	12-	XJDW0080
164		ACA2E6	DBE4	C2E5	12-	XJDX0080
165		ACA2E7	DBE5	C2E6	12-	XJDY0080
166		ACA2E8	DBE6	C2E7	12-	XJDZ0080
167		ACA2E9	DBE7	C2E8	12-	XJE00080
168		ACA2EA	DBE8	C2E9	12-	XJE10080
169		ACA2EB	DBE9	C2EA	12-	XJE20080
170		ACA2EC	DBEA	C2EB	12-	XJE30080
171		ACA2ED	DBEB	C2EC	12-	XJE40080
172		ACA2EE	DBEC	C2ED	12-	XJE50080
173		ACA2EF	DBED	C2EE	12-	XJE60080
174		ACA2F0	DBEE	C2EF	12-	XJE70080
175		ACA2F1	DBEF	C2F0	12-	XJE80080
176		ACA2F2	DBF0	C2F1	12-	XJE90080
177		ACA2F3	DBF1	C2F2	12-	XJEA0080
178		ACA2F4	DBF2	C2F3	12-	XJEB0080
179		ACA2F5	DBF3	C2F4	12-	XJEC0080
180		ACA2F6	DBF4	C2F5	12-	XJED0080
181		ACA2F7	DBF5	C2F6	12-	XJEE0080
182		ACA2F8	DBF6	C2F7	12-	XJEF0080
183		ACA2F9	DBF7	C2F8	12-	XJEG0080
184		ACA2FA	DBF8	C2F9	12-	XJEH0080
185		ACA2FB	DBF9	C2FA	12-	XJEI0080
186		ACA2FC	DBFA	C2FB	12-	XJ EJ0080
187		ACA2FD	DBFB	C2FC	12-	XJEK0080
188		ACA2FE	DBFC	C2FD	12-	XJEL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 8 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
189		ACA3A1	DC40	C341	12-	XJEP0080
190		ACA3A2	DC41	C342	12-	XJEQ0080
191		ACA3A3	DC42	C343	12-	XJER0080
192		ACA3A4	DC43	C344	12-	XJES0080
193		ACA3A5	DC44	C345	12-	XJET0080
194		ACA3A6	DC45	C346	12-	XJEU0080
195		ACA3A7	DC46	C347	12-	XJEV0080
196		ACA3A8	DC47	C348	12-	XJEW0080
197		ACA3A9	DC48	C349	12-	XJEX0080
198		ACA3AA	DC49	C34A	12-	XJEY0080
199		ACA3AB	DC4A	C34B	12-	XJEZ0080
200		ACA3AC	DC4B	C34C	12-	XJF00080
201		ACA3AD	DC4C	C34D	12-	XJF10080
202		ACA3AE	DC4D	C34E	12-	XJF20080
203		ACA3AF	DC4E	C34F	12-	XJF30080
204		ACA3B0	DC4F	C350	12-	XJF40080
205		ACA3B1	DC50	C351	12-	XJF50080
206		ACA3B2	DC51	C352	12-	XJF60080
207		ACA3B3	DC52	C353	12-	XJF70080
208		ACA3B4	DC53	C354	12-	XJF80080
209		ACA3B5	DC54	C355	12-	XJF90080
210		ACA3B6	DC55	C356	12-	XJFA0080
211		ACA3B7	DC56	C357	12-	XJFB0080
212		ACA3B8	DC57	C358	12-	XJFC0080
213		ACA3B9	DC58	C359	12-	XJFD0080
214		ACA3BA	DC59	C35A	12-	XJFE0080
215		ACA3BB	DC5A	C35B	12-	XJFF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 9 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
216		ACA3BC	DC5B	C35C	12-	XJFG0080
217		ACA3BD	DC5C	C35D	12-	XJFH0080
218		ACA3BE	DC5D	C35E	12-	XJFI0080
219		ACA3BF	DC5E	C35F	12-	XJFJ0080
220		ACA3C0	DC5F	C360	12-	XJFK0080
221		ACA3C1	DC60	C361	12-	XJFL0080
222		ACA3C2	DC61	C362	12-	XJFM0080
223		ACA3C3	DC62	C363	12-	XJFN0080
224		ACA3C4	DC63	C364	12-	XJFO0080
225		ACA3C5	DC64	C365	12-	XJFP0080
226		ACA3C6	DC65	C366	12-	XJFQ0080
227		ACA3C7	DC66	C367	12-	XJFR0080
228		ACA3C8	DC67	C368	12-	XJFS0080
229		ACA3C9	DC68	C369	12-	XJFT0080
230		ACA3CA	DC69	C36A	12-	XJFU0080
231		ACA3CB	DC6A	C36B	12-	XJFV0080
232		ACA3CC	DC6B	C36C	12-	XJFW0080
233		ACA3CD	DC6C	C36D	12-	XJFX0080
234		ACA3CE	DC6D	C36E	12-	XJFY0080
235		ACA3CF	DC6E	C36F	12-	XJFZ0080
236		ACA3D0	DC6F	C370	12-	XJG00080
237		ACA3D1	DC70	C371	12-	XJG10080
238		ACA3D2	DC71	C372	12-	XJG20080
239		ACA3D3	DC72	C373	12-	XJG30080
240		ACA3D4	DC73	C374	12-	XJG40080
241		ACA3D5	DC74	C375	12-	XJG50080
242		ACA3D6	DC75	C376	12-	XJG60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 10 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
243		ACA3D7	DC76	C377	12-	XJG70080
244		ACA3D8	DC77	C378	12-	XJG80080
245		ACA3D9	DC78	C379	12-	XJG90080
246		ACA3DA	DC79	C37A	12-	XJGA0080
247		ACA3DB	DC7A	C37B	12-	XJGB0080
248		ACA3DC	DC7B	C37C	12-	XJGC0080
249		ACA3DD	DC7C	C37D	12-	XJGD0080
250		ACA3DE	DC7D	C37E	12-	XJGE0080
251		ACA3DF	DC7E	C37F	12-	XJGF0080
252		ACA3E0	DC80	C381	12-	XJGH0080
253		ACA3E1	DC81	C382	12-	XJGI0080
254		ACA3E2	DC82	C383	12-	XJGJ0080
255		ACA3E3	DC83	C384	12-	XJGK0080
256		ACA3E4	DC84	C385	12-	XJGL0080
257		ACA3E5	DC85	C386	12-	XJGM0080
258		ACA3E6	DC86	C387	12-	XJGN0080
259		ACA3E7	DC87	C388	12-	XJGO0080
260		ACA3E8	DC88	C389	12-	XJGP0080
261		ACA3E9	DC89	C38A	12-	XJGQ0080
262		ACA3EA	DC8A	C38B	12-	XJGR0080
263		ACA3EB	DC8B	C38C	12-	XJGS0080
264		ACA3EC	DC8C	C38D	12-	XJGT0080
265		ACA3ED	DC8D	C38E	12-	XJGU0080
266		ACA3EE	DC8E	C38F	12-	XJGV0080
267		ACA3EF	DC8F	C390	12-	XJGW0080
268		ACA3F0	DC90	C391	12-	XJGX0080
269		ACA3F1	DC91	C392	12-	XJGY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 11 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
270		ACA3F2	DC92	C393	12-	XJGZ0080
271		ACA3F3	DC93	C394	12-	XJH00080
272		ACA3F4	DC94	C395	12-	XJH10080
273		ACA3F5	DC95	C396	12-	XJH20080
274		ACA3F6	DC96	C397	12-	XJH30080
275		ACA3F7	DC97	C398	12-	XJH40080
276		ACA3F8	DC98	C399	12-	XJH50080
277		ACA3F9	DC99	C39A	12-	XJH60080
278		ACA3FA	DC9A	C39B	12-	XJH70080
279		ACA3FB	DC9B	C39C	12-	XJH80080
280		ACA3FC	DC9C	C39D	12-	XJH90080
281		ACA3FD	DC9D	C39E	12-	XJHA0080
282		ACA3FE	DC9E	C39F	12-	XJHB0080
283		ACA4A1	DC9F	C3A0	12-	XJHC0080
284		ACA4A2	DCA0	C3A1	12-	XJHD0080
285		ACA4A3	DCA1	C3A2	12-	XJHE0080
286		ACA4A4	DCA2	C3A3	12-	XJHF0080
287		ACA4A5	DCA3	C3A4	12-	XJHG0080
288		ACA4A6	DCA4	C3A5	12-	XJHH0080
289		ACA4A7	DCA5	C3A6	12-	XJHI0080
290		ACA4A8	DCA6	C3A7	12-	XJHJ0080
291		ACA4A9	DCA7	C3A8	12-	XJHK0080
292		ACA4AA	DCA8	C3A9	12-	XJHL0080
293		ACA4AB	DCA9	C3AA	12-	XJHM0080
294		ACA4AC	DCAA	C3AB	12-	XJHN0080
295		ACA4AD	DCAB	C3AC	12-	XJHO0080
296		ACA4AE	DCAC	C3AD	12-	XJHP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 12 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
297		ACA4AF	DCAD	C3AE	12-	XJHQ0080
298		ACA4B0	DCAE	C3AF	12-	XJHR0080
299		ACA4B1	DCAF	C3B0	12-	XJHS0080
300		ACA4B2	DCB0	C3B1	12-	XJHT0080
301		ACA4B3	DCB1	C3B2	12-	XJHU0080
302		ACA4B4	DCB2	C3B3	12-	XJHV0080
303		ACA4B5	DCB3	C3B4	12-	XJHW0080
304		ACA4B6	DCB4	C3B5	12-	XJHX0080
305		ACA4B7	DCB5	C3B6	12-	XJHY0080
306		ACA4B8	DCB6	C3B7	12-	XJHZ0080
307		ACA4B9	DCB7	C3B8	12-	XJI00080
308		ACA4BA	DCB8	C3B9	12-	XJI10080
309		ACA4BB	DCB9	C3BA	12-	XJI20080
310		ACA4BC	DCBA	C3BB	12-	XJI30080
311		ACA4BD	DCBB	C3BC	12-	XJI40080
312		ACA4BE	DCBC	C3BD	12-	XJI50080
313		ACA4BF	DCBD	C3BE	12-	XJI60080
314		ACA4C0	DCBE	C3BF	12-	XJI70080
315		ACA4C1	DCBF	C3C0	12-	XJI80080
316		ACA4C2	DCC0	C3C1	12-	XJI90080
317		ACA4C3	DCC1	C3C2	12-	XJIA0080
318		ACA4C4	DCC2	C3C3	12-	XJIB0080
319		ACA4C5	DCC3	C3C4	12-	XJIC0080
320		ACA4C6	DCC4	C3C5	12-	XJID0080
321		ACA4C7	DCC5	C3C6	12-	XJIE0080
322		ACA4C8	DCC6	C3C7	12-	XJIF0080
323		ACA4C9	DCC7	C3C8	12-	XJIG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 13 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
324		ACA4CA	DCC8	C3C9	12-	XJIH0080
325		ACA4CB	DCC9	C3CA	12-	XJII0080
326		ACA4CC	DCCA	C3CB	12-	XJIJ0080
327		ACA4CD	DCCB	C3CC	12-	XJIK0080
328		ACA4CE	DCCC	C3CD	12-	XJIL0080
329		ACA4CF	DCCD	C3CE	12-	XJIM0080
330		ACA4D0	DCCE	C3CF	12-	XJIN0080
331		ACA4D1	DCCF	C3D0	12-	XJIO0080
332		ACA4D2	DCD0	C3D1	12-	XJIP0080
333		ACA4D3	DCD1	C3D2	12-	XJIQ0080
334		ACA4D4	DCD2	C3D3	12-	XJIR0080
335		ACA4D5	DCD3	C3D4	12-	XJIS0080
336		ACA4D6	DCD4	C3D5	12-	XJIT0080
337		ACA4D7	DCD5	C3D6	12-	XJIU0080
338		ACA4D8	DCD6	C3D7	12-	XJIV0080
339		ACA4D9	DCD7	C3D8	12-	XJIW0080
340		ACA4DA	DCD8	C3D9	12-	XJIX0080
341		ACA4DB	DCD9	C3DA	12-	XJIY0080
342		ACA4DC	DCDA	C3DB	12-	XJIZ0080
343		ACA4DD	DCDB	C3DC	12-	XJJ00080
344		ACA4DE	DCDC	C3DD	12-	XJJ10080
345		ACA4DF	DCDD	C3DE	12-	XJJ20080
346		ACA4E0	DCDE	C3DF	12-	XJJ30080
347		ACA4E1	DCDF	C3E0	12-	XJJ40080
348		ACA4E2	DCE0	C3E1	12-	XJJ50080
349		ACA4E3	DCE1	C3E2	12-	XJJ60080
350		ACA4E4	DCE2	C3E3	12-	XJJ70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 14 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
351		ACA4E5	DCE3	C3E4	12-	XJJ80080
352		ACA4E6	DCE4	C3E5	12-	XJJ90080
353		ACA4E7	DCE5	C3E6	12-	XJJA0080
354		ACA4E8	DCE6	C3E7	12-	XJJB0080
355		ACA4E9	DCE7	C3E8	12-	XJJC0080
356		ACA4EA	DCE8	C3E9	12-	XJJD0080
357		ACA4EB	DCE9	C3EA	12-	XJJE0080
358		ACA4EC	DCEA	C3EB	12-	XJF0080
359		ACA4ED	DCEB	C3EC	12-	XJJG0080
360		ACA4EE	DCEC	C3ED	12-	XJJH0080
361		ACA4EF	DCED	C3EE	12-	XJJI0080
362		ACA4F0	DCEE	C3EF	12-	XJJJ0080
363		ACA4F1	DCEF	C3F0	12-	XJJK0080
364		ACA4F2	DCF0	C3F1	12-	XJL0080
365		ACA4F3	DCF1	C3F2	12-	XJMM0080
366		ACA4F4	DCF2	C3F3	12-	XJNN0080
367		ACA4F5	DCF3	C3F4	12-	XJOO0080
368		ACA4F6	DCF4	C3F5	12-	XJPP0080
369		ACA4F7	DCF5	C3F6	12-	XJQQ0080
370		ACA4F8	DCF6	C3F7	12-	XJRR0080
371		ACA4F9	DCF7	C3F8	12-	XJSS0080
372		ACA4FA	DCF8	C3F9	12-	XJTT0080
373		ACA4FB	DCF9	C3FA	12-	XJUU0080
374		ACA4FC	DCFA	C3FB	12-	XJVV0080
375		ACA4FD	DCFB	C3FC	12-	XJWW0080
376		ACA4FE	DCFC	C3FD	12-	XJXX0080
377		ACA5A1	DD40	C441	12-	XJK10080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 15 of 39). User Definable Character Set (1 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
378		ACA5A2	DD41	C442	12-	XJK20080
379		ACA5A3	DD42	C443	12-	XJK30080
380		ACA5A4	DD43	C444	12-	XJK40080
381		ACA5A5	DD44	C445	12-	XJK50080
382		ACA5A6	DD45	C446	12-	XJK60080
383		ACA5A7	DD46	C447	12-	XJK70080
384		ACA5A8	DD47	C448	12-	XJK80080
385		ACA5A9	DD48	C449	12-	XJK90080
386		ACA5AA	DD49	C44A	12-	XJKA0080
387		ACA5AB	DD4A	C44B	12-	XJKB0080
388		ACA5AC	DD4B	C44C	12-	XJKC0080
389		ACA5AD	DD4C	C44D	12-	XJKD0080
390		ACA5AE	DD4D	C44E	12-	XJKE0080
391		ACA5AF	DD4E	C44F	12-	XJKF0080
392		ACA5B0	DD4F	C450	12-	XJKG0080
393		ACA5B1	DD50	C451	12-	XJKH0080
394		ACA5B2	DD51	C452	12-	XJKI0080
395		ACA5B3	DD52	C453	12-	XJKJ0080
396		ACA5B4	DD53	C454	12-	XJKK0080
397		ACA5B5	DD54	C455	12-	XJKL0080
398		ACA5B6	DD55	C456	12-	XJKM0080
399		ACA5B7	DD56	C457	12-	XJKN0080
400		ACA5B8	DD57	C458	12-	XJKO0080
401		ACA5B9	DD58	C459	12-	XJKP0080
402		ACA5BA	DD59	C45A	12-	XJKQ0080
403		ACA5BB	DD5A	C45B	12-	XJKR0080
404		ACA5BC	DD5B	C45C	12-	XJKS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 16 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
405		ACA5BD	DD5C	C45D	12-	XJKT0080
406		ACA5BE	DD5D	C45E	12-	XJKU0080
407		ACA5BF	DD5E	C45F	12-	XJKV0080
408		ACA5C0	DD5F	C460	12-	XJKW0080
409		ACA5C1	DD60	C461	12-	XJKX0080
410		ACA5C2	DD61	C462	12-	XJKY0080
411		ACA5C3	DD62	C463	12-	XJKZ0080
412		ACA5C4	DD63	C464	12-	XJL00080
413		ACA5C5	DD64	C465	12-	XJL10080
414		ACA5C6	DD65	C466	12-	XJL20080
415		ACA5C7	DD66	C467	12-	XJL30080
416		ACA5C8	DD67	C468	12-	XJL40080
417		ACA5C9	DD68	C469	12-	XJL50080
418		ACA5CA	DD69	C46A	12-	XJL60080
419		ACA5CB	DD6A	C46B	12-	XJL70080
420		ACA5CC	DD6B	C46C	12-	XJL80080
421		ACA5CD	DD6C	C46D	12-	XJL90080
422		ACA5CE	DD6D	C46E	12-	XJLA0080
423		ACA5CF	DD6E	C46F	12-	XJLB0080
424		ACA5D0	DD6F	C470	12-	XJLC0080
425		ACA5D1	DD70	C471	12-	XJLD0080
426		ACA5D2	DD71	C472	12-	XJLE0080
427		ACA5D3	DD72	C473	12-	XJLF0080
428		ACA5D4	DD73	C474	12-	XJLG0080
429		ACA5D5	DD74	C475	12-	XJLH0080
430		ACA5D6	DD75	C476	12-	XJLI0080
431		ACA5D7	DD76	C477	12-	XJLJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 17 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
432		ACA5D8	DD77	C478	12-	XJLK0080
433		ACA5D9	DD78	C479	12-	XJLL0080
434		ACA5DA	DD79	C47A	12-	XJLM0080
435		ACA5DB	DD7A	C47B	12-	XJLN0080
436		ACA5DC	DD7B	C47C	12-	XJLO0080
437		ACA5DD	DD7C	C47D	12-	XJLP0080
438		ACA5DE	DD7D	C47E	12-	XJLQ0080
439		ACA5DF	DD7E	C47F	12-	XJLR0080
440		ACA5E0	DD80	C481	12-	XJLT0080
441		ACA5E1	DD81	C482	12-	XJLU0080
442		ACA5E2	DD82	C483	12-	XJLV0080
443		ACA5E3	DD83	C484	12-	XJLW0080
444		ACA5E4	DD84	C485	12-	XJLX0080
445		ACA5E5	DD85	C486	12-	XJLY0080
446		ACA5E6	DD86	C487	12-	XJLZ0080
447		ACA5E7	DD87	C488	12-	XJM00080
448		ACA5E8	DD88	C489	12-	XJM10080
449		ACA5E9	DD89	C48A	12-	XJM20080
450		ACA5EA	DD8A	C48B	12-	XJM30080
451		ACA5EB	DD8B	C48C	12-	XJM40080
452		ACA5EC	DD8C	C48D	12-	XJM50080
453		ACA5ED	DD8D	C48E	12-	XJM60080
454		ACA5EE	DD8E	C48F	12-	XJM70080
455		ACA5EF	DD8F	C490	12-	XJM80080
456		ACA5F0	DD90	C491	12-	XJM90080
457		ACA5F1	DD91	C492	12-	XJMA0080
458		ACA5F2	DD92	C493	12-	XJMB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 18 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
459		ACA5F3	DD93	C494	12-	XJMC0080
460		ACA5F4	DD94	C495	12-	XJMD0080
461		ACA5F5	DD95	C496	12-	XJME0080
462		ACA5F6	DD96	C497	12-	XJMF0080
463		ACA5F7	DD97	C498	12-	XJMG0080
464		ACA5F8	DD98	C499	12-	XJMH0080
465		ACA5F9	DD99	C49A	12-	XJMI0080
466		ACA5FA	DD9A	C49B	12-	XJMJ0080
467		ACA5FB	DD9B	C49C	12-	XJMK0080
468		ACA5FC	DD9C	C49D	12-	XJML0080
469		ACA5FD	DD9D	C49E	12-	XJMM0080
470		ACA5FE	DD9E	C49F	12-	XJMN0080
471		ACA6A1	DD9F	C4A0	12-	XJMO0080
472		ACA6A2	DDA0	C4A1	12-	XJMP0080
473		ACA6A3	DDA1	C4A2	12-	XJMQ0080
474		ACA6A4	DDA2	C4A3	12-	XJMR0080
475		ACA6A5	DDA3	C4A4	12-	XJMS0080
476		ACA6A6	DDA4	C4A5	12-	XJMT0080
477		ACA6A7	DDA5	C4A6	12-	XJMU0080
478		ACA6A8	DDA6	C4A7	12-	XJMV0080
479		ACA6A9	DDA7	C4A8	12-	XJMW0080
480		ACA6AA	DDA8	C4A9	12-	XJMX0080
481		ACA6AB	DDA9	C4AA	12-	XJMY0080
482		ACA6AC	DDAA	C4AB	12-	XJMZ0080
483		ACA6AD	DDAB	C4AC	12-	XJN00080
484		ACA6AE	DDAC	C4AD	12-	XJN10080
485		ACA6AF	DDAD	C4AE	12-	XJN20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 19 (Page 19 of 39). User Definable Character Set (1 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
486		ACA6B0	DDAE	C4AF	12-	XJN30080
487		ACA6B1	DDAF	C4B0	12-	XJN40080
488		ACA6B2	DDB0	C4B1	12-	XJN50080
489		ACA6B3	DDB1	C4B2	12-	XJN60080
490		ACA6B4	DDB2	C4B3	12-	XJN70080
491		ACA6B5	DDB3	C4B4	12-	XJN80080
492		ACA6B6	DDB4	C4B5	12-	XJN90080
493		ACA6B7	DDB5	C4B6	12-	XJNA0080
494		ACA6B8	DDB6	C4B7	12-	XJNB0080
495		ACA6B9	DDB7	C4B8	12-	XJNC0080
496		ACA6BA	DDB8	C4B9	12-	XJND0080
497		ACA6BB	DDB9	C4BA	12-	XJNE0080
498		ACA6BC	DDBA	C4BB	12-	XJNF0080
499		ACA6BD	DDBB	C4BC	12-	XJNG0080
500		ACA6BE	DDBC	C4BD	12-	XJNH0080
501		ACA6BF	DDBD	C4BE	12-	XJNI0080
502		ACA6C0	DDBE	C4BF	12-	XJNJ0080
503		ACA6C1	DDBF	C4C0	12-	XJNK0080
504		ACA6C2	DDC0	C4C1	12-	XJNL0080
505		ACA6C3	DDC1	C4C2	12-	XJNM0080
506		ACA6C4	DDC2	C4C3	12-	XJNN0080
507		ACA6C5	DDC3	C4C4	12-	XJNO0080
508		ACA6C6	DDC4	C4C5	12-	XJNP0080
509		ACA6C7	DDC5	C4C6	12-	XJNQ0080
510		ACA6C8	DDC6	C4C7	12-	XJNR0080
511		ACA6C9	DDC7	C4C8	12-	XJNS0080
512		ACA6CA	DDC8	C4C9	12-	XJNT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 20 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
513		ACA6CB	DDC9	C4CA	12-	XJNU0080
514		ACA6CC	DDCA	C4CB	12-	XJNV0080
515		ACA6CD	DDCB	C4CC	12-	XJNW0080
516		ACA6CE	DDCC	C4CD	12-	XJNX0080
517		ACA6CF	DDCD	C4CE	12-	XJNY0080
518		ACA6D0	DDCE	C4CF	12-	XJNZ0080
519		ACA6D1	DDCF	C4D0	12-	XJO00080
520		ACA6D2	DDD0	C4D1	12-	XJO10080
521		ACA6D3	DDD1	C4D2	12-	XJO20080
522		ACA6D4	DDD2	C4D3	12-	XJO30080
523		ACA6D5	DDD3	C4D4	12-	XJO40080
524		ACA6D6	DDD4	C4D5	12-	XJO50080
525		ACA6D7	DDD5	C4D6	12-	XJO60080
526		ACA6D8	DDD6	C4D7	12-	XJO70080
527		ACA6D9	DDD7	C4D8	12-	XJO80080
528		ACA6DA	DDD8	C4D9	12-	XJO90080
529		ACA6DB	DDD9	C4DA	12-	XJOA0080
530		ACA6DC	DDDA	C4DB	12-	XJOB0080
531		ACA6DD	DDDB	C4DC	12-	XJOC0080
532		ACA6DE	DDDC	C4DD	12-	XJOD0080
533		ACA6DF	DDDD	C4DE	12-	XJOE0080
534		ACA6E0	DDDE	C4DF	12-	XJOF0080
535		ACA6E1	DDDF	C4E0	12-	XJOG0080
536		ACA6E2	DDE0	C4E1	12-	XJOH0080
537		ACA6E3	DDE1	C4E2	12-	XJOI0080
538		ACA6E4	DDE2	C4E3	12-	XJOJ0080
539		ACA6E5	DDE3	C4E4	12-	XJOK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 21 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
540		ACA6E6	DDE4	C4E5	12-	XJOL0080
541		ACA6E7	DDE5	C4E6	12-	XJOM0080
542		ACA6E8	DDE6	C4E7	12-	XJON0080
543		ACA6E9	DDE7	C4E8	12-	XJOO0080
544		ACA6EA	DDE8	C4E9	12-	XJOP0080
545		ACA6EB	DDE9	C4EA	12-	XJOQ0080
546		ACA6EC	DDEA	C4EB	12-	XJOR0080
547		ACA6ED	DDEB	C4EC	12-	XJOS0080
548		ACA6EE	DDEC	C4ED	12-	XJOT0080
549		ACA6EF	DDED	C4EE	12-	XJOU0080
550		ACA6F0	DDEE	C4EF	12-	XJOV0080
551		ACA6F1	DDEF	C4F0	12-	XJOW0080
552		ACA6F2	DDF0	C4F1	12-	XJOX0080
553		ACA6F3	DDF1	C4F2	12-	XJOY0080
554		ACA6F4	DDF2	C4F3	12-	XJOZ0080
555		ACA6F5	DDF3	C4F4	12-	XJP00080
556		ACA6F6	DDF4	C4F5	12-	XJP10080
557		ACA6F7	DDF5	C4F6	12-	XJP20080
558		ACA6F8	DDF6	C4F7	12-	XJP30080
559		ACA6F9	DDF7	C4F8	12-	XJP40080
560		ACA6FA	DDF8	C4F9	12-	XJP50080
561		ACA6FB	DDF9	C4FA	12-	XJP60080
562		ACA6FC	DDFA	C4FB	12-	XJP70080
563		ACA6FD	DDFB	C4FC	12-	XJP80080
564		ACA6FE	DDFC	C4FD	12-	XJP90080
565		ACA7A1	DE40	C541	12-	XJPD0080
566		ACA7A2	DE41	C542	12-	XJPE0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 22 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
567		ACA7A3	DE42	C543	12-	XJPF0080
568		ACA7A4	DE43	C544	12-	XJPG0080
569		ACA7A5	DE44	C545	12-	XJPH0080
570		ACA7A6	DE45	C546	12-	XJPI0080
571		ACA7A7	DE46	C547	12-	XJPJ0080
572		ACA7A8	DE47	C548	12-	XJPK0080
573		ACA7A9	DE48	C549	12-	XJPL0080
574		ACA7AA	DE49	C54A	12-	XJPM0080
575		ACA7AB	DE4A	C54B	12-	XJPN0080
576		ACA7AC	DE4B	C54C	12-	XJPO0080
577		ACA7AD	DE4C	C54D	12-	XJPP0080
578		ACA7AE	DE4D	C54E	12-	XJPQ0080
579		ACA7AF	DE4E	C54F	12-	XJPR0080
580		ACA7B0	DE4F	C550	12-	XJPS0080
581		ACA7B1	DE50	C551	12-	XJPT0080
582		ACA7B2	DE51	C552	12-	XJPU0080
583		ACA7B3	DE52	C553	12-	XJPV0080
584		ACA7B4	DE53	C554	12-	XJPW0080
585		ACA7B5	DE54	C555	12-	XJPX0080
586		ACA7B6	DE55	C556	12-	XJPY0080
587		ACA7B7	DE56	C557	12-	XJPZ0080
588		ACA7B8	DE57	C558	12-	XJQ00080
589		ACA7B9	DE58	C559	12-	XJQ10080
590		ACA7BA	DE59	C55A	12-	XJQ20080
591		ACA7BB	DE5A	C55B	12-	XJQ30080
592		ACA7BC	DE5B	C55C	12-	XJQ40080
593		ACA7BD	DE5C	C55D	12-	XJQ50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 23 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
594		ACA7BE	DE5D	C55E	12-	XJQ60080
595		ACA7BF	DE5E	C55F	12-	XJQ70080
596		ACA7C0	DE5F	C560	12-	XJQ80080
597		ACA7C1	DE60	C561	12-	XJQ90080
598		ACA7C2	DE61	C562	12-	XJQA0080
599		ACA7C3	DE62	C563	12-	XJQB0080
600		ACA7C4	DE63	C564	12-	XJQC0080
601		ACA7C5	DE64	C565	12-	XJQD0080
602		ACA7C6	DE65	C566	12-	XJQE0080
603		ACA7C7	DE66	C567	12-	XJQF0080
604		ACA7C8	DE67	C568	12-	XJQG0080
605		ACA7C9	DE68	C569	12-	XJQH0080
606		ACA7CA	DE69	C56A	12-	XJQI0080
607		ACA7CB	DE6A	C56B	12-	XJQJ0080
608		ACA7CC	DE6B	C56C	12-	XJQK0080
609		ACA7CD	DE6C	C56D	12-	XJQL0080
610		ACA7CE	DE6D	C56E	12-	XJQM0080
611		ACA7CF	DE6E	C56F	12-	XJQN0080
612		ACA7D0	DE6F	C570	12-	XJQO0080
613		ACA7D1	DE70	C571	12-	XJQP0080
614		ACA7D2	DE71	C572	12-	XJQQ0080
615		ACA7D3	DE72	C573	12-	XJQR0080
616		ACA7D4	DE73	C574	12-	XJQS0080
617		ACA7D5	DE74	C575	12-	XJQT0080
618		ACA7D6	DE75	C576	12-	XJQU0080
619		ACA7D7	DE76	C577	12-	XJQV0080
620		ACA7D8	DE77	C578	12-	XJQW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 24 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
621		ACA7D9	DE78	C579	12-	XJQX0080
622		ACA7DA	DE79	C57A	12-	XJQY0080
623		ACA7DB	DE7A	C57B	12-	XJQZ0080
624		ACA7DC	DE7B	C57C	12-	XJR00080
625		ACA7DD	DE7C	C57D	12-	XJR10080
626		ACA7DE	DE7D	C57E	12-	XJR20080
627		ACA7DF	DE7E	C57F	12-	XJR30080
628		ACA7E0	DE80	C581	12-	XJR50080
629		ACA7E1	DE81	C582	12-	XJR60080
630		ACA7E2	DE82	C583	12-	XJR70080
631		ACA7E3	DE83	C584	12-	XJR80080
632		ACA7E4	DE84	C585	12-	XJR90080
633		ACA7E5	DE85	C586	12-	XJRA0080
634		ACA7E6	DE86	C587	12-	XJRB0080
635		ACA7E7	DE87	C588	12-	XJRC0080
636		ACA7E8	DE88	C589	12-	XJRD0080
637		ACA7E9	DE89	C58A	12-	XJRE0080
638		ACA7EA	DE8A	C58B	12-	XJRF0080
639		ACA7EB	DE8B	C58C	12-	XJRG0080
640		ACA7EC	DE8C	C58D	12-	XJRH0080
641		ACA7ED	DE8D	C58E	12-	XJRI0080
642		ACA7EE	DE8E	C58F	12-	XJRJ0080
643		ACA7EF	DE8F	C590	12-	XJRK0080
644		ACA7F0	DE90	C591	12-	XJRL0080
645		ACA7F1	DE91	C592	12-	XJRM0080
646		ACA7F2	DE92	C593	12-	XJRN0080
647		ACA7F3	DE93	C594	12-	XJRO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 25 of 39). User Definable Character Set (1 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
648		ACA7F4	DE94	C595	12-	XJRP0080
649		ACA7F5	DE95	C596	12-	XJRQ0080
650		ACA7F6	DE96	C597	12-	XJRR0080
651		ACA7F7	DE97	C598	12-	XJRS0080
652		ACA7F8	DE98	C599	12-	XJRT0080
653		ACA7F9	DE99	C59A	12-	XJRU0080
654		ACA7FA	DE9A	C59B	12-	XJRV0080
655		ACA7FB	DE9B	C59C	12-	XJRW0080
656		ACA7FC	DE9C	C59D	12-	XJRX0080
657		ACA7FD	DE9D	C59E	12-	XJRY0080
658		ACA7FE	DE9E	C59F	12-	XJRZ0080
659		ACA8A1	DE9F	C5A0	12-	XJS00080
660		ACA8A2	DEA0	C5A1	12-	XJS10080
661		ACA8A3	DEA1	C5A2	12-	XJS20080
662		ACA8A4	DEA2	C5A3	12-	XJS30080
663		ACA8A5	DEA3	C5A4	12-	XJS40080
664		ACA8A6	DEA4	C5A5	12-	XJS50080
665		ACA8A7	DEA5	C5A6	12-	XJS60080
666		ACA8A8	DEA6	C5A7	12-	XJS70080
667		ACA8A9	DEA7	C5A8	12-	XJS80080
668		ACA8AA	DEA8	C5A9	12-	XJS90080
669		ACA8AB	DEA9	C5AA	12-	XJSA0080
670		ACA8AC	DEAA	C5AB	12-	XJSB0080
671		ACA8AD	DEAB	C5AC	12-	XJSC0080
672		ACA8AE	DEAC	C5AD	12-	XJSD0080
673		ACA8AF	DEAD	C5AE	12-	XJSE0080
674		ACA8B0	DEAE	C5AF	12-	XJSF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 26 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
675		ACA8B1	DEAF	C5B0	12-	XJSG0080
676		ACA8B2	DEB0	C5B1	12-	XJSH0080
677		ACA8B3	DEB1	C5B2	12-	XJSI0080
678		ACA8B4	DEB2	C5B3	12-	XJSJ0080
679		ACA8B5	DEB3	C5B4	12-	XJSK0080
680		ACA8B6	DEB4	C5B5	12-	XJSL0080
681		ACA8B7	DEB5	C5B6	12-	XJSM0080
682		ACA8B8	DEB6	C5B7	12-	XJSN0080
683		ACA8B9	DEB7	C5B8	12-	XJSO0080
684		ACA8BA	DEB8	C5B9	12-	XJSP0080
685		ACA8BB	DEB9	C5BA	12-	XJSQ0080
686		ACA8BC	DEBA	C5BB	12-	XJSR0080
687		ACA8BD	DEBB	C5BC	12-	XJSS0080
688		ACA8BE	DEBC	C5BD	12-	XJST0080
689		ACA8BF	DEBD	C5BE	12-	XJSU0080
690		ACA8C0	DEBE	C5BF	12-	XJSV0080
691		ACA8C1	DEBF	C5C0	12-	XJSW0080
692		ACA8C2	DEC0	C5C1	12-	XJSX0080
693		ACA8C3	DEC1	C5C2	12-	XJSY0080
694		ACA8C4	DEC2	C5C3	12-	XJSZ0080
695		ACA8C5	DEC3	C5C4	12-	XJT00080
696		ACA8C6	DEC4	C5C5	12-	XJT10080
697		ACA8C7	DEC5	C5C6	12-	XJT20080
698		ACA8C8	DEC6	C5C7	12-	XJT30080
699		ACA8C9	DEC7	C5C8	12-	XJT40080
700		ACA8CA	DEC8	C5C9	12-	XJT50080
701		ACA8CB	DEC9	C5CA	12-	XJT60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 27 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
702		ACA8CC	DECA	C5CB	12-	XJT70080
703		ACA8CD	DECB	C5CC	12-	XJT80080
704		ACA8CE	DECC	C5CD	12-	XJT90080
705		ACA8CF	DECD	C5CE	12-	XJTA0080
706		ACA8D0	DECE	C5CF	12-	XJTB0080
707		ACA8D1	DECF	C5D0	12-	XJTC0080
708		ACA8D2	DED0	C5D1	12-	XJTD0080
709		ACA8D3	DED1	C5D2	12-	XJTE0080
710		ACA8D4	DED2	C5D3	12-	XJTF0080
711		ACA8D5	DED3	C5D4	12-	XJTG0080
712		ACA8D6	DED4	C5D5	12-	XJTH0080
713		ACA8D7	DED5	C5D6	12-	XJTI0080
714		ACA8D8	DED6	C5D7	12-	XJTJ0080
715		ACA8D9	DED7	C5D8	12-	XJTK0080
716		ACA8DA	DED8	C5D9	12-	XJTL0080
717		ACA8DB	DED9	C5DA	12-	XJTM0080
718		ACA8DC	DEDA	C5DB	12-	XJTN0080
719		ACA8DD	DEDB	C5DC	12-	XJTO0080
720		ACA8DE	DEDC	C5DD	12-	XJTP0080
721		ACA8DF	DEDD	C5DE	12-	XJTQ0080
722		ACA8E0	DEDE	C5DF	12-	XJTR0080
723		ACA8E1	DEDF	C5E0	12-	XJTS0080
724		ACA8E2	DEE0	C5E1	12-	XJTT0080
725		ACA8E3	DEE1	C5E2	12-	XJTU0080
726		ACA8E4	DEE2	C5E3	12-	XJTV0080
727		ACA8E5	DEE3	C5E4	12-	XJTW0080
728		ACA8E6	DEE4	C5E5	12-	XJTX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 28 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
729		ACA8E7	DEE5	C5E6	12-	XJTY0080
730		ACA8E8	DEE6	C5E7	12-	XJTZ0080
731		ACA8E9	DEE7	C5E8	12-	XJU00080
732		ACA8EA	DEE8	C5E9	12-	XJU10080
733		ACA8EB	DEE9	C5EA	12-	XJU20080
734		ACA8EC	DEEA	C5EB	12-	XJU30080
735		ACA8ED	DEEB	C5EC	12-	XJU40080
736		ACA8EE	DEEC	C5ED	12-	XJU50080
737		ACA8EF	DEED	C5EE	12-	XJU60080
738		ACA8F0	DEEE	C5EF	12-	XJU70080
739		ACA8F1	DEEF	C5F0	12-	XJU80080
740		ACA8F2	DEF0	C5F1	12-	XJU90080
741		ACA8F3	DEF1	C5F2	12-	XJUA0080
742		ACA8F4	DEF2	C5F3	12-	XJUB0080
743		ACA8F5	DEF3	C5F4	12-	XJUC0080
744		ACA8F6	DEF4	C5F5	12-	XJUD0080
745		ACA8F7	DEF5	C5F6	12-	XJUE0080
746		ACA8F8	DEF6	C5F7	12-	XJUF0080
747		ACA8F9	DEF7	C5F8	12-	XJUG0080
748		ACA8FA	DEF8	C5F9	12-	XJUH0080
749		ACA8FB	DEF9	C5FA	12-	XJUI0080
750		ACA8FC	DEFA	C5FB	12-	XJUJ0080
751		ACA8FD	DEFB	C5FC	12-	XJUK0080
752		ACA8FE	DEFC	C5FD	12-	XJUL0080
753		ACA9A1	DF40	C641	12-	XJUP0080
754		ACA9A2	DF41	C642	12-	XJUQ0080
755		ACA9A3	DF42	C643	12-	XJUR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 29 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
756		ACA9A4	DF43	C644	12-	XJUS0080
757		ACA9A5	DF44	C645	12-	XJUT0080
758		ACA9A6	DF45	C646	12-	XJUU0080
759		ACA9A7	DF46	C647	12-	XJUV0080
760		ACA9A8	DF47	C648	12-	XJUW0080
761		ACA9A9	DF48	C649	12-	XJUX0080
762		ACA9AA	DF49	C64A	12-	XJUY0080
763		ACA9AB	DF4A	C64B	12-	XJUZ0080
764		ACA9AC	DF4B	C64C	12-	XJV00080
765		ACA9AD	DF4C	C64D	12-	XJV10080
766		ACA9AE	DF4D	C64E	12-	XJV20080
767		ACA9AF	DF4E	C64F	12-	XJV30080
768		ACA9B0	DF4F	C650	12-	XJV40080
769		ACA9B1	DF50	C651	12-	XJV50080
770		ACA9B2	DF51	C652	12-	XJV60080
771		ACA9B3	DF52	C653	12-	XJV70080
772		ACA9B4	DF53	C654	12-	XJV80080
773		ACA9B5	DF54	C655	12-	XJV90080
774		ACA9B6	DF55	C656	12-	XJVA0080
775		ACA9B7	DF56	C657	12-	XJVB0080
776		ACA9B8	DF57	C658	12-	XJVC0080
777		ACA9B9	DF58	C659	12-	XJVD0080
778		ACA9BA	DF59	C65A	12-	XJVE0080
779		ACA9BB	DF5A	C65B	12-	XJVF0080
780		ACA9BC	DF5B	C65C	12-	XJVG0080
781		ACA9BD	DF5C	C65D	12-	XJVH0080
782		ACA9BE	DF5D	C65E	12-	XJVI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 30 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
783		ACA9BF	DF5E	C65F	12-	XJVJ0080
784		ACA9C0	DF5F	C660	12-	XJVK0080
785		ACA9C1	DF60	C661	12-	XJVL0080
786		ACA9C2	DF61	C662	12-	XJVM0080
787		ACA9C3	DF62	C663	12-	XJVN0080
788		ACA9C4	DF63	C664	12-	XJVO0080
789		ACA9C5	DF64	C665	12-	XJVP0080
790		ACA9C6	DF65	C666	12-	XJVQ0080
791		ACA9C7	DF66	C667	12-	XJVR0080
792		ACA9C8	DF67	C668	12-	XJVS0080
793		ACA9C9	DF68	C669	12-	XJVT0080
794		ACA9CA	DF69	C66A	12-	XJVU0080
795		ACA9CB	DF6A	C66B	12-	XJVV0080
796		ACA9CC	DF6B	C66C	12-	XJVW0080
797		ACA9CD	DF6C	C66D	12-	XJVX0080
798		ACA9CE	DF6D	C66E	12-	XJVY0080
799		ACA9CF	DF6E	C66F	12-	XJVZ0080
800		ACA9D0	DF6F	C670	12-	XJW00080
801		ACA9D1	DF70	C671	12-	XJW10080
802		ACA9D2	DF71	C672	12-	XJW20080
803		ACA9D3	DF72	C673	12-	XJW30080
804		ACA9D4	DF73	C674	12-	XJW40080
805		ACA9D5	DF74	C675	12-	XJW50080
806		ACA9D6	DF75	C676	12-	XJW60080
807		ACA9D7	DF76	C677	12-	XJW70080
808		ACA9D8	DF77	C678	12-	XJW80080
809		ACA9D9	DF78	C679	12-	XJW90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 31 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
810		ACA9DA	DF79	C67A	12-	XJWA0080
811		ACA9DB	DF7A	C67B	12-	XJWB0080
812		ACA9DC	DF7B	C67C	12-	XJWC0080
813		ACA9DD	DF7C	C67D	12-	XJWD0080
814		ACA9DE	DF7D	C67E	12-	XJWE0080
815		ACA9DF	DF7E	C67F	12-	XJWF0080
816		ACA9E0	DF80	C681	12-	XJWH0080
817		ACA9E1	DF81	C682	12-	XJWI0080
818		ACA9E2	DF82	C683	12-	XJWJ0080
819		ACA9E3	DF83	C684	12-	XJWK0080
820		ACA9E4	DF84	C685	12-	XJWL0080
821		ACA9E5	DF85	C686	12-	XJWM0080
822		ACA9E6	DF86	C687	12-	XJWN0080
823		ACA9E7	DF87	C688	12-	XJWO0080
824		ACA9E8	DF88	C689	12-	XJWP0080
825		ACA9E9	DF89	C68A	12-	XJWQ0080
826		ACA9EA	DF8A	C68B	12-	XJWR0080
827		ACA9EB	DF8B	C68C	12-	XJWS0080
828		ACA9EC	DF8C	C68D	12-	XJWT0080
829		ACA9ED	DF8D	C68E	12-	XJWU0080
830		ACA9EE	DF8E	C68F	12-	XJWV0080
831		ACA9EF	DF8F	C690	12-	XJWW0080
832		ACA9F0	DF90	C691	12-	XJWX0080
833		ACA9F1	DF91	C692	12-	XJWY0080
834		ACA9F2	DF92	C693	12-	XJWZ0080
835		ACA9F3	DF93	C694	12-	XJX00080
836		ACA9F4	DF94	C695	12-	XJX10080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 32 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
837		ACA9F5	DF95	C696	12-	XJX20080
838		ACA9F6	DF96	C697	12-	XJX30080
839		ACA9F7	DF97	C698	12-	XJX40080
840		ACA9F8	DF98	C699	12-	XJX50080
841		ACA9F9	DF99	C69A	12-	XJX60080
842		ACA9FA	DF9A	C69B	12-	XJX70080
843		ACA9FB	DF9B	C69C	12-	XJX80080
844		ACA9FC	DF9C	C69D	12-	XJX90080
845		ACA9FD	DF9D	C69E	12-	XJXA0080
846		ACA9FE	DF9E	C69F	12-	XJXB0080
847		ACAAA1	DF9F	C6A0	12-	XJXC0080
848		ACAAA2	DFA0	C6A1	12-	XJXD0080
849		ACAAA3	DFA1	C6A2	12-	XJXE0080
850		ACAAA4	DFA2	C6A3	12-	XJXF0080
851		ACAAA5	DFA3	C6A4	12-	XJXG0080
852		ACAAA6	DFA4	C6A5	12-	XJXH0080
853		ACAAA7	DFA5	C6A6	12-	XJXI0080
854		ACAAA8	DFA6	C6A7	12-	XJXJ0080
855		ACAAA9	DFA7	C6A8	12-	XJXK0080
856		ACAAAA	DFA8	C6A9	12-	XJXL0080
857		ACAAAB	DFA9	C6AA	12-	XJXM0080
858		ACAAAC	DFAA	C6AB	12-	XJXN0080
859		ACAAAD	DFAB	C6AC	12-	XJXO0080
860		ACAAAE	DFAC	C6AD	12-	XJXP0080
861		ACAAAF	DFAD	C6AE	12-	XJXQ0080
862		ACAAB0	DFAE	C6AF	12-	XJXR0080
863		ACAAB1	DFAF	C6B0	12-	XJXS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 33 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
864		ACAAB2	DFB0	C6B1	12-	XJXT0080
865		ACAAB3	DFB1	C6B2	12-	XJXU0080
866		ACAAB4	DFB2	C6B3	12-	XJXV0080
867		ACAAB5	DFB3	C6B4	12-	XJXW0080
868		ACAAB6	DFB4	C6B5	12-	XJXX0080
869		ACAAB7	DFB5	C6B6	12-	XJXY0080
870		ACAAB8	DFB6	C6B7	12-	XJXZ0080
871		ACAAB9	DFB7	C6B8	12-	XJY00080
872		ACAABA	DFB8	C6B9	12-	XJY10080
873		ACAABB	DFB9	C6BA	12-	XJY20080
874		ACAABC	DFBA	C6BB	12-	XJY30080
875		ACAABD	DFBB	C6BC	12-	XJY40080
876		ACAABE	DFBC	C6BD	12-	XJY50080
877		ACAABF	DFBD	C6BE	12-	XJY60080
878		ACAAC0	DFBE	C6BF	12-	XJY70080
879		ACAAC1	DFBF	C6C0	12-	XJY80080
880		ACAAC2	DFC0	C6C1	12-	XJY90080
881		ACAAC3	DFC1	C6C2	12-	XJYA0080
882		ACAAC4	DFC2	C6C3	12-	XJYB0080
883		ACAAC5	DFC3	C6C4	12-	XJYC0080
884		ACAAC6	DFC4	C6C5	12-	XJYD0080
885		ACAAC7	DFC5	C6C6	12-	XJYE0080
886		ACAAC8	DFC6	C6C7	12-	XJYF0080
887		ACAAC9	DFC7	C6C8	12-	XJYG0080
888		ACAACA	DFC8	C6C9	12-	XJYH0080
889		ACAACB	DFC9	C6CA	12-	XJYI0080
890		ACAACC	DFCA	C6CB	12-	XJYJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 34 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
891		ACAACD	DFCB	C6CC	12-	XJYK0080
892		ACAACE	DFCC	C6CD	12-	XJYL0080
893		ACAACF	DFCD	C6CE	12-	XJYM0080
894		ACAAD0	DFCE	C6CF	12-	XJYN0080
895		ACAAD1	DFCF	C6D0	12-	XJYO0080
896		ACAAD2	DFD0	C6D1	12-	XJYP0080
897		ACAAD3	DFD1	C6D2	12-	XJYQ0080
898		ACAAD4	DFD2	C6D3	12-	XJYR0080
899		ACAAD5	DFD3	C6D4	12-	XJYS0080
900		ACAAD6	DFD4	C6D5	12-	XJYT0080
901		ACAAD7	DFD5	C6D6	12-	XJYU0080
902		ACAAD8	DFD6	C6D7	12-	XJYV0080
903		ACAAD9	DFD7	C6D8	12-	XJYW0080
904		ACAADA	DFD8	C6D9	12-	XJYX0080
905		ACAADB	DFD9	C6DA	12-	XJYY0080
906		ACAADC	DFDA	C6DB	12-	XJYZ0080
907		ACAADD	DFDB	C6DC	12-	XJZ00080
908		ACAADE	DFDC	C6DD	12-	XJZ10080
909		ACAADF	DFDD	C6DE	12-	XJZ20080
910		ACA AE0	DFDE	C6DF	12-	XJZ30080
911		ACA AE1	DFDF	C6E0	12-	XJZ40080
912		ACA AE2	DFE0	C6E1	12-	XJZ50080
913		ACA AE3	DFE1	C6E2	12-	XJZ60080
914		ACA AE4	DFE2	C6E3	12-	XJZ70080
915		ACA AE5	DFE3	C6E4	12-	XJZ80080
916		ACA AE6	DFE4	C6E5	12-	XJZ90080
917		ACA AE7	DFE5	C6E6	12-	XJZA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 35 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
918		ACAAE8	DFE6	C6E7	12-	XJZB0080
919		ACAAE9	DFE7	C6E8	12-	XJZC0080
920		ACAAEA	DFE8	C6E9	12-	XJZD0080
921		ACAAEB	DFE9	C6EA	12-	XJZE0080
922		ACAAEC	DFEA	C6EB	12-	XJZF0080
923		ACAAED	DFEB	C6EC	12-	XJZG0080
924		ACAAEE	DFEC	C6ED	12-	XJZH0080
925		ACAAEF	DFED	C6EE	12-	XJZI0080
926		ACAAF0	DFEE	C6EF	12-	XJZJ0080
927		ACAAF1	DFEF	C6F0	12-	XJZK0080
928		ACAAF2	DFF0	C6F1	12-	XJZL0080
929		ACAAF3	DFF1	C6F2	12-	XJZM0080
930		ACAAF4	DFF2	C6F3	12-	XJZN0080
931		ACAAF5	DFF3	C6F4	12-	XJZO0080
932		ACAAF6	DFF4	C6F5	12-	XJZP0080
933		ACAAF7	DFF5	C6F6	12-	XJZQ0080
934		ACAAF8	DFF6	C6F7	12-	XJZR0080
935		ACAAF9	DFF7	C6F8	12-	XJZS0080
936		ACAAFA	DFF8	C6F9	12-	XJZT0080
937		ACAAFB	DFF9	C6FA	12-	XJZU0080
938		ACAAFC	DFFA	C6FB	12-	XJZV0080
939		ACAAFD	DFFB	C6FC	12-	XJZW0080
940		ACAAFE	DFFC	C6FD	12-	XJZX0080
941		ACABA1	E040	C741	12-	XK010080
942		ACABA2	E041	C742	12-	XK020080
943		ACABA3	E042	C743	12-	XK030080
944		ACABA4	E043	C744	12-	XK040080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 36 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
945		ACABA5	E044	C745	12-	XK050080
946		ACABA6	E045	C746	12-	XK060080
947		ACABA7	E046	C747	12-	XK070080
948		ACABA8	E047	C748	12-	XK080080
949		ACABA9	E048	C749	12-	XK090080
950		ACABAA	E049	C74A	12-	XK0A0080
951		ACABAB	E04A	C74B	12-	XK0B0080
952		ACABAC	E04B	C74C	12-	XK0C0080
953		ACABAD	E04C	C74D	12-	XK0D0080
954		ACABAE	E04D	C74E	12-	XK0E0080
955		ACABAF	E04E	C74F	12-	XK0F0080
956		ACABB0	E04F	C750	12-	XK0G0080
957		ACABB1	E050	C751	12-	XK0H0080
958		ACABB2	E051	C752	12-	XK0I0080
959		ACABB3	E052	C753	12-	XK0J0080
960		ACABB4	E053	C754	12-	XK0K0080
961		ACABB5	E054	C755	12-	XK0L0080
962		ACABB6	E055	C756	12-	XK0M0080
963		ACABB7	E056	C757	12-	XK0N0080
964		ACABB8	E057	C758	12-	XK0O0080
965		ACABB9	E058	C759	12-	XK0P0080
966		ACABBA	E059	C75A	12-	XK0Q0080
967		ACABBB	E05A	C75B	12-	XK0R0080
968		ACABBC	E05B	C75C	12-	XK0S0080
969		ACABBD	E05C	C75D	12-	XK0T0080
970		ACABBE	E05D	C75E	12-	XK0U0080
971		ACABBF	E05E	C75F	12-	XK0V0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 37 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
972		ACABC0	E05F	C760	12-	XK0W0080
973		ACABC1	E060	C761	12-	XK0X0080
974		ACABC2	E061	C762	12-	XK0Y0080
975		ACABC3	E062	C763	12-	XK0Z0080
976		ACABC4	E063	C764	12-	XK100080
977		ACABC5	E064	C765	12-	XK110080
978		ACABC6	E065	C766	12-	XK120080
979		ACABC7	E066	C767	12-	XK130080
980		ACABC8	E067	C768	12-	XK140080
981		ACABC9	E068	C769	12-	XK150080
982		ACABCA	E069	C76A	12-	XK160080
983		ACABCB	E06A	C76B	12-	XK170080
984		ACABCC	E06B	C76C	12-	XK180080
985		ACABCD	E06C	C76D	12-	XK190080
986		ACABCE	E06D	C76E	12-	XK1A0080
987		ACABCF	E06E	C76F	12-	XK1B0080
988		ACABD0	E06F	C770	12-	XK1C0080
989		ACABD1	E070	C771	12-	XK1D0080
990		ACABD2	E071	C772	12-	XK1E0080
991		ACABD3	E072	C773	12-	XK1F0080
992		ACABD4	E073	C774	12-	XK1G0080
993		ACABD5	E074	C775	12-	XK1H0080
994		ACABD6	E075	C776	12-	XK1I0080
995		ACABD7	E076	C777	12-	XK1J0080
996		ACABD8	E077	C778	12-	XK1K0080
997		ACABD9	E078	C779	12-	XK1L0080
998		ACABDA	E079	C77A	12-	XK1M0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 19 (Page 38 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
999		ACABDB	E07A	C77B	12-	XK1N0080
1000		ACABDC	E07B	C77C	12-	XK1O0080
1001		ACABDD	E07C	C77D	12-	XK1P0080
1002		ACABDE	E07D	C77E	12-	XK1Q0080
1003		ACABDF	E07E	C77F	12-	XK1R0080
1004		ACABE0	E080	C781	12-	XK1T0080
1005		ACABE1	E081	C782	12-	XK1U0080
1006		ACABE2	E082	C783	12-	XK1V0080
1007		ACABE3	E083	C784	12-	XK1W0080
1008		ACABE4	E084	C785	12-	XK1X0080
1009		ACABE5	E085	C786	12-	XK1Y0080
1010		ACABE6	E086	C787	12-	XK1Z0080
1011		ACABE7	E087	C788	12-	XK200080
1012		ACABE8	E088	C789	12-	XK210080
1013		ACABE9	E089	C78A	12-	XK220080
1014		ACABEA	E08A	C78B	12-	XK230080
1015		ACABEB	E08B	C78C	12-	XK240080
1016		ACABEC	E08C	C78D	12-	XK250080
1017		ACABED	E08D	C78E	12-	XK260080
1018		ACABEE	E08E	C78F	12-	XK270080
1019		ACABEF	E08F	C790	12-	XK280080
1020		ACABF0	E090	C791	12-	XK290080
1021		ACABF1	E091	C792	12-	XK2A0080
1022		ACABF2	E092	C793	12-	XK2B0080
1023		ACABF3	E093	C794	12-	XK2C0080
1024		ACABF4	E094	C795	12-	XK2D0080
1025		ACABF5	E095	C796	12-	XK2E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 19 (Page 39 of 39). User Definable Character Set (1 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1026		ACABF6	E096	C797	12-	XK2F0080
1027		ACABF7	E097	C798	12-	XK2G0080
1028		ACABF8	E098	C799	12-	XK2H0080
1029		ACABF9	E099	C79A	12-	XK2I0080
1030		ACABFA	E09A	C79B	12-	XK2J0080
1031		ACABFB	E09B	C79C	12-	XK2K0080
1032		ACABFC	E09C	C79D	12-	XK2L0080
1033		ACABFD	E09D	C79E	12-	XK2M0080
1034		ACABFE	E09E	C79F	12-	XK2N0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 1 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1035		ACACA1	E09F	C7A0	12-	XK2O0080
1036		ACACA2	E0A0	C7A1	12-	XK2P0080
1037		ACACA3	E0A1	C7A2	12-	XK2Q0080
1038		ACACA4	E0A2	C7A3	12-	XK2R0080
1039		ACACA5	E0A3	C7A4	12-	XK2S0080
1040		ACACA6	E0A4	C7A5	12-	XK2T0080
1041		ACACA7	E0A5	C7A6	12-	XK2U0080
1042		ACACA8	E0A6	C7A7	12-	XK2V0080
1043		ACACA9	E0A7	C7A8	12-	XK2W0080
1044		ACACAA	E0A8	C7A9	12-	XK2X0080
1045		ACACAB	E0A9	C7AA	12-	XK2Y0080
1046		ACACAC	E0AA	C7AB	12-	XK2Z0080
1047		ACACAD	E0AB	C7AC	12-	XK300080
1048		ACACAE	E0AC	C7AD	12-	XK310080
1049		ACACAF	E0AD	C7AE	12-	XK320080
1050		ACACB0	E0AE	C7AF	12-	XK330080
1051		ACACB1	E0AF	C7B0	12-	XK340080
1052		ACACB2	E0B0	C7B1	12-	XK350080
1053		ACACB3	E0B1	C7B2	12-	XK360080
1054		ACACB4	E0B2	C7B3	12-	XK370080
1055		ACACB5	E0B3	C7B4	12-	XK380080
1056		ACACB6	E0B4	C7B5	12-	XK390080
1057		ACACB7	E0B5	C7B6	12-	XK3A0080
1058		ACACB8	E0B6	C7B7	12-	XK3B0080
1059		ACACB9	E0B7	C7B8	12-	XK3C0080
1060		ACACBA	E0B8	C7B9	12-	XK3D0080
1061		ACACBB	E0B9	C7BA	12-	XK3E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 2 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1062		ACACBC	E0BA	C7BB	12-	XK3F0080
1063		ACACBD	E0BB	C7BC	12-	XK3G0080
1064		ACACBE	E0BC	C7BD	12-	XK3H0080
1065		ACACBF	E0BD	C7BE	12-	XK3I0080
1066		ACACC0	E0BE	C7BF	12-	XK3J0080
1067		ACACC1	E0BF	C7C0	12-	XK3K0080
1068		ACACC2	E0C0	C7C1	12-	XK3L0080
1069		ACACC3	E0C1	C7C2	12-	XK3M0080
1070		ACACC4	E0C2	C7C3	12-	XK3N0080
1071		ACACC5	E0C3	C7C4	12-	XK3O0080
1072		ACACC6	E0C4	C7C5	12-	XK3P0080
1073		ACACC7	E0C5	C7C6	12-	XK3Q0080
1074		ACACC8	E0C6	C7C7	12-	XK3R0080
1075		ACACC9	E0C7	C7C8	12-	XK3S0080
1076		ACACCA	E0C8	C7C9	12-	XK3T0080
1077		ACACCB	E0C9	C7CA	12-	XK3U0080
1078		ACACCC	E0CA	C7CB	12-	XK3V0080
1079		ACACCD	E0CB	C7CC	12-	XK3W0080
1080		ACACCE	E0CC	C7CD	12-	XK3X0080
1081		ACACCF	E0CD	C7CE	12-	XK3Y0080
1082		ACACD0	E0CE	C7CF	12-	XK3Z0080
1083		ACACD1	E0CF	C7D0	12-	XK400080
1084		ACACD2	E0D0	C7D1	12-	XK410080
1085		ACACD3	E0D1	C7D2	12-	XK420080
1086		ACACD4	E0D2	C7D3	12-	XK430080
1087		ACACD5	E0D3	C7D4	12-	XK440080
1088		ACACD6	E0D4	C7D5	12-	XK450080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 3 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1089		ACACD7	E0D5	C7D6	12-	XK460080
1090		ACACD8	E0D6	C7D7	12-	XK470080
1091		ACACD9	E0D7	C7D8	12-	XK480080
1092		ACACDA	E0D8	C7D9	12-	XK490080
1093		ACACDB	E0D9	C7DA	12-	XK4A0080
1094		ACACDC	E0DA	C7DB	12-	XK4B0080
1095		ACACDD	E0DB	C7DC	12-	XK4C0080
1096		ACACDE	E0DC	C7DD	12-	XK4D0080
1097		ACACDF	E0DD	C7DE	12-	XK4E0080
1098		ACACE0	E0DE	C7DF	12-	XK4F0080
1099		ACACE1	E0DF	C7E0	12-	XK4G0080
1100		ACACE2	E0E0	C7E1	12-	XK4H0080
1101		ACACE3	E0E1	C7E2	12-	XK4I0080
1102		ACACE4	E0E2	C7E3	12-	XK4J0080
1103		ACACE5	E0E3	C7E4	12-	XK4K0080
1104		ACACE6	E0E4	C7E5	12-	XK4L0080
1105		ACACE7	E0E5	C7E6	12-	XK4M0080
1106		ACACE8	E0E6	C7E7	12-	XK4N0080
1107		ACACE9	E0E7	C7E8	12-	XK4O0080
1108		ACACEA	E0E8	C7E9	12-	XK4P0080
1109		ACACEB	E0E9	C7EA	12-	XK4Q0080
1110		ACACEC	E0EA	C7EB	12-	XK4R0080
1111		ACACED	E0EB	C7EC	12-	XK4S0080
1112		ACACEE	E0EC	C7ED	12-	XK4T0080
1113		ACACEF	E0ED	C7EE	12-	XK4U0080
1114		ACACF0	E0EE	C7EF	12-	XK4V0080
1115		ACACF1	E0EF	C7F0	12-	XK4W0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 4 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1116		ACACF2	E0F0	C7F1	12-	XK4X0080
1117		ACACF3	E0F1	C7F2	12-	XK4Y0080
1118		ACACF4	E0F2	C7F3	12-	XK4Z0080
1119		ACACF5	E0F3	C7F4	12-	XK500080
1120		ACACF6	E0F4	C7F5	12-	XK510080
1121		ACACF7	E0F5	C7F6	12-	XK520080
1122		ACACF8	E0F6	C7F7	12-	XK530080
1123		ACACF9	E0F7	C7F8	12-	XK540080
1124		ACACFA	E0F8	C7F9	12-	XK550080
1125		ACACFB	E0F9	C7FA	12-	XK560080
1126		ACACFC	E0FA	C7FB	12-	XK570080
1127		ACACFD	E0FB	C7FC	12-	XK580080
1128		ACACFE	E0FC	C7FD	12-	XK590080
1129		ACADA1	E140	C841	12-	XK5D0080
1130		ACADA2	E141	C842	12-	XK5E0080
1131		ACADA3	E142	C843	12-	XK5F0080
1132		ACADA4	E143	C844	12-	XK5G0080
1133		ACADA5	E144	C845	12-	XK5H0080
1134		ACADA6	E145	C846	12-	XK5I0080
1135		ACADA7	E146	C847	12-	XK5J0080
1136		ACADA8	E147	C848	12-	XK5K0080
1137		ACADA9	E148	C849	12-	XK5L0080
1138		ACADAA	E149	C84A	12-	XK5M0080
1139		ACADAB	E14A	C84B	12-	XK5N0080
1140		ACADAC	E14B	C84C	12-	XK5O0080
1141		ACADAD	E14C	C84D	12-	XK5P0080
1142		ACADAE	E14D	C84E	12-	XK5Q0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 5 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1143		ACADAF	E14E	C84F	12-	XK5R0080
1144		ACADB0	E14F	C850	12-	XK5S0080
1145		ACADB1	E150	C851	12-	XK5T0080
1146		ACADB2	E151	C852	12-	XK5U0080
1147		ACADB3	E152	C853	12-	XK5V0080
1148		ACADB4	E153	C854	12-	XK5W0080
1149		ACADB5	E154	C855	12-	XK5X0080
1150		ACADB6	E155	C856	12-	XK5Y0080
1151		ACADB7	E156	C857	12-	XK5Z0080
1152		ACADB8	E157	C858	12-	XK600080
1153		ACADB9	E158	C859	12-	XK610080
1154		ACADBA	E159	C85A	12-	XK620080
1155		ACADBB	E15A	C85B	12-	XK630080
1156		ACADBC	E15B	C85C	12-	XK640080
1157		ACADBD	E15C	C85D	12-	XK650080
1158		ACADBE	E15D	C85E	12-	XK660080
1159		ACADBF	E15E	C85F	12-	XK670080
1160		ACADC0	E15F	C860	12-	XK680080
1161		ACADC1	E160	C861	12-	XK690080
1162		ACADC2	E161	C862	12-	XK6A0080
1163		ACADC3	E162	C863	12-	XK6B0080
1164		ACADC4	E163	C864	12-	XK6C0080
1165		ACADC5	E164	C865	12-	XK6D0080
1166		ACADC6	E165	C866	12-	XK6E0080
1167		ACADC7	E166	C867	12-	XK6F0080
1168		ACADC8	E167	C868	12-	XK6G0080
1169		ACADC9	E168	C869	12-	XK6H0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 6 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1170		ACADCA	E169	C86A	12-	XK6I0080
1171		ACADCB	E16A	C86B	12-	XK6J0080
1172		ACADCC	E16B	C86C	12-	XK6K0080
1173		ACADCD	E16C	C86D	12-	XK6L0080
1174		ACADCE	E16D	C86E	12-	XK6M0080
1175		ACADCF	E16E	C86F	12-	XK6N0080
1176		ACADD0	E16F	C870	12-	XK6O0080
1177		ACADD1	E170	C871	12-	XK6P0080
1178		ACADD2	E171	C872	12-	XK6Q0080
1179		ACADD3	E172	C873	12-	XK6R0080
1180		ACADD4	E173	C874	12-	XK6S0080
1181		ACADD5	E174	C875	12-	XK6T0080
1182		ACADD6	E175	C876	12-	XK6U0080
1183		ACADD7	E176	C877	12-	XK6V0080
1184		ACADD8	E177	C878	12-	XK6W0080
1185		ACADD9	E178	C879	12-	XK6X0080
1186		ACADDA	E179	C87A	12-	XK6Y0080
1187		ACADDB	E17A	C87B	12-	XK6Z0080
1188		ACADDC	E17B	C87C	12-	XK700080
1189		ACADDD	E17C	C87D	12-	XK710080
1190		ACADDE	E17D	C87E	12-	XK720080
1191		ACADDF	E17E	C87F	12-	XK730080
1192		ACADE0	E180	C881	12-	XK750080
1193		ACADE1	E181	C882	12-	XK760080
1194		ACADE2	E182	C883	12-	XK770080
1195		ACADE3	E183	C884	12-	XK780080
1196		ACADE4	E184	C885	12-	XK790080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 7 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1197		ACADE5	E185	C886	12-	XK7A0080
1198		ACADE6	E186	C887	12-	XK7B0080
1199		ACADE7	E187	C888	12-	XK7C0080
1200		ACADE8	E188	C889	12-	XK7D0080
1201		ACADE9	E189	C88A	12-	XK7E0080
1202		ACADEA	E18A	C88B	12-	XK7F0080
1203		ACADEB	E18B	C88C	12-	XK7G0080
1204		ACADEC	E18C	C88D	12-	XK7H0080
1205		ACADED	E18D	C88E	12-	XK7I0080
1206		ACADEE	E18E	C88F	12-	XK7J0080
1207		ACADEF	E18F	C890	12-	XK7K0080
1208		ACADF0	E190	C891	12-	XK7L0080
1209		ACADF1	E191	C892	12-	XK7M0080
1210		ACADF2	E192	C893	12-	XK7N0080
1211		ACADF3	E193	C894	12-	XK7O0080
1212		ACADF4	E194	C895	12-	XK7P0080
1213		ACADF5	E195	C896	12-	XK7Q0080
1214		ACADF6	E196	C897	12-	XK7R0080
1215		ACADF7	E197	C898	12-	XK7S0080
1216		ACADF8	E198	C899	12-	XK7T0080
1217		ACADF9	E199	C89A	12-	XK7U0080
1218		ACADFA	E19A	C89B	12-	XK7V0080
1219		ACADFB	E19B	C89C	12-	XK7W0080
1220		ACADFC	E19C	C89D	12-	XK7X0080
1221		ACADFD	E19D	C89E	12-	XK7Y0080
1222		ACADFE	E19E	C89F	12-	XK7Z0080
1223		ACAEA1	E19F	C8A0	12-	XK800080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 8 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1224		ACAEA2	E1A0	C8A1	12-	XK810080
1225		ACAEA3	E1A1	C8A2	12-	XK820080
1226		ACAEA4	E1A2	C8A3	12-	XK830080
1227		ACAEA5	E1A3	C8A4	12-	XK840080
1228		ACAEA6	E1A4	C8A5	12-	XK850080
1229		ACAEA7	E1A5	C8A6	12-	XK860080
1230		ACAEA8	E1A6	C8A7	12-	XK870080
1231		ACAEA9	E1A7	C8A8	12-	XK880080
1232		ACAEAA	E1A8	C8A9	12-	XK890080
1233		ACAEAB	E1A9	C8AA	12-	XK8A0080
1234		ACAEAC	E1AA	C8AB	12-	XK8B0080
1235		ACAEAD	E1AB	C8AC	12-	XK8C0080
1236		ACAEAE	E1AC	C8AD	12-	XK8D0080
1237		ACAEAF	E1AD	C8AE	12-	XK8E0080
1238		ACAEB0	E1AE	C8AF	12-	XK8F0080
1239		ACAEB1	E1AF	C8B0	12-	XK8G0080
1240		ACAEB2	E1B0	C8B1	12-	XK8H0080
1241		ACAEB3	E1B1	C8B2	12-	XK8I0080
1242		ACAEB4	E1B2	C8B3	12-	XK8J0080
1243		ACAEB5	E1B3	C8B4	12-	XK8K0080
1244		ACAEB6	E1B4	C8B5	12-	XK8L0080
1245		ACAEB7	E1B5	C8B6	12-	XK8M0080
1246		ACAEB8	E1B6	C8B7	12-	XK8N0080
1247		ACAEB9	E1B7	C8B8	12-	XK8O0080
1248		ACAEB A	E1B8	C8B9	12-	XK8P0080
1249		ACAEB B	E1B9	C8BA	12-	XK8Q0080
1250		ACAEB C	E1BA	C8BB	12-	XK8R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 9 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1251		ACAEBD	E1BB	C8BC	12-	XK8S0080
1252		ACAEBE	E1BC	C8BD	12-	XK8T0080
1253		ACAEBF	E1BD	C8BE	12-	XK8U0080
1254		ACAEC0	E1BE	C8BF	12-	XK8V0080
1255		ACAEC1	E1BF	C8C0	12-	XK8W0080
1256		ACAEC2	E1C0	C8C1	12-	XK8X0080
1257		ACAEC3	E1C1	C8C2	12-	XK8Y0080
1258		ACAEC4	E1C2	C8C3	12-	XK8Z0080
1259		ACAEC5	E1C3	C8C4	12-	XK900080
1260		ACAEC6	E1C4	C8C5	12-	XK910080
1261		ACAEC7	E1C5	C8C6	12-	XK920080
1262		ACAEC8	E1C6	C8C7	12-	XK930080
1263		ACAEC9	E1C7	C8C8	12-	XK940080
1264		ACAECA	E1C8	C8C9	12-	XK950080
1265		ACAECB	E1C9	C8CA	12-	XK960080
1266		ACAEC C	E1CA	C8CB	12-	XK970080
1267		ACAEC D	E1CB	C8CC	12-	XK980080
1268		ACAEC E	E1CC	C8CD	12-	XK990080
1269		ACAEC F	E1CD	C8CE	12-	XK9A0080
1270		ACAED0	E1CE	C8CF	12-	XK9B0080
1271		ACAED1	E1CF	C8D0	12-	XK9C0080
1272		ACAED2	E1D0	C8D1	12-	XK9D0080
1273		ACAED3	E1D1	C8D2	12-	XK9E0080
1274		ACAED4	E1D2	C8D3	12-	XK9F0080
1275		ACAED5	E1D3	C8D4	12-	XK9G0080
1276		ACAED6	E1D4	C8D5	12-	XK9H0080
1277		ACAED7	E1D5	C8D6	12-	XK9I0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 10 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1278		ACAED8	E1D6	C8D7	12-	XK9J0080
1279		ACAED9	E1D7	C8D8	12-	XK9K0080
1280		ACAEDA	E1D8	C8D9	12-	XK9L0080
1281		ACAEDB	E1D9	C8DA	12-	XK9M0080
1282		ACAEDC	E1DA	C8DB	12-	XK9N0080
1283		ACAEDD	E1DB	C8DC	12-	XK9O0080
1284		ACAEDE	E1DC	C8DD	12-	XK9P0080
1285		ACAEDF	E1DD	C8DE	12-	XK9Q0080
1286		ACAEE0	E1DE	C8DF	12-	XK9R0080
1287		ACAEE1	E1DF	C8E0	12-	XK9S0080
1288		ACAEE2	E1E0	C8E1	12-	XK9T0080
1289		ACAEE3	E1E1	C8E2	12-	XK9U0080
1290		ACAEE4	E1E2	C8E3	12-	XK9V0080
1291		ACAEE5	E1E3	C8E4	12-	XK9W0080
1292		ACAEE6	E1E4	C8E5	12-	XK9X0080
1293		ACAEE7	E1E5	C8E6	12-	XK9Y0080
1294		ACAEE8	E1E6	C8E7	12-	XK9Z0080
1295		ACAEE9	E1E7	C8E8	12-	XKA00080
1296		ACAEEA	E1E8	C8E9	12-	XKA10080
1297		ACAEEB	E1E9	C8EA	12-	XKA20080
1298		ACAEEC	E1EA	C8EB	12-	XKA30080
1299		ACAEE D	E1EB	C8EC	12-	XKA40080
1300		ACAEEE	E1EC	C8ED	12-	XKA50080
1301		ACAEEF	E1ED	C8EE	12-	XKA60080
1302		ACAEF0	E1EE	C8EF	12-	XKA70080
1303		ACAEF1	E1EF	C8F0	12-	XKA80080
1304		ACAEF2	E1F0	C8F1	12-	XKA90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 11 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1305		ACAEF3	E1F1	C8F2	12-	XKAA0080
1306		ACAEF4	E1F2	C8F3	12-	XKAB0080
1307		ACAEF5	E1F3	C8F4	12-	XKAC0080
1308		ACAEF6	E1F4	C8F5	12-	XKAD0080
1309		ACAEF7	E1F5	C8F6	12-	XKAE0080
1310		ACAEF8	E1F6	C8F7	12-	XKAF0080
1311		ACAEF9	E1F7	C8F8	12-	XKAG0080
1312		ACAefa	E1F8	C8F9	12-	XKAH0080
1313		ACAefB	E1F9	C8FA	12-	XKAI0080
1314		ACAefC	E1FA	C8FB	12-	XKAJ0080
1315		ACAefD	E1FB	C8FC	12-	XKAK0080
1316		ACAefe	E1FC	C8FD	12-	XKAL0080
1317		ACAFA1	E240	C941	12-	XKAP0080
1318		ACAFA2	E241	C942	12-	XKAQ0080
1319		ACAFA3	E242	C943	12-	XKAR0080
1320		ACAFA4	E243	C944	12-	XKAS0080
1321		ACAFA5	E244	C945	12-	XKAT0080
1322		ACAFA6	E245	C946	12-	XKAU0080
1323		ACAFA7	E246	C947	12-	XKAV0080
1324		ACAFA8	E247	C948	12-	XKAW0080
1325		ACAFA9	E248	C949	12-	XKAX0080
1326		ACAFAA	E249	C94A	12-	XKAY0080
1327		ACAFAb	E24A	C94B	12-	XKAZ0080
1328		ACAFAc	E24B	C94C	12-	XKB00080
1329		ACAFAd	E24C	C94D	12-	XKB10080
1330		ACAFAe	E24D	C94E	12-	XKB20080
1331		ACAFAf	E24E	C94F	12-	XKB30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 12 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1332		ACAFB0	E24F	C950	12-	XKB40080
1333		ACAFB1	E250	C951	12-	XKB50080
1334		ACAFB2	E251	C952	12-	XKB60080
1335		ACAFB3	E252	C953	12-	XKB70080
1336		ACAFB4	E253	C954	12-	XKB80080
1337		ACAFB5	E254	C955	12-	XKB90080
1338		ACAFB6	E255	C956	12-	XKBA0080
1339		ACAFB7	E256	C957	12-	XKBB0080
1340		ACAFB8	E257	C958	12-	XKBC0080
1341		ACAFB9	E258	C959	12-	XKBD0080
1342		ACAFBA	E259	C95A	12-	XKBE0080
1343		ACAFBB	E25A	C95B	12-	XKBF0080
1344		ACAFBC	E25B	C95C	12-	XKBG0080
1345		ACAFBD	E25C	C95D	12-	XKBH0080
1346		ACAFBE	E25D	C95E	12-	XKBI0080
1347		ACAFBF	E25E	C95F	12-	XKBJ0080
1348		ACAFC0	E25F	C960	12-	XKBK0080
1349		ACAFC1	E260	C961	12-	XKBL0080
1350		ACAFC2	E261	C962	12-	XKBM0080
1351		ACAFC3	E262	C963	12-	XKBN0080
1352		ACAFC4	E263	C964	12-	XKBO0080
1353		ACAFC5	E264	C965	12-	XKBP0080
1354		ACAFC6	E265	C966	12-	XKBQ0080
1355		ACAFC7	E266	C967	12-	XKBR0080
1356		ACAFC8	E267	C968	12-	XKBS0080
1357		ACAFC9	E268	C969	12-	XKBT0080
1358		ACAFC A	E269	C96A	12-	XKBU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 13 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1359		ACAFCB	E26A	C96B	12-	XKBV0080
1360		ACAFC C	E26B	C96C	12-	XKBW0080
1361		ACAFC D	E26C	C96D	12-	XKBX0080
1362		ACAFC E	E26D	C96E	12-	XKBY0080
1363		ACAFC F	E26E	C96F	12-	XKBZ0080
1364		ACAFC D0	E26F	C970	12-	XKC00080
1365		ACAFC D1	E270	C971	12-	XKC10080
1366		ACAFC D2	E271	C972	12-	XKC20080
1367		ACAFC D3	E272	C973	12-	XKC30080
1368		ACAFC D4	E273	C974	12-	XKC40080
1369		ACAFC D5	E274	C975	12-	XKC50080
1370		ACAFC D6	E275	C976	12-	XKC60080
1371		ACAFC D7	E276	C977	12-	XKC70080
1372		ACAFC D8	E277	C978	12-	XKC80080
1373		ACAFC D9	E278	C979	12-	XKC90080
1374		ACAFC DA	E279	C97A	12-	XKCA0080
1375		ACAFC DB	E27A	C97B	12-	XKCB0080
1376		ACAFC DC	E27B	C97C	12-	XKCC0080
1377		ACAFC DD	E27C	C97D	12-	XKCD0080
1378		ACAFC DE	E27D	C97E	12-	XKCE0080
1379		ACAFC DF	E27E	C97F	12-	XKCF0080
1380		ACAFC E0	E280	C981	12-	XKCH0080
1381		ACAFC E1	E281	C982	12-	XKCI0080
1382		ACAFC E2	E282	C983	12-	XKCJ0080
1383		ACAFC E3	E283	C984	12-	XKCK0080
1384		ACAFC E4	E284	C985	12-	XKCL0080
1385		ACAFC E5	E285	C986	12-	XKCM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 20 (Page 14 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1386		ACAFE6	E286	C987	12-	XKCN0080
1387		ACAFE7	E287	C988	12-	XKCO0080
1388		ACAFE8	E288	C989	12-	XKCP0080
1389		ACAFE9	E289	C98A	12-	XKCQ0080
1390		ACAFEA	E28A	C98B	12-	XKCR0080
1391		ACAFEB	E28B	C98C	12-	XKCS0080
1392		ACAFEC	E28C	C98D	12-	XKCT0080
1393		ACAFED	E28D	C98E	12-	XKCU0080
1394		ACAFEE	E28E	C98F	12-	XKCV0080
1395		ACAFEF	E28F	C990	12-	XKCW0080
1396		ACAFF0	E290	C991	12-	XKCX0080
1397		ACAFF1	E291	C992	12-	XKCY0080
1398		ACAFF2	E292	C993	12-	XKCZ0080
1399		ACAFF3	E293	C994	12-	XKD00080
1400		ACAFF4	E294	C995	12-	XKD10080
1401		ACAFF5	E295	C996	12-	XKD20080
1402		ACAFF6	E296	C997	12-	XKD30080
1403		ACAFF7	E297	C998	12-	XKD40080
1404		ACAFF8	E298	C999	12-	XKD50080
1405		ACAFF9	E299	C99A	12-	XKD60080
1406		ACAFFA	E29A	C99B	12-	XKD70080
1407		ACAFFB	E29B	C99C	12-	XKD80080
1408		ACAFFC	E29C	C99D	12-	XKD90080
1409		ACAFFD	E29D	C99E	12-	XKDA0080
1410		ACAFFE	E29E	C99F	12-	XKDB0080
1411		ACB0A1	E29F	C9A0	12-	XKDC0080
1412		ACB0A2	E2A0	C9A1	12-	XKDD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 15 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1413		ACB0A3	E2A1	C9A2	12-	XKDE0080
1414		ACB0A4	E2A2	C9A3	12-	XKDF0080
1415		ACB0A5	E2A3	C9A4	12-	XKDG0080
1416		ACB0A6	E2A4	C9A5	12-	XKDH0080
1417		ACB0A7	E2A5	C9A6	12-	XKDI0080
1418		ACB0A8	E2A6	C9A7	12-	XKDJ0080
1419		ACB0A9	E2A7	C9A8	12-	XKDK0080
1420		ACB0AA	E2A8	C9A9	12-	XKDL0080
1421		ACB0AB	E2A9	C9AA	12-	XKDM0080
1422		ACB0AC	E2AA	C9AB	12-	XKDN0080
1423		ACB0AD	E2AB	C9AC	12-	XKDO0080
1424		ACB0AE	E2AC	C9AD	12-	XKDP0080
1425		ACB0AF	E2AD	C9AE	12-	XKDQ0080
1426		ACB0B0	E2AE	C9AF	12-	XKDR0080
1427		ACB0B1	E2AF	C9B0	12-	XKDS0080
1428		ACB0B2	E2B0	C9B1	12-	XKDT0080
1429		ACB0B3	E2B1	C9B2	12-	XKDU0080
1430		ACB0B4	E2B2	C9B3	12-	XKDV0080
1431		ACB0B5	E2B3	C9B4	12-	XKDW0080
1432		ACB0B6	E2B4	C9B5	12-	XKDX0080
1433		ACB0B7	E2B5	C9B6	12-	XKDY0080
1434		ACB0B8	E2B6	C9B7	12-	XKZ0080
1435		ACB0B9	E2B7	C9B8	12-	XKE00080
1436		ACB0BA	E2B8	C9B9	12-	XKE10080
1437		ACB0BB	E2B9	C9BA	12-	XKE20080
1438		ACB0BC	E2BA	C9BB	12-	XKE30080
1439		ACB0BD	E2BB	C9BC	12-	XKE40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 16 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1440		ACB0BE	E2BC	C9BD	12-	XKE50080
1441		ACB0BF	E2BD	C9BE	12-	XKE60080
1442		ACB0C0	E2BE	C9BF	12-	XKE70080
1443		ACB0C1	E2BF	C9C0	12-	XKE80080
1444		ACB0C2	E2C0	C9C1	12-	XKE90080
1445		ACB0C3	E2C1	C9C2	12-	XKEA0080
1446		ACB0C4	E2C2	C9C3	12-	XKEB0080
1447		ACB0C5	E2C3	C9C4	12-	XKEC0080
1448		ACB0C6	E2C4	C9C5	12-	XKED0080
1449		ACB0C7	E2C5	C9C6	12-	XKEE0080
1450		ACB0C8	E2C6	C9C7	12-	XKEF0080
1451		ACB0C9	E2C7	C9C8	12-	XKEG0080
1452		ACB0CA	E2C8	C9C9	12-	XKEH0080
1453		ACB0CB	E2C9	C9CA	12-	XKEI0080
1454		ACB0CC	E2CA	C9CB	12-	XKEJ0080
1455		ACB0CD	E2CB	C9CC	12-	XKEK0080
1456		ACB0CE	E2CC	C9CD	12-	XKEL0080
1457		ACB0CF	E2CD	C9CE	12-	XKEM0080
1458		ACB0D0	E2CE	C9CF	12-	XKEN0080
1459		ACB0D1	E2CF	C9D0	12-	XKEO0080
1460		ACB0D2	E2D0	C9D1	12-	XKEP0080
1461		ACB0D3	E2D1	C9D2	12-	XKEQ0080
1462		ACB0D4	E2D2	C9D3	12-	XKER0080
1463		ACB0D5	E2D3	C9D4	12-	XKES0080
1464		ACB0D6	E2D4	C9D5	12-	XKET0080
1465		ACB0D7	E2D5	C9D6	12-	XKEU0080
1466		ACB0D8	E2D6	C9D7	12-	XKEV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 17 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1467		ACB0D9	E2D7	C9D8	12-	XKEW0080
1468		ACB0DA	E2D8	C9D9	12-	XKEX0080
1469		ACB0DB	E2D9	C9DA	12-	XKEY0080
1470		ACB0DC	E2DA	C9DB	12-	XKEZ0080
1471		ACB0DD	E2DB	C9DC	12-	XKF00080
1472		ACB0DE	E2DC	C9DD	12-	XKF10080
1473		ACB0DF	E2DD	C9DE	12-	XKF20080
1474		ACB0E0	E2DE	C9DF	12-	XKF30080
1475		ACB0E1	E2DF	C9E0	12-	XKF40080
1476		ACB0E2	E2E0	C9E1	12-	XKF50080
1477		ACB0E3	E2E1	C9E2	12-	XKF60080
1478		ACB0E4	E2E2	C9E3	12-	XKF70080
1479		ACB0E5	E2E3	C9E4	12-	XKF80080
1480		ACB0E6	E2E4	C9E5	12-	XKF90080
1481		ACB0E7	E2E5	C9E6	12-	XKFA0080
1482		ACB0E8	E2E6	C9E7	12-	XKFB0080
1483		ACB0E9	E2E7	C9E8	12-	XKFC0080
1484		ACB0EA	E2E8	C9E9	12-	XKFD0080
1485		ACB0EB	E2E9	C9EA	12-	XKFE0080
1486		ACB0EC	E2EA	C9EB	12-	XKFF0080
1487		ACB0ED	E2EB	C9EC	12-	XKFG0080
1488		ACB0EE	E2EC	C9ED	12-	XKFH0080
1489		ACB0EF	E2ED	C9EE	12-	XKFI0080
1490		ACB0F0	E2EE	C9EF	12-	XKFJ0080
1491		ACB0F1	E2EF	C9F0	12-	XKFK0080
1492		ACB0F2	E2F0	C9F1	12-	XKFL0080
1493		ACB0F3	E2F1	C9F2	12-	XKFM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 18 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1494		ACB0F4	E2F2	C9F3	12-	XKFN0080
1495		ACB0F5	E2F3	C9F4	12-	XKFO0080
1496		ACB0F6	E2F4	C9F5	12-	XKFP0080
1497		ACB0F7	E2F5	C9F6	12-	XKFQ0080
1498		ACB0F8	E2F6	C9F7	12-	XKFR0080
1499		ACB0F9	E2F7	C9F8	12-	XKFS0080
1500		ACB0FA	E2F8	C9F9	12-	XKFT0080
1501		ACB0FB	E2F9	C9FA	12-	XKFU0080
1502		ACB0FC	E2FA	C9FB	12-	XKJV0080
1503		ACB0FD	E2FB	C9FC	12-	XKFW0080
1504		ACB0FE	E2FC	C9FD	12-	XKFX0080
1505		ACB1A1	E340	CA41	12-	XKG10080
1506		ACB1A2	E341	CA42	12-	XKG20080
1507		ACB1A3	E342	CA43	12-	XKG30080
1508		ACB1A4	E343	CA44	12-	XKG40080
1509		ACB1A5	E344	CA45	12-	XKG50080
1510		ACB1A6	E345	CA46	12-	XKG60080
1511		ACB1A7	E346	CA47	12-	XKG70080
1512		ACB1A8	E347	CA48	12-	XKG80080
1513		ACB1A9	E348	CA49	12-	XKG90080
1514		ACB1AA	E349	CA4A	12-	XKGA0080
1515		ACB1AB	E34A	CA4B	12-	XKGB0080
1516		ACB1AC	E34B	CA4C	12-	XKGC0080
1517		ACB1AD	E34C	CA4D	12-	XKGD0080
1518		ACB1AE	E34D	CA4E	12-	XKGE0080
1519		ACB1AF	E34E	CA4F	12-	XKGF0080
1520		ACB1B0	E34F	CA50	12-	XKGG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 19 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1521		ACB1B1	E350	CA51	12-	XKGH0080
1522		ACB1B2	E351	CA52	12-	XKGI0080
1523		ACB1B3	E352	CA53	12-	XKGJ0080
1524		ACB1B4	E353	CA54	12-	XK GK0080
1525		ACB1B5	E354	CA55	12-	XKGL0080
1526		ACB1B6	E355	CA56	12-	XKGM0080
1527		ACB1B7	E356	CA57	12-	XKGN0080
1528		ACB1B8	E357	CA58	12-	XKGO0080
1529		ACB1B9	E358	CA59	12-	XKGP0080
1530		ACB1BA	E359	CA5A	12-	XK GQ0080
1531		ACB1BB	E35A	CA5B	12-	XKGR0080
1532		ACB1BC	E35B	CA5C	12-	XKGS0080
1533		ACB1BD	E35C	CA5D	12-	XKGT0080
1534		ACB1BE	E35D	CA5E	12-	XK GU0080
1535		ACB1BF	E35E	CA5F	12-	XKGV0080
1536		ACB1C0	E35F	CA60	12-	XK GW0080
1537		ACB1C1	E360	CA61	12-	XK GX0080
1538		ACB1C2	E361	CA62	12-	XKGY0080
1539		ACB1C3	E362	CA63	12-	XK GZ0080
1540		ACB1C4	E363	CA64	12-	XK H00080
1541		ACB1C5	E364	CA65	12-	XK H10080
1542		ACB1C6	E365	CA66	12-	XK H20080
1543		ACB1C7	E366	CA67	12-	XK H30080
1544		ACB1C8	E367	CA68	12-	XK H40080
1545		ACB1C9	E368	CA69	12-	XK H50080
1546		ACB1CA	E369	CA6A	12-	XK H60080
1547		ACB1CB	E36A	CA6B	12-	XK H70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 20 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1548		ACB1CC	E36B	CA6C	12-	XKH80080
1549		ACB1CD	E36C	CA6D	12-	XKH90080
1550		ACB1CE	E36D	CA6E	12-	XKHA0080
1551		ACB1CF	E36E	CA6F	12-	XKHB0080
1552		ACB1D0	E36F	CA70	12-	XKHC0080
1553		ACB1D1	E370	CA71	12-	XKHD0080
1554		ACB1D2	E371	CA72	12-	XKHE0080
1555		ACB1D3	E372	CA73	12-	XKHF0080
1556		ACB1D4	E373	CA74	12-	XKHG0080
1557		ACB1D5	E374	CA75	12-	XKHH0080
1558		ACB1D6	E375	CA76	12-	XKHI0080
1559		ACB1D7	E376	CA77	12-	XKHJ0080
1560		ACB1D8	E377	CA78	12-	XKHK0080
1561		ACB1D9	E378	CA79	12-	XKHL0080
1562		ACB1DA	E379	CA7A	12-	XKHM0080
1563		ACB1DB	E37A	CA7B	12-	XKHN0080
1564		ACB1DC	E37B	CA7C	12-	XKHO0080
1565		ACB1DD	E37C	CA7D	12-	XKHP0080
1566		ACB1DE	E37D	CA7E	12-	XKHQ0080
1567		ACB1DF	E37E	CA7F	12-	XKHR0080
1568		ACB1E0	E380	CA81	12-	XKHT0080
1569		ACB1E1	E381	CA82	12-	XKHU0080
1570		ACB1E2	E382	CA83	12-	XKHV0080
1571		ACB1E3	E383	CA84	12-	XKHW0080
1572		ACB1E4	E384	CA85	12-	XKHX0080
1573		ACB1E5	E385	CA86	12-	XKHY0080
1574		ACB1E6	E386	CA87	12-	XKHZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 21 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1575		ACB1E7	E387	CA88	12-	XKI00080
1576		ACB1E8	E388	CA89	12-	XKI10080
1577		ACB1E9	E389	CA8A	12-	XKI20080
1578		ACB1EA	E38A	CA8B	12-	XKI30080
1579		ACB1EB	E38B	CA8C	12-	XKI40080
1580		ACB1EC	E38C	CA8D	12-	XKI50080
1581		ACB1ED	E38D	CA8E	12-	XKI60080
1582		ACB1EE	E38E	CA8F	12-	XKI70080
1583		ACB1EF	E38F	CA90	12-	XKI80080
1584		ACB1F0	E390	CA91	12-	XKI90080
1585		ACB1F1	E391	CA92	12-	XKIA0080
1586		ACB1F2	E392	CA93	12-	XKIB0080
1587		ACB1F3	E393	CA94	12-	XKIC0080
1588		ACB1F4	E394	CA95	12-	XKID0080
1589		ACB1F5	E395	CA96	12-	XKIE0080
1590		ACB1F6	E396	CA97	12-	XKIF0080
1591		ACB1F7	E397	CA98	12-	XKIG0080
1592		ACB1F8	E398	CA99	12-	XKIH0080
1593		ACB1F9	E399	CA9A	12-	XKII0080
1594		ACB1FA	E39A	CA9B	12-	XKIJ0080
1595		ACB1FB	E39B	CA9C	12-	XKIK0080
1596		ACB1FC	E39C	CA9D	12-	XKIL0080
1597		ACB1FD	E39D	CA9E	12-	XKIM0080
1598		ACB1FE	E39E	CA9F	12-	XKIN0080
1599		ACB2A1	E39F	CAA0	12-	XKIO0080
1600		ACB2A2	E3A0	CAA1	12-	XKIP0080
1601		ACB2A3	E3A1	CAA2	12-	XKIQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 22 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1602		ACB2A4	E3A2	CAA3	12-	XKIR0080
1603		ACB2A5	E3A3	CAA4	12-	XKIS0080
1604		ACB2A6	E3A4	CAA5	12-	XKIT0080
1605		ACB2A7	E3A5	CAA6	12-	XKIU0080
1606		ACB2A8	E3A6	CAA7	12-	XKIV0080
1607		ACB2A9	E3A7	CAA8	12-	XKIW0080
1608		ACB2AA	E3A8	CAA9	12-	XKIX0080
1609		ACB2AB	E3A9	CAAA	12-	XKIY0080
1610		ACB2AC	E3AA	CAAB	12-	XKIZ0080
1611		ACB2AD	E3AB	CAAC	12-	XKJ00080
1612		ACB2AE	E3AC	CAAD	12-	XKJ10080
1613		ACB2AF	E3AD	CAAE	12-	XKJ20080
1614		ACB2B0	E3AE	CAAF	12-	XKJ30080
1615		ACB2B1	E3AF	CAB0	12-	XKJ40080
1616		ACB2B2	E3B0	CAB1	12-	XKJ50080
1617		ACB2B3	E3B1	CAB2	12-	XKJ60080
1618		ACB2B4	E3B2	CAB3	12-	XKJ70080
1619		ACB2B5	E3B3	CAB4	12-	XKJ80080
1620		ACB2B6	E3B4	CAB5	12-	XKJ90080
1621		ACB2B7	E3B5	CAB6	12-	XKJA0080
1622		ACB2B8	E3B6	CAB7	12-	XKJB0080
1623		ACB2B9	E3B7	CAB8	12-	XKJC0080
1624		ACB2BA	E3B8	CAB9	12-	XKJD0080
1625		ACB2BB	E3B9	CABA	12-	XKJE0080
1626		ACB2BC	E3BA	CABB	12-	XKJF0080
1627		ACB2BD	E3BB	CABC	12-	XKJG0080
1628		ACB2BE	E3BC	CABD	12-	XKJH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 23 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1629		ACB2BF	E3BD	CABE	12-	XKJI0080
1630		ACB2C0	E3BE	CABF	12-	XKJJ0080
1631		ACB2C1	E3BF	CAC0	12-	XKJK0080
1632		ACB2C2	E3C0	CAC1	12-	XKJL0080
1633		ACB2C3	E3C1	CAC2	12-	XKJM0080
1634		ACB2C4	E3C2	CAC3	12-	XKJN0080
1635		ACB2C5	E3C3	CAC4	12-	XKJO0080
1636		ACB2C6	E3C4	CAC5	12-	XKJP0080
1637		ACB2C7	E3C5	CAC6	12-	XKJQ0080
1638		ACB2C8	E3C6	CAC7	12-	XKJR0080
1639		ACB2C9	E3C7	CAC8	12-	XKJS0080
1640		ACB2CA	E3C8	CAC9	12-	XKJT0080
1641		ACB2CB	E3C9	CACA	12-	XKJU0080
1642		ACB2CC	E3CA	CACB	12-	XKJV0080
1643		ACB2CD	E3CB	CACC	12-	XKJW0080
1644		ACB2CE	E3CC	CACD	12-	XKJX0080
1645		ACB2CF	E3CD	CACE	12-	XKJY0080
1646		ACB2D0	E3CE	CACF	12-	XKJZ0080
1647		ACB2D1	E3CF	CAD0	12-	XKK00080
1648		ACB2D2	E3D0	CAD1	12-	XKK10080
1649		ACB2D3	E3D1	CAD2	12-	XKK20080
1650		ACB2D4	E3D2	CAD3	12-	XKK30080
1651		ACB2D5	E3D3	CAD4	12-	XKK40080
1652		ACB2D6	E3D4	CAD5	12-	XKK50080
1653		ACB2D7	E3D5	CAD6	12-	XKK60080
1654		ACB2D8	E3D6	CAD7	12-	XKK70080
1655		ACB2D9	E3D7	CAD8	12-	XKK80080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 24 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1656		ACB2DA	E3D8	CAD9	12-	XKK90080
1657		ACB2DB	E3D9	CADA	12-	XKKA0080
1658		ACB2DC	E3DA	CADB	12-	XKKB0080
1659		ACB2DD	E3DB	CADC	12-	XKKC0080
1660		ACB2DE	E3DC	CADD	12-	XKKD0080
1661		ACB2DF	E3DD	CADE	12-	XKKE0080
1662		ACB2E0	E3DE	CADF	12-	XKKF0080
1663		ACB2E1	E3DF	CAE0	12-	XKKG0080
1664		ACB2E2	E3E0	CAE1	12-	XKKH0080
1665		ACB2E3	E3E1	CAE2	12-	XKKI0080
1666		ACB2E4	E3E2	CAE3	12-	XKKJ0080
1667		ACB2E5	E3E3	CAE4	12-	XKKK0080
1668		ACB2E6	E3E4	CAE5	12-	XKKL0080
1669		ACB2E7	E3E5	CAE6	12-	XKKM0080
1670		ACB2E8	E3E6	CAE7	12-	XKKN0080
1671		ACB2E9	E3E7	CAE8	12-	XKKO0080
1672		ACB2EA	E3E8	CAE9	12-	XKKP0080
1673		ACB2EB	E3E9	CAEA	12-	XKKQ0080
1674		ACB2EC	E3EA	CAEB	12-	XKKR0080
1675		ACB2ED	E3EB	CAEC	12-	XKKS0080
1676		ACB2EE	E3EC	CAED	12-	XKKT0080
1677		ACB2EF	E3ED	CAEE	12-	XKKU0080
1678		ACB2F0	E3EE	CAEF	12-	XKKV0080
1679		ACB2F1	E3EF	CAF0	12-	XKKW0080
1680		ACB2F2	E3F0	CAF1	12-	XKKX0080
1681		ACB2F3	E3F1	CAF2	12-	XKKY0080
1682		ACB2F4	E3F2	CAF3	12-	XKKZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 25 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1683		ACB2F5	E3F3	CAF4	12-	XKL00080
1684		ACB2F6	E3F4	CAF5	12-	XKL10080
1685		ACB2F7	E3F5	CAF6	12-	XKL20080
1686		ACB2F8	E3F6	CAF7	12-	XKL30080
1687		ACB2F9	E3F7	CAF8	12-	XKL40080
1688		ACB2FA	E3F8	CAF9	12-	XKL50080
1689		ACB2FB	E3F9	CAFA	12-	XKL60080
1690		ACB2FC	E3FA	CAFB	12-	XKL70080
1691		ACB2FD	E3FB	CAFC	12-	XKL80080
1692		ACB2FE	E3FC	CAFD	12-	XKL90080
1693		ACB3A1	E440	CB41	12-	XKLD0080
1694		ACB3A2	E441	CB42	12-	XKLE0080
1695		ACB3A3	E442	CB43	12-	XKLF0080
1696		ACB3A4	E443	CB44	12-	XKLG0080
1697		ACB3A5	E444	CB45	12-	XKLH0080
1698		ACB3A6	E445	CB46	12-	XKLI0080
1699		ACB3A7	E446	CB47	12-	XKLJ0080
1700		ACB3A8	E447	CB48	12-	XKLK0080
1701		ACB3A9	E448	CB49	12-	XKLL0080
1702		ACB3AA	E449	CB4A	12-	XKLM0080
1703		ACB3AB	E44A	CB4B	12-	XKLN0080
1704		ACB3AC	E44B	CB4C	12-	XKLO0080
1705		ACB3AD	E44C	CB4D	12-	XKLP0080
1706		ACB3AE	E44D	CB4E	12-	XKLQ0080
1707		ACB3AF	E44E	CB4F	12-	XKLR0080
1708		ACB3B0	E44F	CB50	12-	XKLS0080
1709		ACB3B1	E450	CB51	12-	XKLT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 26 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1710		ACB3B2	E451	CB52	12-	XKLU0080
1711		ACB3B3	E452	CB53	12-	XKLV0080
1712		ACB3B4	E453	CB54	12-	XKLV0080
1713		ACB3B5	E454	CB55	12-	XKLV0080
1714		ACB3B6	E455	CB56	12-	XKLV0080
1715		ACB3B7	E456	CB57	12-	XKLV0080
1716		ACB3B8	E457	CB58	12-	XKLV0080
1717		ACB3B9	E458	CB59	12-	XKLV0080
1718		ACB3BA	E459	CB5A	12-	XKLV0080
1719		ACB3BB	E45A	CB5B	12-	XKLV0080
1720		ACB3BC	E45B	CB5C	12-	XKLV0080
1721		ACB3BD	E45C	CB5D	12-	XKLV0080
1722		ACB3BE	E45D	CB5E	12-	XKLV0080
1723		ACB3BF	E45E	CB5F	12-	XKLV0080
1724		ACB3C0	E45F	CB60	12-	XKLV0080
1725		ACB3C1	E460	CB61	12-	XKLV0080
1726		ACB3C2	E461	CB62	12-	XKLV0080
1727		ACB3C3	E462	CB63	12-	XKLV0080
1728		ACB3C4	E463	CB64	12-	XKLV0080
1729		ACB3C5	E464	CB65	12-	XKLV0080
1730		ACB3C6	E465	CB66	12-	XKLV0080
1731		ACB3C7	E466	CB67	12-	XKLV0080
1732		ACB3C8	E467	CB68	12-	XKLV0080
1733		ACB3C9	E468	CB69	12-	XKLV0080
1734		ACB3CA	E469	CB6A	12-	XKLV0080
1735		ACB3CB	E46A	CB6B	12-	XKLV0080
1736		ACB3CC	E46B	CB6C	12-	XKLV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 27 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1737		ACB3CD	E46C	CB6D	12-	XKML0080
1738		ACB3CE	E46D	CB6E	12-	XKMM0080
1739		ACB3CF	E46E	CB6F	12-	XKMN0080
1740		ACB3D0	E46F	CB70	12-	XKMO0080
1741		ACB3D1	E470	CB71	12-	XKMP0080
1742		ACB3D2	E471	CB72	12-	XKMQ0080
1743		ACB3D3	E472	CB73	12-	XKMR0080
1744		ACB3D4	E473	CB74	12-	XKMS0080
1745		ACB3D5	E474	CB75	12-	XKMT0080
1746		ACB3D6	E475	CB76	12-	XKMU0080
1747		ACB3D7	E476	CB77	12-	XKMV0080
1748		ACB3D8	E477	CB78	12-	XKMW0080
1749		ACB3D9	E478	CB79	12-	XKMX0080
1750		ACB3DA	E479	CB7A	12-	XKMY0080
1751		ACB3DB	E47A	CB7B	12-	XKMZ0080
1752		ACB3DC	E47B	CB7C	12-	XKN00080
1753		ACB3DD	E47C	CB7D	12-	XKN10080
1754		ACB3DE	E47D	CB7E	12-	XKN20080
1755		ACB3DF	E47E	CB7F	12-	XKN30080
1756		ACB3E0	E480	CB81	12-	XKN50080
1757		ACB3E1	E481	CB82	12-	XKN60080
1758		ACB3E2	E482	CB83	12-	XKN70080
1759		ACB3E3	E483	CB84	12-	XKN80080
1760		ACB3E4	E484	CB85	12-	XKN90080
1761		ACB3E5	E485	CB86	12-	XKNA0080
1762		ACB3E6	E486	CB87	12-	XKNB0080
1763		ACB3E7	E487	CB88	12-	XKNC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 28 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1764		ACB3E8	E488	CB89	12-	XKND0080
1765		ACB3E9	E489	CB8A	12-	XKNE0080
1766		ACB3EA	E48A	CB8B	12-	XKNF0080
1767		ACB3EB	E48B	CB8C	12-	XKNG0080
1768		ACB3EC	E48C	CB8D	12-	XKNH0080
1769		ACB3ED	E48D	CB8E	12-	XKNI0080
1770		ACB3EE	E48E	CB8F	12-	XKNJ0080
1771		ACB3EF	E48F	CB90	12-	XKNK0080
1772		ACB3F0	E490	CB91	12-	XKNL0080
1773		ACB3F1	E491	CB92	12-	XKNM0080
1774		ACB3F2	E492	CB93	12-	XKNN0080
1775		ACB3F3	E493	CB94	12-	XKNO0080
1776		ACB3F4	E494	CB95	12-	XKNP0080
1777		ACB3F5	E495	CB96	12-	XKNQ0080
1778		ACB3F6	E496	CB97	12-	XKNR0080
1779		ACB3F7	E497	CB98	12-	XKNS0080
1780		ACB3F8	E498	CB99	12-	XKNT0080
1781		ACB3F9	E499	CB9A	12-	XKNU0080
1782		ACB3FA	E49A	CB9B	12-	XKNV0080
1783		ACB3FB	E49B	CB9C	12-	XKNW0080
1784		ACB3FC	E49C	CB9D	12-	XKNX0080
1785		ACB3FD	E49D	CB9E	12-	XKNY0080
1786		ACB3FE	E49E	CB9F	12-	XKNZ0080
1787		ACB4A1	E49F	CBA0	12-	XKO00080
1788		ACB4A2	E4A0	CBA1	12-	XKO10080
1789		ACB4A3	E4A1	CBA2	12-	XKO20080
1790		ACB4A4	E4A2	CBA3	12-	XKO30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 29 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1791		ACB4A5	E4A3	CBA4	12-	XKO40080
1792		ACB4A6	E4A4	CBA5	12-	XKO50080
1793		ACB4A7	E4A5	CBA6	12-	XKO60080
1794		ACB4A8	E4A6	CBA7	12-	XKO70080
1795		ACB4A9	E4A7	CBA8	12-	XKO80080
1796		ACB4AA	E4A8	CBA9	12-	XKO90080
1797		ACB4AB	E4A9	CBAA	12-	XKOA0080
1798		ACB4AC	E4AA	CBAB	12-	XKOB0080
1799		ACB4AD	E4AB	CBAC	12-	XKOC0080
1800		ACB4AE	E4AC	CBAD	12-	XKOD0080
1801		ACB4AF	E4AD	CBAE	12-	XKOE0080
1802		ACB4B0	E4AE	CBAF	12-	XKOF0080
1803		ACB4B1	E4AF	CBB0	12-	XKOG0080
1804		ACB4B2	E4B0	CBB1	12-	XKOH0080
1805		ACB4B3	E4B1	CBB2	12-	XKOI0080
1806		ACB4B4	E4B2	CBB3	12-	XKOJ0080
1807		ACB4B5	E4B3	CBB4	12-	XKOK0080
1808		ACB4B6	E4B4	CBB5	12-	XKOL0080
1809		ACB4B7	E4B5	CBB6	12-	XKOM0080
1810		ACB4B8	E4B6	CBB7	12-	XKON0080
1811		ACB4B9	E4B7	CBB8	12-	XKOO0080
1812		ACB4BA	E4B8	CBB9	12-	XKOP0080
1813		ACB4BB	E4B9	CBBA	12-	XKOQ0080
1814		ACB4BC	E4BA	CBBB	12-	XKOR0080
1815		ACB4BD	E4BB	CBBC	12-	XKOS0080
1816		ACB4BE	E4BC	CBBD	12-	XKOT0080
1817		ACB4BF	E4BD	CBBE	12-	XKOU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 30 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1818		ACB4C0	E4BE	CBBF	12-	XKOV0080
1819		ACB4C1	E4BF	CBC0	12-	XKOW0080
1820		ACB4C2	E4C0	CBC1	12-	XKOX0080
1821		ACB4C3	E4C1	CBC2	12-	XKOY0080
1822		ACB4C4	E4C2	CBC3	12-	XKOZ0080
1823		ACB4C5	E4C3	CBC4	12-	XKP00080
1824		ACB4C6	E4C4	CBC5	12-	XKP10080
1825		ACB4C7	E4C5	CBC6	12-	XKP20080
1826		ACB4C8	E4C6	CBC7	12-	XKP30080
1827		ACB4C9	E4C7	CBC8	12-	XKP40080
1828		ACB4CA	E4C8	CBC9	12-	XKP50080
1829		ACB4CB	E4C9	CBCA	12-	XKP60080
1830		ACB4CC	E4CA	CBCB	12-	XKP70080
1831		ACB4CD	E4CB	CBCC	12-	XKP80080
1832		ACB4CE	E4CC	CBCD	12-	XKP90080
1833		ACB4CF	E4CD	CBCE	12-	XKPA0080
1834		ACB4D0	E4CE	CBCF	12-	XKPB0080
1835		ACB4D1	E4CF	CBD0	12-	XKPC0080
1836		ACB4D2	E4D0	CBD1	12-	XKPD0080
1837		ACB4D3	E4D1	CBD2	12-	XKPE0080
1838		ACB4D4	E4D2	CBD3	12-	XKPF0080
1839		ACB4D5	E4D3	CBD4	12-	XKPG0080
1840		ACB4D6	E4D4	CBD5	12-	XKPH0080
1841		ACB4D7	E4D5	CBD6	12-	XKPI0080
1842		ACB4D8	E4D6	CBD7	12-	XKPJ0080
1843		ACB4D9	E4D7	CBD8	12-	XKPK0080
1844		ACB4DA	E4D8	CBD9	12-	XKPL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 31 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1845		ACB4DB	E4D9	CBDA	12-	XKPM0080
1846		ACB4DC	E4DA	CBDB	12-	XKPN0080
1847		ACB4DD	E4DB	CBDC	12-	XKPO0080
1848		ACB4DE	E4DC	CBDD	12-	XKPP0080
1849		ACB4DF	E4DD	CBDE	12-	XKQP0080
1850		ACB4E0	E4DE	CBDF	12-	XKPR0080
1851		ACB4E1	E4DF	CBE0	12-	XKPS0080
1852		ACB4E2	E4E0	CBE1	12-	XKPT0080
1853		ACB4E3	E4E1	CBE2	12-	XKPU0080
1854		ACB4E4	E4E2	CBE3	12-	XKPV0080
1855		ACB4E5	E4E3	CBE4	12-	XKPW0080
1856		ACB4E6	E4E4	CBE5	12-	XKPX0080
1857		ACB4E7	E4E5	CBE6	12-	XKPY0080
1858		ACB4E8	E4E6	CBE7	12-	XKPZ0080
1859		ACB4E9	E4E7	CBE8	12-	XKQ00080
1860		ACB4EA	E4E8	CBE9	12-	XKQ10080
1861		ACB4EB	E4E9	CBEA	12-	XKQ20080
1862		ACB4EC	E4EA	CBEB	12-	XKQ30080
1863		ACB4ED	E4EB	CBEC	12-	XKQ40080
1864		ACB4EE	E4EC	CBED	12-	XKQ50080
1865		ACB4EF	E4ED	CBEE	12-	XKQ60080
1866		ACB4F0	E4EE	CBEF	12-	XKQ70080
1867		ACB4F1	E4EF	CBF0	12-	XKQ80080
1868		ACB4F2	E4F0	CBF1	12-	XKQ90080
1869		ACB4F3	E4F1	CBF2	12-	XKQA0080
1870		ACB4F4	E4F2	CBF3	12-	XKQB0080
1871		ACB4F5	E4F3	CBF4	12-	XKQC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 32 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1872		ACB4F6	E4F4	CBF5	12-	XKQD0080
1873		ACB4F7	E4F5	CBF6	12-	XKQE0080
1874		ACB4F8	E4F6	CBF7	12-	XKQF0080
1875		ACB4F9	E4F7	CBF8	12-	XKQG0080
1876		ACB4FA	E4F8	CBF9	12-	XKQH0080
1877		ACB4FB	E4F9	CBFA	12-	XKQI0080
1878		ACB4FC	E4FA	CBFB	12-	XKQJ0080
1879		ACB4FD	E4FB	CBFC	12-	XKQK0080
1880		ACB4FE	E4FC	CBFD	12-	XKQL0080
1881		ACB5A1	E540	CC41	12-	XKQP0080
1882		ACB5A2	E541	CC42	12-	XKQQ0080
1883		ACB5A3	E542	CC43	12-	XKQR0080
1884		ACB5A4	E543	CC44	12-	XKQS0080
1885		ACB5A5	E544	CC45	12-	XKQT0080
1886		ACB5A6	E545	CC46	12-	XKQU0080
1887		ACB5A7	E546	CC47	12-	XKQV0080
1888		ACB5A8	E547	CC48	12-	XKQW0080
1889		ACB5A9	E548	CC49	12-	XKQX0080
1890		ACB5AA	E549	CC4A	12-	XKQY0080
1891		ACB5AB	E54A	CC4B	12-	XKQZ0080
1892		ACB5AC	E54B	CC4C	12-	XKR00080
1893		ACB5AD	E54C	CC4D	12-	XKR10080
1894		ACB5AE	E54D	CC4E	12-	XKR20080
1895		ACB5AF	E54E	CC4F	12-	XKR30080
1896		ACB5B0	E54F	CC50	12-	XKR40080
1897		ACB5B1	E550	CC51	12-	XKR50080
1898		ACB5B2	E551	CC52	12-	XKR60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 33 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1899		ACB5B3	E552	CC53	12-	XKR70080
1900		ACB5B4	E553	CC54	12-	XKR80080
1901		ACB5B5	E554	CC55	12-	XKR90080
1902		ACB5B6	E555	CC56	12-	XKRA0080
1903		ACB5B7	E556	CC57	12-	XKRB0080
1904		ACB5B8	E557	CC58	12-	XKRC0080
1905		ACB5B9	E558	CC59	12-	XKRD0080
1906		ACB5BA	E559	CC5A	12-	XKRE0080
1907		ACB5BB	E55A	CC5B	12-	XKRF0080
1908		ACB5BC	E55B	CC5C	12-	XKRG0080
1909		ACB5BD	E55C	CC5D	12-	XKRH0080
1910		ACB5BE	E55D	CC5E	12-	XKRI0080
1911		ACB5BF	E55E	CC5F	12-	XKRJ0080
1912		ACB5C0	E55F	CC60	12-	XKRK0080
1913		ACB5C1	E560	CC61	12-	XKRL0080
1914		ACB5C2	E561	CC62	12-	XKRM0080
1915		ACB5C3	E562	CC63	12-	XKRN0080
1916		ACB5C4	E563	CC64	12-	XKRO0080
1917		ACB5C5	E564	CC65	12-	XKRP0080
1918		ACB5C6	E565	CC66	12-	XKRQ0080
1919		ACB5C7	E566	CC67	12-	XKRR0080
1920		ACB5C8	E567	CC68	12-	XKRS0080
1921		ACB5C9	E568	CC69	12-	XKRT0080
1922		ACB5CA	E569	CC6A	12-	XKRU0080
1923		ACB5CB	E56A	CC6B	12-	XKRV0080
1924		ACB5CC	E56B	CC6C	12-	XKRW0080
1925		ACB5CD	E56C	CC6D	12-	XKRX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 34 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1926		ACB5CE	E56D	CC6E	12-	XKRY0080
1927		ACB5CF	E56E	CC6F	12-	XKRZ0080
1928		ACB5D0	E56F	CC70	12-	XKS00080
1929		ACB5D1	E570	CC71	12-	XKS10080
1930		ACB5D2	E571	CC72	12-	XKS20080
1931		ACB5D3	E572	CC73	12-	XKS30080
1932		ACB5D4	E573	CC74	12-	XKS40080
1933		ACB5D5	E574	CC75	12-	XKS50080
1934		ACB5D6	E575	CC76	12-	XKS60080
1935		ACB5D7	E576	CC77	12-	XKS70080
1936		ACB5D8	E577	CC78	12-	XKS80080
1937		ACB5D9	E578	CC79	12-	XKS90080
1938		ACB5DA	E579	CC7A	12-	XKSA0080
1939		ACB5DB	E57A	CC7B	12-	XKSB0080
1940		ACB5DC	E57B	CC7C	12-	XKSC0080
1941		ACB5DD	E57C	CC7D	12-	XKSD0080
1942		ACB5DE	E57D	CC7E	12-	XKSE0080
1943		ACB5DF	E57E	CC7F	12-	XKSF0080
1944		ACB5E0	E580	CC81	12-	XKSH0080
1945		ACB5E1	E581	CC82	12-	XKSI0080
1946		ACB5E2	E582	CC83	12-	XKSJ0080
1947		ACB5E3	E583	CC84	12-	XKSK0080
1948		ACB5E4	E584	CC85	12-	XKSL0080
1949		ACB5E5	E585	CC86	12-	XKSM0080
1950		ACB5E6	E586	CC87	12-	XKSN0080
1951		ACB5E7	E587	CC88	12-	XKSO0080
1952		ACB5E8	E588	CC89	12-	XKSP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 35 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1953		ACB5E9	E589	CC8A	12-	XKSQ0080
1954		ACB5EA	E58A	CC8B	12-	XKSR0080
1955		ACB5EB	E58B	CC8C	12-	XKSS0080
1956		ACB5EC	E58C	CC8D	12-	XKST0080
1957		ACB5ED	E58D	CC8E	12-	XKSU0080
1958		ACB5EE	E58E	CC8F	12-	XKSV0080
1959		ACB5EF	E58F	CC90	12-	XKSW0080
1960		ACB5F0	E590	CC91	12-	XKSX0080
1961		ACB5F1	E591	CC92	12-	XKSY0080
1962		ACB5F2	E592	CC93	12-	XKSZ0080
1963		ACB5F3	E593	CC94	12-	XKT00080
1964		ACB5F4	E594	CC95	12-	XKT10080
1965		ACB5F5	E595	CC96	12-	XKT20080
1966		ACB5F6	E596	CC97	12-	XKT30080
1967		ACB5F7	E597	CC98	12-	XKT40080
1968		ACB5F8	E598	CC99	12-	XKT50080
1969		ACB5F9	E599	CC9A	12-	XKT60080
1970		ACB5FA	E59A	CC9B	12-	XKT70080
1971		ACB5FB	E59B	CC9C	12-	XKT80080
1972		ACB5FC	E59C	CC9D	12-	XKT90080
1973		ACB5FD	E59D	CC9E	12-	XKTA0080
1974		ACB5FE	E59E	CC9F	12-	XKTB0080
1975		ACB6A1	E59F	CCA0	12-	XKTC0080
1976		ACB6A2	E5A0	CCA1	12-	XKTD0080
1977		ACB6A3	E5A1	CCA2	12-	XKTE0080
1978		ACB6A4	E5A2	CCA3	12-	XKTF0080
1979		ACB6A5	E5A3	CCA4	12-	XKTG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 36 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1980		ACB6A6	E5A4	CCA5	12-	XKTH0080
1981		ACB6A7	E5A5	CCA6	12-	XKTI0080
1982		ACB6A8	E5A6	CCA7	12-	XKTJ0080
1983		ACB6A9	E5A7	CCA8	12-	XKTK0080
1984		ACB6AA	E5A8	CCA9	12-	XKTL0080
1985		ACB6AB	E5A9	CCAA	12-	XKTM0080
1986		ACB6AC	E5AA	CCAB	12-	XKTN0080
1987		ACB6AD	E5AB	CCAC	12-	XKTO0080
1988		ACB6AE	E5AC	CCAD	12-	XKTP0080
1989		ACB6AF	E5AD	CCAE	12-	XKTQ0080
1990		ACB6B0	E5AE	CCAF	12-	XKTR0080
1991		ACB6B1	E5AF	CCB0	12-	XKTS0080
1992		ACB6B2	E5B0	CCB1	12-	XKTT0080
1993		ACB6B3	E5B1	CCB2	12-	XKTU0080
1994		ACB6B4	E5B2	CCB3	12-	XKTV0080
1995		ACB6B5	E5B3	CCB4	12-	XKTW0080
1996		ACB6B6	E5B4	CCB5	12-	XKTX0080
1997		ACB6B7	E5B5	CCB6	12-	XKTY0080
1998		ACB6B8	E5B6	CCB7	12-	XKTZ0080
1999		ACB6B9	E5B7	CCB8	12-	XKU00080
2000		ACB6BA	E5B8	CCB9	12-	XKU10080
2001		ACB6BB	E5B9	CCBA	12-	XKU20080
2002		ACB6BC	E5BA	CCBB	12-	XKU30080
2003		ACB6BD	E5BB	CCBC	12-	XKU40080
2004		ACB6BE	E5BC	CCBD	12-	XKU50080
2005		ACB6BF	E5BD	CCBE	12-	XKU60080
2006		ACB6C0	E5BE	CCBF	12-	XKU70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 37 of 39). User Definable Character Set (2 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2007		ACB6C1	E5BF	CCC0	12-	XKU80080
2008		ACB6C2	E5C0	CCC1	12-	XKU90080
2009		ACB6C3	E5C1	CCC2	12-	XKUA0080
2010		ACB6C4	E5C2	CCC3	12-	XKUB0080
2011		ACB6C5	E5C3	CCC4	12-	XKUC0080
2012		ACB6C6	E5C4	CCC5	12-	XKUD0080
2013		ACB6C7	E5C5	CCC6	12-	XKUE0080
2014		ACB6C8	E5C6	CCC7	12-	XKUF0080
2015		ACB6C9	E5C7	CCC8	12-	XKUG0080
2016		ACB6CA	E5C8	CCC9	12-	XKUH0080
2017		ACB6CB	E5C9	CCCA	12-	XKUI0080
2018		ACB6CC	E5CA	CCCB	12-	XKUJ0080
2019		ACB6CD	E5CB	CCCC	12-	XKUK0080
2020		ACB6CE	E5CC	CCCD	12-	XKUL0080
2021		ACB6CF	E5CD	CCCE	12-	XKUM0080
2022		ACB6D0	E5CE	CCCF	12-	XKUN0080
2023		ACB6D1	E5CF	CCD0	12-	XKUU0080
2024		ACB6D2	E5D0	CCD1	12-	XKUP0080
2025		ACB6D3	E5D1	CCD2	12-	XKUQ0080
2026		ACB6D4	E5D2	CCD3	12-	XKUR0080
2027		ACB6D5	E5D3	CCD4	12-	XKUS0080
2028		ACB6D6	E5D4	CCD5	12-	XKUT0080
2029		ACB6D7	E5D5	CCD6	12-	XKUU0080
2030		ACB6D8	E5D6	CCD7	12-	XKUV0080
2031		ACB6D9	E5D7	CCD8	12-	XKUW0080
2032		ACB6DA	E5D8	CCD9	12-	XKUX0080
2033		ACB6DB	E5D9	CCDA	12-	XKUY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 20 (Page 38 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2034		ACB6DC	E5DA	CCDB	12-	XKUZ0080
2035		ACB6DD	E5DB	CCDC	12-	XKV00080
2036		ACB6DE	E5DC	CCDD	12-	XKV10080
2037		ACB6DF	E5DD	CCDE	12-	XKV20080
2038		ACB6E0	E5DE	CCDF	12-	XKV30080
2039		ACB6E1	E5DF	CCE0	12-	XKV40080
2040		ACB6E2	E5E0	CCE1	12-	XKV50080
2041		ACB6E3	E5E1	CCE2	12-	XKV60080
2042		ACB6E4	E5E2	CCE3	12-	XKV70080
2043		ACB6E5	E5E3	CCE4	12-	XKV80080
2044		ACB6E6	E5E4	CCE5	12-	XKV90080
2045		ACB6E7	E5E5	CCE6	12-	XKVA0080
2046		ACB6E8	E5E6	CCE7	12-	XKVB0080
2047		ACB6E9	E5E7	CCE8	12-	XKVC0080
2048		ACB6EA	E5E8	CCE9	12-	XKVD0080
2049		ACB6EB	E5E9	CCEA	12-	XKVE0080
2050		ACB6EC	E5EA	CCEB	12-	XKVF0080
2051		ACB6ED	E5EB	CCEC	12-	XKVG0080
2052		ACB6EE	E5EC	CCED	12-	XKVH0080
2053		ACB6EF	E5ED	CCEE	12-	XKVI0080
2054		ACB6F0	E5EE	CCEF	12-	XKVJ0080
2055		ACB6F1	E5EF	CCF0	12-	XKVK0080
2056		ACB6F2	E5F0	CCF1	12-	XKVL0080
2057		ACB6F3	E5F1	CCF2	12-	XKVM0080
2058		ACB6F4	E5F2	CCF3	12-	XKVN0080
2059		ACB6F5	E5F3	CCF4	12-	XKVO0080
2060		ACB6F6	E5F4	CCF5	12-	XKVP0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 20 (Page 39 of 39). User Definable Character Set (2 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2061		ACB6F7	E5F5	CCF6	12-	XKVQ0080
2062		ACB6F8	E5F6	CCF7	12-	XKVR0080
2063		ACB6F9	E5F7	CCF8	12-	XKVS0080
2064		ACB6FA	E5F8	CCF9	12-	XKVT0080
2065		ACB6FB	E5F9	CCFA	12-	XKVU0080
2066		ACB6FC	E5FA	CCFB	12-	XKVV0080
2067		ACB6FD	E5FB	CCFC	12-	XK VW0080
2068		ACB6FE	E5FC	CCFD	12-	XKVX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 1 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2069		ACB7A1	E640	CD41	12-	XKW10080
2070		ACB7A2	E641	CD42	12-	XKW20080
2071		ACB7A3	E642	CD43	12-	XKW30080
2072		ACB7A4	E643	CD44	12-	XKW40080
2073		ACB7A5	E644	CD45	12-	XKW50080
2074		ACB7A6	E645	CD46	12-	XKW60080
2075		ACB7A7	E646	CD47	12-	XKW70080
2076		ACB7A8	E647	CD48	12-	XKW80080
2077		ACB7A9	E648	CD49	12-	XKW90080
2078		ACB7AA	E649	CD4A	12-	XKWA0080
2079		ACB7AB	E64A	CD4B	12-	XKWB0080
2080		ACB7AC	E64B	CD4C	12-	XKWC0080
2081		ACB7AD	E64C	CD4D	12-	XKWD0080
2082		ACB7AE	E64D	CD4E	12-	XKWE0080
2083		ACB7AF	E64E	CD4F	12-	XKWF0080
2084		ACB7B0	E64F	CD50	12-	XKWG0080
2085		ACB7B1	E650	CD51	12-	XKWH0080
2086		ACB7B2	E651	CD52	12-	XKWI0080
2087		ACB7B3	E652	CD53	12-	XKWJ0080
2088		ACB7B4	E653	CD54	12-	XKWK0080
2089		ACB7B5	E654	CD55	12-	XKWL0080
2090		ACB7B6	E655	CD56	12-	XKWM0080
2091		ACB7B7	E656	CD57	12-	XKWN0080
2092		ACB7B8	E657	CD58	12-	XKWO0080
2093		ACB7B9	E658	CD59	12-	XKWP0080
2094		ACB7BA	E659	CD5A	12-	XKWQ0080
2095		ACB7BB	E65A	CD5B	12-	XKWR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 2 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2096		ACB7BC	E65B	CD5C	12-	XKWS0080
2097		ACB7BD	E65C	CD5D	12-	XKWT0080
2098		ACB7BE	E65D	CD5E	12-	XKWU0080
2099		ACB7BF	E65E	CD5F	12-	XKVV0080
2100		ACB7C0	E65F	CD60	12-	XKWW0080
2101		ACB7C1	E660	CD61	12-	XKWX0080
2102		ACB7C2	E661	CD62	12-	XKWY0080
2103		ACB7C3	E662	CD63	12-	XKWZ0080
2104		ACB7C4	E663	CD64	12-	XKX00080
2105		ACB7C5	E664	CD65	12-	XKX10080
2106		ACB7C6	E665	CD66	12-	XKX20080
2107		ACB7C7	E666	CD67	12-	XKX30080
2108		ACB7C8	E667	CD68	12-	XKX40080
2109		ACB7C9	E668	CD69	12-	XKX50080
2110		ACB7CA	E669	CD6A	12-	XKX60080
2111		ACB7CB	E66A	CD6B	12-	XKX70080
2112		ACB7CC	E66B	CD6C	12-	XKX80080
2113		ACB7CD	E66C	CD6D	12-	XKX90080
2114		ACB7CE	E66D	CD6E	12-	XKXA0080
2115		ACB7CF	E66E	CD6F	12-	XKXB0080
2116		ACB7D0	E66F	CD70	12-	XKXC0080
2117		ACB7D1	E670	CD71	12-	XKXD0080
2118		ACB7D2	E671	CD72	12-	XKXE0080
2119		ACB7D3	E672	CD73	12-	XKXF0080
2120		ACB7D4	E673	CD74	12-	XKXG0080
2121		ACB7D5	E674	CD75	12-	XKXH0080
2122		ACB7D6	E675	CD76	12-	XKXI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 3 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2123		ACB7D7	E676	CD77	12-	XKXJ0080
2124		ACB7D8	E677	CD78	12-	XKXK0080
2125		ACB7D9	E678	CD79	12-	XKXL0080
2126		ACB7DA	E679	CD7A	12-	XKXM0080
2127		ACB7DB	E67A	CD7B	12-	XKXN0080
2128		ACB7DC	E67B	CD7C	12-	XKXO0080
2129		ACB7DD	E67C	CD7D	12-	XKXP0080
2130		ACB7DE	E67D	CD7E	12-	XKXQ0080
2131		ACB7DF	E67E	CD7F	12-	XKXR0080
2132		ACB7E0	E680	CD81	12-	XKXT0080
2133		ACB7E1	E681	CD82	12-	XKXU0080
2134		ACB7E2	E682	CD83	12-	XKXV0080
2135		ACB7E3	E683	CD84	12-	XKXW0080
2136		ACB7E4	E684	CD85	12-	XKXX0080
2137		ACB7E5	E685	CD86	12-	XKXY0080
2138		ACB7E6	E686	CD87	12-	XKXZ0080
2139		ACB7E7	E687	CD88	12-	XKY00080
2140		ACB7E8	E688	CD89	12-	XKY10080
2141		ACB7E9	E689	CD8A	12-	XKY20080
2142		ACB7EA	E68A	CD8B	12-	XKY30080
2143		ACB7EB	E68B	CD8C	12-	XKY40080
2144		ACB7EC	E68C	CD8D	12-	XKY50080
2145		ACB7ED	E68D	CD8E	12-	XKY60080
2146		ACB7EE	E68E	CD8F	12-	XKY70080
2147		ACB7EF	E68F	CD90	12-	XKY80080
2148		ACB7F0	E690	CD91	12-	XKY90080
2149		ACB7F1	E691	CD92	12-	XKYA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 4 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2150		ACB7F2	E692	CD93	12-	XKYB0080
2151		ACB7F3	E693	CD94	12-	XKYC0080
2152		ACB7F4	E694	CD95	12-	XKYD0080
2153		ACB7F5	E695	CD96	12-	XKYE0080
2154		ACB7F6	E696	CD97	12-	XKYF0080
2155		ACB7F7	E697	CD98	12-	XKYG0080
2156		ACB7F8	E698	CD99	12-	XKYH0080
2157		ACB7F9	E699	CD9A	12-	XKYI0080
2158		ACB7FA	E69A	CD9B	12-	XKYJ0080
2159		ACB7FB	E69B	CD9C	12-	XKYK0080
2160		ACB7FC	E69C	CD9D	12-	XKYL0080
2161		ACB7FD	E69D	CD9E	12-	XKYM0080
2162		ACB7FE	E69E	CD9F	12-	XKYN0080
2163		ACB8A1	E69F	CDA0	12-	XKYO0080
2164		ACB8A2	E6A0	CDA1	12-	XKYP0080
2165		ACB8A3	E6A1	CDA2	12-	XKYQ0080
2166		ACB8A4	E6A2	CDA3	12-	XKYR0080
2167		ACB8A5	E6A3	CDA4	12-	XKYS0080
2168		ACB8A6	E6A4	CDA5	12-	XKYT0080
2169		ACB8A7	E6A5	CDA6	12-	XKYU0080
2170		ACB8A8	E6A6	CDA7	12-	XKYV0080
2171		ACB8A9	E6A7	CDA8	12-	XKYW0080
2172		ACB8AA	E6A8	CDA9	12-	XKYX0080
2173		ACB8AB	E6A9	CDAA	12-	XKYY0080
2174		ACB8AC	E6AA	CDAB	12-	XKYZ0080
2175		ACB8AD	E6AB	CDAC	12-	XKZ00080
2176		ACB8AE	E6AC	CDAD	12-	XKZ10080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 5 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2177		ACB8AF	E6AD	CDAE	12-	XKZ20080
2178		ACB8B0	E6AE	CDAF	12-	XKZ30080
2179		ACB8B1	E6AF	CDB0	12-	XKZ40080
2180		ACB8B2	E6B0	CDB1	12-	XKZ50080
2181		ACB8B3	E6B1	CDB2	12-	XKZ60080
2182		ACB8B4	E6B2	CDB3	12-	XKZ70080
2183		ACB8B5	E6B3	CDB4	12-	XKZ80080
2184		ACB8B6	E6B4	CDB5	12-	XKZ90080
2185		ACB8B7	E6B5	CDB6	12-	XKZA0080
2186		ACB8B8	E6B6	CDB7	12-	XKZB0080
2187		ACB8B9	E6B7	CDB8	12-	XKZC0080
2188		ACB8BA	E6B8	CDB9	12-	XKZD0080
2189		ACB8BB	E6B9	CDBA	12-	XKZE0080
2190		ACB8BC	E6BA	CDBB	12-	XKZF0080
2191		ACB8BD	E6BB	CDBC	12-	XKZG0080
2192		ACB8BE	E6BC	CDBD	12-	XKZH0080
2193		ACB8BF	E6BD	CDBE	12-	XKZI0080
2194		ACB8C0	E6BE	CDBF	12-	XKZJ0080
2195		ACB8C1	E6BF	CDC0	12-	XKZK0080
2196		ACB8C2	E6C0	CDC1	12-	XKZL0080
2197		ACB8C3	E6C1	CDC2	12-	XKZM0080
2198		ACB8C4	E6C2	CDC3	12-	XKZN0080
2199		ACB8C5	E6C3	CDC4	12-	XKZO0080
2200		ACB8C6	E6C4	CDC5	12-	XKZP0080
2201		ACB8C7	E6C5	CDC6	12-	XKZQ0080
2202		ACB8C8	E6C6	CDC7	12-	XKZR0080
2203		ACB8C9	E6C7	CDC8	12-	XKZS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 6 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2204		ACB8CA	E6C8	CDC9	12-	XKZT0080
2205		ACB8CB	E6C9	CDCA	12-	XKZU0080
2206		ACB8CC	E6CA	CDCB	12-	XKZV0080
2207		ACB8CD	E6CB	CDCC	12-	XKZW0080
2208		ACB8CE	E6CC	CDCD	12-	XKZX0080
2209		ACB8CF	E6CD	CDCE	12-	XKZY0080
2210		ACB8D0	E6CE	CDCF	12-	XKZZ0080
2211		ACB8D1	E6CF	CDD0	12-	XL000080
2212		ACB8D2	E6D0	CDD1	12-	XL010080
2213		ACB8D3	E6D1	CDD2	12-	XL020080
2214		ACB8D4	E6D2	CDD3	12-	XL030080
2215		ACB8D5	E6D3	CDD4	12-	XL040080
2216		ACB8D6	E6D4	CDD5	12-	XL050080
2217		ACB8D7	E6D5	CDD6	12-	XL060080
2218		ACB8D8	E6D6	CDD7	12-	XL070080
2219		ACB8D9	E6D7	CDD8	12-	XL080080
2220		ACB8DA	E6D8	CDD9	12-	XL090080
2221		ACB8DB	E6D9	CDDA	12-	XL0A0080
2222		ACB8DC	E6DA	CDDB	12-	XL0B0080
2223		ACB8DD	E6DB	CDDC	12-	XL0C0080
2224		ACB8DE	E6DC	CDDD	12-	XL0D0080
2225		ACB8DF	E6DD	CDDE	12-	XL0E0080
2226		ACB8E0	E6DE	CDDF	12-	XL0F0080
2227		ACB8E1	E6DF	CDE0	12-	XL0G0080
2228		ACB8E2	E6E0	CDE1	12-	XL0H0080
2229		ACB8E3	E6E1	CDE2	12-	XL0I0080
2230		ACB8E4	E6E2	CDE3	12-	XL0J0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 7 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2231		ACB8E5	E6E3	CDE4	12-	XL0K0080
2232		ACB8E6	E6E4	CDE5	12-	XL0L0080
2233		ACB8E7	E6E5	CDE6	12-	XL0M0080
2234		ACB8E8	E6E6	CDE7	12-	XL0N0080
2235		ACB8E9	E6E7	CDE8	12-	XL0O0080
2236		ACB8EA	E6E8	CDE9	12-	XL0P0080
2237		ACB8EB	E6E9	CDEA	12-	XL0Q0080
2238		ACB8EC	E6EA	CDEB	12-	XL0R0080
2239		ACB8ED	E6EB	CDEC	12-	XL0S0080
2240		ACB8EE	E6EC	CDED	12-	XL0T0080
2241		ACB8EF	E6ED	CDEE	12-	XL0U0080
2242		ACB8F0	E6EE	CDEF	12-	XL0V0080
2243		ACB8F1	E6EF	CDF0	12-	XL0W0080
2244		ACB8F2	E6F0	CDF1	12-	XL0X0080
2245		ACB8F3	E6F1	CDF2	12-	XL0Y0080
2246		ACB8F4	E6F2	CDF3	12-	XL0Z0080
2247		ACB8F5	E6F3	CDF4	12-	XL100080
2248		ACB8F6	E6F4	CDF5	12-	XL110080
2249		ACB8F7	E6F5	CDF6	12-	XL120080
2250		ACB8F8	E6F6	CDF7	12-	XL130080
2251		ACB8F9	E6F7	CDF8	12-	XL140080
2252		ACB8FA	E6F8	CDF9	12-	XL150080
2253		ACB8FB	E6F9	CDFA	12-	XL160080
2254		ACB8FC	E6FA	CDFB	12-	XL170080
2255		ACB8FD	E6FB	CDFC	12-	XL180080
2256		ACB8FE	E6FC	CDFD	12-	XL190080
2257		ACB9A1	E740	CE41	12-	XL1D0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 8 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2258		ACB9A2	E741	CE42	12-	XL1E0080
2259		ACB9A3	E742	CE43	12-	XL1F0080
2260		ACB9A4	E743	CE44	12-	XL1G0080
2261		ACB9A5	E744	CE45	12-	XL1H0080
2262		ACB9A6	E745	CE46	12-	XL1I0080
2263		ACB9A7	E746	CE47	12-	XL1J0080
2264		ACB9A8	E747	CE48	12-	XL1K0080
2265		ACB9A9	E748	CE49	12-	XL1L0080
2266		ACB9AA	E749	CE4A	12-	XL1M0080
2267		ACB9AB	E74A	CE4B	12-	XL1N0080
2268		ACB9AC	E74B	CE4C	12-	XL1O0080
2269		ACB9AD	E74C	CE4D	12-	XL1P0080
2270		ACB9AE	E74D	CE4E	12-	XL1Q0080
2271		ACB9AF	E74E	CE4F	12-	XL1R0080
2272		ACB9B0	E74F	CE50	12-	XL1S0080
2273		ACB9B1	E750	CE51	12-	XL1T0080
2274		ACB9B2	E751	CE52	12-	XL1U0080
2275		ACB9B3	E752	CE53	12-	XL1V0080
2276		ACB9B4	E753	CE54	12-	XL1W0080
2277		ACB9B5	E754	CE55	12-	XL1X0080
2278		ACB9B6	E755	CE56	12-	XL1Y0080
2279		ACB9B7	E756	CE57	12-	XL1Z0080
2280		ACB9B8	E757	CE58	12-	XL200080
2281		ACB9B9	E758	CE59	12-	XL210080
2282		ACB9BA	E759	CE5A	12-	XL220080
2283		ACB9BB	E75A	CE5B	12-	XL230080
2284		ACB9BC	E75B	CE5C	12-	XL240080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 9 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2285		ACB9BD	E75C	CE5D	12-	XL250080
2286		ACB9BE	E75D	CE5E	12-	XL260080
2287		ACB9BF	E75E	CE5F	12-	XL270080
2288		ACB9C0	E75F	CE60	12-	XL280080
2289		ACB9C1	E760	CE61	12-	XL290080
2290		ACB9C2	E761	CE62	12-	XL2A0080
2291		ACB9C3	E762	CE63	12-	XL2B0080
2292		ACB9C4	E763	CE64	12-	XL2C0080
2293		ACB9C5	E764	CE65	12-	XL2D0080
2294		ACB9C6	E765	CE66	12-	XL2E0080
2295		ACB9C7	E766	CE67	12-	XL2F0080
2296		ACB9C8	E767	CE68	12-	XL2G0080
2297		ACB9C9	E768	CE69	12-	XL2H0080
2298		ACB9CA	E769	CE6A	12-	XL2I0080
2299		ACB9CB	E76A	CE6B	12-	XL2J0080
2300		ACB9CC	E76B	CE6C	12-	XL2K0080
2301		ACB9CD	E76C	CE6D	12-	XL2L0080
2302		ACB9CE	E76D	CE6E	12-	XL2M0080
2303		ACB9CF	E76E	CE6F	12-	XL2N0080
2304		ACB9D0	E76F	CE70	12-	XL2O0080
2305		ACB9D1	E770	CE71	12-	XL2P0080
2306		ACB9D2	E771	CE72	12-	XL2Q0080
2307		ACB9D3	E772	CE73	12-	XL2R0080
2308		ACB9D4	E773	CE74	12-	XL2S0080
2309		ACB9D5	E774	CE75	12-	XL2T0080
2310		ACB9D6	E775	CE76	12-	XL2U0080
2311		ACB9D7	E776	CE77	12-	XL2V0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 10 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2312		ACB9D8	E777	CE78	12-	XL2W0080
2313		ACB9D9	E778	CE79	12-	XL2X0080
2314		ACB9DA	E779	CE7A	12-	XL2Y0080
2315		ACB9DB	E77A	CE7B	12-	XL2Z0080
2316		ACB9DC	E77B	CE7C	12-	XL300080
2317		ACB9DD	E77C	CE7D	12-	XL310080
2318		ACB9DE	E77D	CE7E	12-	XL320080
2319		ACB9DF	E77E	CE7F	12-	XL330080
2320		ACB9E0	E780	CE81	12-	XL350080
2321		ACB9E1	E781	CE82	12-	XL360080
2322		ACB9E2	E782	CE83	12-	XL370080
2323		ACB9E3	E783	CE84	12-	XL380080
2324		ACB9E4	E784	CE85	12-	XL390080
2325		ACB9E5	E785	CE86	12-	XL3A0080
2326		ACB9E6	E786	CE87	12-	XL3B0080
2327		ACB9E7	E787	CE88	12-	XL3C0080
2328		ACB9E8	E788	CE89	12-	XL3D0080
2329		ACB9E9	E789	CE8A	12-	XL3E0080
2330		ACB9EA	E78A	CE8B	12-	XL3F0080
2331		ACB9EB	E78B	CE8C	12-	XL3G0080
2332		ACB9EC	E78C	CE8D	12-	XL3H0080
2333		ACB9ED	E78D	CE8E	12-	XL3I0080
2334		ACB9EE	E78E	CE8F	12-	XL3J0080
2335		ACB9EF	E78F	CE90	12-	XL3K0080
2336		ACB9F0	E790	CE91	12-	XL3L0080
2337		ACB9F1	E791	CE92	12-	XL3M0080
2338		ACB9F2	E792	CE93	12-	XL3N0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 11 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2339		ACB9F3	E793	CE94	12-	XL3O0080
2340		ACB9F4	E794	CE95	12-	XL3P0080
2341		ACB9F5	E795	CE96	12-	XL3Q0080
2342		ACB9F6	E796	CE97	12-	XL3R0080
2343		ACB9F7	E797	CE98	12-	XL3S0080
2344		ACB9F8	E798	CE99	12-	XL3T0080
2345		ACB9F9	E799	CE9A	12-	XL3U0080
2346		ACB9FA	E79A	CE9B	12-	XL3V0080
2347		ACB9FB	E79B	CE9C	12-	XL3W0080
2348		ACB9FC	E79C	CE9D	12-	XL3X0080
2349		ACB9FD	E79D	CE9E	12-	XL3Y0080
2350		ACB9FE	E79E	CE9F	12-	XL3Z0080
2351		ACBAA1	E79F	CEA0	12-	XL400080
2352		ACBAA2	E7A0	CEA1	12-	XL410080
2353		ACBAA3	E7A1	CEA2	12-	XL420080
2354		ACBAA4	E7A2	CEA3	12-	XL430080
2355		ACBAA5	E7A3	CEA4	12-	XL440080
2356		ACBAA6	E7A4	CEA5	12-	XL450080
2357		ACBAA7	E7A5	CEA6	12-	XL460080
2358		ACBAA8	E7A6	CEA7	12-	XL470080
2359		ACBAA9	E7A7	CEA8	12-	XL480080
2360		ACBAAA	E7A8	CEA9	12-	XL490080
2361		ACBAAB	E7A9	CEAA	12-	XL4A0080
2362		ACBAAC	E7AA	CEAB	12-	XL4B0080
2363		ACBAAD	E7AB	CEAC	12-	XL4C0080
2364		ACBAAE	E7AC	CEAD	12-	XL4D0080
2365		ACBAAF	E7AD	CEAE	12-	XL4E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 12 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2366		ACBAB0	E7AE	CEAF	12-	XL4F0080
2367		ACBAB1	E7AF	CEB0	12-	XL4G0080
2368		ACBAB2	E7B0	CEB1	12-	XL4H0080
2369		ACBAB3	E7B1	CEB2	12-	XL4I0080
2370		ACBAB4	E7B2	CEB3	12-	XL4J0080
2371		ACBAB5	E7B3	CEB4	12-	XL4K0080
2372		ACBAB6	E7B4	CEB5	12-	XL4L0080
2373		ACBAB7	E7B5	CEB6	12-	XL4M0080
2374		ACBAB8	E7B6	CEB7	12-	XL4N0080
2375		ACBAB9	E7B7	CEB8	12-	XL4O0080
2376		ACBABA	E7B8	CEB9	12-	XL4P0080
2377		ACBABB	E7B9	CEBA	12-	XL4Q0080
2378		ACBABC	E7BA	CEBB	12-	XL4R0080
2379		ACBABD	E7BB	CEBC	12-	XL4S0080
2380		ACBABE	E7BC	CEBD	12-	XL4T0080
2381		ACBABF	E7BD	CEBE	12-	XL4U0080
2382		ACBAC0	E7BE	CEBF	12-	XL4V0080
2383		ACBAC1	E7BF	CEC0	12-	XL4W0080
2384		ACBAC2	E7C0	CEC1	12-	XL4X0080
2385		ACBAC3	E7C1	CEC2	12-	XL4Y0080
2386		ACBAC4	E7C2	CEC3	12-	XL4Z0080
2387		ACBAC5	E7C3	CEC4	12-	XL500080
2388		ACBAC6	E7C4	CEC5	12-	XL510080
2389		ACBAC7	E7C5	CEC6	12-	XL520080
2390		ACBAC8	E7C6	CEC7	12-	XL530080
2391		ACBAC9	E7C7	CEC8	12-	XL540080
2392		ACBACA	E7C8	CEC9	12-	XL550080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 21 (Page 13 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2393		ACBACB	E7C9	CECA	12-	XL560080
2394		ACBACC	E7CA	CECB	12-	XL570080
2395		ACBACD	E7CB	CECC	12-	XL580080
2396		ACBACE	E7CC	CECD	12-	XL590080
2397		ACBACF	E7CD	CECE	12-	XL5A0080
2398		ACBAD0	E7CE	CECF	12-	XL5B0080
2399		ACBAD1	E7CF	CED0	12-	XL5C0080
2400		ACBAD2	E7D0	CED1	12-	XL5D0080
2401		ACBAD3	E7D1	CED2	12-	XL5E0080
2402		ACBAD4	E7D2	CED3	12-	XL5F0080
2403		ACBAD5	E7D3	CED4	12-	XL5G0080
2404		ACBAD6	E7D4	CED5	12-	XL5H0080
2405		ACBAD7	E7D5	CED6	12-	XL5I0080
2406		ACBAD8	E7D6	CED7	12-	XL5J0080
2407		ACBAD9	E7D7	CED8	12-	XL5K0080
2408		ACBADA	E7D8	CED9	12-	XL5L0080
2409		ACBADB	E7D9	CEDA	12-	XL5M0080
2410		ACBADC	E7DA	CEDB	12-	XL5N0080
2411		ACBADD	E7DB	CEDC	12-	XL5O0080
2412		ACBADE	E7DC	CEDD	12-	XL5P0080
2413		ACBADF	E7DD	CEDE	12-	XL5Q0080
2414		ACBAE0	E7DE	CEDF	12-	XL5R0080
2415		ACBAE1	E7DF	CEE0	12-	XL5S0080
2416		ACBAE2	E7E0	CEE1	12-	XL5T0080
2417		ACBAE3	E7E1	CEE2	12-	XL5U0080
2418		ACBAE4	E7E2	CEE3	12-	XL5V0080
2419		ACBAE5	E7E3	CEE4	12-	XL5W0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 14 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2420		ACBAE6	E7E4	CEE5	12-	XL5X0080
2421		ACBAE7	E7E5	CEE6	12-	XL5Y0080
2422		ACBAE8	E7E6	CEE7	12-	XL5Z0080
2423		ACBAE9	E7E7	CEE8	12-	XL600080
2424		ACBAEA	E7E8	CEE9	12-	XL610080
2425		ACBAEB	E7E9	CEEA	12-	XL620080
2426		ACBAEC	E7EA	CEEB	12-	XL630080
2427		ACBAED	E7EB	CEEC	12-	XL640080
2428		ACBAEE	E7EC	CEED	12-	XL650080
2429		ACBAEF	E7ED	CEEE	12-	XL660080
2430		ACBAF0	E7EE	CEEF	12-	XL670080
2431		ACBAF1	E7EF	CEF0	12-	XL680080
2432		ACBAF2	E7F0	CEF1	12-	XL690080
2433		ACBAF3	E7F1	CEF2	12-	XL6A0080
2434		ACBAF4	E7F2	CEF3	12-	XL6B0080
2435		ACBAF5	E7F3	CEF4	12-	XL6C0080
2436		ACBAF6	E7F4	CEF5	12-	XL6D0080
2437		ACBAF7	E7F5	CEF6	12-	XL6E0080
2438		ACBAF8	E7F6	CEF7	12-	XL6F0080
2439		ACBAF9	E7F7	CEF8	12-	XL6G0080
2440		ACBAFA	E7F8	CEF9	12-	XL6H0080
2441		ACBAFB	E7F9	CEFA	12-	XL6I0080
2442		ACBAFC	E7FA	CEFB	12-	XL6J0080
2443		ACBAFD	E7FB	CEFC	12-	XL6K0080
2444		ACBAFE	E7FC	CEFD	12-	XL6L0080
2445		ACBBA1	E840	CF41	12-	XL6P0080
2446		ACBBA2	E841	CF42	12-	XL6Q0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 15 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2447		ACBBA3	E842	CF43	12-	XL6R0080
2448		ACBBA4	E843	CF44	12-	XL6S0080
2449		ACBBA5	E844	CF45	12-	XL6T0080
2450		ACBBA6	E845	CF46	12-	XL6U0080
2451		ACBBA7	E846	CF47	12-	XL6V0080
2452		ACBBA8	E847	CF48	12-	XL6W0080
2453		ACBBA9	E848	CF49	12-	XL6X0080
2454		ACBBAA	E849	CF4A	12-	XL6Y0080
2455		ACBBAB	E84A	CF4B	12-	XL6Z0080
2456		ACBBAC	E84B	CF4C	12-	XL700080
2457		ACBBAD	E84C	CF4D	12-	XL710080
2458		ACBBAE	E84D	CF4E	12-	XL720080
2459		ACBBAF	E84E	CF4F	12-	XL730080
2460		ACBBB0	E84F	CF50	12-	XL740080
2461		ACBBB1	E850	CF51	12-	XL750080
2462		ACBBB2	E851	CF52	12-	XL760080
2463		ACBBB3	E852	CF53	12-	XL770080
2464		ACBBB4	E853	CF54	12-	XL780080
2465		ACBBB5	E854	CF55	12-	XL790080
2466		ACBBB6	E855	CF56	12-	XL7A0080
2467		ACBBB7	E856	CF57	12-	XL7B0080
2468		ACBBB8	E857	CF58	12-	XL7C0080
2469		ACBBB9	E858	CF59	12-	XL7D0080
2470		ACBBBA	E859	CF5A	12-	XL7E0080
2471		ACBBBB	E85A	CF5B	12-	XL7F0080
2472		ACBBBC	E85B	CF5C	12-	XL7G0080
2473		ACBBBD	E85C	CF5D	12-	XL7H0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 16 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2474		ACBBBE	E85D	CF5E	12-	XL7I0080
2475		ACBBBF	E85E	CF5F	12-	XL7J0080
2476		ACBBC0	E85F	CF60	12-	XL7K0080
2477		ACBBC1	E860	CF61	12-	XL7L0080
2478		ACBBC2	E861	CF62	12-	XL7M0080
2479		ACBBC3	E862	CF63	12-	XL7N0080
2480		ACBBC4	E863	CF64	12-	XL7O0080
2481		ACBBC5	E864	CF65	12-	XL7P0080
2482		ACBBC6	E865	CF66	12-	XL7Q0080
2483		ACBBC7	E866	CF67	12-	XL7R0080
2484		ACBBC8	E867	CF68	12-	XL7S0080
2485		ACBBC9	E868	CF69	12-	XL7T0080
2486		ACBBCA	E869	CF6A	12-	XL7U0080
2487		ACBBCB	E86A	CF6B	12-	XL7V0080
2488		ACBBCC	E86B	CF6C	12-	XL7W0080
2489		ACBBCD	E86C	CF6D	12-	XL7X0080
2490		ACBBCE	E86D	CF6E	12-	XL7Y0080
2491		ACBBCF	E86E	CF6F	12-	XL7Z0080
2492		ACBBD0	E86F	CF70	12-	XL800080
2493		ACBBD1	E870	CF71	12-	XL810080
2494		ACBBD2	E871	CF72	12-	XL820080
2495		ACBBD3	E872	CF73	12-	XL830080
2496		ACBBD4	E873	CF74	12-	XL840080
2497		ACBBD5	E874	CF75	12-	XL850080
2498		ACBBD6	E875	CF76	12-	XL860080
2499		ACBBD7	E876	CF77	12-	XL870080
2500		ACBBD8	E877	CF78	12-	XL880080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 17 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2501		ACBBD9	E878	CF79	12-	XL890080
2502		ACBBDA	E879	CF7A	12-	XL8A0080
2503		ACBBDB	E87A	CF7B	12-	XL8B0080
2504		ACBBDC	E87B	CF7C	12-	XL8C0080
2505		ACBBDD	E87C	CF7D	12-	XL8D0080
2506		ACBBDE	E87D	CF7E	12-	XL8E0080
2507		ACBBDF	E87E	CF7F	12-	XL8F0080
2508		ACBBE0	E880	CF81	12-	XL8H0080
2509		ACBBE1	E881	CF82	12-	XL8I0080
2510		ACBBE2	E882	CF83	12-	XL8J0080
2511		ACBBE3	E883	CF84	12-	XL8K0080
2512		ACBBE4	E884	CF85	12-	XL8L0080
2513		ACBBE5	E885	CF86	12-	XL8M0080
2514		ACBBE6	E886	CF87	12-	XL8N0080
2515		ACBBE7	E887	CF88	12-	XL8O0080
2516		ACBBE8	E888	CF89	12-	XL8P0080
2517		ACBBE9	E889	CF8A	12-	XL8Q0080
2518		ACBBEA	E88A	CF8B	12-	XL8R0080
2519		ACBBEB	E88B	CF8C	12-	XL8S0080
2520		ACBBEC	E88C	CF8D	12-	XL8T0080
2521		ACBBED	E88D	CF8E	12-	XL8U0080
2522		ACBBEE	E88E	CF8F	12-	XL8V0080
2523		ACBBEF	E88F	CF90	12-	XL8W0080
2524		ACBBF0	E890	CF91	12-	XL8X0080
2525		ACBBF1	E891	CF92	12-	XL8Y0080
2526		ACBBF2	E892	CF93	12-	XL8Z0080
2527		ACBBF3	E893	CF94	12-	XL900080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 18 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2528		ACBBF4	E894	CF95	12-	XL910080
2529		ACBBF5	E895	CF96	12-	XL920080
2530		ACBBF6	E896	CF97	12-	XL930080
2531		ACBBF7	E897	CF98	12-	XL940080
2532		ACBBF8	E898	CF99	12-	XL950080
2533		ACBBF9	E899	CF9A	12-	XL960080
2534		ACBBFA	E89A	CF9B	12-	XL970080
2535		ACBBFB	E89B	CF9C	12-	XL980080
2536		ACBBFC	E89C	CF9D	12-	XL990080
2537		ACBBFD	E89D	CF9E	12-	XL9A0080
2538		ACBBFE	E89E	CF9F	12-	XL9B0080
2539		ACBCA1	E89F	CFA0	12-	XL9C0080
2540		ACBCA2	E8A0	CFA1	12-	XL9D0080
2541		ACBCA3	E8A1	CFA2	12-	XL9E0080
2542		ACBCA4	E8A2	CFA3	12-	XL9F0080
2543		ACBCA5	E8A3	CFA4	12-	XL9G0080
2544		ACBCA6	E8A4	CFA5	12-	XL9H0080
2545		ACBCA7	E8A5	CFA6	12-	XL9I0080
2546		ACBCA8	E8A6	CFA7	12-	XL9J0080
2547		ACBCA9	E8A7	CFA8	12-	XL9K0080
2548		ACBCAA	E8A8	CFA9	12-	XL9L0080
2549		ACBCAB	E8A9	CFAA	12-	XL9M0080
2550		ACBCAC	E8AA	CFAB	12-	XL9N0080
2551		ACBCAD	E8AB	CFAC	12-	XL9O0080
2552		ACBCAE	E8AC	CFAD	12-	XL9P0080
2553		ACBCAF	E8AD	CFAE	12-	XL9Q0080
2554		ACBCB0	E8AE	CFAF	12-	XL9R0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 19 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2555		ACBCB1	E8AF	CFB0	12-	XL9S0080
2556		ACBCB2	E8B0	CFB1	12-	XL9T0080
2557		ACBCB3	E8B1	CFB2	12-	XL9U0080
2558		ACBCB4	E8B2	CFB3	12-	XL9V0080
2559		ACBCB5	E8B3	CFB4	12-	XL9W0080
2560		ACBCB6	E8B4	CFB5	12-	XL9X0080
2561		ACBCB7	E8B5	CFB6	12-	XL9Y0080
2562		ACBCB8	E8B6	CFB7	12-	XL9Z0080
2563		ACBCB9	E8B7	CFB8	12-	XLA00080
2564		ACBCBA	E8B8	CFB9	12-	XLA10080
2565		ACBCBB	E8B9	CFBA	12-	XLA20080
2566		ACBCBC	E8BA	CFBB	12-	XLA30080
2567		ACBCBD	E8BB	CFBC	12-	XLA40080
2568		ACBCBE	E8BC	CFBD	12-	XLA50080
2569		ACBCBF	E8BD	CFBE	12-	XLA60080
2570		ACBCC0	E8BE	CFBF	12-	XLA70080
2571		ACBCC1	E8BF	CFC0	12-	XLA80080
2572		ACBCC2	E8C0	CFC1	12-	XLA90080
2573		ACBCC3	E8C1	CFC2	12-	XLAA0080
2574		ACBCC4	E8C2	CFC3	12-	XLAB0080
2575		ACBCC5	E8C3	CFC4	12-	XLAC0080
2576		ACBCC6	E8C4	CFC5	12-	XLAD0080
2577		ACBCC7	E8C5	CFC6	12-	XLAE0080
2578		ACBCC8	E8C6	CFC7	12-	XLAF0080
2579		ACBCC9	E8C7	CFC8	12-	XLAG0080
2580		ACBCCA	E8C8	CFC9	12-	XLAH0080
2581		ACBCCB	E8C9	CFCA	12-	XLAI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 20 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2582		ACBCCC	E8CA	CFCB	12-	XLAJ0080
2583		ACBCCD	E8CB	CFCC	12-	XLAK0080
2584		ACBCCE	E8CC	CFCD	12-	XLAL0080
2585		ACBCCF	E8CD	CFCE	12-	XLAM0080
2586		ACBCD0	E8CE	CFCF	12-	XLAN0080
2587		ACBCD1	E8CF	CFD0	12-	XLAO0080
2588		ACBCD2	E8D0	CFD1	12-	XLAP0080
2589		ACBCD3	E8D1	CFD2	12-	XLAQ0080
2590		ACBCD4	E8D2	CFD3	12-	XLAR0080
2591		ACBCD5	E8D3	CFD4	12-	XLAS0080
2592		ACBCD6	E8D4	CFD5	12-	XLAT0080
2593		ACBCD7	E8D5	CFD6	12-	XLAU0080
2594		ACBCD8	E8D6	CFD7	12-	XLAV0080
2595		ACBCD9	E8D7	CFD8	12-	XLAW0080
2596		ACBCDA	E8D8	CFD9	12-	XLAX0080
2597		ACBCDB	E8D9	CFDA	12-	XLAY0080
2598		ACBCDC	E8DA	CFDB	12-	XLAZ0080
2599		ACBCDD	E8DB	CFDC	12-	XLB00080
2600		ACBCDE	E8DC	CFDD	12-	XLB10080
2601		ACBCDF	E8DD	CFDE	12-	XLB20080
2602		ACBCE0	E8DE	CFDF	12-	XLB30080
2603		ACBCE1	E8DF	CFE0	12-	XLB40080
2604		ACBCE2	E8E0	CFE1	12-	XLB50080
2605		ACBCE3	E8E1	CFE2	12-	XLB60080
2606		ACBCE4	E8E2	CFE3	12-	XLB70080
2607		ACBCE5	E8E3	CFE4	12-	XLB80080
2608		ACBCE6	E8E4	CFE5	12-	XLB90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 21 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2609		ACBCE7	E8E5	CFE6	12-	XLBA0080
2610		ACBCE8	E8E6	CFE7	12-	XLBB0080
2611		ACBCE9	E8E7	CFE8	12-	XLBC0080
2612		ACBCEA	E8E8	CFE9	12-	XLBD0080
2613		ACBCEB	E8E9	CFEA	12-	XLBE0080
2614		ACBCEC	E8EA	CFEB	12-	XLBF0080
2615		ACBCED	E8EB	CFEC	12-	XLBG0080
2616		ACBCEE	E8EC	CFED	12-	XLBH0080
2617		ACBCEF	E8ED	CFEE	12-	XLBI0080
2618		ACBCF0	E8EE	CFEF	12-	XLBJ0080
2619		ACBCF1	E8EF	CFF0	12-	XLBK0080
2620		ACBCF2	E8F0	CFF1	12-	XLBL0080
2621		ACBCF3	E8F1	CFF2	12-	XLBM0080
2622		ACBCF4	E8F2	CFF3	12-	XLBN0080
2623		ACBCF5	E8F3	CFF4	12-	XLBO0080
2624		ACBCF6	E8F4	CFF5	12-	XLBP0080
2625		ACBCF7	E8F5	CFF6	12-	XLBQ0080
2626		ACBCF8	E8F6	CFF7	12-	XLBR0080
2627		ACBCF9	E8F7	CFF8	12-	XLBS0080
2628		ACBCFA	E8F8	CFF9	12-	XLBT0080
2629		ACBCFB	E8F9	CFFA	12-	XLBU0080
2630		ACBCFC	E8FA	CFFB	12-	XLBV0080
2631		ACBCFD	E8FB	CFFC	12-	XLBW0080
2632		ACBCFE	E8FC	CFFD	12-	XLBX0080
2633		ACBDA1	E940	D041	12-	XLC10080
2634		ACBDA2	E941	D042	12-	XLC20080
2635		ACBDA3	E942	D043	12-	XLC30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 22 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2636		ACBDA4	E943	D044	12-	XLC40080
2637		ACBDA5	E944	D045	12-	XLC50080
2638		ACBDA6	E945	D046	12-	XLC60080
2639		ACBDA7	E946	D047	12-	XLC70080
2640		ACBDA8	E947	D048	12-	XLC80080
2641		ACBDA9	E948	D049	12-	XLC90080
2642		ACBDAA	E949	D04A	12-	XLCA0080
2643		ACBDAB	E94A	D04B	12-	XLCB0080
2644		ACBDAC	E94B	D04C	12-	XLCC0080
2645		ACBDAD	E94C	D04D	12-	XLCD0080
2646		ACBDAE	E94D	D04E	12-	XLCE0080
2647		ACBDAF	E94E	D04F	12-	XLCF0080
2648		ACBDB0	E94F	D050	12-	XLCG0080
2649		ACBDB1	E950	D051	12-	XLCH0080
2650		ACBDB2	E951	D052	12-	XLCI0080
2651		ACBDB3	E952	D053	12-	XLCJ0080
2652		ACBDB4	E953	D054	12-	XLCK0080
2653		ACBDB5	E954	D055	12-	XLCL0080
2654		ACBDB6	E955	D056	12-	XLCM0080
2655		ACBDB7	E956	D057	12-	XLGN0080
2656		ACBDB8	E957	D058	12-	XLCO0080
2657		ACBDB9	E958	D059	12-	XLCP0080
2658		ACBDDBA	E959	D05A	12-	XLCQ0080
2659		ACBDBB	E95A	D05B	12-	XLCP0080
2660		ACBDBC	E95B	D05C	12-	XLCS0080
2661		ACBDBD	E95C	D05D	12-	XLCT0080
2662		ACBDBE	E95D	D05E	12-	XLCT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 23 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2663		ACBDBF	E95E	D05F	12-	XLCV0080
2664		ACBDC0	E95F	D060	12-	XLCW0080
2665		ACBDC1	E960	D061	12-	XL CX0080
2666		ACBDC2	E961	D062	12-	XLCY0080
2667		ACBDC3	E962	D063	12-	XLCZ0080
2668		ACBDC4	E963	D064	12-	XLD00080
2669		ACBDC5	E964	D065	12-	XLD10080
2670		ACBDC6	E965	D066	12-	XLD20080
2671		ACBDC7	E966	D067	12-	XLD30080
2672		ACBDC8	E967	D068	12-	XLD40080
2673		ACBDC9	E968	D069	12-	XLD50080
2674		ACBDCA	E969	D06A	12-	XLD60080
2675		ACBDCB	E96A	D06B	12-	XLD70080
2676		ACBDCC	E96B	D06C	12-	XLD80080
2677		ACBD CD	E96C	D06D	12-	XLD90080
2678		ACBDCE	E96D	D06E	12-	XLDA0080
2679		ACBD CF	E96E	D06F	12-	XLDB0080
2680		ACBDD0	E96F	D070	12-	XLDC0080
2681		ACBDD1	E970	D071	12-	XLDD0080
2682		ACBDD2	E971	D072	12-	XLDE0080
2683		ACBDD3	E972	D073	12-	XLDF0080
2684		ACBDD4	E973	D074	12-	XLDG0080
2685		ACBDD5	E974	D075	12-	XL DH0080
2686		ACBDD6	E975	D076	12-	XLDI0080
2687		ACBDD7	E976	D077	12-	XLDJ0080
2688		ACBDD8	E977	D078	12-	XL DK0080
2689		ACBDD9	E978	D079	12-	XLDL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 24 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2690		ACBDDA	E979	D07A	12-	XLDM0080
2691		ACBddb	E97A	D07B	12-	XLDN0080
2692		ACBDDC	E97B	D07C	12-	XLDO0080
2693		ACBDDD	E97C	D07D	12-	XLDP0080
2694		ACBDDDE	E97D	D07E	12-	XLDQ0080
2695		ACBDDDF	E97E	D07F	12-	XLDR0080
2696		ACBDE0	E980	D081	12-	XLDT0080
2697		ACBDE1	E981	D082	12-	XLDU0080
2698		ACBDE2	E982	D083	12-	XLDV0080
2699		ACBDE3	E983	D084	12-	XLDW0080
2700		ACBDE4	E984	D085	12-	XLDX0080
2701		ACBDE5	E985	D086	12-	XLDY0080
2702		ACBDE6	E986	D087	12-	XLDZ0080
2703		ACBDE7	E987	D088	12-	XLE00080
2704		ACBDE8	E988	D089	12-	XLE10080
2705		ACBDE9	E989	D08A	12-	XLE20080
2706		ACBDEA	E98A	D08B	12-	XLE30080
2707		ACBDEB	E98B	D08C	12-	XLE40080
2708		ACBDEC	E98C	D08D	12-	XLE50080
2709		ACBDED	E98D	D08E	12-	XLE60080
2710		ACBDEE	E98E	D08F	12-	XLE70080
2711		ACBDEF	E98F	D090	12-	XLE80080
2712		ACBDF0	E990	D091	12-	XLE90080
2713		ACBDF1	E991	D092	12-	XLEA0080
2714		ACBDF2	E992	D093	12-	XLEB0080
2715		ACBDF3	E993	D094	12-	XLEC0080
2716		ACBDF4	E994	D095	12-	XLED0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 25 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2717		ACBDF5	E995	D096	12-	XLEE0080
2718		ACBDF6	E996	D097	12-	XLEF0080
2719		ACBDF7	E997	D098	12-	XLEG0080
2720		ACBDF8	E998	D099	12-	XLEH0080
2721		ACBDF9	E999	D09A	12-	XLEI0080
2722		ACBDF A	E99A	D09B	12-	XLEJ0080
2723		ACBDF B	E99B	D09C	12-	XLEK0080
2724		ACBDF C	E99C	D09D	12-	XLEL0080
2725		ACBDF D	E99D	D09E	12-	XLEM0080
2726		ACBDF E	E99E	D09F	12-	XLEN0080
2727		ACBEA1	E99F	D0A0	12-	XLEO0080
2728		ACBEA2	E9A0	D0A1	12-	XLEP0080
2729		ACBEA3	E9A1	D0A2	12-	XLEQ0080
2730		ACBEA4	E9A2	D0A3	12-	XLER0080
2731		ACBEA5	E9A3	D0A4	12-	XLES0080
2732		ACBEA6	E9A4	D0A5	12-	XLET0080
2733		ACBEA7	E9A5	D0A6	12-	XLEU0080
2734		ACBEA8	E9A6	D0A7	12-	XLEV0080
2735		ACBEA9	E9A7	D0A8	12-	XLEW0080
2736		ACBEAA	E9A8	D0A9	12-	XLEX0080
2737		ACBEAB	E9A9	D0AA	12-	XLEY0080
2738		ACBEAC	E9AA	D0AB	12-	XLEZ0080
2739		ACBEAD	E9AB	D0AC	12-	XLF00080
2740		ACBEAE	E9AC	D0AD	12-	XLF10080
2741		ACBEAF	E9AD	D0AE	12-	XLF20080
2742		ACBEB0	E9AE	D0AF	12-	XLF30080
2743		ACBEB1	E9AF	D0B0	12-	XLF40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 26 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2744		ACBEB2	E9B0	D0B1	12-	XLF50080
2745		ACBEB3	E9B1	D0B2	12-	XLF60080
2746		ACBEB4	E9B2	D0B3	12-	XLF70080
2747		ACBEB5	E9B3	D0B4	12-	XLF80080
2748		ACBEB6	E9B4	D0B5	12-	XLF90080
2749		ACBEB7	E9B5	D0B6	12-	XLFA0080
2750		ACBEB8	E9B6	D0B7	12-	XLFB0080
2751		ACBEB9	E9B7	D0B8	12-	XLFC0080
2752		ACBEBA	E9B8	D0B9	12-	XLFD0080
2753		ACBEBB	E9B9	D0BA	12-	XLFE0080
2754		ACBEBC	E9BA	D0BB	12-	XLFF0080
2755		ACBEBD	E9BB	D0BC	12-	XLFG0080
2756		ACBEBE	E9BC	D0BD	12-	XLFH0080
2757		ACBEBF	E9BD	D0BE	12-	XLFI0080
2758		ACBEC0	E9BE	D0BF	12-	XLFJ0080
2759		ACBEC1	E9BF	D0C0	12-	XLFK0080
2760		ACBEC2	E9C0	D0C1	12-	XLFL0080
2761		ACBEC3	E9C1	D0C2	12-	XLFM0080
2762		ACBEC4	E9C2	D0C3	12-	XLFN0080
2763		ACBEC5	E9C3	D0C4	12-	XLFO0080
2764		ACBEC6	E9C4	D0C5	12-	XLFP0080
2765		ACBEC7	E9C5	D0C6	12-	XLFQ0080
2766		ACBEC8	E9C6	D0C7	12-	XLFR0080
2767		ACBEC9	E9C7	D0C8	12-	XLFS0080
2768		ACBECA	E9C8	D0C9	12-	XLFT0080
2769		ACBECB	E9C9	D0CA	12-	XLFU0080
2770		ACBECC	E9CA	D0CB	12-	XLFV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 27 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2771		ACBECD	E9CB	D0CC	12-	XLFW0080
2772		ACBECE	E9CC	D0CD	12-	XLFX0080
2773		ACBECF	E9CD	D0CE	12-	XLFY0080
2774		ACBED0	E9CE	D0CF	12-	XLFZ0080
2775		ACBED1	E9CF	D0D0	12-	XLG00080
2776		ACBED2	E9D0	D0D1	12-	XLG10080
2777		ACBED3	E9D1	D0D2	12-	XLG20080
2778		ACBED4	E9D2	D0D3	12-	XLG30080
2779		ACBED5	E9D3	D0D4	12-	XLG40080
2780		ACBED6	E9D4	D0D5	12-	XLG50080
2781		ACBED7	E9D5	D0D6	12-	XLG60080
2782		ACBED8	E9D6	D0D7	12-	XLG70080
2783		ACBED9	E9D7	D0D8	12-	XLG80080
2784		ACBEDA	E9D8	D0D9	12-	XLG90080
2785		ACBEDB	E9D9	D0DA	12-	XLGA0080
2786		ACBEDC	E9DA	D0DB	12-	XLGB0080
2787		ACBEDD	E9DB	D0DC	12-	XLGC0080
2788		ACBEDE	E9DC	D0DD	12-	XLGD0080
2789		ACBEDF	E9DD	D0DE	12-	XLGE0080
2790		ACBEE0	E9DE	D0DF	12-	XLGF0080
2791		ACBEE1	E9DF	D0E0	12-	XLGG0080
2792		ACBEE2	E9E0	D0E1	12-	XLGH0080
2793		ACBEE3	E9E1	D0E2	12-	XLGI0080
2794		ACBEE4	E9E2	D0E3	12-	XLGJ0080
2795		ACBEE5	E9E3	D0E4	12-	XLGK0080
2796		ACBEE6	E9E4	D0E5	12-	XLGL0080
2797		ACBEE7	E9E5	D0E6	12-	XLGM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 28 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2798		ACBEE8	E9E6	D0E7	12-	XLGN0080
2799		ACBEE9	E9E7	D0E8	12-	XLGO0080
2800		ACBEEA	E9E8	D0E9	12-	XLGP0080
2801		ACBEEB	E9E9	D0EA	12-	XLGQ0080
2802		ACBEEC	E9EA	D0EB	12-	XLGR0080
2803		ACBEED	E9EB	D0EC	12-	XLGS0080
2804		ACBEEE	E9EC	D0ED	12-	XLGT0080
2805		ACBEEF	E9ED	D0EE	12-	XLGU0080
2806		ACBEF0	E9EE	D0EF	12-	XLGV0080
2807		ACBEF1	E9EF	D0F0	12-	XLGW0080
2808		ACBEF2	E9F0	D0F1	12-	XLGX0080
2809		ACBEF3	E9F1	D0F2	12-	XLGY0080
2810		ACBEF4	E9F2	D0F3	12-	XLGZ0080
2811		ACBEF5	E9F3	D0F4	12-	XLH00080
2812		ACBEF6	E9F4	D0F5	12-	XLH10080
2813		ACBEF7	E9F5	D0F6	12-	XLH20080
2814		ACBEF8	E9F6	D0F7	12-	XLH30080
2815		ACBEF9	E9F7	D0F8	12-	XLH40080
2816		ACBEFA	E9F8	D0F9	12-	XLH50080
2817		ACBEFB	E9F9	D0FA	12-	XLH60080
2818		ACBEFC	E9FA	D0FB	12-	XLH70080
2819		ACBEFD	E9FB	D0FC	12-	XLH80080
2820		ACBEFE	E9FC	D0FD	12-	XLH90080
2821		ACBFA1	EA40	D141	12-	XLHD0080
2822		ACBFA2	EA41	D142	12-	XLHE0080
2823		ACBFA3	EA42	D143	12-	XLHF0080
2824		ACBFA4	EA43	D144	12-	XLHG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 29 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2825		ACBFA5	EA44	D145	12-	XLHH0080
2826		ACBFA6	EA45	D146	12-	XLHI0080
2827		ACBFA7	EA46	D147	12-	XLHJ0080
2828		ACBFA8	EA47	D148	12-	XLHK0080
2829		ACBFA9	EA48	D149	12-	XLHL0080
2830		ACBFAA	EA49	D14A	12-	XLHM0080
2831		ACBFAB	EA4A	D14B	12-	XLHN0080
2832		ACBFAC	EA4B	D14C	12-	XLHO0080
2833		ACBFAD	EA4C	D14D	12-	XLHP0080
2834		ACBFAE	EA4D	D14E	12-	XLHQ0080
2835		ACBFAF	EA4E	D14F	12-	XLHR0080
2836		ACBFB0	EA4F	D150	12-	XLHS0080
2837		ACBFB1	EA50	D151	12-	XLHT0080
2838		ACBFB2	EA51	D152	12-	XLHU0080
2839		ACBFB3	EA52	D153	12-	XLHV0080
2840		ACBFB4	EA53	D154	12-	XLHW0080
2841		ACBFB5	EA54	D155	12-	XLHX0080
2842		ACBFB6	EA55	D156	12-	XLHY0080
2843		ACBFB7	EA56	D157	12-	XLHZ0080
2844		ACBFB8	EA57	D158	12-	XLI00080
2845		ACBFB9	EA58	D159	12-	XLI10080
2846		ACBFBA	EA59	D15A	12-	XLI20080
2847		ACBFBB	EA5A	D15B	12-	XLI30080
2848		ACBFBC	EA5B	D15C	12-	XLI40080
2849		ACBFBD	EA5C	D15D	12-	XLI50080
2850		ACBFBE	EA5D	D15E	12-	XLI60080
2851		ACBFBF	EA5E	D15F	12-	XLI70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 30 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2852		ACBFC0	EA5F	D160	12-	XL180080
2853		ACBFC1	EA60	D161	12-	XL190080
2854		ACBFC2	EA61	D162	12-	XL1A0080
2855		ACBFC3	EA62	D163	12-	XL1B0080
2856		ACBFC4	EA63	D164	12-	XL1C0080
2857		ACBFC5	EA64	D165	12-	XL1D0080
2858		ACBFC6	EA65	D166	12-	XL1E0080
2859		ACBFC7	EA66	D167	12-	XL1F0080
2860		ACBFC8	EA67	D168	12-	XL1G0080
2861		ACBFC9	EA68	D169	12-	XL1H0080
2862		ACBFCA	EA69	D16A	12-	XL1I0080
2863		ACBF CB	EA6A	D16B	12-	XL1J0080
2864		ACBFCC	EA6B	D16C	12-	XL1K0080
2865		ACBFCD	EA6C	D16D	12-	XL1L0080
2866		ACBFCE	EA6D	D16E	12-	XL1M0080
2867		ACBF CF	EA6E	D16F	12-	XL1N0080
2868		ACBFD0	EA6F	D170	12-	XL1O0080
2869		ACBFD1	EA70	D171	12-	XL1P0080
2870		ACBFD2	EA71	D172	12-	XL1Q0080
2871		ACBFD3	EA72	D173	12-	XL1R0080
2872		ACBFD4	EA73	D174	12-	XL1S0080
2873		ACBFD5	EA74	D175	12-	XL1T0080
2874		ACBFD6	EA75	D176	12-	XL1U0080
2875		ACBFD7	EA76	D177	12-	XL1V0080
2876		ACBFD8	EA77	D178	12-	XL1W0080
2877		ACBFD9	EA78	D179	12-	XL1X0080
2878		ACBFDA	EA79	D17A	12-	XL1Y0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 31 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2879		ACBFDB	EA7A	D17B	12-	XLIZ0080
2880		ACBFDC	EA7B	D17C	12-	XLJ00080
2881		ACBFDD	EA7C	D17D	12-	XLJ10080
2882		ACBFDE	EA7D	D17E	12-	XLJ20080
2883		ACBFDF	EA7E	D17F	12-	XLJ30080
2884		ACBFE0	EA80	D181	12-	XLJ50080
2885		ACBFE1	EA81	D182	12-	XLJ60080
2886		ACBFE2	EA82	D183	12-	XLJ70080
2887		ACBFE3	EA83	D184	12-	XLJ80080
2888		ACBFE4	EA84	D185	12-	XLJ90080
2889		ACBFE5	EA85	D186	12-	XLJA0080
2890		ACBFE6	EA86	D187	12-	XLJB0080
2891		ACBFE7	EA87	D188	12-	XLJC0080
2892		ACBFE8	EA88	D189	12-	XLJD0080
2893		ACBFE9	EA89	D18A	12-	XLJE0080
2894		ACBFEA	EA8A	D18B	12-	XLJF0080
2895		ACBFEB	EA8B	D18C	12-	XLJG0080
2896		ACBFEC	EA8C	D18D	12-	XLJH0080
2897		ACBFED	EA8D	D18E	12-	XLJI0080
2898		ACBFEE	EA8E	D18F	12-	XLJJ0080
2899		ACBFEF	EA8F	D190	12-	XLJK0080
2900		ACBFF0	EA90	D191	12-	XLJL0080
2901		ACBFF1	EA91	D192	12-	XLJM0080
2902		ACBFF2	EA92	D193	12-	XLJN0080
2903		ACBFF3	EA93	D194	12-	XLJO0080
2904		ACBFF4	EA94	D195	12-	XLJP0080
2905		ACBFF5	EA95	D196	12-	XLJQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 32 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2906		ACBFF6	EA96	D197	12-	XLJR0080
2907		ACBFF7	EA97	D198	12-	XLJS0080
2908		ACBFF8	EA98	D199	12-	XLJT0080
2909		ACBFF9	EA99	D19A	12-	XLJU0080
2910		ACBFFA	EA9A	D19B	12-	XLJV0080
2911		ACBFFB	EA9B	D19C	12-	XLJW0080
2912		ACBFFC	EA9C	D19D	12-	XLJX0080
2913		ACBFFD	EA9D	D19E	12-	XLJY0080
2914		ACBFFE	EA9E	D19F	12-	XLJZ0080
2915		ACC0A1	EA9F	D1A0	12-	XLK00080
2916		ACC0A2	EAA0	D1A1	12-	XLK10080
2917		ACC0A3	EAA1	D1A2	12-	XLK20080
2918		ACC0A4	EAA2	D1A3	12-	XLK30080
2919		ACC0A5	EAA3	D1A4	12-	XLK40080
2920		ACC0A6	EAA4	D1A5	12-	XLK50080
2921		ACC0A7	EAA5	D1A6	12-	XLK60080
2922		ACC0A8	EAA6	D1A7	12-	XLK70080
2923		ACC0A9	EAA7	D1A8	12-	XLK80080
2924		ACC0AA	EAA8	D1A9	12-	XLK90080
2925		ACC0AB	EAA9	D1AA	12-	XLKA0080
2926		ACC0AC	EAAA	D1AB	12-	XLKB0080
2927		ACC0AD	EAA B	D1AC	12-	XLKC0080
2928		ACC0AE	EAA C	D1AD	12-	XLKD0080
2929		ACC0AF	EAA D	D1AE	12-	XLKE0080
2930		ACC0B0	EAA E	D1AF	12-	XLKF0080
2931		ACC0B1	EAA F	D1B0	12-	XLKG0080
2932		ACC0B2	EAB0	D1B1	12-	XLKH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 33 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2933		ACC0B3	EAB1	D1B2	12-	XLKI0080
2934		ACC0B4	EAB2	D1B3	12-	XLKJ0080
2935		ACC0B5	EAB3	D1B4	12-	XLKK0080
2936		ACC0B6	EAB4	D1B5	12-	XLKL0080
2937		ACC0B7	EAB5	D1B6	12-	XLKM0080
2938		ACC0B8	EAB6	D1B7	12-	XLKN0080
2939		ACC0B9	EAB7	D1B8	12-	XLKO0080
2940		ACC0BA	EAB8	D1B9	12-	XLKP0080
2941		ACC0BB	EAB9	D1BA	12-	XLKQ0080
2942		ACC0BC	EABA	D1BB	12-	XLKR0080
2943		ACC0BD	EABB	D1BC	12-	XLKS0080
2944		ACC0BE	EABC	D1BD	12-	XLKT0080
2945		ACC0BF	EABD	D1BE	12-	XLKU0080
2946		ACC0C0	EABE	D1BF	12-	XLKV0080
2947		ACC0C1	EABF	D1C0	12-	XLKW0080
2948		ACC0C2	EAC0	D1C1	12-	XLKX0080
2949		ACC0C3	EAC1	D1C2	12-	XLKY0080
2950		ACC0C4	EAC2	D1C3	12-	XLKZ0080
2951		ACC0C5	EAC3	D1C4	12-	XLL00080
2952		ACC0C6	EAC4	D1C5	12-	XLL10080
2953		ACC0C7	EAC5	D1C6	12-	XLL20080
2954		ACC0C8	EAC6	D1C7	12-	XLL30080
2955		ACC0C9	EAC7	D1C8	12-	XLL40080
2956		ACC0CA	EAC8	D1C9	12-	XLL50080
2957		ACC0CB	EAC9	D1CA	12-	XLL60080
2958		ACC0CC	EACA	D1CB	12-	XLL70080
2959		ACC0CD	EACB	D1CC	12-	XLL80080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 34 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2960		ACC0CE	EACC	D1CD	12-	XLL90080
2961		ACC0CF	EACD	D1CE	12-	XLLA0080
2962		ACC0D0	EACE	D1CF	12-	XLLB0080
2963		ACC0D1	EACF	D1D0	12-	XLLC0080
2964		ACC0D2	EAD0	D1D1	12-	XLLD0080
2965		ACC0D3	EAD1	D1D2	12-	XLLE0080
2966		ACC0D4	EAD2	D1D3	12-	XLLF0080
2967		ACC0D5	EAD3	D1D4	12-	XLLG0080
2968		ACC0D6	EAD4	D1D5	12-	XLLH0080
2969		ACC0D7	EAD5	D1D6	12-	XLLI0080
2970		ACC0D8	EAD6	D1D7	12-	XLLJ0080
2971		ACC0D9	EAD7	D1D8	12-	XLLK0080
2972		ACC0DA	EAD8	D1D9	12-	XLLL0080
2973		ACC0DB	EAD9	D1DA	12-	XLLM0080
2974		ACC0DC	EADA	D1DB	12-	XLLN0080
2975		ACC0DD	EADB	D1DC	12-	XLLO0080
2976		ACC0DE	EADC	D1DD	12-	XLLP0080
2977		ACC0DF	EADD	D1DE	12-	XLLQ0080
2978		ACC0E0	EADE	D1DF	12-	XLLR0080
2979		ACC0E1	EADF	D1E0	12-	XLLS0080
2980		ACC0E2	EAE0	D1E1	12-	XLLT0080
2981		ACC0E3	EAE1	D1E2	12-	XLLU0080
2982		ACC0E4	EAE2	D1E3	12-	XLLV0080
2983		ACC0E5	EAE3	D1E4	12-	XLLW0080
2984		ACC0E6	EAE4	D1E5	12-	XLLX0080
2985		ACC0E7	EAE5	D1E6	12-	XLLY0080
2986		ACC0E8	EAE6	D1E7	12-	XLLZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 21 (Page 35 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
2987		ACC0E9	EAE7	D1E8	12-	XLMM0080
2988		ACC0EA	EAE8	D1E9	12-	XLMM10080
2989		ACC0EB	EAE9	D1EA	12-	XLMM20080
2990		ACC0EC	EAEA	D1EB	12-	XLMM30080
2991		ACC0ED	EAEB	D1EC	12-	XLMM40080
2992		ACC0EE	EAEC	D1ED	12-	XLMM50080
2993		ACC0EF	EAED	D1EE	12-	XLMM60080
2994		ACC0F0	EAEF	D1EF	12-	XLMM70080
2995		ACC0F1	EAEF	D1F0	12-	XLMM80080
2996		ACC0F2	EAF0	D1F1	12-	XLMM90080
2997		ACC0F3	EAF1	D1F2	12-	XLMA0080
2998		ACC0F4	EAF2	D1F3	12-	XLMB0080
2999		ACC0F5	EAF3	D1F4	12-	XLMC0080
3000		ACC0F6	EAF4	D1F5	12-	XLMD0080
3001		ACC0F7	EAF5	D1F6	12-	XLME0080
3002		ACC0F8	EAF6	D1F7	12-	XLMF0080
3003		ACC0F9	EAF7	D1F8	12-	XLMG0080
3004		ACC0FA	EAF8	D1F9	12-	XLMH0080
3005		ACC0FB	EAF9	D1FA	12-	XLMI0080
3006		ACC0FC	EAFA	D1FB	12-	XLMJ0080
3007		ACC0FD	EAFB	D1FC	12-	XLMK0080
3008		ACC0FE	E AFC	D1FD	12-	XLML0080
3009		ACC1A1	EB40	D241	12-	XLMP0080
3010		ACC1A2	EB41	D242	12-	XLMQ0080
3011		ACC1A3	EB42	D243	12-	XLMR0080
3012		ACC1A4	EB43	D244	12-	XLMS0080
3013		ACC1A5	EB44	D245	12-	XLMT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 36 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3014		ACC1A6	EB45	D246	12-	XLMMU0080
3015		ACC1A7	EB46	D247	12-	XLMMV0080
3016		ACC1A8	EB47	D248	12-	XLMMW0080
3017		ACC1A9	EB48	D249	12-	XLMMX0080
3018		ACC1AA	EB49	D24A	12-	XLMMY0080
3019		ACC1AB	EB4A	D24B	12-	XLMMZ0080
3020		ACC1AC	EB4B	D24C	12-	XLNN00080
3021		ACC1AD	EB4C	D24D	12-	XLNN10080
3022		ACC1AE	EB4D	D24E	12-	XLNN20080
3023		ACC1AF	EB4E	D24F	12-	XLNN30080
3024		ACC1B0	EB4F	D250	12-	XLNN40080
3025		ACC1B1	EB50	D251	12-	XLNN50080
3026		ACC1B2	EB51	D252	12-	XLNN60080
3027		ACC1B3	EB52	D253	12-	XLNN70080
3028		ACC1B4	EB53	D254	12-	XLNN80080
3029		ACC1B5	EB54	D255	12-	XLNN90080
3030		ACC1B6	EB55	D256	12-	XLNNA0080
3031		ACC1B7	EB56	D257	12-	XLNNB0080
3032		ACC1B8	EB57	D258	12-	XLNNC0080
3033		ACC1B9	EB58	D259	12-	XLNND0080
3034		ACC1BA	EB59	D25A	12-	XLNNE0080
3035		ACC1BB	EB5A	D25B	12-	XLNNF0080
3036		ACC1BC	EB5B	D25C	12-	XLNNG0080
3037		ACC1BD	EB5C	D25D	12-	XLNNH0080
3038		ACC1BE	EB5D	D25E	12-	XLNNI0080
3039		ACC1BF	EB5E	D25F	12-	XLNNJ0080
3040		ACC1C0	EB5F	D260	12-	XLNNK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 37 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3041		ACC1C1	EB60	D261	12-	XLNL0080
3042		ACC1C2	EB61	D262	12-	XLNM0080
3043		ACC1C3	EB62	D263	12-	XLNN0080
3044		ACC1C4	EB63	D264	12-	XLNO0080
3045		ACC1C5	EB64	D265	12-	XLNP0080
3046		ACC1C6	EB65	D266	12-	XLNQ0080
3047		ACC1C7	EB66	D267	12-	XLNR0080
3048		ACC1C8	EB67	D268	12-	XLNS0080
3049		ACC1C9	EB68	D269	12-	XLNT0080
3050		ACC1CA	EB69	D26A	12-	XLNU0080
3051		ACC1CB	EB6A	D26B	12-	XLNV0080
3052		ACC1CC	EB6B	D26C	12-	XLNW0080
3053		ACC1CD	EB6C	D26D	12-	XLNX0080
3054		ACC1CE	EB6D	D26E	12-	XLNY0080
3055		ACC1CF	EB6E	D26F	12-	XLNZ0080
3056		ACC1D0	EB6F	D270	12-	XLO00080
3057		ACC1D1	EB70	D271	12-	XLO10080
3058		ACC1D2	EB71	D272	12-	XLO20080
3059		ACC1D3	EB72	D273	12-	XLO30080
3060		ACC1D4	EB73	D274	12-	XLO40080
3061		ACC1D5	EB74	D275	12-	XLO50080
3062		ACC1D6	EB75	D276	12-	XLO60080
3063		ACC1D7	EB76	D277	12-	XLO70080
3064		ACC1D8	EB77	D278	12-	XLO80080
3065		ACC1D9	EB78	D279	12-	XLO90080
3066		ACC1DA	EB79	D27A	12-	XLOA0080
3067		ACC1DB	EB7A	D27B	12-	XLOB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 21 (Page 38 of 39). User Definable Character Set (3 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3068		ACC1DC	EB7B	D27C	12-	XLOC0080
3069		ACC1DD	EB7C	D27D	12-	XLOD0080
3070		ACC1DE	EB7D	D27E	12-	XLOE0080
3071		ACC1DF	EB7E	D27F	12-	XLOF0080
3072		ACC1E0	EB80	D281	12-	XLOH0080
3073		ACC1E1	EB81	D282	12-	XLOI0080
3074		ACC1E2	EB82	D283	12-	XLOJ0080
3075		ACC1E3	EB83	D284	12-	XLOK0080
3076		ACC1E4	EB84	D285	12-	XLOL0080
3077		ACC1E5	EB85	D286	12-	XLOM0080
3078		ACC1E6	EB86	D287	12-	XLON0080
3079		ACC1E7	EB87	D288	12-	XLOO0080
3080		ACC1E8	EB88	D289	12-	XLOP0080
3081		ACC1E9	EB89	D28A	12-	XLOQ0080
3082		ACC1EA	EB8A	D28B	12-	XLOR0080
3083		ACC1EB	EB8B	D28C	12-	XLOS0080
3084		ACC1EC	EB8C	D28D	12-	XLOT0080
3085		ACC1ED	EB8D	D28E	12-	XLOU0080
3086		ACC1EE	EB8E	D28F	12-	XLOV0080
3087		ACC1EF	EB8F	D290	12-	XLOW0080
3088		ACC1F0	EB90	D291	12-	XLOX0080
3089		ACC1F1	EB91	D292	12-	XLOY0080
3090		ACC1F2	EB92	D293	12-	XLOZ0080
3091		ACC1F3	EB93	D294	12-	XLP00080
3092		ACC1F4	EB94	D295	12-	XLP10080
3093		ACC1F5	EB95	D296	12-	XLP20080
3094		ACC1F6	EB96	D297	12-	XLP30080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 21 (Page 39 of 39). User Definable Character Set (3 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3095		ACC1F7	EB97	D298	12-	XLP40080
3096		ACC1F8	EB98	D299	12-	XLP50080
3097		ACC1F9	EB99	D29A	12-	XLP60080
3098		ACC1FA	EB9A	D29B	12-	XLP70080
3099		ACC1FB	EB9B	D29C	12-	XLP80080
3100		ACC1FC	EB9C	D29D	12-	XLP90080
3101		ACC1FD	EB9D	D29E	12-	XLPA0080
3102		ACC1FE	EB9E	D29F	12-	XLPB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 1 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3103		ACC2A1	EB9F	D2A0	12-	XLPC0080
3104		ACC2A2	EBA0	D2A1	12-	XLPD0080
3105		ACC2A3	EBA1	D2A2	12-	XLPE0080
3106		ACC2A4	EBA2	D2A3	12-	XLPF0080
3107		ACC2A5	EBA3	D2A4	12-	XLPG0080
3108		ACC2A6	EBA4	D2A5	12-	XLPH0080
3109		ACC2A7	EBA5	D2A6	12-	XLPI0080
3110		ACC2A8	EBA6	D2A7	12-	XLPJ0080
3111		ACC2A9	EBA7	D2A8	12-	XLPK0080
3112		ACC2AA	EBA8	D2A9	12-	XLPL0080
3113		ACC2AB	EBA9	D2AA	12-	XLPM0080
3114		ACC2AC	EBAA	D2AB	12-	XLPN0080
3115		ACC2AD	EBAB	D2AC	12-	XLPO0080
3116		ACC2AE	EBAC	D2AD	12-	XLPP0080
3117		ACC2AF	EBAD	D2AE	12-	XL PQ0080
3118		ACC2B0	EBAE	D2AF	12-	XLPR0080
3119		ACC2B1	EBAF	D2B0	12-	XLPS0080
3120		ACC2B2	EBB0	D2B1	12-	XLPT0080
3121		ACC2B3	EBB1	D2B2	12-	XLPU0080
3122		ACC2B4	EBB2	D2B3	12-	XL PV0080
3123		ACC2B5	EBB3	D2B4	12-	XL PW0080
3124		ACC2B6	EBB4	D2B5	12-	XL PX0080
3125		ACC2B7	EBB5	D2B6	12-	XL PY0080
3126		ACC2B8	EBB6	D2B7	12-	XL PZ0080
3127		ACC2B9	EBB7	D2B8	12-	XL Q00080
3128		ACC2BA	EBB8	D2B9	12-	XL Q10080
3129		ACC2BB	EBB9	D2BA	12-	XL Q20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 2 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3130		ACC2BC	EBBA	D2BB	12-	XLQ30080
3131		ACC2BD	EBBB	D2BC	12-	XLQ40080
3132		ACC2BE	EBBC	D2BD	12-	XLQ50080
3133		ACC2BF	EBBD	D2BE	12-	XLQ60080
3134		ACC2C0	EBBE	D2BF	12-	XLQ70080
3135		ACC2C1	EBBF	D2C0	12-	XLQ80080
3136		ACC2C2	EBC0	D2C1	12-	XLQ90080
3137		ACC2C3	EBC1	D2C2	12-	XLQA0080
3138		ACC2C4	EBC2	D2C3	12-	XLQB0080
3139		ACC2C5	EBC3	D2C4	12-	XLQC0080
3140		ACC2C6	EBC4	D2C5	12-	XLQD0080
3141		ACC2C7	EBC5	D2C6	12-	XLQE0080
3142		ACC2C8	EBC6	D2C7	12-	XLQF0080
3143		ACC2C9	EBC7	D2C8	12-	XLQG0080
3144		ACC2CA	EBC8	D2C9	12-	XLQH0080
3145		ACC2CB	EBC9	D2CA	12-	XLQI0080
3146		ACC2CC	EBCA	D2CB	12-	XLQJ0080
3147		ACC2CD	EBCB	D2CC	12-	XLQK0080
3148		ACC2CE	EBCC	D2CD	12-	XLQL0080
3149		ACC2CF	EBCD	D2CE	12-	XLQM0080
3150		ACC2D0	EBCE	D2CF	12-	XLQN0080
3151		ACC2D1	EBCF	D2D0	12-	XLQO0080
3152		ACC2D2	EBD0	D2D1	12-	XLQP0080
3153		ACC2D3	EBD1	D2D2	12-	XLQQ0080
3154		ACC2D4	EBD2	D2D3	12-	XLQR0080
3155		ACC2D5	EBD3	D2D4	12-	XLQS0080
3156		ACC2D6	EBD4	D2D5	12-	XLQT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 3 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3157		ACC2D7	EBD5	D2D6	12-	XLQU0080
3158		ACC2D8	EBD6	D2D7	12-	XLQV0080
3159		ACC2D9	EBD7	D2D8	12-	XLQW0080
3160		ACC2DA	EBD8	D2D9	12-	XLQX0080
3161		ACC2DB	EBD9	D2DA	12-	XLQY0080
3162		ACC2DC	EBDA	D2DB	12-	XLQZ0080
3163		ACC2DD	EBDB	D2DC	12-	XLR00080
3164		ACC2DE	EBDC	D2DD	12-	XLR10080
3165		ACC2DF	EBDD	D2DE	12-	XLR20080
3166		ACC2E0	EBDE	D2DF	12-	XLR30080
3167		ACC2E1	EBDF	D2E0	12-	XLR40080
3168		ACC2E2	EBE0	D2E1	12-	XLR50080
3169		ACC2E3	EBE1	D2E2	12-	XLR60080
3170		ACC2E4	EBE2	D2E3	12-	XLR70080
3171		ACC2E5	EBE3	D2E4	12-	XLR80080
3172		ACC2E6	EBE4	D2E5	12-	XLR90080
3173		ACC2E7	EBE5	D2E6	12-	XLRA0080
3174		ACC2E8	EBE6	D2E7	12-	XLRB0080
3175		ACC2E9	EBE7	D2E8	12-	XLRC0080
3176		ACC2EA	EBE8	D2E9	12-	XLRD0080
3177		ACC2EB	EBE9	D2EA	12-	XLRE0080
3178		ACC2EC	EBEA	D2EB	12-	XLRF0080
3179		ACC2ED	EBEB	D2EC	12-	XLRG0080
3180		ACC2EE	EBEC	D2ED	12-	XLRH0080
3181		ACC2EF	EBED	D2EE	12-	XLRI0080
3182		ACC2F0	EBEE	D2EF	12-	XLRJ0080
3183		ACC2F1	EBEF	D2F0	12-	XLRK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 4 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3184		ACC2F2	EBF0	D2F1	12-	XLRL0080
3185		ACC2F3	EBF1	D2F2	12-	XLRM0080
3186		ACC2F4	EBF2	D2F3	12-	XLRN0080
3187		ACC2F5	EBF3	D2F4	12-	XLRO0080
3188		ACC2F6	EBF4	D2F5	12-	XLRP0080
3189		ACC2F7	EBF5	D2F6	12-	XLRQ0080
3190		ACC2F8	EBF6	D2F7	12-	XLRR0080
3191		ACC2F9	EBF7	D2F8	12-	XLRS0080
3192		ACC2FA	EBF8	D2F9	12-	XLRT0080
3193		ACC2FB	EBF9	D2FA	12-	XLRU0080
3194		ACC2FC	EBFA	D2FB	12-	XLRV0080
3195		ACC2FD	EBFB	D2FC	12-	XLRW0080
3196		ACC2FE	EBFC	D2FD	12-	XLRX0080
3197		ACC3A1	EC40	D341	12-	XLS10080
3198		ACC3A2	EC41	D342	12-	XLS20080
3199		ACC3A3	EC42	D343	12-	XLS30080
3200		ACC3A4	EC43	D344	12-	XLS40080
3201		ACC3A5	EC44	D345	12-	XLS50080
3202		ACC3A6	EC45	D346	12-	XLS60080
3203		ACC3A7	EC46	D347	12-	XLS70080
3204		ACC3A8	EC47	D348	12-	XLS80080
3205		ACC3A9	EC48	D349	12-	XLS90080
3206		ACC3AA	EC49	D34A	12-	XLSA0080
3207		ACC3AB	EC4A	D34B	12-	XLSB0080
3208		ACC3AC	EC4B	D34C	12-	XLSC0080
3209		ACC3AD	EC4C	D34D	12-	XLSD0080
3210		ACC3AE	EC4D	D34E	12-	XLSE0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 5 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3211		ACC3AF	EC4E	D34F	12-	XLSF0080
3212		ACC3B0	EC4F	D350	12-	XLSG0080
3213		ACC3B1	EC50	D351	12-	XLSH0080
3214		ACC3B2	EC51	D352	12-	XLSI0080
3215		ACC3B3	EC52	D353	12-	XLSJ0080
3216		ACC3B4	EC53	D354	12-	XLSK0080
3217		ACC3B5	EC54	D355	12-	XLSL0080
3218		ACC3B6	EC55	D356	12-	XLSM0080
3219		ACC3B7	EC56	D357	12-	XLSN0080
3220		ACC3B8	EC57	D358	12-	XLSO0080
3221		ACC3B9	EC58	D359	12-	XLSP0080
3222		ACC3BA	EC59	D35A	12-	XLSQ0080
3223		ACC3BB	EC5A	D35B	12-	XLSR0080
3224		ACC3BC	EC5B	D35C	12-	XLSS0080
3225		ACC3BD	EC5C	D35D	12-	XLST0080
3226		ACC3BE	EC5D	D35E	12-	XLSU0080
3227		ACC3BF	EC5E	D35F	12-	XLSV0080
3228		ACC3C0	EC5F	D360	12-	XLSW0080
3229		ACC3C1	EC60	D361	12-	XLSX0080
3230		ACC3C2	EC61	D362	12-	XLSY0080
3231		ACC3C3	EC62	D363	12-	XLSZ0080
3232		ACC3C4	EC63	D364	12-	XLT00080
3233		ACC3C5	EC64	D365	12-	XLT10080
3234		ACC3C6	EC65	D366	12-	XLT20080
3235		ACC3C7	EC66	D367	12-	XLT30080
3236		ACC3C8	EC67	D368	12-	XLT40080
3237		ACC3C9	EC68	D369	12-	XLT50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 6 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3238		ACC3CA	EC69	D36A	12-	XLT60080
3239		ACC3CB	EC6A	D36B	12-	XLT70080
3240		ACC3CC	EC6B	D36C	12-	XLT80080
3241		ACC3CD	EC6C	D36D	12-	XLT90080
3242		ACC3CE	EC6D	D36E	12-	XLTA0080
3243		ACC3CF	EC6E	D36F	12-	XLTB0080
3244		ACC3D0	EC6F	D370	12-	XLTC0080
3245		ACC3D1	EC70	D371	12-	XLTD0080
3246		ACC3D2	EC71	D372	12-	XLTE0080
3247		ACC3D3	EC72	D373	12-	XLTF0080
3248		ACC3D4	EC73	D374	12-	XLTG0080
3249		ACC3D5	EC74	D375	12-	XLTH0080
3250		ACC3D6	EC75	D376	12-	XLTI0080
3251		ACC3D7	EC76	D377	12-	XLTJ0080
3252		ACC3D8	EC77	D378	12-	XLTK0080
3253		ACC3D9	EC78	D379	12-	XLTL0080
3254		ACC3DA	EC79	D37A	12-	XLTM0080
3255		ACC3DB	EC7A	D37B	12-	XLTN0080
3256		ACC3DC	EC7B	D37C	12-	XLTO0080
3257		ACC3DD	EC7C	D37D	12-	XLTP0080
3258		ACC3DE	EC7D	D37E	12-	XLTQ0080
3259		ACC3DF	EC7E	D37F	12-	XLTR0080
3260		ACC3E0	EC80	D381	12-	XLTT0080
3261		ACC3E1	EC81	D382	12-	XLTU0080
3262		ACC3E2	EC82	D383	12-	XLTV0080
3263		ACC3E3	EC83	D384	12-	XLTW0080
3264		ACC3E4	EC84	D385	12-	XLTX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 7 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3265		ACC3E5	EC85	D386	12-	XLTY0080
3266		ACC3E6	EC86	D387	12-	XLTZ0080
3267		ACC3E7	EC87	D388	12-	XLU00080
3268		ACC3E8	EC88	D389	12-	XLU10080
3269		ACC3E9	EC89	D38A	12-	XLU20080
3270		ACC3EA	EC8A	D38B	12-	XLU30080
3271		ACC3EB	EC8B	D38C	12-	XLU40080
3272		ACC3EC	EC8C	D38D	12-	XLU50080
3273		ACC3ED	EC8D	D38E	12-	XLU60080
3274		ACC3EE	EC8E	D38F	12-	XLU70080
3275		ACC3EF	EC8F	D390	12-	XLU80080
3276		ACC3F0	EC90	D391	12-	XLU90080
3277		ACC3F1	EC91	D392	12-	XLUA0080
3278		ACC3F2	EC92	D393	12-	XLUB0080
3279		ACC3F3	EC93	D394	12-	XLUC0080
3280		ACC3F4	EC94	D395	12-	XLUD0080
3281		ACC3F5	EC95	D396	12-	XLUE0080
3282		ACC3F6	EC96	D397	12-	XLUF0080
3283		ACC3F7	EC97	D398	12-	XLUG0080
3284		ACC3F8	EC98	D399	12-	XLUH0080
3285		ACC3F9	EC99	D39A	12-	XLUI0080
3286		ACC3FA	EC9A	D39B	12-	XLUJ0080
3287		ACC3FB	EC9B	D39C	12-	XLUK0080
3288		ACC3FC	EC9C	D39D	12-	XLUL0080
3289		ACC3FD	EC9D	D39E	12-	XLUM0080
3290		ACC3FE	EC9E	D39F	12-	XLUN0080
3291		ACC4A1	EC9F	D3A0	12-	XLUO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 8 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3292		ACC4A2	ECA0	D3A1	12-	XLUP0080
3293		ACC4A3	ECA1	D3A2	12-	XLUQ0080
3294		ACC4A4	ECA2	D3A3	12-	XLUR0080
3295		ACC4A5	ECA3	D3A4	12-	XLUS0080
3296		ACC4A6	ECA4	D3A5	12-	XLUT0080
3297		ACC4A7	ECA5	D3A6	12-	XLUU0080
3298		ACC4A8	ECA6	D3A7	12-	XLUV0080
3299		ACC4A9	ECA7	D3A8	12-	XLUW0080
3300		ACC4AA	ECA8	D3A9	12-	XLUX0080
3301		ACC4AB	ECA9	D3AA	12-	XLUY0080
3302		ACC4AC	ECAA	D3AB	12-	XLUZ0080
3303		ACC4AD	ECAB	D3AC	12-	XLV00080
3304		ACC4AE	ECAC	D3AD	12-	XLV10080
3305		ACC4AF	ECAD	D3AE	12-	XLV20080
3306		ACC4B0	ECAE	D3AF	12-	XLV30080
3307		ACC4B1	ECAF	D3B0	12-	XLV40080
3308		ACC4B2	ECB0	D3B1	12-	XLV50080
3309		ACC4B3	ECB1	D3B2	12-	XLV60080
3310		ACC4B4	ECB2	D3B3	12-	XLV70080
3311		ACC4B5	ECB3	D3B4	12-	XLV80080
3312		ACC4B6	ECB4	D3B5	12-	XLV90080
3313		ACC4B7	ECB5	D3B6	12-	XLVA0080
3314		ACC4B8	ECB6	D3B7	12-	XLVB0080
3315		ACC4B9	ECB7	D3B8	12-	XLVC0080
3316		ACC4BA	ECB8	D3B9	12-	XLVD0080
3317		ACC4BB	ECB9	D3BA	12-	XLVE0080
3318		ACC4BC	ECBA	D3BB	12-	XLVF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 9 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3319		ACC4BD	ECBB	D3BC	12-	XLVG0080
3320		ACC4BE	ECBC	D3BD	12-	XLVH0080
3321		ACC4BF	ECBD	D3BE	12-	XLVI0080
3322		ACC4C0	ECBE	D3BF	12-	XLVJ0080
3323		ACC4C1	ECBF	D3C0	12-	XLVK0080
3324		ACC4C2	ECC0	D3C1	12-	XLVL0080
3325		ACC4C3	ECC1	D3C2	12-	XLVM0080
3326		ACC4C4	ECC2	D3C3	12-	XLVN0080
3327		ACC4C5	ECC3	D3C4	12-	XLVO0080
3328		ACC4C6	ECC4	D3C5	12-	XLVP0080
3329		ACC4C7	ECC5	D3C6	12-	XLVQ0080
3330		ACC4C8	ECC6	D3C7	12-	XLVR0080
3331		ACC4C9	ECC7	D3C8	12-	XLVS0080
3332		ACC4CA	ECC8	D3C9	12-	XLVT0080
3333		ACC4CB	ECC9	D3CA	12-	XLVU0080
3334		ACC4CC	ECCA	D3CB	12-	XLVV0080
3335		ACC4CD	ECCB	D3CC	12-	XLVW0080
3336		ACC4CE	ECCC	D3CD	12-	XLVX0080
3337		ACC4CF	ECCD	D3CE	12-	XLVY0080
3338		ACC4D0	ECCE	D3CF	12-	XLVZ0080
3339		ACC4D1	ECCF	D3D0	12-	XLW00080
3340		ACC4D2	ECD0	D3D1	12-	XLW10080
3341		ACC4D3	ECD1	D3D2	12-	XLW20080
3342		ACC4D4	ECD2	D3D3	12-	XLW30080
3343		ACC4D5	ECD3	D3D4	12-	XLW40080
3344		ACC4D6	ECD4	D3D5	12-	XLW50080
3345		ACC4D7	ECD5	D3D6	12-	XLW60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 10 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3346		ACC4D8	ECD6	D3D7	12-	XLW70080
3347		ACC4D9	ECD7	D3D8	12-	XLW80080
3348		ACC4DA	ECD8	D3D9	12-	XLW90080
3349		ACC4DB	ECD9	D3DA	12-	XLWA0080
3350		ACC4DC	ECDA	D3DB	12-	XLWB0080
3351		ACC4DD	ECDB	D3DC	12-	XLWC0080
3352		ACC4DE	ECDC	D3DD	12-	XLWD0080
3353		ACC4DF	ECDD	D3DE	12-	XLWE0080
3354		ACC4E0	ECDE	D3DF	12-	XLWF0080
3355		ACC4E1	ECDF	D3E0	12-	XLWG0080
3356		ACC4E2	ECE0	D3E1	12-	XLWH0080
3357		ACC4E3	ECE1	D3E2	12-	XLWI0080
3358		ACC4E4	ECE2	D3E3	12-	XLWJ0080
3359		ACC4E5	ECE3	D3E4	12-	XLWK0080
3360		ACC4E6	ECE4	D3E5	12-	XLWL0080
3361		ACC4E7	ECE5	D3E6	12-	XLWM0080
3362		ACC4E8	ECE6	D3E7	12-	XLWN0080
3363		ACC4E9	ECE7	D3E8	12-	XLWO0080
3364		ACC4EA	ECE8	D3E9	12-	XLWP0080
3365		ACC4EB	ECE9	D3EA	12-	XLWQ0080
3366		ACC4EC	ECEA	D3EB	12-	XLWR0080
3367		ACC4ED	ECEB	D3EC	12-	XLWS0080
3368		ACC4EE	ECEC	D3ED	12-	XLWT0080
3369		ACC4EF	ECED	D3EE	12-	XLWU0080
3370		ACC4F0	ECEE	D3EF	12-	XLWV0080
3371		ACC4F1	ECEF	D3F0	12-	XLWW0080
3372		ACC4F2	ECF0	D3F1	12-	XLWX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 11 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3373		ACC4F3	ECF1	D3F2	12-	XLWY0080
3374		ACC4F4	ECF2	D3F3	12-	XLWZ0080
3375		ACC4F5	ECF3	D3F4	12-	XLX00080
3376		ACC4F6	ECF4	D3F5	12-	XLX10080
3377		ACC4F7	ECF5	D3F6	12-	XLX20080
3378		ACC4F8	ECF6	D3F7	12-	XLX30080
3379		ACC4F9	ECF7	D3F8	12-	XLX40080
3380		ACC4FA	ECF8	D3F9	12-	XLX50080
3381		ACC4FB	ECF9	D3FA	12-	XLX60080
3382		ACC4FC	ECFA	D3FB	12-	XLX70080
3383		ACC4FD	ECFB	D3FC	12-	XLX80080
3384		ACC4FE	ECFC	D3FD	12-	XLX90080
3385		ACC5A1	ED40	D441	12-	XLXD0080
3386		ACC5A2	ED41	D442	12-	XLXE0080
3387		ACC5A3	ED42	D443	12-	XLXF0080
3388		ACC5A4	ED43	D444	12-	XLXG0080
3389		ACC5A5	ED44	D445	12-	XLXH0080
3390		ACC5A6	ED45	D446	12-	XLXI0080
3391		ACC5A7	ED46	D447	12-	XLXJ0080
3392		ACC5A8	ED47	D448	12-	XLXK0080
3393		ACC5A9	ED48	D449	12-	XLXL0080
3394		ACC5AA	ED49	D44A	12-	XLXM0080
3395		ACC5AB	ED4A	D44B	12-	XLXN0080
3396		ACC5AC	ED4B	D44C	12-	XLXO0080
3397		ACC5AD	ED4C	D44D	12-	XLXP0080
3398		ACC5AE	ED4D	D44E	12-	XLXQ0080
3399		ACC5AF	ED4E	D44F	12-	XLXR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 12 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3400		ACC5B0	ED4F	D450	12-	XLXS0080
3401		ACC5B1	ED50	D451	12-	XLXT0080
3402		ACC5B2	ED51	D452	12-	XLXU0080
3403		ACC5B3	ED52	D453	12-	XLXV0080
3404		ACC5B4	ED53	D454	12-	XLXW0080
3405		ACC5B5	ED54	D455	12-	XLXX0080
3406		ACC5B6	ED55	D456	12-	XLXY0080
3407		ACC5B7	ED56	D457	12-	XLXZ0080
3408		ACC5B8	ED57	D458	12-	XLY00080
3409		ACC5B9	ED58	D459	12-	XLY10080
3410		ACC5BA	ED59	D45A	12-	XLY20080
3411		ACC5BB	ED5A	D45B	12-	XLY30080
3412		ACC5BC	ED5B	D45C	12-	XLY40080
3413		ACC5BD	ED5C	D45D	12-	XLY50080
3414		ACC5BE	ED5D	D45E	12-	XLY60080
3415		ACC5BF	ED5E	D45F	12-	XLY70080
3416		ACC5C0	ED5F	D460	12-	XLY80080
3417		ACC5C1	ED60	D461	12-	XLY90080
3418		ACC5C2	ED61	D462	12-	XLYA0080
3419		ACC5C3	ED62	D463	12-	XLYB0080
3420		ACC5C4	ED63	D464	12-	XLYC0080
3421		ACC5C5	ED64	D465	12-	XLYD0080
3422		ACC5C6	ED65	D466	12-	XLYE0080
3423		ACC5C7	ED66	D467	12-	XLYF0080
3424		ACC5C8	ED67	D468	12-	XLYG0080
3425		ACC5C9	ED68	D469	12-	XLYH0080
3426		ACC5CA	ED69	D46A	12-	XLYI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 13 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3427		ACC5CB	ED6A	D46B	12-	XLYJ0080
3428		ACC5CC	ED6B	D46C	12-	XLYK0080
3429		ACC5CD	ED6C	D46D	12-	XLYL0080
3430		ACC5CE	ED6D	D46E	12-	XLYM0080
3431		ACC5CF	ED6E	D46F	12-	XLYN0080
3432		ACC5D0	ED6F	D470	12-	XLYO0080
3433		ACC5D1	ED70	D471	12-	XLYP0080
3434		ACC5D2	ED71	D472	12-	XLYQ0080
3435		ACC5D3	ED72	D473	12-	XLYR0080
3436		ACC5D4	ED73	D474	12-	XLYS0080
3437		ACC5D5	ED74	D475	12-	XLYT0080
3438		ACC5D6	ED75	D476	12-	XLYU0080
3439		ACC5D7	ED76	D477	12-	XLYV0080
3440		ACC5D8	ED77	D478	12-	XLYW0080
3441		ACC5D9	ED78	D479	12-	XLYX0080
3442		ACC5DA	ED79	D47A	12-	XLYY0080
3443		ACC5DB	ED7A	D47B	12-	XLYZ0080
3444		ACC5DC	ED7B	D47C	12-	XLZ00080
3445		ACC5DD	ED7C	D47D	12-	XLZ10080
3446		ACC5DE	ED7D	D47E	12-	XLZ20080
3447		ACC5DF	ED7E	D47F	12-	XLZ30080
3448		ACC5E0	ED80	D481	12-	XLZ50080
3449		ACC5E1	ED81	D482	12-	XLZ60080
3450		ACC5E2	ED82	D483	12-	XLZ70080
3451		ACC5E3	ED83	D484	12-	XLZ80080
3452		ACC5E4	ED84	D485	12-	XLZ90080
3453		ACC5E5	ED85	D486	12-	XLZA0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 14 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3454		ACC5E6	ED86	D487	12-	XLZB0080
3455		ACC5E7	ED87	D488	12-	XLZC0080
3456		ACC5E8	ED88	D489	12-	XLZD0080
3457		ACC5E9	ED89	D48A	12-	XLZE0080
3458		ACC5EA	ED8A	D48B	12-	XLZF0080
3459		ACC5EB	ED8B	D48C	12-	XLZG0080
3460		ACC5EC	ED8C	D48D	12-	XLZH0080
3461		ACC5ED	ED8D	D48E	12-	XLZI0080
3462		ACC5EE	ED8E	D48F	12-	XLZJ0080
3463		ACC5EF	ED8F	D490	12-	XLZK0080
3464		ACC5F0	ED90	D491	12-	XLZL0080
3465		ACC5F1	ED91	D492	12-	XLZM0080
3466		ACC5F2	ED92	D493	12-	XLZN0080
3467		ACC5F3	ED93	D494	12-	XLZO0080
3468		ACC5F4	ED94	D495	12-	XLZP0080
3469		ACC5F5	ED95	D496	12-	XLZQ0080
3470		ACC5F6	ED96	D497	12-	XLZR0080
3471		ACC5F7	ED97	D498	12-	XLZS0080
3472		ACC5F8	ED98	D499	12-	XLZT0080
3473		ACC5F9	ED99	D49A	12-	XLZU0080
3474		ACC5FA	ED9A	D49B	12-	XLZV0080
3475		ACC5FB	ED9B	D49C	12-	XLZW0080
3476		ACC5FC	ED9C	D49D	12-	XLZX0080
3477		ACC5FD	ED9D	D49E	12-	XLZY0080
3478		ACC5FE	ED9E	D49F	12-	XLZZ0080
3479		ACC6A1	ED9F	D4A0	12-	XM000080
3480		ACC6A2	EDA0	D4A1	12-	XM010080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 15 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3481		ACC6A3	EDA1	D4A2	12-	XM020080
3482		ACC6A4	EDA2	D4A3	12-	XM030080
3483		ACC6A5	EDA3	D4A4	12-	XM040080
3484		ACC6A6	EDA4	D4A5	12-	XM050080
3485		ACC6A7	EDA5	D4A6	12-	XM060080
3486		ACC6A8	EDA6	D4A7	12-	XM070080
3487		ACC6A9	EDA7	D4A8	12-	XM080080
3488		ACC6AA	EDA8	D4A9	12-	XM090080
3489		ACC6AB	EDA9	D4AA	12-	XM0A0080
3490		ACC6AC	EDAA	D4AB	12-	XM0B0080
3491		ACC6AD	EDAB	D4AC	12-	XM0C0080
3492		ACC6AE	EDAC	D4AD	12-	XM0D0080
3493		ACC6AF	EDAD	D4AE	12-	XM0E0080
3494		ACC6B0	EDAE	D4AF	12-	XM0F0080
3495		ACC6B1	EDAF	D4B0	12-	XM0G0080
3496		ACC6B2	EDB0	D4B1	12-	XM0H0080
3497		ACC6B3	EDB1	D4B2	12-	XM0I0080
3498		ACC6B4	EDB2	D4B3	12-	XM0J0080
3499		ACC6B5	EDB3	D4B4	12-	XM0K0080
3500		ACC6B6	EDB4	D4B5	12-	XM0L0080
3501		ACC6B7	EDB5	D4B6	12-	XM0M0080
3502		ACC6B8	EDB6	D4B7	12-	XM0N0080
3503		ACC6B9	EDB7	D4B8	12-	XM0O0080
3504		ACC6BA	EDB8	D4B9	12-	XM0P0080
3505		ACC6BB	EDB9	D4BA	12-	XM0Q0080
3506		ACC6BC	EDBA	D4BB	12-	XM0R0080
3507		ACC6BD	EDBB	D4BC	12-	XM0S0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 16 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3508		ACC6BE	EDBC	D4BD	12-	XM0T0080
3509		ACC6BF	EDBD	D4BE	12-	XM0U0080
3510		ACC6C0	EDBE	D4BF	12-	XM0V0080
3511		ACC6C1	EDBF	D4C0	12-	XM0W0080
3512		ACC6C2	EDC0	D4C1	12-	XM0X0080
3513		ACC6C3	EDC1	D4C2	12-	XM0Y0080
3514		ACC6C4	EDC2	D4C3	12-	XM0Z0080
3515		ACC6C5	EDC3	D4C4	12-	XM100080
3516		ACC6C6	EDC4	D4C5	12-	XM110080
3517		ACC6C7	EDC5	D4C6	12-	XM120080
3518		ACC6C8	EDC6	D4C7	12-	XM130080
3519		ACC6C9	EDC7	D4C8	12-	XM140080
3520		ACC6CA	EDC8	D4C9	12-	XM150080
3521		ACC6CB	EDC9	D4CA	12-	XM160080
3522		ACC6CC	EDCA	D4CB	12-	XM170080
3523		ACC6CD	EDCB	D4CC	12-	XM180080
3524		ACC6CE	EDCC	D4CD	12-	XM190080
3525		ACC6CF	EDCD	D4CE	12-	XM1A0080
3526		ACC6D0	EDCE	D4CF	12-	XM1B0080
3527		ACC6D1	EDCF	D4D0	12-	XM1C0080
3528		ACC6D2	EDD0	D4D1	12-	XM1D0080
3529		ACC6D3	EDD1	D4D2	12-	XM1E0080
3530		ACC6D4	EDD2	D4D3	12-	XM1F0080
3531		ACC6D5	EDD3	D4D4	12-	XM1G0080
3532		ACC6D6	EDD4	D4D5	12-	XM1H0080
3533		ACC6D7	EDD5	D4D6	12-	XM1I0080
3534		ACC6D8	EDD6	D4D7	12-	XM1J0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 17 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3535		ACC6D9	EDD7	D4D8	12-	XM1K0080
3536		ACC6DA	EDD8	D4D9	12-	XM1L0080
3537		ACC6DB	EDD9	D4DA	12-	XM1M0080
3538		ACC6DC	EDDA	D4DB	12-	XM1N0080
3539		ACC6DD	EDDB	D4DC	12-	XM1O0080
3540		ACC6DE	EDDC	D4DD	12-	XM1P0080
3541		ACC6DF	EDDD	D4DE	12-	XM1Q0080
3542		ACC6E0	EDDE	D4DF	12-	XM1R0080
3543		ACC6E1	EDDF	D4E0	12-	XM1S0080
3544		ACC6E2	EDE0	D4E1	12-	XM1T0080
3545		ACC6E3	EDE1	D4E2	12-	XM1U0080
3546		ACC6E4	EDE2	D4E3	12-	XM1V0080
3547		ACC6E5	EDE3	D4E4	12-	XM1W0080
3548		ACC6E6	EDE4	D4E5	12-	XM1X0080
3549		ACC6E7	EDE5	D4E6	12-	XM1Y0080
3550		ACC6E8	EDE6	D4E7	12-	XM1Z0080
3551		ACC6E9	EDE7	D4E8	12-	XM200080
3552		ACC6EA	EDE8	D4E9	12-	XM210080
3553		ACC6EB	EDE9	D4EA	12-	XM220080
3554		ACC6EC	EDEA	D4EB	12-	XM230080
3555		ACC6ED	EDEB	D4EC	12-	XM240080
3556		ACC6EE	EDEC	D4ED	12-	XM250080
3557		ACC6EF	EDED	D4EE	12-	XM260080
3558		ACC6F0	EDEE	D4EF	12-	XM270080
3559		ACC6F1	EDEF	D4F0	12-	XM280080
3560		ACC6F2	EDF0	D4F1	12-	XM290080
3561		ACC6F3	EDF1	D4F2	12-	XM2A0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 18 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3562		ACC6F4	EDF2	D4F3	12-	XM2B0080
3563		ACC6F5	EDF3	D4F4	12-	XM2C0080
3564		ACC6F6	EDF4	D4F5	12-	XM2D0080
3565		ACC6F7	EDF5	D4F6	12-	XM2E0080
3566		ACC6F8	EDF6	D4F7	12-	XM2F0080
3567		ACC6F9	EDF7	D4F8	12-	XM2G0080
3568		ACC6FA	EDF8	D4F9	12-	XM2H0080
3569		ACC6FB	EDF9	D4FA	12-	XM2I0080
3570		ACC6FC	EDFA	D4FB	12-	XM2J0080
3571		ACC6FD	EDFB	D4FC	12-	XM2K0080
3572		ACC6FE	EDFC	D4FD	12-	XM2L0080
3573		ACC7A1	EE40	D541	12-	XM2P0080
3574		ACC7A2	EE41	D542	12-	XM2Q0080
3575		ACC7A3	EE42	D543	12-	XM2R0080
3576		ACC7A4	EE43	D544	12-	XM2S0080
3577		ACC7A5	EE44	D545	12-	XM2T0080
3578		ACC7A6	EE45	D546	12-	XM2U0080
3579		ACC7A7	EE46	D547	12-	XM2V0080
3580		ACC7A8	EE47	D548	12-	XM2W0080
3581		ACC7A9	EE48	D549	12-	XM2X0080
3582		ACC7AA	EE49	D54A	12-	XM2Y0080
3583		ACC7AB	EE4A	D54B	12-	XM2Z0080
3584		ACC7AC	EE4B	D54C	12-	XM300080
3585		ACC7AD	EE4C	D54D	12-	XM310080
3586		ACC7AE	EE4D	D54E	12-	XM320080
3587		ACC7AF	EE4E	D54F	12-	XM330080
3588		ACC7B0	EE4F	D550	12-	XM340080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 19 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3589		ACC7B1	EE50	D551	12-	XM350080
3590		ACC7B2	EE51	D552	12-	XM360080
3591		ACC7B3	EE52	D553	12-	XM370080
3592		ACC7B4	EE53	D554	12-	XM380080
3593		ACC7B5	EE54	D555	12-	XM390080
3594		ACC7B6	EE55	D556	12-	XM3A0080
3595		ACC7B7	EE56	D557	12-	XM3B0080
3596		ACC7B8	EE57	D558	12-	XM3C0080
3597		ACC7B9	EE58	D559	12-	XM3D0080
3598		ACC7BA	EE59	D55A	12-	XM3E0080
3599		ACC7BB	EE5A	D55B	12-	XM3F0080
3600		ACC7BC	EE5B	D55C	12-	XM3G0080
3601		ACC7BD	EE5C	D55D	12-	XM3H0080
3602		ACC7BE	EE5D	D55E	12-	XM3I0080
3603		ACC7BF	EE5E	D55F	12-	XM3J0080
3604		ACC7C0	EE5F	D560	12-	XM3K0080
3605		ACC7C1	EE60	D561	12-	XM3L0080
3606		ACC7C2	EE61	D562	12-	XM3M0080
3607		ACC7C3	EE62	D563	12-	XM3N0080
3608		ACC7C4	EE63	D564	12-	XM3O0080
3609		ACC7C5	EE64	D565	12-	XM3P0080
3610		ACC7C6	EE65	D566	12-	XM3Q0080
3611		ACC7C7	EE66	D567	12-	XM3R0080
3612		ACC7C8	EE67	D568	12-	XM3S0080
3613		ACC7C9	EE68	D569	12-	XM3T0080
3614		ACC7CA	EE69	D56A	12-	XM3U0080
3615		ACC7CB	EE6A	D56B	12-	XM3V0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 20 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3616		ACC7CC	EE6B	D56C	12-	XM3W0080
3617		ACC7CD	EE6C	D56D	12-	XM3X0080
3618		ACC7CE	EE6D	D56E	12-	XM3Y0080
3619		ACC7CF	EE6E	D56F	12-	XM3Z0080
3620		ACC7D0	EE6F	D570	12-	XM400080
3621		ACC7D1	EE70	D571	12-	XM410080
3622		ACC7D2	EE71	D572	12-	XM420080
3623		ACC7D3	EE72	D573	12-	XM430080
3624		ACC7D4	EE73	D574	12-	XM440080
3625		ACC7D5	EE74	D575	12-	XM450080
3626		ACC7D6	EE75	D576	12-	XM460080
3627		ACC7D7	EE76	D577	12-	XM470080
3628		ACC7D8	EE77	D578	12-	XM480080
3629		ACC7D9	EE78	D579	12-	XM490080
3630		ACC7DA	EE79	D57A	12-	XM4A0080
3631		ACC7DB	EE7A	D57B	12-	XM4B0080
3632		ACC7DC	EE7B	D57C	12-	XM4C0080
3633		ACC7DD	EE7C	D57D	12-	XM4D0080
3634		ACC7DE	EE7D	D57E	12-	XM4E0080
3635		ACC7DF	EE7E	D57F	12-	XM4F0080
3636		ACC7E0	EE80	D581	12-	XM4H0080
3637		ACC7E1	EE81	D582	12-	XM4I0080
3638		ACC7E2	EE82	D583	12-	XM4J0080
3639		ACC7E3	EE83	D584	12-	XM4K0080
3640		ACC7E4	EE84	D585	12-	XM4L0080
3641		ACC7E5	EE85	D586	12-	XM4M0080
3642		ACC7E6	EE86	D587	12-	XM4N0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 21 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3643		ACC7E7	EE87	D588	12-	XM4Q0080
3644		ACC7E8	EE88	D589	12-	XM4P0080
3645		ACC7E9	EE89	D58A	12-	XM4Q0080
3646		ACC7EA	EE8A	D58B	12-	XM4R0080
3647		ACC7EB	EE8B	D58C	12-	XM4S0080
3648		ACC7EC	EE8C	D58D	12-	XM4T0080
3649		ACC7ED	EE8D	D58E	12-	XM4U0080
3650		ACC7EE	EE8E	D58F	12-	XM4V0080
3651		ACC7EF	EE8F	D590	12-	XM4W0080
3652		ACC7F0	EE90	D591	12-	XM4X0080
3653		ACC7F1	EE91	D592	12-	XM4Y0080
3654		ACC7F2	EE92	D593	12-	XM4Z0080
3655		ACC7F3	EE93	D594	12-	XM500080
3656		ACC7F4	EE94	D595	12-	XM510080
3657		ACC7F5	EE95	D596	12-	XM520080
3658		ACC7F6	EE96	D597	12-	XM530080
3659		ACC7F7	EE97	D598	12-	XM540080
3660		ACC7F8	EE98	D599	12-	XM550080
3661		ACC7F9	EE99	D59A	12-	XM560080
3662		ACC7FA	EE9A	D59B	12-	XM570080
3663		ACC7FB	EE9B	D59C	12-	XM580080
3664		ACC7FC	EE9C	D59D	12-	XM590080
3665		ACC7FD	EE9D	D59E	12-	XM5A0080
3666		ACC7FE	EE9E	D59F	12-	XM5B0080
3667		ACC8A1	EE9F	D5A0	12-	XM5C0080
3668		ACC8A2	EEA0	D5A1	12-	XM5D0080
3669		ACC8A3	EEA1	D5A2	12-	XM5E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 22 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3670		ACC8A4	EEA2	D5A3	12-	XM5F0080
3671		ACC8A5	EEA3	D5A4	12-	XM5G0080
3672		ACC8A6	EEA4	D5A5	12-	XM5H0080
3673		ACC8A7	EEA5	D5A6	12-	XM5I0080
3674		ACC8A8	EEA6	D5A7	12-	XM5J0080
3675		ACC8A9	EEA7	D5A8	12-	XM5K0080
3676		ACC8AA	EEA8	D5A9	12-	XM5L0080
3677		ACC8AB	EEA9	D5AA	12-	XM5M0080
3678		ACC8AC	EEAA	D5AB	12-	XM5N0080
3679		ACC8AD	EEAB	D5AC	12-	XM5O0080
3680		ACC8AE	EEAC	D5AD	12-	XM5P0080
3681		ACC8AF	EEAD	D5AE	12-	XM5Q0080
3682		ACC8B0	EEAE	D5AF	12-	XM5R0080
3683		ACC8B1	EEAF	D5B0	12-	XM5S0080
3684		ACC8B2	EEB0	D5B1	12-	XM5T0080
3685		ACC8B3	EEB1	D5B2	12-	XM5U0080
3686		ACC8B4	EEB2	D5B3	12-	XM5V0080
3687		ACC8B5	EEB3	D5B4	12-	XM5W0080
3688		ACC8B6	EEB4	D5B5	12-	XM5X0080
3689		ACC8B7	EEB5	D5B6	12-	XM5Y0080
3690		ACC8B8	EEB6	D5B7	12-	XM5Z0080
3691		ACC8B9	EEB7	D5B8	12-	XM600080
3692		ACC8BA	EEB8	D5B9	12-	XM610080
3693		ACC8BB	EEB9	D5BA	12-	XM620080
3694		ACC8BC	EEBA	D5BB	12-	XM630080
3695		ACC8BD	EEBB	D5BC	12-	XM640080
3696		ACC8BE	EEBC	D5BD	12-	XM650080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 23 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3697		ACC8BF	EEBD	D5BE	12-	XM660080
3698		ACC8C0	EEBE	D5BF	12-	XM670080
3699		ACC8C1	EEBF	D5C0	12-	XM680080
3700		ACC8C2	EEC0	D5C1	12-	XM690080
3701		ACC8C3	EEC1	D5C2	12-	XM6A0080
3702		ACC8C4	EEC2	D5C3	12-	XM6B0080
3703		ACC8C5	EEC3	D5C4	12-	XM6C0080
3704		ACC8C6	EEC4	D5C5	12-	XM6D0080
3705		ACC8C7	EEC5	D5C6	12-	XM6E0080
3706		ACC8C8	EEC6	D5C7	12-	XM6F0080
3707		ACC8C9	EEC7	D5C8	12-	XM6G0080
3708		ACC8CA	EEC8	D5C9	12-	XM6H0080
3709		ACC8CB	EEC9	D5CA	12-	XM6I0080
3710		ACC8CC	EECA	D5CB	12-	XM6J0080
3711		ACC8CD	EECB	D5CC	12-	XM6K0080
3712		ACC8CE	EECC	D5CD	12-	XM6L0080
3713		ACC8CF	EECD	D5CE	12-	XM6M0080
3714		ACC8D0	EECE	D5CF	12-	XM6N0080
3715		ACC8D1	EECF	D5D0	12-	XM6O0080
3716		ACC8D2	EED0	D5D1	12-	XM6P0080
3717		ACC8D3	EED1	D5D2	12-	XM6Q0080
3718		ACC8D4	EED2	D5D3	12-	XM6R0080
3719		ACC8D5	EED3	D5D4	12-	XM6S0080
3720		ACC8D6	EED4	D5D5	12-	XM6T0080
3721		ACC8D7	EED5	D5D6	12-	XM6U0080
3722		ACC8D8	EED6	D5D7	12-	XM6V0080
3723		ACC8D9	EED7	D5D8	12-	XM6W0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 24 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3724		ACC8DA	EED8	D5D9	12-	XM6X0080
3725		ACC8DB	EED9	D5DA	12-	XM6Y0080
3726		ACC8DC	EEDA	D5DB	12-	XM6Z0080
3727		ACC8DD	EEDB	D5DC	12-	XM700080
3728		ACC8DE	EEDC	D5DD	12-	XM710080
3729		ACC8DF	EEDD	D5DE	12-	XM720080
3730		ACC8E0	EEDE	D5DF	12-	XM730080
3731		ACC8E1	EEDF	D5E0	12-	XM740080
3732		ACC8E2	EEE0	D5E1	12-	XM750080
3733		ACC8E3	EEE1	D5E2	12-	XM760080
3734		ACC8E4	EEE2	D5E3	12-	XM770080
3735		ACC8E5	EEE3	D5E4	12-	XM780080
3736		ACC8E6	EEE4	D5E5	12-	XM790080
3737		ACC8E7	EEE5	D5E6	12-	XM7A0080
3738		ACC8E8	EEE6	D5E7	12-	XM7B0080
3739		ACC8E9	EEE7	D5E8	12-	XM7C0080
3740		ACC8EA	EEE8	D5E9	12-	XM7D0080
3741		ACC8EB	EEE9	D5EA	12-	XM7E0080
3742		ACC8EC	EEEA	D5EB	12-	XM7F0080
3743		ACC8ED	EEEB	D5EC	12-	XM7G0080
3744		ACC8EE	EEEC	D5ED	12-	XM7H0080
3745		ACC8EF	EEED	D5EE	12-	XM7I0080
3746		ACC8F0	EEEE	D5EF	12-	XM7J0080
3747		ACC8F1	EEEF	D5F0	12-	XM7K0080
3748		ACC8F2	EEF0	D5F1	12-	XM7L0080
3749		ACC8F3	EEF1	D5F2	12-	XM7M0080
3750		ACC8F4	EEF2	D5F3	12-	XM7N0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 25 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3751		ACC8F5	EEF3	D5F4	12-	XM7O0080
3752		ACC8F6	EEF4	D5F5	12-	XM7P0080
3753		ACC8F7	EEF5	D5F6	12-	XM7Q0080
3754		ACC8F8	EEF6	D5F7	12-	XM7R0080
3755		ACC8F9	EEF7	D5F8	12-	XM7S0080
3756		ACC8FA	EEF8	D5F9	12-	XM7T0080
3757		ACC8FB	EEF9	D5FA	12-	XM7U0080
3758		ACC8FC	EEFA	D5FB	12-	XM7V0080
3759		ACC8FD	EEFB	D5FC	12-	XM7W0080
3760		ACC8FE	EEFC	D5FD	12-	XM7X0080
3761		ACC9A1	EF40	D641	12-	XM810080
3762		ACC9A2	EF41	D642	12-	XM820080
3763		ACC9A3	EF42	D643	12-	XM830080
3764		ACC9A4	EF43	D644	12-	XM840080
3765		ACC9A5	EF44	D645	12-	XM850080
3766		ACC9A6	EF45	D646	12-	XM860080
3767		ACC9A7	EF46	D647	12-	XM870080
3768		ACC9A8	EF47	D648	12-	XM880080
3769		ACC9A9	EF48	D649	12-	XM890080
3770		ACC9AA	EF49	D64A	12-	XM8A0080
3771		ACC9AB	EF4A	D64B	12-	XM8B0080
3772		ACC9AC	EF4B	D64C	12-	XM8C0080
3773		ACC9AD	EF4C	D64D	12-	XM8D0080
3774		ACC9AE	EF4D	D64E	12-	XM8E0080
3775		ACC9AF	EF4E	D64F	12-	XM8F0080
3776		ACC9B0	EF4F	D650	12-	XM8G0080
3777		ACC9B1	EF50	D651	12-	XM8H0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 26 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3778		ACC9B2	EF51	D652	12-	XM8I0080
3779		ACC9B3	EF52	D653	12-	XM8J0080
3780		ACC9B4	EF53	D654	12-	XM8K0080
3781		ACC9B5	EF54	D655	12-	XM8L0080
3782		ACC9B6	EF55	D656	12-	XM8M0080
3783		ACC9B7	EF56	D657	12-	XM8N0080
3784		ACC9B8	EF57	D658	12-	XM8O0080
3785		ACC9B9	EF58	D659	12-	XM8P0080
3786		ACC9BA	EF59	D65A	12-	XM8Q0080
3787		ACC9BB	EF5A	D65B	12-	XM8R0080
3788		ACC9BC	EF5B	D65C	12-	XM8S0080
3789		ACC9BD	EF5C	D65D	12-	XM8T0080
3790		ACC9BE	EF5D	D65E	12-	XM8U0080
3791		ACC9BF	EF5E	D65F	12-	XM8V0080
3792		ACC9C0	EF5F	D660	12-	XM8W0080
3793		ACC9C1	EF60	D661	12-	XM8X0080
3794		ACC9C2	EF61	D662	12-	XM8Y0080
3795		ACC9C3	EF62	D663	12-	XM8Z0080
3796		ACC9C4	EF63	D664	12-	XM900080
3797		ACC9C5	EF64	D665	12-	XM910080
3798		ACC9C6	EF65	D666	12-	XM920080
3799		ACC9C7	EF66	D667	12-	XM930080
3800		ACC9C8	EF67	D668	12-	XM940080
3801		ACC9C9	EF68	D669	12-	XM950080
3802		ACC9CA	EF69	D66A	12-	XM960080
3803		ACC9CB	EF6A	D66B	12-	XM970080
3804		ACC9CC	EF6B	D66C	12-	XM980080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 27 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3805		ACC9CD	EF6C	D66D	12-	XM990080
3806		ACC9CE	EF6D	D66E	12-	XM9A0080
3807		ACC9CF	EF6E	D66F	12-	XM9B0080
3808		ACC9D0	EF6F	D670	12-	XM9C0080
3809		ACC9D1	EF70	D671	12-	XM9D0080
3810		ACC9D2	EF71	D672	12-	XM9E0080
3811		ACC9D3	EF72	D673	12-	XM9F0080
3812		ACC9D4	EF73	D674	12-	XM9G0080
3813		ACC9D5	EF74	D675	12-	XM9H0080
3814		ACC9D6	EF75	D676	12-	XM9I0080
3815		ACC9D7	EF76	D677	12-	XM9J0080
3816		ACC9D8	EF77	D678	12-	XM9K0080
3817		ACC9D9	EF78	D679	12-	XM9L0080
3818		ACC9DA	EF79	D67A	12-	XM9M0080
3819		ACC9DB	EF7A	D67B	12-	XM9N0080
3820		ACC9DC	EF7B	D67C	12-	XM9O0080
3821		ACC9DD	EF7C	D67D	12-	XM9P0080
3822		ACC9DE	EF7D	D67E	12-	XM9Q0080
3823		ACC9DF	EF7E	D67F	12-	XM9R0080
3824		ACC9E0	EF80	D681	12-	XM9T0080
3825		ACC9E1	EF81	D682	12-	XM9U0080
3826		ACC9E2	EF82	D683	12-	XM9V0080
3827		ACC9E3	EF83	D684	12-	XM9W0080
3828		ACC9E4	EF84	D685	12-	XM9X0080
3829		ACC9E5	EF85	D686	12-	XM9Y0080
3830		ACC9E6	EF86	D687	12-	XM9Z0080
3831		ACC9E7	EF87	D688	12-	XMA00080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 22 (Page 28 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3832		ACC9E8	EF88	D689	12-	XMA10080
3833		ACC9E9	EF89	D68A	12-	XMA20080
3834		ACC9EA	EF8A	D68B	12-	XMA30080
3835		ACC9EB	EF8B	D68C	12-	XMA40080
3836		ACC9EC	EF8C	D68D	12-	XMA50080
3837		ACC9ED	EF8D	D68E	12-	XMA60080
3838		ACC9EE	EF8E	D68F	12-	XMA70080
3839		ACC9EF	EF8F	D690	12-	XMA80080
3840		ACC9F0	EF90	D691	12-	XMA90080
3841		ACC9F1	EF91	D692	12-	XMAA0080
3842		ACC9F2	EF92	D693	12-	XMAB0080
3843		ACC9F3	EF93	D694	12-	XMAC0080
3844		ACC9F4	EF94	D695	12-	XMAD0080
3845		ACC9F5	EF95	D696	12-	XMAE0080
3846		ACC9F6	EF96	D697	12-	XMAF0080
3847		ACC9F7	EF97	D698	12-	XMAG0080
3848		ACC9F8	EF98	D699	12-	XMAH0080
3849		ACC9F9	EF99	D69A	12-	XMAI0080
3850		ACC9FA	EF9A	D69B	12-	XMAJ0080
3851		ACC9FB	EF9B	D69C	12-	XMAK0080
3852		ACC9FC	EF9C	D69D	12-	XML0080
3853		ACC9FD	EF9D	D69E	12-	XMAM0080
3854		ACC9FE	EF9E	D69F	12-	XMAN0080
3855		ACCAA1	EF9F	D6A0	12-	XMAO0080
3856		ACCAA2	EFA0	D6A1	12-	XMAP0080
3857		ACCAA3	EFA1	D6A2	12-	XMAQ0080
3858		ACCAA4	EFA2	D6A3	12-	XMAR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 29 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3859		ACCAA5	EFA3	D6A4	12-	XMAS0080
3860		ACCAA6	EFA4	D6A5	12-	XMAT0080
3861		ACCAA7	EFA5	D6A6	12-	XMAU0080
3862		ACCAA8	EFA6	D6A7	12-	XMAV0080
3863		ACCAA9	EFA7	D6A8	12-	XMAW0080
3864		ACCAAA	EFA8	D6A9	12-	XMAX0080
3865		ACCAAB	EFA9	D6AA	12-	XMAY0080
3866		ACCAAC	EFAA	D6AB	12-	XMAZ0080
3867		ACCAAD	EFAB	D6AC	12-	XMB00080
3868		ACCAAE	EFAC	D6AD	12-	XMB10080
3869		ACCAAF	EFAD	D6AE	12-	XMB20080
3870		ACCAB0	EFAE	D6AF	12-	XMB30080
3871		ACCAB1	EFAF	D6B0	12-	XMB40080
3872		ACCAB2	EFB0	D6B1	12-	XMB50080
3873		ACCAB3	EFB1	D6B2	12-	XMB60080
3874		ACCAB4	EFB2	D6B3	12-	XMB70080
3875		ACCAB5	EFB3	D6B4	12-	XMB80080
3876		ACCAB6	EFB4	D6B5	12-	XMB90080
3877		ACCAB7	EFB5	D6B6	12-	XMBA0080
3878		ACCAB8	EFB6	D6B7	12-	XMBB0080
3879		ACCAB9	EFB7	D6B8	12-	XMBC0080
3880		ACCABA	EFB8	D6B9	12-	XMBD0080
3881		ACCABB	EFB9	D6BA	12-	XMBE0080
3882		ACCABC	EFBA	D6BB	12-	XMBF0080
3883		ACCABD	EFBB	D6BC	12-	XMBG0080
3884		ACCABE	EFBC	D6BD	12-	XMBH0080
3885		ACCABF	EFBD	D6BE	12-	XMBI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC and TBCS-EUC

Table 22 (Page 30 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3886		ACCAC0	EFBE	D6BF	12-	XMBJ0080
3887		ACCAC1	EFBF	D6C0	12-	XMBK0080
3888		ACCAC2	EFC0	D6C1	12-	XMBL0080
3889		ACCAC3	EFC1	D6C2	12-	XMBM0080
3890		ACCAC4	EFC2	D6C3	12-	XMBN0080
3891		ACCAC5	EFC3	D6C4	12-	XMBO0080
3892		ACCAC6	EFC4	D6C5	12-	XMBP0080
3893		ACCAC7	EFC5	D6C6	12-	XMBQ0080
3894		ACCAC8	EFC6	D6C7	12-	XMBR0080
3895		ACCAC9	EFC7	D6C8	12-	XMBS0080
3896		ACCACA	EFC8	D6C9	12-	XMBT0080
3897		ACCACB	EFC9	D6CA	12-	XMBU0080
3898		ACCACC	EFCA	D6CB	12-	XMBV0080
3899		ACCACD	EFCB	D6CC	12-	XMBW0080
3900		ACCACE	EFCC	D6CD	12-	XMBX0080
3901		ACCACF	EFCD	D6CE	12-	XMBY0080
3902		ACCAD0	EFCE	D6CF	12-	XMBZ0080
3903		ACCAD1	EFCF	D6D0	12-	XMC00080
3904		ACCAD2	EFD0	D6D1	12-	XMC10080
3905		ACCAD3	EFD1	D6D2	12-	XMC20080
3906		ACCAD4	EFD2	D6D3	12-	XMC30080
3907		ACCAD5	EFD3	D6D4	12-	XMC40080
3908		ACCAD6	EFD4	D6D5	12-	XMC50080
3909		ACCAD7	EFD5	D6D6	12-	XMC60080
3910		ACCAD8	EFD6	D6D7	12-	XMC70080
3911		ACCAD9	EFD7	D6D8	12-	XMC80080
3912		ACCADA	EFD8	D6D9	12-	XMC90080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 31 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3913		ACCADB	EFD9	D6DA	12-	XMCA0080
3914		ACCADC	EFDA	D6DB	12-	XMCB0080
3915		ACCADD	EFDB	D6DC	12-	XMCC0080
3916		ACCADE	EFDC	D6DD	12-	XMCD0080
3917		ACCADF	EFDD	D6DE	12-	XMCE0080
3918		ACCAE0	EFDE	D6DF	12-	XMCF0080
3919		ACCAE1	EFDF	D6E0	12-	XMCG0080
3920		ACCAE2	EFE0	D6E1	12-	XMCH0080
3921		ACCAE3	EFE1	D6E2	12-	XMCI0080
3922		ACCAE4	EFE2	D6E3	12-	XMCJ0080
3923		ACCAE5	EFE3	D6E4	12-	XMCK0080
3924		ACCAE6	EFE4	D6E5	12-	XMCL0080
3925		ACCAE7	EFE5	D6E6	12-	XMCM0080
3926		ACCAE8	EFE6	D6E7	12-	XMEN0080
3927		ACCAE9	EFE7	D6E8	12-	XMCO0080
3928		ACCAEA	EFE8	D6E9	12-	XMCP0080
3929		ACCAEB	EFE9	D6EA	12-	XMCE0080
3930		ACCAEC	EFEA	D6EB	12-	XMCR0080
3931		ACCAED	EFEB	D6EC	12-	XMCS0080
3932		ACCAEE	EFEC	D6ED	12-	XMCT0080
3933		ACCAEF	EFED	D6EE	12-	XMCE0080
3934		ACCAF0	EFEE	D6EF	12-	XMCF0080
3935		ACCAF1	EFEF	D6F0	12-	XMCG0080
3936		ACCAF2	EFF0	D6F1	12-	XMCH0080
3937		ACCAF3	EFF1	D6F2	12-	XMCI0080
3938		ACCAF4	EFF2	D6F3	12-	XMCJ0080
3939		ACCAF5	EFF3	D6F4	12-	XMD00080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 32 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3940		ACCAF6	EFF4	D6F5	12-	XMD10080
3941		ACCAF7	EFF5	D6F6	12-	XMD20080
3942		ACCAF8	EFF6	D6F7	12-	XMD30080
3943		ACCAF9	EFF7	D6F8	12-	XMD40080
3944		ACCAF A	EFF8	D6F9	12-	XMD50080
3945		ACCAF B	EFF9	D6FA	12-	XMD60080
3946		ACCAF C	EFFA	D6FB	12-	XMD70080
3947		ACCAF D	EFFB	D6FC	12-	XMD80080
3948		ACCAF E	EFFC	D6FD	12-	XMD90080
3949		ACCBA1	F040	D741	12-	XMDD0080
3950		ACCBA2	F041	D742	12-	XMDE0080
3951		ACCBA3	F042	D743	12-	XMDF0080
3952		ACCBA4	F043	D744	12-	XMDG0080
3953		ACCBA5	F044	D745	12-	XMDH0080
3954		ACCBA6	F045	D746	12-	XMDI0080
3955		ACCBA7	F046	D747	12-	XMDJ0080
3956		ACCBA8	F047	D748	12-	XMDK0080
3957		ACCBA9	F048	D749	12-	XMDL0080
3958		ACCBA A	F049	D74A	12-	XMDM0080
3959		ACCBA B	F04A	D74B	12-	XMDN0080
3960		ACCBA C	F04B	D74C	12-	XMDO0080
3961		ACCBA D	F04C	D74D	12-	XMDP0080
3962		ACCBA E	F04D	D74E	12-	XMDQ0080
3963		ACCBA F	F04E	D74F	12-	XMDR0080
3964		ACCBB0	F04F	D750	12-	XMDS0080
3965		ACCBB1	F050	D751	12-	XMDT0080
3966		ACCBB2	F051	D752	12-	XMDU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 33 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3967		ACCBB3	F052	D753	12-	XMDV0080
3968		ACCBB4	F053	D754	12-	XMDW0080
3969		ACCBB5	F054	D755	12-	XMDX0080
3970		ACCBB6	F055	D756	12-	XMDY0080
3971		ACCBB7	F056	D757	12-	XMDZ0080
3972		ACCBB8	F057	D758	12-	XME00080
3973		ACCBB9	F058	D759	12-	XME10080
3974		ACCBBA	F059	D75A	12-	XME20080
3975		ACCBBA	F05A	D75B	12-	XME30080
3976		ACCBBC	F05B	D75C	12-	XME40080
3977		ACCBBD	F05C	D75D	12-	XME50080
3978		ACCBBE	F05D	D75E	12-	XME60080
3979		ACCBBF	F05E	D75F	12-	XME70080
3980		ACCBC0	F05F	D760	12-	XME80080
3981		ACCBC1	F060	D761	12-	XME90080
3982		ACCBC2	F061	D762	12-	XMEA0080
3983		ACCBC3	F062	D763	12-	XMEB0080
3984		ACCBC4	F063	D764	12-	XMEC0080
3985		ACCBC5	F064	D765	12-	XMED0080
3986		ACCBC6	F065	D766	12-	XMEE0080
3987		ACCBC7	F066	D767	12-	XMEF0080
3988		ACCBC8	F067	D768	12-	XMEG0080
3989		ACCBC9	F068	D769	12-	XMEH0080
3990		ACBCA	F069	D76A	12-	XMEI0080
3991		ACBCB	F06A	D76B	12-	XMEJ0080
3992		ACBCC	F06B	D76C	12-	XMEK0080
3993		ACBCD	F06C	D76D	12-	XMEL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 34 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
3994		ACCBCE	F06D	D76E	12-	XMEM0080
3995		ACCBCE	F06E	D76F	12-	XMEN0080
3996		ACCBCE	F06F	D770	12-	XME00080
3997		ACCBCE	F070	D771	12-	XMEP0080
3998		ACCBCE	F071	D772	12-	XMEQ0080
3999		ACCBCE	F072	D773	12-	XMER0080
4000		ACCBCE	F073	D774	12-	XMES0080
4001		ACCBCE	F074	D775	12-	XMET0080
4002		ACCBCE	F075	D776	12-	XMEU0080
4003		ACCBCE	F076	D777	12-	XMEV0080
4004		ACCBCE	F077	D778	12-	XMEW0080
4005		ACCBCE	F078	D779	12-	XMEX0080
4006		ACCBCE	F079	D77A	12-	XMEY0080
4007		ACCBCE	F07A	D77B	12-	XMEZ0080
4008		ACCBCE	F07B	D77C	12-	XMF00080
4009		ACCBCE	F07C	D77D	12-	XMF10080
4010		ACCBCE	F07D	D77E	12-	XMF20080
4011		ACCBCE	F07E	D77F	12-	XMF30080
4012		ACCBCE	F080	D781	12-	XMF50080
4013		ACCBCE	F081	D782	12-	XMF60080
4014		ACCBCE	F082	D783	12-	XMF70080
4015		ACCBCE	F083	D784	12-	XMF80080
4016		ACCBCE	F084	D785	12-	XMF90080
4017		ACCBCE	F085	D786	12-	XMFA0080
4018		ACCBCE	F086	D787	12-	XMFB0080
4019		ACCBCE	F087	D788	12-	XMFC0080
4020		ACCBCE	F088	D789	12-	XMFD0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 35 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4021		ACCBE9	F089	D78A	12-	XMFE0080
4022		ACCBEA	F08A	D78B	12-	XMFF0080
4023		ACCBEB	F08B	D78C	12-	XMFG0080
4024		ACCBEC	F08C	D78D	12-	XMFH0080
4025		ACCBED	F08D	D78E	12-	XMFI0080
4026		ACCBEE	F08E	D78F	12-	XMFJ0080
4027		ACCBEF	F08F	D790	12-	XMFK0080
4028		ACCBF0	F090	D791	12-	XMFL0080
4029		ACCBF1	F091	D792	12-	XMFM0080
4030		ACCBF2	F092	D793	12-	XMFN0080
4031		ACCBF3	F093	D794	12-	XMFO0080
4032		ACCBF4	F094	D795	12-	XMFP0080
4033		ACCBF5	F095	D796	12-	XMFQ0080
4034		ACCBF6	F096	D797	12-	XMFR0080
4035		ACCBF7	F097	D798	12-	XMFS0080
4036		ACCBF8	F098	D799	12-	XMFT0080
4037		ACCBF9	F099	D79A	12-	XMFU0080
4038		ACCBFA	F09A	D79B	12-	XMFV0080
4039		ACCBFB	F09B	D79C	12-	XMFW0080
4040		ACCBFC	F09C	D79D	12-	XMFX0080
4041		ACCBFD	F09D	D79E	12-	XMFY0080
4042		ACCBFE	F09E	D79F	12-	XMFZ0080
4043		ACCCA1	F09F	D7A0	12-	XMG00080
4044		ACCCA2	F0A0	D7A1	12-	XMG10080
4045		ACCCA3	F0A1	D7A2	12-	XMG20080
4046		ACCCA4	F0A2	D7A3	12-	XMG30080
4047		ACCCA5	F0A3	D7A4	12-	XMG40080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 36 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4048		ACCCA6	F0A4	D7A5	12-	XMG50080
4049		ACCCA7	F0A5	D7A6	12-	XMG60080
4050		ACCCA8	F0A6	D7A7	12-	XMG70080
4051		ACCCA9	F0A7	D7A8	12-	XMG80080
4052		ACCCAA	F0A8	D7A9	12-	XMG90080
4053		ACCCAB	F0A9	D7AA	12-	XMGA0080
4054		ACCCAC	F0AA	D7AB	12-	XMGB0080
4055		ACCCAD	F0AB	D7AC	12-	XMGC0080
4056		ACCCAE	F0AC	D7AD	12-	XMGD0080
4057		ACCCAF	F0AD	D7AE	12-	XMGE0080
4058		ACCCB0	F0AE	D7AF	12-	XMGF0080
4059		ACCCB1	F0AF	D7B0	12-	XMGG0080
4060		ACCCB2	F0B0	D7B1	12-	XMGH0080
4061		ACCCB3	F0B1	D7B2	12-	XMGI0080
4062		ACCCB4	F0B2	D7B3	12-	XMGJ0080
4063		ACCCB5	F0B3	D7B4	12-	XMGK0080
4064		ACCCB6	F0B4	D7B5	12-	XMGL0080
4065		ACCCB7	F0B5	D7B6	12-	XMGM0080
4066		ACCCB8	F0B6	D7B7	12-	XMGN0080
4067		ACCCB9	F0B7	D7B8	12-	XMGO0080
4068		ACCCBA	F0B8	D7B9	12-	XMGP0080
4069		ACCCBB	F0B9	D7BA	12-	XMGQ0080
4070		ACCCBC	F0BA	D7BB	12-	XMGR0080
4071		ACCCBD	F0BB	D7BC	12-	XMGS0080
4072		ACCCBE	F0BC	D7BD	12-	XMGT0080
4073		ACCCBF	F0BD	D7BE	12-	XMGU0080
4074		ACCCC0	F0BE	D7BF	12-	XMGV0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 37 of 39). User Definable Character Set (4 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4075		ACCCC1	F0BF	D7C0	12-	XMGW0080
4076		ACCCC2	F0C0	D7C1	12-	XMGX0080
4077		ACCCC3	F0C1	D7C2	12-	XMGY0080
4078		ACCCC4	F0C2	D7C3	12-	XMGZ0080
4079		ACCCC5	F0C3	D7C4	12-	XMH00080
4080		ACCCC6	F0C4	D7C5	12-	XMH10080
4081		ACCCC7	F0C5	D7C6	12-	XMH20080
4082		ACCCC8	F0C6	D7C7	12-	XMH30080
4083		ACCCC9	F0C7	D7C8	12-	XMH40080
4084		ACCCCA	F0C8	D7C9	12-	XMH50080
4085		ACCCCB	F0C9	D7CA	12-	XMH60080
4086		ACCCCC	F0CA	D7CB	12-	XMH70080
4087		ACCCCD	F0CB	D7CC	12-	XMH80080
4088		ACCCCE	F0CC	D7CD	12-	XMH90080
4089		ACCCCF	F0CD	D7CE	12-	XMHA0080
4090		ACCCD0	F0CE	D7CF	12-	XMHB0080
4091		ACCCD1	F0CF	D7D0	12-	XMHC0080
4092		ACCCD2	F0D0	D7D1	12-	XMHD0080
4093		ACCCD3	F0D1	D7D2	12-	XMHE0080
4094		ACCCD4	F0D2	D7D3	12-	XMHF0080
4095		ACCCD5	F0D3	D7D4	12-	XMHG0080
4096		ACCCD6	F0D4	D7D5	12-	XMHH0080
4097		ACCCD7	F0D5	D7D6	12-	XMHI0080
4098		ACCCD8	F0D6	D7D7	12-	XMHJ0080
4099		ACCCD9	F0D7	D7D8	12-	XMHK0080
4100		ACCCDA	F0D8	D7D9	12-	XMHL0080
4101		ACCCDB	F0D9	D7DA	12-	XMHM0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 22 (Page 38 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4102		ACCCDC	F0DA	D7DB	12-	XMHN0080
4103		ACCCDD	F0DB	D7DC	12-	XMHO0080
4104		ACCCDE	F0DC	D7DD	12-	XMHP0080
4105		ACCCDF	F0DD	D7DE	12-	XMHQ0080
4106		ACCCE0	F0DE	D7DF	12-	XMHR0080
4107		ACCCE1	F0DF	D7E0	12-	XMHS0080
4108		ACCCE2	F0E0	D7E1	12-	XMHT0080
4109		ACCCE3	F0E1	D7E2	12-	XMHU0080
4110		ACCCE4	F0E2	D7E3	12-	XMHV0080
4111		ACCCE5	F0E3	D7E4	12-	XMHW0080
4112		ACCCE6	F0E4	D7E5	12-	XMHX0080
4113		ACCCE7	F0E5	D7E6	12-	XMHY0080
4114		ACCCE8	F0E6	D7E7	12-	XMHZ0080
4115		ACCCE9	F0E7	D7E8	12-	XMI00080
4116		ACCCEA	F0E8	D7E9	12-	XMI10080
4117		ACCCEB	F0E9	D7EA	12-	XMI20080
4118		ACCCEC	F0EA	D7EB	12-	XMI30080
4119		ACCCEd	F0EB	D7EC	12-	XMI40080
4120		ACCCEE	F0EC	D7ED	12-	XMI50080
4121		ACCCEF	F0ED	D7EE	12-	XMI60080
4122		ACCCF0	F0EE	D7EF	12-	XMI70080
4123		ACCCF1	F0EF	D7F0	12-	XMI80080
4124		ACCCF2	F0F0	D7F1	12-	XMI90080
4125		ACCCF3	F0F1	D7F2	12-	XMIA0080
4126		ACCCF4	F0F2	D7F3	12-	XMIB0080
4127		ACCCF5	F0F3	D7F4	12-	XMIC0080
4128		ACCCF6	F0F4	D7F5	12-	XMID0080



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 22 (Page 39 of 39). User Definable Character Set (4 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4129		ACCCF7	F0F5	D7F6	12-	XMIE0080
4130		ACCCF8	F0F6	D7F7	12-	XMIF0080
4131		ACCCF9	F0F7	D7F8	12-	XMIG0080
4132		ACCCFA	F0F8	D7F9	12-	XMIH0080
4133		ACCCFB	F0F9	D7FA	12-	XMII0080
4134		ACCCFC	F0FA	D7FB	12-	XMIJ0080
4135		ACCCFD	F0FB	D7FC	12-	XMIK0080
4136		ACCCFE	F0FC	D7FD	12-	XMIL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 1 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4137		ACCCA1	F140	D841	12-	XMIP0080
4138		ACCCA2	F141	D842	12-	XMIQ0080
4139		ACCCA3	F142	D843	12-	XMIR0080
4140		ACCCA4	F143	D844	12-	XMIS0080
4141		ACCCA5	F144	D845	12-	XMIT0080
4142		ACCCA6	F145	D846	12-	XMIU0080
4143		ACCCA7	F146	D847	12-	XMIV0080
4144		ACCCA8	F147	D848	12-	XMIW0080
4145		ACCCA9	F148	D849	12-	XMIX0080
4146		ACCDAA	F149	D84A	12-	XMIY0080
4147		ACCDAB	F14A	D84B	12-	XMIZ0080
4148		ACCDAC	F14B	D84C	12-	XMJ00080
4149		ACCDAD	F14C	D84D	12-	XMJ10080
4150		ACCDAE	F14D	D84E	12-	XMJ20080
4151		ACCDAF	F14E	D84F	12-	XMJ30080
4152		ACCD B0	F14F	D850	12-	XMJ40080
4153		ACCD B1	F150	D851	12-	XMJ50080
4154		ACCD B2	F151	D852	12-	XMJ60080
4155		ACCD B3	F152	D853	12-	XMJ70080
4156		ACCD B4	F153	D854	12-	XMJ80080
4157		ACCD B5	F154	D855	12-	XMJ90080
4158		ACCD B6	F155	D856	12-	XMJA0080
4159		ACCD B7	F156	D857	12-	XMJB0080
4160		ACCD B8	F157	D858	12-	XMJC0080
4161		ACCD B9	F158	D859	12-	XMJD0080
4162		ACCD BA	F159	D85A	12-	XMJE0080
4163		ACCD BB	F15A	D85B	12-	XMJF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 2 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4164		ACCDBC	F15B	D85C	12-	XMJG0080
4165		ACCDBD	F15C	D85D	12-	XMJH0080
4166		ACCDBE	F15D	D85E	12-	XMJI0080
4167		ACCDBF	F15E	D85F	12-	XMJJ0080
4168		ACCDC0	F15F	D860	12-	XMJK0080
4169		ACCDC1	F160	D861	12-	XMJL0080
4170		ACCDC2	F161	D862	12-	XMJM0080
4171		ACCDC3	F162	D863	12-	XMJN0080
4172		ACCDC4	F163	D864	12-	XMJO0080
4173		ACCDC5	F164	D865	12-	XMJP0080
4174		ACCDC6	F165	D866	12-	XMJQ0080
4175		ACCDC7	F166	D867	12-	XMJR0080
4176		ACCDC8	F167	D868	12-	XMJS0080
4177		ACCDC9	F168	D869	12-	XMJT0080
4178		ACCDCA	F169	D86A	12-	XMJU0080
4179		ACDCB	F16A	D86B	12-	XMJV0080
4180		ACDCC	F16B	D86C	12-	XMJW0080
4181		ACDCD	F16C	D86D	12-	XMJX0080
4182		ACDCE	F16D	D86E	12-	XMJY0080
4183		ACDCF	F16E	D86F	12-	XMJZ0080
4184		ACDD0	F16F	D870	12-	XMK00080
4185		ACDD1	F170	D871	12-	XMK10080
4186		ACDD2	F171	D872	12-	XMK20080
4187		ACDD3	F172	D873	12-	XMK30080
4188		ACDD4	F173	D874	12-	XMK40080
4189		ACDD5	F174	D875	12-	XMK50080
4190		ACDD6	F175	D876	12-	XMK60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 3 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4191		ACCDD7	F176	D877	12-	XMK70080
4192		ACCDD8	F177	D878	12-	XMK80080
4193		ACCDD9	F178	D879	12-	XMK90080
4194		ACCDDA	F179	D87A	12-	XMKA0080
4195		ACCddb	F17A	D87B	12-	XMKB0080
4196		ACCDDC	F17B	D87C	12-	XMKC0080
4197		ACCDDD	F17C	D87D	12-	XMKD0080
4198		ACCDDDE	F17D	D87E	12-	XMKE0080
4199		ACCDDF	F17E	D87F	12-	XMKF0080
4200		ACCDE0	F180	D881	12-	XMKH0080
4201		ACCDE1	F181	D882	12-	XMKI0080
4202		ACCDE2	F182	D883	12-	XMKJ0080
4203		ACCDE3	F183	D884	12-	XMKK0080
4204		ACCDE4	F184	D885	12-	XMKL0080
4205		ACCDE5	F185	D886	12-	XMKM0080
4206		ACCDE6	F186	D887	12-	XMKN0080
4207		ACCDE7	F187	D888	12-	XMKO0080
4208		ACCDE8	F188	D889	12-	XMKP0080
4209		ACCDE9	F189	D88A	12-	XMKQ0080
4210		ACCDEA	F18A	D88B	12-	XMKR0080
4211		ACCDEB	F18B	D88C	12-	XMKS0080
4212		ACCDEC	F18C	D88D	12-	XMKT0080
4213		ACCDED	F18D	D88E	12-	XMKU0080
4214		ACCDEE	F18E	D88F	12-	XMKV0080
4215		ACCDEF	F18F	D890	12-	XMKW0080
4216		ACCDF0	F190	D891	12-	XMKX0080
4217		ACCDF1	F191	D892	12-	XMKY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 4 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4218		ACCDF2	F192	D893	12-	XMKZ0080
4219		ACCDF3	F193	D894	12-	XML00080
4220		ACCDF4	F194	D895	12-	XML10080
4221		ACCDF5	F195	D896	12-	XML20080
4222		ACCDF6	F196	D897	12-	XML30080
4223		ACCDF7	F197	D898	12-	XML40080
4224		ACCDF8	F198	D899	12-	XML50080
4225		ACCDF9	F199	D89A	12-	XML60080
4226		ACCDF A	F19A	D89B	12-	XML70080
4227		ACCDF B	F19B	D89C	12-	XML80080
4228		ACCDF C	F19C	D89D	12-	XML90080
4229		ACCDF D	F19D	D89E	12-	XMLA0080
4230		ACCDF E	F19E	D89F	12-	XMLB0080
4231		ACCEA1	F19F	D8A0	12-	XMLC0080
4232		ACCEA2	F1A0	D8A1	12-	XMLD0080
4233		ACCEA3	F1A1	D8A2	12-	XML E0080
4234		ACCEA4	F1A2	D8A3	12-	XMLF0080
4235		ACCEA5	F1A3	D8A4	12-	XMLG0080
4236		ACCEA6	F1A4	D8A5	12-	XMLH0080
4237		ACCEA7	F1A5	D8A6	12-	XMLI0080
4238		ACCEA8	F1A6	D8A7	12-	XMLJ0080
4239		ACCEA9	F1A7	D8A8	12-	XMLK0080
4240		ACCEA A	F1A8	D8A9	12-	XMLL0080
4241		ACCEA B	F1A9	D8A A	12-	XMLM0080
4242		ACCEA C	F1A A	D8A B	12-	XMLN0080
4243		ACCEA D	F1A B	D8A C	12-	XML O0080
4244		ACCEA E	F1A C	D8A D	12-	XMLP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 5 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4245		ACCEAF	F1AD	D8AE	12-	XMLQ0080
4246		ACCEB0	F1AE	D8AF	12-	XMLR0080
4247		ACCEB1	F1AF	D8B0	12-	XMLS0080
4248		ACCEB2	F1B0	D8B1	12-	XMLT0080
4249		ACCEB3	F1B1	D8B2	12-	XMLU0080
4250		ACCEB4	F1B2	D8B3	12-	XMLV0080
4251		ACCEB5	F1B3	D8B4	12-	XMLW0080
4252		ACCEB6	F1B4	D8B5	12-	XMLX0080
4253		ACCEB7	F1B5	D8B6	12-	XMLY0080
4254		ACCEB8	F1B6	D8B7	12-	XMLZ0080
4255		ACCEB9	F1B7	D8B8	12-	XMM00080
4256		ACCEBA	F1B8	D8B9	12-	XMM10080
4257		ACCEBB	F1B9	D8BA	12-	XMM20080
4258		ACCEBC	F1BA	D8BB	12-	XMM30080
4259		ACCEBD	F1BB	D8BC	12-	XMM40080
4260		ACCEBE	F1BC	D8BD	12-	XMM50080
4261		ACCEBF	F1BD	D8BE	12-	XMM60080
4262		ACCEC0	F1BE	D8BF	12-	XMM70080
4263		ACCEC1	F1BF	D8C0	12-	XMM80080
4264		ACCEC2	F1C0	D8C1	12-	XMM90080
4265		ACCEC3	F1C1	D8C2	12-	XMMA0080
4266		ACCEC4	F1C2	D8C3	12-	XMMB0080
4267		ACCEC5	F1C3	D8C4	12-	XMMC0080
4268		ACCEC6	F1C4	D8C5	12-	XMMD0080
4269		ACCEC7	F1C5	D8C6	12-	XMME0080
4270		ACCEC8	F1C6	D8C7	12-	XMMF0080
4271		ACCEC9	F1C7	D8C8	12-	XMMG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 6 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4272		ACCECA	F1C8	D8C9	12-	XMMH0080
4273		ACCECB	F1C9	D8CA	12-	XMMI0080
4274		ACCECC	F1CA	D8CB	12-	XMMJ0080
4275		ACCECD	F1CB	D8CC	12-	XMMK0080
4276		ACCECE	F1CC	D8CD	12-	XMML0080
4277		ACCECF	F1CD	D8CE	12-	XMMM0080
4278		ACCED0	F1CE	D8CF	12-	XMMN0080
4279		ACCED1	F1CF	D8D0	12-	XMMO0080
4280		ACCED2	F1D0	D8D1	12-	XMMP0080
4281		ACCED3	F1D1	D8D2	12-	XMMQ0080
4282		ACCED4	F1D2	D8D3	12-	XMMR0080
4283		ACCED5	F1D3	D8D4	12-	XMMS0080
4284		ACCED6	F1D4	D8D5	12-	XMMT0080
4285		ACCED7	F1D5	D8D6	12-	XMMU0080
4286		ACCED8	F1D6	D8D7	12-	XMMV0080
4287		ACCED9	F1D7	D8D8	12-	XMMW0080
4288		ACCEDA	F1D8	D8D9	12-	XMMX0080
4289		ACCEDB	F1D9	D8DA	12-	XMMY0080
4290		ACCEDC	F1DA	D8DB	12-	XMMZ0080
4291		ACCEDD	F1DB	D8DC	12-	XMN00080
4292		ACCED E	F1DC	D8DD	12-	XMN10080
4293		ACCED F	F1DD	D8DE	12-	XMN20080
4294		ACC E E 0	F1DE	D8DF	12-	XMN30080
4295		ACC E E 1	F1DF	D8E0	12-	XMN40080
4296		ACC E E 2	F1E0	D8E1	12-	XMN50080
4297		ACC E E 3	F1E1	D8E2	12-	XMN60080
4298		ACC E E 4	F1E2	D8E3	12-	XMN70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 7 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4299		ACCEE5	F1E3	D8E4	12-	XMN80080
4300		ACCEE6	F1E4	D8E5	12-	XMN90080
4301		ACCEE7	F1E5	D8E6	12-	XMNA0080
4302		ACCEE8	F1E6	D8E7	12-	XMNB0080
4303		ACCEE9	F1E7	D8E8	12-	XMNC0080
4304		ACCEEA	F1E8	D8E9	12-	XMND0080
4305		ACCEEB	F1E9	D8EA	12-	XMNE0080
4306		ACCEEC	F1EA	D8EB	12-	XMNF0080
4307		ACCEED	F1EB	D8EC	12-	XMNG0080
4308		ACCEEE	F1EC	D8ED	12-	XMNH0080
4309		ACCEEF	F1ED	D8EE	12-	XMNI0080
4310		ACCEF0	F1EE	D8EF	12-	XMNJ0080
4311		ACCEF1	F1EF	D8F0	12-	XMNK0080
4312		ACCEF2	F1F0	D8F1	12-	XMNL0080
4313		ACCEF3	F1F1	D8F2	12-	XMNM0080
4314		ACCEF4	F1F2	D8F3	12-	XMNN0080
4315		ACCEF5	F1F3	D8F4	12-	XMNO0080
4316		ACCEF6	F1F4	D8F5	12-	XMNP0080
4317		ACCEF7	F1F5	D8F6	12-	XMNQ0080
4318		ACCEF8	F1F6	D8F7	12-	XMNR0080
4319		ACCEF9	F1F7	D8F8	12-	XMNS0080
4320		ACCEFA	F1F8	D8F9	12-	XMNT0080
4321		ACCEFB	F1F9	D8FA	12-	XMNU0080
4322		ACCEFC	F1FA	D8FB	12-	XMNV0080
4323		ACCEFD	F1FB	D8FC	12-	XMNW0080
4324		ACCEFE	F1FC	D8FD	12-	XMNX0080
4325		ACCFA1	F240	D941	12-	XMO10080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 8 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4326		ACCF A2	F241	D942	12-	XMO20080
4327		ACCF A3	F242	D943	12-	XMO30080
4328		ACCF A4	F243	D944	12-	XMO40080
4329		ACCF A5	F244	D945	12-	XMO50080
4330		ACCF A6	F245	D946	12-	XMO60080
4331		ACCF A7	F246	D947	12-	XMO70080
4332		ACCF A8	F247	D948	12-	XMO80080
4333		ACCF A9	F248	D949	12-	XMO90080
4334		ACCF A A	F249	D94A	12-	XMOA0080
4335		ACCF A B	F24A	D94B	12-	XMOB0080
4336		ACCF A C	F24B	D94C	12-	XMOC0080
4337		ACCF A D	F24C	D94D	12-	XMOD0080
4338		ACCF A E	F24D	D94E	12-	XMOE0080
4339		ACCF A F	F24E	D94F	12-	XMOF0080
4340		ACCF B 0	F24F	D950	12-	XMOG0080
4341		ACCF B 1	F250	D951	12-	XMOH0080
4342		ACCF B 2	F251	D952	12-	XMOI0080
4343		ACCF B 3	F252	D953	12-	XMOJ0080
4344		ACCF B 4	F253	D954	12-	XMOK0080
4345		ACCF B 5	F254	D955	12-	XMOL0080
4346		ACCF B 6	F255	D956	12-	XMOM0080
4347		ACCF B 7	F256	D957	12-	XMON0080
4348		ACCF B 8	F257	D958	12-	XMOO0080
4349		ACCF B 9	F258	D959	12-	XMOP0080
4350		ACCF B A	F259	D95A	12-	XMOQ0080
4351		ACCF B B	F25A	D95B	12-	XMOR0080
4352		ACCF B C	F25B	D95C	12-	XMOS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 23 (Page 9 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4353		ACCFBD	F25C	D95D	12-	XMOT0080
4354		ACCFBE	F25D	D95E	12-	XMOU0080
4355		ACCFBF	F25E	D95F	12-	XMOV0080
4356		ACCFC0	F25F	D960	12-	XMOW0080
4357		ACCFC1	F260	D961	12-	XMOX0080
4358		ACCFC2	F261	D962	12-	XMOY0080
4359		ACCFC3	F262	D963	12-	XMOZ0080
4360		ACCFC4	F263	D964	12-	XMP00080
4361		ACCFC5	F264	D965	12-	XMP10080
4362		ACCFC6	F265	D966	12-	XMP20080
4363		ACCFC7	F266	D967	12-	XMP30080
4364		ACCFC8	F267	D968	12-	XMP40080
4365		ACCFC9	F268	D969	12-	XMP50080
4366		ACCFCA	F269	D96A	12-	XMP60080
4367		ACCFCB	F26A	D96B	12-	XMP70080
4368		ACCFCC	F26B	D96C	12-	XMP80080
4369		ACCFCD	F26C	D96D	12-	XMP90080
4370		ACCFCE	F26D	D96E	12-	XMPA0080
4371		ACCFCF	F26E	D96F	12-	XMPB0080
4372		ACCFD0	F26F	D970	12-	XMPC0080
4373		ACCFD1	F270	D971	12-	XMPD0080
4374		ACCFD2	F271	D972	12-	XMPE0080
4375		ACCFD3	F272	D973	12-	XMPF0080
4376		ACCFD4	F273	D974	12-	XMPG0080
4377		ACCFD5	F274	D975	12-	XMPH0080
4378		ACCFD6	F275	D976	12-	XMPI0080
4379		ACCFD7	F276	D977	12-	XMPJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 10 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4380		ACCFD8	F277	D978	12-	XMPK0080
4381		ACCFD9	F278	D979	12-	XMPL0080
4382		ACCFDA	F279	D97A	12-	XMPM0080
4383		ACCFDB	F27A	D97B	12-	XMPN0080
4384		ACCFDC	F27B	D97C	12-	XMPO0080
4385		ACCFDD	F27C	D97D	12-	XMPP0080
4386		ACCFDE	F27D	D97E	12-	XMPQ0080
4387		ACCFDF	F27E	D97F	12-	XMPR0080
4388		ACCFE0	F280	D981	12-	XMPT0080
4389		ACCFE1	F281	D982	12-	XMPU0080
4390		ACCFE2	F282	D983	12-	XMPV0080
4391		ACCFE3	F283	D984	12-	XMPW0080
4392		ACCFE4	F284	D985	12-	XMPX0080
4393		ACCFE5	F285	D986	12-	XMPY0080
4394		ACCFE6	F286	D987	12-	XMPZ0080
4395		ACCFE7	F287	D988	12-	XMQ00080
4396		ACCFE8	F288	D989	12-	XMQ10080
4397		ACCFE9	F289	D98A	12-	XMQ20080
4398		ACCFEA	F28A	D98B	12-	XMQ30080
4399		ACCFEB	F28B	D98C	12-	XMQ40080
4400		ACCFEC	F28C	D98D	12-	XMQ50080
4401		ACCFED	F28D	D98E	12-	XMQ60080
4402		ACCFEE	F28E	D98F	12-	XMQ70080
4403		ACCFEF	F28F	D990	12-	XMQ80080
4404		ACCFF0	F290	D991	12-	XMQ90080
4405		ACCFF1	F291	D992	12-	XMQA0080
4406		ACCFF2	F292	D993	12-	XMQB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 23 (Page 11 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4407		ACCF3	F293	D994	12-	XMQC0080
4408		ACCF4	F294	D995	12-	XMQD0080
4409		ACCF5	F295	D996	12-	XMQE0080
4410		ACCF6	F296	D997	12-	XMQF0080
4411		ACCF7	F297	D998	12-	XMQG0080
4412		ACCF8	F298	D999	12-	XMQH0080
4413		ACCF9	F299	D99A	12-	XMQI0080
4414		ACCFA	F29A	D99B	12-	XMQJ0080
4415		ACCFB	F29B	D99C	12-	XMQK0080
4416		ACCFC	F29C	D99D	12-	XMQL0080
4417		ACCFD	F29D	D99E	12-	XMQM0080
4418		ACCFE	F29E	D99F	12-	XMQN0080
4419		ACD0A1	F29F	D9A0	12-	XMQO0080
4420		ACD0A2	F2A0	D9A1	12-	XMQP0080
4421		ACD0A3	F2A1	D9A2	12-	XMQQ0080
4422		ACD0A4	F2A2	D9A3	12-	XMQR0080
4423		ACD0A5	F2A3	D9A4	12-	XMQS0080
4424		ACD0A6	F2A4	D9A5	12-	XMQT0080
4425		ACD0A7	F2A5	D9A6	12-	XMQU0080
4426		ACD0A8	F2A6	D9A7	12-	XMQV0080
4427		ACD0A9	F2A7	D9A8	12-	XMQW0080
4428		ACD0AA	F2A8	D9A9	12-	XMQX0080
4429		ACD0AB	F2A9	D9AA	12-	XMQY0080
4430		ACD0AC	F2AA	D9AB	12-	XMQZ0080
4431		ACD0AD	F2AB	D9AC	12-	XMR00080
4432		ACD0AE	F2AC	D9AD	12-	XMR10080
4433		ACD0AF	F2AD	D9AE	12-	XMR20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 12 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4434		ACD0B0	F2AE	D9AF	12-	XMR30080
4435		ACD0B1	F2AF	D9B0	12-	XMR40080
4436		ACD0B2	F2B0	D9B1	12-	XMR50080
4437		ACD0B3	F2B1	D9B2	12-	XMR60080
4438		ACD0B4	F2B2	D9B3	12-	XMR70080
4439		ACD0B5	F2B3	D9B4	12-	XMR80080
4440		ACD0B6	F2B4	D9B5	12-	XMR90080
4441		ACD0B7	F2B5	D9B6	12-	XMRA0080
4442		ACD0B8	F2B6	D9B7	12-	XMRB0080
4443		ACD0B9	F2B7	D9B8	12-	XMRC0080
4444		ACD0BA	F2B8	D9B9	12-	XMRD0080
4445		ACD0BB	F2B9	D9BA	12-	XMRE0080
4446		ACD0BC	F2BA	D9BB	12-	XMRF0080
4447		ACD0BD	F2BB	D9BC	12-	XMRG0080
4448		ACD0BE	F2BC	D9BD	12-	XMRH0080
4449		ACD0BF	F2BD	D9BE	12-	XMRI0080
4450		ACD0C0	F2BE	D9BF	12-	XMRJ0080
4451		ACD0C1	F2BF	D9C0	12-	XMRK0080
4452		ACD0C2	F2C0	D9C1	12-	XMLL0080
4453		ACD0C3	F2C1	D9C2	12-	XMRM0080
4454		ACD0C4	F2C2	D9C3	12-	XMRN0080
4455		ACD0C5	F2C3	D9C4	12-	XMRO0080
4456		ACD0C6	F2C4	D9C5	12-	XMRP0080
4457		ACD0C7	F2C5	D9C6	12-	XMRQ0080
4458		ACD0C8	F2C6	D9C7	12-	XMRR0080
4459		ACD0C9	F2C7	D9C8	12-	XMRS0080
4460		ACD0CA	F2C8	D9C9	12-	XMRT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 13 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4461		ACD0CB	F2C9	D9CA	12-	XMRU0080
4462		ACD0CC	F2CA	D9CB	12-	XMRV0080
4463		ACD0CD	F2CB	D9CC	12-	XMRW0080
4464		ACD0CE	F2CC	D9CD	12-	XMRX0080
4465		ACD0CF	F2CD	D9CE	12-	XMRY0080
4466		ACD0D0	F2CE	D9CF	12-	XMRZ0080
4467		ACD0D1	F2CF	D9D0	12-	XMS00080
4468		ACD0D2	F2D0	D9D1	12-	XMS10080
4469		ACD0D3	F2D1	D9D2	12-	XMS20080
4470		ACD0D4	F2D2	D9D3	12-	XMS30080
4471		ACD0D5	F2D3	D9D4	12-	XMS40080
4472		ACD0D6	F2D4	D9D5	12-	XMS50080
4473		ACD0D7	F2D5	D9D6	12-	XMS60080
4474		ACD0D8	F2D6	D9D7	12-	XMS70080
4475		ACD0D9	F2D7	D9D8	12-	XMS80080
4476		ACD0DA	F2D8	D9D9	12-	XMS90080
4477		ACD0DB	F2D9	D9DA	12-	XMSA0080
4478		ACD0DC	F2DA	D9DB	12-	XMSB0080
4479		ACD0DD	F2DB	D9DC	12-	XMSC0080
4480		ACD0DE	F2DC	D9DD	12-	XMSD0080
4481		ACD0DF	F2DD	D9DE	12-	XMSE0080
4482		ACD0E0	F2DE	D9DF	12-	XMSF0080
4483		ACD0E1	F2DF	D9E0	12-	XMSG0080
4484		ACD0E2	F2E0	D9E1	12-	XMSH0080
4485		ACD0E3	F2E1	D9E2	12-	XMSI0080
4486		ACD0E4	F2E2	D9E3	12-	XMSJ0080
4487		ACD0E5	F2E3	D9E4	12-	XMSK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 14 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4488		ACD0E6	F2E4	D9E5	12-	XMSL0080
4489		ACD0E7	F2E5	D9E6	12-	XMSM0080
4490		ACD0E8	F2E6	D9E7	12-	XMSN0080
4491		ACD0E9	F2E7	D9E8	12-	XMSO0080
4492		ACD0EA	F2E8	D9E9	12-	XMSP0080
4493		ACD0EB	F2E9	D9EA	12-	XMSQ0080
4494		ACD0EC	F2EA	D9EB	12-	XMSR0080
4495		ACD0ED	F2EB	D9EC	12-	XMSS0080
4496		ACD0EE	F2EC	D9ED	12-	XMST0080
4497		ACD0EF	F2ED	D9EE	12-	XMSU0080
4498		ACD0F0	F2EE	D9EF	12-	XMSV0080
4499		ACD0F1	F2EF	D9F0	12-	XMSW0080
4500		ACD0F2	F2F0	D9F1	12-	XMSX0080
4501		ACD0F3	F2F1	D9F2	12-	XMSY0080
4502		ACD0F4	F2F2	D9F3	12-	XMSZ0080
4503		ACD0F5	F2F3	D9F4	12-	XMT00080
4504		ACD0F6	F2F4	D9F5	12-	XMT10080
4505		ACD0F7	F2F5	D9F6	12-	XMT20080
4506		ACD0F8	F2F6	D9F7	12-	XMT30080
4507		ACD0F9	F2F7	D9F8	12-	XMT40080
4508		ACD0FA	F2F8	D9F9	12-	XMT50080
4509		ACD0FB	F2F9	D9FA	12-	XMT60080
4510		ACD0FC	F2FA	D9FB	12-	XMT70080
4511		ACD0FD	F2FB	D9FC	12-	XMT80080
4512		ACD0FE	F2FC	D9FD	12-	XMT90080
4513		ACD1A1	F340	DA41	12-	XMTD0080
4514		ACD1A2	F341	DA42	12-	XMTE0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 15 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4515		ACD1A3	F342	DA43	12-	XMTF0080
4516		ACD1A4	F343	DA44	12-	XMTG0080
4517		ACD1A5	F344	DA45	12-	XMTH0080
4518		ACD1A6	F345	DA46	12-	XMTI0080
4519		ACD1A7	F346	DA47	12-	XMTJ0080
4520		ACD1A8	F347	DA48	12-	XMTK0080
4521		ACD1A9	F348	DA49	12-	XMTL0080
4522		ACD1AA	F349	DA4A	12-	XMTM0080
4523		ACD1AB	F34A	DA4B	12-	XMTN0080
4524		ACD1AC	F34B	DA4C	12-	XMTO0080
4525		ACD1AD	F34C	DA4D	12-	XMTP0080
4526		ACD1AE	F34D	DA4E	12-	XMTQ0080
4527		ACD1AF	F34E	DA4F	12-	XMTR0080
4528		ACD1B0	F34F	DA50	12-	XMTS0080
4529		ACD1B1	F350	DA51	12-	XMTT0080
4530		ACD1B2	F351	DA52	12-	XMTU0080
4531		ACD1B3	F352	DA53	12-	XMTV0080
4532		ACD1B4	F353	DA54	12-	XMTW0080
4533		ACD1B5	F354	DA55	12-	XMTX0080
4534		ACD1B6	F355	DA56	12-	XMTY0080
4535		ACD1B7	F356	DA57	12-	XMTZ0080
4536		ACD1B8	F357	DA58	12-	XMU00080
4537		ACD1B9	F358	DA59	12-	XMU10080
4538		ACD1BA	F359	DA5A	12-	XMU20080
4539		ACD1BB	F35A	DA5B	12-	XMU30080
4540		ACD1BC	F35B	DA5C	12-	XMU40080
4541		ACD1BD	F35C	DA5D	12-	XMU50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 16 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4542		ACD1BE	F35D	DA5E	12-	XMU60080
4543		ACD1BF	F35E	DA5F	12-	XMU70080
4544		ACD1C0	F35F	DA60	12-	XMU80080
4545		ACD1C1	F360	DA61	12-	XMU90080
4546		ACD1C2	F361	DA62	12-	XMUA0080
4547		ACD1C3	F362	DA63	12-	XMUB0080
4548		ACD1C4	F363	DA64	12-	XMUC0080
4549		ACD1C5	F364	DA65	12-	XMUD0080
4550		ACD1C6	F365	DA66	12-	XMUE0080
4551		ACD1C7	F366	DA67	12-	XMUF0080
4552		ACD1C8	F367	DA68	12-	XMUG0080
4553		ACD1C9	F368	DA69	12-	XMUH0080
4554		ACD1CA	F369	DA6A	12-	XMUI0080
4555		ACD1CB	F36A	DA6B	12-	XMUJ0080
4556		ACD1CC	F36B	DA6C	12-	XMUK0080
4557		ACD1CD	F36C	DA6D	12-	XMUL0080
4558		ACD1CE	F36D	DA6E	12-	XMUM0080
4559		ACD1CF	F36E	DA6F	12-	XMUN0080
4560		ACD1D0	F36F	DA70	12-	XMUO0080
4561		ACD1D1	F370	DA71	12-	XMUP0080
4562		ACD1D2	F371	DA72	12-	XMUQ0080
4563		ACD1D3	F372	DA73	12-	XMUR0080
4564		ACD1D4	F373	DA74	12-	XMUS0080
4565		ACD1D5	F374	DA75	12-	XMUT0080
4566		ACD1D6	F375	DA76	12-	XMUU0080
4567		ACD1D7	F376	DA77	12-	XMUV0080
4568		ACD1D8	F377	DA78	12-	XMUW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 23 (Page 17 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4569		ACD1D9	F378	DA79	12-	XMUX0080
4570		ACD1DA	F379	DA7A	12-	XMUY0080
4571		ACD1DB	F37A	DA7B	12-	XMUZ0080
4572		ACD1DC	F37B	DA7C	12-	XMV00080
4573		ACD1DD	F37C	DA7D	12-	XMV10080
4574		ACD1DE	F37D	DA7E	12-	XMV20080
4575		ACD1DF	F37E	DA7F	12-	XMV30080
4576		ACD1E0	F380	DA81	12-	XMV50080
4577		ACD1E1	F381	DA82	12-	XMV60080
4578		ACD1E2	F382	DA83	12-	XMV70080
4579		ACD1E3	F383	DA84	12-	XMV80080
4580		ACD1E4	F384	DA85	12-	XMV90080
4581		ACD1E5	F385	DA86	12-	XMVA0080
4582		ACD1E6	F386	DA87	12-	XMVB0080
4583		ACD1E7	F387	DA88	12-	XMVC0080
4584		ACD1E8	F388	DA89	12-	XMVD0080
4585		ACD1E9	F389	DA8A	12-	XMVE0080
4586		ACD1EA	F38A	DA8B	12-	XMVF0080
4587		ACD1EB	F38B	DA8C	12-	XMVG0080
4588		ACD1EC	F38C	DA8D	12-	XMVH0080
4589		ACD1ED	F38D	DA8E	12-	XMVI0080
4590		ACD1EE	F38E	DA8F	12-	XMVJ0080
4591		ACD1EF	F38F	DA90	12-	XMVK0080
4592		ACD1F0	F390	DA91	12-	XMVL0080
4593		ACD1F1	F391	DA92	12-	XMVM0080
4594		ACD1F2	F392	DA93	12-	XMVN0080
4595		ACD1F3	F393	DA94	12-	XMVO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 18 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4596		ACD1F4	F394	DA95	12-	XMVP0080
4597		ACD1F5	F395	DA96	12-	XMVQ0080
4598		ACD1F6	F396	DA97	12-	XMVR0080
4599		ACD1F7	F397	DA98	12-	XMVS0080
4600		ACD1F8	F398	DA99	12-	XMVT0080
4601		ACD1F9	F399	DA9A	12-	XMVU0080
4602		ACD1FA	F39A	DA9B	12-	XMVV0080
4603		ACD1FB	F39B	DA9C	12-	XMVW0080
4604		ACD1FC	F39C	DA9D	12-	XMVX0080
4605		ACD1FD	F39D	DA9E	12-	XMVY0080
4606		ACD1FE	F39E	DA9F	12-	XMVZ0080
4607		ACD2A1	F39F	DAA0	12-	XMW00080
4608		ACD2A2	F3A0	DAA1	12-	XMW10080
4609		ACD2A3	F3A1	DAA2	12-	XMW20080
4610		ACD2A4	F3A2	DAA3	12-	XMW30080
4611		ACD2A5	F3A3	DAA4	12-	XMW40080
4612		ACD2A6	F3A4	DAA5	12-	XMW50080
4613		ACD2A7	F3A5	DAA6	12-	XMW60080
4614		ACD2A8	F3A6	DAA7	12-	XMW70080
4615		ACD2A9	F3A7	DAA8	12-	XMW80080
4616		ACD2AA	F3A8	DAA9	12-	XMW90080
4617		ACD2AB	F3A9	DAAA	12-	XMWA0080
4618		ACD2AC	F3AA	DAAB	12-	XMWB0080
4619		ACD2AD	F3AB	DAAC	12-	XMWC0080
4620		ACD2AE	F3AC	DAAD	12-	XMWD0080
4621		ACD2AF	F3AD	DAAE	12-	XMWE0080
4622		ACD2B0	F3AE	DAAF	12-	XMWF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 19 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4623		ACD2B1	F3AF	DAB0	12-	XMWG0080
4624		ACD2B2	F3B0	DAB1	12-	XMWH0080
4625		ACD2B3	F3B1	DAB2	12-	XMWI0080
4626		ACD2B4	F3B2	DAB3	12-	XMWJ0080
4627		ACD2B5	F3B3	DAB4	12-	XMWK0080
4628		ACD2B6	F3B4	DAB5	12-	XMWL0080
4629		ACD2B7	F3B5	DAB6	12-	XMWM0080
4630		ACD2B8	F3B6	DAB7	12-	XMWN0080
4631		ACD2B9	F3B7	DAB8	12-	XMWO0080
4632		ACD2BA	F3B8	DAB9	12-	XMWP0080
4633		ACD2BB	F3B9	DABA	12-	XMWQ0080
4634		ACD2BC	F3BA	DABB	12-	XMWR0080
4635		ACD2BD	F3BB	DABC	12-	XMWS0080
4636		ACD2BE	F3BC	DABD	12-	XMWT0080
4637		ACD2BF	F3BD	DABE	12-	XMWU0080
4638		ACD2C0	F3BE	DABF	12-	XMWV0080
4639		ACD2C1	F3BF	DAC0	12-	XMWW0080
4640		ACD2C2	F3C0	DAC1	12-	XMWX0080
4641		ACD2C3	F3C1	DAC2	12-	XMWY0080
4642		ACD2C4	F3C2	DAC3	12-	XMWZ0080
4643		ACD2C5	F3C3	DAC4	12-	XMW00080
4644		ACD2C6	F3C4	DAC5	12-	XMW10080
4645		ACD2C7	F3C5	DAC6	12-	XMW20080
4646		ACD2C8	F3C6	DAC7	12-	XMW30080
4647		ACD2C9	F3C7	DAC8	12-	XMW40080
4648		ACD2CA	F3C8	DAC9	12-	XMW50080
4649		ACD2CB	F3C9	DACA	12-	XMW60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 20 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4650		ACD2CC	F3CA	DACB	12-	XMx70080
4651		ACD2CD	F3CB	DACC	12-	XMx80080
4652		ACD2CE	F3CC	DACD	12-	XMx90080
4653		ACD2CF	F3CD	DACE	12-	XMxA0080
4654		ACD2D0	F3CE	DACF	12-	XMxB0080
4655		ACD2D1	F3CF	DAD0	12-	XMxC0080
4656		ACD2D2	F3D0	DAD1	12-	XMxD0080
4657		ACD2D3	F3D1	DAD2	12-	XMxE0080
4658		ACD2D4	F3D2	DAD3	12-	XMxF0080
4659		ACD2D5	F3D3	DAD4	12-	XMxG0080
4660		ACD2D6	F3D4	DAD5	12-	XMxH0080
4661		ACD2D7	F3D5	DAD6	12-	XMxI0080
4662		ACD2D8	F3D6	DAD7	12-	XMxJ0080
4663		ACD2D9	F3D7	DAD8	12-	XMxK0080
4664		ACD2DA	F3D8	DAD9	12-	XMxL0080
4665		ACD2DB	F3D9	DADA	12-	XMxM0080
4666		ACD2DC	F3DA	DADB	12-	XMxN0080
4667		ACD2DD	F3DB	DADC	12-	XMxO0080
4668		ACD2DE	F3DC	DADD	12-	XMxP0080
4669		ACD2DF	F3DD	DADE	12-	XMxQ0080
4670		ACD2E0	F3DE	DADF	12-	XMxR0080
4671		ACD2E1	F3DF	DAE0	12-	XMxS0080
4672		ACD2E2	F3E0	DAE1	12-	XMxT0080
4673		ACD2E3	F3E1	DAE2	12-	XMxU0080
4674		ACD2E4	F3E2	DAE3	12-	XMxV0080
4675		ACD2E5	F3E3	DAE4	12-	XMxW0080
4676		ACD2E6	F3E4	DAE5	12-	XMxX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 21 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4677		ACD2E7	F3E5	DAE6	12-	XMY0080
4678		ACD2E8	F3E6	DAE7	12-	XMZ0080
4679		ACD2E9	F3E7	DAE8	12-	XMY0080
4680		ACD2EA	F3E8	DAE9	12-	XMY10080
4681		ACD2EB	F3E9	DAEA	12-	XMY20080
4682		ACD2EC	F3EA	DAEB	12-	XMY30080
4683		ACD2ED	F3EB	DAEC	12-	XMY40080
4684		ACD2EE	F3EC	DAED	12-	XMY50080
4685		ACD2EF	F3ED	DAEE	12-	XMY60080
4686		ACD2F0	F3EE	DAEF	12-	XMY70080
4687		ACD2F1	F3EF	DAF0	12-	XMY80080
4688		ACD2F2	F3F0	DAF1	12-	XMY90080
4689		ACD2F3	F3F1	DAF2	12-	XMYA0080
4690		ACD2F4	F3F2	DAF3	12-	XMYB0080
4691		ACD2F5	F3F3	DAF4	12-	XMYC0080
4692		ACD2F6	F3F4	DAF5	12-	XMYD0080
4693		ACD2F7	F3F5	DAF6	12-	XMYE0080
4694		ACD2F8	F3F6	DAF7	12-	XMYF0080
4695		ACD2F9	F3F7	DAF8	12-	XMYG0080
4696		ACD2FA	F3F8	DAF9	12-	XMYH0080
4697		ACD2FB	F3F9	DAFA	12-	XMYI0080
4698		ACD2FC	F3FA	DAFB	12-	XMYJ0080
4699		ACD2FD	F3FB	DAFC	12-	XMYK0080
4700		ACD2FE	F3FC	DAFD	12-	XMYL0080
4701		ACD3A1	F440	DB41	12-	XMYP0080
4702		ACD3A2	F441	DB42	12-	XMYQ0080
4703		ACD3A3	F442	DB43	12-	XMYR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 22 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4704		ACD3A4	F443	DB44	12-	XMYS0080
4705		ACD3A5	F444	DB45	12-	XMYT0080
4706		ACD3A6	F445	DB46	12-	XMYU0080
4707		ACD3A7	F446	DB47	12-	XMYV0080
4708		ACD3A8	F447	DB48	12-	XMYW0080
4709		ACD3A9	F448	DB49	12-	XMYX0080
4710		ACD3AA	F449	DB4A	12-	XMY0080
4711		ACD3AB	F44A	DB4B	12-	XMYZ0080
4712		ACD3AC	F44B	DB4C	12-	XMZ00080
4713		ACD3AD	F44C	DB4D	12-	XMZ10080
4714		ACD3AE	F44D	DB4E	12-	XMZ20080
4715		ACD3AF	F44E	DB4F	12-	XMZ30080
4716		ACD3B0	F44F	DB50	12-	XMZ40080
4717		ACD3B1	F450	DB51	12-	XMZ50080
4718		ACD3B2	F451	DB52	12-	XMZ60080
4719		ACD3B3	F452	DB53	12-	XMZ70080
4720		ACD3B4	F453	DB54	12-	XMZ80080
4721		ACD3B5	F454	DB55	12-	XMZ90080
4722		ACD3B6	F455	DB56	12-	XMZA0080
4723		ACD3B7	F456	DB57	12-	XMZB0080
4724		ACD3B8	F457	DB58	12-	XMZC0080
4725		ACD3B9	F458	DB59	12-	XMZD0080
4726		ACD3BA	F459	DB5A	12-	XMZE0080
4727		ACD3BB	F45A	DB5B	12-	XMZF0080
4728		ACD3BC	F45B	DB5C	12-	XMZG0080
4729		ACD3BD	F45C	DB5D	12-	XMZH0080
4730		ACD3BE	F45D	DB5E	12-	XMZI0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 23 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4731		ACD3BF	F45E	DB5F	12-	XMZJ0080
4732		ACD3C0	F45F	DB60	12-	XMZK0080
4733		ACD3C1	F460	DB61	12-	XMZL0080
4734		ACD3C2	F461	DB62	12-	XMZM0080
4735		ACD3C3	F462	DB63	12-	XMZN0080
4736		ACD3C4	F463	DB64	12-	XMZO0080
4737		ACD3C5	F464	DB65	12-	XMZP0080
4738		ACD3C6	F465	DB66	12-	XMZQ0080
4739		ACD3C7	F466	DB67	12-	XMZR0080
4740		ACD3C8	F467	DB68	12-	XMZS0080
4741		ACD3C9	F468	DB69	12-	XMZT0080
4742		ACD3CA	F469	DB6A	12-	XMZU0080
4743		ACD3CB	F46A	DB6B	12-	XMZV0080
4744		ACD3CC	F46B	DB6C	12-	XMZW0080
4745		ACD3CD	F46C	DB6D	12-	XMZX0080
4746		ACD3CE	F46D	DB6E	12-	XMZY0080
4747		ACD3CF	F46E	DB6F	12-	XMZZ0080
4748		ACD3D0	F46F	DB70	12-	XN000080
4749		ACD3D1	F470	DB71	12-	XN010080
4750		ACD3D2	F471	DB72	12-	XN020080
4751		ACD3D3	F472	DB73	12-	XN030080
4752		ACD3D4	F473	DB74	12-	XN040080
4753		ACD3D5	F474	DB75	12-	XN050080
4754		ACD3D6	F475	DB76	12-	XN060080
4755		ACD3D7	F476	DB77	12-	XN070080
4756		ACD3D8	F477	DB78	12-	XN080080
4757		ACD3D9	F478	DB79	12-	XN090080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 24 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4758		ACD3DA	F479	DB7A	12-	XN0A0080
4759		ACD3DB	F47A	DB7B	12-	XN0B0080
4760		ACD3DC	F47B	DB7C	12-	XN0C0080
4761		ACD3DD	F47C	DB7D	12-	XN0D0080
4762		ACD3DE	F47D	DB7E	12-	XN0E0080
4763		ACD3DF	F47E	DB7F	12-	XN0F0080
4764		ACD3E0	F480	DB81	12-	XN0H0080
4765		ACD3E1	F481	DB82	12-	XN0I0080
4766		ACD3E2	F482	DB83	12-	XN0J0080
4767		ACD3E3	F483	DB84	12-	XN0K0080
4768		ACD3E4	F484	DB85	12-	XN0L0080
4769		ACD3E5	F485	DB86	12-	XN0M0080
4770		ACD3E6	F486	DB87	12-	XN0N0080
4771		ACD3E7	F487	DB88	12-	XN0O0080
4772		ACD3E8	F488	DB89	12-	XN0P0080
4773		ACD3E9	F489	DB8A	12-	XN0Q0080
4774		ACD3EA	F48A	DB8B	12-	XN0R0080
4775		ACD3EB	F48B	DB8C	12-	XN0S0080
4776		ACD3EC	F48C	DB8D	12-	XN0T0080
4777		ACD3ED	F48D	DB8E	12-	XN0U0080
4778		ACD3EE	F48E	DB8F	12-	XN0V0080
4779		ACD3EF	F48F	DB90	12-	XN0W0080
4780		ACD3F0	F490	DB91	12-	XN0X0080
4781		ACD3F1	F491	DB92	12-	XN0Y0080
4782		ACD3F2	F492	DB93	12-	XN0Z0080
4783		ACD3F3	F493	DB94	12-	XN100080
4784		ACD3F4	F494	DB95	12-	XN110080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 25 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4785		ACD3F5	F495	DB96	12-	XN120080
4786		ACD3F6	F496	DB97	12-	XN130080
4787		ACD3F7	F497	DB98	12-	XN140080
4788		ACD3F8	F498	DB99	12-	XN150080
4789		ACD3F9	F499	DB9A	12-	XN160080
4790		ACD3FA	F49A	DB9B	12-	XN170080
4791		ACD3FB	F49B	DB9C	12-	XN180080
4792		ACD3FC	F49C	DB9D	12-	XN190080
4793		ACD3FD	F49D	DB9E	12-	XN1A0080
4794		ACD3FE	F49E	DB9F	12-	XN1B0080
4795		ACD4A1	F49F	DBA0	12-	XN1C0080
4796		ACD4A2	F4A0	DBA1	12-	XN1D0080
4797		ACD4A3	F4A1	DBA2	12-	XN1E0080
4798		ACD4A4	F4A2	DBA3	12-	XN1F0080
4799		ACD4A5	F4A3	DBA4	12-	XN1G0080
4800		ACD4A6	F4A4	DBA5	12-	XN1H0080
4801		ACD4A7	F4A5	DBA6	12-	XN1I0080
4802		ACD4A8	F4A6	DBA7	12-	XN1J0080
4803		ACD4A9	F4A7	DBA8	12-	XN1K0080
4804		ACD4AA	F4A8	DBA9	12-	XN1L0080
4805		ACD4AB	F4A9	DBAA	12-	XN1M0080
4806		ACD4AC	F4AA	DBAB	12-	XN1N0080
4807		ACD4AD	F4AB	DBAC	12-	XN1O0080
4808		ACD4AE	F4AC	DBAD	12-	XN1P0080
4809		ACD4AF	F4AD	DBAE	12-	XN1Q0080
4810		ACD4B0	F4AE	DBAF	12-	XN1R0080
4811		ACD4B1	F4AF	DBB0	12-	XN1S0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 26 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4812		ACD4B2	F4B0	DBB1	12-	XN1T0080
4813		ACD4B3	F4B1	DBB2	12-	XN1U0080
4814		ACD4B4	F4B2	DBB3	12-	XN1V0080
4815		ACD4B5	F4B3	DBB4	12-	XN1W0080
4816		ACD4B6	F4B4	DBB5	12-	XN1X0080
4817		ACD4B7	F4B5	DBB6	12-	XN1Y0080
4818		ACD4B8	F4B6	DBB7	12-	XN1Z0080
4819		ACD4B9	F4B7	DBB8	12-	XN200080
4820		ACD4BA	F4B8	DBB9	12-	XN210080
4821		ACD4BB	F4B9	DBBA	12-	XN220080
4822		ACD4BC	F4BA	DBBB	12-	XN230080
4823		ACD4BD	F4BB	DBBC	12-	XN240080
4824		ACD4BE	F4BC	DBBD	12-	XN250080
4825		ACD4BF	F4BD	DBBE	12-	XN260080
4826		ACD4C0	F4BE	DBBF	12-	XN270080
4827		ACD4C1	F4BF	DBC0	12-	XN280080
4828		ACD4C2	F4C0	DBC1	12-	XN290080
4829		ACD4C3	F4C1	DBC2	12-	XN2A0080
4830		ACD4C4	F4C2	DBC3	12-	XN2B0080
4831		ACD4C5	F4C3	DBC4	12-	XN2C0080
4832		ACD4C6	F4C4	DBC5	12-	XN2D0080
4833		ACD4C7	F4C5	DBC6	12-	XN2E0080
4834		ACD4C8	F4C6	DBC7	12-	XN2F0080
4835		ACD4C9	F4C7	DBC8	12-	XN2G0080
4836		ACD4CA	F4C8	DBC9	12-	XN2H0080
4837		ACD4CB	F4C9	DBCA	12-	XN2I0080
4838		ACD4CC	F4CA	DBCB	12-	XN2J0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 27 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4839		ACD4CD	F4CB	DBCC	12-	XN2K0080
4840		ACD4CE	F4CC	DBCD	12-	XN2L0080
4841		ACD4CF	F4CD	DBCE	12-	XN2M0080
4842		ACD4D0	F4CE	DBCF	12-	XN2N0080
4843		ACD4D1	F4CF	DBD0	12-	XN2O0080
4844		ACD4D2	F4D0	DBD1	12-	XN2P0080
4845		ACD4D3	F4D1	DBD2	12-	XN2Q0080
4846		ACD4D4	F4D2	DBD3	12-	XN2R0080
4847		ACD4D5	F4D3	DBD4	12-	XN2S0080
4848		ACD4D6	F4D4	DBD5	12-	XN2T0080
4849		ACD4D7	F4D5	DBD6	12-	XN2U0080
4850		ACD4D8	F4D6	DBD7	12-	XN2V0080
4851		ACD4D9	F4D7	DBD8	12-	XN2W0080
4852		ACD4DA	F4D8	DBD9	12-	XN2X0080
4853		ACD4DB	F4D9	DBDA	12-	XN2Y0080
4854		ACD4DC	F4DA	DBDB	12-	XN2Z0080
4855		ACD4DD	F4DB	DBDC	12-	XN300080
4856		ACD4DE	F4DC	DBDD	12-	XN310080
4857		ACD4DF	F4DD	DBDE	12-	XN320080
4858		ACD4E0	F4DE	DBDF	12-	XN330080
4859		ACD4E1	F4DF	DBE0	12-	XN340080
4860		ACD4E2	F4E0	DBE1	12-	XN350080
4861		ACD4E3	F4E1	DBE2	12-	XN360080
4862		ACD4E4	F4E2	DBE3	12-	XN370080
4863		ACD4E5	F4E3	DBE4	12-	XN380080
4864		ACD4E6	F4E4	DBE5	12-	XN390080
4865		ACD4E7	F4E5	DBE6	12-	XN3A0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 28 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4866		ACD4E8	F4E6	DBE7	12-	XN3B0080
4867		ACD4E9	F4E7	DBE8	12-	XN3C0080
4868		ACD4EA	F4E8	DBE9	12-	XN3D0080
4869		ACD4EB	F4E9	DBEA	12-	XN3E0080
4870		ACD4EC	F4EA	DBEB	12-	XN3F0080
4871		ACD4ED	F4EB	DBEC	12-	XN3G0080
4872		ACD4EE	F4EC	DBED	12-	XN3H0080
4873		ACD4EF	F4ED	DBEE	12-	XN3I0080
4874		ACD4F0	F4EE	DBEF	12-	XN3J0080
4875		ACD4F1	F4EF	DBF0	12-	XN3K0080
4876		ACD4F2	F4F0	DBF1	12-	XN3L0080
4877		ACD4F3	F4F1	DBF2	12-	XN3M0080
4878		ACD4F4	F4F2	DBF3	12-	XN3N0080
4879		ACD4F5	F4F3	DBF4	12-	XN3O0080
4880		ACD4F6	F4F4	DBF5	12-	XN3P0080
4881		ACD4F7	F4F5	DBF6	12-	XN3Q0080
4882		ACD4F8	F4F6	DBF7	12-	XN3R0080
4883		ACD4F9	F4F7	DBF8	12-	XN3S0080
4884		ACD4FA	F4F8	DBF9	12-	XN3T0080
4885		ACD4FB	F4F9	DBFA	12-	XN3U0080
4886		ACD4FC	F4FA	DBFB	12-	XN3V0080
4887		ACD4FD	F4FB	DBFC	12-	XN3W0080
4888		ACD4FE	F4FC	DBFD	12-	XN3X0080
4889		ACD5A1	F540	DC41	12-	XN410080
4890		ACD5A2	F541	DC42	12-	XN420080
4891		ACD5A3	F542	DC43	12-	XN430080
4892		ACD5A4	F543	DC44	12-	XN440080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 29 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4893		ACD5A5	F544	DC45	12-	XN450080
4894		ACD5A6	F545	DC46	12-	XN460080
4895		ACD5A7	F546	DC47	12-	XN470080
4896		ACD5A8	F547	DC48	12-	XN480080
4897		ACD5A9	F548	DC49	12-	XN490080
4898		ACD5AA	F549	DC4A	12-	XN4A0080
4899		ACD5AB	F54A	DC4B	12-	XN4B0080
4900		ACD5AC	F54B	DC4C	12-	XN4C0080
4901		ACD5AD	F54C	DC4D	12-	XN4D0080
4902		ACD5AE	F54D	DC4E	12-	XN4E0080
4903		ACD5AF	F54E	DC4F	12-	XN4F0080
4904		ACD5B0	F54F	DC50	12-	XN4G0080
4905		ACD5B1	F550	DC51	12-	XN4H0080
4906		ACD5B2	F551	DC52	12-	XN4I0080
4907		ACD5B3	F552	DC53	12-	XN4J0080
4908		ACD5B4	F553	DC54	12-	XN4K0080
4909		ACD5B5	F554	DC55	12-	XN4L0080
4910		ACD5B6	F555	DC56	12-	XN4M0080
4911		ACD5B7	F556	DC57	12-	XN4N0080
4912		ACD5B8	F557	DC58	12-	XN4O0080
4913		ACD5B9	F558	DC59	12-	XN4P0080
4914		ACD5BA	F559	DC5A	12-	XN4Q0080
4915		ACD5BB	F55A	DC5B	12-	XN4R0080
4916		ACD5BC	F55B	DC5C	12-	XN4S0080
4917		ACD5BD	F55C	DC5D	12-	XN4T0080
4918		ACD5BE	F55D	DC5E	12-	XN4U0080
4919		ACD5BF	F55E	DC5F	12-	XN4V0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 30 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4920		ACD5C0	F55F	DC60	12-	XN4W0080
4921		ACD5C1	F560	DC61	12-	XN4X0080
4922		ACD5C2	F561	DC62	12-	XN4Y0080
4923		ACD5C3	F562	DC63	12-	XN4Z0080
4924		ACD5C4	F563	DC64	12-	XN500080
4925		ACD5C5	F564	DC65	12-	XN510080
4926		ACD5C6	F565	DC66	12-	XN520080
4927		ACD5C7	F566	DC67	12-	XN530080
4928		ACD5C8	F567	DC68	12-	XN540080
4929		ACD5C9	F568	DC69	12-	XN550080
4930		ACD5CA	F569	DC6A	12-	XN560080
4931		ACD5CB	F56A	DC6B	12-	XN570080
4932		ACD5CC	F56B	DC6C	12-	XN580080
4933		ACD5CD	F56C	DC6D	12-	XN590080
4934		ACD5CE	F56D	DC6E	12-	XN5A0080
4935		ACD5CF	F56E	DC6F	12-	XN5B0080
4936		ACD5D0	F56F	DC70	12-	XN5C0080
4937		ACD5D1	F570	DC71	12-	XN5D0080
4938		ACD5D2	F571	DC72	12-	XN5E0080
4939		ACD5D3	F572	DC73	12-	XN5F0080
4940		ACD5D4	F573	DC74	12-	XN5G0080
4941		ACD5D5	F574	DC75	12-	XN5H0080
4942		ACD5D6	F575	DC76	12-	XN5I0080
4943		ACD5D7	F576	DC77	12-	XN5J0080
4944		ACD5D8	F577	DC78	12-	XN5K0080
4945		ACD5D9	F578	DC79	12-	XN5L0080
4946		ACD5DA	F579	DC7A	12-	XN5M0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 31 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4947		ACD5DB	F57A	DC7B	12-	XN5N0080
4948		ACD5DC	F57B	DC7C	12-	XN5O0080
4949		ACD5DD	F57C	DC7D	12-	XN5P0080
4950		ACD5DE	F57D	DC7E	12-	XN5Q0080
4951		ACD5DF	F57E	DC7F	12-	XN5R0080
4952		ACD5E0	F580	DC81	12-	XN5T0080
4953		ACD5E1	F581	DC82	12-	XN5U0080
4954		ACD5E2	F582	DC83	12-	XN5V0080
4955		ACD5E3	F583	DC84	12-	XN5W0080
4956		ACD5E4	F584	DC85	12-	XN5X0080
4957		ACD5E5	F585	DC86	12-	XN5Y0080
4958		ACD5E6	F586	DC87	12-	XN5Z0080
4959		ACD5E7	F587	DC88	12-	XN600080
4960		ACD5E8	F588	DC89	12-	XN610080
4961		ACD5E9	F589	DC8A	12-	XN620080
4962		ACD5EA	F58A	DC8B	12-	XN630080
4963		ACD5EB	F58B	DC8C	12-	XN640080
4964		ACD5EC	F58C	DC8D	12-	XN650080
4965		ACD5ED	F58D	DC8E	12-	XN660080
4966		ACD5EE	F58E	DC8F	12-	XN670080
4967		ACD5EF	F58F	DC90	12-	XN680080
4968		ACD5F0	F590	DC91	12-	XN690080
4969		ACD5F1	F591	DC92	12-	XN6A0080
4970		ACD5F2	F592	DC93	12-	XN6B0080
4971		ACD5F3	F593	DC94	12-	XN6C0080
4972		ACD5F4	F594	DC95	12-	XN6D0080
4973		ACD5F5	F595	DC96	12-	XN6E0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 32 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
4974		ACD5F6	F596	DC97	12-	XN6F0080
4975		ACD5F7	F597	DC98	12-	XN6G0080
4976		ACD5F8	F598	DC99	12-	XN6H0080
4977		ACD5F9	F599	DC9A	12-	XN6I0080
4978		ACD5FA	F59A	DC9B	12-	XN6J0080
4979		ACD5FB	F59B	DC9C	12-	XN6K0080
4980		ACD5FC	F59C	DC9D	12-	XN6L0080
4981		ACD5FD	F59D	DC9E	12-	XN6M0080
4982		ACD5FE	F59E	DC9F	12-	XN6N0080
4983		ACD6A1	F59F	DCA0	12-	XN6O0080
4984		ACD6A2	F5A0	DCA1	12-	XN6P0080
4985		ACD6A3	F5A1	DCA2	12-	XN6Q0080
4986		ACD6A4	F5A2	DCA3	12-	XN6R0080
4987		ACD6A5	F5A3	DCA4	12-	XN6S0080
4988		ACD6A6	F5A4	DCA5	12-	XN6T0080
4989		ACD6A7	F5A5	DCA6	12-	XN6U0080
4990		ACD6A8	F5A6	DCA7	12-	XN6V0080
4991		ACD6A9	F5A7	DCA8	12-	XN6W0080
4992		ACD6AA	F5A8	DCA9	12-	XN6X0080
4993		ACD6AB	F5A9	DCAA	12-	XN6Y0080
4994		ACD6AC	F5AA	DCAB	12-	XN6Z0080
4995		ACD6AD	F5AB	DCAC	12-	XN700080
4996		ACD6AE	F5AC	DCAD	12-	XN710080
4997		ACD6AF	F5AD	DCAE	12-	XN720080
4998		ACD6B0	F5AE	DCAF	12-	XN730080
4999		ACD6B1	F5AF	DCB0	12-	XN740080
5000		ACD6B2	F5B0	DCB1	12-	XN750080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 33 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5001		ACD6B3	F5B1	DCB2	12-	XN760080
5002		ACD6B4	F5B2	DCB3	12-	XN770080
5003		ACD6B5	F5B3	DCB4	12-	XN780080
5004		ACD6B6	F5B4	DCB5	12-	XN790080
5005		ACD6B7	F5B5	DCB6	12-	XN7A0080
5006		ACD6B8	F5B6	DCB7	12-	XN7B0080
5007		ACD6B9	F5B7	DCB8	12-	XN7C0080
5008		ACD6BA	F5B8	DCB9	12-	XN7D0080
5009		ACD6BB	F5B9	DCBA	12-	XN7E0080
5010		ACD6BC	F5BA	DCBB	12-	XN7F0080
5011		ACD6BD	F5BB	DCBC	12-	XN7G0080
5012		ACD6BE	F5BC	DCBD	12-	XN7H0080
5013		ACD6BF	F5BD	DCBE	12-	XN7I0080
5014		ACD6C0	F5BE	DCBF	12-	XN7J0080
5015		ACD6C1	F5BF	DCC0	12-	XN7K0080
5016		ACD6C2	F5C0	DCC1	12-	XN7L0080
5017		ACD6C3	F5C1	DCC2	12-	XN7M0080
5018		ACD6C4	F5C2	DCC3	12-	XN7N0080
5019		ACD6C5	F5C3	DCC4	12-	XN7O0080
5020		ACD6C6	F5C4	DCC5	12-	XN7P0080
5021		ACD6C7	F5C5	DCC6	12-	XN7Q0080
5022		ACD6C8	F5C6	DCC7	12-	XN7R0080
5023		ACD6C9	F5C7	DCC8	12-	XN7S0080
5024		ACD6CA	F5C8	DCC9	12-	XN7T0080
5025		ACD6CB	F5C9	DCCA	12-	XN7U0080
5026		ACD6CC	F5CA	DCCB	12-	XN7V0080
5027		ACD6CD	F5CB	DCCC	12-	XN7W0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 34 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5028		ACD6CE	F5CC	DCCD	12-	XN7X0080
5029		ACD6CF	F5CD	DCCE	12-	XN7Y0080
5030		ACD6D0	F5CE	DCCF	12-	XN7Z0080
5031		ACD6D1	F5CF	DCD0	12-	XN800080
5032		ACD6D2	F5D0	DCD1	12-	XN810080
5033		ACD6D3	F5D1	DCD2	12-	XN820080
5034		ACD6D4	F5D2	DCD3	12-	XN830080
5035		ACD6D5	F5D3	DCD4	12-	XN840080
5036		ACD6D6	F5D4	DCD5	12-	XN850080
5037		ACD6D7	F5D5	DCD6	12-	XN860080
5038		ACD6D8	F5D6	DCD7	12-	XN870080
5039		ACD6D9	F5D7	DCD8	12-	XN880080
5040		ACD6DA	F5D8	DCD9	12-	XN890080
5041		ACD6DB	F5D9	DCDA	12-	XN8A0080
5042		ACD6DC	F5DA	DCDB	12-	XN8B0080
5043		ACD6DD	F5DB	DCDC	12-	XN8C0080
5044		ACD6DE	F5DC	DCDD	12-	XN8D0080
5045		ACD6DF	F5DD	DCDE	12-	XN8E0080
5046		ACD6E0	F5DE	DCDF	12-	XN8F0080
5047		ACD6E1	F5DF	DCE0	12-	XN8G0080
5048		ACD6E2	F5E0	DCE1	12-	XN8H0080
5049		ACD6E3	F5E1	DCE2	12-	XN8I0080
5050		ACD6E4	F5E2	DCE3	12-	XN8J0080
5051		ACD6E5	F5E3	DCE4	12-	XN8K0080
5052		ACD6E6	F5E4	DCE5	12-	XN8L0080
5053		ACD6E7	F5E5	DCE6	12-	XN8M0080
5054		ACD6E8	F5E6	DCE7	12-	XN8N0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 35 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5055		ACD6E9	F5E7	DCE8	12-	XN8O0080
5056		ACD6EA	F5E8	DCE9	12-	XN8P0080
5057		ACD6EB	F5E9	DCEA	12-	XN8Q0080
5058		ACD6EC	F5EA	DCEB	12-	XN8R0080
5059		ACD6ED	F5EB	DCEC	12-	XN8S0080
5060		ACD6EE	F5EC	DCED	12-	XN8T0080
5061		ACD6EF	F5ED	DCEE	12-	XN8U0080
5062		ACD6F0	F5EE	DCEF	12-	XN8V0080
5063		ACD6F1	F5EF	DCF0	12-	XN8W0080
5064		ACD6F2	F5F0	DCF1	12-	XN8X0080
5065		ACD6F3	F5F1	DCF2	12-	XN8Y0080
5066		ACD6F4	F5F2	DCF3	12-	XN8Z0080
5067		ACD6F5	F5F3	DCF4	12-	XN900080
5068		ACD6F6	F5F4	DCF5	12-	XN910080
5069		ACD6F7	F5F5	DCF6	12-	XN920080
5070		ACD6F8	F5F6	DCF7	12-	XN930080
5071		ACD6F9	F5F7	DCF8	12-	XN940080
5072		ACD6FA	F5F8	DCF9	12-	XN950080
5073		ACD6FB	F5F9	DCFA	12-	XN960080
5074		ACD6FC	F5FA	DCFB	12-	XN970080
5075		ACD6FD	F5FB	DCFC	12-	XN980080
5076		ACD6FE	F5FC	DCFD	12-	XN990080
5077		ACD7A1	F640	DD41	12-	XN9D0080
5078		ACD7A2	F641	DD42	12-	XN9E0080
5079		ACD7A3	F642	DD43	12-	XN9F0080
5080		ACD7A4	F643	DD44	12-	XN9G0080
5081		ACD7A5	F644	DD45	12-	XN9H0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 36 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5082		ACD7A6	F645	DD46	12-	XN9I0080
5083		ACD7A7	F646	DD47	12-	XN9J0080
5084		ACD7A8	F647	DD48	12-	XN9K0080
5085		ACD7A9	F648	DD49	12-	XN9L0080
5086		ACD7AA	F649	DD4A	12-	XN9M0080
5087		ACD7AB	F64A	DD4B	12-	XN9N0080
5088		ACD7AC	F64B	DD4C	12-	XN9O0080
5089		ACD7AD	F64C	DD4D	12-	XN9P0080
5090		ACD7AE	F64D	DD4E	12-	XN9Q0080
5091		ACD7AF	F64E	DD4F	12-	XN9R0080
5092		ACD7B0	F64F	DD50	12-	XN9S0080
5093		ACD7B1	F650	DD51	12-	XN9T0080
5094		ACD7B2	F651	DD52	12-	XN9U0080
5095		ACD7B3	F652	DD53	12-	XN9V0080
5096		ACD7B4	F653	DD54	12-	XN9W0080
5097		ACD7B5	F654	DD55	12-	XN9X0080
5098		ACD7B6	F655	DD56	12-	XN9Y0080
5099		ACD7B7	F656	DD57	12-	XN9Z0080
5100		ACD7B8	F657	DD58	12-	XNA00080
5101		ACD7B9	F658	DD59	12-	XNA10080
5102		ACD7BA	F659	DD5A	12-	XNA20080
5103		ACD7BB	F65A	DD5B	12-	XNA30080
5104		ACD7BC	F65B	DD5C	12-	XNA40080
5105		ACD7BD	F65C	DD5D	12-	XNA50080
5106		ACD7BE	F65D	DD5E	12-	XNA60080
5107		ACD7BF	F65E	DD5F	12-	XNA70080
5108		ACD7C0	F65F	DD60	12-	XNA80080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 37 of 39). User Definable Character Set (5 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5109		ACD7C1	F660	DD61	12-	XNA90080
5110		ACD7C2	F661	DD62	12-	XNAA0080
5111		ACD7C3	F662	DD63	12-	XNAB0080
5112		ACD7C4	F663	DD64	12-	XNAC0080
5113		ACD7C5	F664	DD65	12-	XNAD0080
5114		ACD7C6	F665	DD66	12-	XNAE0080
5115		ACD7C7	F666	DD67	12-	XNAF0080
5116		ACD7C8	F667	DD68	12-	XNAG0080
5117		ACD7C9	F668	DD69	12-	XNAH0080
5118		ACD7CA	F669	DD6A	12-	XNAI0080
5119		ACD7CB	F66A	DD6B	12-	XNAJ0080
5120		ACD7CC	F66B	DD6C	12-	XNAK0080
5121		ACD7CD	F66C	DD6D	12-	XNAL0080
5122		ACD7CE	F66D	DD6E	12-	XNAM0080
5123		ACD7CF	F66E	DD6F	12-	XNAN0080
5124		ACD7D0	F66F	DD70	12-	XNAO0080
5125		ACD7D1	F670	DD71	12-	XNAP0080
5126		ACD7D2	F671	DD72	12-	XNAQ0080
5127		ACD7D3	F672	DD73	12-	XNAR0080
5128		ACD7D4	F673	DD74	12-	XNAS0080
5129		ACD7D5	F674	DD75	12-	XNAT0080
5130		ACD7D6	F675	DD76	12-	XNAU0080
5131		ACD7D7	F676	DD77	12-	XNAV0080
5132		ACD7D8	F677	DD78	12-	XNAW0080
5133		ACD7D9	F678	DD79	12-	XNAX0080
5134		ACD7DA	F679	DD7A	12-	XNAY0080
5135		ACD7DB	F67A	DD7B	12-	XNAZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 38 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5136		ACD7DC	F67B	DD7C	12-	XNB00080
5137		ACD7DD	F67C	DD7D	12-	XNB10080
5138		ACD7DE	F67D	DD7E	12-	XNB20080
5139		ACD7DF	F67E	DD7F	12-	XNB30080
5140		ACD7E0	F680	DD81	12-	XNB50080
5141		ACD7E1	F681	DD82	12-	XNB60080
5142		ACD7E2	F682	DD83	12-	XNB70080
5143		ACD7E3	F683	DD84	12-	XNB80080
5144		ACD7E4	F684	DD85	12-	XNB90080
5145		ACD7E5	F685	DD86	12-	XNBA0080
5146		ACD7E6	F686	DD87	12-	XNBB0080
5147		ACD7E7	F687	DD88	12-	XNBC0080
5148		ACD7E8	F688	DD89	12-	XNBD0080
5149		ACD7E9	F689	DD8A	12-	XNBE0080
5150		ACD7EA	F68A	DD8B	12-	XNBF0080
5151		ACD7EB	F68B	DD8C	12-	XNBG0080
5152		ACD7EC	F68C	DD8D	12-	XNBH0080
5153		ACD7ED	F68D	DD8E	12-	XNBI0080
5154		ACD7EE	F68E	DD8F	12-	XNBJ0080
5155		ACD7EF	F68F	DD90	12-	XNBK0080
5156		ACD7F0	F690	DD91	12-	XNBL0080
5157		ACD7F1	F691	DD92	12-	XNBM0080
5158		ACD7F2	F692	DD93	12-	XNBN0080
5159		ACD7F3	F693	DD94	12-	XNBO0080
5160		ACD7F4	F694	DD95	12-	XBNP0080
5161		ACD7F5	F695	DD96	12-	XNBQ0080
5162		ACD7F6	F696	DD97	12-	XNBR0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 23 (Page 39 of 39). User Definable Character Set (5 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5163		ACD7F7	F697	DD98	12-	XNBS0080
5164		ACD7F8	F698	DD99	12-	XNBT0080
5165		ACD7F9	F699	DD9A	12-	XNBU0080
5166		ACD7FA	F69A	DD9B	12-	XNBV0080
5167		ACD7FB	F69B	DD9C	12-	XNBW0080
5168		ACD7FC	F69C	DD9D	12-	XNBX0080
5169		ACD7FD	F69D	DD9E	12-	XNBY0080
5170		ACD7FE	F69E	DD9F	12-	XNBZ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 1 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5171		ACD8A1	F69F	DDA0	12-	XNC00080
5172		ACD8A2	F6A0	DDA1	12-	XNC10080
5173		ACD8A3	F6A1	DDA2	12-	XNC20080
5174		ACD8A4	F6A2	DDA3	12-	XNC30080
5175		ACD8A5	F6A3	DDA4	12-	XNC40080
5176		ACD8A6	F6A4	DDA5	12-	XNC50080
5177		ACD8A7	F6A5	DDA6	12-	XNC60080
5178		ACD8A8	F6A6	DDA7	12-	XNC70080
5179		ACD8A9	F6A7	DDA8	12-	XNC80080
5180		ACD8AA	F6A8	DDA9	12-	XNC90080
5181		ACD8AB	F6A9	DDAA	12-	XNCA0080
5182		ACD8AC	F6AA	DDAB	12-	XNCB0080
5183		ACD8AD	F6AB	DDAC	12-	XNCC0080
5184		ACD8AE	F6AC	DDAD	12-	XNCD0080
5185		ACD8AF	F6AD	DDAE	12-	XNCE0080
5186		ACD8B0	F6AE	DDAF	12-	XNCF0080
5187		ACD8B1	F6AF	DDB0	12-	XNCG0080
5188		ACD8B2	F6B0	DDB1	12-	XNCH0080
5189		ACD8B3	F6B1	DDB2	12-	XNCI0080
5190		ACD8B4	F6B2	DDB3	12-	XNCJ0080
5191		ACD8B5	F6B3	DDB4	12-	XNCK0080
5192		ACD8B6	F6B4	DDB5	12-	XNCL0080
5193		ACD8B7	F6B5	DDB6	12-	XNCM0080
5194		ACD8B8	F6B6	DDB7	12-	XNCN0080
5195		ACD8B9	F6B7	DDB8	12-	XNCO0080
5196		ACD8BA	F6B8	DDB9	12-	XNCP0080
5197		ACD8BB	F6B9	DDBA	12-	XNCQ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 2 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5198		ACD8BC	F6BA	DDBB	12-	XNCR0080
5199		ACD8BD	F6BB	DDBC	12-	XNCS0080
5200		ACD8BE	F6BC	DDBD	12-	XNCT0080
5201		ACD8BF	F6BD	DDBE	12-	XNCU0080
5202		ACD8C0	F6BE	DDBF	12-	XNCV0080
5203		ACD8C1	F6BF	DDC0	12-	XNCW0080
5204		ACD8C2	F6C0	DDC1	12-	XNCX0080
5205		ACD8C3	F6C1	DDC2	12-	XNCY0080
5206		ACD8C4	F6C2	DDC3	12-	XNCZ0080
5207		ACD8C5	F6C3	DDC4	12-	XND00080
5208		ACD8C6	F6C4	DDC5	12-	XND10080
5209		ACD8C7	F6C5	DDC6	12-	XND20080
5210		ACD8C8	F6C6	DDC7	12-	XND30080
5211		ACD8C9	F6C7	DDC8	12-	XND40080
5212		ACD8CA	F6C8	DDC9	12-	XND50080
5213		ACD8CB	F6C9	DDCA	12-	XND60080
5214		ACD8CC	F6CA	DDCB	12-	XND70080
5215		ACD8CD	F6CB	DDCC	12-	XND80080
5216		ACD8CE	F6CC	DDCD	12-	XND90080
5217		ACD8CF	F6CD	DDCE	12-	XNDA0080
5218		ACD8D0	F6CE	DDCF	12-	XNDB0080
5219		ACD8D1	F6CF	DDD0	12-	XNDC0080
5220		ACD8D2	F6D0	DDD1	12-	XNDD0080
5221		ACD8D3	F6D1	DDD2	12-	XNDE0080
5222		ACD8D4	F6D2	DDD3	12-	XNDF0080
5223		ACD8D5	F6D3	DDD4	12-	XNDG0080
5224		ACD8D6	F6D4	DDD5	12-	XNDH0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 3 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5225		ACD8D7	F6D5	DDD6	12-	XNDI0080
5226		ACD8D8	F6D6	DDD7	12-	XNDJ0080
5227		ACD8D9	F6D7	DDD8	12-	XNDK0080
5228		ACD8DA	F6D8	DDD9	12-	XNDL0080
5229		ACD8DB	F6D9	DDDA	12-	XNDM0080
5230		ACD8DC	F6DA	DDDB	12-	XNDN0080
5231		ACD8DD	F6DB	DDDC	12-	XNDO0080
5232		ACD8DE	F6DC	DDDD	12-	XNDP0080
5233		ACD8DF	F6DD	DDDE	12-	XNDQ0080
5234		ACD8E0	F6DE	DDDF	12-	XNDR0080
5235		ACD8E1	F6DF	DDE0	12-	XNDS0080
5236		ACD8E2	F6E0	DDE1	12-	XNDT0080
5237		ACD8E3	F6E1	DDE2	12-	XNDU0080
5238		ACD8E4	F6E2	DDE3	12-	XNDV0080
5239		ACD8E5	F6E3	DDE4	12-	XNDW0080
5240		ACD8E6	F6E4	DDE5	12-	XNDX0080
5241		ACD8E7	F6E5	DDE6	12-	XNDY0080
5242		ACD8E8	F6E6	DDE7	12-	XNDZ0080
5243		ACD8E9	F6E7	DDE8	12-	XNE00080
5244		ACD8EA	F6E8	DDE9	12-	XNE10080
5245		ACD8EB	F6E9	DDEA	12-	XNE20080
5246		ACD8EC	F6EA	DDEB	12-	XNE30080
5247		ACD8ED	F6EB	DDEC	12-	XNE40080
5248		ACD8EE	F6EC	DDED	12-	XNE50080
5249		ACD8EF	F6ED	DDEE	12-	XNE60080
5250		ACD8F0	F6EE	DDEF	12-	XNE70080
5251		ACD8F1	F6EF	DDF0	12-	XNE80080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 4 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5252		ACD8F2	F6F0	DDF1	12-	XNE90080
5253		ACD8F3	F6F1	DDF2	12-	XNEA0080
5254		ACD8F4	F6F2	DDF3	12-	XNEB0080
5255		ACD8F5	F6F3	DDF4	12-	XNEC0080
5256		ACD8F6	F6F4	DDF5	12-	XNED0080
5257		ACD8F7	F6F5	DDF6	12-	XNEE0080
5258		ACD8F8	F6F6	DDF7	12-	XNEF0080
5259		ACD8F9	F6F7	DDF8	12-	XNEG0080
5260		ACD8FA	F6F8	DDF9	12-	XNEH0080
5261		ACD8FB	F6F9	DDFA	12-	XNEI0080
5262		ACD8FC	F6FA	DDFB	12-	XNEJ0080
5263		ACD8FD	F6FB	DDFC	12-	XNEK0080
5264		ACD8FE	F6FC	DDFD	12-	XNEL0080
5265		ACD9A1	F740	DE41	12-	XNEP0080
5266		ACD9A2	F741	DE42	12-	XNEQ0080
5267		ACD9A3	F742	DE43	12-	XNER0080
5268		ACD9A4	F743	DE44	12-	XNES0080
5269		ACD9A5	F744	DE45	12-	XNET0080
5270		ACD9A6	F745	DE46	12-	XNEU0080
5271		ACD9A7	F746	DE47	12-	XNEV0080
5272		ACD9A8	F747	DE48	12-	XNEW0080
5273		ACD9A9	F748	DE49	12-	XNEX0080
5274		ACD9AA	F749	DE4A	12-	XNEY0080
5275		ACD9AB	F74A	DE4B	12-	XNEZ0080
5276		ACD9AC	F74B	DE4C	12-	XNF00080
5277		ACD9AD	F74C	DE4D	12-	XNF10080
5278		ACD9AE	F74D	DE4E	12-	XNF20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 5 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5279		ACD9AF	F74E	DE4F	12-	XNF30080
5280		ACD9B0	F74F	DE50	12-	XNF40080
5281		ACD9B1	F750	DE51	12-	XNF50080
5282		ACD9B2	F751	DE52	12-	XNF60080
5283		ACD9B3	F752	DE53	12-	XNF70080
5284		ACD9B4	F753	DE54	12-	XNF80080
5285		ACD9B5	F754	DE55	12-	XNF90080
5286		ACD9B6	F755	DE56	12-	XNFA0080
5287		ACD9B7	F756	DE57	12-	XNFB0080
5288		ACD9B8	F757	DE58	12-	XNFC0080
5289		ACD9B9	F758	DE59	12-	XNFD0080
5290		ACD9BA	F759	DE5A	12-	XNFE0080
5291		ACD9BB	F75A	DE5B	12-	XNFF0080
5292		ACD9BC	F75B	DE5C	12-	XNFG0080
5293		ACD9BD	F75C	DE5D	12-	XNFH0080
5294		ACD9BE	F75D	DE5E	12-	XNFI0080
5295		ACD9BF	F75E	DE5F	12-	XNFJ0080
5296		ACD9C0	F75F	DE60	12-	XNFK0080
5297		ACD9C1	F760	DE61	12-	XNFL0080
5298		ACD9C2	F761	DE62	12-	XNFM0080
5299		ACD9C3	F762	DE63	12-	XNFN0080
5300		ACD9C4	F763	DE64	12-	XNFO0080
5301		ACD9C5	F764	DE65	12-	XNFP0080
5302		ACD9C6	F765	DE66	12-	XNFQ0080
5303		ACD9C7	F766	DE67	12-	XNFR0080
5304		ACD9C8	F767	DE68	12-	XNFS0080
5305		ACD9C9	F768	DE69	12-	XNFT0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 6 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5306		ACD9CA	F769	DE6A	12-	XNFU0080
5307		ACD9CB	F76A	DE6B	12-	XNFV0080
5308		ACD9CC	F76B	DE6C	12-	XNFW0080
5309		ACD9CD	F76C	DE6D	12-	XNFX0080
5310		ACD9CE	F76D	DE6E	12-	XNFY0080
5311		ACD9CF	F76E	DE6F	12-	XNFZ0080
5312		ACD9D0	F76F	DE70	12-	XNG00080
5313		ACD9D1	F770	DE71	12-	XNG10080
5314		ACD9D2	F771	DE72	12-	XNG20080
5315		ACD9D3	F772	DE73	12-	XNG30080
5316		ACD9D4	F773	DE74	12-	XNG40080
5317		ACD9D5	F774	DE75	12-	XNG50080
5318		ACD9D6	F775	DE76	12-	XNG60080
5319		ACD9D7	F776	DE77	12-	XNG70080
5320		ACD9D8	F777	DE78	12-	XNG80080
5321		ACD9D9	F778	DE79	12-	XNG90080
5322		ACD9DA	F779	DE7A	12-	XNGA0080
5323		ACD9DB	F77A	DE7B	12-	XNGB0080
5324		ACD9DC	F77B	DE7C	12-	XNGC0080
5325		ACD9DD	F77C	DE7D	12-	XNGD0080
5326		ACD9DE	F77D	DE7E	12-	XNGE0080
5327		ACD9DF	F77E	DE7F	12-	XNGF0080
5328		ACD9E0	F780	DE81	12-	XNGH0080
5329		ACD9E1	F781	DE82	12-	XNGI0080
5330		ACD9E2	F782	DE83	12-	XNGJ0080
5331		ACD9E3	F783	DE84	12-	XNGK0080
5332		ACD9E4	F784	DE85	12-	XNGL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 7 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5333		ACD9E5	F785	DE86	12-	XNGM0080
5334		ACD9E6	F786	DE87	12-	XNGN0080
5335		ACD9E7	F787	DE88	12-	XNGO0080
5336		ACD9E8	F788	DE89	12-	XNGP0080
5337		ACD9E9	F789	DE8A	12-	XNGQ0080
5338		ACD9EA	F78A	DE8B	12-	XNGR0080
5339		ACD9EB	F78B	DE8C	12-	XNGS0080
5340		ACD9EC	F78C	DE8D	12-	XNGT0080
5341		ACD9ED	F78D	DE8E	12-	XNGU0080
5342		ACD9EE	F78E	DE8F	12-	XNGV0080
5343		ACD9EF	F78F	DE90	12-	XNGW0080
5344		ACD9F0	F790	DE91	12-	XNGX0080
5345		ACD9F1	F791	DE92	12-	XNGY0080
5346		ACD9F2	F792	DE93	12-	XNGZ0080
5347		ACD9F3	F793	DE94	12-	XNH00080
5348		ACD9F4	F794	DE95	12-	XNH10080
5349		ACD9F5	F795	DE96	12-	XNH20080
5350		ACD9F6	F796	DE97	12-	XNH30080
5351		ACD9F7	F797	DE98	12-	XNH40080
5352		ACD9F8	F798	DE99	12-	XNH50080
5353		ACD9F9	F799	DE9A	12-	XNH60080
5354		ACD9FA	F79A	DE9B	12-	XNH70080
5355		ACD9FB	F79B	DE9C	12-	XNH80080
5356		ACD9FC	F79C	DE9D	12-	XNH90080
5357		ACD9FD	F79D	DE9E	12-	XNHA0080
5358		ACD9FE	F79E	DE9F	12-	XNHB0080
5359		ACDAA1	F79F	DEA0	12-	XNHC0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 8 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5360		ACDAA2	F7A0	DEA1	12-	XNHD0080
5361		ACDAA3	F7A1	DEA2	12-	XNHE0080
5362		ACDAA4	F7A2	DEA3	12-	XNHF0080
5363		ACDAA5	F7A3	DEA4	12-	XNHG0080
5364		ACDAA6	F7A4	DEA5	12-	XNHH0080
5365		ACDAA7	F7A5	DEA6	12-	XNHI0080
5366		ACDAA8	F7A6	DEA7	12-	XNHJ0080
5367		ACDAA9	F7A7	DEA8	12-	XNHK0080
5368		ACDAAA	F7A8	DEA9	12-	XNHL0080
5369		ACDAAB	F7A9	DEAA	12-	XNHM0080
5370		ACDAAC	F7AA	DEAB	12-	XNHN0080
5371		ACDAAD	F7AB	DEAC	12-	XNHO0080
5372		ACDAAE	F7AC	DEAD	12-	XNHP0080
5373		ACDAAF	F7AD	DEAE	12-	XNHQ0080
5374		ACDAB0	F7AE	DEAF	12-	XNHR0080
5375		ACDAB1	F7AF	DEB0	12-	XNHS0080
5376		ACDAB2	F7B0	DEB1	12-	XNHT0080
5377		ACDAB3	F7B1	DEB2	12-	XNHU0080
5378		ACDAB4	F7B2	DEB3	12-	XNHV0080
5379		ACDAB5	F7B3	DEB4	12-	XNHW0080
5380		ACDAB6	F7B4	DEB5	12-	XNHX0080
5381		ACDAB7	F7B5	DEB6	12-	XNHY0080
5382		ACDAB8	F7B6	DEB7	12-	XNHZ0080
5383		ACDAB9	F7B7	DEB8	12-	XNI00080
5384		ACDABA	F7B8	DEB9	12-	XNI10080
5385		ACDABB	F7B9	DEBA	12-	XNI20080
5386		ACDABC	F7BA	DEBB	12-	XNI30080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 9 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5387		ACDABD	F7BB	DEBC	12-	XNI40080
5388		ACDABE	F7BC	DEBD	12-	XNI50080
5389		ACDABF	F7BD	DEBE	12-	XNI60080
5390		ACDAC0	F7BE	DEBF	12-	XNI70080
5391		ACDAC1	F7BF	DEC0	12-	XNI80080
5392		ACDAC2	F7C0	DEC1	12-	XNI90080
5393		ACDAC3	F7C1	DEC2	12-	XNIA0080
5394		ACDAC4	F7C2	DEC3	12-	XNIB0080
5395		ACDAC5	F7C3	DEC4	12-	XNIC0080
5396		ACDAC6	F7C4	DEC5	12-	XNID0080
5397		ACDAC7	F7C5	DEC6	12-	XNIE0080
5398		ACDAC8	F7C6	DEC7	12-	XNIF0080
5399		ACDAC9	F7C7	DEC8	12-	XNIG0080
5400		ACDACA	F7C8	DEC9	12-	XNIH0080
5401		ACDACB	F7C9	DECA	12-	XNII0080
5402		ACDACC	F7CA	DECB	12-	XNIJ0080
5403		ACDACD	F7CB	DECC	12-	XNIK0080
5404		ACDACE	F7CC	DECD	12-	XNIL0080
5405		ACDACF	F7CD	DECE	12-	XNIM0080
5406		ACDAD0	F7CE	DECF	12-	XNIN0080
5407		ACDAD1	F7CF	DED0	12-	XNIO0080
5408		ACDAD2	F7D0	DED1	12-	XNIP0080
5409		ACDAD3	F7D1	DED2	12-	XNIQ0080
5410		ACDAD4	F7D2	DED3	12-	XNIR0080
5411		ACDAD5	F7D3	DED4	12-	XNIS0080
5412		ACDAD6	F7D4	DED5	12-	XNIT0080
5413		ACDAD7	F7D5	DED6	12-	XNIU0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 10 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5414		ACDAD8	F7D6	DED7	12-	XNIV0080
5415		ACDAD9	F7D7	DED8	12-	XNIW0080
5416		ACDADA	F7D8	DED9	12-	XNIX0080
5417		ACDADB	F7D9	DEDA	12-	XNIY0080
5418		ACDADC	F7DA	DEDB	12-	XNIZ0080
5419		ACDADD	F7DB	DEDC	12-	XNJ00080
5420		ACDADE	F7DC	DEDD	12-	XNJ10080
5421		ACDADF	F7DD	DEDE	12-	XNJ20080
5422		ACDAE0	F7DE	DEDF	12-	XNJ30080
5423		ACDAE1	F7DF	DEE0	12-	XNJ40080
5424		ACDAE2	F7E0	DEE1	12-	XNJ50080
5425		ACDAE3	F7E1	DEE2	12-	XNJ60080
5426		ACDAE4	F7E2	DEE3	12-	XNJ70080
5427		ACDAE5	F7E3	DEE4	12-	XNJ80080
5428		ACDAE6	F7E4	DEE5	12-	XNJ90080
5429		ACDAE7	F7E5	DEE6	12-	XNJA0080
5430		ACDAE8	F7E6	DEE7	12-	XNJB0080
5431		ACDAE9	F7E7	DEE8	12-	XNJC0080
5432		ACDAEA	F7E8	DEE9	12-	XNJD0080
5433		ACDAEB	F7E9	DEEA	12-	XNJE0080
5434		ACDAEC	F7EA	DEEB	12-	XNJV0080
5435		ACDAED	F7EB	DEEC	12-	XNJG0080
5436		ACDAEE	F7EC	DEED	12-	XNJH0080
5437		ACDAEF	F7ED	DEEE	12-	XNJI0080
5438		ACDAF0	F7EE	DEEF	12-	XNJJ0080
5439		ACDAF1	F7EF	DEF0	12-	XNJK0080
5440		ACDAF2	F7F0	DEF1	12-	XNVL0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 11 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5441		ACDAF3	F7F1	DEF2	12-	XNJM0080
5442		ACDAF4	F7F2	DEF3	12-	XNJNI0080
5443		ACDAF5	F7F3	DEF4	12-	XNJO0080
5444		ACDAF6	F7F4	DEF5	12-	XNJP0080
5445		ACDAF7	F7F5	DEF6	12-	XNMQ0080
5446		ACDAF8	F7F6	DEF7	12-	XNJR0080
5447		ACDAF9	F7F7	DEF8	12-	XNJS0080
5448		ACDAFA	F7F8	DEF9	12-	XNJT0080
5449		ACDAFB	F7F9	DEFA	12-	XNJU0080
5450		ACDAFC	F7FA	DEFB	12-	XNJV0080
5451		ACDAFD	F7FB	DEFC	12-	XNJV0080
5452		ACDAFE	F7FC	DEFD	12-	XNJV0080
5453		ACDBA1	F840	DF41	12-	XNK10080
5454		ACDBA2	F841	DF42	12-	XNK20080
5455		ACDBA3	F842	DF43	12-	XNK30080
5456		ACDBA4	F843	DF44	12-	XNK40080
5457		ACDBA5	F844	DF45	12-	XNK50080
5458		ACDBA6	F845	DF46	12-	XNK60080
5459		ACDBA7	F846	DF47	12-	XNK70080
5460		ACDBA8	F847	DF48	12-	XNK80080
5461		ACDBA9	F848	DF49	12-	XNK90080
5462		ACDBAA	F849	DF4A	12-	XNKA0080
5463		ACDBAB	F84A	DF4B	12-	XNKB0080
5464		ACDBAC	F84B	DF4C	12-	XNKC0080
5465		ACDBAD	F84C	DF4D	12-	XNKD0080
5466		ACDBAE	F84D	DF4E	12-	XNKE0080
5467		ACDBAF	F84E	DF4F	12-	XNKF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 12 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5468		ACDBB0	F84F	DF50	12-	XNKG0080
5469		ACDBB1	F850	DF51	12-	XNKH0080
5470		ACDBB2	F851	DF52	12-	XNKI0080
5471		ACDBB3	F852	DF53	12-	XNKJ0080
5472		ACDBB4	F853	DF54	12-	XNKK0080
5473		ACDBB5	F854	DF55	12-	XNKL0080
5474		ACDBB6	F855	DF56	12-	XNKM0080
5475		ACDBB7	F856	DF57	12-	XNKN0080
5476		ACDBB8	F857	DF58	12-	XNKO0080
5477		ACDBB9	F858	DF59	12-	XNKP0080
5478		ACDBBA	F859	DF5A	12-	XNKQ0080
5479		ACDBBB	F85A	DF5B	12-	XNKR0080
5480		ACDBBC	F85B	DF5C	12-	XNKS0080
5481		ACDBBD	F85C	DF5D	12-	XNKT0080
5482		ACDBBE	F85D	DF5E	12-	XNKU0080
5483		ACDBBF	F85E	DF5F	12-	XNKV0080
5484		ACDBC0	F85F	DF60	12-	XNKW0080
5485		ACDBC1	F860	DF61	12-	XNKX0080
5486		ACDBC2	F861	DF62	12-	XNKY0080
5487		ACDBC3	F862	DF63	12-	XNKZ0080
5488		ACDBC4	F863	DF64	12-	XNL00080
5489		ACDBC5	F864	DF65	12-	XNL10080
5490		ACDBC6	F865	DF66	12-	XNL20080
5491		ACDBC7	F866	DF67	12-	XNL30080
5492		ACDBC8	F867	DF68	12-	XNL40080
5493		ACDBC9	F868	DF69	12-	XNL50080
5494		ACBCA	F869	DF6A	12-	XNL60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 13 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5495		ACDBCB	F86A	DF6B	12-	XNL70080
5496		ACDBCC	F86B	DF6C	12-	XNL80080
5497		ACDBCD	F86C	DF6D	12-	XNL90080
5498		ACDBCE	F86D	DF6E	12-	XNLA0080
5499		ACDBCF	F86E	DF6F	12-	XNLB0080
5500		ACDBD0	F86F	DF70	12-	XNLC0080
5501		ACDBD1	F870	DF71	12-	XNLD0080
5502		ACDBD2	F871	DF72	12-	XNLE0080
5503		ACDBD3	F872	DF73	12-	XNLF0080
5504		ACDBD4	F873	DF74	12-	XNLG0080
5505		ACDBD5	F874	DF75	12-	XNLH0080
5506		ACDBD6	F875	DF76	12-	XNLI0080
5507		ACDBD7	F876	DF77	12-	XNLJ0080
5508		ACDBD8	F877	DF78	12-	XNLK0080
5509		ACDBD9	F878	DF79	12-	XNLL0080
5510		ACDBDA	F879	DF7A	12-	XNLM0080
5511		ACDBDB	F87A	DF7B	12-	XNLN0080
5512		ACDBDC	F87B	DF7C	12-	XNLO0080
5513		ACDBDD	F87C	DF7D	12-	XNLP0080
5514		ACDBDE	F87D	DF7E	12-	XNLQ0080
5515		ACDBDF	F87E	DF7F	12-	XNLR0080
5516		ACDBE0	F880	DF81	12-	XNLT0080
5517		ACDBE1	F881	DF82	12-	XNLU0080
5518		ACDBE2	F882	DF83	12-	XNLV0080
5519		ACDBE3	F883	DF84	12-	XNLW0080
5520		ACDBE4	F884	DF85	12-	XNLX0080
5521		ACDBE5	F885	DF86	12-	XNLY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 14 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5522		ACDBE6	F886	DF87	12-	XNLZ0080
5523		ACDBE7	F887	DF88	12-	XNM00080
5524		ACDBE8	F888	DF89	12-	XNM10080
5525		ACDBE9	F889	DF8A	12-	XNM20080
5526		ACDBEA	F88A	DF8B	12-	XNM30080
5527		ACDBEB	F88B	DF8C	12-	XNM40080
5528		ACDBEC	F88C	DF8D	12-	XNM50080
5529		ACDBED	F88D	DF8E	12-	XNM60080
5530		ACDBEE	F88E	DF8F	12-	XNM70080
5531		ACDBEF	F88F	DF90	12-	XNM80080
5532		ACDBF0	F890	DF91	12-	XNM90080
5533		ACDBF1	F891	DF92	12-	XNMA0080
5534		ACDBF2	F892	DF93	12-	XNMB0080
5535		ACDBF3	F893	DF94	12-	XNMC0080
5536		ACDBF4	F894	DF95	12-	XNMD0080
5537		ACDBF5	F895	DF96	12-	XNME0080
5538		ACDBF6	F896	DF97	12-	XNMF0080
5539		ACDBF7	F897	DF98	12-	XNMG0080
5540		ACDBF8	F898	DF99	12-	XNMH0080
5541		ACDBF9	F899	DF9A	12-	XNMI0080
5542		ACDBFA	F89A	DF9B	12-	XNMJ0080
5543		ACDBFB	F89B	DF9C	12-	XNMK0080
5544		ACDBFC	F89C	DF9D	12-	XNML0080
5545		ACDBFD	F89D	DF9E	12-	XNMM0080
5546		ACDBFE	F89E	DF9F	12-	XNMN0080
5547		ACDCA1	F89F	DFA0	12-	XNMO0080
5548		ACDCA2	F8A0	DFA1	12-	XNMP0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 15 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5549		ACDCA3	F8A1	DFA2	12-	XNMQ0080
5550		ACDCA4	F8A2	DFA3	12-	XNMR0080
5551		ACDCA5	F8A3	DFA4	12-	XNMS0080
5552		ACDCA6	F8A4	DFA5	12-	XNMT0080
5553		ACDCA7	F8A5	DFA6	12-	XNMU0080
5554		ACDCA8	F8A6	DFA7	12-	XNMV0080
5555		ACDCA9	F8A7	DFA8	12-	XNMW0080
5556		ACDCAA	F8A8	DFA9	12-	XNMX0080
5557		ACDCAB	F8A9	DFAA	12-	XNMY0080
5558		ACDCAC	F8AA	DFAB	12-	XNMZ0080
5559		ACDCAD	F8AB	DFAC	12-	XNN00080
5560		ACDCAE	F8AC	DFAD	12-	XNN10080
5561		ACDCAF	F8AD	DFAE	12-	XNN20080
5562		ACDCB0	F8AE	DFAF	12-	XNN30080
5563		ACDCB1	F8AF	DFB0	12-	XNN40080
5564		ACDCB2	F8B0	DFB1	12-	XNN50080
5565		ACDCB3	F8B1	DFB2	12-	XNN60080
5566		ACDCB4	F8B2	DFB3	12-	XNN70080
5567		ACDCB5	F8B3	DFB4	12-	XNN80080
5568		ACDCB6	F8B4	DFB5	12-	XNN90080
5569		ACDCB7	F8B5	DFB6	12-	XNNA0080
5570		ACDCB8	F8B6	DFB7	12-	XNNB0080
5571		ACDCB9	F8B7	DFB8	12-	XNNC0080
5572		ACDCBA	F8B8	DFB9	12-	XNND0080
5573		ACDCBB	F8B9	DFBA	12-	XNNE0080
5574		ACDCBC	F8BA	DFBB	12-	XNNF0080
5575		ACDCBD	F8BB	DFBC	12-	XNNG0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 16 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5576		ACDCBE	F8BC	DFBD	12-	XNNH0080
5577		ACDCBF	F8BD	DFBE	12-	XNNI0080
5578		ACDCC0	F8BE	DFBF	12-	XNNJ0080
5579		ACDCC1	F8BF	DFC0	12-	XNNK0080
5580		ACDCC2	F8C0	DFC1	12-	XNNL0080
5581		ACDCC3	F8C1	DFC2	12-	XNNM0080
5582		ACDCC4	F8C2	DFC3	12-	XNNN0080
5583		ACDCC5	F8C3	DFC4	12-	XNNO0080
5584		ACDCC6	F8C4	DFC5	12-	XNNP0080
5585		ACDCC7	F8C5	DFC6	12-	XNNQ0080
5586		ACDCC8	F8C6	DFC7	12-	XNNR0080
5587		ACDCC9	F8C7	DFC8	12-	XNNS0080
5588		ACDCCA	F8C8	DFC9	12-	XNNT0080
5589		ACDCCB	F8C9	DFCA	12-	XNNU0080
5590		ACDCCC	F8CA	DFCB	12-	XNNV0080
5591		ACDCCD	F8CB	DFCC	12-	XNNW0080
5592		ACDCCE	F8CC	DFCD	12-	XNNX0080
5593		ACDCCF	F8CD	DFCE	12-	XNNY0080
5594		ACDCD0	F8CE	DFCF	12-	XNNZ0080
5595		ACDCD1	F8CF	DFD0	12-	XNO00080
5596		ACDCD2	F8D0	DFD1	12-	XNO10080
5597		ACDCD3	F8D1	DFD2	12-	XNO20080
5598		ACDCD4	F8D2	DFD3	12-	XNO30080
5599		ACDCD5	F8D3	DFD4	12-	XNO40080
5600		ACDCD6	F8D4	DFD5	12-	XNO50080
5601		ACDCD7	F8D5	DFD6	12-	XNO60080
5602		ACDCD8	F8D6	DFD7	12-	XNO70080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 17 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5603		ACDCD9	F8D7	DFD8	12-	XNO80080
5604		ACDCDA	F8D8	DFD9	12-	XNO90080
5605		ACDCDB	F8D9	DFDA	12-	XNOA0080
5606		ACDCDC	F8DA	DFDB	12-	XNOB0080
5607		ACDCDD	F8DB	DFDC	12-	XNOC0080
5608		ACDCDE	F8DC	DFDD	12-	XNOD0080
5609		ACDCDF	F8DD	DFDE	12-	XNOE0080
5610		ACDCE0	F8DE	DFDF	12-	XNOF0080
5611		ACDCE1	F8DF	DFE0	12-	XNOG0080
5612		ACDCE2	F8E0	DFE1	12-	XNOH0080
5613		ACDCE3	F8E1	DFE2	12-	XNOI0080
5614		ACDCE4	F8E2	DFE3	12-	XNOJ0080
5615		ACDCE5	F8E3	DFE4	12-	XNOK0080
5616		ACDCE6	F8E4	DFE5	12-	XNOL0080
5617		ACDCE7	F8E5	DFE6	12-	XNOM0080
5618		ACDCE8	F8E6	DFE7	12-	XNON0080
5619		ACDCE9	F8E7	DFE8	12-	XNOO0080
5620		ACDCEA	F8E8	DFE9	12-	XNOP0080
5621		ACDCEB	F8E9	DFEA	12-	XNOQ0080
5622		ACDCEC	F8EA	DFEB	12-	XNOR0080
5623		ACDCED	F8EB	DFEC	12-	XNOS0080
5624		ACDCEE	F8EC	DFED	12-	XNOT0080
5625		ACDCEF	F8ED	DFEE	12-	XNOU0080
5626		ACDCF0	F8EE	DFEF	12-	XNOV0080
5627		ACDCF1	F8EF	DFF0	12-	XNOW0080
5628		ACDCF2	F8F0	DFF1	12-	XNOX0080
5629		ACDCF3	F8F1	DFF2	12-	XNOY0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 18 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5630		ACDCF4	F8F2	DFF3	12-	XNOZ0080
5631		ACDCF5	F8F3	DFF4	12-	XNP00080
5632		ACDCF6	F8F4	DFF5	12-	XNP10080
5633		ACDCF7	F8F5	DFF6	12-	XNP20080
5634		ACDCF8	F8F6	DFF7	12-	XNP30080
5635		ACDCF9	F8F7	DFF8	12-	XNP40080
5636		ACDCFA	F8F8	DFF9	12-	XNP50080
5637		ACDCFB	F8F9	DFFA	12-	XNP60080
5638		ACDCFC	F8FA	DFFB	12-	XNP70080
5639		ACDCFD	F8FB	DFFC	12-	XNP80080
5640		ACDCFE	F8FC	DFFD	12-	XNP90080
5641		ACDDA1	F940	E041	12-	XNPD0080
5642		ACDDA2	F941	E042	12-	XNPE0080
5643		ACDDA3	F942	E043	12-	XNPF0080
5644		ACDDA4	F943	E044	12-	XNPG0080
5645		ACDDA5	F944	E045	12-	XNPH0080
5646		ACDDA6	F945	E046	12-	XNPI0080
5647		ACDDA7	F946	E047	12-	XNPJ0080
5648		ACDDA8	F947	E048	12-	XNPK0080
5649		ACDDA9	F948	E049	12-	XNPL0080
5650		ACDDAA	F949	E04A	12-	XNPM0080
5651		ACDDAB	F94A	E04B	12-	XNPN0080
5652		ACDDAC	F94B	E04C	12-	XNPO0080
5653		ACDDAD	F94C	E04D	12-	XNPP0080
5654		ACDDAE	F94D	E04E	12-	XNPQ0080
5655		ACDDAF	F94E	E04F	12-	XNPR0080
5656		ACDDB0	F94F	E050	12-	XNPS0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 19 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5657		ACDDB1	F950	E051	12-	XNPT0080
5658		ACDDB2	F951	E052	12-	XNPU0080
5659		ACDDB3	F952	E053	12-	XNPV0080
5660		ACDDB4	F953	E054	12-	XNPW0080
5661		ACDDB5	F954	E055	12-	XNPX0080
5662		ACDDB6	F955	E056	12-	XNPY0080
5663		ACDDB7	F956	E057	12-	XNPZ0080
5664		ACDDB8	F957	E058	12-	XNQ00080
5665		ACDDB9	F958	E059	12-	XNQ10080
5666		ACDDBA	F959	E05A	12-	XNQ20080
5667		ACDDBB	F95A	E05B	12-	XNQ30080
5668		ACDDBC	F95B	E05C	12-	XNQ40080
5669		ACDDBD	F95C	E05D	12-	XNQ50080
5670		ACDDBE	F95D	E05E	12-	XNQ60080
5671		ACDDBF	F95E	E05F	12-	XNQ70080
5672		ACDDC0	F95F	E060	12-	XNQ80080
5673		ACDDC1	F960	E061	12-	XNQ90080
5674		ACDDC2	F961	E062	12-	XNQA0080
5675		ACDDC3	F962	E063	12-	XNQB0080
5676		ACDDC4	F963	E064	12-	XNQC0080
5677		ACDDC5	F964	E065	12-	XNQD0080
5678		ACDDC6	F965	E066	12-	XNQE0080
5679		ACDDC7	F966	E067	12-	XNQF0080
5680		ACDDC8	F967	E068	12-	XNQG0080
5681		ACDDC9	F968	E069	12-	XNQH0080
5682		ACDDCA	F969	E06A	12-	XNQI0080
5683		ACDDCB	F96A	E06B	12-	XNQJ0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 20 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5684		ACDDCC	F96B	E06C	12-	XNQK0080
5685		ACDDCD	F96C	E06D	12-	XNQL0080
5686		ACDDCE	F96D	E06E	12-	XNQM0080
5687		ACDDCF	F96E	E06F	12-	XNQN0080
5688		ACDDD0	F96F	E070	12-	XNQO0080
5689		ACDDD1	F970	E071	12-	XNQP0080
5690		ACDDD2	F971	E072	12-	XNQQ0080
5691		ACDDD3	F972	E073	12-	XNQR0080
5692		ACDDD4	F973	E074	12-	XNQS0080
5693		ACDDD5	F974	E075	12-	XNQT0080
5694		ACDDD6	F975	E076	12-	XNQU0080
5695		ACDDD7	F976	E077	12-	XNQV0080
5696		ACDDD8	F977	E078	12-	XNQW0080
5697		ACDDD9	F978	E079	12-	XNQX0080
5698		ACDDDA	F979	E07A	12-	XNQY0080
5699		ACDDDB	F97A	E07B	12-	XNQZ0080
5700		ACDDDC	F97B	E07C	12-	XNR00080
5701		ACDDDD	F97C	E07D	12-	XNR10080
5702		ACDDDE	F97D	E07E	12-	XNR20080
5703		ACDDDF	F97E	E07F	12-	XNR30080
5704		ACDDE0	F980	E081	12-	XNR50080
5705		ACDDE1	F981	E082	12-	XNR60080
5706		ACDDE2	F982	E083	12-	XNR70080
5707		ACDDE3	F983	E084	12-	XNR80080
5708		ACDDE4	F984	E085	12-	XNR90080
5709		ACDDE5	F985	E086	12-	XNRA0080
5710		ACDDE6	F986	E087	12-	XNRB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 21 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5711		ACDDE7	F987	E088	12-	XNRC0080
5712		ACDDE8	F988	E089	12-	XNRD0080
5713		ACDDE9	F989	E08A	12-	XNRE0080
5714		ACDDEA	F98A	E08B	12-	XNRF0080
5715		ACDDEB	F98B	E08C	12-	XNRG0080
5716		ACDDEC	F98C	E08D	12-	XNRH0080
5717		ACDDED	F98D	E08E	12-	XNRI0080
5718		ACDDEE	F98E	E08F	12-	XNRJ0080
5719		ACDDEF	F98F	E090	12-	XNRK0080
5720		ACDDF0	F990	E091	12-	XNRL0080
5721		ACDDF1	F991	E092	12-	XNRM0080
5722		ACDDF2	F992	E093	12-	XNRN0080
5723		ACDDF3	F993	E094	12-	XNRO0080
5724		ACDDF4	F994	E095	12-	XNRP0080
5725		ACDDF5	F995	E096	12-	XNRQ0080
5726		ACDDF6	F996	E097	12-	XNRR0080
5727		ACDDF7	F997	E098	12-	XNRS0080
5728		ACDDF8	F998	E099	12-	XNRT0080
5729		ACDDF9	F999	E09A	12-	XNRU0080
5730		ACDDFA	F99A	E09B	12-	XNRV0080
5731		ACDDFB	F99B	E09C	12-	XNRW0080
5732		ACDDFC	F99C	E09D	12-	XNRX0080
5733		ACDDFD	F99D	E09E	12-	XNRY0080
5734		ACDDFE	F99E	E09F	12-	XNRZ0080
5735		ACDEA1	F99F	E0A0	12-	XNS00080
5736		ACDEA2	F9A0	E0A1	12-	XNS10080
5737		ACDEA3	F9A1	E0A2	12-	XNS20080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 22 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5738		ACDEA4	F9A2	E0A3	12-	XNS30080
5739		ACDEA5	F9A3	E0A4	12-	XNS40080
5740		ACDEA6	F9A4	E0A5	12-	XNS50080
5741		ACDEA7	F9A5	E0A6	12-	XNS60080
5742		ACDEA8	F9A6	E0A7	12-	XNS70080
5743		ACDEA9	F9A7	E0A8	12-	XNS80080
5744		ACDEAA	F9A8	E0A9	12-	XNS90080
5745		ACDEAB	F9A9	E0AA	12-	XNSA0080
5746		ACDEAC	F9AA	E0AB	12-	XNSB0080
5747		ACDEAD	F9AB	E0AC	12-	XNSC0080
5748		ACDEAE	F9AC	E0AD	12-	XNSD0080
5749		ACDEAF	F9AD	E0AE	12-	XNSE0080
5750		ACDEB0	F9AE	E0AF	12-	XNSF0080
5751		ACDEB1	F9AF	E0B0	12-	XNSG0080
5752		ACDEB2	F9B0	E0B1	12-	XNSH0080
5753		ACDEB3	F9B1	E0B2	12-	XNSI0080
5754		ACDEB4	F9B2	E0B3	12-	XNSJ0080
5755		ACDEB5	F9B3	E0B4	12-	XNSK0080
5756		ACDEB6	F9B4	E0B5	12-	XNSL0080
5757		ACDEB7	F9B5	E0B6	12-	XNSM0080
5758		ACDEB8	F9B6	E0B7	12-	XNSN0080
5759		ACDEB9	F9B7	E0B8	12-	XNSO0080
5760		ACDEBA	F9B8	E0B9	12-	XNSP0080
5761		ACDEBB	F9B9	E0BA	12-	XNSQ0080
5762		ACDEBC	F9BA	E0BB	12-	XNSR0080
5763		ACDEBD	F9BB	E0BC	12-	XNSS0080
5764		ACDEBE	F9BC	E0BD	12-	XNST0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 23 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5765		ACDEBF	F9BD	E0BE	12-	XNSU0080
5766		ACDEC0	F9BE	E0BF	12-	XNSV0080
5767		ACDEC1	F9BF	E0C0	12-	XNSW0080
5768		ACDEC2	F9C0	E0C1	12-	XNSX0080
5769		ACDEC3	F9C1	E0C2	12-	XNSY0080
5770		ACDEC4	F9C2	E0C3	12-	XNSZ0080
5771		ACDEC5	F9C3	E0C4	12-	XNT00080
5772		ACDEC6	F9C4	E0C5	12-	XNT10080
5773		ACDEC7	F9C5	E0C6	12-	XNT20080
5774		ACDEC8	F9C6	E0C7	12-	XNT30080
5775		ACDEC9	F9C7	E0C8	12-	XNT40080
5776		ACDECA	F9C8	E0C9	12-	XNT50080
5777		ACDECB	F9C9	E0CA	12-	XNT60080
5778		ACDECC	F9CA	E0CB	12-	XNT70080
5779		ACDECD	F9CB	E0CC	12-	XNT80080
5780		ACDECE	F9CC	E0CD	12-	XNT90080
5781		ACDECF	F9CD	E0CE	12-	XNTA0080
5782		ACDED0	F9CE	E0CF	12-	XNTB0080
5783		ACDED1	F9CF	E0D0	12-	XNTC0080
5784		ACDED2	F9D0	E0D1	12-	XNTD0080
5785		ACDED3	F9D1	E0D2	12-	XNTE0080
5786		ACDED4	F9D2	E0D3	12-	XNTF0080
5787		ACDED5	F9D3	E0D4	12-	XNTG0080
5788		ACDED6	F9D4	E0D5	12-	XNTH0080
5789		ACDED7	F9D5	E0D6	12-	XNTI0080
5790		ACDED8	F9D6	E0D7	12-	XNTJ0080
5791		ACDED9	F9D7	E0D8	12-	XNTK0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 24 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5792		ACDEDA	F9D8	E0D9	12-	XNTL0080
5793		ACDEDB	F9D9	E0DA	12-	XNTM0080
5794		ACDEDC	F9DA	E0DB	12-	XNTN0080
5795		ACDEDD	F9DB	E0DC	12-	XNTO0080
5796		ACDEDE	F9DC	E0DD	12-	XNTP0080
5797		ACDEDF	F9DD	E0DE	12-	XNTQ0080
5798		ACDEE0	F9DE	E0DF	12-	XNTR0080
5799		ACDEE1	F9DF	E0E0	12-	XNTS0080
5800		ACDEE2	F9E0	E0E1	12-	XNTT0080
5801		ACDEE3	F9E1	E0E2	12-	XNTU0080
5802		ACDEE4	F9E2	E0E3	12-	XNTV0080
5803		ACDEE5	F9E3	E0E4	12-	XNTW0080
5804		ACDEE6	F9E4	E0E5	12-	XNTX0080
5805		ACDEE7	F9E5	E0E6	12-	XNTY0080
5806		ACDEE8	F9E6	E0E7	12-	XNTZ0080
5807		ACDEE9	F9E7	E0E8	12-	XNU00080
5808		ACDEEA	F9E8	E0E9	12-	XNU10080
5809		ACDEEB	F9E9	E0EA	12-	XNU20080
5810		ACDEEC	F9EA	E0EB	12-	XNU30080
5811		ACDEED	F9EB	E0EC	12-	XNU40080
5812		ACDEEE	F9EC	E0ED	12-	XNU50080
5813		ACDEEF	F9ED	E0EE	12-	XNU60080
5814		ACDEF0	F9EE	E0EF	12-	XNU70080
5815		ACDEF1	F9EF	E0F0	12-	XNU80080
5816		ACDEF2	F9F0	E0F1	12-	XNU90080
5817		ACDEF3	F9F1	E0F2	12-	XNUA0080
5818		ACDEF4	F9F2	E0F3	12-	XNUB0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 25 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5819		ACDEF5	F9F3	E0F4	12-	XNUC0080
5820		ACDEF6	F9F4	E0F5	12-	XNUD0080
5821		ACDEF7	F9F5	E0F6	12-	XNUE0080
5822		ACDEF8	F9F6	E0F7	12-	XNUF0080
5823		ACDEF9	F9F7	E0F8	12-	XNUG0080
5824		ACDEFA	F9F8	E0F9	12-	XNUH0080
5825		ACDEFB	F9F9	E0FA	12-	XNUI0080
5826		ACDEFC	F9FA	E0FB	12-	XNUJ0080
5827		ACDEFD	F9FB	E0FC	12-	XNUK0080
5828		ACDEFE	F9FC	E0FD	12-	XNUL0080
5829		ACDFA1	FA40	E141	12-	XNUP0080
5830		ACDFA2	FA41	E142	12-	XNUQ0080
5831		ACDFA3	FA42	E143	12-	XNUR0080
5832		ACDFA4	FA43	E144	12-	XNUS0080
5833		ACDFA5	FA44	E145	12-	XNUT0080
5834		ACDFA6	FA45	E146	12-	XNUU0080
5835		ACDFA7	FA46	E147	12-	XNUV0080
5836		ACDFA8	FA47	E148	12-	XNUW0080
5837		ACDFA9	FA48	E149	12-	XNUX0080
5838		ACDFAA	FA49	E14A	12-	XNUY0080
5839		ACDFAB	FA4A	E14B	12-	XNUZ0080
5840		ACDFAC	FA4B	E14C	12-	XNV00080
5841		ACDFAD	FA4C	E14D	12-	XNV10080
5842		ACDFAE	FA4D	E14E	12-	XNV20080
5843		ACDFAF	FA4E	E14F	12-	XNV30080
5844		ACDFB0	FA4F	E150	12-	XNV40080
5845		ACDFB1	FA50	E151	12-	XNV50080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 26 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5846		ACDFB2	FA51	E152	12-	XNV60080
5847		ACDFB3	FA52	E153	12-	XNV70080
5848		ACDFB4	FA53	E154	12-	XNV80080
5849		ACDFB5	FA54	E155	12-	XNV90080
5850		ACDFB6	FA55	E156	12-	XNVA0080
5851		ACDFB7	FA56	E157	12-	XNVB0080
5852		ACDFB8	FA57	E158	12-	XNVC0080
5853		ACDFB9	FA58	E159	12-	XNVD0080
5854		ACDFBA	FA59	E15A	12-	XNVE0080
5855		ACDFBB	FA5A	E15B	12-	XNVF0080
5856		ACDFBC	FA5B	E15C	12-	XNVG0080
5857		ACDFBD	FA5C	E15D	12-	XNVH0080
5858		ACDFBE	FA5D	E15E	12-	XNVI0080
5859		ACDFBF	FA5E	E15F	12-	XNVJ0080
5860		ACDFC0	FA5F	E160	12-	XNVK0080
5861		ACDFC1	FA60	E161	12-	XNVL0080
5862		ACDFC2	FA61	E162	12-	XNVM0080
5863		ACDFC3	FA62	E163	12-	XNVN0080
5864		ACDFC4	FA63	E164	12-	XNVO0080
5865		ACDFC5	FA64	E165	12-	XNVP0080
5866		ACDFC6	FA65	E166	12-	XNVQ0080
5867		ACDFC7	FA66	E167	12-	XNVR0080
5868		ACDFC8	FA67	E168	12-	XNVS0080
5869		ACDFC9	FA68	E169	12-	XNVT0080
5870		ACDFCA	FA69	E16A	12-	XNVU0080
5871		ACDFCB	FA6A	E16B	12-	XNVV0080
5872		ACDFCC	FA6B	E16C	12-	XNVW0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC


Table 24 (Page 27 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5873		ACDFCD	FA6C	E16D	12-	XNVX0080
5874		ACDFCE	FA6D	E16E	12-	XNVY0080
5875		ACDFCF	FA6E	E16F	12-	XNVZ0080
5876		ACDFD0	FA6F	E170	12-	XNW00080
5877		ACDFD1	FA70	E171	12-	XNW10080
5878		ACDFD2	FA71	E172	12-	XNW20080
5879		ACDFD3	FA72	E173	12-	XNW30080
5880		ACDFD4	FA73	E174	12-	XNW40080
5881		ACDFD5	FA74	E175	12-	XNW50080
5882		ACDFD6	FA75	E176	12-	XNW60080
5883		ACDFD7	FA76	E177	12-	XNW70080
5884		ACDFD8	FA77	E178	12-	XNW80080
5885		ACDFD9	FA78	E179	12-	XNW90080
5886		ACDFDA	FA79	E17A	12-	XNWA0080
5887		ACDFDB	FA7A	E17B	12-	XNWB0080
5888		ACDFDC	FA7B	E17C	12-	XNWC0080
5889		ACDFDD	FA7C	E17D	12-	XNWD0080
5890		ACDFDE	FA7D	E17E	12-	XNWE0080
5891		ACDFDF	FA7E	E17F	12-	XNWF0080
5892		ACDFE0	FA80	E181	12-	XNWH0080
5893		ACDFE1	FA81	E182	12-	XNWI0080
5894		ACDFE2	FA82	E183	12-	XNWJ0080
5895		ACDFE3	FA83	E184	12-	XNWK0080
5896		ACDFE4	FA84	E185	12-	XNWL0080
5897		ACDFE5	FA85	E186	12-	XNWM0080
5898		ACDFE6	FA86	E187	12-	XNWN0080
5899		ACDFE7	FA87	E188	12-	XNWO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 28 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5900		ACDFE8	FA88	E189	12-	XNWP0080
5901		ACDFE9	FA89	E18A	12-	XNWQ0080
5902		ACDFEA	FA8A	E18B	12-	XNWR0080
5903		ACDFEB	FA8B	E18C	12-	XNWS0080
5904		ACDFEC	FA8C	E18D	12-	XNWT0080
5905		ACDFED	FA8D	E18E	12-	XNWU0080
5906		ACDFEE	FA8E	E18F	12-	XNWV0080
5907		ACDFEF	FA8F	E190	12-	XNWW0080
5908		ACDFF0	FA90	E191	12-	XNWX0080
5909		ACDFF1	FA91	E192	12-	XNWy0080
5910		ACDFF2	FA92	E193	12-	XNWZ0080
5911		ACDFF3	FA93	E194	12-	XNX00080
5912		ACDFF4	FA94	E195	12-	XNX10080
5913		ACDFF5	FA95	E196	12-	XNX20080
5914		ACDFF6	FA96	E197	12-	XNX30080
5915		ACDFF7	FA97	E198	12-	XNX40080
5916		ACDFF8	FA98	E199	12-	XNX50080
5917		ACDFF9	FA99	E19A	12-	XNX60080
5918		ACDFFA	FA9A	E19B	12-	XNX70080
5919		ACDFFB	FA9B	E19C	12-	XNX80080
5920		ACDFFC	FA9C	E19D	12-	XNX90080
5921		ACDFFD	FA9D	E19E	12-	XNXA0080
5922		ACDFFE	FA9E	E19F	12-	XNXB0080
5923		ACE0A1	FA9F	E1A0	12-	XNXC0080
5924		ACE0A2	FAA0	E1A1	12-	XNXD0080
5925		ACE0A3	FAA1	E1A2	12-	XNXE0080
5926		ACE0A4	FAA2	E1A3	12-	XNXF0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 29 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5927		ACE0A5	FAA3	E1A4	12-	XNXG0080
5928		ACE0A6	FAA4	E1A5	12-	XNXH0080
5929		ACE0A7	FAA5	E1A6	12-	XNXI0080
5930		ACE0A8	FAA6	E1A7	12-	XNXJ0080
5931		ACE0A9	FAA7	E1A8	12-	XNXK0080
5932		ACE0AA	FAA8	E1A9	12-	XNXL0080
5933		ACE0AB	FAA9	E1AA	12-	XNXM0080
5934		ACE0AC	FAAA	E1AB	12-	XNXN0080
5935		ACE0AD	FAAB	E1AC	12-	XNXO0080
5936		ACE0AE	FAAC	E1AD	12-	XNXP0080
5937		ACE0AF	FAAD	E1AE	12-	XNXQ0080
5938		ACE0B0	FAAE	E1AF	12-	XNXR0080
5939		ACE0B1	FAAF	E1B0	12-	XNXS0080
5940		ACE0B2	FAB0	E1B1	12-	XNXT0080
5941		ACE0B3	FAB1	E1B2	12-	XNXU0080
5942		ACE0B4	FAB2	E1B3	12-	XNXV0080
5943		ACE0B5	FAB3	E1B4	12-	XNXW0080
5944		ACE0B6	FAB4	E1B5	12-	XNXX0080
5945		ACE0B7	FAB5	E1B6	12-	XNXY0080
5946		ACE0B8	FAB6	E1B7	12-	XNXZ0080
5947		ACE0B9	FAB7	E1B8	12-	XNY00080
5948		ACE0BA	FAB8	E1B9	12-	XNY10080
5949		ACE0BB	FAB9	E1BA	12-	XNY20080
5950		ACE0BC	FABA	E1BB	12-	XNY30080
5951		ACE0BD	FABB	E1BC	12-	XNY40080
5952		ACE0BE	FABC	E1BD	12-	XNY50080
5953		ACE0BF	FABD	E1BE	12-	XNY60080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 30 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5954		ACE0C0	FABE	E1BF	12-	XNY70080
5955		ACE0C1	FABF	E1C0	12-	XNY80080
5956		ACE0C2	FAC0	E1C1	12-	XNY90080
5957		ACE0C3	FAC1	E1C2	12-	XNYA0080
5958		ACE0C4	FAC2	E1C3	12-	XNYB0080
5959		ACE0C5	FAC3	E1C4	12-	XNYC0080
5960		ACE0C6	FAC4	E1C5	12-	XNYD0080
5961		ACE0C7	FAC5	E1C6	12-	XNYE0080
5962		ACE0C8	FAC6	E1C7	12-	XNYF0080
5963		ACE0C9	FAC7	E1C8	12-	XNYG0080
5964		ACE0CA	FAC8	E1C9	12-	XNYH0080
5965		ACE0CB	FAC9	E1CA	12-	XNYI0080
5966		ACE0CC	FACA	E1CB	12-	XNYJ0080
5967		ACE0CD	FACB	E1CC	12-	XNYK0080
5968		ACE0CE	FACC	E1CD	12-	XNYL0080
5969		ACE0CF	FACD	E1CE	12-	XNYM0080
5970		ACE0D0	FACE	E1CF	12-	XNYN0080
5971		ACE0D1	FACF	E1D0	12-	XNYO0080
5972		ACE0D2	FAD0	E1D1	12-	XNYP0080
5973		ACE0D3	FAD1	E1D2	12-	XNYQ0080
5974		ACE0D4	FAD2	E1D3	12-	XNYR0080
5975		ACE0D5	FAD3	E1D4	12-	XNYS0080
5976		ACE0D6	FAD4	E1D5	12-	XNYT0080
5977		ACE0D7	FAD5	E1D6	12-	XNYU0080
5978		ACE0D8	FAD6	E1D7	12-	XNYV0080
5979		ACE0D9	FAD7	E1D8	12-	XNYW0080
5980		ACE0DA	FAD8	E1D9	12-	XNYX0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 31 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
5981		ACE0DB	FAD9	E1DA	12-	XNYY0080
5982		ACE0DC	FADA	E1DB	12-	XNYZ0080
5983		ACE0DD	FADB	E1DC	12-	XNZ00080
5984		ACE0DE	FADC	E1DD	12-	XNZ10080
5985		ACE0DF	FADD	E1DE	12-	XNZ20080
5986		ACE0E0	FADE	E1DF	12-	XNZ30080
5987		ACE0E1	FADF	E1E0	12-	XNZ40080
5988		ACE0E2	FAE0	E1E1	12-	XNZ50080
5989		ACE0E3	FAE1	E1E2	12-	XNZ60080
5990		ACE0E4	FAE2	E1E3	12-	XNZ70080
5991		ACE0E5	FAE3	E1E4	12-	XNZ80080
5992		ACE0E6	FAE4	E1E5	12-	XNZ90080
5993		ACE0E7	FAE5	E1E6	12-	XNZA0080
5994		ACE0E8	FAE6	E1E7	12-	XNZB0080
5995		ACE0E9	FAE7	E1E8	12-	XNZC0080
5996		ACE0EA	FAE8	E1E9	12-	XNZD0080
5997		ACE0EB	FAE9	E1EA	12-	XNZE0080
5998		ACE0EC	FAEA	E1EB	12-	XNZF0080
5999		ACE0ED	FAEB	E1EC	12-	XNZG0080
6000		ACE0EE	FAEC	E1ED	12-	XNZH0080
6001		ACE0EF	FAED	E1EE	12-	XNZI0080
6002		ACE0F0	FAEE	E1EF	12-	XNZJ0080
6003		ACE0F1	FAEF	E1F0	12-	XNZK0080
6004		ACE0F2	FAF0	E1F1	12-	XNZL0080
6005		ACE0F3	FAF1	E1F2	12-	XNZM0080
6006		ACE0F4	FAF2	E1F3	12-	XNZN0080
6007		ACE0F5	FAF3	E1F4	12-	XNZO0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 32 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6008		ACE0F6	FAF4	E1F5	12-	XNZP0080
6009		ACE0F7	FAF5	E1F6	12-	XNZQ0080
6010		ACE0F8	FAF6	E1F7	12-	XNZR0080
6011		ACE0F9	FAF7	E1F8	12-	XNZS0080
6012		ACE0FA	FAF8	E1F9	12-	XNZT0080
6013		ACE0FB	FAF9	E1FA	12-	XNZU0080
6014		ACE0FC	FAFA	E1FB	12-	XNZV0080
6015		ACE0FD	FAFB	E1FC	12-	XNZW0080
6016		ACE0FE	FAFC	E1FD	12-	XNZX0080
6017		ACE1A1	FB40	E241	12-	XO010080
6018		ACE1A2	FB41	E242	12-	XO020080
6019		ACE1A3	FB42	E243	12-	XO030080
6020		ACE1A4	FB43	E244	12-	XO040080
6021		ACE1A5	FB44	E245	12-	XO050080
6022		ACE1A6	FB45	E246	12-	XO060080
6023		ACE1A7	FB46	E247	12-	XO070080
6024		ACE1A8	FB47	E248	12-	XO080080
6025		ACE1A9	FB48	E249	12-	XO090080
6026		ACE1AA	FB49	E24A	12-	XO0A0080
6027		ACE1AB	FB4A	E24B	12-	XO0B0080
6028		ACE1AC	FB4B	E24C	12-	XO0C0080
6029		ACE1AD	FB4C	E24D	12-	XO0D0080
6030		ACE1AE	FB4D	E24E	12-	XO0E0080
6031		ACE1AF	FB4E	E24F	12-	XO0F0080
6032		ACE1B0	FB4F	E250	12-	XO0G0080
6033		ACE1B1	FB50	E251	12-	XO0H0080
6034		ACE1B2	FB51	E252	12-	XO0I0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 33 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6035		ACE1B3	FB52	E253	12-	XO0J0080
6036		ACE1B4	FB53	E254	12-	XO0K0080
6037		ACE1B5	FB54	E255	12-	XO0L0080
6038		ACE1B6	FB55	E256	12-	XO0M0080
6039		ACE1B7	FB56	E257	12-	XO0N0080
6040		ACE1B8	FB57	E258	12-	XO0O0080
6041		ACE1B9	FB58	E259	12-	XO0P0080
6042		ACE1BA	FB59	E25A	12-	XO0Q0080
6043		ACE1BB	FB5A	E25B	12-	XO0R0080
6044		ACE1BC	FB5B	E25C	12-	XO0S0080
6045		ACE1BD	FB5C	E25D	12-	XO0T0080
6046		ACE1BE	FB5D	E25E	12-	XO0U0080
6047		ACE1BF	FB5E	E25F	12-	XO0V0080
6048		ACE1C0	FB5F	E260	12-	XO0W0080
6049		ACE1C1	FB60	E261	12-	XO0X0080
6050		ACE1C2	FB61	E262	12-	XO0Y0080
6051		ACE1C3	FB62	E263	12-	XO0Z0080
6052		ACE1C4	FB63	E264	12-	XO100080
6053		ACE1C5	FB64	E265	12-	XO110080
6054		ACE1C6	FB65	E266	12-	XO120080
6055		ACE1C7	FB66	E267	12-	XO130080
6056		ACE1C8	FB67	E268	12-	XO140080
6057		ACE1C9	FB68	E269	12-	XO150080
6058		ACE1CA	FB69	E26A	12-	XO160080
6059		ACE1CB	FB6A	E26B	12-	XO170080
6060		ACE1CC	FB6B	E26C	12-	XO180080
6061		ACE1CD	FB6C	E26D	12-	XO190080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 34 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6062		ACE1CE	FB6D	E26E	12-	XO1A0080
6063		ACE1CF	FB6E	E26F	12-	XO1B0080
6064		ACE1D0	FB6F	E270	12-	XO1C0080
6065		ACE1D1	FB70	E271	12-	XO1D0080
6066		ACE1D2	FB71	E272	12-	XO1E0080
6067		ACE1D3	FB72	E273	12-	XO1F0080
6068		ACE1D4	FB73	E274	12-	XO1G0080
6069		ACE1D5	FB74	E275	12-	XO1H0080
6070		ACE1D6	FB75	E276	12-	XO1I0080
6071		ACE1D7	FB76	E277	12-	XO1J0080
6072		ACE1D8	FB77	E278	12-	XO1K0080
6073		ACE1D9	FB78	E279	12-	XO1L0080
6074		ACE1DA	FB79	E27A	12-	XO1M0080
6075		ACE1DB	FB7A	E27B	12-	XO1N0080
6076		ACE1DC	FB7B	E27C	12-	XO1O0080
6077		ACE1DD	FB7C	E27D	12-	XO1P0080
6078		ACE1DE	FB7D	E27E	12-	XO1Q0080
6079		ACE1DF	FB7E	E27F	12-	XO1R0080
6080		ACE1E0	FB80	E281	12-	XO1T0080
6081		ACE1E1	FB81	E282	12-	XO1U0080
6082		ACE1E2	FB82	E283	12-	XO1V0080
6083		ACE1E3	FB83	E284	12-	XO1W0080
6084		ACE1E4	FB84	E285	12-	XO1X0080
6085		ACE1E5	FB85	E286	12-	XO1Y0080
6086		ACE1E6	FB86	E287	12-	XO1Z0080
6087		ACE1E7	FB87	E288	12-	XO200080
6088		ACE1E8	FB88	E289	12-	XO210080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 35 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6089		ACE1E9	FB89	E28A	12-	XO220080
6090		ACE1EA	FB8A	E28B	12-	XO230080
6091		ACE1EB	FB8B	E28C	12-	XO240080
6092		ACE1EC	FB8C	E28D	12-	XO250080
6093		ACE1ED	FB8D	E28E	12-	XO260080
6094		ACE1EE	FB8E	E28F	12-	XO270080
6095		ACE1EF	FB8F	E290	12-	XO280080
6096		ACE1F0	FB90	E291	12-	XO290080
6097		ACE1F1	FB91	E292	12-	XO2A0080
6098		ACE1F2	FB92	E293	12-	XO2B0080
6099		ACE1F3	FB93	E294	12-	XO2C0080
6100		ACE1F4	FB94	E295	12-	XO2D0080
6101		ACE1F5	FB95	E296	12-	XO2E0080
6102		ACE1F6	FB96	E297	12-	XO2F0080
6103		ACE1F7	FB97	E298	12-	XO2G0080
6104		ACE1F8	FB98	E299	12-	XO2H0080
6105		ACE1F9	FB99	E29A	12-	XO2I0080
6106		ACE1FA	FB9A	E29B	12-	XO2J0080
6107		ACE1FB	FB9B	E29C	12-	XO2K0080
6108		ACE1FC	FB9C	E29D	12-	XO2L0080
6109		ACE1FD	FB9D	E29E	12-	XO2M0080
6110		ACE1FE	FB9E	E29F	12-	XO2N0080
6111		ACE2A1	FB9F	E2A0	12-	XO2O0080
6112		ACE2A2	FBA0	E2A1	12-	XO2P0080
6113		ACE2A3	FBA1	E2A2	12-	XO2Q0080
6114		ACE2A4	FBA2	E2A3	12-	XO2R0080
6115		ACE2A5	FBA3	E2A4	12-	XO2S0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 36 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6116		ACE2A6	FBA4	E2A5	12-	XO2T0080
6117		ACE2A7	FBA5	E2A6	12-	XO2U0080
6118		ACE2A8	FBA6	E2A7	12-	XO2V0080
6119		ACE2A9	FBA7	E2A8	12-	XO2W0080
6120		ACE2AA	FBA8	E2A9	12-	XO2X0080
6121		ACE2AB	FBA9	E2AA	12-	XO2Y0080
6122		ACE2AC	FBAA	E2AB	12-	XO2Z0080
6123		ACE2AD	FBAB	E2AC	12-	XO300080
6124		ACE2AE	FBAC	E2AD	12-	XO310080
6125		ACE2AF	FBAD	E2AE	12-	XO320080
6126		ACE2B0	FBAE	E2AF	12-	XO330080
6127		ACE2B1	FBAF	E2B0	12-	XO340080
6128		ACE2B2	FBB0	E2B1	12-	XO350080
6129		ACE2B3	FBB1	E2B2	12-	XO360080
6130		ACE2B4	FBB2	E2B3	12-	XO370080
6131		ACE2B5	FBB3	E2B4	12-	XO380080
6132		ACE2B6	FBB4	E2B5	12-	XO390080
6133		ACE2B7	FBB5	E2B6	12-	XO3A0080
6134		ACE2B8	FBB6	E2B7	12-	XO3B0080
6135		ACE2B9	FBB7	E2B8	12-	XO3C0080
6136		ACE2BA	FBB8	E2B9	12-	XO3D0080
6137		ACE2BB	FBB9	E2BA	12-	XO3E0080
6138		ACE2BC	FBBA	E2BB	12-	XO3F0080
6139		ACE2BD	FBBB	E2BC	12-	XO3G0080
6140		ACE2BE	FBBC	E2BD	12-	XO3H0080
6141		ACE2BF	FBBD	E2BE	12-	XO3I0080
6142		ACE2C0	FBBE	E2BF	12-	XO3J0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 37 of 39). User Definable Character Set (6 of 6), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6143		ACE2C1	FBBF	E2C0	12-	XO3K0080
6144		ACE2C2	FBC0	E2C1	12-	XO3L0080
6145		ACE2C3	FBC1	E2C2	12-	XO3M0080
6146		ACE2C4	FBC2	E2C3	12-	XO3N0080
6147		ACE2C5	FBC3	E2C4	12-	XO3O0080
6148		ACE2C6	FBC4	E2C5	12-	XO3P0080
6149		ACE2C7	FBC5	E2C6	12-	XO3Q0080
6150		ACE2C8	FBC6	E2C7	12-	XO3R0080
6151		ACE2C9	FBC7	E2C8	12-	XO3S0080
6152		ACE2CA	FBC8	E2C9	12-	XO3T0080
6153		ACE2CB	FBC9	E2CA	12-	XO3U0080
6154		ACE2CC	FBCA	E2CB	12-	XO3V0080
6155		ACE2CD	FBCB	E2CC	12-	XO3W0080
6156		ACE2CE	FBCC	E2CD	12-	XO3X0080
6157		ACE2CF	FBCD	E2CE	12-	XO3Y0080
6158		ACE2D0	FBCE	E2CF	12-	XO3Z0080
6159		ACE2D1	FBCF	E2D0	12-	XO400080
6160		ACE2D2	FBD0	E2D1	12-	XO410080
6161		ACE2D3	FBD1	E2D2	12-	XO420080
6162		ACE2D4	FBD2	E2D3	12-	XO430080
6163		ACE2D5	FBD3	E2D4	12-	XO440080
6164		ACE2D6	FBD4	E2D5	12-	XO450080
6165		ACE2D7	FBD5	E2D6	12-	XO460080
6166		ACE2D8	FBD6	E2D7	12-	XO470080
6167		ACE2D9	FBD7	E2D8	12-	XO480080
6168		ACE2DA	FBD8	E2D9	12-	XO490080
6169		ACE2DB	FBD9	E2DA	12-	XO4A0080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 24 (Page 38 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6170		ACE2DC	FBDA	E2DB	12-	XO4B0080
6171		ACE2DD	FBDB	E2DC	12-	XO4C0080
6172		ACE2DE	FBDC	E2DD	12-	XO4D0080
6173		ACE2DF	FBDD	E2DE	12-	XO4E0080
6174		ACE2E0	FBDE	E2DF	12-	XO4F0080
6175		ACE2E1	FBDF	E2E0	12-	XO4G0080
6176		ACE2E2	FBE0	E2E1	12-	XO4H0080
6177		ACE2E3	FBE1	E2E2	12-	XO4I0080
6178		ACE2E4	FBE2	E2E3	12-	XO4J0080
6179		ACE2E5	FBE3	E2E4	12-	XO4K0080
6180		ACE2E6	FBE4	E2E5	12-	XO4L0080
6181		ACE2E7	FBE5	E2E6	12-	XO4M0080
6182		ACE2E8	FBE6	E2E7	12-	XO4N0080
6183		ACE2E9	FBE7	E2E8	12-	XO4O0080
6184		ACE2EA	FBE8	E2E9	12-	XO4P0080
6185		ACE2EB	FBE9	E2EA	12-	XO4Q0080
6186		ACE2EC	FBEA	E2EB	12-	XO4R0080
6187		ACE2ED	FBEB	E2EC	12-	XO4S0080
6188		ACE2EE	FBEC	E2ED	12-	XO4T0080
6189		ACE2EF	FBED	E2EE	12-	XO4U0080
6190		ACE2F0	FBEE	E2EF	12-	XO4V0080
6191		ACE2F1	FBEF	E2F0	12-	XO4W0080
6192		ACE2F2	FBF0	E2F1	12-	XO4X0080
6193		ACE2F3	FBF1	E2F2	12-	XO4Y0080
6194		ACE2F4	FBF2	E2F3	12-	XO4Z0080
6195		ACE2F5	FBF3	E2F4	12-	XO500080
6196		ACE2F6	FBF4	E2F5	12-	XO510080




IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 24 (Page 39 of 39). User Definable Character Set (6 of 6), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
6197		ACE2F7	FBF5	E2F6	12-	XO520080
6198		ACE2F8	FBF6	E2F7	12-	XO530080
6199		ACE2F9	FBF7	E2F8	12-	XO540080
6200		ACE2FA	FBF8	E2F9	12-	XO550080
6201		ACE2FB	FBF9	E2FA	12-	XO560080
6202		ACE2FC	FBFA	E2FB	12-	XO570080
6203		ACE2FD	FBFB	E2FC	12-	XO580080
6204		ACE2FE	FBFC	E2FD	12-	XO590080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

*11.3 IBM Selected Non-Chinese Character Set***Table 25 (Page 1 of 14).** IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1	ˆ	ADA1A1	814A	43BE	13-	JX710080
2	°	ADA1A2	814B	43BF	13-	JX720080
3	¨	ADA1A3	814E	4460	13-	SD170080
4	^	ADA1A4	814F	4470	13-	SD150080
5	˘	ADA1A5	8152	43DC	13-	JQ750080
6	ˇ	ADA1A6	8153	43DD	13-	JQ760080
7	˙	ADA1A7	8154	44DC	13-	RQ750080
8	˚	ADA1A8	8155	44DD	13-	RQ760080
9	¨	ADA1A9	8156	445B	13-	SV090081
10	仝	ADA1AA	8157	445C	13-	SS760080
11	々	ADA1AB	8158	445D	13-	SS770080
12	夂	ADA1AC	8159	445E	13-	SS720080
13	○	ADA1AD	815A	445F	13-	ND100087
14	一	ADA1AE	815B	4358	13-	JX700080
15	—	ADA1AF	815D	445A	13-	SP320080
16	[ADA1B0	816D	4444	13-	SM060080
17]	ADA1B1	816E	4445	13-	SM080080
18	'	ADA1B2	818C	44EE	13-	SM500080
19	”	ADA1B3	818D	44EF	13-	SM510080
20	※	ADA1B4	8196	425C	13-	SM040080
21	≡	ADA1B5	81AC	447D	13-	SS750080
22	€	ADA1B6	81B8	4364	13-	SA670080
23	≡	ADA1B7	81B9	4365	13-	SA310080

IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

Table 25 (Page 2 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
24	⊆	ADA1B8	81BA	4366	13-	SA240080
25	⊇	ADA1B9	81BB	4367	13-	SA270080
26	⊂	ADA1BA	81BC	4368	13-	SA400080
27	⊃	ADA1BB	81BD	4369	13-	SA410080
28	∧	ADA1BC	81C8	436C	13-	SA330080
29	∨	ADA1BD	81C9	436D	13-	SA320080
30	⇒	ADA1BE	81CB	436E	13-	SM420080
31	⇔	ADA1BF	81CC	436F	13-	SM410080
32	∇	ADA1C0	81CD	4370	13-	SA210080
33	∃	ADA1C1	81CE	4371	13-	SA230080
34	ˆ	ADA1C2	81DC	434D	13-	SV420080
35	∂	ADA1C3	81DD	434E	13-	SA490080
36	∇	ADA1C4	81DE	434F	13-	SL030080
37	⋈	ADA1C5	81E1	435D	13-	SA730080
38	⋉	ADA1C6	81E2	435E	13-	SA740080
39	∞	ADA1C7	81E4	4360	13-	SA830080
40	∞	ADA1C8	81E5	4361	13-	SA470080
41	∞	ADA1C9	81E8	4363	13-	SA840080
42	À	ADA1CA	81F0	4372	13-	SM220080
43	‰	ADA1CB	81F1	4373	13-	SM560080
44	#	ADA1CC	81F2	4374	13-	SM880080
45	b	ADA1CD	81F3	4375	13-	SM890080
46	♪	ADA1CE	81F4	4376	13-	SM930080
47	†	ADA1CF	81F5	4377	13-	SM340080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 3 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
48	𠄎	ADA1D0	81F6	4378	13-	SM350080
49	𠄏	ADA1D1	81F7	4379	13-	SM250080
50	○	ADA1D2	81FC	437A	13-	SV220080
51	あ	ADA1D3	829F	4447	13-	RA010080
52	ぁ	ADA1D4	82A0	4481	13-	RA000080
53	い	ADA1D5	82A1	4448	13-	RI010080
54	ぃ	ADA1D6	82A2	4482	13-	RI000080
55	う	ADA1D7	82A3	4449	13-	RU010080
56	ぅ	ADA1D8	82A4	4483	13-	RU000080
57	え	ADA1D9	82A5	4451	13-	RE010080
58	ぇ	ADA1DA	82A6	4484	13-	RE000080
59	お	ADA1DB	82A7	4452	13-	RO010080
60	ぉ	ADA1DC	82A8	4485	13-	RO000080
61	か	ADA1DD	82A9	4486	13-	RK100080
62	が	ADA1DE	82AA	44C0	13-	RG100080
63	き	ADA1DF	82AB	4487	13-	RK200080
64	ぎ	ADA1E0	82AC	44C1	13-	RG200080
65	く	ADA1E1	82AD	4488	13-	RK300080
66	ぐ	ADA1E2	82AE	44C2	13-	RG300080
67	け	ADA1E3	82AF	4489	13-	RK400080
68	げ	ADA1E4	82B0	44C3	13-	RG400080
69	こ	ADA1E5	82B1	448A	13-	RK500080
70	ご	ADA1E6	82B2	44C4	13-	RG500080
71	さ	ADA1E7	82B3	448C	13-	RS100080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 4 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
72	ぎ	ADA1E8	82B4	44C5	13-	RZ100080
73	し	ADA1E9	82B5	448D	13-	RS200080
74	じ	ADA1EA	82B6	44C6	13-	RZ200080
75	す	ADA1EB	82B7	448E	13-	RS300080
76	ず	ADA1EC	82B8	44C7	13-	RZ300080
77	せ	ADA1ED	82B9	448F	13-	RS400080
78	ぜ	ADA1EE	82BA	44C8	13-	RZ400080
79	そ	ADA1EF	82BB	4490	13-	RS500080
80	ぞ	ADA1F0	82BC	44C9	13-	RZ500080
81	た	ADA1F1	82BD	4491	13-	RT100080
82	だ	ADA1F2	82BE	44CA	13-	RD100080
83	ち	ADA1F3	82BF	4492	13-	RT200080
84	ぢ	ADA1F4	82C0	44CB	13-	RD200080
85	っ	ADA1F5	82C1	4456	13-	RT310080
86	つ	ADA1F6	82C2	4493	13-	RT300080
87	づ	ADA1F7	82C3	44CC	13-	RD300080
88	て	ADA1F8	82C4	4494	13-	RT400080
89	で	ADA1F9	82C5	44CD	13-	RD400080
90	と	ADA1FA	82C6	4495	13-	RT500080
91	ど	ADA1FB	82C7	44CE	13-	RD500080
92	な	ADA1FC	82C8	4496	13-	RN100080
93	に	ADA1FD	82C9	4497	13-	RN200080
94	ぬ	ADA1FE	82CA	4498	13-	RN300080
95	ね	ADA2A1	82CB	4499	13-	RN400080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 5 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
96	の	ADA2A2	82CC	449A	13-	RN500080
97	は	ADA2A3	82CD	449D	13-	RH100080
98	ば	ADA2A4	82CE	44CF	13-	RB100080
99	ぱ	ADA2A5	82CF	44D5	13-	RP100080
100	ひ	ADA2A6	82D0	449E	13-	RH200080
101	び	ADA2A7	82D1	44D0	13-	RB200080
102	ぴ	ADA2A8	82D2	44D6	13-	RP200080
103	ふ	ADA2A9	82D3	449F	13-	RH300080
104	ぶ	ADA2AA	82D4	44D1	13-	RB300080
105	ぷ	ADA2AB	82D5	44D7	13-	RP300080
106	へ	ADA2AC	82D6	44A2	13-	RH400080
107	べ	ADA2AD	82D7	44D2	13-	RB400080
108	ぺ	ADA2AE	82D8	44D8	13-	RP400080
109	ほ	ADA2AF	82D9	44A3	13-	RH500080
110	ぼ	ADA2B0	82DA	44D3	13-	RB500080
111	ぽ	ADA2B1	82DB	44D9	13-	RP500080
112	ま	ADA2B2	82DC	44A4	13-	RM100080
113	み	ADA2B3	82DD	44A5	13-	RM200080
114	む	ADA2B4	82DE	44A6	13-	RM300080
115	め	ADA2B5	82DF	44A7	13-	RM400080
116	も	ADA2B6	82E0	44A8	13-	RM500080
117	や	ADA2B7	82E1	4453	13-	RY110080
118	ゃ	ADA2B8	82E2	44A9	13-	RY100080
119	ゆ	ADA2B9	82E3	4454	13-	RY310080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 6 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
120	ゆ	ADA2BA	82E4	44AA	13-	RY300080
121	よ	ADA2BB	82E5	4455	13-	RY510080
122	よ	ADA2BC	82E6	44AC	13-	RY500080
123	ら	ADA2BD	82E7	44AD	13-	RR100080
124	り	ADA2BE	82E8	44AE	13-	RR200080
125	る	ADA2BF	82E9	44AF	13-	RR300080
126	れ	ADA2C0	82EA	44BA	13-	RR400080
127	ろ	ADA2C1	82EB	44BB	13-	RR500080
128	わ	ADA2C2	82EC	4457	13-	RW110080
129	わ	ADA2C3	82ED	44BC	13-	RW100080
130	ゐ	ADA2C4	82EE	44DA	13-	RW200080
131	ゑ	ADA2C5	82EF	44DB	13-	RW400080
132	を	ADA2C6	82F0	4446	13-	RW500080
133	ん	ADA2C7	82F1	44BD	13-	RN000080
134	ア	ADA2C8	8340	4347	13-	JA010080
135	ア	ADA2C9	8341	4381	13-	JA000080
136	イ	ADA2CA	8342	4348	13-	JI010080
137	イ	ADA2CB	8343	4382	13-	JI000080
138	ウ	ADA2CC	8344	4349	13-	JU010080
139	ウ	ADA2CD	8345	4383	13-	JU000080
140	エ	ADA2CE	8346	4351	13-	JE010080
141	エ	ADA2CF	8347	4384	13-	JE000080
142	オ	ADA2D0	8348	4352	13-	JO010080
143	オ	ADA2D1	8349	4385	13-	JO000080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 7 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
144	カ	ADA2D2	834A	4386	13-	JK100080
145	ガ	ADA2D3	834B	43C0	13-	JG100080
146	キ	ADA2D4	834C	4387	13-	JK200080
147	ギ	ADA2D5	834D	43C1	13-	JG200080
148	ク	ADA2D6	834E	4388	13-	JK300080
149	グ	ADA2D7	834F	43C2	13-	JG300080
150	ケ	ADA2D8	8350	4389	13-	JK400080
151	ゲ	ADA2D9	8351	43C3	13-	JG400080
152	コ	ADA2DA	8352	438A	13-	JK500080
153	ゴ	ADA2DB	8353	43C4	13-	JG500080
154	サ	ADA2DC	8354	438C	13-	JS100080
155	ザ	ADA2DD	8355	43C5	13-	JZ100080
156	シ	ADA2DE	8356	438D	13-	JS200080
157	ジ	ADA2DF	8357	43C6	13-	JZ200080
158	ス	ADA2E0	8358	438E	13-	JS300080
159	ズ	ADA2E1	8359	43C7	13-	JZ300080
160	セ	ADA2E2	835A	438F	13-	JS400080
161	ゼ	ADA2E3	835B	43C8	13-	JZ400080
162	ソ	ADA2E4	835C	4390	13-	JS500080
163	ゾ	ADA2E5	835D	43C9	13-	JZ500080
164	タ	ADA2E6	835E	4391	13-	JT100080
165	ダ	ADA2E7	835F	43CA	13-	JD100080
166	チ	ADA2E8	8360	4392	13-	JT200080
167	ヂ	ADA2E9	8361	43CB	13-	JD200080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 8 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
168	ッ	ADA2EA	8362	4356	13-	JT310080
169	ツ	ADA2EB	8363	4393	13-	JT300080
170	ヅ	ADA2EC	8364	43CC	13-	JD300080
171	テ	ADA2ED	8365	4394	13-	JT400080
172	デ	ADA2EE	8366	43CD	13-	JD400080
173	ト	ADA2EF	8367	4395	13-	JT500080
174	ド	ADA2F0	8368	43CE	13-	JD500080
175	ナ	ADA2F1	8369	4396	13-	JN100080
176	ニ	ADA2F2	836A	4397	13-	JN200080
177	ヌ	ADA2F3	836B	4398	13-	JN300080
178	ネ	ADA2F4	836C	4399	13-	JN400080
179	ノ	ADA2F5	836D	439A	13-	JN500080
180	ハ	ADA2F6	836E	439D	13-	JH100080
181	バ	ADA2F7	836F	43CF	13-	JB100080
182	パ	ADA2F8	8370	43D5	13-	JP100080
183	ヒ	ADA2F9	8371	439E	13-	JH200080
184	ビ	ADA2FA	8372	43D0	13-	JB200080
185	ピ	ADA2FB	8373	43D6	13-	JP200080
186	フ	ADA2FC	8374	439F	13-	JH300080
187	ブ	ADA2FD	8375	43D1	13-	JB300080
188	プ	ADA2FE	8376	43D7	13-	JP300080
189	ヘ	ADA3A1	8377	43A2	13-	JH400080
190	ベ	ADA3A2	8378	43D2	13-	JB400080
191	ペ	ADA3A3	8379	43D8	13-	JP400080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 9 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
192	ホ	ADA3A4	837A	43A3	13-	JH500080
193	ボ	ADA3A5	837B	43D3	13-	JB500080
194	ポ	ADA3A6	837C	43D9	13-	JP500080
195	マ	ADA3A7	837D	43A4	13-	JM100080
196	ミ	ADA3A8	837E	43A5	13-	JM200080
197	ム	ADA3A9	8380	43A6	13-	JM300080
198	メ	ADA3AA	8381	43A7	13-	JM400080
199	モ	ADA3AB	8382	43A8	13-	JM500080
200	ヤ	ADA3AC	8383	4353	13-	JY110080
201	ャ	ADA3AD	8384	43A9	13-	JY100080
202	ユ	ADA3AE	8385	4354	13-	JY310080
203	ュ	ADA3AF	8386	43AA	13-	JY300080
204	ヨ	ADA3B0	8387	4355	13-	JY510080
205	ョ	ADA3B1	8388	43AC	13-	JY500080
206	ラ	ADA3B2	8389	43AD	13-	JR100080
207	リ	ADA3B3	838A	43AE	13-	JR200080
208	ル	ADA3B4	838B	43AF	13-	JR300080
209	レ	ADA3B5	838C	43BA	13-	JR400080
210	ロ	ADA3B6	838D	43BB	13-	JR500080
211	ワ	ADA3B7	838E	4357	13-	JW110080
212	ワ	ADA3B8	838F	43BC	13-	JW100080
213	ヰ	ADA3B9	8390	43DA	13-	JW200080
214	ヱ	ADA3BA	8391	43DB	13-	JW400080
215	ヲ	ADA3BB	8392	4346	13-	JW500080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 10 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
216	ン	ADA3BC	8393	43BD	13-	JN000080
217	ヴ	ADA3BD	8394	43D4	13-	JV000080
218	カ	ADA3BE	8395	4359	13-	JK110080
219	ケ	ADA3BF	8396	435A	13-	JK410080
220	A	ADA3C0	8440	41C0	13-	KA020080
221	Б	ADA3C1	8441	41C1	13-	KB020080
222	B	ADA3C2	8442	41C2	13-	KV020080
223	Г	ADA3C3	8443	41C3	13-	KG020080
224	Д	ADA3C4	8444	41C4	13-	KD020080
225	Е	ADA3C5	8445	41C5	13-	KE020080
226	Ё	ADA3C6	8446	41C6	13-	KE180080
227	Ж	ADA3C7	8447	41C7	13-	KZ220080
228	З	ADA3C8	8448	41C8	13-	KZ020080
229	И	ADA3C9	8449	41C9	13-	KI020080
230	Й	ADA3CA	844A	41CA	13-	KJ120080
231	К	ADA3CB	844B	41CB	13-	KK020080
232	Л	ADA3CC	844C	41CC	13-	KL020080
233	М	ADA3CD	844D	41CD	13-	KM020080
234	Н	ADA3CE	844E	41CE	13-	KN020080
235	О	ADA3CF	844F	41CF	13-	KO020080
236	П	ADA3D0	8450	41D0	13-	KP020080
237	Р	ADA3D1	8451	41D1	13-	KR020080
238	С	ADA3D2	8452	41D2	13-	KS020080
239	Т	ADA3D3	8453	41D3	13-	KT020080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 11 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
240	У	ADA3D4	8454	41D4	13-	KU020080
241	Ф	ADA3D5	8455	41D5	13-	KF020080
242	X	ADA3D6	8456	41D6	13-	KH020080
243	Ц	ADA3D7	8457	41D7	13-	KC020080
244	Ч	ADA3D8	8458	41D8	13-	KC220080
245	Ш	ADA3D9	8459	41D9	13-	KS220080
246	Щ	ADA3DA	845A	41DA	13-	KS160080
247	Ъ	ADA3DB	845B	41DB	13-	KU220080
248	Ы	ADA3DC	845C	41DC	13-	KY020080
249	Ь	ADA3DD	845D	41DD	13-	KX120080
250	Э	ADA3DE	845E	41DE	13-	KE140080
251	Ю	ADA3DF	845F	41DF	13-	KU160080
252	Я	ADA3E0	8460	41E0	13-	KA160080
253	а	ADA3E1	8470	4180	13-	KA010080
254	б	ADA3E2	8471	4181	13-	KB010080
255	в	ADA3E3	8472	4182	13-	KV010080
256	г	ADA3E4	8473	4183	13-	KG010080
257	д	ADA3E5	8474	4184	13-	KD010080
258	е	ADA3E6	8475	4185	13-	KE010080
259	ё	ADA3E7	8476	4186	13-	KE170080
260	ж	ADA3E8	8477	4187	13-	KZ210080
261	з	ADA3E9	8478	4188	13-	KZ010080
262	и	ADA3EA	8479	4189	13-	KI010080
263	й	ADA3EB	847A	418A	13-	KJ110080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 12 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
264	к	ADA3EC	847B	418B	13-	KK010080
265	л	ADA3ED	847C	418C	13-	KL010080
266	м	ADA3EE	847D	418D	13-	KM010080
267	н	ADA3EF	847E	418E	13-	KN010080
268	о	ADA3F0	8480	418F	13-	KO010080
269	п	ADA3F1	8481	4190	13-	KP010080
270	р	ADA3F2	8482	4191	13-	KR010080
271	с	ADA3F3	8483	4192	13-	KS010080
272	т	ADA3F4	8484	4193	13-	KT010080
273	у	ADA3F5	8485	4194	13-	KU010080
274	ф	ADA3F6	8486	4195	13-	KF010080
275	х	ADA3F7	8487	4196	13-	KH010080
276	ц	ADA3F8	8488	4197	13-	KC010080
277	ч	ADA3F9	8489	4198	13-	KC210080
278	ш	ADA3FA	848A	4199	13-	KS210080
279	щ	ADA3FB	848B	419A	13-	KS150080
280	ъ	ADA3FC	848C	419B	13-	KU210080
281	ы	ADA3FD	848D	419C	13-	KY010080
282	ь	ADA3FE	848E	419D	13-	KX110080
283	э	ADA4A1	848F	419E	13-	KE130080
284	ю	ADA4A2	8490	419F	13-	KU150080
285	я	ADA4A3	8491	41A0	13-	KA150080
286	—	ADA4A4	84AA	43B7	13-	SF100082
287		ADA4A5	84AB	43B8	13-	SF110082

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 13 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
288	┌	ADA4A6	84AC	43B9	13-	SF010082
289	┐	ADA4A7	84AD	43E1	13-	SF030082
290	└	ADA4A8	84AE	43E2	13-	SF040082
291	┘	ADA4A9	84AF	43E3	13-	SF020082
292	├	ADA4AA	84B0	43E4	13-	SF080082
293	┤	ADA4AB	84B1	43E5	13-	SF060082
294	├	ADA4AC	84B2	43E6	13-	SF090082
295	┤	ADA4AD	84B3	43E7	13-	SF070082
296	├	ADA4AE	84B4	43E8	13-	SF050082
297	┤	ADA4AF	84B5	43E9	13-	SF080083
298	├	ADA4B0	84B6	43EA	13-	SF060083
299	┤	ADA4B1	84B7	43EB	13-	SF090083
300	├	ADA4B2	84B8	43EC	13-	SF070083
301	┤	ADA4B3	84B9	43ED	13-	SF050083
302	├	ADA4B4	84BA	43EE	13-	SF080084
303	┤	ADA4B5	84BB	43EF	13-	SF060084
304	├	ADA4B6	84BC	43F0	13-	SF090084
305	┤	ADA4B7	84BD	43F1	13-	SF070084
306	├	ADA4B8	84BE	43F2	13-	SF050084
307		ADA4B9	8AA7	46A8	13-	SV580080
308	-	ADA4BA	8AA8	46A9	13-	SV590080
309	~	ADA4BB	8AA9	46AA	13-	SV560080
310	~	ADA4BC	8AAA	46AB	13-	SV570080
311	↑	ADA4BD	8AED	46EE	13-	SM460080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

Table 25 (Page 14 of 14). IBM Selected Non-Chinese Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
312	↵	ADA4BE	8AEE	46EF	13-	SS070080
313	↔	ADA4BF	8AEF	46F0	13-	SS060080
314	┘	ADA4C0	8B5B	425F	13-	SM660080
315	┘	ADA4C1	8B5C	426A	13-	SM650080
316	'	ADA4C2	8B5D	427D	13-	SP050080
317	"	ADA4C3	8B5E	427F	13-	SP040080
318	(株)	ADA4C4	8B5F	446D	13-	SS740080
319	No.	ADA4C5	8B60	446E	13-	SM000080
320	TEL	ADA4C6	8B61	446F	13-	SS710080

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

11.4 IBM Selected Chinese Character Set

Table 26. IBM Selected Chinese Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	CNS Code	GCGID
1	撐	ADA4C7	A8CA*	68CB*	13-	T4T90080
2	兀	ADA4C8	A94A	694B	13-	T62Z0080
3	槩	ADA4C9	D1C5*	91C6*	13-	T7NC0080
4	殼	ADA4CA	BAA3	7AA4	13-	T8O40080
5	濛	ADA4CB	D1C6*	91C7*	13-	T8OK0080

Note: * See Section 13.2.3.2 on page 799 for the *code* translation correspondence between *EUC* and *DBCS-PC* or *DBCS-Host*.



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC and TBCS-EUC

Supplementary Information**12. Definition of Terms**

The following terms are defined for the purposes of this document.

12.1 Byte

A unit of string consisting of 8 bits.

12.2 Code

A system of bit-patterns to which specific graphic or control meanings have been assigned.

12.3 Code Page

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

12.4 Code Page Global Identifier (CPGID)

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

12.5 Code Point

One of the bit-patterns specified by a *code*.

12.6 Coded Graphic Character

A *graphic character* with its assigned *code point*.

12.7 Coded Graphic Character Set

A set of *graphic characters* with their assigned *code points*.

12.8 Coded Graphic Character Set Global Identifier (CGCSGID)

A 10-digit decimal identifier consisting of the concatenation of a *graphic character set global identifier (GCSGID)* and a *code page global identifier (CPGID)*. The *CGCSGID* is also represented as the concatenation of the hexadecimal representations of the *GCSGID* and *CPGID*. See C-H 3-3220-050.

12.9 DBCS

Abbreviation of *Double-Byte Character Set*. It is a *graphic character set* in which each character is represented by two *bytes*. See C-S 3-3220-102 for details.

12.10 DBCS-EUC

A *DBCS code page* which is mainly used with *EUC* encoding scheme.

12.11 DBCS-Host

A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.

12.12 DBCS-PC

A *DBCS code page* which is mainly used in conjunction with *PC code*.

12.13 EBCDIC

Abbreviation of *Extended BCD Interchange Code*, which is defined in C-S 3-3220-002, *EBCDIC*.

12.14 EBCDIC + DBCS-Host

When a *DBCS-Host* is mixed with an *EBCDIC code page*, *DBCS* string is enclosed with a pair of SO: X'0E' and SI: X'0F'. See C-S 3-3220-002 for the definition of SO and SI. This is also referred to as Host-Mixed in CDRA publication.

12.15 EUC

Abbreviation of *Extended UNIX Code*.

Note: *UNIX* is a trademark of UNIX System Laboratories.

12.16 Graphic Character

A graphic symbol character, such as a numeric, alphabetic, special, Chinese or non-Chinese.

12.17 Graphic Character Global Identifier (GCGID)

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

12.18 Graphic Character Set

A set of *graphic characters*, treated as an entity.

12.19 Graphic Character Set Global Identifier (GCSGID)

A 5-digit decimal identifier assigned to a *graphic character set*. See C-H 3-3220-050.

12.20 ISO 7/8 bit + DBCS-EUC / TBCS-EUC

The *code extension* technique to combine the *code pages* of ISO 7/8 bit, *DBCS-EUC* and *TBCS-EUC* is called *EUC*. See Section 13 on page 797 for the details of *EUC* encoding schemes.



IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC and TBCS-EUC

12.21 Multi-Byte Character Set (MBCS)

Multi-Byte Character Set contains a set of *graphic characters* in which each character is represented by multiple *bytes*.

MBCS may consist of plural *code pages* as follows:

- *EBCDIC + DBCS-Host*
- *PC Code + DBCS-PC*
- *ISO 7/8 bit + DBCS-EUC/TBCS-EUC*

12.22 PC Code

A *single-byte code page* which is primarily used in the personal computer environment. *PC code* is based on ISO 646.

12.23 PC Code + DBCS-PC

There is no explicit *code switching* mechanism in the *code extension* of PC environment, as a *DBCS-PC code point* can be distinguished from that of *PC code* by the first *byte* value. The range of the valid first *byte* is *code page* dependent. This is also referred to as PC-Mixed in CDRA publication.

12.24 Product

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

12.25 Registered Code Page

A *code page* that has been registered and assigned a *CPGID*.

12.26 Registered Coded Graphic Character Set

A *coded graphic character set*, whose *graphic character set* and *code page* have both been registered.

12.27 SBCS

Abbreviation of *Single-Byte Character Set*. *Single-Byte Character Set* is a *graphic character set* in which each character is represented by one *byte*.

12.28 TBCS

Abbreviation of *Triple-Byte Character Set*. It is a *graphic character set* in which each character is represented by three *bytes*. See C-S 3-3220-102 for details.

12.29 TBCS-EUC

A *TBCS code page* which is mainly used with *EUC* encoding scheme.

12.30 UNIX

An operating system developed at AT&T Bell Laboratories, and is being licensed by UNIX System Laboratories. *UNIX* is a trademark of UNIX System Laboratories.

12.31 Unrestricted Code Page

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of “unrestricted.”

12.32 User Definable Character (UDC)

A *graphic character* whose graphic shape is definable by users.

12.33 Ward

A section of a *Double-Byte Character Set* where the first *bytes* of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first *byte* of the *code point* belonging to that *ward*.

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

13. EUC Encoding Scheme**13.1 Definition**

EUC (Extended UNIX Code) is an encoding framework which was based on Japanese *UNIX* internal code introduced by the Japanese UNIX System Advisory Committee in the proposal entitled “Proposal to AT&T for Japanese Capability on UNIX System V” in 1985, and enhanced by AT&T Bell Laboratories for worldwide usage. The *code* extension scheme is defined in compliance with the ISO 2022 *code* extension techniques which can handle both single- and multi-*byte* characters concurrently. The scheme is

designed to be applicable to every coded character set in each country or region in the world, as long as it is defined based on ISO 2022.


As allowed in ISO 2022, *EUC* can deal with a maximum of four *graphic character sets* and corresponding *code pages* at the same time, without using locking shift. It permanently assigns ISO 646 (including variants) character set to the “primary *code set*” (G0) and allows the assignment of country, region or user specific character set(s) to three “supplementary *code sets*” (G1 - G3). The encoding scheme is shown in Table 27.

Table 27. Structure of EUC Encoding Framework

Code Set (*1)	Code Representation				Associated Standards
	1 byte	2 byte	3 byte	4 byte	
C0 (*2)	000xxxxx	N/A	N/A	N/A	ISO 646
C1 (*3)	100xxxxx	N/A	N/A	N/A	ISO 6429
Space	00100000	N/A	N/A	N/A	
Delete	01111111	N/A	N/A	N/A	
G0 (*4)	0xxxxxxx	N/A	N/A	N/A	ISO 646 variant
G1 (*5)	1xxxxxxx	N/A	N/A	N/A	Country/ Region specific
	1xxxxxxx	1xxxxxxx	N/A	N/A	
	1xxxxxxx	1xxxxxxx	1xxxxxxx	N/A	
G2 (*5)	10001110	1xxxxxxx	N/A	N/A	Country/ Region specific
	10001110	1xxxxxxx	1xxxxxxx	N/A	
	10001110	1xxxxxxx	1xxxxxxx	1xxxxxxx	
G3 (*5)	10001111	1xxxxxxx	N/A	N/A	Country/ Region specific
	10001111	1xxxxxxx	1xxxxxxx	N/A	
	10001111	1xxxxxxx	1xxxxxxx	1xxxxxxx	

Notes:

- *1 The name of each *code set* is base on ISO 2022.
- *2 000xxxxx can have values in 00000000 - 00011111 inclusive.
- *3 100xxxxx can have values in 10000000 - 10011111 inclusive.
- *4 0xxxxxxx can have values in 00100001 - 01111110 inclusive.
- *5 1xxxxxxx can have values in 10100000 - 11111111 inclusive.

**IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC and TBCS-EUC

13.2 Traditional Chinese Environment**13.2.1 SEED CH-T EUC**

Although UNIX System Laboratories does not define any *graphic character set/code page* assignment to G1, G2, or G3 *code* set, a de facto standard exists for each language. As to the CH-T environment, *graphic character set* designation conforms to the proposal from the System Engineering Environment Development (SEED) Project (1988) of the Institute for Information Industry of the Republic of China, which was recommended to OSF (Open Software Foundation) by the Taiwan Ad Hoc Group (1990). Table 28 shows the *graphic character set* designation in the proposal.

Code Set	Graphic Character Set	Bytes	Columns
G0	ASCII	1	1
G1	CNS 11643 Plane 1	2	2
G2	CNS 11643 Plane 2 Planes 3 to 11: Reserved Plane 12: Open for UDC Plane 13: Open for UDC Plane 14: 6,319 (rarely used) Plane 15: 7,179 (RIS chars) Plane 16: Reserved	3	2
G3	Undefined.	N/A	N/A

13.2.2 IBM CH-T EUC

To be consistent with the existing IBM standard character set, IBM slightly modified the designation. Designate IBM selected characters to plane 13 of CNS 11643 and *user definable characters* to plane 12 of CNS 11643 in G2 *code* set. Table 29 shows the IBM's designation for CH-T support. Although planes 12 and 13 are allowed for *UDCs* in the SEED *EUC* standard, it does not mean that the interoperability with non-IBM systems for those characters is guaranteed.

Note: At the early proposed stage of IBM CH-T *EUC* specification, it was once proposed to designate the following three IBM selected characters into G3 *code* set with three *byte* encoding length and with one column display length.

Graphic Description

- “ ¢ ” Cent sign (*GCGID*: SC040000)
- “ ¬ ” Logical not (*GCGID*: SM660000)
- “ † ” Vertical line, broken (*GCGID*: SM650000)

This was to keep consistency with the CH-T *EBCDIC* (*CGCSGID* 01175 00037) and the *PC code* (*CGCSGID* 01175 01043), on which those characters are defined as *SBCS*. However, the G3 *code* set usage for those IBM selected characters does not have compatibility with the SEED *EUC* and IBM Taiwan wanted to leave flexibility in the IBM CH-T *EUC* specification for the future expansion. As the result, it was agreed with IBM Taiwan that the G3 *code* set usage should be removed from the IBM CH-T *EUC* specification and the only common characters between *EUC* and the other encodings such as *EBCDIC* and *PC code* should be corresponded.

It is, however, IBM Taiwan's long term direction to pursue the solution to provide the common character sets on all platforms.

Code Set	Graphic Character Set	Bytes	Columns
G0	ASCII	1	1
G1	CNS 11643 Plane 1	2	2
G2	CNS 11643 Plane 2 Plane 12: 6,204 UDCs Plane 13: 325 IBM Selected Characters	3	2
G3	Undefined.	N/A	N/A

IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC and TBCS-EUC

13.2.3 Relation with Other IBM Code Pages

13.2.3.1 Character Sets

IBM Traditional Chinese *graphic character set* for *EUC* does not support the three characters which are defined as *SBCS* on the *EBCDIC* and the *PC code*. See Section 13.2.2 on page 798. Table 30 shows the relation with other IBM *code pages* in terms of the number of the *graphic characters* defined.

Graphic Characters	EUC	HOST	PC
Graphic Characters (MBCS)	14,060	14,060	14,060
User Definable Characters (MBCS)	6,204	6,204	6,204
Graphic Characters (SBCS)	94	97	97

Notes:

- 1) Keeping the common character set is still IBM Taiwan's direction to ensure IBM character set integrity across all IBM Systems.
- 2) *EUC* consists of *CPGIDs* 00367, 00960 and 00961. See Section 13 on page 797.
- 3) Host-Mixed consists of *CPGIDs* 00037 and 00835. See Section 12.14 on page 795.
- 4) PC-Mixed consists of *CPGIDs* 01043 and 00927. See Section 12.23 on page 796.
- 5) *CPGIDs* 00367, 00037 and 01043 are specified in C-H 3-3220-050.
- 6) *CPGIDs* 00835 and 00927 are specified in C-H 3-3220-126.

13.2.3.2 Code Translation Correspondence

The CH-T *EUC code points* are translated to the corresponded *DBCS-PC* or *DBCS-Host code points* which have the same *GCGIDs* as *EUC's*.

Table 31 shows the exception from the *code translation principle*. The exception was mainly to follow the external de facto standard which provides the information on the *code translation correspondence* between IBM *DBCS-PC* and *EUC* and *CNS*.

The *graphic character* representations for the following three *graphic characters* (*code points*: 1-X'6C7D',

2-X'3638' and 2-X'4433') were modified when *CNS* 11643 was revised in 1986.

Since IBM *DBCS-PC* and *DBCS-Host* were already defined and implemented based on *CNS* 11643-1984, the *graphic character* representations for those three *graphic characters* were unchanged but the three *graphic characters*, which were instead introduced in *CNS* 11643-1986, were newly added to the last *code points* on *DBCS-PC* and *DBCS-Host*.

If the *code translation correspondence* is strictly performed based on the *GCGID*, those lately added characters should be translated to the characters which were introduced in *CNS* 11643-1986 and should eventually be corresponded to the *EUC code points*. It has been revealed that the *code translation correspondence*, however, will become incompatible with the de facto standard and non-IBM systems or applications.

It was decided by IBM Taiwan to keep the *code translation correspondence* compatible with the de facto standard. As a result, the *code translation correspondence principle* based on the *GCGID* was not applied to the following six *graphic characters*.

No.	EUC	CNS	DBCS-PC	DBCS-Host
1	X'ECFD' 撐 T6170080	1-X'6C7D' 撐 T6170080	X'A09C' 撐 T4T90080	X'609D' 撐 T4T90080
2	X'ADA4C7' 撐 T4T90080	13- 撐 T4T90080	X'A8CA' 撐 T6170080	X'68CB' 撐 T6170080
3	X'A2B6B8' 槩 TC3Q0080	2-X'3638' 槩 TC3Q0080	X'B3B7' 槩 T7NC0080	X'73B8' 槩 T7NC0080
4	X'ADA4C9' 槩 T7NC0080	13- 槩 T7NC0080	X'D1C5' 槩 TC3Q0080	X'91C6' 槩 TC3Q0080
5	X'A2C4B3' 濛 TC3R0080	2-X'4433' 濛 TC3R0080	X'BAB3' 濛 T8OK0080	X'7AB4' 濛 T8OK0080
6	X'ADA4CB' 濛 T8OK0080	13- 濛 T8OK0080	X'D1C6' 濛 TC3R0080	X'91C7' 濛 TC3R0080

IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC and TBCS-EUC

14. History of CNS 11643**14.1 CNS 11643-1984**

SICGCC (Standard Interchange Code for Generally-used Chinese Characters) for the Republic of China was originally defined in 1984, in which a total of 13,494 coded characters, namely 408 symbols, 13,053 Chinese characters, and 33 Chinese control characters, was defined based on the ISO 2022 7-bit code scheme.

The objective of the standard is to act as the Chinese information interchange interface between different Chinese character sets that are provided for and used by computer/telecommunication vendors.

The SICGCC is mapped to a theoretical possible number of 16 planes. Each *code point* in a plane is represented by two bytes, with the valid range being X'21' through X'7E' for each byte. The maximum number of *code points* in a plane is 8,836.

The Chinese characters are assigned into the first and second planes. The first plane contains symbols and frequently used primary Chinese characters, arranged in total stroke sequence. The second plane contains less frequently used secondary Chinese characters, arranged in a total stroke sequence. SICGCC became evolved to CNS 11643.

14.2 CNS 11643-1986

CNS 11643 (Standard Interchange Code for Generally-used Chinese Characters) was modified in 1986, in which a total of 13,735 *graphic characters*: namely 651 symbols (non-Chinese), 13,051 Chinese characters, and 33 Chinese control characters were contained. CNS 11643 was published jointly by National Science Council of Executive Yuan, Ministry of Education, Standards Bureau of Ministry of Economic Affairs; and EDP Center of the Directorate General of Budget, Accounting, and Statistics, in March 1986.

IBM CH-T *EUC* supports all the characters defined in CNS 11643-1986 and additionally supports 325 IBM selected characters and 6,204 *user definable characters*.

14.3 CNS 11643-1988

CNS 11643 was amended in 1988. It allows the user to have the option to add additional 6,148 characters onto its plane 14.

14.4 CNS 11643-1989

CNS 11643 was amended in 1989. Plane 14 was increased to 6,319 characters adding 171 characters.

14.5 CNS 11643-1992

CNS 11643 was amended in 1992 and 28,828 characters were added onto its plane 4 to plane 7. Plane 14 was renamed to plane 3. Planes 8 through 11 were reserved for future assignments and *user definable character* set area was assigned to planes 12 through 16.

The title of CNS 11643 was changed to “Chinese Standard Interchange Code” and has been registered to ISO.

Although CNS 11643 has already defined 48,027 Chinese characters, it still plans to expand Chinese *graphic characters* to a total of approximately 73 thousand the near future.

15. Graphic Character Representation

Although character graphics are inserted as sample graphics of the *coded graphic characters* in Tables 5 to 15 and 25 to 26, a *graphic character* is independent of actual size or shape in which it may appear.

This specification does not restrict the style of font design. However, it is recommended that the font design of *graphic characters* for *products* follow the graphic representation in this document as close as possible to avoid confusion in identification of *graphic characters*. On questions about the font design to be implemented, the Standards Project Authority for *DBCS/MBCS* (SIRS 029) may be consulted.



© Copyright IBM Corp. 1993, 2001

International Business Machines Corporation
IBM Standards Program
Old Orchard Road
Armonk, New York 10504, USA

Table Definitions

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
GID	33220129 SCRIPT	4	4, 4, 4
GID2	33220129 SCRIPT	4	4
STRUCT	33220129 SCRIPT	4	4, 4, 4
STRUCT2	33220129 SCRIPT	4	4, 4
HOST1	33220129 SCRIPT	5	5, 5, 6, 10, 37, 81, 125, 169, 213, 248, 292, 336, 380, 424, 468, 512, 546, 585, 624, 663, 702, 741, 780, 794
HOSTHD	33220129 SCRIPT	5	6, 10, 37, 81, 125, 169, 213, 248, 292, 336, 380, 424, 468, 512, 546, 585, 624, 663, 702, 741, 780, 794
EUCSHM	33220129 SCRIPT	797	797
DSGNATE	33220129 SCRIPT	798	798, 798
OTHER	33220129 SCRIPT	799	799
MAPE	33220129 SCRIPT	799	799

Headings

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
CODECOR	33220129 SCRIPT	5	7.1, Code Translation Correspondence of Non-Chinese and Chinese Character Sets
CCUDC	33220129 SCRIPT	5	7.2, Code Translation Correspondence of IBM Selected Characters and User Definable Characters
SUPP	33220129 SCRIPT	795	11.4, IBM Selected Chinese Character Set
TERMS	33220129 SCRIPT	795	12, Definition of Terms
HOSTMX	33220129 SCRIPT	795	12.14, EBCDIC + DBCS-Host 799
DEFEUC	33220129 SCRIPT	795	12.20, ISO 7/8 bit + DBCS-EUC / TBCS-EUC
DEFMBCS	33220129 SCRIPT	796	12.21, Multi-Byte Character Set (MBCS)
PCMX	33220129 SCRIPT	796	12.23, PC Code + DBCS-PC 799
EUCES	33220129 SCRIPT	797	13, EUC Encoding Scheme 795, 799
SEED	33220129 SCRIPT	798	13.2.1, SEED CH-T EUC 3
IEUC	33220129 SCRIPT	798	13.2.2, IBM CH-T EUC 799
OTH0	33220129 SCRIPT	799	13.2.3, Relation with Other IBM Code Pages
OTH	33220129 SCRIPT	799	13.2.3.1, Character Sets 3
MAPGCG	33220129 SCRIPT	799	13.2.3.2, Code Translation Correspondence 5, 212, 335, 379, 794

Revisions

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
REV01	33220129 SCRIPT		
REV02	33220129 SCRIPT	i	
		i	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 2, 2, 3, 3, 3, 3, 3, 3, 4, 4, 5, 5, 212, 212, 335, 335, 379, 379, 794, 794, 794, 794, 794, 795, 795, 798, 798, 798, 798, 798, 798, 798, 798, 798, 799, 799, 799, 800, 800

Tables

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
CGCSGID	33220129 SCRIPT	4	1
STRUCT1	33220129 SCRIPT	4	3
STRUCT3	33220129 SCRIPT	4	2
SCLTON	33220129 SCRIPT	5	4
ASCH1	33220129 SCRIPT	6	3
NSCNC	33220129 SCRIPT	10	4
CNS11	33220129 SCRIPT	37	5
CNS12	33220129 SCRIPT	81	800
CNS13	33220129 SCRIPT	125	4, 5
CNS14	33220129 SCRIPT	169	7
CNS15	33220129 SCRIPT	213	5
CNS21	33220129 SCRIPT	248	12
CNS22	33220129 SCRIPT	292	4
CNS23	33220129 SCRIPT	336	13
CNS24	33220129 SCRIPT	380	14
CNS25	33220129 SCRIPT	424	15
CNS26	33220129 SCRIPT	468	800
CNS27	33220129 SCRIPT	512	16
UDC01	33220129 SCRIPT	546	17
UDC02	33220129 SCRIPT	585	18
UDC03	33220129 SCRIPT	624	5
UDC04	33220129 SCRIPT	663	19
UDC05	33220129 SCRIPT	702	20
UDC06	33220129 SCRIPT	741	21
IBMNC	33220129 SCRIPT	780	22
IBMC	33220129 SCRIPT	794	23
EUCGEN	33220129 SCRIPT		24
			25
			5, 800
			4, 5, 800

		797	27	797
JPNEUC	33220129 SCRIPT	798	28	798
IBMJEUC	33220129 SCRIPT	798	29	798
OTH	33220129 SCRIPT	799	30	799
MAPET	33220129 SCRIPT	799	31	799

Processing Options

Runtime values:

```

Document fileid ..... 33220129 SCRIPT
Document type ..... STDDOC
Document style ..... IBMS1PL
Profile ..... EDFPRF40
Service Level ..... 0031
SCRIPT/VS Release ..... 4.0.0
Date ..... 01.08.11
Time ..... 20:24:28
Device ..... 3820A
Number of Passes ..... 3
Index ..... YES
SYSVAR A ..... NO
SYSVAR D ..... YES
SYSVAR S ..... 2
SYSVAR X ..... YES
    
```

Formatting values used:

```

Annotation ..... NO
Cross reference listing ..... YES
Cross reference head prefix only ..... YES
Dialog ..... LABEL
Duplex ..... YES
DVCF conditions file ..... (none)
DVCF value 1 ..... (none)
DVCF value 2 ..... (none)
DVCF value 3 ..... (none)
DVCF value 4 ..... (none)
DVCF value 5 ..... (none)
DVCF value 6 ..... (none)
DVCF value 7 ..... (none)
DVCF value 8 ..... (none)
DVCF value 9 ..... (none)
Explode ..... NO
Figure list on new page ..... NO
Figure/table number separation ..... YES
Folio-by-chapter ..... NO
Head 0 body text ..... (none)
Head 1 body text ..... (none)
Head 1 appendix text ..... Appendix
Hyphenation ..... YES
Justification ..... YES
Language ..... ENGL
Keyboard ..... 395
Layout ..... 2
Leader dots ..... YES
Master index ..... (none)
Partial TOC (maximum level) ..... 4
Partial TOC (new page after) ..... INLINE
Print example id's ..... NO
Print cross reference page numbers ..... YES
Process value ..... (none)
Punctuation move characters ..... ,
Read cross-reference file ..... (none)
Running heading/footer rule ..... NONE
Show index entries ..... NO
Table of Contents (maximum level) ..... 5
Table list on new page ..... NO
Title page (draft) alignment ..... RIGHT
Write cross-reference file ..... (none)
    
```

Imbed Trace

Page 6	CUSCFH01
Page 10	CUSCFH02
Page 37	CUSCFH03
Page 81	CUSCFH04
Page 125	CUSCFH05
Page 169	CUSCFH06
Page 213	CUSCFH07
Page 248	CUSCFH08
Page 292	CUSCFH09
Page 336	CUSCFH10
Page 380	CUSCFH11
Page 424	CUSCFH12
Page 468	CUSCFH13
Page 512	CUSCFH14
Page 546	CUSCFH15
Page 585	CUSCFH16
Page 624	CUSCFH17
Page 663	CUSCFH18
Page 702	CUSCFH19
Page 741	CUSCFH20
Page 780	CUSCFH21
Page 794	CUSCFH22