




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Contents

Introduction 1
1. Scope 1
1.1 Abstract 1
1.2 Objective 1
1.3 Application 1
1.4 Effective Date 1
2. Document Administration 2
2.1 Originating Area and Responsibility 2
2.2 Authorization 2
2.3 Compliance 2
2.4 Property Statement 2
3. Related Documents 2
3.1 Superseded Documents 2
3.2 Referenced External Documents 2
3.3 Referenced IBM Documents 2
3.4 Copyright Permission 2
Requirements 3
4. External Standards 3
4.1 Republic of China's CNS 11643-1984 3
4.2 Republic of China's CNS 11643-1986 3
4.3 De facto Standard BIG-5 3
4.4 IBM Selected Characters 3
4.5 Euro Sign 4
4.6 Relationship of IBM BIG-5 Code with CNS 11643 4
4.6.1 Character Coverage 4
4.6.2 Sequence of Arrangement 4
4.6.2.1 Non-Chinese 4
4.6.2.2 Primary Chinese Characters 4
4.6.2.3 Secondary Chinese Characters 4
4.6.3 Code Scheme 5
4.7 Relationship of IBM BIG-5 Code with the current DBCS-Host 5
4.7.1 Character Coverage 5
4.7.2 Sequence of Arrangement 5
4.7.3 Code Scheme 5
5. Specification of Character Repertoire 5
5.1 Identification of Graphic Characters 5
5.2 Algorithm of GCGID 5
6. Character Sets and Code Page 5
6.1 Registration of GCSGID and CPGID 5
6.2 Structure of IBM BIG-5 Code 7
7. Code Translation Correspondence 9
7.1 Among IBM BIG-5 Code and Existing Code and CNS 11643 9
7.2 Code Translation Correspondence of Non-Chinese and Chinese Sets 9
7.3 Code Translation Correspondence of IBM Selected Characters 9
7.4 Code Translation Correspondence of User Definable Characters 10
7.5 Format of IBM BIG-5 Code Tables 10
8. IBM BIG-5 11
8.1 Non-Chinese Character Set 11
8.2 Primary Chinese Character Set (1 of 4) 29
8.3 Primary Chinese Character Set (2 of 4) 81
8.4 Primary Chinese Character Set (3 of 4) 133
8.5 Primary Chinese Character Set (4 of 4) 185
8.6 Secondary Chinese Character Set (1 of 5) 237
8.7 Secondary Chinese Character Set (2 of 5) 296
8.8 Secondary Chinese Character Set (3 of 5) 355
8.9 Secondary Chinese Character Set (4 of 5) 414
8.10 Secondary Chinese Character Set (5 of 5) 473
8.11 IBM Selected Non-Chinese Character Set (1 of 2) 532
8.12 IBM Selected Non-Chinese Character Set (2 of 2) 545
8.13 IBM Selected Chinese Character Set 555
Supplementary Information 556
9. Definition of Terms 556
9.1 Byte 556
9.2 Code 556
9.3 Code Page 556
9.4 Code Page Global Identifier (CPGID) 556
9.5 Code Point 556
9.6 Coded Graphic Character 556
9.7 Coded Graphic Character Set 556
9.8 Coded Graphic Character Set Global Identifier (CGCSGID) 556
9.9 DBCS 556
9.10 DBCS-EUC 556
9.11 DBCS-Host 556
9.12 DBCS-PC 556
9.13 EBCDIC 556
9.14 EUC 556
9.15 Graphic Character 556
9.16 Graphic Character Global Identifier (GCGID) 556
9.17 Graphic Character Set 556
9.18 Graphic Character Set Global Identifier (GCSGID) 556
9.19 PC Code 556
9.20 Product 556
9.21 Registered Code Page 557
9.22 Registered Coded Graphic Character Set 557
9.23 SBCS 557
9.24 TBCS 557
9.25 TBCS-EUC 557
9.26 UNIX 557
9.27 Unrestricted Code Page 557
9.28 User Definable Character (UDC) 557
9.29 Ward 557
10. History of CNS 11643 557
10.1 CNS 11643-1984 557
10.2 CNS 11643-1986 557
10.3 CNS 11643-1988 557
10.4 CNS 11643-1989 557
10.5 CNS 11643-1992 558
11. Relationship of IBM Code with CNS 11643 558
11.1 Character Coverage 558



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

11.2 Code Translation Correspondence 559 13. Graphic Character Representation 559

12. Difference from the Former Revision 1994-01 of C-H 3-3220-131 559

Tables

1. IBM Selected Chinese Characters 4 2. Registration of GCSGID and CPGID for IBM CH-T Graphic Character Set for IBM BIG-5 Code 6 3. IBM BIG-5 Code Structure 7 4. Format of IBM BIG-5 Code Tables 10 5. Non-Chinese Character Set, IBM BIG-5 11 6. Primary Chinese Character Set (1 of 4), IBM BIG-5 29 7. Primary Chinese Character Set (2 of 4), IBM BIG-5 81 8. Primary Chinese Character Set (3 of 4), IBM BIG-5 133 9. Primary Chinese Character Set (4 of 4), IBM BIG-5 185 10. Secondary Chinese Character Set (1 of 5), IBM BIG-5 237 11. Secondary Chinese Character Set (2 of 5), IBM BIG-5 296 12. Secondary Chinese Character Set (3 of 5), IBM BIG-5 355 13. Secondary Chinese Character Set (4 of 5), IBM BIG-5 414 14. Secondary Character Set (5 of 5), IBM BIG-5 473 15. IBM Selected Non-Chinese (1 of 2), IBM BIG-5 532 16. IBM Selected Non-Chinese (2 of 2), IBM BIG-5 545 17. IBM selected Chinese, IBM BIG-5 555 18. Character Coverage 558 19. Code Translation Correspondence (Exception) 559



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 CodeDBCS-PC

Introduction**1. Scope****1.1 Abstract**

This document is a registry of the IBM Traditional Chinese *Graphic Character Set* for IBM BIG-5 *Code*. In this specification, the following are set forth:

- Repertoire of the IBM Traditional Chinese *Graphic Character Set* for IBM BIG-5 *Code* is specified.
- Each *graphic character* of the repertoire is identified by a *Graphic Character Global Identifier (GCGID)*.
- Six *graphic character sets*, which are the maximum set and the subsets of the repertoire, are specified and identified by *Graphic Character Set Global Identifiers (GCSGIDs)*.
- One *code page*, *DBCS-PC* for the *graphic character sets* is specified and identified by a *Code Page Global Identifier (CPGID)*.
- *Code translation correspondences* between IBM BIG-5 *code* and the following *code pages* are specified:
 - *DBCS-Host*
 - *DBCS-EUC*
 - *TBCS-EUC*
 - Existing *DBCS-PC (CPGID 00927)*.
- *Code translation correspondence* between IBM BIG-5 *code* and CNS (Chinese National Standard) 11643 is specified as well.

1.2 Objective

Terms in italics (except in headings) are defined in the Supplementary Information section. “Traditional Chinese” will be abbreviated to “CH-T” hereinafter. X'nn' or X'nnnn' or X'nnnnnn' represents a hexadecimal notation. “IBM BIG-5 *code*” synonymously means the *coded graphic character set* specified in this document.

The objectives of this document are:

- 1) To make available to all developers supporting CH-T the specification of the CH-T *graphic character sets* and the *code page* for IBM BIG-5 *code*.
- 2) To ensure consistent implementation of the CH-T *graphic character sets* and the *code page* for IBM BIG-5 *code*.
- 3) To ensure consistent implementation of the *code translation correspondences* between the IBM BIG-5 *code* and the following *code pages*:
 - *DBCS-Host*
 - *DBCS-EUC*
 - *TBCS-EUC*
 - Existing *DBCS-PC (CPGID 00927)*.
- 4) To ensure consistent implementation of the *code translation correspondence* between the IBM BIG-5 *code* and CNS 11643.

Notes:

- 1) This document is one of a set of documents defined in C-S 3-3220-019, *Coded Character Sets, Implementation*. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of the documents. Note also that the requirements for compliance with this specification are described in C-S 3-3220-019.
- 2) The specifications on the existing IBM CH-T *DBCS-Host (CPGID 00835)* and *DBCS-PC (CPGID 00927)* are described in C-H 3-3220-126.
- 3) The specifications on the IBM CH-T *EUC* are described in C-H 3-3220-129.

1.3 Application

This specification is applicable to all IBM *products* which implement the IBM BIG-5 *code* as specified in Section 1.1.

1.4 Effective Date

This document takes effect with its publication.



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 CodeDBCS-PC

2. Document Administration**2.1 Originating Area and Responsibility**

This document is maintained by the Standards Project Authority (SPA) for:

SIRS Code: 029 (Double-Byte Character Set)
Location Code: 93K (Yamato)
Division: AP
SCRL Group: None
Page Count: 560

2.2 Authorization

Publication of this document was approved by the Standards Authorities of the affected operating units.

2.3 Compliance

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

2.4 Property Statement

This document is the property of IBM. Its use outside IBM is authorized only for responding to a request for quotation or for the performance of work for IBM. All supplier/vendor questions must be referred to the IBM purchasing department.

3. Related Documents**3.1 Superseded Documents**

C-H 3-3220-131 dated 1994-01.

Note: Changes in this edition are indicated by the character "|" (vertical bar) in the revision column.

3.2 Referenced External Documents**CNS 11643**

Republic of China's Standard Interchange Code for Generally-used Chinese Characters, published jointly by National Science Council of Executive Yuan, Ministry of Education, Standards Bureau of

Ministry of Economic Affairs; and EDP Center of the Directorate General of Budget, Accounting, and Statistics.

ISO 646

Information technology - ISO Standard for 7-Bit coded character set for information interchange

ISO 2022

Information processing - ISO Standard for 7-bit and 8-bit coded characters sets - code extension techniques

3.3 Referenced IBM Documents**C-S 3-3220-002**

Extended BCD Interchange Code (EBCDIC)

C-S 3-3220-019

Coded Character Sets, Implementation

C-H 3-3220-024

IBM Japanese Graphic Character Set, Kanji, DBCS-Host and DBCS-PC

C-H 3-3220-050

Registry, Graphic Character Sets and Code Pages, Online Database

C-H 3-3220-055

Graphic Character Identification System, Graphic Character Global Identifier (GCGID) Structure

C-S 3-3220-102

Double-Byte Character Set (DBCS), Terminology and Code Scheme

C-H 3-3220-126

IBM Traditional Chinese Graphic Character Set, DBCS-Host and DBCS-PC

C-H 3-3220-129

IBM Traditional Chinese Graphic Character Set for Extended UNIX Code (EUC), DBCS-EUC and TBCS-EUC

3.4 Copyright Permission

Not applicable.



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 CodeDBCS-PC

Requirements**4. External Standards****4.1 Republic of China's CNS 11643-1984**

The Standard Interchange *Code* for Generally-used Chinese Characters (SICGCC) for the Republic of China was originally defined in 1984, which was broadly implemented as a de facto standard by computer/telecommunication vendors. SICGCC has been evolved to CNS 11643 in 1986, which is the ROC's national Chinese standard. A total of 13494 *coded graphic characters*: namely 441 non-Chinese (including 33 Chinese control characters) and 13053 Chinese characters (5401 primary and 7652 secondary Chinese characters) were defined in CNS 11643-1984.

CNS 11643 has the framework consisting of 16 (94 by 94) planes. Each *code point* on a plane is represented by two *bytes* with the valid range being X'21' through X'7E' for each *byte*. The maximum number of *code points* on a plane is 8836.

The Chinese characters are assigned into the first and second planes. The first plane contains non-Chinese and frequently used primary Chinese characters, arranged in total stroke sequence. The second plane contains less frequently used secondary Chinese characters, arranged in a total stroke sequence.

The *user definable character* area is assigned to planes 12 through 16. Planes 3 through 11 are reserved for future assignments.

4.2 Republic of China's CNS 11643-1986

CNS 11643-1986 is the modified version of CNS 11643-1984. A total of 13735 *coded graphic characters*: namely 684 non-Chinese (including 33 Chinese control characters) and 13051 Chinese characters (5401 primary and 7650 secondary Chinese characters) have been defined in CNS 11643-1986.

Two hundred forty-three characters have been added to non-Chinese character set. The *graphic character* representations for 1 primary Chinese character and 2 secondary Chinese characters have been changed.

Two secondary Chinese characters have been deleted.

4.3 De facto Standard BIG-5

Several computer vendors and the Institute for Information Industry (III) in Republic of China have offered so called "BIG-5 Code" in order to promote "Big five Chinese software applications" since 1984. The "BIG-5 Code" has become the most popular internal *code* in the personal computer/system industry in Republic of China.

"BIG-5 Code" was designed to support the CNS 11643-1984 character set and to follow the character sequence of CNS 11643-1984. When CNS 11643 was revised in 1986, more than 200 characters were added and *graphic character* representations were modified for several characters. The "BIG-5 Code" followed the CNS 11643-1986 in terms of the *graphic character* representation.

IBM BIG-5 *code* is compatible with the de facto standard "BIG-5 Code" and has additionally accommodated the IBM selected characters and *user definable characters* in order to be consistent with other existing IBM *coded graphic character sets* like *DBCS-PC*, *DBCS-Host* and *EUC*.

4.4 IBM Selected Characters

The *graphic character set* for IBM BIG-5 *code*, which is specified in this specification, is basically sequenced based on CNS 11643-1984. The *graphic character* representations of CNS 11643-1986 have been adopted for 3 (1 primary and 2 secondary) Chinese characters to be compatible with the de facto industry standard "BIG-5 Code."

The characters which have the incompatibility with the de facto standard "BIG-5 Code" in terms of the relationship between the *graphic character* representation and the *code point* are defined as IBM selected characters in this specification.

The following are defined as IBM selected characters:

- 320 non-Chinese characters which are defined in neither CNS 11643-1984 nor CNS 11643-1986 and defined in this specification.
- 243 non-Chinese characters which are only defined in CNS 11643-1986. (Their implementation varies among vendors and are incompatible with the

IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

de facto “BIG-5 Code” since the characters on “BIG-5 Code” are sequenced based on CNS 11643-1984.)

- 3 Chinese characters which are defined in CNS 11643-1984 but the character sequence does not follow CNS 11643-1984. (The *code points* are different from the de facto “BIG-5 Code.”) See Table 1.

Note: The *graphic character* representations for those 3 (1 primary and 2 secondary) Chinese characters were changed when CNS 11643 was revised in 1986. The revised *graphic characters* are compatible with the de facto “BIG-5 Code” and are, therefore, not part of the IBM selected character set.

The characters shown in Table 1 were once defined in CNS 11643-1984 but the *graphic character* representations were changed in CNS 11643-1986. As many computer/telecommunication vendors other than IBM followed the change, the *graphic character* representations of CNS 11643-1986 have been adopted in IBM BIG-5 code. As the result, the characters which were originally defined in CNS 11643-1984 are defined as the IBM selected Chinese character set in this specification.

Table 1. IBM Selected Chinese Characters		
Graphic	BIG-5 Code	GCGID
撐	F286	T4T90080
槩	F287	T7NC0080
濂	F288	T8OK0080

As shown in Table 18 on page 558, 243 non-Chinese characters which are additionally defined in CNS 11643-1986 and 320 non-Chinese characters which are undefined in both CNS 11643-1984 and CNS 11643-1986 are also defined as the IBM selected non-Chinese character set.

4.5 Euro Sign

The Euro, the single European currency, has been introduced on the first of January 1999. IBM Big5 supports this currency.

4.6 Relationship of IBM BIG-5 Code with CNS 11643

4.6.1 Character Coverage. The *graphic characters* defined on the IBM BIG-5 code are the superset of CNS 11643-1984 and CNS 11643-1986. All 441 non-Chinese characters and 13053 Chinese characters, which are defined in CNS 11643-1984, and all 243 non-Chinese characters and 3 Chinese characters, which are additionally defined in CNS 11643-1986 are supported.

In addition to the *graphic characters* defined in CNS 11643, 320 non-Chinese characters are defined as IBM selected characters. Also, see Section 11 on page 558 for the detailed information on the relationship of IBM code with CNS 11643.

4.6.2 Sequence of Arrangement

4.6.2.1 Non-Chinese. Non-Chinese characters are logically sequenced within each category whenever possible (that is, for Greek, Alphabet, Numerics and so on) based on CNS 11643-1984 as far as they are defined in CNS 11643-1984. Five hundred sixty-three IBM selected characters are sequenced based on C-H 3-3220-126 1992-01 and their sequence has nothing to do with CNS 11643-1984.

4.6.2.2 Primary Chinese Characters. These characters are generally sequenced by the total stroke and they are sequenced based on CNS 11643-1984 as far as they are defined in CNS 11643-1984. One primary Chinese character has the *graphic character* representation of CNS 11643-1986 at *code point* X'BCB5'. The original character which has the *graphic character* representation of CNS 11643-1984 has been placed in the IBM selected Chinese character set area.

4.6.2.3 Secondary Chinese Characters. These characters are treated the same as the primary Chinese characters. Two secondary Chinese characters have the *graphic character* representations of CNS 11643-1986 at *code points* X'D5D4' and X'DE4D'. The original characters which have the *graphic character* representation of CNS 11643-1984 have been placed in the IBM selected Chinese character set area.

IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

4.6.3 Code Scheme. The code scheme of the IBM BIG-5 *code* conforms to the *DBCS-PC* which is defined in C-S 3-3220-102. It is independent of the code scheme of CNS 11643 which conforms to ISO 2022.

4.7 Relationship of IBM BIG-5 Code with the current DBCS-Host

4.7.1 Character Coverage. The *graphic characters* defined on the IBM BIG-5 *code* support the same characters defined for the current *DBCS-Host*. That is, 1005 non-Chinese (with Euro sign), 5402 primary Chinese, 7654 secondary Chinese characters are supported. In addition, 6204 *user definable characters* are supported. See C-H 3-3220-126 for the current *DBCS-Host* specifications.

4.7.2 Sequence of Arrangement. Since the characters defined for IBM BIG-5 *code* are basically sequenced based on CNS 11643-1984, the character sequence of IBM BIG-5 *code* is different from the current *DBCS-Host*.

4.7.3 Code Scheme. Although IBM BIG-5 *code* conforms to the *code* scheme of *DBCS-PC* defined in C-S 3-3220-102, the *code point* assignment of the character is totally different from each other.

5. Specification of Character Repertoire

5.1 Identification of Graphic Characters

This document specifies the repertoire of the CH-T *graphic character set* for IBM BIG-5 *code*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global Identifier (GCGID)*.

In the CH-T *graphic character set*, *GCGIDs* take the form 'Tzzz0080'; those for *user definable characters* take the form 'Xzzz0080', which follows the specification of C-H 3-3220-055. *GCGIDs* of non-Chinese *graphic characters* refer to those registered in C-H 3-3220-055.

5.2 Algorithm of GCGID

The zzz value for 'Tzzz0080' and 'Xzzz0080' is calculated by the following algorithm:

- 1) Assign virtual *code points* starting with the first *code point* of *EBCDIC code* range sequentially to the *graphic character set* of the proper collating.
- 2) Convert both *bytes* of the *code point* from hexadecimal to decimal.
- 3) Subtract 64 from both numbers.
- 4) Multiply the high-order number by 192 and add the low-order number to the result.
- 5) Convert the resulting number to a base 36 number, where the values from 0 through 35 are 0 through 9, followed by A through Z. (The conversion algorithm is essentially the same as would be used to convert from decimal to hexadecimal.) The resulting value will be a three digit value. For CH-T, it must be between 1S1 (for *code point* X'4C41' corresponded on *DBCS-Host*) and C3R (for *code point* X'91C7' corresponded on *DBCS-Host*).

6. Character Sets and Code Page

6.1 Registration of GCSGID and CPGID


This specification registers the maximum set and the subsets of the repertoire of the IBM CH-T *Graphic Character Set* for IBM BIG-5 *Code* and identifies them by *Graphic Character Set Global Identifiers (GCSGIDs)*.

It also specifies a relevant *DBCS-PC code page* for those *graphic character sets* and identifies it by a *Code Page Global Identifier (CPGID)*.

Table 2 on page 6 specifies the *GCSGIDs* and the *CPGID* of the *registered coded graphic character sets* for the IBM CH-T *Graphic Character Set* for IBM BIG-5 *Code*.

The registration category “U” means “Unrestricted,” which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.

Note: See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 2. Registration of GCSGID and CPGID for IBM CH-T Graphic Character Set for IBM BIG-5 Code					
CGCSGID GCSGID CPGID	Name	Set Size	Reference in Table 3 on page 7	Category of Reg- istration	
65535 00947	DBCS-PC (including 566 IBM selected characters with Euro sign and 6204 UDCs)	20265 (Mini - mum)	Area 1, 2, 3, 4, 5, 6, 7, 8, 9 and 10 of Table 3	U	
00935* 00947	DBCS-PC (including 566 IBM selected characters and 6204 UDCs)	20264	Area 1****, 2, 3, 4, 5, 6, 7, 8, 9 and 10 of Table 3	U	
01030* 00947	DBCS-PC (excluding 6204 UDCs; including 566 IBM selected characters) Note: IBM selected characters are 563 non-Chinese, 1 primary Chinese, and 2 secondary Chinese characters in addition to de facto "BIG-5 Code."	14060	Area 1****, 2, 3, 4 and 5 of Table 3	U	
01075 00947	DBCS-PC (excluding 1 primary Chinese and 2 secondary Chinese characters, 563 IBM selected non-Chinese characters and 6204 UDCs; including 3 IBM selected Chinese characters) Note: Equivalent to CNS 11643-1984.	13494	Area 1****, 2**, 4** and 5 of Table 3	U	
01076 00947	DBCS-PC (including 5401 primary Chinese, 7650 secondary Chinese, 441 non-Chinese, and 243 IBM selected non-Chinese characters; excluding 2 secondary Chinese characters) Note: Equivalent to CNS 11643-1986.	13735	Area 1****, 2, 3*** and 4*** of Table 3	U	
01077 00947	DBCS-PC (excluding 566 IBM selected characters and 6204 UDCs) Note: Equivalent to de facto "BIG-5 Code."	13494	Area 1****, 2 and 4 of Table 3	U	
Notes:					
1) * The information on <i>GCSGIDs</i> : 00935 and 01030, and <i>CPGIDs</i> : 00835 and 00927 can also be found in C-H 3-3220-126 1999-04.					
2) ** <i>GCSGID</i> 01075 does not include 1 primary Chinese character at X'BCB5' and 2 secondary Chinese characters at X'D5D4' and X'DE4D' but includes 3 IBM selected Chinese characters at X'F286', X'F287' and X'F288'.					
3) *** <i>GCSGID</i> 01076 on <i>CPGID</i> 00947 includes 243 characters in area 3 "IBM Selected Non-Chinese Character Set," which are undefined in CNS 11643-1984 but defined in CNS 11643-1986; excludes 2 secondary characters at <i>code points</i> X'C94A' and X'DDFC' in area 4 "Secondary Chinese Character Set," which are defined in CNS 11643-1984 and deleted in CNS 11643-1986. It includes 1 primary Chinese character at X'BCB5' and 2 secondary Chinese characters at X'D5D4' and X'DE4D'.					
4) **** except Euro currency sign					



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

6.2 Structure of IBM BIG-5 Code

The IBM BIG-5 *code* is structured as shown in Table 3 and Figure 1 on page 8.


Table 3. IBM BIG-5 Code Structure			
Area	Wards in Hex	Contents	Number of Characters
1	A1 to A3*	Non-Chinese Character Set (See Table 5 on page 11.) <ul style="list-style-type: none"> • Space (A140 in hexadecimal) • Greek, Roman Numeric • Alphanumeric and Related Symbols • Chinese Numerals, Phonetic Symbols, Chinese Punctuation, Formatting Symbols, and Special Symbols • Euro sign 	442
2	A4 to C6* (ends at X'C67E')	Primary Chinese Character Set (See Table 6 on page 29, Table 7 on page 81 and Table 8 on page 133.)	5401
3	C6 to C8* (begins at X'C6A1')	IBM Selected Non-Chinese Character Set (1 of 2) (See Table 15 on page 532.)	315
4	C9 to F9* (ends at X'F9D5')	Secondary Chinese Character Set (See Table 10 on page 237, Table 11 on page 296, Table 12 on page 355 and Table 13 on page 414.)	7652
5	F2 to F9** (begins at X'F286'; ends at X'F9A0')	IBM Selected Chinese/Non-Chinese Character Set (2 of 2) (See Table 16 on page 545 and Table 17 on page 555.) <ul style="list-style-type: none"> • 3 CNS 11643-1984 Chinese Characters*** • 248 Non-Chinese Characters <ul style="list-style-type: none"> – Chinese Radicals – Formatting Symbols, Mathematical symbols, and Special Symbols 	251
6	FA to FE*	1st User Definable Character Set Area	785
7	8E to A0*	2nd User Definable Character Set Area	2983
8	81 to 8D*	3rd User Definable Character Set Area	2041
9	81 to 8C** (begins at X'8181'; ends at X'8CA0')	4th User Definable Character Set Area	354
10	F9 (begins at X'F9D6'; ends at X'F9FE')	5th User Definable Character Set Area	41

Notes:

- * The area excludes second *bytes* from X'7F' to X'A0'. Also, see Figure 1 on page 8.
- ** Second *bytes* range from X'81' to X'A0'. Also, see Figure 1 on page 8.
- *** These 3 characters were once defined by CNS 11643-1984 but the graphic character representations were changed in CNS 11643-1986. IBM adopted the graphic character representation of CNS 11643-1986. The original CNS 11643-1984 characters are, therefore, defined as "IBM selected characters."
1 of 3 IBM selected Chinese is defined as part of "Primary Chinese Character Set" and 2 of 3 are defined as part of "Secondary Chinese Character Set" in C-H 3-3220-126.
- 4) The maximum number of the *user definable characters* from 1st *user definable character* area to 5th is 6204, which is the same as those defined for the existing *DBCS-PC*, *DBCS-Host* and *EUC*.

IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC



- Notes:
- 1) UDC is an abbreviation for User Definable Character.
 - 2) The number in parentheses indicates the number of characters assigned.
 - 3) The code point of DBCS Space is X'A140'.
 - 4) Each area includes the following character set:
 - Area 1 ... Non-Chinese character set (incl. Euro sign)
 - Area 2 ... Primary Chinese character set
 - Area 3 ... IBM selected Non-Chinese character set
 - Area 4 ... Secondary Chinese character set
 - Area 5 ... IBM selected Non-Chinese/Chinese character set
 - Area 6 ... 1st user definable character set area
 - Area 7 ... 2nd user definable character set area
 - Area 8 ... 3rd user definable character set area
 - Area 9 ... 4th user definable character set area
 - Area 10 .. 5th user definable character set area
 - 5) Also, see Table 3 on page 7 for the character contents.

Figure 1. IBM BIG-5 Code Structure (Overview)

IBM Traditional Chinese Graphic Character Set for IBM BIG-5 CodeDBCS-PC

7. Code Translation Correspondence**7.1 Among IBM BIG-5 Code and Existing Code and CNS 11643**

The *code* translation correspondences between IBM BIG-5 *code* and the following existing *code pages* are defined in this specification:

- *DBCS-Host* (CPGID 00835)
- *DBCS-PC* (CPGID 00927)
- *DBCS-EUC* (CPGID 00960) or *TBCS-EUC* (CPGID 00961).

Also, see Section 11.2 on page 559 for more detailed information.

The *code* translation correspondence between IBM BIG-5 *code* and CNS 11643-1986 is also defined in this specification. For Euro sign X'A3E1', the code translation correspondence between IBM BIG-5 and DBCS-Host is shown in Section 8.1. On the code translation correspondence to others, Euro sign is substituted.

Note: The 1986 version of CNS 11643 is referred to in the *code* translation correspondence between IBM BIG-5 *code* and CNS 11643 since it is the major version of CNS 11643 used in Republic of China and the only version which has been registered to ISO (International Organization for Standardization).

7.2 Code Translation Correspondence of Non-Chinese and Chinese Sets

In the code translation correspondences of non-Chinese and Chinese character sets between IBM BIG-5 *code* and the existing *code pages*, for example, *DBCS-Host*, *DBCS-PC*, and *DBCS/TBCS-EUC*, the logical conversion is not applicable. All the *code* translation correspondences are, therefore, shown in the specification tables in Sections 8.1, 8.2, 8.3, 8.4, 8.5, 8.6, 8.7, 8.8, 8.9, 8.10, 8.11, 8.12 and 8.13.

In the *code* translation correspondence of non-Chinese and Chinese character sets between IBM BIG-5 *code* and CNS 11643-1986, a logical conversion is basically possible only for the non-Chinese character set in area 1 and the primary Chinese character set in area 2 and

secondary Chinese characters in area 4 since they are defined in CNS 11643-1986 and sequenced based on CNS 11643-1986. See Table 3 on page 7 for more details about areas.

Two hundred forty-three out of 563 IBM selected non-Chinese characters in area 3 and 5 are defined in CNS 11643-1986. The corresponding CNS 11643-1986 *code points* are also listed in Table 15 on page 532 and Table 16 on page 545.

One primary Chinese character at X'BCB5' and 2 secondary Chinese characters at X'D5D4' and X'DE4D' are mapped to the corresponding CNS 11643-1986 *code points* on 1st and 2nd planes of CNS 11643-1986.

Two secondary Chinese characters at X'C94A' and X'DDFC' were once defined in CNS 11643-1984 but deleted in CNS 11643-1986. They are mapped to 13th plane of CNS 11643 and the *code points* can be determined by ignoring the most significant bit of the corresponding *EUC code point* or may be substituted.

7.3 Code Translation Correspondence of IBM Selected Characters

IBM selected characters have an empty entry for the CNS 11643 *code* column in tables as they are not defined in CNS 11643. There are two methods for the *code* translation correspondence from IBM BIG-5 to CNS 11643:

- To sequentially map them into 13th plane, which is the reserved area for *UDC*, defined in CNS 11643. The *code point* can be determined by ignoring the most significant bit of the corresponding *EUC code point*.
- To substitute them.

For three hundred twenty out of 563 IBM selected non-Chinese and 3 Chinese characters, the logical conversion is not applicable. They are sequentially mapped to 13th plane, which is the reserved area for *UDC*, defined in CNS 11643. The CNS *code point* can be determined by ignoring the most significant bit of the corresponding *EUC code point* in tables or may be substituted.

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

7.4 Code Translation Correspondence of User Definable Characters

For *user definable characters*, the default *code translation correspondence* between IBM BIG-5 *code* and the others including *DBCS-Host*, *DBCS-PC*, and *DBCS/TBCS-EUC* is sequentially given from the *code point* of the source in both translation of IBM BIG-5 *code* to the others and vice versa.

User definable characters are sequentially mapped to 12th plane (8836 sizes) of CNS 11643-1986.

For example, the first *code point* of the IBM BIG-5 *code* (X'FA40') can be mapped to the first *code point* of *DBCS-Host* (X'C241') or to the first *code point* of CNS 11643 12th plane (X'2121'), and the mapping sequentially continues.

The *user definable character* areas are, however, divided into 5 segments on IBM BIG-5 *code* in order to accommodate 6204 *user definable characters* as shown in Figure 1 on page 8. The usage of the UDC area should be prioritized based on the following order.

1st UDC

1st 785 UDCs, from X'FA40' to X'FEFE' except second bytes from X'xx7F' to X'xxA0'.

2nd UDC

2nd 2983 UDCs, from X'8E40' to X'A0FE' except second bytes from X'xx7F' to X'xxA0'.

3rd UDC

3rd 2041 UDCs, from X'8140' to X'8DFE' except second bytes from X'xx7F' to X'xxA0'.

4th UDC

4th 354 UDCs, from X'8181' to X'8C82'; unassigned from X'8C83' to X'8CA0'.

5th UDC

5th 41 UDCs, from X'F9D6' to X'F9FE'.

7.5 Format of IBM BIG-5 Code Tables

Tables 5 to 17 are formatted as illustrated in Table 4. Line numbers in Tables 5 to 17 are serial numbers of listed *graphic characters* by subsets of *coded graphic character character set* for IBM BIG-5 for the easy reference.

Tables 5 to 17 include the corresponding *DBCS-PC*, *DBCS-HOST*, *EUC*, and CNS 11643 *code points*.

Table 4. Format of IBM BIG-5 Code Tables							
Columns							
1	2	3	4	5	6	7	8
Line No. (Decimal)	Graphic	BIG-5 Code (Hex)	PC Code (Hex)	Host Code (Hex)	EUC Code (Hex)	CNS Code (Hex)	GCGID
XXXX	X	XXXX	XXXX	XXXX	XXXXXX	X-XXXX	XXXXXXXX
Notes:							
1) Line number in column 1 is the serial number of the listed <i>graphic characters</i> in each <i>graphic character set</i> for legibility.							
2) <i>PC code</i> column shows <i>code points</i> on CPGID 00927 for <i>DBCS-PC</i> , which is defined in C-H 3-3220-126.							
3) <i>Host code</i> column shows <i>code points</i> on CPGID 00835 for <i>DBCS-Host</i> , which is defined in C-H 3-3220-126.							
4) <i>EUC code</i> column shows <i>code points</i> on CPGIDs 00960 for G1 <i>code set</i> (<i>DBCS-EUC</i>) and 00961 for G2 <i>code set</i> (<i>TBCS-EUC</i>), which are defined in C-H 3-3220-129.							
5) <i>CNS code</i> column shows the <i>code points</i> on CNS 11643-1986.							
6) The decimal prefix in the <i>CNS code</i> column shows the plane number out of 16 planes defined in CNS 11643.							

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8. IBM BIG-5*8.1 Non-Chinese Character Set*

Table 5 (Page 1 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1		A140	8140	4040	A1A1	1-2121	SP010080
2	,	A141	8143	426B	A1A2	1-2122	SP080080
3	\	A142	8141	4344	A1A3	1-2123	JQ730080
4	o	A143	8142	4341	A1A4	1-2124	JQ700080
5	.	A144	8144	424B	A1A5	1-2125	SP110080
6	•	A145	8145	4345	A1A6	1-2126	JQ740080
7	;	A146	8147	425E	A1A7	1-2127	SP140080
8	:	A147	8146	427A	A1A8	1-2128	SP130080
9	?	A148	8148	426F	A1A9	1-2129	SP150080
10	!	A149	8149	425A	A1AA	1-212A	SP020080
11	:	A14A	8640	4741	A1AB	1-212B	SV550080
12	...	A14B	8163	447F	A1AC	1-212C	SV440080
13	••	A14C	8164	447E	A1AD	1-212D	SV430080
14	,	A14D	8641	4742	A1AE	1-212E	SP081080
15	\	A14E	8642	4743	A1AF	1-212F	SP081084
16	.	A14F	8643	4744	A1B0	1-2130	SP111080
17	•	A150	8AE4	46E5	A1B1	1-2131	SD630080
18	;	A151	8644	4745	A1B2	1-2132	SP141080
19	:	A152	8645	4746	A1B3	1-2133	SP131080
20	?	A153	8646	4747	A1B4	1-2134	SP151080
21	!	A154	8647	4748	A1B5	1-2135	SP021080
22		A155	8AA6	46A7	A1B6	1-2136	SV070080
23	—	A156	815C	444A	A1B7	1-2137	SM120080
24		A157	8648	4749	A1B8	1-2138	SM131080
25	-	A158	8649	474A	A1B9	1-2139	SV251080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 2 of 18). Non-Chinese Character Set, IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
26		A159	8AB5	46B6	A1BA	1-213A	SV530080
27	—	A15A	8AB6	46B7	A1BB	1-213B	SV540080
28	}	A15B	8ABB	46BC	A1BC	1-213C	SV450080
29	~	A15C	8ABC	46BD	A1BD	1-213D	SV460080
30	(A15D	8169	424D	A1BE	1-213E	SP060080
31)	A15E	816A	425D	A1BF	1-213F	SP070080
32	⌒	A15F	8AAB	46AC	A1C0	1-2140	SP240080
33	⌑	A160	8AAC	46AD	A1C1	1-2141	SP250080
34	{	A161	816F	42C0	A1C2	1-2142	SM110080
35	}	A162	8170	42D0	A1C3	1-2143	SM140080
36	⌘	A163	8AAD	46AE	A1C4	1-2144	SP340080
37	⌗	A164	8AAE	46AF	A1C5	1-2145	SP350080
38	[A165	816B	4463	A1C6	1-2146	SP060081
39]	A166	816C	4473	A1C7	1-2147	SP070081
40	⌒	A167	8AAF	46B0	A1C8	1-2148	SP240081
41	⌑	A168	8AB0	46B1	A1C9	1-2149	SP250081
42	【	A169	8179	4466	A1CA	1-214A	SP060084
43	】	A16A	817A	4476	A1CB	1-214B	SP070084
44	⌒	A16B	8AA3	46A4	A1CC	1-214C	SP240084
45	⌑	A16C	8AA4	46A5	A1CD	1-214D	SP250084
46	⌘	A16D	8173	4465	A1CE	1-214E	SP060083
47	⌗	A16E	8174	4475	A1CF	1-214F	SP070083
48	⌘	A16F	8AB1	46B2	A1D0	1-2150	SP240083
49	⌗	A170	8AB2	46B3	A1D1	1-2151	SP250083
50	<	A171	8171	4464	A1D2	1-2152	SP060082
51	>	A172	8172	4474	A1D3	1-2153	SP070082



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 3 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
52	∧	A173	8AB3	46B4	A1D4	1-2154	SP240082
53	∨	A174	8AB4	46B5	A1D5	1-2155	SP250082
54	┌	A175	8175	4342	A1D6	1-2156	JQ710080
55	└	A176	8176	4343	A1D7	1-2157	JQ720080
56	┐	A177	8A9F	46A0	A1D8	1-2158	SP360080
57	┘	A178	8AA0	46A1	A1D9	1-2159	SP370080
58	┌	A179	8177	4442	A1DA	1-215A	JQ710081
59	└	A17A	8178	4443	A1DB	1-215B	JQ720081
60	┐	A17B	8AA1	46A2	A1DC	1-215C	SP360081
61	┘	A17C	8AA2	46A3	A1DD	1-215D	SP370081
62	(A17D	864A	474B	A1DE	1-215E	SP061080
63)	A17E	864B	474C	A1DF	1-215F	SP071080
64	{	A1A1	864C	474D	A1E0	1-2160	SM111080
65	}	A1A2	864D	474E	A1E1	1-2161	SM141080
66	[A1A3	864E	474F	A1E2	1-2162	SP061081
67]	A1A4	864F	4750	A1E3	1-2163	SP071081
68	‘	A1A5	8165	4461	A1E4	1-2164	SP190080
69	’	A1A6	8166	4471	A1E5	1-2165	SP200080
70	“	A1A7	8167	4462	A1E6	1-2166	SP210080
71	”	A1A8	8168	4472	A1E7	1-2167	SP220080
72	“	A1A9	8AE8	46E9	A1E8	1-2168	SP210081
73	”	A1AA	8AE9	46EA	A1E9	1-2169	SP220081
74	`	A1AB	814D	4279	A1EA	1-216A	SD130080
75	’	A1AC	814C	4450	A1EB	1-216B	SD110080
76	#	A1AD	8194	427B	A1EC	1-216C	SM010080
77	&	A1AE	8195	4250	A1ED	1-216D	SM030080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 4 of 18). Non-Chinese Character Set, IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
78	✳	A1AF	8AB7	46B8	A1EE	1-216E	SM040089
79	✴	A1B0	81A6	446B	A1EF	1-216F	SM040088
80	§	A1B1	8198	446A	A1F0	1-2170	SM240080
81	〃	A1B2	8AB8	46B9	A1F1	1-2171	SV090089
82	○	A1B3	819B	44E0	A1F2	1-2172	SM750080
83	●	A1B4	819C	44E1	A1F3	1-2173	SM580080
84	△	A1B5	81A2	44E2	A1F4	1-2174	SM730080
85	▲	A1B6	81A3	44E3	A1F5	1-2175	SM600080
86	◎	A1B7	819D	44E4	A1F6	1-2176	SM810080
87	☆	A1B8	8199	44E5	A1F7	1-2177	SS570080
88	★	A1B9	819A	44E6	A1F8	1-2178	SS580080
89	◇	A1BA	819E	44E7	A1F9	1-2179	SA660080
90	◆	A1BB	819F	44E8	A1FA	1-217A	SM610080
91	□	A1BC	81A0	44E9	A1FB	1-217B	SM450080
92	■	A1BD	81A1	44EA	A1FC	1-217C	SM470080
93	▽	A1BE	81A4	44EB	A1FD	1-217D	SM740080
94	▼	A1BF	81A5	44EC	A1FE	1-217E	SV040080
95	Ⓢ	A1C0	8AB9	46BA	A2A1	1-2221	SS780080
96	⌘	A1C1	8ABA	46BB	A2A2	1-2222	SS640080
97	—	A1C2	8150	42A1	A2A3	1-2223	SM150080
98	—	A1C3	8650	4751	A2A4	1-2224	SM620081
99	—	A1C4	8151	426D	A2A5	1-2225	SP090080
100	—	A1C5	8651	4752	A2A6	1-2226	SP090081
101	---	A1C6	8ABD	46BE	A2A7	1-2227	SV470080
102	---	A1C7	8ABE	46BF	A2A8	1-2228	SV490080
103	---	A1C8	8ABF	46C0	A2A9	1-2229	SV120080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 5 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
104	--	A1C9	8AC0	46C1	A2AA	1-222A	SV480080
105	~	A1CA	8AC1	46C2	A2AB	1-222B	SV500080
106	~	A1CB	8AC2	46C3	A2AC	1-222C	SV510080
107	#	A1CC	8652	4753	A2AD	1-222D	SM011080
108	&	A1CD	8653	4754	A2AE	1-222E	SM031080
109	⌘	A1CE	8AC3	46C4	A2AF	1-222F	SM04008A
110	+	A1CF	817B	424E	A2B0	1-2230	SA010080
111	—	A1D0	817C	4260	A2B1	1-2231	SP100080
112	×	A1D1	817E	447A	A2B2	1-2232	SA070080
113	÷	A1D2	8180	447B	A2B3	1-2233	SA060080
114	±	A1D3	817D	444B	A2B4	1-2234	SA020080
115	√	A1D4	8AC4	46C5	A2B5	1-2235	SA800080
116	<	A1D5	8183	424C	A2B6	1-2236	SA030080
117	>	A1D6	8184	426E	A2B7	1-2237	SA050080
118	=	A1D7	8181	427E	A2B8	1-2238	SA040080
119	≡	A1D8	8185	4467	A2B9	1-2239	SA520082
120	≡	A1D9	8186	4477	A2BA	1-223A	SA530082
121	≠	A1DA	8182	444C	A2BB	1-223B	SA540080
122	∞	A1DB	8187	444D	A2BC	1-223C	SA450080
123	∴	A1DC	8AC5	46C6	A2BD	1-223D	SA700081
124	≡	A1DD	8AC6	46C7	A2BE	1-223E	SA480080
125	+	A1DE	8654	4755	A2BF	1-223F	SA011080
126	-	A1DF	8655	4756	A2C0	1-2240	SA001080
127	<	A1E0	8656	4757	A2C1	1-2241	SA031080
128	>	A1E1	8657	4758	A2C2	1-2242	SA051080
129	=	A1E2	8658	4759	A2C3	1-2243	SA041080

IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 6 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
130	~	A1E3	8160	43A1	A2C4	1-2244	SD190080
131	∩	A1E4	8AC7	46C8	A2C5	1-2245	SA380080
132	∪	A1E5	8AC8	46C9	A2C6	1-2246	SA390080
133	⊥	A1E6	8AC9	46CA	A2C7	1-2247	SA780080
134	∠	A1E7	8ACA	46CB	A2C8	1-2248	SA350088
135	└	A1E8	8ACB	46CC	A2C9	1-2249	SA420080
136	└┘	A1E9	8ACC	46CD	A2CA	1-224A	SA850080
137	lg	A1EA	8ACD	46CE	A2CB	1-224B	SS880080
138	ln	A1EB	8ACE	46CF	A2CC	1-224C	SS890080
139	∫	A1EC	8ACF	46D0	A2CD	1-224D	SA510080
140	ϕ	A1ED	8AD0	46D1	A2CE	1-224E	SA720080
141	∴	A1EE	8AD7	4478	A2CF	1-224F	SS540080
142	∴	A1EF	8188	4468	A2D0	1-2250	SA370080
143	♀	A1F0	818A	4479	A2D1	1-2251	SM290080
144	♂	A1F1	8189	4469	A2D2	1-2252	SM280080
145	⊕	A1F2	8AD1	46D2	A2D3	1-2253	SA550080
146	⊙	A1F3	8AD2	46D3	A2D4	1-2254	SA590080
147	↑	A1F4	81AA	44F2	A2D5	1-2255	SM320080
148	↓	A1F5	81AB	44F3	A2D6	1-2256	SM330080
149	←	A1F6	81A9	44F1	A2D8	1-2258	SM300080
150	→	A1F7	81A8	44F0	A2D7	1-2257	SM310080
151	↖	A1F8	8AD3	46D4	A2D9	1-2259	SM970080
152	↗	A1F9	8AD4	46D5	A2DA	1-225A	SM950080
153	↙	A1FA	8AD5	46D6	A2DB	1-225B	SM980080
154	↘	A1FB	8AD6	46D7	A2DC	1-225C	SM990080
155		A1FC	8161	447C	A2DD	1-225D	SV370080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 7 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
156		A1FD	8162	424F	A2DE	1-225E	SM130080
157	/	A1FE	815E	4261	A2DF	1-225F	SP120080
158	\	A240	815F	43E0	A2E0	1-2260	SM070080
159	/	A241	8AD9	46DA	A2E1	1-2261	SP120081
160	\	A242	8659	475A	A2E2	1-2262	SM071080
161	\$	A243	8190	42E0	A2E3	1-2263	SC030080
162	¥	A244	818F	425B	A2E4	1-2264	SC050080
163	₮	A245	81A7	446C	A2E5	1-2265	SS730080
164	¢	A246	8191	434A	A2E6	1-2266	SC040080
165	£	A247	8192	424A	A2E7	1-2267	SC020080
166	%	A248	8193	426C	A2E8	1-2268	SM020080
167	@	A249	8197	427C	A2E9	1-2269	SM050080
168	°C	A24A	818E	444E	A2EA	1-226A	SM440080
169	°F	A24B	8ADA	46DB	A2EB	1-226B	SM850080
170	\$	A24C	865A	475B	A2EC	1-226C	SC031080
171	%	A24D	865B	475C	A2ED	1-226D	SM021080
172	@	A24E	865C	475D	A2EE	1-226E	SM051080
173	mil	A24F	8ADB	46DC	A2EF	1-226F	SS800080
174	mm	A250	8ADC	46DD	A2F0	1-2270	SS810080
175	cm	A251	8ADD	46DE	A2F1	1-2271	SS820080
176	km	A252	8ADE	46DF	A2F2	1-2272	SS830080
177	KM	A253	8ADF	46E0	A2F3	1-2273	SS830081
178	m ²	A254	8AE0	46E1	A2F4	1-2274	SS840080
179	mg	A255	8AE1	46E2	A2F5	1-2275	SS850080
180	kg	A256	8AE2	46E3	A2F6	1-2276	SS860080
181	cc	A257	8AE3	46E4	A2F7	1-2277	SS870080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 8 of 18). Non-Chinese Character Set, IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
182	°	A258	818B	44ED	A2F8	1-2278	SM190080
183	尪	A259	8AF0	46F1	A2F9	1-2279	SS900084
184	尪	A25A	8AF1	46F2	A2FA	1-227A	SS860084
185	尪	A25B	8AF2	46F3	A2FB	1-227B	SS850084
186	尪	A25C	8AF3	46F4	A2FC	1-227C	SS910084
187	尪	A25D	8AF4	46F5	A2FD	1-227D	SS920084
188	尪	A25E	8AF5	46F6	A2FE	1-227E	SS930084
189	𪛗	A25F	8AF6	46F7	A3A1	1-2321	SS940084
190	𪛘	A260	8AF7	46F8	A3A2	1-2322	SS790084
191	𪛙	A261	8AF8	46F9	A3A3	1-2323	SS810084
192	—	A262	8A5F	4660	A3A4	1-2324	SF700081
193	—	A263	8A60	4661	A3A5	1-2325	SF710081
194	—	A264	8A61	4662	A3A6	1-2326	SF720081
195	■	A265	8A62	4663	A3A7	1-2327	SF730081
196	■	A266	8A63	4664	A3A8	1-2328	SF740081
197	■	A267	8A64	4665	A3A9	1-2329	SF750081
198	■	A268	8A65	4666	A3AA	1-232A	SF760081
199	■	A269	8A66	4667	A3AB	1-232B	SF610080
200		A26A	8A67	4668	A3AC	1-232C	SF770081
201		A26B	8A68	4669	A3AD	1-232D	SF780081
202	■	A26C	8A69	466A	A3AE	1-232E	SF790081
203	■	A26D	8A6A	466B	A3AF	1-232F	SF800081
204	■	A26E	8A6B	466C	A3B0	1-2330	SF810081
205	■	A26F	8A6C	466D	A3B1	1-2331	SF820081
206	■	A270	8A6D	466E	A3B2	1-2332	SF830081
207	+	A271	8A6E	466F	A3B3	1-2333	SF050080

IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 9 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
208	┌	A272	8A6F	4670	A3B4	1-2334	SF070080
209	┐	A273	8A70	4671	A3B5	1-2335	SF060080
210	└	A274	8A71	4672	A3B6	1-2336	SF090080
211	┘	A275	8A72	4673	A3B7	1-2337	SF080080
212	─	A276	8A73	4674	A3B8	1-2338	SF670080
213	━	A277	8A74	4675	A3B9	1-2339	SF100080
214		A278	8A75	4676	A3BA	1-233A	SF110080
215		A279	8A76	4677	A3BB	1-233B	SF650080
216	┌	A27A	8A77	4678	A3BC	1-233C	SF010080
217	┐	A27B	8A78	4679	A3BD	1-233D	SF030080
218	└	A27C	8A79	467A	A3BE	1-233E	SF020080
219	┘	A27D	8A7A	467B	A3BF	1-233F	SF040080
220	┘	A27E	8A7B	467C	A3C0	1-2340	SS160080
221	┘	A2A1	8A7C	467D	A3C1	1-2341	SS180080
222	┘	A2A2	8A7D	467E	A3C2	1-2342	SS170080
223	┘	A2A3	8A7E	467F	A3C3	1-2343	SS190080
224	＝	A2A4	8A80	4681	A3C4	1-2344	SF430080
225	≡	A2A5	8A81	4682	A3C5	1-2345	SF360080
226	≡	A2A6	8A82	4683	A3C6	1-2346	SF540080
227	≡	A2A7	8A83	4684	A3C7	1-2347	SF190080
228	▲	A2A8	8A84	4685	A3C8	1-2348	SF840080
229	▲	A2A9	8A85	4686	A3C9	1-2349	SF850080
230	▲	A2AA	8A86	4687	A3CA	1-234A	SF860080
231	▲	A2AB	8A87	4688	A3CB	1-234B	SF870080
232	／	A2AC	8A88	4689	A3CC	1-234C	SH020080
233	＼	A2AD	8A89	468A	A3CD	1-234D	SH030080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 10 of 18). Non-Chinese Character Set, IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
234	×	A2AE	8A8A	468B	A3CE	1-234E	SH040080
235	0	A2AF	824F	42F0	A4A1	1-2421	ND100080
236	1	A2B0	8250	42F1	A4A2	1-2422	ND010080
237	2	A2B1	8251	42F2	A4A3	1-2423	ND020080
238	3	A2B2	8252	42F3	A4A4	1-2424	ND030080
239	4	A2B3	8253	42F4	A4A5	1-2425	ND040080
240	5	A2B4	8254	42F5	A4A6	1-2426	ND050080
241	6	A2B5	8255	42F6	A4A7	1-2427	ND060080
242	7	A2B6	8256	42F7	A4A8	1-2428	ND070080
243	8	A2B7	8257	42F8	A4A9	1-2429	ND080080
244	9	A2B8	8258	42F9	A4AA	1-242A	ND090080
245	I	A2B9	8B41	41F1	A4AB	1-242B	NR110080
246	II	A2BA	8B42	41F2	A4AC	1-242C	NR120080
247	III	A2BB	8B43	41F3	A4AD	1-242D	NR130080
248	IV	A2BC	8B44	41F4	A4AE	1-242E	NR140080
249	V	A2BD	8B45	41F5	A4AF	1-242F	NR150080
250	VI	A2BE	8B46	41F6	A4B0	1-2430	NR160080
251	VII	A2BF	8B47	41F7	A4B1	1-2431	NR170080
252	VIII	A2C0	8B48	41F8	A4B2	1-2432	NR180080
253	IX	A2C1	8B49	41F9	A4B3	1-2433	NR190080
254	X	A2C2	8B4A	41FA	A4B4	1-2434	NR200080
255		A2C3	8940	4541	A4B5	1-2435	NC010080
256		A2C4	8941	4542	A4B6	1-2436	NC020080
257		A2C5	8942	4543	A4B7	1-2437	NC030080
258	×	A2C6	8943	4544	A4B8	1-2438	NC040080
259	ø	A2C7	8944	4545	A4B9	1-2439	NC050080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 5 (Page 11 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
260	ㄊ	A2C8	8945	4546	A4BA	1-243A	NC060080
261	ㄊ	A2C9	8946	4547	A4BB	1-243B	NC070080
262	ㄊ	A2CA	8947	4548	A4BC	1-243C	NC080080
263	ㄊ	A2CB	8948	4549	A4BD	1-243D	NC090080
264	十	A2CC	8949	454A	A4BE	1-243E	NC100080
265	卅	A2CD	894A	454B	A4BF	1-243F	NC200080
266	卅	A2CE	894B	454C	A4C0	1-2440	NC300080
267	A	A2CF	8260	42C1	A4C1	1-2441	LA020080
268	B	A2D0	8261	42C2	A4C2	1-2442	LB020080
269	C	A2D1	8262	42C3	A4C3	1-2443	LC020080
270	D	A2D2	8263	42C4	A4C4	1-2444	LD020080
271	E	A2D3	8264	42C5	A4C5	1-2445	LE020080
272	F	A2D4	8265	42C6	A4C6	1-2446	LF020080
273	G	A2D5	8266	42C7	A4C7	1-2447	LG020080
274	H	A2D6	8267	42C8	A4C8	1-2448	LH020080
275	I	A2D7	8268	42C9	A4C9	1-2449	LI020080
276	J	A2D8	8269	42D1	A4CA	1-244A	LJ020080
277	K	A2D9	826A	42D2	A4CB	1-244B	LK020080
278	L	A2DA	826B	42D3	A4CC	1-244C	LL020080
279	M	A2DB	826C	42D4	A4CD	1-244D	LM020080
280	N	A2DC	826D	42D5	A4CE	1-244E	LN020080
281	O	A2DD	826E	42D6	A4CF	1-244F	LO020080
282	P	A2DE	826F	42D7	A4D0	1-2450	LP020080
283	Q	A2DF	8270	42D8	A4D1	1-2451	LQ020080
284	R	A2E0	8271	42D9	A4D2	1-2452	LR020080
285	S	A2E1	8272	42E2	A4D3	1-2453	LS020080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 12 of 18). Non-Chinese Character Set, IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
286	T	A2E2	8273	42E3	A4D4	1-2454	LT020080
287	U	A2E3	8274	42E4	A4D5	1-2455	LU020080
288	V	A2E4	8275	42E5	A4D6	1-2456	LV020080
289	W	A2E5	8276	42E6	A4D7	1-2457	LW020080
290	X	A2E6	8277	42E7	A4D8	1-2458	LX020080
291	Y	A2E7	8278	42E8	A4D9	1-2459	LY020080
292	Z	A2E8	8279	42E9	A4DA	1-245A	LZ020080
293	a	A2E9	8281	4281	A4DB	1-245B	LA010080
294	b	A2EA	8282	4282	A4DC	1-245C	LB010080
295	c	A2EB	8283	4283	A4DD	1-245D	LC010080
296	d	A2EC	8284	4284	A4DE	1-245E	LD010080
297	e	A2ED	8285	4285	A4DF	1-245F	LE010080
298	f	A2EE	8286	4286	A4E0	1-2460	LF010080
299	g	A2EF	8287	4287	A4E1	1-2461	LG010080
300	h	A2F0	8288	4288	A4E2	1-2462	LH010080
301	i	A2F1	8289	4289	A4E3	1-2463	LI010080
302	j	A2F2	828A	4291	A4E4	1-2464	LJ010080
303	k	A2F3	828B	4292	A4E5	1-2465	LK010080
304	l	A2F4	828C	4293	A4E6	1-2466	LL010080
305	m	A2F5	828D	4294	A4E7	1-2467	LM010080
306	n	A2F6	828E	4295	A4E8	1-2468	LN010080
307	o	A2F7	828F	4296	A4E9	1-2469	LO010080
308	p	A2F8	8290	4297	A4EA	1-246A	LP010080
309	q	A2F9	8291	4298	A4EB	1-246B	LQ010080
310	r	A2FA	8292	4299	A4EC	1-246C	LR010080
311	s	A2FB	8293	42A2	A4ED	1-246D	LS010080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 5 (Page 13 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
312	t	A2FC	8294	42A3	A4EE	1-246E	LT010080
313	u	A2FD	8295	42A4	A4EF	1-246F	LU010080
314	v	A2FE	8296	42A5	A4F0	1-2470	LV010080
315	w	A340	8297	42A6	A4F1	1-2471	LW010080
316	x	A341	8298	42A7	A4F2	1-2472	LX010080
317	y	A342	8299	42A8	A4F3	1-2473	LY010080
318	z	A343	829A	42A9	A4F4	1-2474	LZ010080
319	A	A344	839F	4161	A4F5	1-2475	GA020080
320	B	A345	83A0	4162	A4F6	1-2476	GB020080
321	Γ	A346	83A1	4163	A4F7	1-2477	GG020080
322	Δ	A347	83A2	4164	A4F8	1-2478	GD020080
323	E	A348	83A3	4165	A4F9	1-2479	GE020080
324	Z	A349	83A4	4166	A4FA	1-247A	GZ020080
325	H	A34A	83A5	4167	A4FB	1-247B	GE320080
326	Θ	A34B	83A6	4168	A4FC	1-247C	GT620080
327	I	A34C	83A7	4169	A4FD	1-247D	GI020080
328	K	A34D	83A8	416A	A4FE	1-247E	GK020080
329	Λ	A34E	83A9	416B	A5A1	1-2521	GL020080
330	M	A34F	83AA	416C	A5A2	1-2522	GM020080
331	N	A350	83AB	416D	A5A3	1-2523	GN020080
332	Ξ	A351	83AC	416E	A5A4	1-2524	GX020080
333	O	A352	83AD	416F	A5A5	1-2525	GO020080
334	Π	A353	83AE	4170	A5A6	1-2526	GP020080
335	P	A354	83AF	4171	A5A7	1-2527	GR020080
336	Σ	A355	83B0	4172	A5A8	1-2528	GS020080
337	T	A356	83B1	4173	A5A9	1-2529	GT020080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 14 of 18). Non-Chinese Character Set, IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
338	Υ	A357	83B2	4174	A5AA	1-252A	GU020080
339	Φ	A358	83B3	4175	A5AB	1-252B	GF020080
340	X	A359	83B4	4176	A5AC	1-252C	GH020080
341	Ψ	A35A	83B5	4177	A5AD	1-252D	GP620080
342	Ω	A35B	83B6	4178	A5AE	1-252E	GO320080
343	α	A35C	83BF	4141	A5AF	1-252F	GA010080
344	β	A35D	83C0	4142	A5B0	1-2530	GB010080
345	γ	A35E	83C1	4143	A5B1	1-2531	GG010080
346	δ	A35F	83C2	4144	A5B2	1-2532	GD010080
347	ε	A360	83C3	4145	A5B3	1-2533	GE010080
348	ζ	A361	83C4	4146	A5B4	1-2534	GZ010080
349	η	A362	83C5	4147	A5B5	1-2535	GE310080
350	θ	A363	83C6	4148	A5B6	1-2536	GT610082
351	ι	A364	83C7	4149	A5B7	1-2537	GI010080
352	κ	A365	83C8	414A	A5B8	1-2538	GK010080
353	λ	A366	83C9	414B	A5B9	1-2539	GL010080
354	μ	A367	83CA	414C	A5BA	1-253A	GM010080
355	ν	A368	83CB	414D	A5BB	1-253B	GN010080
356	ξ	A369	83CC	414E	A5BC	1-253C	GX010080
357	ο	A36A	83CD	414F	A5BD	1-253D	GO010080
358	π	A36B	83CE	4150	A5BE	1-253E	GP010080
359	ρ	A36C	83CF	4151	A5BF	1-253F	GR010080
360	σ	A36D	83D0	4152	A5C0	1-2540	GS010080
361	τ	A36E	83D1	4153	A5C1	1-2541	GT010080
362	υ	A36F	83D2	4154	A5C2	1-2542	GU010080
363	φ	A370	83D3	4155	A5C3	1-2543	GF010081

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 5 (Page 15 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
364	χ	A371	83D4	4156	A5C4	1-2544	GH010080
365	φ	A372	83D5	4157	A5C5	1-2545	GP610080
366	ω	A373	83D6	4158	A5C6	1-2546	GO310080
367	彡	A374	8955	4556	A5C7	1-2547	SB060080
368	彣	A375	8956	4557	A5C8	1-2548	SB290080
369	冂	A376	8957	4558	A5C9	1-2549	SB250080
370	匚	A377	8958	4559	A5CA	1-254A	SB160080
371	勹	A378	8959	455A	A5CB	1-254B	SB090080
372	去	A379	895A	455B	A5CC	1-254C	SB340080
373	彳	A37A	895B	455C	A5CD	1-254D	SB260080
374	勹	A37B	895C	455D	A5CE	1-254E	SB240080
375	《	A37C	895D	455E	A5CF	1-254F	SB170080
376	彳	A37D	895E	455F	A5D0	1-2550	SB230080
377	冂	A37E	895F	4560	A5D1	1-2551	SB180080
378	彳	A3A1	8960	4561	A5D2	1-2552	SB220080
379	彳	A3A2	8961	4562	A5D3	1-2553	SB070080
380	彳	A3A3	8962	4563	A5D4	1-2554	SB330080
381	彳	A3A4	8963	4564	A5D5	1-2555	SB210080
382	彳	A3A5	8964	4565	A5D6	1-2556	SB080080
383	彳	A3A6	8965	4566	A5D7	1-2557	SB320080
384	彳	A3A7	8966	4567	A5D8	1-2558	SB300080
385	彳	A3A8	8967	4568	A5D9	1-2559	SB350080
386	彳	A3A9	8968	4569	A5DA	1-255A	SB360080
387	彳	A3AA	8969	456A	A5DB	1-255B	SB310080
388	彳	A3AB	896A	456B	A5DC	1-255C	SB010080
389	彳	A3AC	896B	456C	A5DD	1-255D	SB270080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 16 of 18). Non-Chinese Character Set, IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
390	ㄝ	A3AD	896C	456D	A5DE	1-255E	SB100080
391	ㄞ	A3AE	896D	456E	A5DF	1-255F	SB110080
392	ㄟ	A3AF	896E	456F	A5E0	1-2560	SB020080
393	ㄚ	A3B0	896F	4570	A5E1	1-2561	SB120080
394	ㄛ	A3B1	8970	4571	A5E2	1-2562	SB050080
395	ㄜ	A3B2	8971	4572	A5E3	1-2563	SB280080
396	ㄝ	A3B3	8972	4573	A5E4	1-2564	SB030080
397	ㄞ	A3B4	8973	4574	A5E5	1-2565	SB130080
398	ㄟ	A3B5	8974	4575	A5E6	1-2566	SB040080
399	ㄚ	A3B6	8975	4576	A5E7	1-2567	SB140080
400	ㄛ	A3B7	8976	4577	A5E8	1-2568	SB150080
401	ㄜ	A3B8	8977	4578	A5E9	1-2569	SB190080
402	ㄝ	A3B9	8978	4579	A5EA	1-256A	SB370080
403	ㄞ	A3BA	8979	457A	A5EB	1-256B	SB200080
404	ㄟ	A3BB	8954	4555	A5EC	1-256C	SB410080
405		A3BC	8950	4551	A5ED	1-256D	SB420080
406	ㄚ	A3BD	8951	4552	A5EE	1-256E	SB380080
407	ㄛ	A3BE	8952	4553	A5EF	1-256F	SB390080
408	ㄜ	A3BF	8953	4554	A5F0	1-2570	SB400080
409	NULL	A3C0	8680	4781	C2A1	1-4221	SE010080
410	TC1 (ㄝ)	A3C1	8681	4782	C2A2	1-4222	SE020080
411	TC2 (ㄞ)	A3C2	8682	4783	C2A3	1-4223	SE030080
412	TC3 (ㄟ)	A3C3	8683	4784	C2A4	1-4224	SE040080
413	TC4 (ㄚ)	A3C4	8684	4785	C2A5	1-4225	SE050080
414	TC5 (ㄛ)	A3C5	8685	4786	C2A6	1-4226	SE060080
415	TC6 (ㄜ)	A3C6	8686	4787	C2A7	1-4227	SE070080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 17 of 18). Non-Chinese Character Set, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
416	BEL	A3C7	8687	4788	C2A8	1-4228	SE080080
417	FE ₈ (88)	A3C8	8688	4789	C2A9	1-4229	SE090080
418	FE ₉ (89)	A3C9	8689	478A	C2AA	1-422A	SE100080
419	FE _A (8A)	A3CA	868A	478B	C2AB	1-422B	SE110080
420	FE _B (8B)	A3CB	868B	478C	C2AC	1-422C	SE120080
421	FE _C (8C)	A3CC	868C	478D	C2AD	1-422D	SE130080
422	FE _D (8D)	A3CD	868D	478E	C2AE	1-422E	SE140080
423	SO	A3CE	868E	478F	C2AF	1-422F	SE150080
424	SI	A3CF	868F	4790	C2B0	1-4230	SE160080
425	TC ₇ (8E)	A3D0	8690	4791	C2B1	1-4231	SE170080
426	DC ₁	A3D1	8691	4792	C2B2	1-4232	SE180080
427	DC ₂	A3D2	8692	4793	C2B3	1-4233	SE190080
428	DC ₃	A3D3	8693	4794	C2B4	1-4234	SE200080
429	DC ₄	A3D4	8694	4795	C2B5	1-4235	SE210080
430	TC ₈ (8F)	A3D5	8695	4796	C2B6	1-4236	SE220080
431	TC ₉ (90)	A3D6	8696	4797	C2B7	1-4237	SE230080
432	TC ₀ (91)	A3D7	8697	4798	C2B8	1-4238	SE240080
433	CAN	A3D8	8698	4799	C2B9	1-4239	SE250080
434	EM	A3D9	8699	479A	C2BA	1-423A	SE260080
435	SUB	A3DA	869A	479B	C2BB	1-423B	SE270080
436	ESC	A3DB	869B	479C	C2BC	1-423C	SE280080
437	IS ₄ (92)	A3DC	869C	479D	C2BD	1-423D	SE290080
438	IS ₅ (93)	A3DD	869D	479E	C2BE	1-423E	SE300080
439	IS ₆ (94)	A3DE	869E	479F	C2BF	1-423F	SE310080
440	IS ₇ (95)	A3DF	869F	47A0	C2C0	1-4240	SE320080
441	DEL	A3E0	86A0	47A1	C2C1	1-4241	SE330080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 5 (Page 18 of 18). Non-Chinese Character Set, IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
442	€	A3E1		47A2			SC200080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8.2 Primary Chinese Character Set (1 of 4)

Table 6 (Page 1 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1	一	A440	8C40	4C41	C4A1	1-4421	T1S10080
2	乙	A441	8C41	4C42	C4A2	1-4422	T1S20080
3	丁	A442	8C42	4C43	C4A3	1-4423	T1S30080
4	七	A443	8C43	4C44	C4A4	1-4424	T1S40080
5	乃	A444	8C44	4C45	C4A5	1-4425	T1S50080
6	九	A445	8C45	4C46	C4A6	1-4426	T1S60080
7	了	A446	8C46	4C47	C4A7	1-4427	T1S70080
8	二	A447	8C47	4C48	C4A8	1-4428	T1S80080
9	人	A448	8C48	4C49	C4A9	1-4429	T1S90080
10	儿	A449	8C49	4C4A	C4AA	1-442A	T1SA0080
11	入	A44A	8C4A	4C4B	C4AB	1-442B	T1SB0080
12	八	A44B	8C4B	4C4C	C4AC	1-442C	T1SC0080
13	几	A44C	8C4C	4C4D	C4AD	1-442D	T1SD0080
14	刀	A44D	8C4D	4C4E	C4AE	1-442E	T1SE0080
15	刁	A44E	8C4E	4C4F	C4AF	1-442F	T1SF0080
16	力	A44F	8C4F	4C50	C4B0	1-4430	T1SG0080
17	匕	A450	8C50	4C51	C4B1	1-4431	T1SH0080
18	十	A451	8C51	4C52	C4B2	1-4432	T1SI0080
19	卜	A452	8C52	4C53	C4B3	1-4433	T1SJ0080
20	又	A453	8C53	4C54	C4B4	1-4434	T1SK0080
21	三	A454	8C54	4C55	C4B5	1-4435	T1SL0080
22	下	A455	8C55	4C56	C4B6	1-4436	T1SM0080
23	丈	A456	8C56	4C57	C4B7	1-4437	T1SN0080
24	上	A457	8C57	4C58	C4B8	1-4438	T1SO0080
25	丫	A458	8C58	4C59	C4B9	1-4439	T1SP0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 2 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
26	丸	A459	8C59	4C5A	C4BA	1-443A	T1SQ0080
27	凡	A45A	8C5A	4C5B	C4BB	1-443B	T1SR0080
28	久	A45B	8C5B	4C5C	C4BC	1-443C	T1SS0080
29	么	A45C	8C5C	4C5D	C4BD	1-443D	T1ST0080
30	也	A45D	8C5D	4C5E	C4BE	1-443E	T1SU0080
31	乞	A45E	8C5E	4C5F	C4BF	1-443F	T1SV0080
32	于	A45F	8C5F	4C60	C4C0	1-4440	T1SW0080
33	亡	A460	8C60	4C61	C4C1	1-4441	T1SX0080
34	兀	A461	8C61	4C62	C4C2	1-4442	T1SY0080
35	刃	A462	8C62	4C63	C4C3	1-4443	T1SZ0080
36	勺	A463	8C63	4C64	C4C4	1-4444	T1T00080
37	千	A464	8C64	4C65	C4C5	1-4445	T1T10080
38	叉	A465	8C65	4C66	C4C6	1-4446	T1T20080
39	口	A466	8C66	4C67	C4C7	1-4447	T1T30080
40	土	A467	8C67	4C68	C4C8	1-4448	T1T40080
41	士	A468	8C68	4C69	C4C9	1-4449	T1T50080
42	夕	A469	8C69	4C6A	C4CA	1-444A	T1T60080
43	大	A46A	8C6A	4C6B	C4CB	1-444B	T1T70080
44	女	A46B	8C6B	4C6C	C4CC	1-444C	T1T80080
45	子	A46C	8C6C	4C6D	C4CD	1-444D	T1T90080
46	孑	A46D	8C6D	4C6E	C4CE	1-444E	T1TA0080
47	孓	A46E	8C6E	4C6F	C4CF	1-444F	T1TB0080
48	寸	A46F	8C6F	4C70	C4D0	1-4450	T1TC0080
49	小	A470	8C70	4C71	C4D1	1-4451	T1TD0080
50	尢	A471	8C71	4C72	C4D2	1-4452	T1TE0080
51	尸	A472	8C72	4C73	C4D3	1-4453	T1TF0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 3 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
52	山	A473	8C73	4C74	C4D4	1-4454	T1TG0080
53	川	A474	8C74	4C75	C4D5	1-4455	T1TH0080
54	工	A475	8C75	4C76	C4D6	1-4456	T1TI0080
55	己	A476	8C76	4C77	C4D7	1-4457	T1TJ0080
56	巳	A477	8C77	4C78	C4D8	1-4458	T1TK0080
57	巳	A478	8C78	4C79	C4D9	1-4459	T1TL0080
58	巾	A479	8C79	4C7A	C4DA	1-445A	T1TM0080
59	干	A47A	8C7A	4C7B	C4DB	1-445B	T1TN0080
60	井	A47B	8C7B	4C7C	C4DC	1-445C	T1TO0080
61	弋	A47C	8C7C	4C7D	C4DD	1-445D	T1TP0080
62	弓	A47D	8C7D	4C7E	C4DE	1-445E	T1TQ0080
63	才	A47E	8C7E	4C7F	C4DF	1-445F	T1TR0080
64	丑	A4A1	8C80	4C81	C4E0	1-4460	T1TT0080
65	丐	A4A2	8C81	4C82	C4E1	1-4461	T1TU0080
66	不	A4A3	8C82	4C83	C4E2	1-4462	T1TV0080
67	中	A4A4	8C83	4C84	C4E3	1-4463	T1TW0080
68	丰	A4A5	8C84	4C85	C4E4	1-4464	T1TX0080
69	丹	A4A6	8C85	4C86	C4E5	1-4465	T1TY0080
70	之	A4A7	8C86	4C87	C4E6	1-4466	T1TZ0080
71	尹	A4A8	8C87	4C88	C4E7	1-4467	T1U00080
72	予	A4A9	8C88	4C89	C4E8	1-4468	T1U10080
73	云	A4AA	8C89	4C8A	C4E9	1-4469	T1U20080
74	井	A4AB	8C8A	4C8B	C4EA	1-446A	T1U30080
75	互	A4AC	8C8B	4C8C	C4EB	1-446B	T1U40080
76	五	A4AD	8C8C	4C8D	C4EC	1-446C	T1U50080
77	亢	A4AE	8C8D	4C8E	C4ED	1-446D	T1U60080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 4 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
78	仁	A4AF	8C8E	4C8F	C4EE	1-446E	T1U70080
79	什	A4B0	8C8F	4C90	C4EF	1-446F	T1U80080
80	行	A4B1	8C90	4C91	C4F0	1-4470	T1U90080
81	仆	A4B2	8C91	4C92	C4F1	1-4471	T1UA0080
82	仇	A4B3	8C92	4C93	C4F2	1-4472	T1UB0080
83	仍	A4B4	8C93	4C94	C4F3	1-4473	T1UC0080
84	今	A4B5	8C94	4C95	C4F4	1-4474	T1UD0080
85	介	A4B6	8C95	4C96	C4F5	1-4475	T1UE0080
86	仄	A4B7	8C96	4C97	C4F6	1-4476	T1UF0080
87	元	A4B8	8C97	4C98	C4F7	1-4477	T1UG0080
88	允	A4B9	8C98	4C99	C4F8	1-4478	T1UH0080
89	内	A4BA	8C99	4C9A	C4F9	1-4479	T1UI0080
90	六	A4BB	8C9A	4C9B	C4FA	1-447A	T1UJ0080
91	兮	A4BC	8C9B	4C9C	C4FB	1-447B	T1UK0080
92	公	A4BD	8C9C	4C9D	C4FC	1-447C	T1UL0080
93	冗	A4BE	8C9D	4C9E	C4FD	1-447D	T1UM0080
94	凶	A4BF	8C9E	4C9F	C4FE	1-447E	T1UN0080
95	分	A4C0	8C9F	4CA0	C5A1	1-4521	T1UO0080
96	切	A4C1	8CA0	4CA1	C5A2	1-4522	T1UP0080
97	刈	A4C2	8CA1	4CA2	C5A3	1-4523	T1UQ0080
98	匀	A4C3	8CA2	4CA3	C5A4	1-4524	T1UR0080
99	勾	A4C4	8CA3	4CA4	C5A5	1-4525	T1US0080
100	勿	A4C5	8CA4	4CA5	C5A6	1-4526	T1UT0080
101	化	A4C6	8CA5	4CA6	C5A7	1-4527	T1UU0080
102	匹	A4C7	8CA6	4CA7	C5A8	1-4528	T1UV0080
103	午	A4C8	8CA7	4CA8	C5A9	1-4529	T1UW0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 5 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
104	升	A4C9	8CA8	4CA9	C5AA	1-452A	T1UX0080
105	卅	A4CA	8CA9	4CAA	C5AB	1-452B	T1UY0080
106	卞	A4CB	8CAA	4CAB	C5AC	1-452C	T1UZ0080
107	卮	A4CC	8CAB	4CAC	C5AD	1-452D	T1V00080
108	友	A4CD	8CAC	4CAD	C5AE	1-452E	T1V10080
109	及	A4CE	8CAD	4CAE	C5AF	1-452F	T1V20080
110	反	A4CF	8CAE	4CAF	C5B0	1-4530	T1V30080
111	壬	A4D0	8CAF	4CB0	C5B1	1-4531	T1V40080
112	天	A4D1	8CB0	4CB1	C5B2	1-4532	T1V50080
113	夫	A4D2	8CB1	4CB2	C5B3	1-4533	T1V60080
114	太	A4D3	8CB2	4CB3	C5B4	1-4534	T1V70080
115	夭	A4D4	8CB3	4CB4	C5B5	1-4535	T1V80080
116	孔	A4D5	8CB4	4CB5	C5B6	1-4536	T1V90080
117	少	A4D6	8CB5	4CB6	C5B7	1-4537	T1VA0080
118	尢	A4D7	8CB6	4CB7	C5B8	1-4538	T1VB0080
119	尺	A4D8	8CB7	4CB8	C5B9	1-4539	T1VC0080
120	屯	A4D9	8CB8	4CB9	C5BA	1-453A	T1VD0080
121	巴	A4DA	8CB9	4CBA	C5BB	1-453B	T1VE0080
122	幻	A4DB	8CBA	4CBB	C5BC	1-453C	T1VF0080
123	廿	A4DC	8CBB	4CBC	C5BD	1-453D	T1VG0080
124	弔	A4DD	8CBC	4CBD	C5BE	1-453E	T1VH0080
125	引	A4DE	8CBD	4CBE	C5BF	1-453F	T1VI0080
126	心	A4DF	8CBE	4CBF	C5C0	1-4540	T1VJ0080
127	戈	A4E0	8CBF	4CC0	C5C1	1-4541	T1VK0080
128	戶	A4E1	8CC0	4CC1	C5C2	1-4542	T1VL0080
129	手	A4E2	8CC1	4CC2	C5C3	1-4543	T1VM0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 6 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
130	扎	A4E3	8CC2	4CC3	C5C4	1-4544	T1VN0080
131	支	A4E4	8CC3	4CC4	C5C5	1-4545	T1VO0080
132	文	A4E5	8CC4	4CC5	C5C6	1-4546	T1VP0080
133	斗	A4E6	8CC5	4CC6	C5C7	1-4547	T1VQ0080
134	斤	A4E7	8CC6	4CC7	C5C8	1-4548	T1VR0080
135	方	A4E8	8CC7	4CC8	C5C9	1-4549	T1VS0080
136	日	A4E9	8CC8	4CC9	C5CA	1-454A	T1VT0080
137	日	A4EA	8CC9	4CCA	C5CB	1-454B	T1VU0080
138	月	A4EB	8CCA	4CCB	C5CC	1-454C	T1VV0080
139	木	A4EC	8CCB	4CCC	C5CD	1-454D	T1VW0080
140	欠	A4ED	8CCC	4CCD	C5CE	1-454E	T1VX0080
141	止	A4EE	8CCD	4CCE	C5CF	1-454F	T1VY0080
142	歹	A4EF	8CCE	4CCF	C5D0	1-4550	T1VZ0080
143	毋	A4F0	8CCF	4CD0	C5D1	1-4551	T1W00080
144	比	A4F1	8CD0	4CD1	C5D2	1-4552	T1W10080
145	毛	A4F2	8CD1	4CD2	C5D3	1-4553	T1W20080
146	氏	A4F3	8CD2	4CD3	C5D4	1-4554	T1W30080
147	水	A4F4	8CD3	4CD4	C5D5	1-4555	T1W40080
148	火	A4F5	8CD4	4CD5	C5D6	1-4556	T1W50080
149	爪	A4F6	8CD5	4CD6	C5D7	1-4557	T1W60080
150	父	A4F7	8CD6	4CD7	C5D8	1-4558	T1W70080
151	爻	A4F8	8CD7	4CD8	C5D9	1-4559	T1W80080
152	片	A4F9	8CD8	4CD9	C5DA	1-455A	T1W90080
153	牙	A4FA	8CD9	4CDA	C5DB	1-455B	T1WA0080
154	牛	A4FB	8CDA	4CDB	C5DC	1-455C	T1WB0080
155	犬	A4FC	8CDB	4CDC	C5DD	1-455D	T1WC0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 7 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
156	王	A4FD	8CDC	4CDD	C5DE	1-455E	T1WD0080
157	丙	A4FE	8CDD	4CDE	C5DF	1-455F	T1WE0080
158	世	A540	8CDE	4CDF	C5E0	1-4560	T1WF0080
159	丕	A541	8CDF	4CE0	C5E1	1-4561	T1WG0080
160	且	A542	8CE0	4CE1	C5E2	1-4562	T1WH0080
161	丘	A543	8CE1	4CE2	C5E3	1-4563	T1WI0080
162	主	A544	8CE2	4CE3	C5E4	1-4564	T1WJ0080
163	乍	A545	8CE3	4CE4	C5E5	1-4565	T1WK0080
164	乏	A546	8CE4	4CE5	C5E6	1-4566	T1WL0080
165	乎	A547	8CE5	4CE6	C5E7	1-4567	T1WM0080
166	以	A548	8CE6	4CE7	C5E8	1-4568	T1WN0080
167	付	A549	8CE7	4CE8	C5E9	1-4569	T1WO0080
168	仔	A54A	8CE8	4CE9	C5EA	1-456A	T1WP0080
169	仕	A54B	8CE9	4CEA	C5EB	1-456B	T1WQ0080
170	他	A54C	8CEA	4CEB	C5EC	1-456C	T1WR0080
171	仗	A54D	8CEB	4CEC	C5ED	1-456D	T1WS0080
172	代	A54E	8CEC	4CED	C5EE	1-456E	T1WT0080
173	令	A54F	8CED	4CEE	C5EF	1-456F	T1WU0080
174	仙	A550	8CEE	4CEF	C5F0	1-4570	T1WV0080
175	仞	A551	8CEF	4CF0	C5F1	1-4571	T1WW0080
176	充	A552	8CF0	4CF1	C5F2	1-4572	T1WX0080
177	兄	A553	8CF1	4CF2	C5F3	1-4573	T1WY0080
178	冉	A554	8CF2	4CF3	C5F4	1-4574	T1WZ0080
179	册	A555	8CF3	4CF4	C5F5	1-4575	T1X00080
180	冬	A556	8CF4	4CF5	C5F6	1-4576	T1X10080
181	凹	A557	8CF5	4CF6	C5F7	1-4577	T1X20080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 8 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
182	出	A558	8CF6	4CF7	C5F8	1-4578	T1X30080
183	凸	A559	8CF7	4CF8	C5F9	1-4579	T1X40080
184	刊	A55A	8CF8	4CF9	C5FA	1-457A	T1X50080
185	加	A55B	8CF9	4CFA	C5FB	1-457B	T1X60080
186	功	A55C	8CFA	4CFB	C5FC	1-457C	T1X70080
187	包	A55D	8CFB	4CFC	C5FD	1-457D	T1X80080
188	匆	A55E	8CFC	4CFD	C5FE	1-457E	T1X90080
189	北	A55F	8D40	4D41	C6A1	1-4621	T1XD0080
190	匝	A560	8D41	4D42	C6A2	1-4622	T1XE0080
191	仟	A561	8D42	4D43	C6A3	1-4623	T1XF0080
192	半	A562	8D43	4D44	C6A4	1-4624	T1XG0080
193	卉	A563	8D44	4D45	C6A5	1-4625	T1XH0080
194	卡	A564	8D45	4D46	C6A6	1-4626	T1XI0080
195	占	A565	8D46	4D47	C6A7	1-4627	T1XJ0080
196	卯	A566	8D47	4D48	C6A8	1-4628	T1XK0080
197	卮	A567	8D48	4D49	C6A9	1-4629	T1XL0080
198	去	A568	8D49	4D4A	C6AA	1-462A	T1XM0080
199	可	A569	8D4A	4D4B	C6AB	1-462B	T1XN0080
200	古	A56A	8D4B	4D4C	C6AC	1-462C	T1XO0080
201	右	A56B	8D4C	4D4D	C6AD	1-462D	T1XP0080
202	召	A56C	8D4D	4D4E	C6AE	1-462E	T1XQ0080
203	叮	A56D	8D4E	4D4F	C6AF	1-462F	T1XR0080
204	叩	A56E	8D4F	4D50	C6B0	1-4630	T1XS0080
205	叨	A56F	8D50	4D51	C6B1	1-4631	T1XT0080
206	𠂔	A570	8D51	4D52	C6B2	1-4632	T1XU0080
207	司	A571	8D52	4D53	C6B3	1-4633	T1XV0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 9 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
208	叵	A572	8D53	4D54	C6B4	1-4634	T1XW0080
209	叫	A573	8D54	4D55	C6B5	1-4635	T1XX0080
210	另	A574	8D55	4D56	C6B6	1-4636	T1XY0080
211	只	A575	8D56	4D57	C6B7	1-4637	T1XZ0080
212	史	A576	8D57	4D58	C6B8	1-4638	T1Y00080
213	叱	A577	8D58	4D59	C6B9	1-4639	T1Y10080
214	台	A578	8D59	4D5A	C6BA	1-463A	T1Y20080
215	旬	A579	8D5A	4D5B	C6BB	1-463B	T1Y30080
216	叭	A57A	8D5B	4D5C	C6BC	1-463C	T1Y40080
217	叻	A57B	8D5C	4D5D	C6BD	1-463D	T1Y50080
218	四	A57C	8D5D	4D5E	C6BE	1-463E	T1Y60080
219	囚	A57D	8D5E	4D5F	C6BF	1-463F	T1Y70080
220	外	A57E	8D5F	4D60	C6C0	1-4640	T1Y80080
221	央	A5A1	8D60	4D61	C6C1	1-4641	T1Y90080
222	失	A5A2	8D61	4D62	C6C2	1-4642	T1YA0080
223	奴	A5A3	8D62	4D63	C6C3	1-4643	T1YB0080
224	奶	A5A4	8D63	4D64	C6C4	1-4644	T1YC0080
225	孕	A5A5	8D64	4D65	C6C5	1-4645	T1YD0080
226	它	A5A6	8D65	4D66	C6C6	1-4646	T1YE0080
227	尼	A5A7	8D66	4D67	C6C7	1-4647	T1YF0080
228	巨	A5A8	8D67	4D68	C6C8	1-4648	T1YG0080
229	巧	A5A9	8D68	4D69	C6C9	1-4649	T1YH0080
230	左	A5AA	8D69	4D6A	C6CA	1-464A	T1YI0080
231	市	A5AB	8D6A	4D6B	C6CB	1-464B	T1YJ0080
232	布	A5AC	8D6B	4D6C	C6CC	1-464C	T1YK0080
233	平	A5AD	8D6C	4D6D	C6CD	1-464D	T1YL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 10 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
234	幼	A5AE	8D6D	4D6E	C6CE	1-464E	T1YM0080
235	弁	A5AF	8D6E	4D6F	C6CF	1-464F	T1YN0080
236	弘	A5B0	8D6F	4D70	C6D0	1-4650	T1YO0080
237	弗	A5B1	8D70	4D71	C6D1	1-4651	T1YP0080
238	必	A5B2	8D71	4D72	C6D2	1-4652	T1YQ0080
239	戊	A5B3	8D72	4D73	C6D3	1-4653	T1YR0080
240	打	A5B4	8D73	4D74	C6D4	1-4654	T1YS0080
241	扔	A5B5	8D74	4D75	C6D5	1-4655	T1YT0080
242	扒	A5B6	8D75	4D76	C6D6	1-4656	T1YU0080
243	扑	A5B7	8D76	4D77	C6D7	1-4657	T1YV0080
244	斥	A5B8	8D77	4D78	C6D8	1-4658	T1YW0080
245	旦	A5B9	8D78	4D79	C6D9	1-4659	T1YX0080
246	朮	A5BA	8D79	4D7A	C6DA	1-465A	T1YY0080
247	本	A5BB	8D7A	4D7B	C6DB	1-465B	T1YZ0080
248	未	A5BC	8D7B	4D7C	C6DC	1-465C	T1Z00080
249	末	A5BD	8D7C	4D7D	C6DD	1-465D	T1Z10080
250	札	A5BE	8D7D	4D7E	C6DE	1-465E	T1Z20080
251	正	A5BF	8D7E	4D7F	C6DF	1-465F	T1Z30080
252	母	A5C0	8D80	4D81	C6E0	1-4660	T1Z50080
253	民	A5C1	8D81	4D82	C6E1	1-4661	T1Z60080
254	氏	A5C2	8D82	4D83	C6E2	1-4662	T1Z70080
255	永	A5C3	8D83	4D84	C6E3	1-4663	T1Z80080
256	汁	A5C4	8D84	4D85	C6E4	1-4664	T1Z90080
257	汀	A5C5	8D85	4D86	C6E5	1-4665	T1ZA0080
258	汜	A5C6	8D86	4D87	C6E6	1-4666	T1ZB0080
259	犯	A5C7	8D87	4D88	C6E7	1-4667	T1ZC0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 11 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
260	玄	A5C8	8D88	4D89	C6E8	1-4668	T1ZD0080
261	玉	A5C9	8D89	4D8A	C6E9	1-4669	T1ZE0080
262	瓜	A5CA	8D8A	4D8B	C6EA	1-466A	T1ZF0080
263	瓦	A5CB	8D8B	4D8C	C6EB	1-466B	T1ZG0080
264	甘	A5CC	8D8C	4D8D	C6EC	1-466C	T1ZH0080
265	生	A5CD	8D8D	4D8E	C6ED	1-466D	T1ZI0080
266	用	A5CE	8D8E	4D8F	C6EE	1-466E	T1ZJ0080
267	甩	A5CF	8D8F	4D90	C6EF	1-466F	T1ZK0080
268	田	A5D0	8D90	4D91	C6F0	1-4670	T1ZL0080
269	由	A5D1	8D91	4D92	C6F1	1-4671	T1ZM0080
270	甲	A5D2	8D92	4D93	C6F2	1-4672	T1ZN0080
271	申	A5D3	8D93	4D94	C6F3	1-4673	T1ZO0080
272	疋	A5D4	8D94	4D95	C6F4	1-4674	T1ZP0080
273	白	A5D5	8D95	4D96	C6F5	1-4675	T1ZQ0080
274	皮	A5D6	8D96	4D97	C6F6	1-4676	T1ZR0080
275	皿	A5D7	8D97	4D98	C6F7	1-4677	T1ZS0080
276	目	A5D8	8D98	4D99	C6F8	1-4678	T1ZT0080
277	矛	A5D9	8D99	4D9A	C6F9	1-4679	T1ZU0080
278	矢	A5DA	8D9A	4D9B	C6FA	1-467A	T1ZV0080
279	石	A5DB	8D9B	4D9C	C6FB	1-467B	T1ZW0080
280	示	A5DC	8D9C	4D9D	C6FC	1-467C	T1ZX0080
281	禾	A5DD	8D9D	4D9E	C6FD	1-467D	T1ZY0080
282	穴	A5DE	8D9E	4D9F	C6FE	1-467E	T1ZZ0080
283	立	A5DF	8D9F	4DA0	C7A1	1-4721	T2000080
284	丞	A5E0	8DA0	4DA1	C7A2	1-4722	T2010080
285	丢	A5E1	8DA1	4DA2	C7A3	1-4723	T2020080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 12 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
286	乒	A5E2	8DA2	4DA3	C7A4	1-4724	T2030080
287	乓	A5E3	8DA3	4DA4	C7A5	1-4725	T2040080
288	𠂔	A5E4	8DA4	4DA5	C7A6	1-4726	T2050080
289	𠂕	A5E5	8DA5	4DA6	C7A7	1-4727	T2060080
290	交	A5E6	8DA6	4DA7	C7A8	1-4728	T2070080
291	亦	A5E7	8DA7	4DA8	C7A9	1-4729	T2080080
292	亥	A5E8	8DA8	4DA9	C7AA	1-472A	T2090080
293	仿	A5E9	8DA9	4DAA	C7AB	1-472B	T20A0080
294	伉	A5EA	8DAA	4DAB	C7AC	1-472C	T20B0080
295	伙	A5EB	8DAB	4DAC	C7AD	1-472D	T20C0080
296	伊	A5EC	8DAC	4DAD	C7AE	1-472E	T20D0080
297	佚	A5ED	8DAD	4DAE	C7AF	1-472F	T20E0080
298	伍	A5EE	8DAE	4DAF	C7B0	1-4730	T20F0080
299	伐	A5EF	8DAF	4DB0	C7B1	1-4731	T20G0080
300	休	A5F0	8DB0	4DB1	C7B2	1-4732	T20H0080
301	伏	A5F1	8DB1	4DB2	C7B3	1-4733	T20I0080
302	仲	A5F2	8DB2	4DB3	C7B4	1-4734	T20J0080
303	件	A5F3	8DB3	4DB4	C7B5	1-4735	T20K0080
304	任	A5F4	8DB4	4DB5	C7B6	1-4736	T20L0080
305	仰	A5F5	8DB5	4DB6	C7B7	1-4737	T20M0080
306	𠂔	A5F6	8DB6	4DB7	C7B8	1-4738	T20N0080
307	份	A5F7	8DB7	4DB8	C7B9	1-4739	T20O0080
308	企	A5F8	8DB8	4DB9	C7BA	1-473A	T20P0080
309	𠂔	A5F9	8DB9	4DBA	C7BB	1-473B	T20Q0080
310	光	A5FA	8DBA	4DBB	C7BC	1-473C	T20R0080
311	兇	A5FB	8DBB	4DBC	C7BD	1-473D	T20S0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 13 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
312	兆	A5FC	8DBC	4DBD	C7BE	1-473E	T20T0080
313	先	A5FD	8DBD	4DBE	C7BF	1-473F	T20U0080
314	全	A5FE	8DBE	4DBF	C7C0	1-4740	T20V0080
315	共	A640	8DBF	4DC0	C7C1	1-4741	T20W0080
316	再	A641	8DC0	4DC1	C7C2	1-4742	T20X0080
317	冰	A642	8DC1	4DC2	C7C3	1-4743	T20Y0080
318	列	A643	8DC2	4DC3	C7C4	1-4744	T20Z0080
319	刑	A644	8DC3	4DC4	C7C5	1-4745	T2100080
320	划	A645	8DC4	4DC5	C7C6	1-4746	T2110080
321	刎	A646	8DC5	4DC6	C7C7	1-4747	T2120080
322	刎	A647	8DC6	4DC7	C7C8	1-4748	T2130080
323	劣	A648	8DC7	4DC8	C7C9	1-4749	T2140080
324	匈	A649	8DC8	4DC9	C7CA	1-474A	T2150080
325	匡	A64A	8DC9	4DCA	C7CB	1-474B	T2160080
326	匠	A64B	8DCA	4DCB	C7CC	1-474C	T2170080
327	印	A64C	8DCB	4DCC	C7CD	1-474D	T2180080
328	危	A64D	8DCC	4DCD	C7CE	1-474E	T2190080
329	吉	A64E	8DCD	4DCE	C7CF	1-474F	T21A0080
330	吏	A64F	8DCE	4DCF	C7D0	1-4750	T21B0080
331	同	A650	8DCF	4DD0	C7D1	1-4751	T21C0080
332	吊	A651	8DD0	4DD1	C7D2	1-4752	T21D0080
333	吐	A652	8DD1	4DD2	C7D3	1-4753	T21E0080
334	吁	A653	8DD2	4DD3	C7D4	1-4754	T21F0080
335	吋	A654	8DD3	4DD4	C7D5	1-4755	T21G0080
336	各	A655	8DD4	4DD5	C7D6	1-4756	T21H0080
337	向	A656	8DD5	4DD6	C7D7	1-4757	T21I0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 14 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
338	名	A657	8DD6	4DD7	C7D8	1-4758	T21J0080
339	合	A658	8DD7	4DD8	C7D9	1-4759	T21K0080
340	吃	A659	8DD8	4DD9	C7DA	1-475A	T21L0080
341	后	A65A	8DD9	4DDA	C7DB	1-475B	T21M0080
342	叻	A65B	8DDA	4ddb	C7DC	1-475C	T21N0080
343	吒	A65C	8ddb	4DDC	C7DD	1-475D	T21O0080
344	因	A65D	8DDC	4DDD	C7DE	1-475E	T21P0080
345	回	A65E	8DDD	4DDE	C7DF	1-475F	T21Q0080
346	圉	A65F	8DDE	4DDF	C7E0	1-4760	T21R0080
347	圳	A660	8DDF	4DE0	C7E1	1-4761	T21S0080
348	地	A661	8DE0	4DE1	C7E2	1-4762	T21T0080
349	在	A662	8DE1	4DE2	C7E3	1-4763	T21U0080
350	圭	A663	8DE2	4DE3	C7E4	1-4764	T21V0080
351	坊	A664	8DE3	4DE4	C7E5	1-4765	T21W0080
352	圮	A665	8DE4	4DE5	C7E6	1-4766	T21X0080
353	圩	A666	8DE5	4DE6	C7E7	1-4767	T21Y0080
354	夙	A667	8DE6	4DE7	C7E8	1-4768	T21Z0080
355	多	A668	8DE7	4DE8	C7E9	1-4769	T2200080
356	夷	A669	8DE8	4DE9	C7EA	1-476A	T2210080
357	夸	A66A	8DE9	4DEA	C7EB	1-476B	T2220080
358	妄	A66B	8DEA	4DEB	C7EC	1-476C	T2230080
359	奸	A66C	8DEB	4DEC	C7ED	1-476D	T2240080
360	妃	A66D	8DEC	4DED	C7EE	1-476E	T2250080
361	好	A66E	8DED	4DEE	C7EF	1-476F	T2260080
362	她	A66F	8DEE	4DEF	C7F0	1-4770	T2270080
363	如	A670	8DEF	4DF0	C7F1	1-4771	T2280080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 15 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
364	妣	A671	8DF0	4DF1	C7F2	1-4772	T2290080
365	字	A672	8DF1	4DF2	C7F3	1-4773	T22A0080
366	存	A673	8DF2	4DF3	C7F4	1-4774	T22B0080
367	宇	A674	8DF3	4DF4	C7F5	1-4775	T22C0080
368	守	A675	8DF4	4DF5	C7F6	1-4776	T22D0080
369	宅	A676	8DF5	4DF6	C7F7	1-4777	T22E0080
370	安	A677	8DF6	4DF7	C7F8	1-4778	T22F0080
371	寺	A678	8DF7	4DF8	C7F9	1-4779	T22G0080
372	尖	A679	8DF8	4DF9	C7FA	1-477A	T22H0080
373	屹	A67A	8DF9	4DFA	C7FB	1-477B	T22I0080
374	州	A67B	8DFA	4DFB	C7FC	1-477C	T22J0080
375	帆	A67C	8DFB	4DFC	C7FD	1-477D	T22K0080
376	并	A67D	8DFC	4DFD	C7FE	1-477E	T22L0080
377	年	A67E	8E40	4E41	C8A1	1-4821	T22P0080
378	式	A6A1	8E41	4E42	C8A2	1-4822	T22Q0080
379	弛	A6A2	8E42	4E43	C8A3	1-4823	T22R0080
380	忙	A6A3	8E43	4E44	C8A4	1-4824	T22S0080
381	付	A6A4	8E44	4E45	C8A5	1-4825	T22T0080
382	戎	A6A5	8E45	4E46	C8A6	1-4826	T22U0080
383	戍	A6A6	8E46	4E47	C8A7	1-4827	T22V0080
384	戍	A6A7	8E47	4E48	C8A8	1-4828	T22W0080
385	成	A6A8	8E48	4E49	C8A9	1-4829	T22X0080
386	扣	A6A9	8E49	4E4A	C8AA	1-482A	T22Y0080
387	扛	A6AA	8E4A	4E4B	C8AB	1-482B	T22Z0080
388	托	A6AB	8E4B	4E4C	C8AC	1-482C	T2300080
389	收	A6AC	8E4C	4E4D	C8AD	1-482D	T2310080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 16 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
390	早	A6AD	8E4D	4E4E	C8AE	1-482E	T2320080
391	旨	A6AE	8E4E	4E4F	C8AF	1-482F	T2330080
392	旬	A6AF	8E4F	4E50	C8B0	1-4830	T2340080
393	旭	A6B0	8E50	4E51	C8B1	1-4831	T2350080
394	曲	A6B1	8E51	4E52	C8B2	1-4832	T2360080
395	曳	A6B2	8E52	4E53	C8B3	1-4833	T2370080
396	有	A6B3	8E53	4E54	C8B4	1-4834	T2380080
397	朽	A6B4	8E54	4E55	C8B5	1-4835	T2390080
398	朴	A6B5	8E55	4E56	C8B6	1-4836	T23A0080
399	朱	A6B6	8E56	4E57	C8B7	1-4837	T23B0080
400	朶	A6B7	8E57	4E58	C8B8	1-4838	T23C0080
401	次	A6B8	8E58	4E59	C8B9	1-4839	T23D0080
402	此	A6B9	8E59	4E5A	C8BA	1-483A	T23E0080
403	死	A6BA	8E5A	4E5B	C8BB	1-483B	T23F0080
404	氛	A6BB	8E5B	4E5C	C8BC	1-483C	T23G0080
405	汝	A6BC	8E5C	4E5D	C8BD	1-483D	T23H0080
406	汗	A6BD	8E5D	4E5E	C8BE	1-483E	T23I0080
407	汙	A6BE	8E5E	4E5F	C8BF	1-483F	T23J0080
408	江	A6BF	8E5F	4E60	C8C0	1-4840	T23K0080
409	池	A6C0	8E60	4E61	C8C1	1-4841	T23L0080
410	汐	A6C1	8E61	4E62	C8C2	1-4842	T23M0080
411	汕	A6C2	8E62	4E63	C8C3	1-4843	T23N0080
412	汙	A6C3	8E63	4E64	C8C4	1-4844	T23O0080
413	汛	A6C4	8E64	4E65	C8C5	1-4845	T23P0080
414	洑	A6C5	8E65	4E66	C8C6	1-4846	T23Q0080
415	汎	A6C6	8E66	4E67	C8C7	1-4847	T23R0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 17 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
416	灰	A6C7	8E67	4E68	C8C8	1-4848	T23S0080
417	牟	A6C8	8E68	4E69	C8C9	1-4849	T23T0080
418	牝	A6C9	8E69	4E6A	C8CA	1-484A	T23U0080
419	百	A6CA	8E6A	4E6B	C8CB	1-484B	T23V0080
420	竹	A6CB	8E6B	4E6C	C8CC	1-484C	T23W0080
421	米	A6CC	8E6C	4E6D	C8CD	1-484D	T23X0080
422	糸	A6CD	8E6D	4E6E	C8CE	1-484E	T23Y0080
423	缶	A6CE	8E6E	4E6F	C8CF	1-484F	T23Z0080
424	羊	A6CF	8E6F	4E70	C8D0	1-4850	T2400080
425	羽	A6D0	8E70	4E71	C8D1	1-4851	T2410080
426	老	A6D1	8E71	4E72	C8D2	1-4852	T2420080
427	考	A6D2	8E72	4E73	C8D3	1-4853	T2430080
428	而	A6D3	8E73	4E74	C8D4	1-4854	T2440080
429	耒	A6D4	8E74	4E75	C8D5	1-4855	T2450080
430	耳	A6D5	8E75	4E76	C8D6	1-4856	T2460080
431	聿	A6D6	8E76	4E77	C8D7	1-4857	T2470080
432	肉	A6D7	8E77	4E78	C8D8	1-4858	T2480080
433	肋	A6D8	8E78	4E79	C8D9	1-4859	T2490080
434	肌	A6D9	8E79	4E7A	C8DA	1-485A	T24A0080
435	臣	A6DA	8E7A	4E7B	C8DB	1-485B	T24B0080
436	自	A6DB	8E7B	4E7C	C8DC	1-485C	T24C0080
437	至	A6DC	8E7C	4E7D	C8DD	1-485D	T24D0080
438	白	A6DD	8E7D	4E7E	C8DE	1-485E	T24E0080
439	舌	A6DE	8E7E	4E7F	C8DF	1-485F	T24F0080
440	舛	A6DF	8E80	4E81	C8E0	1-4860	T24H0080
441	舟	A6E0	8E81	4E82	C8E1	1-4861	T24I0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 18 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
442	艮	A6E1	8E82	4E83	C8E2	1-4862	T24J0080
443	色	A6E2	8E83	4E84	C8E3	1-4863	T24K0080
444	艾	A6E3	8E84	4E85	C8E4	1-4864	T24L0080
445	虫	A6E4	8E85	4E86	C8E5	1-4865	T24M0080
446	血	A6E5	8E86	4E87	C8E6	1-4866	T24N0080
447	行	A6E6	8E87	4E88	C8E7	1-4867	T24O0080
448	衣	A6E7	8E88	4E89	C8E8	1-4868	T24P0080
449	西	A6E8	8E89	4E8A	C8E9	1-4869	T24Q0080
450	阡	A6E9	8E8A	4E8B	C8EA	1-486A	T24R0080
451	串	A6EA	8E8B	4E8C	C8EB	1-486B	T24S0080
452	亨	A6EB	8E8C	4E8D	C8EC	1-486C	T24T0080
453	位	A6EC	8E8D	4E8E	C8ED	1-486D	T24U0080
454	住	A6ED	8E8E	4E8F	C8EE	1-486E	T24V0080
455	佇	A6EE	8E8F	4E90	C8EF	1-486F	T24W0080
456	佗	A6EF	8E90	4E91	C8F0	1-4870	T24X0080
457	佞	A6F0	8E91	4E92	C8F1	1-4871	T24Y0080
458	伴	A6F1	8E92	4E93	C8F2	1-4872	T24Z0080
459	佛	A6F2	8E93	4E94	C8F3	1-4873	T2500080
460	何	A6F3	8E94	4E95	C8F4	1-4874	T2510080
461	估	A6F4	8E95	4E96	C8F5	1-4875	T2520080
462	佐	A6F5	8E96	4E97	C8F6	1-4876	T2530080
463	佑	A6F6	8E97	4E98	C8F7	1-4877	T2540080
464	伽	A6F7	8E98	4E99	C8F8	1-4878	T2550080
465	伺	A6F8	8E99	4E9A	C8F9	1-4879	T2560080
466	伸	A6F9	8E9A	4E9B	C8FA	1-487A	T2570080
467	佃	A6FA	8E9B	4E9C	C8FB	1-487B	T2580080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 19 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
468	佔	A6FB	8E9C	4E9D	C8FC	1-487C	T2590080
469	似	A6FC	8E9D	4E9E	C8FD	1-487D	T25A0080
470	但	A6FD	8E9E	4E9F	C8FE	1-487E	T25B0080
471	佣	A6FE	8E9F	4EA0	C9A1	1-4921	T25C0080
472	作	A740	8EA0	4EA1	C9A2	1-4922	T25D0080
473	你	A741	8EA1	4EA2	C9A3	1-4923	T25E0080
474	伯	A742	8EA2	4EA3	C9A4	1-4924	T25F0080
475	低	A743	8EA3	4EA4	C9A5	1-4925	T25G0080
476	伶	A744	8EA4	4EA5	C9A6	1-4926	T25H0080
477	余	A745	8EA5	4EA6	C9A7	1-4927	T25I0080
478	佻	A746	8EA6	4EA7	C9A8	1-4928	T25J0080
479	佈	A747	8EA7	4EA8	C9A9	1-4929	T25K0080
480	佚	A748	8EA8	4EA9	C9AA	1-492A	T25L0080
481	兌	A749	8EA9	4EAA	C9AB	1-492B	T25M0080
482	克	A74A	8EAA	4EAB	C9AC	1-492C	T25N0080
483	免	A74B	8EAB	4EAC	C9AD	1-492D	T25O0080
484	兵	A74C	8EAC	4EAD	C9AE	1-492E	T25P0080
485	冶	A74D	8EAD	4EAE	C9AF	1-492F	T25Q0080
486	冷	A74E	8EAE	4EAF	C9B0	1-4930	T25R0080
487	別	A74F	8EAF	4EB0	C9B1	1-4931	T25S0080
488	判	A750	8EB0	4EB1	C9B2	1-4932	T25T0080
489	利	A751	8EB1	4EB2	C9B3	1-4933	T25U0080
490	刪	A752	8EB2	4EB3	C9B4	1-4934	T25V0080
491	剗	A753	8EB3	4EB4	C9B5	1-4935	T25W0080
492	劫	A754	8EB4	4EB5	C9B6	1-4936	T25X0080
493	助	A755	8EB5	4EB6	C9B7	1-4937	T25Y0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 20 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
494	努	A756	8EB6	4EB7	C9B8	1-4938	T25Z0080
495	劬	A757	8EB7	4EB8	C9B9	1-4939	T2600080
496	匣	A758	8EB8	4EB9	C9BA	1-493A	T2610080
497	即	A759	8EB9	4EBA	C9BB	1-493B	T2620080
498	卵	A75A	8EBA	4EBB	C9BC	1-493C	T2630080
499	吝	A75B	8EBB	4EBC	C9BD	1-493D	T2640080
500	吭	A75C	8EBC	4EBD	C9BE	1-493E	T2650080
501	吞	A75D	8EBD	4EBE	C9BF	1-493F	T2660080
502	吾	A75E	8EBE	4EBF	C9C0	1-4940	T2670080
503	否	A75F	8EBF	4EC0	C9C1	1-4941	T2680080
504	呎	A760	8EC0	4EC1	C9C2	1-4942	T2690080
505	吧	A761	8EC1	4EC2	C9C3	1-4943	T26A0080
506	呆	A762	8EC2	4EC3	C9C4	1-4944	T26B0080
507	呃	A763	8EC3	4EC4	C9C5	1-4945	T26C0080
508	吳	A764	8EC4	4EC5	C9C6	1-4946	T26D0080
509	呈	A765	8EC5	4EC6	C9C7	1-4947	T26E0080
510	呂	A766	8EC6	4EC7	C9C8	1-4948	T26F0080
511	君	A767	8EC7	4EC8	C9C9	1-4949	T26G0080
512	吩	A768	8EC8	4EC9	C9CA	1-494A	T26H0080
513	告	A769	8EC9	4ECA	C9CB	1-494B	T26I0080
514	吹	A76A	8ECA	4ECB	C9CC	1-494C	T26J0080
515	吻	A76B	8ECB	4ECC	C9CD	1-494D	T26K0080
516	吸	A76C	8ECC	4ECD	C9CE	1-494E	T26L0080
517	吮	A76D	8ECD	4ECE	C9CF	1-494F	T26M0080
518	吵	A76E	8ECE	4ECF	C9D0	1-4950	T26N0080
519	呐	A76F	8ECF	4ED0	C9D1	1-4951	T26O0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 21 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
520	吠	A770	8ED0	4ED1	C9D2	1-4952	T26P0080
521	吼	A771	8ED1	4ED2	C9D3	1-4953	T26Q0080
522	呀	A772	8ED2	4ED3	C9D4	1-4954	T26R0080
523	吱	A773	8ED3	4ED4	C9D5	1-4955	T26S0080
524	含	A774	8ED4	4ED5	C9D6	1-4956	T26T0080
525	吟	A775	8ED5	4ED6	C9D7	1-4957	T26U0080
526	听	A776	8ED6	4ED7	C9D8	1-4958	T26V0080
527	囟	A777	8ED7	4ED8	C9D9	1-4959	T26W0080
528	困	A778	8ED8	4ED9	C9DA	1-495A	T26X0080
529	囿	A779	8ED9	4EDA	C9DB	1-495B	T26Y0080
530	囫	A77A	8EDA	4EDB	C9DC	1-495C	T26Z0080
531	坊	A77B	8EDB	4EDC	C9DD	1-495D	T2700080
532	坑	A77C	8EDC	4EDD	C9DE	1-495E	T2710080
533	址	A77D	8EDD	4EDE	C9DF	1-495F	T2720080
534	坍	A77E	8EDE	4EDF	C9E0	1-4960	T2730080
535	均	A7A1	8EDF	4EE0	C9E1	1-4961	T2740080
536	坎	A7A2	8EE0	4EE1	C9E2	1-4962	T2750080
537	圾	A7A3	8EE1	4EE2	C9E3	1-4963	T2760080
538	坐	A7A4	8EE2	4EE3	C9E4	1-4964	T2770080
539	坏	A7A5	8EE3	4EE4	C9E5	1-4965	T2780080
540	圻	A7A6	8EE4	4EE5	C9E6	1-4966	T2790080
541	壯	A7A7	8EE5	4EE6	C9E7	1-4967	T27A0080
542	爽	A7A8	8EE6	4EE7	C9E8	1-4968	T27B0080
543	妝	A7A9	8EE7	4EE8	C9E9	1-4969	T27C0080
544	妒	A7AA	8EE8	4EE9	C9EA	1-496A	T27D0080
545	妨	A7AB	8EE9	4EEA	C9EB	1-496B	T27E0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 22 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
546	姍	A7AC	8EEA	4EEB	C9EC	1-496C	T27F0080
547	妣	A7AD	8EEB	4EEC	C9ED	1-496D	T27G0080
548	妙	A7AE	8EEC	4EED	C9EE	1-496E	T27H0080
549	妖	A7AF	8EED	4EEE	C9EF	1-496F	T27I0080
550	妍	A7B0	8EEE	4EEF	C9F0	1-4970	T27J0080
551	好	A7B1	8EEF	4EF0	C9F1	1-4971	T27K0080
552	妓	A7B2	8EF0	4EF1	C9F2	1-4972	T27L0080
553	妊	A7B3	8EF1	4EF2	C9F3	1-4973	T27M0080
554	妥	A7B4	8EF2	4EF3	C9F4	1-4974	T27N0080
555	孝	A7B5	8EF3	4EF4	C9F5	1-4975	T27O0080
556	孜	A7B6	8EF4	4EF5	C9F6	1-4976	T27P0080
557	孚	A7B7	8EF5	4EF6	C9F7	1-4977	T27Q0080
558	孛	A7B8	8EF6	4EF7	C9F8	1-4978	T27R0080
559	完	A7B9	8EF7	4EF8	C9F9	1-4979	T27S0080
560	宋	A7BA	8EF8	4EF9	C9FA	1-497A	T27T0080
561	宏	A7BB	8EF9	4EFA	C9FB	1-497B	T27U0080
562	槍	A7BC	8EFA	4EFB	C9FC	1-497C	T27V0080
563	局	A7BD	8EFB	4EFC	C9FD	1-497D	T27W0080
564	屁	A7BE	8EFC	4EFD	C9FE	1-497E	T27X0080
565	尿	A7BF	8F40	4F41	CAA1	1-4A21	T2810080
566	尾	A7C0	8F41	4F42	CAA2	1-4A22	T2820080
567	岐	A7C1	8F42	4F43	CAA3	1-4A23	T2830080
568	岑	A7C2	8F43	4F44	CAA4	1-4A24	T2840080
569	岔	A7C3	8F44	4F45	CAA5	1-4A25	T2850080
570	岌	A7C4	8F45	4F46	CAA6	1-4A26	T2860080
571	巫	A7C5	8F46	4F47	CAA7	1-4A27	T2870080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 23 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
572	希	A7C6	8F47	4F48	CAA8	1-4A28	T2880080
573	序	A7C7	8F48	4F49	CAA9	1-4A29	T2890080
574	庇	A7C8	8F49	4F4A	CAAA	1-4A2A	T28A0080
575	床	A7C9	8F4A	4F4B	CAAB	1-4A2B	T28B0080
576	廷	A7CA	8F4B	4F4C	CAAC	1-4A2C	T28C0080
577	弄	A7CB	8F4C	4F4D	CAAD	1-4A2D	T28D0080
578	弟	A7CC	8F4D	4F4E	CAAE	1-4A2E	T28E0080
579	彤	A7CD	8F4E	4F4F	CAAF	1-4A2F	T28F0080
580	形	A7CE	8F4F	4F50	CAB0	1-4A30	T28G0080
581	彷彿	A7CF	8F50	4F51	CAB1	1-4A31	T28H0080
582	役	A7D0	8F51	4F52	CAB2	1-4A32	T28I0080
583	忘	A7D1	8F52	4F53	CAB3	1-4A33	T28J0080
584	忌	A7D2	8F53	4F54	CAB4	1-4A34	T28K0080
585	志	A7D3	8F54	4F55	CAB5	1-4A35	T28L0080
586	忍	A7D4	8F55	4F56	CAB6	1-4A36	T28M0080
587	忱	A7D5	8F56	4F57	CAB7	1-4A37	T28N0080
588	快	A7D6	8F57	4F58	CAB8	1-4A38	T28O0080
589	忸	A7D7	8F58	4F59	CAB9	1-4A39	T28P0080
590	忪	A7D8	8F59	4F5A	CABA	1-4A3A	T28Q0080
591	戒	A7D9	8F5A	4F5B	CABB	1-4A3B	T28R0080
592	我	A7DA	8F5B	4F5C	CABC	1-4A3C	T28S0080
593	抄	A7DB	8F5C	4F5D	CABD	1-4A3D	T28T0080
594	抗	A7DC	8F5D	4F5E	CABE	1-4A3E	T28U0080
595	抖	A7DD	8F5E	4F5F	CABF	1-4A3F	T28V0080
596	技	A7DE	8F5F	4F60	CAC0	1-4A40	T28W0080
597	扶	A7DF	8F60	4F61	CAC1	1-4A41	T28X0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 24 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
598	抉	A7E0	8F61	4F62	CAC2	1-4A42	T28Y0080
599	扭	A7E1	8F62	4F63	CAC3	1-4A43	T28Z0080
600	把	A7E2	8F63	4F64	CAC4	1-4A44	T2900080
601	扼	A7E3	8F64	4F65	CAC5	1-4A45	T2910080
602	找	A7E4	8F65	4F66	CAC6	1-4A46	T2920080
603	批	A7E5	8F66	4F67	CAC7	1-4A47	T2930080
604	扳	A7E6	8F67	4F68	CAC8	1-4A48	T2940080
605	杼	A7E7	8F68	4F69	CAC9	1-4A49	T2950080
606	扯	A7E8	8F69	4F6A	CACA	1-4A4A	T2960080
607	折	A7E9	8F6A	4F6B	CACB	1-4A4B	T2970080
608	扮	A7EA	8F6B	4F6C	CACC	1-4A4C	T2980080
609	投	A7EB	8F6C	4F6D	CACD	1-4A4D	T2990080
610	抓	A7EC	8F6D	4F6E	CACE	1-4A4E	T29A0080
611	抑	A7ED	8F6E	4F6F	CACF	1-4A4F	T29B0080
612	技	A7EE	8F6F	4F70	CAD0	1-4A50	T29C0080
613	改	A7EF	8F70	4F71	CAD1	1-4A51	T29D0080
614	攻	A7F0	8F71	4F72	CAD2	1-4A52	T29E0080
615	攸	A7F1	8F72	4F73	CAD3	1-4A53	T29F0080
616	旱	A7F2	8F73	4F74	CAD4	1-4A54	T29G0080
617	更	A7F3	8F74	4F75	CAD5	1-4A55	T29H0080
618	束	A7F4	8F75	4F76	CAD6	1-4A56	T29I0080
619	李	A7F5	8F76	4F77	CAD7	1-4A57	T29J0080
620	杏	A7F6	8F77	4F78	CAD8	1-4A58	T29K0080
621	材	A7F7	8F78	4F79	CAD9	1-4A59	T29L0080
622	村	A7F8	8F79	4F7A	CADA	1-4A5A	T29M0080
623	杜	A7F9	8F7A	4F7B	CADB	1-4A5B	T29N0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 25 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
624	杖	A7FA	8F7B	4F7C	CADC	1-4A5C	T29O0080
625	杞	A7FB	8F7C	4F7D	CADD	1-4A5D	T29P0080
626	杉	A7FC	8F7D	4F7E	CADE	1-4A5E	T29Q0080
627	杆	A7FD	8F7E	4F7F	CADF	1-4A5F	T29R0080
628	杠	A7FE	8F80	4F81	CAE0	1-4A60	T29T0080
629	杓	A840	8F81	4F82	CAE1	1-4A61	T29U0080
630	杲	A841	8F82	4F83	CAE2	1-4A62	T29V0080
631	步	A842	8F83	4F84	CAE3	1-4A63	T29W0080
632	每	A843	8F84	4F85	CAE4	1-4A64	T29X0080
633	求	A844	8F85	4F86	CAE5	1-4A65	T29Y0080
634	汞	A845	8F86	4F87	CAE6	1-4A66	T29Z0080
635	沙	A846	8F87	4F88	CAE7	1-4A67	T2A00080
636	沁	A847	8F88	4F89	CAE8	1-4A68	T2A10080
637	沈	A848	8F89	4F8A	CAE9	1-4A69	T2A20080
638	沉	A849	8F8A	4F8B	CAEA	1-4A6A	T2A30080
639	沅	A84A	8F8B	4F8C	CAEB	1-4A6B	T2A40080
640	沛	A84B	8F8C	4F8D	CAEC	1-4A6C	T2A50080
641	汪	A84C	8F8D	4F8E	CAED	1-4A6D	T2A60080
642	決	A84D	8F8E	4F8F	CAEE	1-4A6E	T2A70080
643	沐	A84E	8F8F	4F90	CAEF	1-4A6F	T2A80080
644	汰	A84F	8F90	4F91	CAF0	1-4A70	T2A90080
645	沌	A850	8F91	4F92	CAF1	1-4A71	T2AA0080
646	汨	A851	8F92	4F93	CAF2	1-4A72	T2AB0080
647	冲	A852	8F93	4F94	CAF3	1-4A73	T2AC0080
648	沒	A853	8F94	4F95	CAF4	1-4A74	T2AD0080
649	汽	A854	8F95	4F96	CAF5	1-4A75	T2AE0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 26 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
650	沃	A855	8F96	4F97	CAF6	1-4A76	T2AF0080
651	汲	A856	8F97	4F98	CAF7	1-4A77	T2AG0080
652	汾	A857	8F98	4F99	CAF8	1-4A78	T2AH0080
653	汴	A858	8F99	4F9A	CAF9	1-4A79	T2AI0080
654	沆	A859	8F9A	4F9B	CAFA	1-4A7A	T2AJ0080
655	汶	A85A	8F9B	4F9C	CAFB	1-4A7B	T2AK0080
656	洹	A85B	8F9C	4F9D	CAFC	1-4A7C	T2AL0080
657	洧	A85C	8F9D	4F9E	CAFD	1-4A7D	T2AM0080
658	泚	A85D	8F9E	4F9F	CAFE	1-4A7E	T2AN0080
659	沂	A85E	8F9F	4FA0	CBA1	1-4B21	T2AO0080
660	灶	A85F	8FA0	4FA1	CBA2	1-4B22	T2AP0080
661	灼	A860	8FA1	4FA2	CBA3	1-4B23	T2AQ0080
662	災	A861	8FA2	4FA3	CBA4	1-4B24	T2AR0080
663	灸	A862	8FA3	4FA4	CBA5	1-4B25	T2AS0080
664	牢	A863	8FA4	4FA5	CBA6	1-4B26	T2AT0080
665	牡	A864	8FA5	4FA6	CBA7	1-4B27	T2AU0080
666	牝	A865	8FA6	4FA7	CBA8	1-4B28	T2AV0080
667	狄	A866	8FA7	4FA8	CBA9	1-4B29	T2AW0080
668	狂	A867	8FA8	4FA9	CBAA	1-4B2A	T2AX0080
669	玖	A868	8FA9	4FAA	CBAB	1-4B2B	T2AY0080
670	甬	A869	8FAA	4FAB	CBAC	1-4B2C	T2AZ0080
671	甫	A86A	8FAB	4FAC	CBAD	1-4B2D	T2B00080
672	男	A86B	8FAC	4FAD	CBAE	1-4B2E	T2B10080
673	甸	A86C	8FAD	4FAE	CBAF	1-4B2F	T2B20080
674	皂	A86D	8FAE	4FAF	CBB0	1-4B30	T2B30080
675	町	A86E	8FAF	4FB0	CBB1	1-4B31	T2B40080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 27 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
676	矣	A86F	8FB0	4FB1	CBB2	1-4B32	T2B50080
677	私	A870	8FB1	4FB2	CBB3	1-4B33	T2B60080
678	秀	A871	8FB2	4FB3	CBB4	1-4B34	T2B70080
679	禿	A872	8FB3	4FB4	CBB5	1-4B35	T2B80080
680	究	A873	8FB4	4FB5	CBB6	1-4B36	T2B90080
681	系	A874	8FB5	4FB6	CBB7	1-4B37	T2BA0080
682	罕	A875	8FB6	4FB7	CBB8	1-4B38	T2BB0080
683	肖	A876	8FB7	4FB8	CBB9	1-4B39	T2BC0080
684	育	A877	8FB8	4FB9	CBBA	1-4B3A	T2BD0080
685	肝	A878	8FB9	4FBA	CBBB	1-4B3B	T2BE0080
686	肘	A879	8FBA	4FBB	CBBC	1-4B3C	T2BF0080
687	肛	A87A	8FBB	4FBC	CBBD	1-4B3D	T2BG0080
688	肚	A87B	8FBC	4FBD	CBBE	1-4B3E	T2BH0080
689	育	A87C	8FBD	4FBE	CBBF	1-4B3F	T2BI0080
690	良	A87D	8FBE	4FBF	CBC0	1-4B40	T2BJ0080
691	芒	A87E	8FBF	4FC0	CBC1	1-4B41	T2BK0080
692	芋	A8A1	8FC0	4FC1	CBC2	1-4B42	T2BL0080
693	芎	A8A2	8FC1	4FC2	CBC3	1-4B43	T2BM0080
694	見	A8A3	8FC2	4FC3	CBC4	1-4B44	T2BN0080
695	角	A8A4	8FC3	4FC4	CBC5	1-4B45	T2BO0080
696	言	A8A5	8FC4	4FC5	CBC6	1-4B46	T2BP0080
697	谷	A8A6	8FC5	4FC6	CBC7	1-4B47	T2BQ0080
698	豆	A8A7	8FC6	4FC7	CBC8	1-4B48	T2BR0080
699	豕	A8A8	8FC7	4FC8	CBC9	1-4B49	T2BS0080
700	貝	A8A9	8FC8	4FC9	CBCA	1-4B4A	T2BT0080
701	赤	A8AA	8FC9	4FCA	CBCB	1-4B4B	T2BU0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 28 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
702	走	A8AB	8FCA	4FCB	CBCC	1-4B4C	T2BV0080
703	足	A8AC	8FCB	4FCC	CBCD	1-4B4D	T2BW0080
704	身	A8AD	8FCC	4FCD	CBCE	1-4B4E	T2BX0080
705	車	A8AE	8FCD	4FCE	CBCF	1-4B4F	T2BY0080
706	辛	A8AF	8FCE	4FCF	CBD0	1-4B50	T2BZ0080
707	辰	A8B0	8FCF	4FD0	CBD1	1-4B51	T2C00080
708	迂	A8B1	8FD0	4FD1	CBD2	1-4B52	T2C10080
709	迤	A8B2	8FD1	4FD2	CBD3	1-4B53	T2C20080
710	迅	A8B3	8FD2	4FD3	CBD4	1-4B54	T2C30080
711	迄	A8B4	8FD3	4FD4	CBD5	1-4B55	T2C40080
712	巡	A8B5	8FD4	4FD5	CBD6	1-4B56	T2C50080
713	邑	A8B6	8FD5	4FD6	CBD7	1-4B57	T2C60080
714	邢	A8B7	8FD6	4FD7	CBD8	1-4B58	T2C70080
715	邪	A8B8	8FD7	4FD8	CBD9	1-4B59	T2C80080
716	邦	A8B9	8FD8	4FD9	CBDA	1-4B5A	T2C90080
717	那	A8BA	8FD9	4FDA	CBDB	1-4B5B	T2CA0080
718	酉	A8BB	8FDA	4FDB	CBDC	1-4B5C	T2CB0080
719	采	A8BC	8FDB	4FDC	CBDD	1-4B5D	T2CC0080
720	里	A8BD	8FDC	4FDD	CBDE	1-4B5E	T2CD0080
721	防	A8BE	8FDD	4FDE	CBDF	1-4B5F	T2CE0080
722	阮	A8BF	8FDE	4FDF	CBE0	1-4B60	T2CF0080
723	阱	A8C0	8FDF	4FE0	CBE1	1-4B61	T2CG0080
724	阪	A8C1	8FE0	4FE1	CBE2	1-4B62	T2CH0080
725	阮	A8C2	8FE1	4FE2	CBE3	1-4B63	T2CI0080
726	並	A8C3	8FE2	4FE3	CBE4	1-4B64	T2CJ0080
727	乖	A8C4	8FE3	4FE4	CBE5	1-4B65	T2CK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 29 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
728	乳	A8C5	8FE4	4FE5	CBE6	1-4B66	T2CL0080
729	事	A8C6	8FE5	4FE6	CBE7	1-4B67	T2CM0080
730	些	A8C7	8FE6	4FE7	CBE8	1-4B68	T2CN0080
731	亞	A8C8	8FE7	4FE8	CBE9	1-4B69	T2CO0080
732	享	A8C9	8FE8	4FE9	CBEA	1-4B6A	T2CP0080
733	京	A8CA	8FE9	4FEA	CBEB	1-4B6B	T2CQ0080
734	佯	A8CB	8FEA	4FEB	CBEC	1-4B6C	T2CR0080
735	依	A8CC	8FEB	4FEC	CBED	1-4B6D	T2CS0080
736	侍	A8CD	8FEC	4FED	CBEE	1-4B6E	T2CT0080
737	佳	A8CE	8FED	4FEE	CBEF	1-4B6F	T2CU0080
738	使	A8CF	8FEE	4FEF	CBF0	1-4B70	T2CV0080
739	佬	A8D0	8FEF	4FF0	CBF1	1-4B71	T2CW0080
740	供	A8D1	8FF0	4FF1	CBF2	1-4B72	T2CX0080
741	例	A8D2	8FF1	4FF2	CBF3	1-4B73	T2CY0080
742	來	A8D3	8FF2	4FF3	CBF4	1-4B74	T2CZ0080
743	侃	A8D4	8FF3	4FF4	CBF5	1-4B75	T2D00080
744	佰	A8D5	8FF4	4FF5	CBF6	1-4B76	T2D10080
745	併	A8D6	8FF5	4FF6	CBF7	1-4B77	T2D20080
746	侈	A8D7	8FF6	4FF7	CBF8	1-4B78	T2D30080
747	佩	A8D8	8FF7	4FF8	CBF9	1-4B79	T2D40080
748	佻	A8D9	8FF8	4FF9	CBFA	1-4B7A	T2D50080
749	侖	A8DA	8FF9	4FFA	CBFB	1-4B7B	T2D60080
750	侖	A8DB	8FFA	4FFB	CBFC	1-4B7C	T2D70080
751	侖	A8DC	8FFB	4FFC	CBFD	1-4B7D	T2D80080
752	侖	A8DD	8FFC	4FFD	CBFE	1-4B7E	T2D90080
753	侖	A8DE	9040	5041	CCA1	1-4C21	T2DD0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 30 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
754	兔	A8DF	9041	5042	CCA2	1-4C22	T2DE0080
755	兒	A8E0	9042	5043	CCA3	1-4C23	T2DF0080
756	兇	A8E1	9043	5044	CCA4	1-4C24	T2DG0080
757	兩	A8E2	9044	5045	CCA5	1-4C25	T2DH0080
758	具	A8E3	9045	5046	CCA6	1-4C26	T2DI0080
759	其	A8E4	9046	5047	CCA7	1-4C27	T2DJ0080
760	典	A8E5	9047	5048	CCA8	1-4C28	T2DK0080
761	冽	A8E6	9048	5049	CCA9	1-4C29	T2DL0080
762	函	A8E7	9049	504A	CCAA	1-4C2A	T2DM0080
763	刻	A8E8	904A	504B	CCAB	1-4C2B	T2DN0080
764	券	A8E9	904B	504C	CCAC	1-4C2C	T2DO0080
765	刷	A8EA	904C	504D	CCAD	1-4C2D	T2DP0080
766	刺	A8EB	904D	504E	CCAE	1-4C2E	T2DQ0080
767	到	A8EC	904E	504F	CCAF	1-4C2F	T2DR0080
768	刮	A8ED	904F	5050	CCB0	1-4C30	T2DS0080
769	制	A8EE	9050	5051	CCB1	1-4C31	T2DT0080
770	剝	A8EF	9051	5052	CCB2	1-4C32	T2DU0080
771	劾	A8F0	9052	5053	CCB3	1-4C33	T2DV0080
772	勳	A8F1	9053	5054	CCB4	1-4C34	T2DW0080
773	卒	A8F2	9054	5055	CCB5	1-4C35	T2DX0080
774	協	A8F3	9055	5056	CCB6	1-4C36	T2DY0080
775	卓	A8F4	9056	5057	CCB7	1-4C37	T2DZ0080
776	卑	A8F5	9057	5058	CCB8	1-4C38	T2E00080
777	卦	A8F6	9058	5059	CCB9	1-4C39	T2E10080
778	卷	A8F7	9059	505A	CCBA	1-4C3A	T2E20080
779	卸	A8F8	905A	505B	CCBB	1-4C3B	T2E30080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 31 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
780	卹	A8F9	905B	505C	CCBC	1-4C3C	T2E40080
781	取	A8FA	905C	505D	CCBD	1-4C3D	T2E50080
782	叔	A8FB	905D	505E	CCBE	1-4C3E	T2E60080
783	受	A8FC	905E	505F	CCBF	1-4C3F	T2E70080
784	味	A8FD	905F	5060	CCC0	1-4C40	T2E80080
785	呵	A8FE	9060	5061	CCC1	1-4C41	T2E90080
786	咖	A940	9061	5062	CCC2	1-4C42	T2EA0080
787	呷	A941	9062	5063	CCC3	1-4C43	T2EB0080
788	咕	A942	9063	5064	CCC4	1-4C44	T2EC0080
789	咀	A943	9064	5065	CCC5	1-4C45	T2ED0080
790	呻	A944	9065	5066	CCC6	1-4C46	T2EE0080
791	呷	A945	9066	5067	CCC7	1-4C47	T2EF0080
792	咄	A946	9067	5068	CCC8	1-4C48	T2EG0080
793	咒	A947	9068	5069	CCC9	1-4C49	T2EH0080
794	咆	A948	9069	506A	CCCA	1-4C4A	T2EI0080
795	呼	A949	906A	506B	CCCB	1-4C4B	T2EJ0080
796	咐	A94A	906B	506C	CCCC	1-4C4C	T2EK0080
797	呱	A94B	906C	506D	CCCD	1-4C4D	T2EL0080
798	嗽	A94C	906D	506E	CCCE	1-4C4E	T2EM0080
799	和	A94D	906E	506F	CCCF	1-4C4F	T2EN0080
800	咚	A94E	906F	5070	CCD0	1-4C50	T2EO0080
801	呢	A94F	9070	5071	CCD1	1-4C51	T2EP0080
802	周	A950	9071	5072	CCD2	1-4C52	T2EQ0080
803	咋	A951	9072	5073	CCD3	1-4C53	T2ER0080
804	命	A952	9073	5074	CCD4	1-4C54	T2ES0080
805	咎	A953	9074	5075	CCD5	1-4C55	T2ET0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 32 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
806	固	A954	9075	5076	CCD6	1-4C56	T2EU0080
807	垃	A955	9076	5077	CCD7	1-4C57	T2EV0080
808	坳	A956	9077	5078	CCD8	1-4C58	T2EW0080
809	坪	A957	9078	5079	CCD9	1-4C59	T2EX0080
810	坵	A958	9079	507A	CCDA	1-4C5A	T2EY0080
811	坡	A959	907A	507B	CCDB	1-4C5B	T2EZ0080
812	坦	A95A	907B	507C	CCDC	1-4C5C	T2F00080
813	坤	A95B	907C	507D	CCDD	1-4C5D	T2F10080
814	坵	A95C	907D	507E	CCDE	1-4C5E	T2F20080
815	夜	A95D	907E	507F	CCDF	1-4C5F	T2F30080
816	奉	A95E	9080	5081	CCE0	1-4C60	T2F50080
817	奇	A95F	9081	5082	CCE1	1-4C61	T2F60080
818	奈	A960	9082	5083	CCE2	1-4C62	T2F70080
819	奄	A961	9083	5084	CCE3	1-4C63	T2F80080
820	奔	A962	9084	5085	CCE4	1-4C64	T2F90080
821	妾	A963	9085	5086	CCE5	1-4C65	T2FA0080
822	妻	A964	9086	5087	CCE6	1-4C66	T2FB0080
823	委	A965	9087	5088	CCE7	1-4C67	T2FC0080
824	妹	A966	9088	5089	CCE8	1-4C68	T2FD0080
825	妮	A967	9089	508A	CCE9	1-4C69	T2FE0080
826	姑	A968	908A	508B	CCEA	1-4C6A	T2FF0080
827	姆	A969	908B	508C	CCEB	1-4C6B	T2FG0080
828	姐	A96A	908C	508D	CCEC	1-4C6C	T2FH0080
829	姍	A96B	908D	508E	CCED	1-4C6D	T2FI0080
830	始	A96C	908E	508F	CCEE	1-4C6E	T2FJ0080
831	姓	A96D	908F	5090	CCEF	1-4C6F	T2FK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 33 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
832	姊	A96E	9090	5091	CCF0	1-4C70	T2FL0080
833	妯	A96F	9091	5092	CCF1	1-4C71	T2FM0080
834	妳	A970	9092	5093	CCF2	1-4C72	T2FN0080
835	姒	A971	9093	5094	CCF3	1-4C73	T2FO0080
836	姘	A972	9094	5095	CCF4	1-4C74	T2FP0080
837	孟	A973	9095	5096	CCF5	1-4C75	T2FQ0080
838	孤	A974	9096	5097	CCF6	1-4C76	T2FR0080
839	季	A975	9097	5098	CCF7	1-4C77	T2FS0080
840	宗	A976	9098	5099	CCF8	1-4C78	T2FT0080
841	定	A977	9099	509A	CCF9	1-4C79	T2FU0080
842	官	A978	909A	509B	CCFA	1-4C7A	T2FV0080
843	宜	A979	909B	509C	CCFB	1-4C7B	T2FW0080
844	宙	A97A	909C	509D	CCFC	1-4C7C	T2FX0080
845	宛	A97B	909D	509E	CCFD	1-4C7D	T2FY0080
846	尚	A97C	909E	509F	CCFE	1-4C7E	T2FZ0080
847	屈	A97D	909F	50A0	CDA1	1-4D21	T2G00080
848	居	A97E	90A0	50A1	CDA2	1-4D22	T2G10080
849	屆	A9A1	90A1	50A2	CDA3	1-4D23	T2G20080
850	岷	A9A2	90A2	50A3	CDA4	1-4D24	T2G30080
851	岡	A9A3	90A3	50A4	CDA5	1-4D25	T2G40080
852	岸	A9A4	90A4	50A5	CDA6	1-4D26	T2G50080
853	岩	A9A5	90A5	50A6	CDA7	1-4D27	T2G60080
854	岫	A9A6	90A6	50A7	CDA8	1-4D28	T2G70080
855	岱	A9A7	90A7	50A8	CDA9	1-4D29	T2G80080
856	岳	A9A8	90A8	50A9	CDAA	1-4D2A	T2G90080
857	帘	A9A9	90A9	50AA	CDAB	1-4D2B	T2GA0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 34 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
858	帚	A9AA	90AA	50AB	CDAC	1-4D2C	T2GB0080
859	帖	A9AB	90AB	50AC	CDAD	1-4D2D	T2GC0080
860	帕	A9AC	90AC	50AD	CDAE	1-4D2E	T2GD0080
861	帛	A9AD	90AD	50AE	CDAF	1-4D2F	T2GE0080
862	帑	A9AE	90AE	50AF	CDB0	1-4D30	T2GF0080
863	幸	A9AF	90AF	50B0	CDB1	1-4D31	T2GG0080
864	庚	A9B0	90B0	50B1	CDB2	1-4D32	T2GH0080
865	店	A9B1	90B1	50B2	CDB3	1-4D33	T2GI0080
866	府	A9B2	90B2	50B3	CDB4	1-4D34	T2GJ0080
867	底	A9B3	90B3	50B4	CDB5	1-4D35	T2GK0080
868	庖	A9B4	90B4	50B5	CDB6	1-4D36	T2GL0080
869	延	A9B5	90B5	50B6	CDB7	1-4D37	T2GM0080
870	弦	A9B6	90B6	50B7	CDB8	1-4D38	T2GN0080
871	弧	A9B7	90B7	50B8	CDB9	1-4D39	T2GO0080
872	弩	A9B8	90B8	50B9	CDBA	1-4D3A	T2GP0080
873	往	A9B9	90B9	50BA	CDBB	1-4D3B	T2GQ0080
874	征	A9BA	90BA	50BB	CDBC	1-4D3C	T2GR0080
875	佛	A9BB	90BB	50BC	CDBD	1-4D3D	T2GS0080
876	彼	A9BC	90BC	50BD	CDBE	1-4D3E	T2GT0080
877	忝	A9BD	90BD	50BE	CDBF	1-4D3F	T2GU0080
878	忠	A9BE	90BE	50BF	CDC0	1-4D40	T2GV0080
879	忽	A9BF	90BF	50C0	CDC1	1-4D41	T2GW0080
880	念	A9C0	90C0	50C1	CDC2	1-4D42	T2GX0080
881	忿	A9C1	90C1	50C2	CDC3	1-4D43	T2GY0080
882	快	A9C2	90C2	50C3	CDC4	1-4D44	T2GZ0080
883	怔	A9C3	90C3	50C4	CDC5	1-4D45	T2H00080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 35 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
884	怯	A9C4	90C4	50C5	CDC6	1-4D46	T2H10080
885	忱	A9C5	90C5	50C6	CDC7	1-4D47	T2H20080
886	怖	A9C6	90C6	50C7	CDC8	1-4D48	T2H30080
887	怪	A9C7	90C7	50C8	CDC9	1-4D49	T2H40080
888	怕	A9C8	90C8	50C9	CDCA	1-4D4A	T2H50080
889	怡	A9C9	90C9	50CA	CDCB	1-4D4B	T2H60080
890	性	A9CA	90CA	50CB	CDCC	1-4D4C	T2H70080
891	恹	A9CB	90CB	50CC	CDCD	1-4D4D	T2H80080
892	佛	A9CC	90CC	50CD	CDCE	1-4D4E	T2H90080
893	怛	A9CD	90CD	50CE	CDCF	1-4D4F	T2HA0080
894	或	A9CE	90CE	50CF	CDD0	1-4D50	T2HB0080
895	戕	A9CF	90CF	50D0	CDD1	1-4D51	T2HC0080
896	房	A9D0	90D0	50D1	CDD2	1-4D52	T2HD0080
897	戾	A9D1	90D1	50D2	CDD3	1-4D53	T2HE0080
898	所	A9D2	90D2	50D3	CDD4	1-4D54	T2HF0080
899	承	A9D3	90D3	50D4	CDD5	1-4D55	T2HG0080
900	拉	A9D4	90D4	50D5	CDD6	1-4D56	T2HH0080
901	拌	A9D5	90D5	50D6	CDD7	1-4D57	T2HI0080
902	挂	A9D6	90D6	50D7	CDD8	1-4D58	T2HJ0080
903	扞	A9D7	90D7	50D8	CDD9	1-4D59	T2HK0080
904	拂	A9D8	90D8	50D9	CDDA	1-4D5A	T2HL0080
905	抹	A9D9	90D9	50DA	Cddb	1-4D5B	T2HM0080
906	拒	A9DA	90DA	50DB	CDDC	1-4D5C	T2HN0080
907	招	A9DB	90DB	50DC	CDDD	1-4D5D	T2HO0080
908	披	A9DC	90DC	50DD	CDDE	1-4D5E	T2HP0080
909	拓	A9DD	90DD	50DE	CDDF	1-4D5F	T2HQ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 36 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
910	拔	A9DE	90DE	50DF	CDE0	1-4D60	T2HR0080
911	拋	A9DF	90DF	50E0	CDE1	1-4D61	T2HS0080
912	拈	A9E0	90E0	50E1	CDE2	1-4D62	T2HT0080
913	抨	A9E1	90E1	50E2	CDE3	1-4D63	T2HU0080
914	抽	A9E2	90E2	50E3	CDE4	1-4D64	T2HV0080
915	押	A9E3	90E3	50E4	CDE5	1-4D65	T2HW0080
916	拐	A9E4	90E4	50E5	CDE6	1-4D66	T2HX0080
917	拙	A9E5	90E5	50E6	CDE7	1-4D67	T2HY0080
918	拇	A9E6	90E6	50E7	CDE8	1-4D68	T2HZ0080
919	拍	A9E7	90E7	50E8	CDE9	1-4D69	T2I00080
920	抵	A9E8	90E8	50E9	CDEA	1-4D6A	T2I10080
921	拚	A9E9	90E9	50EA	CDEB	1-4D6B	T2I20080
922	抱	A9EA	90EA	50EB	CDEC	1-4D6C	T2I30080
923	拘	A9EB	90EB	50EC	CDED	1-4D6D	T2I40080
924	拖	A9EC	90EC	50ED	CDEE	1-4D6E	T2I50080
925	拗	A9ED	90ED	50EE	CDEF	1-4D6F	T2I60080
926	拆	A9EE	90EE	50EF	CDF0	1-4D70	T2I70080
927	抬	A9EF	90EF	50F0	CDF1	1-4D71	T2I80080
928	拎	A9F0	90F0	50F1	CDF2	1-4D72	T2I90080
929	放	A9F1	90F1	50F2	CDF3	1-4D73	T2IA0080
930	斧	A9F2	90F2	50F3	CDF4	1-4D74	T2IB0080
931	於	A9F3	90F3	50F4	CDF5	1-4D75	T2IC0080
932	旺	A9F4	90F4	50F5	CDF6	1-4D76	T2ID0080
933	昔	A9F5	90F5	50F6	CDF7	1-4D77	T2IE0080
934	易	A9F6	90F6	50F7	CDF8	1-4D78	T2IF0080
935	昌	A9F7	90F7	50F8	CDF9	1-4D79	T2IG0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 37 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
936	昆	A9F8	90F8	50F9	CDFA	1-4D7A	T2IH0080
937	昂	A9F9	90F9	50FA	CDFB	1-4D7B	T2II0080
938	明	A9FA	90FA	50FB	CDFC	1-4D7C	T2IJ0080
939	昀	A9FB	90FB	50FC	CDFD	1-4D7D	T2IK0080
940	昏	A9FC	90FC	50FD	CDFE	1-4D7E	T2IL0080
941	昕	A9FD	9140	5141	CEA1	1-4E21	T2IP0080
942	昊	A9FE	9141	5142	CEA2	1-4E22	T2IQ0080
943	昇	AA40	9142	5143	CEA3	1-4E23	T2IR0080
944	服	AA41	9143	5144	CEA4	1-4E24	T2IS0080
945	朋	AA42	9144	5145	CEA5	1-4E25	T2IT0080
946	杭	AA43	9145	5146	CEA6	1-4E26	T2IU0080
947	枋	AA44	9146	5147	CEA7	1-4E27	T2IV0080
948	枕	AA45	9147	5148	CEA8	1-4E28	T2IW0080
949	東	AA46	9148	5149	CEA9	1-4E29	T2IX0080
950	果	AA47	9149	514A	CEAA	1-4E2A	T2IY0080
951	杳	AA48	914A	514B	CEAB	1-4E2B	T2IZ0080
952	杷	AA49	914B	514C	CEAC	1-4E2C	T2J00080
953	枇	AA4A	914C	514D	CEAD	1-4E2D	T2J10080
954	枝	AA4B	914D	514E	CEAE	1-4E2E	T2J20080
955	林	AA4C	914E	514F	CEAF	1-4E2F	T2J30080
956	杯	AA4D	914F	5150	CEB0	1-4E30	T2J40080
957	杰	AA4E	9150	5151	CEB1	1-4E31	T2J50080
958	板	AA4F	9151	5152	CEB2	1-4E32	T2J60080
959	枉	AA50	9152	5153	CEB3	1-4E33	T2J70080
960	松	AA51	9153	5154	CEB4	1-4E34	T2J80080
961	析	AA52	9154	5155	CEB5	1-4E35	T2J90080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 38 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
962	杵	AA53	9155	5156	CEB6	1-4E36	T2JA0080
963	枚	AA54	9156	5157	CEB7	1-4E37	T2JB0080
964	料	AA55	9157	5158	CEB8	1-4E38	T2JC0080
965	杼	AA56	9158	5159	CEB9	1-4E39	T2JD0080
966	杪	AA57	9159	515A	CEBA	1-4E3A	T2JE0080
967	杲	AA58	915A	515B	CEBB	1-4E3B	T2JF0080
968	欣	AA59	915B	515C	CEBC	1-4E3C	T2JG0080
969	武	AA5A	915C	515D	CEBD	1-4E3D	T2JH0080
970	歧	AA5B	915D	515E	CEBE	1-4E3E	T2JI0080
971	歿	AA5C	915E	515F	CEBF	1-4E3F	T2JJ0080
972	氓	AA5D	915F	5160	CEC0	1-4E40	T2JK0080
973	氛	AA5E	9160	5161	CEC1	1-4E41	T2JL0080
974	泣	AA5F	9161	5162	CEC2	1-4E42	T2JM0080
975	注	AA60	9162	5163	CEC3	1-4E43	T2JN0080
976	泳	AA61	9163	5164	CEC4	1-4E44	T2JO0080
977	沱	AA62	9164	5165	CEC5	1-4E45	T2JP0080
978	泌	AA63	9165	5166	CEC6	1-4E46	T2JQ0080
979	泥	AA64	9166	5167	CEC7	1-4E47	T2JR0080
980	河	AA65	9167	5168	CEC8	1-4E48	T2JS0080
981	沽	AA66	9168	5169	CEC9	1-4E49	T2JT0080
982	沾	AA67	9169	516A	CECA	1-4E4A	T2JU0080
983	沼	AA68	916A	516B	CECB	1-4E4B	T2JV0080
984	波	AA69	916B	516C	CECC	1-4E4C	T2JW0080
985	沫	AA6A	916C	516D	CECD	1-4E4D	T2JX0080
986	法	AA6B	916D	516E	CECE	1-4E4E	T2JY0080
987	泓	AA6C	916E	516F	CECF	1-4E4F	T2JZ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 39 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
988	沸	AA6D	916F	5170	CED0	1-4E50	T2K00080
989	泄	AA6E	9170	5171	CED1	1-4E51	T2K10080
990	油	AA6F	9171	5172	CED2	1-4E52	T2K20080
991	況	AA70	9172	5173	CED3	1-4E53	T2K30080
992	沮	AA71	9173	5174	CED4	1-4E54	T2K40080
993	泗	AA72	9174	5175	CED5	1-4E55	T2K50080
994	洄	AA73	9175	5176	CED6	1-4E56	T2K60080
995	泱	AA74	9176	5177	CED7	1-4E57	T2K70080
996	沿	AA75	9177	5178	CED8	1-4E58	T2K80080
997	治	AA76	9178	5179	CED9	1-4E59	T2K90080
998	泡	AA77	9179	517A	CEDA	1-4E5A	T2KA0080
999	泛	AA78	917A	517B	CEDB	1-4E5B	T2KB0080
1000	泊	AA79	917B	517C	CEDC	1-4E5C	T2KC0080
1001	沫	AA7A	917C	517D	CEDD	1-4E5D	T2KD0080
1002	混	AA7B	917D	517E	CEDE	1-4E5E	T2KE0080
1003	氐	AA7C	917E	517F	CEDF	1-4E5F	T2KF0080
1004	柳	AA7D	9180	5181	CEE0	1-4E60	T2KH0080
1005	冷	AA7E	9181	5182	CEE1	1-4E61	T2KI0080
1006	炕	AAA1	9182	5183	CEE2	1-4E62	T2KJ0080
1007	炎	AAA2	9183	5184	CEE3	1-4E63	T2KK0080
1008	炒	AAA3	9184	5185	CEE4	1-4E64	T2KL0080
1009	炊	AAA4	9185	5186	CEE5	1-4E65	T2KM0080
1010	炙	AAA5	9186	5187	CEE6	1-4E66	T2KN0080
1011	爬	AAA6	9187	5188	CEE7	1-4E67	T2KO0080
1012	爭	AAA7	9188	5189	CEE8	1-4E68	T2KP0080
1013	爸	AAA8	9189	518A	CEE9	1-4E69	T2KQ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 40 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1014	版	AAA9	918A	518B	CEEA	1-4E6A	T2KR0080
1015	牧	AAAA	918B	518C	CEEB	1-4E6B	T2KS0080
1016	物	AAAB	918C	518D	CEEC	1-4E6C	T2KT0080
1017	狀	AAAC	918D	518E	CEED	1-4E6D	T2KU0080
1018	狎	AAAD	918E	518F	CEEE	1-4E6E	T2KV0080
1019	狙	AAAE	918F	5190	CEEF	1-4E6F	T2KW0080
1020	狗	AAAF	9190	5191	CEF0	1-4E70	T2KX0080
1021	狐	AAB0	9191	5192	CEF1	1-4E71	T2KY0080
1022	玩	AAB1	9192	5193	CEF2	1-4E72	T2KZ0080
1023	玨	AAB2	9193	5194	CEF3	1-4E73	T2L00080
1024	致	AAB3	9194	5195	CEF4	1-4E74	T2L10080
1025	玫	AAB4	9195	5196	CEF5	1-4E75	T2L20080
1026	玥	AAB5	9196	5197	CEF6	1-4E76	T2L30080
1027	剛	AAB6	9197	5198	CEF7	1-4E77	T2L40080
1028	疝	AAB7	9198	5199	CEF8	1-4E78	T2L50080
1029	疙	AAB8	9199	519A	CEF9	1-4E79	T2L60080
1030	痲	AAB9	919A	519B	CEFA	1-4E7A	T2L70080
1031	的	AABA	919B	519C	CEFB	1-4E7B	T2L80080
1032	孟	AABB	919C	519D	CEFC	1-4E7C	T2L90080
1033	盲	AABC	919D	519E	CEFD	1-4E7D	T2LA0080
1034	直	AABD	919E	519F	CEFE	1-4E7E	T2LB0080
1035	知	AABE	919F	51A0	CFA1	1-4F21	T2LC0080
1036	矽	AABF	91A0	51A1	CFA2	1-4F22	T2LD0080
1037	社	AAC0	91A1	51A2	CFA3	1-4F23	T2LE0080
1038	祀	AAC1	91A2	51A3	CFA4	1-4F24	T2LF0080
1039	祁	AAC2	91A3	51A4	CFA5	1-4F25	T2LG0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 41 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1040	秉	AAC3	91A4	51A5	CFA6	1-4F26	T2LH0080
1041	紬	AAC4	91A5	51A6	CFA7	1-4F27	T2LI0080
1042	空	AAC5	91A6	51A7	CFA8	1-4F28	T2LJ0080
1043	穹	AAC6	91A7	51A8	CFA9	1-4F29	T2LK0080
1044	竺	AAC7	91A8	51A9	CFAA	1-4F2A	T2LL0080
1045	糾	AAC8	91A9	51AA	CFAB	1-4F2B	T2LM0080
1046	罔	AAC9	91AA	51AB	CFAC	1-4F2C	T2LN0080
1047	羌	AACA	91AB	51AC	CFAD	1-4F2D	T2LO0080
1048	𠂇	AACB	91AC	51AD	CFAE	1-4F2E	T2LP0080
1049	者	AACC	91AD	51AE	CFAF	1-4F2F	T2LQ0080
1050	肺	AACD	91AE	51AF	CFB0	1-4F30	T2LR0080
1051	肥	AACE	91AF	51B0	CFB1	1-4F31	T2LS0080
1052	肢	AACF	91B0	51B1	CFB2	1-4F32	T2LT0080
1053	肱	AAD0	91B1	51B2	CFB3	1-4F33	T2LU0080
1054	股	AAD1	91B2	51B3	CFB4	1-4F34	T2LV0080
1055	肫	AAD2	91B3	51B4	CFB5	1-4F35	T2LW0080
1056	肩	AAD3	91B4	51B5	CFB6	1-4F36	T2LX0080
1057	肴	AAD4	91B5	51B6	CFB7	1-4F37	T2LY0080
1058	肪	AAD5	91B6	51B7	CFB8	1-4F38	T2LZ0080
1059	肯	AAD6	91B7	51B8	CFB9	1-4F39	T2M00080
1060	臥	AAD7	91B8	51B9	CFBA	1-4F3A	T2M10080
1061	𠂇	AAD8	91B9	51BA	CFBB	1-4F3B	T2M20080
1062	舍	AAD9	91BA	51BB	CFBC	1-4F3C	T2M30080
1063	芳	AADA	91BB	51BC	CFBD	1-4F3D	T2M40080
1064	芝	AADB	91BC	51BD	CFBE	1-4F3E	T2M50080
1065	芙	AADC	91BD	51BE	CFBF	1-4F3F	T2M60080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 42 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1066	芭	AADD	91BE	51BF	CFC0	1-4F40	T2M70080
1067	芽	AADE	91BF	51C0	CFC1	1-4F41	T2M80080
1068	茈	AADF	91C0	51C1	CFC2	1-4F42	T2M90080
1069	芹	AAE0	91C1	51C2	CFC3	1-4F43	T2MA0080
1070	花	AAE1	91C2	51C3	CFC4	1-4F44	T2MB0080
1071	芬	AAE2	91C3	51C4	CFC5	1-4F45	T2MC0080
1072	芥	AAE3	91C4	51C5	CFC6	1-4F46	T2MD0080
1073	芯	AAE4	91C5	51C6	CFC7	1-4F47	T2ME0080
1074	芸	AAE5	91C6	51C7	CFC8	1-4F48	T2MF0080
1075	芥	AAE6	91C7	51C8	CFC9	1-4F49	T2MG0080
1076	茈	AAE7	91C8	51C9	CFCA	1-4F4A	T2MH0080
1077	芾	AAE8	91C9	51CA	CFCB	1-4F4B	T2MI0080
1078	芷	AAE9	91CA	51CB	CFCC	1-4F4C	T2MJ0080
1079	虎	AAEA	91CB	51CC	CFCD	1-4F4D	T2MK0080
1080	虱	AAEB	91CC	51CD	CFCE	1-4F4E	T2ML0080
1081	初	AAEC	91CD	51CE	CFCF	1-4F4F	T2MM0080
1082	表	AAED	91CE	51CF	CFD0	1-4F50	T2MN0080
1083	軋	AAEE	91CF	51D0	CFD1	1-4F51	T2MO0080
1084	迎	AAEF	91D0	51D1	CFD2	1-4F52	T2MP0080
1085	返	AAF0	91D1	51D2	CFD3	1-4F53	T2MQ0080
1086	近	AAF1	91D2	51D3	CFD4	1-4F54	T2MR0080
1087	邵	AAF2	91D3	51D4	CFD5	1-4F55	T2MS0080
1088	邨	AAF3	91D4	51D5	CFD6	1-4F56	T2MT0080
1089	邱	AAF4	91D5	51D6	CFD7	1-4F57	T2MU0080
1090	邨	AAF5	91D6	51D7	CFD8	1-4F58	T2MV0080
1091	采	AAF6	91D7	51D8	CFD9	1-4F59	T2MW0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 43 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1092	金	AAF7	91D8	51D9	CFDA	1-4F5A	T2MX0080
1093	長	AAF8	91D9	51DA	CFDB	1-4F5B	T2MY0080
1094	門	AAF9	91DA	51DB	CFDC	1-4F5C	T2MZ0080
1095	阜	AAFA	91DB	51DC	CFDD	1-4F5D	T2N00080
1096	陀	AAFB	91DC	51DD	CFDE	1-4F5E	T2N10080
1097	阿	AAFC	91DD	51DE	CFDF	1-4F5F	T2N20080
1098	阻	AAFD	91DE	51DF	CFE0	1-4F60	T2N30080
1099	附	AAFE	91DF	51E0	CFE1	1-4F61	T2N40080
1100	陂	AB40	91E0	51E1	CFE2	1-4F62	T2N50080
1101	佳	AB41	91E1	51E2	CFE3	1-4F63	T2N60080
1102	雨	AB42	91E2	51E3	CFE4	1-4F64	T2N70080
1103	青	AB43	91E3	51E4	CFE5	1-4F65	T2N80080
1104	非	AB44	91E4	51E5	CFE6	1-4F66	T2N90080
1105	壘	AB45	91E5	51E6	CFE7	1-4F67	T2NA0080
1106	亭	AB46	91E6	51E7	CFE8	1-4F68	T2NB0080
1107	亮	AB47	91E7	51E8	CFE9	1-4F69	T2NC0080
1108	信	AB48	91E8	51E9	CFEA	1-4F6A	T2ND0080
1109	侵	AB49	91E9	51EA	CFEB	1-4F6B	T2NE0080
1110	侯	AB4A	91EA	51EB	CFEC	1-4F6C	T2NF0080
1111	便	AB4B	91EB	51EC	CFED	1-4F6D	T2NG0080
1112	俠	AB4C	91EC	51ED	CFEE	1-4F6E	T2NH0080
1113	俑	AB4D	91ED	51EE	CFEF	1-4F6F	T2NI0080
1114	俏	AB4E	91EE	51EF	CFF0	1-4F70	T2NJ0080
1115	保	AB4F	91EF	51F0	CFF1	1-4F71	T2NK0080
1116	促	AB50	91F0	51F1	CFF2	1-4F72	T2NL0080
1117	侶	AB51	91F1	51F2	CFF3	1-4F73	T2NM0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 44 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1118	俘	AB52	91F2	51F3	CFF4	1-4F74	T2NN0080
1119	俟	AB53	91F3	51F4	CFF5	1-4F75	T2NO0080
1120	俊	AB54	91F4	51F5	CFF6	1-4F76	T2NP0080
1121	俗	AB55	91F5	51F6	CFF7	1-4F77	T2NQ0080
1122	侮	AB56	91F6	51F7	CFF8	1-4F78	T2NR0080
1123	俐	AB57	91F7	51F8	CFF9	1-4F79	T2NS0080
1124	俄	AB58	91F8	51F9	CFFA	1-4F7A	T2NT0080
1125	係	AB59	91F9	51FA	CFFB	1-4F7B	T2NU0080
1126	俚	AB5A	91FA	51FB	CFFC	1-4F7C	T2NV0080
1127	俎	AB5B	91FB	51FC	CFFD	1-4F7D	T2NW0080
1128	兪	AB5C	91FC	51FD	CFFE	1-4F7E	T2NX0080
1129	侷	AB5D	9240	5241	D0A1	1-5021	T2O10080
1130	兗	AB5E	9241	5242	D0A2	1-5022	T2O20080
1131	冒	AB5F	9242	5243	D0A3	1-5023	T2O30080
1132	冑	AB60	9243	5244	D0A4	1-5024	T2O40080
1133	冠	AB61	9244	5245	D0A5	1-5025	T2O50080
1134	剝	AB62	9245	5246	D0A6	1-5026	T2O60080
1135	剝	AB63	9246	5247	D0A7	1-5027	T2O70080
1136	削	AB64	9247	5248	D0A8	1-5028	T2O80080
1137	前	AB65	9248	5249	D0A9	1-5029	T2O90080
1138	刺	AB66	9249	524A	D0AA	1-502A	T2OA0080
1139	剋	AB67	924A	524B	D0AB	1-502B	T2OB0080
1140	則	AB68	924B	524C	D0AC	1-502C	T2OC0080
1141	勇	AB69	924C	524D	D0AD	1-502D	T2OD0080
1142	勉	AB6A	924D	524E	D0AE	1-502E	T2OE0080
1143	勃	AB6B	924E	524F	D0AF	1-502F	T2OF0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 45 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1144	勁	AB6C	924F	5250	D0B0	1-5030	T2OG0080
1145	葡	AB6D	9250	5251	D0B1	1-5031	T2OH0080
1146	南	AB6E	9251	5252	D0B2	1-5032	T2OI0080
1147	卻	AB6F	9252	5253	D0B3	1-5033	T2OJ0080
1148	厚	AB70	9253	5254	D0B4	1-5034	T2OK0080
1149	叛	AB71	9254	5255	D0B5	1-5035	T2OL0080
1150	咬	AB72	9255	5256	D0B6	1-5036	T2OM0080
1151	哀	AB73	9256	5257	D0B7	1-5037	T2ON0080
1152	咨	AB74	9257	5258	D0B8	1-5038	T2OO0080
1153	哎	AB75	9258	5259	D0B9	1-5039	T2OP0080
1154	哉	AB76	9259	525A	D0BA	1-503A	T2OQ0080
1155	咸	AB77	925A	525B	D0BB	1-503B	T2OR0080
1156	嘆	AB78	925B	525C	D0BC	1-503C	T2OS0080
1157	咳	AB79	925C	525D	D0BD	1-503D	T2OT0080
1158	哇	AB7A	925D	525E	D0BE	1-503E	T2OU0080
1159	晒	AB7B	925E	525F	D0BF	1-503F	T2OV0080
1160	咽	AB7C	925F	5260	D0C0	1-5040	T2OW0080
1161	咪	AB7D	9260	5261	D0C1	1-5041	T2OX0080
1162	品	AB7E	9261	5262	D0C2	1-5042	T2OY0080
1163	哄	ABA1	9262	5263	D0C3	1-5043	T2OZ0080
1164	哈	ABA2	9263	5264	D0C4	1-5044	T2P00080
1165	咯	ABA3	9264	5265	D0C5	1-5045	T2P10080
1166	咫	ABA4	9265	5266	D0C6	1-5046	T2P20080
1167	咱	ABA5	9266	5267	D0C7	1-5047	T2P30080
1168	咻	ABA6	9267	5268	D0C8	1-5048	T2P40080
1169	咩	ABA7	9268	5269	D0C9	1-5049	T2P50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 46 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1170	咧	ABA8	9269	526A	D0CA	1-504A	T2P60080
1171	咿	ABA9	926A	526B	D0CB	1-504B	T2P70080
1172	囿	ABAA	926B	526C	D0CC	1-504C	T2P80080
1173	垂	ABAB	926C	526D	D0CD	1-504D	T2P90080
1174	型	ABAC	926D	526E	D0CE	1-504E	T2PA0080
1175	垠	ABAD	926E	526F	D0CF	1-504F	T2PB0080
1176	垣	ABAE	926F	5270	D0D0	1-5050	T2PC0080
1177	垢	ABAF	9270	5271	D0D1	1-5051	T2PD0080
1178	城	ABB0	9271	5272	D0D2	1-5052	T2PE0080
1179	垮	ABB1	9272	5273	D0D3	1-5053	T2PF0080
1180	垓	ABB2	9273	5274	D0D4	1-5054	T2PG0080
1181	奕	ABB3	9274	5275	D0D5	1-5055	T2PH0080
1182	契	ABB4	9275	5276	D0D6	1-5056	T2PI0080
1183	奏	ABB5	9276	5277	D0D7	1-5057	T2PJ0080
1184	奎	ABB6	9277	5278	D0D8	1-5058	T2PK0080
1185	奂	ABB7	9278	5279	D0D9	1-5059	T2PL0080
1186	姜	ABB8	9279	527A	D0DA	1-505A	T2PM0080
1187	妍	ABB9	927A	527B	D0DB	1-505B	T2PN0080
1188	姿	ABBA	927B	527C	D0DC	1-505C	T2PO0080
1189	姣	ABBB	927C	527D	D0DD	1-505D	T2PP0080
1190	姨	ABBC	927D	527E	D0DE	1-505E	T2PQ0080
1191	娃	ABBD	927E	527F	D0DF	1-505F	T2PR0080
1192	姥	ABBE	9280	5281	D0E0	1-5060	T2PT0080
1193	姪	ABBF	9281	5282	D0E1	1-5061	T2PU0080
1194	姚	ABC0	9282	5283	D0E2	1-5062	T2PV0080
1195	姦	ABC1	9283	5284	D0E3	1-5063	T2PW0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 47 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1196	威	ABC2	9284	5285	D0E4	1-5064	T2PX0080
1197	姻	ABC3	9285	5286	D0E5	1-5065	T2PY0080
1198	孩	ABC4	9286	5287	D0E6	1-5066	T2PZ0080
1199	宣	ABC5	9287	5288	D0E7	1-5067	T2Q00080
1200	宦	ABC6	9288	5289	D0E8	1-5068	T2Q10080
1201	室	ABC7	9289	528A	D0E9	1-5069	T2Q20080
1202	客	ABC8	928A	528B	D0EA	1-506A	T2Q30080
1203	宥	ABC9	928B	528C	D0EB	1-506B	T2Q40080
1204	封	ABCA	928C	528D	D0EC	1-506C	T2Q50080
1205	屎	ABCB	928D	528E	D0ED	1-506D	T2Q60080
1206	屏	ABCC	928E	528F	D0EE	1-506E	T2Q70080
1207	屍	ABCD	928F	5290	D0EF	1-506F	T2Q80080
1208	屋	ABCE	9290	5291	D0F0	1-5070	T2Q90080
1209	峙	ABCF	9291	5292	D0F1	1-5071	T2QA0080
1210	峒	ABD0	9292	5293	D0F2	1-5072	T2QB0080
1211	巷	ABD1	9293	5294	D0F3	1-5073	T2QC0080
1212	帝	ABD2	9294	5295	D0F4	1-5074	T2QD0080
1213	帥	ABD3	9295	5296	D0F5	1-5075	T2QE0080
1214	帟	ABD4	9296	5297	D0F6	1-5076	T2QF0080
1215	幽	ABD5	9297	5298	D0F7	1-5077	T2QG0080
1216	庠	ABD6	9298	5299	D0F8	1-5078	T2QH0080
1217	度	ABD7	9299	529A	D0F9	1-5079	T2QI0080
1218	建	ABD8	929A	529B	D0FA	1-507A	T2QJ0080
1219	弈	ABD9	929B	529C	D0FB	1-507B	T2QK0080
1220	弭	ABDA	929C	529D	D0FC	1-507C	T2QL0080
1221	彥	ABDB	929D	529E	D0FD	1-507D	T2QM0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 48 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1222	很	ABDC	929E	529F	D0FE	1-507E	T2QN0080
1223	待	ABDD	929F	52A0	D1A1	1-5121	T2QO0080
1224	徊	ABDE	92A0	52A1	D1A2	1-5122	T2QP0080
1225	律	ABDF	92A1	52A2	D1A3	1-5123	T2QQ0080
1226	徇	ABE0	92A2	52A3	D1A4	1-5124	T2QR0080
1227	後	ABE1	92A3	52A4	D1A5	1-5125	T2QS0080
1228	徉	ABE2	92A4	52A5	D1A6	1-5126	T2QT0080
1229	怒	ABE3	92A5	52A6	D1A7	1-5127	T2QU0080
1230	思	ABE4	92A6	52A7	D1A8	1-5128	T2QV0080
1231	怠	ABE5	92A7	52A8	D1A9	1-5129	T2QW0080
1232	急	ABE6	92A8	52A9	D1AA	1-512A	T2QX0080
1233	怎	ABE7	92A9	52AA	D1AB	1-512B	T2QY0080
1234	怨	ABE8	92AA	52AB	D1AC	1-512C	T2QZ0080
1235	恍	ABE9	92AB	52AC	D1AD	1-512D	T2R00080
1236	恰	ABEA	92AC	52AD	D1AE	1-512E	T2R10080
1237	恨	ABEB	92AD	52AE	D1AF	1-512F	T2R20080
1238	恢	ABEC	92AE	52AF	D1B0	1-5130	T2R30080
1239	恆	ABED	92AF	52B0	D1B1	1-5131	T2R40080
1240	恃	ABEE	92B0	52B1	D1B2	1-5132	T2R50080
1241	恬	ABEF	92B1	52B2	D1B3	1-5133	T2R60080
1242	恫	ABF0	92B2	52B3	D1B4	1-5134	T2R70080
1243	恪	ABF1	92B3	52B4	D1B5	1-5135	T2R80080
1244	恤	ABF2	92B4	52B5	D1B6	1-5136	T2R90080
1245	扁	ABF3	92B5	52B6	D1B7	1-5137	T2RA0080
1246	拜	ABF4	92B6	52B7	D1B8	1-5138	T2RB0080
1247	挖	ABF5	92B7	52B8	D1B9	1-5139	T2RC0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 49 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1248	按	ABF6	92B8	52B9	D1BA	1-513A	T2RD0080
1249	拼	ABF7	92B9	52BA	D1BB	1-513B	T2RE0080
1250	拭	ABF8	92BA	52BB	D1BC	1-513C	T2RF0080
1251	持	ABF9	92BB	52BC	D1BD	1-513D	T2RG0080
1252	拮	ABFA	92BC	52BD	D1BE	1-513E	T2RH0080
1253	拽	ABFB	92BD	52BE	D1BF	1-513F	T2RI0080
1254	指	ABFC	92BE	52BF	D1C0	1-5140	T2RJ0080
1255	拱	ABFD	92BF	52C0	D1C1	1-5141	T2RK0080
1256	拷	ABFE	92C0	52C1	D1C2	1-5142	T2RL0080
1257	拯	AC40	92C1	52C2	D1C3	1-5143	T2RM0080
1258	括	AC41	92C2	52C3	D1C4	1-5144	T2RN0080
1259	拾	AC42	92C3	52C4	D1C5	1-5145	T2RO0080
1260	揜	AC43	92C4	52C5	D1C6	1-5146	T2RP0080
1261	挑	AC44	92C5	52C6	D1C7	1-5147	T2RQ0080
1262	挂	AC45	92C6	52C7	D1C8	1-5148	T2RR0080
1263	政	AC46	92C7	52C8	D1C9	1-5149	T2RS0080
1264	故	AC47	92C8	52C9	D1CA	1-514A	T2RT0080
1265	斫	AC48	92C9	52CA	D1CB	1-514B	T2RU0080
1266	施	AC49	92CA	52CB	D1CC	1-514C	T2RV0080
1267	既	AC4A	92CB	52CC	D1CD	1-514D	T2RW0080
1268	春	AC4B	92CC	52CD	D1CE	1-514E	T2RX0080
1269	昭	AC4C	92CD	52CE	D1CF	1-514F	T2RY0080
1270	映	AC4D	92CE	52CF	D1D0	1-5150	T2RZ0080
1271	昧	AC4E	92CF	52D0	D1D1	1-5151	T2S00080
1272	是	AC4F	92D0	52D1	D1D2	1-5152	T2S10080
1273	星	AC50	92D1	52D2	D1D3	1-5153	T2S20080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 50 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1274	昨	AC51	92D2	52D3	D1D4	1-5154	T2S30080
1275	豎	AC52	92D3	52D4	D1D5	1-5155	T2S40080
1276	聆	AC53	92D4	52D5	D1D6	1-5156	T2S50080
1277	曷	AC54	92D5	52D6	D1D7	1-5157	T2S60080
1278	柿	AC55	92D6	52D7	D1D8	1-5158	T2S70080
1279	染	AC56	92D7	52D8	D1D9	1-5159	T2S80080
1280	柱	AC57	92D8	52D9	D1DA	1-515A	T2S90080
1281	柔	AC58	92D9	52DA	D1DB	1-515B	T2SA0080
1282	某	AC59	92DA	52DB	D1DC	1-515C	T2SB0080
1283	柬	AC5A	92DB	52DC	D1DD	1-515D	T2SC0080
1284	架	AC5B	92DC	52DD	D1DE	1-515E	T2SD0080
1285	枯	AC5C	92DD	52DE	D1DF	1-515F	T2SE0080
1286	柵	AC5D	92DE	52DF	D1E0	1-5160	T2SF0080
1287	柩	AC5E	92DF	52E0	D1E1	1-5161	T2SG0080
1288	柯	AC5F	92E0	52E1	D1E2	1-5162	T2SH0080
1289	柄	AC60	92E1	52E2	D1E3	1-5163	T2SI0080
1290	柑	AC61	92E2	52E3	D1E4	1-5164	T2SJ0080
1291	枂	AC62	92E3	52E4	D1E5	1-5165	T2SK0080
1292	柚	AC63	92E4	52E5	D1E6	1-5166	T2SL0080
1293	查	AC64	92E5	52E6	D1E7	1-5167	T2SM0080
1294	枸	AC65	92E6	52E7	D1E8	1-5168	T2SN0080
1295	柏	AC66	92E7	52E8	D1E9	1-5169	T2SO0080
1296	柞	AC67	92E8	52E9	D1EA	1-516A	T2SP0080
1297	柳	AC68	92E9	52EA	D1EB	1-516B	T2SQ0080
1298	枰	AC69	92EA	52EB	D1EC	1-516C	T2SR0080
1299	枹	AC6A	92EB	52EC	D1ED	1-516D	T2SS0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 6 (Page 51 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1300	柢	AC6B	92EC	52ED	D1EE	1-516E	T2ST0080
1301	柝	AC6C	92ED	52EE	D1EF	1-516F	T2SU0080
1302	柒	AC6D	92EE	52EF	D1F0	1-5170	T2SV0080
1303	歪	AC6E	92EF	52F0	D1F1	1-5171	T2SW0080
1304	殃	AC6F	92F0	52F1	D1F2	1-5172	T2SX0080
1305	殆	AC70	92F1	52F2	D1F3	1-5173	T2SY0080
1306	段	AC71	92F2	52F3	D1F4	1-5174	T2SZ0080
1307	毒	AC72	92F3	52F4	D1F5	1-5175	T2T00080
1308	毗	AC73	92F4	52F5	D1F6	1-5176	T2T10080
1309	氟	AC74	92F5	52F6	D1F7	1-5177	T2T20080
1310	泉	AC75	92F6	52F7	D1F8	1-5178	T2T30080
1311	洋	AC76	92F7	52F8	D1F9	1-5179	T2T40080
1312	洲	AC77	92F8	52F9	D1FA	1-517A	T2T50080
1313	洪	AC78	92F9	52FA	D1FB	1-517B	T2T60080
1314	流	AC79	92FA	52FB	D1FC	1-517C	T2T70080
1315	津	AC7A	92FB	52FC	D1FD	1-517D	T2T80080
1316	洌	AC7B	92FC	52FD	D1FE	1-517E	T2T90080
1317	洱	AC7C	9340	5341	D2A1	1-5221	T2TD0080
1318	洞	AC7D	9341	5342	D2A2	1-5222	T2TE0080
1319	洗	AC7E	9342	5343	D2A3	1-5223	T2TF0080
1320	活	ACA1	9343	5344	D2A4	1-5224	T2TG0080
1321	洽	ACA2	9344	5345	D2A5	1-5225	T2TH0080
1322	派	ACA3	9345	5346	D2A6	1-5226	T2TI0080
1323	淘	ACA4	9346	5347	D2A7	1-5227	T2TJ0080
1324	洛	ACA5	9347	5348	D2A8	1-5228	T2TK0080
1325	泵	ACA6	9348	5349	D2A9	1-5229	T2TL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 6 (Page 52 of 52). Primary Chinese Character Set (1 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1326	逗	ACA7	9349	534A	D2AA	1-522A	T2TM0080
1327	洵	ACA8	934A	534B	D2AB	1-522B	T2TN0080
1328	洸	ACA9	934B	534C	D2AC	1-522C	T2TO0080
1329	洩	ACAA	934C	534D	D2AD	1-522D	T2TP0080
1330	洮	ACAB	934D	534E	D2AE	1-522E	T2TQ0080
1331	洵	ACAC	934E	534F	D2AF	1-522F	T2TR0080
1332	泊	ACAD	934F	5350	D2B0	1-5230	T2TS0080
1333	洫	ACAE	9350	5351	D2B1	1-5231	T2TT0080
1334	炫	ACAF	9351	5352	D2B2	1-5232	T2TU0080
1335	為	ACB0	9352	5353	D2B3	1-5233	T2TV0080
1336	炳	ACB1	9353	5354	D2B4	1-5234	T2TW0080
1337	炬	ACB2	9354	5355	D2B5	1-5235	T2TX0080
1338	炯	ACB3	9355	5356	D2B6	1-5236	T2TY0080
1339	炭	ACB4	9356	5357	D2B7	1-5237	T2TZ0080
1340	炸	ACB5	9357	5358	D2B8	1-5238	T2U00080
1341	炮	ACB6	9358	5359	D2B9	1-5239	T2U10080
1342	炤	ACB7	9359	535A	D2BA	1-523A	T2U20080
1343	爰	ACB8	935A	535B	D2BB	1-523B	T2U30080
1344	牲	ACB9	935B	535C	D2BC	1-523C	T2U40080
1345	牯	ACBA	935C	535D	D2BD	1-523D	T2U50080
1346	牴	ACBB	935D	535E	D2BE	1-523E	T2U60080
1347	狩	ACBC	935E	535F	D2BF	1-523F	T2U70080
1348	狠	ACBD	935F	5360	D2C0	1-5240	T2U80080
1349	狡	ACBE	9360	5361	D2C1	1-5241	T2U90080
1350	玷	ACBF	9361	5362	D2C2	1-5242	T2UA0080
1351	珊	ACC0	9362	5363	D2C3	1-5243	T2UB0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8.3 Primary Chinese Character Set (2 of 4)

Table 7 (Page 1 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1352	玻	ACC1	9363	5364	D2C4	1-5244	T2UC0080
1353	玲	ACC2	9364	5365	D2C5	1-5245	T2UD0080
1354	珍	ACC3	9365	5366	D2C6	1-5246	T2UE0080
1355	珀	ACC4	9366	5367	D2C7	1-5247	T2UF0080
1356	玳	ACC5	9367	5368	D2C8	1-5248	T2UG0080
1357	甚	ACC6	9368	5369	D2C9	1-5249	T2UH0080
1358	甬	ACC7	9369	536A	D2CA	1-524A	T2UI0080
1359	畏	ACC8	936A	536B	D2CB	1-524B	T2UJ0080
1360	界	ACC9	936B	536C	D2CC	1-524C	T2UK0080
1361	畎	ACCA	936C	536D	D2CD	1-524D	T2UL0080
1362	畝	ACCB	936D	536E	D2CE	1-524E	T2UM0080
1363	疫	ACCC	936E	536F	D2CF	1-524F	T2UN0080
1364	疤	ACCD	936F	5370	D2D0	1-5250	T2UO0080
1365	疥	ACCE	9370	5371	D2D1	1-5251	T2UP0080
1366	痰	ACCF	9371	5372	D2D2	1-5252	T2UQ0080
1367	疣	ACD0	9372	5373	D2D3	1-5253	T2UR0080
1368	癸	ACD1	9373	5374	D2D4	1-5254	T2US0080
1369	皆	ACD2	9374	5375	D2D5	1-5255	T2UT0080
1370	皇	ACD3	9375	5376	D2D6	1-5256	T2UU0080
1371	皈	ACD4	9376	5377	D2D7	1-5257	T2UV0080
1372	盈	ACD5	9377	5378	D2D8	1-5258	T2UW0080
1373	盆	ACD6	9378	5379	D2D9	1-5259	T2UX0080
1374	盃	ACD7	9379	537A	D2DA	1-525A	T2UY0080
1375	盅	ACD8	937A	537B	D2DB	1-525B	T2UZ0080
1376	省	ACD9	937B	537C	D2DC	1-525C	T2V00080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 2 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1377	盹	ACDA	937C	537D	D2DD	1-525D	T2V10080
1378	相	ACDB	937D	537E	D2DE	1-525E	T2V20080
1379	眉	ACDC	937E	537F	D2DF	1-525F	T2V30080
1380	看	ACDD	9380	5381	D2E0	1-5260	T2V50080
1381	盾	ACDE	9381	5382	D2E1	1-5261	T2V60080
1382	盼	ACDF	9382	5383	D2E2	1-5262	T2V70080
1383	眇	ACE0	9383	5384	D2E3	1-5263	T2V80080
1384	矜	ACE1	9384	5385	D2E4	1-5264	T2V90080
1385	砂	ACE2	9385	5386	D2E5	1-5265	T2VA0080
1386	研	ACE3	9386	5387	D2E6	1-5266	T2VB0080
1387	砌	ACE4	9387	5388	D2E7	1-5267	T2VC0080
1388	砍	ACE5	9388	5389	D2E8	1-5268	T2VD0080
1389	袄	ACE6	9389	538A	D2E9	1-5269	T2VE0080
1390	祉	ACE7	938A	538B	D2EA	1-526A	T2VF0080
1391	祈	ACE8	938B	538C	D2EB	1-526B	T2VG0080
1392	祇	ACE9	938C	538D	D2EC	1-526C	T2VH0080
1393	禹	ACEA	938D	538E	D2ED	1-526D	T2VI0080
1394	禺	ACEB	938E	538F	D2EE	1-526E	T2VJ0080
1395	科	ACEC	938F	5390	D2EF	1-526F	T2VK0080
1396	秒	ACED	9390	5391	D2F0	1-5270	T2VL0080
1397	秋	ACEE	9391	5392	D2F1	1-5271	T2VM0080
1398	穿	ACEF	9392	5393	D2F2	1-5272	T2VN0080
1399	突	ACF0	9393	5394	D2F3	1-5273	T2VO0080
1400	竿	ACF1	9394	5395	D2F4	1-5274	T2VP0080
1401	筭	ACF2	9395	5396	D2F5	1-5275	T2VQ0080
1402	紆	ACF3	9396	5397	D2F6	1-5276	T2VR0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 3 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1403	紂	ACF4	9397	5398	D2F7	1-5277	T2VS0080
1404	紅	ACF5	9398	5399	D2F8	1-5278	T2VT0080
1405	紀	ACF6	9399	539A	D2F9	1-5279	T2VU0080
1406	紉	ACF7	939A	539B	D2FA	1-527A	T2VV0080
1407	紕	ACF8	939B	539C	D2FB	1-527B	T2VW0080
1408	約	ACF9	939C	539D	D2FC	1-527C	T2VX0080
1409	紆	ACFA	939D	539E	D2FD	1-527D	T2VY0080
1410	甬	ACFB	939E	539F	D2FE	1-527E	T2VZ0080
1411	美	ACFC	939F	53A0	D3A1	1-5321	T2W00080
1412	羿	ACFD	93A0	53A1	D3A2	1-5322	T2W10080
1413	耄	ACFE	93A1	53A2	D7D3	1-5753	T2W20080
1414	耐	AD40	93A2	53A3	D3A3	1-5323	T2W30080
1415	耍	AD41	93A3	53A4	D3A4	1-5324	T2W40080
1416	崑	AD42	93A4	53A5	D3A5	1-5325	T2W50080
1417	耶	AD43	93A5	53A6	D3A6	1-5326	T2W60080
1418	胖	AD44	93A6	53A7	D3A7	1-5327	T2W70080
1419	胥	AD45	93A7	53A8	D3A8	1-5328	T2W80080
1420	胚	AD46	93A8	53A9	D3A9	1-5329	T2W90080
1421	胃	AD47	93A9	53AA	D3AA	1-532A	T2WA0080
1422	胄	AD48	93AA	53AB	D3AB	1-532B	T2WB0080
1423	背	AD49	93AB	53AC	D3AC	1-532C	T2WC0080
1424	胡	AD4A	93AC	53AD	D3AD	1-532D	T2WD0080
1425	胛	AD4B	93AD	53AE	D3AE	1-532E	T2WE0080
1426	胎	AD4C	93AE	53AF	D3AF	1-532F	T2WF0080
1427	胞	AD4D	93AF	53B0	D3B0	1-5330	T2WG0080
1428	胤	AD4E	93B0	53B1	D3B1	1-5331	T2WH0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 4 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1429	胝	AD4F	93B1	53B2	D3B2	1-5332	T2WI0080
1430	致	AD50	93B2	53B3	D3B3	1-5333	T2WJ0080
1431	舢	AD51	93B3	53B4	D3B4	1-5334	T2WK0080
1432	苧	AD52	93B4	53B5	D3B5	1-5335	T2WL0080
1433	范	AD53	93B5	53B6	D3B6	1-5336	T2WM0080
1434	茅	AD54	93B6	53B7	D3B7	1-5337	T2WN0080
1435	苴	AD55	93B7	53B8	D3B8	1-5338	T2WO0080
1436	苛	AD56	93B8	53B9	D3B9	1-5339	T2WP0080
1437	苦	AD57	93B9	53BA	D3BA	1-533A	T2WQ0080
1438	茄	AD58	93BA	53BB	D3BB	1-533B	T2WR0080
1439	若	AD59	93BB	53BC	D3BC	1-533C	T2WS0080
1440	茂	AD5A	93BC	53BD	D3BD	1-533D	T2WT0080
1441	茱	AD5B	93BD	53BE	D3BE	1-533E	T2WU0080
1442	蕻	AD5C	93BE	53BF	D3BF	1-533F	T2WV0080
1443	苗	AD5D	93BF	53C0	D3C0	1-5340	T2WW0080
1444	英	AD5E	93C0	53C1	D3C1	1-5341	T2WX0080
1445	茁	AD5F	93C1	53C2	D3C2	1-5342	T2WY0080
1446	苜	AD60	93C2	53C3	D3C3	1-5343	T2WZ0080
1447	苔	AD61	93C3	53C4	D3C4	1-5344	T2X00080
1448	苑	AD62	93C4	53C5	D3C5	1-5345	T2X10080
1449	苞	AD63	93C5	53C6	D3C6	1-5346	T2X20080
1450	苓	AD64	93C6	53C7	D3C7	1-5347	T2X30080
1451	苟	AD65	93C7	53C8	D3C8	1-5348	T2X40080
1452	苯	AD66	93C8	53C9	D3C9	1-5349	T2X50080
1453	茆	AD67	93C9	53CA	D3CA	1-534A	T2X60080
1454	虐	AD68	93CA	53CB	D3CB	1-534B	T2X70080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 5 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1455	虹	AD69	93CB	53CC	D3CC	1-534C	T2X80080
1456	虻	AD6A	93CC	53CD	D3CD	1-534D	T2X90080
1457	虺	AD6B	93CD	53CE	D3CE	1-534E	T2XA0080
1458	衍	AD6C	93CE	53CF	D3CF	1-534F	T2XB0080
1459	衫	AD6D	93CF	53D0	D3D0	1-5350	T2XC0080
1460	要	AD6E	93D0	53D1	D3D1	1-5351	T2XD0080
1461	勛	AD6F	93D1	53D2	D3D2	1-5352	T2XE0080
1462	計	AD70	93D2	53D3	D3D3	1-5353	T2XF0080
1463	訂	AD71	93D3	53D4	D3D4	1-5354	T2XG0080
1464	訃	AD72	93D4	53D5	D3D5	1-5355	T2XH0080
1465	貞	AD73	93D5	53D6	D3D6	1-5356	T2XI0080
1466	負	AD74	93D6	53D7	D3D7	1-5357	T2XJ0080
1467	赴	AD75	93D7	53D8	D3D8	1-5358	T2XK0080
1468	趙	AD76	93D8	53D9	D3D9	1-5359	T2XL0080
1469	趴	AD77	93D9	53DA	D3DA	1-535A	T2XM0080
1470	軍	AD78	93DA	53DB	D3DB	1-535B	T2XN0080
1471	軌	AD79	93DB	53DC	D3DC	1-535C	T2XO0080
1472	述	AD7A	93DC	53DD	D3DD	1-535D	T2XP0080
1473	迦	AD7B	93DD	53DE	D3DE	1-535E	T2XQ0080
1474	迢	AD7C	93DE	53DF	D3DF	1-535F	T2XR0080
1475	迪	AD7D	93DF	53E0	D3E0	1-5360	T2XS0080
1476	迴	AD7E	93E0	53E1	D3E1	1-5361	T2XT0080
1477	迭	ADA1	93E1	53E2	D3E2	1-5362	T2XU0080
1478	迫	ADA2	93E2	53E3	D3E3	1-5363	T2XV0080
1479	迤	ADA3	93E3	53E4	D3E4	1-5364	T2XW0080
1480	迨	ADA4	93E4	53E5	D3E5	1-5365	T2XX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 6 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1481	郊	ADA5	93E5	53E6	D3E6	1-5366	T2XY0080
1482	郎	ADA6	93E6	53E7	D3E7	1-5367	T2XZ0080
1483	郁	ADA7	93E7	53E8	D3E8	1-5368	T2Y00080
1484	郤	ADA8	93E8	53E9	D3E9	1-5369	T2Y10080
1485	會	ADA9	93E9	53EA	D3EA	1-536A	T2Y20080
1486	酌	ADAA	93EA	53EB	D3EB	1-536B	T2Y30080
1487	重	ADAB	93EB	53EC	D3EC	1-536C	T2Y40080
1488	門	ADAC	93EC	53ED	D3ED	1-536D	T2Y50080
1489	限	ADAD	93ED	53EE	D3EE	1-536E	T2Y60080
1490	陋	ADAE	93EE	53EF	D3EF	1-536F	T2Y70080
1491	陌	ADAF	93EF	53F0	D3F0	1-5370	T2Y80080
1492	降	ADB0	93F0	53F1	D3F1	1-5371	T2Y90080
1493	面	ADB1	93F1	53F2	D3F2	1-5372	T2YA0080
1494	革	ADB2	93F2	53F3	D3F3	1-5373	T2YB0080
1495	韋	ADB3	93F3	53F4	D3F4	1-5374	T2YC0080
1496	韭	ADB4	93F4	53F5	D3F5	1-5375	T2YD0080
1497	音	ADB5	93F5	53F6	D3F6	1-5376	T2YE0080
1498	頁	ADB6	93F6	53F7	D3F7	1-5377	T2YF0080
1499	風	ADB7	93F7	53F8	D3F8	1-5378	T2YG0080
1500	飛	ADB8	93F8	53F9	D3F9	1-5379	T2YH0080
1501	食	ADB9	93F9	53FA	D3FA	1-537A	T2YI0080
1502	首	ADBA	93FA	53FB	D3FB	1-537B	T2YJ0080
1503	香	ADBB	93FB	53FC	D3FC	1-537C	T2YK0080
1504	乘	ADBC	93FC	53FD	D3FD	1-537D	T2YL0080
1505	毫	ADBD	9440	5441	D3FE	1-537E	T2YP0080
1506	信	ADBE	9441	5442	D4A1	1-5421	T2YQ0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 7 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1507	倍	ADBF	9442	5443	D4A2	1-5422	T2YR0080
1508	倣	ADC0	9443	5444	D4A3	1-5423	T2YS0080
1509	俯	ADC1	9444	5445	D4A4	1-5424	T2YT0080
1510	倦	ADC2	9445	5446	D4A5	1-5425	T2YU0080
1511	倥	ADC3	9446	5447	D4A6	1-5426	T2YV0080
1512	倅	ADC4	9447	5448	D4A7	1-5427	T2YW0080
1513	倩	ADC5	9448	5449	D4A8	1-5428	T2YX0080
1514	倅	ADC6	9449	544A	D4A9	1-5429	T2YY0080
1515	倆	ADC7	944A	544B	D4AA	1-542A	T2YZ0080
1516	值	ADC8	944B	544C	D4AB	1-542B	T2Z00080
1517	借	ADC9	944C	544D	D4AC	1-542C	T2Z10080
1518	倚	ADCA	944D	544E	D4AD	1-542D	T2Z20080
1519	倒	ADCB	944E	544F	D4AE	1-542E	T2Z30080
1520	們	ADCC	944F	5450	D4AF	1-542F	T2Z40080
1521	俺	ADCD	9450	5451	D4B0	1-5430	T2Z50080
1522	俵	ADCE	9451	5452	D4B1	1-5431	T2Z60080
1523	倨	ADCF	9452	5453	D4B2	1-5432	T2Z70080
1524	倨	ADD0	9453	5454	D4B3	1-5433	T2Z80080
1525	俱	ADD1	9454	5455	D4B4	1-5434	T2Z90080
1526	倡	ADD2	9455	5456	D4B5	1-5435	T2ZA0080
1527	個	ADD3	9456	5457	D4B6	1-5436	T2ZB0080
1528	候	ADD4	9457	5458	D4B7	1-5437	T2ZC0080
1529	倘	ADD5	9458	5459	D4B8	1-5438	T2ZD0080
1530	排	ADD6	9459	545A	D4B9	1-5439	T2ZE0080
1531	修	ADD7	945A	545B	D4BA	1-543A	T2ZF0080
1532	倭	ADD8	945B	545C	D4BB	1-543B	T2ZG0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 8 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1533	倪	ADD9	945C	545D	D4BC	1-543C	T2ZH0080
1534	俾	ADDA	945D	545E	D4BD	1-543D	T2ZI0080
1535	倫	ADDB	945E	545F	D4BE	1-543E	T2ZJ0080
1536	倉	ADDC	945F	5460	D4BF	1-543F	T2ZK0080
1537	兼	ADDD	9460	5461	D4C0	1-5440	T2ZL0080
1538	冤	ADDE	9461	5462	D4C1	1-5441	T2ZM0080
1539	冥	ADDF	9462	5463	D4C2	1-5442	T2ZN0080
1540	冢	ADE0	9463	5464	D4C3	1-5443	T2ZO0080
1541	凍	ADE1	9464	5465	D4C4	1-5444	T2ZP0080
1542	凌	ADE2	9465	5466	D4C5	1-5445	T2ZQ0080
1543	准	ADE3	9466	5467	D4C6	1-5446	T2ZR0080
1544	凋	ADE4	9467	5468	D4C7	1-5447	T2ZS0080
1545	剖	ADE5	9468	5469	D4C8	1-5448	T2ZT0080
1546	剗	ADE6	9469	546A	D4C9	1-5449	T2ZU0080
1547	剔	ADE7	946A	546B	D4CA	1-544A	T2ZV0080
1548	剛	ADE8	946B	546C	D4CB	1-544B	T2ZW0080
1549	剝	ADE9	946C	546D	D4CC	1-544C	T2ZX0080
1550	匪	ADEA	946D	546E	D4CD	1-544D	T2ZY0080
1551	卿	ADEB	946E	546F	D4CE	1-544E	T2ZZ0080
1552	原	ADEC	946F	5470	D4CF	1-544F	T3000080
1553	厝	ADED	9470	5471	D4D0	1-5450	T3010080
1554	叟	ADEE	9471	5472	D4D1	1-5451	T3020080
1555	哨	ADEF	9472	5473	D4D2	1-5452	T3030080
1556	唐	ADF0	9473	5474	D4D3	1-5453	T3040080
1557	唁	ADF1	9474	5475	D4D4	1-5454	T3050080
1558	嗜	ADF2	9475	5476	D4D5	1-5455	T3060080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 9 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1559	哼	ADF3	9476	5477	D4D6	1-5456	T3070080
1560	哥	ADF4	9477	5478	D4D7	1-5457	T3080080
1561	哲	ADF5	9478	5479	D4D8	1-5458	T3090080
1562	峻	ADF6	9479	547A	D4D9	1-5459	T30A0080
1563	哺	ADF7	947A	547B	D4DA	1-545A	T30B0080
1564	唔	ADF8	947B	547C	D4DB	1-545B	T30C0080
1565	哩	ADF9	947C	547D	D4DC	1-545C	T30D0080
1566	哭	ADFA	947D	547E	D4DD	1-545D	T30E0080
1567	員	ADFB	947E	547F	D4DE	1-545E	T30F0080
1568	唉	ADFC	9480	5481	D4DF	1-545F	T30H0080
1569	哮	ADFD	9481	5482	D4E0	1-5460	T30I0080
1570	哪	ADFE	9482	5483	D4E1	1-5461	T30J0080
1571	哦	AE40	9483	5484	D4E2	1-5462	T30K0080
1572	唧	AE41	9484	5485	D4E3	1-5463	T30L0080
1573	唇	AE42	9485	5486	D4E4	1-5464	T30M0080
1574	哽	AE43	9486	5487	D4E5	1-5465	T30N0080
1575	唏	AE44	9487	5488	D4E6	1-5466	T30O0080
1576	圃	AE45	9488	5489	D4E7	1-5467	T30P0080
1577	圀	AE46	9489	548A	D4E8	1-5468	T30Q0080
1578	埂	AE47	948A	548B	D4E9	1-5469	T30R0080
1579	埔	AE48	948B	548C	D4EA	1-546A	T30S0080
1580	埋	AE49	948C	548D	D4EB	1-546B	T30T0080
1581	埃	AE4A	948D	548E	D4EC	1-546C	T30U0080
1582	堉	AE4B	948E	548F	D4ED	1-546D	T30V0080
1583	夏	AE4C	948F	5490	D4EE	1-546E	T30W0080
1584	套	AE4D	9490	5491	D4EF	1-546F	T30X0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 10 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1585	奘	AE4E	9491	5492	D4F0	1-5470	T30Y0080
1586	奚	AE4F	9492	5493	D4F1	1-5471	T30Z0080
1587	娑	AE50	9493	5494	D4F2	1-5472	T3100080
1588	娘	AE51	9494	5495	D4F3	1-5473	T3110080
1589	娜	AE52	9495	5496	D4F4	1-5474	T3120080
1590	娟	AE53	9496	5497	D4F5	1-5475	T3130080
1591	娛	AE54	9497	5498	D4F6	1-5476	T3140080
1592	媿	AE55	9498	5499	D4F7	1-5477	T3150080
1593	姬	AE56	9499	549A	D4F8	1-5478	T3160080
1594	娠	AE57	949A	549B	D4F9	1-5479	T3170080
1595	娣	AE58	949B	549C	D4FA	1-547A	T3180080
1596	媿	AE59	949C	549D	D4FB	1-547B	T3190080
1597	娥	AE5A	949D	549E	D4FC	1-547C	T31A0080
1598	媿	AE5B	949E	549F	D4FD	1-547D	T31B0080
1599	媿	AE5C	949F	54A0	D4FE	1-547E	T31C0080
1600	孫	AE5D	94A0	54A1	D5A1	1-5521	T31D0080
1601	厖	AE5E	94A1	54A2	D5A2	1-5522	T31E0080
1602	宰	AE5F	94A2	54A3	D5A3	1-5523	T31F0080
1603	害	AE60	94A3	54A4	D5A4	1-5524	T31G0080
1604	家	AE61	94A4	54A5	D5A5	1-5525	T31H0080
1605	宴	AE62	94A5	54A6	D5A6	1-5526	T31I0080
1606	宮	AE63	94A6	54A7	D5A7	1-5527	T31J0080
1607	宵	AE64	94A7	54A8	D5A8	1-5528	T31K0080
1608	容	AE65	94A8	54A9	D5A9	1-5529	T31L0080
1609	宸	AE66	94A9	54AA	D5AA	1-552A	T31M0080
1610	射	AE67	94AA	54AB	D5AB	1-552B	T31N0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 11 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1611	屑	AE68	94AB	54AC	D5AC	1-552C	T31O0080
1612	展	AE69	94AC	54AD	D5AD	1-552D	T31P0080
1613	屐	AE6A	94AD	54AE	D5AE	1-552E	T31Q0080
1614	峭	AE6B	94AE	54AF	D5AF	1-552F	T31R0080
1615	峽	AE6C	94AF	54B0	D5B0	1-5530	T31S0080
1616	峻	AE6D	94B0	54B1	D5B1	1-5531	T31T0080
1617	峪	AE6E	94B1	54B2	D5B2	1-5532	T31U0080
1618	峨	AE6F	94B2	54B3	D5B3	1-5533	T31V0080
1619	峰	AE70	94B3	54B4	D5B4	1-5534	T31W0080
1620	島	AE71	94B4	54B5	D5B5	1-5535	T31X0080
1621	坎	AE72	94B5	54B6	D5B6	1-5536	T31Y0080
1622	峴	AE73	94B6	54B7	D5B7	1-5537	T31Z0080
1623	差	AE74	94B7	54B8	D5B8	1-5538	T3200080
1624	席	AE75	94B8	54B9	D5B9	1-5539	T3210080
1625	師	AE76	94B9	54BA	D5BA	1-553A	T3220080
1626	庫	AE77	94BA	54BB	D5BB	1-553B	T3230080
1627	庭	AE78	94BB	54BC	D5BC	1-553C	T3240080
1628	座	AE79	94BC	54BD	D5BD	1-553D	T3250080
1629	弱	AE7A	94BD	54BE	D5BE	1-553E	T3260080
1630	徒	AE7B	94BE	54BF	D5BF	1-553F	T3270080
1631	徑	AE7C	94BF	54C0	D5C0	1-5540	T3280080
1632	徐	AE7D	94C0	54C1	D5C1	1-5541	T3290080
1633	恙	AE7E	94C1	54C2	D5C2	1-5542	T32A0080
1634	恣	AEA1	94C2	54C3	D5C3	1-5543	T32B0080
1635	恥	AEA2	94C3	54C4	D5C4	1-5544	T32C0080
1636	恐	AEA3	94C4	54C5	D5C5	1-5545	T32D0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 12 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1637	恕	AEA4	94C5	54C6	D5C6	1-5546	T32E0080
1638	恭	AEA5	94C6	54C7	D5C7	1-5547	T32F0080
1639	恩	AEA6	94C7	54C8	D5C8	1-5548	T32G0080
1640	息	AEA7	94C8	54C9	D5C9	1-5549	T32H0080
1641	悄	AEA8	94C9	54CA	D5CA	1-554A	T32I0080
1642	悟	AEA9	94CA	54CB	D5CB	1-554B	T32J0080
1643	悚	AEAA	94CB	54CC	D5CC	1-554C	T32K0080
1644	悍	AEAB	94CC	54CD	D5CD	1-554D	T32L0080
1645	悔	AEAC	94CD	54CE	D5CE	1-554E	T32M0080
1646	悌	AEAD	94CE	54CF	D5CF	1-554F	T32N0080
1647	悦	AEAE	94CF	54D0	D5D0	1-5550	T32O0080
1648	悖	AEAF	94D0	54D1	D5D1	1-5551	T32P0080
1649	扇	AEB0	94D1	54D2	D5D2	1-5552	T32Q0080
1650	拳	AEB1	94D2	54D3	D5D3	1-5553	T32R0080
1651	挈	AEB2	94D3	54D4	D5D4	1-5554	T32S0080
1652	拿	AEB3	94D4	54D5	D5D5	1-5555	T32T0080
1653	捎	AEB4	94D5	54D6	D5D6	1-5556	T32U0080
1654	挾	AEB5	94D6	54D7	D5D7	1-5557	T32V0080
1655	振	AEB6	94D7	54D8	D5D8	1-5558	T32W0080
1656	捕	AEB7	94D8	54D9	D5D9	1-5559	T32X0080
1657	搯	AEB8	94D9	54DA	D5DA	1-555A	T32Y0080
1658	搨	AEB9	94DA	54DB	D5DB	1-555B	T32Z0080
1659	捏	AEBA	94DB	54DC	D5DC	1-555C	T3300080
1660	捉	AEBB	94DC	54DD	D5DD	1-555D	T3310080
1661	挺	AEBC	94DD	54DE	D5DE	1-555E	T3320080
1662	捐	AEBD	94DE	54DF	D5DF	1-555F	T3330080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 13 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1663	挽	AEBE	94DF	54E0	D5E0	1-5560	T3340080
1664	挪	AEBF	94E0	54E1	D5E1	1-5561	T3350080
1665	挫	AEC0	94E1	54E2	D5E2	1-5562	T3360080
1666	挨	AEC1	94E2	54E3	D5E3	1-5563	T3370080
1667	捍	AEC2	94E3	54E4	D5E4	1-5564	T3380080
1668	捌	AEC3	94E4	54E5	D5E5	1-5565	T3390080
1669	效	AEC4	94E5	54E6	D5E6	1-5566	T33A0080
1670	救	AEC5	94E6	54E7	D5E7	1-5567	T33B0080
1671	料	AEC6	94E7	54E8	D5E8	1-5568	T33C0080
1672	旁	AEC7	94E8	54E9	D5E9	1-5569	T33D0080
1673	旅	AEC8	94E9	54EA	D5EA	1-556A	T33E0080
1674	時	AEC9	94EA	54EB	D5EB	1-556B	T33F0080
1675	晉	AECA	94EB	54EC	D5EC	1-556C	T33G0080
1676	晏	AECB	94EC	54ED	D5ED	1-556D	T33H0080
1677	晃	AECC	94ED	54EE	D5EE	1-556E	T33I0080
1678	晒	AECD	94EE	54EF	D5EF	1-556F	T33J0080
1679	晌	AECE	94EF	54F0	D5F0	1-5570	T33K0080
1680	晷	AECF	94F0	54F1	D5F1	1-5571	T33L0080
1681	晷	AED0	94F1	54F2	D5F2	1-5572	T33M0080
1682	書	AED1	94F2	54F3	D5F3	1-5573	T33N0080
1683	朔	AED2	94F3	54F4	D5F4	1-5574	T33O0080
1684	朕	AED3	94F4	54F5	D5F5	1-5575	T33P0080
1685	朗	AED4	94F5	54F6	D5F6	1-5576	T33Q0080
1686	校	AED5	94F6	54F7	D5F7	1-5577	T33R0080
1687	核	AED6	94F7	54F8	D5F8	1-5578	T33S0080
1688	案	AED7	94F8	54F9	D5F9	1-5579	T33T0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 14 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1689	框	AED8	94F9	54FA	D5FA	1-557A	T33U0080
1690	桓	AED9	94FA	54FB	D5FB	1-557B	T33V0080
1691	根	AEDA	94FB	54FC	D5FC	1-557C	T33W0080
1692	桂	AEDB	94FC	54FD	D5FD	1-557D	T33X0080
1693	桔	AEDC	9540	5541	D5FE	1-557E	T3410080
1694	栩	AEDD	9541	5542	D6A1	1-5621	T3420080
1695	梳	AEDE	9542	5543	D6A2	1-5622	T3430080
1696	栗	AEDF	9543	5544	D6A3	1-5623	T3440080
1697	桌	AEE0	9544	5545	D6A4	1-5624	T3450080
1698	桑	AEE1	9545	5546	D6A5	1-5625	T3460080
1699	栽	AEE2	9546	5547	D6A6	1-5626	T3470080
1700	柴	AEE3	9547	5548	D6A7	1-5627	T3480080
1701	桐	AEE4	9548	5549	D6A8	1-5628	T3490080
1702	桀	AEE5	9549	554A	D6A9	1-5629	T34A0080
1703	格	AEE6	954A	554B	D6AA	1-562A	T34B0080
1704	桃	AEE7	954B	554C	D6AB	1-562B	T34C0080
1705	株	AEE8	954C	554D	D6AC	1-562C	T34D0080
1706	桅	AEE9	954D	554E	D6AD	1-562D	T34E0080
1707	栓	AEEA	954E	554F	D6AE	1-562E	T34F0080
1708	移	AEEB	954F	5550	D6AF	1-562F	T34G0080
1709	桁	AEEC	9550	5551	D6B0	1-5630	T34H0080
1710	殊	AEED	9551	5552	D6B1	1-5631	T34I0080
1711	殉	AEEE	9552	5553	D6B2	1-5632	T34J0080
1712	殷	AEEF	9553	5554	D6B3	1-5633	T34K0080
1713	氣	AEF0	9554	5555	D6B4	1-5634	T34L0080
1714	氧	AEF1	9555	5556	D6B5	1-5635	T34M0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 15 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1715	氨	AEF2	9556	5557	D6B6	1-5636	T34N0080
1716	氮	AEF3	9557	5558	D6B7	1-5637	T34O0080
1717	氫	AEF4	9558	5559	D6B8	1-5638	T34P0080
1718	泰	AEF5	9559	555A	D6B9	1-5639	T34Q0080
1719	浪	AEF6	955A	555B	D6BA	1-563A	T34R0080
1720	涕	AEF7	955B	555C	D6BB	1-563B	T34S0080
1721	消	AEF8	955C	555D	D6BC	1-563C	T34T0080
1722	涇	AEF9	955D	555E	D6BD	1-563D	T34U0080
1723	浦	AEFA	955E	555F	D6BE	1-563E	T34V0080
1724	浸	AEFB	955F	5560	D6BF	1-563F	T34W0080
1725	海	AEFC	9560	5561	D6C0	1-5640	T34X0080
1726	浙	AEFD	9561	5562	D6C1	1-5641	T34Y0080
1727	涓	AEFE	9562	5563	D6C2	1-5642	T34Z0080
1728	湮	AF40	9563	5564	D6C3	1-5643	T3500080
1729	涉	AF41	9564	5565	D6C4	1-5644	T3510080
1730	浮	AF42	9565	5566	D6C5	1-5645	T3520080
1731	浚	AF43	9566	5567	D6C6	1-5646	T3530080
1732	浴	AF44	9567	5568	D6C7	1-5647	T3540080
1733	浩	AF45	9568	5569	D6C8	1-5648	T3550080
1734	涌	AF46	9569	556A	D6C9	1-5649	T3560080
1735	認	AF47	956A	556B	D6CA	1-564A	T3570080
1736	浹	AF48	956B	556C	D6CB	1-564B	T3580080
1737	湮	AF49	956C	556D	D6CC	1-564C	T3590080
1738	涓	AF4A	956D	556E	D6CD	1-564D	T35A0080
1739	涇	AF4B	956E	556F	D6CE	1-564E	T35B0080
1740	烱	AF4C	956F	5570	D6CF	1-564F	T35C0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 16 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1741	烘	AF4D	9570	5571	D6D0	1-5650	T35D0080
1742	烤	AF4E	9571	5572	D6D1	1-5651	T35E0080
1743	烙	AF4F	9572	5573	D6D2	1-5652	T35F0080
1744	烈	AF50	9573	5574	D6D3	1-5653	T35G0080
1745	烏	AF51	9574	5575	D6D4	1-5654	T35H0080
1746	爹	AF52	9575	5576	D6D5	1-5655	T35I0080
1747	特	AF53	9576	5577	D6D6	1-5656	T35J0080
1748	狼	AF54	9577	5578	D6D7	1-5657	T35K0080
1749	狹	AF55	9578	5579	D6D8	1-5658	T35L0080
1750	狽	AF56	9579	557A	D6D9	1-5659	T35M0080
1751	狸	AF57	957A	557B	D6DA	1-565A	T35N0080
1752	狷	AF58	957B	557C	D6DB	1-565B	T35O0080
1753	茲	AF59	957C	557D	D6DC	1-565C	T35P0080
1754	班	AF5A	957D	557E	D6DD	1-565D	T35Q0080
1755	琉	AF5B	957E	557F	D6DE	1-565E	T35R0080
1756	珮	AF5C	9580	5581	D6DF	1-565F	T35T0080
1757	珠	AF5D	9581	5582	D6E0	1-5660	T35U0080
1758	珪	AF5E	9582	5583	D6E1	1-5661	T35V0080
1759	珞	AF5F	9583	5584	D6E2	1-5662	T35W0080
1760	畔	AF60	9584	5585	D6E3	1-5663	T35X0080
1761	畝	AF61	9585	5586	D6E4	1-5664	T35Y0080
1762	畜	AF62	9586	5587	D6E5	1-5665	T35Z0080
1763	畚	AF63	9587	5588	D6E6	1-5666	T3600080
1764	留	AF64	9588	5589	D6E7	1-5667	T3610080
1765	疾	AF65	9589	558A	D6E8	1-5668	T3620080
1766	病	AF66	958A	558B	D6E9	1-5669	T3630080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 17 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1767	症	AF67	958B	558C	D6EA	1-566A	T3640080
1768	瘦	AF68	958C	558D	D6EB	1-566B	T3650080
1769	疖	AF69	958D	558E	D6EC	1-566C	T3660080
1770	疽	AF6A	958E	558F	D6ED	1-566D	T3670080
1771	疹	AF6B	958F	5590	D6EE	1-566E	T3680080
1772	疹	AF6C	9590	5591	D6EF	1-566F	T3690080
1773	痂	AF6D	9591	5592	D6F0	1-5670	T36A0080
1774	疽	AF6E	9592	5593	D6F1	1-5671	T36B0080
1775	皋	AF6F	9593	5594	D6F2	1-5672	T36C0080
1776	皲	AF70	9594	5595	D6F3	1-5673	T36D0080
1777	益	AF71	9595	5596	D6F4	1-5674	T36E0080
1778	盍	AF72	9596	5597	D6F5	1-5675	T36F0080
1779	盍	AF73	9597	5598	D6F6	1-5676	T36G0080
1780	眩	AF74	9598	5599	D6F7	1-5677	T36H0080
1781	真	AF75	9599	559A	D6F8	1-5678	T36I0080
1782	眠	AF76	959A	559B	D6F9	1-5679	T36J0080
1783	眨	AF77	959B	559C	D6FA	1-567A	T36K0080
1784	矩	AF78	959C	559D	D6FB	1-567B	T36L0080
1785	砵	AF79	959D	559E	D6FC	1-567C	T36M0080
1786	砧	AF7A	959E	559F	D6FD	1-567D	T36N0080
1787	砸	AF7B	959F	55A0	D6FE	1-567E	T36O0080
1788	砧	AF7C	95A0	55A1	D7A1	1-5721	T36P0080
1789	破	AF7D	95A1	55A2	D7A2	1-5722	T36Q0080
1790	砷	AF7E	95A2	55A3	D7A3	1-5723	T36R0080
1791	砥	AFA1	95A3	55A4	D7A4	1-5724	T36S0080
1792	砭	AFA2	95A4	55A5	D7A5	1-5725	T36T0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 18 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1793	租	AFA3	95A5	55A6	D7A6	1-5726	T36U0080
1794	作	AFA4	95A6	55A7	D7A7	1-5727	T36V0080
1795	袍	AFA5	95A7	55A8	D7A8	1-5728	T36W0080
1796	祕	AFA6	95A8	55A9	D7A9	1-5729	T36X0080
1797	祐	AFA7	95A9	55AA	D7AA	1-572A	T36Y0080
1798	祠	AFA8	95AA	55AB	D7AB	1-572B	T36Z0080
1799	崇	AFA9	95AB	55AC	D7AC	1-572C	T3700080
1800	祖	AFAA	95AC	55AD	D7AD	1-572D	T3710080
1801	神	AFAB	95AD	55AE	D7AE	1-572E	T3720080
1802	祝	AFAC	95AE	55AF	D7AF	1-572F	T3730080
1803	祇	AFAD	95AF	55B0	D7B0	1-5730	T3740080
1804	祚	AFAE	95B0	55B1	D7B1	1-5731	T3750080
1805	秤	AFAF	95B1	55B2	D7B2	1-5732	T3760080
1806	秣	AFB0	95B2	55B3	D7B3	1-5733	T3770080
1807	秧	AFB1	95B3	55B4	D7B4	1-5734	T3780080
1808	租	AFB2	95B4	55B5	D7B5	1-5735	T3790080
1809	秦	AFB3	95B5	55B6	D7B6	1-5736	T37A0080
1810	秩	AFB4	95B6	55B7	D7B7	1-5737	T37B0080
1811	秘	AFB5	95B7	55B8	D7B8	1-5738	T37C0080
1812	窄	AFB6	95B8	55B9	D7B9	1-5739	T37D0080
1813	竊	AFB7	95B9	55BA	D7BA	1-573A	T37E0080
1814	站	AFB8	95BA	55BB	D7BB	1-573B	T37F0080
1815	笛	AFB9	95BB	55BC	D7BC	1-573C	T37G0080
1816	笑	AFBA	95BC	55BD	D7BD	1-573D	T37H0080
1817	粉	AFBB	95BD	55BE	D7BE	1-573E	T37I0080
1818	紡	AFBC	95BE	55BF	D7BF	1-573F	T37J0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 19 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1819	紗	AFBD	95BF	55C0	D7C0	1-5740	T37K0080
1820	紋	AFBE	95C0	55C1	D7C1	1-5741	T37L0080
1821	紊	AFBF	95C1	55C2	D7C2	1-5742	T37M0080
1822	素	AFC0	95C2	55C3	D7C3	1-5743	T37N0080
1823	索	AFC1	95C3	55C4	D7C4	1-5744	T37O0080
1824	純	AFC2	95C4	55C5	D7C5	1-5745	T37P0080
1825	紐	AFC3	95C5	55C6	D7C6	1-5746	T37Q0080
1826	紕	AFC4	95C6	55C7	D7C7	1-5747	T37R0080
1827	緞	AFC5	95C7	55C8	D7C8	1-5748	T37S0080
1828	紕	AFC6	95C8	55C9	D7C9	1-5749	T37T0080
1829	納	AFC7	95C9	55CA	D7CA	1-574A	T37U0080
1830	紙	AFC8	95CA	55CB	D7CB	1-574B	T37V0080
1831	紛	AFC9	95CB	55CC	D7CC	1-574C	T37W0080
1832	缺	AFCA	95CC	55CD	D7CD	1-574D	T37X0080
1833	罟	AFCB	95CD	55CE	D7CE	1-574E	T37Y0080
1834	羔	AFCC	95CE	55CF	D7CF	1-574F	T37Z0080
1835	翅	AFCD	95CF	55D0	D7D0	1-5750	T3800080
1836	翁	AFCE	95D0	55D1	D7D1	1-5751	T3810080
1837	耆	AFCF	95D1	55D2	D7D2	1-5752	T3820080
1838	耘	AFD0	95D2	55D3	D7D4	1-5754	T3830080
1839	耕	AFD1	95D3	55D4	D7D5	1-5755	T3840080
1840	耙	AFD2	95D4	55D5	D7D6	1-5756	T3850080
1841	耗	AFD3	95D5	55D6	D7D7	1-5757	T3860080
1842	耽	AFD4	95D6	55D7	D7D8	1-5758	T3870080
1843	耿	AFD5	95D7	55D8	D7D9	1-5759	T3880080
1844	胱	AFD6	95D8	55D9	D7DA	1-575A	T3890080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 20 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1845	脂	AFD7	95D9	55DA	D7DB	1-575B	T38A0080
1846	胰	AFD8	95DA	55DB	D7DC	1-575C	T38B0080
1847	脅	AFD9	95DB	55DC	D7DD	1-575D	T38C0080
1848	咽	AFDA	95DC	55DD	D7DE	1-575E	T38D0080
1849	胴	AFDB	95DD	55DE	D7DF	1-575F	T38E0080
1850	脆	AFDC	95DE	55DF	D7E0	1-5760	T38F0080
1851	胸	AFDD	95DF	55E0	D7E1	1-5761	T38G0080
1852	脗	AFDE	95E0	55E1	D7E2	1-5762	T38H0080
1853	脈	AFDF	95E1	55E2	D7E3	1-5763	T38I0080
1854	能	AFE0	95E2	55E3	D7E4	1-5764	T38J0080
1855	脊	AFE1	95E3	55E4	D7E5	1-5765	T38K0080
1856	胼	AFE2	95E4	55E5	D7E6	1-5766	T38L0080
1857	胯	AFE3	95E5	55E6	D7E7	1-5767	T38M0080
1858	臭	AFE4	95E6	55E7	D7E8	1-5768	T38N0080
1859	臬	AFE5	95E7	55E8	D7E9	1-5769	T38O0080
1860	咎	AFE6	95E8	55E9	D7EA	1-576A	T38P0080
1861	舐	AFE7	95E9	55EA	D7EB	1-576B	T38Q0080
1862	航	AFE8	95EA	55EB	D7EC	1-576C	T38R0080
1863	舫	AFE9	95EB	55EC	D7ED	1-576D	T38S0080
1864	舩	AFEA	95EC	55ED	D7EE	1-576E	T38T0080
1865	般	AFEB	95ED	55EE	D7EF	1-576F	T38U0080
1866	芻	AFEC	95EE	55EF	D7F0	1-5770	T38V0080
1867	茫	AFED	95EF	55F0	D7F1	1-5771	T38W0080
1868	荒	AFEE	95F0	55F1	D7F2	1-5772	T38X0080
1869	荔	AFEF	95F1	55F2	D7F3	1-5773	T38Y0080
1870	荊	AFF0	95F2	55F3	D7F4	1-5774	T38Z0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 21 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1871	葺	AFF1	95F3	55F4	D7F5	1-5775	T3900080
1872	荐	AFF2	95F4	55F5	D7F6	1-5776	T3910080
1873	草	AFF3	95F5	55F6	D7F7	1-5777	T3920080
1874	茵	AFF4	95F6	55F7	D7F8	1-5778	T3930080
1875	茴	AFF5	95F7	55F8	D7F9	1-5779	T3940080
1876	茺	AFF6	95F8	55F9	D7FA	1-577A	T3950080
1877	茲	AFF7	95F9	55FA	D7FB	1-577B	T3960080
1878	茹	AFF8	95FA	55FB	D7FC	1-577C	T3970080
1879	荼	AFF9	95FB	55FC	D7FD	1-577D	T3980080
1880	茗	AFFA	95FC	55FD	D7FE	1-577E	T3990080
1881	荀	AFFB	9640	5641	D8A1	1-5821	T39D0080
1882	茺	AFFC	9641	5642	D8A2	1-5822	T39E0080
1883	茨	AFFD	9642	5643	D8A3	1-5823	T39F0080
1884	荃	AFFE	9643	5644	D8A4	1-5824	T39G0080
1885	虔	B040	9644	5645	D8A5	1-5825	T39H0080
1886	蚊	B041	9645	5646	D8A6	1-5826	T39I0080
1887	蚪	B042	9646	5647	D8A7	1-5827	T39J0080
1888	蚓	B043	9647	5648	D8A8	1-5828	T39K0080
1889	蚤	B044	9648	5649	D8A9	1-5829	T39L0080
1890	蚩	B045	9649	564A	D8AA	1-582A	T39M0080
1891	蚌	B046	964A	564B	D8AB	1-582B	T39N0080
1892	蚣	B047	964B	564C	D8AC	1-582C	T39O0080
1893	蚶	B048	964C	564D	D8AD	1-582D	T39P0080
1894	衰	B049	964D	564E	D8AE	1-582E	T39Q0080
1895	衷	B04A	964E	564F	D8AF	1-582F	T39R0080
1896	袁	B04B	964F	5650	D8B0	1-5830	T39S0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 22 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1897	袂	B04C	9650	5651	D8B1	1-5831	T39T0080
1898	衽	B04D	9651	5652	D8B2	1-5832	T39U0080
1899	祇	B04E	9652	5653	D8B3	1-5833	T39V0080
1900	記	B04F	9653	5654	D8B4	1-5834	T39W0080
1901	訐	B050	9654	5655	D8B5	1-5835	T39X0080
1902	討	B051	9655	5656	D8B6	1-5836	T39Y0080
1903	訶	B052	9656	5657	D8B7	1-5837	T39Z0080
1904	訕	B053	9657	5658	D8B8	1-5838	T3A00080
1905	訊	B054	9658	5659	D8B9	1-5839	T3A10080
1906	託	B055	9659	565A	D8BA	1-583A	T3A20080
1907	訓	B056	965A	565B	D8BB	1-583B	T3A30080
1908	訖	B057	965B	565C	D8BC	1-583C	T3A40080
1909	訐	B058	965C	565D	D8BD	1-583D	T3A50080
1910	訑	B059	965D	565E	D8BE	1-583E	T3A60080
1911	豈	B05A	965E	565F	D8BF	1-583F	T3A70080
1912	豺	B05B	965F	5660	D8C0	1-5840	T3A80080
1913	豹	B05C	9660	5661	D8C1	1-5841	T3A90080
1914	財	B05D	9661	5662	D8C2	1-5842	T3AA0080
1915	貢	B05E	9662	5663	D8C3	1-5843	T3AB0080
1916	起	B05F	9663	5664	D8C4	1-5844	T3AC0080
1917	躬	B060	9664	5665	D8C5	1-5845	T3AD0080
1918	軒	B061	9665	5666	D8C6	1-5846	T3AE0080
1919	軻	B062	9666	5667	D8C7	1-5847	T3AF0080
1920	軛	B063	9667	5668	D8C8	1-5848	T3AG0080
1921	辱	B064	9668	5669	D8C9	1-5849	T3AH0080
1922	送	B065	9669	566A	D8CA	1-584A	T3AI0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 23 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1923	逆	B066	966A	566B	D8CB	1-584B	T3AJ0080
1924	迷	B067	966B	566C	D8CC	1-584C	T3AK0080
1925	退	B068	966C	566D	D8CD	1-584D	T3AL0080
1926	迺	B069	966D	566E	D8CE	1-584E	T3AM0080
1927	迴	B06A	966E	566F	D8CF	1-584F	T3AN0080
1928	逃	B06B	966F	5670	D8D0	1-5850	T3AO0080
1929	追	B06C	9670	5671	D8D1	1-5851	T3AP0080
1930	逅	B06D	9671	5672	D8D2	1-5852	T3AQ0080
1931	迸	B06E	9672	5673	D8D3	1-5853	T3AR0080
1932	邕	B06F	9673	5674	D8D4	1-5854	T3AS0080
1933	郡	B070	9674	5675	D8D5	1-5855	T3AT0080
1934	郝	B071	9675	5676	D8D6	1-5856	T3AU0080
1935	郢	B072	9676	5677	D8D7	1-5857	T3AV0080
1936	酒	B073	9677	5678	D8D8	1-5858	T3AW0080
1937	配	B074	9678	5679	D8D9	1-5859	T3AX0080
1938	酌	B075	9679	567A	D8DA	1-585A	T3AY0080
1939	釘	B076	967A	567B	D8DB	1-585B	T3AZ0080
1940	針	B077	967B	567C	D8DC	1-585C	T3B00080
1941	釧	B078	967C	567D	D8DD	1-585D	T3B10080
1942	釜	B079	967D	567E	D8DE	1-585E	T3B20080
1943	針	B07A	967E	567F	D8DF	1-585F	T3B30080
1944	閃	B07B	9680	5681	D8E0	1-5860	T3B50080
1945	院	B07C	9681	5682	D8E1	1-5861	T3B60080
1946	陣	B07D	9682	5683	D8E2	1-5862	T3B70080
1947	陡	B07E	9683	5684	D8E3	1-5863	T3B80080
1948	陞	B0A1	9684	5685	D8E4	1-5864	T3B90080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 24 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1949	陝	B0A2	9685	5686	D8E5	1-5865	T3BA0080
1950	除	B0A3	9686	5687	D8E6	1-5866	T3BB0080
1951	陞	B0A4	9687	5688	D8E7	1-5867	T3BC0080
1952	陞	B0A5	9688	5689	D8E8	1-5868	T3BD0080
1953	隻	B0A6	9689	568A	D8E9	1-5869	T3BE0080
1954	飢	B0A7	968A	568B	D8EA	1-586A	T3BF0080
1955	馬	B0A8	968B	568C	D8EB	1-586B	T3BG0080
1956	骨	B0A9	968C	568D	D8EC	1-586C	T3BH0080
1957	高	B0AA	968D	568E	D8ED	1-586D	T3BI0080
1958	鬥	B0AB	968E	568F	D8EE	1-586E	T3BJ0080
1959	鬲	B0AC	968F	5690	D8EF	1-586F	T3BK0080
1960	鬼	B0AD	9690	5691	D8F0	1-5870	T3BL0080
1961	乾	B0AE	9691	5692	D8F1	1-5871	T3BM0080
1962	僭	B0AF	9692	5693	D8F2	1-5872	T3BN0080
1963	偽	B0B0	9693	5694	D8F3	1-5873	T3BO0080
1964	停	B0B1	9694	5695	D8F4	1-5874	T3BP0080
1965	假	B0B2	9695	5696	D8F5	1-5875	T3BQ0080
1966	偃	B0B3	9696	5697	D8F6	1-5876	T3BR0080
1967	偌	B0B4	9697	5698	D8F7	1-5877	T3BS0080
1968	做	B0B5	9698	5699	D8F8	1-5878	T3BT0080
1969	偉	B0B6	9699	569A	D8F9	1-5879	T3BU0080
1970	健	B0B7	969A	569B	D8FA	1-587A	T3BV0080
1971	偶	B0B8	969B	569C	D8FB	1-587B	T3BW0080
1972	偨	B0B9	969C	569D	D8FC	1-587C	T3BX0080
1973	僭	B0BA	969D	569E	D8FD	1-587D	T3BY0080
1974	偵	B0BB	969E	569F	D8FE	1-587E	T3BZ0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 25 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1975	側	B0BC	969F	56A0	D9A1	1-5921	T3C00080
1976	儉	B0BD	96A0	56A1	D9A2	1-5922	T3C10080
1977	偏	B0BE	96A1	56A2	D9A3	1-5923	T3C20080
1978	倏	B0BF	96A2	56A3	D9A4	1-5924	T3C30080
1979	儼	B0C0	96A3	56A4	D9A5	1-5925	T3C40080
1980	佃	B0C1	96A4	56A5	D9A6	1-5926	T3C50080
1981	兜	B0C2	96A5	56A6	D9A7	1-5927	T3C60080
1982	冕	B0C3	96A6	56A7	D9A8	1-5928	T3C70080
1983	鳳	B0C4	96A7	56A8	D9A9	1-5929	T3C80080
1984	剪	B0C5	96A8	56A9	D9AA	1-592A	T3C90080
1985	副	B0C6	96A9	56AA	D9AB	1-592B	T3CA0080
1986	勒	B0C7	96AA	56AB	D9AC	1-592C	T3CB0080
1987	務	B0C8	96AB	56AC	D9AD	1-592D	T3CC0080
1988	勘	B0C9	96AC	56AD	D9AE	1-592E	T3CD0080
1989	動	B0CA	96AD	56AE	D9AF	1-592F	T3CE0080
1990	匐	B0CB	96AE	56AF	D9B0	1-5930	T3CF0080
1991	匏	B0CC	96AF	56B0	D9B1	1-5931	T3CG0080
1992	匙	B0CD	96B0	56B1	D9B2	1-5932	T3CH0080
1993	匱	B0CE	96B1	56B2	D9B3	1-5933	T3CI0080
1994	區	B0CF	96B2	56B3	D9B4	1-5934	T3CJ0080
1995	區	B0D0	96B3	56B4	D9B5	1-5935	T3CK0080
1996	參	B0D1	96B4	56B5	D9B6	1-5936	T3CL0080
1997	曼	B0D2	96B5	56B6	D9B7	1-5937	T3CM0080
1998	商	B0D3	96B6	56B7	D9B8	1-5938	T3CN0080
1999	啲	B0D4	96B7	56B8	D9B9	1-5939	T3CO0080
2000	啦	B0D5	96B8	56B9	D9BA	1-593A	T3CP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 26 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2001	啄	B0D6	96B9	56BA	D9BB	1-593B	T3CQ0080
2002	啞	B0D7	96BA	56BB	D9BC	1-593C	T3CR0080
2003	啡	B0D8	96BB	56BC	D9BD	1-593D	T3CS0080
2004	哨	B0D9	96BC	56BD	D9BE	1-593E	T3CT0080
2005	啊	B0DA	96BD	56BE	D9BF	1-593F	T3CU0080
2006	唱	B0DB	96BE	56BF	D9C0	1-5940	T3CV0080
2007	啖	B0DC	96BF	56C0	D9C1	1-5941	T3CW0080
2008	問	B0DD	96C0	56C1	D9C2	1-5942	T3CX0080
2009	啣	B0DE	96C1	56C2	D9C3	1-5943	T3CY0080
2010	唯	B0DF	96C2	56C3	D9C4	1-5944	T3CZ0080
2011	啤	B0E0	96C3	56C4	D9C5	1-5945	T3D00080
2012	唸	B0E1	96C4	56C5	D9C6	1-5946	T3D10080
2013	售	B0E2	96C5	56C6	D9C7	1-5947	T3D20080
2014	啜	B0E3	96C6	56C7	D9C8	1-5948	T3D30080
2015	唬	B0E4	96C7	56C8	D9C9	1-5949	T3D40080
2016	啣	B0E5	96C8	56C9	D9CA	1-594A	T3D50080
2017	唳	B0E6	96C9	56CA	D9CB	1-594B	T3D60080
2018	啣	B0E7	96CA	56CB	D9CC	1-594C	T3D70080
2019	啣	B0E8	96CB	56CC	D9CD	1-594D	T3D80080
2020	圈	B0E9	96CC	56CD	D9CE	1-594E	T3D90080
2021	國	B0EA	96CD	56CE	D9CF	1-594F	T3DA0080
2022	圍	B0EB	96CE	56CF	D9D0	1-5950	T3DB0080
2023	域	B0EC	96CF	56D0	D9D1	1-5951	T3DC0080
2024	壑	B0ED	96D0	56D1	D9D2	1-5952	T3DD0080
2025	壘	B0EE	96D1	56D2	D9D3	1-5953	T3DE0080
2026	堆	B0EF	96D2	56D3	D9D4	1-5954	T3DF0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 27 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2027	埠	B0F0	96D3	56D4	D9D5	1-5955	T3DG0080
2028	埤	B0F1	96D4	56D5	D9D6	1-5956	T3DH0080
2029	基	B0F2	96D5	56D6	D9D7	1-5957	T3DI0080
2030	堂	B0F3	96D6	56D7	D9D8	1-5958	T3DJ0080
2031	堵	B0F4	96D7	56D8	D9D9	1-5959	T3DK0080
2032	執	B0F5	96D8	56D9	D9DA	1-595A	T3DL0080
2033	培	B0F6	96D9	56DA	D9DB	1-595B	T3DM0080
2034	夠	B0F7	96DA	56DB	D9DC	1-595C	T3DN0080
2035	奢	B0F8	96DB	56DC	D9DD	1-595D	T3DO0080
2036	娶	B0F9	96DC	56DD	D9DE	1-595E	T3DP0080
2037	婁	B0FA	96DD	56DE	D9DF	1-595F	T3DQ0080
2038	婉	B0FB	96DE	56DF	D9E0	1-5960	T3DR0080
2039	婦	B0FC	96DF	56E0	D9E1	1-5961	T3DS0080
2040	婪	B0FD	96E0	56E1	D9E2	1-5962	T3DT0080
2041	婀	B0FE	96E1	56E2	D9E3	1-5963	T3DU0080
2042	娼	B140	96E2	56E3	D9E4	1-5964	T3DV0080
2043	婢	B141	96E3	56E4	D9E5	1-5965	T3DW0080
2044	婚	B142	96E4	56E5	D9E6	1-5966	T3DX0080
2045	婆	B143	96E5	56E6	D9E7	1-5967	T3DY0080
2046	媵	B144	96E6	56E7	D9E8	1-5968	T3DZ0080
2047	孰	B145	96E7	56E8	D9E9	1-5969	T3E00080
2048	寇	B146	96E8	56E9	D9EA	1-596A	T3E10080
2049	寅	B147	96E9	56EA	D9EB	1-596B	T3E20080
2050	寄	B148	96EA	56EB	D9EC	1-596C	T3E30080
2051	寂	B149	96EB	56EC	D9ED	1-596D	T3E40080
2052	宿	B14A	96EC	56ED	D9EE	1-596E	T3E50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 28 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2053	密	B14B	96ED	56EE	D9EF	1-596F	T3E60080
2054	尉	B14C	96EE	56EF	D9F0	1-5970	T3E70080
2055	專	B14D	96EF	56F0	D9F1	1-5971	T3E80080
2056	將	B14E	96F0	56F1	D9F2	1-5972	T3E90080
2057	屠	B14F	96F1	56F2	D9F3	1-5973	T3EA0080
2058	屨	B150	96F2	56F3	D9F4	1-5974	T3EB0080
2059	扉	B151	96F3	56F4	D9F5	1-5975	T3EC0080
2060	崇	B152	96F4	56F5	D9F6	1-5976	T3ED0080
2061	崆	B153	96F5	56F6	D9F7	1-5977	T3EE0080
2062	崎	B154	96F6	56F7	D9F8	1-5978	T3EF0080
2063	屨	B155	96F7	56F8	D9F9	1-5979	T3EG0080
2064	崖	B156	96F8	56F9	D9FA	1-597A	T3EH0080
2065	崢	B157	96F9	56FA	D9FB	1-597B	T3EI0080
2066	崑	B158	96FA	56FB	D9FC	1-597C	T3EJ0080
2067	崩	B159	96FB	56FC	D9FD	1-597D	T3EK0080
2068	崔	B15A	96FC	56FD	D9FE	1-597E	T3EL0080
2069	崙	B15B	9740	5741	DAA1	1-5A21	T3EP0080
2070	崘	B15C	9741	5742	DAA2	1-5A22	T3EQ0080
2071	崜	B15D	9742	5743	DAA3	1-5A23	T3ER0080
2072	崗	B15E	9743	5744	DAA4	1-5A24	T3ES0080
2073	巢	B15F	9744	5745	DAA5	1-5A25	T3ET0080
2074	常	B160	9745	5746	DAA6	1-5A26	T3EU0080
2075	帶	B161	9746	5747	DAA7	1-5A27	T3EV0080
2076	帳	B162	9747	5748	DAA8	1-5A28	T3EW0080
2077	帷	B163	9748	5749	DAA9	1-5A29	T3EX0080
2078	康	B164	9749	574A	DAAA	1-5A2A	T3EY0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 29 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2079	庸	B165	974A	574B	DAAB	1-5A2B	T3EZ0080
2080	庶	B166	974B	574C	DAAC	1-5A2C	T3F00080
2081	庵	B167	974C	574D	DAAD	1-5A2D	T3F10080
2082	庾	B168	974D	574E	DAAE	1-5A2E	T3F20080
2083	張	B169	974E	574F	DAAF	1-5A2F	T3F30080
2084	強	B16A	974F	5750	DAB0	1-5A30	T3F40080
2085	彗	B16B	9750	5751	DAB1	1-5A31	T3F50080
2086	彬	B16C	9751	5752	DAB2	1-5A32	T3F60080
2087	彩	B16D	9752	5753	DAB3	1-5A33	T3F70080
2088	彫	B16E	9753	5754	DAB4	1-5A34	T3F80080
2089	得	B16F	9754	5755	DAB5	1-5A35	T3F90080
2090	徙	B170	9755	5756	DAB6	1-5A36	T3FA0080
2091	從	B171	9756	5757	DAB7	1-5A37	T3FB0080
2092	徘	B172	9757	5758	DAB8	1-5A38	T3FC0080
2093	御	B173	9758	5759	DAB9	1-5A39	T3FD0080
2094	徠	B174	9759	575A	DABA	1-5A3A	T3FE0080
2095	徇	B175	975A	575B	DABB	1-5A3B	T3FF0080
2096	患	B176	975B	575C	DABC	1-5A3C	T3FG0080
2097	患	B177	975C	575D	DABD	1-5A3D	T3FH0080
2098	悉	B178	975D	575E	DABE	1-5A3E	T3FI0080
2099	悠	B179	975E	575F	DABF	1-5A3F	T3FJ0080
2100	您	B17A	975F	5760	DAC0	1-5A40	T3FK0080
2101	惋	B17B	9760	5761	DAC1	1-5A41	T3FL0080
2102	悴	B17C	9761	5762	DAC2	1-5A42	T3FM0080
2103	悒	B17D	9762	5763	DAC3	1-5A43	T3FN0080
2104	悽	B17E	9763	5764	DAC4	1-5A44	T3FO0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 30 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2105	情	B1A1	9764	5765	DAC5	1-5A45	T3FP0080
2106	悻	B1A2	9765	5766	DAC6	1-5A46	T3FQ0080
2107	悵	B1A3	9766	5767	DAC7	1-5A47	T3FR0080
2108	惜	B1A4	9767	5768	DAC8	1-5A48	T3FS0080
2109	悼	B1A5	9768	5769	DAC9	1-5A49	T3FT0080
2110	惘	B1A6	9769	576A	DACA	1-5A4A	T3FU0080
2111	惕	B1A7	976A	576B	DACB	1-5A4B	T3FV0080
2112	惆	B1A8	976B	576C	DACC	1-5A4C	T3FW0080
2113	惟	B1A9	976C	576D	DACD	1-5A4D	T3FX0080
2114	悻	B1AA	976D	576E	DACE	1-5A4E	T3FY0080
2115	惚	B1AB	976E	576F	DACF	1-5A4F	T3FZ0080
2116	惇	B1AC	976F	5770	DAD0	1-5A50	T3G00080
2117	戚	B1AD	9770	5771	DAD1	1-5A51	T3G10080
2118	戛	B1AE	9771	5772	DAD2	1-5A52	T3G20080
2119	扈	B1AF	9772	5773	DAD3	1-5A53	T3G30080
2120	掠	B1B0	9773	5774	DAD4	1-5A54	T3G40080
2121	控	B1B1	9774	5775	DAD5	1-5A55	T3G50080
2122	捲	B1B2	9775	5776	DAD6	1-5A56	T3G60080
2123	掖	B1B3	9776	5777	DAD7	1-5A57	T3G70080
2124	探	B1B4	9777	5778	DAD8	1-5A58	T3G80080
2125	接	B1B5	9778	5779	DAD9	1-5A59	T3G90080
2126	捷	B1B6	9779	577A	DADA	1-5A5A	T3GA0080
2127	捧	B1B7	977A	577B	DADB	1-5A5B	T3GB0080
2128	掘	B1B8	977B	577C	DADC	1-5A5C	T3GC0080
2129	措	B1B9	977C	577D	DADD	1-5A5D	T3GD0080
2130	捱	B1BA	977D	577E	DADE	1-5A5E	T3GE0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 31 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2131	掩	B1BB	977E	577F	DADF	1-5A5F	T3GF0080
2132	掉	B1BC	9780	5781	DAE0	1-5A60	T3GH0080
2133	掃	B1BD	9781	5782	DAE1	1-5A61	T3GI0080
2134	掛	B1BE	9782	5783	DAE2	1-5A62	T3GJ0080
2135	捫	B1BF	9783	5784	DAE3	1-5A63	T3GK0080
2136	推	B1C0	9784	5785	DAE4	1-5A64	T3GL0080
2137	掄	B1C1	9785	5786	DAE5	1-5A65	T3GM0080
2138	授	B1C2	9786	5787	DAE6	1-5A66	T3GN0080
2139	掙	B1C3	9787	5788	DAE7	1-5A67	T3GO0080
2140	採	B1C4	9788	5789	DAE8	1-5A68	T3GP0080
2141	掬	B1C5	9789	578A	DAE9	1-5A69	T3GQ0080
2142	排	B1C6	978A	578B	DAEA	1-5A6A	T3GR0080
2143	掬	B1C7	978B	578C	DAEB	1-5A6B	T3GS0080
2144	掀	B1C8	978C	578D	DAEC	1-5A6C	T3GT0080
2145	捻	B1C9	978D	578E	DAED	1-5A6D	T3GU0080
2146	捩	B1CA	978E	578F	DAEE	1-5A6E	T3GV0080
2147	捨	B1CB	978F	5790	DAEF	1-5A6F	T3GW0080
2148	捺	B1CC	9790	5791	DAF0	1-5A70	T3GX0080
2149	敞	B1CD	9791	5792	DAF1	1-5A71	T3GY0080
2150	敖	B1CE	9792	5793	DAF2	1-5A72	T3GZ0080
2151	救	B1CF	9793	5794	DAF3	1-5A73	T3H00080
2152	教	B1D0	9794	5795	DAF4	1-5A74	T3H10080
2153	敗	B1D1	9795	5796	DAF5	1-5A75	T3H20080
2154	啟	B1D2	9796	5797	DAF6	1-5A76	T3H30080
2155	敏	B1D3	9797	5798	DAF7	1-5A77	T3H40080
2156	敘	B1D4	9798	5799	DAF8	1-5A78	T3H50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 32 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2157	救	B1D5	9799	579A	DAF9	1-5A79	T3H60080
2158	敌	B1D6	979A	579B	DAFA	1-5A7A	T3H70080
2159	斜	B1D7	979B	579C	DAFB	1-5A7B	T3H80080
2160	斛	B1D8	979C	579D	DAFC	1-5A7C	T3H90080
2161	斬	B1D9	979D	579E	DAFD	1-5A7D	T3HA0080
2162	族	B1DA	979E	579F	DAFE	1-5A7E	T3HB0080
2163	旋	B1DB	979F	57A0	DBA1	1-5B21	T3HC0080
2164	旌	B1DC	97A0	57A1	DBA2	1-5B22	T3HD0080
2165	旄	B1DD	97A1	57A2	DBA3	1-5B23	T3HE0080
2166	晝	B1DE	97A2	57A3	DBA4	1-5B24	T3HF0080
2167	晚	B1DF	97A3	57A4	DBA5	1-5B25	T3HG0080
2168	晤	B1E0	97A4	57A5	DBA6	1-5B26	T3HH0080
2169	晨	B1E1	97A5	57A6	DBA7	1-5B27	T3HI0080
2170	晦	B1E2	97A6	57A7	DBA8	1-5B28	T3HJ0080
2171	晞	B1E3	97A7	57A8	DBA9	1-5B29	T3HK0080
2172	曹	B1E4	97A8	57A9	DBAA	1-5B2A	T3HL0080
2173	昴	B1E5	97A9	57AA	DBAB	1-5B2B	T3HM0080
2174	望	B1E6	97AA	57AB	DBAC	1-5B2C	T3HN0080
2175	梁	B1E7	97AB	57AC	DBAD	1-5B2D	T3HO0080
2176	梯	B1E8	97AC	57AD	DBAE	1-5B2E	T3HP0080
2177	梢	B1E9	97AD	57AE	DBAF	1-5B2F	T3HQ0080
2178	梓	B1EA	97AE	57AF	DBB0	1-5B30	T3HR0080
2179	梵	B1EB	97AF	57B0	DBB1	1-5B31	T3HS0080
2180	椴	B1EC	97B0	57B1	DBB2	1-5B32	T3HT0080
2181	桶	B1ED	97B1	57B2	DBB3	1-5B33	T3HU0080
2182	梱	B1EE	97B2	57B3	DBB4	1-5B34	T3HV0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 33 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2183	梧	B1EF	97B3	57B4	DBB5	1-5B35	T3HW0080
2184	梗	B1F0	97B4	57B5	DBB6	1-5B36	T3HX0080
2185	械	B1F1	97B5	57B6	DBB7	1-5B37	T3HY0080
2186	挺	B1F2	97B6	57B7	DBB8	1-5B38	T3HZ0080
2187	棄	B1F3	97B7	57B8	DBB9	1-5B39	T3I00080
2188	梭	B1F4	97B8	57B9	DBBA	1-5B3A	T3I10080
2189	梆	B1F5	97B9	57BA	DBBB	1-5B3B	T3I20080
2190	梅	B1F6	97BA	57BB	DBBC	1-5B3C	T3I30080
2191	梔	B1F7	97BB	57BC	DBBD	1-5B3D	T3I40080
2192	條	B1F8	97BC	57BD	DBBE	1-5B3E	T3I50080
2193	梨	B1F9	97BD	57BE	DBBF	1-5B3F	T3I60080
2194	梟	B1FA	97BE	57BF	DBC0	1-5B40	T3I70080
2195	椈	B1FB	97BF	57C0	DBC1	1-5B41	T3I80080
2196	椌	B1FC	97C0	57C1	DBC2	1-5B42	T3I90080
2197	欲	B1FD	97C1	57C2	DBC3	1-5B43	T3IA0080
2198	殺	B1FE	97C2	57C3	DBC4	1-5B44	T3IB0080
2199	毫	B240	97C3	57C4	DBC5	1-5B45	T3IC0080
2200	毳	B241	97C4	57C5	DBC6	1-5B46	T3ID0080
2201	氫	B242	97C5	57C6	DBC7	1-5B47	T3IE0080
2202	涎	B243	97C6	57C7	DBC8	1-5B48	T3IF0080
2203	涼	B244	97C7	57C8	DBC9	1-5B49	T3IG0080
2204	淳	B245	97C8	57C9	DBCA	1-5B4A	T3IH0080
2205	淙	B246	97C9	57CA	DBCB	1-5B4B	T3II0080
2206	液	B247	97CA	57CB	DBCC	1-5B4C	T3IJ0080
2207	淡	B248	97CB	57CC	DBCD	1-5B4D	T3IK0080
2208	滄	B249	97CC	57CD	DBCE	1-5B4E	T3IL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 34 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2209	淤	B24A	97CD	57CE	DBCF	1-5B4F	T3IM0080
2210	添	B24B	97CE	57CF	DBD0	1-5B50	T3IN0080
2211	淺	B24C	97CF	57D0	DBD1	1-5B51	T3IO0080
2212	清	B24D	97D0	57D1	DBD2	1-5B52	T3IP0080
2213	淇	B24E	97D1	57D2	DBD3	1-5B53	T3IQ0080
2214	淋	B24F	97D2	57D3	DBD4	1-5B54	T3IR0080
2215	涯	B250	97D3	57D4	DBD5	1-5B55	T3IS0080
2216	淑	B251	97D4	57D5	DBD6	1-5B56	T3IT0080
2217	澗	B252	97D5	57D6	DBD7	1-5B57	T3IU0080
2218	淞	B253	97D6	57D7	DBD8	1-5B58	T3IV0080
2219	淹	B254	97D7	57D8	DBD9	1-5B59	T3IW0080
2220	涸	B255	97D8	57D9	DBDA	1-5B5A	T3IX0080
2221	混	B256	97D9	57DA	DBDB	1-5B5B	T3IY0080
2222	淵	B257	97DA	57DB	DBDC	1-5B5C	T3IZ0080
2223	淅	B258	97DB	57DC	DBDD	1-5B5D	T3J00080
2224	淒	B259	97DC	57DD	DBDE	1-5B5E	T3J10080
2225	渚	B25A	97DD	57DE	DBDF	1-5B5F	T3J20080
2226	涵	B25B	97DE	57DF	DBE0	1-5B60	T3J30080
2227	淚	B25C	97DF	57E0	DBE1	1-5B61	T3J40080
2228	淫	B25D	97E0	57E1	DBE2	1-5B62	T3J50080
2229	淘	B25E	97E1	57E2	DBE3	1-5B63	T3J60080
2230	淪	B25F	97E2	57E3	DBE4	1-5B64	T3J70080
2231	深	B260	97E3	57E4	DBE5	1-5B65	T3J80080
2232	淮	B261	97E4	57E5	DBE6	1-5B66	T3J90080
2233	淨	B262	97E5	57E6	DBE7	1-5B67	T3JA0080
2234	濬	B263	97E6	57E7	DBE8	1-5B68	T3JB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 35 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2235	溜	B264	97E7	57E8	DBE9	1-5B69	T3JC0080
2236	涪	B265	97E8	57E9	DBEA	1-5B6A	T3JD0080
2237	淬	B266	97E9	57EA	DBEB	1-5B6B	T3JE0080
2238	涿	B267	97EA	57EB	DBEC	1-5B6C	T3JF0080
2239	淦	B268	97EB	57EC	DBED	1-5B6D	T3JG0080
2240	烹	B269	97EC	57ED	DBEE	1-5B6E	T3JH0080
2241	焉	B26A	97ED	57EE	DBEF	1-5B6F	T3JI0080
2242	焯	B26B	97EE	57EF	DBF0	1-5B70	T3JJ0080
2243	烽	B26C	97EF	57F0	DBF1	1-5B71	T3JK0080
2244	烯	B26D	97F0	57F1	DBF2	1-5B72	T3JL0080
2245	爽	B26E	97F1	57F2	DBF3	1-5B73	T3JM0080
2246	牽	B26F	97F2	57F3	DBF4	1-5B74	T3JN0080
2247	犁	B270	97F3	57F4	DBF5	1-5B75	T3JO0080
2248	猜	B271	97F4	57F5	DBF6	1-5B76	T3JP0080
2249	猛	B272	97F5	57F6	DBF7	1-5B77	T3JQ0080
2250	狷	B273	97F6	57F7	DBF8	1-5B78	T3JR0080
2251	猓	B274	97F7	57F8	DBF9	1-5B79	T3JS0080
2252	猓	B275	97F8	57F9	DBFA	1-5B7A	T3JT0080
2253	率	B276	97F9	57FA	DBFB	1-5B7B	T3JU0080
2254	琅	B277	97FA	57FB	DBFC	1-5B7C	T3JV0080
2255	琊	B278	97FB	57FC	DBFD	1-5B7D	T3JW0080
2256	球	B279	97FC	57FD	DBFE	1-5B7E	T3JX0080
2257	理	B27A	9840	5841	DCA1	1-5C21	T3K10080
2258	現	B27B	9841	5842	DCA2	1-5C22	T3K20080
2259	琺	B27C	9842	5843	DCA3	1-5C23	T3K30080
2260	瓠	B27D	9843	5844	DCA4	1-5C24	T3K40080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 36 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2261	瓶	B27E	9844	5845	DCA5	1-5C25	T3K50080
2262	瓷	B2A1	9845	5846	DCA6	1-5C26	T3K60080
2263	甜	B2A2	9846	5847	DCA7	1-5C27	T3K70080
2264	產	B2A3	9847	5848	DCA8	1-5C28	T3K80080
2265	略	B2A4	9848	5849	DCA9	1-5C29	T3K90080
2266	畦	B2A5	9849	584A	DCAA	1-5C2A	T3KA0080
2267	畢	B2A6	984A	584B	DCAB	1-5C2B	T3KB0080
2268	異	B2A7	984B	584C	DCAC	1-5C2C	T3KC0080
2269	疏	B2A8	984C	584D	DCAD	1-5C2D	T3KD0080
2270	痔	B2A9	984D	584E	DCAE	1-5C2E	T3KE0080
2271	痕	B2AA	984E	584F	DCAF	1-5C2F	T3KF0080
2272	疵	B2AB	984F	5850	DCB0	1-5C30	T3KG0080
2273	瘡	B2AC	9850	5851	DCB1	1-5C31	T3KH0080
2274	瘻	B2AD	9851	5852	DCB2	1-5C32	T3KI0080
2275	咬	B2AE	9852	5853	DCB3	1-5C33	T3KJ0080
2276	盔	B2AF	9853	5854	DCB4	1-5C34	T3KK0080
2277	盒	B2B0	9854	5855	DCB5	1-5C35	T3KL0080
2278	盛	B2B1	9855	5856	DCB6	1-5C36	T3KM0080
2279	眷	B2B2	9856	5857	DCB7	1-5C37	T3KN0080
2280	眾	B2B3	9857	5858	DCB8	1-5C38	T3KO0080
2281	眼	B2B4	9858	5859	DCB9	1-5C39	T3KP0080
2282	眶	B2B5	9859	585A	DCBA	1-5C3A	T3KQ0080
2283	眸	B2B6	985A	585B	DCBB	1-5C3B	T3KR0080
2284	眺	B2B7	985B	585C	DCBC	1-5C3C	T3KS0080
2285	硫	B2B8	985C	585D	DCBD	1-5C3D	T3KT0080
2286	硃	B2B9	985D	585E	DCBE	1-5C3E	T3KU0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 37 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2287	劓	B2BA	985E	585F	DCBF	1-5C3F	T3KV0080
2288	祥	B2BB	985F	5860	DCC0	1-5C40	T3KW0080
2289	票	B2BC	9860	5861	DCC1	1-5C41	T3KX0080
2290	祭	B2BD	9861	5862	DCC2	1-5C42	T3KY0080
2291	移	B2BE	9862	5863	DCC3	1-5C43	T3KZ0080
2292	窞	B2BF	9863	5864	DCC4	1-5C44	T3L00080
2293	窞	B2C0	9864	5865	DCC5	1-5C45	T3L10080
2294	笠	B2C1	9865	5866	DCC6	1-5C46	T3L20080
2295	笨	B2C2	9866	5867	DCC7	1-5C47	T3L30080
2296	笛	B2C3	9867	5868	DCC8	1-5C48	T3L40080
2297	第	B2C4	9868	5869	DCC9	1-5C49	T3L50080
2298	符	B2C5	9869	586A	DCCA	1-5C4A	T3L60080
2299	笙	B2C6	986A	586B	DCCB	1-5C4B	T3L70080
2300	答	B2C7	986B	586C	DCCC	1-5C4C	T3L80080
2301	笮	B2C8	986C	586D	DCCD	1-5C4D	T3L90080
2302	粒	B2C9	986D	586E	DCCE	1-5C4E	T3LA0080
2303	粗	B2CA	986E	586F	DCCF	1-5C4F	T3LB0080
2304	粕	B2CB	986F	5870	DCD0	1-5C50	T3LC0080
2305	絆	B2CC	9870	5871	DCD1	1-5C51	T3LD0080
2306	絃	B2CD	9871	5872	DCD2	1-5C52	T3LE0080
2307	統	B2CE	9872	5873	DCD3	1-5C53	T3LF0080
2308	紮	B2CF	9873	5874	DCD4	1-5C54	T3LG0080
2309	紹	B2D0	9874	5875	DCD5	1-5C55	T3LH0080
2310	紉	B2D1	9875	5876	DCD6	1-5C56	T3LI0080
2311	紉	B2D2	9876	5877	DCD7	1-5C57	T3LJ0080
2312	細	B2D3	9877	5878	DCD8	1-5C58	T3LK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 38 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2313	紳	B2D4	9878	5879	DCD9	1-5C59	T3LL0080
2314	組	B2D5	9879	587A	DCDA	1-5C5A	T3LM0080
2315	累	B2D6	987A	587B	DCDB	1-5C5B	T3LN0080
2316	終	B2D7	987B	587C	DCDC	1-5C5C	T3LO0080
2317	繼	B2D8	987C	587D	DCDD	1-5C5D	T3LP0080
2318	絨	B2D9	987D	587E	DCDE	1-5C5E	T3LQ0080
2319	鉢	B2DA	987E	587F	DCDF	1-5C5F	T3LR0080
2320	羞	B2DB	9880	5881	DCE0	1-5C60	T3LT0080
2321	羚	B2DC	9881	5882	DCE1	1-5C61	T3LU0080
2322	翌	B2DD	9882	5883	DCE2	1-5C62	T3LV0080
2323	翎	B2DE	9883	5884	DCE3	1-5C63	T3LW0080
2324	習	B2DF	9884	5885	DCE4	1-5C64	T3LX0080
2325	耜	B2E0	9885	5886	DCE5	1-5C65	T3LY0080
2326	聊	B2E1	9886	5887	DCE6	1-5C66	T3LZ0080
2327	聆	B2E2	9887	5888	DCE7	1-5C67	T3M00080
2328	脯	B2E3	9888	5889	DCE8	1-5C68	T3M10080
2329	脖	B2E4	9889	588A	DCE9	1-5C69	T3M20080
2330	脣	B2E5	988A	588B	DCEA	1-5C6A	T3M30080
2331	脫	B2E6	988B	588C	DCEB	1-5C6B	T3M40080
2332	脩	B2E7	988C	588D	DCEC	1-5C6C	T3M50080
2333	脰	B2E8	988D	588E	DCED	1-5C6D	T3M60080
2334	脈	B2E9	988E	588F	DCEE	1-5C6E	T3M70080
2335	舂	B2EA	988F	5890	DCEF	1-5C6F	T3M80080
2336	舵	B2EB	9890	5891	DCF0	1-5C70	T3M90080
2337	舷	B2EC	9891	5892	DCF1	1-5C71	T3MA0080
2338	舶	B2ED	9892	5893	DCF2	1-5C72	T3MB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 39 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2339	船	B2EE	9893	5894	DCF3	1-5C73	T3MC0080
2340	莎	B2EF	9894	5895	DCF4	1-5C74	T3MD0080
2341	莞	B2F0	9895	5896	DCF5	1-5C75	T3ME0080
2342	莘	B2F1	9896	5897	DCF6	1-5C76	T3MF0080
2343	葶	B2F2	9897	5898	DCF7	1-5C77	T3MG0080
2344	莢	B2F3	9898	5899	DCF8	1-5C78	T3MH0080
2345	莖	B2F4	9899	589A	DCF9	1-5C79	T3MI0080
2346	莽	B2F5	989A	589B	DCFA	1-5C7A	T3MJ0080
2347	莫	B2F6	989B	589C	DCFB	1-5C7B	T3MK0080
2348	莒	B2F7	989C	589D	DCFC	1-5C7C	T3ML0080
2349	莊	B2F8	989D	589E	DCFD	1-5C7D	T3MM0080
2350	莓	B2F9	989E	589F	DCFE	1-5C7E	T3MN0080
2351	莉	B2FA	989F	58A0	DDA1	1-5D21	T3MO0080
2352	莠	B2FB	98A0	58A1	DDA2	1-5D22	T3MP0080
2353	荷	B2FC	98A1	58A2	DDA3	1-5D23	T3MQ0080
2354	荻	B2FD	98A2	58A3	DDA4	1-5D24	T3MR0080
2355	荼	B2FE	98A3	58A4	DDA5	1-5D25	T3MS0080
2356	莆	B340	98A4	58A5	DDA6	1-5D26	T3MT0080
2357	莧	B341	98A5	58A6	DDA7	1-5D27	T3MU0080
2358	處	B342	98A6	58A7	DDA8	1-5D28	T3MV0080
2359	彪	B343	98A7	58A8	DDA9	1-5D29	T3MW0080
2360	蛇	B344	98A8	58A9	DDAA	1-5D2A	T3MX0080
2361	蛙	B345	98A9	58AA	DDAB	1-5D2B	T3MY0080
2362	蚶	B346	98AA	58AB	DDAC	1-5D2C	T3MZ0080
2363	蛄	B347	98AB	58AC	DDAD	1-5D2D	T3N00080
2364	蚶	B348	98AC	58AD	DDAE	1-5D2E	T3N10080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 40 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2365	蛆	B349	98AD	58AE	DDAF	1-5D2F	T3N20080
2366	蛋	B34A	98AE	58AF	DDB0	1-5D30	T3N30080
2367	蚱	B34B	98AF	58B0	DDB1	1-5D31	T3N40080
2368	蚯	B34C	98B0	58B1	DDB2	1-5D32	T3N50080
2369	蛉	B34D	98B1	58B2	DDB3	1-5D33	T3N60080
2370	術	B34E	98B2	58B3	DDB4	1-5D34	T3N70080
2371	袞	B34F	98B3	58B4	DDB5	1-5D35	T3N80080
2372	袞	B350	98B4	58B5	DDB6	1-5D36	T3N90080
2373	被	B351	98B5	58B6	DDB7	1-5D37	T3NA0080
2374	袒	B352	98B6	58B7	DDB8	1-5D38	T3NB0080
2375	袖	B353	98B7	58B8	DDB9	1-5D39	T3NC0080
2376	袍	B354	98B8	58B9	DDBA	1-5D3A	T3ND0080
2377	袋	B355	98B9	58BA	DDBB	1-5D3B	T3NE0080
2378	覓	B356	98BA	58BB	DDBC	1-5D3C	T3NF0080
2379	規	B357	98BB	58BC	DDBD	1-5D3D	T3NG0080
2380	訪	B358	98BC	58BD	DDBE	1-5D3E	T3NH0080
2381	訝	B359	98BD	58BE	DDBF	1-5D3F	T3NI0080
2382	訣	B35A	98BE	58BF	DDC0	1-5D40	T3NJ0080
2383	訥	B35B	98BF	58C0	DDC1	1-5D41	T3NK0080
2384	許	B35C	98C0	58C1	DDC2	1-5D42	T3NL0080
2385	設	B35D	98C1	58C2	DDC3	1-5D43	T3NM0080
2386	訟	B35E	98C2	58C3	DDC4	1-5D44	T3NN0080
2387	訛	B35F	98C3	58C4	DDC5	1-5D45	T3NO0080
2388	訢	B360	98C4	58C5	DDC6	1-5D46	T3NP0080
2389	鼓	B361	98C5	58C6	DDC7	1-5D47	T3NQ0080
2390	豚	B362	98C6	58C7	DDC8	1-5D48	T3NR0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 41 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2391	販	B363	98C7	58C8	DDC9	1-5D49	T3NS0080
2392	責	B364	98C8	58C9	DDCA	1-5D4A	T3NT0080
2393	貫	B365	98C9	58CA	DDCB	1-5D4B	T3NU0080
2394	貨	B366	98CA	58CB	DDCC	1-5D4C	T3NV0080
2395	貪	B367	98CB	58CC	DDCD	1-5D4D	T3NW0080
2396	貧	B368	98CC	58CD	DDCE	1-5D4E	T3NX0080
2397	赧	B369	98CD	58CE	DDCF	1-5D4F	T3NY0080
2398	赦	B36A	98CE	58CF	DDD0	1-5D50	T3NZ0080
2399	趾	B36B	98CF	58D0	DDD1	1-5D51	T3O00080
2400	趺	B36C	98D0	58D1	DDD2	1-5D52	T3O10080
2401	輓	B36D	98D1	58D2	DDD3	1-5D53	T3O20080
2402	軟	B36E	98D2	58D3	DDD4	1-5D54	T3O30080
2403	這	B36F	98D3	58D4	DDD5	1-5D55	T3O40080
2404	逍	B370	98D4	58D5	DDD6	1-5D56	T3O50080
2405	通	B371	98D5	58D6	DDD7	1-5D57	T3O60080
2406	逗	B372	98D6	58D7	DDD8	1-5D58	T3O70080
2407	連	B373	98D7	58D8	DDD9	1-5D59	T3O80080
2408	速	B374	98D8	58D9	DDDA	1-5D5A	T3O90080
2409	逝	B375	98D9	58DA	DDDB	1-5D5B	T3OA0080
2410	逐	B376	98DA	58DB	DDDC	1-5D5C	T3OB0080
2411	逕	B377	98DB	58DC	DDDD	1-5D5D	T3OC0080
2412	逞	B378	98DC	58DD	DDDE	1-5D5E	T3OD0080
2413	造	B379	98DD	58DE	DDDF	1-5D5F	T3OE0080
2414	透	B37A	98DE	58DF	DDE0	1-5D60	T3OF0080
2415	逢	B37B	98DF	58E0	DDE1	1-5D61	T3OG0080
2416	遯	B37C	98E0	58E1	DDE2	1-5D62	T3OH0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 42 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2417	逛	B37D	98E1	58E2	DDE3	1-5D63	T3OI0080
2418	途	B37E	98E2	58E3	DDE4	1-5D64	T3OJ0080
2419	部	B3A1	98E3	58E4	DDE5	1-5D65	T3OK0080
2420	郭	B3A2	98E4	58E5	DDE6	1-5D66	T3OL0080
2421	都	B3A3	98E5	58E6	DDE7	1-5D67	T3OM0080
2422	醜	B3A4	98E6	58E7	DDE8	1-5D68	T3ON0080
2423	野	B3A5	98E7	58E8	DDE9	1-5D69	T3OO0080
2424	釵	B3A6	98E8	58E9	DDEA	1-5D6A	T3OP0080
2425	釳	B3A7	98E9	58EA	DDEB	1-5D6B	T3OQ0080
2426	鈞	B3A8	98EA	58EB	DDEC	1-5D6C	T3OR0080
2427	釧	B3A9	98EB	58EC	DDED	1-5D6D	T3OS0080
2428	釹	B3AA	98EC	58ED	DDEE	1-5D6E	T3OT0080
2429	釷	B3AB	98ED	58EE	DDEF	1-5D6F	T3OU0080
2430	閉	B3AC	98EE	58EF	DDF0	1-5D70	T3OV0080
2431	陪	B3AD	98EF	58F0	DDF1	1-5D71	T3OW0080
2432	陵	B3AE	98F0	58F1	DDF2	1-5D72	T3OX0080
2433	陳	B3AF	98F1	58F2	DDF3	1-5D73	T3OY0080
2434	陸	B3B0	98F2	58F3	DDF4	1-5D74	T3OZ0080
2435	陰	B3B1	98F3	58F4	DDF5	1-5D75	T3P00080
2436	陣	B3B2	98F4	58F5	DDF6	1-5D76	T3P10080
2437	陶	B3B3	98F5	58F6	DDF7	1-5D77	T3P20080
2438	陷	B3B4	98F6	58F7	DDF8	1-5D78	T3P30080
2439	陔	B3B5	98F7	58F8	DDF9	1-5D79	T3P40080
2440	雀	B3B6	98F8	58F9	DDFA	1-5D7A	T3P50080
2441	雪	B3B7	98F9	58FA	DDFB	1-5D7B	T3P60080
2442	零	B3B8	98FA	58FB	DDFC	1-5D7C	T3P70080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 43 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2443	章	B3B9	98FB	58FC	DDFD	1-5D7D	T3P80080
2444	竟	B3BA	98FC	58FD	DDFE	1-5D7E	T3P90080
2445	頂	B3BB	9940	5941	DEA1	1-5E21	T3PD0080
2446	頃	B3BC	9941	5942	DEA2	1-5E22	T3PE0080
2447	魚	B3BD	9942	5943	DEA3	1-5E23	T3PF0080
2448	鳥	B3BE	9943	5944	DEA4	1-5E24	T3PG0080
2449	鹵	B3BF	9944	5945	DEA5	1-5E25	T3PH0080
2450	鹿	B3C0	9945	5946	DEA6	1-5E26	T3PI0080
2451	麥	B3C1	9946	5947	DEA7	1-5E27	T3PJ0080
2452	麻	B3C2	9947	5948	DEA8	1-5E28	T3PK0080
2453	傢	B3C3	9948	5949	DEA9	1-5E29	T3PL0080
2454	傍	B3C4	9949	594A	DEAA	1-5E2A	T3PM0080
2455	傅	B3C5	994A	594B	DEAB	1-5E2B	T3PN0080
2456	備	B3C6	994B	594C	DEAC	1-5E2C	T3PO0080
2457	傑	B3C7	994C	594D	DEAD	1-5E2D	T3PP0080
2458	傀	B3C8	994D	594E	DEAE	1-5E2E	T3PQ0080
2459	傖	B3C9	994E	594F	DEAF	1-5E2F	T3PR0080
2460	傘	B3CA	994F	5950	DEB0	1-5E30	T3PS0080
2461	傲	B3CB	9950	5951	DEB1	1-5E31	T3PT0080
2462	最	B3CC	9951	5952	DEB2	1-5E32	T3PU0080
2463	凱	B3CD	9952	5953	DEB3	1-5E33	T3PV0080
2464	割	B3CE	9953	5954	DEB4	1-5E34	T3PW0080
2465	剗	B3CF	9954	5955	DEB5	1-5E35	T3PX0080
2466	創	B3D0	9955	5956	DEB6	1-5E36	T3PY0080
2467	剩	B3D1	9956	5957	DEB7	1-5E37	T3PZ0080
2468	勞	B3D2	9957	5958	DEB8	1-5E38	T3Q00080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 44 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2469	勝	B3D3	9958	5959	DEB9	1-5E39	T3Q10080
2470	勛	B3D4	9959	595A	DEBA	1-5E3A	T3Q20080
2471	博	B3D5	995A	595B	DEBB	1-5E3B	T3Q30080
2472	厥	B3D6	995B	595C	DEBC	1-5E3C	T3Q40080
2473	啻	B3D7	995C	595D	DEBD	1-5E3D	T3Q50080
2474	喀	B3D8	995D	595E	DEBE	1-5E3E	T3Q60080
2475	喧	B3D9	995E	595F	DEBF	1-5E3F	T3Q70080
2476	啼	B3DA	995F	5960	DEC0	1-5E40	T3Q80080
2477	喊	B3DB	9960	5961	DEC1	1-5E41	T3Q90080
2478	喝	B3DC	9961	5962	DEC2	1-5E42	T3QA0080
2479	喘	B3DD	9962	5963	DEC3	1-5E43	T3QB0080
2480	喂	B3DE	9963	5964	DEC4	1-5E44	T3QC0080
2481	喜	B3DF	9964	5965	DEC5	1-5E45	T3QD0080
2482	喪	B3E0	9965	5966	DEC6	1-5E46	T3QE0080
2483	喔	B3E1	9966	5967	DEC7	1-5E47	T3QF0080
2484	喇	B3E2	9967	5968	DEC8	1-5E48	T3QG0080
2485	喋	B3E3	9968	5969	DEC9	1-5E49	T3QH0080
2486	喃	B3E4	9969	596A	DECA	1-5E4A	T3QI0080
2487	喳	B3E5	996A	596B	DECB	1-5E4B	T3QJ0080
2488	單	B3E6	996B	596C	DECC	1-5E4C	T3QK0080
2489	喟	B3E7	996C	596D	DECD	1-5E4D	T3QL0080
2490	唾	B3E8	996D	596E	DECE	1-5E4E	T3QM0080
2491	啣	B3E9	996E	596F	DECF	1-5E4F	T3QN0080
2492	喚	B3EA	996F	5970	DED0	1-5E50	T3QO0080
2493	喻	B3EB	9970	5971	DED1	1-5E51	T3QP0080
2494	喬	B3EC	9971	5972	DED2	1-5E52	T3QQ0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 7 (Page 45 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2495	喱	B3ED	9972	5973	DED3	1-5E53	T3QR0080
2496	啾	B3EE	9973	5974	DED4	1-5E54	T3QS0080
2497	喉	B3EF	9974	5975	DED5	1-5E55	T3QT0080
2498	喫	B3F0	9975	5976	DED6	1-5E56	T3QU0080
2499	喙	B3F1	9976	5977	DED7	1-5E57	T3QV0080
2500	圍	B3F2	9977	5978	DED8	1-5E58	T3QW0080
2501	堯	B3F3	9978	5979	DED9	1-5E59	T3QX0080
2502	堪	B3F4	9979	597A	DEDA	1-5E5A	T3QY0080
2503	場	B3F5	997A	597B	DEDB	1-5E5B	T3QZ0080
2504	堤	B3F6	997B	597C	DEDC	1-5E5C	T3R00080
2505	堰	B3F7	997C	597D	DEDD	1-5E5D	T3R10080
2506	報	B3F8	997D	597E	DEDE	1-5E5E	T3R20080
2507	堡	B3F9	997E	597F	DEDF	1-5E5F	T3R30080
2508	塢	B3FA	9980	5981	DEE0	1-5E60	T3R50080
2509	堠	B3FB	9981	5982	DEE1	1-5E61	T3R60080
2510	壹	B3FC	9982	5983	DEE2	1-5E62	T3R70080
2511	壺	B3FD	9983	5984	DEE3	1-5E63	T3R80080
2512	奠	B3FE	9984	5985	DEE4	1-5E64	T3R90080
2513	婷	B440	9985	5986	DEE5	1-5E65	T3RA0080
2514	媚	B441	9986	5987	DEE6	1-5E66	T3RB0080
2515	媚	B442	9987	5988	DEE7	1-5E67	T3RC0080
2516	媒	B443	9988	5989	DEE8	1-5E68	T3RD0080
2517	媛	B444	9989	598A	DEE9	1-5E69	T3RE0080
2518	媯	B445	998A	598B	DEEA	1-5E6A	T3RF0080
2519	孳	B446	998B	598C	DEEB	1-5E6B	T3RG0080
2520	孱	B447	998C	598D	DEEC	1-5E6C	T3RH0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 46 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2521	寒	B448	998D	598E	DEED	1-5E6D	T3RI0080
2522	富	B449	998E	598F	DEEE	1-5E6E	T3RJ0080
2523	寓	B44A	998F	5990	DEEF	1-5E6F	T3RK0080
2524	寐	B44B	9990	5991	DEF0	1-5E70	T3RL0080
2525	尊	B44C	9991	5992	DEF1	1-5E71	T3RM0080
2526	尋	B44D	9992	5993	DEF2	1-5E72	T3RN0080
2527	就	B44E	9993	5994	DEF3	1-5E73	T3RO0080
2528	嵌	B44F	9994	5995	DEF4	1-5E74	T3RP0080
2529	嵐	B450	9995	5996	DEF5	1-5E75	T3RQ0080
2530	巖	B451	9996	5997	DEF6	1-5E76	T3RR0080
2531	嵇	B452	9997	5998	DEF7	1-5E77	T3RS0080
2532	巽	B453	9998	5999	DEF8	1-5E78	T3RT0080
2533	幅	B454	9999	599A	DEF9	1-5E79	T3RU0080
2534	帽	B455	999A	599B	DEFA	1-5E7A	T3RV0080
2535	幘	B456	999B	599C	DEFB	1-5E7B	T3RW0080
2536	幃	B457	999C	599D	DEFC	1-5E7C	T3RX0080
2537	幾	B458	999D	599E	DEFD	1-5E7D	T3RY0080
2538	廊	B459	999E	599F	DEFE	1-5E7E	T3RZ0080
2539	廁	B45A	999F	59A0	DFA1	1-5F21	T3S00080
2540	廂	B45B	99A0	59A1	DFA2	1-5F22	T3S10080
2541	廡	B45C	99A1	59A2	DFA3	1-5F23	T3S20080
2542	彌	B45D	99A2	59A3	DFA4	1-5F24	T3S30080
2543	彭	B45E	99A3	59A4	DFA5	1-5F25	T3S40080
2544	復	B45F	99A4	59A5	DFA6	1-5F26	T3S50080
2545	循	B460	99A5	59A6	DFA7	1-5F27	T3S60080
2546	徨	B461	99A6	59A7	DFA8	1-5F28	T3S70080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 47 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2547	惑	B462	99A7	59A8	DFA9	1-5F29	T3S80080
2548	惡	B463	99A8	59A9	DFAA	1-5F2A	T3S90080
2549	悲	B464	99A9	59AA	DFAB	1-5F2B	T3SA0080
2550	悶	B465	99AA	59AB	DFAC	1-5F2C	T3SB0080
2551	憲	B466	99AB	59AC	DFAD	1-5F2D	T3SC0080
2552	愜	B467	99AC	59AD	DFAE	1-5F2E	T3SD0080
2553	愕	B468	99AD	59AE	DFAF	1-5F2F	T3SE0080
2554	惺	B469	99AE	59AF	DFB0	1-5F30	T3SF0080
2555	愕	B46A	99AF	59B0	DFB1	1-5F31	T3SG0080
2556	惰	B46B	99B0	59B1	DFB2	1-5F32	T3SH0080
2557	惻	B46C	99B1	59B2	DFB3	1-5F33	T3SI0080
2558	惴	B46D	99B2	59B3	DFB4	1-5F34	T3SJ0080
2559	慨	B46E	99B3	59B4	DFB5	1-5F35	T3SK0080
2560	惱	B46F	99B4	59B5	DFB6	1-5F36	T3SL0080
2561	復	B470	99B5	59B6	DFB7	1-5F37	T3SM0080
2562	惶	B471	99B6	59B7	DFB8	1-5F38	T3SN0080
2563	愉	B472	99B7	59B8	DFB9	1-5F39	T3SO0080
2564	愀	B473	99B8	59B9	DFBA	1-5F3A	T3SP0080
2565	悒	B474	99B9	59BA	DFBB	1-5F3B	T3SQ0080
2566	戟	B475	99BA	59BB	DFBC	1-5F3C	T3SR0080
2567	扉	B476	99BB	59BC	DFBD	1-5F3D	T3SS0080
2568	掣	B477	99BC	59BD	DFBE	1-5F3E	T3ST0080
2569	掌	B478	99BD	59BE	DFBF	1-5F3F	T3SU0080
2570	描	B479	99BE	59BF	DFC0	1-5F40	T3SV0080
2571	揀	B47A	99BF	59C0	DFC1	1-5F41	T3SW0080
2572	揩	B47B	99C0	59C1	DFC2	1-5F42	T3SX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 48 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2573	揉	B47C	99C1	59C2	DFC3	1-5F43	T3SY0080
2574	揆	B47D	99C2	59C3	DFC4	1-5F44	T3SZ0080
2575	揆	B47E	99C3	59C4	DFC5	1-5F45	T3T00080
2576	插	B4A1	99C4	59C5	DFC6	1-5F46	T3T10080
2577	揣	B4A2	99C5	59C6	DFC7	1-5F47	T3T20080
2578	提	B4A3	99C6	59C7	DFC8	1-5F48	T3T30080
2579	握	B4A4	99C7	59C8	DFC9	1-5F49	T3T40080
2580	搨	B4A5	99C8	59C9	DFCA	1-5F4A	T3T50080
2581	揭	B4A6	99C9	59CA	DFCB	1-5F4B	T3T60080
2582	揮	B4A7	99CA	59CB	DFCC	1-5F4C	T3T70080
2583	捶	B4A8	99CB	59CC	DFCD	1-5F4D	T3T80080
2584	援	B4A9	99CC	59CD	DFCE	1-5F4E	T3T90080
2585	揪	B4AA	99CD	59CE	DFCF	1-5F4F	T3TA0080
2586	換	B4AB	99CE	59CF	DFD0	1-5F50	T3TB0080
2587	摒	B4AC	99CF	59D0	DFD1	1-5F51	T3TC0080
2588	揚	B4AD	99D0	59D1	DFD2	1-5F52	T3TD0080
2589	搯	B4AE	99D1	59D2	DFD3	1-5F53	T3TE0080
2590	敞	B4AF	99D2	59D3	DFD4	1-5F54	T3TF0080
2591	敦	B4B0	99D3	59D4	DFD5	1-5F55	T3TG0080
2592	敢	B4B1	99D4	59D5	DFD6	1-5F56	T3TH0080
2593	散	B4B2	99D5	59D6	DFD7	1-5F57	T3TI0080
2594	斑	B4B3	99D6	59D7	DFD8	1-5F58	T3TJ0080
2595	斐	B4B4	99D7	59D8	DFD9	1-5F59	T3TK0080
2596	斯	B4B5	99D8	59D9	DFDA	1-5F5A	T3TL0080
2597	普	B4B6	99D9	59DA	DFDB	1-5F5B	T3TM0080
2598	晰	B4B7	99DA	59DB	DFDC	1-5F5C	T3TN0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 49 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2599	晴	B4B8	99DB	59DC	DFDD	1-5F5D	T3TO0080
2600	晶	B4B9	99DC	59DD	DFDE	1-5F5E	T3TP0080
2601	景	B4BA	99DD	59DE	DFDF	1-5F5F	T3TQ0080
2602	暑	B4BB	99DE	59DF	DFE0	1-5F60	T3TR0080
2603	智	B4BC	99DF	59E0	DFE1	1-5F61	T3TS0080
2604	晾	B4BD	99E0	59E1	DFE2	1-5F62	T3TT0080
2605	晷	B4BE	99E1	59E2	DFE3	1-5F63	T3TU0080
2606	曾	B4BF	99E2	59E3	DFE4	1-5F64	T3TV0080
2607	替	B4C0	99E3	59E4	DFE5	1-5F65	T3TW0080
2608	期	B4C1	99E4	59E5	DFE6	1-5F66	T3TX0080
2609	朝	B4C2	99E5	59E6	DFE7	1-5F67	T3TY0080
2610	棺	B4C3	99E6	59E7	DFE8	1-5F68	T3TZ0080
2611	棕	B4C4	99E7	59E8	DFE9	1-5F69	T3U00080
2612	棠	B4C5	99E8	59E9	DFEA	1-5F6A	T3U10080
2613	棘	B4C6	99E9	59EA	DFEB	1-5F6B	T3U20080
2614	棗	B4C7	99EA	59EB	DFEC	1-5F6C	T3U30080
2615	椅	B4C8	99EB	59EC	DFED	1-5F6D	T3U40080
2616	棟	B4C9	99EC	59ED	DFEE	1-5F6E	T3U50080
2617	棵	B4CA	99ED	59EE	DFEF	1-5F6F	T3U60080
2618	森	B4CB	99EE	59EF	DFF0	1-5F70	T3U70080
2619	棧	B4CC	99EF	59F0	DFF1	1-5F71	T3U80080
2620	棹	B4CD	99F0	59F1	DFF2	1-5F72	T3U90080
2621	棒	B4CE	99F1	59F2	DFF3	1-5F73	T3UA0080
2622	樓	B4CF	99F2	59F3	DFF4	1-5F74	T3UB0080
2623	棣	B4D0	99F3	59F4	DFF5	1-5F75	T3UC0080
2624	棋	B4D1	99F4	59F5	DFF6	1-5F76	T3UD0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 50 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2625	棍	B4D2	99F5	59F6	DFF7	1-5F77	T3UE0080
2626	植	B4D3	99F6	59F7	DFF8	1-5F78	T3UF0080
2627	椒	B4D4	99F7	59F8	DFF9	1-5F79	T3UG0080
2628	椎	B4D5	99F8	59F9	DFFA	1-5F7A	T3UH0080
2629	棉	B4D6	99F9	59FA	DFFB	1-5F7B	T3UI0080
2630	棚	B4D7	99FA	59FB	DFFC	1-5F7C	T3UJ0080
2631	楮	B4D8	99FB	59FC	DFFD	1-5F7D	T3UK0080
2632	棊	B4D9	99FC	59FD	DFFE	1-5F7E	T3UL0080
2633	款	B4DA	9A40	5A41	E0A1	1-6021	T3UP0080
2634	欺	B4DB	9A41	5A42	E0A2	1-6022	T3UQ0080
2635	欵	B4DC	9A42	5A43	E0A3	1-6023	T3UR0080
2636	殘	B4DD	9A43	5A44	E0A4	1-6024	T3US0080
2637	殖	B4DE	9A44	5A45	E0A5	1-6025	T3UT0080
2638	殼	B4DF	9A45	5A46	E0A6	1-6026	T3UU0080
2639	毯	B4E0	9A46	5A47	E0A7	1-6027	T3UV0080
2640	氮	B4E1	9A47	5A48	E0A8	1-6028	T3UW0080
2641	氣	B4E2	9A48	5A49	E0A9	1-6029	T3UX0080
2642	氫	B4E3	9A49	5A4A	E0AA	1-602A	T3UY0080
2643	港	B4E4	9A4A	5A4B	E0AB	1-602B	T3UZ0080
2644	游	B4E5	9A4B	5A4C	E0AC	1-602C	T3V00080
2645	湔	B4E6	9A4C	5A4D	E0AD	1-602D	T3V10080
2646	渡	B4E7	9A4D	5A4E	E0AE	1-602E	T3V20080
2647	渲	B4E8	9A4E	5A4F	E0AF	1-602F	T3V30080
2648	湧	B4E9	9A4F	5A50	E0B0	1-6030	T3V40080
2649	湊	B4EA	9A50	5A51	E0B1	1-6031	T3V50080
2650	渠	B4EB	9A51	5A52	E0B2	1-6032	T3V60080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 51 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2651	渥	B4EC	9A52	5A53	E0B3	1-6033	T3V70080
2652	渣	B4ED	9A53	5A54	E0B4	1-6034	T3V80080
2653	減	B4EE	9A54	5A55	E0B5	1-6035	T3V90080
2654	湛	B4EF	9A55	5A56	E0B6	1-6036	T3VA0080
2655	湘	B4F0	9A56	5A57	E0B7	1-6037	T3VB0080
2656	渤	B4F1	9A57	5A58	E0B8	1-6038	T3VC0080
2657	湖	B4F2	9A58	5A59	E0B9	1-6039	T3VD0080
2658	漣	B4F3	9A59	5A5A	E0BA	1-603A	T3VE0080
2659	渭	B4F4	9A5A	5A5B	E0BB	1-603B	T3VF0080
2660	渦	B4F5	9A5B	5A5C	E0BC	1-603C	T3VG0080
2661	湯	B4F6	9A5C	5A5D	E0BD	1-603D	T3VH0080
2662	渴	B4F7	9A5D	5A5E	E0BE	1-603E	T3VI0080
2663	湍	B4F8	9A5E	5A5F	E0BF	1-603F	T3VJ0080
2664	渺	B4F9	9A5F	5A60	E0C0	1-6040	T3VK0080
2665	測	B4FA	9A60	5A61	E0C1	1-6041	T3VL0080
2666	湃	B4FB	9A61	5A62	E0C2	1-6042	T3VM0080
2667	渝	B4FC	9A62	5A63	E0C3	1-6043	T3VN0080
2668	渾	B4FD	9A63	5A64	E0C4	1-6044	T3VO0080
2669	滋	B4FE	9A64	5A65	E0C5	1-6045	T3VP0080
2670	漑	B540	9A65	5A66	E0C6	1-6046	T3VQ0080
2671	渙	B541	9A66	5A67	E0C7	1-6047	T3VR0080
2672	漚	B542	9A67	5A68	E0C8	1-6048	T3VS0080
2673	潒	B543	9A68	5A69	E0C9	1-6049	T3VT0080
2674	湄	B544	9A69	5A6A	E0CA	1-604A	T3VU0080
2675	潏	B545	9A6A	5A6B	E0CB	1-604B	T3VV0080
2676	漣	B546	9A6B	5A6C	E0CC	1-604C	T3VW0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 7 (Page 52 of 52). Primary Chinese Character Set (2 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2677	惶	B547	9A6C	5A6D	E0CD	1-604D	T3VX0080
2678	煨	B548	9A6D	5A6E	E0CE	1-604E	T3VY0080
2679	焚	B549	9A6E	5A6F	E0CF	1-604F	T3VZ0080
2680	焦	B54A	9A6F	5A70	E0D0	1-6050	T3W00080
2681	焰	B54B	9A70	5A71	E0D1	1-6051	T3W10080
2682	無	B54C	9A71	5A72	E0D2	1-6052	T3W20080
2683	然	B54D	9A72	5A73	E0D3	1-6053	T3W30080
2684	煮	B54E	9A73	5A74	E0D4	1-6054	T3W40080
2685	焜	B54F	9A74	5A75	E0D5	1-6055	T3W50080
2686	牌	B550	9A75	5A76	E0D6	1-6056	T3W60080
2687	犄	B551	9A76	5A77	E0D7	1-6057	T3W70080
2688	犀	B552	9A77	5A78	E0D8	1-6058	T3W80080
2689	猶	B553	9A78	5A79	E0D9	1-6059	T3W90080
2690	猥	B554	9A79	5A7A	E0DA	1-605A	T3WA0080
2691	猴	B555	9A7A	5A7B	E0DB	1-605B	T3WB0080
2692	猩	B556	9A7B	5A7C	E0DC	1-605C	T3WC0080
2693	玆	B557	9A7C	5A7D	E0DD	1-605D	T3WD0080
2694	琪	B558	9A7D	5A7E	E0DE	1-605E	T3WE0080
2695	琳	B559	9A7E	5A7F	E0DF	1-605F	T3WF0080
2696	琢	B55A	9A80	5A81	E0E0	1-6060	T3WH0080
2697	琥	B55B	9A81	5A82	E0E1	1-6061	T3WI0080
2698	琵琶	B55C	9A82	5A83	E0E2	1-6062	T3WJ0080
2699	琴	B55D	9A83	5A84	E0E3	1-6063	T3WK0080
2700	琴	B55E	9A84	5A85	E0E4	1-6064	T3WL0080
2701	瑄	B55F	9A85	5A86	E0E5	1-6065	T3WM0080
2702	琛	B560	9A86	5A87	E0E6	1-6066	T3WN0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8.4 Primary Chinese Character Set (3 of 4)

Table 8 (Page 1 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2703	琦	B561	9A87	5A88	E0E7	1-6067	T3WO0080
2704	琨	B562	9A88	5A89	E0E8	1-6068	T3WP0080
2705	甥	B563	9A89	5A8A	E0E9	1-6069	T3WQ0080
2706	甦	B564	9A8A	5A8B	E0EA	1-606A	T3WR0080
2707	畫	B565	9A8B	5A8C	E0EB	1-606B	T3WS0080
2708	番	B566	9A8C	5A8D	E0EC	1-606C	T3WT0080
2709	痢	B567	9A8D	5A8E	E0ED	1-606D	T3WU0080
2710	痛	B568	9A8E	5A8F	E0EE	1-606E	T3WV0080
2711	痔	B569	9A8F	5A90	E0EF	1-606F	T3WW0080
2712	瘻	B56A	9A90	5A91	E0F0	1-6070	T3WX0080
2713	痘	B56B	9A91	5A92	E0F1	1-6071	T3WY0080
2714	痞	B56C	9A92	5A93	E0F2	1-6072	T3WZ0080
2715	痲	B56D	9A93	5A94	E0F3	1-6073	T3X00080
2716	登	B56E	9A94	5A95	E0F4	1-6074	T3X10080
2717	發	B56F	9A95	5A96	E0F5	1-6075	T3X20080
2718	皖	B570	9A96	5A97	E0F6	1-6076	T3X30080
2719	皓	B571	9A97	5A98	E0F7	1-6077	T3X40080
2720	皴	B572	9A98	5A99	E0F8	1-6078	T3X50080
2721	盜	B573	9A99	5A9A	E0F9	1-6079	T3X60080
2722	暍	B574	9A9A	5A9B	E0FA	1-607A	T3X70080
2723	短	B575	9A9B	5A9C	E0FB	1-607B	T3X80080
2724	硝	B576	9A9C	5A9D	E0FC	1-607C	T3X90080
2725	硬	B577	9A9D	5A9E	E0FD	1-607D	T3XA0080
2726	硯	B578	9A9E	5A9F	E0FE	1-607E	T3XB0080
2727	稍	B579	9A9F	5AA0	E1A1	1-6121	T3XC0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 2 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2728	稗	B57A	9AA0	5AA1	E1A2	1-6122	T3XD0080
2729	程	B57B	9AA1	5AA2	E1A3	1-6123	T3XE0080
2730	税	B57C	9AA2	5AA3	E1A4	1-6124	T3XF0080
2731	稀	B57D	9AA3	5AA4	E1A5	1-6125	T3XG0080
2732	窘	B57E	9AA4	5AA5	E1A6	1-6126	T3XH0080
2733	窗	B5A1	9AA5	5AA6	E1A7	1-6127	T3XI0080
2734	窘	B5A2	9AA6	5AA7	E1A8	1-6128	T3XJ0080
2735	童	B5A3	9AA7	5AA8	E1A9	1-6129	T3XK0080
2736	竣	B5A4	9AA8	5AA9	E1AA	1-612A	T3XL0080
2737	等	B5A5	9AA9	5AAA	E1AB	1-612B	T3XM0080
2738	策	B5A6	9AAA	5AAB	E1AC	1-612C	T3XN0080
2739	筆	B5A7	9AAB	5AAC	E1AD	1-612D	T3XO0080
2740	筐	B5A8	9AAC	5AAD	E1AE	1-612E	T3XP0080
2741	筒	B5A9	9AAD	5AAE	E1AF	1-612F	T3XQ0080
2742	答	B5AA	9AAE	5AAF	E1B0	1-6130	T3XR0080
2743	筍	B5AB	9AAF	5AB0	E1B1	1-6131	T3XS0080
2744	筋	B5AC	9AB0	5AB1	E1B2	1-6132	T3XT0080
2745	筏	B5AD	9AB1	5AB2	E1B3	1-6133	T3XU0080
2746	筑	B5AE	9AB2	5AB3	E1B4	1-6134	T3XV0080
2747	粟	B5AF	9AB3	5AB4	E1B5	1-6135	T3XW0080
2748	粥	B5B0	9AB4	5AB5	E1B6	1-6136	T3XX0080
2749	絞	B5B1	9AB5	5AB6	E1B7	1-6137	T3XY0080
2750	結	B5B2	9AB6	5AB7	E1B8	1-6138	T3XZ0080
2751	絨	B5B3	9AB7	5AB8	E1B9	1-6139	T3Y00080
2752	絕	B5B4	9AB8	5AB9	E1BA	1-613A	T3Y10080
2753	紫	B5B5	9AB9	5ABA	E1BB	1-613B	T3Y20080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 3 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2754	絮	B5B6	9ABA	5ABB	E1BC	1-613C	T3Y30080
2755	絲	B5B7	9ABB	5ABC	E1BD	1-613D	T3Y40080
2756	絡	B5B8	9ABC	5ABD	E1BE	1-613E	T3Y50080
2757	給	B5B9	9ABD	5ABE	E1BF	1-613F	T3Y60080
2758	絢	B5BA	9ABE	5ABF	E1C0	1-6140	T3Y70080
2759	經	B5BB	9ABF	5AC0	E1C1	1-6141	T3Y80080
2760	緯	B5BC	9AC0	5AC1	E1C2	1-6142	T3Y90080
2761	善	B5BD	9AC1	5AC2	E1C3	1-6143	T3YA0080
2762	翔	B5BE	9AC2	5AC3	E1C4	1-6144	T3YB0080
2763	翕	B5BF	9AC3	5AC4	E1C5	1-6145	T3YC0080
2764	晝	B5C0	9AC4	5AC5	E1C6	1-6146	T3YD0080
2765	聒	B5C1	9AC5	5AC6	E1C7	1-6147	T3YE0080
2766	肅	B5C2	9AC6	5AC7	E1C8	1-6148	T3YF0080
2767	腕	B5C3	9AC7	5AC8	E1C9	1-6149	T3YG0080
2768	腔	B5C4	9AC8	5AC9	E1CA	1-614A	T3YH0080
2769	腋	B5C5	9AC9	5ACA	E1CB	1-614B	T3YI0080
2770	臍	B5C6	9ACA	5ACB	E1CC	1-614C	T3YJ0080
2771	腎	B5C7	9ACB	5ACC	E1CD	1-614D	T3YK0080
2772	脹	B5C8	9ACC	5ACD	E1CE	1-614E	T3YL0080
2773	腴	B5C9	9ACD	5ACE	E1CF	1-614F	T3YM0080
2774	脾	B5CA	9ACE	5ACF	E1D0	1-6150	T3YN0080
2775	臑	B5CB	9ACF	5AD0	E1D1	1-6151	T3YO0080
2776	腓	B5CC	9AD0	5AD1	E1D2	1-6152	T3YP0080
2777	腴	B5CD	9AD1	5AD2	E1D3	1-6153	T3YQ0080
2778	舒	B5CE	9AD2	5AD3	E1D4	1-6154	T3YR0080
2779	舜	B5CF	9AD3	5AD4	E1D5	1-6155	T3YS0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 4 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2780	菩	B5D0	9AD4	5AD5	E1D6	1-6156	T3YT0080
2781	萃	B5D1	9AD5	5AD6	E1D7	1-6157	T3YU0080
2782	赫	B5D2	9AD6	5AD7	E1D8	1-6158	T3YV0080
2783	萍	B5D3	9AD7	5AD8	E1D9	1-6159	T3YW0080
2784	菠	B5D4	9AD8	5AD9	E1DA	1-615A	T3YX0080
2785	菅	B5D5	9AD9	5ADA	E1DB	1-615B	T3YY0080
2786	萋	B5D6	9ADA	5ADB	E1DC	1-615C	T3YZ0080
2787	菁	B5D7	9ADB	5ADC	E1DD	1-615D	T3Z00080
2788	華	B5D8	9ADC	5ADD	E1DE	1-615E	T3Z10080
2789	菱	B5D9	9ADD	5ADE	E1DF	1-615F	T3Z20080
2790	菴	B5DA	9ADE	5ADF	E1E0	1-6160	T3Z30080
2791	著	B5DB	9ADF	5AE0	E1E1	1-6161	T3Z40080
2792	萊	B5DC	9AE0	5AE1	E1E2	1-6162	T3Z50080
2793	菰	B5DD	9AE1	5AE2	E1E3	1-6163	T3Z60080
2794	萌	B5DE	9AE2	5AE3	E1E4	1-6164	T3Z70080
2795	菌	B5DF	9AE3	5AE4	E1E5	1-6165	T3Z80080
2796	菽	B5E0	9AE4	5AE5	E1E6	1-6166	T3Z90080
2797	菲	B5E1	9AE5	5AE6	E1E7	1-6167	T3ZA0080
2798	菊	B5E2	9AE6	5AE7	E1E8	1-6168	T3ZB0080
2799	萸	B5E3	9AE7	5AE8	E1E9	1-6169	T3ZC0080
2800	菱	B5E4	9AE8	5AE9	E1EA	1-616A	T3ZD0080
2801	蔔	B5E5	9AE9	5AEA	E1EB	1-616B	T3ZE0080
2802	菜	B5E6	9AEA	5AEB	E1EC	1-616C	T3ZF0080
2803	萵	B5E7	9AEB	5AEC	E1ED	1-616D	T3ZG0080
2804	蕺	B5E8	9AEC	5AED	E1EE	1-616E	T3ZH0080
2805	菹	B5E9	9AED	5AEE	E1EF	1-616F	T3ZI0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 5 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2806	虛	B5EA	9AEE	5AEF	E1F0	1-6170	T3ZJ0080
2807	蛟	B5EB	9AEF	5AF0	E1F1	1-6171	T3ZK0080
2808	蛙	B5EC	9AF0	5AF1	E1F2	1-6172	T3ZL0080
2809	蛭	B5ED	9AF1	5AF2	E1F3	1-6173	T3ZM0080
2810	蛔	B5EE	9AF2	5AF3	E1F4	1-6174	T3ZN0080
2811	蛛	B5EF	9AF3	5AF4	E1F5	1-6175	T3ZO0080
2812	蛤	B5F0	9AF4	5AF5	E1F6	1-6176	T3ZP0080
2813	蚰	B5F1	9AF5	5AF6	E1F7	1-6177	T3ZQ0080
2814	蛞	B5F2	9AF6	5AF7	E1F8	1-6178	T3ZR0080
2815	街	B5F3	9AF7	5AF8	E1F9	1-6179	T3ZS0080
2816	裁	B5F4	9AF8	5AF9	E1FA	1-617A	T3ZT0080
2817	裂	B5F5	9AF9	5AFA	E1FB	1-617B	T3ZU0080
2818	裯	B5F6	9AFA	5AFB	E1FC	1-617C	T3ZV0080
2819	覃	B5F7	9AFB	5AFC	E1FD	1-617D	T3ZW0080
2820	視	B5F8	9AFC	5AFD	E1FE	1-617E	T3ZX0080
2821	註	B5F9	9B40	5B41	E2A1	1-6221	T4010080
2822	詠	B5FA	9B41	5B42	E2A2	1-6222	T4020080
2823	評	B5FB	9B42	5B43	E2A3	1-6223	T4030080
2824	詞	B5FC	9B43	5B44	E2A4	1-6224	T4040080
2825	証	B5FD	9B44	5B45	E2A5	1-6225	T4050080
2826	詰	B5FE	9B45	5B46	E2A6	1-6226	T4060080
2827	詔	B640	9B46	5B47	E2A7	1-6227	T4070080
2828	詛	B641	9B47	5B48	E2A8	1-6228	T4080080
2829	詐	B642	9B48	5B49	E2A9	1-6229	T4090080
2830	詆	B643	9B49	5B4A	E2AA	1-622A	T40A0080
2831	訴	B644	9B4A	5B4B	E2AB	1-622B	T40B0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 6 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2832	診	B645	9B4B	5B4C	E2AC	1-622C	T40C0080
2833	訶	B646	9B4C	5B4D	E2AD	1-622D	T40D0080
2834	諛	B647	9B4D	5B4E	E2AE	1-622E	T40E0080
2835	象	B648	9B4E	5B4F	E2AF	1-622F	T40F0080
2836	貂	B649	9B4F	5B50	E2B0	1-6230	T40G0080
2837	貯	B64A	9B50	5B51	E2B1	1-6231	T40H0080
2838	貼	B64B	9B51	5B52	E2B2	1-6232	T40I0080
2839	貳	B64C	9B52	5B53	E2B3	1-6233	T40J0080
2840	貽	B64D	9B53	5B54	E2B4	1-6234	T40K0080
2841	賁	B64E	9B54	5B55	E2B5	1-6235	T40L0080
2842	費	B64F	9B55	5B56	E2B6	1-6236	T40M0080
2843	賀	B650	9B56	5B57	E2B7	1-6237	T40N0080
2844	貴	B651	9B57	5B58	E2B8	1-6238	T40O0080
2845	買	B652	9B58	5B59	E2B9	1-6239	T40P0080
2846	貶	B653	9B59	5B5A	E2BA	1-623A	T40Q0080
2847	質	B654	9B5A	5B5B	E2BB	1-623B	T40R0080
2848	貸	B655	9B5B	5B5C	E2BC	1-623C	T40S0080
2849	越	B656	9B5C	5B5D	E2BD	1-623D	T40T0080
2850	超	B657	9B5D	5B5E	E2BE	1-623E	T40U0080
2851	趁	B658	9B5E	5B5F	E2BF	1-623F	T40V0080
2852	跔	B659	9B5F	5B60	E2C0	1-6240	T40W0080
2853	距	B65A	9B60	5B61	E2C1	1-6241	T40X0080
2854	跋	B65B	9B61	5B62	E2C2	1-6242	T40Y0080
2855	跚	B65C	9B62	5B63	E2C3	1-6243	T40Z0080
2856	跑	B65D	9B63	5B64	E2C4	1-6244	T4100080
2857	跌	B65E	9B64	5B65	E2C5	1-6245	T4110080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 7 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2858	跛	B65F	9B65	5B66	E2C6	1-6246	T4120080
2859	跫	B660	9B66	5B67	E2C7	1-6247	T4130080
2860	軻	B661	9B67	5B68	E2C8	1-6248	T4140080
2861	軸	B662	9B68	5B69	E2C9	1-6249	T4150080
2862	軼	B663	9B69	5B6A	E2CA	1-624A	T4160080
2863	辜	B664	9B6A	5B6B	E2CB	1-624B	T4170080
2864	逮	B665	9B6B	5B6C	E2CC	1-624C	T4180080
2865	逵	B666	9B6C	5B6D	E2CD	1-624D	T4190080
2866	週	B667	9B6D	5B6E	E2CE	1-624E	T41A0080
2867	逸	B668	9B6E	5B6F	E2CF	1-624F	T41B0080
2868	進	B669	9B6F	5B70	E2D0	1-6250	T41C0080
2869	透	B66A	9B70	5B71	E2D1	1-6251	T41D0080
2870	鄂	B66B	9B71	5B72	E2D2	1-6252	T41E0080
2871	郵	B66C	9B72	5B73	E2D3	1-6253	T41F0080
2872	鄉	B66D	9B73	5B74	E2D4	1-6254	T41G0080
2873	鄺	B66E	9B74	5B75	E2D5	1-6255	T41H0080
2874	酣	B66F	9B75	5B76	E2D6	1-6256	T41I0080
2875	酥	B670	9B76	5B77	E2D7	1-6257	T41J0080
2876	量	B671	9B77	5B78	E2D8	1-6258	T41K0080
2877	鈔	B672	9B78	5B79	E2D9	1-6259	T41L0080
2878	鈕	B673	9B79	5B7A	E2DA	1-625A	T41M0080
2879	鈣	B674	9B7A	5B7B	E2DB	1-625B	T41N0080
2880	鈉	B675	9B7B	5B7C	E2DC	1-625C	T41O0080
2881	鈞	B676	9B7C	5B7D	E2DD	1-625D	T41P0080
2882	鈍	B677	9B7D	5B7E	E2DE	1-625E	T41Q0080
2883	鈐	B678	9B7E	5B7F	E2DF	1-625F	T41R0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 8 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2884	鈇	B679	9B80	5B81	E2E0	1-6260	T41T0080
2885	鈈	B67A	9B81	5B82	E2E1	1-6261	T41U0080
2886	閔	B67B	9B82	5B83	E2E2	1-6262	T41V0080
2887	閏	B67C	9B83	5B84	E2E3	1-6263	T41W0080
2888	開	B67D	9B84	5B85	E2E4	1-6264	T41X0080
2889	閑	B67E	9B85	5B86	E2E5	1-6265	T41Y0080
2890	間	B6A1	9B86	5B87	E2E6	1-6266	T41Z0080
2891	閒	B6A2	9B87	5B88	E2E7	1-6267	T4200080
2892	閔	B6A3	9B88	5B89	E2E8	1-6268	T4210080
2893	隊	B6A4	9B89	5B8A	E2E9	1-6269	T4220080
2894	階	B6A5	9B8A	5B8B	E2EA	1-626A	T4230080
2895	隋	B6A6	9B8B	5B8C	E2EB	1-626B	T4240080
2896	陽	B6A7	9B8C	5B8D	E2EC	1-626C	T4250080
2897	隅	B6A8	9B8D	5B8E	E2ED	1-626D	T4260080
2898	隆	B6A9	9B8E	5B8F	E2EE	1-626E	T4270080
2899	隍	B6AA	9B8F	5B90	E2EF	1-626F	T4280080
2900	陞	B6AB	9B90	5B91	E2F0	1-6270	T4290080
2901	隄	B6AC	9B91	5B92	E2F1	1-6271	T42A0080
2902	雁	B6AD	9B92	5B93	E2F2	1-6272	T42B0080
2903	雅	B6AE	9B93	5B94	E2F3	1-6273	T42C0080
2904	雄	B6AF	9B94	5B95	E2F4	1-6274	T42D0080
2905	集	B6B0	9B95	5B96	E2F5	1-6275	T42E0080
2906	雇	B6B1	9B96	5B97	E2F6	1-6276	T42F0080
2907	雯	B6B2	9B97	5B98	E2F7	1-6277	T42G0080
2908	雲	B6B3	9B98	5B99	E2F8	1-6278	T42H0080
2909	勗	B6B4	9B99	5B9A	E2F9	1-6279	T42I0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 9 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2910	項	B6B5	9B9A	5B9B	E2FA	1-627A	T42J0080
2911	順	B6B6	9B9B	5B9C	E2FB	1-627B	T42K0080
2912	須	B6B7	9B9C	5B9D	E2FC	1-627C	T42L0080
2913	飧	B6B8	9B9D	5B9E	E2FD	1-627D	T42M0080
2914	飪	B6B9	9B9E	5B9F	E2FE	1-627E	T42N0080
2915	飯	B6BA	9B9F	5BA0	E3A1	1-6321	T42O0080
2916	飽	B6BB	9BA0	5BA1	E3A2	1-6322	T42P0080
2917	飲	B6BC	9BA1	5BA2	E3A3	1-6323	T42Q0080
2918	飭	B6BD	9BA2	5BA3	E3A4	1-6324	T42R0080
2919	馮	B6BE	9BA3	5BA4	E3A5	1-6325	T42S0080
2920	馭	B6BF	9BA4	5BA5	E3A6	1-6326	T42T0080
2921	黃	B6C0	9BA5	5BA6	E3A7	1-6327	T42U0080
2922	黍	B6C1	9BA6	5BA7	E3A8	1-6328	T42V0080
2923	黑	B6C2	9BA7	5BA8	E3A9	1-6329	T42W0080
2924	亂	B6C3	9BA8	5BA9	E3AA	1-632A	T42X0080
2925	傭	B6C4	9BA9	5BAA	E3AB	1-632B	T42Y0080
2926	債	B6C5	9BAA	5BAB	E3AC	1-632C	T42Z0080
2927	傲	B6C6	9BAB	5BAC	E3AD	1-632D	T4300080
2928	傳	B6C7	9BAC	5BAD	E3AE	1-632E	T4310080
2929	僅	B6C8	9BAD	5BAE	E3AF	1-632F	T4320080
2930	傾	B6C9	9BAE	5BAF	E3B0	1-6330	T4330080
2931	催	B6CA	9BAF	5BB0	E3B1	1-6331	T4340080
2932	傷	B6CB	9BB0	5BB1	E3B2	1-6332	T4350080
2933	傻	B6CC	9BB1	5BB2	E3B3	1-6333	T4360080
2934	德	B6CD	9BB2	5BB3	E3B4	1-6334	T4370080
2935	僂	B6CE	9BB3	5BB4	E3B5	1-6335	T4380080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 10 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2936	剿	B6CF	9BB4	5BB5	E3B6	1-6336	T4390080
2937	剷	B6D0	9BB5	5BB6	E3B7	1-6337	T43A0080
2938	剽	B6D1	9BB6	5BB7	E3B8	1-6338	T43B0080
2939	募	B6D2	9BB7	5BB8	E3B9	1-6339	T43C0080
2940	勦	B6D3	9BB8	5BB9	E3BA	1-633A	T43D0080
2941	勸	B6D4	9BB9	5BBA	E3BB	1-633B	T43E0080
2942	勢	B6D5	9BBA	5BBB	E3BC	1-633C	T43F0080
2943	勸	B6D6	9BBB	5BBC	E3BD	1-633D	T43G0080
2944	匯	B6D7	9BBC	5BBD	E3BE	1-633E	T43H0080
2945	嗟	B6D8	9BBD	5BBE	E3BF	1-633F	T43I0080
2946	噉	B6D9	9BBE	5BBF	E3C0	1-6340	T43J0080
2947	噉	B6DA	9BBF	5BC0	E3C1	1-6341	T43K0080
2948	噉	B6DB	9BC0	5BC1	E3C2	1-6342	T43L0080
2949	嗎	B6DC	9BC1	5BC2	E3C3	1-6343	T43M0080
2950	嗜	B6DD	9BC2	5BC3	E3C4	1-6344	T43N0080
2951	齋	B6DE	9BC3	5BC4	E3C5	1-6345	T43O0080
2952	嗑	B6DF	9BC4	5BC5	E3C6	1-6346	T43P0080
2953	嗣	B6E0	9BC5	5BC6	E3C7	1-6347	T43Q0080
2954	嗤	B6E1	9BC6	5BC7	E3C8	1-6348	T43R0080
2955	噁	B6E2	9BC7	5BC8	E3C9	1-6349	T43S0080
2956	嗚	B6E3	9BC8	5BC9	E3CA	1-634A	T43T0080
2957	噉	B6E4	9BC9	5BCA	E3CB	1-634B	T43U0080
2958	嗅	B6E5	9BCA	5BCB	E3CC	1-634C	T43V0080
2959	嗆	B6E6	9BCB	5BCC	E3CD	1-634D	T43W0080
2960	嗶	B6E7	9BCC	5BCD	E3CE	1-634E	T43X0080
2961	噉	B6E8	9BCD	5BCE	E3CF	1-634F	T43Y0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 11 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2962	園	B6E9	9BCE	5BCF	E3D0	1-6350	T43Z0080
2963	圓	B6EA	9BCF	5BD0	E3D1	1-6351	T4400080
2964	塞	B6EB	9BD0	5BD1	E3D2	1-6352	T4410080
2965	塑	B6EC	9BD1	5BD2	E3D3	1-6353	T4420080
2966	塘	B6ED	9BD2	5BD3	E3D4	1-6354	T4430080
2967	塗	B6EE	9BD3	5BD4	E3D5	1-6355	T4440080
2968	塚	B6EF	9BD4	5BD5	E3D6	1-6356	T4450080
2969	塔	B6F0	9BD5	5BD6	E3D7	1-6357	T4460080
2970	墳	B6F1	9BD6	5BD7	E3D8	1-6358	T4470080
2971	塌	B6F2	9BD7	5BD8	E3D9	1-6359	T4480080
2972	塹	B6F3	9BD8	5BD9	E3DA	1-635A	T4490080
2973	塊	B6F4	9BD9	5BDA	E3DB	1-635B	T44A0080
2974	塢	B6F5	9BDA	5BDB	E3DC	1-635C	T44B0080
2975	塹	B6F6	9BDB	5BDC	E3DD	1-635D	T44C0080
2976	塹	B6F7	9BDC	5BDD	E3DE	1-635E	T44D0080
2977	奧	B6F8	9BDD	5BDE	E3DF	1-635F	T44E0080
2978	嫁	B6F9	9BDE	5BDF	E3E0	1-6360	T44F0080
2979	嫉	B6FA	9BDF	5BE0	E3E1	1-6361	T44G0080
2980	嫌	B6FB	9BE0	5BE1	E3E2	1-6362	T44H0080
2981	媾	B6FC	9BE1	5BE2	E3E3	1-6363	T44I0080
2982	媽	B6FD	9BE2	5BE3	E3E4	1-6364	T44J0080
2983	媼	B6FE	9BE3	5BE4	E3E5	1-6365	T44K0080
2984	媳	B740	9BE4	5BE5	E3E6	1-6366	T44L0080
2985	嫂	B741	9BE5	5BE6	E3E7	1-6367	T44M0080
2986	媼	B742	9BE6	5BE7	E3E8	1-6368	T44N0080
2987	嵩	B743	9BE7	5BE8	E3E9	1-6369	T44O0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 12 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2988	嗟	B744	9BE8	5BE9	E3EA	1-636A	T44P0080
2989	幌	B745	9BE9	5BEA	E3EB	1-636B	T44Q0080
2990	幹	B746	9BEA	5BEB	E3EC	1-636C	T44R0080
2991	廉	B747	9BEB	5BEC	E3ED	1-636D	T44S0080
2992	廈	B748	9BEC	5BED	E3EE	1-636E	T44T0080
2993	弑	B749	9BED	5BEE	E3EF	1-636F	T44U0080
2994	彙	B74A	9BEE	5BEF	E3F0	1-6370	T44V0080
2995	傍	B74B	9BEF	5BF0	E3F1	1-6371	T44W0080
2996	微	B74C	9BF0	5BF1	E3F2	1-6372	T44X0080
2997	愚	B74D	9BF1	5BF2	E3F3	1-6373	T44Y0080
2998	意	B74E	9BF2	5BF3	E3F4	1-6374	T44Z0080
2999	慈	B74F	9BF3	5BF4	E3F5	1-6375	T4500080
3000	感	B750	9BF4	5BF5	E3F6	1-6376	T4510080
3001	想	B751	9BF5	5BF6	E3F7	1-6377	T4520080
3002	愛	B752	9BF6	5BF7	E3F8	1-6378	T4530080
3003	惹	B753	9BF7	5BF8	E3F9	1-6379	T4540080
3004	愁	B754	9BF8	5BF9	E3FA	1-637A	T4550080
3005	愈	B755	9BF9	5BFA	E3FB	1-637B	T4560080
3006	慎	B756	9BFA	5BFB	E3FC	1-637C	T4570080
3007	慌	B757	9BFB	5BFC	E3FD	1-637D	T4580080
3008	慄	B758	9BFC	5BFD	E3FE	1-637E	T4590080
3009	慍	B759	9C40	5C41	E4A1	1-6421	T45D0080
3010	愾	B75A	9C41	5C42	E4A2	1-6422	T45E0080
3011	愴	B75B	9C42	5C43	E4A3	1-6423	T45F0080
3012	愧	B75C	9C43	5C44	E4A4	1-6424	T45G0080
3013	愨	B75D	9C44	5C45	E4A5	1-6425	T45H0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 13 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3014	愆	B75E	9C45	5C46	E4A6	1-6426	T45I0080
3015	愷	B75F	9C46	5C47	E4A7	1-6427	T45J0080
3016	戡	B760	9C47	5C48	E4A8	1-6428	T45K0080
3017	戢	B761	9C48	5C49	E4A9	1-6429	T45L0080
3018	搓	B762	9C49	5C4A	E4AA	1-642A	T45M0080
3019	搾	B763	9C4A	5C4B	E4AB	1-642B	T45N0080
3020	搞	B764	9C4B	5C4C	E4AC	1-642C	T45O0080
3021	搪	B765	9C4C	5C4D	E4AD	1-642D	T45P0080
3022	搭	B766	9C4D	5C4E	E4AE	1-642E	T45Q0080
3023	搽	B767	9C4E	5C4F	E4AF	1-642F	T45R0080
3024	搬	B768	9C4F	5C50	E4B0	1-6430	T45S0080
3025	搏	B769	9C50	5C51	E4B1	1-6431	T45T0080
3026	搜	B76A	9C51	5C52	E4B2	1-6432	T45U0080
3027	搔	B76B	9C52	5C53	E4B3	1-6433	T45V0080
3028	損	B76C	9C53	5C54	E4B4	1-6434	T45W0080
3029	搶	B76D	9C54	5C55	E4B5	1-6435	T45X0080
3030	搖	B76E	9C55	5C56	E4B6	1-6436	T45Y0080
3031	搗	B76F	9C56	5C57	E4B7	1-6437	T45Z0080
3032	搆	B770	9C57	5C58	E4B8	1-6438	T4600080
3033	敬	B771	9C58	5C59	E4B9	1-6439	T4610080
3034	斟	B772	9C59	5C5A	E4BA	1-643A	T4620080
3035	新	B773	9C5A	5C5B	E4BB	1-643B	T4630080
3036	暗	B774	9C5B	5C5C	E4BC	1-643C	T4640080
3037	暉	B775	9C5C	5C5D	E4BD	1-643D	T4650080
3038	暇	B776	9C5D	5C5E	E4BE	1-643E	T4660080
3039	暈	B777	9C5E	5C5F	E4BF	1-643F	T4670080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 14 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3040	暖	B778	9C5F	5C60	E4C0	1-6440	T4680080
3041	暄	B779	9C60	5C61	E4C1	1-6441	T4690080
3042	暘	B77A	9C61	5C62	E4C2	1-6442	T46A0080
3043	暘	B77B	9C62	5C63	E4C3	1-6443	T46B0080
3044	會	B77C	9C63	5C64	E4C4	1-6444	T46C0080
3045	榔	B77D	9C64	5C65	E4C5	1-6445	T46D0080
3046	業	B77E	9C65	5C66	E4C6	1-6446	T46E0080
3047	楚	B7A1	9C66	5C67	E4C7	1-6447	T46F0080
3048	楷	B7A2	9C67	5C68	E4C8	1-6448	T46G0080
3049	楠	B7A3	9C68	5C69	E4C9	1-6449	T46H0080
3050	楔	B7A4	9C69	5C6A	E4CA	1-644A	T46I0080
3051	極	B7A5	9C6A	5C6B	E4CB	1-644B	T46J0080
3052	椰	B7A6	9C6B	5C6C	E4CC	1-644C	T46K0080
3053	概	B7A7	9C6C	5C6D	E4CD	1-644D	T46L0080
3054	楊	B7A8	9C6D	5C6E	E4CE	1-644E	T46M0080
3055	楨	B7A9	9C6E	5C6F	E4CF	1-644F	T46N0080
3056	楨	B7AA	9C6F	5C70	E4D0	1-6450	T46O0080
3057	楞	B7AB	9C70	5C71	E4D1	1-6451	T46P0080
3058	楓	B7AC	9C71	5C72	E4D2	1-6452	T46Q0080
3059	楹	B7AD	9C72	5C73	E4D3	1-6453	T46R0080
3060	榆	B7AE	9C73	5C74	E4D4	1-6454	T46S0080
3061	棟	B7AF	9C74	5C75	E4D5	1-6455	T46T0080
3062	楣	B7B0	9C75	5C76	E4D6	1-6456	T46U0080
3063	桔	B7B1	9C76	5C77	E4D7	1-6457	T46V0080
3064	歇	B7B2	9C77	5C78	E4D8	1-6458	T46W0080
3065	歲	B7B3	9C78	5C79	E4D9	1-6459	T46X0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 15 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3066	毀	B7B4	9C79	5C7A	E4DA	1-645A	T46Y0080
3067	殿	B7B5	9C7A	5C7B	E4DB	1-645B	T46Z0080
3068	毓	B7B6	9C7B	5C7C	E4DC	1-645C	T4700080
3069	鍵	B7B7	9C7C	5C7D	E4DD	1-645D	T4710080
3070	溢	B7B8	9C7D	5C7E	E4DE	1-645E	T4720080
3071	溯	B7B9	9C7E	5C7F	E4DF	1-645F	T4730080
3072	滓	B7BA	9C80	5C81	E4E0	1-6460	T4750080
3073	溶	B7BB	9C81	5C82	E4E1	1-6461	T4760080
3074	滂	B7BC	9C82	5C83	E4E2	1-6462	T4770080
3075	源	B7BD	9C83	5C84	E4E3	1-6463	T4780080
3076	溝	B7BE	9C84	5C85	E4E4	1-6464	T4790080
3077	滇	B7BF	9C85	5C86	E4E5	1-6465	T47A0080
3078	滅	B7C0	9C86	5C87	E4E6	1-6466	T47B0080
3079	溥	B7C1	9C87	5C88	E4E7	1-6467	T47C0080
3080	溘	B7C2	9C88	5C89	E4E8	1-6468	T47D0080
3081	溼	B7C3	9C89	5C8A	E4E9	1-6469	T47E0080
3082	溺	B7C4	9C8A	5C8B	E4EA	1-646A	T47F0080
3083	温	B7C5	9C8B	5C8C	E4EB	1-646B	T47G0080
3084	滑	B7C6	9C8C	5C8D	E4EC	1-646C	T47H0080
3085	準	B7C7	9C8D	5C8E	E4ED	1-646D	T47I0080
3086	溜	B7C8	9C8E	5C8F	E4EE	1-646E	T47J0080
3087	滄	B7C9	9C8F	5C90	E4EF	1-646F	T47K0080
3088	滔	B7CA	9C90	5C91	E4F0	1-6470	T47L0080
3089	溪	B7CB	9C91	5C92	E4F1	1-6471	T47M0080
3090	漂	B7CC	9C92	5C93	E4F2	1-6472	T47N0080
3091	溲	B7CD	9C93	5C94	E4F3	1-6473	T47O0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 16 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3092	煎	B7CE	9C94	5C95	E4F4	1-6474	T47P0080
3093	煙	B7CF	9C95	5C96	E4F5	1-6475	T47Q0080
3094	煩	B7D0	9C96	5C97	E4F6	1-6476	T47R0080
3095	煤	B7D1	9C97	5C98	E4F7	1-6477	T47S0080
3096	煉	B7D2	9C98	5C99	E4F8	1-6478	T47T0080
3097	照	B7D3	9C99	5C9A	E4F9	1-6479	T47U0080
3098	煜	B7D4	9C9A	5C9B	E4FA	1-647A	T47V0080
3099	煬	B7D5	9C9B	5C9C	E4FB	1-647B	T47W0080
3100	煦	B7D6	9C9C	5C9D	E4FC	1-647C	T47X0080
3101	煌	B7D7	9C9D	5C9E	E4FD	1-647D	T47Y0080
3102	煥	B7D8	9C9E	5C9F	E4FE	1-647E	T47Z0080
3103	煇	B7D9	9C9F	5CA0	E5A1	1-6521	T4800080
3104	煨	B7DA	9CA0	5CA1	E5A2	1-6522	T4810080
3105	煨	B7DB	9CA1	5CA2	E5A3	1-6523	T4820080
3106	煖	B7DC	9CA2	5CA3	E5A4	1-6524	T4830080
3107	爺	B7DD	9CA3	5CA4	E5A5	1-6525	T4840080
3108	牒	B7DE	9CA4	5CA5	E5A6	1-6526	T4850080
3109	猷	B7DF	9CA5	5CA6	E5A7	1-6527	T4860080
3110	獅	B7E0	9CA6	5CA7	E5A8	1-6528	T4870080
3111	猿	B7E1	9CA7	5CA8	E5A9	1-6529	T4880080
3112	猓	B7E2	9CA8	5CA9	E5AA	1-652A	T4890080
3113	瑯	B7E3	9CA9	5CAA	E5AB	1-652B	T48A0080
3114	瑚	B7E4	9CAA	5CAB	E5AC	1-652C	T48B0080
3115	瑕	B7E5	9CAB	5CAC	E5AD	1-652D	T48C0080
3116	瑟	B7E6	9CAC	5CAD	E5AE	1-652E	T48D0080
3117	瑞	B7E7	9CAD	5CAE	E5AF	1-652F	T48E0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 17 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3118	璿	B7E8	9CAE	5CAF	E5B0	1-6530	T48F0080
3119	璿	B7E9	9CAF	5CB0	E5B1	1-6531	T48G0080
3120	璿	B7EA	9CB0	5CB1	E5B2	1-6532	T48H0080
3121	璿	B7EB	9CB1	5CB2	E5B3	1-6533	T48I0080
3122	璿	B7EC	9CB2	5CB3	E5B4	1-6534	T48J0080
3123	當	B7ED	9CB3	5CB4	E5B5	1-6535	T48K0080
3124	畸	B7EE	9CB4	5CB5	E5B6	1-6536	T48L0080
3125	瘡	B7EF	9CB5	5CB6	E5B7	1-6537	T48M0080
3126	痰	B7F0	9CB6	5CB7	E5B8	1-6538	T48N0080
3127	瘁	B7F1	9CB7	5CB8	E5B9	1-6539	T48O0080
3128	痲	B7F2	9CB8	5CB9	E5BA	1-653A	T48P0080
3129	痲	B7F3	9CB9	5CBA	E5BB	1-653B	T48Q0080
3130	痺	B7F4	9CBA	5CBB	E5BC	1-653C	T48R0080
3131	痿	B7F5	9CBB	5CBC	E5BD	1-653D	T48S0080
3132	痲	B7F6	9CBC	5CBD	E5BE	1-653E	T48T0080
3133	痲	B7F7	9CBD	5CBE	E5BF	1-653F	T48U0080
3134	盞	B7F8	9CBE	5CBF	E5C0	1-6540	T48V0080
3135	盟	B7F9	9CBF	5CC0	E5C1	1-6541	T48W0080
3136	睛	B7FA	9CC0	5CC1	E5C2	1-6542	T48X0080
3137	睫	B7FB	9CC1	5CC2	E5C3	1-6543	T48Y0080
3138	睦	B7FC	9CC2	5CC3	E5C4	1-6544	T48Z0080
3139	睽	B7FD	9CC3	5CC4	E5C5	1-6545	T4900080
3140	督	B7FE	9CC4	5CC5	E5C6	1-6546	T4910080
3141	睹	B840	9CC5	5CC6	E5C7	1-6547	T4920080
3142	翠	B841	9CC6	5CC7	E5C8	1-6548	T4930080
3143	睬	B842	9CC7	5CC8	E5C9	1-6549	T4940080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 18 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3144	睜	B843	9CC8	5CC9	E5CA	1-654A	T4950080
3145	睥	B844	9CC9	5CCA	E5CB	1-654B	T4960080
3146	睨	B845	9CCA	5CCB	E5CC	1-654C	T4970080
3147	睽	B846	9CCB	5CCC	E5CD	1-654D	T4980080
3148	矮	B847	9CCC	5CCD	E5CE	1-654E	T4990080
3149	碎	B848	9CCD	5CCE	E5CF	1-654F	T49A0080
3150	碰	B849	9CCE	5CCF	E5D0	1-6550	T49B0080
3151	碗	B84A	9CCF	5CD0	E5D1	1-6551	T49C0080
3152	碗	B84B	9CD0	5CD1	E5D2	1-6552	T49D0080
3153	碗	B84C	9CD1	5CD2	E5D3	1-6553	T49E0080
3154	碗	B84D	9CD2	5CD3	E5D4	1-6554	T49F0080
3155	碗	B84E	9CD3	5CD4	E5D5	1-6555	T49G0080
3156	碗	B84F	9CD4	5CD5	E5D6	1-6556	T49H0080
3157	碗	B850	9CD5	5CD6	E5D7	1-6557	T49I0080
3158	碗	B851	9CD6	5CD7	E5D8	1-6558	T49J0080
3159	禡	B852	9CD7	5CD8	E5D9	1-6559	T49K0080
3160	禡	B853	9CD8	5CD9	E5DA	1-655A	T49L0080
3161	禡	B854	9CD9	5CDA	E5DB	1-655B	T49M0080
3162	萬	B855	9CDA	5CDB	E5DC	1-655C	T49N0080
3163	禽	B856	9CDB	5CDC	E5DD	1-655D	T49O0080
3164	稜	B857	9CDC	5CDD	E5DE	1-655E	T49P0080
3165	稚	B858	9CDD	5CDE	E5DF	1-655F	T49Q0080
3166	稠	B859	9CDE	5CDF	E5E0	1-6560	T49R0080
3167	稔	B85A	9CDF	5CE0	E5E1	1-6561	T49S0080
3168	稟	B85B	9CE0	5CE1	E5E2	1-6562	T49T0080
3169	縲	B85C	9CE1	5CE2	E5E3	1-6563	T49U0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3170	窟	B85D	9CE2	5CE3	E5E4	1-6564	T49V0080
3171	窠	B85E	9CE3	5CE4	E5E5	1-6565	T49W0080
3172	篛	B85F	9CE4	5CE5	E5E6	1-6566	T49X0080
3173	節	B860	9CE5	5CE6	E5E7	1-6567	T49Y0080
3174	筠	B861	9CE6	5CE7	E5E8	1-6568	T49Z0080
3175	筮	B862	9CE7	5CE8	E5E9	1-6569	T4A00080
3176	筮	B863	9CE8	5CE9	E5EA	1-656A	T4A10080
3177	梁	B864	9CE9	5CEA	E5EB	1-656B	T4A20080
3178	粳	B865	9CEA	5CEB	E5EC	1-656C	T4A30080
3179	粵	B866	9CEB	5CEC	E5ED	1-656D	T4A40080
3180	經	B867	9CEC	5CED	E5EE	1-656E	T4A50080
3181	絹	B868	9CED	5CEE	E5EF	1-656F	T4A60080
3182	細	B869	9CEE	5CEF	E5F0	1-6570	T4A70080
3183	綁	B86A	9CEF	5CF0	E5F1	1-6571	T4A80080
3184	綬	B86B	9CF0	5CF1	E5F2	1-6572	T4A90080
3185	條	B86C	9CF1	5CF2	E5F3	1-6573	T4AA0080
3186	置	B86D	9CF2	5CF3	E5F4	1-6574	T4AB0080
3187	罩	B86E	9CF3	5CF4	E5F5	1-6575	T4AC0080
3188	罪	B86F	9CF4	5CF5	E5F6	1-6576	T4AD0080
3189	署	B870	9CF5	5CF6	E5F7	1-6577	T4AE0080
3190	義	B871	9CF6	5CF7	E5F8	1-6578	T4AF0080
3191	羨	B872	9CF7	5CF8	E5F9	1-6579	T4AG0080
3192	群	B873	9CF8	5CF9	E5FA	1-657A	T4AH0080
3193	聖	B874	9CF9	5CFA	E5FB	1-657B	T4AI0080
3194	聘	B875	9CFA	5CFB	E5FC	1-657C	T4AJ0080
3195	肆	B876	9CFB	5CFC	E5FD	1-657D	T4AK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 20 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3196	肆	B877	9CFC	5CFD	E5FE	1-657E	T4AL0080
3197	臄	B878	9D40	5D41	E6A1	1-6621	T4AP0080
3198	腰	B879	9D41	5D42	E6A2	1-6622	T4AQ0080
3199	腸	B87A	9D42	5D43	E6A3	1-6623	T4AR0080
3200	腥	B87B	9D43	5D44	E6A4	1-6624	T4AS0080
3201	腮	B87C	9D44	5D45	E6A5	1-6625	T4AT0080
3202	腳	B87D	9D45	5D46	E6A6	1-6626	T4AU0080
3203	腫	B87E	9D46	5D47	E6A7	1-6627	T4AV0080
3204	腹	B8A1	9D47	5D48	E6A8	1-6628	T4AW0080
3205	腺	B8A2	9D48	5D49	E6A9	1-6629	T4AX0080
3206	腦	B8A3	9D49	5D4A	E6AA	1-662A	T4AY0080
3207	鼻	B8A4	9D4A	5D4B	E6AB	1-662B	T4AZ0080
3208	艇	B8A5	9D4B	5D4C	E6AC	1-662C	T4B00080
3209	蒂	B8A6	9D4C	5D4D	E6AD	1-662D	T4B10080
3210	葦	B8A7	9D4D	5D4E	E6AE	1-662E	T4B20080
3211	落	B8A8	9D4E	5D4F	E6AF	1-662F	T4B30080
3212	萱	B8A9	9D4F	5D50	E6B0	1-6630	T4B40080
3213	葵	B8AA	9D50	5D51	E6B1	1-6631	T4B50080
3214	葦	B8AB	9D51	5D52	E6B2	1-6632	T4B60080
3215	葫	B8AC	9D52	5D53	E6B3	1-6633	T4B70080
3216	葉	B8AD	9D53	5D54	E6B4	1-6634	T4B80080
3217	葬	B8AE	9D54	5D55	E6B5	1-6635	T4B90080
3218	葛	B8AF	9D55	5D56	E6B6	1-6636	T4BA0080
3219	萼	B8B0	9D56	5D57	E6B7	1-6637	T4BB0080
3220	萼	B8B1	9D57	5D58	E6B8	1-6638	T4BC0080
3221	葡	B8B2	9D58	5D59	E6B9	1-6639	T4BD0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 21 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3222	董	B8B3	9D59	5D5A	E6BA	1-663A	T4BE0080
3223	葩	B8B4	9D5A	5D5B	E6BB	1-663B	T4BF0080
3224	葭	B8B5	9D5B	5D5C	E6BC	1-663C	T4BG0080
3225	葆	B8B6	9D5C	5D5D	E6BD	1-663D	T4BH0080
3226	虞	B8B7	9D5D	5D5E	E6BE	1-663E	T4BI0080
3227	虜	B8B8	9D5E	5D5F	E6BF	1-663F	T4BJ0080
3228	號	B8B9	9D5F	5D60	E6C0	1-6640	T4BK0080
3229	蛹	B8BA	9D60	5D61	E6C1	1-6641	T4BL0080
3230	蜓	B8BB	9D61	5D62	E6C2	1-6642	T4BM0080
3231	蜈	B8BC	9D62	5D63	E6C3	1-6643	T4BN0080
3232	蜚	B8BD	9D63	5D64	E6C4	1-6644	T4BO0080
3233	蜀	B8BE	9D64	5D65	E6C5	1-6645	T4BP0080
3234	蛾	B8BF	9D65	5D66	E6C6	1-6646	T4BQ0080
3235	蛻	B8C0	9D66	5D67	E6C7	1-6647	T4BR0080
3236	蜂	B8C1	9D67	5D68	E6C8	1-6648	T4BS0080
3237	蜃	B8C2	9D68	5D69	E6C9	1-6649	T4BT0080
3238	蜎	B8C3	9D69	5D6A	E6CA	1-664A	T4BU0080
3239	蝻	B8C4	9D6A	5D6B	E6CB	1-664B	T4BV0080
3240	衙	B8C5	9D6B	5D6C	E6CC	1-664C	T4BW0080
3241	婁	B8C6	9D6C	5D6D	E6CD	1-664D	T4BX0080
3242	裔	B8C7	9D6D	5D6E	E6CE	1-664E	T4BY0080
3243	裙	B8C8	9D6E	5D6F	E6CF	1-664F	T4BZ0080
3244	補	B8C9	9D6F	5D70	E6D0	1-6650	T4C00080
3245	裘	B8CA	9D70	5D71	E6D1	1-6651	T4C10080
3246	裝	B8CB	9D71	5D72	E6D2	1-6652	T4C20080
3247	裡	B8CC	9D72	5D73	E6D3	1-6653	T4C30080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 22 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3248	裒	B8CD	9D73	5D74	E6D4	1-6654	T4C40080
3249	裕	B8CE	9D74	5D75	E6D5	1-6655	T4C50080
3250	裒	B8CF	9D75	5D76	E6D6	1-6656	T4C60080
3251	覘	B8D0	9D76	5D77	E6D7	1-6657	T4C70080
3252	解	B8D1	9D77	5D78	E6D8	1-6658	T4C80080
3253	詒	B8D2	9D78	5D79	E6D9	1-6659	T4C90080
3254	該	B8D3	9D79	5D7A	E6DA	1-665A	T4CA0080
3255	詳	B8D4	9D7A	5D7B	E6DB	1-665B	T4CB0080
3256	試	B8D5	9D7B	5D7C	E6DC	1-665C	T4CC0080
3257	詩	B8D6	9D7C	5D7D	E6DD	1-665D	T4CD0080
3258	詰	B8D7	9D7D	5D7E	E6DE	1-665E	T4CE0080
3259	誇	B8D8	9D7E	5D7F	E6DF	1-665F	T4CF0080
3260	該	B8D9	9D80	5D81	E6E0	1-6660	T4CH0080
3261	詣	B8DA	9D81	5D82	E6E1	1-6661	T4CI0080
3262	誠	B8DB	9D82	5D83	E6E2	1-6662	T4CJ0080
3263	話	B8DC	9D83	5D84	E6E3	1-6663	T4CK0080
3264	誅	B8DD	9D84	5D85	E6E4	1-6664	T4CL0080
3265	詭	B8DE	9D85	5D86	E6E5	1-6665	T4CM0080
3266	詢	B8DF	9D86	5D87	E6E6	1-6666	T4CN0080
3267	詮	B8E0	9D87	5D88	E6E7	1-6667	T4CO0080
3268	詬	B8E1	9D88	5D89	E6E8	1-6668	T4CP0080
3269	詹	B8E2	9D89	5D8A	E6E9	1-6669	T4CQ0080
3270	諮	B8E3	9D8A	5D8B	E6EA	1-666A	T4CR0080
3271	訾	B8E4	9D8B	5D8C	E6EB	1-666B	T4CS0080
3272	設	B8E5	9D8C	5D8D	E6EC	1-666C	T4CT0080
3273	豢	B8E6	9D8D	5D8E	E6ED	1-666D	T4CU0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 23 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3274	貊	B8E7	9D8E	5D8F	E6EE	1-666E	T4CV0080
3275	貉	B8E8	9D8F	5D90	E6EF	1-666F	T4CW0080
3276	賊	B8E9	9D90	5D91	E6F0	1-6670	T4CX0080
3277	資	B8EA	9D91	5D92	E6F1	1-6671	T4CY0080
3278	賈	B8EB	9D92	5D93	E6F2	1-6672	T4CZ0080
3279	賄	B8EC	9D93	5D94	E6F3	1-6673	T4D00080
3280	賈	B8ED	9D94	5D95	E6F4	1-6674	T4D10080
3281	賈	B8EE	9D95	5D96	E6F5	1-6675	T4D20080
3282	賂	B8EF	9D96	5D97	E6F6	1-6676	T4D30080
3283	賅	B8F0	9D97	5D98	E6F7	1-6677	T4D40080
3284	跡	B8F1	9D98	5D99	E6F8	1-6678	T4D50080
3285	跟	B8F2	9D99	5D9A	E6F9	1-6679	T4D60080
3286	跨	B8F3	9D9A	5D9B	E6FA	1-667A	T4D70080
3287	路	B8F4	9D9B	5D9C	E6FB	1-667B	T4D80080
3288	跳	B8F5	9D9C	5D9D	E6FC	1-667C	T4D90080
3289	蹀	B8F6	9D9D	5D9E	E6FD	1-667D	T4DA0080
3290	跪	B8F7	9D9E	5D9F	E6FE	1-667E	T4DB0080
3291	跛	B8F8	9D9F	5DA0	E7A1	1-6721	T4DC0080
3292	跖	B8F9	9DA0	5DA1	E7A2	1-6722	T4DD0080
3293	躡	B8FA	9DA1	5DA2	E7A3	1-6723	T4DE0080
3294	較	B8FB	9DA2	5DA3	E7A4	1-6724	T4DF0080
3295	載	B8FC	9DA3	5DA4	E7A5	1-6725	T4DG0080
3296	軾	B8FD	9DA4	5DA5	E7A6	1-6726	T4DH0080
3297	輕	B8FE	9DA5	5DA6	E7A7	1-6727	T4DI0080
3298	辟	B940	9DA6	5DA7	E7A8	1-6728	T4DJ0080
3299	農	B941	9DA7	5DA8	E7A9	1-6729	T4DK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 24 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3300	運	B942	9DA8	5DA9	E7AA	1-672A	T4DL0080
3301	遊	B943	9DA9	5DAA	E7AB	1-672B	T4DM0080
3302	道	B944	9DAA	5DAB	E7AC	1-672C	T4DN0080
3303	遂	B945	9DAB	5DAC	E7AD	1-672D	T4DO0080
3304	達	B946	9DAC	5DAD	E7AE	1-672E	T4DP0080
3305	逼	B947	9DAD	5DAE	E7AF	1-672F	T4DQ0080
3306	違	B948	9DAE	5DAF	E7B0	1-6730	T4DR0080
3307	遐	B949	9DAF	5DB0	E7B1	1-6731	T4DS0080
3308	遇	B94A	9DB0	5DB1	E7B2	1-6732	T4DT0080
3309	遏	B94B	9DB1	5DB2	E7B3	1-6733	T4DU0080
3310	過	B94C	9DB2	5DB3	E7B4	1-6734	T4DV0080
3311	遍	B94D	9DB3	5DB4	E7B5	1-6735	T4DW0080
3312	遑	B94E	9DB4	5DB5	E7B6	1-6736	T4DX0080
3313	逾	B94F	9DB5	5DB6	E7B7	1-6737	T4DY0080
3314	遁	B950	9DB6	5DB7	E7B8	1-6738	T4DZ0080
3315	鄒	B951	9DB7	5DB8	E7B9	1-6739	T4E00080
3316	鄒	B952	9DB8	5DB9	E7BA	1-673A	T4E10080
3317	酬	B953	9DB9	5DBA	E7BB	1-673B	T4E20080
3318	酪	B954	9DBA	5DBB	E7BC	1-673C	T4E30080
3319	酪	B955	9DBB	5DBC	E7BD	1-673D	T4E40080
3320	釉	B956	9DBC	5DBD	E7BE	1-673E	T4E50080
3321	鈷	B957	9DBD	5DBE	E7BF	1-673F	T4E60080
3322	鉗	B958	9DBE	5DBF	E7C0	1-6740	T4E70080
3323	鉞	B959	9DBF	5DC0	E7C1	1-6741	T4E80080
3324	銻	B95A	9DC0	5DC1	E7C2	1-6742	T4E90080
3325	鉀	B95B	9DC1	5DC2	E7C3	1-6743	T4EA0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 25 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3326	鈾	B95C	9DC2	5DC3	E7C4	1-6744	T4EB0080
3327	鉛	B95D	9DC3	5DC4	E7C5	1-6745	T4EC0080
3328	鈹	B95E	9DC4	5DC5	E7C6	1-6746	T4ED0080
3329	鈷	B95F	9DC5	5DC6	E7C7	1-6747	T4EE0080
3330	鉑	B960	9DC6	5DC7	E7C8	1-6748	T4EF0080
3331	鈐	B961	9DC7	5DC8	E7C9	1-6749	T4EG0080
3332	鉉	B962	9DC8	5DC9	E7CA	1-674A	T4EH0080
3333	鉍	B963	9DC9	5DCA	E7CB	1-674B	T4EI0080
3334	鉅	B964	9DCA	5DCB	E7CC	1-674C	T4EJ0080
3335	鉞	B965	9DCB	5DCC	E7CD	1-674D	T4EK0080
3336	鈿	B966	9DCC	5DCD	E7CE	1-674E	T4EL0080
3337	鉚	B967	9DCD	5DCE	E7CF	1-674F	T4EM0080
3338	闌	B968	9DCE	5DCF	E7D0	1-6750	T4EN0080
3339	隘	B969	9DCF	5DD0	E7D1	1-6751	T4EO0080
3340	隔	B96A	9DD0	5DD1	E7D2	1-6752	T4EP0080
3341	隕	B96B	9DD1	5DD2	E7D3	1-6753	T4EQ0080
3342	雍	B96C	9DD2	5DD3	E7D4	1-6754	T4ER0080
3343	雋	B96D	9DD3	5DD4	E7D5	1-6755	T4ES0080
3344	雉	B96E	9DD4	5DD5	E7D6	1-6756	T4ET0080
3345	雋	B96F	9DD5	5DD6	E7D7	1-6757	T4EU0080
3346	雷	B970	9DD6	5DD7	E7D8	1-6758	T4EV0080
3347	電	B971	9DD7	5DD8	E7D9	1-6759	T4EW0080
3348	電	B972	9DD8	5DD9	E7DA	1-675A	T4EX0080
3349	零	B973	9DD9	5DDA	E7DB	1-675B	T4EY0080
3350	靖	B974	9DDA	5DDB	E7DC	1-675C	T4EZ0080
3351	靴	B975	9DDB	5DDC	E7DD	1-675D	T4F00080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 26 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3352	靶	B976	9DDC	5DDD	E7DE	1-675E	T4F10080
3353	預	B977	9DDD	5DDE	E7DF	1-675F	T4F20080
3354	頑	B978	9DDE	5DDF	E7E0	1-6760	T4F30080
3355	頓	B979	9DDF	5DE0	E7E1	1-6761	T4F40080
3356	頊	B97A	9DE0	5DE1	E7E2	1-6762	T4F50080
3357	頊	B97B	9DE1	5DE2	E7E3	1-6763	T4F60080
3358	頊	B97C	9DE2	5DE3	E7E4	1-6764	T4F70080
3359	飼	B97D	9DE3	5DE4	E7E5	1-6765	T4F80080
3360	飴	B97E	9DE4	5DE5	E7E6	1-6766	T4F90080
3361	飽	B9A1	9DE5	5DE6	E7E7	1-6767	T4FA0080
3362	飾	B9A2	9DE6	5DE7	E7E8	1-6768	T4FB0080
3363	馳	B9A3	9DE7	5DE8	E7E9	1-6769	T4FC0080
3364	馱	B9A4	9DE8	5DE9	E7EA	1-676A	T4FD0080
3365	馴	B9A5	9DE9	5DEA	E7EB	1-676B	T4FE0080
3366	髡	B9A6	9DEA	5DEB	E7EC	1-676C	T4FF0080
3367	鳩	B9A7	9DEB	5DEC	E7ED	1-676D	T4FG0080
3368	亮	B9A8	9DEC	5DED	E7EE	1-676E	T4FH0080
3369	鼎	B9A9	9DED	5DEE	E7EF	1-676F	T4FI0080
3370	鼓	B9AA	9DEE	5DEF	E7F0	1-6770	T4FJ0080
3371	鼠	B9AB	9DEF	5DF0	E7F1	1-6771	T4FK0080
3372	僧	B9AC	9DF0	5DF1	E7F2	1-6772	T4FL0080
3373	僮	B9AD	9DF1	5DF2	E7F3	1-6773	T4FM0080
3374	僂	B9AE	9DF2	5DF3	E7F4	1-6774	T4FN0080
3375	僖	B9AF	9DF3	5DF4	E7F5	1-6775	T4FO0080
3376	僣	B9B0	9DF4	5DF5	E7F6	1-6776	T4FP0080
3377	僚	B9B1	9DF5	5DF6	E7F7	1-6777	T4FQ0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 27 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3378	僕	B9B2	9DF6	5DF7	E7F8	1-6778	T4FR0080
3379	像	B9B3	9DF7	5DF8	E7F9	1-6779	T4FS0080
3380	僑	B9B4	9DF8	5DF9	E7FA	1-677A	T4FT0080
3381	僱	B9B5	9DF9	5DFA	E7FB	1-677B	T4FU0080
3382	僕	B9B6	9DFA	5DFB	E7FC	1-677C	T4FV0080
3383	僩	B9B7	9DFB	5DFC	E7FD	1-677D	T4FW0080
3384	兢	B9B8	9DFC	5DFD	E7FE	1-677E	T4FX0080
3385	凳	B9B9	9E40	5E41	E8A1	1-6821	T4G10080
3386	劃	B9BA	9E41	5E42	E8A2	1-6822	T4G20080
3387	劓	B9BB	9E42	5E43	E8A3	1-6823	T4G30080
3388	匱	B9BC	9E43	5E44	E8A4	1-6824	T4G40080
3389	厭	B9BD	9E44	5E45	E8A5	1-6825	T4G50080
3390	嗾	B9BE	9E45	5E46	E8A6	1-6826	T4G60080
3391	喃	B9BF	9E46	5E47	E8A7	1-6827	T4G70080
3392	嘛	B9C0	9E47	5E48	E8A8	1-6828	T4G80080
3393	嘗	B9C1	9E48	5E49	E8A9	1-6829	T4G90080
3394	嗽	B9C2	9E49	5E4A	E8AA	1-682A	T4GA0080
3395	嘔	B9C3	9E4A	5E4B	E8AB	1-682B	T4GB0080
3396	嗅	B9C4	9E4B	5E4C	E8AC	1-682C	T4GC0080
3397	嘉	B9C5	9E4C	5E4D	E8AD	1-682D	T4GD0080
3398	嘍	B9C6	9E4D	5E4E	E8AE	1-682E	T4GE0080
3399	嘍	B9C7	9E4E	5E4F	E8AF	1-682F	T4GF0080
3400	嗽	B9C8	9E4F	5E50	E8B0	1-6830	T4GG0080
3401	嘖	B9C9	9E50	5E51	E8B1	1-6831	T4GH0080
3402	啣	B9CA	9E51	5E52	E8B2	1-6832	T4GI0080
3403	嘈	B9CB	9E52	5E53	E8B3	1-6833	T4GJ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 28 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3404	嚶	B9CC	9E53	5E54	E8B4	1-6834	T4GK0080
3405	嗶	B9CD	9E54	5E55	E8B5	1-6835	T4GL0080
3406	團	B9CE	9E55	5E56	E8B6	1-6836	T4GM0080
3407	圖	B9CF	9E56	5E57	E8B7	1-6837	T4GN0080
3408	塵	B9D0	9E57	5E58	E8B8	1-6838	T4GO0080
3409	塾	B9D1	9E58	5E59	E8B9	1-6839	T4GP0080
3410	境	B9D2	9E59	5E5A	E8BA	1-683A	T4GQ0080
3411	墓	B9D3	9E5A	5E5B	E8BB	1-683B	T4GR0080
3412	塾	B9D4	9E5B	5E5C	E8BC	1-683C	T4GS0080
3413	塹	B9D5	9E5C	5E5D	E8BD	1-683D	T4GT0080
3414	墅	B9D6	9E5D	5E5E	E8BE	1-683E	T4GU0080
3415	塹	B9D7	9E5E	5E5F	E8BF	1-683F	T4GV0080
3416	壽	B9D8	9E5F	5E60	E8C0	1-6840	T4GW0080
3417	夥	B9D9	9E60	5E61	E8C1	1-6841	T4GX0080
3418	夢	B9DA	9E61	5E62	E8C2	1-6842	T4GY0080
3419	賁	B9DB	9E62	5E63	E8C3	1-6843	T4GZ0080
3420	奪	B9DC	9E63	5E64	E8C4	1-6844	T4H00080
3421	奩	B9DD	9E64	5E65	E8C5	1-6845	T4H10080
3422	嫡	B9DE	9E65	5E66	E8C6	1-6846	T4H20080
3423	嫦	B9DF	9E66	5E67	E8C7	1-6847	T4H30080
3424	嫩	B9E0	9E67	5E68	E8C8	1-6848	T4H40080
3425	嫗	B9E1	9E68	5E69	E8C9	1-6849	T4H50080
3426	嫖	B9E2	9E69	5E6A	E8CA	1-684A	T4H60080
3427	嫖	B9E3	9E6A	5E6B	E8CB	1-684B	T4H70080
3428	嫖	B9E4	9E6B	5E6C	E8CC	1-684C	T4H80080
3429	嫖	B9E5	9E6C	5E6D	E8CD	1-684D	T4H90080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 29 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3430	寘	B9E6	9E6D	5E6E	E8CE	1-684E	T4HA0080
3431	寧	B9E7	9E6E	5E6F	E8CF	1-684F	T4HB0080
3432	寡	B9E8	9E6F	5E70	E8D0	1-6850	T4HC0080
3433	寥	B9E9	9E70	5E71	E8D1	1-6851	T4HD0080
3434	實	B9EA	9E71	5E72	E8D2	1-6852	T4HE0080
3435	寨	B9EB	9E72	5E73	E8D3	1-6853	T4HF0080
3436	寢	B9EC	9E73	5E74	E8D4	1-6854	T4HG0080
3437	寤	B9ED	9E74	5E75	E8D5	1-6855	T4HH0080
3438	察	B9EE	9E75	5E76	E8D6	1-6856	T4HI0080
3439	對	B9EF	9E76	5E77	E8D7	1-6857	T4HJ0080
3440	屢	B9F0	9E77	5E78	E8D8	1-6858	T4HK0080
3441	嶄	B9F1	9E78	5E79	E8D9	1-6859	T4HL0080
3442	嶇	B9F2	9E79	5E7A	E8DA	1-685A	T4HM0080
3443	幃	B9F3	9E7A	5E7B	E8DB	1-685B	T4HN0080
3444	幣	B9F4	9E7B	5E7C	E8DC	1-685C	T4HO0080
3445	幕	B9F5	9E7C	5E7D	E8DD	1-685D	T4HP0080
3446	幘	B9F6	9E7D	5E7E	E8DE	1-685E	T4HQ0080
3447	幔	B9F7	9E7E	5E7F	E8DF	1-685F	T4HR0080
3448	廓	B9F8	9E80	5E81	E8E0	1-6860	T4HT0080
3449	廖	B9F9	9E81	5E82	E8E1	1-6861	T4HU0080
3450	弊	B9FA	9E82	5E83	E8E2	1-6862	T4HV0080
3451	弊	B9FB	9E83	5E84	E8E3	1-6863	T4HW0080
3452	彰	B9FC	9E84	5E85	E8E4	1-6864	T4HX0080
3453	徹	B9FD	9E85	5E86	E8E5	1-6865	T4HY0080
3454	慙	B9FE	9E86	5E87	E8E6	1-6866	T4HZ0080
3455	愿	BA40	9E87	5E88	E8E7	1-6867	T4I00080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 30 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3456	態	BA41	9E88	5E89	E8E8	1-6868	T4I10080
3457	慷	BA42	9E89	5E8A	E8E9	1-6869	T4I20080
3458	慢	BA43	9E8A	5E8B	E8EA	1-686A	T4I30080
3459	慣	BA44	9E8B	5E8C	E8EB	1-686B	T4I40080
3460	慟	BA45	9E8C	5E8D	E8EC	1-686C	T4I50080
3461	慚	BA46	9E8D	5E8E	E8ED	1-686D	T4I60080
3462	慘	BA47	9E8E	5E8F	E8EE	1-686E	T4I70080
3463	慵	BA48	9E8F	5E90	E8EF	1-686F	T4I80080
3464	截	BA49	9E90	5E91	E8F0	1-6870	T4I90080
3465	撇	BA4A	9E91	5E92	E8F1	1-6871	T4IA0080
3466	摘	BA4B	9E92	5E93	E8F2	1-6872	T4IB0080
3467	摔	BA4C	9E93	5E94	E8F3	1-6873	T4IC0080
3468	撤	BA4D	9E94	5E95	E8F4	1-6874	T4ID0080
3469	摸	BA4E	9E95	5E96	E8F5	1-6875	T4IE0080
3470	摸	BA4F	9E96	5E97	E8F6	1-6876	T4IF0080
3471	摺	BA50	9E97	5E98	E8F7	1-6877	T4IG0080
3472	摑	BA51	9E98	5E99	E8F8	1-6878	T4IH0080
3473	摧	BA52	9E99	5E9A	E8F9	1-6879	T4II0080
3474	擻	BA53	9E9A	5E9B	E8FA	1-687A	T4IJ0080
3475	摭	BA54	9E9B	5E9C	E8FB	1-687B	T4IK0080
3476	摻	BA55	9E9C	5E9D	E8FC	1-687C	T4IL0080
3477	敲	BA56	9E9D	5E9E	E8FD	1-687D	T4IM0080
3478	幹	BA57	9E9E	5E9F	E8FE	1-687E	T4IN0080
3479	旗	BA58	9E9F	5EA0	E9A1	1-6921	T4IO0080
3480	旖	BA59	9EA0	5EA1	E9A2	1-6922	T4IP0080
3481	暢	BA5A	9EA1	5EA2	E9A3	1-6923	T4IQ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 31 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3482	暨	BA5B	9EA2	5EA3	E9A4	1-6924	T4IR0080
3483	暝	BA5C	9EA3	5EA4	E9A5	1-6925	T4IS0080
3484	榜	BA5D	9EA4	5EA5	E9A6	1-6926	T4IT0080
3485	榨	BA5E	9EA5	5EA6	E9A7	1-6927	T4IU0080
3486	榕	BA5F	9EA6	5EA7	E9A8	1-6928	T4IV0080
3487	槁	BA60	9EA7	5EA8	E9A9	1-6929	T4IW0080
3488	榮	BA61	9EA8	5EA9	E9AA	1-692A	T4IX0080
3489	槓	BA62	9EA9	5EAA	E9AB	1-692B	T4IY0080
3490	構	BA63	9EAA	5EAB	E9AC	1-692C	T4IZ0080
3491	榛	BA64	9EAB	5EAC	E9AD	1-692D	T4J00080
3492	榷	BA65	9EAC	5EAD	E9AE	1-692E	T4J10080
3493	榻	BA66	9EAD	5EAE	E9AF	1-692F	T4J20080
3494	榱	BA67	9EAE	5EAF	E9B0	1-6930	T4J30080
3495	榴	BA68	9EAF	5EB0	E9B1	1-6931	T4J40080
3496	槐	BA69	9EB0	5EB1	E9B2	1-6932	T4J50080
3497	檜	BA6A	9EB1	5EB2	E9B3	1-6933	T4J60080
3498	榭	BA6B	9EB2	5EB3	E9B4	1-6934	T4J70080
3499	槌	BA6C	9EB3	5EB4	E9B5	1-6935	T4J80080
3500	榦	BA6D	9EB4	5EB5	E9B6	1-6936	T4J90080
3501	槃	BA6E	9EB5	5EB6	E9B7	1-6937	T4JA0080
3502	搖	BA6F	9EB6	5EB7	E9B8	1-6938	T4JB0080
3503	歉	BA70	9EB7	5EB8	E9B9	1-6939	T4JC0080
3504	歌	BA71	9EB8	5EB9	E9BA	1-693A	T4JD0080
3505	氳	BA72	9EB9	5EBA	E9BB	1-693B	T4JE0080
3506	漳	BA73	9EBA	5EBB	E9BC	1-693C	T4JF0080
3507	演	BA74	9EBB	5EBC	E9BD	1-693D	T4JG0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 32 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3508	滾	BA75	9EBC	5EBD	E9BE	1-693E	T4JH0080
3509	漓	BA76	9EBD	5EBE	E9BF	1-693F	T4JI0080
3510	滴	BA77	9EBE	5EBF	E9C0	1-6940	T4JJ0080
3511	漩	BA78	9EBF	5EC0	E9C1	1-6941	T4JK0080
3512	漾	BA79	9EC0	5EC1	E9C2	1-6942	T4JL0080
3513	漠	BA7A	9EC1	5EC2	E9C3	1-6943	T4JM0080
3514	漬	BA7B	9EC2	5EC3	E9C4	1-6944	T4JN0080
3515	漏	BA7C	9EC3	5EC4	E9C5	1-6945	T4JO0080
3516	漂	BA7D	9EC4	5EC5	E9C6	1-6946	T4JP0080
3517	漢	BA7E	9EC5	5EC6	E9C7	1-6947	T4JQ0080
3518	滿	BAA1	9EC6	5EC7	E9C8	1-6948	T4JR0080
3519	滯	BAA2	9EC7	5EC8	E9C9	1-6949	T4JS0080
3520	漆	BAA3	9EC8	5EC9	E9CA	1-694A	T4JT0080
3521	漱	BAA4	9EC9	5ECA	E9CB	1-694B	T4JU0080
3522	漸	BAA5	9ECA	5ECB	E9CC	1-694C	T4JV0080
3523	漲	BAA6	9ECB	5ECC	E9CD	1-694D	T4JW0080
3524	漣	BAA7	9ECC	5ECD	E9CE	1-694E	T4JX0080
3525	漕	BAA8	9ECD	5ECE	E9CF	1-694F	T4JY0080
3526	漫	BAA9	9ECE	5ECF	E9D0	1-6950	T4JZ0080
3527	漂	BAAA	9ECF	5ED0	E9D1	1-6951	T4K00080
3528	澈	BAAB	9ED0	5ED1	E9D2	1-6952	T4K10080
3529	漪	BAAC	9ED1	5ED2	E9D3	1-6953	T4K20080
3530	滄	BAAD	9ED2	5ED3	E9D4	1-6954	T4K30080
3531	漁	BAAE	9ED3	5ED4	E9D5	1-6955	T4K40080
3532	滲	BAAF	9ED4	5ED5	E9D6	1-6956	T4K50080
3533	滌	BAB0	9ED5	5ED6	E9D7	1-6957	T4K60080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 33 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3534	滷	BAB1	9ED6	5ED7	E9D8	1-6958	T4K70080
3535	熔	BAB2	9ED7	5ED8	E9D9	1-6959	T4K80080
3536	熙	BAB3	9ED8	5ED9	E9DA	1-695A	T4K90080
3537	煽	BAB4	9ED9	5EDA	E9DB	1-695B	T4KA0080
3538	熊	BAB5	9EDA	5EDB	E9DC	1-695C	T4KB0080
3539	熄	BAB6	9EDB	5EDC	E9DD	1-695D	T4KC0080
3540	熒	BAB7	9EDC	5EDD	E9DE	1-695E	T4KD0080
3541	爾	BAB8	9EDD	5EDE	E9DF	1-695F	T4KE0080
3542	犒	BAB9	9EDE	5EDF	E9E0	1-6960	T4KF0080
3543	犖	BABA	9EDF	5EE0	E9E1	1-6961	T4KG0080
3544	獄	BABB	9EE0	5EE1	E9E2	1-6962	T4KH0080
3545	獐	BABC	9EE1	5EE2	E9E3	1-6963	T4KI0080
3546	瑤	BABD	9EE2	5EE3	E9E4	1-6964	T4KJ0080
3547	瓊	BABE	9EE3	5EE4	E9E5	1-6965	T4KK0080
3548	瑪	BABF	9EE4	5EE5	E9E6	1-6966	T4KL0080
3549	瑰	BAC0	9EE5	5EE6	E9E7	1-6967	T4KM0080
3550	瑋	BAC1	9EE6	5EE7	E9E8	1-6968	T4KN0080
3551	甄	BAC2	9EE7	5EE8	E9E9	1-6969	T4KO0080
3552	疑	BAC3	9EE8	5EE9	E9EA	1-696A	T4KP0080
3553	瘡	BAC4	9EE9	5EEA	E9EB	1-696B	T4KQ0080
3554	瘍	BAC5	9EEA	5EEB	E9EC	1-696C	T4KR0080
3555	瘋	BAC6	9EEB	5EEC	E9ED	1-696D	T4KS0080
3556	癩	BAC7	9EEC	5EED	E9EE	1-696E	T4KT0080
3557	瘼	BAC8	9EED	5EEE	E9EF	1-696F	T4KU0080
3558	盡	BAC9	9EEE	5EEF	E9F0	1-6970	T4KV0080
3559	監	BACA	9EEF	5EF0	E9F1	1-6971	T4KW0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 34 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3560	瞄	BACB	9EF0	5EF1	E9F2	1-6972	T4KX0080
3561	瞞	BACC	9EF1	5EF2	E9F3	1-6973	T4KY0080
3562	睿	BACD	9EF2	5EF3	E9F4	1-6974	T4KZ0080
3563	睡	BACE	9EF3	5EF4	E9F5	1-6975	T4L00080
3564	磁	BACF	9EF4	5EF5	E9F6	1-6976	T4L10080
3565	碟	BAD0	9EF5	5EF6	E9F7	1-6977	T4L20080
3566	碧	BAD1	9EF6	5EF7	E9F8	1-6978	T4L30080
3567	礫	BAD2	9EF7	5EF8	E9F9	1-6979	T4L40080
3568	碩	BAD3	9EF8	5EF9	E9FA	1-697A	T4L50080
3569	碣	BAD4	9EF9	5EFA	E9FB	1-697B	T4L60080
3570	禎	BAD5	9EFA	5EFB	E9FC	1-697C	T4L70080
3571	福	BAD6	9EFB	5EFC	E9FD	1-697D	T4L80080
3572	禍	BAD7	9EFC	5EFD	E9FE	1-697E	T4L90080
3573	種	BAD8	9F40	5F41	EAA1	1-6A21	T4LD0080
3574	稱	BAD9	9F41	5F42	EAA2	1-6A22	T4LE0080
3575	窪	BADA	9F42	5F43	EAA3	1-6A23	T4LF0080
3576	窩	BADB	9F43	5F44	EAA4	1-6A24	T4LG0080
3577	竭	BADC	9F44	5F45	EAA5	1-6A25	T4LH0080
3578	端	BADD	9F45	5F46	EAA6	1-6A26	T4LI0080
3579	管	BADE	9F46	5F47	EAA7	1-6A27	T4LJ0080
3580	箕	BADF	9F47	5F48	EAA8	1-6A28	T4LK0080
3581	箋	BAE0	9F48	5F49	EAA9	1-6A29	T4LL0080
3582	筵	BAE1	9F49	5F4A	EAAA	1-6A2A	T4LM0080
3583	算	BAE2	9F4A	5F4B	EAAB	1-6A2B	T4LN0080
3584	箝	BAE3	9F4B	5F4C	EAAC	1-6A2C	T4LO0080
3585	箔	BAE4	9F4C	5F4D	EAAD	1-6A2D	T4LP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 35 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3586	箏	BAE5	9F4D	5F4E	EAAE	1-6A2E	T4LQ0080
3587	箐	BAE6	9F4E	5F4F	EAAF	1-6A2F	T4LR0080
3588	箇	BAE7	9F4F	5F50	EAB0	1-6A30	T4LS0080
3589	箎	BAE8	9F50	5F51	EAB1	1-6A31	T4LT0080
3590	粹	BAE9	9F51	5F52	EAB2	1-6A32	T4LU0080
3591	粽	BAEA	9F52	5F53	EAB3	1-6A33	T4LV0080
3592	精	BAEB	9F53	5F54	EAB4	1-6A34	T4LW0080
3593	綻	BAEC	9F54	5F55	EAB5	1-6A35	T4LX0080
3594	縮	BAED	9F55	5F56	EAB6	1-6A36	T4LY0080
3595	綜	BAEE	9F56	5F57	EAB7	1-6A37	T4LZ0080
3596	綽	BAEF	9F57	5F58	EAB8	1-6A38	T4M00080
3597	綾	BAF0	9F58	5F59	EAB9	1-6A39	T4M10080
3598	綠	BAF1	9F59	5F5A	EABA	1-6A3A	T4M20080
3599	緊	BAF2	9F5A	5F5B	EABB	1-6A3B	T4M30080
3600	綴	BAF3	9F5B	5F5C	EABC	1-6A3C	T4M40080
3601	網	BAF4	9F5C	5F5D	EABD	1-6A3D	T4M50080
3602	綱	BAF5	9F5D	5F5E	EABE	1-6A3E	T4M60080
3603	綺	BAF6	9F5E	5F5F	EABF	1-6A3F	T4M70080
3604	綢	BAF7	9F5F	5F60	EAC0	1-6A40	T4M80080
3605	綿	BAF8	9F60	5F61	EAC1	1-6A41	T4M90080
3606	綵	BAF9	9F61	5F62	EAC2	1-6A42	T4MA0080
3607	綸	BAFA	9F62	5F63	EAC3	1-6A43	T4MB0080
3608	維	BAFB	9F63	5F64	EAC4	1-6A44	T4MC0080
3609	緒	BAFC	9F64	5F65	EAC5	1-6A45	T4MD0080
3610	緇	BAFD	9F65	5F66	EAC6	1-6A46	T4ME0080
3611	綬	BAFE	9F66	5F67	EAC7	1-6A47	T4MF0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 36 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3612	罰	BB40	9F67	5F68	EAC8	1-6A48	T4MG0080
3613	翠	BB41	9F68	5F69	EAC9	1-6A49	T4MH0080
3614	翡	BB42	9F69	5F6A	EACA	1-6A4A	T4MI0080
3615	翟	BB43	9F6A	5F6B	EACB	1-6A4B	T4MJ0080
3616	聞	BB44	9F6B	5F6C	EACC	1-6A4C	T4MK0080
3617	聚	BB45	9F6C	5F6D	EACD	1-6A4D	T4ML0080
3618	肇	BB46	9F6D	5F6E	EACE	1-6A4E	T4MM0080
3619	腐	BB47	9F6E	5F6F	EACF	1-6A4F	T4MN0080
3620	勝	BB48	9F6F	5F70	EAD0	1-6A50	T4MO0080
3621	膏	BB49	9F70	5F71	EAD1	1-6A51	T4MP0080
3622	膈	BB4A	9F71	5F72	EAD2	1-6A52	T4MQ0080
3623	膊	BB4B	9F72	5F73	EAD3	1-6A53	T4MR0080
3624	腿	BB4C	9F73	5F74	EAD4	1-6A54	T4MS0080
3625	簪	BB4D	9F74	5F75	EAD5	1-6A55	T4MT0080
3626	臧	BB4E	9F75	5F76	EAD6	1-6A56	T4MU0080
3627	臺	BB4F	9F76	5F77	EAD7	1-6A57	T4MV0080
3628	與	BB50	9F77	5F78	EAD8	1-6A58	T4MW0080
3629	舔	BB51	9F78	5F79	EAD9	1-6A59	T4MX0080
3630	舞	BB52	9F79	5F7A	EADA	1-6A5A	T4MY0080
3631	魃	BB53	9F7A	5F7B	EADB	1-6A5B	T4MZ0080
3632	蓉	BB54	9F7B	5F7C	EADC	1-6A5C	T4N00080
3633	蒿	BB55	9F7C	5F7D	EADD	1-6A5D	T4N10080
3634	蓆	BB56	9F7D	5F7E	EADE	1-6A5E	T4N20080
3635	蓄	BB57	9F7E	5F7F	EADF	1-6A5F	T4N30080
3636	蒙	BB58	9F80	5F81	EAE0	1-6A60	T4N50080
3637	蒞	BB59	9F81	5F82	EAE1	1-6A61	T4N60080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 37 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3638	蒲	BB5A	9F82	5F83	EAE2	1-6A62	T4N70080
3639	蒜	BB5B	9F83	5F84	EAE3	1-6A63	T4N80080
3640	蓋	BB5C	9F84	5F85	EAE4	1-6A64	T4N90080
3641	蒸	BB5D	9F85	5F86	EAE5	1-6A65	T4NA0080
3642	蓀	BB5E	9F86	5F87	EAE6	1-6A66	T4NB0080
3643	蓆	BB5F	9F87	5F88	EAE7	1-6A67	T4NC0080
3644	菟	BB60	9F88	5F89	EAE8	1-6A68	T4ND0080
3645	蒼	BB61	9F89	5F8A	EAE9	1-6A69	T4NE0080
3646	蓑	BB62	9F8A	5F8B	EAEA	1-6A6A	T4NF0080
3647	蓊	BB63	9F8B	5F8C	EAEB	1-6A6B	T4NG0080
3648	蜿	BB64	9F8C	5F8D	EAEC	1-6A6C	T4NH0080
3649	蜜	BB65	9F8D	5F8E	EAED	1-6A6D	T4NI0080
3650	蜻	BB66	9F8E	5F8F	EAEF	1-6A6E	T4NJ0080
3651	蝓	BB67	9F8F	5F90	EAEF	1-6A6F	T4NK0080
3652	蜥	BB68	9F90	5F91	EAF0	1-6A70	T4NL0080
3653	蜴	BB69	9F91	5F92	EAF1	1-6A71	T4NM0080
3654	蚶	BB6A	9F92	5F93	EAF2	1-6A72	T4NN0080
3655	蝕	BB6B	9F93	5F94	EAF3	1-6A73	T4NO0080
3656	蝮	BB6C	9F94	5F95	EAF4	1-6A74	T4NP0080
3657	蝟	BB6D	9F95	5F96	EAF5	1-6A75	T4NQ0080
3658	裳	BB6E	9F96	5F97	EAF6	1-6A76	T4NR0080
3659	褂	BB6F	9F97	5F98	EAF7	1-6A77	T4NS0080
3660	裴	BB70	9F98	5F99	EAF8	1-6A78	T4NT0080
3661	褰	BB71	9F99	5F9A	EAF9	1-6A79	T4NU0080
3662	裸	BB72	9F9A	5F9B	EAFA	1-6A7A	T4NV0080
3663	製	BB73	9F9B	5F9C	EAFB	1-6A7B	T4NW0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 38 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3664	禪	BB74	9F9C	5F9D	E AFC	1-6A7C	T4NX0080
3665	褚	BB75	9F9D	5F9E	E AFD	1-6A7D	T4NY0080
3666	禡	BB76	9F9E	5F9F	E AFE	1-6A7E	T4NZ0080
3667	誦	BB77	9F9F	5FA0	E BA1	1-6B21	T4O00080
3668	誌	BB78	9FA0	5FA1	E BA2	1-6B22	T4O10080
3669	語	BB79	9FA1	5FA2	E BA3	1-6B23	T4O20080
3670	誣	BB7A	9FA2	5FA3	E BA4	1-6B24	T4O30080
3671	認	BB7B	9FA3	5FA4	E BA5	1-6B25	T4O40080
3672	誠	BB7C	9FA4	5FA5	E BA6	1-6B26	T4O50080
3673	誓	BB7D	9FA5	5FA6	E BA7	1-6B27	T4O60080
3674	誤	BB7E	9FA6	5FA7	E BA8	1-6B28	T4O70080
3675	說	BBA1	9FA7	5FA8	E BA9	1-6B29	T4O80080
3676	誥	BBA2	9FA8	5FA9	E BAA	1-6B2A	T4O90080
3677	誨	BBA3	9FA9	5FAA	E BAB	1-6B2B	T4OA0080
3678	誘	BBA4	9FAA	5FAB	E BAC	1-6B2C	T4OB0080
3679	誑	BBA5	9FAB	5FAC	E BAD	1-6B2D	T4OC0080
3680	誚	BBA6	9FAC	5FAD	E BAE	1-6B2E	T4OD0080
3681	誦	BBA7	9FAD	5FAE	E BAF	1-6B2F	T4OE0080
3682	豪	BBA8	9FAE	5FAF	E BB0	1-6B30	T4OF0080
3683	狸	BBA9	9FAF	5FB0	E BB1	1-6B31	T4OG0080
3684	貌	BBAA	9FB0	5FB1	E BB2	1-6B32	T4OH0080
3685	賓	BBAB	9FB1	5FB2	E BB3	1-6B33	T4OI0080
3686	賑	BBAC	9FB2	5FB3	E BB4	1-6B34	T4OJ0080
3687	賒	BBAD	9FB3	5FB4	E BB5	1-6B35	T4OK0080
3688	赫	BBAE	9FB4	5FB5	E BB6	1-6B36	T4OL0080
3689	趙	BBAF	9FB5	5FB6	E BB7	1-6B37	T4OM0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 39 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3690	趕	BBB0	9FB6	5FB7	EBB8	1-6B38	T4ON0080
3691	踟	BBB1	9FB7	5FB8	EBB9	1-6B39	T4OO0080
3692	輔	BBB2	9FB8	5FB9	EBBA	1-6B3A	T4OP0080
3693	輒	BBB3	9FB9	5FBA	EBBB	1-6B3B	T4OQ0080
3694	輕	BBB4	9FBA	5FBB	EBBC	1-6B3C	T4OR0080
3695	輓	BBB5	9FBB	5FBC	EBBD	1-6B3D	T4OS0080
3696	辣	BBB6	9FBC	5FBD	EBBE	1-6B3E	T4OT0080
3697	遠	BBB7	9FBD	5FBE	EBBF	1-6B3F	T4OU0080
3698	遘	BBB8	9FBE	5FBF	EBC0	1-6B40	T4OV0080
3699	遜	BBB9	9FBF	5FC0	EBC1	1-6B41	T4OW0080
3700	遣	BBBA	9FC0	5FC1	EBC2	1-6B42	T4OX0080
3701	遙	BBBB	9FC1	5FC2	EBC3	1-6B43	T4OY0080
3702	遞	BBBC	9FC2	5FC3	EBC4	1-6B44	T4OZ0080
3703	邇	BBBD	9FC3	5FC4	EBC5	1-6B45	T4P00080
3704	逕	BBBE	9FC4	5FC5	EBC6	1-6B46	T4P10080
3705	邈	BBBF	9FC5	5FC6	EBC7	1-6B47	T4P20080
3706	鄙	BBC0	9FC6	5FC7	EBC8	1-6B48	T4P30080
3707	鄺	BBC1	9FC7	5FC8	EBC9	1-6B49	T4P40080
3708	鄞	BBC2	9FC8	5FC9	EBCA	1-6B4A	T4P50080
3709	醇	BBC3	9FC9	5FCA	EBCB	1-6B4B	T4P60080
3710	酸	BBC4	9FCA	5FCB	EBCC	1-6B4C	T4P70080
3711	酷	BBC5	9FCB	5FCC	EBCD	1-6B4D	T4P80080
3712	醑	BBC6	9FCC	5FCD	EBCE	1-6B4E	T4P90080
3713	鉸	BBC7	9FCD	5FCE	EBCF	1-6B4F	T4PA0080
3714	銀	BBC8	9FCE	5FCF	EBD1	1-6B51	T4PB0080
3715	銅	BBC9	9FCF	5FD0	EBD2	1-6B52	T4PC0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 40 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3716	銘	BBCA	9FD0	5FD1	EBD3	1-6B53	T4PD0080
3717	銖	BBCB	9FD1	5FD2	EBD4	1-6B54	T4PE0080
3718	銘	BBCC	9FD2	5FD3	EBD5	1-6B55	T4PF0080
3719	銓	BBCD	9FD3	5FD4	EBD6	1-6B56	T4PG0080
3720	銜	BBCE	9FD4	5FD5	EBD7	1-6B57	T4PH0080
3721	鉸	BBCF	9FD5	5FD6	EBD8	1-6B58	T4PI0080
3722	鉸	BBD0	9FD6	5FD7	EBD9	1-6B59	T4PJ0080
3723	銑	BBD1	9FD7	5FD8	EBDA	1-6B5A	T4PK0080
3724	閔	BBD2	9FD8	5FD9	EBDB	1-6B5B	T4PL0080
3725	閏	BBD3	9FD9	5FDA	EBDC	1-6B5C	T4PM0080
3726	閩	BBD4	9FDA	5FDB	EBDD	1-6B5D	T4PN0080
3727	閨	BBD5	9FDB	5FDC	EBDE	1-6B5E	T4PO0080
3728	閩	BBD6	9FDC	5FDD	EBDF	1-6B5F	T4PP0080
3729	閩	BBD7	9FDD	5FDE	EBE0	1-6B60	T4PQ0080
3730	隙	BBD8	9FDE	5FDF	EBE1	1-6B61	T4PR0080
3731	障	BBD9	9FDF	5FE0	EBE2	1-6B62	T4PS0080
3732	際	BBDA	9FE0	5FE1	EBE3	1-6B63	T4PT0080
3733	雌	BBDB	9FE1	5FE2	EBE4	1-6B64	T4PU0080
3734	雉	BBDC	9FE2	5FE3	EBE5	1-6B65	T4PV0080
3735	需	BBDD	9FE3	5FE4	EBE6	1-6B66	T4PW0080
3736	鞞	BBDE	9FE4	5FE5	EBE7	1-6B67	T4PX0080
3737	鞞	BBDF	9FE5	5FE6	EBE8	1-6B68	T4PY0080
3738	韶	BBE0	9FE6	5FE7	EBE9	1-6B69	T4PZ0080
3739	頗	BBE1	9FE7	5FE8	EBEA	1-6B6A	T4Q00080
3740	領	BBE2	9FE8	5FE9	EBEB	1-6B6B	T4Q10080
3741	颯	BBE3	9FE9	5FEA	EBEC	1-6B6C	T4Q20080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 41 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3742	飈	BBE4	9FEA	5FEB	EBED	1-6B6D	T4Q30080
3743	餃	BBE5	9FEB	5FEC	EBEE	1-6B6E	T4Q40080
3744	餅	BBE6	9FEC	5FED	EBEF	1-6B6F	T4Q50080
3745	餌	BBE7	9FED	5FEE	EBF0	1-6B70	T4Q60080
3746	餉	BBE8	9FEE	5FEF	EBF1	1-6B71	T4Q70080
3747	駁	BBE9	9FEF	5FF0	EBF2	1-6B72	T4Q80080
3748	骹	BBEA	9FF0	5FF1	EBF3	1-6B73	T4Q90080
3749	骹	BBEB	9FF1	5FF2	EBF4	1-6B74	T4QA0080
3750	髦	BBEC	9FF2	5FF3	EBF5	1-6B75	T4QB0080
3751	魁	BBED	9FF3	5FF4	EBF6	1-6B76	T4QC0080
3752	魂	BBEE	9FF4	5FF5	EBF7	1-6B77	T4QD0080
3753	鳴	BBEF	9FF5	5FF6	EBF8	1-6B78	T4QE0080
3754	鳶	BBF0	9FF6	5FF7	EBF9	1-6B79	T4QF0080
3755	鳳	BBF1	9FF7	5FF8	EBFA	1-6B7A	T4QG0080
3756	麼	BBF2	9FF8	5FF9	EBFB	1-6B7B	T4QH0080
3757	鼻	BBF3	9FF9	5FFA	EBFC	1-6B7C	T4QI0080
3758	齊	BBF4	9FFA	5FFB	EBFD	1-6B7D	T4QJ0080
3759	億	BBF5	9FFB	5FFC	EBFE	1-6B7E	T4QK0080
3760	儀	BBF6	9FFC	5FFD	ECA1	1-6C21	T4QL0080
3761	僻	BBF7	A040	6041	ECA2	1-6C22	T4QP0080
3762	僵	BBF8	A041	6042	ECA3	1-6C23	T4QQ0080
3763	價	BBF9	A042	6043	ECA4	1-6C24	T4QR0080
3764	儂	BBFA	A043	6044	ECA5	1-6C25	T4QS0080
3765	儉	BBFB	A044	6045	ECA6	1-6C26	T4QT0080
3766	儉	BBFC	A045	6046	ECA7	1-6C27	T4QU0080
3767	儉	BBFD	A046	6047	ECA8	1-6C28	T4QV0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 42 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3768	凜	BBFE	A047	6048	ECA9	1-6C29	T4QW0080
3769	劇	BC40	A048	6049	ECAA	1-6C2A	T4QX0080
3770	劈	BC41	A049	604A	ECAB	1-6C2B	T4QY0080
3771	劉	BC42	A04A	604B	ECAC	1-6C2C	T4QZ0080
3772	劍	BC43	A04B	604C	ECAD	1-6C2D	T4R00080
3773	劊	BC44	A04C	604D	ECAE	1-6C2E	T4R10080
3774	劊	BC45	A04D	604E	ECAF	1-6C2F	T4R20080
3775	厲	BC46	A04E	604F	ECB0	1-6C30	T4R30080
3776	嘮	BC47	A04F	6050	ECB1	1-6C31	T4R40080
3777	嘻	BC48	A050	6051	ECB2	1-6C32	T4R50080
3778	噎	BC49	A051	6052	ECB3	1-6C33	T4R60080
3779	嘲	BC4A	A052	6053	ECB4	1-6C34	T4R70080
3780	嘿	BC4B	A053	6054	ECB5	1-6C35	T4R80080
3781	嘴	BC4C	A054	6055	ECB6	1-6C36	T4R90080
3782	嘩	BC4D	A055	6056	ECB7	1-6C37	T4RA0080
3783	噓	BC4E	A056	6057	ECB8	1-6C38	T4RB0080
3784	噎	BC4F	A057	6058	ECB9	1-6C39	T4RC0080
3785	嘖	BC50	A058	6059	ECBA	1-6C3A	T4RD0080
3786	噴	BC51	A059	605A	ECBB	1-6C3B	T4RE0080
3787	嘶	BC52	A05A	605B	ECBC	1-6C3C	T4RF0080
3788	嘯	BC53	A05B	605C	ECBD	1-6C3D	T4RG0080
3789	噤	BC54	A05C	605D	ECBE	1-6C3E	T4RH0080
3790	墀	BC55	A05D	605E	ECBF	1-6C3F	T4RI0080
3791	墟	BC56	A05E	605F	ECC0	1-6C40	T4RJ0080
3792	增	BC57	A05F	6060	ECC1	1-6C41	T4RK0080
3793	墳	BC58	A060	6061	ECC2	1-6C42	T4RL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 43 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3794	墜	BC59	A061	6062	ECC3	1-6C43	T4RM0080
3795	墮	BC5A	A062	6063	ECC4	1-6C44	T4RN0080
3796	墩	BC5B	A063	6064	ECC5	1-6C45	T4RO0080
3797	墮	BC5C	A064	6065	ECC6	1-6C46	T4RP0080
3798	爽	BC5D	A065	6066	ECC7	1-6C47	T4RQ0080
3799	嬉	BC5E	A066	6067	ECC8	1-6C48	T4RR0080
3800	嫻	BC5F	A067	6068	ECC9	1-6C49	T4RS0080
3801	嬋	BC60	A068	6069	ECCA	1-6C4A	T4RT0080
3802	嫵	BC61	A069	606A	ECCB	1-6C4B	T4RU0080
3803	嬌	BC62	A06A	606B	ECCC	1-6C4C	T4RV0080
3804	嬈	BC63	A06B	606C	ECCD	1-6C4D	T4RW0080
3805	寮	BC64	A06C	606D	ECCE	1-6C4E	T4RX0080
3806	寬	BC65	A06D	606E	ECCF	1-6C4F	T4RY0080
3807	審	BC66	A06E	606F	ECD0	1-6C50	T4RZ0080
3808	寫	BC67	A06F	6070	ECD1	1-6C51	T4S00080
3809	層	BC68	A070	6071	ECD2	1-6C52	T4S10080
3810	履	BC69	A071	6072	ECD3	1-6C53	T4S20080
3811	澄	BC6A	A072	6073	ECD4	1-6C54	T4S30080
3812	欽	BC6B	A073	6074	ECD5	1-6C55	T4S40080
3813	幢	BC6C	A074	6075	ECD6	1-6C56	T4S50080
3814	幟	BC6D	A075	6076	ECD7	1-6C57	T4S60080
3815	幡	BC6E	A076	6077	ECD8	1-6C58	T4S70080
3816	廢	BC6F	A077	6078	ECD9	1-6C59	T4S80080
3817	廚	BC70	A078	6079	ECDA	1-6C5A	T4S90080
3818	廟	BC71	A079	607A	ECDB	1-6C5B	T4SA0080
3819	廡	BC72	A07A	607B	ECDC	1-6C5C	T4SB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 44 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3820	廣	BC73	A07B	607C	ECDD	1-6C5D	T4SC0080
3821	廠	BC74	A07C	607D	ECDE	1-6C5E	T4SD0080
3822	彈	BC75	A07D	607E	ECDF	1-6C5F	T4SE0080
3823	影	BC76	A07E	607F	ECE0	1-6C60	T4SF0080
3824	德	BC77	A080	6081	ECE1	1-6C61	T4SH0080
3825	徵	BC78	A081	6082	ECE2	1-6C62	T4SI0080
3826	慶	BC79	A082	6083	ECE3	1-6C63	T4SJ0080
3827	慧	BC7A	A083	6084	ECE4	1-6C64	T4SK0080
3828	慮	BC7B	A084	6085	ECE5	1-6C65	T4SL0080
3829	慝	BC7C	A085	6086	ECE6	1-6C66	T4SM0080
3830	慕	BC7D	A086	6087	ECE7	1-6C67	T4SN0080
3831	憂	BC7E	A087	6088	ECE8	1-6C68	T4SO0080
3832	感	BCA1	A088	6089	ECE9	1-6C69	T4SP0080
3833	慰	BCA2	A089	608A	ECEA	1-6C6A	T4SQ0080
3834	慙	BCA3	A08A	608B	ECEB	1-6C6B	T4SR0080
3835	慙	BCA4	A08B	608C	ECEC	1-6C6C	T4SS0080
3836	懂	BCA5	A08C	608D	ECED	1-6C6D	T4ST0080
3837	憐	BCA6	A08D	608E	ECEE	1-6C6E	T4SU0080
3838	憫	BCA7	A08E	608F	ECEF	1-6C6F	T4SV0080
3839	憎	BCA8	A08F	6090	ECF0	1-6C70	T4SW0080
3840	憬	BCA9	A090	6091	ECF1	1-6C71	T4SX0080
3841	憚	BCAA	A091	6092	ECF2	1-6C72	T4SY0080
3842	憤	BCAB	A092	6093	ECF3	1-6C73	T4SZ0080
3843	憔悴	BCAC	A093	6094	ECF4	1-6C74	T4T00080
3844	憊	BCAD	A094	6095	ECF5	1-6C75	T4T10080
3845	戮	BCAE	A095	6096	ECF6	1-6C76	T4T20080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 45 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3846	摩	BCAF	A096	6097	ECF7	1-6C77	T4T30080
3847	摯	BCB0	A097	6098	ECF8	1-6C78	T4T40080
3848	摹	BCB1	A098	6099	ECF9	1-6C79	T4T50080
3849	撞	BCB2	A099	609A	ECFA	1-6C7A	T4T60080
3850	撲	BCB3	A09A	609B	ECFB	1-6C7B	T4T70080
3851	撈	BCB4	A09B	609C	ECFC	1-6C7C	T4T80080
3852	撐	BCB5	A09C*	609D*	ECFD	1-6C7D	T6170080
3853	撰	BCB6	A09D	609E	ECFE	1-6C7E	T4TA0080
3854	撥	BCB7	A09E	609F	EDA1	1-6D21	T4TB0080
3855	撓	BCB8	A09F	60A0	EDA2	1-6D22	T4TC0080
3856	撕	BCB9	A0A0	60A1	EDA3	1-6D23	T4TD0080
3857	撩	BCBA	A0A1	60A2	EDA4	1-6D24	T4TE0080
3858	撒	BCBB	A0A2	60A3	EDA5	1-6D25	T4TF0080
3859	撮	BCBC	A0A3	60A4	EDA6	1-6D26	T4TG0080
3860	播	BCBD	A0A4	60A5	EDA7	1-6D27	T4TH0080
3861	撫	BCBE	A0A5	60A6	EDA8	1-6D28	T4TI0080
3862	撚	BCBF	A0A6	60A7	EDA9	1-6D29	T4TJ0080
3863	擣	BCC0	A0A7	60A8	EDAA	1-6D2A	T4TK0080
3864	搏	BCC1	A0A8	60A9	EDAB	1-6D2B	T4TL0080
3865	搏	BCC2	A0A9	60AA	EDAC	1-6D2C	T4TM0080
3866	擣	BCC3	A0AA	60AB	EDAD	1-6D2D	T4TN0080
3867	敵	BCC4	A0AB	60AC	EDAE	1-6D2E	T4TO0080
3868	敷	BCC5	A0AC	60AD	EDAF	1-6D2F	T4TP0080
3869	數	BCC6	A0AD	60AE	EDB0	1-6D30	T4TQ0080
3870	暮	BCC7	A0AE	60AF	EDB1	1-6D31	T4TR0080
3871	暫	BCC8	A0AF	60B0	EDB2	1-6D32	T4TS0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 46 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3872	暴	BCC9	A0B0	60B1	EDB3	1-6D33	T4TT0080
3873	暉	BCCA	A0B1	60B2	EDB4	1-6D34	T4TU0080
3874	樣	BCCB	A0B2	60B3	EDB5	1-6D35	T4TV0080
3875	樟	BCCC	A0B3	60B4	EDB6	1-6D36	T4TW0080
3876	榔	BCCD	A0B4	60B5	EDB7	1-6D37	T4TX0080
3877	椿	BCCE	A0B5	60B6	EDB8	1-6D38	T4TY0080
3878	樞	BCCF	A0B6	60B7	EDB9	1-6D39	T4TZ0080
3879	標	BCD0	A0B7	60B8	EDBA	1-6D3A	T4U00080
3880	槽	BCD1	A0B8	60B9	EDBB	1-6D3B	T4U10080
3881	模	BCD2	A0B9	60BA	EDBC	1-6D3C	T4U20080
3882	樓	BCD3	A0BA	60BB	EDBD	1-6D3D	T4U30080
3883	樊	BCD4	A0BB	60BC	EDBE	1-6D3E	T4U40080
3884	槳	BCD5	A0BC	60BD	EDBF	1-6D3F	T4U50080
3885	樂	BCD6	A0BD	60BE	EDC0	1-6D40	T4U60080
3886	樅	BCD7	A0BE	60BF	EDC1	1-6D41	T4U70080
3887	械	BCD8	A0BF	60C0	EDC2	1-6D42	T4U80080
3888	樑	BCD9	A0C0	60C1	EDC3	1-6D43	T4U90080
3889	歐	BCDA	A0C1	60C2	EDC4	1-6D44	T4UA0080
3890	歎	BCDB	A0C2	60C3	EDC5	1-6D45	T4UB0080
3891	殤	BCDC	A0C3	60C4	EDC6	1-6D46	T4UC0080
3892	毅	BCDD	A0C4	60C5	EDC7	1-6D47	T4UD0080
3893	毆	BCDE	A0C5	60C6	EDC8	1-6D48	T4UE0080
3894	漿	BCDF	A0C6	60C7	EDC9	1-6D49	T4UF0080
3895	潼	BCE0	A0C7	60C8	EDCA	1-6D4A	T4UG0080
3896	澄	BCE1	A0C8	60C9	EDCB	1-6D4B	T4UH0080
3897	潑	BCE2	A0C9	60CA	EDCC	1-6D4C	T4UI0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 47 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3898	潦	BCE3	A0CA	60CB	EDCD	1-6D4D	T4UJ0080
3899	潔	BCE4	A0CB	60CC	EDCE	1-6D4E	T4UK0080
3900	澆	BCE5	A0CC	60CD	EDCF	1-6D4F	T4UL0080
3901	潭	BCE6	A0CD	60CE	EDD0	1-6D50	T4UM0080
3902	潛	BCE7	A0CE	60CF	EDD1	1-6D51	T4UN0080
3903	濟	BCE8	A0CF	60D0	EDD2	1-6D52	T4UO0080
3904	潮	BCE9	A0D0	60D1	EDD3	1-6D53	T4UP0080
3905	澎	BCEA	A0D1	60D2	EDD4	1-6D54	T4UQ0080
3906	潺	BCEB	A0D2	60D3	EDD5	1-6D55	T4UR0080
3907	潰	BCEC	A0D3	60D4	EDD6	1-6D56	T4US0080
3908	潤	BCED	A0D4	60D5	EDD7	1-6D57	T4UT0080
3909	澗	BCEE	A0D5	60D6	EDD8	1-6D58	T4UU0080
3910	潘	BCEF	A0D6	60D7	EDD9	1-6D59	T4UV0080
3911	滕	BCF0	A0D7	60D8	EDDA	1-6D5A	T4UW0080
3912	潯	BCF1	A0D8	60D9	EDDB	1-6D5B	T4UX0080
3913	澗	BCF2	A0D9	60DA	EDDC	1-6D5C	T4UY0080
3914	滂	BCF3	A0DA	60DB	EDDD	1-6D5D	T4UZ0080
3915	熟	BCF4	A0DB	60DC	EDDE	1-6D5E	T4V00080
3916	熬	BCF5	A0DC	60DD	EDDF	1-6D5F	T4V10080
3917	熱	BCF6	A0DD	60DE	EDE0	1-6D60	T4V20080
3918	熨	BCF7	A0DE	60DF	EDE1	1-6D61	T4V30080
3919	牖	BCF8	A0DF	60E0	EDE2	1-6D62	T4V40080
3920	犛	BCF9	A0E0	60E1	EDE3	1-6D63	T4V50080
3921	獎	BCFA	A0E1	60E2	EDE4	1-6D64	T4V60080
3922	獬	BCFB	A0E2	60E3	EDE5	1-6D65	T4V70080
3923	瑩	BCFC	A0E3	60E4	EDE6	1-6D66	T4V80080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 48 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3924	璋	BCFD	A0E4	60E5	EDE7	1-6D67	T4V90080
3925	璃	BCFE	A0E5	60E6	EDE8	1-6D68	T4VA0080
3926	瑾	BD40	A0E6	60E7	EDE9	1-6D69	T4VB0080
3927	瑾	BD41	A0E7	60E8	EDEA	1-6D6A	T4VC0080
3928	畿	BD42	A0E8	60E9	EDEB	1-6D6B	T4VD0080
3929	瘠	BD43	A0E9	60EA	EDEC	1-6D6C	T4VE0080
3930	瘠	BD44	A0EA	60EB	EDED	1-6D6D	T4VF0080
3931	瘟	BD45	A0EB	60EC	EDEE	1-6D6E	T4VG0080
3932	瘤	BD46	A0EC	60ED	EDEF	1-6D6F	T4VH0080
3933	瘦	BD47	A0ED	60EE	EDF0	1-6D70	T4VI0080
3934	瘡	BD48	A0EE	60EF	EDF1	1-6D71	T4VJ0080
3935	癩	BD49	A0EF	60F0	EDF2	1-6D72	T4VK0080
3936	皚	BD4A	A0F0	60F1	EDF3	1-6D73	T4VL0080
3937	皴	BD4B	A0F1	60F2	EDF4	1-6D74	T4VM0080
3938	盤	BD4C	A0F2	60F3	EDF5	1-6D75	T4VN0080
3939	睛	BD4D	A0F3	60F4	EDF6	1-6D76	T4VO0080
3940	瞇	BD4E	A0F4	60F5	EDF7	1-6D77	T4VP0080
3941	瞞	BD4F	A0F5	60F6	EDF8	1-6D78	T4VQ0080
3942	瞢	BD50	A0F6	60F7	EDF9	1-6D79	T4VR0080
3943	瞢	BD51	A0F7	60F8	EDFA	1-6D7A	T4VS0080
3944	磋	BD52	A0F8	60F9	EDFB	1-6D7B	T4VT0080
3945	磅	BD53	A0F9	60FA	EDFC	1-6D7C	T4VU0080
3946	確	BD54	A0FA	60FB	EDFD	1-6D7D	T4VV0080
3947	磊	BD55	A0FB	60FC	EDFE	1-6D7E	T4VW0080
3948	礮	BD56	A0FC	60FD	EEA1	1-6E21	T4VX0080
3949	礮	BD57	A140	6141	EEA2	1-6E22	T4W10080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 49 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3950	碼	BD58	A141	6142	EEA3	1-6E23	T4W20080
3951	磬	BD59	A142	6143	EEA4	1-6E24	T4W30080
3952	稿	BD5A	A143	6144	EEA5	1-6E25	T4W40080
3953	稼	BD5B	A144	6145	EEA6	1-6E26	T4W50080
3954	穀	BD5C	A145	6146	EEA7	1-6E27	T4W60080
3955	稽	BD5D	A146	6147	EEA8	1-6E28	T4W70080
3956	稷	BD5E	A147	6148	EEA9	1-6E29	T4W80080
3957	稻	BD5F	A148	6149	EEAA	1-6E2A	T4W90080
3958	窳	BD60	A149	614A	EEAB	1-6E2B	T4WA0080
3959	窮	BD61	A14A	614B	EEAC	1-6E2C	T4WB0080
3960	箭	BD62	A14B	614C	EEAD	1-6E2D	T4WC0080
3961	箱	BD63	A14C	614D	EEAE	1-6E2E	T4WD0080
3962	範	BD64	A14D	614E	EEAF	1-6E2F	T4WE0080
3963	箴	BD65	A14E	614F	EEB0	1-6E30	T4WF0080
3964	篆	BD66	A14F	6150	EEB1	1-6E31	T4WG0080
3965	篇	BD67	A150	6151	EEB2	1-6E32	T4WH0080
3966	篁	BD68	A151	6152	EEB3	1-6E33	T4WI0080
3967	箎	BD69	A152	6153	EEB4	1-6E34	T4WJ0080
3968	篔	BD6A	A153	6154	EEB5	1-6E35	T4WK0080
3969	糊	BD6B	A154	6155	EEB6	1-6E36	T4WL0080
3970	締	BD6C	A155	6156	EEB7	1-6E37	T4WM0080
3971	練	BD6D	A156	6157	EEB8	1-6E38	T4WN0080
3972	緯	BD6E	A157	6158	EEB9	1-6E39	T4WO0080
3973	緞	BD6F	A158	6159	EEBA	1-6E3A	T4WP0080
3974	絨	BD70	A159	615A	EEBB	1-6E3B	T4WQ0080
3975	緬	BD71	A15A	615B	EEBC	1-6E3C	T4WR0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 50 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3976	緝	BD72	A15B	615C	EEBD	1-6E3D	T4WS0080
3977	編	BD73	A15C	615D	EEBE	1-6E3E	T4WT0080
3978	緣	BD74	A15D	615E	EEBF	1-6E3F	T4WU0080
3979	線	BD75	A15E	615F	EEC0	1-6E40	T4WV0080
3980	緞	BD76	A15F	6160	EEC1	1-6E41	T4WW0080
3981	緩	BD77	A160	6161	EEC2	1-6E42	T4WX0080
3982	經	BD78	A161	6162	EEC3	1-6E43	T4WY0080
3983	緯	BD79	A162	6163	EEC4	1-6E44	T4WZ0080
3984	紗	BD7A	A163	6164	EEC5	1-6E45	T4X00080
3985	緹	BD7B	A164	6165	EEC6	1-6E46	T4X10080
3986	罵	BD7C	A165	6166	EEC7	1-6E47	T4X20080
3987	罷	BD7D	A166	6167	EEC8	1-6E48	T4X30080
3988	羯	BD7E	A167	6168	EEC9	1-6E49	T4X40080
3989	翩	BDA1	A168	6169	EECA	1-6E4A	T4X50080
3990	耦	BDA2	A169	616A	EECB	1-6E4B	T4X60080
3991	脞	BDA3	A16A	616B	EECC	1-6E4C	T4X70080
3992	膜	BDA4	A16B	616C	EECD	1-6E4D	T4X80080
3993	膝	BDA5	A16C	616D	EECE	1-6E4E	T4X90080
3994	膠	BDA6	A16D	616E	EECF	1-6E4F	T4XA0080
3995	膚	BDA7	A16E	616F	EED0	1-6E50	T4XB0080
3996	臍	BDA8	A16F	6170	EED1	1-6E51	T4XC0080
3997	蔗	BDA9	A170	6171	EED2	1-6E52	T4XD0080
3998	蔽	BDAA	A171	6172	EED3	1-6E53	T4XE0080
3999	蔚	BDAB	A172	6173	EED4	1-6E54	T4XF0080
4000	蓮	BDAC	A173	6174	EED5	1-6E55	T4XG0080
4001	蔬	BDAD	A174	6175	EED6	1-6E56	T4XH0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 8 (Page 51 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4002	蔭	BDAE	A175	6176	EED7	1-6E57	T4XI0080
4003	蔓	BDAF	A176	6177	EED8	1-6E58	T4XJ0080
4004	蔑	BDB0	A177	6178	EED9	1-6E59	T4XK0080
4005	蔣	BDB1	A178	6179	EEDA	1-6E5A	T4XL0080
4006	蔡	BDB2	A179	617A	EEDB	1-6E5B	T4XM0080
4007	荀	BDB3	A17A	617B	EEDC	1-6E5C	T4XN0080
4008	蓬	BDB4	A17B	617C	EEDD	1-6E5D	T4XO0080
4009	蔥	BDB5	A17C	617D	EEDE	1-6E5E	T4XP0080
4010	苜	BDB6	A17D	617E	EEDF	1-6E5F	T4XQ0080
4011	菱	BDB7	A17E	617F	EEEE0	1-6E60	T4XR0080
4012	螂	BDB8	A180	6181	EEE1	1-6E61	T4XT0080
4013	蝴	BDB9	A181	6182	EEE2	1-6E62	T4XU0080
4014	蝶	BDBA	A182	6183	EEE3	1-6E63	T4XV0080
4015	蝠	BDBB	A183	6184	EEE4	1-6E64	T4XW0080
4016	蝦	BDBC	A184	6185	EEE5	1-6E65	T4XX0080
4017	蝸	BDBD	A185	6186	EEE6	1-6E66	T4XY0080
4018	蝨	BDBE	A186	6187	EEE7	1-6E67	T4XZ0080
4019	蝙	BDBF	A187	6188	EEE8	1-6E68	T4Y00080
4020	蝗	BDC0	A188	6189	EEE9	1-6E69	T4Y10080
4021	蚪	BDC1	A189	618A	EEEEA	1-6E6A	T4Y20080
4022	蝮	BDC2	A18A	618B	EEEB	1-6E6B	T4Y30080
4023	衛	BDC3	A18B	618C	EEEC	1-6E6C	T4Y40080
4024	衝	BDC4	A18C	618D	EEED	1-6E6D	T4Y50080
4025	褐	BDC5	A18D	618E	EEEE	1-6E6E	T4Y60080
4026	複	BDC6	A18E	618F	EEEF	1-6E6F	T4Y70080
4027	褒	BDC7	A18F	6190	EEF0	1-6E70	T4Y80080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 8 (Page 52 of 52). Primary Chinese Character Set (3 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4028	襍	BDC8	A190	6191	EEF1	1-6E71	T4Y90080
4029	禴	BDC9	A191	6192	EEF2	1-6E72	T4YA0080
4030	禴	BDCA	A192	6193	EEF3	1-6E73	T4YB0080
4031	誼	BDCB	A193	6194	EEF4	1-6E74	T4YC0080
4032	諒	BDCC	A194	6195	EEF5	1-6E75	T4YD0080
4033	談	BDCD	A195	6196	EEF6	1-6E76	T4YE0080
4034	諄	BDCE	A196	6197	EEF7	1-6E77	T4YF0080
4035	誕	BDCF	A197	6198	EEF8	1-6E78	T4YG0080
4036	請	BDD0	A198	6199	EEF9	1-6E79	T4YH0080
4037	諸	BDD1	A199	619A	EEFA	1-6E7A	T4YI0080
4038	課	BDD2	A19A	619B	EEFB	1-6E7B	T4YJ0080
4039	諉	BDD3	A19B	619C	EEFC	1-6E7C	T4YK0080
4040	詔	BDD4	A19C	619D	EEFD	1-6E7D	T4YL0080
4041	調	BDD5	A19D	619E	EEFE	1-6E7E	T4YM0080
4042	誰	BDD6	A19E	619F	EFA1	1-6F21	T4YN0080
4043	論	BDD7	A19F	61A0	EFA2	1-6F22	T4YO0080
4044	諍	BDD8	A1A0	61A1	EFA3	1-6F23	T4YP0080
4045	諍	BDD9	A1A1	61A2	EFA4	1-6F24	T4YQ0080
4046	誹	BDDA	A1A2	61A3	EFA5	1-6F25	T4YR0080
4047	諛	Bddb	A1A3	61A4	EFA6	1-6F26	T4YS0080
4048	腕	BDDC	A1A4	61A5	EFA7	1-6F27	T4YT0080
4049	豎	BDDD	A1A5	61A6	EFA8	1-6F28	T4YU0080
4050	豬	BDDE	A1A6	61A7	EFA9	1-6F29	T4YV0080
4051	賠	BDDF	A1A7	61A8	EFAA	1-6F2A	T4YW0080
4052	賞	BDE0	A1A8	61A9	EFAB	1-6F2B	T4YX0080

Note: * See Section 11.2 on page 559 for the code translation correspondence among IBM BIG-5 and DBCS-PC and DBCS-Host and EUC and CNS 11643.

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8.5 Primary Chinese Character Set (4 of 4)

Table 9 (Page 1 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4053	賦	BDE1	A1A9	61AA	EFAC	1-6F2C	T4YY0080
4054	賤	BDE2	A1AA	61AB	EFAD	1-6F2D	T4YZ0080
4055	賤	BDE3	A1AB	61AC	EFAE	1-6F2E	T4Z00080
4056	賭	BDE4	A1AC	61AD	EFAF	1-6F2F	T4Z10080
4057	賢	BDE5	A1AD	61AE	EFB0	1-6F30	T4Z20080
4058	賣	BDE6	A1AE	61AF	EFB1	1-6F31	T4Z30080
4059	賜	BDE7	A1AF	61B0	EFB2	1-6F32	T4Z40080
4060	質	BDE8	A1B0	61B1	EFB3	1-6F33	T4Z50080
4061	賡	BDE9	A1B1	61B2	EFB4	1-6F34	T4Z60080
4062	赭	BDEA	A1B2	61B3	EFB5	1-6F35	T4Z70080
4063	趨	BDEB	A1B3	61B4	EFB6	1-6F36	T4Z80080
4064	趣	BDEC	A1B4	61B5	EFB7	1-6F37	T4Z90080
4065	踰	BDED	A1B5	61B6	EFB8	1-6F38	T4ZA0080
4066	踐	BDEE	A1B6	61B7	EFB9	1-6F39	T4ZB0080
4067	踝	BDEF	A1B7	61B8	EFBA	1-6F3A	T4ZC0080
4068	踢	BDF0	A1B8	61B9	EFBB	1-6F3B	T4ZD0080
4069	踏	BDF1	A1B9	61BA	EFBC	1-6F3C	T4ZE0080
4070	踩	BDF2	A1BA	61BB	EFBD	1-6F3D	T4ZF0080
4071	踮	BDF3	A1BB	61BC	EFBE	1-6F3E	T4ZG0080
4072	踫	BDF4	A1BC	61BD	EFBF	1-6F3F	T4ZH0080
4073	踞	BDF5	A1BD	61BE	EFC0	1-6F40	T4ZI0080
4074	躺	BDF6	A1BE	61BF	EFC1	1-6F41	T4ZJ0080
4075	輝	BDF7	A1BF	61C0	EFC2	1-6F42	T4ZK0080
4076	輻	BDF8	A1C0	61C1	EFC3	1-6F43	T4ZL0080
4077	輟	BDF9	A1C1	61C2	EFC4	1-6F44	T4ZM0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 2 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4078	輩	BDF A	A1C2	61C3	EFC5	1-6F45	T4ZN0080
4079	輦	BDFB	A1C3	61C4	EFC6	1-6F46	T4ZO0080
4080	輪	BDFC	A1C4	61C5	EFC7	1-6F47	T4ZP0080
4081	輜	BDFD	A1C5	61C6	EFC8	1-6F48	T4ZQ0080
4082	輞	BDFE	A1C6	61C7	EFC9	1-6F49	T4ZR0080
4083	輗	BE40	A1C7	61C8	EFCA	1-6F4A	T4ZS0080
4084	適	BE41	A1C8	61C9	EFCB	1-6F4B	T4ZT0080
4085	遮	BE42	A1C9	61CA	EFCC	1-6F4C	T4ZU0080
4086	邀	BE43	A1CA	61CB	EFC D	1-6F4D	T4ZV0080
4087	遭	BE44	A1CB	61CC	EFCE	1-6F4E	T4ZW0080
4088	遷	BE45	A1CC	61CD	EFCF	1-6F4F	T4ZX0080
4089	鄰	BE46	A1CD	61CE	EFD0	1-6F50	T4ZY0080
4090	鄭	BE47	A1CE	61CF	EFD1	1-6F51	T4ZZ0080
4091	鄧	BE48	A1CF	61D0	EFD2	1-6F52	T5000080
4092	鄧	BE49	A1D0	61D1	EFD3	1-6F53	T5010080
4093	醇	BE4A	A1D1	61D2	EFD4	1-6F54	T5020080
4094	醉	BE4B	A1D2	61D3	EFD5	1-6F55	T5030080
4095	醋	BE4C	A1D3	61D4	EFD6	1-6F56	T5040080
4096	醃	BE4D	A1D4	61D5	EFD7	1-6F57	T5050080
4097	鋅	BE4E	A1D5	61D6	EFD8	1-6F58	T5060080
4098	銻	BE4F	A1D6	61D7	EFD9	1-6F59	T5070080
4099	銷	BE50	A1D7	61D8	EFDA	1-6F5A	T5080080
4100	鋪	BE51	A1D8	61D9	EFDB	1-6F5B	T5090080
4101	銕	BE52	A1D9	61DA	EBD0	1-6B50	T50A0080
4102	鋤	BE53	A1DA	61DB	EFDC	1-6F5C	T50B0080
4103	鋁	BE54	A1DB	61DC	EFDD	1-6F5D	T50C0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 3 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4104	銳	BE55	A1DC	61DD	EFDE	1-6F5E	T50D0080
4105	銼	BE56	A1DD	61DE	EFDF	1-6F5F	T50E0080
4106	鋒	BE57	A1DE	61DF	EFE0	1-6F60	T50F0080
4107	鋸	BE58	A1DF	61E0	EFE1	1-6F61	T50G0080
4108	鋸	BE59	A1E0	61E1	EFE2	1-6F62	T50H0080
4109	鋸	BE5A	A1E1	61E2	EFE3	1-6F63	T50I0080
4110	閻	BE5B	A1E2	61E3	EFE4	1-6F64	T50J0080
4111	閻	BE5C	A1E3	61E4	EFE5	1-6F65	T50K0080
4112	霄	BE5D	A1E4	61E5	EFE6	1-6F66	T50L0080
4113	霆	BE5E	A1E5	61E6	EFE7	1-6F67	T50M0080
4114	震	BE5F	A1E6	61E7	EFE8	1-6F68	T50N0080
4115	霉	BE60	A1E7	61E8	EFE9	1-6F69	T50O0080
4116	靠	BE61	A1E8	61E9	EFEA	1-6F6A	T50P0080
4117	鞍	BE62	A1E9	61EA	EFEB	1-6F6B	T50Q0080
4118	鞋	BE63	A1EA	61EB	EFEC	1-6F6C	T50R0080
4119	鞏	BE64	A1EB	61EC	EFED	1-6F6D	T50S0080
4120	頡	BE65	A1EC	61ED	EFEE	1-6F6E	T50T0080
4121	頰	BE66	A1ED	61EE	EFEF	1-6F6F	T50U0080
4122	頷	BE67	A1EE	61EF	EFF0	1-6F70	T50V0080
4123	颯	BE68	A1EF	61F0	EFF1	1-6F71	T50W0080
4124	養	BE69	A1F0	61F1	EFF2	1-6F72	T50X0080
4125	餓	BE6A	A1F1	61F2	EFF3	1-6F73	T50Y0080
4126	餒	BE6B	A1F2	61F3	EFF4	1-6F74	T50Z0080
4127	餘	BE6C	A1F3	61F4	EFF5	1-6F75	T5100080
4128	駝	BE6D	A1F4	61F5	EFF6	1-6F76	T5110080
4129	駐	BE6E	A1F5	61F6	EFF7	1-6F77	T5120080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 4 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4130	駟	BE6F	A1F6	61F7	EFF8	1-6F78	T5130080
4131	駛	BE70	A1F7	61F8	EFF9	1-6F79	T5140080
4132	駑	BE71	A1F8	61F9	EFFA	1-6F7A	T5150080
4133	駕	BE72	A1F9	61FA	EFFB	1-6F7B	T5160080
4134	駒	BE73	A1FA	61FB	EFFC	1-6F7C	T5170080
4135	駙	BE74	A1FB	61FC	EFFD	1-6F7D	T5180080
4136	骷	BE75	A1FC	61FD	EFFE	1-6F7E	T5190080
4137	髮	BE76	A240	6241	F0A1	1-7021	T51D0080
4138	髻	BE77	A241	6242	F0A2	1-7022	T51E0080
4139	鬪	BE78	A242	6243	F0A3	1-7023	T51F0080
4140	魅	BE79	A243	6244	F0A4	1-7024	T51G0080
4141	魄	BE7A	A244	6245	F0A5	1-7025	T51H0080
4142	魷	BE7B	A245	6246	F0A6	1-7026	T51I0080
4143	魯	BE7C	A246	6247	F0A7	1-7027	T51J0080
4144	鳩	BE7D	A247	6248	F0A8	1-7028	T51K0080
4145	鴉	BE7E	A248	6249	F0A9	1-7029	T51L0080
4146	駛	BEA1	A249	624A	F0AA	1-702A	T51M0080
4147	麩	BEA2	A24A	624B	F0AB	1-702B	T51N0080
4148	塵	BEA3	A24B	624C	F0AC	1-702C	T51O0080
4149	黎	BEA4	A24C	624D	F0AD	1-702D	T51P0080
4150	墨	BEA5	A24D	624E	F0AE	1-702E	T51Q0080
4151	齒	BEA6	A24E	624F	F0AF	1-702F	T51R0080
4152	儒	BEA7	A24F	6250	F0B0	1-7030	T51S0080
4153	儘	BEA8	A250	6251	F0B1	1-7031	T51T0080
4154	儔	BEA9	A251	6252	F0B2	1-7032	T51U0080
4155	儻	BEAA	A252	6253	F0B3	1-7033	T51V0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 5 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4156	濟	BEAB	A253	6254	F0B4	1-7034	T51W0080
4157	冀	BEAC	A254	6255	F0B5	1-7035	T51X0080
4158	冪	BEAD	A255	6256	F0B6	1-7036	T51Y0080
4159	凝	BEAE	A256	6257	F0B7	1-7037	T51Z0080
4160	劑	BEAF	A257	6258	F0B8	1-7038	T5200080
4161	劑	BEB0	A258	6259	F0B9	1-7039	T5210080
4162	勳	BEB1	A259	625A	F0BA	1-703A	T5220080
4163	噲	BEB2	A25A	625B	F0BB	1-703B	T5230080
4164	噫	BEB3	A25B	625C	F0BC	1-703C	T5240080
4165	噤	BEB4	A25C	625D	F0BD	1-703D	T5250080
4166	噤	BEB5	A25D	625E	F0BE	1-703E	T5260080
4167	噤	BEB6	A25E	625F	F0BF	1-703F	T5270080
4168	噤	BEB7	A25F	6260	F0C0	1-7040	T5280080
4169	噪	BEB8	A260	6261	F0C1	1-7041	T5290080
4170	器	BEB9	A261	6262	F0C2	1-7042	T52A0080
4171	噤	BEBA	A262	6263	F0C3	1-7043	T52B0080
4172	噤	BEBB	A263	6264	F0C4	1-7044	T52C0080
4173	噤	BEBC	A264	6265	F0C5	1-7045	T52D0080
4174	噤	BEBD	A265	6266	F0C6	1-7046	T52E0080
4175	噤	BEBE	A266	6267	F0C7	1-7047	T52F0080
4176	噤	BEBF	A267	6268	F0C8	1-7048	T52G0080
4177	壁	BEC0	A268	6269	F0C9	1-7049	T52H0080
4178	墾	BEC1	A269	626A	F0CA	1-704A	T52I0080
4179	壇	BEC2	A26A	626B	F0CB	1-704B	T52J0080
4180	壅	BEC3	A26B	626C	F0CC	1-704C	T52K0080
4181	奮	BEC4	A26C	626D	F0CD	1-704D	T52L0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 6 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4182	嫵	BEC5	A26D	626E	F0CE	1-704E	T52M0080
4183	羸	BEC6	A26E	626F	F0CF	1-704F	T52N0080
4184	學	BEC7	A26F	6270	F0D0	1-7050	T52O0080
4185	寰	BEC8	A270	6271	F0D1	1-7051	T52P0080
4186	導	BEC9	A271	6272	F0D2	1-7052	T52Q0080
4187	彊	BECA	A272	6273	F0D3	1-7053	T52R0080
4188	憲	BECB	A273	6274	F0D4	1-7054	T52S0080
4189	憑	BECC	A274	6275	F0D5	1-7055	T52T0080
4190	憩	BECD	A275	6276	F0D6	1-7056	T52U0080
4191	憊	BECE	A276	6277	F0D7	1-7057	T52V0080
4192	懍	BECF	A277	6278	F0D8	1-7058	T52W0080
4193	憶	BED0	A278	6279	F0D9	1-7059	T52X0080
4194	憾	BED1	A279	627A	F0DA	1-705A	T52Y0080
4195	懊	BED2	A27A	627B	F0DB	1-705B	T52Z0080
4196	懈	BED3	A27B	627C	F0DC	1-705C	T5300080
4197	戰	BED4	A27C	627D	F0DD	1-705D	T5310080
4198	擅	BED5	A27D	627E	F0DE	1-705E	T5320080
4199	擁	BED6	A27E	627F	F0DF	1-705F	T5330080
4200	擋	BED7	A280	6281	F0E0	1-7060	T5350080
4201	撻	BED8	A281	6282	F0E1	1-7061	T5360080
4202	撼	BED9	A282	6283	F0E2	1-7062	T5370080
4203	據	BEDA	A283	6284	F0E3	1-7063	T5380080
4204	擄	BEDB	A284	6285	F0E4	1-7064	T5390080
4205	擇	BEDC	A285	6286	F0E5	1-7065	T53A0080
4206	播	BEDD	A286	6287	F0E6	1-7066	T53B0080
4207	操	BEDE	A287	6288	F0E7	1-7067	T53C0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 7 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4208	撿	BEDF	A288	6289	F0E8	1-7068	T53D0080
4209	擒	BEE0	A289	628A	F0E9	1-7069	T53E0080
4210	擔	BEE1	A28A	628B	F0EA	1-706A	T53F0080
4211	搥	BEE2	A28B	628C	F0EB	1-706B	T53G0080
4212	整	BEE3	A28C	628D	F0EC	1-706C	T53H0080
4213	曆	BEE4	A28D	628E	F0ED	1-706D	T53I0080
4214	曉	BEE5	A28E	628F	F0EE	1-706E	T53J0080
4215	暹	BEE6	A28F	6290	F0EF	1-706F	T53K0080
4216	曄	BEE7	A290	6291	F0F0	1-7070	T53L0080
4217	曇	BEE8	A291	6292	F0F1	1-7071	T53M0080
4218	瞭	BEE9	A292	6293	F0F2	1-7072	T53N0080
4219	樽	BEEA	A293	6294	F0F3	1-7073	T53O0080
4220	樸	BEEB	A294	6295	F0F4	1-7074	T53P0080
4221	樺	BEEC	A295	6296	F0F5	1-7075	T53Q0080
4222	橙	BEED	A296	6297	F0F6	1-7076	T53R0080
4223	橫	BEEE	A297	6298	F0F7	1-7077	T53S0080
4224	橘	BEEF	A298	6299	F0F8	1-7078	T53T0080
4225	樹	BEF0	A299	629A	F0F9	1-7079	T53U0080
4226	橄	BEF1	A29A	629B	F0FA	1-707A	T53V0080
4227	橢	BEF2	A29B	629C	F0FB	1-707B	T53W0080
4228	橡	BEF3	A29C	629D	F0FC	1-707C	T53X0080
4229	橋	BEF4	A29D	629E	F0FD	1-707D	T53Y0080
4230	橈	BEF5	A29E	629F	F0FE	1-707E	T53Z0080
4231	樵	BEF6	A29F	62A0	F1A1	1-7121	T5400080
4232	機	BEF7	A2A0	62A1	F1A2	1-7122	T5410080
4233	橈	BEF8	A2A1	62A2	F1A3	1-7123	T5420080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 8 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4234	歛	BEF9	A2A2	62A3	F1A4	1-7124	T5430080
4235	歷	BEFA	A2A3	62A4	F1A5	1-7125	T5440080
4236	斃	BEFB	A2A4	62A5	F1A6	1-7126	T5450080
4237	濂	BEFC	A2A5	62A6	F1A7	1-7127	T5460080
4238	澱	BEFD	A2A6	62A7	F1A8	1-7128	T5470080
4239	澡	BEFE	A2A7	62A8	F1A9	1-7129	T5480080
4240	濃	BF40	A2A8	62A9	F1AA	1-712A	T5490080
4241	澤	BF41	A2A9	62AA	F1AB	1-712B	T54A0080
4242	濁	BF42	A2AA	62AB	F1AC	1-712C	T54B0080
4243	澧	BF43	A2AB	62AC	F1AD	1-712D	T54C0080
4244	澳	BF44	A2AC	62AD	F1AE	1-712E	T54D0080
4245	激	BF45	A2AD	62AE	F1AF	1-712F	T54E0080
4246	澹	BF46	A2AE	62AF	F1B0	1-7130	T54F0080
4247	澶	BF47	A2AF	62B0	F1B1	1-7131	T54G0080
4248	瀕	BF48	A2B0	62B1	F1B2	1-7132	T54H0080
4249	澠	BF49	A2B1	62B2	F1B3	1-7133	T54I0080
4250	濃	BF4A	A2B2	62B3	F1B4	1-7134	T54J0080
4251	熾	BF4B	A2B3	62B4	F1B5	1-7135	T54K0080
4252	燉	BF4C	A2B4	62B5	F1B6	1-7136	T54L0080
4253	燐	BF4D	A2B5	62B6	F1B7	1-7137	T54M0080
4254	燒	BF4E	A2B6	62B7	F1B8	1-7138	T54N0080
4255	燈	BF4F	A2B7	62B8	F1B9	1-7139	T54O0080
4256	燕	BF50	A2B8	62B9	F1BA	1-713A	T54P0080
4257	烹	BF51	A2B9	62BA	F1BB	1-713B	T54Q0080
4258	燎	BF52	A2BA	62BB	F1BC	1-713C	T54R0080
4259	燙	BF53	A2BB	62BC	F1BD	1-713D	T54S0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 9 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4260	爛	BF54	A2BC	62BD	F1BE	1-713E	T54T0080
4261	燃	BF55	A2BD	62BE	F1BF	1-713F	T54U0080
4262	燄	BF56	A2BE	62BF	F1C0	1-7140	T54V0080
4263	獨	BF57	A2BF	62C0	F1C1	1-7141	T54W0080
4264	璜	BF58	A2C0	62C1	F1C2	1-7142	T54X0080
4265	璣	BF59	A2C1	62C2	F1C3	1-7143	T54Y0080
4266	璘	BF5A	A2C2	62C3	F1C4	1-7144	T54Z0080
4267	璟	BF5B	A2C3	62C4	F1C5	1-7145	T5500080
4268	璞	BF5C	A2C4	62C5	F1C6	1-7146	T5510080
4269	瓢	BF5D	A2C5	62C6	F1C7	1-7147	T5520080
4270	甌	BF5E	A2C6	62C7	F1C8	1-7148	T5530080
4271	甍	BF5F	A2C7	62C8	F1C9	1-7149	T5540080
4272	瘴	BF60	A2C8	62C9	F1CA	1-714A	T5550080
4273	癩	BF61	A2C9	62CA	F1CB	1-714B	T5560080
4274	癩	BF62	A2CA	62CB	F1CC	1-714C	T5570080
4275	盧	BF63	A2CB	62CC	F1CD	1-714D	T5580080
4276	鹽	BF64	A2CC	62CD	F1CE	1-714E	T5590080
4277	瞠	BF65	A2CD	62CE	F1CF	1-714F	T55A0080
4278	瞞	BF66	A2CE	62CF	F1D0	1-7150	T55B0080
4279	瞞	BF67	A2CF	62D0	F1D1	1-7151	T55C0080
4280	瞥	BF68	A2D0	62D1	F1D2	1-7152	T55D0080
4281	磨	BF69	A2D1	62D2	F1D3	1-7153	T55E0080
4282	磚	BF6A	A2D2	62D3	F1D4	1-7154	T55F0080
4283	磬	BF6B	A2D3	62D4	F1D5	1-7155	T55G0080
4284	積	BF6C	A2D4	62D5	F1D6	1-7156	T55H0080
4285	禦	BF6D	A2D5	62D6	F1D7	1-7157	T55I0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 10 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4286	積	BF6E	A2D6	62D7	F1D8	1-7158	T55J0080
4287	穎	BF6F	A2D7	62D8	F1D9	1-7159	T55K0080
4288	穆	BF70	A2D8	62D9	F1DA	1-715A	T55L0080
4289	蘇	BF71	A2D9	62DA	F1DB	1-715B	T55M0080
4290	穆	BF72	A2DA	62DB	F1DC	1-715C	T55N0080
4291	窺	BF73	A2DB	62DC	F1DD	1-715D	T55O0080
4292	箒	BF74	A2DC	62DD	F1DE	1-715E	T55P0080
4293	簣	BF75	A2DD	62DE	F1DF	1-715F	T55Q0080
4294	築	BF76	A2DE	62DF	F1E0	1-7160	T55R0080
4295	篤	BF77	A2DF	62E0	F1E1	1-7161	T55S0080
4296	筭	BF78	A2E0	62E1	F1E2	1-7162	T55T0080
4297	篡	BF79	A2E1	62E2	F1E3	1-7163	T55U0080
4298	篩	BF7A	A2E2	62E3	F1E4	1-7164	T55V0080
4299	篋	BF7B	A2E3	62E4	F1E5	1-7165	T55W0080
4300	糕	BF7C	A2E4	62E5	F1E6	1-7166	T55X0080
4301	糖	BF7D	A2E5	62E6	F1E7	1-7167	T55Y0080
4302	縊	BF7E	A2E6	62E7	F1E8	1-7168	T55Z0080
4303	縑	BFA1	A2E7	62E8	F1E9	1-7169	T5600080
4304	縈	BFA2	A2E8	62E9	F1EA	1-716A	T5610080
4305	縛	BFA3	A2E9	62EA	F1EB	1-716B	T5620080
4306	縣	BFA4	A2EA	62EB	F1EC	1-716C	T5630080
4307	縞	BFA5	A2EB	62EC	F1ED	1-716D	T5640080
4308	縝	BFA6	A2EC	62ED	F1EE	1-716E	T5650080
4309	縵	BFA7	A2ED	62EE	F1EF	1-716F	T5660080
4310	縗	BFA8	A2EE	62EF	F1F0	1-7170	T5670080
4311	罹	BFA9	A2EF	62F0	F1F1	1-7171	T5680080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 9 (Page 11 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4312	羲	BFAA	A2F0	62F1	F1F2	1-7172	T5690080
4313	翰	BFAB	A2F1	62F2	F1F3	1-7173	T56A0080
4314	翱	BFAC	A2F2	62F3	F1F4	1-7174	T56B0080
4315	翮	BFAD	A2F3	62F4	F1F5	1-7175	T56C0080
4316	耨	BFAE	A2F4	62F5	F1F6	1-7176	T56D0080
4317	膳	BFAF	A2F5	62F6	F1F7	1-7177	T56E0080
4318	膩	BFB0	A2F6	62F7	F1F8	1-7178	T56F0080
4319	膨	BFB1	A2F7	62F8	F1F9	1-7179	T56G0080
4320	臻	BFB2	A2F8	62F9	F1FA	1-717A	T56H0080
4321	興	BFB3	A2F9	62FA	F1FB	1-717B	T56I0080
4322	艘	BFB4	A2FA	62FB	F1FC	1-717C	T56J0080
4323	艙	BFB5	A2FB	62FC	F1FD	1-717D	T56K0080
4324	蕊	BFB6	A2FC	62FD	F1FE	1-717E	T56L0080
4325	蕙	BFB7	A340	6341	F2A1	1-7221	T56P0080
4326	葦	BFB8	A341	6342	F2A2	1-7222	T56Q0080
4327	蕨	BFB9	A342	6343	F2A3	1-7223	T56R0080
4328	蕩	BFBA	A343	6344	F2A4	1-7224	T56S0080
4329	蕃	BFBB	A344	6345	F2A5	1-7225	T56T0080
4330	蕉	BFBC	A345	6346	F2A6	1-7226	T56U0080
4331	蕭	BFBD	A346	6347	F2A7	1-7227	T56V0080
4332	蕪	BFBE	A347	6348	F2A8	1-7228	T56W0080
4333	蕞	BFBF	A348	6349	F2A9	1-7229	T56X0080
4334	螃	BFC0	A349	634A	F2AA	1-722A	T56Y0080
4335	螟	BFC1	A34A	634B	F2AB	1-722B	T56Z0080
4336	螞	BFC2	A34B	634C	F2AC	1-722C	T5700080
4337	螢	BFC3	A34C	634D	F2AD	1-722D	T5710080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 12 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4338	融	BFC4	A34D	634E	F2AE	1-722E	T5720080
4339	衡	BFC5	A34E	634F	F2AF	1-722F	T5730080
4340	褪	BFC6	A34F	6350	F2B0	1-7230	T5740080
4341	禱	BFC7	A350	6351	F2B1	1-7231	T5750080
4342	禱	BFC8	A351	6352	F2B2	1-7232	T5760080
4343	禱	BFC9	A352	6353	F2B3	1-7233	T5770080
4344	裕	BFCA	A353	6354	F2B4	1-7234	T5780080
4345	親	BFCB	A354	6355	F2B5	1-7235	T5790080
4346	覲	BFCC	A355	6356	F2B6	1-7236	T57A0080
4347	諦	BFCD	A356	6357	F2B7	1-7237	T57B0080
4348	諺	BFCE	A357	6358	F2B8	1-7238	T57C0080
4349	諫	BFCF	A358	6359	F2B9	1-7239	T57D0080
4350	諱	BFD0	A359	635A	F2BA	1-723A	T57E0080
4351	謀	BFD1	A35A	635B	F2BB	1-723B	T57F0080
4352	謀	BFD2	A35B	635C	F2BC	1-723C	T57G0080
4353	諧	BFD3	A35C	635D	F2BD	1-723D	T57H0080
4354	諮	BFD4	A35D	635E	F2BE	1-723E	T57I0080
4355	諾	BFD5	A35E	635F	F2BF	1-723F	T57J0080
4356	謁	BFD6	A35F	6360	F2C0	1-7240	T57K0080
4357	謂	BFD7	A360	6361	F2C1	1-7241	T57L0080
4358	諷	BFD8	A361	6362	F2C2	1-7242	T57M0080
4359	論	BFD9	A362	6363	F2C3	1-7243	T57N0080
4360	諳	BFDA	A363	6364	F2C4	1-7244	T57O0080
4361	諶	BFDB	A364	6365	F2C5	1-7245	T57P0080
4362	諛	BFDC	A365	6366	F2C6	1-7246	T57Q0080
4363	豫	BFDD	A366	6367	F2C7	1-7247	T57R0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 13 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4364	猥	BFDE	A367	6368	F2C8	1-7248	T57S0080
4365	貓	BFDF	A368	6369	F2C9	1-7249	T57T0080
4366	賴	BFE0	A369	636A	F2CA	1-724A	T57U0080
4367	蹄	BFE1	A36A	636B	F2CB	1-724B	T57V0080
4368	躡	BFE2	A36B	636C	F2CC	1-724C	T57W0080
4369	踴	BFE3	A36C	636D	F2CD	1-724D	T57X0080
4370	蹂	BFE4	A36D	636E	F2CE	1-724E	T57Y0080
4371	踹	BFE5	A36E	636F	F2CF	1-724F	T57Z0080
4372	踵	BFE6	A36F	6370	F2D0	1-7250	T5800080
4373	輻	BFE7	A370	6371	F2D1	1-7251	T5810080
4374	輞	BFE8	A371	6372	F2D2	1-7252	T5820080
4375	輪	BFE9	A372	6373	F2D3	1-7253	T5830080
4376	輳	BFEA	A373	6374	F2D4	1-7254	T5840080
4377	辨	BFEB	A374	6375	F2D5	1-7255	T5850080
4378	辦	BFEC	A375	6376	F2D6	1-7256	T5860080
4379	遵	BFED	A376	6377	F2D7	1-7257	T5870080
4380	遴	BFEE	A377	6378	F2D8	1-7258	T5880080
4381	選	BFEF	A378	6379	F2D9	1-7259	T5890080
4382	遲	BFF0	A379	637A	F2DA	1-725A	T58A0080
4383	遑	BFF1	A37A	637B	F2DB	1-725B	T58B0080
4384	遺	BFF2	A37B	637C	F2DC	1-725C	T58C0080
4385	鄴	BFF3	A37C	637D	F2DD	1-725D	T58D0080
4386	醒	BFF4	A37D	637E	F2DE	1-725E	T58E0080
4387	錠	BFF5	A37E	637F	F2DF	1-725F	T58F0080
4388	錶	BFF6	A380	6381	F2E0	1-7260	T58H0080
4389	鋸	BFF7	A381	6382	F2E1	1-7261	T58I0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 14 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4390	錳	BFF8	A382	6383	F2E2	1-7262	T58J0080
4391	錯	BFF9	A383	6384	F2E3	1-7263	T58K0080
4392	錢	BFFA	A384	6385	F2E4	1-7264	T58L0080
4393	鋼	BFFB	A385	6386	F2E5	1-7265	T58M0080
4394	錫	BFFC	A386	6387	F2E6	1-7266	T58N0080
4395	錄	BFFD	A387	6388	F2E7	1-7267	T58O0080
4396	錚	BFFE	A388	6389	F2E8	1-7268	T58P0080
4397	錐	C040	A389	638A	F2E9	1-7269	T58Q0080
4398	錦	C041	A38A	638B	F2EA	1-726A	T58R0080
4399	鎡	C042	A38B	638C	F2EB	1-726B	T58S0080
4400	錕	C043	A38C	638D	F2EC	1-726C	T58T0080
4401	鎬	C044	A38D	638E	F2ED	1-726D	T58U0080
4402	鎢	C045	A38E	638F	F2EE	1-726E	T58V0080
4403	閩	C046	A38F	6390	F2EF	1-726F	T58W0080
4404	隧	C047	A390	6391	F2F0	1-7270	T58X0080
4405	隨	C048	A391	6392	F2F1	1-7271	T58Y0080
4406	險	C049	A392	6393	F2F2	1-7272	T58Z0080
4407	雕	C04A	A393	6394	F2F3	1-7273	T5900080
4408	霎	C04B	A394	6395	F2F4	1-7274	T5910080
4409	霑	C04C	A395	6396	F2F5	1-7275	T5920080
4410	霖	C04D	A396	6397	F2F6	1-7276	T5930080
4411	霍	C04E	A397	6398	F2F7	1-7277	T5940080
4412	霓	C04F	A398	6399	F2F8	1-7278	T5950080
4413	霏	C050	A399	639A	F2F9	1-7279	T5960080
4414	靛	C051	A39A	639B	F2FA	1-727A	T5970080
4415	靜	C052	A39B	639C	F2FB	1-727B	T5980080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 15 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4416	靦	C053	A39C	639D	F2FC	1-727C	T5990080
4417	鞞	C054	A39D	639E	F2FD	1-727D	T59A0080
4418	頰	C055	A39E	639F	F2FE	1-727E	T59B0080
4419	頰	C056	A39F	63A0	F3A1	1-7321	T59C0080
4420	頰	C057	A3A0	63A1	F3A2	1-7322	T59D0080
4421	頰	C058	A3A1	63A2	F3A3	1-7323	T59E0080
4422	頰	C059	A3A2	63A3	F3A4	1-7324	T59F0080
4423	頰	C05A	A3A3	63A4	F3A5	1-7325	T59G0080
4424	頰	C05B	A3A4	63A5	F3A6	1-7326	T59H0080
4425	餐	C05C	A3A5	63A6	F3A7	1-7327	T59I0080
4426	館	C05D	A3A6	63A7	F3A8	1-7328	T59J0080
4427	饑	C05E	A3A7	63A8	F3A9	1-7329	T59K0080
4428	餽	C05F	A3A8	63A9	F3AA	1-732A	T59L0080
4429	餽	C060	A3A9	63AA	F3AB	1-732B	T59M0080
4430	餽	C061	A3AA	63AB	F3AC	1-732C	T59N0080
4431	駭	C062	A3AB	63AC	F3AD	1-732D	T59O0080
4432	駢	C063	A3AC	63AD	F3AE	1-732E	T59P0080
4433	駱	C064	A3AD	63AE	F3AF	1-732F	T59Q0080
4434	骸	C065	A3AE	63AF	F3B0	1-7330	T59R0080
4435	骼	C066	A3AF	63B0	F3B1	1-7331	T59S0080
4436	髻	C067	A3B0	63B1	F3B2	1-7332	T59T0080
4437	髻	C068	A3B1	63B2	F3B3	1-7333	T59U0080
4438	鬨	C069	A3B2	63B3	F3B4	1-7334	T59V0080
4439	鮑	C06A	A3B3	63B4	F3B5	1-7335	T59W0080
4440	鮑	C06B	A3B4	63B5	F3B6	1-7336	T59X0080
4441	鵠	C06C	A3B5	63B6	F3B7	1-7337	T59Y0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 16 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4442	鴛	C06D	A3B6	63B7	F3B8	1-7338	T59Z0080
4443	鴨	C06E	A3B7	63B8	F3B9	1-7339	T5A00080
4444	鴿	C06F	A3B8	63B9	F3BA	1-733A	T5A10080
4445	鴛	C070	A3B9	63BA	F3BB	1-733B	T5A20080
4446	默	C071	A3BA	63BB	F3BC	1-733C	T5A30080
4447	黔	C072	A3BB	63BC	F3BD	1-733D	T5A40080
4448	龍	C073	A3BC	63BD	F3BE	1-733E	T5A50080
4449	龜	C074	A3BD	63BE	F3BF	1-733F	T5A60080
4450	優	C075	A3BE	63BF	F3C0	1-7340	T5A70080
4451	償	C076	A3BF	63C0	F3C1	1-7341	T5A80080
4452	備	C077	A3C0	63C1	F3C2	1-7342	T5A90080
4453	儲	C078	A3C1	63C2	F3C3	1-7343	T5AA0080
4454	勵	C079	A3C2	63C3	F3C4	1-7344	T5AB0080
4455	噤	C07A	A3C3	63C4	F3C5	1-7345	T5AC0080
4456	噤	C07B	A3C4	63C5	F3C6	1-7346	T5AD0080
4457	噤	C07C	A3C5	63C6	F3C7	1-7347	T5AE0080
4458	噤	C07D	A3C6	63C7	F3C8	1-7348	T5AF0080
4459	嚇	C07E	A3C7	63C8	F3C9	1-7349	T5AG0080
4460	噤	C0A1	A3C8	63C9	F3CA	1-734A	T5AH0080
4461	壕	C0A2	A3C9	63CA	F3CB	1-734B	T5AI0080
4462	壓	C0A3	A3CA	63CB	F3CC	1-734C	T5AJ0080
4463	壑	C0A4	A3CB	63CC	F3CD	1-734D	T5AK0080
4464	墟	C0A5	A3CC	63CD	F3CE	1-734E	T5AL0080
4465	嬰	C0A6	A3CD	63CE	F3CF	1-734F	T5AM0080
4466	嬪	C0A7	A3CE	63CF	F3D0	1-7350	T5AN0080
4467	嬪	C0A8	A3CF	63D0	F3D1	1-7351	T5AO0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 17 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4468	孺	C0A9	A3D0	63D1	F3D2	1-7352	T5AP0080
4469	孺	C0AA	A3D1	63D2	F3D3	1-7353	T5AQ0080
4470	屨	C0AB	A3D2	63D3	F3D4	1-7354	T5AR0080
4471	嶼	C0AC	A3D3	63D4	F3D5	1-7355	T5AS0080
4472	嶺	C0AD	A3D4	63D5	F3D6	1-7356	T5AT0080
4473	嶽	C0AE	A3D5	63D6	F3D7	1-7357	T5AU0080
4474	嶽	C0AF	A3D6	63D7	F3D8	1-7358	T5AV0080
4475	幫	C0B0	A3D7	63D8	F3D9	1-7359	T5AW0080
4476	彌	C0B1	A3D8	63D9	F3DA	1-735A	T5AX0080
4477	徽	C0B2	A3D9	63DA	F3DB	1-735B	T5AY0080
4478	應	C0B3	A3DA	63DB	F3DC	1-735C	T5AZ0080
4479	懂	C0B4	A3DB	63DC	F3DD	1-735D	T5B00080
4480	懇	C0B5	A3DC	63DD	F3DE	1-735E	T5B10080
4481	懦	C0B6	A3DD	63DE	F3DF	1-735F	T5B20080
4482	懋	C0B7	A3DE	63DF	F3E0	1-7360	T5B30080
4483	戲	C0B8	A3DF	63E0	F3E1	1-7361	T5B40080
4484	戴	C0B9	A3E0	63E1	F3E2	1-7362	T5B50080
4485	擊	C0BA	A3E1	63E2	F3E3	1-7363	T5B60080
4486	擊	C0BB	A3E2	63E3	F3E4	1-7364	T5B70080
4487	擊	C0BC	A3E3	63E4	F3E5	1-7365	T5B80080
4488	擠	C0BD	A3E4	63E5	F3E6	1-7366	T5B90080
4489	撐	C0BE	A3E5	63E6	F3E7	1-7367	T5BA0080
4490	擦	C0BF	A3E6	63E7	F3E8	1-7368	T5BB0080
4491	擬	C0C0	A3E7	63E8	F3E9	1-7369	T5BC0080
4492	攔	C0C1	A3E8	63E9	F3EA	1-736A	T5BD0080
4493	擢	C0C2	A3E9	63EA	F3EB	1-736B	T5BE0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 18 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4494	擥	C0C3	A3EA	63EB	F3EC	1-736C	T5BF0080
4495	斂	C0C4	A3EB	63EC	F3ED	1-736D	T5BG0080
4496	斃	C0C5	A3EC	63ED	F3EE	1-736E	T5BH0080
4497	曙	C0C6	A3ED	63EE	F3EF	1-736F	T5BI0080
4498	曖	C0C7	A3EE	63EF	F3F0	1-7370	T5BJ0080
4499	檀	C0C8	A3EF	63F0	F3F1	1-7371	T5BK0080
4500	櫛	C0C9	A3F0	63F1	F3F2	1-7372	T5BL0080
4501	檄	C0CA	A3F1	63F2	F3F3	1-7373	T5BM0080
4502	檢	C0CB	A3F2	63F3	F3F4	1-7374	T5BN0080
4503	檜	C0CC	A3F3	63F4	F3F5	1-7375	T5BO0080
4504	櫛	C0CD	A3F4	63F5	F3F6	1-7376	T5BP0080
4505	檣	C0CE	A3F5	63F6	F3F7	1-7377	T5BQ0080
4506	櫛	C0CF	A3F6	63F7	F3F8	1-7378	T5BR0080
4507	檣	C0D0	A3F7	63F8	F3F9	1-7379	T5BS0080
4508	檣	C0D1	A3F8	63F9	F3FA	1-737A	T5BT0080
4509	檣	C0D2	A3F9	63FA	F3FB	1-737B	T5BU0080
4510	歎	C0D3	A3FA	63FB	F3FC	1-737C	T5BV0080
4511	殮	C0D4	A3FB	63FC	F3FD	1-737D	T5BW0080
4512	斃	C0D5	A3FC	63FD	F3FE	1-737E	T5BX0080
4513	氈	C0D6	A440	6441	F4A1	1-7421	T5C10080
4514	濶	C0D7	A441	6442	F4A2	1-7422	T5C20080
4515	濱	C0D8	A442	6443	F4A3	1-7423	T5C30080
4516	濟	C0D9	A443	6444	F4A4	1-7424	T5C40080
4517	濠	C0DA	A444	6445	F4A5	1-7425	T5C50080
4518	濠	C0DB	A445	6446	F4A6	1-7426	T5C60080
4519	濤	C0DC	A446	6447	F4A7	1-7427	T5C70080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 9 (Page 19 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4520	濫	C0DD	A447	6448	F4A8	1-7428	T5C80080
4521	濯	C0DE	A448	6449	F4A9	1-7429	T5C90080
4522	澀	C0DF	A449	644A	F4AA	1-742A	T5CA0080
4523	溶	C0E0	A44A	644B	F4AB	1-742B	T5CB0080
4524	濡	C0E1	A44B	644C	F4AC	1-742C	T5CC0080
4525	漑	C0E2	A44C	644D	F4AD	1-742D	T5CD0080
4526	濕	C0E3	A44D	644E	F4AE	1-742E	T5CE0080
4527	濮	C0E4	A44E	644F	F4AF	1-742F	T5CF0080
4528	灘	C0E5	A44F	6450	F4B0	1-7430	T5CG0080
4529	燧	C0E6	A450	6451	F4B1	1-7431	T5CH0080
4530	營	C0E7	A451	6452	F4B2	1-7432	T5CI0080
4531	燮	C0E8	A452	6453	F4B3	1-7433	T5CJ0080
4532	燦	C0E9	A453	6454	F4B4	1-7434	T5CK0080
4533	燥	C0EA	A454	6455	F4B5	1-7435	T5CL0080
4534	燭	C0EB	A455	6456	F4B6	1-7436	T5CM0080
4535	燬	C0EC	A456	6457	F4B7	1-7437	T5CN0080
4536	燿	C0ED	A457	6458	F4B8	1-7438	T5CO0080
4537	燠	C0EE	A458	6459	F4B9	1-7439	T5CP0080
4538	爵	C0EF	A459	645A	F4BA	1-743A	T5CQ0080
4539	牆	C0F0	A45A	645B	F4BB	1-743B	T5CR0080
4540	獰	C0F1	A45B	645C	F4BC	1-743C	T5CS0080
4541	獲	C0F2	A45C	645D	F4BD	1-743D	T5CT0080
4542	璩	C0F3	A45D	645E	F4BE	1-743E	T5CU0080
4543	環	C0F4	A45E	645F	F4BF	1-743F	T5CV0080
4544	璦	C0F5	A45F	6460	F4C0	1-7440	T5CW0080
4545	璜	C0F6	A460	6461	F4C1	1-7441	T5CX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 20 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4546	癆	C0F7	A461	6462	F4C2	1-7442	T5CY0080
4547	療	C0F8	A462	6463	F4C3	1-7443	T5CZ0080
4548	癌	C0F9	A463	6464	F4C4	1-7444	T5D00080
4549	盪	C0FA	A464	6465	F4C5	1-7445	T5D10080
4550	瞳	C0FB	A465	6466	F4C6	1-7446	T5D20080
4551	瞪	C0FC	A466	6467	F4C7	1-7447	T5D30080
4552	瞰	C0FD	A467	6468	F4C8	1-7448	T5D40080
4553	瞬	C0FE	A468	6469	F4C9	1-7449	T5D50080
4554	瞧	C140	A469	646A	F4CA	1-744A	T5D60080
4555	瞭	C141	A46A	646B	F4CB	1-744B	T5D70080
4556	矯	C142	A46B	646C	F4CC	1-744C	T5D80080
4557	磷	C143	A46C	646D	F4CD	1-744D	T5D90080
4558	磧	C144	A46D	646E	F4CE	1-744E	T5DA0080
4559	磴	C145	A46E	646F	F4CF	1-744F	T5DB0080
4560	磯	C146	A46F	6470	F4D0	1-7450	T5DC0080
4561	礁	C147	A470	6471	F4D1	1-7451	T5DD0080
4562	禱	C148	A471	6472	F4D2	1-7452	T5DE0080
4563	禪	C149	A472	6473	F4D3	1-7453	T5DF0080
4564	穗	C14A	A473	6474	F4D4	1-7454	T5DG0080
4565	窿	C14B	A474	6475	F4D5	1-7455	T5DH0080
4566	簇	C14C	A475	6476	F4D6	1-7456	T5DI0080
4567	簍	C14D	A476	6477	F4D7	1-7457	T5DJ0080
4568	箴	C14E	A477	6478	F4D8	1-7458	T5DK0080
4569	篷	C14F	A478	6479	F4D9	1-7459	T5DL0080
4570	簌	C150	A479	647A	F4DA	1-745A	T5DM0080
4571	篠	C151	A47A	647B	F4DB	1-745B	T5DN0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 21 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4572	糠	C152	A47B	647C	F4DC	1-745C	T5DO0080
4573	糜	C153	A47C	647D	F4DD	1-745D	T5DP0080
4574	糞	C154	A47D	647E	F4DE	1-745E	T5DQ0080
4575	糲	C155	A47E	647F	F4DF	1-745F	T5DR0080
4576	糟	C156	A480	6481	F4E0	1-7460	T5DT0080
4577	糙	C157	A481	6482	F4E1	1-7461	T5DU0080
4578	糝	C158	A482	6483	F4E2	1-7462	T5DV0080
4579	縮	C159	A483	6484	F4E3	1-7463	T5DW0080
4580	績	C15A	A484	6485	F4E4	1-7464	T5DX0080
4581	繆	C15B	A485	6486	F4E5	1-7465	T5DY0080
4582	縷	C15C	A486	6487	F4E6	1-7466	T5DZ0080
4583	縲	C15D	A487	6488	F4E7	1-7467	T5E00080
4584	縴	C15E	A488	6489	F4E8	1-7468	T5E10080
4585	縫	C15F	A489	648A	F4E9	1-7469	T5E20080
4586	總	C160	A48A	648B	F4EA	1-746A	T5E30080
4587	縱	C161	A48B	648C	F4EB	1-746B	T5E40080
4588	縲	C162	A48C	648D	F4EC	1-746C	T5E50080
4589	繁	C163	A48D	648E	F4ED	1-746D	T5E60080
4590	緯	C164	A48E	648F	F4EE	1-746E	T5E70080
4591	縲	C165	A48F	6490	F4EF	1-746F	T5E80080
4592	縲	C166	A490	6491	F4F0	1-7470	T5E90080
4593	縲	C167	A491	6492	F4F1	1-7471	T5EA0080
4594	縲	C168	A492	6493	F4F2	1-7472	T5EB0080
4595	縲	C169	A493	6494	F4F3	1-7473	T5EC0080
4596	罄	C16A	A494	6495	F4F4	1-7474	T5ED0080
4597	翳	C16B	A495	6496	F4F5	1-7475	T5EE0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 22 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4598	翼	C16C	A496	6497	F4F6	1-7476	T5EF0080
4599	螫	C16D	A497	6498	F4F7	1-7477	T5EG0080
4600	聲	C16E	A498	6499	F4F8	1-7478	T5EH0080
4601	聰	C16F	A499	649A	F4F9	1-7479	T5EI0080
4602	聯	C170	A49A	649B	F4FA	1-747A	T5EJ0080
4603	聳	C171	A49B	649C	F4FB	1-747B	T5EK0080
4604	臆	C172	A49C	649D	F4FC	1-747C	T5EL0080
4605	臙	C173	A49D	649E	F4FD	1-747D	T5EM0080
4606	膺	C174	A49E	649F	F4FE	1-747E	T5EN0080
4607	臂	C175	A49F	64A0	F5A1	1-7521	T5EO0080
4608	臂	C176	A4A0	64A1	F5A2	1-7522	T5EP0080
4609	膿	C177	A4A1	64A2	F5A3	1-7523	T5EQ0080
4610	膽	C178	A4A2	64A3	F5A4	1-7524	T5ER0080
4611	臉	C179	A4A3	64A4	F5A5	1-7525	T5ES0080
4612	膾	C17A	A4A4	64A5	F5A6	1-7526	T5ET0080
4613	臨	C17B	A4A5	64A6	F5A7	1-7527	T5EU0080
4614	舉	C17C	A4A6	64A7	F5A8	1-7528	T5EV0080
4615	艱	C17D	A4A7	64A8	F5A9	1-7529	T5EW0080
4616	薪	C17E	A4A8	64A9	F5AA	1-752A	T5EX0080
4617	薄	C1A1	A4A9	64AA	F5AB	1-752B	T5EY0080
4618	蕾	C1A2	A4AA	64AB	F5AC	1-752C	T5EZ0080
4619	薜	C1A3	A4AB	64AC	F5AD	1-752D	T5F00080
4620	薑	C1A4	A4AC	64AD	F5AE	1-752E	T5F10080
4621	薺	C1A5	A4AD	64AE	F5AF	1-752F	T5F20080
4622	薯	C1A6	A4AE	64AF	F5B0	1-7530	T5F30080
4623	薺	C1A7	A4AF	64B0	F5B1	1-7531	T5F40080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 23 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4624	薇	C1A8	A4B0	64B1	F5B2	1-7532	T5F50080
4625	蕘	C1A9	A4B1	64B2	F5B3	1-7533	T5F60080
4626	薊	C1AA	A4B2	64B3	F5B4	1-7534	T5F70080
4627	虧	C1AB	A4B3	64B4	F5B6	1-7536	T5F80080
4628	蟀	C1AC	A4B4	64B5	F5B7	1-7537	T5F90080
4629	蟀	C1AD	A4B5	64B6	F5B8	1-7538	T5FA0080
4630	螳	C1AE	A4B6	64B7	F5B9	1-7539	T5FB0080
4631	蟒	C1AF	A4B7	64B8	F5BA	1-753A	T5FC0080
4632	蝮	C1B0	A4B8	64B9	F5BB	1-753B	T5FD0080
4633	蝮	C1B1	A4B9	64BA	F5BC	1-753C	T5FE0080
4634	蝮	C1B2	A4BA	64BB	F5BD	1-753D	T5FF0080
4635	螺	C1B3	A4BB	64BC	F5BE	1-753E	T5FG0080
4636	蝸	C1B4	A4BC	64BD	F5BF	1-753F	T5FH0080
4637	蟋	C1B5	A4BD	64BE	F5C0	1-7540	T5FI0080
4638	藝	C1B6	A4BE	64BF	F5C1	1-7541	T5FJ0080
4639	褶	C1B7	A4BF	64C0	F5C2	1-7542	T5FK0080
4640	裏	C1B8	A4C0	64C1	F5C3	1-7543	T5FL0080
4641	樓	C1B9	A4C1	64C2	F5C4	1-7544	T5FM0080
4642	製	C1BA	A4C2	64C3	F5C5	1-7545	T5FN0080
4643	覬	C1BB	A4C3	64C4	F5C6	1-7546	T5FO0080
4644	謎	C1BC	A4C4	64C5	F5C7	1-7547	T5FP0080
4645	謗	C1BD	A4C5	64C6	F5C8	1-7548	T5FQ0080
4646	謙	C1BE	A4C6	64C7	F5C9	1-7549	T5FR0080
4647	講	C1BF	A4C7	64C8	F5CA	1-754A	T5FS0080
4648	謊	C1C0	A4C8	64C9	F5CB	1-754B	T5FT0080
4649	謠	C1C1	A4C9	64CA	F5CC	1-754C	T5FU0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 24 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4650	謝	C1C2	A4CA	64CB	F5CD	1-754D	T5FV0080
4651	膳	C1C3	A4CB	64CC	F5CE	1-754E	T5FW0080
4652	謚	C1C4	A4CC	64CD	F5CF	1-754F	T5FX0080
4653	谿	C1C5	A4CD	64CE	F5D0	1-7550	T5FY0080
4654	谿	C1C6	A4CE	64CF	F5D1	1-7551	T5FZ0080
4655	幽	C1C7	A4CF	64D0	F5D2	1-7552	T5G00080
4656	賺	C1C8	A4D0	64D1	F5D3	1-7553	T5G10080
4657	賽	C1C9	A4D1	64D2	F5D4	1-7554	T5G20080
4658	購	C1CA	A4D2	64D3	F5D5	1-7555	T5G30080
4659	贖	C1CB	A4D3	64D4	F5D6	1-7556	T5G40080
4660	賻	C1CC	A4D4	64D5	F5D7	1-7557	T5G50080
4661	趨	C1CD	A4D5	64D6	F5D8	1-7558	T5G60080
4662	蹉	C1CE	A4D6	64D7	F5D9	1-7559	T5G70080
4663	躅	C1CF	A4D7	64D8	F5DA	1-755A	T5G80080
4664	蹈	C1D0	A4D8	64D9	F5DB	1-755B	T5G90080
4665	蹊	C1D1	A4D9	64DA	F5DC	1-755C	T5GA0080
4666	轄	C1D2	A4DA	64DB	F5DD	1-755D	T5GB0080
4667	輓	C1D3	A4DB	64DC	F5DE	1-755E	T5GC0080
4668	轂	C1D4	A4DC	64DD	F5DF	1-755F	T5GD0080
4669	輓	C1D5	A4DD	64DE	F5E0	1-7560	T5GE0080
4670	輿	C1D6	A4DE	64DF	F5E1	1-7561	T5GF0080
4671	避	C1D7	A4DF	64E0	F5E2	1-7562	T5GG0080
4672	遠	C1D8	A4E0	64E1	F5E3	1-7563	T5GH0080
4673	還	C1D9	A4E1	64E2	F5E4	1-7564	T5GI0080
4674	遠	C1DA	A4E2	64E3	F5E5	1-7565	T5GJ0080
4675	邂	C1DB	A4E3	64E4	F5E6	1-7566	T5GK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 25 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4676	邀	C1DC	A4E4	64E5	F5E7	1-7567	T5GL0080
4677	鄒	C1DD	A4E5	64E6	F5E8	1-7568	T5GM0080
4678	醴	C1DE	A4E6	64E7	F5E9	1-7569	T5GN0080
4679	醴	C1DF	A4E7	64E8	F5EA	1-756A	T5GO0080
4680	醜	C1E0	A4E8	64E9	F5EB	1-756B	T5GP0080
4681	鍍	C1E1	A4E9	64EA	F5EC	1-756C	T5GQ0080
4682	鎂	C1E2	A4EA	64EB	F5ED	1-756D	T5GR0080
4683	錯	C1E3	A4EB	64EC	F5EE	1-756E	T5GS0080
4684	鍵	C1E4	A4EC	64ED	F5EF	1-756F	T5GT0080
4685	鍊	C1E5	A4ED	64EE	F5F0	1-7570	T5GU0080
4686	鏢	C1E6	A4EE	64EF	F5F1	1-7571	T5GV0080
4687	鍋	C1E7	A4EF	64F0	F5F2	1-7572	T5GW0080
4688	錘	C1E8	A4F0	64F1	F5F3	1-7573	T5GX0080
4689	鍾	C1E9	A4F1	64F2	F5F4	1-7574	T5GY0080
4690	鍬	C1EA	A4F2	64F3	F5F5	1-7575	T5GZ0080
4691	鍛	C1EB	A4F3	64F4	F5F6	1-7576	T5H00080
4692	鍍	C1EC	A4F4	64F5	F5F7	1-7577	T5H10080
4693	錫	C1ED	A4F5	64F6	F5F8	1-7578	T5H20080
4694	鐳	C1EE	A4F6	64F7	F5F9	1-7579	T5H30080
4695	闕	C1EF	A4F7	64F8	F5FA	1-757A	T5H40080
4696	闕	C1F0	A4F8	64F9	F5FB	1-757B	T5H50080
4697	闕	C1F1	A4F9	64FA	F5FC	1-757C	T5H60080
4698	闕	C1F2	A4FA	64FB	F5FD	1-757D	T5H70080
4699	闕	C1F3	A4FB	64FC	F5FE	1-757E	T5H80080
4700	隱	C1F4	A4FC	64FD	F6A1	1-7621	T5H90080
4701	隸	C1F5	A540	6541	F6A2	1-7622	T5HD0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 26 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4702	雖	C1F6	A541	6542	F6A3	1-7623	T5HE0080
4703	霜	C1F7	A542	6543	F6A4	1-7624	T5HF0080
4704	霞	C1F8	A543	6544	F6A5	1-7625	T5HG0080
4705	鞠	C1F9	A544	6545	F6A6	1-7626	T5HH0080
4706	韓	C1FA	A545	6546	F6A7	1-7627	T5HI0080
4707	顆	C1FB	A546	6547	F6A8	1-7628	T5HJ0080
4708	颶	C1FC	A547	6548	F6A9	1-7629	T5HK0080
4709	餵	C1FD	A548	6549	F6AA	1-762A	T5HL0080
4710	騁	C1FE	A549	654A	F6AB	1-762B	T5HM0080
4711	駿	C240	A54A	654B	F6AC	1-762C	T5HN0080
4712	鮮	C241	A54B	654C	F6AD	1-762D	T5HO0080
4713	鮫	C242	A54C	654D	F6AE	1-762E	T5HP0080
4714	鮪	C243	A54D	654E	F6AF	1-762F	T5HQ0080
4715	鮭	C244	A54E	654F	F6B0	1-7630	T5HR0080
4716	鴻	C245	A54F	6550	F6B1	1-7631	T5HS0080
4717	鴿	C246	A550	6551	F6B2	1-7632	T5HT0080
4718	麩	C247	A551	6552	F6B3	1-7633	T5HU0080
4719	黏	C248	A552	6553	F6B4	1-7634	T5HV0080
4720	黠	C249	A553	6554	F6B5	1-7635	T5HW0080
4721	黜	C24A	A554	6555	F6B6	1-7636	T5HX0080
4722	黝	C24B	A555	6556	F6B7	1-7637	T5HY0080
4723	黛	C24C	A556	6557	F6B8	1-7638	T5HZ0080
4724	斝	C24D	A557	6558	F6B9	1-7639	T5I00080
4725	齋	C24E	A558	6559	F6BA	1-763A	T5I10080
4726	叢	C24F	A559	655A	F6BB	1-763B	T5I20080
4727	嚕	C250	A55A	655B	F6BC	1-763C	T5I30080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 27 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4728	嚮	C251	A55B	655C	F6BD	1-763D	T5I40080
4729	壙	C252	A55C	655D	F6BE	1-763E	T5I50080
4730	壘	C253	A55D	655E	F6BF	1-763F	T5I60080
4731	嬭	C254	A55E	655F	F6C0	1-7640	T5I70080
4732	彝	C255	A55F	6560	F6C1	1-7641	T5I80080
4733	懋	C256	A560	6561	F6C2	1-7642	T5I90080
4734	戳	C257	A561	6562	F6C3	1-7643	T5IA0080
4735	擴	C258	A562	6563	F6C4	1-7644	T5IB0080
4736	擲	C259	A563	6564	F6C5	1-7645	T5IC0080
4737	擾	C25A	A564	6565	F6C6	1-7646	T5ID0080
4738	攆	C25B	A565	6566	F6C7	1-7647	T5IE0080
4739	擺	C25C	A566	6567	F6C8	1-7648	T5IF0080
4740	擻	C25D	A567	6568	F6C9	1-7649	T5IG0080
4741	擷	C25E	A568	6569	F6CA	1-764A	T5IH0080
4742	斷	C25F	A569	656A	F6CB	1-764B	T5II0080
4743	曜	C260	A56A	656B	F6CC	1-764C	T5IJ0080
4744	朦	C261	A56B	656C	F6CD	1-764D	T5IK0080
4745	檳	C262	A56C	656D	F6CE	1-764E	T5IL0080
4746	檬	C263	A56D	656E	F6CF	1-764F	T5IM0080
4747	櫃	C264	A56E	656F	F6D0	1-7650	T5IN0080
4748	檻	C265	A56F	6570	F6D1	1-7651	T5IO0080
4749	檸	C266	A570	6571	F6D2	1-7652	T5IP0080
4750	櫂	C267	A571	6572	F6D3	1-7653	T5IQ0080
4751	檣	C268	A572	6573	F6D4	1-7654	T5IR0080
4752	檣	C269	A573	6574	F6D5	1-7655	T5IS0080
4753	歟	C26A	A574	6575	F6D6	1-7656	T5IT0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 28 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4754	歸	C26B	A575	6576	F6D7	1-7657	T5IU0080
4755	殞	C26C	A576	6577	F6D8	1-7658	T5IV0080
4756	瀉	C26D	A577	6578	F6D9	1-7659	T5IW0080
4757	瀦	C26E	A578	6579	F6DA	1-765A	T5IX0080
4758	瀧	C26F	A579	657A	F6DB	1-765B	T5IY0080
4759	瀆	C270	A57A	657B	F6DC	1-765C	T5IZ0080
4760	濺	C271	A57B	657C	F6DD	1-765D	T5J00080
4761	瀑	C272	A57C	657D	F6DE	1-765E	T5J10080
4762	瀏	C273	A57D	657E	F6DF	1-765F	T5J20080
4763	燠	C274	A57E	657F	F6E0	1-7660	T5J30080
4764	燼	C275	A580	6581	F6E1	1-7661	T5J50080
4765	燾	C276	A581	6582	F6E2	1-7662	T5J60080
4766	燹	C277	A582	6583	F6E3	1-7663	T5J70080
4767	獷	C278	A583	6584	F6E4	1-7664	T5J80080
4768	獹	C279	A584	6585	F6E5	1-7665	T5J90080
4769	璽	C27A	A585	6586	F6E6	1-7666	T5JA0080
4770	璿	C27B	A586	6587	F6E7	1-7667	T5JB0080
4771	甕	C27C	A587	6588	F6E8	1-7668	T5JC0080
4772	癬	C27D	A588	6589	F6E9	1-7669	T5JD0080
4773	癘	C27E	A589	658A	F6EA	1-766A	T5JE0080
4774	癩	C2A1	A58A	658B	F6EB	1-766B	T5JF0080
4775	瞽	C2A2	A58B	658C	F6EC	1-766C	T5JG0080
4776	瞿	C2A3	A58C	658D	F6ED	1-766D	T5JH0080
4777	瞻	C2A4	A58D	658E	F6EE	1-766E	T5JI0080
4778	臉	C2A5	A58E	658F	F6EF	1-766F	T5JJ0080
4779	礎	C2A6	A58F	6590	F6F0	1-7670	T5JK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 29 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4780	禮	C2A7	A590	6591	F6F1	1-7671	T5JL0080
4781	穡	C2A8	A591	6592	F6F2	1-7672	T5JM0080
4782	穢	C2A9	A592	6593	F6F3	1-7673	T5JN0080
4783	穉	C2AA	A593	6594	F6F4	1-7674	T5JO0080
4784	竄	C2AB	A594	6595	F6F5	1-7675	T5JP0080
4785	竅	C2AC	A595	6596	F6F6	1-7676	T5JQ0080
4786	簫	C2AD	A596	6597	F6F7	1-7677	T5JR0080
4787	簧	C2AE	A597	6598	F6F8	1-7678	T5JS0080
4788	簪	C2AF	A598	6599	F6F9	1-7679	T5JT0080
4789	箏	C2B0	A599	659A	F6FA	1-767A	T5JU0080
4790	篔	C2B1	A59A	659B	F6FB	1-767B	T5JV0080
4791	簡	C2B2	A59B	659C	F6FC	1-767C	T5JW0080
4792	糧	C2B3	A59C	659D	F6FD	1-767D	T5JX0080
4793	織	C2B4	A59D	659E	F6FE	1-767E	T5JY0080
4794	繕	C2B5	A59E	659F	F7A1	1-7721	T5JZ0080
4795	繞	C2B6	A59F	65A0	F7A2	1-7722	T5K00080
4796	繚	C2B7	A5A0	65A1	F7A3	1-7723	T5K10080
4797	繡	C2B8	A5A1	65A2	F7A4	1-7724	T5K20080
4798	繒	C2B9	A5A2	65A3	F7A5	1-7725	T5K30080
4799	繻	C2BA	A5A3	65A4	F7A6	1-7726	T5K40080
4800	譚	C2BB	A5A4	65A5	F7A7	1-7727	T5K50080
4801	翹	C2BC	A5A5	65A6	F7A8	1-7728	T5K60080
4802	翻	C2BD	A5A6	65A7	F7A9	1-7729	T5K70080
4803	職	C2BE	A5A7	65A8	F7AA	1-772A	T5K80080
4804	聶	C2BF	A5A8	65A9	F7AB	1-772B	T5K90080
4805	臍	C2C0	A5A9	65AA	F7AC	1-772C	T5KA0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 30 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4806	膾	C2C1	A5AA	65AB	F7AD	1-772D	T5KB0080
4807	舊	C2C2	A5AB	65AC	F7AE	1-772E	T5KC0080
4808	藏	C2C3	A5AC	65AD	F7AF	1-772F	T5KD0080
4809	薩	C2C4	A5AD	65AE	F7B0	1-7730	T5KE0080
4810	藍	C2C5	A5AE	65AF	F7B1	1-7731	T5KF0080
4811	藐	C2C6	A5AF	65B0	F7B2	1-7732	T5KG0080
4812	藉	C2C7	A5B0	65B1	F7B3	1-7733	T5KH0080
4813	薰	C2C8	A5B1	65B2	F7B4	1-7734	T5KI0080
4814	齊	C2C9	A5B2	65B3	F7B5	1-7735	T5KJ0080
4815	臺	C2CA	A5B3	65B4	F7B6	1-7736	T5KK0080
4816	薦	C2CB	A5B4	65B5	F7B5	1-7535	T5KL0080
4817	蟻	C2CC	A5B5	65B6	F7B7	1-7737	T5KM0080
4818	蟬	C2CD	A5B6	65B7	F7B8	1-7738	T5KN0080
4819	蟲	C2CE	A5B7	65B8	F7B9	1-7739	T5KO0080
4820	蟠	C2CF	A5B8	65B9	F7BA	1-773A	T5KP0080
4821	覆	C2D0	A5B9	65BA	F7BB	1-773B	T5KQ0080
4822	覲	C2D1	A5BA	65BB	F7BC	1-773C	T5KR0080
4823	鳩	C2D2	A5BB	65BC	F7BD	1-773D	T5KS0080
4824	謨	C2D3	A5BC	65BD	F7BE	1-773E	T5KT0080
4825	謹	C2D4	A5BD	65BE	F7BF	1-773F	T5KU0080
4826	謬	C2D5	A5BE	65BF	F7C0	1-7740	T5KV0080
4827	譎	C2D6	A5BF	65C0	F7C1	1-7741	T5KW0080
4828	豐	C2D7	A5C0	65C1	F7C2	1-7742	T5KX0080
4829	贅	C2D8	A5C1	65C2	F7C3	1-7743	T5KY0080
4830	蹙	C2D9	A5C2	65C3	F7C4	1-7744	T5KZ0080
4831	蹒	C2DA	A5C3	65C4	F7C5	1-7745	T5L00080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 31 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4832	蹦	C2DB	A5C4	65C5	F7C6	1-7746	T5L10080
4833	蹤	C2DC	A5C5	65C6	F7C7	1-7747	T5L20080
4834	蹟	C2DD	A5C6	65C7	F7C8	1-7748	T5L30080
4835	蹕	C2DE	A5C7	65C8	F7C9	1-7749	T5L40080
4836	軀	C2DF	A5C8	65C9	F7CA	1-774A	T5L50080
4837	轉	C2E0	A5C9	65CA	F7CB	1-774B	T5L60080
4838	轍	C2E1	A5CA	65CB	F7CC	1-774C	T5L70080
4839	邏	C2E2	A5CB	65CC	F7CD	1-774D	T5L80080
4840	邃	C2E3	A5CC	65CD	F7CE	1-774E	T5L90080
4841	邈	C2E4	A5CD	65CE	F7CF	1-774F	T5LA0080
4842	醫	C2E5	A5CE	65CF	F7D0	1-7750	T5LB0080
4843	醬	C2E6	A5CF	65D0	F7D1	1-7751	T5LC0080
4844	釐	C2E7	A5D0	65D1	F7D2	1-7752	T5LD0080
4845	鎔	C2E8	A5D1	65D2	F7D3	1-7753	T5LE0080
4846	鎊	C2E9	A5D2	65D3	F7D4	1-7754	T5LF0080
4847	鎖	C2EA	A5D3	65D4	F7D5	1-7755	T5LG0080
4848	鎬	C2EB	A5D4	65D5	F7D6	1-7756	T5LH0080
4849	鎳	C2EC	A5D5	65D6	F7D7	1-7757	T5LI0080
4850	鎮	C2ED	A5D6	65D7	F7D8	1-7758	T5LJ0080
4851	鎬	C2EE	A5D7	65D8	F7D9	1-7759	T5LK0080
4852	鎰	C2EF	A5D8	65D9	F7DA	1-775A	T5LL0080
4853	鎬	C2F0	A5D9	65DA	F7DB	1-775B	T5LM0080
4854	鎚	C2F1	A5DA	65DB	F7DC	1-775C	T5LN0080
4855	鎗	C2F2	A5DB	65DC	F7DD	1-775D	T5LO0080
4856	闖	C2F3	A5DC	65DD	F7DE	1-775E	T5LP0080
4857	闖	C2F4	A5DD	65DE	F7DF	1-775F	T5LQ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 32 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4858	闖	C2F5	A5DE	65DF	F7E0	1-7760	T5LR0080
4859	關	C2F6	A5DF	65E0	F7E1	1-7761	T5LS0080
4860	離	C2F7	A5E0	65E1	F7E2	1-7762	T5LT0080
4861	雜	C2F8	A5E1	65E2	F7E3	1-7763	T5LU0080
4862	雙	C2F9	A5E2	65E3	F7E4	1-7764	T5LV0080
4863	雛	C2FA	A5E3	65E4	F7E5	1-7765	T5LW0080
4864	雞	C2FB	A5E4	65E5	F7E6	1-7766	T5LX0080
4865	雷	C2FC	A5E5	65E6	F7E7	1-7767	T5LY0080
4866	鞣	C2FD	A5E6	65E7	F7E8	1-7768	T5LZ0080
4867	鞣	C2FE	A5E7	65E8	F7E9	1-7769	T5M00080
4868	鞭	C340	A5E8	65E9	F7EA	1-776A	T5M10080
4869	鰲	C341	A5E9	65EA	F7EB	1-776B	T5M20080
4870	額	C342	A5EA	65EB	F7EC	1-776C	T5M30080
4871	顏	C343	A5EB	65EC	F7ED	1-776D	T5M40080
4872	題	C344	A5EC	65ED	F7EE	1-776E	T5M50080
4873	顎	C345	A5ED	65EE	F7EF	1-776F	T5M60080
4874	頤	C346	A5EE	65EF	F7F0	1-7770	T5M70080
4875	颺	C347	A5EF	65F0	F7F1	1-7771	T5M80080
4876	餹	C348	A5F0	65F1	F7F2	1-7772	T5M90080
4877	餽	C349	A5F1	65F2	F7F3	1-7773	T5MA0080
4878	餽	C34A	A5F2	65F3	F7F4	1-7774	T5MB0080
4879	饗	C34B	A5F3	65F4	F7F5	1-7775	T5MC0080
4880	馥	C34C	A5F4	65F5	F7F6	1-7776	T5MD0080
4881	騎	C34D	A5F5	65F6	F7F7	1-7777	T5ME0080
4882	髀	C34E	A5F6	65F7	F7F8	1-7778	T5MF0080
4883	崇	C34F	A5F7	65F8	F7F9	1-7779	T5MG0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 33 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4884	鬆	C350	A5F8	65F9	F7FA	1-777A	T5MH0080
4885	魏	C351	A5F9	65FA	F7FB	1-777B	T5MI0080
4886	魷	C352	A5FA	65FB	F7FC	1-777C	T5MJ0080
4887	魷	C353	A5FB	65FC	F7FD	1-777D	T5MK0080
4888	鯊	C354	A5FC	65FD	F7FE	1-777E	T5ML0080
4889	鯉	C355	A640	6641	F8A1	1-7821	T5MP0080
4890	鯽	C356	A641	6642	F8A2	1-7822	T5MQ0080
4891	鯿	C357	A642	6643	F8A3	1-7823	T5MR0080
4892	鯿	C358	A643	6644	F8A4	1-7824	T5MS0080
4893	鵠	C359	A644	6645	F8A5	1-7825	T5MT0080
4894	鵠	C35A	A645	6646	F8A6	1-7826	T5MU0080
4895	鵠	C35B	A646	6647	F8A7	1-7827	T5MV0080
4896	鵠	C35C	A647	6648	F8A8	1-7828	T5MW0080
4897	鵠	C35D	A648	6649	F8A9	1-7829	T5MX0080
4898	鵠	C35E	A649	664A	F8AA	1-782A	T5MY0080
4899	鵠	C35F	A64A	664B	F8AB	1-782B	T5MZ0080
4900	嚙	C360	A64B	664C	F8AC	1-782C	T5N00080
4901	壞	C361	A64C	664D	F8AE	1-782E	T5N10080
4902	壘	C362	A64D	664E	F8AF	1-782F	T5N20080
4903	壘	C363	A64E	664F	F8B0	1-7830	T5N30080
4904	寵	C364	A64F	6650	F8B1	1-7831	T5N40080
4905	龐	C365	A650	6651	F8B2	1-7832	T5N50080
4906	廬	C366	A651	6652	F8B3	1-7833	T5N60080
4907	懲	C367	A652	6653	F8B4	1-7834	T5N70080
4908	懷	C368	A653	6654	F8B5	1-7835	T5N80080
4909	懶	C369	A654	6655	F8B6	1-7836	T5N90080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 34 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4910	樽	C36A	A655	6656	F8B7	1-7837	T5NA0080
4911	攀	C36B	A656	6657	F8B8	1-7838	T5NB0080
4912	攏	C36C	A657	6658	F8B9	1-7839	T5NC0080
4913	曠	C36D	A658	6659	F8BA	1-783A	T5ND0080
4914	曝	C36E	A659	665A	F8BB	1-783B	T5NE0080
4915	櫛	C36F	A65A	665B	F8BC	1-783C	T5NF0080
4916	櫛	C370	A65B	665C	F8BD	1-783D	T5NG0080
4917	櫛	C371	A65C	665D	F8BE	1-783E	T5NH0080
4918	櫛	C372	A65D	665E	F8BF	1-783F	T5NI0080
4919	瀛	C373	A65E	665F	F8C0	1-7840	T5NJ0080
4920	瀟	C374	A65F	6660	F8C1	1-7841	T5NK0080
4921	瀨	C375	A660	6661	F8C2	1-7842	T5NL0080
4922	瀚	C376	A661	6662	F8C3	1-7843	T5NM0080
4923	瀝	C377	A662	6663	F8C4	1-7844	T5NN0080
4924	瀕	C378	A663	6664	F8C5	1-7845	T5NO0080
4925	瀘	C379	A664	6665	F8C6	1-7846	T5NP0080
4926	爆	C37A	A665	6666	F8C7	1-7847	T5NQ0080
4927	爍	C37B	A666	6667	F8C8	1-7848	T5NR0080
4928	牘	C37C	A667	6668	F8C9	1-7849	T5NS0080
4929	牘	C37D	A668	6669	F8CA	1-784A	T5NT0080
4930	獸	C37E	A669	666A	F8CB	1-784B	T5NU0080
4931	獺	C3A1	A66A	666B	F8CC	1-784C	T5NV0080
4932	璽	C3A2	A66B	666C	F8CD	1-784D	T5NW0080
4933	瓊	C3A3	A66C	666D	F8CE	1-784E	T5NX0080
4934	瓣	C3A4	A66D	666E	F8CF	1-784F	T5NY0080
4935	疇	C3A5	A66E	666F	F8D0	1-7850	T5NZ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 35 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4936	疆	C3A6	A66F	6670	F8D1	1-7851	T5O00080
4937	瘍	C3A7	A670	6671	F8D2	1-7852	T5O10080
4938	癡	C3A8	A671	6672	F8D3	1-7853	T5O20080
4939	矇	C3A9	A672	6673	F8D4	1-7854	T5O30080
4940	礙	C3AA	A673	6674	F8D5	1-7855	T5O40080
4941	禱	C3AB	A674	6675	F8D6	1-7856	T5O50080
4942	穫	C3AC	A675	6676	F8D7	1-7857	T5O60080
4943	穩	C3AD	A676	6677	F8D8	1-7858	T5O70080
4944	簾	C3AE	A677	6678	F8D9	1-7859	T5O80080
4945	簿	C3AF	A678	6679	F8DA	1-785A	T5O90080
4946	箴	C3B0	A679	667A	F8DB	1-785B	T5OA0080
4947	簽	C3B1	A67A	667B	F8DC	1-785C	T5OB0080
4948	簪	C3B2	A67B	667C	F8DD	1-785D	T5OC0080
4949	籀	C3B3	A67C	667D	F8DE	1-785E	T5OD0080
4950	繫	C3B4	A67D	667E	F8DF	1-785F	T5OE0080
4951	繭	C3B5	A67E	667F	F8E0	1-7860	T5OF0080
4952	繹	C3B6	A680	6681	F8E1	1-7861	T5OH0080
4953	繩	C3B7	A681	6682	F8E2	1-7862	T5OI0080
4954	繪	C3B8	A682	6683	F8E3	1-7863	T5OJ0080
4955	羅	C3B9	A683	6684	F8E5	1-7865	T5OK0080
4956	繳	C3BA	A684	6685	F8E4	1-7864	T5OL0080
4957	羶	C3BB	A685	6686	F8E6	1-7866	T5OM0080
4958	糞	C3BC	A686	6687	F8E7	1-7867	T5ON0080
4959	羸	C3BD	A687	6688	F8E8	1-7868	T5OO0080
4960	臘	C3BE	A688	6689	F8E9	1-7869	T5OP0080
4961	藩	C3BF	A689	668A	F8EA	1-786A	T5OQ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 36 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4962	藝	C3C0	A68A	668B	F8EB	1-786B	T5OR0080
4963	藪	C3C1	A68B	668C	F8EC	1-786C	T5OS0080
4964	藕	C3C2	A68C	668D	F8ED	1-786D	T5OT0080
4965	藤	C3C3	A68D	668E	F8EE	1-786E	T5OU0080
4966	藥	C3C4	A68E	668F	F8EF	1-786F	T5OV0080
4967	藹	C3C5	A68F	6690	F8F0	1-7870	T5OW0080
4968	蟻	C3C6	A690	6691	F8F1	1-7871	T5OX0080
4969	蠅	C3C7	A691	6692	F8F2	1-7872	T5OY0080
4970	蠍	C3C8	A692	6693	F8F3	1-7873	T5OZ0080
4971	蟹	C3C9	A693	6694	F8F4	1-7874	T5P00080
4972	蟾	C3CA	A694	6695	F8F5	1-7875	T5P10080
4973	襠	C3CB	A695	6696	F8F6	1-7876	T5P20080
4974	襟	C3CC	A696	6697	F8F7	1-7877	T5P30080
4975	襖	C3CD	A697	6698	F8F8	1-7878	T5P40080
4976	襪	C3CE	A698	6699	F8F9	1-7879	T5P50080
4977	譚	C3CF	A699	669A	F8FA	1-787A	T5P60080
4978	譜	C3D0	A69A	669B	F8FB	1-787B	T5P70080
4979	識	C3D1	A69B	669C	F8FC	1-787C	T5P80080
4980	證	C3D2	A69C	669D	F8FD	1-787D	T5P90080
4981	譚	C3D3	A69D	669E	F8FE	1-787E	T5PA0080
4982	譎	C3D4	A69E	669F	F9A1	1-7921	T5PB0080
4983	譏	C3D5	A69F	66A0	F9A2	1-7922	T5PC0080
4984	諄	C3D6	A6A0	66A1	F9A3	1-7923	T5PD0080
4985	譙	C3D7	A6A1	66A2	F9A4	1-7924	T5PE0080
4986	贈	C3D8	A6A2	66A3	F9A5	1-7925	T5PF0080
4987	贊	C3D9	A6A3	66A4	F9A6	1-7926	T5PG0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 37 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4988	蹶	C3DA	A6A4	66A5	F9A7	1-7927	T5PH0080
4989	蹲	C3DB	A6A5	66A6	F9A8	1-7928	T5PI0080
4990	蹯	C3DC	A6A6	66A7	F9A9	1-7929	T5PJ0080
4991	蹯	C3DD	A6A7	66A8	F9AA	1-792A	T5PK0080
4992	躑	C3DE	A6A8	66A9	F9AB	1-792B	T5PL0080
4993	躑	C3DF	A6A9	66AA	F9AC	1-792C	T5PM0080
4994	躑	C3E0	A6AA	66AB	F9AD	1-792D	T5PN0080
4995	躑	C3E1	A6AB	66AC	F9AE	1-792E	T5PO0080
4996	躑	C3E2	A6AC	66AD	F9AF	1-792F	T5PP0080
4997	辭	C3E3	A6AD	66AE	F9B0	1-7930	T5PQ0080
4998	邊	C3E4	A6AE	66AF	F9B1	1-7931	T5PR0080
4999	邈	C3E5	A6AF	66B0	F9B2	1-7932	T5PS0080
5000	醜	C3E6	A6B0	66B1	F9B3	1-7933	T5PT0080
5001	醜	C3E7	A6B1	66B2	F9B4	1-7934	T5PU0080
5002	鏡	C3E8	A6B2	66B3	F9B5	1-7935	T5PV0080
5003	鏞	C3E9	A6B3	66B4	F9B6	1-7936	T5PW0080
5004	鏞	C3EA	A6B4	66B5	F9B7	1-7937	T5PX0080
5005	鏞	C3EB	A6B5	66B6	F9B8	1-7938	T5PY0080
5006	鏈	C3EC	A6B6	66B7	F9B9	1-7939	T5PZ0080
5007	鎧	C3ED	A6B7	66B8	F9BA	1-793A	T5Q00080
5008	鎧	C3EE	A6B8	66B9	F9BB	1-793B	T5Q10080
5009	鑿	C3EF	A6B9	66BA	F9BC	1-793C	T5Q20080
5010	鏢	C3F0	A6BA	66BB	F9BD	1-793D	T5Q30080
5011	鏢	C3F1	A6BB	66BC	F9BE	1-793E	T5Q40080
5012	鏢	C3F2	A6BC	66BD	F9BF	1-793F	T5Q50080
5013	鏢	C3F3	A6BD	66BE	F9C0	1-7940	T5Q60080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 38 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5014	鏗	C3F4	A6BE	66BF	F9C1	1-7941	T5Q70080
5015	鏗	C3F5	A6BF	66C0	F9C2	1-7942	T5Q80080
5016	關	C3F6	A6C0	66C1	F9C3	1-7943	T5Q90080
5017	隴	C3F7	A6C1	66C2	F9C4	1-7944	T5QA0080
5018	難	C3F8	A6C2	66C3	F9C5	1-7945	T5QB0080
5019	霏	C3F9	A6C3	66C4	F9C6	1-7946	T5QC0080
5020	霧	C3FA	A6C4	66C5	F9C7	1-7947	T5QD0080
5021	靡	C3FB	A6C5	66C6	F9C8	1-7948	T5QE0080
5022	韜	C3FC	A6C6	66C7	F9C9	1-7949	T5QF0080
5023	韻	C3FD	A6C7	66C8	F9CA	1-794A	T5QG0080
5024	類	C3FE	A6C8	66C9	F9CB	1-794B	T5QH0080
5025	願	C440	A6C9	66CA	F9CC	1-794C	T5QI0080
5026	顛	C441	A6CA	66CB	F9CD	1-794D	T5QJ0080
5027	颯	C442	A6CB	66CC	F9CE	1-794E	T5QK0080
5028	饅	C443	A6CC	66CD	F9CF	1-794F	T5QL0080
5029	饅	C444	A6CD	66CE	F9D0	1-7950	T5QM0080
5030	鶩	C445	A6CE	66CF	F9D1	1-7951	T5QN0080
5031	騙	C446	A6CF	66D0	F9D2	1-7952	T5QO0080
5032	鬚	C447	A6D0	66D1	F9D3	1-7953	T5QP0080
5033	鯨	C448	A6D1	66D2	F9D4	1-7954	T5QQ0080
5034	鯧	C449	A6D2	66D3	F9D5	1-7955	T5QR0080
5035	鯖	C44A	A6D3	66D4	F9D6	1-7956	T5QS0080
5036	鯛	C44B	A6D4	66D5	F9D7	1-7957	T5QT0080
5037	鶉	C44C	A6D5	66D6	F9D8	1-7958	T5QU0080
5038	鸚	C44D	A6D6	66D7	F9D9	1-7959	T5QV0080
5039	鵲	C44E	A6D7	66D8	F9DA	1-795A	T5QW0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 9 (Page 39 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5040	鶴	C44F	A6D8	66D9	F9DB	1-795B	T5QX0080
5041	鵬	C450	A6D9	66DA	F9DC	1-795C	T5QY0080
5042	麒	C451	A6DA	66DB	F9DD	1-795D	T5QZ0080
5043	麗	C452	A6DB	66DC	F9DE	1-795E	T5R00080
5044	麓	C453	A6DC	66DD	F9DF	1-795F	T5R10080
5045	麴	C454	A6DD	66DE	F9E0	1-7960	T5R20080
5046	勸	C455	A6DE	66DF	F9E1	1-7961	T5R30080
5047	囃	C456	A6DF	66E0	F8AD	1-782D	T5R40080
5048	囂	C457	A6E0	66E1	F9E2	1-7962	T5R50080
5049	嚶	C458	A6E1	66E2	F9E3	1-7963	T5R60080
5050	嚴	C459	A6E2	66E3	F9E4	1-7964	T5R70080
5051	噤	C45A	A6E3	66E4	F9E5	1-7965	T5R80080
5052	壤	C45B	A6E4	66E5	F9E6	1-7966	T5R90080
5053	孀	C45C	A6E5	66E6	F9E7	1-7967	T5RA0080
5054	孃	C45D	A6E6	66E7	F9E8	1-7968	T5RB0080
5055	孛	C45E	A6E7	66E8	F9E9	1-7969	T5RC0080
5056	寶	C45F	A6E8	66E9	F9EA	1-796A	T5RD0080
5057	嶼	C460	A6E9	66EA	F9EB	1-796B	T5RE0080
5058	懸	C461	A6EA	66EB	F9EC	1-796C	T5RF0080
5059	懺	C462	A6EB	66EC	F9ED	1-796D	T5RG0080
5060	攘	C463	A6EC	66ED	F9EE	1-796E	T5RH0080
5061	攔	C464	A6ED	66EE	F9EF	1-796F	T5RI0080
5062	攙	C465	A6EE	66EF	F9F0	1-7970	T5RJ0080
5063	曦	C466	A6EF	66F0	F9F1	1-7971	T5RK0080
5064	朧	C467	A6F0	66F1	F9F2	1-7972	T5RL0080
5065	襯	C468	A6F1	66F2	F9F3	1-7973	T5RM0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 40 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5066	瀾	C469	A6F2	66F3	F9F4	1-7974	T5RN0080
5067	瀾	C46A	A6F3	66F4	F9F5	1-7975	T5RO0080
5068	激	C46B	A6F4	66F5	F9F6	1-7976	T5RP0080
5069	爐	C46C	A6F5	66F6	F9F7	1-7977	T5RQ0080
5070	獻	C46D	A6F6	66F7	F9F8	1-7978	T5RR0080
5071	瓏	C46E	A6F7	66F8	F9F9	1-7979	T5RS0080
5072	癢	C46F	A6F8	66F9	F9FA	1-797A	T5RT0080
5073	癥	C470	A6F9	66FA	F9FB	1-797B	T5RU0080
5074	礦	C471	A6FA	66FB	F9FC	1-797C	T5RV0080
5075	礪	C472	A6FB	66FC	F9FD	1-797D	T5RW0080
5076	礬	C473	A6FC	66FD	F9FE	1-797E	T5RX0080
5077	礫	C474	A740	6741	FAA1	1-7A21	T5S10080
5078	寶	C475	A741	6742	FAA2	1-7A22	T5S20080
5079	競	C476	A742	6743	FAA3	1-7A23	T5S30080
5080	籌	C477	A743	6744	FAA4	1-7A24	T5S40080
5081	籃	C478	A744	6745	FAA5	1-7A25	T5S50080
5082	籍	C479	A745	6746	FAA6	1-7A26	T5S60080
5083	糯	C47A	A746	6747	FAA7	1-7A27	T5S70080
5084	糲	C47B	A747	6748	FAA8	1-7A28	T5S80080
5085	辦	C47C	A748	6749	FAA9	1-7A29	T5S90080
5086	續	C47D	A749	674A	FAAA	1-7A2A	T5SA0080
5087	繼	C47E	A74A	674B	FAAB	1-7A2B	T5SB0080
5088	纂	C4A1	A74B	674C	FAAC	1-7A2C	T5SC0080
5089	罌	C4A2	A74C	674D	FAAD	1-7A2D	T5SD0080
5090	耀	C4A3	A74D	674E	FAAE	1-7A2E	T5SE0080
5091	臚	C4A4	A74E	674F	FAAF	1-7A2F	T5SF0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 9 (Page 41 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5092	艦	C4A5	A74F	6750	FAB0	1-7A30	T5SG0080
5093	藻	C4A6	A750	6751	FAB1	1-7A31	T5SH0080
5094	藹	C4A7	A751	6752	FAB2	1-7A32	T5SI0080
5095	藪	C4A8	A752	6753	FAB3	1-7A33	T5SJ0080
5096	藺	C4A9	A753	6754	FAB4	1-7A34	T5SK0080
5097	蘆	C4AA	A754	6755	FAB5	1-7A35	T5SL0080
5098	蘋	C4AB	A755	6756	FAB6	1-7A36	T5SM0080
5099	蘇	C4AC	A756	6757	FAB7	1-7A37	T5SN0080
5100	蘊	C4AD	A757	6758	FAB8	1-7A38	T5SO0080
5101	蠟	C4AE	A758	6759	FAB9	1-7A39	T5SP0080
5102	蠕	C4AF	A759	675A	FABA	1-7A3A	T5SQ0080
5103	檻	C4B0	A75A	675B	FABB	1-7A3B	T5SR0080
5104	覺	C4B1	A75B	675C	FABC	1-7A3C	T5SS0080
5105	觸	C4B2	A75C	675D	FABD	1-7A3D	T5ST0080
5106	議	C4B3	A75D	675E	FABE	1-7A3E	T5SU0080
5107	譬	C4B4	A75E	675F	FABF	1-7A3F	T5SV0080
5108	警	C4B5	A75F	6760	FAC0	1-7A40	T5SW0080
5109	譯	C4B6	A760	6761	FAC1	1-7A41	T5SX0080
5110	諫	C4B7	A761	6762	FAC2	1-7A42	T5SY0080
5111	諳	C4B8	A762	6763	FAC3	1-7A43	T5SZ0080
5112	羸	C4B9	A763	6764	FAC4	1-7A44	T5T00080
5113	瞻	C4BA	A764	6765	FAC5	1-7A45	T5T10080
5114	躉	C4BB	A765	6766	FAC6	1-7A46	T5T20080
5115	躁	C4BC	A766	6767	FAC7	1-7A47	T5T30080
5116	躅	C4BD	A767	6768	FAC8	1-7A48	T5T40080
5117	躑	C4BE	A768	6769	FAC9	1-7A49	T5T50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 42 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5118	醴	C4BF	A769	676A	FACA	1-7A4A	T5T60080
5119	釋	C4C0	A76A	676B	FACB	1-7A4B	T5T70080
5120	鐘	C4C1	A76B	676C	FACC	1-7A4C	T5T80080
5121	鏡	C4C2	A76C	676D	FACD	1-7A4D	T5T90080
5122	鑄	C4C3	A76D	676E	FACE	1-7A4E	T5TA0080
5123	闡	C4C4	A76E	676F	FACF	1-7A4F	T5TB0080
5124	霰	C4C5	A76F	6770	FAD0	1-7A50	T5TC0080
5125	飄	C4C6	A770	6771	FAD1	1-7A51	T5TD0080
5126	饒	C4C7	A771	6772	FAD2	1-7A52	T5TE0080
5127	饑	C4C8	A772	6773	FAD3	1-7A53	T5TF0080
5128	馨	C4C9	A773	6774	FAD4	1-7A54	T5TG0080
5129	騫	C4CA	A774	6775	FAD5	1-7A55	T5TH0080
5130	騰	C4CB	A775	6776	FAD6	1-7A56	T5TI0080
5131	騷	C4CC	A776	6777	FAD7	1-7A57	T5TJ0080
5132	鯨	C4CD	A777	6778	FAD8	1-7A58	T5TK0080
5133	鰓	C4CE	A778	6779	FAD9	1-7A59	T5TL0080
5134	緘	C4CF	A779	677A	FADA	1-7A5A	T5TM0080
5135	鹹	C4D0	A77A	677B	FADB	1-7A5B	T5TN0080
5136	麵	C4D1	A77B	677C	FADC	1-7A5C	T5TO0080
5137	黨	C4D2	A77C	677D	FADD	1-7A5D	T5TP0080
5138	鯨	C4D3	A77D	677E	FADE	1-7A5E	T5TQ0080
5139	齟	C4D4	A77E	677F	FADF	1-7A5F	T5TR0080
5140	齣	C4D5	A780	6781	FAE0	1-7A60	T5TT0080
5141	齡	C4D6	A781	6782	FAE1	1-7A61	T5TU0080
5142	儼	C4D7	A782	6783	FAE2	1-7A62	T5TV0080
5143	儼	C4D8	A783	6784	FAE3	1-7A63	T5TW0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 43 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5144	囁	C4D9	A784	6785	FAE4	1-7A64	T5TX0080
5145	囁	C4DA	A785	6786	FAE5	1-7A65	T5TY0080
5146	崇	C4DB	A786	6787	FAE6	1-7A66	T5TZ0080
5147	變	C4DC	A787	6788	FAE7	1-7A67	T5U00080
5148	屬	C4DD	A788	6789	FAE8	1-7A68	T5U10080
5149	窺	C4DE	A789	678A	FAE9	1-7A69	T5U20080
5150	懼	C4DF	A78A	678B	FAEA	1-7A6A	T5U30080
5151	囁	C4E0	A78B	678C	FAEB	1-7A6B	T5U40080
5152	撮	C4E1	A78C	678D	FAEC	1-7A6C	T5U50080
5153	攜	C4E2	A78D	678E	FAED	1-7A6D	T5U60080
5154	爛	C4E3	A78E	678F	FAEE	1-7A6E	T5U70080
5155	曩	C4E4	A78F	6790	FAEF	1-7A6F	T5U80080
5156	櫻	C4E5	A790	6791	FAF0	1-7A70	T5U90080
5157	欄	C4E6	A791	6792	FAF1	1-7A71	T5UA0080
5158	櫺	C4E7	A792	6793	FAF2	1-7A72	T5UB0080
5159	穢	C4E8	A793	6794	FAF3	1-7A73	T5UC0080
5160	灌	C4E9	A794	6795	FAF4	1-7A74	T5UD0080
5161	爛	C4EA	A795	6796	FAF5	1-7A75	T5UE0080
5162	犧	C4EB	A796	6797	FAF6	1-7A76	T5UF0080
5163	瓊	C4EC	A797	6798	FAF7	1-7A77	T5UG0080
5164	瓔	C4ED	A798	6799	FAF8	1-7A78	T5UH0080
5165	癩	C4EE	A799	679A	FAF9	1-7A79	T5UI0080
5166	隴	C4EF	A79A	679B	FAFA	1-7A7A	T5UJ0080
5167	籐	C4F0	A79B	679C	FAFB	1-7A7B	T5UK0080
5168	纏	C4F1	A79C	679D	FAFC	1-7A7C	T5UL0080
5169	續	C4F2	A79D	679E	FAFD	1-7A7D	T5UM0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 44 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5170	屨	C4F3	A79E	679F	FAFE	1-7A7E	T5UN0080
5171	藥	C4F4	A79F	67A0	FBA1	1-7B21	T5UO0080
5172	蘭	C4F5	A7A0	67A1	FBA2	1-7B22	T5UP0080
5173	薜	C4F6	A7A1	67A2	FBA3	1-7B23	T5UQ0080
5174	蠣	C4F7	A7A2	67A3	FBA4	1-7B24	T5UR0080
5175	蠹	C4F8	A7A3	67A4	FBA5	1-7B25	T5US0080
5176	蠹	C4F9	A7A4	67A5	FBA6	1-7B26	T5UT0080
5177	蠟	C4FA	A7A5	67A6	FBA7	1-7B27	T5UU0080
5178	襪	C4FB	A7A6	67A7	FBA8	1-7B28	T5UV0080
5179	襪	C4FC	A7A7	67A8	FBA9	1-7B29	T5UW0080
5180	覽	C4FD	A7A8	67A9	FBAA	1-7B2A	T5UX0080
5181	謹	C4FE	A7A9	67AA	FBAB	1-7B2B	T5UY0080
5182	護	C540	A7AA	67AB	FBAC	1-7B2C	T5UZ0080
5183	譽	C541	A7AB	67AC	FBAD	1-7B2D	T5V00080
5184	賊	C542	A7AC	67AD	FBAE	1-7B2E	T5V10080
5185	躋	C543	A7AD	67AE	FBAF	1-7B2F	T5V20080
5186	躍	C544	A7AE	67AF	FBB0	1-7B30	T5V30080
5187	躋	C545	A7AF	67B0	FBB1	1-7B31	T5V40080
5188	轟	C546	A7B0	67B1	FBB2	1-7B32	T5V50080
5189	辯	C547	A7B1	67B2	FBB3	1-7B33	T5V60080
5190	鑣	C548	A7B2	67B3	FBB4	1-7B34	T5V70080
5191	鏢	C549	A7B3	67B4	FBB5	1-7B35	T5V80080
5192	鑄	C54A	A7B4	67B5	FBB6	1-7B36	T5V90080
5193	鐵	C54B	A7B5	67B6	FBB7	1-7B37	T5VA0080
5194	鎗	C54C	A7B6	67B7	FBB8	1-7B38	T5VB0080
5195	鐸	C54D	A7B7	67B8	FBB9	1-7B39	T5VC0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 45 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5196	鐳	C54E	A7B8	67B9	FBBA	1-7B3A	T5VD0080
5197	鐳	C54F	A7B9	67BA	FBBB	1-7B3B	T5VE0080
5198	關	C550	A7BA	67BB	FBBC	1-7B3C	T5VF0080
5199	霸	C551	A7BB	67BC	FBBD	1-7B3D	T5VG0080
5200	霹	C552	A7BC	67BD	FBBE	1-7B3E	T5VH0080
5201	露	C553	A7BD	67BE	FBBF	1-7B3F	T5VI0080
5202	響	C554	A7BE	67BF	FBC0	1-7B40	T5VJ0080
5203	顧	C555	A7BF	67C0	FBC1	1-7B41	T5VK0080
5204	頰	C556	A7C0	67C1	FBC2	1-7B42	T5VL0080
5205	饗	C557	A7C1	67C2	FBC3	1-7B43	T5VM0080
5206	驅	C558	A7C2	67C3	FBC4	1-7B44	T5VN0080
5207	驃	C559	A7C3	67C4	FBC5	1-7B45	T5VO0080
5208	騫	C55A	A7C4	67C5	FBC6	1-7B46	T5VP0080
5209	騾	C55B	A7C5	67C6	FBC7	1-7B47	T5VQ0080
5210	馱	C55C	A7C6	67C7	FBC8	1-7B48	T5VR0080
5211	魔	C55D	A7C7	67C8	FBC9	1-7B49	T5VS0080
5212	魘	C55E	A7C8	67C9	FBCA	1-7B4A	T5VT0080
5213	鯖	C55F	A7C9	67CA	FBCB	1-7B4B	T5VU0080
5214	鰓	C560	A7CA	67CB	FBCD	1-7B4C	T5VV0080
5215	鶯	C561	A7CB	67CC	FBCD	1-7B4D	T5VW0080
5216	鶴	C562	A7CC	67CD	FBCD	1-7B4E	T5VX0080
5217	鴿	C563	A7CD	67CE	FBCF	1-7B4F	T5VY0080
5218	鴉	C564	A7CE	67CF	FBD0	1-7B50	T5VZ0080
5219	鸚	C565	A7CF	67D0	FBD1	1-7B51	T5W00080
5220	黯	C566	A7D0	67D1	FBD2	1-7B52	T5W10080
5221	孽	C567	A7D1	67D2	FBD3	1-7B53	T5W20080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 46 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5222	齧	C568	A7D2	67D3	FBD4	1-7B54	T5W30080
5223	齧	C569	A7D3	67D4	FBD5	1-7B55	T5W40080
5224	齧	C56A	A7D4	67D5	FBD6	1-7B56	T5W50080
5225	儼	C56B	A7D5	67D6	FBD7	1-7B57	T5W60080
5226	儼	C56C	A7D6	67D7	FBD8	1-7B58	T5W70080
5227	嚙	C56D	A7D7	67D8	FBD9	1-7B59	T5W80080
5228	囊	C56E	A7D8	67D9	FBDA	1-7B5A	T5W90080
5229	囉	C56F	A7D9	67DA	FBDB	1-7B5B	T5WA0080
5230	學	C570	A7DA	67DB	FBDC	1-7B5C	T5WB0080
5231	巔	C571	A7DB	67DC	FBDD	1-7B5D	T5WC0080
5232	轡	C572	A7DC	67DD	FBDE	1-7B5E	T5WD0080
5233	彎	C573	A7DD	67DE	FBD F	1-7B5F	T5WE0080
5234	誌	C574	A7DE	67DF	FBE0	1-7B60	T5WF0080
5235	攤	C575	A7DF	67E0	FBE1	1-7B61	T5WG0080
5236	權	C576	A7E0	67E1	FBE2	1-7B62	T5WH0080
5237	歡	C577	A7E1	67E2	FBE3	1-7B63	T5WI0080
5238	灑	C578	A7E2	67E3	FBE4	1-7B64	T5WJ0080
5239	灘	C579	A7E3	67E4	FBE5	1-7B65	T5WK0080
5240	獾	C57A	A7E4	67E5	FBE6	1-7B66	T5WL0080
5241	瓢	C57B	A7E5	67E6	FBE7	1-7B67	T5WM0080
5242	疊	C57C	A7E6	67E7	FBE8	1-7B68	T5WN0080
5243	癩	C57D	A7E7	67E8	FBE9	1-7B69	T5WO0080
5244	癩	C57E	A7E8	67E9	FBEA	1-7B6A	T5WP0080
5245	襪	C5A1	A7E9	67EA	FBEB	1-7B6B	T5WQ0080
5246	籠	C5A2	A7EA	67EB	FBEC	1-7B6C	T5WR0080
5247	籟	C5A3	A7EB	67EC	FBED	1-7B6D	T5WS0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 47 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5248	聾	C5A4	A7EC	67ED	FBEE	1-7B6E	T5WT0080
5249	聽	C5A5	A7ED	67EE	FBEF	1-7B6F	T5WU0080
5250	臍	C5A6	A7EE	67EF	FBF0	1-7B70	T5WV0080
5251	襲	C5A7	A7EF	67F0	FBF1	1-7B71	T5WW0080
5252	襯	C5A8	A7F0	67F1	FBF2	1-7B72	T5WX0080
5253	鱸	C5A9	A7F1	67F2	FBF3	1-7B73	T5WY0080
5254	讀	C5AA	A7F2	67F3	FBF4	1-7B74	T5WZ0080
5255	贖	C5AB	A7F3	67F4	FBF5	1-7B75	T5X00080
5256	償	C5AC	A7F4	67F5	FBF6	1-7B76	T5X10080
5257	躑	C5AD	A7F5	67F6	FBF7	1-7B77	T5X20080
5258	躡	C5AE	A7F6	67F7	FBF8	1-7B78	T5X30080
5259	轡	C5AF	A7F7	67F8	FBF9	1-7B79	T5X40080
5260	躑	C5B0	A7F8	67F9	FBFA	1-7B7A	T5X50080
5261	鑄	C5B1	A7F9	67FA	FBFB	1-7B7B	T5X60080
5262	鑑	C5B2	A7FA	67FB	FBFC	1-7B7C	T5X70080
5263	鑿	C5B3	A7FB	67FC	FBFD	1-7B7D	T5X80080
5264	霽	C5B4	A7FC	67FD	FBFE	1-7B7E	T5X90080
5265	韃	C5B5	A840	6841	FCA1	1-7C21	T5XD0080
5266	韃	C5B6	A841	6842	FCA2	1-7C22	T5XE0080
5267	韃	C5B7	A842	6843	FCA3	1-7C23	T5XF0080
5268	顛	C5B8	A843	6844	FCA4	1-7C24	T5XG0080
5269	饗	C5B9	A844	6845	FCA5	1-7C25	T5XH0080
5270	驕	C5BA	A845	6846	FCA6	1-7C26	T5XI0080
5271	驍	C5BB	A846	6847	FCA7	1-7C27	T5XJ0080
5272	髒	C5BC	A847	6848	FCA8	1-7C28	T5XK0080
5273	鬚	C5BD	A848	6849	FCA9	1-7C29	T5XL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 48 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5274	鰲	C5BE	A849	684A	FCAA	1-7C2A	T5XM0080
5275	鰓	C5BF	A84A	684B	FCAB	1-7C2B	T5XN0080
5276	鰓	C5C0	A84B	684C	FCAC	1-7C2C	T5XO0080
5277	鰓	C5C1	A84C	684D	FCAD	1-7C2D	T5XP0080
5278	鰓	C5C2	A84D	684E	FCAE	1-7C2E	T5XQ0080
5279	鰓	C5C3	A84E	684F	FCAF	1-7C2F	T5XR0080
5280	鰓	C5C4	A84F	6850	FCB0	1-7C30	T5XS0080
5281	鰓	C5C5	A850	6851	FCB1	1-7C31	T5XT0080
5282	鰓	C5C6	A851	6852	FCB2	1-7C32	T5XU0080
5283	鰓	C5C7	A852	6853	FCB3	1-7C33	T5XV0080
5284	鰓	C5C8	A853	6854	FCB4	1-7C34	T5XW0080
5285	鰓	C5C9	A854	6855	FCB5	1-7C35	T5XX0080
5286	鰓	C5CA	A855	6856	FCB6	1-7C36	T5XY0080
5287	鰓	C5CB	A856	6857	FCB7	1-7C37	T5XZ0080
5288	攫	C5CC	A857	6858	FCB8	1-7C38	T5Y00080
5289	攪	C5CD	A858	6859	FCB9	1-7C39	T5Y10080
5290	曬	C5CE	A859	685A	FCBA	1-7C3A	T5Y20080
5291	襪	C5CF	A85A	685B	FCBB	1-7C3B	T5Y30080
5292	璫	C5D0	A85B	685C	FCBC	1-7C3C	T5Y40080
5293	竊	C5D1	A85C	685D	FCBD	1-7C3D	T5Y50080
5294	籤	C5D2	A85D	685E	FCBE	1-7C3E	T5Y60080
5295	籟	C5D3	A85E	685F	FCBF	1-7C3F	T5Y70080
5296	籟	C5D4	A85F	6860	FCC0	1-7C40	T5Y80080
5297	纓	C5D5	A860	6861	FCC1	1-7C41	T5Y90080
5298	織	C5D6	A861	6862	FCC2	1-7C42	T5YA0080
5299	纓	C5D7	A862	6863	FCC3	1-7C43	T5YB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 49 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5300	臘	C5D8	A863	6864	FCC4	1-7C44	T5YC0080
5301	蕪	C5D9	A864	6865	FCC5	1-7C45	T5YD0080
5302	蘿	C5DA	A865	6866	FCC6	1-7C46	T5YE0080
5303	蠱	C5DB	A866	6867	FCC7	1-7C47	T5YF0080
5304	變	C5DC	A867	6868	FCC8	1-7C48	T5YG0080
5305	邏	C5DD	A868	6869	FCC9	1-7C49	T5YH0080
5306	邏	C5DE	A869	686A	FCCA	1-7C4A	T5YI0080
5307	鏢	C5DF	A86A	686B	FCCB	1-7C4B	T5YJ0080
5308	鏢	C5E0	A86B	686C	FCCC	1-7C4C	T5YK0080
5309	錄	C5E1	A86C	686D	FCCD	1-7C4D	T5YL0080
5310	曆	C5E2	A86D	686E	FCCE	1-7C4E	T5YM0080
5311	顯	C5E3	A86E	686F	FCCF	1-7C4F	T5YN0080
5312	壓	C5E4	A86F	6870	FCD0	1-7C50	T5YO0080
5313	驚	C5E5	A870	6871	FCD1	1-7C51	T5YP0080
5314	驛	C5E6	A871	6872	FCD2	1-7C52	T5YQ0080
5315	驗	C5E7	A872	6873	FCD3	1-7C53	T5YR0080
5316	髓	C5E8	A873	6874	FCD4	1-7C54	T5YS0080
5317	體	C5E9	A874	6875	FCD5	1-7C55	T5YT0080
5318	潤	C5EA	A875	6876	FCD6	1-7C56	T5YU0080
5319	鱈	C5EB	A876	6877	FCD7	1-7C57	T5YV0080
5320	鱗	C5EC	A877	6878	FCD8	1-7C58	T5YW0080
5321	鱗	C5ED	A878	6879	FCD9	1-7C59	T5YX0080
5322	鸞	C5EE	A879	687A	FCDA	1-7C5A	T5YY0080
5323	麟	C5EF	A87A	687B	FCDB	1-7C5B	T5YZ0080
5324	徽	C5F0	A87B	687C	FCDC	1-7C5C	T5Z00080
5325	囑	C5F1	A87C	687D	FCDD	1-7C5D	T5Z10080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 50 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5326	壩	C5F2	A87D	687E	FCDE	1-7C5E	T5Z20080
5327	攬	C5F3	A87E	687F	FCDF	1-7C5F	T5Z30080
5328	灞	C5F4	A880	6881	FCE0	1-7C60	T5Z50080
5329	癱	C5F5	A881	6882	FCE1	1-7C61	T5Z60080
5330	癩	C5F6	A882	6883	FCE2	1-7C62	T5Z70080
5331	轟	C5F7	A883	6884	FCE3	1-7C63	T5Z80080
5332	罐	C5F8	A884	6885	FCE4	1-7C64	T5Z90080
5333	羈	C5F9	A885	6886	FCE5	1-7C65	T5ZA0080
5334	蠶	C5FA	A886	6887	FCE6	1-7C66	T5ZB0080
5335	蠹	C5FB	A887	6888	FCE7	1-7C67	T5ZC0080
5336	衢	C5FC	A888	6889	FCE8	1-7C68	T5ZD0080
5337	讓	C5FD	A889	688A	FCE9	1-7C69	T5ZE0080
5338	讒	C5FE	A88A	688B	FCEA	1-7C6A	T5ZF0080
5339	讖	C640	A88B	688C	FCEB	1-7C6B	T5ZG0080
5340	艷	C641	A88C	688D	FCEC	1-7C6C	T5ZH0080
5341	鞞	C642	A88D	688E	FCED	1-7C6D	T5ZI0080
5342	釀	C643	A88E	688F	FCEE	1-7C6E	T5ZJ0080
5343	鑪	C644	A88F	6890	FCEF	1-7C6F	T5ZK0080
5344	靈	C645	A890	6891	FCF0	1-7C70	T5ZL0080
5345	靈	C646	A891	6892	FCF1	1-7C71	T5ZM0080
5346	靄	C647	A892	6893	FCF2	1-7C72	T5ZN0080
5347	靄	C648	A893	6894	FCF3	1-7C73	T5ZO0080
5348	輦	C649	A894	6895	FCF4	1-7C74	T5ZP0080
5349	驟	C64A	A895	6896	FCF5	1-7C75	T5ZQ0080
5350	鬢	C64B	A896	6897	FCF6	1-7C76	T5ZR0080
5351	魔	C64C	A897	6898	FCF7	1-7C77	T5ZS0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 51 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5352	覺	C64D	A898	6899	FCF8	1-7C78	T5ZT0080
5353	鷹	C64E	A899	689A	FCF9	1-7C79	T5ZU0080
5354	鷺	C64F	A89A	689B	FCFA	1-7C7A	T5ZV0080
5355	鹼	C650	A89B	689C	FCFB	1-7C7B	T5ZW0080
5356	鹽	C651	A89C	689D	FCFC	1-7C7C	T5ZX0080
5357	鼈	C652	A89D	689E	FCFD	1-7C7D	T5ZY0080
5358	齷	C653	A89E	689F	FCFE	1-7C7E	T5ZZ0080
5359	齶	C654	A89F	68A0	FDA1	1-7D21	T6000080
5360	廳	C655	A8A0	68A1	FDA2	1-7D22	T6010080
5361	欖	C656	A8A1	68A2	FDA3	1-7D23	T6020080
5362	灣	C657	A8A2	68A3	FDA4	1-7D24	T6030080
5363	籬	C658	A8A3	68A4	FDA5	1-7D25	T6040080
5364	籬	C659	A8A4	68A5	FDA6	1-7D26	T6050080
5365	蠻	C65A	A8A5	68A6	FDA7	1-7D27	T6060080
5366	觀	C65B	A8A6	68A7	FDA8	1-7D28	T6070080
5367	躡	C65C	A8A7	68A8	FDA9	1-7D29	T6080080
5368	覺	C65D	A8A8	68A9	FDAA	1-7D2A	T6090080
5369	鑲	C65E	A8A9	68AA	FDAB	1-7D2B	T60A0080
5370	鑰	C65F	A8AA	68AB	FDAC	1-7D2C	T60B0080
5371	顧	C660	A8AB	68AC	FDAD	1-7D2D	T60C0080
5372	饒	C661	A8AC	68AD	FDAE	1-7D2E	T60D0080
5373	髒	C662	A8AD	68AE	FDAF	1-7D2F	T60E0080
5374	鬣	C663	A8AE	68AF	FDB0	1-7D30	T60F0080
5375	覺	C664	A8AF	68B0	FDB1	1-7D31	T60G0080
5376	灤	C665	A8B0	68B1	FDB2	1-7D32	T60H0080
5377	矚	C666	A8B1	68B2	FDB3	1-7D33	T60I0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 9 (Page 52 of 52). Primary Chinese Character Set (4 of 4), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5378	讚	C667	A8B2	68B3	FDB4	1-7D34	T60J0080
5379	鑷	C668	A8B3	68B4	FDB5	1-7D35	T60K0080
5380	鑷	C669	A8B4	68B5	FDB6	1-7D36	T60L0080
5381	驢	C66A	A8B5	68B6	FDB7	1-7D37	T60M0080
5382	驢	C66B	A8B6	68B7	FDB8	1-7D38	T60N0080
5383	纜	C66C	A8B7	68B8	FDB9	1-7D39	T60O0080
5384	讜	C66D	A8B8	68B9	FDBA	1-7D3A	T60P0080
5385	鑷	C66E	A8B9	68BA	FDBB	1-7D3B	T60Q0080
5386	齶	C66F	A8BA	68BB	FDBC	1-7D3C	T60R0080
5387	鑽	C670	A8BB	68BC	FDBD	1-7D3D	T60S0080
5388	鑿	C671	A8BC	68BD	FDBE	1-7D3E	T60T0080
5389	鑷	C672	A8BD	68BE	FDBF	1-7D3F	T60U0080
5390	鱸	C673	A8BE	68BF	FDC0	1-7D40	T60V0080
5391	鱸	C674	A8BF	68C0	FDC1	1-7D41	T60W0080
5392	驢	C675	A8C0	68C1	FDC2	1-7D42	T60X0080
5393	豔	C676	A8C1	68C2	FDC3	1-7D43	T60Y0080
5394	鑿	C677	A8C2	68C3	FDC4	1-7D44	T60Z0080
5395	鸚	C678	A8C3	68C4	FDC5	1-7D45	T6100080
5396	襲	C679	A8C4	68C5	FDC6	1-7D46	T6110080
5397	驢	C67A	A8C5	68C6	FDC7	1-7D47	T6120080
5398	鬱	C67B	A8C6	68C7	FDC8	1-7D48	T6130080
5399	鸚	C67C	A8C7	68C8	FDC9	1-7D49	T6140080
5400	鸚	C67D	A8C8	68C9	FDCA	1-7D4A	T6150080
5401	籟	C67E	A8C9	68CA	FDCB	1-7D4B	T6160080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8.6 Secondary Chinese Character Set (1 of 5)

Table 10 (Page 1 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1	义	C940	A940	6941	A2A1A1	2-2121	T62P0080
2	乚	C941	A941	6942	A2A1A2	2-2122	T62Q0080
3	凵	C942	A942	6943	A2A1A3	2-2123	T62R0080
4	匸	C943	A943	6944	A2A1A4	2-2124	T62S0080
5	厂	C944	A944	6945	A2A1A5	2-2125	T62T0080
6	万	C945	A945	6946	A2A1A6	2-2126	T62U0080
7	冫	C946	A946	6947	A2A1A7	2-2127	T62V0080
8	乇	C947	A947	6948	A2A1A8	2-2128	T62W0080
9	亍	C948	A948	6949	A2A1A9	2-2129	T62X0080
10	凵	C949	A949	694A	A2A1AA	2-212A	T62Y0080
11	兀	C94A*	A94A	694B	ADA4C8	13-	T62Z0080*
12	中	C94B	A94B	694C	A2A1AB	2-212B	T6300080
13	彳	C94C	A94C	694D	A2A1AC	2-212C	T6310080
14	冫	C94D	A94D	694E	A2A1AD	2-212D	T6320080
15	宀	C94E	A94E	694F	A2A1AE	2-212E	T6330080
16	与	C94F	A94F	6950	A2A1AF	2-212F	T6340080
17	冫	C950	A950	6951	A2A1B0	2-2130	T6350080
18	亍	C951	A951	6952	A2A1B1	2-2131	T6360080
19	仿	C952	A952	6953	A2A1B2	2-2132	T6370080
20	仇	C953	A953	6954	A2A1B3	2-2133	T6380080
21	叭	C954	A954	6955	A2A1B4	2-2134	T6390080
22	宀	C955	A955	6956	A2A1B5	2-2135	T63A0080
23	知	C956	A956	6957	A2A1B6	2-2136	T63B0080
24	印	C957	A957	6958	A2A1B7	2-2137	T63C0080
25	去	C958	A958	6959	A2A1B8	2-2138	T63D0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 2 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
26	圪	C959	A959	695A	A2A1B9	2-2139	T63E0080
27	𠂇	C95A	A95A	695B	A2A1BA	2-213A	T63F0080
28	𠂈	C95B	A95B	695C	A2A1BB	2-213B	T63G0080
29	𠂉	C95C	A95C	695D	A2A1BC	2-213C	T63H0080
30	市	C95D	A95D	695E	A2A1BD	2-213D	T63I0080
31	𠂊	C95E	A95E	695F	A2A1BE	2-213E	T63J0080
32	𠂋	C95F	A95F	6960	A2A1BF	2-213F	T63K0080
33	母	C960	A960	6961	A2A1C0	2-2140	T63L0080
34	气	C961	A961	6962	A2A1C1	2-2141	T63M0080
35	𠂌	C962	A962	6963	A2A1C2	2-2142	T63N0080
36	𠂍	C963	A963	6964	A2A1C3	2-2143	T63O0080
37	井	C964	A964	6965	A2A1C4	2-2144	T63P0080
38	𠂎	C965	A965	6966	A2A1C5	2-2145	T63Q0080
39	𠂏	C966	A966	6967	A2A1C6	2-2146	T63R0080
40	仕	C967	A967	6968	A2A1C7	2-2147	T63S0080
41	𠂐	C968	A968	6969	A2A1C8	2-2148	T63T0080
42	全	C969	A969	696A	A2A1C9	2-2149	T63U0080
43	𠂑	C96A	A96A	696B	A2A1CA	2-214A	T63V0080
44	𠂒	C96B	A96B	696C	A2A1CB	2-214B	T63W0080
45	𠂓	C96C	A96C	696D	A2A1CD	2-214D	T63X0080
46	冊	C96D	A96D	696E	A2A1CE	2-214E	T63Y0080
47	𠂔	C96E	A96E	696F	A2A1CF	2-214F	T63Z0080
48	𠂕	C96F	A96F	6970	A2A1D0	2-2150	T6400080
49	𠂖	C970	A970	6971	A2A1D1	2-2151	T6410080
50	𠂗	C971	A971	6972	A2A1D2	2-2152	T6420080
51	宁	C972	A972	6973	A2A1D3	2-2153	T6430080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
52	宄	C973	A973	6974	A2A1D4	2-2154	T6440080
53	余	C974	A974	6975	A2A1D5	2-2155	T6450080
54	尻	C975	A975	6976	A2A1D6	2-2156	T6460080
55	劣	C976	A976	6977	A2A1D7	2-2157	T6470080
56	伞	C977	A977	6978	A2A1D8	2-2158	T6480080
57	叮	C978	A978	6979	A2A1D9	2-2159	T6490080
58	庀	C979	A979	697A	A2A1DA	2-215A	T64A0080
59	庀	C97A	A97A	697B	A2A1DB	2-215B	T64B0080
60	切	C97B	A97B	697C	A2A1DC	2-215C	T64C0080
61	戍	C97C	A97C	697D	A2A1DD	2-215D	T64D0080
62	劫	C97D	A97D	697E	A2A1DE	2-215E	T64E0080
63	气	C97E	A97E	697F	A2A1DF	2-215F	T64F0080
64	丞	C9A1	A980	6981	A2A1E0	2-2160	T64H0080
65	汎	C9A2	A981	6982	A2A1E1	2-2161	T64I0080
66	汎	C9A3	A982	6983	A2A1E2	2-2162	T64J0080
67	笈	C9A4	A983	6984	A2A1E3	2-2163	T64K0080
68	友	C9A5	A984	6985	A2A1E4	2-2164	T64L0080
69	犳	C9A6	A985	6986	A2A1E5	2-2165	T64M0080
70	王	C9A7	A986	6987	A2A1E6	2-2166	T64N0080
71	肉	C9A8	A987	6988	A2A1E7	2-2167	T64O0080
72	肥	C9A9	A988	6989	A2A1E8	2-2168	T64P0080
73	防	C9AA	A989	698A	A2A1E9	2-2169	T64Q0080
74	伎	C9AB	A98A	698B	A2A1EA	2-216A	T64R0080
75	优	C9AC	A98B	698C	A2A1EB	2-216B	T64S0080
76	伋	C9AD	A98C	698D	A2A1EC	2-216C	T64T0080
77	件	C9AE	A98D	698E	A2A1ED	2-216D	T64U0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 4 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
78	伧	C9AF	A98E	698F	A2A1EE	2-216E	T64V0080
79	伶	C9B0	A98F	6990	A2A1EF	2-216F	T64W0080
80	佻	C9B1	A990	6991	A2A1F0	2-2170	T64X0080
81	价	C9B2	A991	6992	A2A1F1	2-2171	T64Y0080
82	佻	C9B3	A992	6993	A2A1F2	2-2172	T64Z0080
83	佻	C9B4	A993	6994	A2A1F3	2-2173	T6500080
84	佻	C9B5	A994	6995	A2A1F4	2-2174	T6510080
85	佻	C9B6	A995	6996	A2A1F5	2-2175	T6520080
86	佻	C9B7	A996	6997	A2A1F6	2-2176	T6530080
87	佻	C9B8	A997	6998	A2A1F7	2-2177	T6540080
88	佻	C9B9	A998	6999	A2A1F8	2-2178	T6550080
89	佻	C9BA	A999	699A	A2A1F9	2-2179	T6560080
90	佻	C9BB	A99A	699B	A2A1FA	2-217A	T6570080
91	佻	C9BC	A99B	699C	A2A1FB	2-217B	T6580080
92	佻	C9BD	A99C	699D	A2A1FC	2-217C	T6590080
93	佻	C9BE	A99D	699E	A2A1CC	2-214C	T65A0080
94	佻	C9BF	A99E	699F	A2A1FD	2-217D	T65B0080
95	佻	C9C0	A99F	69A0	A2A1FE	2-217E	T65C0080
96	佻	C9C1	A9A0	69A1	A2A2A1	2-2221	T65D0080
97	佻	C9C2	A9A1	69A2	A2A2A2	2-2222	T65E0080
98	佻	C9C3	A9A2	69A3	A2A2A3	2-2223	T65F0080
99	佻	C9C4	A9A3	69A4	A2A2A4	2-2224	T65G0080
100	佻	C9C5	A9A4	69A5	A2A2A5	2-2225	T65H0080
101	佻	C9C6	A9A5	69A6	A2A2A6	2-2226	T65I0080
102	佻	C9C7	A9A6	69A7	A2A2A7	2-2227	T65J0080
103	佻	C9C8	A9A7	69A8	A2A2A8	2-2228	T65K0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 5 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
104	圪	C9C9	A9A8	69A9	A2A2A9	2-2229	T65L0080
105	均	C9CA	A9A9	69AA	A2A2AA	2-222A	T65M0080
106	芥	C9CB	A9AA	69AB	A2A2AB	2-222B	T65N0080
107	改	C9CC	A9AB	69AC	A2A2AC	2-222C	T65O0080
108	吒	C9CD	A9AC	69AD	A2A2AD	2-222D	T65P0080
109	虹	C9CE	A9AD	69AE	A2A2AE	2-222E	T65Q0080
110	姝	C9CF	A9AE	69AF	A2A2AF	2-222F	T65R0080
111	妘	C9D0	A9AF	69B0	A2A2B0	2-2230	T65S0080
112	妍	C9D1	A9B0	69B1	A2A2B1	2-2231	T65T0080
113	媪	C9D2	A9B1	69B2	A2A2B2	2-2232	T65U0080
114	孖	C9D3	A9B2	69B3	A2A2B3	2-2233	T65V0080
115	孛	C9D4	A9B3	69B4	A2A2B4	2-2234	T65W0080
116	炮	C9D5	A9B4	69B5	A2A2B5	2-2235	T65X0080
117	岬	C9D6	A9B5	69B6	A2A2B6	2-2236	T65Y0080
118	岬	C9D7	A9B6	69B7	A2A2B7	2-2237	T65Z0080
119	岬	C9D8	A9B7	69B8	A2A2B8	2-2238	T6600080
120	岬	C9D9	A9B8	69B9	A2A2B9	2-2239	T6610080
121	荒	C9DA	A9B9	69BA	A2A2BA	2-223A	T6620080
122	开	C9DB	A9BA	69BB	A2A2BB	2-223B	T6630080
123	庄	C9DC	A9BB	69BC	A2A2BC	2-223C	T6640080
124	异	C9DD	A9BC	69BD	A2A2BD	2-223D	T6650080
125	笄	C9DE	A9BD	69BE	A2A2BE	2-223E	T6660080
126	约	C9DF	A9BE	69BF	A2A2BF	2-223F	T6670080
127	怵	C9E0	A9BF	69C0	A2A2C0	2-2240	T6680080
128	忔	C9E1	A9C0	69C1	A2A2C1	2-2241	T6690080
129	忔	C9E2	A9C1	69C2	A2A2C2	2-2242	T66A0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 6 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
130	扌	C9E3	A9C3	69C4	A2A2C3	2-2243	T66C0080
131	扌	C9E4	A9C4	69C5	A2A2C4	2-2244	T66D0080
132	扌	C9E5	A9C5	69C6	A2A2C5	2-2245	T66E0080
133	扌	C9E6	A9C6	69C7	A2A2C6	2-2246	T66F0080
134	扌	C9E7	A9C7	69C8	A2A2C7	2-2247	T66G0080
135	扌	C9E8	A9C8	69C9	A2A2C8	2-2248	T66H0080
136	扌	C9E9	A9C9	69CA	A2A2C9	2-2249	T66I0080
137	扌	C9EA	A9CA	69CB	A2A2CA	2-224A	T66J0080
138	扌	C9EB	A9CB	69CC	A2A2CB	2-224B	T66K0080
139	扌	C9EC	A9C2	69C3	A2A2CC	2-224C	T66B0080
140	晃	C9ED	A9CC	69CD	A2A2CE	2-224E	T66L0080
141	昏	C9EE	A9CD	69CE	A2A2CF	2-224F	T66M0080
142	扌	C9EF	A9CE	69CF	A2A2D0	2-2250	T66N0080
143	机	C9F0	A9CF	69D0	A2A2D1	2-2251	T66O0080
144	机	C9F1	A9D0	69D1	A2A2D2	2-2252	T66P0080
145	机	C9F2	A9D1	69D2	A2A2D3	2-2253	T66Q0080
146	机	C9F3	A9D2	69D3	A2A2D4	2-2254	T66R0080
147	束	C9F4	A9D3	69D4	A2A2D5	2-2255	T66S0080
148	机	C9F5	A9D4	69D5	A2A2D6	2-2256	T66T0080
149	机	C9F6	A9D5	69D6	A2A2D7	2-2257	T66U0080
150	机	C9F7	A9D6	69D7	A2A2D8	2-2258	T66V0080
151	机	C9F8	A9D7	69D8	A2A2D9	2-2259	T66W0080
152	机	C9F9	A9D8	69D9	A2A2DA	2-225A	T66X0080
153	机	C9FA	A9D9	69DA	A2A2DB	2-225B	T66Y0080
154	机	C9FB	A9DA	69DB	A2A2DC	2-225C	T66Z0080
155	机	C9FC	A9DB	69DC	A2A2DD	2-225D	T6700080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 7 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
156	汜	C9FD	A9DC	69DD	A2A2DE	2-225E	T6710080
157	洵	C9FE	A9DD	69DE	A2A2DF	2-225F	T6720080
158	洲	CA40	A9DE	69DF	A2A2E0	2-2260	T6730080
159	炆	CA41	A9DF	69E0	A2A2E1	2-2261	T6740080
160	勃	CA42	A9E0	69E1	A2A2E2	2-2262	T6750080
161	犴	CA43	A9E1	69E2	A2A2E3	2-2263	T6760080
162	犵	CA44	A9E2	69E3	A2A2E4	2-2264	T6770080
163	玎	CA45	A9E3	69E4	A2A2E5	2-2265	T6780080
164	甬	CA46	A9E4	69E5	A2A2E6	2-2266	T6790080
165	虬	CA47	A9E5	69E6	A2A2E7	2-2267	T67A0080
166	竈	CA48	A9E6	69E7	A2A2E8	2-2268	T67B0080
167	网	CA49	A9E7	69E8	A2A2E9	2-2269	T67C0080
168	艸	CA4A	A9E8	69E9	A2A2EA	2-226A	T67D0080
169	苧	CA4B	A9E9	69EA	A2A2EB	2-226B	T67E0080
170	芳	CA4C	A9EA	69EB	A2A2EC	2-226C	T67F0080
171	茆	CA4D	A9EB	69EC	A2A2ED	2-226D	T67G0080
172	茈	CA4E	A9EC	69ED	A2A2EE	2-226E	T67H0080
173	虍	CA4F	A9ED	69EE	A2A2EF	2-226F	T67I0080
174	𠂇	CA50	A9EE	69EF	A2A2F0	2-2270	T67J0080
175	邨	CA51	A9EF	69F0	A2A2F1	2-2271	T67K0080
176	邨	CA52	A9F0	69F1	A2A2F2	2-2272	T67L0080
177	邨	CA53	A9F1	69F2	A2A2F3	2-2273	T67M0080
178	邨	CA54	A9F2	69F3	A2A2F4	2-2274	T67N0080
179	邨	CA55	A9F3	69F4	A2A2F5	2-2275	T67O0080
180	阢	CA56	A9F4	69F5	A2A2F6	2-2276	T67P0080
181	阣	CA57	A9F5	69F6	A2A2F7	2-2277	T67Q0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 8 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
182	隗	CA58	A9F6	69F7	A2A2F8	2-2278	T67R0080
183	隗	CA59	A9F7	69F8	A2A2F9	2-2279	T67S0080
184	佻	CA5A	A9F8	69F9	A2A2FA	2-227A	T67T0080
185	佻	CA5B	A9F9	69FA	A2A2FB	2-227B	T67U0080
186	佻	CA5C	A9FA	69FB	A2A2FC	2-227C	T67V0080
187	佻	CA5D	A9FB	69FC	A2A2FD	2-227D	T67W0080
188	佻	CA5E	A9FC	69FD	A2A2FE	2-227E	T67X0080
189	佻	CA5F	AA40	6A41	A2A3A1	2-2321	T6810080
190	佻	CA60	AA41	6A42	A2A3A2	2-2322	T6820080
191	佻	CA61	AA42	6A43	A2A3A3	2-2323	T6830080
192	佻	CA62	AA43	6A44	A2A3A4	2-2324	T6840080
193	佻	CA63	AA44	6A45	A2A3A5	2-2325	T6850080
194	佻	CA64	AA45	6A46	A2A3A6	2-2326	T6860080
195	佻	CA65	AA46	6A47	A2A3A7	2-2327	T6870080
196	佻	CA66	AA47	6A48	A2A3A8	2-2328	T6880080
197	佻	CA67	AA48	6A49	A2A3A9	2-2329	T6890080
198	佻	CA68	AA49	6A4A	A2A3AA	2-232A	T68A0080
199	佻	CA69	AA4A	6A4B	A2A3AB	2-232B	T68B0080
200	佻	CA6A	AA4B	6A4C	A2A3AC	2-232C	T68C0080
201	佻	CA6B	AA4C	6A4D	A2A3AD	2-232D	T68D0080
202	佻	CA6C	AA4D	6A4E	A2A3AE	2-232E	T68E0080
203	佻	CA6D	AA4E	6A4F	A2A3AF	2-232F	T68F0080
204	佻	CA6E	AA4F	6A50	A2A3B0	2-2330	T68G0080
205	佻	CA6F	AA50	6A51	A2A3B1	2-2331	T68H0080
206	佻	CA70	AA51	6A52	A2A3B2	2-2332	T68I0080
207	佻	CA71	AA52	6A53	A2A3B3	2-2333	T68J0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 9 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
208	占	CA72	AA53	6A54	A2A3B4	2-2334	T68K0080
209	邵	CA73	AA54	6A55	A2A3B5	2-2335	T68L0080
210	底	CA74	AA55	6A56	A2A3B6	2-2336	T68M0080
211	厝	CA75	AA56	6A57	A2A3B7	2-2337	T68N0080
212	𠵼	CA76	AA57	6A58	A2A3B8	2-2338	T68O0080
213	映	CA77	AA58	6A59	A2A3B9	2-2339	T68P0080
214	吡	CA78	AA59	6A5A	A2A3BA	2-233A	T68Q0080
215	𠵼	CA79	AA5A	6A5B	A2A3BB	2-233B	T68R0080
216	𠵼	CA7A	AA5B	6A5C	A2A3BC	2-233C	T68S0080
217	吹	CA7B	AA5C	6A5D	A2A3BD	2-233D	T68T0080
218	𠵼	CA7C	AA5D	6A5E	A2A3BE	2-233E	T68U0080
219	𠵼	CA7D	AA5E	6A5F	A2A3BF	2-233F	T68V0080
220	𠵼	CA7E	AA5F	6A60	A2A3C0	2-2340	T68W0080
221	𠵼	CAA1	AA60	6A61	A2A3C1	2-2341	T68X0080
222	𠵼	CAA2	AA61	6A62	A2A3C2	2-2342	T68Y0080
223	𠵼	CAA3	AA62	6A63	A2A3C3	2-2343	T68Z0080
224	𠵼	CAA4	AA63	6A64	A2A3C4	2-2344	T6900080
225	𠵼	CAA5	AA64	6A65	A2A3C5	2-2345	T6910080
226	𠵼	CAA6	AA65	6A66	A2A3C6	2-2346	T6920080
227	𠵼	CAA7	AA66	6A67	A2A3C7	2-2347	T6930080
228	𠵼	CAA8	AA67	6A68	A2A3C8	2-2348	T6940080
229	𠵼	CAA9	AA68	6A69	A2A3C9	2-2349	T6950080
230	坻	CAAA	AA69	6A6A	A2A3CA	2-234A	T6960080
231	坵	CAAB	AA6A	6A6B	A2A3CB	2-234B	T6970080
232	坵	CAAC	AA6B	6A6C	A2A3CC	2-234C	T6980080
233	坵	CAAD	AA6C	6A6D	A2A3CD	2-234D	T6990080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 10 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
234	拏	CAAE	AA6D	6A6E	A2A3CE	2-234E	T69A0080
235	拏	CAAF	AA6E	6A6F	A2A3CF	2-234F	T69B0080
236	拏	CAB0	AA6F	6A70	A2A3D0	2-2350	T69C0080
237	拏	CAB1	AA70	6A71	A2A3D1	2-2351	T69D0080
238	拏	CAB2	AA71	6A72	A2A3D2	2-2352	T69E0080
239	拏	CAB3	AA72	6A73	A2A3D3	2-2353	T69F0080
240	拏	CAB4	AA73	6A74	A2A3D4	2-2354	T69G0080
241	拏	CAB5	AA74	6A75	A2A3D5	2-2355	T69H0080
242	拏	CAB6	AA75	6A76	A2A3D6	2-2356	T69I0080
243	拏	CAB7	AA76	6A77	A2A3D7	2-2357	T69J0080
244	拏	CAB8	AA77	6A78	A2A3D8	2-2358	T69K0080
245	拏	CAB9	AA78	6A79	A2A3D9	2-2359	T69L0080
246	拏	CABA	AA79	6A7A	A2A3DA	2-235A	T69M0080
247	拏	CABB	AA7A	6A7B	A2A3DB	2-235B	T69N0080
248	拏	CABC	AA7B	6A7C	A2A3DC	2-235C	T69O0080
249	拏	CABD	AA7C	6A7D	A2A3DD	2-235D	T69P0080
250	拏	CABE	AA7D	6A7E	A2A3DE	2-235E	T69Q0080
251	拏	CABF	AA7E	6A7F	A2A3DF	2-235F	T69R0080
252	峁	CAC0	AA80	6A81	A2A3E0	2-2360	T69T0080
253	峁	CAC1	AA81	6A82	A2A3E1	2-2361	T69U0080
254	峁	CAC2	AA82	6A83	A2A3E2	2-2362	T69V0080
255	峁	CAC3	AA83	6A84	A2A3E3	2-2363	T69W0080
256	峁	CAC4	AA84	6A85	A2A3E4	2-2364	T69X0080
257	峁	CAC5	AA85	6A86	A2A3E5	2-2365	T69Y0080
258	峁	CAC6	AA86	6A87	A2A3E6	2-2366	T69Z0080
259	峁	CAC7	AA87	6A88	A2A3E7	2-2367	T6A00080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 11 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
260	嶺	CAC8	AA88	6A89	A2A3E8	2-2368	T6A10080
261	界	CAC9	AA89	6A8A	A2A3E9	2-2369	T6A20080
262	壘	CACA	AA8A	6A8B	A2A3EA	2-236A	T6A30080
263	吧	CACB	AA8B	6A8C	A2A3EB	2-236B	T6A40080
264	忱	CACC	AA8C	6A8D	A2A3EC	2-236C	T6A50080
265	虔	CACD	AA8D	6A8E	A2A3ED	2-236D	T6A60080
266	虔	CACE	AA8E	6A8F	A2A3EE	2-236E	T6A70080
267	虜	CACF	AA8F	6A90	A2A3EF	2-236F	T6A80080
268	序	CAD0	AA90	6A91	A2A3F0	2-2370	T6A90080
269	序	CAD1	AA91	6A92	A2A3F1	2-2371	T6AA0080
270	弇	CAD2	AA92	6A93	A2A3F2	2-2372	T6AB0080
271	肥	CAD3	AA93	6A94	A2A3F3	2-2373	T6AC0080
272	裕	CAD4	AA94	6A95	A2A3F4	2-2374	T6AD0080
273	徂	CAD5	AA95	6A96	A2A3F5	2-2375	T6AE0080
274	忒	CAD6	AA96	6A97	A2A3F6	2-2376	T6AF0080
275	忒	CAD7	AA97	6A98	A2A3F7	2-2377	T6AG0080
276	志	CAD8	AA98	6A99	A2A3F8	2-2378	T6AH0080
277	忒	CAD9	AA99	6A9A	A2A3F9	2-2379	T6AI0080
278	忒	CADA	AA9A	6A9B	A2A3FA	2-237A	T6AJ0080
279	忒	CADB	AA9B	6A9C	A2A3FB	2-237B	T6AK0080
280	忒	CADC	AA9C	6A9D	A2A3FC	2-237C	T6AL0080
281	忒	CADD	AA9D	6A9E	A2A3FD	2-237D	T6AM0080
282	忒	CADE	AA9E	6A9F	A2A3FE	2-237E	T6AN0080
283	忒	CADF	AA9F	6AA0	A2A4A1	2-2421	T6AO0080
284	忒	CAE0	AAA0	6AA1	A2A4A2	2-2422	T6AP0080
285	忒	CAE1	AAA1	6AA2	A2A4A3	2-2423	T6AQ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 12 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
286	愴	CAE2	AAA2	6AA3	A2A4A4	2-2424	T6AR0080
287	忻	CAE3	AAA3	6AA4	A2A4A5	2-2425	T6AS0080
288	怀	CAE4	AAA4	6AA5	A2A4A6	2-2426	T6AT0080
289	忡	CAE5	AAA5	6AA6	A2A4A7	2-2427	T6AU0080
290	庀	CAE6	AAA6	6AA7	A2A4A8	2-2428	T6AV0080
291	抃	CAE7	AAA7	6AA8	A2A4A9	2-2429	T6AW0080
292	抗	CAE8	AAA8	6AA9	A2A4AA	2-242A	T6AX0080
293	扞	CAE9	AAA9	6AAA	A2A4AB	2-242B	T6AY0080
294	抗	CAEA	AAAA	6AAB	A2A4AC	2-242C	T6AZ0080
295	坏	CAEB	AAAB	6AAC	A2A4AD	2-242D	T6B00080
296	扞	CAEC	AAAC	6AAD	A2A4AE	2-242E	T6B10080
297	扱	CAED	AAAD	6AAE	A2A4AF	2-242F	T6B20080
298	扞	CAEE	AAAE	6AAF	A2A4B0	2-2430	T6B30080
299	抵	CAEF	AAAF	6AB0	A2A4B1	2-2431	T6B40080
300	抗	CAF0	AAB0	6AB1	A2A4B2	2-2432	T6B50080
301	抗	CAF1	AAB1	6AB2	A2A4B3	2-2433	T6B60080
302	扞	CAF2	AAB2	6AB3	A2A4B4	2-2434	T6B70080
303	扞	CAF3	AAB3	6AB4	A2A4B5	2-2435	T6B80080
304	扞	CAF4	AAB4	6AB5	A2A4B6	2-2436	T6B90080
305	扞	CAF5	AAB5	6AB6	A2A4B7	2-2437	T6BA0080
306	拮	CAF6	AAB6	6AB7	A2A4B8	2-2438	T6BB0080
307	攷	CAF7	AAB7	6AB8	A2A2CD	2-224D	T6BC0080
308	盱	CAF8	AAB8	6AB9	A2A4B9	2-2439	T6BD0080
309	盱	CAF9	AAB9	6ABA	A2A4BA	2-243A	T6BE0080
310	昫	CAFA	AABA	6ABB	A2A4BB	2-243B	T6BF0080
311	昊	CAFB	AABB	6ABC	A2A4BC	2-243C	T6BG0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 13 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
312	崑	CAFC	AABC	6ABD	A2A4BD	2-243D	T6BH0080
313	杆	CAFD	AABD	6ABE	A2A4BE	2-243E	T6BI0080
314	朽	CAFE	AABE	6ABF	A2A4BF	2-243F	T6BJ0080
315	杙	CB40	AABF	6AC0	A2A4C0	2-2440	T6BK0080
316	杖	CB41	AAC0	6AC1	A2A4C1	2-2441	T6BL0080
317	机	CB42	AAC1	6AC2	A2A4C2	2-2442	T6BM0080
318	杈	CB43	AAC2	6AC3	A2A4C3	2-2443	T6BN0080
319	柈	CB44	AAC3	6AC4	A2A4C4	2-2444	T6BO0080
320	杼	CB45	AAC4	6AC5	A2A4C5	2-2445	T6BP0080
321	柈	CB46	AAC5	6AC6	A2A4C6	2-2446	T6BQ0080
322	枫	CB47	AAC6	6AC7	A2A4C7	2-2447	T6BR0080
323	毒	CB48	AAC7	6AC8	A2A4C8	2-2448	T6BS0080
324	氙	CB49	AAC8	6AC9	A2A4C9	2-2449	T6BT0080
325	氙	CB4A	AAC9	6ACA	A2A4CA	2-244A	T6BU0080
326	沝	CB4B	AACA	6ACB	A2A4CB	2-244B	T6BV0080
327	汧	CB4C	AACB	6ACC	A2A4CC	2-244C	T6BW0080
328	汧	CB4D	AACC	6ACD	A2A4CD	2-244D	T6BX0080
329	汧	CB4E	AACD	6ACE	A2A4CE	2-244E	T6BY0080
330	沝	CB4F	AACE	6ACF	A2A4CF	2-244F	T6BZ0080
331	沝	CB50	AACF	6AD0	A2A4D0	2-2450	T6C00080
332	沝	CB51	AAD0	6AD1	A2A4D1	2-2451	T6C10080
333	沝	CB52	AAD1	6AD2	A2A4D2	2-2452	T6C20080
334	汧	CB53	AAD2	6AD3	A2A4D3	2-2453	T6C30080
335	沝	CB54	AAD3	6AD4	A2A4D4	2-2454	T6C40080
336	沝	CB55	AAD4	6AD5	A2A4D5	2-2455	T6C50080
337	沝	CB56	AAD5	6AD6	A2A4D6	2-2456	T6C60080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 14 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
338	沕	CB57	AAD6	6AD7	A2A4D7	2-2457	T6C70080
339	洧	CB58	AAD7	6AD8	A2A4D8	2-2458	T6C80080
340	洺	CB59	AAD8	6AD9	A2A4D9	2-2459	T6C90080
341	洵	CB5A	AAD9	6ADA	A2A4DA	2-245A	T6CA0080
342	洵	CB5B	AADA	6ADB	A2A4DB	2-245B	T6CB0080
343	洵	CB5C	AADB	6ADC	A2A4DC	2-245C	T6CC0080
344	洵	CB5D	AADC	6ADD	A2A4DD	2-245D	T6CD0080
345	洵	CB5E	AADD	6ADE	A2A4DE	2-245E	T6CE0080
346	洵	CB5F	AADE	6ADF	A2A4DF	2-245F	T6CF0080
347	洵	CB60	AADF	6AE0	A2A4E0	2-2460	T6CG0080
348	洵	CB61	AAE0	6AE1	A2A4E1	2-2461	T6CH0080
349	洵	CB62	AAE1	6AE2	A2A4E2	2-2462	T6CI0080
350	洵	CB63	AAE2	6AE3	A2A4E3	2-2463	T6CJ0080
351	洵	CB64	AAE3	6AE4	A2A4E4	2-2464	T6CK0080
352	洵	CB65	AAE4	6AE5	A2A4E5	2-2465	T6CL0080
353	洵	CB66	AAE5	6AE6	A2A4E6	2-2466	T6CM0080
354	洵	CB67	AAE6	6AE7	A2A4E7	2-2467	T6CN0080
355	洵	CB68	AAE7	6AE8	A2A4E8	2-2468	T6CO0080
356	洵	CB69	AAE8	6AE9	A2A4E9	2-2469	T6CP0080
357	洵	CB6A	AAE9	6AEA	A2A4EA	2-246A	T6CQ0080
358	洵	CB6B	AAEA	6AEB	A2A4EB	2-246B	T6CR0080
359	洵	CB6C	AAEB	6AEC	A2A4EC	2-246C	T6CS0080
360	洵	CB6D	AAEC	6AED	A2A4ED	2-246D	T6CT0080
361	洵	CB6E	AAED	6AEE	A2A4EE	2-246E	T6CU0080
362	洵	CB6F	AAEE	6AEF	A2A4EF	2-246F	T6CV0080
363	洵	CB70	AAEF	6AF0	A2A4F0	2-2470	T6CW0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 15 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
364	阜	CB71	AAF0	6AF1	A2A4F1	2-2471	T6CX0080
365	礪	CB72	AAF1	6AF2	A2A4F2	2-2472	T6CY0080
366	𪗇	CB73	AAF2	6AF3	A2A4F3	2-2473	T6CZ0080
367	𪗈	CB74	AAF3	6AF4	A2A4F4	2-2474	T6D00080
368	𪗉	CB75	AAF4	6AF5	A2A4F5	2-2475	T6D10080
369	𪗊	CB76	AAF5	6AF6	A2A4F6	2-2476	T6D20080
370	𪗋	CB77	AAF6	6AF7	A2A4F7	2-2477	T6D30080
371	𪗌	CB78	AAF7	6AF8	A2A4F8	2-2478	T6D40080
372	𪗍	CB79	AAF8	6AF9	A2A4F9	2-2479	T6D50080
373	𪗎	CB7A	AAF9	6AFA	A2A4FA	2-247A	T6D60080
374	𪗏	CB7B	AAFA	6AFB	A2A4FB	2-247B	T6D70080
375	𪗐	CB7C	AAFB	6AFC	A2A4FC	2-247C	T6D80080
376	𪗑	CB7D	AAFC	6AFD	A2A4FD	2-247D	T6D90080
377	𪗒	CB7E	AB40	6B41	A2A4FE	2-247E	T6DD0080
378	𪗓	CBA1	AB41	6B42	A2A5A1	2-2521	T6DE0080
379	𪗔	CBA2	AB42	6B43	A2A5A2	2-2522	T6DF0080
380	𪗕	CBA3	AB43	6B44	A2A5A3	2-2523	T6DG0080
381	𪗖	CBA4	AB44	6B45	A2A5A4	2-2524	T6DH0080
382	𪗗	CBA5	AB45	6B46	A2A5A5	2-2525	T6DI0080
383	𪗘	CBA6	AB46	6B47	A2A5A6	2-2526	T6DJ0080
384	𪗙	CBA7	AB47	6B48	A2A5A7	2-2527	T6DK0080
385	𪗚	CBA8	AB48	6B49	A2A5A8	2-2528	T6DL0080
386	𪗛	CBA9	AB49	6B4A	A2A5A9	2-2529	T6DM0080
387	𪗜	CBAA	AB4A	6B4B	A2A5AA	2-252A	T6DN0080
388	𪗝	CBAB	AB4B	6B4C	A2A5AB	2-252B	T6DO0080
389	𪗞	CBAC	AB4C	6B4D	A2A5AC	2-252C	T6DP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 16 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
390	阡	CBAD	AB4D	6B4E	A2A5AD	2-252D	T6DQ0080
391	阨	CBAE	AB4E	6B4F	A2A5AE	2-252E	T6DR0080
392	阩	CBAF	AB4F	6B50	A2A5AF	2-252F	T6DS0080
393	阪	CBB0	AB50	6B51	A2A5B0	2-2530	T6DT0080
394	𠂇	CBB1	AB51	6B52	A2A5B1	2-2531	T6DU0080
395	𠂈	CBB2	AB52	6B53	A2A5B2	2-2532	T6DV0080
396	𠂉	CBB3	AB53	6B54	A2A5B3	2-2533	T6DW0080
397	𠂊	CBB4	AB54	6B55	A2A5B4	2-2534	T6DX0080
398	𠂋	CBB5	AB55	6B56	A2A5B5	2-2535	T6DY0080
399	𠂌	CBB6	AB56	6B57	A2A5B6	2-2536	T6DZ0080
400	𠂍	CBB7	AB57	6B58	A2A5B7	2-2537	T6E00080
401	𠂎	CBB8	AB58	6B59	A2A5B8	2-2538	T6E10080
402	𠂏	CBB9	AB59	6B5A	A2A5B9	2-2539	T6E20080
403	𠂐	CBBA	AB5A	6B5B	A2A5BA	2-253A	T6E30080
404	𠂑	CBBB	AB5B	6B5C	A2A5BB	2-253B	T6E40080
405	𠂒	CBBC	AB5C	6B5D	A2A5BC	2-253C	T6E50080
406	𠂓	CBBD	AB5D	6B5E	A2A5BD	2-253D	T6E60080
407	𠂔	CBBE	AB5E	6B5F	A2A5BE	2-253E	T6E70080
408	𠂕	CBBF	AB5F	6B60	A2A5BF	2-253F	T6E80080
409	𠂖	CBC0	AB60	6B61	A2A5C0	2-2540	T6E90080
410	𠂗	CBC1	AB61	6B62	A2A5C1	2-2541	T6EA0080
411	𠂘	CBC2	AB62	6B63	A2A5C2	2-2542	T6EB0080
412	𠂙	CBC3	AB63	6B64	A2A5C3	2-2543	T6EC0080
413	𠂚	CBC4	AB64	6B65	A2A5C4	2-2544	T6ED0080
414	𠂛	CBC5	AB65	6B66	A2A5C5	2-2545	T6EE0080
415	𠂜	CBC6	AB66	6B67	A2A5C6	2-2546	T6EF0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 17 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
416	伽	CBC7	AB67	6B68	A2A5C7	2-2547	T6EG0080
417	佞	CBC8	AB68	6B69	A2A5C8	2-2548	T6EH0080
418	侏	CBC9	AB69	6B6A	A2A5C9	2-2549	T6EI0080
419	侑	CBCA	AB6A	6B6B	A2A5CA	2-254A	T6EJ0080
420	倮	CBCB	AB6B	6B6C	A2A5CB	2-254B	T6EK0080
421	佻	CBCC	AB6C	6B6D	A2A5CC	2-254C	T6EL0080
422	冢	CBCD	AB6D	6B6E	A2A5CD	2-254D	T6EM0080
423	洗	CBCE	AB6E	6B6F	A2A5CE	2-254E	T6EN0080
424	洽	CBCF	AB6F	6B70	A2A5CF	2-254F	T6EO0080
425	刳	CBD0	AB70	6B71	A2A5D0	2-2550	T6EP0080
426	刳	CBD1	AB71	6B72	A2A5D1	2-2551	T6EQ0080
427	刳	CBD2	AB72	6B73	A2A5D2	2-2552	T6ER0080
428	刳	CBD3	AB73	6B74	A2A5D3	2-2553	T6ES0080
429	扞	CBD4	AB74	6B75	A2A5D4	2-2554	T6ET0080
430	劼	CBD5	AB75	6B76	A2A5D5	2-2555	T6EU0080
431	劼	CBD6	AB76	6B77	A2A5D6	2-2556	T6EV0080
432	劼	CBD7	AB77	6B78	A2A5D7	2-2557	T6EW0080
433	匱	CBD8	AB78	6B79	A2A5D8	2-2558	T6EX0080
434	屈	CBD9	AB79	6B7A	A2A5D9	2-2559	T6EY0080
435	屋	CBDA	AB7A	6B7B	A2A5DA	2-255A	T6EZ0080
436	叻	CBDB	AB7B	6B7C	A2A5DB	2-255B	T6F00080
437	呿	CBDC	AB7C	6B7D	A2A5DC	2-255C	T6F10080
438	咁	CBDD	AB7D	6B7E	A2A5DD	2-255D	T6F20080
439	咁	CBDE	AB7E	6B7F	A2A5DE	2-255E	T6F30080
440	咁	CBDF	AB80	6B81	A2A5DF	2-255F	T6F50080
441	拂	CBE0	AB81	6B82	A2A5E0	2-2560	T6F60080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 18 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
442	咕	CBE1	AB82	6B83	A2A5E1	2-2561	T6F70080
443	吗	CBE2	AB83	6B84	A2A5E2	2-2562	T6F80080
444	咱	CBE3	AB84	6B85	A2A5E3	2-2563	T6F90080
445	哏	CBE4	AB85	6B86	A2A5E4	2-2564	T6FA0080
446	哏	CBE5	AB86	6B87	A2A5E5	2-2565	T6FB0080
447	哏	CBE6	AB87	6B88	A2A5E6	2-2566	T6FC0080
448	哏	CBE7	AB88	6B89	A2A5E7	2-2567	T6FD0080
449	哏	CBE8	AB89	6B8A	A2A5E8	2-2568	T6FE0080
450	哏	CBE9	AB8A	6B8B	A2A5E9	2-2569	T6FF0080
451	哏	CBEA	AB8B	6B8C	A2A5EA	2-256A	T6FG0080
452	哏	CBEB	AB8C	6B8D	A2A5EB	2-256B	T6FH0080
453	哏	CBEC	AB8D	6B8E	A2A5EC	2-256C	T6FI0080
454	哏	CBED	AB8E	6B8F	A2A5ED	2-256D	T6FJ0080
455	哏	CBEE	AB8F	6B90	A2A5EE	2-256E	T6FK0080
456	哏	CBEF	AB90	6B91	A2A5EF	2-256F	T6FL0080
457	圀	CBF0	AB91	6B92	A2A5F0	2-2570	T6FM0080
458	圀	CBF1	AB92	6B93	A2A5F1	2-2571	T6FN0080
459	圀	CBF2	AB93	6B94	A2A5F2	2-2572	T6FO0080
460	圀	CBF3	AB94	6B95	A2A5F3	2-2573	T6FP0080
461	圀	CBF4	AB95	6B96	A2A5F4	2-2574	T6FQ0080
462	圀	CBF5	AB96	6B97	A2A5F5	2-2575	T6FR0080
463	圀	CBF6	AB97	6B98	A2A5F6	2-2576	T6FS0080
464	圀	CBF7	AB98	6B99	A2A5F7	2-2577	T6FT0080
465	圀	CBF8	AB99	6B9A	A2A5F8	2-2578	T6FU0080
466	圀	CBF9	AB9A	6B9B	A2A5F9	2-2579	T6FV0080
467	圀	CBFA	AB9B	6B9C	A2A5FA	2-257A	T6FW0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 19 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
468	坻	CBFB	AB9C	6B9D	A2A5FB	2-257B	T6FX0080
469	坳	CBFC	AB9D	6B9E	A2A5FC	2-257C	T6FY0080
470	壑	CBFD	AB9E	6B9F	A2A5FD	2-257D	T6FZ0080
471	泮	CBFE	AB9F	6BA0	A2A5FE	2-257E	T6G00080
472	坨	CC40	ABA0	6BA1	A2A6A1	2-2621	T6G10080
473	坨	CC41	ABA1	6BA2	A2A6A2	2-2622	T6G20080
474	麦	CC42	ABA2	6BA3	A2A6A3	2-2623	T6G30080
475	奋	CC43	ABA3	6BA4	A2A6A4	2-2624	T6G40080
476	娃	CC44	ABA4	6BA5	A2A6A5	2-2625	T6G50080
477	妹	CC45	ABA5	6BA6	A2A6A6	2-2626	T6G60080
478	姘	CC46	ABA6	6BA7	A2A6A7	2-2627	T6G70080
479	姨	CC47	ABA7	6BA8	A2A6A8	2-2628	T6G80080
480	姐	CC48	ABA8	6BA9	A2A6A9	2-2629	T6G90080
481	媪	CC49	ABA9	6BAA	A2A6AA	2-262A	T6GA0080
482	媪	CC4A	ABAA	6BAB	A2A6AB	2-262B	T6GB0080
483	姪	CC4B	ABAB	6BAC	A2A6AC	2-262C	T6GC0080
484	姪	CC4C	ABAC	6BAD	A2A6AD	2-262D	T6GD0080
485	姪	CC4D	ABAD	6BAE	A2A6AE	2-262E	T6GE0080
486	姪	CC4E	ABAE	6BAF	A2A6AF	2-262F	T6GF0080
487	媪	CC4F	ABAF	6BB0	A2A6B0	2-2630	T6GG0080
488	姘	CC50	ABB0	6BB1	A2A6B1	2-2631	T6GH0080
489	姘	CC51	ABB1	6BB2	A2A6B2	2-2632	T6GI0080
490	姘	CC52	ABB2	6BB3	A2A6B3	2-2633	T6GJ0080
491	姘	CC53	ABB3	6BB4	A2A6B4	2-2634	T6GK0080
492	姘	CC54	ABB4	6BB5	A2A6B5	2-2635	T6GL0080
493	姘	CC55	ABB5	6BB6	A2A6B6	2-2636	T6GM0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 20 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
494	孛	CC56	ABB6	6BB7	A2A6B7	2-2637	T6GN0080
495	宓	CC57	ABB7	6BB8	A2A6B8	2-2638	T6GO0080
496	宕	CC58	ABB8	6BB9	A2A6B9	2-2639	T6GP0080
497	戾	CC59	ABB9	6BBA	A2A6BA	2-263A	T6GQ0080
498	届	CC5A	ABBA	6BBB	A2A6BB	2-263B	T6GR0080
499	岢	CC5B	ABBB	6BBC	A2A6BC	2-263C	T6GS0080
500	岤	CC5C	ABBC	6BBD	A2A6BD	2-263D	T6GT0080
501	岢	CC5D	ABBD	6BBE	A2A6BE	2-263E	T6GU0080
502	岢	CC5E	ABBE	6BBF	A2A6BF	2-263F	T6GV0080
503	岤	CC5F	ABBF	6BC0	A2A6C0	2-2640	T6GW0080
504	岤	CC60	ABC0	6BC1	A2A6C1	2-2641	T6GX0080
505	岤	CC61	ABC1	6BC2	A2A6C2	2-2642	T6GY0080
506	岤	CC62	ABC2	6BC3	A2A6C3	2-2643	T6GZ0080
507	岤	CC63	ABC3	6BC4	A2A6C4	2-2644	T6H00080
508	岤	CC64	ABC4	6BC5	A2A6C5	2-2645	T6H10080
509	岤	CC65	ABC5	6BC6	A2A6C6	2-2646	T6H20080
510	岤	CC66	ABC6	6BC7	A2A6C7	2-2647	T6H30080
511	岤	CC67	ABC7	6BC8	A2A6C8	2-2648	T6H40080
512	岤	CC68	ABC8	6BC9	A2A6C9	2-2649	T6H50080
513	岤	CC69	ABC9	6BCA	A2A6CA	2-264A	T6H60080
514	岤	CC6A	ABCA	6BCB	A2A6CB	2-264B	T6H70080
515	岤	CC6B	ABCB	6BCC	A2A6CC	2-264C	T6H80080
516	岤	CC6C	ABCC	6BCD	A2A6CD	2-264D	T6H90080
517	岤	CC6D	ABCD	6BCE	A2A6CE	2-264E	T6HA0080
518	岤	CC6E	ABCE	6BCF	A2A6CF	2-264F	T6HB0080
519	岤	CC6F	ABCF	6BD0	A2A6D0	2-2650	T6HC0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 21 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
520	弨	CC70	ABD0	6BD1	A2A6D1	2-2651	T6HD0080
521	𪗇	CC71	ABD1	6BD2	A2A6D2	2-2652	T6HE0080
522	𪗈	CC72	ABD2	6BD3	A2A6D3	2-2653	T6HF0080
523	𪗉	CC73	ABD3	6BD4	A2A6D4	2-2654	T6HG0080
524	𪗊	CC74	ABD4	6BD5	A2A6D5	2-2655	T6HH0080
525	𪗋	CC75	ABD5	6BD6	A2A6D6	2-2656	T6HI0080
526	𪗌	CC76	ABD6	6BD7	A2A6D7	2-2657	T6HJ0080
527	𪗍	CC77	ABD7	6BD8	A2A6D8	2-2658	T6HK0080
528	𪗎	CC78	ABD8	6BD9	A2A6D9	2-2659	T6HL0080
529	𪗏	CC79	ABD9	6BDA	A2A6DA	2-265A	T6HM0080
530	𪗐	CC7A	ABDA	6BDB	A2A6DB	2-265B	T6HN0080
531	𪗑	CC7B	ABDB	6BDC	A2A6DC	2-265C	T6HO0080
532	𪗒	CC7C	ABDC	6BDD	A2A6DD	2-265D	T6HP0080
533	𪗓	CC7D	ABDD	6BDE	A2A6DE	2-265E	T6HQ0080
534	𪗔	CC7E	ABDE	6BDF	A2A6DF	2-265F	T6HR0080
535	𪗕	CCA1	ABDF	6BE0	A2A6E0	2-2660	T6HS0080
536	𪗖	CCA2	ABE0	6BE1	A2A6E1	2-2661	T6HT0080
537	𪗗	CCA3	ABE1	6BE2	A2A6E2	2-2662	T6HU0080
538	𪗘	CCA4	ABE2	6BE3	A2A6E3	2-2663	T6HV0080
539	𪗙	CCA5	ABE3	6BE4	A2A6E4	2-2664	T6HW0080
540	𪗚	CCA6	ABE4	6BE5	A2A6E5	2-2665	T6HX0080
541	𪗛	CCA7	ABE5	6BE6	A2A6E6	2-2666	T6HY0080
542	𪗜	CCA8	ABE6	6BE7	A2A6E7	2-2667	T6HZ0080
543	𪗝	CCA9	ABE7	6BE8	A2A6E8	2-2668	T6I00080
544	𪗞	CCAA	ABE8	6BE9	A2A6E9	2-2669	T6I10080
545	𪗟	CCAB	ABE9	6BEA	A2A6EA	2-266A	T6I20080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 22 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
546	懈	CCAC	ABEA	6BEB	A2A6EB	2-266B	T6I30080
547	悻	CCAD	ABEB	6BEC	A2A6EC	2-266C	T6I40080
548	恠	CCAE	ABEC	6BED	A2A6ED	2-266D	T6I50080
549	恡	CCAF	ABED	6BEE	A2A6EE	2-266E	T6I60080
550	恣	CCB0	ABEE	6BEF	A2A6EF	2-266F	T6I70080
551	𢇛	CCB1	ABEF	6BF0	A2A6F0	2-2670	T6I80080
552	𢇜	CCB2	ABF0	6BF1	A2A6F1	2-2671	T6I90080
553	𢇝	CCB3	ABF1	6BF2	A2A6F2	2-2672	T6IA0080
554	𢇞	CCB4	ABF2	6BF3	A2A6F3	2-2673	T6IB0080
555	𢇟	CCB5	ABF3	6BF4	A2A6F4	2-2674	T6IC0080
556	𢇠	CCB6	ABF4	6BF5	A2A6F5	2-2675	T6ID0080
557	𢇡	CCB7	ABF5	6BF6	A2A6F6	2-2676	T6IE0080
558	𢇢	CCB8	ABF6	6BF7	A2A6F7	2-2677	T6IF0080
559	𢇣	CCB9	ABF7	6BF8	A2A6F8	2-2678	T6IG0080
560	𢇤	CCBA	ABF8	6BF9	A2A6F9	2-2679	T6IH0080
561	𢇥	CCBB	ABF9	6BFA	A2A6FA	2-267A	T6II0080
562	𢇦	CCBC	ABFA	6BFB	A2A6FB	2-267B	T6IJ0080
563	𢇧	CCBD	ABFB	6BFC	A2A6FC	2-267C	T6IK0080
564	𢇨	CCBE	ABFC	6BFD	A2A6FD	2-267D	T6IL0080
565	𢇩	CCBF	AC40	6C41	A2A6FE	2-267E	T6IP0080
566	𢇪	CCC0	AC41	6C42	A2A7A1	2-2721	T6IQ0080
567	𢇫	CCC1	AC42	6C43	A2A7A2	2-2722	T6IR0080
568	𢇬	CCC2	AC43	6C44	A2A7A3	2-2723	T6IS0080
569	𢇭	CCC3	AC44	6C45	A2A7A4	2-2724	T6IT0080
570	𢇮	CCC4	AC45	6C46	A2A7A5	2-2725	T6IU0080
571	𢇯	CCC5	AC46	6C47	A2A7A6	2-2726	T6IV0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 23 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
572	販	CCC6	AC47	6C48	A2A7A7	2-2727	T6IW0080
573	吻	CCC7	AC48	6C49	A2A7A8	2-2728	T6IX0080
574	妒	CCC8	AC49	6C4A	A2A7A9	2-2729	T6IY0080
575	旻	CCC9	AC4A	6C4B	A2A7AA	2-272A	T6IZ0080
576	昞	CCCA	AC4B	6C4C	A2A7AB	2-272B	T6J00080
577	香	CCCB	AC4C	6C4D	A2A7AC	2-272C	T6J10080
578	昞	CCCC	AC4D	6C4E	A2A7AD	2-272D	T6J20080
579	吸	CCCD	AC4E	6C4F	A2A7AE	2-272E	T6J30080
580	吨	CCCE	AC4F	6C50	A2A7AF	2-272F	T6J40080
581	吟	CCCF	AC50	6C51	A2A7B0	2-2730	T6J50080
582	盼	CCD0	AC51	6C52	A2A7B1	2-2731	T6J60080
583	芻	CCD1	AC52	6C53	A2A7B2	2-2732	T6J70080
584	肱	CCD2	AC53	6C54	A2A7B3	2-2733	T6J80080
585	斡	CCD3	AC54	6C55	A2A7B4	2-2734	T6J90080
586	杭	CCD4	AC55	6C56	A2A7B5	2-2735	T6JA0080
587	杖	CCD5	AC56	6C57	A2A7B6	2-2736	T6JB0080
588	杼	CCD6	AC57	6C58	A2A7B7	2-2737	T6JC0080
589	桴	CCD7	AC58	6C59	A2A7B8	2-2738	T6JD0080
590	柎	CCD8	AC59	6C5A	A2A7B9	2-2739	T6JE0080
591	柄	CCD9	AC5A	6C5B	A2A7BA	2-273A	T6JF0080
592	柎	CCDA	AC5B	6C5C	A2A7BB	2-273B	T6JG0080
593	枸	CCDB	AC5C	6C5D	A2A7BC	2-273C	T6JH0080
594	欸	CCDC	AC5D	6C5E	A2A7BD	2-273D	T6JI0080
595	柎	CCDD	AC5E	6C5F	A2A7BE	2-273E	T6JJ0080
596	柎	CCDE	AC5F	6C60	A2A7BF	2-273F	T6JK0080
597	柎	CCDF	AC60	6C61	A2A7C0	2-2740	T6JL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 24 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
598	耘	CCE0	AC61	6C62	A2A7C1	2-2741	T6JM0080
599	耒	CCE1	AC62	6C63	A2A7C2	2-2742	T6JN0080
600	梔	CCE2	AC63	6C64	A2A7C3	2-2743	T6JO0080
601	枸	CCE3	AC64	6C65	A2A7C4	2-2744	T6JP0080
602	杼	CCE4	AC65	6C66	A2A7C5	2-2745	T6JQ0080
603	极	CCE5	AC66	6C67	A2A7C6	2-2746	T6JR0080
604	投	CCE6	AC67	6C68	A2A7C7	2-2747	T6JS0080
605	杷	CCE7	AC68	6C69	A2A7C8	2-2748	T6JT0080
606	衿	CCE8	AC69	6C6A	A2A7C9	2-2749	T6JU0080
607	吹	CCE9	AC6A	6C6B	A2A7CA	2-274A	T6JV0080
608	夬	CCEA	AC6B	6C6C	A2A7CB	2-274B	T6JW0080
609	殳	CCEB	AC6C	6C6D	A2A7CC	2-274C	T6JX0080
610	皃	CCEC	AC6D	6C6E	A2A7CD	2-274D	T6JY0080
611	氤	CCED	AC6E	6C6F	A2A7CE	2-274E	T6JZ0080
612	沓	CCEE	AC6F	6C70	A2A7CF	2-274F	T6K00080
613	汧	CCEF	AC70	6C71	A2A7D0	2-2750	T6K10080
614	洊	CCF0	AC71	6C72	A2A7D1	2-2751	T6K20080
615	泮	CCF1	AC72	6C73	A2A7D2	2-2752	T6K30080
616	泮	CCF2	AC73	6C74	A2A7D3	2-2753	T6K40080
617	沝	CCF3	AC74	6C75	A2A7D4	2-2754	T6K50080
618	泔	CCF4	AC75	6C76	A2A7D5	2-2755	T6K60080
619	洧	CCF5	AC76	6C77	A2A7D6	2-2756	T6K70080
620	洧	CCF6	AC77	6C78	A2A7D7	2-2757	T6K80080
621	浹	CCF7	AC78	6C79	A2A7D8	2-2758	T6K90080
622	渤	CCF8	AC79	6C7A	A2A7D9	2-2759	T6KA0080
623	洞	CCF9	AC7A	6C7B	A2A7DA	2-275A	T6KB0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 25 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
624	涸	CCFA	AC7B	6C7C	A2A7DB	2-275B	T6KC0080
625	洵	CCFB	AC7C	6C7D	A2A7DC	2-275C	T6KD0080
626	洑	CCFC	AC7D	6C7E	A2A7DD	2-275D	T6KE0080
627	洑	CCFD	AC7E	6C7F	A2A7DE	2-275E	T6KF0080
628	洑	CCFE	AC80	6C81	A2A7DF	2-275F	T6KH0080
629	洑	CD40	AC81	6C82	A2A7E0	2-2760	T6KI0080
630	洑	CD41	AC82	6C83	A2A7E1	2-2761	T6KJ0080
631	洑	CD42	AC83	6C84	A2A7E2	2-2762	T6KK0080
632	洑	CD43	AC84	6C85	A2A7E3	2-2763	T6KL0080
633	洑	CD44	AC85	6C86	A2A7E4	2-2764	T6KM0080
634	洑	CD45	AC86	6C87	A2A7E5	2-2765	T6KN0080
635	洑	CD46	AC87	6C88	A2A7E6	2-2766	T6KO0080
636	洑	CD47	AC88	6C89	A2A7E7	2-2767	T6KP0080
637	洑	CD48	AC89	6C8A	A2A7E8	2-2768	T6KQ0080
638	洑	CD49	AC8A	6C8B	A2A7E9	2-2769	T6KR0080
639	洑	CD4A	AC8B	6C8C	A2A7EA	2-276A	T6KS0080
640	洑	CD4B	AC8C	6C8D	A2A7EB	2-276B	T6KT0080
641	洑	CD4C	AC8D	6C8E	A2A7EC	2-276C	T6KU0080
642	洑	CD4D	AC8E	6C8F	A2A7ED	2-276D	T6KV0080
643	洑	CD4E	AC8F	6C90	A2A7EE	2-276E	T6KW0080
644	洑	CD4F	AC90	6C91	A2A7EF	2-276F	T6KX0080
645	洑	CD50	AC91	6C92	A2A7F0	2-2770	T6KY0080
646	洑	CD51	AC92	6C93	A2A7F1	2-2771	T6KZ0080
647	洑	CD52	AC93	6C94	A2A7F2	2-2772	T6L00080
648	洑	CD53	AC94	6C95	A2A7F3	2-2773	T6L10080
649	洑	CD54	AC95	6C96	A2A7F4	2-2774	T6L20080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 26 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
650	𠃉	CD55	AC96	6C97	A2A7F5	2-2775	T6L30080
651	𠃊	CD56	AC97	6C98	A2A7F6	2-2776	T6L40080
652	𠃋	CD57	AC98	6C99	A2A7F7	2-2777	T6L50080
653	𠃌	CD58	AC99	6C9A	A2A7F8	2-2778	T6L60080
654	𠃍	CD59	AC9A	6C9B	A2A7F9	2-2779	T6L70080
655	𠃎	CD5A	AC9B	6C9C	A2A7FA	2-277A	T6L80080
656	𠃏	CD5B	AC9C	6C9D	A2A7FB	2-277B	T6L90080
657	𠃐	CD5C	AC9D	6C9E	A2A7FC	2-277C	T6LA0080
658	𠃑	CD5D	AC9E	6C9F	A2A7FD	2-277D	T6LB0080
659	𠃒	CD5E	AC9F	6CA0	A2A7FE	2-277E	T6LC0080
660	𠃓	CD5F	ACA0	6CA1	A2A8A1	2-2821	T6LD0080
661	𠃔	CD60	ACA1	6CA2	A2A8A2	2-2822	T6LE0080
662	𠃕	CD61	ACA2	6CA3	A2A8A3	2-2823	T6LF0080
663	𠃖	CD62	ACA3	6CA4	A2A8A4	2-2824	T6LG0080
664	𠃗	CD63	ACA4	6CA5	A2A8A5	2-2825	T6LH0080
665	𠃘	CD64	ACA5	6CA6	A2A8A6	2-2826	T6LI0080
666	𠃙	CD65	ACA6	6CA7	A2A8A7	2-2827	T6LJ0080
667	𠃚	CD66	ACA7	6CA8	A2A8A8	2-2828	T6LK0080
668	𠃛	CD67	ACA8	6CA9	A2A8A9	2-2829	T6LL0080
669	𠃜	CD68	ACA9	6CAA	A2A8AA	2-282A	T6LM0080
670	𠃝	CD69	ACAA	6CAB	A2A8AB	2-282B	T6LN0080
671	𠃞	CD6A	ACAB	6CAC	A2A8AC	2-282C	T6LO0080
672	𠃟	CD6B	ACAC	6CAD	A2A8AD	2-282D	T6LP0080
673	𠃠	CD6C	ACAD	6CAE	A2A8AE	2-282E	T6LQ0080
674	𠃡	CD6D	ACAE	6CAF	A2A8AF	2-282F	T6LR0080
675	𠃢	CD6E	ACAF	6CB0	A2A8B0	2-2830	T6LS0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 27 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
676	瓠	CD6F	ACB0	6CB1	A2A8B1	2-2831	T6LT0080
677	眈	CD70	ACB1	6CB2	A2A8B2	2-2832	T6LU0080
678	畀	CD71	ACB2	6CB3	A2A8B3	2-2833	T6LV0080
679	畹	CD72	ACB3	6CB4	A2A8B4	2-2834	T6LW0080
680	寔	CD73	ACB4	6CB5	A2A8B5	2-2835	T6LX0080
681	疰	CD74	ACB5	6CB6	A2A8B6	2-2836	T6LY0080
682	疳	CD75	ACB6	6CB7	A2A8B7	2-2837	T6LZ0080
683	眈	CD76	ACB7	6CB8	A2A8B8	2-2838	T6M00080
684	盱	CD77	ACB8	6CB9	A2A8B9	2-2839	T6M10080
685	盱	CD78	ACB9	6CBA	A2A8BA	2-283A	T6M20080
686	眈	CD79	ACBA	6CBB	A2A8BB	2-283B	T6M30080
687	疳	CD7A	ACBB	6CBC	A2A8BC	2-283C	T6M40080
688	疳	CD7B	ACBC	6CBD	A2A8BD	2-283D	T6M50080
689	疳	CD7C	ACBD	6CBE	A2A8BE	2-283E	T6M60080
690	疳	CD7D	ACBE	6CBF	A2A8BF	2-283F	T6M70080
691	疳	CD7E	ACBF	6CC0	A2A8C0	2-2840	T6M80080
692	疳	CDA1	ACC0	6CC1	A2A8C1	2-2841	T6M90080
693	疳	CDA2	ACC1	6CC2	A2A8C2	2-2842	T6MA0080
694	疳	CDA3	ACC2	6CC3	A2A8C3	2-2843	T6MB0080
695	疳	CDA4	ACC3	6CC4	A2A8C4	2-2844	T6MC0080
696	疳	CDA5	ACC4	6CC5	A2A8C5	2-2845	T6MD0080
697	疳	CDA6	ACC5	6CC6	A2A8C6	2-2846	T6ME0080
698	疳	CDA7	ACC6	6CC7	A2A8C7	2-2847	T6MF0080
699	疳	CDA8	ACC7	6CC8	A2A8C8	2-2848	T6MG0080
700	疳	CDA9	ACC8	6CC9	A2A8C9	2-2849	T6MH0080
701	疳	CDA A	ACC9	6CCA	A2A8CA	2-284A	T6MI0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 28 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
702	禽	CDAB	ACCA	6CCB	A2A8CB	2-284B	T6MJ0080
703	肱	CDAC	ACCB	6CCC	A2A8CC	2-284C	T6MK0080
704	肫	CDAD	ACCC	6CCD	A2A8CD	2-284D	T6ML0080
705	肓	CDAE	ACCD	6CCE	A2A8CE	2-284E	T6MM0080
706	肫	CDAF	ACCE	6CCF	A2A8CF	2-284F	T6MN0080
707	肫	CDB0	ACCF	6CD0	A2A8D0	2-2850	T6MO0080
708	勑	CDB1	ACD0	6CD1	A2A8D1	2-2851	T6MP0080
709	艾	CDB2	ACD1	6CD2	A2A8D2	2-2852	T6MQ0080
710	茈	CDB3	ACD2	6CD3	A2A8D3	2-2853	T6MR0080
711	茈	CDB4	ACD3	6CD4	A2A8D4	2-2854	T6MS0080
712	茈	CDB5	ACD4	6CD5	A2A8D5	2-2855	T6MT0080
713	茈	CDB6	ACD5	6CD6	A2A8D6	2-2856	T6MU0080
714	笋	CDB7	ACD6	6CD7	A2A8D7	2-2857	T6MV0080
715	茈	CDB8	ACD7	6CD8	A2A8D8	2-2858	T6MW0080
716	笋	CDB9	ACD8	6CD9	A2A8D9	2-2859	T6MX0080
717	茈	CDBA	ACD9	6CDA	A2A8DA	2-285A	T6MY0080
718	茈	CDBB	ACDA	6CDB	A2A8DB	2-285B	T6MZ0080
719	茈	CDBC	ACDB	6CDC	A2A8DC	2-285C	T6N00080
720	茈	CDBD	ACDC	6CDD	A2A8DD	2-285D	T6N10080
721	茈	CDBE	ACDD	6CDE	A2A8DE	2-285E	T6N20080
722	茈	CDBF	ACDE	6CDF	A2A8DF	2-285F	T6N30080
723	茈	CDC0	ACDF	6CE0	A2A8E0	2-2860	T6N40080
724	茈	CDC1	ACE0	6CE1	A2A8E1	2-2861	T6N50080
725	茈	CDC2	ACE1	6CE2	A2A8E2	2-2862	T6N60080
726	茈	CDC3	ACE2	6CE3	A2A8E3	2-2863	T6N70080
727	茈	CDC4	ACE3	6CE4	A2A8E4	2-2864	T6N80080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 29 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
728	苺	CDC5	ACE4	6CE5	A2A8E5	2-2865	T6N90080
729	苳	CDC6	ACE5	6CE6	A2A8E6	2-2866	T6NA0080
730	虻	CDC7	ACE6	6CE7	A2A8E7	2-2867	T6NB0080
731	虼	CDC8	ACE7	6CE8	A2A8E8	2-2868	T6NC0080
732	虿	CDC9	ACE8	6CE9	A2A8E9	2-2869	T6ND0080
733	虼	CDCA	ACE9	6CEA	A2A8EA	2-286A	T6NE0080
734	豕	CDCB	ACEA	6CEB	A2A8EB	2-286B	T6NF0080
735	迓	CDCC	ACEB	6CEC	A2A8EC	2-286C	T6NG0080
736	迕	CDCD	ACEC	6CED	A2A8ED	2-286D	T6NH0080
737	迖	CDCE	ACED	6CEE	A2A8EE	2-286E	T6NI0080
738	迗	CDCF	ACEE	6CEF	A2A8EF	2-286F	T6NJ0080
739	逖	CDD0	ACEF	6CF0	A2A8F0	2-2870	T6NK0080
740	逕	CDD1	ACF0	6CF1	A2A8F1	2-2871	T6NL0080
741	逕	CDD2	ACF1	6CF2	A2A8F2	2-2872	T6NM0080
742	邨	CDD3	ACF2	6CF3	A2A8F3	2-2873	T6NN0080
743	邨	CDD4	ACF3	6CF4	A2A8F4	2-2874	T6NO0080
744	邨	CDD5	ACF4	6CF5	A2A8F5	2-2875	T6NP0080
745	邨	CDD6	ACF5	6CF6	A2A8F6	2-2876	T6NQ0080
746	邨	CDD7	ACF6	6CF7	A2A8F7	2-2877	T6NR0080
747	陆	CDD8	ACF7	6CF8	A2A8F8	2-2878	T6NS0080
748	陆	CDD9	ACF8	6CF9	A2A8F9	2-2879	T6NT0080
749	阡	CDDA	ACF9	6CFA	A2A8FA	2-287A	T6NU0080
750	阡	Cddb	ACFA	6CFB	A2A8FB	2-287B	T6NV0080
751	阡	CDDC	ACFB	6CFC	A2A8FC	2-287C	T6NW0080
752	侏	CDDD	ACFC	6CFD	A2A8FD	2-287D	T6NX0080
753	侏	CDDE	AD40	6D41	A2A8FE	2-287E	T6O10080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 30 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
754	恆	CDDF	AD41	6D42	A2A9A1	2-2921	T6O20080
755	候	CDE0	AD42	6D43	A2A9A2	2-2922	T6O30080
756	悟	CDE1	AD43	6D44	A2A9A3	2-2923	T6O40080
757	悞	CDE2	AD44	6D45	A2A9A4	2-2924	T6O50080
758	候	CDE3	AD45	6D46	A2A9A5	2-2925	T6O60080
759	俛	CDE4	AD46	6D47	A2A9A6	2-2926	T6O70080
760	俌	CDE5	AD47	6D48	A2A9A7	2-2927	T6O80080
761	傒	CDE6	AD48	6D49	A2A9A8	2-2928	T6O90080
762	悅	CDE7	AD49	6D4A	A2A9A9	2-2929	T6OA0080
763	挫	CDE8	AD4A	6D4B	A2A9AA	2-292A	T6OB0080
764	俛	CDE9	AD4B	6D4C	A2A9AB	2-292B	T6OC0080
765	傒	CDEA	AD4C	6D4D	A2A9AC	2-292C	T6OD0080
766	傒	CDEB	AD4D	6D4E	A2A9AD	2-292D	T6OE0080
767	俌	CDEC	AD4E	6D4F	A2A9AE	2-292E	T6OF0080
768	悞	CDED	AD4F	6D50	A2A9AF	2-292F	T6OG0080
769	傒	CDEE	AD50	6D51	A2A9B0	2-2930	T6OH0080
770	俌	CDEF	AD51	6D52	A2A9B1	2-2931	T6OI0080
771	剗	CDF0	AD52	6D53	A2A9B2	2-2932	T6OJ0080
772	剗	CDF1	AD53	6D54	A2A9B3	2-2933	T6OK0080
773	劼	CDF2	AD54	6D55	A2A9B4	2-2934	T6OL0080
774	劼	CDF3	AD55	6D56	A2A9B5	2-2935	T6OM0080
775	屨	CDF4	AD56	6D57	A2A9B6	2-2936	T6ON0080
776	曉	CDF5	AD57	6D58	A2A9B7	2-2937	T6OO0080
777	庠	CDF6	AD58	6D59	A2A9B8	2-2938	T6OP0080
778	屨	CDF7	AD59	6D5A	A2A9B9	2-2939	T6OQ0080
779	庫	CDF8	AD5A	6D5B	A2A9BA	2-293A	T6OR0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 31 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
780	厘	CDF9	AD5B	6D5C	A2A9BB	2-293B	T6OS0080
781	暄	CDFA	AD5C	6D5D	A2A9BC	2-293C	T6OT0080
782	岍	CDFB	AD5D	6D5E	A2A9BD	2-293D	T6OU0080
783	咭	CDFC	AD5E	6D5F	A2A9BE	2-293E	T6OV0080
784	啞	CDFD	AD5F	6D60	A2A9BF	2-293F	T6OW0080
785	喂	CDFE	AD60	6D61	A2A9C0	2-2940	T6OX0080
786	响	CE40	AD61	6D62	A2A9C1	2-2941	T6OY0080
787	苟	CE41	AD62	6D63	A2A9C2	2-2942	T6OZ0080
788	吡	CE42	AD63	6D64	A2A9C3	2-2943	T6P00080
789	咻	CE43	AD64	6D65	A2A9C4	2-2944	T6P10080
790	哞	CE44	AD65	6D66	A2A9C5	2-2945	T6P20080
791	哧	CE45	AD66	6D67	A2A9C6	2-2946	T6P30080
792	响	CE46	AD67	6D68	A2A9C7	2-2947	T6P40080
793	哆	CE47	AD68	6D69	A2A9C8	2-2948	T6P50080
794	聿	CE48	AD69	6D6A	A2A9C9	2-2949	T6P60080
795	咩	CE49	AD6A	6D6B	A2A9CA	2-294A	T6P70080
796	哞	CE4A	AD6B	6D6C	A2A9CB	2-294B	T6P80080
797	哞	CE4B	AD6C	6D6D	A2A9CC	2-294C	T6P90080
798	啞	CE4C	AD6D	6D6E	A2A9CD	2-294D	T6PA0080
799	吡	CE4D	AD6E	6D6F	A2A9CE	2-294E	T6PB0080
800	哞	CE4E	AD6F	6D70	A2A9CF	2-294F	T6PC0080
801	响	CE4F	AD70	6D71	A2A9D0	2-2950	T6PD0080
802	垝	CE50	AD71	6D72	A2A9D1	2-2951	T6PE0080
803	垝	CE51	AD72	6D73	A2A9D2	2-2952	T6PF0080
804	垝	CE52	AD73	6D74	A2A9D3	2-2953	T6PG0080
805	垝	CE53	AD74	6D75	A2A9D4	2-2954	T6PH0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 32 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
806	垵	CE54	AD75	6D76	A2A9D5	2-2955	T6PI0080
807	挑	CE55	AD76	6D77	A2A9D6	2-2956	T6PJ0080
808	垵	CE56	AD77	6D78	A2A9D7	2-2957	T6PK0080
809	塚	CE57	AD78	6D79	A2A9D8	2-2958	T6PL0080
810	璽	CE58	AD79	6D7A	A2A9D9	2-2959	T6PM0080
811	垵	CE59	AD7A	6D7B	A2A9DA	2-295A	T6PN0080
812	埤	CE5A	AD7B	6D7C	A2A9DB	2-295B	T6PO0080
813	垵	CE5B	AD7C	6D7D	A2A9DC	2-295C	T6PP0080
814	垵	CE5C	AD7D	6D7E	A2A9DD	2-295D	T6PQ0080
815	垵	CE5D	AD7E	6D7F	A2A9DE	2-295E	T6PR0080
816	垵	CE5E	AD80	6D81	A2A9DF	2-295F	T6PT0080
817	壹	CE5F	AD81	6D82	A2A9E0	2-2960	T6PU0080
818	复	CE60	AD82	6D83	A2A9E1	2-2961	T6PV0080
819	麥	CE61	AD83	6D84	A2A9E2	2-2962	T6PW0080
820	媧	CE62	AD84	6D85	A2A9E3	2-2963	T6PX0080
821	媧	CE63	AD85	6D86	A2A9E4	2-2964	T6PY0080
822	媧	CE64	AD86	6D87	A2A9E5	2-2965	T6PZ0080
823	媧	CE65	AD87	6D88	A2A9E6	2-2966	T6Q00080
824	媧	CE66	AD88	6D89	A2A9E7	2-2967	T6Q10080
825	媧	CE67	AD89	6D8A	A2A9E8	2-2968	T6Q20080
826	媧	CE68	AD8A	6D8B	A2A9E9	2-2969	T6Q30080
827	媧	CE69	AD8B	6D8C	A2A9EA	2-296A	T6Q40080
828	媧	CE6A	AD8C	6D8D	A2A9EB	2-296B	T6Q50080
829	始	CE6B	AD8D	6D8E	A2A9EC	2-296C	T6Q60080
830	媧	CE6C	AD8E	6D8F	A2A9ED	2-296D	T6Q70080
831	媧	CE6D	AD8F	6D90	A2A9EE	2-296E	T6Q80080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 33 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
832	娟	CE6E	AD90	6D91	A2A9EF	2-296F	T6Q90080
833	娟	CE6F	AD91	6D92	A2A9F0	2-2970	T6QA0080
834	姘	CE70	AD92	6D93	A2A9F1	2-2971	T6QB0080
835	姘	CE71	AD93	6D94	A2A9F2	2-2972	T6QC0080
836	娟	CE72	AD94	6D95	A2A9F3	2-2973	T6QD0080
837	娟	CE73	AD95	6D96	A2A9F4	2-2974	T6QE0080
838	姘	CE74	AD96	6D97	A2A9F5	2-2975	T6QF0080
839	姘	CE75	AD97	6D98	A2A9F6	2-2976	T6QG0080
840	姘	CE76	AD98	6D99	A2A9F7	2-2977	T6QH0080
841	窈	CE77	AD99	6D9A	A2A9F8	2-2978	T6QI0080
842	屮	CE78	AD9A	6D9B	A2A9F9	2-2979	T6QJ0080
843	岈	CE79	AD9B	6D9C	A2A9FA	2-297A	T6QK0080
844	岈	CE7A	AD9C	6D9D	A2A9FB	2-297B	T6QL0080
845	岈	CE7B	AD9D	6D9E	A2A9FC	2-297C	T6QM0080
846	岈	CE7C	AD9E	6D9F	A2A9FD	2-297D	T6QN0080
847	岈	CE7D	AD9F	6DA0	A2A9FE	2-297E	T6QO0080
848	岈	CE7E	ADA0	6DA1	A2AAA1	2-2A21	T6QP0080
849	岈	CEA1	ADA1	6DA2	A2AAA2	2-2A22	T6QQ0080
850	岈	CEA2	ADA2	6DA3	A2AAA3	2-2A23	T6QR0080
851	岈	CEA3	ADA3	6DA4	A2AAA4	2-2A24	T6QS0080
852	岈	CEA4	ADA4	6DA5	A2AAA5	2-2A25	T6QT0080
853	岈	CEA5	ADA5	6DA6	A2AAA6	2-2A26	T6QU0080
854	岈	CEA6	ADA6	6DA7	A2AAA7	2-2A27	T6QV0080
855	岈	CEA7	ADA7	6DA8	A2AAA8	2-2A28	T6QW0080
856	岈	CEA8	ADA8	6DA9	A2AAA9	2-2A29	T6QX0080
857	岈	CEA9	ADA9	6DAA	A2AAAA	2-2A2A	T6QY0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 34 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
858	嶮	CEAA	ADAA	6DAB	A2AAAB	2-2A2B	T6QZ0080
859	嶮	CEAB	ADAB	6DAC	A2AAAC	2-2A2C	T6R00080
860	嶮	CEAC	ADAC	6DAD	A2AAAD	2-2A2D	T6R10080
861	峇	CEAD	ADAD	6DAE	A2AAAE	2-2A2E	T6R20080
862	峇	CEAE	ADAE	6DAF	A2AAAF	2-2A2F	T6R30080
863	𪛗	CEAF	ADAF	6DB0	A2AAB0	2-2A30	T6R40080
864	𪛗	CEB0	ADB0	6DB1	A2AAB1	2-2A31	T6R50080
865	𪛗	CEB1	ADB1	6DB2	A2AAB2	2-2A32	T6R60080
866	𪛗	CEB2	ADB2	6DB3	A2AAB3	2-2A33	T6R70080
867	𪛗	CEB3	ADB3	6DB4	A2AAB4	2-2A34	T6R80080
868	𪛗	CEB4	ADB4	6DB5	A2AAB5	2-2A35	T6R90080
869	𪛗	CEB5	ADB5	6DB6	A2AAB6	2-2A36	T6RA0080
870	𪛗	CEB6	ADB6	6DB7	A2AAB7	2-2A37	T6RB0080
871	𪛗	CEB7	ADB7	6DB8	A2AAB8	2-2A38	T6RC0080
872	𪛗	CEB8	ADB8	6DB9	A2AAB9	2-2A39	T6RD0080
873	𪛗	CEB9	ADB9	6DBA	A2AABA	2-2A3A	T6RE0080
874	𪛗	CEBA	ADBA	6DBB	A2AABB	2-2A3B	T6RF0080
875	𪛗	CEBB	ADBB	6DBC	A2AABC	2-2A3C	T6RG0080
876	𪛗	CEBC	ADBC	6DBD	A2AABD	2-2A3D	T6RH0080
877	𪛗	CEBD	ADBD	6DBE	A2AABE	2-2A3E	T6RI0080
878	𪛗	CEBE	ADBE	6DBF	A2AABF	2-2A3F	T6RJ0080
879	𪛗	CEBF	ADBF	6DC0	A2AAC0	2-2A40	T6RK0080
880	𪛗	CEC0	ADC0	6DC1	A2AAC1	2-2A41	T6RL0080
881	𪛗	CEC1	ADC1	6DC2	A2AAC2	2-2A42	T6RM0080
882	𪛗	CEC2	ADC2	6DC3	A2AAC3	2-2A43	T6RN0080
883	𪛗	CEC3	ADC3	6DC4	A2AAC4	2-2A44	T6RO0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 35 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
884	恠	CEC4	ADC4	6DC5	A2AAC5	2-2A45	T6RP0080
885	恡	CEC5	ADC5	6DC6	A2AAC6	2-2A46	T6RQ0080
886	恢	CEC6	ADC6	6DC7	A2AAC7	2-2A47	T6RR0080
887	恣	CEC7	ADC7	6DC8	A2AAC8	2-2A48	T6RS0080
888	恠	CEC8	ADC8	6DC9	A2AAC9	2-2A49	T6RT0080
889	桃	CEC9	ADC9	6DCA	A2AACA	2-2A4A	T6RU0080
890	惨	CECA	ADCA	6DCB	A2AACB	2-2A4B	T6RV0080
891	恡	CECB	ADCB	6DCC	A2AACC	2-2A4C	T6RW0080
892	恣	CECC	ADCC	6DCD	A2AACD	2-2A4D	T6RX0080
893	恠	CECD	ADCD	6DCE	A2AACE	2-2A4E	T6RY0080
894	恡	CECE	ADCE	6DCF	A2AACF	2-2A4F	T6RZ0080
895	恠	CECF	ADCF	6DD0	A2AAD0	2-2A50	T6S00080
896	恡	CED0	ADD0	6DD1	A2AAD1	2-2A51	T6S10080
897	恠	CED1	ADD1	6DD2	A2AAD2	2-2A52	T6S20080
898	恠	CED2	ADD2	6DD3	A2AAD3	2-2A53	T6S30080
899	恠	CED3	ADD3	6DD4	A2AAD4	2-2A54	T6S40080
900	拏	CED4	ADD4	6DD5	A2AAD5	2-2A55	T6S50080
901	拏	CED5	ADD5	6DD6	A2AAD6	2-2A56	T6S60080
902	拏	CED6	ADD6	6DD7	A2AAD7	2-2A57	T6S70080
903	拏	CED7	ADD7	6DD8	A2AAD8	2-2A58	T6S80080
904	拏	CED8	ADD8	6DD9	A2AAD9	2-2A59	T6S90080
905	拏	CED9	ADD9	6DDA	A2AADA	2-2A5A	T6SA0080
906	拏	CEDA	ADDA	6DDB	A2AADB	2-2A5B	T6SB0080
907	拏	CEDB	ADDB	6DDC	A2AADC	2-2A5C	T6SC0080
908	拏	CEDC	ADDC	6DDD	A2AADD	2-2A5D	T6SD0080
909	拏	CEDD	ADDD	6DDE	A2AADE	2-2A5E	T6SE0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 36 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
910	搽	CEDE	ADDE	6DDF	A2AADF	2-2A5F	T6SF0080
911	搽	CEDF	ADDF	6DE0	A2AAE0	2-2A60	T6SG0080
912	搽	CEE0	ADE0	6DE1	A2AAE1	2-2A61	T6SH0080
913	搽	CEE1	ADE1	6DE2	A2AAE2	2-2A62	T6SI0080
914	搽	CEE2	ADE2	6DE3	A2AAE3	2-2A63	T6SJ0080
915	搽	CEE3	ADE3	6DE4	A2AAE4	2-2A64	T6SK0080
916	搽	CEE4	ADE4	6DE5	A2AAE5	2-2A65	T6SL0080
917	搽	CEE5	ADE5	6DE6	A2AAE6	2-2A66	T6SM0080
918	搽	CEE6	ADE6	6DE7	A2AAE7	2-2A67	T6SN0080
919	𠄎	CEE7	ADE7	6DE8	A2AAE8	2-2A68	T6SO0080
920	𠄎	CEE8	ADE8	6DE9	A2AAE9	2-2A69	T6SP0080
921	𠄎	CEE9	ADE9	6DEA	A2AAEA	2-2A6A	T6SQ0080
922	𠄎	CEEA	ADEA	6DEB	A2AAEB	2-2A6B	T6SR0080
923	𠄎	CEEB	ADEB	6DEC	A2AAEC	2-2A6C	T6SS0080
924	𠄎	CEEC	ADEC	6DED	A2AAED	2-2A6D	T6ST0080
925	𠄎	CEED	ADED	6DEE	A2AAEE	2-2A6E	T6SU0080
926	𠄎	CEEE	ADEE	6DEF	A2AAEF	2-2A6F	T6SV0080
927	𠄎	CEEF	ADEF	6DF0	A2AAF0	2-2A70	T6SW0080
928	𠄎	CEF0	ADF0	6DF1	A2AAF1	2-2A71	T6SX0080
929	𠄎	CEF1	ADF1	6DF2	A2AAF2	2-2A72	T6SY0080
930	𠄎	CEF2	ADF2	6DF3	A2AAF3	2-2A73	T6SZ0080
931	𠄎	CEF3	ADF3	6DF4	A2AAF4	2-2A74	T6T00080
932	𠄎	CEF4	ADF4	6DF5	A2AAF5	2-2A75	T6T10080
933	𠄎	CEF5	ADF5	6DF6	A2AAF6	2-2A76	T6T20080
934	𠄎	CEF6	ADF6	6DF7	A2AAF7	2-2A77	T6T30080
935	𠄎	CEF7	ADF7	6DF8	A2AAF8	2-2A78	T6T40080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 37 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
936	昂	CEF8	ADF8	6DF9	A2AAF9	2-2A79	T6T50080
937	𩑦	CEF9	ADF9	6DFA	A2AAFA	2-2A7A	T6T60080
938	胸	CEFA	ADFA	6DFB	A2AAFB	2-2A7B	T6T70080
939	柁	CEFB	ADFB	6DFC	A2AAFC	2-2A7C	T6T80080
940	秘	CEFC	ADFC	6DFD	A2AAFD	2-2A7D	T6T90080
941	桦	CEFD	AE40	6E41	A2AAFE	2-2A7E	T6TD0080
942	赫	CEFE	AE41	6E42	A2ABA1	2-2B21	T6TE0080
943	柜	CF40	AE42	6E43	A2ABA2	2-2B22	T6TF0080
944	榧	CF41	AE43	6E44	A2ABA3	2-2B23	T6TG0080
945	桤	CF42	AE44	6E45	A2ABA4	2-2B24	T6TH0080
946	栝	CF43	AE45	6E46	A2ABA5	2-2B25	T6TI0080
947	椴	CF44	AE46	6E47	A2ABA6	2-2B26	T6TJ0080
948	枷	CF45	AE47	6E48	A2ABA7	2-2B27	T6TK0080
949	梃	CF46	AE48	6E49	A2ABA8	2-2B28	T6TL0080
950	梯	CF47	AE49	6E4A	A2ABA9	2-2B29	T6TM0080
951	粗	CF48	AE4A	6E4B	A2ABAA	2-2B2A	T6TN0080
952	栴	CF49	AE4B	6E4C	A2ABAB	2-2B2B	T6TO0080
953	栲	CF4A	AE4C	6E4D	A2ABAC	2-2B2C	T6TP0080
954	枳	CF4B	AE4D	6E4E	A2ABAD	2-2B2D	T6TQ0080
955	枳	CF4C	AE4E	6E4F	A2ABAE	2-2B2E	T6TR0080
956	祝	CF4D	AE4F	6E50	A2ABAF	2-2B2F	T6TS0080
957	栖	CF4E	AE50	6E51	A2ABB0	2-2B30	T6TT0080
958	栳	CF4F	AE51	6E52	A2ABB1	2-2B31	T6TU0080
959	秩	CF50	AE52	6E53	A2ABB2	2-2B32	T6TV0080
960	桤	CF51	AE53	6E54	A2ABB3	2-2B33	T6TW0080
961	枹	CF52	AE54	6E55	A2ABB4	2-2B34	T6TX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 38 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
962	柎	CF53	AE55	6E56	A2ABB5	2-2B35	T6TY0080
963	楓	CF54	AE56	6E57	A2ABB6	2-2B36	T6TZ0080
964	柎	CF55	AE57	6E58	A2ABB7	2-2B37	T6U00080
965	柎	CF56	AE58	6E59	A2ABB8	2-2B38	T6U10080
966	柎	CF57	AE59	6E5A	A2ABB9	2-2B39	T6U20080
967	粒	CF58	AE5A	6E5B	A2ABBA	2-2B3A	T6U30080
968	核	CF59	AE5B	6E5C	A2ABBB	2-2B3B	T6U40080
969	柎	CF5A	AE5C	6E5D	A2ABBC	2-2B3C	T6U50080
970	柎	CF5B	AE5D	6E5E	A2ABBD	2-2B3D	T6U60080
971	柎	CF5C	AE5E	6E5F	A2ABBE	2-2B3E	T6U70080
972	柎	CF5D	AE5F	6E60	A2ABBF	2-2B3F	T6U80080
973	柎	CF5E	AE60	6E61	A2ABC0	2-2B40	T6U90080
974	柎	CF5F	AE61	6E62	A2ABC1	2-2B41	T6UA0080
975	柎	CF60	AE62	6E63	A2ABC2	2-2B42	T6UB0080
976	柎	CF61	AE63	6E64	A2ABC3	2-2B43	T6UC0080
977	柎	CF62	AE64	6E65	A2ABC4	2-2B44	T6UD0080
978	柎	CF63	AE65	6E66	A2ABC5	2-2B45	T6UE0080
979	柎	CF64	AE66	6E67	A2ABC6	2-2B46	T6UF0080
980	殂	CF65	AE67	6E68	A2ABC7	2-2B47	T6UG0080
981	殂	CF66	AE68	6E69	A2ABC8	2-2B48	T6UH0080
982	投	CF67	AE69	6E6A	A2ABC9	2-2B49	T6UI0080
983	撼	CF68	AE6A	6E6B	A2ABCA	2-2B4A	T6UJ0080
984	毘	CF69	AE6B	6E6C	A2ABCB	2-2B4B	T6UK0080
985	驾	CF6A	AE6C	6E6D	A2ABCC	2-2B4C	T6UL0080
986	氘	CF6B	AE6D	6E6E	A2ABCD	2-2B4D	T6UM0080
987	氢	CF6C	AE6E	6E6F	A2ABCE	2-2B4E	T6UN0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 39 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
988	浚	CF6D	AE6F	6E70	A2ABCF	2-2B4F	T6UO0080
989	迸	CF6E	AE70	6E71	A2ABD0	2-2B50	T6UP0080
990	涯	CF6F	AE71	6E72	A2ABD1	2-2B51	T6UQ0080
991	澳	CF70	AE72	6E73	A2ABD2	2-2B52	T6UR0080
992	洼	CF71	AE73	6E74	A2ABD3	2-2B53	T6US0080
993	洿	CF72	AE74	6E75	A2ABD4	2-2B54	T6UT0080
994	洒	CF73	AE75	6E76	A2ABD5	2-2B55	T6UU0080
995	浲	CF74	AE76	6E77	A2ABD6	2-2B56	T6UV0080
996	泚	CF75	AE77	6E78	A2ABD7	2-2B57	T6UW0080
997	洳	CF76	AE78	6E79	A2ABD8	2-2B58	T6UX0080
998	洄	CF77	AE79	6E7A	A2ABD9	2-2B59	T6UY0080
999	洙	CF78	AE7A	6E7B	A2ABDA	2-2B5A	T6UZ0080
1000	洺	CF79	AE7B	6E7C	A2ABDB	2-2B5B	T6V00080
1001	洚	CF7A	AE7C	6E7D	A2ABDC	2-2B5C	T6V10080
1002	洟	CF7B	AE7D	6E7E	A2ABDD	2-2B5D	T6V20080
1003	洠	CF7C	AE7E	6E7F	A2ABDE	2-2B5E	T6V30080
1004	浚	CF7D	AE80	6E81	A2ABDF	2-2B5F	T6V50080
1005	浞	CF7E	AE81	6E82	A2ABE0	2-2B60	T6V60080
1006	浽	CFA1	AE82	6E83	A2ABE1	2-2B61	T6V70080
1007	洧	CFA2	AE83	6E84	A2ABE2	2-2B62	T6V80080
1008	洨	CFA3	AE84	6E85	A2ABE3	2-2B63	T6V90080
1009	洩	CFA4	AE85	6E86	A2ABE4	2-2B64	T6VA0080
1010	洪	CFA5	AE86	6E87	A2ABE5	2-2B65	T6VB0080
1011	油	CFA6	AE87	6E88	A2ABE6	2-2B66	T6VC0080
1012	洫	CFA7	AE88	6E89	A2ABE7	2-2B67	T6VD0080
1013	洬	CFA8	AE89	6E8A	A2ABE8	2-2B68	T6VE0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 40 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1014	澗	CFA9	AE8A	6E8B	A2ABE9	2-2B69	T6VF0080
1015	滄	CFAA	AE8B	6E8C	A2ABEA	2-2B6A	T6VG0080
1016	滄	CFAB	AE8C	6E8D	A2ABEB	2-2B6B	T6VH0080
1017	滄	CFAC	AE8D	6E8E	A2ABEC	2-2B6C	T6VI0080
1018	滄	CFAD	AE8E	6E8F	A2ABED	2-2B6D	T6VJ0080
1019	炷	CFAE	AE8F	6E90	A2ABEE	2-2B6E	T6VK0080
1020	烜	CFAF	AE90	6E91	A2ABEF	2-2B6F	T6VL0080
1021	煇	CFB0	AE91	6E92	A2ABF0	2-2B70	T6VM0080
1022	煇	CFB1	AE92	6E93	A2ABF1	2-2B71	T6VN0080
1023	煇	CFB2	AE93	6E94	A2ABF2	2-2B72	T6VO0080
1024	烜	CFB3	AE94	6E95	A2ABF3	2-2B73	T6VP0080
1025	煇	CFB4	AE95	6E96	A2ABF4	2-2B74	T6VQ0080
1026	煇	CFB5	AE96	6E97	A2ABF5	2-2B75	T6VR0080
1027	烜	CFB6	AE97	6E98	A2ABF6	2-2B76	T6VS0080
1028	烜	CFB7	AE98	6E99	A2ABF7	2-2B77	T6VT0080
1029	烜	CFB8	AE99	6E9A	A2ABF8	2-2B78	T6VU0080
1030	烜	CFB9	AE9A	6E9B	A2ABF9	2-2B79	T6VV0080
1031	烜	CFBA	AE9B	6E9C	A2ABFA	2-2B7A	T6VW0080
1032	轴	CFBB	AE9C	6E9D	A2ABFB	2-2B7B	T6VX0080
1033	轴	CFBC	AE9D	6E9E	A2ABFC	2-2B7C	T6VY0080
1034	轴	CFBD	AE9E	6E9F	A2ABFD	2-2B7D	T6VZ0080
1035	昊	CFBE	AE9F	6EA0	A2ABFE	2-2B7E	T6W00080
1036	狇	CFBF	AEA0	6EA1	A2ACA1	2-2C21	T6W10080
1037	狇	CFC0	AEA1	6EA2	A2ACA2	2-2C22	T6W20080
1038	狇	CFC1	AEA2	6EA3	A2ACA3	2-2C23	T6W30080
1039	狇	CFC2	AEA3	6EA4	A2ACA4	2-2C24	T6W40080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 41 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1040	狷	CFC3	AEA4	6EA5	A2ACA5	2-2C25	T6W50080
1041	獮	CFC4	AEA5	6EA6	A2ACA6	2-2C26	T6W60080
1042	狲	CFC5	AEA6	6EA7	A2ACA7	2-2C27	T6W70080
1043	妙	CFC6	AEA7	6EA8	A2ACA8	2-2C28	T6W80080
1044	玓	CFC7	AEA8	6EA9	A2ACA9	2-2C29	T6W90080
1045	珂	CFC8	AEA9	6EAA	A2ACAA	2-2C2A	T6WA0080
1046	珈	CFC9	AEEA	6EAB	A2ACAB	2-2C2B	T6WB0080
1047	坤	CFCA	AEAB	6EAC	A2ACAC	2-2C2C	T6WC0080
1048	玆	CFCB	AEAC	6EAD	A2ACAD	2-2C2D	T6WD0080
1049	玿	CFCC	AEAD	6EAE	A2ACAE	2-2C2E	T6WE0080
1050	玿	CFCD	AEAE	6EAF	A2ACAF	2-2C2F	T6WF0080
1051	玿	CFCE	AEAF	6EB0	A2ACB0	2-2C30	T6WG0080
1052	玿	CFCF	AEB0	6EB1	A2ACB1	2-2C31	T6WH0080
1053	玿	CFD0	AEB1	6EB2	A2ACB2	2-2C32	T6WI0080
1054	玿	CFD1	AEB2	6EB3	A2ACB3	2-2C33	T6WJ0080
1055	玿	CFD2	AEB3	6EB4	A2ACB4	2-2C34	T6WK0080
1056	玿	CFD3	AEB4	6EB5	A2ACB5	2-2C35	T6WL0080
1057	玿	CFD4	AEB5	6EB6	A2ACB6	2-2C36	T6WM0080
1058	玿	CFD5	AEB6	6EB7	A2ACB7	2-2C37	T6WN0080
1059	玿	CFD6	AEB7	6EB8	A2ACB8	2-2C38	T6WO0080
1060	玿	CFD7	AEB8	6EB9	A2ACB9	2-2C39	T6WP0080
1061	玿	CFD8	AEB9	6EBA	A2ACBA	2-2C3A	T6WQ0080
1062	玿	CFD9	AEBA	6EBB	A2ACBB	2-2C3B	T6WR0080
1063	玿	CFDA	AEBB	6EBC	A2ACBC	2-2C3C	T6WS0080
1064	玿	CFDB	AEBC	6EBD	A2ACBD	2-2C3D	T6WT0080
1065	玿	CFDC	AEBD	6EBE	A2ACBE	2-2C3E	T6WU0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 42 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1066	疵	CFDD	AEBE	6EBF	A2ACBF	2-2C3F	T6WV0080
1067	癸	CFDE	AEBF	6EC0	A2ACC0	2-2C40	T6WW0080
1068	罍	CFDF	AEC0	6EC1	A2ACC1	2-2C41	T6WX0080
1069	眈	CFE0	AEC1	6EC2	A2ACC2	2-2C42	T6WY0080
1070	眩	CFE1	AEC2	6EC3	A2ACC3	2-2C43	T6WZ0080
1071	晒	CFE2	AEC3	6EC4	A2ACC4	2-2C44	T6X00080
1072	販	CFE3	AEC4	6EC5	A2ACC5	2-2C45	T6X10080
1073	眊	CFE4	AEC5	6EC6	A2ACC6	2-2C46	T6X20080
1074	眇	CFE5	AEC6	6EC7	A2ACC7	2-2C47	T6X30080
1075	盼	CFE6	AEC7	6EC8	A2ACC8	2-2C48	T6X40080
1076	眈	CFE7	AEC8	6EC9	A2ACC9	2-2C49	T6X50080
1077	矧	CFE8	AEC9	6ECA	A2ACCA	2-2C4A	T6X60080
1078	矧	CFE9	AECA	6ECB	A2ACCB	2-2C4B	T6X70080
1079	硃	CFEA	AECB	6ECC	A2ACCC	2-2C4C	T6X80080
1080	硃	CFEB	AECC	6ECD	A2ACCD	2-2C4D	T6X90080
1081	砒	CFEC	AECD	6ECE	A2ACCE	2-2C4E	T6XA0080
1082	砒	CFED	AECE	6ECF	A2ACCF	2-2C4F	T6XB0080
1083	砒	CFEE	AECF	6ED0	A2ACD0	2-2C50	T6XC0080
1084	砒	CFEF	AED0	6ED1	A2ACD1	2-2C51	T6XD0080
1085	砒	CFF0	AED1	6ED2	A2ACD2	2-2C52	T6XE0080
1086	砒	CFF1	AED2	6ED3	A2ACD3	2-2C53	T6XF0080
1087	砒	CFF2	AED3	6ED4	A2ACD4	2-2C54	T6XG0080
1088	砒	CFF3	AED4	6ED5	A2ACD5	2-2C55	T6XH0080
1089	砒	CFF4	AED5	6ED6	A2ACD6	2-2C56	T6XI0080
1090	砒	CFF5	AED6	6ED7	A2ACD7	2-2C57	T6XJ0080
1091	砒	CFF6	AED7	6ED8	A2ACD8	2-2C58	T6XK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 43 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1092	祆	CFF7	AED8	6ED9	A2ACD9	2-2C59	T6XL0080
1093	袂	CFF8	AED9	6EDA	A2ACDA	2-2C5A	T6XM0080
1094	秕	CFF9	AEDA	6EDB	A2ACDB	2-2C5B	T6XN0080
1095	种	CFFA	AEDB	6EDC	A2ACDC	2-2C5C	T6XO0080
1096	秣	CFFB	AEDC	6EDD	A2ACDD	2-2C5D	T6XP0080
1097	秣	CFFC	AEDD	6EDE	A2ACDE	2-2C5E	T6XQ0080
1098	粉	CFFD	AEDE	6EDF	A2ACDF	2-2C5F	T6XR0080
1099	窰	CFFE	AEDF	6EE0	A2ACE0	2-2C60	T6XS0080
1100	突	D040	AEE0	6EE1	A2ACE1	2-2C61	T6XT0080
1101	竝	D041	AEE1	6EE2	A2ACE2	2-2C62	T6XU0080
1102	筩	D042	AEE2	6EE3	A2ACE3	2-2C63	T6XV0080
1103	筩	D043	AEE3	6EE4	A2ACE4	2-2C64	T6XW0080
1104	竈	D044	AEE4	6EE5	A2ACE5	2-2C65	T6XX0080
1105	竈	D045	AEE5	6EE6	A2ACE6	2-2C66	T6XY0080
1106	竈	D046	AEE6	6EE7	A2ACE7	2-2C67	T6XZ0080
1107	籽	D047	AEE7	6EE8	A2ACE8	2-2C68	T6Y00080
1108	籽	D048	AEE8	6EE9	A2ACE9	2-2C69	T6Y10080
1109	籽	D049	AEE9	6EEA	A2ACEA	2-2C6A	T6Y20080
1110	紉	D04A	AEEA	6EEB	A2ACEB	2-2C6B	T6Y30080
1111	紉	D04B	AEEB	6EEC	A2ACEC	2-2C6C	T6Y40080
1112	紉	D04C	AEEC	6EED	A2ACED	2-2C6D	T6Y50080
1113	罟	D04D	AEED	6EEE	A2ACEE	2-2C6E	T6Y60080
1114	姜	D04E	AEEE	6EEF	A2ACEF	2-2C6F	T6Y70080
1115	牽	D04F	AEEF	6EF0	A2ACF0	2-2C70	T6Y80080
1116	犴	D050	AEF0	6EF1	A2ACF1	2-2C71	T6Y90080
1117	考	D051	AEF1	6EF2	A2ACF2	2-2C72	T6YA0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 44 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1118	奕	D052	AEF2	6EF3	A2ACF3	2-2C73	T6YB0080
1119	彬	D053	AEF3	6EF4	A2ACF4	2-2C74	T6YC0080
1120	紆	D054	AEF4	6EF5	A2ACF5	2-2C75	T6YD0080
1121	奩	D055	AEF5	6EF6	A2ACF6	2-2C76	T6YE0080
1122	肱	D056	AEF6	6EF7	A2ACF7	2-2C77	T6YF0080
1123	肸	D057	AEF7	6EF8	A2ACF8	2-2C78	T6YG0080
1124	肱	D058	AEF8	6EF9	A2ACF9	2-2C79	T6YH0080
1125	臑	D059	AEF9	6EFA	A2ACFA	2-2C7A	T6YI0080
1126	肱	D05A	AEFA	6EFB	A2ACFB	2-2C7B	T6YJ0080
1127	肱	D05B	AEFB	6EFC	A2ACFC	2-2C7C	T6YK0080
1128	肱	D05C	AEFC	6EFD	A2ACFD	2-2C7D	T6YL0080
1129	肤	D05D	AF40	6F41	A2ACFE	2-2C7E	T6YP0080
1130	脍	D05E	AF41	6F42	A2ADA1	2-2D21	T6YQ0080
1131	胙	D05F	AF42	6F43	A2ADA2	2-2D22	T6YR0080
1132	脍	D060	AF43	6F44	A2ADA3	2-2D23	T6YS0080
1133	胸	D061	AF44	6F45	A2ADA4	2-2D24	T6YT0080
1134	腑	D062	AF45	6F46	A2ADA5	2-2D25	T6YU0080
1135	胎	D063	AF46	6F47	A2ADA6	2-2D26	T6YV0080
1136	肺	D064	AF47	6F48	A2ADA7	2-2D27	T6YW0080
1137	脍	D065	AF48	6F49	A2ADA8	2-2D28	T6YX0080
1138	脍	D066	AF49	6F4A	A2ADA9	2-2D29	T6YY0080
1139	胙	D067	AF4A	6F4B	A2ADAA	2-2D2A	T6YZ0080
1140	脍	D068	AF4B	6F4C	A2ADAB	2-2D2B	T6Z00080
1141	脍	D069	AF4C	6F4D	A2ADAC	2-2D2C	T6Z10080
1142	嶺	D06A	AF4D	6F4E	A2ADAD	2-2D2D	T6Z20080
1143	莛	D06B	AF4E	6F4F	A2ADAE	2-2D2E	T6Z30080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 45 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1144	苾	D06C	AF4F	6F50	A2ADAF	2-2D2F	T6Z40080
1145	萃	D06D	AF50	6F51	A2ADB0	2-2D30	T6Z50080
1146	茭	D06E	AF51	6F52	A2ADB1	2-2D31	T6Z60080
1147	芑	D06F	AF52	6F53	A2ADB2	2-2D32	T6Z70080
1148	莽	D070	AF53	6F54	A2ADB3	2-2D33	T6Z80080
1149	苕	D071	AF54	6F55	A2ADB4	2-2D34	T6Z90080
1150	茺	D072	AF55	6F56	A2ADB5	2-2D35	T6ZA0080
1151	苜	D073	AF56	6F57	A2ADB6	2-2D36	T6ZB0080
1152	茁	D074	AF57	6F58	A2ADB7	2-2D37	T6ZC0080
1153	苴	D075	AF58	6F59	A2ADB8	2-2D38	T6ZD0080
1154	茵	D076	AF59	6F5A	A2ADB9	2-2D39	T6ZE0080
1155	苳	D077	AF5A	6F5B	A2ADBA	2-2D3A	T6ZF0080
1156	苴	D078	AF5B	6F5C	A2ADBB	2-2D3B	T6ZG0080
1157	茺	D079	AF5C	6F5D	A2ADBC	2-2D3C	T6ZH0080
1158	苴	D07A	AF5D	6F5E	A2ADBD	2-2D3D	T6ZI0080
1159	苴	D07B	AF5E	6F5F	A2ADBE	2-2D3E	T6ZJ0080
1160	茶	D07C	AF5F	6F60	A2ADBF	2-2D3F	T6ZK0080
1161	菘	D07D	AF60	6F61	A2ADC0	2-2D40	T6ZL0080
1162	苳	D07E	AF61	6F62	A2ADC1	2-2D41	T6ZM0080
1163	茺	D0A1	AF62	6F63	A2ADC2	2-2D42	T6ZN0080
1164	苳	D0A2	AF63	6F64	A2ADC3	2-2D43	T6ZO0080
1165	苳	D0A3	AF64	6F65	A2ADC4	2-2D44	T6ZP0080
1166	苳	D0A4	AF65	6F66	A2ADC5	2-2D45	T6ZQ0080
1167	苳	D0A5	AF66	6F67	A2ADC6	2-2D46	T6ZR0080
1168	蚌	D0A6	AF67	6F68	A2ADC7	2-2D47	T6ZS0080
1169	蚝	D0A7	AF68	6F69	A2ADC8	2-2D48	T6ZT0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 46 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1170	屹	D0A8	AF69	6F6A	A2ADC9	2-2D49	T6ZU0080
1171	灼	D0A9	AF6A	6F6B	A2ADCA	2-2D4A	T6ZV0080
1172	盍	D0AA	AF6B	6F6C	A2ADCB	2-2D4B	T6ZW0080
1173	衍	D0AB	AF6C	6F6D	A2ADCC	2-2D4C	T6ZX0080
1174	衿	D0AC	AF6D	6F6E	A2ADCD	2-2D4D	T6ZY0080
1175	衤	D0AD	AF6E	6F6F	A2ADCE	2-2D4E	T6ZZ0080
1176	袂	D0AE	AF6F	6F70	A2ADCF	2-2D4F	T7000080
1177	斛	D0AF	AF70	6F71	A2ADD0	2-2D50	T7010080
1178	鳩	D0B0	AF71	6F72	A2ADD1	2-2D51	T7020080
1179	匄	D0B1	AF72	6F73	A2ADD2	2-2D52	T7030080
1180	劫	D0B2	AF73	6F74	A2ADD3	2-2D53	T7040080
1181	逖	D0B3	AF74	6F75	A2ADD4	2-2D54	T7050080
1182	逖	D0B4	AF75	6F76	A2ADD5	2-2D55	T7060080
1183	迕	D0B5	AF76	6F77	A2ADD6	2-2D56	T7070080
1184	迕	D0B6	AF77	6F78	A2ADD7	2-2D57	T7080080
1185	邾	D0B7	AF78	6F79	A2ADD8	2-2D58	T7090080
1186	邾	D0B8	AF79	6F7A	A2ADD9	2-2D59	T70A0080
1187	邾	D0B9	AF7A	6F7B	A2ADDA	2-2D5A	T70B0080
1188	邾	D0BA	AF7B	6F7C	A2ADDB	2-2D5B	T70C0080
1189	邾	D0BB	AF7C	6F7D	A2ADDC	2-2D5C	T70D0080
1190	邾	D0BC	AF7D	6F7E	A2ADDD	2-2D5D	T70E0080
1191	邾	D0BD	AF7E	6F7F	A2ADDE	2-2D5E	T70F0080
1192	邾	D0BE	AF80	6F81	A2ADDF	2-2D5F	T70H0080
1193	邾	D0BF	AF81	6F82	A2ADE0	2-2D60	T70I0080
1194	鉅	D0C0	AF82	6F83	A2ADE1	2-2D61	T70J0080
1195	鉅	D0C1	AF83	6F84	A2ADE2	2-2D62	T70K0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 47 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1196	陔	D0C2	AF84	6F85	A2ADE3	2-2D63	T70L0080
1197	隋	D0C3	AF85	6F86	A2ADE4	2-2D64	T70M0080
1198	隳	D0C4	AF86	6F87	A2ADE5	2-2D65	T70N0080
1199	隳	D0C5	AF87	6F88	A2ADE6	2-2D66	T70O0080
1200	陟	D0C6	AF88	6F89	A2ADE7	2-2D67	T70P0080
1201	陟	D0C7	AF89	6F8A	A2ADE8	2-2D68	T70Q0080
1202	倥	D0C8	AF8A	6F8B	A2ADE9	2-2D69	T70R0080
1203	倥	D0C9	AF8B	6F8C	A2ADEA	2-2D6A	T70S0080
1204	倥	D0CA	AF8C	6F8D	A2ADEB	2-2D6B	T70T0080
1205	倥	D0CB	AF8D	6F8E	A2ADEC	2-2D6C	T70U0080
1206	倥	D0CC	AF8E	6F8F	A2ADED	2-2D6D	T70V0080
1207	倥	D0CD	AF8F	6F90	A2ADEE	2-2D6E	T70W0080
1208	倥	D0CE	AF90	6F91	A2ADEF	2-2D6F	T70X0080
1209	倥	D0CF	AF91	6F92	A2ADF0	2-2D70	T70Y0080
1210	倥	D0D0	AF92	6F93	A2ADF1	2-2D71	T70Z0080
1211	倥	D0D1	AF93	6F94	A2ADF2	2-2D72	T7100080
1212	倥	D0D2	AF94	6F95	A2ADF3	2-2D73	T7110080
1213	倥	D0D3	AF95	6F96	A2ADF4	2-2D74	T7120080
1214	倥	D0D4	AF96	6F97	A2ADF5	2-2D75	T7130080
1215	倥	D0D5	AF97	6F98	A2ADF6	2-2D76	T7140080
1216	倥	D0D6	AF98	6F99	A2ADF7	2-2D77	T7150080
1217	倥	D0D7	AF99	6F9A	A2ADF8	2-2D78	T7160080
1218	倥	D0D8	AF9A	6F9B	A2ADF9	2-2D79	T7170080
1219	倥	D0D9	AF9B	6F9C	A2ADFA	2-2D7A	T7180080
1220	倥	D0DA	AF9C	6F9D	A2ADFB	2-2D7B	T7190080
1221	倥	D0DB	AF9D	6F9E	A2ADFC	2-2D7C	T71A0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 48 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1222	俚	D0DC	AF9E	6F9F	A2ADFD	2-2D7D	T71B0080
1223	俛	D0DD	AF9F	6FA0	A2ADFE	2-2D7E	T71C0080
1224	党	D0DE	AFA0	6FA1	A2AEA1	2-2E21	T71D0080
1225	尋	D0DF	AFA1	6FA2	A2AEA2	2-2E22	T71E0080
1226	蕇	D0E0	AFA2	6FA3	A2AEA3	2-2E23	T71F0080
1227	清	D0E1	AFA3	6FA4	A2AEA4	2-2E24	T71G0080
1228	淒	D0E2	AFA4	6FA5	A2AEA5	2-2E25	T71H0080
1229	涸	D0E3	AFA5	6FA6	A2AEA6	2-2E26	T71I0080
1230	淨	D0E4	AFA6	6FA7	A2AEA7	2-2E27	T71J0080
1231	凜	D0E5	AFA7	6FA8	A2AEA8	2-2E28	T71K0080
1232	剡	D0E6	AFA8	6FA9	A2AEA9	2-2E29	T71L0080
1233	剗	D0E7	AFA9	6FAA	A2AEAA	2-2E2A	T71M0080
1234	剗	D0E8	AFAA	6FAB	A2AEAB	2-2E2B	T71N0080
1235	剗	D0E9	AFAB	6FAC	A2AEAC	2-2E2C	T71O0080
1236	剗	D0EA	AFAC	6FAD	A2AEAD	2-2E2D	T71P0080
1237	剗	D0EB	AFAD	6FAE	A2AEAE	2-2E2E	T71Q0080
1238	剗	D0EC	AFAE	6FAF	A2AEAF	2-2E2F	T71R0080
1239	剗	D0ED	AFAF	6FB0	A2AEB0	2-2E30	T71S0080
1240	剗	D0EE	AFB0	6FB1	A2AEB1	2-2E31	T71T0080
1241	剗	D0EF	AFB1	6FB2	A2AEB2	2-2E32	T71U0080
1242	唳	D0F0	AFB2	6FB3	A2AEB3	2-2E33	T71V0080
1243	唳	D0F1	AFB3	6FB4	A2AEB4	2-2E34	T71W0080
1244	唳	D0F2	AFB4	6FB5	A2AEB5	2-2E35	T71X0080
1245	唳	D0F3	AFB5	6FB6	A2AEB6	2-2E36	T71Y0080
1246	唳	D0F4	AFB6	6FB7	A2AEB7	2-2E37	T71Z0080
1247	唳	D0F5	AFB7	6FB8	A2AEB8	2-2E38	T7200080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 49 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1248	嘍	D0F6	AFB8	6FB9	A2AEB9	2-2E39	T7210080
1249	嘍	D0F7	AFB9	6FBA	A2AEB9	2-2E3A	T7220080
1250	嘍	D0F8	AFBA	6FBB	A2AEBB	2-2E3B	T7230080
1251	嘍	D0F9	AFBB	6FBC	A2AEB9	2-2E3C	T7240080
1252	嘍	D0FA	AFBC	6FBD	A2AEBD	2-2E3D	T7250080
1253	嘍	D0FB	AFBD	6FBE	A2AEBE	2-2E3E	T7260080
1254	嘍	D0FC	AFBE	6FBF	A2AEBF	2-2E3F	T7270080
1255	嘍	D0FD	AFBF	6FC0	A2AEC0	2-2E40	T7280080
1256	嘍	D0FE	AFC0	6FC1	A2AEC1	2-2E41	T7290080
1257	嘍	D140	AFC1	6FC2	A2AEC2	2-2E42	T72A0080
1258	嘍	D141	AFC2	6FC3	A2AEC3	2-2E43	T72B0080
1259	嘍	D142	AFC3	6FC4	A2AEC4	2-2E44	T72C0080
1260	嘍	D143	AFC4	6FC5	A2AEC5	2-2E45	T72D0080
1261	嘍	D144	AFC5	6FC6	A2AEC6	2-2E46	T72E0080
1262	嘍	D145	AFC6	6FC7	A2AEC7	2-2E47	T72F0080
1263	嘍	D146	AFC7	6FC8	A2AEC8	2-2E48	T72G0080
1264	嘍	D147	AFC8	6FC9	A2AEC9	2-2E49	T72H0080
1265	嘍	D148	AFC9	6FCA	A2AECA	2-2E4A	T72I0080
1266	嘍	D149	AFCA	6FCB	A2AECB	2-2E4B	T72J0080
1267	嘍	D14A	AFCB	6FCC	A2AECC	2-2E4C	T72K0080
1268	嘍	D14B	AFCC	6FCD	A2AECD	2-2E4D	T72L0080
1269	嘍	D14C	AFCD	6FCE	A2AECE	2-2E4E	T72M0080
1270	嘍	D14D	AFCE	6FCF	A2AECF	2-2E4F	T72N0080
1271	嘍	D14E	AFCF	6FD0	A2AED0	2-2E50	T72O0080
1272	嘍	D14F	AFD0	6FD1	A2AED1	2-2E51	T72P0080
1273	嘍	D150	AFD1	6FD2	A2AED2	2-2E52	T72Q0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 50 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1274	壘	D151	AFD2	6FD3	A2AED3	2-2E53	T72R0080
1275	堦	D152	AFD3	6FD4	A2AED4	2-2E54	T72S0080
1276	埤	D153	AFD4	6FD5	A2AED5	2-2E55	T72T0080
1277	埤	D154	AFD5	6FD6	A2AED6	2-2E56	T72U0080
1278	埤	D155	AFD6	6FD7	A2AED7	2-2E57	T72V0080
1279	埤	D156	AFD7	6FD8	A2AED8	2-2E58	T72W0080
1280	埤	D157	AFD8	6FD9	A2AED9	2-2E59	T72X0080
1281	埤	D158	AFD9	6FDA	A2AEDA	2-2E5A	T72Y0080
1282	埤	D159	AFDA	6FDB	A2AEDB	2-2E5B	T72Z0080
1283	媿	D15A	AFDB	6FDC	A2AEDC	2-2E5C	T7300080
1284	媿	D15B	AFDC	6FDD	A2AEDD	2-2E5D	T7310080
1285	媿	D15C	AFDD	6FDE	A2AEDE	2-2E5E	T7320080
1286	媿	D15D	AFDE	6FDF	A2AEDF	2-2E5F	T7330080
1287	媿	D15E	AFDF	6FE0	A2AEE0	2-2E60	T7340080
1288	媿	D15F	AFE0	6FE1	A2AEE1	2-2E61	T7350080
1289	媿	D160	AFE1	6FE2	A2AEE2	2-2E62	T7360080
1290	媿	D161	AFE2	6FE3	A2AEE3	2-2E63	T7370080
1291	媿	D162	AFE3	6FE4	A2AEE4	2-2E64	T7380080
1292	媿	D163	AFE4	6FE5	A2AEE5	2-2E65	T7390080
1293	媿	D164	AFE5	6FE6	A2AEE6	2-2E66	T73A0080
1294	媿	D165	AFE6	6FE7	A2AEE7	2-2E67	T73B0080
1295	媿	D166	AFE7	6FE8	A2AEE8	2-2E68	T73C0080
1296	媿	D167	AFE8	6FE9	A2AEE9	2-2E69	T73D0080
1297	媿	D168	AFE9	6FEA	A2AEEA	2-2E6A	T73E0080
1298	媿	D169	AFEA	6FEB	A2AEEB	2-2E6B	T73F0080
1299	媿	D16A	AFEB	6FEC	A2AEEC	2-2E6C	T73G0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 51 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1300	呢	D16B	AFEC	6FED	A2AEED	2-2E6D	T73H0080
1301	哺	D16C	AFED	6FEE	A2AEEE	2-2E6E	T73I0080
1302	嶠	D16D	AFEE	6FEF	A2AEFF	2-2E6F	T73J0080
1303	嶧	D16E	AFF0	6FF0	A2AEF0	2-2E70	T73K0080
1304	獠	D16F	AFF1	6FF1	A2AEF1	2-2E71	T73L0080
1305	宰	D170	AFF2	6FF2	A2AEF2	2-2E72	T73M0080
1306	崑	D171	AFF3	6FF3	A2AEF3	2-2E73	T73N0080
1307	崙	D172	AFF4	6FF4	A2AEF4	2-2E74	T73O0080
1308	崘	D173	AFF5	6FF5	A2AEF5	2-2E75	T73P0080
1309	崙	D174	AFF6	6FF6	A2AEF6	2-2E76	T73Q0080
1310	崞	D175	AFF7	6FF7	A2AEF7	2-2E77	T73R0080
1311	崟	D176	AFF8	6FF8	A2AEF8	2-2E78	T73S0080
1312	崠	D177	AFF9	6FF9	A2AEF9	2-2E79	T73T0080
1313	崡	D178	AFFA	6FFA	A2AEFA	2-2E7A	T73U0080
1314	崢	D179	AFFB	6FFB	A2AEFB	2-2E7B	T73V0080
1315	崣	D17A	AFFC	6FFC	A2AEFC	2-2E7C	T73W0080
1316	崤	D17B	AFFD	6FFD	A2AEFD	2-2E7D	T73X0080
1317	愬	D17C	B040	7041	A2AEFE	2-2E7E	T7410080
1318	恚	D17D	B041	7042	A2AFA1	2-2F21	T7420080
1319	恚	D17E	B042	7043	A2AFA2	2-2F22	T7430080
1320	恚	D1A1	B043	7044	A2AFA3	2-2F23	T7440080
1321	愠	D1A2	B044	7045	A2AFA4	2-2F24	T7450080
1322	愠	D1A3	B045	7046	A2AFA5	2-2F25	T7460080
1323	愠	D1A4	B046	7047	A2AFA6	2-2F26	T7470080
1324	愠	D1A5	B047	7048	A2AFA7	2-2F27	T7480080
1325	愠	D1A6	B048	7049	A2AFA8	2-2F28	T7490080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 52 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1326	悝	D1A7	B049	704A	A2AFA9	2-2F29	T74A0080
1327	悞	D1A8	B04A	704B	A2AFAA	2-2F2A	T74B0080
1328	悝	D1A9	B04B	704C	A2AFAB	2-2F2B	T74C0080
1329	悞	D1AA	B04C	704D	A2AFAC	2-2F2C	T74D0080
1330	悞	D1AB	B04D	704E	A2AFAD	2-2F2D	T74E0080
1331	悞	D1AC	B04E	704F	A2AFAE	2-2F2E	T74F0080
1332	悞	D1AD	B04F	7050	A2AFAF	2-2F2F	T74G0080
1333	悞	D1AE	B050	7051	A2AFB0	2-2F30	T74H0080
1334	悞	D1AF	B051	7052	A2AFB1	2-2F31	T74I0080
1335	悞	D1B0	B052	7053	A2AFB2	2-2F32	T74J0080
1336	悞	D1B1	B053	7054	A2AFB3	2-2F33	T74K0080
1337	悞	D1B2	B054	7055	A2AFB4	2-2F34	T74L0080
1338	悞	D1B3	B055	7056	A2AFB5	2-2F35	T74M0080
1339	悞	D1B4	B056	7057	A2AFB6	2-2F36	T74N0080
1340	悞	D1B5	B057	7058	A2AFB7	2-2F37	T74O0080
1341	悞	D1B6	B058	7059	A2AFB8	2-2F38	T74P0080
1342	悞	D1B7	B059	705A	A2AFB9	2-2F39	T74Q0080
1343	悞	D1B8	B05A	705B	A2AFBA	2-2F3A	T74R0080
1344	悞	D1B9	B05B	705C	A2AFBB	2-2F3B	T74S0080
1345	悞	D1BA	B05C	705D	A2AFBC	2-2F3C	T74T0080
1346	悞	D1BB	B05D	705E	A2AFBD	2-2F3D	T74U0080
1347	悞	D1BC	B05E	705F	A2AFBE	2-2F3E	T74V0080
1348	悞	D1BD	B05F	7060	A2AFBF	2-2F3F	T74W0080
1349	悞	D1BE	B060	7061	A2AFC0	2-2F40	T74X0080
1350	悞	D1BF	B061	7062	A2AFC1	2-2F41	T74Y0080
1351	悞	D1C0	B062	7063	A2AFC2	2-2F42	T74Z0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 53 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1352	掇	D1C1	B063	7064	A2AFC3	2-2F43	T7500080
1353	摘	D1C2	B064	7065	A2AFC4	2-2F44	T7510080
1354	揀	D1C3	B065	7066	A2AFC5	2-2F45	T7520080
1355	揆	D1C4	B066	7067	A2AFC6	2-2F46	T7530080
1356	揀	D1C5	B067	7068	A2AFC7	2-2F47	T7540080
1357	揜	D1C6	B068	7069	A2AFC8	2-2F48	T7550080
1358	揜	D1C7	B069	706A	A2AFC9	2-2F49	T7560080
1359	摸	D1C8	B06A	706B	A2AFCA	2-2F4A	T7570080
1360	揅	D1C9	B06B	706C	A2AFCB	2-2F4B	T7580080
1361	抄	D1CA	B06C	706D	A2AFCC	2-2F4C	T7590080
1362	揅	D1CB	B06D	706E	A2AFCD	2-2F4D	T75A0080
1363	揅	D1CC	B06E	706F	A2AFCE	2-2F4E	T75B0080
1364	欸	D1CD	B06F	7070	A2AFCF	2-2F4F	T75C0080
1365	欸	D1CE	B070	7071	A2AFD0	2-2F50	T75D0080
1366	旃	D1CF	B071	7072	A2AFD1	2-2F51	T75E0080
1367	旃	D1D0	B072	7073	A2AFD2	2-2F52	T75F0080
1368	旄	D1D1	B073	7074	A2AFD3	2-2F53	T75G0080
1369	旂	D1D2	B074	7075	A2AFD4	2-2F54	T75H0080
1370	睽	D1D3	B075	7076	A2AFD5	2-2F55	T75I0080
1371	晟	D1D4	B076	7077	A2AFD6	2-2F56	T75J0080
1372	睽	D1D5	B077	7078	A2AFD7	2-2F57	T75K0080
1373	曷	D1D6	B078	7079	A2AFD8	2-2F58	T75L0080
1374	臆	D1D7	B079	707A	A2AFD9	2-2F59	T75M0080
1375	眺	D1D8	B07A	707B	A2AFDA	2-2F5A	T75N0080
1376	楨	D1D9	B07B	707C	A2AFDB	2-2F5B	T75O0080
1377	棧	D1DA	B07C	707D	A2AFDC	2-2F5C	T75P0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 54 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1378	椏	D1DB	B07D	707E	A2AFDD	2-2F5D	T75Q0080
1379	栲	D1DC	B07E	707F	A2AFDE	2-2F5E	T75R0080
1380	栳	D1DD	B080	7081	A2AFDF	2-2F5F	T75T0080
1381	栲	D1DE	B081	7082	A2AFE0	2-2F60	T75U0080
1382	栳	D1DF	B082	7083	A2AFE1	2-2F61	T75V0080
1383	栲	D1E0	B083	7084	A2AFE2	2-2F62	T75W0080
1384	栳	D1E1	B084	7085	A2AFE3	2-2F63	T75X0080
1385	栲	D1E2	B085	7086	A2AFE4	2-2F64	T75Y0080
1386	栳	D1E3	B086	7087	A2AFE5	2-2F65	T75Z0080
1387	栲	D1E4	B087	7088	A2AFE6	2-2F66	T7600080
1388	栳	D1E5	B088	7089	A2AFE7	2-2F67	T7610080
1389	栲	D1E6	B089	708A	A2AFE8	2-2F68	T7620080
1390	栳	D1E7	B08A	708B	A2AFE9	2-2F69	T7630080
1391	栲	D1E8	B08B	708C	A2AFEA	2-2F6A	T7640080
1392	栳	D1E9	B08C	708D	A2AFEB	2-2F6B	T7650080
1393	栲	D1EA	B08D	708E	A2AFEC	2-2F6C	T7660080
1394	栳	D1EB	B08E	708F	A2AFED	2-2F6D	T7670080
1395	栲	D1EC	B08F	7090	A2AFEE	2-2F6E	T7680080
1396	栳	D1ED	B090	7091	A2AFEF	2-2F6F	T7690080
1397	栲	D1EE	B091	7092	A2AFF0	2-2F70	T76A0080
1398	栳	D1EF	B092	7093	A2AFF1	2-2F71	T76B0080
1399	栲	D1F0	B093	7094	A2AFF2	2-2F72	T76C0080
1400	栳	D1F1	B094	7095	A2AFF3	2-2F73	T76D0080
1401	栲	D1F2	B095	7096	A2AFF4	2-2F74	T76E0080
1402	栳	D1F3	B096	7097	A2AFF5	2-2F75	T76F0080
1403	栲	D1F4	B097	7098	A2AFF6	2-2F76	T76G0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 55 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1404	欵	D1F5	B098	7099	A2AFF7	2-2F77	T76H0080
1405	欵	D1F6	B099	709A	A2AFF8	2-2F78	T76I0080
1406	歐	D1F7	B09A	709B	A2AFF9	2-2F79	T76J0080
1407	飲	D1F8	B09B	709C	A2AFFA	2-2F7A	T76K0080
1408	飲	D1F9	B09C	709D	A2AFFB	2-2F7B	T76L0080
1409	峙	D1FA	B09D	709E	A2AFFC	2-2F7C	T76M0080
1410	肄	D1FB	B09E	709F	A2AFFD	2-2F7D	T76N0080
1411	殫	D1FC	B09F	70A0	A2AFFE	2-2F7E	T76O0080
1412	眊	D1FD	B0A0	70A1	A2B0A1	2-3021	T76P0080
1413	筵	D1FE	B0A1	70A2	A2B0A2	2-3022	T76Q0080
1414	毯	D240	B0A2	70A3	A2B0A3	2-3023	T76R0080
1415	翟	D241	B0A3	70A4	A2B0A4	2-3024	T76S0080
1416	氈	D242	B0A4	70A5	A2B0A5	2-3025	T76T0080
1417	氈	D243	B0A5	70A6	A2B0A6	2-3026	T76U0080
1418	氫	D244	B0A6	70A7	A2B0A7	2-3027	T76V0080
1419	沖	D245	B0A7	70A8	A2B0A8	2-3028	T76W0080
1420	浣	D246	B0A8	70A9	A2B0A9	2-3029	T76X0080
1421	浣	D247	B0A9	70AA	A2B0AA	2-302A	T76Y0080
1422	滓	D248	B0AA	70AB	A2B0AB	2-302B	T76Z0080
1423	涸	D249	B0AB	70AC	A2B0AC	2-302C	T7700080
1424	涇	D24A	B0AC	70AD	A2B0AD	2-302D	T7710080
1425	涇	D24B	B0AD	70AE	A2B0AE	2-302E	T7720080
1426	澗	D24C	B0AE	70AF	A2B0AF	2-302F	T7730080
1427	涇	D24D	B0AF	70B0	A2B0B0	2-3030	T7740080
1428	漚	D24E	B0B0	70B1	A2B0B1	2-3031	T7750080
1429	涇	D24F	B0B1	70B2	A2B0B2	2-3032	T7760080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 56 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1430	漑	D250	B0B2	70B3	A2B0B3	2-3033	T7770080
1431	漑	D251	B0B3	70B4	A2B0B4	2-3034	T7780080
1432	漑	D252	B0B4	70B5	A2B0B5	2-3035	T7790080
1433	漑	D253	B0B5	70B6	A2B0B6	2-3036	T77A0080
1434	漑	D254	B0B6	70B7	A2B0B7	2-3037	T77B0080
1435	漑	D255	B0B7	70B8	A2B0B8	2-3038	T77C0080
1436	漑	D256	B0B8	70B9	A2B0B9	2-3039	T77D0080
1437	漑	D257	B0B9	70BA	A2B0BA	2-303A	T77E0080
1438	漑	D258	B0BA	70BB	A2B0BB	2-303B	T77F0080
1439	漑	D259	B0BB	70BC	A2B0BC	2-303C	T77G0080
1440	漑	D25A	B0BC	70BD	A2B0BD	2-303D	T77H0080
1441	漑	D25B	B0BD	70BE	A2B0BE	2-303E	T77I0080
1442	漑	D25C	B0BE	70BF	A2B0BF	2-303F	T77J0080
1443	漑	D25D	B0BF	70C0	A2B0C0	2-3040	T77K0080
1444	漑	D25E	B0C0	70C1	A2B0C1	2-3041	T77L0080
1445	漑	D25F	B0C1	70C2	A2B0C2	2-3042	T77M0080
1446	漑	D260	B0C2	70C3	A2B0C3	2-3043	T77N0080
1447	漑	D261	B0C3	70C4	A2B0C4	2-3044	T77O0080
1448	漑	D262	B0C4	70C5	A2B0C5	2-3045	T77P0080
1449	漑	D263	B0C5	70C6	A2B0C6	2-3046	T77Q0080
1450	漑	D264	B0C6	70C7	A2B0C7	2-3047	T77R0080
1451	漑	D265	B0C7	70C8	A2B0C8	2-3048	T77S0080
1452	漑	D266	B0C8	70C9	A2B0C9	2-3049	T77T0080
1453	漑	D267	B0C9	70CA	A2B0CA	2-304A	T77U0080
1454	漑	D268	B0CA	70CB	A2B0CB	2-304B	T77V0080
1455	漑	D269	B0CB	70CC	A2B0CC	2-304C	T77W0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 10 (Page 57 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1456	烜	D26A	B0CC	70CD	A2B0CD	2-304D	T77X0080
1457	烜	D26B	B0CD	70CE	A2B0CE	2-304E	T77Y0080
1458	烜	D26C	B0CE	70CF	A2B0CF	2-304F	T77Z0080
1459	烜	D26D	B0CF	70D0	A2B0D0	2-3050	T7800080
1460	烜	D26E	B0D0	70D1	A2B0D1	2-3051	T7810080
1461	烜	D26F	B0D1	70D2	A2B0D2	2-3052	T7820080
1462	烜	D270	B0D2	70D3	A2B0D3	2-3053	T7830080
1463	烜	D271	B0D3	70D4	A2B0D4	2-3054	T7840080
1464	烜	D272	B0D4	70D5	A2B0D5	2-3055	T7850080
1465	烜	D273	B0D5	70D6	A2B0D6	2-3056	T7860080
1466	烜	D274	B0D6	70D7	A2B0D7	2-3057	T7870080
1467	烜	D275	B0D7	70D8	A2B0D8	2-3058	T7880080
1468	烜	D276	B0D8	70D9	A2B0D9	2-3059	T7890080
1469	烜	D277	B0D9	70DA	A2B0DA	2-305A	T78A0080
1470	烜	D278	B0DA	70DB	A2B0DB	2-305B	T78B0080
1471	烜	D279	B0DB	70DC	A2B0DC	2-305C	T78C0080
1472	烜	D27A	B0DC	70DD	A2B0DD	2-305D	T78D0080
1473	烜	D27B	B0DD	70DE	A2B0DE	2-305E	T78E0080
1474	烜	D27C	B0DE	70DF	A2B0DF	2-305F	T78F0080
1475	烜	D27D	B0DF	70E0	A2B0E0	2-3060	T78G0080
1476	烜	D27E	B0E0	70E1	A2B0E1	2-3061	T78H0080
1477	烜	D2A1	B0E1	70E2	A2B0E2	2-3062	T78I0080
1478	烜	D2A2	B0E2	70E3	A2B0E3	2-3063	T78J0080
1479	烜	D2A3	B0E3	70E4	A2B0E4	2-3064	T78K0080
1480	烜	D2A4	B0E4	70E5	A2B0E5	2-3065	T78L0080
1481	烜	D2A5	B0E5	70E6	A2B0E6	2-3066	T78M0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 58 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1482	獬	D2A6	B0E6	70E7	A2B0E7	2-3067	T78N0080
1483	豨	D2A7	B0E7	70E8	A2B0E8	2-3068	T78O0080
1484	豨	D2A8	B0E8	70E9	A2B0E9	2-3069	T78P0080
1485	豨	D2A9	B0E9	70EA	A2B0EA	2-306A	T78Q0080
1486	豨	D2AA	B0EA	70EB	A2B0EB	2-306B	T78R0080
1487	豨	D2AB	B0EB	70EC	A2B0EC	2-306C	T78S0080
1488	豨	D2AC	B0EC	70ED	A2B0ED	2-306D	T78T0080
1489	豨	D2AD	B0ED	70EE	A2B0EE	2-306E	T78U0080
1490	豨	D2AE	B0EE	70EF	A2B0EF	2-306F	T78V0080
1491	豨	D2AF	B0EF	70F0	A2B0F0	2-3070	T78W0080
1492	豨	D2B0	B0F0	70F1	A2B0F1	2-3071	T78X0080
1493	豨	D2B1	B0F1	70F2	A2B0F2	2-3072	T78Y0080
1494	豨	D2B2	B0F2	70F3	A2B0F3	2-3073	T78Z0080
1495	豨	D2B3	B0F3	70F4	A2B0F4	2-3074	T7900080
1496	豨	D2B4	B0F4	70F5	A2B0F5	2-3075	T7910080
1497	豨	D2B5	B0F5	70F6	A2B0F6	2-3076	T7920080
1498	豨	D2B6	B0F6	70F7	A2B0F7	2-3077	T7930080
1499	豨	D2B7	B0F7	70F8	A2B0F8	2-3078	T7940080
1500	豨	D2B8	B0F8	70F9	A2B0F9	2-3079	T7950080
1501	豨	D2B9	B0F9	70FA	A2B0FA	2-307A	T7960080
1502	豨	D2BA	B0FA	70FB	A2B0FB	2-307B	T7970080
1503	豨	D2BB	B0FB	70FC	A2B0FC	2-307C	T7980080
1504	豨	D2BC	B0FC	70FD	A2B0FD	2-307D	T7990080
1505	豨	D2BD	B140	7141	A2B0FE	2-307E	T79D0080
1506	豨	D2BE	B141	7142	A2B1A1	2-3121	T79E0080
1507	豨	D2BF	B142	7143	A2B1A2	2-3122	T79F0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 10 (Page 59 of 59). Secondary Chinese Character Set (1 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1508	牲	D2C0	B143	7144	A2B1A3	2-3123	T79G0080
1509	眈	D2C1	B144	7145	A2B1A4	2-3124	T79H0080
1510	曼	D2C2	B145	7146	A2B1A5	2-3125	T79I0080
1511	疰	D2C3	B146	7147	A2B1A6	2-3126	T79J0080
1512	疴	D2C4	B147	7148	A2B1A7	2-3127	T79K0080
1513	痕	D2C5	B148	7149	A2B1A8	2-3128	T79L0080
1514	疥	D2C6	B149	714A	A2B1A9	2-3129	T79M0080
1515	痂	D2C7	B14A	714B	A2B1AA	2-312A	T79N0080
1516	癩	D2C8	B14B	714C	A2B1AB	2-312B	T79O0080
1517	瘡	D2C9	B14C	714D	A2B1AC	2-312C	T79P0080
1518	疔	D2CA	B14D	714E	A2B1AD	2-312D	T79Q0080
1519	命	D2CB	B14E	714F	A2B1AE	2-312E	T79R0080
1520	盍	D2CC	B14F	7150	A2B1AF	2-312F	T79S0080
1521	眈	D2CD	B150	7151	A2B1B0	2-3130	T79T0080
1522	昧	D2CE	B151	7152	A2B1B1	2-3131	T79U0080
1523	眈	D2CF	B152	7153	A2B1B2	2-3132	T79V0080
1524	眈	D2D0	B153	7154	A2B1B3	2-3133	T79W0080
1525	眈	D2D1	B154	7155	A2B1B4	2-3134	T79X0080
1526	眈	D2D2	B155	7156	A2B1B5	2-3135	T79Y0080
1527	眈	D2D3	B156	7157	A2B1B6	2-3136	T79Z0080
1528	眈	D2D4	B157	7158	A2B1B7	2-3137	T7A00080
1529	眈	D2D5	B158	7159	A2B1B8	2-3138	T7A10080
1530	眈	D2D6	B159	715A	A2B1B9	2-3139	T7A20080
1531	眈	D2D7	B15A	715B	A2B1BA	2-313A	T7A30080

Note: * This character was once defined in CNS 11643-1984 but deleted in CNS 11643-1986. It is not included in GCSGID 01076. The corresponding *code point* in CNS 11643 13th plane can be determined by ignoring the most significant bit from *EUC code points* or may be substituted.




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

8.7 Secondary Chinese Character Set (2 of 5)

Table 11 (Page 1 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1532	昭	D2D8	B15B	715C	A2B1BB	2-313B	T7A40080
1533	斫	D2D9	B15C	715D	A2B1BC	2-313C	T7A50080
1534	礪	D2DA	B15D	715E	A2B1BD	2-313D	T7A60080
1535	礪	D2DB	B15E	715F	A2B1BE	2-313E	T7A70080
1536	碲	D2DC	B15F	7160	A2B1BF	2-313F	T7A80080
1537	碲	D2DD	B160	7161	A2B1C0	2-3140	T7A90080
1538	礪	D2DE	B161	7162	A2B1C1	2-3141	T7AA0080
1539	礪	D2DF	B162	7163	A2B1C2	2-3142	T7AB0080
1540	碲	D2E0	B163	7164	A2B1C3	2-3143	T7AC0080
1541	碲	D2E1	B164	7165	A2B1C4	2-3144	T7AD0080
1542	礪	D2E2	B165	7166	A2B1C5	2-3145	T7AE0080
1543	礪	D2E3	B166	7167	A2B1C6	2-3146	T7AF0080
1544	礪	D2E4	B167	7168	A2B1C7	2-3147	T7AG0080
1545	礪	D2E5	B168	7169	A2B1C8	2-3148	T7AH0080
1546	礪	D2E6	B169	716A	A2B1C9	2-3149	T7AI0080
1547	礪	D2E7	B16A	716B	A2B1CA	2-314A	T7AJ0080
1548	礪	D2E8	B16B	716C	A2B1CB	2-314B	T7AK0080
1549	礪	D2E9	B16C	716D	A2B1CC	2-314C	T7AL0080
1550	礪	D2EA	B16D	716E	A2B1CD	2-314D	T7AM0080
1551	礪	D2EB	B16E	716F	A2B1CE	2-314E	T7AN0080
1552	礪	D2EC	B16F	7170	A2B1CF	2-314F	T7AO0080
1553	礪	D2ED	B170	7171	A2B1D0	2-3150	T7AP0080
1554	礪	D2EE	B171	7172	A2B1D1	2-3151	T7AQ0080
1555	礪	D2EF	B172	7173	A2B1D2	2-3152	T7AR0080
1556	礪	D2F0	B173	7174	A2B1D3	2-3153	T7AS0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 2 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1557	秣	D2F1	B174	7175	A2B1D4	2-3154	T7AT0080
1558	秣	D2F2	B175	7176	A2B1D5	2-3155	T7AU0080
1559	秣	D2F3	B176	7177	A2B1D6	2-3156	T7AV0080
1560	袖	D2F4	B177	7178	A2B1D7	2-3157	T7AW0080
1561	秣	D2F5	B178	7179	A2B1D8	2-3158	T7AX0080
1562	窰	D2F6	B179	717A	A2B1D9	2-3159	T7AY0080
1563	窰	D2F7	B17A	717B	A2B1DA	2-315A	T7AZ0080
1564	窰	D2F8	B17B	717C	A2B1DB	2-315B	T7B00080
1565	窰	D2F9	B17C	717D	A2B1DC	2-315C	T7B10080
1566	窰	D2FA	B17D	717E	A2B1DD	2-315D	T7B20080
1567	窰	D2FB	B17E	717F	A2B1DE	2-315E	T7B30080
1568	窰	D2FC	B180	7181	A2B1DF	2-315F	T7B50080
1569	窰	D2FD	B181	7182	A2B1E0	2-3160	T7B60080
1570	笱	D2FE	B182	7183	A2B1E1	2-3161	T7B70080
1571	笱	D340	B183	7184	A2B1E2	2-3162	T7B80080
1572	笱	D341	B184	7185	A2B1E3	2-3163	T7B90080
1573	笱	D342	B185	7186	A2B1E4	2-3164	T7BA0080
1574	笱	D343	B186	7187	A2B1E5	2-3165	T7BB0080
1575	笱	D344	B187	7188	A2B1E6	2-3166	T7BC0080
1576	笱	D345	B188	7189	A2B1E7	2-3167	T7BD0080
1577	笱	D346	B189	718A	A2B1E8	2-3168	T7BE0080
1578	笱	D347	B18A	718B	A2B1E9	2-3169	T7BF0080
1579	笱	D348	B18B	718C	A2B1EA	2-316A	T7BG0080
1580	笱	D349	B18C	718D	A2B1EB	2-316B	T7BH0080
1581	笱	D34A	B18D	718E	A2B1EC	2-316C	T7BI0080
1582	笱	D34B	B18E	718F	A2B1ED	2-316D	T7BJ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 3 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1583	糲	D34C	B18F	7190	A2B1EE	2-316E	T7BK0080
1584	粃	D34D	B190	7191	A2B1EF	2-316F	T7BL0080
1585	粃	D34E	B191	7192	A2B1F0	2-3170	T7BM0080
1586	糲	D34F	B192	7193	A2B1F1	2-3171	T7BN0080
1587	紉	D350	B193	7194	A2B1F2	2-3172	T7BO0080
1588	紉	D351	B194	7195	A2B1F3	2-3173	T7BP0080
1589	紉	D352	B195	7196	A2B1F4	2-3174	T7BQ0080
1590	紉	D353	B196	7197	A2B1F5	2-3175	T7BR0080
1591	紉	D354	B197	7198	A2B1F6	2-3176	T7BS0080
1592	紉	D355	B198	7199	A2B1F7	2-3177	T7BT0080
1593	紉	D356	B199	719A	A2B1F8	2-3178	T7BU0080
1594	紉	D357	B19A	719B	A2B1F9	2-3179	T7BV0080
1595	紉	D358	B19B	719C	A2B1FA	2-317A	T7BW0080
1596	紉	D359	B19C	719D	A2B1FB	2-317B	T7BX0080
1597	紉	D35A	B19D	719E	A2B1FC	2-317C	T7BY0080
1598	罍	D35B	B19E	719F	A2B1FD	2-317D	T7BZ0080
1599	罍	D35C	B19F	71A0	A2B1FE	2-317E	T7C00080
1600	罍	D35D	B1A0	71A1	A2B2A1	2-3221	T7C10080
1601	罍	D35E	B1A1	71A2	A2B2A2	2-3222	T7C20080
1602	罍	D35F	B1A2	71A3	A2B2A3	2-3223	T7C30080
1603	罍	D360	B1A3	71A4	A2B2A4	2-3224	T7C40080
1604	罍	D361	B1A4	71A5	A2B2A5	2-3225	T7C50080
1605	罍	D362	B1A5	71A6	A2B2A6	2-3226	T7C60080
1606	罍	D363	B1A6	71A7	A2B2A7	2-3227	T7C70080
1607	罍	D364	B1A7	71A8	A2B2A8	2-3228	T7C80080
1608	罍	D365	B1A8	71A9	A2B2A9	2-3229	T7C90080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 4 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1609	尠	D366	B1A9	71AA	A2B2AA	2-322A	T7CA0080
1610	聒	D367	B1AA	71AB	A2B2AB	2-322B	T7CB0080
1611	聆	D368	B1AB	71AC	A2B2AC	2-322C	T7CC0080
1612	腋	D369	B1AC	71AD	A2B2AD	2-322D	T7CD0080
1613	肢	D36A	B1AD	71AE	A2B2AE	2-322E	T7CE0080
1614	肱	D36B	B1AE	71AF	A2B2AF	2-322F	T7CF0080
1615	脛	D36C	B1AF	71B0	A2B2B0	2-3230	T7CG0080
1616	腓	D36D	B1B0	71B1	A2B2B1	2-3231	T7CH0080
1617	脗	D36E	B1B1	71B2	A2B2B2	2-3232	T7CI0080
1618	脘	D36F	B1B2	71B3	A2B2B3	2-3233	T7CJ0080
1619	舁	D370	B1B3	71B4	A2B2B4	2-3234	T7CK0080
1620	舂	D371	B1B4	71B5	A2B2B5	2-3235	T7CL0080
1621	舄	D372	B1B5	71B6	A2B2B6	2-3236	T7CM0080
1622	苙	D373	B1B6	71B7	A2B2B7	2-3237	T7CN0080
1623	苚	D374	B1B7	71B8	A2B2B8	2-3238	T7CO0080
1624	苛	D375	B1B8	71B9	A2B2B9	2-3239	T7CP0080
1625	苜	D376	B1B9	71BA	A2B2BA	2-323A	T7CQ0080
1626	萁	D377	B1BA	71BB	A2B2BB	2-323B	T7CR0080
1627	萒	D378	B1BB	71BC	A2B2BC	2-323C	T7CS0080
1628	萓	D379	B1BC	71BD	A2B2BD	2-323D	T7CT0080
1629	苧	D37A	B1BD	71BE	A2B2BE	2-323E	T7CU0080
1630	苨	D37B	B1BE	71BF	A2B2BF	2-323F	T7CV0080
1631	菀	D37C	B1BF	71C0	A2B2C0	2-3240	T7CW0080
1632	茜	D37D	B1C0	71C1	A2B2C1	2-3241	T7CX0080
1633	蒨	D37E	B1C1	71C2	A2B2C2	2-3242	T7CY0080
1634	萇	D3A1	B1C2	71C3	A2B2C3	2-3243	T7CZ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 5 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1635	莖	D3A2	B1C3	71C4	A2B2C4	2-3244	T7D00080
1636	莨	D3A3	B1C4	71C5	A2B2C5	2-3245	T7D10080
1637	莪	D3A4	B1C5	71C6	A2B2C6	2-3246	T7D20080
1638	莪	D3A5	B1C6	71C7	A2B2C7	2-3247	T7D30080
1639	筒	D3A6	B1C7	71C8	A2B2C8	2-3248	T7D40080
1640	莪	D3A7	B1C8	71C9	A2B2C9	2-3249	T7D50080
1641	莪	D3A8	B1C9	71CA	A2B2CA	2-324A	T7D60080
1642	莪	D3A9	B1CA	71CB	A2B2CB	2-324B	T7D70080
1643	莪	D3AA	B1CB	71CC	A2B2CC	2-324C	T7D80080
1644	莪	D3AB	B1CC	71CD	A2B2CD	2-324D	T7D90080
1645	莪	D3AC	B1CD	71CE	A2B2CE	2-324E	T7DA0080
1646	莪	D3AD	B1CE	71CF	A2B2CF	2-324F	T7DB0080
1647	莪	D3AE	B1CF	71D0	A2B2D0	2-3250	T7DC0080
1648	莪	D3AF	B1D0	71D1	A2B2D1	2-3251	T7DD0080
1649	莪	D3B0	B1D1	71D2	A2B2D2	2-3252	T7DE0080
1650	莪	D3B1	B1D2	71D3	A2B2D3	2-3253	T7DF0080
1651	莪	D3B2	B1D3	71D4	A2B2D4	2-3254	T7DG0080
1652	莪	D3B3	B1D4	71D5	A2B2D5	2-3255	T7DH0080
1653	莪	D3B4	B1D5	71D6	A2B2D6	2-3256	T7DI0080
1654	莪	D3B5	B1D6	71D7	A2B2D7	2-3257	T7DJ0080
1655	莪	D3B6	B1D7	71D8	A2B2D8	2-3258	T7DK0080
1656	莪	D3B7	B1D8	71D9	A2B2D9	2-3259	T7DL0080
1657	莪	D3B8	B1D9	71DA	A2B2DA	2-325A	T7DM0080
1658	莪	D3B9	B1DA	71DB	A2B2DB	2-325B	T7DN0080
1659	莪	D3BA	B1DB	71DC	A2B2DC	2-325C	T7DO0080
1660	莪	D3BB	B1DC	71DD	A2B2DD	2-325D	T7DP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 6 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1661	虬	D3BC	B1DD	71DE	A2B2DE	2-325E	T7DQ0080
1662	蛟	D3BD	B1DE	71DF	A2B2DF	2-325F	T7DR0080
1663	蛛	D3BE	B1DF	71E0	A2B2E0	2-3260	T7DS0080
1664	蜈	D3BF	B1E0	71E1	A2B2E1	2-3261	T7DT0080
1665	蚣	D3C0	B1E1	71E2	A2B2E2	2-3262	T7DU0080
1666	蚣	D3C1	B1E2	71E3	A2B2E3	2-3263	T7DV0080
1667	蚺	D3C2	B1E3	71E4	A2B2E4	2-3264	T7DW0080
1668	蜥	D3C3	B1E4	71E5	A2B2E5	2-3265	T7DX0080
1669	蜥	D3C4	B1E5	71E6	A2B2E6	2-3266	T7DY0080
1670	蚊	D3C5	B1E6	71E7	A2B2E7	2-3267	T7DZ0080
1671	蛉	D3C6	B1E7	71E8	A2B2E8	2-3268	T7E00080
1672	蚋	D3C7	B1E8	71E9	A2B2E9	2-3269	T7E10080
1673	蚋	D3C8	B1E9	71EA	A2B2EA	2-326A	T7E20080
1674	蚕	D3C9	B1EA	71EB	A2B2EB	2-326B	T7E30080
1675	虻	D3CA	B1EB	71EC	A2B2EC	2-326C	T7E40080
1676	蛆	D3CB	B1EC	71ED	A2B2ED	2-326D	T7E50080
1677	蚝	D3CC	B1ED	71EE	A2B2EE	2-326E	T7E60080
1678	蚶	D3CD	B1EE	71EF	A2B2EF	2-326F	T7E70080
1679	蚶	D3CE	B1EF	71F0	A2B2F0	2-3270	T7E80080
1680	蚶	D3CF	B1F0	71F1	A2B2F1	2-3271	T7E90080
1681	蚶	D3D0	B1F1	71F2	A2B2F2	2-3272	T7EA0080
1682	袂	D3D1	B1F2	71F3	A2B2F3	2-3273	T7EB0080
1683	袂	D3D2	B1F3	71F4	A2B2F4	2-3274	T7EC0080
1684	袂	D3D3	B1F4	71F5	A2B2F5	2-3275	T7ED0080
1685	袂	D3D4	B1F5	71F6	A2B2F6	2-3276	T7EE0080
1686	袂	D3D5	B1F6	71F7	A2B2F7	2-3277	T7EF0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC


Table 11 (Page 7 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1687	襪	D3D6	B1F7	71F8	A2B2F8	2-3278	T7EG0080
1688	衿	D3D7	B1F8	71F9	A2B2F9	2-3279	T7EH0080
1689	粉	D3D8	B1F9	71FA	A2B2FA	2-327A	T7EI0080
1690	袈	D3D9	B1FA	71FB	A2B2FB	2-327B	T7EJ0080
1691	袈	D3DA	B1FB	71FC	A2B2FC	2-327C	T7EK0080
1692	枕	D3DB	B1FC	71FD	A2B2FD	2-327D	T7EL0080
1693	枝	D3DC	B240	7241	A2B2FE	2-327E	T7EP0080
1694	認	D3DD	B241	7242	A2B3A1	2-3321	T7EQ0080
1695	甝	D3DE	B242	7243	A2B3A2	2-3322	T7ER0080
1696	鷹	D3DF	B243	7244	A2B3A3	2-3323	T7ES0080
1697	豺	D3E0	B244	7245	A2B3A4	2-3324	T7ET0080
1698	馳	D3E1	B245	7246	A2B3A5	2-3325	T7EU0080
1699	賞	D3E2	B246	7247	A2B3A6	2-3326	T7EV0080
1700	趕	D3E3	B247	7248	A2B3A7	2-3327	T7EW0080
1701	趨	D3E4	B248	7249	A2B3A8	2-3328	T7EX0080
1702	躑	D3E5	B249	724A	A2B3A9	2-3329	T7EY0080
1703	踈	D3E6	B24A	724B	A2B3AA	2-332A	T7EZ0080
1704	趿	D3E7	B24B	724C	A2B3AB	2-332B	T7F00080
1705	鞅	D3E8	B24C	724D	A2B3AC	2-332C	T7F10080
1706	輓	D3E9	B24D	724E	A2B3AD	2-332D	T7F20080
1707	邈	D3EA	B24E	724F	A2B3AE	2-332E	T7F30080
1708	迴	D3EB	B24F	7250	A2B3AF	2-332F	T7F40080
1709	适	D3EC	B250	7251	A2B3B0	2-3330	T7F50080
1710	逋	D3ED	B251	7252	A2B3B1	2-3331	T7F60080
1711	逄	D3EE	B252	7253	A2B3B2	2-3332	T7F70080
1712	逢	D3EF	B253	7254	A2B3B3	2-3333	T7F80080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 8 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1713	造	D3F0	B254	7255	A2B3B4	2-3334	T7F90080
1714	迨	D3F1	B255	7256	A2B3B5	2-3335	T7FA0080
1715	邨	D3F2	B256	7257	A2B3B6	2-3336	T7FB0080
1716	邨	D3F3	B257	7258	A2B3B7	2-3337	T7FC0080
1717	邨	D3F4	B258	7259	A2B3B8	2-3338	T7FD0080
1718	邨	D3F5	B259	725A	A2B3B9	2-3339	T7FE0080
1719	邨	D3F6	B25A	725B	A2B3BA	2-333A	T7FF0080
1720	邨	D3F7	B25B	725C	A2B3BB	2-333B	T7FG0080
1721	邨	D3F8	B25C	725D	A2B3BC	2-333C	T7FH0080
1722	邨	D3F9	B25D	725E	A2B3BD	2-333D	T7FI0080
1723	邨	D3FA	B25E	725F	A2B3BE	2-333E	T7FJ0080
1724	邨	D3FB	B25F	7260	A2B3BF	2-333F	T7FK0080
1725	邨	D3FC	B260	7261	A2B3C0	2-3340	T7FL0080
1726	邨	D3FD	B261	7262	A2B3C1	2-3341	T7FM0080
1727	耐	D3FE	B262	7263	A2B3C2	2-3342	T7FN0080
1728	耐	D440	B263	7264	A2B3C3	2-3343	T7FO0080
1729	耐	D441	B264	7265	A2B3C4	2-3344	T7FP0080
1730	釘	D442	B265	7266	A2B3C5	2-3345	T7FQ0080
1731	釘	D443	B266	7267	A2B3C6	2-3346	T7FR0080
1732	釘	D444	B267	7268	A2B3C7	2-3347	T7FS0080
1733	陝	D445	B268	7269	A2B3C8	2-3348	T7FT0080
1734	陟	D446	B269	726A	A2B3C9	2-3349	T7FU0080
1735	隼	D447	B26A	726B	A2B3CA	2-334A	T7FV0080
1736	釘	D448	B26B	726C	A2B3CB	2-334B	T7FW0080
1737	彭	D449	B26C	726D	A2B3CC	2-334C	T7FX0080
1738	鬯	D44A	B26D	726E	A2B3CD	2-334D	T7FY0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 9 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1739	糺	D44B	B26E	726F	A2B3CE	2-334E	T7FZ0080
1740	楔	D44C	B26F	7270	A2B3CF	2-334F	T7G00080
1741	偪	D44D	B270	7271	A2B3D0	2-3350	T7G10080
1742	偪	D44E	B271	7272	A2B3D1	2-3351	T7G20080
1743	僕	D44F	B272	7273	A2B3D2	2-3352	T7G30080
1744	偸	D450	B273	7274	A2B3D3	2-3353	T7G40080
1745	偸	D451	B274	7275	A2B3D4	2-3354	T7G50080
1746	偸	D452	B275	7276	A2B3D5	2-3355	T7G60080
1747	偸	D453	B276	7277	A2B3D6	2-3356	T7G70080
1748	偸	D454	B277	7278	A2B3D7	2-3357	T7G80080
1749	偸	D455	B278	7279	A2B3D8	2-3358	T7G90080
1750	偸	D456	B279	727A	A2B3D9	2-3359	T7GA0080
1751	偸	D457	B27A	727B	A2B3DA	2-335A	T7GB0080
1752	偸	D458	B27B	727C	A2B3DB	2-335B	T7GC0080
1753	偸	D459	B27C	727D	A2B3DC	2-335C	T7GD0080
1754	偸	D45A	B27D	727E	A2B3DD	2-335D	T7GE0080
1755	偸	D45B	B27E	727F	A2B3DE	2-335E	T7GF0080
1756	偸	D45C	B280	7281	A2B3DF	2-335F	T7GH0080
1757	偸	D45D	B281	7282	A2B3E0	2-3360	T7GI0080
1758	偸	D45E	B282	7283	A2B3E1	2-3361	T7GJ0080
1759	偸	D45F	B283	7284	A2B3E2	2-3362	T7GK0080
1760	偸	D460	B284	7285	A2B3E3	2-3363	T7GL0080
1761	偸	D461	B285	7286	A2B3E4	2-3364	T7GM0080
1762	偸	D462	B286	7287	A2B3E5	2-3365	T7GN0080
1763	偸	D463	B287	7288	A2B3E6	2-3366	T7GO0080
1764	偸	D464	B288	7289	A2B3E7	2-3367	T7GP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 10 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1765	俤	D465	B289	728A	A2B3E8	2-3368	T7GQ0080
1766	俥	D466	B28A	728B	A2B3E9	2-3369	T7GR0080
1767	俦	D467	B28B	728C	A2B3EA	2-336A	T7GS0080
1768	俸	D468	B28C	728D	A2B3EB	2-336B	T7GT0080
1769	劇	D469	B28D	728E	A2B3EC	2-336C	T7GU0080
1770	劇	D46A	B28E	728F	A2B3ED	2-336D	T7GV0080
1771	劇	D46B	B28F	7290	A2B3EE	2-336E	T7GW0080
1772	副	D46C	B290	7291	A2B3EF	2-336F	T7GX0080
1773	勛	D46D	B291	7292	A2B3F0	2-3370	T7GY0080
1774	勛	D46E	B292	7293	A2B3F1	2-3371	T7GZ0080
1775	匱	D46F	B293	7294	A2B3F2	2-3372	T7H00080
1776	匱	D470	B294	7295	A2B3F3	2-3373	T7H10080
1777	嗽	D471	B295	7296	A2B3F4	2-3374	T7H20080
1778	唸	D472	B296	7297	A2B3F5	2-3375	T7H30080
1779	唸	D473	B297	7298	A2B3F6	2-3376	T7H40080
1780	啍	D474	B298	7299	A2B3F7	2-3377	T7H50080
1781	啍	D475	B299	729A	A2B3F8	2-3378	T7H60080
1782	啍	D476	B29A	729B	A2B3F9	2-3379	T7H70080
1783	啍	D477	B29B	729C	A2B3FA	2-337A	T7H80080
1784	唸	D478	B29C	729D	A2B3FB	2-337B	T7H90080
1785	唸	D479	B29D	729E	A2B3FC	2-337C	T7HA0080
1786	唸	D47A	B29E	729F	A2B3FD	2-337D	T7HB0080
1787	唸	D47B	B29F	72A0	A2B3FE	2-337E	T7HC0080
1788	唸	D47C	B2A0	72A1	A2B4A1	2-3421	T7HD0080
1789	唸	D47D	B2A1	72A2	A2B4A2	2-3422	T7HE0080
1790	唸	D47E	B2A2	72A3	A2B4A3	2-3423	T7HF0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 11 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1791	哧	D4A1	B2A3	72A4	A2B4A4	2-3424	T7HG0080
1792	哧	D4A2	B2A4	72A5	A2B4A5	2-3425	T7HH0080
1793	哧	D4A3	B2A5	72A6	A2B4A6	2-3426	T7HI0080
1794	哧	D4A4	B2A6	72A7	A2B4A7	2-3427	T7HJ0080
1795	哧	D4A5	B2A7	72A8	A2B4A8	2-3428	T7HK0080
1796	哧	D4A6	B2A8	72A9	A2B4A9	2-3429	T7HL0080
1797	哧	D4A7	B2A9	72AA	A2B4AA	2-342A	T7HM0080
1798	哧	D4A8	B2AA	72AB	A2B4AB	2-342B	T7HN0080
1799	哧	D4A9	B2AB	72AC	A2B4AC	2-342C	T7HO0080
1800	哧	D4AA	B2AC	72AD	A2B4AD	2-342D	T7HP0080
1801	圉	D4AB	B2AD	72AE	A2B4AE	2-342E	T7HQ0080
1802	圉	D4AC	B2AE	72AF	A2B4AF	2-342F	T7HR0080
1803	埶	D4AD	B2AF	72B0	A2B4B0	2-3430	T7HS0080
1804	埶	D4AE	B2B0	72B1	A2B4B1	2-3431	T7HT0080
1805	埶	D4AF	B2B1	72B2	A2B4B2	2-3432	T7HU0080
1806	埶	D4B0	B2B2	72B3	A2B4B3	2-3433	T7HV0080
1807	埶	D4B1	B2B3	72B4	A2B4B4	2-3434	T7HW0080
1808	埶	D4B2	B2B4	72B5	A2B4B5	2-3435	T7HX0080
1809	埶	D4B3	B2B5	72B6	A2B4B6	2-3436	T7HY0080
1810	埶	D4B4	B2B6	72B7	A2B4B7	2-3437	T7HZ0080
1811	埶	D4B5	B2B7	72B8	A2B4B8	2-3438	T7I00080
1812	埶	D4B6	B2B8	72B9	A2B4B9	2-3439	T7I10080
1813	埶	D4B7	B2B9	72BA	A2B4BA	2-343A	T7I20080
1814	埶	D4B8	B2BA	72BB	A2B4BB	2-343B	T7I30080
1815	埶	D4B9	B2BB	72BC	A2B4BC	2-343C	T7I40080
1816	埶	D4BA	B2BC	72BD	A2B4BD	2-343D	T7I50080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 12 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1817	堇	D4BB	B2BD	72BE	A2B4BE	2-343E	T7I60080
1818	堃	D4BC	B2BE	72BF	A2B4BF	2-343F	T7I70080
1819	堌	D4BD	B2BF	72C0	A2B4C0	2-3440	T7I80080
1820	堍	D4BE	B2C0	72C1	A2B4C1	2-3441	T7I90080
1821	堑	D4BF	B2C1	72C2	A2B4C2	2-3442	T7IA0080
1822	堒	D4C0	B2C2	72C3	A2B4C3	2-3443	T7IB0080
1823	堓	D4C1	B2C3	72C4	A2B4C4	2-3444	T7IC0080
1824	堔	D4C2	B2C4	72C5	A2B4C5	2-3445	T7ID0080
1825	堕	D4C3	B2C5	72C6	A2B4C6	2-3446	T7IE0080
1826	堖	D4C4	B2C6	72C7	A2B4C7	2-3447	T7IF0080
1827	堗	D4C5	B2C7	72C8	A2B4C8	2-3448	T7IG0080
1828	堘	D4C6	B2C8	72C9	A2B4C9	2-3449	T7IH0080
1829	堙	D4C7	B2C9	72CA	A2B4CA	2-344A	T7II0080
1830	堚	D4C8	B2CA	72CB	A2B4CB	2-344B	T7IJ0080
1831	堛	D4C9	B2CB	72CC	A2B4CC	2-344C	T7IK0080
1832	堜	D4CA	B2CC	72CD	A2B4CD	2-344D	T7IL0080
1833	堝	D4CB	B2CD	72CE	A2B4CE	2-344E	T7IM0080
1834	堞	D4CC	B2CE	72CF	A2B4CF	2-344F	T7IN0080
1835	斐	D4CD	B2CF	72D0	A2B4D0	2-3450	T7IO0080
1836	娟	D4CE	B2D0	72D1	A2B4D1	2-3451	T7IP0080
1837	媵	D4CF	B2D1	72D2	A2B4D2	2-3452	T7IQ0080
1838	媿	D4D0	B2D2	72D3	A2B4D3	2-3453	T7IR0080
1839	婧	D4D1	B2D3	72D4	A2B4D4	2-3454	T7IS0080
1840	婷	D4D2	B2D4	72D5	A2B4D5	2-3455	T7IT0080
1841	嫛	D4D3	B2D5	72D6	A2B4D6	2-3456	T7IU0080
1842	嫞	D4D4	B2D6	72D7	A2B4D7	2-3457	T7IV0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 13 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1843	姪	D4D5	B2D7	72D8	A2B4D8	2-3458	T7IW0080
1844	媪	D4D6	B2D8	72D9	A2B4D9	2-3459	T7IX0080
1845	媯	D4D7	B2D9	72DA	A2B4DA	2-345A	T7IY0080
1846	媱	D4D8	B2DA	72DB	A2B4DB	2-345B	T7IZ0080
1847	媶	D4D9	B2DB	72DC	A2B4DC	2-345C	T7J00080
1848	媷	D4DA	B2DC	72DD	A2B4DD	2-345D	T7J10080
1849	媸	D4DB	B2DD	72DE	A2B4DE	2-345E	T7J20080
1850	媹	D4DC	B2DE	72DF	A2B4DF	2-345F	T7J30080
1851	媺	D4DD	B2DF	72E0	A2B4E0	2-3460	T7J40080
1852	媻	D4DE	B2E0	72E1	A2B4E1	2-3461	T7J50080
1853	媼	D4DF	B2E1	72E2	A2B4E2	2-3462	T7J60080
1854	媽	D4E0	B2E2	72E3	A2B4E3	2-3463	T7J70080
1855	媿	D4E1	B2E3	72E4	A2B4E4	2-3464	T7J80080
1856	媾	D4E2	B2E4	72E5	A2B4E5	2-3465	T7J90080
1857	媿	D4E3	B2E5	72E6	A2B4E6	2-3466	T7JA0080
1858	媾	D4E4	B2E6	72E7	A2B4E7	2-3467	T7JB0080
1859	媿	D4E5	B2E7	72E8	A2B4E8	2-3468	T7JC0080
1860	媾	D4E6	B2E8	72E9	A2B4E9	2-3469	T7JD0080
1861	媿	D4E7	B2E9	72EA	A2B4EA	2-346A	T7JE0080
1862	媾	D4E8	B2EA	72EB	A2B4EB	2-346B	T7JF0080
1863	媿	D4E9	B2EB	72EC	A2B4EC	2-346C	T7JG0080
1864	媾	D4EA	B2EC	72ED	A2B4ED	2-346D	T7JH0080
1865	媿	D4EB	B2ED	72EE	A2B4EE	2-346E	T7JI0080
1866	媾	D4EC	B2EE	72EF	A2B4EF	2-346F	T7JJ0080
1867	媿	D4ED	B2EF	72F0	A2B4F0	2-3470	T7JK0080
1868	媾	D4EE	B2F0	72F1	A2B4F1	2-3471	T7JL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 14 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1869	𡗗	D4EF	B2F1	72F2	A2B4F2	2-3472	T7JM0080
1870	𡗘	D4F0	B2F2	72F3	A2B4F3	2-3473	T7JN0080
1871	𡗙	D4F1	B2F3	72F4	A2B4F4	2-3474	T7JO0080
1872	𡗚	D4F2	B2F4	72F5	A2B4F5	2-3475	T7JP0080
1873	𡗛	D4F3	B2F5	72F6	A2B4F6	2-3476	T7JQ0080
1874	𡗜	D4F4	B2F6	72F7	A2B4F7	2-3477	T7JR0080
1875	𡗝	D4F5	B2F7	72F8	A2B4F8	2-3478	T7JS0080
1876	𡗞	D4F6	B2F8	72F9	A2B4F9	2-3479	T7JT0080
1877	𡗟	D4F7	B2F9	72FA	A2B4FA	2-347A	T7JU0080
1878	𡗠	D4F8	B2FA	72FB	A2B4FB	2-347B	T7JV0080
1879	𡗡	D4F9	B2FB	72FC	A2B4FC	2-347C	T7JW0080
1880	𡗢	D4FA	B2FC	72FD	A2B4FD	2-347D	T7JX0080
1881	𡗣	D4FB	B340	7341	A2B4FE	2-347E	T7K10080
1882	𡗤	D4FC	B341	7342	A2B5A1	2-3521	T7K20080
1883	𡗥	D4FD	B342	7343	A2B5A2	2-3522	T7K30080
1884	𡗦	D4FE	B343	7344	A2B5A3	2-3523	T7K40080
1885	𡗧	D540	B344	7345	A2B5A4	2-3524	T7K50080
1886	𡗨	D541	B345	7346	A2B5A5	2-3525	T7K60080
1887	𡗩	D542	B346	7347	A2B5A6	2-3526	T7K70080
1888	𡗪	D543	B347	7348	A2B5A7	2-3527	T7K80080
1889	𡗫	D544	B348	7349	A2B5A8	2-3528	T7K90080
1890	𡗬	D545	B349	734A	A2B5A9	2-3529	T7KA0080
1891	𡗭	D546	B34A	734B	A2B5AA	2-352A	T7KB0080
1892	𡗮	D547	B34B	734C	A2B5AB	2-352B	T7KC0080
1893	𡗯	D548	B34C	734D	A2B5AC	2-352C	T7KD0080
1894	𡗰	D549	B34D	734E	A2B5AD	2-352D	T7KE0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 15 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1895	廩	D54A	B34E	734F	A2B5AE	2-352E	T7KF0080
1896	庫	D54B	B34F	7350	A2B5AF	2-352F	T7KG0080
1897	諒	D54C	B350	7351	A2B5B0	2-3530	T7KH0080
1898	彌	D54D	B351	7352	A2B5B1	2-3531	T7KI0080
1899	倚	D54E	B352	7353	A2B5B2	2-3532	T7KJ0080
1900	徠	D54F	B353	7354	A2B5B3	2-3533	T7KK0080
1901	徇	D550	B354	7355	A2B5B4	2-3534	T7KL0080
1902	愬	D551	B355	7356	A2B5B5	2-3535	T7KM0080
1903	愨	D552	B356	7357	A2B5B6	2-3536	T7KN0080
1904	愩	D553	B357	7358	A2B5B7	2-3537	T7KO0080
1905	慳	D554	B358	7359	A2B5B8	2-3538	T7KP0080
1906	慄	D555	B359	735A	A2B5B9	2-3539	T7KQ0080
1907	慇	D556	B35A	735B	A2B5BA	2-353A	T7KR0080
1908	慈	D557	B35B	735C	A2B5BB	2-353B	T7KS0080
1909	慊	D558	B35C	735D	A2B5BC	2-353C	T7KT0080
1910	慍	D559	B35D	735E	A2B5BD	2-353D	T7KU0080
1911	慎	D55A	B35E	735F	A2B5BE	2-353E	T7KV0080
1912	慏	D55B	B35F	7360	A2B5BF	2-353F	T7KW0080
1913	慓	D55C	B360	7361	A2B5C0	2-3540	T7KX0080
1914	慔	D55D	B361	7362	A2B5C1	2-3541	T7KY0080
1915	慕	D55E	B362	7363	A2B5C2	2-3542	T7KZ0080
1916	慖	D55F	B363	7364	A2B5C3	2-3543	T7L00080
1917	慗	D560	B364	7365	A2B5C4	2-3544	T7L10080
1918	慘	D561	B365	7366	A2B5C5	2-3545	T7L20080
1919	慙	D562	B366	7367	A2B5C6	2-3546	T7L30080
1920	慚	D563	B367	7368	A2B5C7	2-3547	T7L40080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 16 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1921	儉	D564	B368	7369	A2B5C8	2-3548	T7L50080
1922	倫	D565	B369	736A	A2B5C9	2-3549	T7L60080
1923	擘	D566	B36A	736B	A2B5CA	2-354A	T7L70080
1924	攬	D567	B36B	736C	A2B5CB	2-354B	T7L80080
1925	掙	D568	B36C	736D	A2B5CC	2-354C	T7L90080
1926	掂	D569	B36D	736E	A2B5CD	2-354D	T7LA0080
1927	摔	D56A	B36E	736F	A2B5CE	2-354E	T7LB0080
1928	撞	D56B	B36F	7370	A2B5CF	2-354F	T7LC0080
1929	揆	D56C	B370	7371	A2B5D0	2-3550	T7LD0080
1930	搽	D56D	B371	7372	A2B5D1	2-3551	T7LE0080
1931	搥	D56E	B372	7373	A2B5D2	2-3552	T7LF0080
1932	搥	D56F	B373	7374	A2B5D3	2-3553	T7LG0080
1933	擻	D570	B374	7375	A2B5D4	2-3554	T7LH0080
1934	揸	D571	B375	7376	A2B5D5	2-3555	T7LI0080
1935	搥	D572	B376	7377	A2B5D6	2-3556	T7LJ0080
1936	擻	D573	B377	7378	A2B5D7	2-3557	T7LK0080
1937	搥	D574	B378	7379	A2B5D8	2-3558	T7LL0080
1938	搥	D575	B379	737A	A2B5D9	2-3559	T7LM0080
1939	揸	D576	B37A	737B	A2B5DA	2-355A	T7LN0080
1940	揸	D577	B37B	737C	A2B5DB	2-355B	T7LO0080
1941	揸	D578	B37C	737D	A2B5DC	2-355C	T7LP0080
1942	揸	D579	B37D	737E	A2B5DD	2-355D	T7LQ0080
1943	搥	D57A	B37E	737F	A2B5DE	2-355E	T7LR0080
1944	揸	D57B	B380	7381	A2B5DF	2-355F	T7LT0080
1945	搥	D57C	B381	7382	A2B5E0	2-3560	T7LU0080
1946	搥	D57D	B382	7383	A2B5E1	2-3561	T7LV0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 17 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1947	掟	D57E	B383	7384	A2B5E2	2-3562	T7LW0080
1948	掾	D5A1	B384	7385	A2B5E3	2-3563	T7LX0080
1949	攄	D5A2	B385	7386	A2B5E4	2-3564	T7LY0080
1950	振	D5A3	B386	7387	A2B5E5	2-3565	T7LZ0080
1951	棋	D5A4	B387	7388	A2B5E6	2-3566	T7M00080
1952	搨	D5A5	B388	7389	A2B5E7	2-3567	T7M10080
1953	擗	D5A6	B389	738A	A2B5E8	2-3568	T7M20080
1954	欸	D5A7	B38A	738B	A2B5E9	2-3569	T7M30080
1955	旡	D5A8	B38B	738C	A2B5EA	2-356A	T7M40080
1956	皖	D5A9	B38C	738D	A2B5EB	2-356B	T7M50080
1957	晡	D5AA	B38D	738E	A2B5EC	2-356C	T7M60080
1958	晡	D5AB	B38E	738F	A2B5ED	2-356D	T7M70080
1959	晡	D5AC	B38F	7390	A2B5EE	2-356E	T7M80080
1960	晡	D5AD	B390	7391	A2B5EF	2-356F	T7M90080
1961	晡	D5AE	B391	7392	A2B5F0	2-3570	T7MA0080
1962	旡	D5AF	B392	7393	A2B5F1	2-3571	T7MB0080
1963	根	D5B0	B393	7394	A2B5F2	2-3572	T7MC0080
1964	楫	D5B1	B394	7395	A2B5F3	2-3573	T7MD0080
1965	檣	D5B2	B395	7396	A2B5F4	2-3574	T7ME0080
1966	楫	D5B3	B396	7397	A2B5F5	2-3575	T7MF0080
1967	楫	D5B4	B397	7398	A2B5F6	2-3576	T7MG0080
1968	楫	D5B5	B398	7399	A2B5F7	2-3577	T7MH0080
1969	楫	D5B6	B399	739A	A2B5F8	2-3578	T7MI0080
1970	楫	D5B7	B39A	739B	A2B5F9	2-3579	T7MJ0080
1971	楫	D5B8	B39B	739C	A2B5FA	2-357A	T7MK0080
1972	楫	D5B9	B39C	739D	A2B5FB	2-357B	T7ML0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 18 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1973	椛	D5BA	B39D	739E	A2B5FC	2-357C	T7MM0080
1974	椛	D5BB	B39E	739F	A2B5FD	2-357D	T7MN0080
1975	椛	D5BC	B39F	73A0	A2B5FE	2-357E	T7MO0080
1976	椛	D5BD	B3A0	73A1	A2B6A1	2-3621	T7MP0080
1977	椛	D5BE	B3A1	73A2	A2B6A2	2-3622	T7MQ0080
1978	椛	D5BF	B3A2	73A3	A2B6A3	2-3623	T7MR0080
1979	椛	D5C0	B3A3	73A4	A2B6A4	2-3624	T7MS0080
1980	椛	D5C1	B3A4	73A5	A2B6A5	2-3625	T7MT0080
1981	椛	D5C2	B3A5	73A6	A2B6A6	2-3626	T7MU0080
1982	椛	D5C3	B3A6	73A7	A2B6A7	2-3627	T7MV0080
1983	椛	D5C4	B3A7	73A8	A2B6A8	2-3628	T7MW0080
1984	椛	D5C5	B3A8	73A9	A2B6A9	2-3629	T7MX0080
1985	椛	D5C6	B3A9	73AA	A2B6AA	2-362A	T7MY0080
1986	椛	D5C7	B3AA	73AB	A2B6AB	2-362B	T7MZ0080
1987	椛	D5C8	B3AB	73AC	A2B6AC	2-362C	T7N00080
1988	椛	D5C9	B3AC	73AD	A2B6AD	2-362D	T7N10080
1989	椛	D5CA	B3AD	73AE	A2B6AE	2-362E	T7N20080
1990	椛	D5CB	B3AE	73AF	A2B6AF	2-362F	T7N30080
1991	椛	D5CC	B3AF	73B0	A2B6B0	2-3630	T7N40080
1992	椛	D5CD	B3B0	73B1	A2B6B1	2-3631	T7N50080
1993	椛	D5CE	B3B1	73B2	A2B6B2	2-3632	T7N60080
1994	椛	D5CF	B3B2	73B3	A2B6B3	2-3633	T7N70080
1995	椛	D5D0	B3B3	73B4	A2B6B4	2-3634	T7N80080
1996	椛	D5D1	B3B4	73B5	A2B6B5	2-3635	T7N90080
1997	椛	D5D2	B3B5	73B6	A2B6B6	2-3636	T7NA0080
1998	椛	D5D3	B3B6	73B7	A2B6B7	2-3637	T7NB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 19 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1999	槩	D5D4	B3B7*	73B8*	A2B6B8	2-3638	TC3Q0080
2000	壘	D5D5	B3B8	73B9	A2B6B9	2-3639	T7ND0080
2001	欸	D5D6	B3B9	73BA	A2B6BA	2-363A	T7NE0080
2002	獻	D5D7	B3BA	73BB	A2B6BB	2-363B	T7NF0080
2003	歛	D5D8	B3BB	73BC	A2B6BC	2-363C	T7NG0080
2004	欸	D5D9	B3BC	73BD	A2B6BD	2-363D	T7NH0080
2005	苑	D5DA	B3BD	73BE	A2B6BE	2-363E	T7NI0080
2006	殽	D5DB	B3BE	73BF	A2B6BF	2-363F	T7NJ0080
2007	殄	D5DC	B3BF	73C0	A2B6C0	2-3640	T7NK0080
2008	殄	D5DD	B3C0	73C1	A2B6C1	2-3641	T7NL0080
2009	殄	D5DE	B3C1	73C2	A2B6C2	2-3642	T7NM0080
2010	氫	D5DF	B3C2	73C3	A2B6C3	2-3643	T7NN0080
2011	淀	D5E0	B3C3	73C4	A2B6C4	2-3644	T7NO0080
2012	涓	D5E1	B3C4	73C5	A2B6C5	2-3645	T7NP0080
2013	澆	D5E2	B3C5	73C6	A2B6C6	2-3646	T7NQ0080
2014	澆	D5E3	B3C6	73C7	A2B6C7	2-3647	T7NR0080
2015	澆	D5E4	B3C7	73C8	A2B6C8	2-3648	T7NS0080
2016	淖	D5E5	B3C8	73C9	A2B6C9	2-3649	T7NT0080
2017	淩	D5E6	B3C9	73CA	A2B6CA	2-364A	T7NU0080
2018	滅	D5E7	B3CA	73CB	A2B6CB	2-364B	T7NV0080
2019	漑	D5E8	B3CB	73CC	A2B6CC	2-364C	T7NW0080
2020	涑	D5E9	B3CC	73CD	A2B6CD	2-364D	T7NX0080
2021	涑	D5EA	B3CD	73CE	A2B6CE	2-364E	T7NY0080
2022	澆	D5EB	B3CE	73CF	A2B6CF	2-364F	T7NZ0080
2023	漏	D5EC	B3CF	73D0	A2B6D0	2-3650	T7O00080
2024	澆	D5ED	B3D0	73D1	A2B6D1	2-3651	T7O10080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 20 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2025	澳	D5EE	B3D1	73D2	A2B6D2	2-3652	T7O20080
2026	淖	D5EF	B3D2	73D3	A2B6D3	2-3653	T7O30080
2027	渌	D5F0	B3D3	73D4	A2B6D4	2-3654	T7O40080
2028	淥	D5F1	B3D4	73D5	A2B6D5	2-3655	T7O50080
2029	湖	D5F2	B3D5	73D6	A2B6D6	2-3656	T7O60080
2030	淝	D5F3	B3D6	73D7	A2B6D7	2-3657	T7O70080
2031	淞	D5F4	B3D7	73D8	A2B6D8	2-3658	T7O80080
2032	淠	D5F5	B3D8	73D9	A2B6D9	2-3659	T7O90080
2033	滔	D5F6	B3D9	73DA	A2B6DA	2-365A	T7OA0080
2034	湮	D5F7	B3DA	73DB	A2B6DB	2-365B	T7OB0080
2035	滌	D5F8	B3DB	73DC	A2B6DC	2-365C	T7OC0080
2036	滄	D5F9	B3DC	73DD	A2B6DD	2-365D	T7OD0080
2037	滄	D5FA	B3DD	73DE	A2B6DE	2-365E	T7OE0080
2038	滄	D5FB	B3DE	73DF	A2B6DF	2-365F	T7OF0080
2039	滄	D5FC	B3DF	73E0	A2B6E0	2-3660	T7OG0080
2040	滄	D5FD	B3E0	73E1	A2B6E1	2-3661	T7OH0080
2041	滄	D5FE	B3E1	73E2	A2B6E2	2-3662	T7OI0080
2042	滄	D640	B3E2	73E3	A2B6E3	2-3663	T7OJ0080
2043	滄	D641	B3E3	73E4	A2B6E4	2-3664	T7OK0080
2044	滄	D642	B3E4	73E5	A2B6E5	2-3665	T7OL0080
2045	滄	D643	B3E5	73E6	A2B6E6	2-3666	T7OM0080
2046	滄	D644	B3E6	73E7	A2B6E7	2-3667	T7ON0080
2047	滄	D645	B3E7	73E8	A2B6E8	2-3668	T7OO0080
2048	滄	D646	B3E8	73E9	A2B6E9	2-3669	T7OP0080
2049	滄	D647	B3E9	73EA	A2B6EA	2-366A	T7OQ0080
2050	滄	D648	B3EA	73EB	A2B6EB	2-366B	T7OR0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 21 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2051	焯	D649	B3EB	73EC	A2B6EC	2-366C	T7OS0080
2052	焯	D64A	B3EC	73ED	A2B6ED	2-366D	T7OT0080
2053	焯	D64B	B3ED	73EE	A2B6EE	2-366E	T7OU0080
2054	焯	D64C	B3EE	73EF	A2B6EF	2-366F	T7OV0080
2055	焯	D64D	B3EF	73F0	A2B6F0	2-3670	T7OW0080
2056	焯	D64E	B3F0	73F1	A2B6F1	2-3671	T7OX0080
2057	焯	D64F	B3F1	73F2	A2B6F2	2-3672	T7OY0080
2058	焯	D650	B3F2	73F3	A2B6F3	2-3673	T7OZ0080
2059	焯	D651	B3F3	73F4	A2B6F4	2-3674	T7P00080
2060	焯	D652	B3F4	73F5	A2B6F5	2-3675	T7P10080
2061	焯	D653	B3F5	73F6	A2B6F6	2-3676	T7P20080
2062	焯	D654	B3F6	73F7	A2B6F7	2-3677	T7P30080
2063	焯	D655	B3F7	73F8	A2B6F8	2-3678	T7P40080
2064	焯	D656	B3F8	73F9	A2B6F9	2-3679	T7P50080
2065	焯	D657	B3F9	73FA	A2B6FA	2-367A	T7P60080
2066	焯	D658	B3FA	73FB	A2B6FB	2-367B	T7P70080
2067	焯	D659	B3FB	73FC	A2B6FC	2-367C	T7P80080
2068	焯	D65A	B3FC	73FD	A2B6FD	2-367D	T7P90080
2069	焯	D65B	B440	7441	A2B6FE	2-367E	T7PD0080
2070	焯	D65C	B441	7442	A2B7A1	2-3721	T7PE0080
2071	焯	D65D	B442	7443	A2B7A2	2-3722	T7PF0080
2072	焯	D65E	B443	7444	A2B7A3	2-3723	T7PG0080
2073	焯	D65F	B444	7445	A2B7A4	2-3724	T7PH0080
2074	焯	D660	B445	7446	A2B7A5	2-3725	T7PI0080
2075	焯	D661	B446	7447	A2B7A6	2-3726	T7PJ0080
2076	焯	D662	B447	7448	A2B7A7	2-3727	T7PK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 22 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2077	猥	D663	B448	7449	A2B7A8	2-3728	T7PL0080
2078	獬	D664	B449	744A	A2B7A9	2-3729	T7PM0080
2079	猯	D665	B44A	744B	A2B7AA	2-372A	T7PN0080
2080	獭	D666	B44B	744C	A2B7AB	2-372B	T7PO0080
2081	獴	D667	B44C	744D	A2B7AC	2-372C	T7PP0080
2082	獾	D668	B44D	744E	A2B7AD	2-372D	T7PQ0080
2083	貉	D669	B44E	744F	A2B7AE	2-372E	T7PR0080
2084	貉	D66A	B44F	7450	A2B7AF	2-372F	T7PS0080
2085	瑋	D66B	B450	7451	A2B7B0	2-3730	T7PT0080
2086	瑛	D66C	B451	7452	A2B7B1	2-3731	T7PU0080
2087	瑛	D66D	B452	7453	A2B7B2	2-3732	T7PV0080
2088	瑛	D66E	B453	7454	A2B7B3	2-3733	T7PW0080
2089	瑛	D66F	B454	7455	A2B7B4	2-3734	T7PX0080
2090	瑛	D670	B455	7456	A2B7B5	2-3735	T7PY0080
2091	瑛	D671	B456	7457	A2B7B6	2-3736	T7PZ0080
2092	瑛	D672	B457	7458	A2B7B7	2-3737	T7Q00080
2093	瑛	D673	B458	7459	A2B7B8	2-3738	T7Q10080
2094	瑛	D674	B459	745A	A2B7B9	2-3739	T7Q20080
2095	瑛	D675	B45A	745B	A2B7BA	2-373A	T7Q30080
2096	瑛	D676	B45B	745C	A2B7BB	2-373B	T7Q40080
2097	瑛	D677	B45C	745D	A2B7BC	2-373C	T7Q50080
2098	瑛	D678	B45D	745E	A2B7BD	2-373D	T7Q60080
2099	瑛	D679	B45E	745F	A2B7BE	2-373E	T7Q70080
2100	峙	D67A	B45F	7460	A2B7BF	2-373F	T7Q80080
2101	富	D67B	B460	7461	A2B7C0	2-3740	T7Q90080
2102	瘖	D67C	B461	7462	A2B7C1	2-3741	T7QA0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 23 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2103	痒	D67D	B462	7463	A2B7C2	2-3742	T7QB0080
2104	疥	D67E	B463	7464	A2B7C3	2-3743	T7QC0080
2105	疽	D6A1	B464	7465	A2B7C4	2-3744	T7QD0080
2106	痈	D6A2	B465	7466	A2B7C5	2-3745	T7QE0080
2107	疹	D6A3	B466	7467	A2B7C6	2-3746	T7QF0080
2108	痼	D6A4	B467	7468	A2B7C7	2-3747	T7QG0080
2109	餅	D6A5	B468	7469	A2B7C8	2-3748	T7QH0080
2110	皴	D6A6	B469	746A	A2B7C9	2-3749	T7QI0080
2111	盪	D6A7	B46A	746B	A2B7CA	2-374A	T7QJ0080
2112	睽	D6A8	B46B	746C	A2B7CB	2-374B	T7QK0080
2113	眯	D6A9	B46C	746D	A2B7CC	2-374C	T7QL0080
2114	睦	D6AA	B46D	746E	A2B7CD	2-374D	T7QM0080
2115	瞋	D6AB	B46E	746F	A2B7CE	2-374E	T7QN0080
2116	瞋	D6AC	B46F	7470	A2B7CF	2-374F	T7QO0080
2117	眇	D6AD	B470	7471	A2B7D0	2-3750	T7QP0080
2118	眇	D6AE	B471	7472	A2B7D1	2-3751	T7QQ0080
2119	眇	D6AF	B472	7473	A2B7D2	2-3752	T7QR0080
2120	眇	D6B0	B473	7474	A2B7D3	2-3753	T7QS0080
2121	眇	D6B1	B474	7475	A2B7D4	2-3754	T7QT0080
2122	眇	D6B2	B475	7476	A2B7D5	2-3755	T7QU0080
2123	眇	D6B3	B476	7477	A2B7D6	2-3756	T7QV0080
2124	眇	D6B4	B477	7478	A2B7D7	2-3757	T7QW0080
2125	眇	D6B5	B478	7479	A2B7D8	2-3758	T7QX0080
2126	眇	D6B6	B479	747A	A2B7D9	2-3759	T7QY0080
2127	眇	D6B7	B47A	747B	A2B7DA	2-375A	T7QZ0080
2128	眇	D6B8	B47B	747C	A2B7DB	2-375B	T7R00080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 24 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2129	砦	D6B9	B47C	747D	A2B7DC	2-375C	T7R10080
2130	砧	D6BA	B47D	747E	A2B7DD	2-375D	T7R20080
2131	砵	D6BB	B47E	747F	A2B7DE	2-375E	T7R30080
2132	砷	D6BC	B480	7481	A2B7DF	2-375F	T7R50080
2133	砹	D6BD	B481	7482	A2B7E0	2-3760	T7R60080
2134	砵	D6BE	B482	7483	A2B7E1	2-3761	T7R70080
2135	砷	D6BF	B483	7484	A2B7E2	2-3762	T7R80080
2136	砹	D6C0	B484	7485	A2B7E3	2-3763	T7R90080
2137	砷	D6C1	B485	7486	A2B7E4	2-3764	T7RA0080
2138	砹	D6C2	B486	7487	A2B7E5	2-3765	T7RB0080
2139	离	D6C3	B487	7488	A2B7E6	2-3766	T7RC0080
2140	稈	D6C4	B488	7489	A2B7E7	2-3767	T7RD0080
2141	秸	D6C5	B489	748A	A2B7E8	2-3768	T7RE0080
2142	稊	D6C6	B48A	748B	A2B7E9	2-3769	T7RF0080
2143	程	D6C7	B48B	748C	A2B7EA	2-376A	T7RG0080
2144	穿	D6C8	B48C	748D	A2B7EB	2-376B	T7RH0080
2145	窆	D6C9	B48D	748E	A2B7EC	2-376C	T7RI0080
2146	窆	D6CA	B48E	748F	A2B7ED	2-376D	T7RJ0080
2147	筵	D6CB	B48F	7490	A2B7EE	2-376E	T7RK0080
2148	筵	D6CC	B490	7491	A2BEE3	2-3E63	T7RL0080
2149	筵	D6CD	B491	7492	A2B7F0	2-3770	T7RM0080
2150	筵	D6CE	B492	7493	A2B7F1	2-3771	T7RN0080
2151	筵	D6CF	B493	7494	A2B7F2	2-3772	T7RO0080
2152	筵	D6D0	B494	7495	A2B7F3	2-3773	T7RP0080
2153	筵	D6D1	B495	7496	A2B7F4	2-3774	T7RQ0080
2154	筵	D6D2	B496	7497	A2B7F5	2-3775	T7RR0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 25 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2155	筍	D6D3	B497	7498	A2B7F6	2-3776	T7RS0080
2156	筴	D6D4	B498	7499	A2B7F7	2-3777	T7RT0080
2157	箇	D6D5	B499	749A	A2B7F8	2-3778	T7RU0080
2158	筍	D6D6	B49A	749B	A2B7F9	2-3779	T7RV0080
2159	筴	D6D7	B49B	749C	A2B7FA	2-377A	T7RW0080
2160	筴	D6D8	B49C	749D	A2B7FB	2-377B	T7RX0080
2161	筴	D6D9	B49D	749E	A2B7FC	2-377C	T7RY0080
2162	筴	D6DA	B49E	749F	A2B7FD	2-377D	T7RZ0080
2163	筴	D6DB	B49F	74A0	A2B7FE	2-377E	T7S00080
2164	筴	D6DC	B4A0	74A1	A2B8A1	2-3821	T7S10080
2165	筴	D6DD	B4A1	74A2	A2B8A2	2-3822	T7S20080
2166	糶	D6DE	B4A2	74A3	A2B8A3	2-3823	T7S30080
2167	粘	D6DF	B4A3	74A4	A2B8A4	2-3824	T7S40080
2168	糶	D6E0	B4A4	74A5	A2B8A5	2-3825	T7S50080
2169	糶	D6E1	B4A5	74A6	A2B8A6	2-3826	T7S60080
2170	紵	D6E2	B4A6	74A7	A2B8A7	2-3827	T7S70080
2171	紵	D6E3	B4A7	74A8	A2B8A8	2-3828	T7S80080
2172	紵	D6E4	B4A8	74A9	A2B8A9	2-3829	T7S90080
2173	紵	D6E5	B4A9	74AA	A2B8AA	2-382A	T7SA0080
2174	紵	D6E6	B4AA	74AB	A2B8AB	2-382B	T7SB0080
2175	紵	D6E7	B4AB	74AC	A2B8AC	2-382C	T7SC0080
2176	紵	D6E8	B4AC	74AD	A2B8AD	2-382D	T7SD0080
2177	紵	D6E9	B4AD	74AE	A2B8AE	2-382E	T7SE0080
2178	紵	D6EA	B4AE	74AF	A2B8AF	2-382F	T7SF0080
2179	紵	D6EB	B4AF	74B0	A2B8B0	2-3830	T7SG0080
2180	紵	D6EC	B4B0	74B1	A2B8B1	2-3831	T7SH0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 26 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2181	紿	D6ED	B4B1	74B2	A2B8B2	2-3832	T7SI0080
2182	紿	D6EE	B4B2	74B3	A2B8B3	2-3833	T7SJ0080
2183	紿	D6EF	B4B3	74B4	A2B8B4	2-3834	T7SK0080
2184	紿	D6F0	B4B4	74B5	A2B8B5	2-3835	T7SL0080
2185	罍	D6F1	B4B5	74B6	A2B8B6	2-3836	T7SM0080
2186	罍	D6F2	B4B6	74B7	A2B8B7	2-3837	T7SN0080
2187	罍	D6F3	B4B7	74B8	A2B8B8	2-3838	T7SO0080
2188	罍	D6F4	B4B8	74B9	A2B8B9	2-3839	T7SP0080
2189	罍	D6F5	B4B9	74BA	A2B8BA	2-383A	T7SQ0080
2190	罍	D6F6	B4BA	74BB	A2B8BB	2-383B	T7SR0080
2191	罍	D6F7	B4BB	74BC	A2B8BC	2-383C	T7SS0080
2192	罍	D6F8	B4BC	74BD	A2B8BD	2-383D	T7ST0080
2193	罍	D6F9	B4BD	74BE	A2B8BE	2-383E	T7SU0080
2194	罍	D6FA	B4BE	74BF	A2B8BF	2-383F	T7SV0080
2195	罍	D6FB	B4BF	74C0	A2B8C0	2-3840	T7SW0080
2196	罍	D6FC	B4C0	74C1	A2B8C1	2-3841	T7SX0080
2197	罍	D6FD	B4C1	74C2	A2B8C2	2-3842	T7SY0080
2198	罍	D6FE	B4C2	74C3	A2B8C3	2-3843	T7SZ0080
2199	罍	D740	B4C3	74C4	A2B8C4	2-3844	T7T00080
2200	罍	D741	B4C4	74C5	A2B8C5	2-3845	T7T10080
2201	罍	D742	B4C5	74C6	A2B8C6	2-3846	T7T20080
2202	罍	D743	B4C6	74C7	A2B8C7	2-3847	T7T30080
2203	罍	D744	B4C7	74C8	A2B8C8	2-3848	T7T40080
2204	罍	D745	B4C8	74C9	A2B8C9	2-3849	T7T50080
2205	罍	D746	B4C9	74CA	A2B8CA	2-384A	T7T60080
2206	罍	D747	B4CA	74CB	A2B8CB	2-384B	T7T70080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 27 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2207	脛	D748	B4CB	74CC	A2B8CC	2-384C	T7T80080
2208	脛	D749	B4CC	74CD	A2B8CD	2-384D	T7T90080
2209	脛	D74A	B4CD	74CE	A2B8CE	2-384E	T7TA0080
2210	脛	D74B	B4CE	74CF	A2B8CF	2-384F	T7TB0080
2211	脛	D74C	B4CF	74D0	A2B8D0	2-3850	T7TC0080
2212	脛	D74D	B4D0	74D1	A2B8D1	2-3851	T7TD0080
2213	脛	D74E	B4D1	74D2	A2B8D2	2-3852	T7TE0080
2214	脛	D74F	B4D2	74D3	A2B8D3	2-3853	T7TF0080
2215	脛	D750	B4D3	74D4	A2B8D4	2-3854	T7TG0080
2216	脛	D751	B4D4	74D5	A2B8D5	2-3855	T7TH0080
2217	脛	D752	B4D5	74D6	A2B8D6	2-3856	T7TI0080
2218	脛	D753	B4D6	74D7	A2B8D7	2-3857	T7TJ0080
2219	脛	D754	B4D7	74D8	A2B8D8	2-3858	T7TK0080
2220	脛	D755	B4D8	74D9	A2B8D9	2-3859	T7TL0080
2221	脛	D756	B4D9	74DA	A2B8DA	2-385A	T7TM0080
2222	脛	D757	B4DA	74DB	A2B8DB	2-385B	T7TN0080
2223	脛	D758	B4DB	74DC	A2B8DC	2-385C	T7TO0080
2224	脛	D759	B4DC	74DD	A2B8DD	2-385D	T7TP0080
2225	脛	D75A	B4DD	74DE	A2B8DE	2-385E	T7TQ0080
2226	脛	D75B	B4DE	74DF	A2B8DF	2-385F	T7TR0080
2227	脛	D75C	B4DF	74E0	A2B8E0	2-3860	T7TS0080
2228	脛	D75D	B4E0	74E1	A2B8E1	2-3861	T7TT0080
2229	脛	D75E	B4E1	74E2	A2B8E2	2-3862	T7TU0080
2230	脛	D75F	B4E2	74E3	A2B8E3	2-3863	T7TV0080
2231	脛	D760	B4E3	74E4	A2B8E4	2-3864	T7TW0080
2232	脛	D761	B4E4	74E5	A2B8E5	2-3865	T7TX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 28 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2233	苳	D762	B4E5	74E6	A2B8E6	2-3866	T7TY0080
2234	蓉	D763	B4E6	74E7	A2B8E7	2-3867	T7TZ0080
2235	荇	D764	B4E7	74E8	A2B8E8	2-3868	T7U00080
2236	葱	D765	B4E8	74E9	A2B8E9	2-3869	T7U10080
2237	箇	D766	B4E9	74EA	A2B8EA	2-386A	T7U20080
2238	苧	D767	B4EA	74EB	A2B8EB	2-386B	T7U30080
2239	葵	D768	B4EB	74EC	A2B8EC	2-386C	T7U40080
2240	蓐	D769	B4EC	74ED	A2B8ED	2-386D	T7U50080
2241	苧	D76A	B4ED	74EE	A2B8EE	2-386E	T7U60080
2242	埜	D76B	B4EE	74EF	A2B8EF	2-386F	T7U70080
2243	薙	D76C	B4EF	74F0	A2B8F0	2-3870	T7U80080
2244	莪	D76D	B4F0	74F1	A2B8F1	2-3871	T7U90080
2245	菹	D76E	B4F1	74F2	A2B8F2	2-3872	T7UA0080
2246	葵	D76F	B4F2	74F3	A2B8F3	2-3873	T7UB0080
2247	莪	D770	B4F3	74F4	A2B8F4	2-3874	T7UC0080
2248	苎	D771	B4F4	74F5	A2B8F5	2-3875	T7UD0080
2249	苎	D772	B4F5	74F6	A2B8F6	2-3876	T7UE0080
2250	葦	D773	B4F6	74F7	A2B8F7	2-3877	T7UF0080
2251	拔	D774	B4F7	74F8	A2B8F8	2-3878	T7UG0080
2252	葳	D775	B4F8	74F9	A2B8F9	2-3879	T7UH0080
2253	葶	D776	B4F9	74FA	A2B8FA	2-387A	T7UI0080
2254	蒻	D777	B4FA	74FB	A2B8FB	2-387B	T7UJ0080
2255	蒻	D778	B4FB	74FC	A2B8FC	2-387C	T7UK0080
2256	蒻	D779	B4FC	74FD	A2B8FD	2-387D	T7UL0080
2257	蒻	D77A	B540	7541	A2BFEA	2-3F6A	T7UP0080
2258	處	D77B	B541	7542	A2B8FE	2-387E	T7UQ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 29 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2259	摩	D77C	B542	7543	A2B9A1	2-3921	T7UR0080
2260	蚘	D77D	B543	7544	A2B9A2	2-3922	T7US0080
2261	蚘	D77E	B544	7545	A2B9A3	2-3923	T7UT0080
2262	蚘	D7A1	B545	7546	A2B9A4	2-3924	T7UU0080
2263	蚘	D7A2	B546	7547	A2B9A5	2-3925	T7UV0080
2264	蚘	D7A3	B547	7548	A2B9A6	2-3926	T7UW0080
2265	蚘	D7A4	B548	7549	A2B9A7	2-3927	T7UX0080
2266	蚘	D7A5	B549	754A	A2B9A8	2-3928	T7UY0080
2267	蚘	D7A6	B54A	754B	A2B9A9	2-3929	T7UZ0080
2268	蚘	D7A7	B54B	754C	A2B9AA	2-392A	T7V00080
2269	蚘	D7A8	B54C	754D	A2B9AB	2-392B	T7V10080
2270	蚘	D7A9	B54D	754E	A2B9AC	2-392C	T7V20080
2271	蚘	D7AA	B54E	754F	A2B9AD	2-392D	T7V30080
2272	蚘	D7AB	B54F	7550	A2B9AE	2-392E	T7V40080
2273	蚘	D7AC	B550	7551	A2B9AF	2-392F	T7V50080
2274	蚘	D7AD	B551	7552	A2B9B0	2-3930	T7V60080
2275	蚘	D7AE	B552	7553	A2B9B1	2-3931	T7V70080
2276	蚘	D7AF	B553	7554	A2B9B2	2-3932	T7V80080
2277	蚘	D7B0	B554	7555	A2B9B3	2-3933	T7V90080
2278	蚘	D7B1	B555	7556	A2B9B4	2-3934	T7VA0080
2279	蚘	D7B2	B556	7557	A2B9B5	2-3935	T7VB0080
2280	蚘	D7B3	B557	7558	A2B9B6	2-3936	T7VC0080
2281	蚘	D7B4	B558	7559	A2B9B7	2-3937	T7VD0080
2282	蚘	D7B5	B559	755A	A2B9B8	2-3938	T7VE0080
2283	蚘	D7B6	B55A	755B	A2B9B9	2-3939	T7VF0080
2284	蚘	D7B7	B55B	755C	A2B9BA	2-393A	T7VG0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 30 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2285	褶	D7B8	B55C	755D	A2B9BB	2-393B	T7VH0080
2286	裊	D7B9	B55D	755E	A2B9BC	2-393C	T7VI0080
2287	袂	D7BA	B55E	755F	A2B9BD	2-393D	T7VJ0080
2288	袞	D7BB	B55F	7560	A2B9BE	2-393E	T7VK0080
2289	衾	D7BC	B560	7561	A2B9BF	2-393F	T7VL0080
2290	袷	D7BD	B561	7562	A2B9C0	2-3940	T7VM0080
2291	袸	D7BE	B562	7563	A2B9C1	2-3941	T7VN0080
2292	袹	D7BF	B563	7564	A2B9C2	2-3942	T7VO0080
2293	袺	D7C0	B564	7565	A2B9C3	2-3943	T7VP0080
2294	袻	D7C1	B565	7566	A2B9C4	2-3944	T7VQ0080
2295	袼	D7C2	B566	7567	A2B9C5	2-3945	T7VR0080
2296	袽	D7C3	B567	7568	A2B9C6	2-3946	T7VS0080
2297	袿	D7C4	B568	7569	A2B9C7	2-3947	T7VT0080
2298	袽	D7C5	B569	756A	A2B9C8	2-3948	T7VU0080
2299	袿	D7C6	B56A	756B	A2B9C9	2-3949	T7VV0080
2300	袿	D7C7	B56B	756C	A2B9CA	2-394A	T7VW0080
2301	袿	D7C8	B56C	756D	A2B9CB	2-394B	T7VX0080
2302	袿	D7C9	B56D	756E	A2B9CC	2-394C	T7VY0080
2303	袿	D7CA	B56E	756F	A2B9CD	2-394D	T7VZ0080
2304	袿	D7CB	B56F	7570	A2B9CE	2-394E	T7W00080
2305	袿	D7CC	B570	7571	A2B9CF	2-394F	T7W10080
2306	袿	D7CD	B571	7572	A2B9D0	2-3950	T7W20080
2307	袿	D7CE	B572	7573	A2B9D1	2-3951	T7W30080
2308	袿	D7CF	B573	7574	A2B9D2	2-3952	T7W40080
2309	袿	D7D0	B574	7575	A2B9D3	2-3953	T7W50080
2310	袿	D7D1	B575	7576	A2B9D4	2-3954	T7W60080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 31 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2311	航	D7D2	B576	7577	A2B9D5	2-3955	T7W70080
2312	越	D7D3	B577	7578	A2B9D6	2-3956	T7W80080
2313	越	D7D4	B578	7579	A2B9D7	2-3957	T7W90080
2314	越	D7D5	B579	757A	A2B9D8	2-3958	T7WA0080
2315	趺	D7D6	B57A	757B	A2B9D9	2-3959	T7WB0080
2316	跂	D7D7	B57B	757C	A2B9DA	2-395A	T7WC0080
2317	跌	D7D8	B57C	757D	A2B9DB	2-395B	T7WD0080
2318	跖	D7D9	B57D	757E	A2B9DC	2-395C	T7WE0080
2319	跂	D7DA	B57E	757F	A2B9DD	2-395D	T7WF0080
2320	輓	D7DB	B580	7581	A2B9DE	2-395E	T7WH0080
2321	輓	D7DC	B581	7582	A2B9DF	2-395F	T7WI0080
2322	輓	D7DD	B582	7583	A2B9E0	2-3960	T7WJ0080
2323	輓	D7DE	B583	7584	A2B9E1	2-3961	T7WK0080
2324	輓	D7DF	B584	7585	A2B9E2	2-3962	T7WL0080
2325	軒	D7E0	B585	7586	A2B9E3	2-3963	T7WM0080
2326	軒	D7E1	B586	7587	A2B9E4	2-3964	T7WN0080
2327	邈	D7E2	B587	7588	A2B9E5	2-3965	T7WO0080
2328	逋	D7E3	B588	7589	A2B9E6	2-3966	T7WP0080
2329	逋	D7E4	B589	758A	A2B9E7	2-3967	T7WQ0080
2330	逋	D7E5	B58A	758B	A2B9E8	2-3968	T7WR0080
2331	逋	D7E6	B58B	758C	A2B9E9	2-3969	T7WS0080
2332	逋	D7E7	B58C	758D	A2B9EA	2-396A	T7WT0080
2333	邨	D7E8	B58D	758E	A2B9EB	2-396B	T7WU0080
2334	邨	D7E9	B58E	758F	A2B9EC	2-396C	T7WV0080
2335	邨	D7EA	B58F	7590	A2B9ED	2-396D	T7WW0080
2336	邨	D7EB	B590	7591	A2B9EE	2-396E	T7WX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 32 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2337	邾	D7EC	B591	7592	A2B9EF	2-396F	T7WY0080
2338	邨	D7ED	B592	7593	A2B9F0	2-3970	T7WZ0080
2339	邩	D7EE	B593	7594	A2B9F1	2-3971	T7X00080
2340	邪	D7EF	B594	7595	A2B9F2	2-3972	T7X10080
2341	邫	D7F0	B595	7596	A2B9F3	2-3973	T7X20080
2342	邬	D7F1	B596	7597	A2B9F4	2-3974	T7X30080
2343	酖	D7F2	B597	7598	A2B9F5	2-3975	T7X40080
2344	酞	D7F3	B598	7599	A2B9F6	2-3976	T7X50080
2345	酡	D7F4	B599	759A	A2B9F7	2-3977	T7X60080
2346	龢	D7F5	B59A	759B	A2B9F8	2-3978	T7X70080
2347	酣	D7F6	B59B	759C	A2B9F9	2-3979	T7X80080
2348	釅	D7F7	B59C	759D	A2B9FA	2-397A	T7X90080
2349	釆	D7F8	B59D	759E	A2B9FB	2-397B	T7XA0080
2350	釈	D7F9	B59E	759F	A2B9FC	2-397C	T7XB0080
2351	释	D7FA	B59F	75A0	A2B9FD	2-397D	T7XC0080
2352	釋	D7FB	B5A0	75A1	A2B9FE	2-397E	T7XD0080
2353	重	D7FC	B5A1	75A2	A2BAA1	2-3A21	T7XE0080
2354	野	D7FD	B5A2	75A3	A2BAA2	2-3A22	T7XF0080
2355	量	D7FE	B5A3	75A4	A2BAA3	2-3A23	T7XG0080
2356	金	D840	B5A4	75A5	A2BAA4	2-3A24	T7XH0080
2357	釒	D841	B5A5	75A6	A2BAA5	2-3A25	T7XI0080
2358	釓	D842	B5A6	75A7	A2BAA6	2-3A26	T7XJ0080
2359	釔	D843	B5A7	75A8	A2BAA7	2-3A27	T7XK0080
2360	釕	D844	B5A8	75A9	A2BAA8	2-3A28	T7XL0080
2361	釗	D845	B5A9	75AA	A2BAA9	2-3A29	T7XM0080
2362	釘	D846	B5AA	75AB	A2BAAA	2-3A2A	T7XN0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 33 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2363	階	D847	B5AB	75AC	A2BAAB	2-3A2B	T7XO0080
2364	階	D848	B5AC	75AD	A2BAAC	2-3A2C	T7XP0080
2365	階	D849	B5AD	75AE	A2BAAD	2-3A2D	T7XQ0080
2366	階	D84A	B5AE	75AF	A2BAAE	2-3A2E	T7XR0080
2367	階	D84B	B5AF	75B0	A2BAAF	2-3A2F	T7XS0080
2368	階	D84C	B5B0	75B1	A2BAB0	2-3A30	T7XT0080
2369	階	D84D	B5B1	75B2	A2BAB1	2-3A31	T7XU0080
2370	階	D84E	B5B2	75B3	A2BAB2	2-3A32	T7XV0080
2371	階	D84F	B5B3	75B4	A2BAB3	2-3A33	T7XW0080
2372	階	D850	B5B4	75B5	A2BAB4	2-3A34	T7XX0080
2373	階	D851	B5B5	75B6	A2BAB5	2-3A35	T7XY0080
2374	階	D852	B5B6	75B7	A2BAB6	2-3A36	T7XZ0080
2375	階	D853	B5B7	75B8	A2BAB7	2-3A37	T7Y00080
2376	階	D854	B5B8	75B9	A2BAB8	2-3A38	T7Y10080
2377	階	D855	B5B9	75BA	A2BAB9	2-3A39	T7Y20080
2378	階	D856	B5BA	75BB	A2BABA	2-3A3A	T7Y30080
2379	階	D857	B5BB	75BC	A2BABB	2-3A3B	T7Y40080
2380	階	D858	B5BC	75BD	A2BABC	2-3A3C	T7Y50080
2381	階	D859	B5BD	75BE	A2BABD	2-3A3D	T7Y60080
2382	階	D85A	B5BE	75BF	A2BABE	2-3A3E	T7Y70080
2383	階	D85B	B5BF	75C0	A2BABF	2-3A3F	T7Y80080
2384	階	D85C	B5C0	75C1	A2BAC0	2-3A40	T7Y90080
2385	階	D85D	B5C1	75C2	A2BAC1	2-3A41	T7YA0080
2386	階	D85E	B5C2	75C3	A2BAC2	2-3A42	T7YB0080
2387	階	D85F	B5C3	75C4	A2BAC3	2-3A43	T7YC0080
2388	階	D860	B5C4	75C5	A2BAC4	2-3A44	T7YD0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 34 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2389	滄	D861	B5C5	75C6	A2BAC5	2-3A45	T7YE0080
2390	蜀	D862	B5C6	75C7	A2BAC6	2-3A46	T7YF0080
2391	劬	D863	B5C7	75C8	A2BAC7	2-3A47	T7YG0080
2392	麻	D864	B5C8	75C9	A2BAC8	2-3A48	T7YH0080
2393	眞	D865	B5C9	75CA	A2BAC9	2-3A49	T7YI0080
2394	嗜	D866	B5CA	75CB	A2BACA	2-3A4A	T7YJ0080
2395	曉	D867	B5CB	75CC	A2BACB	2-3A4B	T7YK0080
2396	曠	D868	B5CC	75CD	A2BACC	2-3A4C	T7YL0080
2397	嘖	D869	B5CD	75CE	A2BACD	2-3A4D	T7YM0080
2398	啞	D86A	B5CE	75CF	A2BACE	2-3A4E	T7YN0080
2399	噤	D86B	B5CF	75D0	A2BACF	2-3A4F	T7YO0080
2400	啞	D86C	B5D0	75D1	A2BAD0	2-3A50	T7YP0080
2401	噤	D86D	B5D1	75D2	A2BAD1	2-3A51	T7YQ0080
2402	嗜	D86E	B5D2	75D3	A2BAD2	2-3A52	T7YR0080
2403	嗜	D86F	B5D3	75D4	A2BAD3	2-3A53	T7YS0080
2404	啞	D870	B5D4	75D5	A2BAD4	2-3A54	T7YT0080
2405	噤	D871	B5D5	75D6	A2BAD5	2-3A55	T7YU0080
2406	噤	D872	B5D6	75D7	A2BAD6	2-3A56	T7YV0080
2407	嗜	D873	B5D7	75D8	A2BAD7	2-3A57	T7YW0080
2408	噤	D874	B5D8	75D9	A2BAD8	2-3A58	T7YX0080
2409	噤	D875	B5D9	75DA	A2BAD9	2-3A59	T7YY0080
2410	啞	D876	B5DA	75DB	A2BADA	2-3A5A	T7YZ0080
2411	啞	D877	B5DB	75DC	A2BADB	2-3A5B	T7Z00080
2412	噤	D878	B5DC	75DD	A2BADC	2-3A5C	T7Z10080
2413	啞	D879	B5DD	75DE	A2BADD	2-3A5D	T7Z20080
2414	噤	D87A	B5DE	75DF	A2BADE	2-3A5E	T7Z30080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 35 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2415	囁	D87B	B5DF	75E0	A2BADF	2-3A5F	T7Z40080
2416	圖	D87C	B5E0	75E1	A2BAE0	2-3A60	T7Z50080
2417	塹	D87D	B5E1	75E2	A2BAE1	2-3A61	T7Z60080
2418	墉	D87E	B5E2	75E3	A2BAE2	2-3A62	T7Z70080
2419	堙	D8A1	B5E3	75E4	A2BAE3	2-3A63	T7Z80080
2420	堞	D8A2	B5E4	75E5	A2BAE4	2-3A64	T7Z90080
2421	堠	D8A3	B5E5	75E6	A2BAE5	2-3A65	T7ZA0080
2422	堡	D8A4	B5E6	75E7	A2BAE6	2-3A66	T7ZB0080
2423	堢	D8A5	B5E7	75E8	A2BAE7	2-3A67	T7ZC0080
2424	堣	D8A6	B5E8	75E9	A2BAE8	2-3A68	T7ZD0080
2425	堤	D8A7	B5E9	75EA	A2BAE9	2-3A69	T7ZE0080
2426	堥	D8A8	B5EA	75EB	A2BAEA	2-3A6A	T7ZF0080
2427	堧	D8A9	B5EB	75EC	A2BAEB	2-3A6B	T7ZG0080
2428	堨	D8AA	B5EC	75ED	A2BAEC	2-3A6C	T7ZH0080
2429	堩	D8AB	B5ED	75EE	A2BAED	2-3A6D	T7ZI0080
2430	堪	D8AC	B5EE	75EF	A2BAEE	2-3A6E	T7ZJ0080
2431	堽	D8AD	B5EF	75F0	A2BAEF	2-3A6F	T7ZK0080
2432	堿	D8AE	B5F0	75F1	A2BAF0	2-3A70	T7ZL0080
2433	堻	D8AF	B5F1	75F2	A2BAF1	2-3A71	T7ZM0080
2434	堼	D8B0	B5F2	75F3	A2BAF2	2-3A72	T7ZN0080
2435	堽	D8B1	B5F3	75F4	A2BAF3	2-3A73	T7ZO0080
2436	堿	D8B2	B5F4	75F5	A2BAF4	2-3A74	T7ZP0080
2437	堾	D8B3	B5F5	75F6	A2BAF5	2-3A75	T7ZQ0080
2438	冪	D8B4	B5F6	75F7	A2BAF6	2-3A76	T7ZR0080
2439	媯	D8B5	B5F7	75F8	A2BAF7	2-3A77	T7ZS0080
2440	媮	D8B6	B5F8	75F9	A2BAF8	2-3A78	T7ZT0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 36 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2441	蝶	D8B7	B5F9	75FA	A2BAF9	2-3A79	T7ZU0080
2442	婺	D8B8	B5FA	75FB	A2BAFA	2-3A7A	T7ZV0080
2443	媚	D8B9	B5FB	75FC	A2BAFB	2-3A7B	T7ZW0080
2444	媞	D8BA	B5FC	75FD	A2BAFC	2-3A7C	T7ZX0080
2445	媯	D8BB	B640	7641	A2BAFD	2-3A7D	T8010080
2446	媱	D8BC	B641	7642	A2BAFE	2-3A7E	T8020080
2447	媶	D8BD	B642	7643	A2BBA1	2-3B21	T8030080
2448	媷	D8BE	B643	7644	A2BBA2	2-3B22	T8040080
2449	媸	D8BF	B644	7645	A2BBA3	2-3B23	T8050080
2450	媹	D8C0	B645	7646	A2BBA4	2-3B24	T8060080
2451	媺	D8C1	B646	7647	A2BBA5	2-3B25	T8070080
2452	媻	D8C2	B647	7648	A2BBA6	2-3B26	T8080080
2453	媼	D8C3	B648	7649	A2BBA7	2-3B27	T8090080
2454	媽	D8C4	B649	764A	A2BBA8	2-3B28	T80A0080
2455	媿	D8C5	B64A	764B	A2BBA9	2-3B29	T80B0080
2456	媾	D8C6	B64B	764C	A2BBAA	2-3B2A	T80C0080
2457	媿	D8C7	B64C	764D	A2BBAB	2-3B2B	T80D0080
2458	媾	D8C8	B64D	764E	A2BBAC	2-3B2C	T80E0080
2459	媿	D8C9	B64E	764F	A2BBAD	2-3B2D	T80F0080
2460	媾	D8CA	B64F	7650	A2BBAE	2-3B2E	T80G0080
2461	媿	D8CB	B650	7651	A2BBAF	2-3B2F	T80H0080
2462	媾	D8CC	B651	7652	A2BBB0	2-3B30	T80I0080
2463	媿	D8CD	B652	7653	A2BBB1	2-3B31	T80J0080
2464	媾	D8CE	B653	7654	A2BBB2	2-3B32	T80K0080
2465	媿	D8CF	B654	7655	A2BBB3	2-3B33	T80L0080
2466	媾	D8D0	B655	7656	A2BBB4	2-3B34	T80M0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 37 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2467	密	D8D1	B656	7657	A2BBB5	2-3B35	T80N0080
2468	憲	D8D2	B657	7658	A2BBB6	2-3B36	T80O0080
2469	寔	D8D3	B658	7659	A2BBB7	2-3B37	T80P0080
2470	寔	D8D4	B659	765A	A2BBB8	2-3B38	T80Q0080
2471	寔	D8D5	B65A	765B	A2BBB9	2-3B39	T80R0080
2472	病	D8D6	B65B	765C	A2BBBA	2-3B3A	T80S0080
2473	討	D8D7	B65C	765D	A2BBBB	2-3B3B	T80T0080
2474	燿	D8D8	B65D	765E	A2BBBC	2-3B3C	T80U0080
2475	燿	D8D9	B65E	765F	A2BBBD	2-3B3D	T80V0080
2476	嶠	D8DA	B65F	7660	A2BBBE	2-3B3E	T80W0080
2477	嶠	D8DB	B660	7661	A2BBBF	2-3B3F	T80X0080
2478	嶠	D8DC	B661	7662	A2BBC0	2-3B40	T80Y0080
2479	嶠	D8DD	B662	7663	A2BBC1	2-3B41	T80Z0080
2480	嶠	D8DE	B663	7664	A2BBC2	2-3B42	T8100080
2481	嶠	D8DF	B664	7665	A2BBC3	2-3B43	T8110080
2482	嶠	D8E0	B665	7666	A2BBC4	2-3B44	T8120080
2483	嶠	D8E1	B666	7667	A2BBC5	2-3B45	T8130080
2484	嶠	D8E2	B667	7668	A2BBC6	2-3B46	T8140080
2485	嶠	D8E3	B668	7669	A2BBC7	2-3B47	T8150080
2486	嶠	D8E4	B669	766A	A2BBC8	2-3B48	T8160080
2487	嶠	D8E5	B66A	766B	A2BBC9	2-3B49	T8170080
2488	嶠	D8E6	B66B	766C	A2BBCA	2-3B4A	T8180080
2489	嶠	D8E7	B66C	766D	A2BBCB	2-3B4B	T8190080
2490	嶠	D8E8	B66D	766E	A2BBCC	2-3B4C	T81A0080
2491	嶠	D8E9	B66E	766F	A2BBCD	2-3B4D	T81B0080
2492	嶠	D8EA	B66F	7670	A2BBCE	2-3B4E	T81C0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 38 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2493	嶧	D8EB	B670	7671	A2BBCF	2-3B4F	T81D0080
2494	嶧	D8EC	B671	7672	A2BBD0	2-3B50	T81E0080
2495	嶧	D8ED	B672	7673	A2BBD1	2-3B51	T81F0080
2496	嶧	D8EE	B673	7674	A2BBD2	2-3B52	T81G0080
2497	嶧	D8EF	B674	7675	A2BBD3	2-3B53	T81H0080
2498	嶧	D8F0	B675	7676	A2BBD4	2-3B54	T81I0080
2499	嶧	D8F1	B676	7677	A2BBD5	2-3B55	T81J0080
2500	嶧	D8F2	B677	7678	A2BBD6	2-3B56	T81K0080
2501	嶧	D8F3	B678	7679	A2BBD7	2-3B57	T81L0080
2502	嶧	D8F4	B679	767A	A2BBD8	2-3B58	T81M0080
2503	嶧	D8F5	B67A	767B	A2BBD9	2-3B59	T81N0080
2504	嶧	D8F6	B67B	767C	A2BBDA	2-3B5A	T81O0080
2505	嶧	D8F7	B67C	767D	A2BBDB	2-3B5B	T81P0080
2506	嶧	D8F8	B67D	767E	A2BBDC	2-3B5C	T81Q0080
2507	嶧	D8F9	B67E	767F	A2BBDD	2-3B5D	T81R0080
2508	嶧	D8FA	B680	7681	A2BBDE	2-3B5E	T81T0080
2509	嶧	D8FB	B681	7682	A2BBDF	2-3B5F	T81U0080
2510	嶧	D8FC	B682	7683	A2BBE0	2-3B60	T81V0080
2511	嶧	D8FD	B683	7684	A2BBE1	2-3B61	T81W0080
2512	嶧	D8FE	B684	7685	A2BBE2	2-3B62	T81X0080
2513	嶧	D940	B685	7686	A2BBE3	2-3B63	T81Y0080
2514	嶧	D941	B686	7687	A2BBE4	2-3B64	T81Z0080
2515	嶧	D942	B687	7688	A2BBE5	2-3B65	T8200080
2516	嶧	D943	B688	7689	A2BBE6	2-3B66	T8210080
2517	嶧	D944	B689	768A	A2BBE7	2-3B67	T8220080
2518	嶧	D945	B68A	768B	A2BBE8	2-3B68	T8230080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 39 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2519	惇	D946	B68B	768C	A2BBE9	2-3B69	T8240080
2520	惇	D947	B68C	768D	A2BBEA	2-3B6A	T8250080
2521	惇	D948	B68D	768E	A2BBEB	2-3B6B	T8260080
2522	惇	D949	B68E	768F	A2BBEC	2-3B6C	T8270080
2523	惇	D94A	B68F	7690	A2BBED	2-3B6D	T8280080
2524	惇	D94B	B690	7691	A2BBEE	2-3B6E	T8290080
2525	惇	D94C	B691	7692	A2BBEF	2-3B6F	T82A0080
2526	惇	D94D	B692	7693	A2BBF0	2-3B70	T82B0080
2527	惇	D94E	B693	7694	A2BBF1	2-3B71	T82C0080
2528	惇	D94F	B694	7695	A2BBF2	2-3B72	T82D0080
2529	惇	D950	B695	7696	A2BBF3	2-3B73	T82E0080
2530	惇	D951	B696	7697	A2BBF4	2-3B74	T82F0080
2531	擊	D952	B697	7698	A2BBF5	2-3B75	T82G0080
2532	弄	D953	B698	7699	A2BBF6	2-3B76	T82H0080
2533	擗	D954	B699	769A	A2BBF7	2-3B77	T82I0080
2534	揅	D955	B69A	769B	A2BBF8	2-3B78	T82J0080
2535	揅	D956	B69B	769C	A2BBF9	2-3B79	T82K0080
2536	揅	D957	B69C	769D	A2BBFA	2-3B7A	T82L0080
2537	揅	D958	B69D	769E	A2BBFB	2-3B7B	T82M0080
2538	揅	D959	B69E	769F	A2BBFC	2-3B7C	T82N0080
2539	揅	D95A	B69F	76A0	A2BBFD	2-3B7D	T82O0080
2540	揅	D95B	B6A0	76A1	A2BBFE	2-3B7E	T82P0080
2541	搨	D95C	B6A1	76A2	A2BCA1	2-3C21	T82Q0080
2542	搨	D95D	B6A2	76A3	A2BCA2	2-3C22	T82R0080
2543	搨	D95E	B6A3	76A4	A2BCA3	2-3C23	T82S0080
2544	搨	D95F	B6A4	76A5	A2BCA4	2-3C24	T82T0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 40 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2545	搢	D960	B6A5	76A6	A2BCA5	2-3C25	T82U0080
2546	捷	D961	B6A6	76A7	A2BCA6	2-3C26	T82V0080
2547	抵	D962	B6A7	76A8	A2BCA7	2-3C27	T82W0080
2548	摺	D963	B6A8	76A9	A2BCA8	2-3C28	T82X0080
2549	據	D964	B6A9	76AA	A2BCA9	2-3C29	T82Y0080
2550	摺	D965	B6AA	76AB	A2BCAA	2-3C2A	T82Z0080
2551	揜	D966	B6AB	76AC	A2BCAB	2-3C2B	T8300080
2552	揄	D967	B6AC	76AD	A2BCAC	2-3C2C	T8310080
2553	揅	D968	B6AD	76AE	A2BCAD	2-3C2D	T8320080
2554	搵	D969	B6AE	76AF	A2BCAE	2-3C2E	T8330080
2555	搦	D96A	B6AF	76B0	A2BCAF	2-3C2F	T8340080
2556	搨	D96B	B6B0	76B1	A2BCB0	2-3C30	T8350080
2557	搩	D96C	B6B1	76B2	A2BCB1	2-3C31	T8360080
2558	搪	D96D	B6B2	76B3	A2BCB2	2-3C32	T8370080
2559	搫	D96E	B6B3	76B4	A2BCB3	2-3C33	T8380080
2560	搬	D96F	B6B4	76B5	A2BCB4	2-3C34	T8390080
2561	搭	D970	B6B5	76B6	A2BCB5	2-3C35	T83A0080
2562	搮	D971	B6B6	76B7	A2BCB6	2-3C36	T83B0080
2563	敲	D972	B6B7	76B8	A2BCB7	2-3C37	T83C0080
2564	敲	D973	B6B8	76B9	A2BCB8	2-3C38	T83D0080
2565	斂	D974	B6B9	76BA	A2BCB9	2-3C39	T83E0080
2566	斃	D975	B6BA	76BB	A2BCBA	2-3C3A	T83F0080
2567	斃	D976	B6BB	76BC	A2BCBB	2-3C3B	T83G0080
2568	斃	D977	B6BC	76BD	A2BCBC	2-3C3C	T83H0080
2569	斃	D978	B6BD	76BE	A2BCBD	2-3C3D	T83I0080
2570	斌	D979	B6BE	76BF	A2BCBE	2-3C3E	T83J0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 41 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2571	罈	D97A	B6BF	76C0	A2BCBF	2-3C3F	T83K0080
2572	𪗇	D97B	B6C0	76C1	A2BCC0	2-3C40	T83L0080
2573	𪗈	D97C	B6C1	76C2	A2BCC1	2-3C41	T83M0080
2574	旒	D97D	B6C2	76C3	A2BCC2	2-3C42	T83N0080
2575	旒	D97E	B6C3	76C4	A2BCC3	2-3C43	T83O0080
2576	碗	D9A1	B6C4	76C5	A2BCC4	2-3C44	T83P0080
2577	晬	D9A2	B6C5	76C6	A2BCC5	2-3C45	T83Q0080
2578	晬	D9A3	B6C6	76C7	A2BCC6	2-3C46	T83R0080
2579	晬	D9A4	B6C7	76C8	A2BCC7	2-3C47	T83S0080
2580	晬	D9A5	B6C8	76C9	A2BCC8	2-3C48	T83T0080
2581	暘	D9A6	B6C9	76CA	A2BCC9	2-3C49	T83U0080
2582	暘	D9A7	B6CA	76CB	A2BCCA	2-3C4A	T83V0080
2583	睨	D9A8	B6CB	76CC	A2BCCB	2-3C4B	T83W0080
2584	瞽	D9A9	B6CC	76CD	A2BCCC	2-3C4C	T83X0080
2585	控	D9AA	B6CD	76CE	A2BCCD	2-3C4D	T83Y0080
2586	楮	D9AB	B6CE	76CF	A2BCCE	2-3C4E	T83Z0080
2587	接	D9AC	B6CF	76D0	A2BCCF	2-3C4F	T8400080
2588	楸	D9AD	B6D0	76D1	A2BCD0	2-3C50	T8410080
2589	楸	D9AE	B6D1	76D2	A2BCD1	2-3C51	T8420080
2590	楸	D9AF	B6D2	76D3	A2BCD2	2-3C52	T8430080
2591	楸	D9B0	B6D3	76D4	A2BCD3	2-3C53	T8440080
2592	楸	D9B1	B6D4	76D5	A2BCD4	2-3C54	T8450080
2593	楸	D9B2	B6D5	76D6	A2BCD5	2-3C55	T8460080
2594	楸	D9B3	B6D6	76D7	A2BCD6	2-3C56	T8470080
2595	楸	D9B4	B6D7	76D8	A2BCD7	2-3C57	T8480080
2596	楸	D9B5	B6D8	76D9	A2BCD8	2-3C58	T8490080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 42 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2597	楷	D9B6	B6D9	76DA	A2BCD9	2-3C59	T84A0080
2598	椽	D9B7	B6DA	76DB	A2BCDA	2-3C5A	T84B0080
2599	椽	D9B8	B6DB	76DC	A2BCDB	2-3C5B	T84C0080
2600	椽	D9B9	B6DC	76DD	A2BCDC	2-3C5C	T84D0080
2601	椽	D9BA	B6DD	76DE	A2BCDD	2-3C5D	T84E0080
2602	椽	D9BB	B6DE	76DF	A2BCDE	2-3C5E	T84F0080
2603	椽	D9BC	B6DF	76E0	A2BCDF	2-3C5F	T84G0080
2604	椽	D9BD	B6E0	76E1	A2BCE0	2-3C60	T84H0080
2605	椽	D9BE	B6E1	76E2	A2BCE1	2-3C61	T84I0080
2606	椽	D9BF	B6E2	76E3	A2BCE2	2-3C62	T84J0080
2607	椽	D9C0	B6E3	76E4	A2BCE3	2-3C63	T84K0080
2608	椽	D9C1	B6E4	76E5	A2BCE4	2-3C64	T84L0080
2609	椽	D9C2	B6E5	76E6	A2BCE5	2-3C65	T84M0080
2610	椽	D9C3	B6E6	76E7	A2BCE6	2-3C66	T84N0080
2611	椽	D9C4	B6E7	76E8	A2BCE7	2-3C67	T84O0080
2612	椽	D9C5	B6E8	76E9	A2BCE8	2-3C68	T84P0080
2613	椽	D9C6	B6E9	76EA	A2BCE9	2-3C69	T84Q0080
2614	椽	D9C7	B6EA	76EB	A2BCEA	2-3C6A	T84R0080
2615	椽	D9C8	B6EB	76EC	A2BCEB	2-3C6B	T84S0080
2616	椽	D9C9	B6EC	76ED	A2BCEC	2-3C6C	T84T0080
2617	椽	D9CA	B6ED	76EE	A2BCED	2-3C6D	T84U0080
2618	椽	D9CB	B6EE	76EF	A2BCEE	2-3C6E	T84V0080
2619	椽	D9CC	B6EF	76F0	A2BCEF	2-3C6F	T84W0080
2620	椽	D9CD	B6F0	76F1	A2BCF0	2-3C70	T84X0080
2621	椽	D9CE	B6F1	76F2	A2BCF1	2-3C71	T84Y0080
2622	椽	D9CF	B6F2	76F3	A2BCF2	2-3C72	T84Z0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 43 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2623	榭	D9D0	B6F3	76F4	A2BCF3	2-3C73	T8500080
2624	榑	D9D1	B6F4	76F5	A2BCF4	2-3C74	T8510080
2625	榒	D9D2	B6F5	76F6	A2BCF5	2-3C75	T8520080
2626	榓	D9D3	B6F6	76F7	A2BCF6	2-3C76	T8530080
2627	榔	D9D4	B6F7	76F8	A2BCF7	2-3C77	T8540080
2628	榕	D9D5	B6F8	76F9	A2BCF8	2-3C78	T8550080
2629	榖	D9D6	B6F9	76FA	A2BCF9	2-3C79	T8560080
2630	榗	D9D7	B6FA	76FB	A2BCFA	2-3C7A	T8570080
2631	榙	D9D8	B6FB	76FC	A2BCFB	2-3C7B	T8580080
2632	榚	D9D9	B6FC	76FD	A2BCFC	2-3C7C	T8590080
2633	榛	D9DA	B740	7741	A2BCFD	2-3C7D	T85D0080
2634	榜	D9DB	B741	7742	A2BCFE	2-3C7E	T85E0080
2635	榝	D9DC	B742	7743	A2BDA1	2-3D21	T85F0080
2636	榞	D9DD	B743	7744	A2BDA2	2-3D22	T85G0080
2637	榟	D9DE	B744	7745	A2BDA3	2-3D23	T85H0080
2638	榠	D9DF	B745	7746	A2BDA4	2-3D24	T85I0080
2639	榡	D9E0	B746	7747	A2BDA5	2-3D25	T85J0080
2640	榢	D9E1	B747	7748	A2BDA6	2-3D26	T85K0080
2641	榣	D9E2	B748	7749	A2BDA7	2-3D27	T85L0080
2642	榤	D9E3	B749	774A	A2BDA8	2-3D28	T85M0080
2643	榥	D9E4	B74A	774B	A2BDA9	2-3D29	T85N0080
2644	榦	D9E5	B74B	774C	A2BDAA	2-3D2A	T85O0080
2645	榧	D9E6	B74C	774D	A2BDAB	2-3D2B	T85P0080
2646	榨	D9E7	B74D	774E	A2BDAC	2-3D2C	T85Q0080
2647	榩	D9E8	B74E	774F	A2BDAD	2-3D2D	T85R0080
2648	榪	D9E9	B74F	7750	A2BDAE	2-3D2E	T85S0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 44 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2649	滄	D9EA	B750	7751	A2BDAF	2-3D2F	T85T0080
2650	滄	D9EB	B751	7752	A2BDB0	2-3D30	T85U0080
2651	滄	D9EC	B752	7753	A2BDB1	2-3D31	T85V0080
2652	滄	D9ED	B753	7754	A2BDB2	2-3D32	T85W0080
2653	滄	D9EE	B754	7755	A2BDB3	2-3D33	T85X0080
2654	滄	D9EF	B755	7756	A2BDB4	2-3D34	T85Y0080
2655	滄	D9F0	B756	7757	A2BDB5	2-3D35	T85Z0080
2656	滄	D9F1	B757	7758	A2BDB6	2-3D36	T8600080
2657	滄	D9F2	B758	7759	A2BDB7	2-3D37	T8610080
2658	滄	D9F3	B759	775A	A2BDB8	2-3D38	T8620080
2659	滄	D9F4	B75A	775B	A2BDB9	2-3D39	T8630080
2660	滄	D9F5	B75B	775C	A2BDDBA	2-3D3A	T8640080
2661	滄	D9F6	B75C	775D	A2BDDBB	2-3D3B	T8650080
2662	滄	D9F7	B75D	775E	A2BDDBC	2-3D3C	T8660080
2663	滄	D9F8	B75E	775F	A2BDDBD	2-3D3D	T8670080
2664	滄	D9F9	B75F	7760	A2BDBE	2-3D3E	T8680080
2665	滄	D9FA	B760	7761	A2BDBF	2-3D3F	T8690080
2666	滄	D9FB	B761	7762	A2BDC0	2-3D40	T86A0080
2667	滄	D9FC	B762	7763	A2BDC1	2-3D41	T86B0080
2668	滄	D9FD	B763	7764	A2BDC2	2-3D42	T86C0080
2669	滄	D9FE	B764	7765	A2BDC3	2-3D43	T86D0080
2670	滄	DA40	B765	7766	A2BDC4	2-3D44	T86E0080
2671	滄	DA41	B766	7767	A2BDC5	2-3D45	T86F0080
2672	滄	DA42	B767	7768	A2BDC6	2-3D46	T86G0080
2673	滄	DA43	B768	7769	A2BDC7	2-3D47	T86H0080
2674	滄	DA44	B769	776A	A2BDC8	2-3D48	T86I0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 45 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2675	滌	DA45	B76A	776B	A2BDC9	2-3D49	T86J0080
2676	滌	DA46	B76B	776C	A2BDCA	2-3D4A	T86K0080
2677	湫	DA47	B76C	776D	A2BDCB	2-3D4B	T86L0080
2678	洵	DA48	B76D	776E	A2BDCC	2-3D4C	T86M0080
2679	瀕	DA49	B76E	776F	A2BDCE	2-3D4D	T86N0080
2680	滄	DA4A	B76F	7770	A2BDCE	2-3D4E	T86O0080
2681	滄	DA4B	B770	7771	A2BDCF	2-3D4F	T86P0080
2682	澗	DA4C	B771	7772	A2BDD0	2-3D50	T86Q0080
2683	滄	DA4D	B772	7773	A2BDD1	2-3D51	T86R0080
2684	澗	DA4E	B773	7774	A2BDD2	2-3D52	T86S0080
2685	澗	DA4F	B774	7775	A2BDD3	2-3D53	T86T0080
2686	澗	DA50	B775	7776	A2BDD4	2-3D54	T86U0080
2687	澗	DA51	B776	7777	A2BDD5	2-3D55	T86V0080
2688	澗	DA52	B777	7778	A2BDD6	2-3D56	T86W0080
2689	澗	DA53	B778	7779	A2BDD7	2-3D57	T86X0080
2690	澗	DA54	B779	777A	A2BDD8	2-3D58	T86Y0080
2691	澗	DA55	B77A	777B	A2BDD9	2-3D59	T86Z0080
2692	澗	DA56	B77B	777C	A2BDDB	2-3D5A	T8700080
2693	澗	DA57	B77C	777D	A2BDDB	2-3D5B	T8710080
2694	焯	DA58	B77D	777E	A2BDDB	2-3D5C	T8720080
2695	焯	DA59	B77E	777F	A2BDDD	2-3D5D	T8730080
2696	焯	DA5A	B780	7781	A2BDDE	2-3D5E	T8750080
2697	焯	DA5B	B781	7782	A2BDDF	2-3D5F	T8760080
2698	焯	DA5C	B782	7783	A2BDE0	2-3D60	T8770080
2699	焯	DA5D	B783	7784	A2BDE1	2-3D61	T8780080
2700	焯	DA5E	B784	7785	A2BDE2	2-3D62	T8790080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 46 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2701	焯	DA5F	B785	7786	A2BDE3	2-3D63	T87A0080
2702	焯	DA60	B786	7787	A2BDE4	2-3D64	T87B0080
2703	焯	DA61	B787	7788	A2BDE5	2-3D65	T87C0080
2704	焯	DA62	B788	7789	A2BDE6	2-3D66	T87D0080
2705	焯	DA63	B789	778A	A2BDE7	2-3D67	T87E0080
2706	焯	DA64	B78A	778B	A2BDE8	2-3D68	T87F0080
2707	焯	DA65	B78B	778C	A2BDE9	2-3D69	T87G0080
2708	焯	DA66	B78C	778D	A2BDEA	2-3D6A	T87H0080
2709	焯	DA67	B78D	778E	A2BDEB	2-3D6B	T87I0080
2710	焯	DA68	B78E	778F	A2BDEC	2-3D6C	T87J0080
2711	焯	DA69	B78F	7790	A2BDED	2-3D6D	T87K0080
2712	焯	DA6A	B790	7791	A2BDEE	2-3D6E	T87L0080
2713	焯	DA6B	B791	7792	A2BDEF	2-3D6F	T87M0080
2714	焯	DA6C	B792	7793	A2BDF0	2-3D70	T87N0080
2715	焯	DA6D	B793	7794	A2BDF1	2-3D71	T87O0080
2716	焯	DA6E	B794	7795	A2BDF2	2-3D72	T87P0080
2717	焯	DA6F	B795	7796	A2BDF3	2-3D73	T87Q0080
2718	焯	DA70	B796	7797	A2BDF4	2-3D74	T87R0080
2719	焯	DA71	B797	7798	A2BDF5	2-3D75	T87S0080
2720	焯	DA72	B798	7799	A2BDF6	2-3D76	T87T0080
2721	焯	DA73	B799	779A	A2BDF7	2-3D77	T87U0080
2722	焯	DA74	B79A	779B	A2BDF8	2-3D78	T87V0080
2723	焯	DA75	B79B	779C	A2BDF9	2-3D79	T87W0080
2724	焯	DA76	B79C	779D	A2BDFA	2-3D7A	T87X0080
2725	焯	DA77	B79D	779E	A2BDFB	2-3D7B	T87Y0080
2726	焯	DA78	B79E	779F	A2BDFC	2-3D7C	T87Z0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 47 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2727	𪗇	DA79	B79F	77A0	A2BDFD	2-3D7D	T8800080
2728	琮	DA7A	B7A0	77A1	A2BDFE	2-3D7E	T8810080
2729	琬	DA7B	B7A1	77A2	A2BEA1	2-3E21	T8820080
2730	琰	DA7C	B7A2	77A3	A2BEA2	2-3E22	T8830080
2731	琫	DA7D	B7A3	77A4	A2BEA3	2-3E23	T8840080
2732	琬	DA7E	B7A4	77A5	A2BEA4	2-3E24	T8850080
2733	琰	DAA1	B7A5	77A6	A2BEA5	2-3E25	T8860080
2734	琫	DAA2	B7A6	77A7	A2BEA6	2-3E26	T8870080
2735	琬	DAA3	B7A7	77A8	A2BEA7	2-3E27	T8880080
2736	琰	DAA4	B7A8	77A9	A2BEA8	2-3E28	T8890080
2737	琫	DAA5	B7A9	77AA	A2BEA9	2-3E29	T88A0080
2738	琬	DAA6	B7AA	77AB	A2BEAA	2-3E2A	T88B0080
2739	琰	DAA7	B7AB	77AC	A2BEAB	2-3E2B	T88C0080
2740	琫	DAA8	B7AC	77AD	A2BEAC	2-3E2C	T88D0080
2741	琬	DAA9	B7AD	77AE	A2BEAD	2-3E2D	T88E0080
2742	琰	DAAA	B7AE	77AF	A2BEAE	2-3E2E	T88F0080
2743	琫	DAAB	B7AF	77B0	A2BEAF	2-3E2F	T88G0080
2744	甯	DAAC	B7B0	77B1	A2BEB0	2-3E30	T88H0080
2745	峻	DAAD	B7B1	77B2	A2BEB1	2-3E31	T88I0080
2746	畚	DAAE	B7B2	77B3	A2BEB2	2-3E32	T88J0080
2747	痧	DAAF	B7B3	77B4	A2BEB3	2-3E33	T88K0080
2748	瘴	DAB0	B7B4	77B5	A2BEB4	2-3E34	T88L0080
2749	痛	DAB1	B7B5	77B6	A2BEB5	2-3E35	T88M0080
2750	瘡	DAB2	B7B6	77B7	A2BEB6	2-3E36	T88N0080
2751	癩	DAB3	B7B7	77B8	A2BEB7	2-3E37	T88O0080
2752	瘡	DAB4	B7B8	77B9	A2BEB8	2-3E38	T88P0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 48 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2753	瘞	DAB5	B7B9	77BA	A2BEB9	2-3E39	T88Q0080
2754	痲	DAB6	B7BA	77BB	A2BEB A	2-3E3A	T88R0080
2755	皃	DAB7	B7BB	77BC	A2BEBB	2-3E3B	T88S0080
2756	的	DAB8	B7BC	77BD	A2BEB C	2-3E3C	T88T0080
2757	皅	DAB9	B7BD	77BE	A2BEB D	2-3E3D	T88U0080
2758	睨	DABA	B7BE	77BF	A2BEB E	2-3E3E	T88V0080
2759	睽	DABB	B7BF	77C0	A2BEB F	2-3E3F	T88W0080
2760	睬	DABC	B7C0	77C1	A2BEC0	2-3E40	T88X0080
2761	睭	DABD	B7C1	77C2	A2BEC1	2-3E41	T88Y0080
2762	睮	DABE	B7C2	77C3	A2BEC2	2-3E42	T88Z0080
2763	睻	DABF	B7C3	77C4	A2BEC3	2-3E43	T8900080
2764	睿	DAC0	B7C4	77C5	A2BEC4	2-3E44	T8910080
2765	皇	DAC1	B7C5	77C6	A2BEC5	2-3E45	T8920080
2766	皈	DAC2	B7C6	77C7	A2BEC6	2-3E46	T8930080
2767	皉	DAC3	B7C7	77C8	A2BEC7	2-3E47	T8940080
2768	皊	DAC4	B7C8	77C9	A2BEC8	2-3E48	T8950080
2769	皋	DAC5	B7C9	77CA	A2BEC9	2-3E49	T8960080
2770	皌	DAC6	B7CA	77CB	A2BECA	2-3E4A	T8970080
2771	皍	DAC7	B7CB	77CC	A2BECB	2-3E4B	T8980080
2772	皎	DAC8	B7CC	77CD	A2BECC	2-3E4C	T8990080
2773	皏	DAC9	B7CD	77CE	A2BECD	2-3E4D	T89A0080
2774	皑	DACA	B7CE	77CF	A2BECE	2-3E4E	T89B0080
2775	皒	DACB	B7CF	77D0	A2BECF	2-3E4F	T89C0080
2776	皓	DACC	B7D0	77D1	A2BED0	2-3E50	T89D0080
2777	皔	DACD	B7D1	77D2	A2BED1	2-3E51	T89E0080
2778	皕	DACE	B7D2	77D3	A2BED2	2-3E52	T89F0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 49 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2779	磳	DACF	B7D3	77D4	A2BED3	2-3E53	T89G0080
2780	碓	DAD0	B7D4	77D5	A2BED4	2-3E54	T89H0080
2781	稔	DAD1	B7D5	77D6	A2BED5	2-3E55	T89I0080
2782	穢	DAD2	B7D6	77D7	A2BED6	2-3E56	T89J0080
2783	振	DAD3	B7D7	77D8	A2BED7	2-3E57	T89K0080
2784	稜	DAD4	B7D8	77D9	A2BED8	2-3E58	T89L0080
2785	稈	DAD5	B7D9	77DA	A2BED9	2-3E59	T89M0080
2786	稊	DAD6	B7DA	77DB	A2BEDA	2-3E5A	T89N0080
2787	穉	DAD7	B7DB	77DC	A2BEDB	2-3E5B	T89O0080
2788	穉	DAD8	B7DC	77DD	A2BEDC	2-3E5C	T89P0080
2789	稊	DAD9	B7DD	77DE	A2BEDD	2-3E5D	T89Q0080
2790	稊	DADA	B7DE	77DF	A2BEDE	2-3E5E	T89R0080
2791	穉	DADB	B7DF	77E0	A2BEDF	2-3E5F	T89S0080
2792	竦	DADC	B7E0	77E1	A2BEE0	2-3E60	T89T0080
2793	竦	DADD	B7E1	77E2	A2BEE1	2-3E61	T89U0080
2794	筴	DADE	B7E2	77E3	A2BEE2	2-3E62	T89V0080
2795	筴	DADF	B7E3	77E4	A2B7EF	2-376F	T89W0080
2796	筴	DAE0	B7E4	77E5	A2BEE4	2-3E64	T89X0080
2797	筴	DAE1	B7E5	77E6	A2BEE5	2-3E65	T89Y0080
2798	筴	DAE2	B7E6	77E7	A2BEE6	2-3E66	T89Z0080
2799	筴	DAE3	B7E7	77E8	A2BEE7	2-3E67	T8A00080
2800	筴	DAE4	B7E8	77E9	A2BEE8	2-3E68	T8A10080
2801	筴	DAE5	B7E9	77EA	A2BEE9	2-3E69	T8A20080
2802	筴	DAE6	B7EA	77EB	A2BEEA	2-3E6A	T8A30080
2803	籒	DAE7	B7EB	77EC	A2BEEB	2-3E6B	T8A40080
2804	籒	DAE8	B7EC	77ED	A2BEEC	2-3E6C	T8A50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 50 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2805	糶	DAE9	B7ED	77EE	A2BEED	2-3E6D	T8A60080
2806	桐	DAEA	B7EE	77EF	A2BEEE	2-3E6E	T8A70080
2807	欸	DAEB	B7EF	77F0	A2BEEF	2-3E6F	T8A80080
2808	絳	DAEC	B7F0	77F1	A2BEF0	2-3E70	T8A90080
2809	絳	DAED	B7F1	77F2	A2BEF1	2-3E71	T8AA0080
2810	絳	DAEE	B7F2	77F3	A2BEF2	2-3E72	T8AB0080
2811	絳	DAEF	B7F3	77F4	A2BEF3	2-3E73	T8AC0080
2812	絳	DAF0	B7F4	77F5	A2BEF4	2-3E74	T8AD0080
2813	絳	DAF1	B7F5	77F6	A2BEF5	2-3E75	T8AE0080
2814	絳	DAF2	B7F6	77F7	A2BEF6	2-3E76	T8AF0080
2815	縈	DAF3	B7F7	77F8	A2BEF7	2-3E77	T8AG0080
2816	縈	DAF4	B7F8	77F9	A2BEF8	2-3E78	T8AH0080
2817	縈	DAF5	B7F9	77FA	A2BEF9	2-3E79	T8AI0080
2818	縈	DAF6	B7FA	77FB	A2BEFA	2-3E7A	T8AJ0080
2819	縈	DAF7	B7FB	77FC	A2BEFB	2-3E7B	T8AK0080
2820	縈	DAF8	B7FC	77FD	A2BEFC	2-3E7C	T8AL0080
2821	縈	DAF9	B840	7841	A2BEFD	2-3E7D	T8AP0080
2822	縈	DAFA	B841	7842	A2BEFE	2-3E7E	T8AQ0080
2823	縈	DAFB	B842	7843	A2BFA1	2-3F21	T8AR0080
2824	縈	DAFC	B843	7844	A2BFA2	2-3F22	T8AS0080
2825	縈	DAFD	B844	7845	A2BFA3	2-3F23	T8AT0080
2826	胃	DAFE	B845	7846	A2BFA4	2-3F24	T8AU0080
2827	學	DB40	B846	7847	A2BFA5	2-3F25	T8AV0080
2828	羸	DB41	B847	7848	A2BFA6	2-3F26	T8AW0080
2829	羸	DB42	B848	7849	A2BFA7	2-3F27	T8AX0080
2830	羨	DB43	B849	784A	A2BFA8	2-3F28	T8AY0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 51 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2831	翱	DB44	B84A	784B	A2BFA9	2-3F29	T8AZ0080
2832	聃	DB45	B84B	784C	A2BFAA	2-3F2A	T8B00080
2833	聃	DB46	B84C	784D	A2BFAB	2-3F2B	T8B10080
2834	聃	DB47	B84D	784E	A2BFAC	2-3F2C	T8B20080
2835	戴	DB48	B84E	784F	A2BFAD	2-3F2D	T8B30080
2836	齧	DB49	B84F	7850	A2BFAE	2-3F2E	T8B40080
2837	臙	DB4A	B850	7851	A2BFAF	2-3F2F	T8B50080
2838	腊	DB4B	B851	7852	A2BFB0	2-3F30	T8B60080
2839	踞	DB4C	B852	7853	A2BFB1	2-3F31	T8B70080
2840	臙	DB4D	B853	7854	A2BFB2	2-3F32	T8B80080
2841	臙	DB4E	B854	7855	A2BFB3	2-3F33	T8B90080
2842	臙	DB4F	B855	7856	A2BFB4	2-3F34	T8BA0080
2843	臙	DB50	B856	7857	A2BFB5	2-3F35	T8BB0080
2844	臙	DB51	B857	7858	A2BFB6	2-3F36	T8BC0080
2845	蛩	DB52	B858	7859	A2BFB7	2-3F37	T8BD0080
2846	臙	DB53	B859	785A	A2BFB8	2-3F38	T8BE0080
2847	臙	DB54	B85A	785B	A2BFB9	2-3F39	T8BF0080
2848	蛩	DB55	B85B	785C	A2BFBA	2-3F3A	T8BG0080
2849	臙	DB56	B85C	785D	A2BFBB	2-3F3B	T8BH0080
2850	烏	DB57	B85D	785E	A2BFBC	2-3F3C	T8BI0080
2851	臙	DB58	B85E	785F	A2BFBD	2-3F3D	T8BJ0080
2852	臙	DB59	B85F	7860	A2BFBE	2-3F3E	T8BK0080
2853	臙	DB5A	B860	7861	A2BFBF	2-3F3F	T8BL0080
2854	艳	DB5B	B861	7862	A2BFC0	2-3F40	T8BM0080
2855	躄	DB5C	B862	7863	A2BFC1	2-3F41	T8BN0080
2856	苻	DB5D	B863	7864	A2BFC2	2-3F42	T8BO0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 52 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2857	菹	DB5E	B864	7865	A2BFC3	2-3F43	T8BP0080
2858	菹	DB5F	B865	7866	A2BFC4	2-3F44	T8BQ0080
2859	菹	DB60	B866	7867	A2BFC5	2-3F45	T8BR0080
2860	菹	DB61	B867	7868	A2BFC6	2-3F46	T8BS0080
2861	菹	DB62	B868	7869	A2BFC7	2-3F47	T8BT0080
2862	菹	DB63	B869	786A	A2BFC8	2-3F48	T8BU0080
2863	菹	DB64	B86A	786B	A2BFC9	2-3F49	T8BV0080
2864	菹	DB65	B86B	786C	A2BFCA	2-3F4A	T8BW0080
2865	菹	DB66	B86C	786D	A2BFCE	2-3F4B	T8BX0080
2866	菹	DB67	B86D	786E	A2BFCC	2-3F4C	T8BY0080
2867	菹	DB68	B86E	786F	A2BFCD	2-3F4D	T8BZ0080
2868	菹	DB69	B86F	7870	A2BFCE	2-3F4E	T8C00080
2869	菹	DB6A	B870	7871	A2BFCE	2-3F4F	T8C10080
2870	菹	DB6B	B871	7872	A2BFD0	2-3F50	T8C20080
2871	菹	DB6C	B872	7873	A2BFD1	2-3F51	T8C30080
2872	菹	DB6D	B873	7874	A2BFD2	2-3F52	T8C40080
2873	菹	DB6E	B874	7875	A2BFD3	2-3F53	T8C50080
2874	菹	DB6F	B875	7876	A2BFD4	2-3F54	T8C60080
2875	菹	DB70	B876	7877	A2BFD5	2-3F55	T8C70080
2876	菹	DB71	B877	7878	A2BFD6	2-3F56	T8C80080
2877	菹	DB72	B878	7879	A2BFD7	2-3F57	T8C90080
2878	菹	DB73	B879	787A	A2BFD8	2-3F58	T8CA0080
2879	菹	DB74	B87A	787B	A2BFD9	2-3F59	T8CB0080
2880	菹	DB75	B87B	787C	A2BFDA	2-3F5A	T8CC0080
2881	菹	DB76	B87C	787D	A2BFDB	2-3F5B	T8CD0080
2882	菹	DB77	B87D	787E	A2BFDC	2-3F5C	T8CE0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 53 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2883	蕈	DB78	B87E	787F	A2BFDD	2-3F5D	T8CF0080
2884	苜	DB79	B880	7881	A2BFDE	2-3F5E	T8CH0080
2885	苜	DB7A	B881	7882	A2BFDF	2-3F5F	T8CI0080
2886	萑	DB7B	B882	7883	A2BFE0	2-3F60	T8CJ0080
2887	萑	DB7C	B883	7884	A2BFE1	2-3F61	T8CK0080
2888	蒨	DB7D	B884	7885	A2BFE2	2-3F62	T8CL0080
2889	蒨	DB7E	B885	7886	A2BFE3	2-3F63	T8CM0080
2890	蒨	DBA1	B886	7887	A2BFE4	2-3F64	T8CN0080
2891	蒨	DBA2	B887	7888	A2BFE5	2-3F65	T8CO0080
2892	菇	DBA3	B888	7889	A2BFE6	2-3F66	T8CP0080
2893	蓄	DBA4	B889	788A	A2BFE7	2-3F67	T8CQ0080
2894	蓍	DBA5	B88A	788B	A2BFE8	2-3F68	T8CR0080
2895	萱	DBA6	B88B	788C	A2BFE9	2-3F69	T8CS0080
2896	蒨	DBA7	B88C	788D	A2BFEB	2-3F6B	T8CT0080
2897	蒨	DBA8	B88D	788E	A2BFEC	2-3F6C	T8CU0080
2898	蒨	DBA9	B88E	788F	A2BFED	2-3F6D	T8CV0080
2899	菓	DBAA	B88F	7890	A2BFEE	2-3F6E	T8CW0080
2900	蒜	DBAB	B890	7891	A2BFEF	2-3F6F	T8CX0080
2901	菰	DBAC	B891	7892	A2BFF0	2-3F70	T8CY0080
2902	菰	DBAD	B892	7893	A2BFF1	2-3F71	T8CZ0080
2903	萑	DBAE	B893	7894	A2BFF2	2-3F72	T8D00080
2904	萑	DBAF	B894	7895	A2BFF3	2-3F73	T8D10080
2905	蒸	DBB0	B895	7896	A2BFF4	2-3F74	T8D20080
2906	蚌	DBB1	B896	7897	A2BFF5	2-3F75	T8D30080
2907	蚌	DBB2	B897	7898	A2BFF6	2-3F76	T8D40080
2908	蟻	DBB3	B898	7899	A2BFF7	2-3F77	T8D50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 54 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2909	載	DBB4	B899	789A	A2BFF8	2-3F78	T8D60080
2910	蛄	DBB5	B89A	789B	A2BFF9	2-3F79	T8D70080
2911	蜩	DBB6	B89B	789C	A2BFFA	2-3F7A	T8D80080
2912	蜩	DBB7	B89C	789D	A2BFFB	2-3F7B	T8D90080
2913	蜩	DBB8	B89D	789E	A2BFFC	2-3F7C	T8DA0080
2914	蜩	DBB9	B89E	789F	A2BFFD	2-3F7D	T8DB0080
2915	蜩	DBBA	B89F	78A0	A2BFFE	2-3F7E	T8DC0080
2916	蝥	DBBB	B8A0	78A1	A2C0A1	2-4021	T8DD0080
2917	蝥	DBBC	B8A1	78A2	A2C0A2	2-4022	T8DE0080
2918	皇	DBBD	B8A2	78A3	A2C0A3	2-4023	T8DF0080
2919	蛸	DBBE	B8A3	78A4	A2C0A4	2-4024	T8DG0080
2920	蛸	DBBF	B8A4	78A5	A2C0A5	2-4025	T8DH0080
2921	蛸	DBC0	B8A5	78A6	A2C0A6	2-4026	T8DI0080
2922	蛸	DBC1	B8A6	78A7	A2C0A7	2-4027	T8DJ0080
2923	蛸	DBC2	B8A7	78A8	A2C0A8	2-4028	T8DK0080
2924	蛸	DBC3	B8A8	78A9	A2C0A9	2-4029	T8DL0080
2925	蛸	DBC4	B8A9	78AA	A2C0AA	2-402A	T8DM0080
2926	蛸	DBC5	B8AA	78AB	A2C0AB	2-402B	T8DN0080
2927	蛸	DBC6	B8AB	78AC	A2C0AC	2-402C	T8DO0080
2928	蛸	DBC7	B8AC	78AD	A2C0AD	2-402D	T8DP0080
2929	蛸	DBC8	B8AD	78AE	A2C0AE	2-402E	T8DQ0080
2930	蛸	DBC9	B8AE	78AF	A2C0AF	2-402F	T8DR0080
2931	蛸	DBCA	B8AF	78B0	A2C0B0	2-4030	T8DS0080
2932	蛸	DBCB	B8B0	78B1	A2C0B1	2-4031	T8DT0080
2933	蛸	DBCC	B8B1	78B2	A2C0B2	2-4032	T8DU0080
2934	蛸	DBCD	B8B2	78B3	A2C0B3	2-4033	T8DV0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 55 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2935	褻	DBCE	B8B3	78B4	A2C0B4	2-4034	T8DW0080
2936	根	DBCF	B8B4	78B5	A2C0B5	2-4035	T8DX0080
2937	覘	DBD0	B8B5	78B6	A2C0B6	2-4036	T8DY0080
2938	覘	DBD1	B8B6	78B7	A2C0B7	2-4037	T8DZ0080
2939	覘	DBD2	B8B7	78B8	A2C0B8	2-4038	T8E00080
2940	觥	DBD3	B8B8	78B9	A2C0B9	2-4039	T8E10080
2941	觥	DBD4	B8B9	78BA	A2C0BA	2-403A	T8E20080
2942	觥	DBD5	B8BA	78BB	A2C0BB	2-403B	T8E30080
2943	詎	DBD6	B8BB	78BC	A2C0BC	2-403C	T8E40080
2944	詎	DBD7	B8BC	78BD	A2C0BD	2-403D	T8E50080
2945	誑	DBD8	B8BD	78BE	A2C0BE	2-403E	T8E60080
2946	誑	DBD9	B8BE	78BF	A2C0BF	2-403F	T8E70080
2947	詰	DBDA	B8BF	78C0	A2C0C0	2-4040	T8E80080
2948	訶	DBDB	B8C0	78C1	A2C0C1	2-4041	T8E90080
2949	詘	DBDC	B8C1	78C2	A2C0C2	2-4042	T8EA0080
2950	誑	DBDD	B8C2	78C3	A2C0C3	2-4043	T8EB0080
2951	諗	DBDE	B8C3	78C4	A2C0C4	2-4044	T8EC0080
2952	詰	DBDF	B8C4	78C5	A2C0C5	2-4045	T8ED0080
2953	詈	DBE0	B8C5	78C6	A2C0C6	2-4046	T8EE0080
2954	詎	DBE1	B8C6	78C7	A2C0C7	2-4047	T8EF0080
2955	誑	DBE2	B8C7	78C8	A2C0C8	2-4048	T8EG0080
2956	詎	DBE3	B8C8	78C9	A2C0C9	2-4049	T8EH0080
2957	誑	DBE4	B8C9	78CA	A2C0CA	2-404A	T8EI0080
2958	貌	DBE5	B8CA	78CB	A2C0CB	2-404B	T8EJ0080
2959	貌	DBE6	B8CB	78CC	A2C0CC	2-404C	T8EK0080
2960	黏	DBE7	B8CC	78CD	A2C0CD	2-404D	T8EL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 56 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2961	貺	DBE8	B8CD	78CE	A2C0CE	2-404E	T8EM0080
2962	貽	DBE9	B8CE	78CF	A2C0CF	2-404F	T8EN0080
2963	貫	DBEA	B8CF	78D0	A2C0D0	2-4050	T8EO0080
2964	甦	DBEB	B8D0	78D1	A2C0D1	2-4051	T8EP0080
2965	資	DBEC	B8D1	78D2	A2C0D2	2-4052	T8EQ0080
2966	趨	DBED	B8D2	78D3	A2C0D3	2-4053	T8ER0080
2967	越	DBEE	B8D3	78D4	A2C0D4	2-4054	T8ES0080
2968	趙	DBEF	B8D4	78D5	A2C0D5	2-4055	T8ET0080
2969	躄	DBF0	B8D5	78D6	A2C0D6	2-4056	T8EU0080
2970	跬	DBF1	B8D6	78D7	A2C0D7	2-4057	T8EV0080
2971	跬	DBF2	B8D7	78D8	A2C0D8	2-4058	T8EW0080
2972	躄	DBF3	B8D8	78D9	A2C0D9	2-4059	T8EX0080
2973	跬	DBF4	B8D9	78DA	A2C0DA	2-405A	T8EY0080
2974	踞	DBF5	B8DA	78DB	A2C0DB	2-405B	T8EZ0080
2975	踞	DBF6	B8DB	78DC	A2C0DC	2-405C	T8F00080
2976	跬	DBF7	B8DC	78DD	A2C0DD	2-405D	T8F10080
2977	踞	DBF8	B8DD	78DE	A2C0DE	2-405E	T8F20080
2978	踞	DBF9	B8DE	78DF	A2C0DF	2-405F	T8F30080
2979	踞	DBFA	B8DF	78E0	A2C0E0	2-4060	T8F40080
2980	踞	DBFB	B8E0	78E1	A2C0E1	2-4061	T8F50080
2981	軚	DBFC	B8E1	78E2	A2C0E2	2-4062	T8F60080
2982	軚	DBFD	B8E2	78E3	A2C0E3	2-4063	T8F70080
2983	軚	DBFE	B8E3	78E4	A2C0E4	2-4064	T8F80080
2984	軚	DC40	B8E4	78E5	A2C0E5	2-4065	T8F90080
2985	軚	DC41	B8E5	78E6	A2C0E6	2-4066	T8FA0080
2986	軚	DC42	B8E6	78E7	A2C0E7	2-4067	T8FB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 57 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
2987	鞫	DC43	B8E7	78E8	A2C0E8	2-4068	T8FC0080
2988	鞫	DC44	B8E8	78E9	A2C0E9	2-4069	T8FD0080
2989	軋	DC45	B8E9	78EA	A2C0EA	2-406A	T8FE0080
2990	軋	DC46	B8EA	78EB	A2C0EB	2-406B	T8FF0080
2991	軋	DC47	B8EB	78EC	A2C0EC	2-406C	T8FG0080
2992	軋	DC48	B8EC	78ED	A2C0ED	2-406D	T8FH0080
2993	軋	DC49	B8ED	78EE	A2C0EE	2-406E	T8FI0080
2994	軋	DC4A	B8EE	78EF	A2C0EF	2-406F	T8FJ0080
2995	軋	DC4B	B8EF	78F0	A2C0F0	2-4070	T8FK0080
2996	軋	DC4C	B8F0	78F1	A2C0F1	2-4071	T8FL0080
2997	逕	DC4D	B8F1	78F2	A2C0F2	2-4072	T8FM0080
2998	逕	DC4E	B8F2	78F3	A2C0F3	2-4073	T8FN0080
2999	逕	DC4F	B8F3	78F4	A2C0F4	2-4074	T8FO0080
3000	鄞	DC50	B8F4	78F5	A2C0F5	2-4075	T8FP0080
3001	鄞	DC51	B8F5	78F6	A2C0F6	2-4076	T8FQ0080
3002	鄞	DC52	B8F6	78F7	A2C0F7	2-4077	T8FR0080
3003	鄞	DC53	B8F7	78F8	A2C0F8	2-4078	T8FS0080
3004	鄞	DC54	B8F8	78F9	A2C0F9	2-4079	T8FT0080
3005	鄞	DC55	B8F9	78FA	A2C0FA	2-407A	T8FU0080
3006	鄞	DC56	B8FA	78FB	A2C0FB	2-407B	T8FV0080
3007	鄞	DC57	B8FB	78FC	A2C0FC	2-407C	T8FW0080
3008	鄞	DC58	B8FC	78FD	A2C0FD	2-407D	T8FX0080
3009	鄞	DC59	B940	7941	A2C0FE	2-407E	T8G10080
3010	鄞	DC5A	B941	7942	A2C1A1	2-4121	T8G20080
3011	鄞	DC5B	B942	7943	A2C1A2	2-4122	T8G30080
3012	鄞	DC5C	B943	7944	A2C1A3	2-4123	T8G40080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 11 (Page 58 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3013	醜	DC5D	B944	7945	A2C1A4	2-4124	T8G50080
3014	醜	DC5E	B945	7946	A2C1A5	2-4125	T8G60080
3015	醜	DC5F	B946	7947	A2C1A6	2-4126	T8G70080
3016	醜	DC60	B947	7948	A2C1A7	2-4127	T8G80080
3017	醜	DC61	B948	7949	A2C1A8	2-4128	T8G90080
3018	鈦	DC62	B949	794A	A2C1A9	2-4129	T8GA0080
3019	鈦	DC63	B94A	794B	A2C1AA	2-412A	T8GB0080
3020	鈦	DC64	B94B	794C	A2C1AB	2-412B	T8GC0080
3021	鈦	DC65	B94C	794D	A2C1AC	2-412C	T8GD0080
3022	鈦	DC66	B94D	794E	A2C1AD	2-412D	T8GE0080
3023	鈦	DC67	B94E	794F	A2C1AE	2-412E	T8GF0080
3024	鈦	DC68	B94F	7950	A2C1AF	2-412F	T8GG0080
3025	鈦	DC69	B950	7951	A2C1B0	2-4130	T8GH0080
3026	鈦	DC6A	B951	7952	A2C1B1	2-4131	T8GI0080
3027	鈦	DC6B	B952	7953	A2C1B2	2-4132	T8GJ0080
3028	鈦	DC6C	B953	7954	A2C1B3	2-4133	T8GK0080
3029	鈦	DC6D	B954	7955	A2C1B4	2-4134	T8GL0080
3030	鈦	DC6E	B955	7956	A2C1B5	2-4135	T8GM0080
3031	鈦	DC6F	B956	7957	A2C1B6	2-4136	T8GN0080
3032	鈦	DC70	B957	7958	A2C1B7	2-4137	T8GO0080
3033	鈦	DC71	B958	7959	A2C1B8	2-4138	T8GP0080
3034	鈦	DC72	B959	795A	A2C1B9	2-4139	T8GQ0080
3035	鈦	DC73	B95A	795B	A2C1BA	2-413A	T8GR0080
3036	鈦	DC74	B95B	795C	A2C1BB	2-413B	T8GS0080
3037	鈦	DC75	B95C	795D	A2C1BC	2-413C	T8GT0080
3038	鈦	DC76	B95D	795E	A2C1BD	2-413D	T8GU0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 11 (Page 59 of 59). Secondary Chinese Character Set (2 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3039	紛	DC77	B95E	795F	A2C1BE	2-413E	T8GV0080
3040	跌	DC78	B95F	7960	A2C1BF	2-413F	T8GW0080
3041	閉	DC79	B960	7961	A2C1C0	2-4140	T8GX0080
3042	閱	DC7A	B961	7962	A2C1C1	2-4141	T8GY0080
3043	閤	DC7B	B962	7963	A2C1C2	2-4142	T8GZ0080
3044	臧	DC7C	B963	7964	A2C1C3	2-4143	T8H00080
3045	陝	DC7D	B964	7965	A2C1C4	2-4144	T8H10080
3046	隈	DC7E	B965	7966	A2C1C5	2-4145	T8H20080
3047	隍	DCA1	B966	7967	A2C1C6	2-4146	T8H30080
3048	險	DCA2	B967	7968	A2C1C7	2-4147	T8H40080
3049	踵	DCA3	B968	7969	A2C1C8	2-4148	T8H50080
3050	雒	DCA4	B969	796A	A2C1C9	2-4149	T8H60080
3051	菑	DCA5	B96A	796B	A2C1CA	2-414A	T8H70080
3052	雅	DCA6	B96B	796C	A2C1CB	2-414B	T8H80080
3053	秀	DCA7	B96C	796D	A2C1CC	2-414C	T8H90080
3054	霽	DCA8	B96D	796E	A2C1CD	2-414D	T8HA0080
3055	軒	DCA9	B96E	796F	A2C1CE	2-414E	T8HB0080
3056	軌	DCAA	B96F	7970	A2C1CF	2-414F	T8HC0080
3057	鞫	DCAB	B970	7971	A2C1D0	2-4150	T8HD0080
3058	預	DCAC	B971	7972	A2C1D1	2-4151	T8HE0080
3059	颯	DCAD	B972	7973	A2C1D2	2-4152	T8HF0080
3060	飶	DCAE	B973	7974	A2C1D3	2-4153	T8HG0080
3061	臆	DCAF	B974	7975	A2C1D4	2-4154	T8HH0080
3062	蒨	DCB0	B975	7976	A2C1D5	2-4155	T8HI0080
3063	蕪	DCB1	B976	7977	A2C1D6	2-4156	T8HJ0080

Note: * See Section 11.2 on page 559 for the code translation correspondence among IBM BIG-5 and DBCS-PC and DBCS-Host and EUC and CNS 11643.

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8.8 Secondary Chinese Character Set (3 of 5)

Table 12 (Page 1 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3064	亂	DCB2	B977	7978	A2C1D7	2-4157	T8HK0080
3065	亶	DCB3	B978	7979	A2C1D8	2-4158	T8HL0080
3066	倬	DCB4	B979	797A	A2C1D9	2-4159	T8HM0080
3067	僑	DCB5	B97A	797B	A2C1DA	2-415A	T8HN0080
3068	僎	DCB6	B97B	797C	A2C1DB	2-415B	T8HO0080
3069	像	DCB7	B97C	797D	A2C1DC	2-415C	T8HP0080
3070	僐	DCB8	B97D	797E	A2C1DD	2-415D	T8HQ0080
3071	僑	DCB9	B97E	797F	A2C1DE	2-415E	T8HR0080
3072	僑	DCBA	B980	7981	A2C1DF	2-415F	T8HT0080
3073	僑	DCBB	B981	7982	A2C1E0	2-4160	T8HU0080
3074	僑	DCBC	B982	7983	A2C1E1	2-4161	T8HV0080
3075	僑	DCBD	B983	7984	A2C1E2	2-4162	T8HW0080
3076	僑	DCBE	B984	7985	A2C1E3	2-4163	T8HX0080
3077	僑	DCBF	B985	7986	A2C1E4	2-4164	T8HY0080
3078	僑	DCC0	B986	7987	A2C1E5	2-4165	T8HZ0080
3079	僑	DCC1	B987	7988	A2C1E6	2-4166	T8I00080
3080	僑	DCC2	B988	7989	A2C1E7	2-4167	T8I10080
3081	僑	DCC3	B989	798A	A2C1E8	2-4168	T8I20080
3082	僑	DCC4	B98A	798B	A2C1E9	2-4169	T8I30080
3083	僑	DCC5	B98B	798C	A2C1EA	2-416A	T8I40080
3084	僑	DCC6	B98C	798D	A2C1EB	2-416B	T8I50080
3085	僑	DCC7	B98D	798E	A2C1EC	2-416C	T8I60080
3086	僑	DCC8	B98E	798F	A2C1ED	2-416D	T8I70080
3087	僑	DCC9	B98F	7990	A2C1EE	2-416E	T8I80080
3088	僑	DCCA	B990	7991	A2C1EF	2-416F	T8I90080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 2 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3089	嘍	DCCB	B991	7992	A2C1F0	2-4170	T8IA0080
3090	嗑	DCCC	B992	7993	A2C1F1	2-4171	T8IB0080
3091	嗜	DCCD	B993	7994	A2C1F2	2-4172	T8IC0080
3092	嗜	DCCE	B994	7995	A2C1F3	2-4173	T8ID0080
3093	噴	DCCF	B995	7996	A2C1F4	2-4174	T8IE0080
3094	囑	DCD0	B996	7997	A2C1F5	2-4175	T8IF0080
3095	設	DCD1	B997	7998	A2C1F6	2-4176	T8IG0080
3096	噴	DCD2	B998	7999	A2C1F7	2-4177	T8IH0080
3097	噴	DCD3	B999	799A	A2C1F8	2-4178	T8II0080
3098	噴	DCD4	B99A	799B	A2C1F9	2-4179	T8IJ0080
3099	朶	DCD5	B99B	799C	A2C1FA	2-417A	T8IK0080
3100	嗒	DCD6	B99C	799D	A2C1FB	2-417B	T8IL0080
3101	喋	DCD7	B99D	799E	A2C1FC	2-417C	T8IM0080
3102	喋	DCD8	B99E	799F	A2C1FD	2-417D	T8IN0080
3103	噤	DCD9	B99F	79A0	A2C1FE	2-417E	T8IO0080
3104	嗑	DCDA	B9A0	79A1	A2C2A1	2-4221	T8IP0080
3105	噉	DCDB	B9A1	79A2	A2C2A2	2-4222	T8IQ0080
3106	噉	DCDC	B9A2	79A3	A2C2A3	2-4223	T8IR0080
3107	嗑	DCDD	B9A3	79A4	A2C2A4	2-4224	T8IS0080
3108	嘲	DCDE	B9A4	79A5	A2C2A5	2-4225	T8IT0080
3109	嘖	DCDF	B9A5	79A6	A2C2A6	2-4226	T8IU0080
3110	噤	DCE0	B9A6	79A7	A2C2A7	2-4227	T8IV0080
3111	圀	DCE1	B9A7	79A8	A2C2A8	2-4228	T8IW0080
3112	填	DCE2	B9A8	79A9	A2C2A9	2-4229	T8IX0080
3113	填	DCE3	B9A9	79AA	A2C2AA	2-422A	T8IY0080
3114	填	DCE4	B9AA	79AB	A2C2AB	2-422B	T8IZ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 3 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3115	塏	DCE5	B9AB	79AC	A2C2AC	2-422C	T8J00080
3116	塏	DCE6	B9AC	79AD	A2C2AD	2-422D	T8J10080
3117	塏	DCE7	B9AD	79AE	A2C2AE	2-422E	T8J20080
3118	塏	DCE8	B9AE	79AF	A2C2AF	2-422F	T8J30080
3119	塏	DCE9	B9AF	79B0	A2C2B0	2-4230	T8J40080
3120	塏	DCEA	B9B0	79B1	A2C2B1	2-4231	T8J50080
3121	塏	DCEB	B9B1	79B2	A2C2B2	2-4232	T8J60080
3122	塏	DCEC	B9B2	79B3	A2C2B3	2-4233	T8J70080
3123	塏	DCED	B9B3	79B4	A2C2B4	2-4234	T8J80080
3124	塏	DCEE	B9B4	79B5	A2C2B5	2-4235	T8J90080
3125	塏	DCEF	B9B5	79B6	A2C2B6	2-4236	T8JA0080
3126	塏	DCF0	B9B6	79B7	A2C2B7	2-4237	T8JB0080
3127	塏	DCF1	B9B7	79B8	A2C2B8	2-4238	T8JC0080
3128	壺	DCF2	B9B8	79B9	A2C2B9	2-4239	T8JD0080
3129	嫵	DCF3	B9B9	79BA	A2C2BA	2-423A	T8JE0080
3130	嫵	DCF4	B9BA	79BB	A2C2BB	2-423B	T8JF0080
3131	嫵	DCF5	B9BB	79BC	A2C2BC	2-423C	T8JG0080
3132	嫵	DCF6	B9BC	79BD	A2C2BD	2-423D	T8JH0080
3133	嫵	DCF7	B9BD	79BE	A2C2BE	2-423E	T8JI0080
3134	嫵	DCF8	B9BE	79BF	A2C2BF	2-423F	T8JJ0080
3135	媵	DCF9	B9BF	79C0	A2C2C0	2-4240	T8JK0080
3136	媵	DCFA	B9C0	79C1	A2C2C1	2-4241	T8JL0080
3137	媵	DCFB	B9C1	79C2	A2C2C2	2-4242	T8JM0080
3138	媵	DCFC	B9C2	79C3	A2C2C3	2-4243	T8JN0080
3139	媵	DCFD	B9C3	79C4	A2C2C4	2-4244	T8JO0080
3140	媵	DCFE	B9C4	79C5	A2C2C5	2-4245	T8JP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC


Table 12 (Page 4 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3141	嫻	DD40	B9C5	79C6	A2C2C6	2-4246	T8JQ0080
3142	嫻	DD41	B9C6	79C7	A2C2C7	2-4247	T8JR0080
3143	嫻	DD42	B9C7	79C8	A2C2C8	2-4248	T8JS0080
3144	嫻	DD43	B9C8	79C9	A2C2C9	2-4249	T8JT0080
3145	嫻	DD44	B9C9	79CA	A2C2CA	2-424A	T8JU0080
3146	嫻	DD45	B9CA	79CB	A2C2CB	2-424B	T8JV0080
3147	嫻	DD46	B9CB	79CC	A2C2CC	2-424C	T8JW0080
3148	嫻	DD47	B9CC	79CD	A2C2CD	2-424D	T8JX0080
3149	嫻	DD48	B9CD	79CE	A2C2CE	2-424E	T8JY0080
3150	嫻	DD49	B9CE	79CF	A2C2CF	2-424F	T8JZ0080
3151	嫻	DD4A	B9CF	79D0	A2C2D0	2-4250	T8K00080
3152	嫻	DD4B	B9D0	79D1	A2C2D1	2-4251	T8K10080
3153	嫻	DD4C	B9D1	79D2	A2C2D2	2-4252	T8K20080
3154	嫻	DD4D	B9D2	79D3	A2C2D3	2-4253	T8K30080
3155	嫻	DD4E	B9D3	79D4	A2C2D4	2-4254	T8K40080
3156	嫻	DD4F	B9D4	79D5	A2C2D5	2-4255	T8K50080
3157	嫻	DD50	B9D5	79D6	A2C2D6	2-4256	T8K60080
3158	嫻	DD51	B9D6	79D7	A2C2D7	2-4257	T8K70080
3159	嫻	DD52	B9D7	79D8	A2C2D8	2-4258	T8K80080
3160	嫻	DD53	B9D8	79D9	A2C2D9	2-4259	T8K90080
3161	嫻	DD54	B9D9	79DA	A2C2DA	2-425A	T8KA0080
3162	嫻	DD55	B9DA	79DB	A2C2DB	2-425B	T8KB0080
3163	嫻	DD56	B9DB	79DC	A2C2DC	2-425C	T8KC0080
3164	嫻	DD57	B9DC	79DD	A2C2DD	2-425D	T8KD0080
3165	嫻	DD58	B9DD	79DE	A2C2DE	2-425E	T8KE0080
3166	嫻	DD59	B9DE	79DF	A2C2DF	2-425F	T8KF0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 12 (Page 5 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3167	帽	DD5A	B9DF	79E0	A2C2E0	2-4260	T8KG0080
3168	帽	DD5B	B9E0	79E1	A2C2E1	2-4261	T8KH0080
3169	幣	DD5C	B9E1	79E2	A2C2E2	2-4262	T8KI0080
3170	廬	DD5D	B9E2	79E3	A2C2E3	2-4263	T8KJ0080
3171	廌	DD5E	B9E3	79E4	A2C2E4	2-4264	T8KK0080
3172	廌	DD5F	B9E4	79E5	A2C2E5	2-4265	T8KL0080
3173	廌	DD60	B9E5	79E6	A2C2E6	2-4266	T8KM0080
3174	廌	DD61	B9E6	79E7	A2C2E7	2-4267	T8KN0080
3175	殼	DD62	B9E7	79E8	A2C2E8	2-4268	T8KO0080
3176	後	DD63	B9E8	79E9	A2C2E9	2-4269	T8KP0080
3177	後	DD64	B9E9	79EA	A2C2EA	2-426A	T8KQ0080
3178	恚	DD65	B9EA	79EB	A2C2EB	2-426B	T8KR0080
3179	恚	DD66	B9EB	79EC	A2C2EC	2-426C	T8KS0080
3180	慊	DD67	B9EC	79ED	A2C2ED	2-426D	T8KT0080
3181	慊	DD68	B9ED	79EE	A2C2EE	2-426E	T8KU0080
3182	慊	DD69	B9EE	79EF	A2C2EF	2-426F	T8KV0080
3183	慊	DD6A	B9EF	79F0	A2C2F0	2-4270	T8KW0080
3184	慊	DD6B	B9F0	79F1	A2C2F1	2-4271	T8KX0080
3185	慊	DD6C	B9F1	79F2	A2C2F2	2-4272	T8KY0080
3186	慊	DD6D	B9F2	79F3	A2C2F3	2-4273	T8KZ0080
3187	慊	DD6E	B9F3	79F4	A2C2F4	2-4274	T8L00080
3188	愼	DD6F	B9F4	79F5	A2C2F5	2-4275	T8L10080
3189	愼	DD70	B9F5	79F6	A2C2F6	2-4276	T8L20080
3190	愼	DD71	B9F6	79F7	A2C2F7	2-4277	T8L30080
3191	戠	DD72	B9F7	79F8	A2C2F8	2-4278	T8L40080
3192	戠	DD73	B9F8	79F9	A2C2F9	2-4279	T8L50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 6 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3193	戮	DD74	B9F9	79FA	A2C2FA	2-427A	T8L60080
3194	戮	DD75	B9FA	79FB	A2C2FB	2-427B	T8L70080
3195	戮	DD76	B9FB	79FC	A2C2FC	2-427C	T8L80080
3196	擎	DD77	B9FC	79FD	A2C2FD	2-427D	T8L90080
3197	掣	DD78	BA40	7A41	A2C2FE	2-427E	T8LD0080
3198	擎	DD79	BA41	7A42	A2C3A1	2-4321	T8LE0080
3199	搯	DD7A	BA42	7A43	A2C3A2	2-4322	T8LF0080
3200	擄	DD7B	BA43	7A44	A2C3A3	2-4323	T8LG0080
3201	摧	DD7C	BA44	7A45	A2C3A4	2-4324	T8LH0080
3202	擄	DD7D	BA45	7A46	A2C3A5	2-4325	T8LI0080
3203	搯	DD7E	BA46	7A47	A2C3A6	2-4326	T8LJ0080
3204	搯	DDA1	BA47	7A48	A2C3A7	2-4327	T8LK0080
3205	擄	DDA2	BA48	7A49	A2C3A8	2-4328	T8LL0080
3206	擄	DDA3	BA49	7A4A	A2C3A9	2-4329	T8LM0080
3207	搯	DDA4	BA4A	7A4B	A2C3AA	2-432A	T8LN0080
3208	搯	DDA5	BA4B	7A4C	A2C3AB	2-432B	T8LO0080
3209	搯	DDA6	BA4C	7A4D	A2C3AC	2-432C	T8LP0080
3210	搯	DDA7	BA4D	7A4E	A2C3AD	2-432D	T8LQ0080
3211	搯	DDA8	BA4E	7A4F	A2C3AE	2-432E	T8LR0080
3212	搯	DDA9	BA4F	7A50	A2C3AF	2-432F	T8LS0080
3213	擄	DDAA	BA50	7A51	A2C3B0	2-4330	T8LT0080
3214	擄	DDAB	BA51	7A52	A2C3B1	2-4331	T8LU0080
3215	搯	DDAC	BA52	7A53	A2C3B2	2-4332	T8LV0080
3216	擄	DDAD	BA53	7A54	A2C3B3	2-4333	T8LW0080
3217	搯	DDAE	BA54	7A55	A2C3B4	2-4334	T8LX0080
3218	搯	DDAF	BA55	7A56	A2C3B5	2-4335	T8LY0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 12 (Page 7 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3219	搯	DDB0	BA56	7A57	A2C3B6	2-4336	T8LZ0080
3220	擲	DDB1	BA57	7A58	A2C3B7	2-4337	T8M00080
3221	擲	DDB2	BA58	7A59	A2C3B8	2-4338	T8M10080
3222	搗	DDB3	BA59	7A5A	A2C3B9	2-4339	T8M20080
3223	搥	DDB4	BA5A	7A5B	A2C3BA	2-433A	T8M30080
3224	搥	DDB5	BA5B	7A5C	A2C3BB	2-433B	T8M40080
3225	搥	DDB6	BA5C	7A5D	A2C3BC	2-433C	T8M50080
3226	掣	DDB7	BA5D	7A5E	A2C3BD	2-433D	T8M60080
3227	揀	DDB8	BA5E	7A5F	A2C3BE	2-433E	T8M70080
3228	揀	DDB9	BA5F	7A60	A2C3BF	2-433F	T8M80080
3229	揀	DDBA	BA60	7A61	A2C3C0	2-4340	T8M90080
3230	揀	DDBB	BA61	7A62	A2C3C1	2-4341	T8MA0080
3231	欸	DDBC	BA62	7A63	A2C3C2	2-4342	T8MB0080
3232	編	DDBD	BA63	7A64	A2C3C3	2-4343	T8MC0080
3233	攄	DDBE	BA64	7A65	A2C3C4	2-4344	T8MD0080
3234	曄	DDBF	BA65	7A66	A2C3C5	2-4345	T8ME0080
3235	曄	DDC0	BA66	7A67	A2C3C6	2-4346	T8MF0080
3236	曄	DDC1	BA67	7A68	A2C3C7	2-4347	T8MG0080
3237	曄	DDC2	BA68	7A69	A2C3C8	2-4348	T8MH0080
3238	曄	DDC3	BA69	7A6A	A2C3C9	2-4349	T8MI0080
3239	曄	DDC4	BA6A	7A6B	A2C3CA	2-434A	T8MJ0080
3240	曄	DDC5	BA6B	7A6C	A2C3CB	2-434B	T8MK0080
3241	曄	DDC6	BA6C	7A6D	A2C3CC	2-434C	T8ML0080
3242	曄	DDC7	BA6D	7A6E	A2C3CD	2-434D	T8MM0080
3243	曄	DDC8	BA6E	7A6F	A2C3CE	2-434E	T8MN0080
3244	曄	DDC9	BA6F	7A70	A2C3CF	2-434F	T8MO0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 8 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3245	樟	DDCA	BA70	7A71	A2C3D0	2-4350	T8MP0080
3246	櫛	DDCB	BA71	7A72	A2C3D1	2-4351	T8MQ0080
3247	櫛	DDCC	BA72	7A73	A2C3D2	2-4352	T8MR0080
3248	櫛	DDCD	BA73	7A74	A2C3D3	2-4353	T8MS0080
3249	櫛	DDCE	BA74	7A75	A2C3D4	2-4354	T8MT0080
3250	椿	DDCF	BA75	7A76	A2C3D5	2-4355	T8MU0080
3251	福	DDD0	BA76	7A77	A2C3D6	2-4356	T8MV0080
3252	櫛	DDD1	BA77	7A78	A2C3D7	2-4357	T8MW0080
3253	櫛	DDD2	BA78	7A79	A2C3D8	2-4358	T8MX0080
3254	櫛	DDD3	BA79	7A7A	A2C3D9	2-4359	T8MY0080
3255	櫛	DDD4	BA7A	7A7B	A2C3DA	2-435A	T8MZ0080
3256	櫛	DDD5	BA7B	7A7C	A2C3DB	2-435B	T8N00080
3257	櫛	DDD6	BA7C	7A7D	A2C3DC	2-435C	T8N10080
3258	櫛	DDD7	BA7D	7A7E	A2C3DD	2-435D	T8N20080
3259	櫛	DDD8	BA7E	7A7F	A2C3DE	2-435E	T8N30080
3260	櫛	DDD9	BA80	7A81	A2C3DF	2-435F	T8N50080
3261	櫛	DDDA	BA81	7A82	A2C3E0	2-4360	T8N60080
3262	櫛	DDDB	BA82	7A83	A2C3E1	2-4361	T8N70080
3263	櫛	DDDC	BA83	7A84	A2C3E2	2-4362	T8N80080
3264	櫛	DDDD	BA84	7A85	A2C3E3	2-4363	T8N90080
3265	櫛	DDDE	BA85	7A86	A2C3E4	2-4364	T8NA0080
3266	櫛	DDDF	BA86	7A87	A2C3E5	2-4365	T8NB0080
3267	櫛	DDE0	BA87	7A88	A2C3E6	2-4366	T8NC0080
3268	櫛	DDE1	BA88	7A89	A2C3E7	2-4367	T8ND0080
3269	櫛	DDE2	BA89	7A8A	A2C3E8	2-4368	T8NE0080
3270	櫛	DDE3	BA8A	7A8B	A2C3E9	2-4369	T8NF0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 9 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3271	編	DDE4	BA8B	7A8C	A2C3EA	2-436A	T8NG0080
3272	窶	DDE5	BA8C	7A8D	A2C3EB	2-436B	T8NH0080
3273	穰	DDE6	BA8D	7A8E	A2C3EC	2-436C	T8NI0080
3274	穉	DDE7	BA8E	7A8F	A2C3ED	2-436D	T8NJ0080
3275	穉	DDE8	BA8F	7A90	A2C3EE	2-436E	T8NK0080
3276	穉	DDE9	BA90	7A91	A2C3EF	2-436F	T8NL0080
3277	穉	DDEA	BA91	7A92	A2C3F0	2-4370	T8NM0080
3278	穉	DDEB	BA92	7A93	A2C3F1	2-4371	T8NN0080
3279	穉	DDEC	BA93	7A94	A2C3F2	2-4372	T8NO0080
3280	糊	DDED	BA94	7A95	A2C3F3	2-4373	T8NP0080
3281	檣	DDEE	BA95	7A96	A2C3F4	2-4374	T8NQ0080
3282	檣	DDEF	BA96	7A97	A2C3F5	2-4375	T8NR0080
3283	檣	DDF0	BA97	7A98	A2C3F6	2-4376	T8NS0080
3284	檣	DDF1	BA98	7A99	A2C3F7	2-4377	T8NT0080
3285	檣	DDF2	BA99	7A9A	A2C3F8	2-4378	T8NU0080
3286	檣	DDF3	BA9A	7A9B	A2C3F9	2-4379	T8NV0080
3287	檣	DDF4	BA9B	7A9C	A2C3FA	2-437A	T8NW0080
3288	歆	DDF5	BA9C	7A9D	A2C3FB	2-437B	T8NX0080
3289	歆	DDF6	BA9D	7A9E	A2C3FC	2-437C	T8NY0080
3290	歆	DDF7	BA9E	7A9F	A2C3FD	2-437D	T8NZ0080
3291	歆	DDF8	BA9F	7AA0	A2C3FE	2-437E	T8O00080
3292	歆	DDF9	BAA0	7AA1	A2C4A1	2-4421	T8O10080
3293	歆	DDFA	BAA1	7AA2	A2C4A2	2-4422	T8O20080
3294	殛	DDFB	BAA2	7AA3	A2C4A3	2-4423	T8O30080
3295	殛	DDFC**	BAA3	7AA4	ADA4CA	13-	T8O40080**
3296	殛	DDFD	BAA4	7AA5	A2C4A4	2-4424	T8O50080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 10 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3297	𪛗	DDFE	BAA5	7AA6	A2C4A5	2-4425	T8O60080
3298	𪛘	DE40	BAA6	7AA7	A2C4A6	2-4426	T8O70080
3299	𪛙	DE41	BAA7	7AA8	A2C4A7	2-4427	T8O80080
3300	𪛚	DE42	BAA8	7AA9	A2C4A8	2-4428	T8O90080
3301	𪛛	DE43	BAA9	7AAA	A2C4A9	2-4429	T8OA0080
3302	𪛜	DE44	BAAA	7AAB	A2C4AA	2-442A	T8OB0080
3303	𪛝	DE45	BAAB	7AAC	A2C4AB	2-442B	T8OC0080
3304	𪛞	DE46	BAAC	7AAD	A2C4AC	2-442C	T8OD0080
3305	𪛟	DE47	BAAD	7AAE	A2C4AD	2-442D	T8OE0080
3306	𪛠	DE48	BAAE	7AAF	A2C4AE	2-442E	T8OF0080
3307	𪛡	DE49	BAAF	7AB0	A2C4AF	2-442F	T8OG0080
3308	𪛢	DE4A	BAB0	7AB1	A2C4B0	2-4430	T8OH0080
3309	𪛣	DE4B	BAB1	7AB2	A2C4B1	2-4431	T8OI0080
3310	𪛤	DE4C	BAB2	7AB3	A2C4B2	2-4432	T8OJ0080
3311	𪛥	DE4D	BAB3*	7AB4*	A2C4B3	2-4433	TC3R0080
3312	𪛦	DE4E	BAB4	7AB5	A2C4B4	2-4434	T8OL0080
3313	𪛧	DE4F	BAB5	7AB6	A2C4B5	2-4435	T8OM0080
3314	𪛨	DE50	BAB6	7AB7	A2C4B6	2-4436	T8ON0080
3315	𪛩	DE51	BAB7	7AB8	A2C4B7	2-4437	T8OO0080
3316	𪛪	DE52	BAB8	7AB9	A2C4B8	2-4438	T8OP0080
3317	𪛫	DE53	BAB9	7ABA	A2C4B9	2-4439	T8OQ0080
3318	𪛬	DE54	BABA	7ABB	A2C4BA	2-443A	T8OR0080
3319	𪛭	DE55	BABB	7ABC	A2C4BB	2-443B	T8OS0080
3320	𪛮	DE56	BABC	7ABD	A2C4BC	2-443C	T8OT0080
3321	𪛯	DE57	BABD	7ABE	A2C4BD	2-443D	T8OU0080
3322	𪛰	DE58	BABE	7ABF	A2C4BE	2-443E	T8OV0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 12 (Page 11 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3323	搜	DE59	BABF	7AC0	A2C4BF	2-443F	T8OW0080
3324	漉	DE5A	BAC0	7AC1	A2C4C0	2-4440	T8OX0080
3325	滌	DE5B	BAC1	7AC2	A2C4C1	2-4441	T8OY0080
3326	滌	DE5C	BAC2	7AC3	A2C4C2	2-4442	T8OZ0080
3327	滌	DE5D	BAC3	7AC4	A2C4C3	2-4443	T8P00080
3328	滌	DE5E	BAC4	7AC5	A2C4C4	2-4444	T8P10080
3329	滌	DE5F	BAC5	7AC6	A2C4C5	2-4445	T8P20080
3330	滌	DE60	BAC6	7AC7	A2C4C6	2-4446	T8P30080
3331	滌	DE61	BAC7	7AC8	A2C4C7	2-4447	T8P40080
3332	馮	DE62	BAC8	7AC9	A2C4C8	2-4448	T8P50080
3333	滌	DE63	BAC9	7ACA	A2C4C9	2-4449	T8P60080
3334	滌	DE64	BACA	7ACB	A2C4CA	2-444A	T8P70080
3335	滌	DE65	BACB	7ACC	A2C4CB	2-444B	T8P80080
3336	滌	DE66	BACC	7ACD	A2C4CC	2-444C	T8P90080
3337	滌	DE67	BACD	7ACE	A2C4CD	2-444D	T8PA0080
3338	滌	DE68	BACE	7ACF	A2C4CE	2-444E	T8PB0080
3339	滌	DE69	BACF	7AD0	A2C4CF	2-444F	T8PC0080
3340	滌	DE6A	BAD0	7AD1	A2C4D0	2-4450	T8PD0080
3341	滌	DE6B	BAD1	7AD2	A2C4D1	2-4451	T8PE0080
3342	滌	DE6C	BAD2	7AD3	A2C4D2	2-4452	T8PF0080
3343	滌	DE6D	BAD3	7AD4	A2C4D3	2-4453	T8PG0080
3344	滌	DE6E	BAD4	7AD5	A2C4D4	2-4454	T8PH0080
3345	滌	DE6F	BAD5	7AD6	A2C4D5	2-4455	T8PI0080
3346	滌	DE70	BAD6	7AD7	A2C4D6	2-4456	T8PJ0080
3347	滌	DE71	BAD7	7AD8	A2C4D7	2-4457	T8PK0080
3348	滌	DE72	BAD8	7AD9	A2C4D8	2-4458	T8PL0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 12 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3349	燙	DE73	BAD9	7ADA	A2C4D9	2-4459	T8PM0080
3350	煇	DE74	BADA	7ADB	A2C4DA	2-445A	T8PN0080
3351	燭	DE75	BADB	7ADC	A2C4DB	2-445B	T8PO0080
3352	燿	DE76	BADC	7ADD	A2C4DC	2-445C	T8PP0080
3353	燻	DE77	BADD	7ADE	A2C4DD	2-445D	T8PQ0080
3354	煢	DE78	BADE	7ADF	A2C4DE	2-445E	T8PR0080
3355	燼	DE79	BADF	7AE0	A2C4DF	2-445F	T8PS0080
3356	燹	DE7A	BAE0	7AE1	A2C4E0	2-4460	T8PT0080
3357	焜	DE7B	BAE1	7AE2	A2C4E1	2-4461	T8PU0080
3358	焗	DE7C	BAE2	7AE3	A2C4E2	2-4462	T8PV0080
3359	煨	DE7D	BAE3	7AE4	A2C4E3	2-4463	T8PW0080
3360	煛	DE7E	BAE4	7AE5	A2C4E4	2-4464	T8PX0080
3361	燼	DEA1	BAE5	7AE6	A2C4E5	2-4465	T8PY0080
3362	燹	DEA2	BAE6	7AE7	A2C4E6	2-4466	T8PZ0080
3363	煨	DEA3	BAE7	7AE8	A2C4E7	2-4467	T8Q00080
3364	煛	DEA4	BAE8	7AE9	A2C4E8	2-4468	T8Q10080
3365	煜	DEA5	BAE9	7AEA	A2C4E9	2-4469	T8Q20080
3366	煝	DEA6	BAEA	7AEB	A2C4EA	2-446A	T8Q30080
3367	煞	DEA7	BAEB	7AEC	A2C4EB	2-446B	T8Q40080
3368	煟	DEA8	BAEC	7AED	A2C4EC	2-446C	T8Q50080
3369	煠	DEA9	BAED	7AEE	A2C4ED	2-446D	T8Q60080
3370	煡	DEAA	BAEE	7AEF	A2C4EE	2-446E	T8Q70080
3371	煢	DEAB	BAEF	7AF0	A2C4EF	2-446F	T8Q80080
3372	獠	DEAC	BAF0	7AF1	A2C4F0	2-4470	T8Q90080
3373	獡	DEAD	BAF1	7AF2	A2C4F1	2-4471	T8QA0080
3374	獢	DEAE	BAF2	7AF3	A2C4F2	2-4472	T8QB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 13 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3375	獠	DEAF	BAF3	7AF4	A2C4F3	2-4473	T8QC0080
3376	獠	DEB0	BAF4	7AF5	A2C4F4	2-4474	T8QD0080
3377	瑄	DEB1	BAF5	7AF6	A2C4F5	2-4475	T8QE0080
3378	瑛	DEB2	BAF6	7AF7	A2C4F6	2-4476	T8QF0080
3379	瑛	DEB3	BAF7	7AF8	A2C4F7	2-4477	T8QG0080
3380	瑛	DEB4	BAF8	7AF9	A2C4F8	2-4478	T8QH0080
3381	瑛	DEB5	BAF9	7AFA	A2C4F9	2-4479	T8QI0080
3382	瑛	DEB6	BAFA	7AFB	A2C4FA	2-447A	T8QJ0080
3383	瑛	DEB7	BAFB	7AFC	A2C4FB	2-447B	T8QK0080
3384	瑛	DEB8	BAFC	7AFD	A2C4FC	2-447C	T8QL0080
3385	瑛	DEB9	BB40	7B41	A2C4FD	2-447D	T8QP0080
3386	瑛	DEBA	BB41	7B42	A2C4FE	2-447E	T8QQ0080
3387	瑛	DEBB	BB42	7B43	A2C5A1	2-4521	T8QR0080
3388	瑛	DEBC	BB43	7B44	A2C5A2	2-4522	T8QS0080
3389	瑛	DEBD	BB44	7B45	A2C5A3	2-4523	T8QT0080
3390	瑛	DEBE	BB45	7B46	A2C5A4	2-4524	T8QU0080
3391	瓠	DEBF	BB46	7B47	A2C5A5	2-4525	T8QV0080
3392	瓠	DEC0	BB47	7B48	A2C5A6	2-4526	T8QW0080
3393	瓠	DEC1	BB48	7B49	A2C5A7	2-4527	T8QX0080
3394	瓠	DEC2	BB49	7B4A	A2C5A8	2-4528	T8QY0080
3395	瓠	DEC3	BB4A	7B4B	A2C5A9	2-4529	T8QZ0080
3396	瓠	DEC4	BB4B	7B4C	A2C5AA	2-452A	T8R00080
3397	瓠	DEC5	BB4C	7B4D	A2C5AB	2-452B	T8R10080
3398	替	DEC6	BB4D	7B4E	A2C5AC	2-452C	T8R20080
3399	瘡	DEC7	BB4E	7B4F	A2C5AD	2-452D	T8R30080
3400	瘡	DEC8	BB4F	7B50	A2C5AE	2-452E	T8R40080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 14 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3401	瘰	DEC9	BB50	7B51	A2C5AF	2-452F	T8R50080
3402	瘰	DECA	BB51	7B52	A2C5B0	2-4530	T8R60080
3403	痲	DECB	BB52	7B53	A2C5B1	2-4531	T8R70080
3404	痲	DECC	BB53	7B54	A2C5B2	2-4532	T8R80080
3405	瘰	DECD	BB54	7B55	A2C5B3	2-4533	T8R90080
3406	痲	DECE	BB55	7B56	A2C5B4	2-4534	T8RA0080
3407	瘰	DECF	BB56	7B57	A2C5B5	2-4535	T8RB0080
3408	瘰	DED0	BB57	7B58	A2C5B6	2-4536	T8RC0080
3409	瘰	DED1	BB58	7B59	A2C5B7	2-4537	T8RD0080
3410	痲	DED2	BB59	7B5A	A2C5B8	2-4538	T8RE0080
3411	瘰	DED3	BB5A	7B5B	A2C5B9	2-4539	T8RF0080
3412	瘰	DED4	BB5B	7B5C	A2C5BA	2-453A	T8RG0080
3413	瘰	DED5	BB5C	7B5D	A2C5BB	2-453B	T8RH0080
3414	瘰	DED6	BB5D	7B5E	A2C5BC	2-453C	T8RI0080
3415	瘰	DED7	BB5E	7B5F	A2C5BD	2-453D	T8RJ0080
3416	睽	DED8	BB5F	7B60	A2C5BE	2-453E	T8RK0080
3417	睽	DED9	BB60	7B61	A2C5BF	2-453F	T8RL0080
3418	睽	DEDA	BB61	7B62	A2C5C0	2-4540	T8RM0080
3419	睽	DEDB	BB62	7B63	A2C5C1	2-4541	T8RN0080
3420	睽	DEDC	BB63	7B64	A2C5C2	2-4542	T8RO0080
3421	睽	DEDD	BB64	7B65	A2C5C3	2-4543	T8RP0080
3422	睽	DEDE	BB65	7B66	A2C5C4	2-4544	T8RQ0080
3423	睽	DEDF	BB66	7B67	A2C5C5	2-4545	T8RR0080
3424	睽	DEE0	BB67	7B68	A2C5C6	2-4546	T8RS0080
3425	睽	DEE1	BB68	7B69	A2C5C7	2-4547	T8RT0080
3426	睽	DEE2	BB69	7B6A	A2C5C8	2-4548	T8RU0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 15 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3427	稽	DEE3	BB6A	7B6B	A2C5C9	2-4549	T8RV0080
3428	碇	DEE4	BB6B	7B6C	A2C5CA	2-454A	T8RW0080
3429	碇	DEE5	BB6C	7B6D	A2C5CB	2-454B	T8RX0080
3430	碇	DEE6	BB6D	7B6E	A2C5CC	2-454C	T8RY0080
3431	碇	DEE7	BB6E	7B6F	A2C5CD	2-454D	T8RZ0080
3432	碇	DEE8	BB6F	7B70	A2C5CE	2-454E	T8S00080
3433	碇	DEE9	BB70	7B71	A2C5CF	2-454F	T8S10080
3434	碇	DEEA	BB71	7B72	A2C5D0	2-4550	T8S20080
3435	碇	DEEB	BB72	7B73	A2C5D1	2-4551	T8S30080
3436	碇	DEEC	BB73	7B74	A2C5D2	2-4552	T8S40080
3437	碇	DEED	BB74	7B75	A2C5D3	2-4553	T8S50080
3438	碇	DEEE	BB75	7B76	A2C5D4	2-4554	T8S60080
3439	碇	DEEF	BB76	7B77	A2C5D5	2-4555	T8S70080
3440	碇	DEF0	BB77	7B78	A2C5D6	2-4556	T8S80080
3441	碇	DEF1	BB78	7B79	A2C5D7	2-4557	T8S90080
3442	碇	DEF2	BB79	7B7A	A2C5D8	2-4558	T8SA0080
3443	碇	DEF3	BB7A	7B7B	A2C5D9	2-4559	T8SB0080
3444	碇	DEF4	BB7B	7B7C	A2C5DA	2-455A	T8SC0080
3445	碇	DEF5	BB7C	7B7D	A2C5DB	2-455B	T8SD0080
3446	碇	DEF6	BB7D	7B7E	A2C5DC	2-455C	T8SE0080
3447	碇	DEF7	BB7E	7B7F	A2C5DD	2-455D	T8SF0080
3448	碇	DEF8	BB80	7B81	A2C5DE	2-455E	T8SH0080
3449	碇	DEF9	BB81	7B82	A2C5DF	2-455F	T8SI0080
3450	碇	DEFA	BB82	7B83	A2C5E0	2-4560	T8SJ0080
3451	碇	DEFB	BB83	7B84	A2C5E1	2-4561	T8SK0080
3452	碇	DEFC	BB84	7B85	A2C5E2	2-4562	T8SL0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 16 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3453	穢	DEFD	BB85	7B86	A2C5E3	2-4563	T8SM0080
3454	稽	DEFE	BB86	7B87	A2C5E4	2-4564	T8SN0080
3455	糶	DF40	BB87	7B88	A2C5E5	2-4565	T8SO0080
3456	綸	DF41	BB88	7B89	A2C5E6	2-4566	T8SP0080
3457	窳	DF42	BB89	7B8A	A2C5E7	2-4567	T8SQ0080
3458	窳	DF43	BB8A	7B8B	A2C5E8	2-4568	T8SR0080
3459	窳	DF44	BB8B	7B8C	A2C5E9	2-4569	T8SS0080
3460	淨	DF45	BB8C	7B8D	A2C5EA	2-456A	T8ST0080
3461	筦	DF46	BB8D	7B8E	A2C5EB	2-456B	T8SU0080
3462	筦	DF47	BB8E	7B8F	A2C5EC	2-456C	T8SV0080
3463	筦	DF48	BB8F	7B90	A2C5ED	2-456D	T8SW0080
3464	筦	DF49	BB90	7B91	A2C5EE	2-456E	T8SX0080
3465	筦	DF4A	BB91	7B92	A2C5EF	2-456F	T8SY0080
3466	筦	DF4B	BB92	7B93	A2C5F0	2-4570	T8SZ0080
3467	筦	DF4C	BB93	7B94	A2C5F1	2-4571	T8T00080
3468	筦	DF4D	BB94	7B95	A2C5F2	2-4572	T8T10080
3469	筦	DF4E	BB95	7B96	A2C5F3	2-4573	T8T20080
3470	筦	DF4F	BB96	7B97	A2C5F4	2-4574	T8T30080
3471	筦	DF50	BB97	7B98	A2C5F5	2-4575	T8T40080
3472	筦	DF51	BB98	7B99	A2C5F6	2-4576	T8T50080
3473	筦	DF52	BB99	7B9A	A2C5F7	2-4577	T8T60080
3474	筦	DF53	BB9A	7B9B	A2C5F8	2-4578	T8T70080
3475	筦	DF54	BB9B	7B9C	A2C5F9	2-4579	T8T80080
3476	糶	DF55	BB9C	7B9D	A2C5FA	2-457A	T8T90080
3477	糶	DF56	BB9D	7B9E	A2C5FB	2-457B	T8TA0080
3478	糶	DF57	BB9E	7B9F	A2C5FC	2-457C	T8TB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 17 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3479	縷	DF58	BB9F	7BA0	A2C5FD	2-457D	T8TC0080
3480	練	DF59	BBA0	7BA1	A2C5FE	2-457E	T8TD0080
3481	縉	DF5A	BBA1	7BA2	A2C6A1	2-4621	T8TE0080
3482	練	DF5B	BBA2	7BA3	A2C6A2	2-4622	T8TF0080
3483	縷	DF5C	BBA3	7BA4	A2C6A3	2-4623	T8TG0080
3484	縷	DF5D	BBA4	7BA5	A2C6A4	2-4624	T8TH0080
3485	縷	DF5E	BBA5	7BA6	A2C6A5	2-4625	T8TI0080
3486	縷	DF5F	BBA6	7BA7	A2C6A6	2-4626	T8TJ0080
3487	縷	DF60	BBA7	7BA8	A2C6A7	2-4627	T8TK0080
3488	縷	DF61	BBA8	7BA9	A2C6A8	2-4628	T8TL0080
3489	縷	DF62	BBA9	7BAA	A2C6A9	2-4629	T8TM0080
3490	縷	DF63	BBAA	7BAB	A2C6AA	2-462A	T8TN0080
3491	縷	DF64	BBAB	7BAC	A2C6AB	2-462B	T8TO0080
3492	縷	DF65	BBAC	7BAD	A2C6AC	2-462C	T8TP0080
3493	縷	DF66	BBAD	7BAE	A2C6AD	2-462D	T8TQ0080
3494	縷	DF67	BBAE	7BAF	A2C6AE	2-462E	T8TR0080
3495	縷	DF68	BBAF	7BB0	A2C6AF	2-462F	T8TS0080
3496	縷	DF69	BBB0	7BB1	A2C6B0	2-4630	T8TT0080
3497	縷	DF6A	BBB1	7BB2	A2C6B1	2-4631	T8TU0080
3498	縷	DF6B	BBB2	7BB3	A2C6B2	2-4632	T8TV0080
3499	縷	DF6C	BBB3	7BB4	A2C6B3	2-4633	T8TW0080
3500	縷	DF6D	BBB4	7BB5	A2C6B4	2-4634	T8TX0080
3501	縷	DF6E	BBB5	7BB6	A2C6B5	2-4635	T8TY0080
3502	縷	DF6F	BBB6	7BB7	A2C6B6	2-4636	T8TZ0080
3503	縷	DF70	BBB7	7BB8	A2C6B7	2-4637	T8U00080
3504	縷	DF71	BBB8	7BB9	A2C6B8	2-4638	T8U10080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 18 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3505	膾	DF72	BBB9	7BBA	A2C6B9	2-4639	T8U20080
3506	腓	DF73	BBBA	7BBB	A2C6BA	2-463A	T8U30080
3507	膈	DF74	BBBB	7BBC	A2C6BB	2-463B	T8U40080
3508	腓	DF75	BBBC	7BBD	A2C6BC	2-463C	T8U50080
3509	膈	DF76	BBBD	7BBE	A2C6BD	2-463D	T8U60080
3510	膈	DF77	BBBE	7BBF	A2C6BE	2-463E	T8U70080
3511	膈	DF78	BBBF	7BC0	A2C6BF	2-463F	T8U80080
3512	膈	DF79	BBC0	7BC1	A2C6C0	2-4640	T8U90080
3513	膈	DF7A	BBC1	7BC2	A2C6C1	2-4641	T8UA0080
3514	膈	DF7B	BBC2	7BC3	A2C6C2	2-4642	T8UB0080
3515	膈	DF7C	BBC3	7BC4	A2C6C3	2-4643	T8UC0080
3516	膈	DF7D	BBC4	7BC5	A2C6C4	2-4644	T8UD0080
3517	膈	DF7E	BBC5	7BC6	A2C6C5	2-4645	T8UE0080
3518	膈	DFA1	BBC6	7BC7	A2C6C6	2-4646	T8UF0080
3519	膈	DFA2	BBC7	7BC8	A2C6C7	2-4647	T8UG0080
3520	膈	DFA3	BBC8	7BC9	A2C6C8	2-4648	T8UH0080
3521	膈	DFA4	BBC9	7BCA	A2C6C9	2-4649	T8UI0080
3522	膈	DFA5	BBCA	7BCB	A2C6CA	2-464A	T8UJ0080
3523	膈	DFA6	BBCB	7BCC	A2C6CB	2-464B	T8UK0080
3524	膈	DFA7	BBCC	7BCD	A2C6CC	2-464C	T8UL0080
3525	膈	DFA8	BBCD	7BCE	A2C6CD	2-464D	T8UM0080
3526	膈	DFA9	BBCE	7BCF	A2C6CE	2-464E	T8UN0080
3527	膈	DFAA	BBCF	7BD0	A2C6CF	2-464F	T8UO0080
3528	膈	DFAB	BBD0	7BD1	A2C6D0	2-4650	T8UP0080
3529	膈	DFAC	BBD1	7BD2	A2C6D1	2-4651	T8UQ0080
3530	膈	DFAD	BBD2	7BD3	A2C6D2	2-4652	T8UR0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 12 (Page 19 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3531	蕾	DFAE	BBD3	7BD4	A2C6D3	2-4653	T8US0080
3532	蔦	DFAF	BBD4	7BD5	A2C6D4	2-4654	T8UT0080
3533	薊	DFB0	BBD5	7BD6	A2C6D5	2-4655	T8UU0080
3534	葑	DFB1	BBD6	7BD7	A2C6D6	2-4656	T8UV0080
3535	菝	DFB2	BBD7	7BD8	A2C6D7	2-4657	T8UW0080
3536	蕤	DFB3	BBD8	7BD9	A2C6D8	2-4658	T8UX0080
3537	薊	DFB4	BBD9	7BDA	A2C6D9	2-4659	T8UY0080
3538	蕨	DFB5	BBDA	7BDB	A2C6DA	2-465A	T8UZ0080
3539	菴	DFB6	BBDB	7BDC	A2C6DB	2-465B	T8V00080
3540	蕞	DFB7	BBDC	7BDD	A2C6DC	2-465C	T8V10080
3541	蕞	DFB8	BBDD	7BDE	A2C6DD	2-465D	T8V20080
3542	菝	DFB9	BBDE	7BDF	A2C6DE	2-465E	T8V30080
3543	蕨	DFBA	BBDF	7BE0	A2C6DF	2-465F	T8V40080
3544	蕨	DFBB	BBE0	7BE1	A2C6E0	2-4660	T8V50080
3545	薊	DFBC	BBE1	7BE2	A2C6E1	2-4661	T8V60080
3546	蕨	DFBD	BBE2	7BE3	A2C6E2	2-4662	T8V70080
3547	蕨	DFBE	BBE3	7BE4	A2C6E3	2-4663	T8V80080
3548	薊	DFBF	BBE4	7BE5	A2C6E4	2-4664	T8V90080
3549	曾	DFC0	BBE5	7BE6	A2C6E5	2-4665	T8VA0080
3550	薊	DFC1	BBE6	7BE7	A2C6E6	2-4666	T8VB0080
3551	蕨	DFC2	BBE7	7BE8	A2C6E7	2-4667	T8VC0080
3552	蕨	DFC3	BBE8	7BE9	A2C6E8	2-4668	T8VD0080
3553	蕨	DFC4	BBE9	7BEA	A2C6E9	2-4669	T8VE0080
3554	蕨	DFC5	BBEA	7BEB	A2C6EA	2-466A	T8VF0080
3555	蕨	DFC6	BBEB	7BEC	A2C6EB	2-466B	T8VG0080
3556	蕨	DFC7	BBEC	7BED	A2C6EC	2-466C	T8VH0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 20 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3557	蕙	DFC8	BBED	7BEE	A2C6ED	2-466D	T8VI0080
3558	蒨	DFC9	BBEE	7BEF	A2C6EE	2-466E	T8VJ0080
3559	蕙	DFCA	BBEF	7BF0	A2C6EF	2-466F	T8VK0080
3560	蒨	DFCB	BBF0	7BF1	A2C6F0	2-4670	T8VL0080
3561	蕙	DFCC	BBF1	7BF2	A2C6F1	2-4671	T8VM0080
3562	蒨	DFCD	BBF2	7BF3	A2C6F2	2-4672	T8VN0080
3563	蕙	DFCE	BBF3	7BF4	A2C6F3	2-4673	T8VO0080
3564	蒨	DFCF	BBF4	7BF5	A2C6F4	2-4674	T8VP0080
3565	蕙	DFD0	BBF5	7BF6	A2C6F5	2-4675	T8VQ0080
3566	蒨	DFD1	BBF6	7BF7	A2C6F6	2-4676	T8VR0080
3567	蕙	DFD2	BBF7	7BF8	A2C6F7	2-4677	T8VS0080
3568	蒨	DFD3	BBF8	7BF9	A2C6F8	2-4678	T8VT0080
3569	蕙	DFD4	BBF9	7BFA	A2C6F9	2-4679	T8VU0080
3570	蒨	DFD5	BBFA	7BFB	A2C6FA	2-467A	T8VV0080
3571	蕙	DFD6	BBFB	7BFC	A2C6FB	2-467B	T8VW0080
3572	蒨	DFD7	BBFC	7BFD	A2C6FC	2-467C	T8VX0080
3573	蕙	DFD8	BC40	7C41	A2C6FD	2-467D	T8W10080
3574	蒨	DFD9	BC41	7C42	A2C6FE	2-467E	T8W20080
3575	蕙	DFDA	BC42	7C43	A2C7A1	2-4721	T8W30080
3576	蒨	DFDB	BC43	7C44	A2C7A2	2-4722	T8W40080
3577	蕙	DFDC	BC44	7C45	A2C7A3	2-4723	T8W50080
3578	蒨	DFDD	BC45	7C46	A2C7A4	2-4724	T8W60080
3579	蕙	DFDE	BC46	7C47	A2C7A5	2-4725	T8W70080
3580	蒨	DFDF	BC47	7C48	A2C7A6	2-4726	T8W80080
3581	蕙	DFE0	BC48	7C49	A2C7A7	2-4727	T8W90080
3582	蒨	DFE1	BC49	7C4A	A2C7A8	2-4728	T8WA0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 21 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3583	娘	DFE2	BC4A	7C4B	A2C7A9	2-4729	T8WB0080
3584	娠	DFE3	BC4B	7C4C	A2C7AA	2-472A	T8WC0080
3585	蜃	DFE4	BC4C	7C4D	A2C7AB	2-472B	T8WD0080
3586	蛙	DFE5	BC4D	7C4E	A2C7AC	2-472C	T8WE0080
3587	蛟	DFE6	BC4E	7C4F	A2C7AD	2-472D	T8WF0080
3588	虻	DFE7	BC4F	7C50	A2C7AE	2-472E	T8WG0080
3589	蛭	DFE8	BC50	7C51	A2C7AF	2-472F	T8WH0080
3590	螂	DFE9	BC51	7C52	A2C7B0	2-4730	T8WI0080
3591	蛸	DFEA	BC52	7C53	A2C7B1	2-4731	T8WJ0080
3592	蛸	DFEB	BC53	7C54	A2C7B2	2-4732	T8WK0080
3593	蛸	DFEC	BC54	7C55	A2C7B3	2-4733	T8WL0080
3594	蛸	DFED	BC55	7C56	A2C7B4	2-4734	T8WM0080
3595	蛸	DFEE	BC56	7C57	A2C7B5	2-4735	T8WN0080
3596	蛸	DFEF	BC57	7C58	A2C7B6	2-4736	T8WO0080
3597	蛸	DFF0	BC58	7C59	A2C7B7	2-4737	T8WP0080
3598	振	DFF1	BC59	7C5A	A2C7B8	2-4738	T8WQ0080
3599	痘	DFF2	BC5A	7C5B	A2C7B9	2-4739	T8WR0080
3600	裯	DFF3	BC5B	7C5C	A2C7BA	2-473A	T8WS0080
3601	裯	DFF4	BC5C	7C5D	A2C7BB	2-473B	T8WT0080
3602	祝	DFF5	BC5D	7C5E	A2C7BC	2-473C	T8WU0080
3603	衰	DFF6	BC5E	7C5F	A2C7BD	2-473D	T8WV0080
3604	袂	DFF7	BC5F	7C60	A2C7BE	2-473E	T8WW0080
3605	袂	DFF8	BC60	7C61	A2C7BF	2-473F	T8WX0080
3606	裯	DFF9	BC61	7C62	A2C7C0	2-4740	T8WY0080
3607	黝	DFFA	BC62	7C63	A2C7C1	2-4741	T8WZ0080
3608	覬	DFFB	BC63	7C64	A2C7C2	2-4742	T8X00080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 22 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3609	鮭	DFFC	BC64	7C65	A2C7C3	2-4743	T8X10080
3610	鮣	DFFD	BC65	7C66	A2C7C4	2-4744	T8X20080
3611	鮮	DFFE	BC66	7C67	A2C7C5	2-4745	T8X30080
3612	鮯	E040	BC67	7C68	A2C7C6	2-4746	T8X40080
3613	養	E041	BC68	7C69	A2C7C7	2-4747	T8X50080
3614	習	E042	BC69	7C6A	A2C7C8	2-4748	T8X60080
3615	𩺰	E043	BC6A	7C6B	A2C7C9	2-4749	T8X70080
3616	𩺱	E044	BC6B	7C6C	A2C7CA	2-474A	T8X80080
3617	𩺲	E045	BC6C	7C6D	A2C7CB	2-474B	T8X90080
3618	𩺳	E046	BC6D	7C6E	A2C7CC	2-474C	T8XA0080
3619	𩺴	E047	BC6E	7C6F	A2C7CD	2-474D	T8XB0080
3620	𩺵	E048	BC6F	7C70	A2C7CE	2-474E	T8XC0080
3621	𩺶	E049	BC70	7C71	A2C7CF	2-474F	T8XD0080
3622	詞	E04A	BC71	7C72	A2C7D0	2-4750	T8XE0080
3623	詵	E04B	BC72	7C73	A2C7D1	2-4751	T8XF0080
3624	誅	E04C	BC73	7C74	A2C7D2	2-4752	T8XG0080
3625	誅	E04D	BC74	7C75	A2C7D3	2-4753	T8XH0080
3626	諺	E04E	BC75	7C76	A2C7D4	2-4754	T8XI0080
3627	誼	E04F	BC76	7C77	A2C7D5	2-4755	T8XJ0080
3628	誼	E050	BC77	7C78	A2C7D6	2-4756	T8XK0080
3629	詔	E051	BC78	7C79	A2C7D7	2-4757	T8XL0080
3630	𩺿	E052	BC79	7C7A	A2C7D8	2-4758	T8XM0080
3631	登	E053	BC7A	7C7B	A2C7D9	2-4759	T8XN0080
3632	豐	E054	BC7B	7C7C	A2C7DA	2-475A	T8XO0080
3633	𩺾	E055	BC7C	7C7D	A2C7DB	2-475B	T8XP0080
3634	𩺾	E056	BC7D	7C7E	A2C7DC	2-475C	T8XQ0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 12 (Page 23 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3635	虞	E057	BC7E	7C7F	A2C7DD	2-475D	T8XR0080
3636	貍	E058	BC80	7C81	A2C7DE	2-475E	T8XT0080
3637	豺	E059	BC81	7C82	A2C7DF	2-475F	T8XU0080
3638	貅	E05A	BC82	7C83	A2C7E0	2-4760	T8XV0080
3639	豸	E05B	BC83	7C84	A2C7E1	2-4761	T8XW0080
3640	𪚩	E05C	BC84	7C85	A2C7E2	2-4762	T8XX0080
3641	𪚪	E05D	BC85	7C86	A2C7E3	2-4763	T8XY0080
3642	𪚫	E05E	BC86	7C87	A2C7E4	2-4764	T8XZ0080
3643	𪚬	E05F	BC87	7C88	A2C7E5	2-4765	T8Y00080
3644	𪚭	E060	BC88	7C89	A2C7E6	2-4766	T8Y10080
3645	𪚮	E061	BC89	7C8A	A2C7E7	2-4767	T8Y20080
3646	𪚯	E062	BC8A	7C8B	A2C7E8	2-4768	T8Y30080
3647	𪚰	E063	BC8B	7C8C	A2C7E9	2-4769	T8Y40080
3648	𪚱	E064	BC8C	7C8D	A2C7EA	2-476A	T8Y50080
3649	𪚲	E065	BC8D	7C8E	A2C7EB	2-476B	T8Y60080
3650	𪚳	E066	BC8E	7C8F	A2C7EC	2-476C	T8Y70080
3651	𪚴	E067	BC8F	7C90	A2C7ED	2-476D	T8Y80080
3652	𪚵	E068	BC90	7C91	A2C7EE	2-476E	T8Y90080
3653	𪚶	E069	BC91	7C92	A2C7EF	2-476F	T8YA0080
3654	𪚷	E06A	BC92	7C93	A2C7F0	2-4770	T8YB0080
3655	𪚸	E06B	BC93	7C94	A2C7F1	2-4771	T8YC0080
3656	𪚹	E06C	BC94	7C95	A2C7F2	2-4772	T8YD0080
3657	𪚺	E06D	BC95	7C96	A2C7F3	2-4773	T8YE0080
3658	𪚻	E06E	BC96	7C97	A2C7F4	2-4774	T8YF0080
3659	𪚼	E06F	BC97	7C98	A2C7F5	2-4775	T8YG0080
3660	𪚽	E070	BC98	7C99	A2C7F6	2-4776	T8YH0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 24 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3661	踰	E071	BC99	7C9A	A2C7F7	2-4777	T8YI0080
3662	踰	E072	BC9A	7C9B	A2C7F8	2-4778	T8YJ0080
3663	踰	E073	BC9B	7C9C	A2C7F9	2-4779	T8YK0080
3664	駘	E074	BC9C	7C9D	A2C7FA	2-477A	T8YL0080
3665	駘	E075	BC9D	7C9E	A2C7FB	2-477B	T8YM0080
3666	駘	E076	BC9E	7C9F	A2C7FC	2-477C	T8YN0080
3667	輻	E077	BC9F	7CA0	A2C7FD	2-477D	T8YO0080
3668	輻	E078	BCA0	7CA1	A2C7FE	2-477E	T8YP0080
3669	輻	E079	BCA1	7CA2	A2C8A1	2-4821	T8YQ0080
3670	輻	E07A	BCA2	7CA3	A2C8A2	2-4822	T8YR0080
3671	輻	E07B	BCA3	7CA4	A2C8A3	2-4823	T8YS0080
3672	輻	E07C	BCA4	7CA5	A2C8A4	2-4824	T8YT0080
3673	輻	E07D	BCA5	7CA6	A2C8A5	2-4825	T8YU0080
3674	輻	E07E	BCA6	7CA7	A2C8A6	2-4826	T8YV0080
3675	輻	E0A1	BCA7	7CA8	A2C8A7	2-4827	T8YW0080
3676	遠	E0A2	BCA8	7CA9	A2C8A8	2-4828	T8YX0080
3677	遠	E0A3	BCA9	7CAA	A2C8A9	2-4829	T8YY0080
3678	鄧	E0A4	BCAA	7CAB	A2C8AA	2-482A	T8YZ0080
3679	鄧	E0A5	BCAB	7CAC	A2C8AB	2-482B	T8Z00080
3680	鄧	E0A6	BCAC	7CAD	A2C8AC	2-482C	T8Z10080
3681	鄧	E0A7	BCAD	7CAE	A2C8AD	2-482D	T8Z20080
3682	鄧	E0A8	BCAE	7CAF	A2C8AE	2-482E	T8Z30080
3683	鄧	E0A9	BCAF	7CB0	A2C8AF	2-482F	T8Z40080
3684	鄧	E0AA	BCB0	7CB1	A2C8B0	2-4830	T8Z50080
3685	鄧	E0AB	BCB1	7CB2	A2C8B1	2-4831	T8Z60080
3686	鄧	E0AC	BCB2	7CB3	A2C8B2	2-4832	T8Z70080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 25 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3687	醋	E0AD	BCB3	7CB4	A2C8B3	2-4833	T8Z80080
3688	鉞	E0AE	BCB4	7CB5	A2C8B4	2-4834	T8Z90080
3689	鉞	E0AF	BCB5	7CB6	A2C8B5	2-4835	T8ZA0080
3690	鉞	E0B0	BCB6	7CB7	A2C8B6	2-4836	T8ZB0080
3691	鉞	E0B1	BCB7	7CB8	A2C8B7	2-4837	T8ZC0080
3692	鉞	E0B2	BCB8	7CB9	A2C8B8	2-4838	T8ZD0080
3693	鉞	E0B3	BCB9	7CBA	A2C8B9	2-4839	T8ZE0080
3694	鉞	E0B4	BCBA	7CBB	A2C8BA	2-483A	T8ZF0080
3695	鉞	E0B5	BCBB	7CBC	A2C8BB	2-483B	T8ZG0080
3696	鉞	E0B6	BCBC	7CBD	A2C8BC	2-483C	T8ZH0080
3697	鉞	E0B7	BCBD	7CBE	A2C8BD	2-483D	T8ZI0080
3698	鉞	E0B8	BCBE	7CBF	A2C8BE	2-483E	T8ZJ0080
3699	鉞	E0B9	BCBF	7CC0	A2C8BF	2-483F	T8ZK0080
3700	鉞	E0BA	BCC0	7CC1	A2C8C0	2-4840	T8ZL0080
3701	鉞	E0BB	BCC1	7CC2	A2C8C1	2-4841	T8ZM0080
3702	鉞	E0BC	BCC2	7CC3	A2C8C2	2-4842	T8ZN0080
3703	鉞	E0BD	BCC3	7CC4	A2C8C3	2-4843	T8ZO0080
3704	鉞	E0BE	BCC4	7CC5	A2C8C4	2-4844	T8ZP0080
3705	鉞	E0BF	BCC5	7CC6	A2C8C5	2-4845	T8ZQ0080
3706	鉞	E0C0	BCC6	7CC7	A2C8C6	2-4846	T8ZR0080
3707	鉞	E0C1	BCC7	7CC8	A2C8C7	2-4847	T8ZS0080
3708	鉞	E0C2	BCC8	7CC9	A2C8C8	2-4848	T8ZT0080
3709	鉞	E0C3	BCC9	7CCA	A2C8C9	2-4849	T8ZU0080
3710	鉞	E0C4	BCCA	7CCB	A2C8CA	2-484A	T8ZV0080
3711	鉞	E0C5	BCCB	7CCC	A2C8CB	2-484B	T8ZW0080
3712	鉞	E0C6	BCCC	7CCD	A2C8CC	2-484C	T8ZX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 26 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3713	鈇	E0C7	BCCD	7CCE	A2C8CD	2-484D	T8ZY0080
3714	銑	E0C8	BCCE	7CCF	A2C8CE	2-484E	T8ZZ0080
3715	銖	E0C9	BCCF	7CD0	A2C8CF	2-484F	T9000080
3716	銑	E0CA	BCD0	7CD1	A2C8D0	2-4850	T9010080
3717	銑	E0CB	BCD1	7CD2	A2C8D1	2-4851	T9020080
3718	銑	E0CC	BCD2	7CD3	A2C8D2	2-4852	T9030080
3719	閱	E0CD	BCD3	7CD4	A2C8D3	2-4853	T9040080
3720	聞	E0CE	BCD4	7CD5	A2C8D4	2-4854	T9050080
3721	開	E0CF	BCD5	7CD6	A2C8D5	2-4855	T9060080
3722	闕	E0D0	BCD6	7CD7	A2C8D6	2-4856	T9070080
3723	隙	E0D1	BCD7	7CD8	A2C8D7	2-4857	T9080080
3724	墜	E0D2	BCD8	7CD9	A2C8D8	2-4858	T9090080
3725	墮	E0D3	BCD9	7CDA	A2C8D9	2-4859	T90A0080
3726	隗	E0D4	BCDA	7CDB	A2C8DA	2-485A	T90B0080
3727	睢	E0D5	BCDB	7CDC	A2C8DB	2-485B	T90C0080
3728	霽	E0D6	BCDC	7CDD	A2C8DC	2-485C	T90D0080
3729	霽	E0D7	BCDD	7CDE	A2C8DD	2-485D	T90E0080
3730	霽	E0D8	BCDE	7CDF	A2C8DE	2-485E	T90F0080
3731	霽	E0D9	BCDF	7CE0	A2C8DF	2-485F	T90G0080
3732	靳	E0DA	BCE0	7CE1	A2C8E0	2-4860	T90H0080
3733	鞞	E0DB	BCE1	7CE2	A2C8E1	2-4861	T90I0080
3734	鞞	E0DC	BCE2	7CE3	A2C8E2	2-4862	T90J0080
3735	鞞	E0DD	BCE3	7CE4	A2C8E3	2-4863	T90K0080
3736	頰	E0DE	BCE4	7CE5	A2C8E4	2-4864	T90L0080
3737	頰	E0DF	BCE5	7CE6	A2C8E5	2-4865	T90M0080
3738	頰	E0E0	BCE6	7CE7	A2C8E6	2-4866	T90N0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 12 (Page 27 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3739	颯	E0E1	BCE7	7CE8	A2C8E7	2-4867	T90O0080
3740	飭	E0E2	BCE8	7CE9	A2C8E8	2-4868	T90P0080
3741	飭	E0E3	BCE9	7CEA	A2C8E9	2-4869	T90Q0080
3742	駢	E0E4	BCEA	7CEB	A2C8EA	2-486A	T90R0080
3743	駢	E0E5	BCEB	7CEC	A2C8EB	2-486B	T90S0080
3744	駢	E0E6	BCEC	7CED	A2C8EC	2-486C	T90T0080
3745	鼻	E0E7	BCED	7CEE	A2C8ED	2-486D	T90U0080
3746	駢	E0E8	BCEE	7CEF	A2C8EE	2-486E	T90V0080
3747	駢	E0E9	BCEF	7CF0	A2C8EF	2-486F	T90W0080
3748	飭	E0EA	BCF0	7CF1	A2C8F0	2-4870	T90X0080
3749	飭	E0EB	BCF1	7CF2	A2C8F1	2-4871	T90Y0080
3750	飭	E0EC	BCF2	7CF3	A2C8F2	2-4872	T90Z0080
3751	鳧	E0ED	BCF3	7CF4	A2C8F3	2-4873	T9100080
3752	鳧	E0EE	BCF4	7CF5	A2C8F4	2-4874	T9110080
3753	鳧	E0EF	BCF5	7CF6	A2C8F5	2-4875	T9120080
3754	鳧	E0F0	BCF6	7CF7	A2C8F6	2-4876	T9130080
3755	傳	E0F1	BCF7	7CF8	A2C8F7	2-4877	T9140080
3756	傳	E0F2	BCF8	7CF9	A2C8F8	2-4878	T9150080
3757	傳	E0F3	BCF9	7CFA	A2C8F9	2-4879	T9160080
3758	傳	E0F4	BCFA	7CFB	A2C8FA	2-487A	T9170080
3759	傳	E0F5	BCFB	7CFC	A2C8FB	2-487B	T9180080
3760	傳	E0F6	BCFC	7CFD	A2C8FC	2-487C	T9190080
3761	傳	E0F7	BD40	7D41	A2C8FD	2-487D	T91D0080
3762	傳	E0F8	BD41	7D42	A2C8FE	2-487E	T91E0080
3763	傳	E0F9	BD42	7D43	A2C9A1	2-4921	T91F0080
3764	傳	E0FA	BD43	7D44	A2C9A2	2-4922	T91G0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 28 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3765	熨	E0FB	BD44	7D45	A2C9A3	2-4923	T91H0080
3766	憐	E0FC	BD45	7D46	A2C9A4	2-4924	T91I0080
3767	僭	E0FD	BD46	7D47	A2C9A5	2-4925	T91J0080
3768	僭	E0FE	BD47	7D48	A2C9A6	2-4926	T91K0080
3769	澌	E140	BD48	7D49	A2C9A7	2-4927	T91L0080
3770	劓	E141	BD49	7D4A	A2C9A8	2-4928	T91M0080
3771	劓	E142	BD4A	7D4B	A2C9A9	2-4929	T91N0080
3772	勣	E143	BD4B	7D4C	A2C9AA	2-492A	T91O0080
3773	勣	E144	BD4C	7D4D	A2C9AB	2-492B	T91P0080
3774	𠄎	E145	BD4D	7D4E	A2C9AC	2-492C	T91Q0080
3775	𠄎	E146	BD4E	7D4F	A2C9AD	2-492D	T91R0080
3776	𠄎	E147	BD4F	7D50	A2C9AE	2-492E	T91S0080
3777	𠄎	E148	BD50	7D51	A2C9AF	2-492F	T91T0080
3778	𠄎	E149	BD51	7D52	A2C9B0	2-4930	T91U0080
3779	𠄎	E14A	BD52	7D53	A2C9B1	2-4931	T91V0080
3780	𠄎	E14B	BD53	7D54	A2C9B2	2-4932	T91W0080
3781	𠄎	E14C	BD54	7D55	A2C9B3	2-4933	T91X0080
3782	𠄎	E14D	BD55	7D56	A2C9B4	2-4934	T91Y0080
3783	𠄎	E14E	BD56	7D57	A2C9B5	2-4935	T91Z0080
3784	𠄎	E14F	BD57	7D58	A2C9B6	2-4936	T9200080
3785	𠄎	E150	BD58	7D59	A2C9B7	2-4937	T9210080
3786	𠄎	E151	BD59	7D5A	A2C9B8	2-4938	T9220080
3787	𠄎	E152	BD5A	7D5B	A2C9B9	2-4939	T9230080
3788	𠄎	E153	BD5B	7D5C	A2C9BA	2-493A	T9240080
3789	𠄎	E154	BD5C	7D5D	A2C9BB	2-493B	T9250080
3790	𠄎	E155	BD5D	7D5E	A2C9BC	2-493C	T9260080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 29 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3791	墉	E156	BD5E	7D5F	A2C9BD	2-493D	T9270080
3792	搏	E157	BD5F	7D60	A2C9BE	2-493E	T9280080
3793	墮	E158	BD60	7D61	A2C9BF	2-493F	T9290080
3794	墄	E159	BD61	7D62	A2C9C0	2-4940	T92A0080
3795	墅	E15A	BD62	7D63	A2C9C1	2-4941	T92B0080
3796	墆	E15B	BD63	7D64	A2C9C2	2-4942	T92C0080
3797	墇	E15C	BD64	7D65	A2C9C3	2-4943	T92D0080
3798	墈	E15D	BD65	7D66	A2C9C4	2-4944	T92E0080
3799	墉	E15E	BD66	7D67	A2C9C5	2-4945	T92F0080
3800	墊	E15F	BD67	7D68	A2C9C6	2-4946	T92G0080
3801	墋	E160	BD68	7D69	A2C9C7	2-4947	T92H0080
3802	墌	E161	BD69	7D6A	A2C9C8	2-4948	T92I0080
3803	墍	E162	BD6A	7D6B	A2C9C9	2-4949	T92J0080
3804	墎	E163	BD6B	7D6C	A2C9CA	2-494A	T92K0080
3805	墏	E164	BD6C	7D6D	A2C9CB	2-494B	T92L0080
3806	墐	E165	BD6D	7D6E	A2C9CC	2-494C	T92M0080
3807	墑	E166	BD6E	7D6F	A2C9CD	2-494D	T92N0080
3808	墒	E167	BD6F	7D70	A2C9CE	2-494E	T92O0080
3809	墓	E168	BD70	7D71	A2C9CF	2-494F	T92P0080
3810	鉅	E169	BD71	7D72	A2C9D0	2-4950	T92Q0080
3811	齋	E16A	BD72	7D73	A2C9D1	2-4951	T92R0080
3812	嫜	E16B	BD73	7D74	A2C9D2	2-4952	T92S0080
3813	嫜	E16C	BD74	7D75	A2C9D3	2-4953	T92T0080
3814	嫜	E16D	BD75	7D76	A2C9D4	2-4954	T92U0080
3815	嫜	E16E	BD76	7D77	A2C9D5	2-4955	T92V0080
3816	嫜	E16F	BD77	7D78	A2C9D6	2-4956	T92W0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 30 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3817	嫵	E170	BD78	7D79	A2C9D7	2-4957	T92X0080
3818	嫵	E171	BD79	7D7A	A2C9D8	2-4958	T92Y0080
3819	嫵	E172	BD7A	7D7B	A2C9D9	2-4959	T92Z0080
3820	嫵	E173	BD7B	7D7C	A2C9DA	2-495A	T9300080
3821	嫵	E174	BD7C	7D7D	A2C9DB	2-495B	T9310080
3822	嫵	E175	BD7D	7D7E	A2C9DC	2-495C	T9320080
3823	嫵	E176	BD7E	7D7F	A2C9DD	2-495D	T9330080
3824	嫵	E177	BD80	7D81	A2C9DE	2-495E	T9350080
3825	嫵	E178	BD81	7D82	A2C9DF	2-495F	T9360080
3826	嫵	E179	BD82	7D83	A2C9E0	2-4960	T9370080
3827	嫵	E17A	BD83	7D84	A2C9E1	2-4961	T9380080
3828	嫵	E17B	BD84	7D85	A2C9E2	2-4962	T9390080
3829	嫵	E17C	BD85	7D86	A2C9E3	2-4963	T93A0080
3830	孳	E17D	BD86	7D87	A2C9E4	2-4964	T93B0080
3831	婁	E17E	BD87	7D88	A2C9E5	2-4965	T93C0080
3832	瘡	E1A1	BD88	7D89	A2C9E6	2-4966	T93D0080
3833	屍	E1A2	BD89	7D8A	A2C9E7	2-4967	T93E0080
3834	嶂	E1A3	BD8A	7D8B	A2C9E8	2-4968	T93F0080
3835	嶂	E1A4	BD8B	7D8C	A2C9E9	2-4969	T93G0080
3836	帶	E1A5	BD8C	7D8D	A2C9EA	2-496A	T93H0080
3837	槽	E1A6	BD8D	7D8E	A2C9EB	2-496B	T93I0080
3838	嚙	E1A7	BD8E	7D8F	A2C9EC	2-496C	T93J0080
3839	嶂	E1A8	BD8F	7D90	A2C9ED	2-496D	T93K0080
3840	嶂	E1A9	BD90	7D91	A2C9EE	2-496E	T93L0080
3841	嶂	E1AA	BD91	7D92	A2C9EF	2-496F	T93M0080
3842	嶂	E1AB	BD92	7D93	A2C9F0	2-4970	T93N0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 31 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3843	嶯	E1AC	BD93	7D94	A2C9F1	2-4971	T93O0080
3844	麥	E1AD	BD94	7D95	A2C9F2	2-4972	T93P0080
3845	嶯	E1AE	BD95	7D96	A2C9F3	2-4973	T93Q0080
3846	嶯	E1AF	BD96	7D97	A2C9F4	2-4974	T93R0080
3847	嶯	E1B0	BD97	7D98	A2C9F5	2-4975	T93S0080
3848	嶯	E1B1	BD98	7D99	A2C9F6	2-4976	T93T0080
3849	嶯	E1B2	BD99	7D9A	A2C9F7	2-4977	T93U0080
3850	嶯	E1B3	BD9A	7D9B	A2C9F8	2-4978	T93V0080
3851	嶯	E1B4	BD9B	7D9C	A2C9F9	2-4979	T93W0080
3852	嶯	E1B5	BD9C	7D9D	A2C9FA	2-497A	T93X0080
3853	嶯	E1B6	BD9D	7D9E	A2C9FB	2-497B	T93Y0080
3854	嶯	E1B7	BD9E	7D9F	A2C9FC	2-497C	T93Z0080
3855	嶯	E1B8	BD9F	7DA0	A2C9FD	2-497D	T9400080
3856	嶯	E1B9	BDA0	7DA1	A2C9FE	2-497E	T9410080
3857	嶯	E1BA	BDA1	7DA2	A2CAA1	2-4A21	T9420080
3858	嶯	E1BB	BDA2	7DA3	A2CAA2	2-4A22	T9430080
3859	嶯	E1BC	BDA3	7DA4	A2CAA3	2-4A23	T9440080
3860	嶯	E1BD	BDA4	7DA5	A2CAA4	2-4A24	T9450080
3861	嶯	E1BE	BDA5	7DA6	A2CAA5	2-4A25	T9460080
3862	嶯	E1BF	BDA6	7DA7	A2CAA6	2-4A26	T9470080
3863	嶯	E1C0	BDA7	7DA8	A2CAA7	2-4A27	T9480080
3864	嶯	E1C1	BDA8	7DA9	A2CAA8	2-4A28	T9490080
3865	嶯	E1C2	BDA9	7DAA	A2CAA9	2-4A29	T94A0080
3866	嶯	E1C3	BDAA	7DAB	A2CAAA	2-4A2A	T94B0080
3867	嶯	E1C4	BDAB	7DAC	A2CAAB	2-4A2B	T94C0080
3868	嶯	E1C5	BDAC	7DAD	A2CAAC	2-4A2C	T94D0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 32 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3869	博	E1C6	BDAD	7DAE	A2CAAD	2-4A2D	T94E0080
3870	慳	E1C7	BDAE	7DAF	A2CAAE	2-4A2E	T94F0080
3871	槽	E1C8	BDAF	7DB0	A2CAAF	2-4A2F	T94G0080
3872	慄	E1C9	BDB0	7DB1	A2CAB0	2-4A30	T94H0080
3873	備	E1CA	BDB1	7DB2	A2CAB1	2-4A31	T94I0080
3874	懂	E1CB	BDB2	7DB3	A2CAB2	2-4A32	T94J0080
3875	慳	E1CC	BDB3	7DB4	A2CAB3	2-4A33	T94K0080
3876	慳	E1CD	BDB4	7DB5	A2CAB4	2-4A34	T94L0080
3877	慳	E1CE	BDB5	7DB6	A2CAB5	2-4A35	T94M0080
3878	慳	E1CF	BDB6	7DB7	A2CAB6	2-4A36	T94N0080
3879	慳	E1D0	BDB7	7DB8	A2CAB7	2-4A37	T94O0080
3880	慳	E1D1	BDB8	7DB9	A2CAB8	2-4A38	T94P0080
3881	慳	E1D2	BDB9	7DBA	A2CAB9	2-4A39	T94Q0080
3882	慳	E1D3	BDBA	7DBB	A2CABA	2-4A3A	T94R0080
3883	慳	E1D4	BDBB	7DBC	A2CABB	2-4A3B	T94S0080
3884	慳	E1D5	BDBC	7DBD	A2CABC	2-4A3C	T94T0080
3885	戩	E1D6	BDBD	7DBE	A2CABD	2-4A3D	T94U0080
3886	戩	E1D7	BDBE	7DBF	A2CABE	2-4A3E	T94V0080
3887	戩	E1D8	BDBF	7DC0	A2CABF	2-4A3F	T94W0080
3888	擊	E1D9	BDC0	7DC1	A2CAC0	2-4A40	T94X0080
3889	搯	E1DA	BDC1	7DC2	A2CAC1	2-4A41	T94Y0080
3890	搯	E1DB	BDC2	7DC3	A2CAC2	2-4A42	T94Z0080
3891	搯	E1DC	BDC3	7DC4	A2CAC3	2-4A43	T9500080
3892	搯	E1DD	BDC4	7DC5	A2CAC4	2-4A44	T9510080
3893	搯	E1DE	BDC5	7DC6	A2CAC5	2-4A45	T9520080
3894	搯	E1DF	BDC6	7DC7	A2CAC6	2-4A46	T9530080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 12 (Page 33 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3895	摳	E1E0	BDC7	7DC8	A2CAC7	2-4A47	T9540080
3896	標	E1E1	BDC8	7DC9	A2CAC8	2-4A48	T9550080
3897	搥	E1E2	BDC9	7DCA	A2CAC9	2-4A49	T9560080
3898	擲	E1E3	BDCA	7DCB	A2CACA	2-4A4A	T9570080
3899	揸	E1E4	BDCB	7DCC	A2CACB	2-4A4B	T9580080
3900	摻	E1E5	BDCC	7DCD	A2CACC	2-4A4C	T9590080
3901	摺	E1E6	BDCD	7DCE	A2CACD	2-4A4D	T95A0080
3902	摺	E1E7	BDCE	7DCF	A2CACE	2-4A4E	T95B0080
3903	摺	E1E8	BDCF	7DD0	A2CACF	2-4A4F	T95C0080
3904	擲	E1E9	BDD0	7DD1	A2CAD0	2-4A50	T95D0080
3905	揸	E1EA	BDD1	7DD2	A2CAD1	2-4A51	T95E0080
3906	摺	E1EB	BDD2	7DD3	A2CAD2	2-4A52	T95F0080
3907	摺	E1EC	BDD3	7DD4	A2CAD3	2-4A53	T95G0080
3908	揸	E1ED	BDD4	7DD5	A2CAD4	2-4A54	T95H0080
3909	揸	E1EE	BDD5	7DD6	A2CAD5	2-4A55	T95I0080
3910	揸	E1EF	BDD6	7DD7	A2CAD6	2-4A56	T95J0080
3911	揸	E1F0	BDD7	7DD8	A2CAD7	2-4A57	T95K0080
3912	揸	E1F1	BDD8	7DD9	A2CAD8	2-4A58	T95L0080
3913	揸	E1F2	BDD9	7DDA	A2CAD9	2-4A59	T95M0080
3914	揸	E1F3	BDDA	7ddb	A2CADA	2-4A5A	T95N0080
3915	揸	E1F4	Bddb	7DDC	A2CADB	2-4A5B	T95O0080
3916	揸	E1F5	BDDC	7DDD	A2CADC	2-4A5C	T95P0080
3917	揸	E1F6	BDDD	7DDE	A2CADD	2-4A5D	T95Q0080
3918	揸	E1F7	BDDE	7DDF	A2CADE	2-4A5E	T95R0080
3919	揸	E1F8	BDDF	7DE0	A2CADF	2-4A5F	T95S0080
3920	揸	E1F9	BDE0	7DE1	A2CAE0	2-4A60	T95T0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 34 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3921	幘	E1FA	BDE1	7DE2	A2CAE1	2-4A61	T95U0080
3922	聖	E1FB	BDE2	7DE3	A2CAE2	2-4A62	T95V0080
3923	檟	E1FC	BDE3	7DE4	A2CAE3	2-4A63	T95W0080
3924	檣	E1FD	BDE4	7DE5	A2CAE4	2-4A64	T95X0080
3925	檫	E1FE	BDE5	7DE6	A2CAE5	2-4A65	T95Y0080
3926	檵	E240	BDE6	7DE7	A2CAE6	2-4A66	T95Z0080
3927	槎	E241	BDE7	7DE8	A2CAE7	2-4A67	T9600080
3928	榖	E242	BDE8	7DE9	A2CAE8	2-4A68	T9610080
3929	榑	E243	BDE9	7DEA	A2CAE9	2-4A69	T9620080
3930	榒	E244	BDEA	7DEB	A2CAEA	2-4A6A	T9630080
3931	榓	E245	BDEB	7DEC	A2CAEB	2-4A6B	T9640080
3932	榔	E246	BDEC	7DED	A2CAEC	2-4A6C	T9650080
3933	榕	E247	BDED	7DEE	A2CAED	2-4A6D	T9660080
3934	榖	E248	BDEE	7DEF	A2CAEE	2-4A6E	T9670080
3935	榗	E249	BDEF	7DF0	A2CAEF	2-4A6F	T9680080
3936	榙	E24A	BDF0	7DF1	A2CAF0	2-4A70	T9690080
3937	榚	E24B	BDF1	7DF2	A2CAF1	2-4A71	T96A0080
3938	榛	E24C	BDF2	7DF3	A2CAF2	2-4A72	T96B0080
3939	榜	E24D	BDF3	7DF4	A2CAF3	2-4A73	T96C0080
3940	榝	E24E	BDF4	7DF5	A2CAF4	2-4A74	T96D0080
3941	榞	E24F	BDF5	7DF6	A2CAF5	2-4A75	T96E0080
3942	榟	E250	BDF6	7DF7	A2CAF6	2-4A76	T96F0080
3943	榠	E251	BDF7	7DF8	A2CAF7	2-4A77	T96G0080
3944	榡	E252	BDF8	7DF9	A2CAF8	2-4A78	T96H0080
3945	榢	E253	BDF9	7DFA	A2CAF9	2-4A79	T96I0080
3946	榣	E254	BDFA	7DFB	A2CAFA	2-4A7A	T96J0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 35 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3947	槎	E255	BDFB	7DFC	A2CAFB	2-4A7B	T96K0080
3948	櫟	E256	BDFC	7DFD	A2CAFC	2-4A7C	T96L0080
3949	槥	E257	BE40	7E41	A2CAFD	2-4A7D	T96P0080
3950	櫟	E258	BE41	7E42	A2CAFE	2-4A7E	T96Q0080
3951	櫟	E259	BE42	7E43	A2CBA1	2-4B21	T96R0080
3952	櫟	E25A	BE43	7E44	A2CBA2	2-4B22	T96S0080
3953	櫟	E25B	BE44	7E45	A2CBA3	2-4B23	T96T0080
3954	櫟	E25C	BE45	7E46	A2CBA4	2-4B24	T96U0080
3955	櫟	E25D	BE46	7E47	A2CBA5	2-4B25	T96V0080
3956	櫟	E25E	BE47	7E48	A2CBA6	2-4B26	T96W0080
3957	櫟	E25F	BE48	7E49	A2CBA7	2-4B27	T96X0080
3958	櫟	E260	BE49	7E4A	A2CBA8	2-4B28	T96Y0080
3959	櫟	E261	BE4A	7E4B	A2CBA9	2-4B29	T96Z0080
3960	櫟	E262	BE4B	7E4C	A2CBAA	2-4B2A	T9700080
3961	歛	E263	BE4C	7E4D	A2CBAB	2-4B2B	T9710080
3962	歛	E264	BE4D	7E4E	A2CBAC	2-4B2C	T9720080
3963	歛	E265	BE4E	7E4F	A2CBAD	2-4B2D	T9730080
3964	殞	E266	BE4F	7E50	A2CBAE	2-4B2E	T9740080
3965	殞	E267	BE50	7E51	A2CBAF	2-4B2F	T9750080
3966	殞	E268	BE51	7E52	A2CBB0	2-4B30	T9760080
3967	歛	E269	BE52	7E53	A2CBB1	2-4B31	T9770080
3968	歛	E26A	BE53	7E54	A2CBB2	2-4B32	T9780080
3969	殞	E26B	BE54	7E55	A2CBB3	2-4B33	T9790080
3970	殞	E26C	BE55	7E56	A2CBB4	2-4B34	T97A0080
3971	殞	E26D	BE56	7E57	A2CBB5	2-4B35	T97B0080
3972	殞	E26E	BE57	7E58	A2CBB6	2-4B36	T97C0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 36 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3973	濼	E26F	BE58	7E59	A2CBB7	2-4B37	T97D0080
3974	漈	E270	BE59	7E5A	A2CBB8	2-4B38	T97E0080
3975	漉	E271	BE5A	7E5B	A2CBB9	2-4B39	T97F0080
3976	漊	E272	BE5B	7E5C	A2CBBA	2-4B3A	T97G0080
3977	漋	E273	BE5C	7E5D	A2CBBB	2-4B3B	T97H0080
3978	漌	E274	BE5D	7E5E	A2CBBC	2-4B3C	T97I0080
3979	漍	E275	BE5E	7E5F	A2CBBD	2-4B3D	T97J0080
3980	漎	E276	BE5F	7E60	A2CBBE	2-4B3E	T97K0080
3981	漏	E277	BE60	7E61	A2CBBF	2-4B3F	T97L0080
3982	漑	E278	BE61	7E62	A2CBC0	2-4B40	T97M0080
3983	漒	E279	BE62	7E63	A2CBC1	2-4B41	T97N0080
3984	漓	E27A	BE63	7E64	A2CBC2	2-4B42	T97O0080
3985	演	E27B	BE64	7E65	A2CBC3	2-4B43	T97P0080
3986	漕	E27C	BE65	7E66	A2CBC4	2-4B44	T97Q0080
3987	漖	E27D	BE66	7E67	A2CBC5	2-4B45	T97R0080
3988	漗	E27E	BE67	7E68	A2CBC6	2-4B46	T97S0080
3989	漘	E2A1	BE68	7E69	A2CBC7	2-4B47	T97T0080
3990	漙	E2A2	BE69	7E6A	A2CBC8	2-4B48	T97U0080
3991	漚	E2A3	BE6A	7E6B	A2CBC9	2-4B49	T97V0080
3992	漛	E2A4	BE6B	7E6C	A2CBCA	2-4B4A	T97W0080
3993	漜	E2A5	BE6C	7E6D	A2CBCB	2-4B4B	T97X0080
3994	漝	E2A6	BE6D	7E6E	A2CBCB	2-4B4C	T97Y0080
3995	漞	E2A7	BE6E	7E6F	A2CBCD	2-4B4D	T97Z0080
3996	漟	E2A8	BE6F	7E70	A2CBCE	2-4B4E	T9800080
3997	漠	E2A9	BE70	7E71	A2CBCF	2-4B4F	T9810080
3998	漡	E2AA	BE71	7E72	A2CBD0	2-4B50	T9820080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 37 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
3999	漣	E2AB	BE72	7E73	A2CBD1	2-4B51	T9830080
4000	漣	E2AC	BE73	7E74	A2CBD2	2-4B52	T9840080
4001	滄	E2AD	BE74	7E75	A2CBD3	2-4B53	T9850080
4002	漣	E2AE	BE75	7E76	A2CBD4	2-4B54	T9860080
4003	漣	E2AF	BE76	7E77	A2CBD5	2-4B55	T9870080
4004	漣	E2B0	BE77	7E78	A2CBD6	2-4B56	T9880080
4005	漣	E2B1	BE78	7E79	A2CBD7	2-4B57	T9890080
4006	漣	E2B2	BE79	7E7A	A2CBD8	2-4B58	T98A0080
4007	漣	E2B3	BE7A	7E7B	A2CBD9	2-4B59	T98B0080
4008	漣	E2B4	BE7B	7E7C	A2CBDA	2-4B5A	T98C0080
4009	漣	E2B5	BE7C	7E7D	A2CBDB	2-4B5B	T98D0080
4010	漣	E2B6	BE7D	7E7E	A2CBDC	2-4B5C	T98E0080
4011	漣	E2B7	BE7E	7E7F	A2CBDD	2-4B5D	T98F0080
4012	漣	E2B8	BE80	7E81	A2CBDE	2-4B5E	T98H0080
4013	漣	E2B9	BE81	7E82	A2CBDF	2-4B5F	T98I0080
4014	熯	E2BA	BE82	7E83	A2CBE0	2-4B60	T98J0080
4015	熯	E2BB	BE83	7E84	A2CBE1	2-4B61	T98K0080
4016	熯	E2BC	BE84	7E85	A2CBE2	2-4B62	T98L0080
4017	熯	E2BD	BE85	7E86	A2CBE3	2-4B63	T98M0080
4018	熯	E2BE	BE86	7E87	A2CBE4	2-4B64	T98N0080
4019	熯	E2BF	BE87	7E88	A2CBE5	2-4B65	T98O0080
4020	熯	E2C0	BE88	7E89	A2CBE6	2-4B66	T98P0080
4021	熯	E2C1	BE89	7E8A	A2CBE7	2-4B67	T98Q0080
4022	熯	E2C2	BE8A	7E8B	A2CBE8	2-4B68	T98R0080
4023	熯	E2C3	BE8B	7E8C	A2CBE9	2-4B69	T98S0080
4024	熯	E2C4	BE8C	7E8D	A2CBEA	2-4B6A	T98T0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 38 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4025	膾	E2C5	BE8D	7E8E	A2CBEB	2-4B6B	T98U0080
4026	膀	E2C6	BE8E	7E8F	A2CBEC	2-4B6C	T98V0080
4027	摑	E2C7	BE8F	7E90	A2CBED	2-4B6D	T98W0080
4028	輔	E2C8	BE90	7E91	A2CBEE	2-4B6E	T98X0080
4029	嚮	E2C9	BE91	7E92	A2CBEF	2-4B6F	T98Y0080
4030	猷	E2CA	BE92	7E93	A2CBF0	2-4B70	T98Z0080
4031	獍	E2CB	BE93	7E94	A2CBF1	2-4B71	T9900080
4032	獬	E2CC	BE94	7E95	A2CBF2	2-4B72	T9910080
4033	獭	E2CD	BE95	7E96	A2CBF3	2-4B73	T9920080
4034	瑤	E2CE	BE96	7E97	A2CBF4	2-4B74	T9930080
4035	瑳	E2CF	BE97	7E98	A2CBF5	2-4B75	T9940080
4036	瑱	E2D0	BE98	7E99	A2CBF6	2-4B76	T9950080
4037	瑲	E2D1	BE99	7E9A	A2CBF7	2-4B77	T9960080
4038	瑳	E2D2	BE9A	7E9B	A2CBF8	2-4B78	T9970080
4039	瑴	E2D3	BE9B	7E9C	A2CBF9	2-4B79	T9980080
4040	瑵	E2D4	BE9C	7E9D	A2CBFA	2-4B7A	T9990080
4041	甄	E2D5	BE9D	7E9E	A2CBFB	2-4B7B	T99A0080
4042	颯	E2D6	BE9E	7E9F	A2CBFC	2-4B7C	T99B0080
4043	癸	E2D7	BE9F	7EA0	A2CBFD	2-4B7D	T99C0080
4044	腫	E2D8	BEA0	7EA1	A2CBFE	2-4B7E	T99D0080
4045	癩	E2D9	BEA1	7EA2	A2CCA1	2-4C21	T99E0080
4046	瘡	E2DA	BEA2	7EA3	A2CCA2	2-4C22	T99F0080
4047	癩	E2DB	BEA3	7EA4	A2CCA3	2-4C23	T99G0080
4048	癩	E2DC	BEA4	7EA5	A2CCA4	2-4C24	T99H0080
4049	癩	E2DD	BEA5	7EA6	A2CCA5	2-4C25	T99I0080
4050	癩	E2DE	BEA6	7EA7	A2CCA6	2-4C26	T99J0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 39 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4051	癩	E2DF	BEA7	7EA8	A2CCA7	2-4C27	T99K0080
4052	瘡	E2E0	BEA8	7EA9	A2CCA8	2-4C28	T99L0080
4053	鞞	E2E1	BEA9	7EAA	A2CCA9	2-4C29	T99M0080
4054	瞋	E2E2	BEAA	7EAB	A2CCAA	2-4C2A	T99N0080
4055	瞋	E2E3	BEAB	7EAC	A2CCAB	2-4C2B	T99O0080
4056	睺	E2E4	BEAC	7EAD	A2CCAC	2-4C2C	T99P0080
4057	戲	E2E5	BEAD	7EAE	A2CCAD	2-4C2D	T99Q0080
4058	踰	E2E6	BEAE	7EAF	A2CCAE	2-4C2E	T99R0080
4059	瞽	E2E7	BEAF	7EB0	A2CCAF	2-4C2F	T99S0080
4060	瞽	E2E8	BEB0	7EB1	A2CCB0	2-4C30	T99T0080
4061	擧	E2E9	BEB1	7EB2	A2CCB1	2-4C31	T99U0080
4062	瞞	E2EA	BEB2	7EB3	A2CCB2	2-4C32	T99V0080
4063	碄	E2EB	BEB3	7EB4	A2CCB3	2-4C33	T99W0080
4064	碄	E2EC	BEB4	7EB5	A2CCB4	2-4C34	T99X0080
4065	碄	E2ED	BEB5	7EB6	A2CCB5	2-4C35	T99Y0080
4066	碄	E2EE	BEB6	7EB7	A2CCB6	2-4C36	T99Z0080
4067	碄	E2EF	BEB7	7EB8	A2CCB7	2-4C37	T9A00080
4068	碄	E2F0	BEB8	7EB9	A2CCB8	2-4C38	T9A10080
4069	碄	E2F1	BEB9	7EBA	A2CCB9	2-4C39	T9A20080
4070	暑	E2F2	BEBA	7EBB	A2CCBA	2-4C3A	T9A30080
4071	礪	E2F3	BEBB	7EBC	A2CCBB	2-4C3B	T9A40080
4072	礪	E2F4	BEBC	7EBD	A2CCBC	2-4C3C	T9A50080
4073	礪	E2F5	BEBD	7EBE	A2CCBD	2-4C3D	T9A60080
4074	礪	E2F6	BEBE	7EBF	A2CCBE	2-4C3E	T9A70080
4075	礪	E2F7	BEBF	7EC0	A2CCBF	2-4C3F	T9A80080
4076	禘	E2F8	BEC0	7EC1	A2CCC0	2-4C40	T9A90080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 40 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4077	禊	E2F9	BEC1	7EC2	A2CCC1	2-4C41	T9AA0080
4078	禴	E2FA	BEC2	7EC3	A2CCC2	2-4C42	T9AB0080
4079	禵	E2FB	BEC3	7EC4	A2CCC3	2-4C43	T9AC0080
4080	禶	E2FC	BEC4	7EC5	A2CCC4	2-4C44	T9AD0080
4081	禷	E2FD	BEC5	7EC6	A2CCC5	2-4C45	T9AE0080
4082	禸	E2FE	BEC6	7EC7	A2CCC6	2-4C46	T9AF0080
4083	禩	E340	BEC7	7EC8	A2CCC7	2-4C47	T9AG0080
4084	禪	E341	BEC8	7EC9	A2CCC8	2-4C48	T9AH0080
4085	禳	E342	BEC9	7ECA	A2CCC9	2-4C49	T9AI0080
4086	禺	E343	BECA	7ECB	A2CCCA	2-4C4A	T9AJ0080
4087	福	E344	BECB	7ECC	A2CCCB	2-4C4B	T9AK0080
4088	禺	E345	BECC	7ECD	A2CCCC	2-4C4C	T9AL0080
4089	禿	E346	BECD	7ECE	A2CCCD	2-4C4D	T9AM0080
4090	离	E347	BECE	7ECF	A2CCCE	2-4C4E	T9AN0080
4091	禼	E348	BECF	7ED0	A2CCCF	2-4C4F	T9AO0080
4092	緯	E349	BED0	7ED1	A2CCD0	2-4C50	T9AP0080
4093	窳	E34A	BED1	7ED2	A2CCD1	2-4C51	T9AQ0080
4094	窴	E34B	BED2	7ED3	A2CCD2	2-4C52	T9AR0080
4095	窵	E34C	BED3	7ED4	A2CCD3	2-4C53	T9AS0080
4096	窶	E34D	BED4	7ED5	A2CCD4	2-4C54	T9AT0080
4097	箔	E34E	BED5	7ED6	A2CCD5	2-4C55	T9AU0080
4098	筊	E34F	BED6	7ED7	A2CCD6	2-4C56	T9AV0080
4099	筴	E350	BED7	7ED8	A2CCD7	2-4C57	T9AW0080
4100	筵	E351	BED8	7ED9	A2CCD8	2-4C58	T9AX0080
4101	筥	E352	BED9	7EDA	A2CCD9	2-4C59	T9AY0080
4102	筦	E353	BEDA	7EDB	A2CCDA	2-4C5A	T9AZ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 41 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4103	箍	E354	BEDB	7EDC	A2CCDB	2-4C5B	T9B00080
4104	筍	E355	BEDC	7EDD	A2CCDC	2-4C5C	T9B10080
4105	菰	E356	BEDD	7EDE	A2CCDD	2-4C5D	T9B20080
4106	箎	E357	BEDE	7EDF	A2CCDE	2-4C5E	T9B30080
4107	算	E358	BEDF	7EE0	A2CCDF	2-4C5F	T9B40080
4108	筭	E359	BEE0	7EE1	A2CCE0	2-4C60	T9B50080
4109	劊	E35A	BEE1	7EE2	A2CCE1	2-4C61	T9B60080
4110	箊	E35B	BEE2	7EE3	A2CCE2	2-4C62	T9B70080
4111	萃	E35C	BEE3	7EE4	A2CCE3	2-4C63	T9B80080
4112	箨	E35D	BEE4	7EE5	A2CCE4	2-4C64	T9B90080
4113	糗	E35E	BEE5	7EE6	A2CCE5	2-4C65	T9BA0080
4114	糗	E35F	BEE6	7EE7	A2CCE6	2-4C66	T9BB0080
4115	糗	E360	BEE7	7EE8	A2CCE7	2-4C67	T9BC0080
4116	裨	E361	BEE8	7EE9	A2CCE8	2-4C68	T9BD0080
4117	綽	E362	BEE9	7EEA	A2CCE9	2-4C69	T9BE0080
4118	粹	E363	BEEA	7EEB	A2CCEA	2-4C6A	T9BF0080
4119	綫	E364	BEEB	7EEC	A2CCEB	2-4C6B	T9BG0080
4120	綫	E365	BEEC	7EED	A2CCEC	2-4C6C	T9BH0080
4121	綫	E366	BEED	7EEE	A2CCED	2-4C6D	T9BI0080
4122	綫	E367	BEEE	7EEF	A2CCEE	2-4C6E	T9BJ0080
4123	縷	E368	BEEF	7EF0	A2CCEF	2-4C6F	T9BK0080
4124	縷	E369	BEF0	7EF1	A2CCF0	2-4C70	T9BL0080
4125	縷	E36A	BEF1	7EF2	A2CCF1	2-4C71	T9BM0080
4126	縷	E36B	BEF2	7EF3	A2CCF2	2-4C72	T9BN0080
4127	縷	E36C	BEF3	7EF4	A2CCF3	2-4C73	T9BO0080
4128	縷	E36D	BEF4	7EF5	A2CCF4	2-4C74	T9BP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 42 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4129	緋	E36E	BEF5	7EF6	A2CCF5	2-4C75	T9BQ0080
4130	綾	E36F	BEF6	7EF7	A2CCF6	2-4C76	T9BR0080
4131	絢	E370	BEF7	7EF8	A2CCF7	2-4C77	T9BS0080
4132	縉	E371	BEF8	7EF9	A2CCF8	2-4C78	T9BT0080
4133	縵	E372	BEF9	7EFA	A2CCF9	2-4C79	T9BU0080
4134	縵	E373	BEFA	7EFB	A2CCFA	2-4C7A	T9BV0080
4135	縵	E374	BEFB	7EFC	A2CCFB	2-4C7B	T9BW0080
4136	縵	E375	BEFC	7EFD	A2CCFC	2-4C7C	T9BX0080
4137	縵	E376	BF40	7F41	A2CCFD	2-4C7D	T9C10080
4138	縵	E377	BF41	7F42	A2CCFE	2-4C7E	T9C20080
4139	縵	E378	BF42	7F43	A2CDA1	2-4D21	T9C30080
4140	縵	E379	BF43	7F44	A2CDA2	2-4D22	T9C40080
4141	縵	E37A	BF44	7F45	A2CDA3	2-4D23	T9C50080
4142	縵	E37B	BF45	7F46	A2CDA4	2-4D24	T9C60080
4143	縵	E37C	BF46	7F47	A2CDA5	2-4D25	T9C70080
4144	縵	E37D	BF47	7F48	A2CDA6	2-4D26	T9C80080
4145	縵	E37E	BF48	7F49	A2CDA7	2-4D27	T9C90080
4146	縵	E3A1	BF49	7F4A	A2CDA8	2-4D28	T9CA0080
4147	縵	E3A2	BF4A	7F4B	A2CDA9	2-4D29	T9CB0080
4148	縵	E3A3	BF4B	7F4C	A2CDAA	2-4D2A	T9CC0080
4149	縵	E3A4	BF4C	7F4D	A2CDAB	2-4D2B	T9CD0080
4150	縵	E3A5	BF4D	7F4E	A2CDAC	2-4D2C	T9CE0080
4151	縵	E3A6	BF4E	7F4F	A2CDAD	2-4D2D	T9CF0080
4152	縵	E3A7	BF4F	7F50	A2CDAE	2-4D2E	T9CG0080
4153	縵	E3A8	BF50	7F51	A2CDAF	2-4D2F	T9CH0080
4154	縵	E3A9	BF51	7F52	A2CDB0	2-4D30	T9CI0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 43 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4155	簪	E3AA	BF52	7F53	A2CDB1	2-4D31	T9CJ0080
4156	燄	E3AB	BF53	7F54	A2CDB2	2-4D32	T9CK0080
4157	瀆	E3AC	BF54	7F55	A2CDB3	2-4D33	T9CL0080
4158	藻	E3AD	BF55	7F56	A2CDB4	2-4D34	T9CM0080
4159	勞	E3AE	BF56	7F57	A2CDB5	2-4D35	T9CN0080
4160	蒟	E3AF	BF57	7F58	A2CDB6	2-4D36	T9CO0080
4161	蒺	E3B0	BF58	7F59	A2CDB7	2-4D37	T9CP0080
4162	蓆	E3B1	BF59	7F5A	A2CDB8	2-4D38	T9CQ0080
4163	蕘	E3B2	BF5A	7F5B	A2CDB9	2-4D39	T9CR0080
4164	菟	E3B3	BF5B	7F5C	A2CDBA	2-4D3A	T9CS0080
4165	藿	E3B4	BF5C	7F5D	A2CDBB	2-4D3B	T9CT0080
4166	莛	E3B5	BF5D	7F5E	A2CDBC	2-4D3C	T9CU0080
4167	蒹	E3B6	BF5E	7F5F	A2CDBD	2-4D3D	T9CV0080
4168	蒨	E3B7	BF5F	7F60	A2CDBE	2-4D3E	T9CW0080
4169	藜	E3B8	BF60	7F61	A2CDBF	2-4D3F	T9CX0080
4170	著	E3B9	BF61	7F62	A2CDC0	2-4D40	T9CY0080
4171	尊	E3BA	BF62	7F63	A2CDC1	2-4D41	T9CZ0080
4172	蒿	E3BB	BF63	7F64	A2CDC2	2-4D42	T9D00080
4173	菰	E3BC	BF64	7F65	A2CDC3	2-4D43	T9D10080
4174	蓴	E3BD	BF65	7F66	A2CDC4	2-4D44	T9D20080
4175	葎	E3BE	BF66	7F67	A2CDC5	2-4D45	T9D30080
4176	葳	E3BF	BF67	7F68	A2CDC6	2-4D46	T9D40080
4177	藟	E3C0	BF68	7F69	A2CDC7	2-4D47	T9D50080
4178	蔞	E3C1	BF69	7F6A	A2CDC8	2-4D48	T9D60080
4179	蔀	E3C2	BF6A	7F6B	A2CDC9	2-4D49	T9D70080
4180	蔁	E3C3	BF6B	7F6C	A2CDCA	2-4D4A	T9D80080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 44 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4181	菱	E3C4	BF6C	7F6D	A2CDCB	2-4D4B	T9D90080
4182	馥	E3C5	BF6D	7F6E	A2CDCC	2-4D4C	T9DA0080
4183	蒨	E3C6	BF6E	7F6F	A2CDCD	2-4D4D	T9DB0080
4184	蒯	E3C7	BF6F	7F70	A2CDCE	2-4D4E	T9DC0080
4185	蒨	E3C8	BF70	7F71	A2CDCF	2-4D4F	T9DD0080
4186	蕈	E3C9	BF71	7F72	A2CDD0	2-4D50	T9DE0080
4187	蕈	E3CA	BF72	7F73	A2CDD1	2-4D51	T9DF0080
4188	蒨	E3CB	BF73	7F74	A2CDD2	2-4D52	T9DG0080
4189	蕈	E3CC	BF74	7F75	A2CDD3	2-4D53	T9DH0080
4190	蕈	E3CD	BF75	7F76	A2CDD4	2-4D54	T9DI0080
4191	蕈	E3CE	BF76	7F77	A2CDD5	2-4D55	T9DJ0080
4192	蕈	E3CF	BF77	7F78	A2CDD6	2-4D56	T9DK0080
4193	蕈	E3D0	BF78	7F79	A2CDD7	2-4D57	T9DL0080
4194	蕈	E3D1	BF79	7F7A	A2CDD8	2-4D58	T9DM0080
4195	蕈	E3D2	BF7A	7F7B	A2CDD9	2-4D59	T9DN0080
4196	蕈	E3D3	BF7B	7F7C	A2CDDA	2-4D5A	T9DO0080
4197	蕈	E3D4	BF7C	7F7D	A2CDDB	2-4D5B	T9DP0080
4198	蕈	E3D5	BF7D	7F7E	A2CDDC	2-4D5C	T9DQ0080
4199	蕈	E3D6	BF7E	7F7F	A2CDDD	2-4D5D	T9DR0080
4200	蕈	E3D7	BF80	7F81	A2CDDE	2-4D5E	T9DT0080
4201	蕈	E3D8	BF81	7F82	A2CDDF	2-4D5F	T9DU0080
4202	蕈	E3D9	BF82	7F83	A2CDE0	2-4D60	T9DV0080
4203	蕈	E3DA	BF83	7F84	A2CDE1	2-4D61	T9DW0080
4204	蕈	E3DB	BF84	7F85	A2CDE2	2-4D62	T9DX0080
4205	蕈	E3DC	BF85	7F86	A2CDE3	2-4D63	T9DY0080
4206	蕈	E3DD	BF86	7F87	A2CDE4	2-4D64	T9DZ0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 12 (Page 45 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4207	蝓	E3DE	BF87	7F88	A2CDE5	2-4D65	T9E00080
4208	蝓	E3DF	BF88	7F89	A2CDE6	2-4D66	T9E10080
4209	蝓	E3E0	BF89	7F8A	A2CDE7	2-4D67	T9E20080
4210	蝓	E3E1	BF8A	7F8B	A2CDE8	2-4D68	T9E30080
4211	蝓	E3E2	BF8B	7F8C	A2CDE9	2-4D69	T9E40080
4212	蝓	E3E3	BF8C	7F8D	A2CDEA	2-4D6A	T9E50080
4213	蝓	E3E4	BF8D	7F8E	A2CDEB	2-4D6B	T9E60080
4214	蝓	E3E5	BF8E	7F8F	A2CDEC	2-4D6C	T9E70080
4215	蝓	E3E6	BF8F	7F90	A2CDED	2-4D6D	T9E80080
4216	蝓	E3E7	BF90	7F91	A2CDEE	2-4D6E	T9E90080
4217	蝓	E3E8	BF91	7F92	A2CDEF	2-4D6F	T9EA0080
4218	蝓	E3E9	BF92	7F93	A2CDF0	2-4D70	T9EB0080
4219	蝓	E3EA	BF93	7F94	A2CDF1	2-4D71	T9EC0080
4220	蝓	E3EB	BF94	7F95	A2CDF2	2-4D72	T9ED0080
4221	蝓	E3EC	BF95	7F96	A2CDF3	2-4D73	T9EE0080
4222	蝓	E3ED	BF96	7F97	A2CDF4	2-4D74	T9EF0080
4223	蝓	E3EE	BF97	7F98	A2CDF5	2-4D75	T9EG0080
4224	蝓	E3EF	BF98	7F99	A2CDF6	2-4D76	T9EH0080
4225	蝓	E3F0	BF99	7F9A	A2CDF7	2-4D77	T9EI0080
4226	蝓	E3F1	BF9A	7F9B	A2CDF8	2-4D78	T9EJ0080
4227	蝓	E3F2	BF9B	7F9C	A2CDF9	2-4D79	T9EK0080
4228	蝓	E3F3	BF9C	7F9D	A2CDFA	2-4D7A	T9EL0080
4229	蝓	E3F4	BF9D	7F9E	A2CDFB	2-4D7B	T9EM0080
4230	襖	E3F5	BF9E	7F9F	A2CDFC	2-4D7C	T9EN0080
4231	襖	E3F6	BF9F	7FA0	A2CDFD	2-4D7D	T9EO0080
4232	襖	E3F7	BFA0	7FA1	A2CDFE	2-4D7E	T9EP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 46 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4233	襠	E3F8	BFA1	7FA2	A2CEA1	2-4E21	T9EQ0080
4234	袴	E3F9	BFA2	7FA3	A2CEA2	2-4E22	T9ER0080
4235	裾	E3FA	BFA3	7FA4	A2CEA3	2-4E23	T9ES0080
4236	褌	E3FB	BFA4	7FA5	A2CEA4	2-4E24	T9ET0080
4237	褌	E3FC	BFA5	7FA6	A2CEA5	2-4E25	T9EU0080
4238	褌	E3FD	BFA6	7FA7	A2CEA6	2-4E26	T9EV0080
4239	褌	E3FE	BFA7	7FA8	A2CEA7	2-4E27	T9EW0080
4240	襪	E440	BFA8	7FA9	A2CEA8	2-4E28	T9EX0080
4241	襪	E441	BFA9	7FAA	A2CEA9	2-4E29	T9EY0080
4242	襪	E442	BFAA	7FAB	A2CEAA	2-4E2A	T9EZ0080
4243	覘	E443	BFAB	7FAC	A2CEAB	2-4E2B	T9F00080
4244	覘	E444	BFAC	7FAD	A2CEAC	2-4E2C	T9F10080
4245	覘	E445	BFAD	7FAE	A2CEAD	2-4E2D	T9F20080
4246	覘	E446	BFAE	7FAF	A2CEAE	2-4E2E	T9F30080
4247	鯨	E447	BFAF	7FB0	A2CEAF	2-4E2F	T9F40080
4248	鯨	E448	BFB0	7FB1	A2CEB0	2-4E30	T9F50080
4249	鯨	E449	BFB1	7FB2	A2CEB1	2-4E31	T9F60080
4250	鯨	E44A	BFB2	7FB3	A2CEB2	2-4E32	T9F70080
4251	鯨	E44B	BFB3	7FB4	A2CEB3	2-4E33	T9F80080
4252	鯨	E44C	BFB4	7FB5	A2CEB4	2-4E34	T9F90080
4253	鯨	E44D	BFB5	7FB6	A2CEB5	2-4E35	T9FA0080
4254	鯨	E44E	BFB6	7FB7	A2CEB6	2-4E36	T9FB0080
4255	鯨	E44F	BFB7	7FB8	A2CEB7	2-4E37	T9FC0080
4256	鯨	E450	BFB8	7FB9	A2CEB8	2-4E38	T9FD0080
4257	鯨	E451	BFB9	7FBA	A2CEB9	2-4E39	T9FE0080
4258	鯨	E452	BFBA	7FBB	A2CEBA	2-4E3A	T9FF0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 47 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4259	賊	E453	BFBB	7FBC	A2CEBB	2-4E3B	T9FG0080
4260	賊	E454	BFBC	7FBD	A2CEBC	2-4E3C	T9FH0080
4261	賊	E455	BFBD	7FBE	A2CEBD	2-4E3D	T9FI0080
4262	趨	E456	BFBE	7FBF	A2CEBE	2-4E3E	T9FJ0080
4263	踉	E457	BFBF	7FC0	A2CEBF	2-4E3F	T9FK0080
4264	跼	E458	BFC0	7FC1	A2CEC0	2-4E40	T9FL0080
4265	踧	E459	BFC1	7FC2	A2CEC1	2-4E41	T9FM0080
4266	踣	E45A	BFC2	7FC3	A2CEC2	2-4E42	T9FN0080
4267	踤	E45B	BFC3	7FC4	A2CEC3	2-4E43	T9FO0080
4268	踥	E45C	BFC4	7FC5	A2CEC4	2-4E44	T9FP0080
4269	踦	E45D	BFC5	7FC6	A2CEC5	2-4E45	T9FQ0080
4270	踨	E45E	BFC6	7FC7	A2CEC6	2-4E46	T9FR0080
4271	踩	E45F	BFC7	7FC8	A2CEC7	2-4E47	T9FS0080
4272	踪	E460	BFC8	7FC9	A2CEC8	2-4E48	T9FT0080
4273	踫	E461	BFC9	7FCA	A2CEC9	2-4E49	T9FU0080
4274	踬	E462	BFCA	7FCB	A2CECA	2-4E4A	T9FV0080
4275	踷	E463	BFCB	7FCC	A2CECB	2-4E4B	T9FW0080
4276	踸	E464	BFCC	7FCD	A2CECC	2-4E4C	T9FX0080
4277	踹	E465	BFCD	7FCE	A2CECD	2-4E4D	T9FY0080
4278	踺	E466	BFCE	7FCF	A2CECE	2-4E4E	T9FZ0080
4279	踻	E467	BFCF	7FD0	A2CECF	2-4E4F	T9G00080
4280	鄣	E468	BFD0	7FD1	A2CED0	2-4E50	T9G10080
4281	鄣	E469	BFD1	7FD2	A2CED1	2-4E51	T9G20080
4282	鄣	E46A	BFD2	7FD3	A2CED2	2-4E52	T9G30080
4283	鄣	E46B	BFD3	7FD4	A2CED3	2-4E53	T9G40080
4284	鄣	E46C	BFD4	7FD5	A2CED4	2-4E54	T9G50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 48 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4285	鄴	E46D	BFD5	7FD6	A2CED5	2-4E55	T9G60080
4286	鄭	E46E	BFD6	7FD7	A2CED6	2-4E56	T9G70080
4287	鄴	E46F	BFD7	7FD8	A2CED7	2-4E57	T9G80080
4288	鄴	E470	BFD8	7FD9	A2CED8	2-4E58	T9G90080
4289	鄴	E471	BFD9	7FDA	A2CED9	2-4E59	T9GA0080
4290	酹	E472	BFDA	7FDB	A2CEDA	2-4E5A	T9GB0080
4291	醒	E473	BFDB	7FDC	A2CEDB	2-4E5B	T9GC0080
4292	酹	E474	BFDC	7FDD	A2CEDC	2-4E5C	T9GD0080
4293	酹	E475	BFDD	7FDE	A2CEDD	2-4E5D	T9GE0080
4294	銖	E476	BFDE	7FDF	A2CEDE	2-4E5E	T9GF0080
4295	銖	E477	BFD5	7FE0	A2CEDF	2-4E5F	T9GG0080
4296	銖	E478	BFE0	7FE1	A2CEE0	2-4E60	T9GH0080
4297	銖	E479	BFE1	7FE2	A2CEE1	2-4E61	T9GI0080
4298	銖	E47A	BFE2	7FE3	A2CEE2	2-4E62	T9GJ0080
4299	銖	E47B	BFE3	7FE4	A2CEE3	2-4E63	T9GK0080
4300	銖	E47C	BFE4	7FE5	A2CEE4	2-4E64	T9GL0080
4301	銖	E47D	BFE5	7FE6	A2CEE5	2-4E65	T9GM0080
4302	銖	E47E	BFE6	7FE7	A2CEE6	2-4E66	T9GN0080
4303	銖	E4A1	BFE7	7FE8	A2CEE7	2-4E67	T9GO0080
4304	銖	E4A2	BFE8	7FE9	A2CEE8	2-4E68	T9GP0080
4305	銖	E4A3	BFE9	7FEA	A2CEE9	2-4E69	T9GQ0080
4306	銖	E4A4	BFEA	7FEB	A2CEEA	2-4E6A	T9GR0080
4307	銖	E4A5	BFEB	7FEC	A2CEEB	2-4E6B	T9GS0080
4308	銖	E4A6	BFEC	7FED	A2CEEC	2-4E6C	T9GT0080
4309	銖	E4A7	BFED	7FEE	A2CEED	2-4E6D	T9GU0080
4310	銖	E4A8	BFEE	7FEF	A2CEEE	2-4E6E	T9GV0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 49 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4311	盞	E4A9	BFEF	7FF0	A2CEEF	2-4E6F	T9GW0080
4312	鏘	E4AA	BFF0	7FF1	A2CEF0	2-4E70	T9GX0080
4313	鏗	E4AB	BFF1	7FF2	A2CEF1	2-4E71	T9GY0080
4314	鏗	E4AC	BFF2	7FF3	A2CEF2	2-4E72	T9GZ0080
4315	鋳	E4AD	BFF3	7FF4	A2CEF3	2-4E73	T9H00080
4316	銑	E4AE	BFF4	7FF5	A2CEF4	2-4E74	T9H10080
4317	銑	E4AF	BFF5	7FF6	A2CEF5	2-4E75	T9H20080
4318	銑	E4B0	BFF6	7FF7	A2CEF6	2-4E76	T9H30080
4319	銑	E4B1	BFF7	7FF8	A2CEF7	2-4E77	T9H40080
4320	銑	E4B2	BFF8	7FF9	A2CEF8	2-4E78	T9H50080
4321	銑	E4B3	BFF9	7FFA	A2CEF9	2-4E79	T9H60080
4322	銑	E4B4	BFFA	7FFB	A2CEFA	2-4E7A	T9H70080
4323	銑	E4B5	BFFB	7FFC	A2CEFB	2-4E7B	T9H80080
4324	銑	E4B6	BFFC	7FFD	A2CEFC	2-4E7C	T9H90080
4325	銑	E4B7	C040	8041	A2CEFD	2-4E7D	T9HD0080
4326	銑	E4B8	C041	8042	A2CEFE	2-4E7E	T9HE0080
4327	銑	E4B9	C042	8043	A2CFA1	2-4F21	T9HF0080
4328	盞	E4BA	C043	8044	A2CFA2	2-4F22	T9HG0080
4329	隲	E4BB	C044	8045	A2CFA3	2-4F23	T9HH0080
4330	隲	E4BC	C045	8046	A2CFA4	2-4F24	T9HI0080
4331	隲	E4BD	C046	8047	A2CFA5	2-4F25	T9HJ0080
4332	隲	E4BE	C047	8048	A2CFA6	2-4F26	T9HK0080
4333	隲	E4BF	C048	8049	A2CFA7	2-4F27	T9HL0080
4334	鞞	E4C0	C049	804A	A2CFA8	2-4F28	T9HM0080
4335	鞞	E4C1	C04A	804B	A2CFA9	2-4F29	T9HN0080
4336	鞞	E4C2	C04B	804C	A2CFAA	2-4F2A	T9HO0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 50 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4337	鞞	E4C3	C04C	804D	A2CFAB	2-4F2B	T9HP0080
4338	鞞	E4C4	C04D	804E	A2CFAC	2-4F2C	T9HQ0080
4339	鞞	E4C5	C04E	804F	A2CFAD	2-4F2D	T9HR0080
4340	鞞	E4C6	C04F	8050	A2CFAE	2-4F2E	T9HS0080
4341	鞞	E4C7	C050	8051	A2CFAF	2-4F2F	T9HT0080
4342	鞞	E4C8	C051	8052	A2CFB0	2-4F30	T9HU0080
4343	鞞	E4C9	C052	8053	A2CFB1	2-4F31	T9HV0080
4344	鞞	E4CA	C053	8054	A2CFB2	2-4F32	T9HW0080
4345	鞞	E4CB	C054	8055	A2CFB3	2-4F33	T9HX0080
4346	鞞	E4CC	C055	8056	A2CFB4	2-4F34	T9HY0080
4347	鞞	E4CD	C056	8057	A2CFB5	2-4F35	T9HZ0080
4348	鞞	E4CE	C057	8058	A2CFB6	2-4F36	T9I00080
4349	鞞	E4CF	C058	8059	A2CFB7	2-4F37	T9I10080
4350	鞞	E4D0	C059	805A	A2CFB8	2-4F38	T9I20080
4351	鞞	E4D1	C05A	805B	A2CFB9	2-4F39	T9I30080
4352	鞞	E4D2	C05B	805C	A2CFBA	2-4F3A	T9I40080
4353	鞞	E4D3	C05C	805D	A2CFBB	2-4F3B	T9I50080
4354	鞞	E4D4	C05D	805E	A2CFBC	2-4F3C	T9I60080
4355	鞞	E4D5	C05E	805F	A2CFBD	2-4F3D	T9I70080
4356	鞞	E4D6	C05F	8060	A2CFBE	2-4F3E	T9I80080
4357	鞞	E4D7	C060	8061	A2CFBF	2-4F3F	T9I90080
4358	鞞	E4D8	C061	8062	A2CFC0	2-4F40	T9IA0080
4359	鞞	E4D9	C062	8063	A2CFC1	2-4F41	T9IB0080
4360	鞞	E4DA	C063	8064	A2CFC2	2-4F42	T9IC0080
4361	鞞	E4DB	C064	8065	A2CFC3	2-4F43	T9ID0080
4362	鞞	E4DC	C065	8066	A2CFC4	2-4F44	T9IE0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 51 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4363	魁	E4DD	C066	8067	A2CFC5	2-4F45	T9IF0080
4364	魀	E4DE	C067	8068	A2CFC6	2-4F46	T9IG0080
4365	魈	E4DF	C068	8069	A2CFC7	2-4F47	T9IH0080
4366	魃	E4E0	C069	806A	A2CFC8	2-4F48	T9II0080
4367	魇	E4E1	C06A	806B	A2CFC9	2-4F49	T9IJ0080
4368	鴟	E4E2	C06B	806C	A2CFCA	2-4F4A	T9IK0080
4369	鴞	E4E3	C06C	806D	A2CFCB	2-4F4B	T9IL0080
4370	鴛	E4E4	C06D	806E	A2CFCC	2-4F4C	T9IM0080
4371	鸢	E4E5	C06E	806F	A2CFCD	2-4F4D	T9IN0080
4372	隼	E4E6	C06F	8070	A2CFCE	2-4F4E	T9IO0080
4373	檀	E4E7	C070	8071	A2CFCF	2-4F4F	T9IP0080
4374	儻	E4E8	C071	8072	A2CFD0	2-4F50	T9IQ0080
4375	儻	E4E9	C072	8073	A2CFD1	2-4F51	T9IR0080
4376	儻	E4EA	C073	8074	A2CFD2	2-4F52	T9IS0080
4377	儻	E4EB	C074	8075	A2CFD3	2-4F53	T9IT0080
4378	儻	E4EC	C075	8076	A2CFD4	2-4F54	T9IU0080
4379	儻	E4ED	C076	8077	A2CFD5	2-4F55	T9IV0080
4380	儻	E4EE	C077	8078	A2CFD6	2-4F56	T9IW0080
4381	儻	E4EF	C078	8079	A2CFD7	2-4F57	T9IX0080
4382	儻	E4F0	C079	807A	A2CFD8	2-4F58	T9IY0080
4383	儻	E4F1	C07A	807B	A2CFD9	2-4F59	T9IZ0080
4384	剝	E4F2	C07B	807C	A2CFDA	2-4F5A	T9J00080
4385	剝	E4F3	C07C	807D	A2CFDB	2-4F5B	T9J10080
4386	勸	E4F4	C07D	807E	A2CFDC	2-4F5C	T9J20080
4387	勸	E4F5	C07E	807F	A2CFDD	2-4F5D	T9J30080
4388	嘍	E4F6	C080	8081	A2CFDE	2-4F5E	T9J50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 52 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4389	噲	E4F7	C081	8082	A2CFDF	2-4F5F	T9J60080
4390	噲	E4F8	C082	8083	A2CFE0	2-4F60	T9J70080
4391	噲	E4F9	C083	8084	A2CFE1	2-4F61	T9J80080
4392	噲	E4FA	C084	8085	A2CFE2	2-4F62	T9J90080
4393	噲	E4FB	C085	8086	A2CFE3	2-4F63	T9JA0080
4394	噲	E4FC	C086	8087	A2CFE4	2-4F64	T9JB0080
4395	噲	E4FD	C087	8088	A2CFE5	2-4F65	T9JC0080
4396	噲	E4FE	C088	8089	A2CFE6	2-4F66	T9JD0080
4397	噲	E540	C089	808A	A2CFE7	2-4F67	T9JE0080
4398	噲	E541	C08A	808B	A2CFE8	2-4F68	T9JF0080
4399	噲	E542	C08B	808C	A2CFE9	2-4F69	T9JG0080
4400	噲	E543	C08C	808D	A2CFEA	2-4F6A	T9JH0080
4401	噲	E544	C08D	808E	A2CFEB	2-4F6B	T9JI0080
4402	噲	E545	C08E	808F	A2CFEC	2-4F6C	T9JJ0080
4403	噲	E546	C08F	8090	A2CFED	2-4F6D	T9JK0080
4404	噲	E547	C090	8091	A2CFEE	2-4F6E	T9JL0080
4405	噲	E548	C091	8092	A2CFEF	2-4F6F	T9JM0080
4406	噲	E549	C092	8093	A2CFF0	2-4F70	T9JN0080
4407	噲	E54A	C093	8094	A2CFF1	2-4F71	T9JO0080
4408	噲	E54B	C094	8095	A2CFF2	2-4F72	T9JP0080
4409	噲	E54C	C095	8096	A2CFF3	2-4F73	T9JQ0080
4410	噲	E54D	C096	8097	A2CFF4	2-4F74	T9JR0080
4411	噲	E54E	C097	8098	A2CFF5	2-4F75	T9JS0080
4412	噲	E54F	C098	8099	A2CFF6	2-4F76	T9JT0080
4413	噲	E550	C099	809A	A2CFF7	2-4F77	T9JU0080
4414	噲	E551	C09A	809B	A2CFF8	2-4F78	T9JV0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 53 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4415	塿	E552	C09B	809C	A2CFF9	2-4F79	T9JW0080
4416	塿	E553	C09C	809D	A2CFFA	2-4F7A	T9JX0080
4417	嫗	E554	C09D	809E	A2CFFB	2-4F7B	T9JY0080
4418	嫗	E555	C09E	809F	A2CFFC	2-4F7C	T9JZ0080
4419	嫗	E556	C09F	80A0	A2CFFD	2-4F7D	T9K00080
4420	嫗	E557	C0A0	80A1	A2CFFE	2-4F7E	T9K10080
4421	嫗	E558	C0A1	80A2	A2D0A1	2-5021	T9K20080
4422	嫗	E559	C0A2	80A3	A2D0A2	2-5022	T9K30080
4423	嫗	E55A	C0A3	80A4	A2D0A3	2-5023	T9K40080
4424	嫗	E55B	C0A4	80A5	A2D0A4	2-5024	T9K50080
4425	嫗	E55C	C0A5	80A6	A2D0A5	2-5025	T9K60080
4426	嫗	E55D	C0A6	80A7	A2D0A6	2-5026	T9K70080
4427	嫗	E55E	C0A7	80A8	A2D0A7	2-5027	T9K80080
4428	嫗	E55F	C0A8	80A9	A2D0A8	2-5028	T9K90080
4429	嫗	E560	C0A9	80AA	A2D0A9	2-5029	T9KA0080
4430	嫗	E561	C0AA	80AB	A2D0AA	2-502A	T9KB0080
4431	嶙	E562	C0AB	80AC	A2D0AB	2-502B	T9KC0080
4432	嶙	E563	C0AC	80AD	A2D0AC	2-502C	T9KD0080
4433	嶙	E564	C0AD	80AE	A2D0AD	2-502D	T9KE0080
4434	嶙	E565	C0AE	80AF	A2D0AE	2-502E	T9KF0080
4435	嶙	E566	C0AF	80B0	A2D0AF	2-502F	T9KG0080
4436	嶙	E567	C0B0	80B1	A2D0B0	2-5030	T9KH0080
4437	嶙	E568	C0B1	80B2	A2D0B1	2-5031	T9KI0080
4438	嶙	E569	C0B2	80B3	A2D0B2	2-5032	T9KJ0080
4439	嶙	E56A	C0B3	80B4	A2D0B3	2-5033	T9KK0080
4440	嶙	E56B	C0B4	80B5	A2D0B4	2-5034	T9KL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 54 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4441	瘡	E56C	C0B5	80B6	A2D0B5	2-5035	T9KM0080
4442	隋	E56D	C0B6	80B7	A2D0B6	2-5036	T9KN0080
4443	幘	E56E	C0B7	80B8	A2D0B7	2-5037	T9KO0080
4444	幘	E56F	C0B8	80B9	A2D0B8	2-5038	T9KP0080
4445	幘	E570	C0B9	80BA	A2D0B9	2-5039	T9KQ0080
4446	幘	E571	C0BA	80BB	A2D0BA	2-503A	T9KR0080
4447	縻	E572	C0BB	80BC	A2D0BB	2-503B	T9KS0080
4448	縻	E573	C0BC	80BD	A2D0BC	2-503C	T9KT0080
4449	廡	E574	C0BD	80BE	A2D0BD	2-503D	T9KU0080
4450	廡	E575	C0BE	80BF	A2D0BE	2-503E	T9KV0080
4451	張	E576	C0BF	80C0	A2D0BF	2-503F	T9KW0080
4452	犴	E577	C0C0	80C1	A2D0C0	2-5040	T9KX0080
4453	慙	E578	C0C1	80C2	A2D0C1	2-5041	T9KY0080
4454	慙	E579	C0C2	80C3	A2D0C2	2-5042	T9KZ0080
4455	慙	E57A	C0C3	80C4	A2D0C3	2-5043	T9L00080
4456	慙	E57B	C0C4	80C5	A2D0C4	2-5044	T9L10080
4457	慙	E57C	C0C5	80C6	A2D0C5	2-5045	T9L20080
4458	慙	E57D	C0C6	80C7	A2D0C6	2-5046	T9L30080
4459	慙	E57E	C0C7	80C8	A2D0C7	2-5047	T9L40080
4460	慙	E5A1	C0C8	80C9	A2D0C8	2-5048	T9L50080
4461	慙	E5A2	C0C9	80CA	A2D0C9	2-5049	T9L60080
4462	慙	E5A3	C0CA	80CB	A2D0CA	2-504A	T9L70080
4463	慙	E5A4	C0CB	80CC	A2D0CB	2-504B	T9L80080
4464	慙	E5A5	C0CC	80CD	A2D0CC	2-504C	T9L90080
4465	慙	E5A6	C0CD	80CE	A2D0CD	2-504D	T9LA0080
4466	慙	E5A7	C0CE	80CF	A2D0CE	2-504E	T9LB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 55 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4467	懷	E5A8	C0CF	80D0	A2D0CF	2-504F	T9LC0080
4468	橋	E5A9	C0D0	80D1	A2D0D0	2-5050	T9LD0080
4469	憇	E5AA	C0D1	80D2	A2D0D1	2-5051	T9LE0080
4470	悌	E5AB	C0D2	80D3	A2D0D2	2-5052	T9LF0080
4471	戴	E5AC	C0D3	80D4	A2D0D3	2-5053	T9LG0080
4472	擎	E5AD	C0D4	80D5	A2D0D4	2-5054	T9LH0080
4473	擎	E5AE	C0D5	80D6	A2D0D5	2-5055	T9LI0080
4474	擻	E5AF	C0D6	80D7	A2D0D6	2-5056	T9LJ0080
4475	擻	E5B0	C0D7	80D8	A2D0D7	2-5057	T9LK0080
4476	擻	E5B1	C0D8	80D9	A2D0D8	2-5058	T9LL0080
4477	擻	E5B2	C0D9	80DA	A2D0D9	2-5059	T9LM0080
4478	撻	E5B3	C0DA	80DB	A2D0DA	2-505A	T9LN0080
4479	擻	E5B4	C0DB	80DC	A2D0DB	2-505B	T9LO0080
4480	擻	E5B5	C0DC	80DD	A2D0DC	2-505C	T9LP0080
4481	擻	E5B6	C0DD	80DE	A2D0DD	2-505D	T9LQ0080
4482	擻	E5B7	C0DE	80DF	A2D0DE	2-505E	T9LR0080
4483	擻	E5B8	C0DF	80E0	A2D0DF	2-505F	T9LS0080
4484	擻	E5B9	C0E0	80E1	A2D0E0	2-5060	T9LT0080
4485	擻	E5BA	C0E1	80E2	A2D0E1	2-5061	T9LU0080
4486	擻	E5BB	C0E2	80E3	A2D0E2	2-5062	T9LV0080
4487	擻	E5BC	C0E3	80E4	A2D0E3	2-5063	T9LW0080
4488	擻	E5BD	C0E4	80E5	A2D0E4	2-5064	T9LX0080
4489	擻	E5BE	C0E5	80E6	A2D0E5	2-5065	T9LY0080
4490	擻	E5BF	C0E6	80E7	A2D0E6	2-5066	T9LZ0080
4491	寔	E5C0	C0E7	80E8	A2D0E7	2-5067	T9M00080
4492	斷	E5C1	C0E8	80E9	A2D0E8	2-5068	T9M10080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 56 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4493	蕪	E5C2	C0E9	80EA	A2D0E9	2-5069	T9M20080
4494	曠	E5C3	C0EA	80EB	A2D0EA	2-506A	T9M30080
4495	矚	E5C4	C0EB	80EC	A2D0EB	2-506B	T9M40080
4496	瞭	E5C5	C0EC	80ED	A2D0EC	2-506C	T9M50080
4497	矚	E5C6	C0ED	80EE	A2D0ED	2-506D	T9M60080
4498	矚	E5C7	C0EE	80EF	A2D0EE	2-506E	T9M70080
4499	矚	E5C8	C0EF	80F0	A2D0EF	2-506F	T9M80080
4500	曠	E5C9	C0F0	80F1	A2D0F0	2-5070	T9M90080
4501	檣	E5CA	C0F1	80F2	A2D0F1	2-5071	T9MA0080
4502	檣	E5CB	C0F2	80F3	A2D0F2	2-5072	T9MB0080
4503	檣	E5CC	C0F3	80F4	A2D0F3	2-5073	T9MC0080
4504	檣	E5CD	C0F4	80F5	A2D0F4	2-5074	T9MD0080
4505	檣	E5CE	C0F5	80F6	A2D0F5	2-5075	T9ME0080
4506	檣	E5CF	C0F6	80F7	A2D0F6	2-5076	T9MF0080
4507	檣	E5D0	C0F7	80F8	A2D0F7	2-5077	T9MG0080
4508	檣	E5D1	C0F8	80F9	A2D0F8	2-5078	T9MH0080
4509	檣	E5D2	C0F9	80FA	A2D0F9	2-5079	T9MI0080
4510	檣	E5D3	C0FA	80FB	A2D0FA	2-507A	T9MJ0080
4511	檣	E5D4	C0FB	80FC	A2D0FB	2-507B	T9MK0080
4512	檣	E5D5	C0FC	80FD	A2D0FC	2-507C	T9ML0080
4513	檣	E5D6	C140	8141	A2D0FD	2-507D	T9MP0080
4514	檣	E5D7	C141	8142	A2D0FE	2-507E	T9MQ0080
4515	檣	E5D8	C142	8143	A2D1A1	2-5121	T9MR0080
4516	檣	E5D9	C143	8144	A2D1A2	2-5122	T9MS0080
4517	檣	E5DA	C144	8145	A2D1A3	2-5123	T9MT0080
4518	檣	E5DB	C145	8146	A2D1A4	2-5124	T9MU0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 12 (Page 57 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4519	櫟	E5DC	C146	8147	A2D1A5	2-5125	T9MV0080
4520	梨	E5DD	C147	8148	A2D1A6	2-5126	T9MW0080
4521	槩	E5DE	C148	8149	A2D1A7	2-5127	T9MX0080
4522	櫺	E5DF	C149	814A	A2D1A8	2-5128	T9MY0080
4523	櫓	E5E0	C14A	814B	A2D1A9	2-5129	T9MZ0080
4524	櫛	E5E1	C14B	814C	A2D1AA	2-512A	T9N00080
4525	櫛	E5E2	C14C	814D	A2D1AB	2-512B	T9N10080
4526	櫛	E5E3	C14D	814E	A2D1AC	2-512C	T9N20080
4527	梨	E5E4	C14E	814F	A2D1AD	2-512D	T9N30080
4528	樽	E5E5	C14F	8150	A2D1AE	2-512E	T9N40080
4529	櫛	E5E6	C150	8151	A2D1AF	2-512F	T9N50080
4530	櫛	E5E7	C151	8152	A2D1B0	2-5130	T9N60080
4531	櫛	E5E8	C152	8153	A2D1B1	2-5131	T9N70080
4532	櫛	E5E9	C153	8154	A2D1B2	2-5132	T9N80080
4533	標	E5EA	C154	8155	A2D1B3	2-5133	T9N90080
4534	櫛	E5EB	C155	8156	A2D1B4	2-5134	T9NA0080
4535	櫛	E5EC	C156	8157	A2D1B5	2-5135	T9NB0080
4536	櫛	E5ED	C157	8158	A2D1B6	2-5136	T9NC0080
4537	櫛	E5EE	C158	8159	A2D1B7	2-5137	T9ND0080
4538	倉	E5EF	C159	815A	A2D1B8	2-5138	T9NE0080
4539	歟	E5F0	C15A	815B	A2D1B9	2-5139	T9NF0080
4540	殞	E5F1	C15B	815C	A2D1BA	2-513A	T9NG0080
4541	殞	E5F2	C15C	815D	A2D1BB	2-513B	T9NH0080
4542	殞	E5F3	C15D	815E	A2D1BC	2-513C	T9NI0080
4543	殞	E5F4	C15E	815F	A2D1BD	2-513D	T9NJ0080
4544	殞	E5F5	C15F	8160	A2D1BE	2-513E	T9NK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 58 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4545	麩	E5F6	C160	8161	A2D1BF	2-513F	T9NL0080
4546	麩	E5F7	C161	8162	A2D1C0	2-5140	T9NM0080
4547	麩	E5F8	C162	8163	A2D1C1	2-5141	T9NN0080
4548	穎	E5F9	C163	8164	A2D1C2	2-5142	T9NO0080
4549	縈	E5FA	C164	8165	A2D1C3	2-5143	T9NP0080
4550	澐	E5FB	C165	8166	A2D1C4	2-5144	T9NQ0080
4551	澐	E5FC	C166	8167	A2D1C5	2-5145	T9NR0080
4552	澐	E5FD	C167	8168	A2D1C6	2-5146	T9NS0080
4553	頌	E5FE	C168	8169	A2D1C7	2-5147	T9NT0080
4554	澗	E640	C169	816A	A2D1C8	2-5148	T9NU0080
4555	澗	E641	C16A	816B	A2D1C9	2-5149	T9NV0080
4556	澗	E642	C16B	816C	A2D1CA	2-514A	T9NW0080
4557	澗	E643	C16C	816D	A2D1CB	2-514B	T9NX0080
4558	澗	E644	C16D	816E	A2D1CC	2-514C	T9NY0080
4559	澗	E645	C16E	816F	A2D1CD	2-514D	T9NZ0080
4560	澗	E646	C16F	8170	A2D1CE	2-514E	T9O00080
4561	澗	E647	C170	8171	A2D1CF	2-514F	T9O10080
4562	澗	E648	C171	8172	A2D1D0	2-5150	T9O20080
4563	澗	E649	C172	8173	A2D1D1	2-5151	T9O30080
4564	澗	E64A	C173	8174	A2D1D2	2-5152	T9O40080
4565	澗	E64B	C174	8175	A2D1D3	2-5153	T9O50080
4566	澗	E64C	C175	8176	A2D1D4	2-5154	T9O60080
4567	澗	E64D	C176	8177	A2D1D5	2-5155	T9O70080
4568	澗	E64E	C177	8178	A2D1D6	2-5156	T9O80080
4569	澗	E64F	C178	8179	A2D1D7	2-5157	T9O90080
4570	澗	E650	C179	817A	A2D1D8	2-5158	T9OA0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 12 (Page 59 of 59). Secondary Chinese Character Set (3 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4571	滄	E651	C17A	817B	A2D1D9	2-5159	T9OB0080
4572	滄	E652	C17B	817C	A2D1DA	2-515A	T9OC0080
4573	滄	E653	C17C	817D	A2D1DB	2-515B	T9OD0080
4574	滄	E654	C17D	817E	A2D1DC	2-515C	T9OE0080
4575	滄	E655	C17E	817F	A2D1DD	2-515D	T9OF0080
4576	滄	E656	C180	8181	A2D1DE	2-515E	T9OH0080
4577	滄	E657	C181	8182	A2D1DF	2-515F	T9OI0080
4578	滄	E658	C182	8183	A2D1E0	2-5160	T9OJ0080
4579	滄	E659	C183	8184	A2D1E1	2-5161	T9OK0080
4580	滄	E65A	C184	8185	A2D1E2	2-5162	T9OL0080
4581	滄	E65B	C185	8186	A2D1E3	2-5163	T9OM0080
4582	滄	E65C	C186	8187	A2D1E4	2-5164	T9ON0080
4583	滄	E65D	C187	8188	A2D1E5	2-5165	T9OO0080
4584	滄	E65E	C188	8189	A2D1E6	2-5166	T9OP0080
4585	滄	E65F	C189	818A	A2D1E7	2-5167	T9OQ0080
4586	滄	E660	C18A	818B	A2D1E8	2-5168	T9OR0080
4587	滄	E661	C18B	818C	A2D1E9	2-5169	T9OS0080
4588	滄	E662	C18C	818D	A2D1EA	2-516A	T9OT0080
4589	滄	E663	C18D	818E	A2D1EB	2-516B	T9OU0080
4590	滄	E664	C18E	818F	A2D1EC	2-516C	T9OV0080
4591	滄	E665	C18F	8190	A2D1ED	2-516D	T9OW0080

Notes:

- 1) * See Section 11.2 on page 559 for the *code* translation correspondence among IBM BIG-5 and *DBCS-PC* and *DBCS-Host* and *EUC* and CNS 11643.
- 2) ** This character was once defined in CNS 11643-1984 but deleted in CNS 11643-1986. It is not included in *GCSGID* 01076. The corresponding *code point* in CNS 11643 13th plane can be determined by ignoring the most significant bit from *EUC code points* or may be substituted.



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

8.9 Secondary Chinese Character Set (4 of 5)

Table 13 (Page 1 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4592	熠	E666	C190	8191	A2D1EE	2-516E	T9OX0080
4593	燁	E667	C191	8192	A2D1EF	2-516F	T9OY0080
4594	燄	E668	C192	8193	A2D1F0	2-5170	T9OZ0080
4595	燅	E669	C193	8194	A2D1F1	2-5171	T9P00080
4596	燆	E66A	C194	8195	A2D1F2	2-5172	T9P10080
4597	燇	E66B	C195	8196	A2D1F3	2-5173	T9P20080
4598	燈	E66C	C196	8197	A2D1F4	2-5174	T9P30080
4599	燉	E66D	C197	8198	A2D1F5	2-5175	T9P40080
4600	燊	E66E	C198	8199	A2D1F6	2-5176	T9P50080
4601	燋	E66F	C199	819A	A2D1F7	2-5177	T9P60080
4602	燋	E670	C19A	819B	A2D1F8	2-5178	T9P70080
4603	燋	E671	C19B	819C	A2D1F9	2-5179	T9P80080
4604	燋	E672	C19C	819D	A2D1FA	2-517A	T9P90080
4605	摩	E673	C19D	819E	A2D1FB	2-517B	T9PA0080
4606	羣	E674	C19E	819F	A2D1FC	2-517C	T9PB0080
4607	燧	E675	C19F	81A0	A2D1FD	2-517D	T9PC0080
4608	燧	E676	C1A0	81A1	A2D1FE	2-517E	T9PD0080
4609	獠	E677	C1A1	81A2	A2D2A1	2-5221	T9PE0080
4610	獠	E678	C1A2	81A3	A2D2A2	2-5222	T9PF0080
4611	獠	E679	C1A3	81A4	A2D2A3	2-5223	T9PG0080
4612	獠	E67A	C1A4	81A5	A2D2A4	2-5224	T9PH0080
4613	獠	E67B	C1A5	81A6	A2D2A5	2-5225	T9PI0080
4614	獠	E67C	C1A6	81A7	A2D2A6	2-5226	T9PJ0080
4615	獠	E67D	C1A7	81A8	A2D2A7	2-5227	T9PK0080
4616	獠	E67E	C1A8	81A9	A2D2A8	2-5228	T9PL0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 13 (Page 2 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4617	獠	E6A1	C1A9	81AA	A2D2A9	2-5229	T9PM0080
4618	璇	E6A2	C1AA	81AB	A2D2AA	2-522A	T9PN0080
4619	璉	E6A3	C1AB	81AC	A2D2AB	2-522B	T9PO0080
4620	璠	E6A4	C1AC	81AD	A2D2AC	2-522C	T9PP0080
4621	璆	E6A5	C1AD	81AE	A2D2AD	2-522D	T9PQ0080
4622	璈	E6A6	C1AE	81AF	A2D2AE	2-522E	T9PR0080
4623	璉	E6A7	C1AF	81B0	A2D2AF	2-522F	T9PS0080
4624	璊	E6A8	C1B0	81B1	A2D2B0	2-5230	T9PT0080
4625	璋	E6A9	C1B1	81B2	A2D2B1	2-5231	T9PU0080
4626	璌	E6AA	C1B2	81B3	A2D2B2	2-5232	T9PV0080
4627	璍	E6AB	C1B3	81B4	A2D2B3	2-5233	T9PW0080
4628	璎	E6AC	C1B4	81B5	A2D2B4	2-5234	T9PX0080
4629	璏	E6AD	C1B5	81B6	A2D2B5	2-5235	T9PY0080
4630	璐	E6AE	C1B6	81B7	A2D2B6	2-5236	T9PZ0080
4631	瘡	E6AF	C1B7	81B8	A2D2B7	2-5237	T9Q00080
4632	瘕	E6B0	C1B8	81B9	A2D2B8	2-5238	T9Q10080
4633	瘝	E6B1	C1B9	81BA	A2D2B9	2-5239	T9Q20080
4634	瘡	E6B2	C1BA	81BB	A2D2BA	2-523A	T9Q30080
4635	瘧	E6B3	C1BB	81BC	A2D2BB	2-523B	T9Q40080
4636	瘧	E6B4	C1BC	81BD	A2D2BC	2-523C	T9Q50080
4637	瘡	E6B5	C1BD	81BE	A2D2BD	2-523D	T9Q60080
4638	瘡	E6B6	C1BE	81BF	A2D2BE	2-523E	T9Q70080
4639	瘡	E6B7	C1BF	81C0	A2D2BF	2-523F	T9Q80080
4640	皑	E6B8	C1C0	81C1	A2D2C0	2-5240	T9Q90080
4641	皛	E6B9	C1C1	81C2	A2D2C1	2-5241	T9QA0080
4642	皛	E6BA	C1C2	81C3	A2D2C2	2-5242	T9QB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 3 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4643	晶	E6BB	C1C3	81C4	A2D2C3	2-5243	T9QC0080
4644	瞋	E6BC	C1C4	81C5	A2D2C4	2-5244	T9QD0080
4645	霽	E6BD	C1C5	81C6	A2D2C5	2-5245	T9QE0080
4646	磬	E6BE	C1C6	81C7	A2D2C6	2-5246	T9QF0080
4647	瞢	E6BF	C1C7	81C8	A2D2C7	2-5247	T9QG0080
4648	碯	E6C0	C1C8	81C9	A2D2C8	2-5248	T9QH0080
4649	礪	E6C1	C1C9	81CA	A2D2C9	2-5249	T9QI0080
4650	礪	E6C2	C1CA	81CB	A2D2CA	2-524A	T9QJ0080
4651	礪	E6C3	C1CB	81CC	A2D2CB	2-524B	T9QK0080
4652	礪	E6C4	C1CC	81CD	A2D2CC	2-524C	T9QL0080
4653	礪	E6C5	C1CD	81CE	A2D2CD	2-524D	T9QM0080
4654	礪	E6C6	C1CE	81CF	A2D2CE	2-524E	T9QN0080
4655	礪	E6C7	C1CF	81D0	A2D2CF	2-524F	T9QO0080
4656	礪	E6C8	C1D0	81D1	A2D2D0	2-5250	T9QP0080
4657	礪	E6C9	C1D1	81D2	A2D2D1	2-5251	T9QQ0080
4658	礪	E6CA	C1D2	81D3	A2D2D2	2-5252	T9QR0080
4659	礪	E6CB	C1D3	81D4	A2D2D3	2-5253	T9QS0080
4660	礪	E6CC	C1D4	81D5	A2D2D4	2-5254	T9QT0080
4661	礪	E6CD	C1D5	81D6	A2D2D5	2-5255	T9QU0080
4662	礪	E6CE	C1D6	81D7	A2D2D6	2-5256	T9QV0080
4663	礪	E6CF	C1D7	81D8	A2D2D7	2-5257	T9QW0080
4664	礪	E6D0	C1D8	81D9	A2D2D8	2-5258	T9QX0080
4665	礪	E6D1	C1D9	81DA	A2D2D9	2-5259	T9QY0080
4666	礪	E6D2	C1DA	81DB	A2D2DA	2-525A	T9QZ0080
4667	礪	E6D3	C1DB	81DC	A2D2DB	2-525B	T9R00080
4668	礪	E6D4	C1DC	81DD	A2D2DC	2-525C	T9R10080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 4 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4669	竄	E6D5	C1DD	81DE	A2D2DD	2-525D	T9R20080
4670	箄	E6D6	C1DE	81DF	A2D2DE	2-525E	T9R30080
4671	篋	E6D7	C1DF	81E0	A2D2DF	2-525F	T9R40080
4672	筍	E6D8	C1E0	81E1	A2D2E0	2-5260	T9R50080
4673	箬	E6D9	C1E1	81E2	A2D2E1	2-5261	T9R60080
4674	箬	E6DA	C1E2	81E3	A2D2E2	2-5262	T9R70080
4675	篋	E6DB	C1E3	81E4	A2D2E3	2-5263	T9R80080
4676	箬	E6DC	C1E4	81E5	A2D2E4	2-5264	T9R90080
4677	篋	E6DD	C1E5	81E6	A2D2E5	2-5265	T9RA0080
4678	箬	E6DE	C1E6	81E7	A2D2E6	2-5266	T9RB0080
4679	糝	E6DF	C1E7	81E8	A2D2E7	2-5267	T9RC0080
4680	糝	E6E0	C1E8	81E9	A2D2E8	2-5268	T9RD0080
4681	糝	E6E1	C1E9	81EA	A2D2E9	2-5269	T9RE0080
4682	糝	E6E2	C1EA	81EB	A2D2EA	2-526A	T9RF0080
4683	糝	E6E3	C1EB	81EC	A2D2EB	2-526B	T9RG0080
4684	糝	E6E4	C1EC	81ED	A2D2EC	2-526C	T9RH0080
4685	糝	E6E5	C1ED	81EE	A2D2ED	2-526D	T9RI0080
4686	糝	E6E6	C1EE	81EF	A2D2EE	2-526E	T9RJ0080
4687	糝	E6E7	C1EF	81F0	A2D2EF	2-526F	T9RK0080
4688	糝	E6E8	C1F0	81F1	A2D2F0	2-5270	T9RL0080
4689	糝	E6E9	C1F1	81F2	A2D2F1	2-5271	T9RM0080
4690	糝	E6EA	C1F2	81F3	A2D2F2	2-5272	T9RN0080
4691	糝	E6EB	C1F3	81F4	A2D2F3	2-5273	T9RO0080
4692	糝	E6EC	C1F4	81F5	A2D2F4	2-5274	T9RP0080
4693	糝	E6ED	C1F5	81F6	A2D2F5	2-5275	T9RQ0080
4694	糝	E6EE	C1F6	81F7	A2D2F6	2-5276	T9RR0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 5 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4695	縷	E6EF	C1F7	81F8	A2D2F7	2-5277	T9RS0080
4696	縷	E6F0	C1F8	81F9	A2D2F8	2-5278	T9RT0080
4697	罽	E6F1	C1F9	81FA	A2D2F9	2-5279	T9RU0080
4698	縷	E6F2	C1FA	81FB	A2D2FA	2-527A	T9RV0080
4699	縷	E6F3	C1FB	81FC	A2D2FB	2-527B	T9RW0080
4700	縷	E6F4	C1FC	81FD	A2D2FC	2-527C	T9RX0080
4701	縷	E6F5	C240	8241	A2D2FD	2-527D	T9S10080
4702	縷	E6F6	C241	8242	A2D2FE	2-527E	T9S20080
4703	縷	E6F7	C242	8243	A2D3A1	2-5321	T9S30080
4704	縷	E6F8	C243	8244	A2D3A2	2-5322	T9S40080
4705	縷	E6F9	C244	8245	A2D3A3	2-5323	T9S50080
4706	縷	E6FA	C245	8246	A2D3A4	2-5324	T9S60080
4707	縷	E6FB	C246	8247	A2D3A5	2-5325	T9S70080
4708	縷	E6FC	C247	8248	A2D3A6	2-5326	T9S80080
4709	縷	E6FD	C248	8249	A2D3A7	2-5327	T9S90080
4710	縷	E6FE	C249	824A	A2D3A8	2-5328	T9SA0080
4711	縷	E740	C24A	824B	A2D3A9	2-5329	T9SB0080
4712	縷	E741	C24B	824C	A2D3AA	2-532A	T9SC0080
4713	縷	E742	C24C	824D	A2D3AB	2-532B	T9SD0080
4714	縷	E743	C24D	824E	A2D3AC	2-532C	T9SE0080
4715	縷	E744	C24E	824F	A2D3AD	2-532D	T9SF0080
4716	縷	E745	C24F	8250	A2D3AE	2-532E	T9SG0080
4717	縷	E746	C250	8251	A2D3AF	2-532F	T9SH0080
4718	縷	E747	C251	8252	A2D3B0	2-5330	T9SI0080
4719	縷	E748	C252	8253	A2D3B1	2-5331	T9SJ0080
4720	縷	E749	C253	8254	A2D3B2	2-5332	T9SK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 6 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4721	煌	E74A	C254	8255	A2D3B3	2-5333	T9SL0080
4722	編	E74B	C255	8256	A2D3B4	2-5334	T9SM0080
4723	壑	E74C	C256	8257	A2D3B5	2-5335	T9SN0080
4724	寇	E74D	C257	8258	A2D3B6	2-5336	T9SO0080
4725	蒨	E74E	C258	8259	A2D3B7	2-5337	T9SP0080
4726	蒨	E74F	C259	825A	A2D3B8	2-5338	T9SQ0080
4727	蕒	E750	C25A	825B	A2D3B9	2-5339	T9SR0080
4728	藪	E751	C25B	825C	A2D3BA	2-533A	T9SS0080
4729	裝	E752	C25C	825D	A2D3BB	2-533B	T9ST0080
4730	蘆	E753	C25D	825E	A2D3BC	2-533C	T9SU0080
4731	族	E754	C25E	825F	A2D3BD	2-533D	T9SV0080
4732	焯	E755	C25F	8260	A2D3BE	2-533E	T9SW0080
4733	蕪	E756	C260	8261	A2D3BF	2-533F	T9SX0080
4734	菰	E757	C261	8262	A2D3C0	2-5340	T9SY0080
4735	蕪	E758	C262	8263	A2D3C1	2-5341	T9SZ0080
4736	蕪	E759	C263	8264	A2D3C2	2-5342	T9T00080
4737	蕪	E75A	C264	8265	A2D3C3	2-5343	T9T10080
4738	蕪	E75B	C265	8266	A2D3C4	2-5344	T9T20080
4739	蕪	E75C	C266	8267	A2D3C5	2-5345	T9T30080
4740	蕪	E75D	C267	8268	A2D3C6	2-5346	T9T40080
4741	蕪	E75E	C268	8269	A2D3C7	2-5347	T9T50080
4742	蕪	E75F	C269	826A	A2D3C8	2-5348	T9T60080
4743	蕪	E760	C26A	826B	A2D3C9	2-5349	T9T70080
4744	蕪	E761	C26B	826C	A2D3CA	2-534A	T9T80080
4745	蕪	E762	C26C	826D	A2D3CB	2-534B	T9T90080
4746	蕪	E763	C26D	826E	A2D3CC	2-534C	T9TA0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 7 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4747	蓼	E764	C26E	826F	A2D3CD	2-534D	T9TB0080
4748	煮	E765	C26F	8270	A2D3CE	2-534E	T9TC0080
4749	藎	E766	C270	8271	A2D3CF	2-534F	T9TD0080
4750	藕	E767	C271	8272	A2D3D0	2-5350	T9TE0080
4751	蘆	E768	C272	8273	A2D3D1	2-5351	T9TF0080
4752	藎	E769	C273	8274	A2D3D2	2-5352	T9TG0080
4753	藎	E76A	C274	8275	A2D3D3	2-5353	T9TH0080
4754	藎	E76B	C275	8276	A2D3D4	2-5354	T9TI0080
4755	藎	E76C	C276	8277	A2D3D5	2-5355	T9TJ0080
4756	藎	E76D	C277	8278	A2D3D6	2-5356	T9TK0080
4757	藎	E76E	C278	8279	A2D3D7	2-5357	T9TL0080
4758	藎	E76F	C279	827A	A2D3D8	2-5358	T9TM0080
4759	藎	E770	C27A	827B	A2D3D9	2-5359	T9TN0080
4760	藎	E771	C27B	827C	A2D3DA	2-535A	T9TO0080
4761	藎	E772	C27C	827D	A2D3DB	2-535B	T9TP0080
4762	藎	E773	C27D	827E	A2D3DC	2-535C	T9TQ0080
4763	藎	E774	C27E	827F	A2D3DD	2-535D	T9TR0080
4764	藎	E775	C280	8281	A2D3DE	2-535E	T9TT0080
4765	藎	E776	C281	8282	A2D3DF	2-535F	T9TU0080
4766	藎	E777	C282	8283	A2D3E0	2-5360	T9TV0080
4767	藎	E778	C283	8284	A2D3E1	2-5361	T9TW0080
4768	藎	E779	C284	8285	A2D3E2	2-5362	T9TX0080
4769	藎	E77A	C285	8286	A2D3E3	2-5363	T9TY0080
4770	藎	E77B	C286	8287	A2D3E4	2-5364	T9TZ0080
4771	藎	E77C	C287	8288	A2D3E5	2-5365	T9U00080
4772	藎	E77D	C288	8289	A2D3E6	2-5366	T9U10080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 13 (Page 8 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4773	虢	E77E	C289	828A	A2D3E7	2-5367	T9U20080
4774	蝗	E7A1	C28A	828B	A2D3E8	2-5368	T9U30080
4775	蝻	E7A2	C28B	828C	A2D3E9	2-5369	T9U40080
4776	蝻	E7A3	C28C	828D	A2D3EA	2-536A	T9U50080
4777	蝻	E7A4	C28D	828E	A2D3EB	2-536B	T9U60080
4778	蝻	E7A5	C28E	828F	A2D3EC	2-536C	T9U70080
4779	蝻	E7A6	C28F	8290	A2D3ED	2-536D	T9U80080
4780	蝻	E7A7	C290	8291	A2D3EE	2-536E	T9U90080
4781	蝻	E7A8	C291	8292	A2D3EF	2-536F	T9UA0080
4782	蝻	E7A9	C292	8293	A2D3F0	2-5370	T9UB0080
4783	蝻	E7AA	C293	8294	A2D3F1	2-5371	T9UC0080
4784	蝻	E7AB	C294	8295	A2D3F2	2-5372	T9UD0080
4785	蝻	E7AC	C295	8296	A2D3F3	2-5373	T9UE0080
4786	蝻	E7AD	C296	8297	A2D3F4	2-5374	T9UF0080
4787	蝻	E7AE	C297	8298	A2D3F5	2-5375	T9UG0080
4788	蝻	E7AF	C298	8299	A2D3F6	2-5376	T9UH0080
4789	蝻	E7B0	C299	829A	A2D3F7	2-5377	T9UI0080
4790	蝻	E7B1	C29A	829B	A2D3F8	2-5378	T9UJ0080
4791	蝻	E7B2	C29B	829C	A2D3F9	2-5379	T9UK0080
4792	蝻	E7B3	C29C	829D	A2D3FA	2-537A	T9UL0080
4793	蝻	E7B4	C29D	829E	A2D3FB	2-537B	T9UM0080
4794	蝻	E7B5	C29E	829F	A2D3FC	2-537C	T9UN0080
4795	蝻	E7B6	C29F	82A0	A2D3FD	2-537D	T9UO0080
4796	蝻	E7B7	C2A0	82A1	A2D3FE	2-537E	T9UP0080
4797	蝻	E7B8	C2A1	82A2	A2D4A1	2-5421	T9UQ0080
4798	蝻	E7B9	C2A2	82A3	A2D4A2	2-5422	T9UR0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 9 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4799	螫	E7BA	C2A3	82A4	A2D4A3	2-5423	T9US0080
4800	螭	E7BB	C2A4	82A5	A2D4A4	2-5424	T9UT0080
4801	螭	E7BC	C2A5	82A6	A2D4A5	2-5425	T9UU0080
4802	螭	E7BD	C2A6	82A7	A2D4A6	2-5426	T9UV0080
4803	螭	E7BE	C2A7	82A8	A2D4A7	2-5427	T9UW0080
4804	螭	E7BF	C2A8	82A9	A2D4A8	2-5428	T9UX0080
4805	螭	E7C0	C2A9	82AA	A2D4A9	2-5429	T9UY0080
4806	褌	E7C1	C2AA	82AB	A2D4AA	2-542A	T9UZ0080
4807	褌	E7C2	C2AB	82AC	A2D4AB	2-542B	T9V00080
4808	褌	E7C3	C2AC	82AD	A2D4AC	2-542C	T9V10080
4809	褌	E7C4	C2AD	82AE	A2D4AD	2-542D	T9V20080
4810	褌	E7C5	C2AE	82AF	A2D4AE	2-542E	T9V30080
4811	褌	E7C6	C2AF	82B0	A2D4AF	2-542F	T9V40080
4812	褌	E7C7	C2B0	82B1	A2D4B0	2-5430	T9V50080
4813	褌	E7C8	C2B1	82B2	A2D4B1	2-5431	T9V60080
4814	褌	E7C9	C2B2	82B3	A2D4B2	2-5432	T9V70080
4815	褌	E7CA	C2B3	82B4	A2D4B3	2-5433	T9V80080
4816	褌	E7CB	C2B4	82B5	A2D4B4	2-5434	T9V90080
4817	褌	E7CC	C2B5	82B6	A2D4B5	2-5435	T9VA0080
4818	褌	E7CD	C2B6	82B7	A2D4B6	2-5436	T9VB0080
4819	覘	E7CE	C2B7	82B8	A2D4B7	2-5437	T9VC0080
4820	覘	E7CF	C2B8	82B9	A2D4B8	2-5438	T9VD0080
4821	覘	E7D0	C2B9	82BA	A2D4B9	2-5439	T9VE0080
4822	觶	E7D1	C2BA	82BB	A2D4BA	2-543A	T9VF0080
4823	觶	E7D2	C2BB	82BC	A2D4BB	2-543B	T9VG0080
4824	觶	E7D3	C2BC	82BD	A2D4BC	2-543C	T9VH0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 10 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4825	誨	E7D4	C2BD	82BE	A2D4BD	2-543D	T9VI0080
4826	謀	E7D5	C2BE	82BF	A2D4BE	2-543E	T9VJ0080
4827	誑	E7D6	C2BF	82C0	A2D4BF	2-543F	T9VK0080
4828	讓	E7D7	C2C0	82C1	A2D4C0	2-5440	T9VL0080
4829	諺	E7D8	C2C1	82C2	A2D4C1	2-5441	T9VM0080
4830	諷	E7D9	C2C2	82C3	A2D4C2	2-5442	T9VN0080
4831	誑	E7DA	C2C3	82C4	A2D4C3	2-5443	T9VO0080
4832	諳	E7DB	C2C4	82C5	A2D4C4	2-5444	T9VP0080
4833	諗	E7DC	C2C5	82C6	A2D4C5	2-5445	T9VQ0080
4834	聞	E7DD	C2C6	82C7	A2D4C6	2-5446	T9VR0080
4835	諱	E7DE	C2C7	82C8	A2D4C7	2-5447	T9VS0080
4836	謬	E7DF	C2C8	82C9	A2D4C8	2-5448	T9VT0080
4837	諫	E7E0	C2C9	82CA	A2D4C9	2-5449	T9VU0080
4838	諱	E7E1	C2CA	82CB	A2D4CA	2-544A	T9VV0080
4839	諫	E7E2	C2CB	82CC	A2D4CB	2-544B	T9VW0080
4840	說	E7E3	C2CC	82CD	A2D4CC	2-544C	T9VX0080
4841	諳	E7E4	C2CD	82CE	A2D4CD	2-544D	T9VY0080
4842	諳	E7E5	C2CE	82CF	A2D4CE	2-544E	T9VZ0080
4843	諱	E7E6	C2CF	82D0	A2D4CF	2-544F	T9W00080
4844	諱	E7E7	C2D0	82D1	A2D4D0	2-5450	T9W10080
4845	諱	E7E8	C2D1	82D2	A2D4D1	2-5451	T9W20080
4846	諱	E7E9	C2D2	82D3	A2D4D2	2-5452	T9W30080
4847	諱	E7EA	C2D3	82D4	A2D4D3	2-5453	T9W40080
4848	賚	E7EB	C2D4	82D5	A2D4D4	2-5454	T9W50080
4849	賚	E7EC	C2D5	82D6	A2D4D5	2-5455	T9W60080
4850	賚	E7ED	C2D6	82D7	A2D4D6	2-5456	T9W70080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 11 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4851	躡	E7EE	C2D7	82D8	A2D4D7	2-5457	T9W80080
4852	趨	E7EF	C2D8	82D9	A2D4D8	2-5458	T9W90080
4853	趨	E7F0	C2D9	82DA	A2D4D9	2-5459	T9WA0080
4854	進	E7F1	C2DA	82DB	A2D4DA	2-545A	T9WB0080
4855	趨	E7F2	C2DB	82DC	A2D4DB	2-545B	T9WC0080
4856	踭	E7F3	C2DC	82DD	A2D4DC	2-545C	T9WD0080
4857	踮	E7F4	C2DD	82DE	A2D4DD	2-545D	T9WE0080
4858	踮	E7F5	C2DE	82DF	A2D4DE	2-545E	T9WF0080
4859	踮	E7F6	C2DF	82E0	A2D4DF	2-545F	T9WG0080
4860	踮	E7F7	C2E0	82E1	A2D4E0	2-5460	T9WH0080
4861	踮	E7F8	C2E1	82E2	A2D4E1	2-5461	T9WI0080
4862	踮	E7F9	C2E2	82E3	A2D4E2	2-5462	T9WJ0080
4863	踮	E7FA	C2E3	82E4	A2D4E3	2-5463	T9WK0080
4864	踮	E7FB	C2E4	82E5	A2D4E4	2-5464	T9WL0080
4865	踮	E7FC	C2E5	82E6	A2D4E5	2-5465	T9WM0080
4866	踮	E7FD	C2E6	82E7	A2D4E6	2-5466	T9WN0080
4867	踮	E7FE	C2E7	82E8	A2D4E7	2-5467	T9WO0080
4868	踮	E840	C2E8	82E9	A2D4E8	2-5468	T9WP0080
4869	踮	E841	C2E9	82EA	A2D4E9	2-5469	T9WQ0080
4870	踮	E842	C2EA	82EB	A2D4EA	2-546A	T9WR0080
4871	踮	E843	C2EB	82EC	A2D4EB	2-546B	T9WS0080
4872	踮	E844	C2EC	82ED	A2D4EC	2-546C	T9WT0080
4873	踮	E845	C2ED	82EE	A2D4ED	2-546D	T9WU0080
4874	踮	E846	C2EE	82EF	A2D4EE	2-546E	T9WV0080
4875	躡	E847	C2EF	82F0	A2D4EF	2-546F	T9WW0080
4876	躡	E848	C2F0	82F1	A2D4F0	2-5470	T9WX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 12 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4877	駮	E849	C2F1	82F2	A2D4F1	2-5471	T9WY0080
4878	駮	E84A	C2F2	82F3	A2D4F2	2-5472	T9WZ0080
4879	駮	E84B	C2F3	82F4	A2D4F3	2-5473	T9X00080
4880	駮	E84C	C2F4	82F5	A2D4F4	2-5474	T9X10080
4881	駮	E84D	C2F5	82F6	A2D4F5	2-5475	T9X20080
4882	駮	E84E	C2F6	82F7	A2D4F6	2-5476	T9X30080
4883	邇	E84F	C2F7	82F8	A2D4F7	2-5477	T9X40080
4884	邇	E850	C2F8	82F9	A2D4F8	2-5478	T9X50080
4885	邇	E851	C2F9	82FA	A2D4F9	2-5479	T9X60080
4886	邇	E852	C2FA	82FB	A2D4FA	2-547A	T9X70080
4887	邇	E853	C2FB	82FC	A2D4FB	2-547B	T9X80080
4888	邇	E854	C2FC	82FD	A2D4FC	2-547C	T9X90080
4889	邇	E855	C340	8341	A2D4FD	2-547D	T9XD0080
4890	邇	E856	C341	8342	A2D4FE	2-547E	T9XE0080
4891	邇	E857	C342	8343	A2D5A1	2-5521	T9XF0080
4892	邇	E858	C343	8344	A2D5A2	2-5522	T9XG0080
4893	邇	E859	C344	8345	A2D5A3	2-5523	T9XH0080
4894	邇	E85A	C345	8346	A2D5A4	2-5524	T9XI0080
4895	醅	E85B	C346	8347	A2D5A5	2-5525	T9XJ0080
4896	醅	E85C	C347	8348	A2D5A6	2-5526	T9XK0080
4897	醅	E85D	C348	8349	A2D5A7	2-5527	T9XL0080
4898	醅	E85E	C349	834A	A2D5A8	2-5528	T9XM0080
4899	醅	E85F	C34A	834B	A2D5A9	2-5529	T9XN0080
4900	醅	E860	C34B	834C	A2D5AA	2-552A	T9XO0080
4901	醅	E861	C34C	834D	A2D5AB	2-552B	T9XP0080
4902	鎡	E862	C34D	834E	A2D5AC	2-552C	T9XQ0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 13 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4903	銀	E863	C34E	834F	A2D5AD	2-552D	T9XR0080
4904	鏹	E864	C34F	8350	A2D5AE	2-552E	T9XS0080
4905	鋃	E865	C350	8351	A2D5AF	2-552F	T9XT0080
4906	鋈	E866	C351	8352	A2D5B0	2-5530	T9XU0080
4907	鋇	E867	C352	8353	A2D5B1	2-5531	T9XV0080
4908	鋉	E868	C353	8354	A2D5B2	2-5532	T9XW0080
4909	鋊	E869	C354	8355	A2D5B3	2-5533	T9XX0080
4910	鋋	E86A	C355	8356	A2D5B4	2-5534	T9XY0080
4911	鋄	E86B	C356	8357	A2D5B5	2-5535	T9XZ0080
4912	鋅	E86C	C357	8358	A2D5B6	2-5536	T9Y00080
4913	鋁	E86D	C358	8359	A2D5B7	2-5537	T9Y10080
4914	鎘	E86E	C359	835A	A2D5B8	2-5538	T9Y20080
4915	鎩	E86F	C35A	835B	A2D5B9	2-5539	T9Y30080
4916	鎪	E870	C35B	835C	A2D5BA	2-553A	T9Y40080
4917	鎫	E871	C35C	835D	A2D5BB	2-553B	T9Y50080
4918	鎬	E872	C35D	835E	A2D5BC	2-553C	T9Y60080
4919	鎇	E873	C35E	835F	A2D5BD	2-553D	T9Y70080
4920	鎆	E874	C35F	8360	A2D5BE	2-553E	T9Y80080
4921	銳	E875	C360	8361	A2D5BF	2-553F	T9Y90080
4922	鎇	E876	C361	8362	A2D5C0	2-5540	T9YA0080
4923	鎈	E877	C362	8363	A2D5C1	2-5541	T9YB0080
4924	鎉	E878	C363	8364	A2D5C2	2-5542	T9YC0080
4925	鎊	E879	C364	8365	A2D5C3	2-5543	T9YD0080
4926	鎋	E87A	C365	8366	A2D5C4	2-5544	T9YE0080
4927	鎌	E87B	C366	8367	A2D5C5	2-5545	T9YF0080
4928	鎍	E87C	C367	8368	A2D5C6	2-5546	T9YG0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 14 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4929	鍍	E87D	C368	8369	A2D5C7	2-5547	T9YH0080
4930	鍇	E87E	C369	836A	A2D5C8	2-5548	T9YI0080
4931	鍈	E8A1	C36A	836B	A2D5C9	2-5549	T9YJ0080
4932	鍉	E8A2	C36B	836C	A2D5CA	2-554A	T9YK0080
4933	鍊	E8A3	C36C	836D	A2D5CC	2-554C	T9YL0080
4934	鍋	E8A4	C36D	836E	A2D5CD	2-554D	T9YM0080
4935	鍌	E8A5	C36E	836F	A2D5CE	2-554E	T9YN0080
4936	閔	E8A6	C36F	8370	A2D5CF	2-554F	T9YO0080
4937	閎	E8A7	C370	8371	A2D5D0	2-5550	T9YP0080
4938	閏	E8A8	C371	8372	A2D5D1	2-5551	T9YQ0080
4939	閑	E8A9	C372	8373	A2D5D2	2-5552	T9YR0080
4940	隕	E8AA	C373	8374	A2D5D3	2-5553	T9YS0080
4941	隗	E8AB	C374	8375	A2D5D4	2-5554	T9YT0080
4942	雜	E8AC	C375	8376	A2D5D5	2-5555	T9YU0080
4943	霑	E8AD	C376	8377	A2D5D6	2-5556	T9YV0080
4944	霑	E8AE	C377	8378	A2D5D7	2-5557	T9YW0080
4945	霑	E8AF	C378	8379	A2D5D8	2-5558	T9YX0080
4946	靚	E8B0	C379	837A	A2D5D9	2-5559	T9YY0080
4947	鞞	E8B1	C37A	837B	A2D5DA	2-555A	T9YZ0080
4948	鞞	E8B2	C37B	837C	A2D5DB	2-555B	T9Z00080
4949	鞞	E8B3	C37C	837D	A2D5DC	2-555C	T9Z10080
4950	鞞	E8B4	C37D	837E	A2D5DD	2-555D	T9Z20080
4951	鞞	E8B5	C37E	837F	A2D5DE	2-555E	T9Z30080
4952	頰	E8B6	C380	8381	A2D5DF	2-555F	T9Z50080
4953	頰	E8B7	C381	8382	A2D5E0	2-5560	T9Z60080
4954	頰	E8B8	C382	8383	A2D5E1	2-5561	T9Z70080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 15 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4955	獺	E8B9	C383	8384	A2D5E2	2-5562	T9Z80080
4956	獺	E8BA	C384	8385	A2D5E3	2-5563	T9Z90080
4957	頽	E8BB	C385	8386	A2D5E4	2-5564	T9ZA0080
4958	頽	E8BC	C386	8387	A2D5E5	2-5565	T9ZB0080
4959	頽	E8BD	C387	8388	A2D5E6	2-5566	T9ZC0080
4960	剛	E8BE	C388	8389	A2D5E7	2-5567	T9ZD0080
4961	養	E8BF	C389	838A	A2D5E8	2-5568	T9ZE0080
4962	養	E8C0	C38A	838B	A2D5E9	2-5569	T9ZF0080
4963	醇	E8C1	C38B	838C	A2D5EA	2-556A	T9ZG0080
4964	舖	E8C2	C38C	838D	A2D5EB	2-556B	T9ZH0080
4965	館	E8C3	C38D	838E	A2D5EC	2-556C	T9ZI0080
4966	餽	E8C4	C38E	838F	A2D5ED	2-556D	T9ZJ0080
4967	餽	E8C5	C38F	8390	A2D5EE	2-556E	T9ZK0080
4968	駟	E8C6	C390	8391	A2D5EF	2-556F	T9ZL0080
4969	駟	E8C7	C391	8392	A2D5F0	2-5570	T9ZM0080
4970	駟	E8C8	C392	8393	A2D5F1	2-5571	T9ZN0080
4971	駟	E8C9	C393	8394	A2D5F2	2-5572	T9ZO0080
4972	駟	E8CA	C394	8395	A2D5F3	2-5573	T9ZP0080
4973	駟	E8CB	C395	8396	A2D5F4	2-5574	T9ZQ0080
4974	駟	E8CC	C396	8397	A2D5F5	2-5575	T9ZR0080
4975	駟	E8CD	C397	8398	A2D5F6	2-5576	T9ZS0080
4976	駟	E8CE	C398	8399	A2D5F7	2-5577	T9ZT0080
4977	駟	E8CF	C399	839A	A2D5F8	2-5578	T9ZU0080
4978	駟	E8D0	C39A	839B	A2D5F9	2-5579	T9ZV0080
4979	駟	E8D1	C39B	839C	A2D5FA	2-557A	T9ZW0080
4980	駟	E8D2	C39C	839D	A2D5FB	2-557B	T9ZX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 16 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
4981	髮	E8D3	C39D	839E	A2D5FC	2-557C	T9ZY0080
4982	髻	E8D4	C39E	839F	A2D5FD	2-557D	T9ZZ0080
4983	髻	E8D5	C39F	83A0	A2D5FE	2-557E	TA000080
4984	髮	E8D6	C3A0	83A1	A2D6A1	2-5621	TA010080
4985	髻	E8D7	C3A1	83A2	A2D6A2	2-5622	TA020080
4986	髻	E8D8	C3A2	83A3	A2D6A3	2-5623	TA030080
4987	髻	E8D9	C3A3	83A4	A2D6A4	2-5624	TA040080
4988	魴	E8DA	C3A4	83A5	A2D6A5	2-5625	TA050080
4989	魴	E8DB	C3A5	83A6	A2D6A6	2-5626	TA060080
4990	魴	E8DC	C3A6	83A7	A2D6A7	2-5627	TA070080
4991	魴	E8DD	C3A7	83A8	A2D6A8	2-5628	TA080080
4992	魴	E8DE	C3A8	83A9	A2D6A9	2-5629	TA090080
4993	魴	E8DF	C3A9	83AA	A2D6AA	2-562A	TA0A0080
4994	魴	E8E0	C3AA	83AB	A2D6AB	2-562B	TA0B0080
4995	魴	E8E1	C3AB	83AC	A2D6AC	2-562C	TA0C0080
4996	魴	E8E2	C3AC	83AD	A2D6AD	2-562D	TA0D0080
4997	魴	E8E3	C3AD	83AE	A2D6AE	2-562E	TA0E0080
4998	鴉	E8E4	C3AE	83AF	A2D6AF	2-562F	TA0F0080
4999	鴉	E8E5	C3AF	83B0	A2D6B0	2-5630	TA0G0080
5000	鴉	E8E6	C3B0	83B1	A2D6B1	2-5631	TA0H0080
5001	鴉	E8E7	C3B1	83B2	A2D6B2	2-5632	TA0I0080
5002	鴉	E8E8	C3B2	83B3	A2D6B3	2-5633	TA0J0080
5003	鴉	E8E9	C3B3	83B4	A2D6B4	2-5634	TA0K0080
5004	鴉	E8EA	C3B4	83B5	A2D6B5	2-5635	TA0L0080
5005	鴉	E8EB	C3B5	83B6	A2D6B6	2-5636	TA0M0080
5006	鴉	E8EC	C3B6	83B7	A2D6B7	2-5637	TA0N0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 17 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5007	鴈	E8ED	C3B7	83B8	A2D6B8	2-5638	TA0O0080
5008	鵑	E8EE	C3B8	83B9	A2D6B9	2-5639	TA0P0080
5009	鳴	E8EF	C3B9	83BA	A2D6BA	2-563A	TA0Q0080
5010	麋	E8F0	C3BA	83BB	A2D6BB	2-563B	TA0R0080
5011	默	E8F1	C3BB	83BC	A2D6BC	2-563C	TA0S0080
5012	聃	E8F2	C3BC	83BD	A2D6BD	2-563D	TA0T0080
5013	聃	E8F3	C3BD	83BE	A2D6BE	2-563E	TA0U0080
5014	倅	E8F4	C3BE	83BF	A2D6BF	2-563F	TA0V0080
5015	儻	E8F5	C3BF	83C0	A2D6C0	2-5640	TA0W0080
5016	儼	E8F6	C3C0	83C1	A2D6C1	2-5641	TA0X0080
5017	儻	E8F7	C3C1	83C2	A2D6C2	2-5642	TA0Y0080
5018	儼	E8F8	C3C2	83C3	A2D6C3	2-5643	TA0Z0080
5019	澗	E8F9	C3C3	83C4	A2D6C4	2-5644	TA100080
5020	匱	E8FA	C3C4	83C5	A2D6C5	2-5645	TA110080
5021	叡	E8FB	C3C5	83C6	A2D6C6	2-5646	TA120080
5022	囀	E8FC	C3C6	83C7	A2D6C7	2-5647	TA130080
5023	噤	E8FD	C3C7	83C8	A2D6C8	2-5648	TA140080
5024	噤	E8FE	C3C8	83C9	A2D6C9	2-5649	TA150080
5025	噤	E940	C3C9	83CA	A2D6CA	2-564A	TA160080
5026	噤	E941	C3CA	83CB	A2D6CB	2-564B	TA170080
5027	噤	E942	C3CB	83CC	A2D6CC	2-564C	TA180080
5028	噤	E943	C3CC	83CD	A2D6CD	2-564D	TA190080
5029	噤	E944	C3CD	83CE	A2D6CE	2-564E	TA1A0080
5030	噤	E945	C3CE	83CF	A2D6CF	2-564F	TA1B0080
5031	噤	E946	C3CF	83D0	A2D6D0	2-5650	TA1C0080
5032	噤	E947	C3D0	83D1	A2D6D1	2-5651	TA1D0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 18 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5033	圉	E948	C3D1	83D2	A2D6D2	2-5652	TA1E0080
5034	壞	E949	C3D2	83D3	A2D6D3	2-5653	TA1F0080
5035	墩	E94A	C3D3	83D4	A2D6D4	2-5654	TA1G0080
5036	據	E94B	C3D4	83D5	A2D6D5	2-5655	TA1H0080
5037	墀	E94C	C3D5	83D6	A2D6D6	2-5656	TA1I0080
5038	塢	E94D	C3D6	83D7	A2D6D7	2-5657	TA1J0080
5039	壘	E94E	C3D7	83D8	A2D6D8	2-5658	TA1K0080
5040	壑	E94F	C3D8	83D9	A2D6D9	2-5659	TA1L0080
5041	壘	E950	C3D9	83DA	A2D6DA	2-565A	TA1M0080
5042	壇	E951	C3DA	83DB	A2D6DB	2-565B	TA1N0080
5043	孀	E952	C3DB	83DC	A2D6DC	2-565C	TA1O0080
5044	孀	E953	C3DC	83DD	A2D6DD	2-565D	TA1P0080
5045	孀	E954	C3DD	83DE	A2D6DE	2-565E	TA1Q0080
5046	孀	E955	C3DE	83DF	A2D6DF	2-565F	TA1R0080
5047	孀	E956	C3DF	83E0	A2D6E0	2-5660	TA1S0080
5048	孀	E957	C3E0	83E1	A2D6E1	2-5661	TA1T0080
5049	孀	E958	C3E1	83E2	A2D6E2	2-5662	TA1U0080
5050	孀	E959	C3E2	83E3	A2D6E3	2-5663	TA1V0080
5051	孀	E95A	C3E3	83E4	A2D6E4	2-5664	TA1W0080
5052	孀	E95B	C3E4	83E5	A2D6E5	2-5665	TA1X0080
5053	孀	E95C	C3E5	83E6	A2D6E6	2-5666	TA1Y0080
5054	孀	E95D	C3E6	83E7	A2D6E7	2-5667	TA1Z0080
5055	孀	E95E	C3E7	83E8	A2D6E8	2-5668	TA200080
5056	孀	E95F	C3E8	83E9	A2D6E9	2-5669	TA210080
5057	孀	E960	C3E9	83EA	A2D6EA	2-566A	TA220080
5058	孀	E961	C3EA	83EB	A2D6EB	2-566B	TA230080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 19 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5059	嶧	E962	C3EB	83EC	A2D6EC	2-566C	TA240080
5060	嶧	E963	C3EC	83ED	A2D6ED	2-566D	TA250080
5061	嶧	E964	C3ED	83EE	A2D6EE	2-566E	TA260080
5062	嶧	E965	C3EE	83EF	A2D6EF	2-566F	TA270080
5063	嶧	E966	C3EF	83F0	A2D6F0	2-5670	TA280080
5064	嶧	E967	C3F0	83F1	A2D6F1	2-5671	TA290080
5065	嶧	E968	C3F1	83F2	A2D6F2	2-5672	TA2A0080
5066	嶧	E969	C3F2	83F3	A2D6F3	2-5673	TA2B0080
5067	嶧	E96A	C3F3	83F4	A2D6F4	2-5674	TA2C0080
5068	嶧	E96B	C3F4	83F5	A2D6F5	2-5675	TA2D0080
5069	嶧	E96C	C3F5	83F6	A2D6F6	2-5676	TA2E0080
5070	嶧	E96D	C3F6	83F7	A2D6F7	2-5677	TA2F0080
5071	嶧	E96E	C3F7	83F8	A2D6F8	2-5678	TA2G0080
5072	嶧	E96F	C3F8	83F9	A2D6F9	2-5679	TA2H0080
5073	嶧	E970	C3F9	83FA	A2D6FA	2-567A	TA2I0080
5074	嶧	E971	C3FA	83FB	A2D6FB	2-567B	TA2J0080
5075	嶧	E972	C3FB	83FC	A2D6FC	2-567C	TA2K0080
5076	嶧	E973	C3FC	83FD	A2D6FD	2-567D	TA2L0080
5077	嶧	E974	C440	8441	A2D6FE	2-567E	TA2P0080
5078	嶧	E975	C441	8442	A2D7A1	2-5721	TA2Q0080
5079	嶧	E976	C442	8443	A2D7A3	2-5723	TA2R0080
5080	嶧	E977	C443	8444	A2D7A4	2-5724	TA2S0080
5081	嶧	E978	C444	8445	A2D7A5	2-5725	TA2T0080
5082	嶧	E979	C445	8446	A2D7A6	2-5726	TA2U0080
5083	嶧	E97A	C446	8447	A2D7A7	2-5727	TA2V0080
5084	嶧	E97B	C447	8448	A2D7A8	2-5728	TA2W0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 20 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5085	懷	E97C	C448	8449	A2D7A9	2-5729	TA2X0080
5086	懌	E97D	C449	844A	A2D7AA	2-572A	TA2Y0080
5087	愴	E97E	C44A	844B	A2D7AB	2-572B	TA2Z0080
5088	憊	E9A1	C44B	844C	A2D7AC	2-572C	TA300080
5089	儉	E9A2	C44C	844D	A2D7AD	2-572D	TA310080
5090	勦	E9A3	C44D	844E	A2D7AE	2-572E	TA320080
5091	擗	E9A4	C44E	844F	A2D7AF	2-572F	TA330080
5092	搗	E9A5	C44F	8450	A2D7B0	2-5730	TA340080
5093	擻	E9A6	C450	8451	A2D7B1	2-5731	TA350080
5094	撒	E9A7	C451	8452	A2D7B2	2-5732	TA360080
5095	擱	E9A8	C452	8453	A2D7B3	2-5733	TA370080
5096	撒	E9A9	C453	8454	A2D7B4	2-5734	TA380080
5097	擎	E9AA	C454	8455	A2D7B5	2-5735	TA390080
5098	搗	E9AB	C455	8456	A2D7B6	2-5736	TA3A0080
5099	搗	E9AC	C456	8457	A2D7B7	2-5737	TA3B0080
5100	擗	E9AD	C457	8458	A2D7B8	2-5738	TA3C0080
5101	換	E9AE	C458	8459	A2D7B9	2-5739	TA3D0080
5102	擻	E9AF	C459	845A	A2D7BA	2-573A	TA3E0080
5103	敵	E9B0	C45A	845B	A2D7BB	2-573B	TA3F0080
5104	鼓	E9B1	C45B	845C	A2D7BC	2-573C	TA3G0080
5105	斟	E9B2	C45C	845D	A2D7BD	2-573D	TA3H0080
5106	瞳	E9B3	C45D	845E	A2D7BE	2-573E	TA3I0080
5107	嗽	E9B4	C45E	845F	A2D7BF	2-573F	TA3J0080
5108	噎	E9B5	C45F	8460	A2D7C0	2-5740	TA3K0080
5109	瞞	E9B6	C460	8461	A2D7C1	2-5741	TA3L0080
5110	瞞	E9B7	C461	8462	A2D7C2	2-5742	TA3M0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 21 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5111	𪗇	E9B8	C462	8463	A2D7C3	2-5743	TA3N0080
5112	𪗈	E9B9	C463	8464	A2D7C4	2-5744	TA3O0080
5113	𪗉	E9BA	C464	8465	A2D7C5	2-5745	TA3P0080
5114	𪗊	E9BB	C465	8466	A2D7C6	2-5746	TA3Q0080
5115	𪗋	E9BC	C466	8467	A2D7C7	2-5747	TA3R0080
5116	𪗌	E9BD	C467	8468	A2D7C8	2-5748	TA3S0080
5117	𪗍	E9BE	C468	8469	A2D7C9	2-5749	TA3T0080
5118	𪗎	E9BF	C469	846A	A2D7CA	2-574A	TA3U0080
5119	𪗏	E9C0	C46A	846B	A2D7CB	2-574B	TA3V0080
5120	𪗐	E9C1	C46B	846C	A2D7CC	2-574C	TA3W0080
5121	𪗑	E9C2	C46C	846D	A2D7CD	2-574D	TA3X0080
5122	𪗒	E9C3	C46D	846E	A2D7CE	2-574E	TA3Y0080
5123	𪗓	E9C4	C46E	846F	A2D7CF	2-574F	TA3Z0080
5124	𪗔	E9C5	C46F	8470	A2D7D0	2-5750	TA400080
5125	𪗕	E9C6	C470	8471	A2D7D1	2-5751	TA410080
5126	𪗖	E9C7	C471	8472	A2D7D2	2-5752	TA420080
5127	𪗗	E9C8	C472	8473	A2D7D3	2-5753	TA430080
5128	𪗘	E9C9	C473	8474	A2D7D4	2-5754	TA440080
5129	𪗙	E9CA	C474	8475	A2D7D5	2-5755	TA450080
5130	𪗚	E9CB	C475	8476	A2D7D6	2-5756	TA460080
5131	𪗛	E9CC	C476	8477	A2D7D7	2-5757	TA470080
5132	𪗜	E9CD	C477	8478	A2D7D8	2-5758	TA480080
5133	𪗝	E9CE	C478	8479	A2D7D9	2-5759	TA490080
5134	𪗞	E9CF	C479	847A	A2D7DA	2-575A	TA4A0080
5135	𪗟	E9D0	C47A	847B	A2D7DB	2-575B	TA4B0080
5136	𪗠	E9D1	C47B	847C	A2D7DC	2-575C	TA4C0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 22 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5137	槽	E9D2	C47C	847D	A2D7DD	2-575D	TA4D0080
5138	橄	E9D3	C47D	847E	A2D7DE	2-575E	TA4E0080
5139	撈	E9D4	C47E	847F	A2D7DF	2-575F	TA4F0080
5140	櫟	E9D5	C480	8481	A2D7E0	2-5760	TA4H0080
5141	榱	E9D6	C481	8482	A2D7E1	2-5761	TA4I0080
5142	櫛	E9D7	C482	8483	A2D7E2	2-5762	TA4J0080
5143	榭	E9D8	C483	8484	A2D7E3	2-5763	TA4K0080
5144	櫟	E9D9	C484	8485	A2D7E4	2-5764	TA4L0080
5145	榭	E9DA	C485	8486	A2D7E5	2-5765	TA4M0080
5146	櫛	E9DB	C486	8487	A2D7E6	2-5766	TA4N0080
5147	榭	E9DC	C487	8488	A2D7E7	2-5767	TA4O0080
5148	榭	E9DD	C488	8489	A2D7E8	2-5768	TA4P0080
5149	歎	E9DE	C489	848A	A2D7E9	2-5769	TA4Q0080
5150	歎	E9DF	C48A	848B	A2D7EA	2-576A	TA4R0080
5151	歎	E9E0	C48B	848C	A2D7EB	2-576B	TA4S0080
5152	殲	E9E1	C48C	848D	A2D7EC	2-576C	TA4T0080
5153	殲	E9E2	C48D	848E	A2D7ED	2-576D	TA4U0080
5154	殲	E9E3	C48E	848F	A2D7EE	2-576E	TA4V0080
5155	殲	E9E4	C48F	8490	A2D7EF	2-576F	TA4W0080
5156	殲	E9E5	C490	8491	A2D7F0	2-5770	TA4X0080
5157	殲	E9E6	C491	8492	A2D7F1	2-5771	TA4Y0080
5158	殲	E9E7	C492	8493	A2D7F2	2-5772	TA4Z0080
5159	殲	E9E8	C493	8494	A2D7F3	2-5773	TA500080
5160	灑	E9E9	C494	8495	A2D7F4	2-5774	TA510080
5161	灑	E9EA	C495	8496	A2D7F5	2-5775	TA520080
5162	灑	E9EB	C496	8497	A2D7F6	2-5776	TA530080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 23 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5163	漚	E9EC	C497	8498	A2D7F7	2-5777	TA540080
5164	漚	E9ED	C498	8499	A2D7F8	2-5778	TA550080
5165	漚	E9EE	C499	849A	A2D7F9	2-5779	TA560080
5166	漚	E9EF	C49A	849B	A2D7FA	2-577A	TA570080
5167	漚	E9F0	C49B	849C	A2D7FB	2-577B	TA580080
5168	漚	E9F1	C49C	849D	A2D7FC	2-577C	TA590080
5169	漚	E9F2	C49D	849E	A2D7FD	2-577D	TA5A0080
5170	漚	E9F3	C49E	849F	A2D7FE	2-577E	TA5B0080
5171	漚	E9F4	C49F	84A0	A2D8A1	2-5821	TA5C0080
5172	漚	E9F5	C4A0	84A1	A2D8A2	2-5822	TA5D0080
5173	漚	E9F6	C4A1	84A2	A2D8A3	2-5823	TA5E0080
5174	漚	E9F7	C4A2	84A3	A2D8A4	2-5824	TA5F0080
5175	漚	E9F8	C4A3	84A4	A2D8A5	2-5825	TA5G0080
5176	漚	E9F9	C4A4	84A5	A2D8A6	2-5826	TA5H0080
5177	漚	E9FA	C4A5	84A6	A2D8A7	2-5827	TA5I0080
5178	漚	E9FB	C4A6	84A7	A2D8A8	2-5828	TA5J0080
5179	漚	E9FC	C4A7	84A8	A2D8A9	2-5829	TA5K0080
5180	漚	E9FD	C4A8	84A9	A2D8AA	2-582A	TA5L0080
5181	漚	E9FE	C4A9	84AA	A2D8AB	2-582B	TA5M0080
5182	漚	EA40	C4AA	84AB	A2D8AC	2-582C	TA5N0080
5183	漚	EA41	C4AB	84AC	A2D8AD	2-582D	TA5O0080
5184	漚	EA42	C4AC	84AD	A2D8AE	2-582E	TA5P0080
5185	漚	EA43	C4AD	84AE	A2D8AF	2-582F	TA5Q0080
5186	漚	EA44	C4AE	84AF	A2D8B0	2-5830	TA5R0080
5187	漚	EA45	C4AF	84B0	A2D8B1	2-5831	TA5S0080
5188	漚	EA46	C4B0	84B1	A2D8B2	2-5832	TA5T0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 24 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5189	撥	EA47	C4B1	84B2	A2D8B3	2-5833	TA5U0080
5190	燂	EA48	C4B2	84B3	A2D8B4	2-5834	TA5V0080
5191	燂	EA49	C4B3	84B4	A2D8B5	2-5835	TA5W0080
5192	燂	EA4A	C4B4	84B5	A2D8B6	2-5836	TA5X0080
5193	燂	EA4B	C4B5	84B6	A2D8B7	2-5837	TA5Y0080
5194	燂	EA4C	C4B6	84B7	A2D8B8	2-5838	TA5Z0080
5195	燂	EA4D	C4B7	84B8	A2D8B9	2-5839	TA600080
5196	燂	EA4E	C4B8	84B9	A2D8BA	2-583A	TA610080
5197	燂	EA4F	C4B9	84BA	A2D8BB	2-583B	TA620080
5198	燂	EA50	C4BA	84BB	A2D8BC	2-583C	TA630080
5199	燂	EA51	C4BB	84BC	A2D8BD	2-583D	TA640080
5200	燂	EA52	C4BC	84BD	A2D8BE	2-583E	TA650080
5201	燂	EA53	C4BD	84BE	A2D8BF	2-583F	TA660080
5202	燂	EA54	C4BE	84BF	A2D8C0	2-5840	TA670080
5203	燂	EA55	C4BF	84C0	A2D8C1	2-5841	TA680080
5204	燂	EA56	C4C0	84C1	A2D8C2	2-5842	TA690080
5205	燂	EA57	C4C1	84C2	A2D8C3	2-5843	TA6A0080
5206	燂	EA58	C4C2	84C3	A2D8C4	2-5844	TA6B0080
5207	燂	EA59	C4C3	84C4	A2D8C5	2-5845	TA6C0080
5208	燂	EA5A	C4C4	84C5	A2D8C6	2-5846	TA6D0080
5209	燂	EA5B	C4C5	84C6	A2D8C7	2-5847	TA6E0080
5210	燂	EA5C	C4C6	84C7	A2D8C8	2-5848	TA6F0080
5211	燂	EA5D	C4C7	84C8	A2D8C9	2-5849	TA6G0080
5212	燂	EA5E	C4C8	84C9	A2D8CA	2-584A	TA6H0080
5213	燂	EA5F	C4C9	84CA	A2D8CB	2-584B	TA6I0080
5214	燂	EA60	C4CA	84CB	A2D8CC	2-584C	TA6J0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 25 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5215	獮	EA61	C4CB	84CC	A2D8CD	2-584D	TA6K0080
5216	鑿	EA62	C4CC	84CD	A2D8CE	2-584E	TA6L0080
5217	璠	EA63	C4CD	84CE	A2D8CF	2-584F	TA6M0080
5218	璦	EA64	C4CE	84CF	A2D8D0	2-5850	TA6N0080
5219	璪	EA65	C4CF	84D0	A2D8D1	2-5851	TA6O0080
5220	璫	EA66	C4D0	84D1	A2D8D2	2-5852	TA6P0080
5221	璥	EA67	C4D1	84D2	A2D8D3	2-5853	TA6Q0080
5222	璦	EA68	C4D2	84D3	A2D8D4	2-5854	TA6R0080
5223	璢	EA69	C4D3	84D4	A2D8D5	2-5855	TA6S0080
5224	璣	EA6A	C4D4	84D5	A2D8D6	2-5856	TA6T0080
5225	瘰	EA6B	C4D5	84D6	A2D8D7	2-5857	TA6U0080
5226	瘰	EA6C	C4D6	84D7	A2D8D8	2-5858	TA6V0080
5227	瘰	EA6D	C4D7	84D8	A2D8D9	2-5859	TA6W0080
5228	瘰	EA6E	C4D8	84D9	A2D8DA	2-585A	TA6X0080
5229	瘰	EA6F	C4D9	84DA	A2D8DB	2-585B	TA6Y0080
5230	瘰	EA70	C4DA	84DB	A2D8DC	2-585C	TA6Z0080
5231	瘰	EA71	C4DB	84DC	A2D8DD	2-585D	TA700080
5232	瘰	EA72	C4DC	84DD	A2D8DE	2-585E	TA710080
5233	瘰	EA73	C4DD	84DE	A2D8DF	2-585F	TA720080
5234	瘰	EA74	C4DE	84DF	A2D8E0	2-5860	TA730080
5235	盒	EA75	C4DF	84E0	A2D8E1	2-5861	TA740080
5236	瞼	EA76	C4E0	84E1	A2D8E2	2-5862	TA750080
5237	瞼	EA77	C4E1	84E2	A2D8E3	2-5863	TA760080
5238	瞼	EA78	C4E2	84E3	A2D8E4	2-5864	TA770080
5239	瞼	EA79	C4E3	84E4	A2D8E5	2-5865	TA780080
5240	瞼	EA7A	C4E4	84E5	A2D8E6	2-5866	TA790080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 26 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5241	替	EA7B	C4E5	84E6	A2D8E7	2-5867	TA7A0080
5242	聽	EA7C	C4E6	84E7	A2D8E8	2-5868	TA7B0080
5243	障	EA7D	C4E7	84E8	A2D8E9	2-5869	TA7C0080
5244	瞶	EA7E	C4E8	84E9	A2D8EA	2-586A	TA7D0080
5245	鴟	EAA1	C4E9	84EA	A2D8EB	2-586B	TA7E0080
5246	礮	EAA2	C4EA	84EB	A2D8EC	2-586C	TA7F0080
5247	礮	EAA3	C4EB	84EC	A2D8ED	2-586D	TA7G0080
5248	礮	EAA4	C4EC	84ED	A2D8EE	2-586E	TA7H0080
5249	礮	EAA5	C4ED	84EE	A2D8EF	2-586F	TA7I0080
5250	礮	EAA6	C4EE	84EF	A2D8F0	2-5870	TA7J0080
5251	礮	EAA7	C4EF	84F0	A2D8F1	2-5871	TA7K0080
5252	礮	EAA8	C4F0	84F1	A2D8F2	2-5872	TA7L0080
5253	礮	EAA9	C4F1	84F2	A2D8F3	2-5873	TA7M0080
5254	礮	EAAA	C4F2	84F3	A2D8F4	2-5874	TA7N0080
5255	礮	EAAB	C4F3	84F4	A2D8F5	2-5875	TA7O0080
5256	礮	EAAC	C4F4	84F5	A2D8F6	2-5876	TA7P0080
5257	礮	EAAD	C4F5	84F6	A2D8F7	2-5877	TA7Q0080
5258	礮	EAAE	C4F6	84F7	A2D8F8	2-5878	TA7R0080
5259	礮	EAAF	C4F7	84F8	A2D8F9	2-5879	TA7S0080
5260	礮	EAB0	C4F8	84F9	A2D8FA	2-587A	TA7T0080
5261	礮	EAB1	C4F9	84FA	A2D8FB	2-587B	TA7U0080
5262	礮	EAB2	C4FA	84FB	A2D8FC	2-587C	TA7V0080
5263	礮	EAB3	C4FB	84FC	A2D8FD	2-587D	TA7W0080
5264	礮	EAB4	C4FC	84FD	A2D8FE	2-587E	TA7X0080
5265	礮	EAB5	C540	8541	A2D9A1	2-5921	TA810080
5266	礮	EAB6	C541	8542	A2D9A2	2-5922	TA820080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 27 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5267	簞	EAB7	C542	8543	A2D9A3	2-5923	TA830080
5268	筭	EAB8	C543	8544	A2D9A4	2-5924	TA840080
5269	筐	EAB9	C544	8545	A2D9A5	2-5925	TA850080
5270	箒	EABA	C545	8546	A2D9A6	2-5926	TA860080
5271	蓋	EABB	C546	8547	A2D9A7	2-5927	TA870080
5272	築	EABC	C547	8548	A2D9A8	2-5928	TA880080
5273	筐	EABD	C548	8549	A2D9A9	2-5929	TA890080
5274	箒	EABE	C549	854A	A2D9AA	2-592A	TA8A0080
5275	簞	EABF	C54A	854B	A2D9AB	2-592B	TA8B0080
5276	簞	EAC0	C54B	854C	A2D9AC	2-592C	TA8C0080
5277	簞	EAC1	C54C	854D	A2D9AD	2-592D	TA8D0080
5278	簞	EAC2	C54D	854E	A2D9AE	2-592E	TA8E0080
5279	蒸	EAC3	C54E	854F	A2D9AF	2-592F	TA8F0080
5280	箒	EAC4	C54F	8550	A2D9B0	2-5930	TA8G0080
5281	箒	EAC5	C550	8551	A2D9B1	2-5931	TA8H0080
5282	箒	EAC6	C551	8552	A2D9B2	2-5932	TA8I0080
5283	糲	EAC7	C552	8553	A2D9B3	2-5933	TA8J0080
5284	糲	EAC8	C553	8554	A2D9B4	2-5934	TA8K0080
5285	糲	EAC9	C554	8555	A2D9B5	2-5935	TA8L0080
5286	糲	EACA	C555	8556	A2D9B6	2-5936	TA8M0080
5287	糲	EACB	C556	8557	A2D9B7	2-5937	TA8N0080
5288	糲	EACC	C557	8558	A2D9B8	2-5938	TA8O0080
5289	糲	EACD	C558	8559	A2D9B9	2-5939	TA8P0080
5290	糲	EACE	C559	855A	A2D9BA	2-593A	TA8Q0080
5291	糲	EACF	C55A	855B	A2D9BB	2-593B	TA8R0080
5292	糲	EAD0	C55B	855C	A2D9BC	2-593C	TA8S0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 28 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5293	穀	EAD1	C55C	855D	A2D9BD	2-593D	TA8T0080
5294	縑	EAD2	C55D	855E	A2D9BE	2-593E	TA8U0080
5295	縐	EAD3	C55E	855F	A2D9BF	2-593F	TA8V0080
5296	緝	EAD4	C55F	8560	A2D9C0	2-5940	TA8W0080
5297	緝	EAD5	C560	8561	A2D9C1	2-5941	TA8X0080
5298	縉	EAD6	C561	8562	A2D9C2	2-5942	TA8Y0080
5299	縢	EAD7	C562	8563	A2D9C3	2-5943	TA8Z0080
5300	縵	EAD8	C563	8564	A2D9C4	2-5944	TA900080
5301	縞	EAD9	C564	8565	A2D9C5	2-5945	TA910080
5302	縧	EADA	C565	8566	A2D9C6	2-5946	TA920080
5303	縯	EADB	C566	8567	A2D9C7	2-5947	TA930080
5304	縺	EADC	C567	8568	A2D9C8	2-5948	TA940080
5305	縻	EADD	C568	8569	A2D9C9	2-5949	TA950080
5306	縼	EADE	C569	856A	A2D9CA	2-594A	TA960080
5307	縻	EADF	C56A	856B	A2D9CB	2-594B	TA970080
5308	縻	EAE0	C56B	856C	A2D9CC	2-594C	TA980080
5309	縻	EAE1	C56C	856D	A2D9CD	2-594D	TA990080
5310	縻	EAE2	C56D	856E	A2D9CE	2-594E	TA9A0080
5311	縻	EAE3	C56E	856F	A2D9CF	2-594F	TA9B0080
5312	縻	EAE4	C56F	8570	A2D9D0	2-5950	TA9C0080
5313	縻	EAE5	C570	8571	A2D9D1	2-5951	TA9D0080
5314	縻	EAE6	C571	8572	A2D9D2	2-5952	TA9E0080
5315	縻	EAE7	C572	8573	A2D9D3	2-5953	TA9F0080
5316	縻	EAE8	C573	8574	A2D9D4	2-5954	TA9G0080
5317	縻	EAE9	C574	8575	A2D9D5	2-5955	TA9H0080
5318	縻	EAEA	C575	8576	A2D9D6	2-5956	TA9I0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 29 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5319	臄	EAEB	C576	8577	A2D9D7	2-5957	TA9J0080
5320	臄	EAEC	C577	8578	A2D9D8	2-5958	TA9K0080
5321	臄	EAED	C578	8579	A2D9D9	2-5959	TA9L0080
5322	臄	EAE E	C579	857A	A2D9DA	2-595A	TA9M0080
5323	臄	EAEF	C57A	857B	A2D9DB	2-595B	TA9N0080
5324	臄	EAF0	C57B	857C	A2D9DC	2-595C	TA9O0080
5325	臄	EAF1	C57C	857D	A2D9DD	2-595D	TA9P0080
5326	臄	EAF2	C57D	857E	A2D9DE	2-595E	TA9Q0080
5327	臄	EAF3	C57E	857F	A2D9DF	2-595F	TA9R0080
5328	臄	EAF4	C580	8581	A2D9E0	2-5960	TA9T0080
5329	臄	EAF5	C581	8582	A2D9E1	2-5961	TA9U0080
5330	臄	EAF6	C582	8583	A2D9E2	2-5962	TA9V0080
5331	臄	EAF7	C583	8584	A2D9E3	2-5963	TA9W0080
5332	臄	EAF8	C584	8585	A2D9E4	2-5964	TA9X0080
5333	臄	EAF9	C585	8586	A2D9E5	2-5965	TA9Y0080
5334	臄	EAF A	C586	8587	A2D9E6	2-5966	TA9Z0080
5335	臄	EAF B	C587	8588	A2D9E7	2-5967	TAA00080
5336	臄	EAF C	C588	8589	A2D9E8	2-5968	TAA10080
5337	臄	EAF D	C589	858A	A2D9E9	2-5969	TAA20080
5338	臄	EAF E	C58A	858B	A2D9EA	2-596A	TAA30080
5339	臄	EB40	C58B	858C	A2D9EB	2-596B	TAA40080
5340	臄	EB41	C58C	858D	A2D9EC	2-596C	TAA50080
5341	臄	EB42	C58D	858E	A2D9ED	2-596D	TAA60080
5342	臄	EB43	C58E	858F	A2D9EE	2-596E	TAA70080
5343	臄	EB44	C58F	8590	A2D9EF	2-596F	TAA80080
5344	臄	EB45	C590	8591	A2D9F0	2-5970	TAA90080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 30 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5345	蔺	EB46	C591	8592	A2D9F1	2-5971	TAAA0080
5346	蕈	EB47	C592	8593	A2D9F2	2-5972	TAAB0080
5347	蕘	EB48	C593	8594	A2D9F3	2-5973	TAAC0080
5348	蕚	EB49	C594	8595	A2D9F4	2-5974	TAAD0080
5349	蕛	EB4A	C595	8596	A2D9F5	2-5975	TAAE0080
5350	蕜	EB4B	C596	8597	A2D9F6	2-5976	TAAF0080
5351	蕝	EB4C	C597	8598	A2D9F7	2-5977	TAAG0080
5352	蕞	EB4D	C598	8599	A2D9F8	2-5978	TAAH0080
5353	蕟	EB4E	C599	859A	A2D9F9	2-5979	TAAI0080
5354	蕠	EB4F	C59A	859B	A2D9FA	2-597A	TAAJ0080
5355	蕡	EB50	C59B	859C	A2D9FB	2-597B	TAAK0080
5356	蕢	EB51	C59C	859D	A2D9FC	2-597C	TAAL0080
5357	蕣	EB52	C59D	859E	A2D9FD	2-597D	TAAM0080
5358	蕵	EB53	C59E	859F	A2D9FE	2-597E	TAAO0080
5359	蕶	EB54	C59F	85A0	A2DAA1	2-5A21	TAAQ0080
5360	蕷	EB55	C5A0	85A1	A2DAA2	2-5A22	TAAP0080
5361	蕸	EB56	C5A1	85A2	A2DAA3	2-5A23	TAAQ0080
5362	蕹	EB57	C5A2	85A3	A2DAA4	2-5A24	TAAR0080
5363	蕺	EB58	C5A3	85A4	A2DAA5	2-5A25	TAAS0080
5364	蕻	EB59	C5A4	85A5	A2DAA6	2-5A26	TAAT0080
5365	蕼	EB5A	C5A5	85A6	A2DAA7	2-5A27	TAAU0080
5366	蕽	EB5B	C5A6	85A7	A2DAA9	2-5A29	TAAV0080
5367	蕽	EB5C	C5A7	85A8	A2DAAA	2-5A2A	TAAW0080
5368	蚶	EB5D	C5A8	85A9	A2DAAB	2-5A2B	TAAZ0080
5369	螻	EB5E	C5A9	85AA	A2DAAC	2-5A2C	TAAZ0080
5370	輪	EB5F	C5AA	85AB	A2DAAD	2-5A2D	TAAZ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 31 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5371	蠟	EB60	C5AB	85AC	A2DAAE	2-5A2E	TAB00080
5372	蠟	EB61	C5AC	85AD	A2DAAF	2-5A2F	TAB10080
5373	蠟	EB62	C5AD	85AE	A2DAB0	2-5A30	TAB20080
5374	蠟	EB63	C5AE	85AF	A2DAB1	2-5A31	TAB30080
5375	蠟	EB64	C5AF	85B0	A2DAB2	2-5A32	TAB40080
5376	蠟	EB65	C5B0	85B1	A2DAB3	2-5A33	TAB50080
5377	蠟	EB66	C5B1	85B2	A2DAB4	2-5A34	TAB60080
5378	蠟	EB67	C5B2	85B3	A2DAB5	2-5A35	TAB70080
5379	蠟	EB68	C5B3	85B4	A2DAB6	2-5A36	TAB80080
5380	蠟	EB69	C5B4	85B5	A2DAB7	2-5A37	TAB90080
5381	蠟	EB6A	C5B5	85B6	A2DAB8	2-5A38	TABA0080
5382	蠟	EB6B	C5B6	85B7	A2DAB9	2-5A39	TABB0080
5383	蠟	EB6C	C5B7	85B8	A2DABA	2-5A3A	TABC0080
5384	蠟	EB6D	C5B8	85B9	A2DABB	2-5A3B	TABD0080
5385	蠟	EB6E	C5B9	85BA	A2DABC	2-5A3C	TABE0080
5386	蠟	EB6F	C5BA	85BB	A2DABD	2-5A3D	TABF0080
5387	襪	EB70	C5BB	85BC	A2DABE	2-5A3E	TABG0080
5388	襪	EB71	C5BC	85BD	A2DABF	2-5A3F	TABH0080
5389	襪	EB72	C5BD	85BE	A2DAC0	2-5A40	TABI0080
5390	襪	EB73	C5BE	85BF	A2DAC1	2-5A41	TABJ0080
5391	襪	EB74	C5BF	85C0	A2DAC2	2-5A42	TABK0080
5392	襪	EB75	C5C0	85C1	A2DAC3	2-5A43	TABL0080
5393	襪	EB76	C5C1	85C2	A2DAC4	2-5A44	TABM0080
5394	襪	EB77	C5C2	85C3	A2DAC5	2-5A45	TABN0080
5395	襪	EB78	C5C3	85C4	A2DAC6	2-5A46	TABO0080
5396	襪	EB79	C5C4	85C5	A2DAC7	2-5A47	TABP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 32 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5397	襦	EB7A	C5C5	85C6	A2DAC8	2-5A48	TABQ0080
5398	襟	EB7B	C5C6	85C7	A2DAC9	2-5A49	TABR0080
5399	褻	EB7C	C5C7	85C8	A2DACA	2-5A4A	TABS0080
5400	罍	EB7D	C5C8	85C9	A2DACB	2-5A4B	TABT0080
5401	誼	EB7E	C5C9	85CA	A2DACC	2-5A4C	TABU0080
5402	譚	EBA1	C5CA	85CB	A2DACD	2-5A4D	TABV0080
5403	誣	EBA2	C5CB	85CC	A2DACE	2-5A4E	TABW0080
5404	誠	EBA3	C5CC	85CD	A2DACF	2-5A4F	TABX0080
5405	誦	EBA4	C5CD	85CE	A2DAD0	2-5A50	TABY0080
5406	譚	EBA5	C5CE	85CF	A2DAD1	2-5A51	TABZ0080
5407	諛	EBA6	C5CF	85D0	A2DAD2	2-5A52	TAC00080
5408	諤	EBA7	C5D0	85D1	A2DAD3	2-5A53	TAC10080
5409	諛	EBA8	C5D1	85D2	A2DAD4	2-5A54	TAC20080
5410	諛	EBA9	C5D2	85D3	A2DAD5	2-5A55	TAC30080
5411	誣	EBA A	C5D3	85D4	A2DAD6	2-5A56	TAC40080
5412	論	EBAB	C5D4	85D5	A2DAD7	2-5A57	TAC50080
5413	諡	EBAC	C5D5	85D6	A2DAD8	2-5A58	TAC60080
5414	諡	EBAD	C5D6	85D7	A2DAD9	2-5A59	TAC70080
5415	誦	EBAE	C5D7	85D8	A2DADA	2-5A5A	TAC80080
5416	誦	EBAF	C5D8	85D9	A2DADB	2-5A5B	TAC90080
5417	誼	EBB0	C5D9	85DA	A2DADC	2-5A5C	TACA0080
5418	緝	EBB1	C5DA	85DB	A2DADD	2-5A5D	TACB0080
5419	緝	EBB2	C5DB	85DC	A2DADE	2-5A5E	TACC0080
5420	諭	EBB3	C5DC	85DD	A2DADF	2-5A5F	TACD0080
5421	贈	EBB4	C5DD	85DE	A2DAE0	2-5A60	TACE0080
5422	賈	EBB5	C5DE	85DF	A2DAE1	2-5A61	TACF0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 33 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5423	暉	EBB6	C5DF	85E0	A2DAE2	2-5A62	TACG0080
5424	賸	EBB7	C5E0	85E1	A2DAE3	2-5A63	TACH0080
5425	職	EBB8	C5E1	85E2	A2DAE4	2-5A64	TACI0080
5426	賴	EBB9	C5E2	85E3	A2DAE5	2-5A65	TACJ0080
5427	賴	EBBA	C5E3	85E4	A2DAE6	2-5A66	TACK0080
5428	越	EBBB	C5E4	85E5	A2DAE7	2-5A67	TACL0080
5429	越	EBBC	C5E5	85E6	A2DAE8	2-5A68	TACM0080
5430	踏	EBBD	C5E6	85E7	A2DAE9	2-5A69	TACN0080
5431	躡	EBBE	C5E7	85E8	A2DAEA	2-5A6A	TACO0080
5432	躡	EBBF	C5E8	85E9	A2DAEB	2-5A6B	TACP0080
5433	蹠	EBC0	C5E9	85EA	A2DAEC	2-5A6C	TACQ0080
5434	蹠	EBC1	C5EA	85EB	A2DAED	2-5A6D	TACR0080
5435	蹠	EBC2	C5EB	85EC	A2DAEE	2-5A6E	TACS0080
5436	蹠	EBC3	C5EC	85ED	A2DAEF	2-5A6F	TACT0080
5437	躡	EBC4	C5ED	85EE	A2DAF0	2-5A70	TACU0080
5438	躡	EBC5	C5EE	85EF	A2DAF1	2-5A71	TACV0080
5439	躡	EBC6	C5EF	85F0	A2DAF2	2-5A72	TACW0080
5440	蹠	EBC7	C5F0	85F1	A2DAF3	2-5A73	TACX0080
5441	躡	EBC8	C5F1	85F2	A2DAF4	2-5A74	TACY0080
5442	躡	EBC9	C5F2	85F3	A2DAF5	2-5A75	TACZ0080
5443	鞞	EBCA	C5F3	85F4	A2DAF6	2-5A76	TAD00080
5444	鞞	EBCB	C5F4	85F5	A2DAF7	2-5A77	TAD10080
5445	鞞	EBCC	C5F5	85F6	A2DAF8	2-5A78	TAD20080
5446	鞞	EBCD	C5F6	85F7	A2DAF9	2-5A79	TAD30080
5447	鞞	EBCE	C5F7	85F8	A2DAFA	2-5A7A	TAD40080
5448	鞞	EBCF	C5F8	85F9	A2DAFB	2-5A7B	TAD50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 34 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5449	遶	EBD0	C5F9	85FA	A2DAFC	2-5A7C	TAD60080
5450	遙	EBD1	C5FA	85FB	A2DAFD	2-5A7D	TAD70080
5451	選	EBD2	C5FB	85FC	A2DAFE	2-5A7E	TAD80080
5452	造	EBD3	C5FC	85FD	A2DBA1	2-5B21	TAD90080
5453	鎔	EBD4	C640	8641	A2DBA2	2-5B22	TADD0080
5454	鄺	EBD5	C641	8642	A2DBA3	2-5B23	TADE0080
5455	鄺	EBD6	C642	8643	A2DBA4	2-5B24	TADF0080
5456	鄺	EBD7	C643	8644	A2DBA5	2-5B25	TADG0080
5457	醞	EBD8	C644	8645	A2DBA6	2-5B26	TADH0080
5458	醐	EBD9	C645	8646	A2DBA7	2-5B27	TADI0080
5459	醞	EBDA	C646	8647	A2DBA8	2-5B28	TADJ0080
5460	醞	EBDB	C647	8648	A2DBA9	2-5B29	TADK0080
5461	醋	EBDC	C648	8649	A2DBAA	2-5B2A	TADL0080
5462	鎔	EBDD	C649	864A	A2DBAB	2-5B2B	TADM0080
5463	鎔	EBDE	C64A	864B	A2DBAC	2-5B2C	TADN0080
5464	鎔	EBDF	C64B	864C	A2DBAD	2-5B2D	TADO0080
5465	鎔	EBE0	C64C	864D	A2DBAE	2-5B2E	TADP0080
5466	鎔	EBE1	C64D	864E	A2DBAF	2-5B2F	TADQ0080
5467	鎔	EBE2	C64E	864F	A2DBB0	2-5B30	TADR0080
5468	鎔	EBE3	C64F	8650	A2DBB1	2-5B31	TADS0080
5469	鎔	EBE4	C650	8651	A2DBB2	2-5B32	TADT0080
5470	鎔	EBE5	C651	8652	A2DBB3	2-5B33	TADU0080
5471	鎔	EBE6	C652	8653	A2DBB4	2-5B34	TADV0080
5472	鎔	EBE7	C653	8654	A2DBB5	2-5B35	TADW0080
5473	鋼	EBE8	C654	8655	A2DBB6	2-5B36	TADX0080
5474	鏢	EBE9	C655	8656	A2DBB7	2-5B37	TADY0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 35 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5475	鋤	EBEA	C656	8657	A2DBB8	2-5B38	TADZ0080
5476	鋤	EBEB	C657	8658	A2DBB9	2-5B39	TAE00080
5477	鋤	EBEC	C658	8659	A2DBBA	2-5B3A	TAE10080
5478	鋤	EBED	C659	865A	A2DBBB	2-5B3B	TAE20080
5479	鋤	EBEE	C65A	865B	A2DBBC	2-5B3C	TAE30080
5480	鋤	EBEF	C65B	865C	A2DBBD	2-5B3D	TAE40080
5481	鋤	EBF0	C65C	865D	A2DBBE	2-5B3E	TAE50080
5482	鋤	EBF1	C65D	865E	A2D5CB	2-554B	TAE60080
5483	鋤	EBF2	C65E	865F	A2DBBF	2-5B3F	TAE70080
5484	鋤	EBF3	C65F	8660	A2DBC0	2-5B40	TAE80080
5485	鋤	EBF4	C660	8661	A2DBC1	2-5B41	TAE90080
5486	鋤	EBF5	C661	8662	A2DBC2	2-5B42	TAEA0080
5487	鋤	EBF6	C662	8663	A2DBC3	2-5B43	TAEB0080
5488	鋤	EBF7	C663	8664	A2DBC4	2-5B44	TAEC0080
5489	鋤	EBF8	C664	8665	A2DBC5	2-5B45	TAED0080
5490	鋤	EBF9	C665	8666	A2DBC6	2-5B46	TAE00080
5491	鋤	EBFA	C666	8667	A2DBC7	2-5B47	TAEF0080
5492	鋤	EBFB	C667	8668	A2DBC8	2-5B48	TAEG0080
5493	鋤	EBFC	C668	8669	A2DBC9	2-5B49	TAEH0080
5494	鋤	EBFD	C669	866A	A2DBCA	2-5B4A	TAEI0080
5495	鋤	EBFE	C66A	866B	A2DBCB	2-5B4B	TAEJ0080
5496	鋤	EC40	C66B	866C	A2DBCC	2-5B4C	TAEK0080
5497	鋤	EC41	C66C	866D	A2DBCD	2-5B4D	TAEL0080
5498	鋤	EC42	C66D	866E	A2DBCE	2-5B4E	TAEM0080
5499	鋤	EC43	C66E	866F	A2DBCF	2-5B4F	TAEN0080
5500	鋤	EC44	C66F	8670	A2DBD0	2-5B50	TAEO0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 36 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5501	螫	EC45	C670	8671	A2DBD1	2-5B51	TAEP0080
5502	闕	EC46	C671	8672	A2DBD2	2-5B52	TAEQ0080
5503	闕	EC47	C672	8673	A2DBD3	2-5B53	TAER0080
5504	闕	EC48	C673	8674	A2DBD4	2-5B54	TAES0080
5505	闕	EC49	C674	8675	A2DBD5	2-5B55	TAET0080
5506	闕	EC4A	C675	8676	A2DBD6	2-5B56	TAEU0080
5507	闕	EC4B	C676	8677	A2DBD7	2-5B57	TAEV0080
5508	闕	EC4C	C677	8678	A2DBD8	2-5B58	TAEW0080
5509	闕	EC4D	C678	8679	A2DBD9	2-5B59	TAEX0080
5510	闕	EC4E	C679	867A	A2DBDA	2-5B5A	TAEY0080
5511	隕	EC4F	C67A	867B	A2DBDB	2-5B5B	TAEZ0080
5512	雥	EC50	C67B	867C	A2DBDC	2-5B5C	TAF00080
5513	雥	EC51	C67C	867D	A2DBDD	2-5B5D	TAF10080
5514	雥	EC52	C67D	867E	A2DBDE	2-5B5E	TAF20080
5515	雥	EC53	C67E	867F	A2DBDF	2-5B5F	TAF30080
5516	鞞	EC54	C680	8681	A2DBE0	2-5B60	TAF50080
5517	鞞	EC55	C681	8682	A2DBE1	2-5B61	TAF60080
5518	鞞	EC56	C682	8683	A2DBE2	2-5B62	TAF70080
5519	螫	EC57	C683	8684	A2DBE3	2-5B63	TAF80080
5520	鞞	EC58	C684	8685	A2DBE4	2-5B64	TAF90080
5521	鞞	EC59	C685	8686	A2DBE5	2-5B65	TAF A0080
5522	鞞	EC5A	C686	8687	A2DBE6	2-5B66	TAF B0080
5523	鞞	EC5B	C687	8688	A2DBE7	2-5B67	TAF C0080
5524	餽	EC5C	C688	8689	A2DBE8	2-5B68	TAF D0080
5525	餽	EC5D	C689	868A	A2DBE9	2-5B69	TAF E0080
5526	餽	EC5E	C68A	868B	A2DBEA	2-5B6A	TAF F0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 37 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5527	餒	EC5F	C68B	868C	A2DBEB	2-5B6B	TAFG0080
5528	醇	EC60	C68C	868D	A2DBEC	2-5B6C	TAFH0080
5529	駁	EC61	C68D	868E	A2DBED	2-5B6D	TAFI0080
5530	駟	EC62	C68E	868F	A2DBEE	2-5B6E	TAFJ0080
5531	駮	EC63	C68F	8690	A2DBEF	2-5B6F	TAFK0080
5532	駮	EC64	C690	8691	A2DBF0	2-5B70	TAFM0080
5533	駮	EC65	C691	8692	A2DBF1	2-5B71	TAFN0080
5534	駮	EC66	C692	8693	A2DBF2	2-5B72	TAFN0080
5535	駮	EC67	C693	8694	A2DBF3	2-5B73	TAFO0080
5536	駮	EC68	C694	8695	A2DBF4	2-5B74	TAFP0080
5537	駮	EC69	C695	8696	A2DBF5	2-5B75	TAFQ0080
5538	駮	EC6A	C696	8697	A2DBF6	2-5B76	TAFR0080
5539	駮	EC6B	C697	8698	A2DBF7	2-5B77	TAFS0080
5540	駮	EC6C	C698	8699	A2DBF8	2-5B78	TAFT0080
5541	駮	EC6D	C699	869A	A2DBF9	2-5B79	TAFU0080
5542	駮	EC6E	C69A	869B	A2DBFA	2-5B7A	TAFV0080
5543	駮	EC6F	C69B	869C	A2DBFB	2-5B7B	TAFW0080
5544	駮	EC70	C69C	869D	A2DBFC	2-5B7C	TAFX0080
5545	駮	EC71	C69D	869E	A2DBFD	2-5B7D	TAFY0080
5546	駮	EC72	C69E	869F	A2DBFE	2-5B7E	TAFZ0080
5547	鮫	EC73	C69F	86A0	A2DCA1	2-5C21	TAG00080
5548	鮫	EC74	C6A0	86A1	A2DCA2	2-5C22	TAG10080
5549	鮫	EC75	C6A1	86A2	A2DCA3	2-5C23	TAG20080
5550	鮫	EC76	C6A2	86A3	A2DCA4	2-5C24	TAG30080
5551	鮫	EC77	C6A3	86A4	A2DCA5	2-5C25	TAG40080
5552	鮫	EC78	C6A4	86A5	A2DCA6	2-5C26	TAG50080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 38 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5553	鰓	EC79	C6A5	86A6	A2DCA7	2-5C27	TAG60080
5554	鮓	EC7A	C6A6	86A7	A2DCA8	2-5C28	TAG70080
5555	鮔	EC7B	C6A7	86A8	A2DCA9	2-5C29	TAG80080
5556	鮕	EC7C	C6A8	86A9	A2DCAA	2-5C2A	TAG90080
5557	鮖	EC7D	C6A9	86AA	A2DCAB	2-5C2B	TAGA0080
5558	鮗	EC7E	C6AA	86AB	A2DCAC	2-5C2C	TAGB0080
5559	鮘	ECA1	C6AB	86AC	A2DCAD	2-5C2D	TAGC0080
5560	鮙	ECA2	C6AC	86AD	A2DCAE	2-5C2E	TAGD0080
5561	鮚	ECA3	C6AD	86AE	A2DCAF	2-5C2F	TAGE0080
5562	鮛	ECA4	C6AE	86AF	A2DCB0	2-5C30	TAGF0080
5563	鮜	ECA5	C6AF	86B0	A2DCB1	2-5C31	TAGG0080
5564	鮝	ECA6	C6B0	86B1	A2DCB2	2-5C32	TAGH0080
5565	鮞	ECA7	C6B1	86B2	A2DCB3	2-5C33	TAGI0080
5566	鮟	ECA8	C6B2	86B3	A2DCB4	2-5C34	TAGJ0080
5567	鮠	ECA9	C6B3	86B4	A2DCB5	2-5C35	TAGK0080
5568	鮡	ECAA	C6B4	86B5	A2DCB6	2-5C36	TAGL0080
5569	鮢	ECAB	C6B5	86B6	A2DCB7	2-5C37	TAGM0080
5570	鮣	ECAC	C6B6	86B7	A2DCB8	2-5C38	TAGN0080
5571	鮤	ECAD	C6B7	86B8	A2DCB9	2-5C39	TAGO0080
5572	鮥	ECAE	C6B8	86B9	A2DCBA	2-5C3A	TAGP0080
5573	塵	ECAF	C6B9	86BA	A2DCBB	2-5C3B	TAGQ0080
5574	塵	ECB0	C6BA	86BB	A2DCBC	2-5C3C	TAGR0080
5575	塵	ECB1	C6BB	86BC	A2DCBD	2-5C3D	TAGS0080
5576	麩	ECB2	C6BC	86BD	A2DCBE	2-5C3E	TAGT0080
5577	麧	ECB3	C6BD	86BE	A2DCBF	2-5C3F	TAGU0080
5578	黝	ECB4	C6BE	86BF	A2DCC0	2-5C40	TAGV0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 39 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5579	𪛗	ECB5	C6BF	86C0	A2DCC1	2-5C41	TAGW0080
5580	𪛘	ECB6	C6C0	86C1	A2DCC2	2-5C42	TAGX0080
5581	𪛙	ECB7	C6C1	86C2	A2DCC3	2-5C43	TAGY0080
5582	𪛚	ECB8	C6C2	86C3	A2DCC4	2-5C44	TAGZ0080
5583	儻	ECB9	C6C3	86C4	A2DCC5	2-5C45	TAH00080
5584	儻	ECBA	C6C4	86C5	A2DCC6	2-5C46	TAH10080
5585	儻	ECBB	C6C5	86C6	A2DCC7	2-5C47	TAH20080
5586	儻	ECBC	C6C6	86C7	A2DCC8	2-5C48	TAH30080
5587	儻	ECBD	C6C7	86C8	A2DCC9	2-5C49	TAH40080
5588	儻	ECBE	C6C8	86C9	A2DCCA	2-5C4A	TAH50080
5589	儻	ECBF	C6C9	86CA	A2DCCB	2-5C4B	TAH60080
5590	嚙	ECC0	C6CA	86CB	A2DCCC	2-5C4C	TAH70080
5591	嚙	ECC1	C6CB	86CC	A2DCCD	2-5C4D	TAH80080
5592	嚙	ECC2	C6CC	86CD	A2DCCE	2-5C4E	TAH90080
5593	嚙	ECC3	C6CD	86CE	A2DCCF	2-5C4F	TAHA0080
5594	嚙	ECC4	C6CE	86CF	A2DCD0	2-5C50	TAHB0080
5595	嚙	ECC5	C6CF	86D0	A2DCD1	2-5C51	TAHC0080
5596	嚙	ECC6	C6D0	86D1	A2DCD2	2-5C52	TAHD0080
5597	嚙	ECC7	C6D1	86D2	A2DCD3	2-5C53	TAHE0080
5598	嚙	ECC8	C6D2	86D3	A2DCD4	2-5C54	TAHF0080
5599	嚙	ECC9	C6D3	86D4	A2DCD5	2-5C55	TAHG0080
5600	嚙	ECCA	C6D4	86D5	A2DCD6	2-5C56	TAHH0080
5601	嚙	ECCB	C6D5	86D6	A2DCD7	2-5C57	TAHI0080
5602	嚙	ECCC	C6D6	86D7	A2DCD8	2-5C58	TAHJ0080
5603	嚙	ECCD	C6D7	86D8	A2DCD9	2-5C59	TAHK0080
5604	嚙	ECCE	C6D8	86D9	A2DCDA	2-5C5A	TAHL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 40 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5605	耀	ECCF	C6D9	86DA	A2DCDB	2-5C5B	TAHM0080
5606	鵬	ECD0	C6DA	86DB	A2DCDC	2-5C5C	TAHN0080
5607	嬋	ECD1	C6DB	86DC	A2DCDD	2-5C5D	TAHO0080
5608	孀	ECD2	C6DC	86DD	A2DCDE	2-5C5E	TAHP0080
5609	墟	ECD3	C6DD	86DE	A2DCDF	2-5C5F	TAHQ0080
5610	孀	ECD4	C6DE	86DF	A2DCE0	2-5C60	TAHR0080
5611	孀	ECD5	C6DF	86E0	A2DCE1	2-5C61	TAHS0080
5612	嬰	ECD6	C6E0	86E1	A2DCE2	2-5C62	TAHT0080
5613	孀	ECD7	C6E1	86E2	A2DCE3	2-5C63	TAHU0080
5614	窠	ECD8	C6E2	86E3	A2DCE4	2-5C64	TAHV0080
5615	窠	ECD9	C6E3	86E4	A2DCE5	2-5C65	TAHW0080
5616	窠	ECDA	C6E4	86E5	A2DCE6	2-5C66	TAHX0080
5617	幃	ECDB	C6E5	86E6	A2DCE7	2-5C67	TAHY0080
5618	幃	ECDC	C6E6	86E7	A2DCE8	2-5C68	TAHZ0080
5619	微	ECDD	C6E7	86E8	A2DCE9	2-5C69	TAI00080
5620	徇	ECDE	C6E8	86E9	A2D7A2	2-5722	TAI10080
5621	勸	ECDF	C6E9	86EA	A2DCEA	2-5C6A	TAI20080
5622	憇	ECE0	C6EA	86EB	A2DCEB	2-5C6B	TAI30080
5623	憇	ECE1	C6EB	86EC	A2DCEC	2-5C6C	TAI40080
5624	憇	ECE2	C6EC	86ED	A2DCED	2-5C6D	TAI50080
5625	憇	ECE3	C6ED	86EE	A2DCEE	2-5C6E	TAI60080
5626	憇	ECE4	C6EE	86EF	A2DCEF	2-5C6F	TAI70080
5627	憇	ECE5	C6EF	86F0	A2DCF0	2-5C70	TAI80080
5628	憇	ECE6	C6F0	86F1	A2DCF1	2-5C71	TAI90080
5629	憇	ECE7	C6F1	86F2	A2DCF2	2-5C72	TAIA0080
5630	攢	ECE8	C6F2	86F3	A2DCF3	2-5C73	TAIB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 41 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5631	搵	ECE9	C6F3	86F4	A2DCF4	2-5C74	TAIC0080
5632	擣	ECEA	C6F4	86F5	A2DCF5	2-5C75	TAID0080
5633	擣	ECEB	C6F5	86F6	A2DCF6	2-5C76	TAIE0080
5634	擣	ECEC	C6F6	86F7	A2DCF7	2-5C77	TAIF0080
5635	擣	ECED	C6F7	86F8	A2DCF8	2-5C78	TAIG0080
5636	擣	ECEE	C6F8	86F9	A2DCF9	2-5C79	TAIH0080
5637	擣	ECEF	C6F9	86FA	A2DCFA	2-5C7A	TAII0080
5638	擣	ECF0	C6FA	86FB	A2DCFB	2-5C7B	TAIJ0080
5639	擣	ECF1	C6FB	86FC	A2DCFC	2-5C7C	TAIK0080
5640	擣	ECF2	C6FC	86FD	A2DCFD	2-5C7D	TAIL0080
5641	擣	ECF3	C740	8741	A2DCFE	2-5C7E	TAIP0080
5642	擣	ECF4	C741	8742	A2DDA1	2-5D21	TAIQ0080
5643	擣	ECF5	C742	8743	A2DDA2	2-5D22	TAIR0080
5644	擣	ECF6	C743	8744	A2DDA3	2-5D23	TAIS0080
5645	擣	ECF7	C744	8745	A2DDA4	2-5D24	TAIT0080
5646	擣	ECF8	C745	8746	A2DDA5	2-5D25	TAIU0080
5647	擣	ECF9	C746	8747	A2DDA6	2-5D26	TAIV0080
5648	擣	ECFA	C747	8748	A2DDA7	2-5D27	TAIW0080
5649	擣	ECFB	C748	8749	A2DDA8	2-5D28	TAIX0080
5650	擣	ECFC	C749	874A	A2DDA9	2-5D29	TAIY0080
5651	擣	ECFD	C74A	874B	A2DDAA	2-5D2A	TAIZ0080
5652	擣	ECFE	C74B	874C	A2DDAB	2-5D2B	TAJ00080
5653	擣	ED40	C74C	874D	A2DDAC	2-5D2C	TAJ10080
5654	擣	ED41	C74D	874E	A2DDAD	2-5D2D	TAJ20080
5655	擣	ED42	C74E	874F	A2DDAE	2-5D2E	TAJ30080
5656	擣	ED43	C74F	8750	A2DDAF	2-5D2F	TAJ40080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 42 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5657	榑	ED44	C750	8751	A2DDB0	2-5D30	TAJ50080
5658	榑	ED45	C751	8752	A2DDB1	2-5D31	TAJ60080
5659	榑	ED46	C752	8753	A2DDB2	2-5D32	TAJ70080
5660	榑	ED47	C753	8754	A2DDB3	2-5D33	TAJ80080
5661	榑	ED48	C754	8755	A2DDB4	2-5D34	TAJ90080
5662	榑	ED49	C755	8756	A2DDB5	2-5D35	TAJA0080
5663	榑	ED4A	C756	8757	A2DDB6	2-5D36	TAJB0080
5664	榑	ED4B	C757	8758	A2DDB7	2-5D37	TAJC0080
5665	榑	ED4C	C758	8759	A2DDB8	2-5D38	TAJD0080
5666	榑	ED4D	C759	875A	A2DDB9	2-5D39	TAJE0080
5667	榑	ED4E	C75A	875B	A2DDBA	2-5D3A	TAJF0080
5668	榑	ED4F	C75B	875C	A2DDBB	2-5D3B	TAJG0080
5669	澗	ED50	C75C	875D	A2DDBC	2-5D3C	TAJH0080
5670	澗	ED51	C75D	875E	A2DDBD	2-5D3D	TAJI0080
5671	澗	ED52	C75E	875F	A2DDBE	2-5D3E	TAJJ0080
5672	澗	ED53	C75F	8760	A2DDBF	2-5D3F	TAJK0080
5673	澗	ED54	C760	8761	A2DDC0	2-5D40	TAJL0080
5674	澗	ED55	C761	8762	A2DDC1	2-5D41	TAJM0080
5675	澗	ED56	C762	8763	A2DDC2	2-5D42	TAJN0080
5676	澗	ED57	C763	8764	A2DDC3	2-5D43	TAJO0080
5677	澗	ED58	C764	8765	A2DDC4	2-5D44	TAJP0080
5678	澗	ED59	C765	8766	A2DDC5	2-5D45	TAJQ0080
5679	澗	ED5A	C766	8767	A2DDC6	2-5D46	TAJR0080
5680	澗	ED5B	C767	8768	A2DDC7	2-5D47	TAJS0080
5681	澗	ED5C	C768	8769	A2DDC8	2-5D48	TAJT0080
5682	澗	ED5D	C769	876A	A2DDC9	2-5D49	TAJU0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 43 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5683	熾	ED5E	C76A	876B	A2DDCA	2-5D4A	TAJV0080
5684	熾	ED5F	C76B	876C	A2DDCB	2-5D4B	TAJW0080
5685	熾	ED60	C76C	876D	A2DDCC	2-5D4C	TAJX0080
5686	熾	ED61	C76D	876E	A2DDCD	2-5D4D	TAJY0080
5687	熾	ED62	C76E	876F	A2DDCE	2-5D4E	TAJZ0080
5688	獮	ED63	C76F	8770	A2DDCF	2-5D4F	TAK00080
5689	獮	ED64	C770	8771	A2DDD0	2-5D50	TAK10080
5690	獮	ED65	C771	8772	A2DDD1	2-5D51	TAK20080
5691	邊	ED66	C772	8773	A2DDD2	2-5D52	TAK30080
5692	璣	ED67	C773	8774	A2DDD3	2-5D53	TAK40080
5693	璣	ED68	C774	8775	A2DDD4	2-5D54	TAK50080
5694	璣	ED69	C775	8776	A2DDD5	2-5D55	TAK60080
5695	璣	ED6A	C776	8777	A2DDD6	2-5D56	TAK70080
5696	璣	ED6B	C777	8778	A2DDD7	2-5D57	TAK80080
5697	璣	ED6C	C778	8779	A2DDD8	2-5D58	TAK90080
5698	璣	ED6D	C779	877A	A2DDD9	2-5D59	TAKA0080
5699	璣	ED6E	C77A	877B	A2DDDA	2-5D5A	TAKB0080
5700	璣	ED6F	C77B	877C	A2DDDB	2-5D5B	TAKC0080
5701	甌	ED70	C77C	877D	A2DDDC	2-5D5C	TAKD0080
5702	甌	ED71	C77D	877E	A2DDDD	2-5D5D	TAKE0080
5703	甌	ED72	C77E	877F	A2DDDE	2-5D5E	TAKF0080
5704	隣	ED73	C780	8781	A2DDDF	2-5D5F	TAKH0080
5705	癩	ED74	C781	8782	A2DDE0	2-5D60	TAKI0080
5706	癩	ED75	C782	8783	A2DDE1	2-5D61	TAKJ0080
5707	癩	ED76	C783	8784	A2DDE2	2-5D62	TAKK0080
5708	癩	ED77	C784	8785	A2DDE3	2-5D63	TAKL0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 44 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5709	皤	ED78	C785	8786	A2DDE4	2-5D64	TAKM0080
5710	皤	ED79	C786	8787	A2DDE5	2-5D65	TAKN0080
5711	皤	ED7A	C787	8788	A2DDE6	2-5D66	TAKO0080
5712	皤	ED7B	C788	8789	A2DDE7	2-5D67	TAKP0080
5713	皤	ED7C	C789	878A	A2DDE8	2-5D68	TAKQ0080
5714	皤	ED7D	C78A	878B	A2DDE9	2-5D69	TAKR0080
5715	皤	ED7E	C78B	878C	A2DDEA	2-5D6A	TAKS0080
5716	皤	EDA1	C78C	878D	A2DDEB	2-5D6B	TAKT0080
5717	皤	EDA2	C78D	878E	A2DDEC	2-5D6C	TAKU0080
5718	皤	EDA3	C78E	878F	A2DDED	2-5D6D	TAKV0080
5719	皤	EDA4	C78F	8790	A2DDEE	2-5D6E	TAKW0080
5720	皤	EDA5	C790	8791	A2DDEF	2-5D6F	TAKX0080
5721	皤	EDA6	C791	8792	A2DDF0	2-5D70	TAKY0080
5722	皤	EDA7	C792	8793	A2DDF1	2-5D71	TAKZ0080
5723	皤	EDA8	C793	8794	A2DDF2	2-5D72	TAL00080
5724	皤	EDA9	C794	8795	A2DDF3	2-5D73	TAL10080
5725	皤	EDAA	C795	8796	A2DDF5	2-5D75	TAL20080
5726	皤	EDAB	C796	8797	A2DDF6	2-5D76	TAL30080
5727	皤	EDAC	C797	8798	A2DDF7	2-5D77	TAL40080
5728	皤	EDAD	C798	8799	A2DDF8	2-5D78	TAL50080
5729	皤	EDAE	C799	879A	A2DDF9	2-5D79	TAL60080
5730	皤	EDAF	C79A	879B	A2DDFA	2-5D7A	TAL70080
5731	皤	EDB0	C79B	879C	A2DDFB	2-5D7B	TAL80080
5732	皤	EDB1	C79C	879D	A2DDFC	2-5D7C	TAL90080
5733	皤	EDB2	C79D	879E	A2DDFD	2-5D7D	TALA0080
5734	皤	EDB3	C79E	879F	A2DDFE	2-5D7E	TALB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 45 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5735	稜	EDB4	C79F	87A0	A2DEA1	2-5E21	TALC0080
5736	稜	EDB5	C7A0	87A1	A2DEA2	2-5E22	TALD0080
5737	橋	EDB6	C7A1	87A2	A2DEA3	2-5E23	TALE0080
5738	竅	EDB7	C7A2	87A3	A2DEA4	2-5E24	TALF0080
5739	窺	EDB8	C7A3	87A4	A2DEA5	2-5E25	TALG0080
5740	窺	EDB9	C7A4	87A5	A2DEA6	2-5E26	TALH0080
5741	簷	EDBA	C7A5	87A6	A2DEA7	2-5E27	TALI0080
5742	簷	EDBB	C7A6	87A7	A2DEA8	2-5E28	TALJ0080
5743	簞	EDBC	C7A7	87A8	A2DEA9	2-5E29	TALK0080
5744	簞	EDBD	C7A8	87A9	A2DEAA	2-5E2A	TALL0080
5745	簞	EDBE	C7A9	87AA	A2DEAB	2-5E2B	TALM0080
5746	簞	EDBF	C7AA	87AB	A2DEAC	2-5E2C	TALN0080
5747	箝	EDC0	C7AB	87AC	A2DEAD	2-5E2D	TALO0080
5748	籩	EDC1	C7AC	87AD	A2DEAE	2-5E2E	TALP0080
5749	籩	EDC2	C7AD	87AE	A2DEAF	2-5E2F	TALQ0080
5750	籩	EDC3	C7AE	87AF	A2DEB0	2-5E30	TALR0080
5751	籩	EDC4	C7AF	87B0	A2DEB1	2-5E31	TALS0080
5752	籩	EDC5	C7B0	87B1	A2DEB2	2-5E32	TALT0080
5753	籩	EDC6	C7B1	87B2	A2DEB3	2-5E33	TALU0080
5754	籩	EDC7	C7B2	87B3	A2DEB4	2-5E34	TALV0080
5755	籩	EDC8	C7B3	87B4	A2DEB5	2-5E35	TALW0080
5756	籩	EDC9	C7B4	87B5	A2DEB6	2-5E36	TALX0080
5757	籩	EDCA	C7B5	87B6	A2DEB7	2-5E37	TALY0080
5758	籩	EDCB	C7B6	87B7	A2DEB8	2-5E38	TALZ0080
5759	籩	EDCC	C7B7	87B8	A2DEB9	2-5E39	TAM00080
5760	籩	EDCD	C7B8	87B9	A2DEBA	2-5E3A	TAM10080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 46 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5761	筮	EDCE	C7B9	87BA	A2DEBB	2-5E3B	TAM20080
5762	糲	EDCF	C7BA	87BB	A2DEBC	2-5E3C	TAM30080
5763	縞	EDD0	C7BB	87BC	A2DEBD	2-5E3D	TAM40080
5764	縠	EDD1	C7BC	87BD	A2DEBE	2-5E3E	TAM50080
5765	縡	EDD2	C7BD	87BE	A2DEBF	2-5E3F	TAM60080
5766	縢	EDD3	C7BE	87BF	A2DEC0	2-5E40	TAM70080
5767	縤	EDD4	C7BF	87C0	A2DEC1	2-5E41	TAM80080
5768	縖	EDD5	C7C0	87C1	A2DEC2	2-5E42	TAM90080
5769	縘	EDD6	C7C1	87C2	A2DEC3	2-5E43	TAMA0080
5770	縙	EDD7	C7C2	87C3	A2DEC4	2-5E44	TAMB0080
5771	縚	EDD8	C7C3	87C4	A2DEC5	2-5E45	TAMC0080
5772	縛	EDD9	C7C4	87C5	A2DEC6	2-5E46	TAMD0080
5773	縜	EDDA	C7C5	87C6	A2DEC7	2-5E47	TAME0080
5774	縝	EDDB	C7C6	87C7	A2DEC8	2-5E48	TAMF0080
5775	縞	EDDC	C7C7	87C8	A2DEC9	2-5E49	TAMG0080
5776	縞	EDDD	C7C8	87C9	A2DECA	2-5E4A	TAMH0080
5777	縞	EDDE	C7C9	87CA	A2DECB	2-5E4B	TAMI0080
5778	縞	EDDF	C7CA	87CB	A2DECC	2-5E4C	TAMJ0080
5779	縞	EDE0	C7CB	87CC	A2DECD	2-5E4D	TAMK0080
5780	縞	EDE1	C7CC	87CD	A2DECE	2-5E4E	TAML0080
5781	置	EDE2	C7CD	87CE	A2DECF	2-5E4F	TAMM0080
5782	冑	EDE3	C7CE	87CF	A2DED0	2-5E50	TAMN0080
5783	冑	EDE4	C7CF	87D0	A2DED1	2-5E51	TAMO0080
5784	冑	EDE5	C7D0	87D1	A2DED2	2-5E52	TAMP0080
5785	冑	EDE6	C7D1	87D2	A2DED3	2-5E53	TAMQ0080
5786	冑	EDE7	C7D2	87D3	A2DED4	2-5E54	TAMR0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 47 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5787	膾	EDE8	C7D3	87D4	A2DED5	2-5E55	TAMS0080
5788	臙	EDE9	C7D4	87D5	A2DED6	2-5E56	TAMT0080
5789	臞	EDEA	C7D5	87D6	A2DED7	2-5E57	TAMU0080
5790	臞	EDEB	C7D6	87D7	A2DED8	2-5E58	TAMV0080
5791	臞	EDEC	C7D7	87D8	A2DED9	2-5E59	TAMW0080
5792	臞	EDED	C7D8	87D9	A2DEDA	2-5E5A	TAMX0080
5793	臞	EDEE	C7D9	87DA	A2DEDB	2-5E5B	TAMY0080
5794	臞	EDEF	C7DA	87DB	A2DEDC	2-5E5C	TAMZ0080
5795	艘	EDF0	C7DB	87DC	A2DEDD	2-5E5D	TAN00080
5796	艘	EDF1	C7DC	87DD	A2DEDE	2-5E5E	TAN10080
5797	艘	EDF2	C7DD	87DE	A2DEFD	2-5E5F	TAN20080
5798	蕩	EDF3	C7DE	87DF	A2DEE0	2-5E60	TAN30080
5799	蕩	EDF4	C7DF	87E0	A2DEE1	2-5E61	TAN40080
5800	蕩	EDF5	C7E0	87E1	A2DEE2	2-5E62	TAN50080
5801	蕩	EDF6	C7E1	87E2	A2DEE3	2-5E63	TAN60080
5802	蕩	EDF7	C7E2	87E3	A2DEE4	2-5E64	TAN70080
5803	蕩	EDF8	C7E3	87E4	A2DEE5	2-5E65	TAN80080
5804	蕩	EDF9	C7E4	87E5	A2DEE6	2-5E66	TAN90080
5805	蕩	EDFA	C7E5	87E6	A2DEE7	2-5E67	TANA0080
5806	蕩	EDFB	C7E6	87E7	A2DEE8	2-5E68	TANB0080
5807	蕩	EDFC	C7E7	87E8	A2DEE9	2-5E69	TANC0080
5808	蕩	EDFD	C7E8	87E9	A2DEEA	2-5E6A	TAND0080
5809	蕩	EDFE	C7E9	87EA	A2DEEB	2-5E6B	TANE0080
5810	蕩	EE40	C7EA	87EB	A2DEEC	2-5E6C	TANF0080
5811	蕩	EE41	C7EB	87EC	A2DEED	2-5E6D	TANG0080
5812	蕩	EE42	C7EC	87ED	A2DEEE	2-5E6E	TANH0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 48 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5813	蕻	EE43	C7ED	87EE	A2DEEF	2-5E6F	TANI0080
5814	蕺	EE44	C7EE	87EF	A2DEF0	2-5E70	TANJ0080
5815	蕹	EE45	C7EF	87F0	A2DEF1	2-5E71	TANK0080
5816	蕮	EE46	C7F0	87F1	A2DEF2	2-5E72	TANL0080
5817	蕭	EE47	C7F1	87F2	A2DEF3	2-5E73	TANM0080
5818	蕯	EE48	C7F2	87F3	A2DEF4	2-5E74	TANN0080
5819	蕰	EE49	C7F3	87F4	A2DEF5	2-5E75	TANO0080
5820	蕮	EE4A	C7F4	87F5	A2DEF6	2-5E76	TANP0080
5821	蕯	EE4B	C7F5	87F6	A2DEF7	2-5E77	TANQ0080
5822	蕰	EE4C	C7F6	87F7	A2DEF8	2-5E78	TANR0080
5823	蕮	EE4D	C7F7	87F8	A2DEF9	2-5E79	TANS0080
5824	蕯	EE4E	C7F8	87F9	A2DEFA	2-5E7A	TANT0080
5825	蕰	EE4F	C7F9	87FA	A2DEFB	2-5E7B	TANU0080
5826	蕮	EE50	C7FA	87FB	A2DEFC	2-5E7C	TANV0080
5827	蕯	EE51	C7FB	87FC	A2DEFD	2-5E7D	TANW0080
5828	蕰	EE52	C7FC	87FD	A2DEFE	2-5E7E	TANX0080
5829	蕮	EE53	C840	8841	A2DFA1	2-5F21	TAO10080
5830	蕯	EE54	C841	8842	A2DFA2	2-5F22	TAO20080
5831	蕰	EE55	C842	8843	A2DFA3	2-5F23	TAO30080
5832	蕮	EE56	C843	8844	A2DFA4	2-5F24	TAO40080
5833	蕯	EE57	C844	8845	A2DFA5	2-5F25	TAO50080
5834	蕰	EE58	C845	8846	A2DFA6	2-5F26	TAO60080
5835	蕮	EE59	C846	8847	A2DFA7	2-5F27	TAO70080
5836	蕯	EE5A	C847	8848	A2DFA8	2-5F28	TAO80080
5837	蕰	EE5B	C848	8849	A2DFA9	2-5F29	TAO90080
5838	蕮	EE5C	C849	884A	A2DFAA	2-5F2A	TAOA0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 49 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5839	嘈	EE5D	C84A	884B	A2DFAB	2-5F2B	TAOB0080
5840	𪗇	EE5E	C84B	884C	A2DFAC	2-5F2C	TAOC0080
5841	𪗈	EE5F	C84C	884D	A2DFAD	2-5F2D	TAOD0080
5842	𪗉	EE60	C84D	884E	A2DFAE	2-5F2E	TAOE0080
5843	𪗊	EE61	C84E	884F	A2DFAF	2-5F2F	TAOF0080
5844	𪗋	EE62	C84F	8850	A2DFB0	2-5F30	TAOG0080
5845	𪗌	EE63	C850	8851	A2DFB1	2-5F31	TAOH0080
5846	𪗍	EE64	C851	8852	A2DFB2	2-5F32	TAOI0080
5847	𪗎	EE65	C852	8853	A2DFB3	2-5F33	TAOJ0080
5848	𪗏	EE66	C853	8854	A2DFB4	2-5F34	TAOK0080
5849	𪗐	EE67	C854	8855	A2DFB5	2-5F35	TAOL0080
5850	𪗑	EE68	C855	8856	A2DFB6	2-5F36	TAOM0080
5851	𪗒	EE69	C856	8857	A2DFB7	2-5F37	TAON0080
5852	𪗓	EE6A	C857	8858	A2DFB8	2-5F38	TAOO0080
5853	𪗔	EE6B	C858	8859	A2DFB9	2-5F39	TAOP0080
5854	𪗕	EE6C	C859	885A	A2DFBA	2-5F3A	TAOQ0080
5855	𪗖	EE6D	C85A	885B	A2DFBB	2-5F3B	TAOR0080
5856	𪗗	EE6E	C85B	885C	A2DFBC	2-5F3C	TAOS0080
5857	𪗘	EE6F	C85C	885D	A2DFBD	2-5F3D	TAOT0080
5858	𪗙	EE70	C85D	885E	A2DFBE	2-5F3E	TAOU0080
5859	𪗚	EE71	C85E	885F	A2DFBF	2-5F3F	TAOV0080
5860	𪗛	EE72	C85F	8860	A2DFC0	2-5F40	TAOW0080
5861	𪗜	EE73	C860	8861	A2DFC1	2-5F41	TAOX0080
5862	𪗝	EE74	C861	8862	A2DFC2	2-5F42	TAOY0080
5863	𪗞	EE75	C862	8863	A2DFC3	2-5F43	TAOZ0080
5864	𪗟	EE76	C863	8864	A2DFC4	2-5F44	TAP00080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 13 (Page 50 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5865	襪	EE77	C864	8865	A2DFC5	2-5F45	TAP10080
5866	襴	EE78	C865	8866	A2DFC6	2-5F46	TAP20080
5867	覲	EE79	C866	8867	A2DFC7	2-5F47	TAP30080
5868	覲	EE7A	C867	8868	A2DFC8	2-5F48	TAP40080
5869	覺	EE7B	C868	8869	A2DFC9	2-5F49	TAP50080
5870	鮮	EE7C	C869	886A	A2DFCA	2-5F4A	TAP60080
5871	殼	EE7D	C86A	886B	A2DFCB	2-5F4B	TAP70080
5872	諄	EE7E	C86B	886C	A2DFCC	2-5F4C	TAP80080
5873	諱	EEA1	C86C	886D	A2DFCD	2-5F4D	TAP90080
5874	謾	EEA2	C86D	886E	A2DFCE	2-5F4E	TAPA0080
5875	謾	EEA3	C86E	886F	A2DFCF	2-5F4F	TAPB0080
5876	諷	EEA4	C86F	8870	A2DFD0	2-5F50	TAPC0080
5877	諫	EEA5	C870	8871	A2DFD1	2-5F51	TAPD0080
5878	謾	EEA6	C871	8872	A2DFD2	2-5F52	TAPE0080
5879	謾	EEA7	C872	8873	A2DFD3	2-5F53	TAPF0080
5880	諗	EEA8	C873	8874	A2DFD4	2-5F54	TAPG0080
5881	諷	EEA9	C874	8875	A2DFD5	2-5F55	TAPH0080
5882	謬	EEAA	C875	8876	A2DFD6	2-5F56	TAPI0080
5883	謬	EEAB	C876	8877	A2DFD7	2-5F57	TAPJ0080
5884	謬	EEAC	C877	8878	A2DFD8	2-5F58	TAPK0080
5885	諷	EEAD	C878	8879	A2DFD9	2-5F59	TAPL0080
5886	諷	EEAE	C879	887A	A2DFDA	2-5F5A	TAPM0080
5887	諷	EEAF	C87A	887B	A2DFDB	2-5F5B	TAPN0080
5888	諷	EEB0	C87B	887C	A2DFDC	2-5F5C	TAPO0080
5889	諷	EEB1	C87C	887D	A2DFDD	2-5F5D	TAPP0080
5890	穀	EEB2	C87D	887E	A2DFDE	2-5F5E	TAPQ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 51 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5891	獠	EEB3	C87E	887F	A2DFDF	2-5F5F	TAPR0080
5892	獠	EEB4	C880	8881	A2DFE0	2-5F60	TAPT0080
5893	獠	EEB5	C881	8882	A2DFE1	2-5F61	TAPU0080
5894	獠	EEB6	C882	8883	A2DFE2	2-5F62	TAPV0080
5895	獠	EEB7	C883	8884	A2DFE3	2-5F63	TAPW0080
5896	獠	EEB8	C884	8885	A2DFE4	2-5F64	TAPX0080
5897	獠	EEB9	C885	8886	A2DFE5	2-5F65	TAPY0080
5898	蹟	EEBA	C886	8887	A2DFE6	2-5F66	TAPZ0080
5899	蹟	EEBB	C887	8888	A2DFE7	2-5F67	TAQ00080
5900	蹟	EEBC	C888	8889	A2DFE8	2-5F68	TAQ10080
5901	蹟	EEBD	C889	888A	A2DFE9	2-5F69	TAQ20080
5902	蹟	EEBE	C88A	888B	A2DFEA	2-5F6A	TAQ30080
5903	蹇	EEBF	C88B	888C	A2DFEB	2-5F6B	TAQ40080
5904	轅	EEC0	C88C	888D	A2DFEC	2-5F6C	TAQ50080
5905	輻	EEC1	C88D	888E	A2DFED	2-5F6D	TAQ60080
5906	遭	EEC2	C88E	888F	A2DFEE	2-5F6E	TAQ70080
5907	蹇	EEC3	C88F	8890	A2DFEF	2-5F6F	TAQ80080
5908	孽	EEC4	C890	8891	A2DFF0	2-5F70	TAQ90080
5909	醜	EEC5	C891	8892	A2DFF1	2-5F71	TAQA0080
5910	醜	EEC6	C892	8893	A2DFF2	2-5F72	TAQB0080
5911	醜	EEC7	C893	8894	A2DFF3	2-5F73	TAQC0080
5912	醜	EEC8	C894	8895	A2DFF4	2-5F74	TAQD0080
5913	營	EEC9	C895	8896	A2DFF5	2-5F75	TAQE0080
5914	醉	EECA	C896	8897	A2DFF6	2-5F76	TAQF0080
5915	醜	EECB	C897	8898	A2DFF7	2-5F77	TAQG0080
5916	醜	EECC	C898	8899	A2DFF8	2-5F78	TAQH0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 52 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5917	鎂	EECD	C899	889A	A2DFF9	2-5F79	TAQI0080
5918	鎳	EECE	C89A	889B	A2DFFA	2-5F7A	TAQJ0080
5919	鐮	EECF	C89B	889C	A2DFFB	2-5F7B	TAQK0080
5920	鎬	EED0	C89C	889D	A2DFFC	2-5F7C	TAQL0080
5921	鎰	EED1	C89D	889E	A2DFFD	2-5F7D	TAQM0080
5922	錯	EED2	C89E	889F	A2DFFE	2-5F7E	TAQN0080
5923	鎳	EED3	C89F	88A0	A2E0A1	2-6021	TAQO0080
5924	鋤	EED4	C8A0	88A1	A2E0A2	2-6022	TAQP0080
5925	鋅	EED5	C8A1	88A2	A2E0A3	2-6023	TAQQ0080
5926	鋁	EED6	C8A2	88A3	A2E0A4	2-6024	TAQR0080
5927	鎳	EED7	C8A3	88A4	A2E0A5	2-6025	TAQS0080
5928	鋁	EED8	C8A4	88A5	A2E0A6	2-6026	TAQT0080
5929	鍍	EED9	C8A5	88A6	A2E0A7	2-6027	TAQU0080
5930	鎳	EEDA	C8A6	88A7	A2E0A8	2-6028	TAQV0080
5931	鋁	EEDB	C8A7	88A8	A2E0A9	2-6029	TAQW0080
5932	鎳	EEDC	C8A8	88A9	A2E0AA	2-602A	TAQX0080
5933	鎳	EEDD	C8A9	88AA	A2E0AB	2-602B	TAQY0080
5934	鏑	EEDE	C8AA	88AB	A2E0AC	2-602C	TAQZ0080
5935	鎳	EEDF	C8AB	88AC	A2E0AD	2-602D	TAR00080
5936	鎳	EEE0	C8AC	88AD	A2E0AE	2-602E	TAR10080
5937	鎳	EEE1	C8AD	88AE	A2E0AF	2-602F	TAR20080
5938	鎳	EEE2	C8AE	88AF	A2E0B0	2-6030	TAR30080
5939	鎳	EEE3	C8AF	88B0	A2E0B1	2-6031	TAR40080
5940	鎳	EEE4	C8B0	88B1	A2E0B2	2-6032	TAR50080
5941	鎳	EEE5	C8B1	88B2	A2E0B3	2-6033	TAR60080
5942	鎳	EEE6	C8B2	88B3	A2E0B4	2-6034	TAR70080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 53 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5943	銀	EEE7	C8B3	88B4	A2E0B5	2-6035	TAR80080
5944	鎮	EEE8	C8B4	88B5	A2E0B6	2-6036	TAR90080
5945	鎔	EEE9	C8B5	88B6	A2E0B7	2-6037	TARA0080
5946	鎬	EEEE	C8B6	88B7	A2E0B8	2-6038	TARB0080
5947	鏽	EEEB	C8B7	88B8	A2E4AF	2-642F	TARC0080
5948	鎗	EEEC	C8B8	88B9	A2E0B9	2-6039	TARD0080
5949	鎗	EEED	C8B9	88BA	A2E0BA	2-603A	TARE0080
5950	閻	EEEE	C8BA	88BB	A2E0BB	2-603B	TARF0080
5951	閻	EEEF	C8BB	88BC	A2E0BC	2-603C	TARG0080
5952	閻	EEF0	C8BC	88BD	A2E0BD	2-603D	TARH0080
5953	閻	EEF1	C8BD	88BE	A2E0BE	2-603E	TARI0080
5954	閻	EEF2	C8BE	88BF	A2E0BF	2-603F	TARJ0080
5955	癩	EEF3	C8BF	88C0	A2E0C0	2-6040	TARK0080
5956	隕	EEF4	C8C0	88C1	A2E0C1	2-6041	TARL0080
5957	隕	EEF5	C8C1	88C2	A2E0C2	2-6042	TARM0080
5958	隕	EEF6	C8C2	88C3	A2E0C3	2-6043	TARN0080
5959	霽	EEF7	C8C3	88C4	A2E0C4	2-6044	TARO0080
5960	霽	EEF8	C8C4	88C5	A2E0C5	2-6045	TARP0080
5961	霽	EEF9	C8C5	88C6	A2E0C6	2-6046	TARQ0080
5962	霽	EEFA	C8C6	88C7	A2E0C7	2-6047	TARR0080
5963	霽	EEFB	C8C7	88C8	A2E0C8	2-6048	TARS0080
5964	鞞	EEFC	C8C8	88C9	A2E0C9	2-6049	TART0080
5965	鞞	EEFD	C8C9	88CA	A2E0CA	2-604A	TARU0080
5966	鞞	EEFE	C8CA	88CB	A2E0CB	2-604B	TARV0080
5967	鞞	EF40	C8CB	88CC	A2E0CC	2-604C	TARW0080
5968	鞞	EF41	C8CC	88CD	A2E0CD	2-604D	TARX0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 54 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5969	尊	EF42	C8CD	88CE	A2E0CE	2-604E	TARY0080
5970	龔	EF43	C8CE	88CF	A2E0CF	2-604F	TARZ0080
5971	鐵	EF44	C8CF	88D0	A2E0D0	2-6050	TAS00080
5972	鎧	EF45	C8D0	88D1	A2E0D1	2-6051	TAS10080
5973	頤	EF46	C8D1	88D2	A2E0D2	2-6052	TAS20080
5974	頓	EF47	C8D2	88D3	A2E0D3	2-6053	TAS30080
5975	鎮	EF48	C8D3	88D4	A2E0D4	2-6054	TAS40080
5976	顛	EF49	C8D4	88D5	A2E0D5	2-6055	TAS50080
5977	頰	EF4A	C8D5	88D6	A2E0D6	2-6056	TAS60080
5978	峇	EF4B	C8D6	88D7	A2E0D7	2-6057	TAS70080
5979	餛	EF4C	C8D7	88D8	A2E0D8	2-6058	TAS80080
5980	餹	EF4D	C8D8	88D9	A2E0D9	2-6059	TAS90080
5981	餪	EF4E	C8D9	88DA	A2E0DA	2-605A	TASA0080
5982	餫	EF4F	C8DA	88DB	A2E0DB	2-605B	TASB0080
5983	餬	EF50	C8DB	88DC	A2E0DC	2-605C	TASC0080
5984	餬	EF51	C8DC	88DD	A2E0DD	2-605D	TASD0080
5985	餬	EF52	C8DD	88DE	A2E0DE	2-605E	TASE0080
5986	餬	EF53	C8DE	88DF	A2E0DF	2-605F	TASF0080
5987	餬	EF54	C8DF	88E0	A2E0E0	2-6060	TASG0080
5988	馘	EF55	C8E0	88E1	A2E0E1	2-6061	TASH0080
5989	馘	EF56	C8E1	88E2	A2E0E2	2-6062	TASI0080
5990	馘	EF57	C8E2	88E3	A2E0E3	2-6063	TASJ0080
5991	馘	EF58	C8E3	88E4	A2E0E4	2-6064	TASK0080
5992	馘	EF59	C8E4	88E5	A2E0E5	2-6065	TASL0080
5993	馘	EF5A	C8E5	88E6	A2E0E6	2-6066	TASM0080
5994	馘	EF5B	C8E6	88E7	A2E0E7	2-6067	TASN0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 55 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
5995	駮	EF5C	C8E7	88E8	A2E0E8	2-6068	TASO0080
5996	駮	EF5D	C8E8	88E9	A2E0E9	2-6069	TASP0080
5997	駮	EF5E	C8E9	88EA	A2E0EA	2-606A	TASQ0080
5998	駮	EF5F	C8EA	88EB	A2E0EB	2-606B	TASR0080
5999	駮	EF60	C8EB	88EC	A2E0EC	2-606C	TASS0080
6000	駮	EF61	C8EC	88ED	A2E0ED	2-606D	TAST0080
6001	駮	EF62	C8ED	88EE	A2E0EE	2-606E	TASU0080
6002	駮	EF63	C8EE	88EF	A2E0EF	2-606F	TASV0080
6003	駮	EF64	C8EF	88F0	A2E0F0	2-6070	TASW0080
6004	駮	EF65	C8F0	88F1	A2E0F1	2-6071	TASX0080
6005	駮	EF66	C8F1	88F2	A2E0F2	2-6072	TASY0080
6006	駮	EF67	C8F2	88F3	A2E0F3	2-6073	TASZ0080
6007	駮	EF68	C8F3	88F4	A2E0F4	2-6074	TAT00080
6008	魷	EF69	C8F4	88F5	A2E0F5	2-6075	TAT10080
6009	魷	EF6A	C8F5	88F6	A2E0F6	2-6076	TAT20080
6010	魷	EF6B	C8F6	88F7	A2E0F7	2-6077	TAT30080
6011	魷	EF6C	C8F7	88F8	A2E0F8	2-6078	TAT40080
6012	魷	EF6D	C8F8	88F9	A2E0F9	2-6079	TAT50080
6013	魷	EF6E	C8F9	88FA	A2E0FA	2-607A	TAT60080
6014	魷	EF6F	C8FA	88FB	A2E0FB	2-607B	TAT70080
6015	魷	EF70	C8FB	88FC	A2E0FC	2-607C	TAT80080
6016	魷	EF71	C8FC	88FD	A2E0FD	2-607D	TAT90080
6017	紫	EF72	C940	8941	A2E0FE	2-607E	TATD0080
6018	銖	EF73	C941	8942	A2E1A1	2-6121	TATE0080
6019	銖	EF74	C942	8943	A2E1A2	2-6122	TATF0080
6020	銖	EF75	C943	8944	A2E1A3	2-6123	TATG0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 56 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6021	鳩	EF76	C944	8945	A2E1A4	2-6124	TATH0080
6022	鳩	EF77	C945	8946	A2E1A5	2-6125	TATI0080
6023	鳩	EF78	C946	8947	A2E1A6	2-6126	TATJ0080
6024	鳩	EF79	C947	8948	A2E1A7	2-6127	TATK0080
6025	鳩	EF7A	C948	8949	A2E1A8	2-6128	TATL0080
6026	鳩	EF7B	C949	894A	A2E1A9	2-6129	TATM0080
6027	鳩	EF7C	C94A	894B	A2E1AA	2-612A	TATN0080
6028	鳩	EF7D	C94B	894C	A2E1AB	2-612B	TATO0080
6029	鳩	EF7E	C94C	894D	A2E1AC	2-612C	TATP0080
6030	鳩	EFA1	C94D	894E	A2E1AD	2-612D	TATQ0080
6031	鳩	EFA2	C94E	894F	A2E1AE	2-612E	TATR0080
6032	鳩	EFA3	C94F	8950	A2E1AF	2-612F	TATS0080
6033	鳩	EFA4	C950	8951	A2E1B0	2-6130	TATT0080
6034	鷓	EFA5	C951	8952	A2E1B1	2-6131	TATU0080
6035	鷓	EFA6	C952	8953	A2E1B2	2-6132	TATV0080
6036	鷓	EFA7	C953	8954	A2E1B3	2-6133	TATW0080
6037	鷓	EFA8	C954	8955	A2E1B4	2-6134	TATX0080
6038	鷓	EFA9	C955	8956	A2E1B5	2-6135	TATY0080
6039	鷓	EFAA	C956	8957	A2E1B6	2-6136	TATZ0080
6040	鷓	EFAB	C957	8958	A2E1B7	2-6137	TAU00080
6041	鷓	EFAC	C958	8959	A2E1B8	2-6138	TAU10080
6042	鷓	EFAD	C959	895A	A2E1B9	2-6139	TAU20080
6043	鷓	EFAE	C95A	895B	A2E1BA	2-613A	TAU30080
6044	鷓	EFAF	C95B	895C	A2E1BB	2-613B	TAU40080
6045	鷓	EFB0	C95C	895D	A2E1BC	2-613C	TAU50080
6046	鷓	EFB1	C95D	895E	A2E1BD	2-613D	TAU60080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 57 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6047	𪗇	EFB2	C95E	895F	A2E1BE	2-613E	TAU70080
6048	𪗈	EFB3	C95F	8960	A2E1BF	2-613F	TAU80080
6049	𪗉	EFB4	C960	8961	A2E1C0	2-6140	TAU90080
6050	𪗊	EFB5	C961	8962	A2E1C1	2-6141	TAUA0080
6051	𪗋	EFB6	C962	8963	A2E1C2	2-6142	TAUB0080
6052	𪗌	EFB7	C963	8964	A2E1C3	2-6143	TAUC0080
6053	𪗍	EFB8	C964	8965	A2E1C4	2-6144	TAUD0080
6054	𪗎	EFB9	C965	8966	A2E1C5	2-6145	TAUE0080
6055	𪗏	EFBA	C966	8967	A2E1C6	2-6146	TAUF0080
6056	𪗐	EFBB	C967	8968	A2E1C7	2-6147	TAUG0080
6057	𪗑	EFBC	C968	8969	A2E1C8	2-6148	TAUH0080
6058	𪗒	EFBD	C969	896A	A2E1C9	2-6149	TAUI0080
6059	𪗓	EFBE	C96A	896B	A2E1CA	2-614A	TAUJ0080
6060	𪗔	EFBF	C96B	896C	A2E1CB	2-614B	TAUK0080
6061	𪗕	EFC0	C96C	896D	A2E1CC	2-614C	TAUL0080
6062	𪗖	EFC1	C96D	896E	A2E1CD	2-614D	TAUM0080
6063	𪗗	EFC2	C96E	896F	A2E1CE	2-614E	TAUN0080
6064	𪗘	EFC3	C96F	8970	A2E1CF	2-614F	TAUO0080
6065	𪗙	EFC4	C970	8971	A2E1D0	2-6150	TAUP0080
6066	𪗚	EFC5	C971	8972	A2E1D1	2-6151	TAUQ0080
6067	𪗛	EFC6	C972	8973	A2E1D2	2-6152	TAUR0080
6068	𪗜	EFC7	C973	8974	A2E1D3	2-6153	TAUS0080
6069	𪗝	EFC8	C974	8975	A2E1D4	2-6154	TAUT0080
6070	𪗞	EFC9	C975	8976	A2E1D5	2-6155	TAUU0080
6071	𪗟	EFCA	C976	8977	A2E1D6	2-6156	TAUV0080
6072	𪗠	EFCB	C977	8978	A2E1D7	2-6157	TAUW0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 58 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6073	爆	EFCC	C978	8979	A2E1D8	2-6158	TAUX0080
6074	憫	EFCD	C979	897A	A2E1D9	2-6159	TAUY0080
6075	憎	EFCE	C97A	897B	A2E1DA	2-615A	TAUZ0080
6076	鎚	EFCF	C97B	897C	A2E1DB	2-615B	TAV00080
6077	懷	EFD0	C97C	897D	A2E1DC	2-615C	TAV10080
6078	搥	EFD1	C97D	897E	A2E1DD	2-615D	TAV20080
6079	搥	EFD2	C97E	897F	A2E1DE	2-615E	TAV30080
6080	擦	EFD3	C980	8981	A2E1DF	2-615F	TAV50080
6081	攙	EFD4	C981	8982	A2E1E0	2-6160	TAV60080
6082	搗	EFD5	C982	8983	A2E1E1	2-6161	TAV70080
6083	擦	EFD6	C983	8984	A2E1E2	2-6162	TAV80080
6084	搗	EFD7	C984	8985	A2E1E3	2-6163	TAV90080
6085	皸	EFD8	C985	8986	A2E1E4	2-6164	TAVA0080
6086	旛	EFD9	C986	8987	A2E1E5	2-6165	TAVB0080
6087	矇	EFDA	C987	8988	A2E1E6	2-6166	TAVC0080
6088	曠	EFDB	C988	8989	A2E1E7	2-6167	TAVD0080
6089	瞞	EFDC	C989	898A	A2E1E8	2-6168	TAVE0080
6090	檣	EFDD	C98A	898B	A2E1E9	2-6169	TAVF0080
6091	檣	EFDE	C98B	898C	A2E1EA	2-616A	TAVG0080
6092	檣	EFDF	C98C	898D	A2E1EB	2-616B	TAVH0080
6093	檣	EFE0	C98D	898E	A2E1EC	2-616C	TAVI0080
6094	檣	EFE1	C98E	898F	A2E1ED	2-616D	TAVJ0080
6095	檣	EFE2	C98F	8990	A2E1EE	2-616E	TAVK0080
6096	檣	EFE3	C990	8991	A2E1EF	2-616F	TAVL0080
6097	檣	EFE4	C991	8992	A2E1F0	2-6170	TAVM0080
6098	檣	EFE5	C992	8993	A2E1F1	2-6171	TAVN0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 13 (Page 59 of 59). Secondary Chinese Character Set (4 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6099	榎	EFE6	C993	8994	A2E1F2	2-6172	TAVO0080
6100	榧	EFE7	C994	8995	A2E1F3	2-6173	TAVP0080
6101	榧	EFE8	C995	8996	A2E1F4	2-6174	TAVQ0080
6102	榧	EFE9	C996	8997	A2E1F5	2-6175	TAVR0080
6103	榧	EFEA	C997	8998	A2E1F6	2-6176	TAVS0080
6104	漚	EFEB	C998	8999	A2E1F7	2-6177	TAVT0080
6105	漚	EFEC	C999	899A	A2E1F8	2-6178	TAVU0080
6106	漚	EFED	C99A	899B	A2E1F9	2-6179	TAVV0080
6107	漚	EFEE	C99B	899C	A2E1FA	2-617A	TAVW0080
6108	漚	EFEF	C99C	899D	A2E1FB	2-617B	TAVX0080
6109	漚	EFF0	C99D	899E	A2E1FC	2-617C	TAVY0080
6110	漚	EFF1	C99E	899F	A2E1FD	2-617D	TAVZ0080
6111	漚	EFF2	C99F	89A0	A2E1FE	2-617E	TAW00080
6112	漚	EFF3	C9A0	89A1	A2E2A1	2-6221	TAW10080
6113	漚	EFF4	C9A1	89A2	A2E2A2	2-6222	TAW20080
6114	漚	EFF5	C9A2	89A3	A2E2A3	2-6223	TAW30080
6115	漚	EFF6	C9A3	89A4	A2E2A4	2-6224	TAW40080
6116	漚	EFF7	C9A4	89A5	A2E2A5	2-6225	TAW50080
6117	漚	EFF8	C9A5	89A6	A2E2A6	2-6226	TAW60080
6118	漚	EFF9	C9A6	89A7	A2E2A7	2-6227	TAW70080
6119	漚	EFFA	C9A7	89A8	A2E2A8	2-6228	TAW80080
6120	漚	EFFB	C9A8	89A9	A2E2A9	2-6229	TAW90080
6121	漚	EFFC	C9A9	89AA	A2E2AA	2-622A	TAWA0080
6122	漚	EFFD	C9AA	89AB	A2E2AB	2-622B	TAWB0080
6123	漚	EF FE	C9AB	89AC	A2E2AC	2-622C	TAWC0080
6124	瓊	F040	C9AC	89AD	A2E2AD	2-622D	TAWD0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8.10 Secondary Chinese Character Set (5 of 5)

Table 14 (Page 1 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6125	璫	F041	C9AD	89AE	A2E2AE	2-622E	TAWE0080
6126	璫	F042	C9AE	89AF	A2E2AF	2-622F	TAWF0080
6127	璫	F043	C9AF	89B0	A2E2B0	2-6230	TAWG0080
6128	璫	F044	C9B0	89B1	A2E2B1	2-6231	TAWH0080
6129	璫	F045	C9B1	89B2	A2E2B2	2-6232	TAWI0080
6130	璫	F046	C9B2	89B3	A2E2B3	2-6233	TAWJ0080
6131	璫	F047	C9B3	89B4	A2E2B4	2-6234	TAWK0080
6132	璫	F048	C9B4	89B5	A2E2B5	2-6235	TAWL0080
6133	璫	F049	C9B5	89B6	A2E2B6	2-6236	TAWM0080
6134	璫	F04A	C9B6	89B7	A2E2B7	2-6237	TAWN0080
6135	璫	F04B	C9B7	89B8	A2E2B8	2-6238	TAWO0080
6136	璫	F04C	C9B8	89B9	A2E2B9	2-6239	TAWP0080
6137	璫	F04D	C9B9	89BA	A2E2BA	2-623A	TAWQ0080
6138	璫	F04E	C9BA	89BB	A2E2BB	2-623B	TAWR0080
6139	璫	F04F	C9BB	89BC	A2E2BC	2-623C	TAWS0080
6140	璫	F050	C9BC	89BD	A2E2BD	2-623D	TAWT0080
6141	璫	F051	C9BD	89BE	A2E2BE	2-623E	TAWU0080
6142	璫	F052	C9BE	89BF	A2E2BF	2-623F	TAWV0080
6143	璫	F053	C9BF	89C0	A2E2C0	2-6240	TAWW0080
6144	璫	F054	C9C0	89C1	A2E2C1	2-6241	TAWX0080
6145	璫	F055	C9C1	89C2	A2E2C2	2-6242	TAWY0080
6146	璫	F056	C9C2	89C3	A2DDF4	2-5D74	TAWZ0080
6147	璫	F057	C9C3	89C4	A2E2C3	2-6243	TAX00080
6148	璫	F058	C9C4	89C5	A2E2C4	2-6244	TAX10080
6149	璫	F059	C9C5	89C6	A2E2C5	2-6245	TAX20080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 2 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6150	礮	F05A	C9C6	89C7	A2E2C6	2-6246	TAX30080
6151	礮	F05B	C9C7	89C8	A2E2C7	2-6247	TAX40080
6152	礮	F05C	C9C8	89C9	A2E2C8	2-6248	TAX50080
6153	礮	F05D	C9C9	89CA	A2E2C9	2-6249	TAX60080
6154	礮	F05E	C9CA	89CB	A2E2CA	2-624A	TAX70080
6155	礮	F05F	C9CB	89CC	A2E2CB	2-624B	TAX80080
6156	礮	F060	C9CC	89CD	A2E2CC	2-624C	TAX90080
6157	礮	F061	C9CD	89CE	A2E2CD	2-624D	TAXA0080
6158	礮	F062	C9CE	89CF	A2E2CE	2-624E	TAXB0080
6159	礮	F063	C9CF	89D0	A2E2CF	2-624F	TAXC0080
6160	簞	F064	C9D0	89D1	A2E2D0	2-6250	TAXD0080
6161	簞	F065	C9D1	89D2	A2E2D1	2-6251	TAXE0080
6162	簞	F066	C9D2	89D3	A2E2D2	2-6252	TAXF0080
6163	簞	F067	C9D3	89D4	A2E2D3	2-6253	TAXG0080
6164	簞	F068	C9D4	89D5	A2E2D4	2-6254	TAXH0080
6165	簞	F069	C9D5	89D6	A2E2D5	2-6255	TAXI0080
6166	簞	F06A	C9D6	89D7	A2E2D6	2-6256	TAXJ0080
6167	簞	F06B	C9D7	89D8	A2E2D7	2-6257	TAXK0080
6168	簞	F06C	C9D8	89D9	A2E2D8	2-6258	TAXL0080
6169	簞	F06D	C9D9	89DA	A2E2D9	2-6259	TAXM0080
6170	總	F06E	C9DA	89DB	A2E2DA	2-625A	TAXN0080
6171	總	F06F	C9DB	89DC	A2E2DB	2-625B	TAXO0080
6172	總	F070	C9DC	89DD	A2E2DC	2-625C	TAXP0080
6173	總	F071	C9DD	89DE	A2E2DD	2-625D	TAXQ0080
6174	總	F072	C9DE	89DF	A2E2DE	2-625E	TAXR0080
6175	總	F073	C9DF	89E0	A2E2DF	2-625F	TAXS0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 3 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6176	縞	F074	C9E0	89E1	A2E2E0	2-6260	TAXT0080
6177	縹	F075	C9E1	89E2	A2E2E1	2-6261	TAXU0080
6178	縹	F076	C9E2	89E3	A2E2E2	2-6262	TAXV0080
6179	縹	F077	C9E3	89E4	A2E2E3	2-6263	TAXW0080
6180	縹	F078	C9E4	89E5	A2E2E4	2-6264	TAXX0080
6181	縹	F079	C9E5	89E6	A2E2E5	2-6265	TAXY0080
6182	縹	F07A	C9E6	89E7	A2E2E6	2-6266	TAXZ0080
6183	縹	F07B	C9E7	89E8	A2E2E7	2-6267	TAY00080
6184	縹	F07C	C9E8	89E9	A2E2E8	2-6268	TAY10080
6185	縹	F07D	C9E9	89EA	A2E2E9	2-6269	TAY20080
6186	縹	F07E	C9EA	89EB	A2E2EA	2-626A	TAY30080
6187	縹	F0A1	C9EB	89EC	A2E2EB	2-626B	TAY40080
6188	縹	F0A2	C9EC	89ED	A2E2EC	2-626C	TAY50080
6189	縹	F0A3	C9ED	89EE	A2E2ED	2-626D	TAY60080
6190	縹	F0A4	C9EE	89EF	A2E2EE	2-626E	TAY70080
6191	縹	F0A5	C9EF	89F0	A2E2EF	2-626F	TAY80080
6192	縹	F0A6	C9F0	89F1	A2E2F0	2-6270	TAY90080
6193	縹	F0A7	C9F1	89F2	A2E2F1	2-6271	TAYA0080
6194	縹	F0A8	C9F2	89F3	A2E2F2	2-6272	TAYB0080
6195	縹	F0A9	C9F3	89F4	A2E2F3	2-6273	TAYC0080
6196	縹	F0AA	C9F4	89F5	A2E2F4	2-6274	TAYD0080
6197	縹	F0AB	C9F5	89F6	A2E2F5	2-6275	TAYE0080
6198	縹	F0AC	C9F6	89F7	A2E2F6	2-6276	TAYF0080
6199	縹	F0AD	C9F7	89F8	A2E2F7	2-6277	TAYG0080
6200	縹	F0AE	C9F8	89F9	A2E2F8	2-6278	TAYH0080
6201	縹	F0AF	C9F9	89FA	A2E2F9	2-6279	TAYI0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 4 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6202	蓋	F0B0	C9FA	89FB	A2E2FA	2-627A	TAYJ0080
6203	曠	F0B1	C9FB	89FC	A2E2FB	2-627B	TAYK0080
6204	藟	F0B2	C9FC	89FD	A2E2FC	2-627C	TAYL0080
6205	藟	F0B3	CA40	8A41	A2E2FD	2-627D	TAYP0080
6206	藟	F0B4	CA41	8A42	A2E2FE	2-627E	TAYQ0080
6207	藟	F0B5	CA42	8A43	A2E3A1	2-6321	TAYR0080
6208	藟	F0B6	CA43	8A44	A2E3A2	2-6322	TAYS0080
6209	藟	F0B7	CA44	8A45	A2E3A3	2-6323	TAYT0080
6210	藟	F0B8	CA45	8A46	A2E3A4	2-6324	TAYU0080
6211	藟	F0B9	CA46	8A47	A2E3A5	2-6325	TAYV0080
6212	藟	F0BA	CA47	8A48	A2E3A6	2-6326	TAYW0080
6213	藟	F0BB	CA48	8A49	A2E3A7	2-6327	TAYX0080
6214	藟	F0BC	CA49	8A4A	A2E3A8	2-6328	TAYY0080
6215	藟	F0BD	CA4A	8A4B	A2E3A9	2-6329	TAYZ0080
6216	藟	F0BE	CA4B	8A4C	A2E3AA	2-632A	TAZ00080
6217	藟	F0BF	CA4C	8A4D	A2E3AB	2-632B	TAZ10080
6218	藟	F0C0	CA4D	8A4E	A2E3AC	2-632C	TAZ20080
6219	藟	F0C1	CA4E	8A4F	A2E3AD	2-632D	TAZ30080
6220	藟	F0C2	CA4F	8A50	A2E3AE	2-632E	TAZ40080
6221	藟	F0C3	CA50	8A51	A2E3AF	2-632F	TAZ50080
6222	藟	F0C4	CA51	8A52	A2E3B0	2-6330	TAZ60080
6223	藟	F0C5	CA52	8A53	A2E3B1	2-6331	TAZ70080
6224	藟	F0C6	CA53	8A54	A2E3B2	2-6332	TAZ80080
6225	藟	F0C7	CA54	8A55	A2E3B3	2-6333	TAZ90080
6226	藟	F0C8	CA55	8A56	A2E3B4	2-6334	TAZA0080
6227	藟	F0C9	CA56	8A57	A2E3B5	2-6335	TAZB0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 5 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6228	蠟	F0CA	CA57	8A58	A2E3B6	2-6336	TAZC0080
6229	缺	F0CB	CA58	8A59	A2DAA8	2-5A28	TAZD0080
6230	畫	F0CC	CA59	8A5A	A2E3B7	2-6337	TAZE0080
6231	蠟	F0CD	CA5A	8A5B	A2E3B8	2-6338	TAZF0080
6232	蠶	F0CE	CA5B	8A5C	A2E3B9	2-6339	TAZG0080
6233	蠶	F0CF	CA5C	8A5D	A2E3BA	2-633A	TAZH0080
6234	歷	F0D0	CA5D	8A5E	A2E3BB	2-633B	TAZI0080
6235	螺	F0D1	CA5E	8A5F	A2E3BC	2-633C	TAZJ0080
6236	橈	F0D2	CA5F	8A60	A2E3BD	2-633D	TAZK0080
6237	櫛	F0D3	CA60	8A61	A2E3BE	2-633E	TAZL0080
6238	櫛	F0D4	CA61	8A62	A2E3BF	2-633F	TAZM0080
6239	櫛	F0D5	CA62	8A63	A2E3C0	2-6340	TAZN0080
6240	櫛	F0D6	CA63	8A64	A2E3C1	2-6341	TAZO0080
6241	櫛	F0D7	CA64	8A65	A2E3C2	2-6342	TAZP0080
6242	櫛	F0D8	CA65	8A66	A2E3C3	2-6343	TAZQ0080
6243	櫛	F0D9	CA66	8A67	A2E3C4	2-6344	TAZR0080
6244	謫	F0DA	CA67	8A68	A2E3C5	2-6345	TAZS0080
6245	謫	F0DB	CA68	8A69	A2E3C6	2-6346	TAZT0080
6246	謬	F0DC	CA69	8A6A	A2E3C7	2-6347	TAZU0080
6247	謳	F0DD	CA6A	8A6B	A2E3C8	2-6348	TAZV0080
6248	謹	F0DE	CA6B	8A6C	A2E3C9	2-6349	TAZW0080
6249	謬	F0DF	CA6C	8A6D	A2E3CA	2-634A	TAZX0080
6250	謬	F0E0	CA6D	8A6E	A2E3CB	2-634B	TAZY0080
6251	謹	F0E1	CA6E	8A6F	A2E3CC	2-634C	TAZZ0080
6252	諱	F0E2	CA6F	8A70	A2E3CD	2-634D	TB000080
6253	謾	F0E3	CA70	8A71	A2E3CE	2-634E	TB010080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 6 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6254	護	F0E4	CA71	8A72	A2E3CF	2-634F	TB020080
6255	諷	F0E5	CA72	8A73	A2E3D0	2-6350	TB030080
6256	警	F0E6	CA73	8A74	A2E3D1	2-6351	TB040080
6257	警	F0E7	CA74	8A75	A2E3D2	2-6352	TB050080
6258	謹	F0E8	CA75	8A76	A2E3D3	2-6353	TB060080
6259	讀	F0E9	CA76	8A77	A2E3D4	2-6354	TB070080
6260	諜	F0EA	CA77	8A78	A2E3D5	2-6355	TB080080
6261	諺	F0EB	CA78	8A79	A2E3D6	2-6356	TB090080
6262	誓	F0EC	CA79	8A7A	A2E3D7	2-6357	TB0A0080
6263	誓	F0ED	CA7A	8A7B	A2E3D8	2-6358	TB0B0080
6264	嚮	F0EE	CA7B	8A7C	A2E3D9	2-6359	TB0C0080
6265	獾	F0EF	CA7C	8A7D	A2E3DA	2-635A	TB0D0080
6266	獾	F0F0	CA7D	8A7E	A2E3DB	2-635B	TB0E0080
6267	獬	F0F1	CA7E	8A7F	A2E3DC	2-635C	TB0F0080
6268	獮	F0F2	CA80	8A81	A2E3DD	2-635D	TB0H0080
6269	贖	F0F3	CA81	8A82	A2E3DE	2-635E	TB0I0080
6270	贄	F0F4	CA82	8A83	A2E3DF	2-635F	TB0J0080
6271	贖	F0F5	CA83	8A84	A2E3E0	2-6360	TB0K0080
6272	腎	F0F6	CA84	8A85	A2E3E1	2-6361	TB0L0080
6273	踏	F0F7	CA85	8A86	A2E3E2	2-6362	TB0M0080
6274	躋	F0F8	CA86	8A87	A2E3E3	2-6363	TB0N0080
6275	躋	F0F9	CA87	8A88	A2E3E4	2-6364	TB0O0080
6276	躋	F0FA	CA88	8A89	A2E3E5	2-6365	TB0P0080
6277	躋	F0FB	CA89	8A8A	A2E3E6	2-6366	TB0Q0080
6278	躋	F0FC	CA8A	8A8B	A2E3E7	2-6367	TB0R0080
6279	躋	F0FD	CA8B	8A8C	A2E3E8	2-6368	TB0S0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 7 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6280	躑	F0FE	CA8C	8A8D	A2E3E9	2-6369	TB0T0080
6281	躑	F140	CA8D	8A8E	A2E3EA	2-636A	TB0U0080
6282	躑	F141	CA8E	8A8F	A2E3EB	2-636B	TB0V0080
6283	躑	F142	CA8F	8A90	A2E3EC	2-636C	TB0W0080
6284	躑	F143	CA90	8A91	A2E3ED	2-636D	TB0X0080
6285	躑	F144	CA91	8A92	A2E3EE	2-636E	TB0Y0080
6286	躑	F145	CA92	8A93	A2E3EF	2-636F	TB0Z0080
6287	躑	F146	CA93	8A94	A2E3F0	2-6370	TB100080
6288	躑	F147	CA94	8A95	A2E3F1	2-6371	TB110080
6289	躑	F148	CA95	8A96	A2E3F2	2-6372	TB120080
6290	躑	F149	CA96	8A97	A2E3F3	2-6373	TB130080
6291	躑	F14A	CA97	8A98	A2E3F4	2-6374	TB140080
6292	躑	F14B	CA98	8A99	A2E3F5	2-6375	TB150080
6293	躑	F14C	CA99	8A9A	A2E3F6	2-6376	TB160080
6294	躑	F14D	CA9A	8A9B	A2E3F7	2-6377	TB170080
6295	躑	F14E	CA9B	8A9C	A2E3F8	2-6378	TB180080
6296	躑	F14F	CA9C	8A9D	A2E3F9	2-6379	TB190080
6297	躑	F150	CA9D	8A9E	A2E3FA	2-637A	TB1A0080
6298	躑	F151	CA9E	8A9F	A2E3FB	2-637B	TB1B0080
6299	躑	F152	CA9F	8AA0	A2E3FC	2-637C	TB1C0080
6300	躑	F153	CAA0	8AA1	A2E3FD	2-637D	TB1D0080
6301	躑	F154	CAA1	8AA2	A2E3FE	2-637E	TB1E0080
6302	躑	F155	CAA2	8AA3	A2E4A1	2-6421	TB1F0080
6303	躑	F156	CAA3	8AA4	A2E4A2	2-6422	TB1G0080
6304	躑	F157	CAA4	8AA5	A2E4A3	2-6423	TB1H0080
6305	躑	F158	CAA5	8AA6	A2E4A4	2-6424	TB1I0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 8 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6306	錫	F159	CAA6	8AA7	A2E4A5	2-6425	TB1J0080
6307	鎧	F15A	CAA7	8AA8	A2E4A6	2-6426	TB1K0080
6308	鎰	F15B	CAA8	8AA9	A2E4A7	2-6427	TB1L0080
6309	鍍	F15C	CAA9	8AAA	A2E4A8	2-6428	TB1M0080
6310	鎳	F15D	CAAA	8AAB	A2E4A9	2-6429	TB1N0080
6311	鎳	F15E	CAAB	8AAC	A2E4AA	2-642A	TB1O0080
6312	鎳	F15F	CAAC	8AAD	A2E4AB	2-642B	TB1P0080
6313	鎳	F160	CAAD	8AAE	A2E4AC	2-642C	TB1Q0080
6314	鋤	F161	CAAE	8AAF	A2E4AD	2-642D	TB1R0080
6315	錄	F162	CAAF	8AB0	A2E4AE	2-642E	TB1S0080
6316	錄	F163	CAB0	8AB1	A2E4B0	2-6430	TB1T0080
6317	錄	F164	CAB1	8AB2	A2E4B1	2-6431	TB1U0080
6318	鎰	F165	CAB2	8AB3	A2E4B2	2-6432	TB1V0080
6319	鏡	F166	CAB3	8AB4	A2E4B3	2-6433	TB1W0080
6320	鏡	F167	CAB4	8AB5	A2E4B4	2-6434	TB1X0080
6321	鎳	F168	CAB5	8AB6	A2E4B5	2-6435	TB1Y0080
6322	鎰	F169	CAB6	8AB7	A2E4B6	2-6436	TB1Z0080
6323	鑿	F16A	CAB7	8AB8	A2E4B7	2-6437	TB200080
6324	鑿	F16B	CAB8	8AB9	A2E7E1	2-6761	TB210080
6325	關	F16C	CAB9	8ABA	A2E4B8	2-6438	TB220080
6326	關	F16D	CABA	8ABB	A2E4B9	2-6439	TB230080
6327	關	F16E	CABB	8ABC	A2E4BA	2-643A	TB240080
6328	際	F16F	CABC	8ABD	A2E4BB	2-643B	TB250080
6329	輪	F170	CABD	8ABE	A2E4BC	2-643C	TB260080
6330	瞿	F171	CABE	8ABF	A2E4BD	2-643D	TB270080
6331	嵩	F172	CABF	8AC0	A2E4BE	2-643E	TB280080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 9 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6332	嵩	F173	CAC0	8AC1	A2E4BF	2-643F	TB290080
6333	曠	F174	CAC1	8AC2	A2E4C0	2-6440	TB2A0080
6334	離	F175	CAC2	8AC3	A2E4C1	2-6441	TB2B0080
6335	貢	F176	CAC3	8AC4	A2E4C2	2-6442	TB2C0080
6336	霽	F177	CAC4	8AC5	A2E4C3	2-6443	TB2D0080
6337	霽	F178	CAC5	8AC6	A2E4C4	2-6444	TB2E0080
6338	鞦	F179	CAC6	8AC7	A2E4C5	2-6445	TB2F0080
6339	鞦	F17A	CAC7	8AC8	A2E4C6	2-6446	TB2G0080
6340	鞦	F17B	CAC8	8AC9	A2E4C7	2-6447	TB2H0080
6341	鞦	F17C	CAC9	8ACA	A2E4C8	2-6448	TB2I0080
6342	鞦	F17D	CACA	8ACB	A2E4C9	2-6449	TB2J0080
6343	鞦	F17E	CACB	8ACC	A2E4CA	2-644A	TB2K0080
6344	鞦	F1A1	CACC	8ACD	A2E4CB	2-644B	TB2L0080
6345	鞦	F1A2	CACD	8ACE	A2E4CC	2-644C	TB2M0080
6346	鞦	F1A3	CACE	8ACF	A2E4CD	2-644D	TB2N0080
6347	鞦	F1A4	CACF	8AD0	A2E4CE	2-644E	TB2O0080
6348	鞦	F1A5	CAD0	8AD1	A2E4CF	2-644F	TB2P0080
6349	鞦	F1A6	CAD1	8AD2	A2E4D0	2-6450	TB2Q0080
6350	鞦	F1A7	CAD2	8AD3	A2E4D1	2-6451	TB2R0080
6351	鞦	F1A8	CAD3	8AD4	A2E4D2	2-6452	TB2S0080
6352	鞦	F1A9	CAD4	8AD5	A2E4D3	2-6453	TB2T0080
6353	鞦	F1AA	CAD5	8AD6	A2E4D4	2-6454	TB2U0080
6354	鞦	F1AB	CAD6	8AD7	A2E4D5	2-6455	TB2V0080
6355	鞦	F1AC	CAD7	8AD8	A2E4D6	2-6456	TB2W0080
6356	鞦	F1AD	CAD8	8AD9	A2E4D7	2-6457	TB2X0080
6357	鞦	F1AE	CAD9	8ADA	A2E4D8	2-6458	TB2Y0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 10 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6358	騏	F1AF	CADA	8ADB	A2E4D9	2-6459	TB2Z0080
6359	騫	F1B0	CADB	8ADC	A2E4DA	2-645A	TB300080
6360	騫	F1B1	CADC	8ADD	A2E4DB	2-645B	TB310080
6361	騫	F1B2	CADD	8ADE	A2E4DC	2-645C	TB320080
6362	騫	F1B3	CADE	8ADF	A2E4DD	2-645D	TB330080
6363	騫	F1B4	CADF	8AE0	A2E4DE	2-645E	TB340080
6364	騫	F1B5	CAE0	8AE1	A2E4DF	2-645F	TB350080
6365	騫	F1B6	CAE1	8AE2	A2E4E0	2-6460	TB360080
6366	騫	F1B7	CAE2	8AE3	A2E4E1	2-6461	TB370080
6367	騫	F1B8	CAE3	8AE4	A2E4E2	2-6462	TB380080
6368	騫	F1B9	CAE4	8AE5	A2E4E3	2-6463	TB390080
6369	騫	F1BA	CAE5	8AE6	A2E4E4	2-6464	TB3A0080
6370	騫	F1BB	CAE6	8AE7	A2E4E5	2-6465	TB3B0080
6371	騫	F1BC	CAE7	8AE8	A2E4E6	2-6466	TB3C0080
6372	騫	F1BD	CAE8	8AE9	A2E4E7	2-6467	TB3D0080
6373	騫	F1BE	CAE9	8AEA	A2E4E8	2-6468	TB3E0080
6374	騫	F1BF	CAEA	8AEB	A2E4E9	2-6469	TB3F0080
6375	魃	F1C0	CAEB	8AEC	A2E4EA	2-646A	TB3G0080
6376	魃	F1C1	CAEC	8AED	A2E4EB	2-646B	TB3H0080
6377	魃	F1C2	CAED	8AEE	A2E4EC	2-646C	TB3I0080
6378	魃	F1C3	CAEE	8AEF	A2E4ED	2-646D	TB3J0080
6379	魃	F1C4	CAEF	8AF0	A2E4EE	2-646E	TB3K0080
6380	魃	F1C5	CAF0	8AF1	A2E4EF	2-646F	TB3L0080
6381	魃	F1C6	CAF1	8AF2	A2E4F0	2-6470	TB3M0080
6382	魃	F1C7	CAF2	8AF3	A2E4F1	2-6471	TB3N0080
6383	魃	F1C8	CAF3	8AF4	A2E4F2	2-6472	TB3O0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 11 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6384	鮓	F1C9	CAF4	8AF5	A2E4F3	2-6473	TB3P0080
6385	鮓	F1CA	CAF5	8AF6	A2E4F4	2-6474	TB3Q0080
6386	鮓	F1CB	CAF6	8AF7	A2E4F5	2-6475	TB3R0080
6387	鮓	F1CC	CAF7	8AF8	A2E4F6	2-6476	TB3S0080
6388	鮓	F1CD	CAF8	8AF9	A2E4F7	2-6477	TB3T0080
6389	鮓	F1CE	CAF9	8AFA	A2E4F8	2-6478	TB3U0080
6390	鵠	F1CF	CAFA	8AFB	A2E4F9	2-6479	TB3V0080
6391	鵠	F1D0	CAFB	8AFC	A2E4FA	2-647A	TB3W0080
6392	鵠	F1D1	CAFC	8AFD	A2E4FB	2-647B	TB3X0080
6393	鵠	F1D2	CB40	8B41	A2E4FC	2-647C	TB410080
6394	鵠	F1D3	CB41	8B42	A2E4FD	2-647D	TB420080
6395	鵠	F1D4	CB42	8B43	A2E4FE	2-647E	TB430080
6396	鵠	F1D5	CB43	8B44	A2E5A1	2-6521	TB440080
6397	鵠	F1D6	CB44	8B45	A2E5A2	2-6522	TB450080
6398	鵠	F1D7	CB45	8B46	A2E5A3	2-6523	TB460080
6399	鵠	F1D8	CB46	8B47	A2E5A4	2-6524	TB470080
6400	鵠	F1D9	CB47	8B48	A2E5A5	2-6525	TB480080
6401	鵠	F1DA	CB48	8B49	A2E5A6	2-6526	TB490080
6402	鵠	F1DB	CB49	8B4A	A2E5A7	2-6527	TB4A0080
6403	鵠	F1DC	CB4A	8B4B	A2E5A8	2-6528	TB4B0080
6404	鵠	F1DD	CB4B	8B4C	A2E5A9	2-6529	TB4C0080
6405	麤	F1DE	CB4C	8B4D	A2E5AA	2-652A	TB4D0080
6406	麤	F1DF	CB4D	8B4E	A2E5AB	2-652B	TB4E0080
6407	黠	F1E0	CB4E	8B4F	A2E5AC	2-652C	TB4F0080
6408	黠	F1E1	CB4F	8B50	A2E5AD	2-652D	TB4G0080
6409	黠	F1E2	CB50	8B51	A2E5AE	2-652E	TB4H0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 12 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6410	戛	F1E3	CB51	8B52	A2E5AF	2-652F	TB4I0080
6411	戇	F1E4	CB52	8B53	A2E5B0	2-6530	TB4J0080
6412	𪗇	F1E5	CB53	8B54	A2E5B1	2-6531	TB4K0080
6413	𪗈	F1E6	CB54	8B55	A2E5B2	2-6532	TB4L0080
6414	𪗉	F1E7	CB55	8B56	A2E5B3	2-6533	TB4M0080
6415	𪗊	F1E8	CB56	8B57	A2E5B4	2-6534	TB4N0080
6416	齋	F1E9	CB57	8B58	A2E5B5	2-6535	TB4O0080
6417	齋	F1EA	CB58	8B59	A2E5B6	2-6536	TB4P0080
6418	懷	F1EB	CB59	8B5A	A2E5B7	2-6537	TB4Q0080
6419	備	F1EC	CB5A	8B5B	A2E5B8	2-6538	TB4R0080
6420	剗	F1ED	CB5B	8B5C	A2E5B9	2-6539	TB4S0080
6421	勸	F1EE	CB5C	8B5D	A2E5BA	2-653A	TB4T0080
6422	𪗋	F1EF	CB5D	8B5E	A2E5BB	2-653B	TB4U0080
6423	𪗌	F1F0	CB5E	8B5F	A2E5BC	2-653C	TB4V0080
6424	𪗍	F1F1	CB5F	8B60	A2E5BD	2-653D	TB4W0080
6425	𪗎	F1F2	CB60	8B61	A2E5BE	2-653E	TB4X0080
6426	𪗏	F1F3	CB61	8B62	A2E5BF	2-653F	TB4Y0080
6427	𪗐	F1F4	CB62	8B63	A2E5C0	2-6540	TB4Z0080
6428	𪗑	F1F5	CB63	8B64	A2E5C1	2-6541	TB500080
6429	墟	F1F6	CB64	8B65	A2E5C2	2-6542	TB510080
6430	墟	F1F7	CB65	8B66	A2E5C3	2-6543	TB520080
6431	𪗒	F1F8	CB66	8B67	A2E5C4	2-6544	TB530080
6432	嬰	F1F9	CB67	8B68	A2E5C5	2-6545	TB540080
6433	嫖	F1FA	CB68	8B69	A2E5C6	2-6546	TB550080
6434	嫖	F1FB	CB69	8B6A	A2E5C7	2-6547	TB560080
6435	嫖	F1FC	CB6A	8B6B	A2E5C8	2-6548	TB570080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 13 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6436	龍	F1FD	CB6B	8B6C	A2E5C9	2-6549	TB580080
6437	噙	F1FE	CB6C	8B6D	A2E5CA	2-654A	TB590080
6438	僮	F240	CB6D	8B6E	A2E5CB	2-654B	TB5A0080
6439	憤	F241	CB6E	8B6F	A2E5CC	2-654C	TB5B0080
6440	搥	F242	CB6F	8B70	A2E5CD	2-654D	TB5C0080
6441	擻	F243	CB70	8B71	A2E5CE	2-654E	TB5D0080
6442	擻	F244	CB71	8B72	A2E5CF	2-654F	TB5E0080
6443	擻	F245	CB72	8B73	A2E5D0	2-6550	TB5F0080
6444	擻	F246	CB73	8B74	A2E5D1	2-6551	TB5G0080
6445	擻	F247	CB74	8B75	A2E5D2	2-6552	TB5H0080
6446	擻	F248	CB75	8B76	A2E5D3	2-6553	TB5I0080
6447	擻	F249	CB76	8B77	A2E5D4	2-6554	TB5J0080
6448	旌	F24A	CB77	8B78	A2E5D5	2-6555	TB5K0080
6449	曠	F24B	CB78	8B79	A2E5D6	2-6556	TB5L0080
6450	櫛	F24C	CB79	8B7A	A2E5D7	2-6557	TB5M0080
6451	櫛	F24D	CB7A	8B7B	A2E5D8	2-6558	TB5N0080
6452	櫛	F24E	CB7B	8B7C	A2E5D9	2-6559	TB5O0080
6453	櫛	F24F	CB7C	8B7D	A2E5DA	2-655A	TB5P0080
6454	櫛	F250	CB7D	8B7E	A2E5DB	2-655B	TB5Q0080
6455	櫛	F251	CB7E	8B7F	A2E5DC	2-655C	TB5R0080
6456	櫛	F252	CB80	8B81	A2E5DD	2-655D	TB5T0080
6457	櫛	F253	CB81	8B82	A2E5DE	2-655E	TB5U0080
6458	櫛	F254	CB82	8B83	A2E5DF	2-655F	TB5V0080
6459	櫛	F255	CB83	8B84	A2E5E0	2-6560	TB5W0080
6460	櫛	F256	CB84	8B85	A2E5E1	2-6561	TB5X0080
6461	櫛	F257	CB85	8B86	A2E5E2	2-6562	TB5Y0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 14 of 59). Secondary Character Set (5 of 5), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6462	櫟	F258	CB86	8B87	A2E5E3	2-6563	TB5Z0080
6463	獸	F259	CB87	8B88	A2E5E4	2-6564	TB600080
6464	殞	F25A	CB88	8B89	A2E5E5	2-6565	TB610080
6465	魯	F25B	CB89	8B8A	A2E5E6	2-6566	TB620080
6466	瀕	F25C	CB8A	8B8B	A2E5E7	2-6567	TB630080
6467	瀧	F25D	CB8B	8B8C	A2E5E8	2-6568	TB640080
6468	瀦	F25E	CB8C	8B8D	A2E5E9	2-6569	TB650080
6469	濯	F25F	CB8D	8B8E	A2E5EA	2-656A	TB660080
6470	灑	F260	CB8E	8B8F	A2E5EB	2-656B	TB670080
6471	灑	F261	CB8F	8B90	A2E5EC	2-656C	TB680080
6472	灑	F262	CB90	8B91	A2E5ED	2-656D	TB690080
6473	灑	F263	CB91	8B92	A2E5EE	2-656E	TB6A0080
6474	灑	F264	CB92	8B93	A2E5EF	2-656F	TB6B0080
6475	灑	F265	CB93	8B94	A2E5F0	2-6570	TB6C0080
6476	灑	F266	CB94	8B95	A2E5F1	2-6571	TB6D0080
6477	灑	F267	CB95	8B96	A2E5F2	2-6572	TB6E0080
6478	灑	F268	CB96	8B97	A2E9B4	2-6934	TB6F0080
6479	灑	F269	CB97	8B98	A2E5F3	2-6573	TB6G0080
6480	灑	F26A	CB98	8B99	A2E5F4	2-6574	TB6H0080
6481	灑	F26B	CB99	8B9A	A2E5F5	2-6575	TB6I0080
6482	灑	F26C	CB9A	8B9B	A2E5F6	2-6576	TB6J0080
6483	灑	F26D	CB9B	8B9C	A2E5F7	2-6577	TB6K0080
6484	灑	F26E	CB9C	8B9D	A2E5F8	2-6578	TB6L0080
6485	灑	F26F	CB9D	8B9E	A2E5F9	2-6579	TB6M0080
6486	灑	F270	CB9E	8B9F	A2E5FA	2-657A	TB6N0080
6487	灑	F271	CB9F	8BA0	A2E5FB	2-657B	TB6O0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 15 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6488	擱	F272	CBA0	8BA1	A2E5FC	2-657C	TB6P0080
6489	擱	F273	CBA1	8BA2	A2E5FD	2-657D	TB6Q0080
6490	擱	F274	CBA2	8BA3	A2E5FE	2-657E	TB6R0080
6491	擱	F275	CBA3	8BA4	A2E6A1	2-6621	TB6S0080
6492	擱	F276	CBA4	8BA5	A2E6A2	2-6622	TB6T0080
6493	擱	F277	CBA5	8BA6	A2E6A3	2-6623	TB6U0080
6494	擱	F278	CBA6	8BA7	A2E6A4	2-6624	TB6V0080
6495	擱	F279	CBA7	8BA8	A2E6A5	2-6625	TB6W0080
6496	擱	F27A	CBA8	8BA9	A2E6A6	2-6626	TB6X0080
6497	擱	F27B	CBA9	8BAA	A2E6A7	2-6627	TB6Y0080
6498	擱	F27C	CBAA	8BAB	A2E6A8	2-6628	TB6Z0080
6499	擱	F27D	CBAB	8BAC	A2E6A9	2-6629	TB700080
6500	擱	F27E	CBAC	8BAD	A2E6AA	2-662A	TB710080
6501	擱	F2A1	CBAD	8BAE	A2E6AB	2-662B	TB720080
6502	擱	F2A2	CBAE	8BAF	A2E6AC	2-662C	TB730080
6503	擱	F2A3	CBAF	8BB0	A2E6AD	2-662D	TB740080
6504	擱	F2A4	CBB0	8BB1	A2E6AE	2-662E	TB750080
6505	擱	F2A5	CBB1	8BB2	A2E6AF	2-662F	TB760080
6506	擱	F2A6	CBB2	8BB3	A2E6B0	2-6630	TB770080
6507	擱	F2A7	CBB3	8BB4	A2E6B1	2-6631	TB780080
6508	擱	F2A8	CBB4	8BB5	A2E6B2	2-6632	TB790080
6509	擱	F2A9	CBB5	8BB6	A2E6B3	2-6633	TB7A0080
6510	擱	F2AA	CBB6	8BB7	A2E6B4	2-6634	TB7B0080
6511	擱	F2AB	CBB7	8BB8	A2E6B5	2-6635	TB7C0080
6512	擱	F2AC	CBB8	8BB9	A2E6B6	2-6636	TB7D0080
6513	擱	F2AD	CBB9	8BBA	A2E6B7	2-6637	TB7E0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 16 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6514	槩	F2AE	CBBA	8BBB	A2E6B8	2-6638	TB7F0080
6515	縊	F2AF	CBBB	8BBC	A2E6B9	2-6639	TB7G0080
6516	縊	F2B0	CBBC	8BBD	A2E6BA	2-663A	TB7H0080
6517	縊	F2B1	CBBD	8BBE	A2E6BB	2-663B	TB7I0080
6518	縊	F2B2	CBBE	8BBF	A2E6BC	2-663C	TB7J0080
6519	縊	F2B3	CBBF	8BC0	A2E6BD	2-663D	TB7K0080
6520	縊	F2B4	CBC0	8BC1	A2E6BE	2-663E	TB7L0080
6521	縊	F2B5	CBC1	8BC2	A2E6BF	2-663F	TB7M0080
6522	縊	F2B6	CBC2	8BC3	A2E6C0	2-6640	TB7N0080
6523	縊	F2B7	CBC3	8BC4	A2E6C1	2-6641	TB7O0080
6524	縊	F2B8	CBC4	8BC5	A2E6C2	2-6642	TB7P0080
6525	縊	F2B9	CBC5	8BC6	A2E6C3	2-6643	TB7Q0080
6526	縊	F2BA	CBC6	8BC7	A2E6C4	2-6644	TB7R0080
6527	縊	F2BB	CBC7	8BC8	A2E6C5	2-6645	TB7S0080
6528	縊	F2BC	CBC8	8BC9	A2E6C6	2-6646	TB7T0080
6529	縊	F2BD	CBC9	8BCA	A2E6C7	2-6647	TB7U0080
6530	縊	F2BE	CBCA	8BCB	A2E6C8	2-6648	TB7V0080
6531	縊	F2BF	CBCB	8BCC	A2E6C9	2-6649	TB7W0080
6532	縊	F2C0	CBCC	8BCD	A2E6CA	2-664A	TB7X0080
6533	縊	F2C1	CBCD	8BCE	A2E6CB	2-664B	TB7Y0080
6534	縊	F2C2	CBCE	8BCF	A2E6CC	2-664C	TB7Z0080
6535	縊	F2C3	CBCF	8BD0	A2E6CE	2-664E	TB800080
6536	縊	F2C4	CBD0	8BD1	A2E6CF	2-664F	TB810080
6537	縊	F2C5	CBD1	8BD2	A2E6D0	2-6650	TB820080
6538	縊	F2C6	CBD2	8BD3	A2E6D1	2-6651	TB830080
6539	縊	F2C7	CBD3	8BD4	A2E6D2	2-6652	TB840080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 17 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6540	菊	F2C8	CBD4	8BD5	A2E6D3	2-6653	TB850080
6541	藪	F2C9	CBD5	8BD6	A2E6D4	2-6654	TB860080
6542	藎	F2CA	CBD6	8BD7	A2E6D5	2-6655	TB870080
6543	蕪	F2CB	CBD7	8BD8	A2E6D6	2-6656	TB880080
6544	蕒	F2CC	CBD8	8BD9	A2E6D7	2-6657	TB890080
6545	蕓	F2CD	CBD9	8BDA	A2E6D8	2-6658	TB8A0080
6546	藨	F2CE	CBDA	8BDB	A2E6D9	2-6659	TB8B0080
6547	藩	F2CF	CBDB	8BDC	A2E6DA	2-665A	TB8C0080
6548	藪	F2D0	CBDC	8BDD	A2E6DB	2-665B	TB8D0080
6549	藫	F2D1	CBDD	8BDE	A2E6DC	2-665C	TB8E0080
6550	藬	F2D2	CBDE	8BDF	A2E6DD	2-665D	TB8F0080
6551	藭	F2D3	CBDF	8BE0	A2E6DE	2-665E	TB8G0080
6552	藮	F2D4	CBE0	8BE1	A2E6DF	2-665F	TB8H0080
6553	藯	F2D5	CBE1	8BE2	A2E6E0	2-6660	TB8I0080
6554	藰	F2D6	CBE2	8BE3	A2E6E1	2-6661	TB8J0080
6555	藱	F2D7	CBE3	8BE4	A2E6E2	2-6662	TB8K0080
6556	藲	F2D8	CBE4	8BE5	A2E6E3	2-6663	TB8L0080
6557	藳	F2D9	CBE5	8BE6	A2E6E4	2-6664	TB8M0080
6558	藴	F2DA	CBE6	8BE7	A2E6E5	2-6665	TB8N0080
6559	藵	F2DB	CBE7	8BE8	A2E6E6	2-6666	TB8O0080
6560	藶	F2DC	CBE8	8BE9	A2E6E7	2-6667	TB8P0080
6561	藷	F2DD	CBE9	8BEA	A2E6E8	2-6668	TB8Q0080
6562	藸	F2DE	CBEA	8BEB	A2E6E9	2-6669	TB8R0080
6563	藹	F2DF	CBEB	8BEC	A2E6EA	2-666A	TB8S0080
6564	藺	F2E0	CBEC	8BED	A2E6EB	2-666B	TB8T0080
6565	藻	F2E1	CBED	8BEE	A2E6EC	2-666C	TB8U0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 18 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6566	蝟	F2E2	CBEE	8BEF	A2E6ED	2-666D	TB8V0080
6567	蠶	F2E3	CBEF	8BF0	A2E6EE	2-666E	TB8W0080
6568	螫	F2E4	CBF0	8BF1	A2E6EF	2-666F	TB8X0080
6569	蟹	F2E5	CBF1	8BF2	A2E6F0	2-6670	TB8Y0080
6570	蟹	F2E6	CBF2	8BF3	A2E6F1	2-6671	TB8Z0080
6571	蠟	F2E7	CBF3	8BF4	A2E6F2	2-6672	TB900080
6572	蝶	F2E8	CBF4	8BF5	A2E6F3	2-6673	TB910080
6573	襴	F2E9	CBF5	8BF6	A2E6F4	2-6674	TB920080
6574	襴	F2EA	CBF6	8BF7	A2E6F5	2-6675	TB930080
6575	襴	F2EB	CBF7	8BF8	A2E6F6	2-6676	TB940080
6576	襴	F2EC	CBF8	8BF9	A2E6F7	2-6677	TB950080
6577	襴	F2ED	CBF9	8BFA	A2E6F8	2-6678	TB960080
6578	襴	F2EE	CBFA	8BFB	A2E6F9	2-6679	TB970080
6579	襴	F2EF	CBFB	8BFC	A2E6FA	2-667A	TB980080
6580	襴	F2F0	CBFC	8BFD	A2E6FB	2-667B	TB990080
6581	襴	F2F1	CC40	8C41	A2E6FC	2-667C	TB9D0080
6582	覷	F2F2	CC41	8C42	A2E6FD	2-667D	TB9E0080
6583	覷	F2F3	CC42	8C43	A2E6FE	2-667E	TB9F0080
6584	覷	F2F4	CC43	8C44	A2E7A1	2-6721	TB9G0080
6585	覷	F2F5	CC44	8C45	A2E7A2	2-6722	TB9H0080
6586	譚	F2F6	CC45	8C46	A2E7A3	2-6723	TB9I0080
6587	譚	F2F7	CC46	8C47	A2E7A4	2-6724	TB9J0080
6588	譚	F2F8	CC47	8C48	A2E7A5	2-6725	TB9K0080
6589	譚	F2F9	CC48	8C49	A2E7A6	2-6726	TB9L0080
6590	譚	F2FA	CC49	8C4A	A2E7A7	2-6727	TB9M0080
6591	譚	F2FB	CC4A	8C4B	A2E7A8	2-6728	TB9N0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 19 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6592	譎	F2FC	CC4B	8C4C	A2E7A9	2-6729	TB9O0080
6593	譎	F2FD	CC4C	8C4D	A2E7AA	2-672A	TB9P0080
6594	譎	F2FE	CC4D	8C4E	A2E7AB	2-672B	TB9Q0080
6595	譎	F340	CC4E	8C4F	A2E7AC	2-672C	TB9R0080
6596	譎	F341	CC4F	8C50	A2E7AD	2-672D	TB9S0080
6597	譎	F342	CC50	8C51	A2E7AE	2-672E	TB9T0080
6598	譎	F343	CC51	8C52	A2E7AF	2-672F	TB9U0080
6599	譎	F344	CC52	8C53	A2E7B0	2-6730	TB9V0080
6600	獐	F345	CC53	8C54	A2E7B1	2-6731	TB9W0080
6601	獐	F346	CC54	8C55	A2E7B2	2-6732	TB9X0080
6602	獐	F347	CC55	8C56	A2E7B3	2-6733	TB9Y0080
6603	獐	F348	CC56	8C57	A2E7B4	2-6734	TB9Z0080
6604	贊	F349	CC57	8C58	A2E7B5	2-6735	TBA00080
6605	譚	F34A	CC58	8C59	A2E7B6	2-6736	TBA10080
6606	遠	F34B	CC59	8C5A	A2E7B7	2-6737	TBA20080
6607	趙	F34C	CC5A	8C5B	A2E7B8	2-6738	TBA30080
6608	趙	F34D	CC5B	8C5C	A2E7B9	2-6739	TBA40080
6609	趙	F34E	CC5C	8C5D	A2E7BA	2-673A	TBA50080
6610	趙	F34F	CC5D	8C5E	A2E7BB	2-673B	TBA60080
6611	躡	F350	CC5E	8C5F	A2E7BC	2-673C	TBA70080
6612	躡	F351	CC5F	8C60	A2E7BD	2-673D	TBA80080
6613	躡	F352	CC60	8C61	A2E7BE	2-673E	TBA90080
6614	躡	F353	CC61	8C62	A2E7BF	2-673F	TBAA0080
6615	躡	F354	CC62	8C63	A2E7C0	2-6740	TBAB0080
6616	躡	F355	CC63	8C64	A2E7C1	2-6741	TBAC0080
6617	躡	F356	CC64	8C65	A2E7C2	2-6742	TBAD0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 20 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6618	輶	F357	CC65	8C66	A2E7C3	2-6743	TBAE0080
6619	輶	F358	CC66	8C67	A2E7C4	2-6744	TBAF0080
6620	輶	F359	CC67	8C68	A2E7C5	2-6745	TBAG0080
6621	輶	F35A	CC68	8C69	A2E7C6	2-6746	TBAH0080
6622	輶	F35B	CC69	8C6A	A2E7C7	2-6747	TBAI0080
6623	輶	F35C	CC6A	8C6B	A2E7C8	2-6748	TBAJ0080
6624	輶	F35D	CC6B	8C6C	A2E7C9	2-6749	TBAK0080
6625	輶	F35E	CC6C	8C6D	A2E7CA	2-674A	TBAL0080
6626	輶	F35F	CC6D	8C6E	A2E7CB	2-674B	TBAM0080
6627	鋪	F360	CC6E	8C6F	A2E7CC	2-674C	TBAN0080
6628	鋪	F361	CC6F	8C70	A2E7CD	2-674D	TBAO0080
6629	鋪	F362	CC70	8C71	A2E7CE	2-674E	TBAP0080
6630	鋪	F363	CC71	8C72	A2E7CF	2-674F	TBAQ0080
6631	鋪	F364	CC72	8C73	A2E7D0	2-6750	TBAR0080
6632	鋪	F365	CC73	8C74	A2E7D1	2-6751	TBAS0080
6633	鋪	F366	CC74	8C75	A2E7D2	2-6752	TBAT0080
6634	鋪	F367	CC75	8C76	A2E7D3	2-6753	TBAU0080
6635	鋪	F368	CC76	8C77	A2E7D4	2-6754	TBAV0080
6636	鋪	F369	CC77	8C78	A2E7D5	2-6755	TBAW0080
6637	鋪	F36A	CC78	8C79	A2E7D6	2-6756	TBAX0080
6638	鋪	F36B	CC79	8C7A	A2E7D7	2-6757	TBAY0080
6639	鋪	F36C	CC7A	8C7B	A2E7D8	2-6758	TBAZ0080
6640	鋪	F36D	CC7B	8C7C	A2E7D9	2-6759	TBB00080
6641	鋪	F36E	CC7C	8C7D	A2E7DA	2-675A	TBB10080
6642	鋪	F36F	CC7D	8C7E	A2E7DB	2-675B	TBB20080
6643	鋪	F370	CC7E	8C7F	A2E7DC	2-675C	TBB30080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 21 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6644	鑄	F371	CC80	8C81	A2E7DD	2-675D	TBB50080
6645	鑄	F372	CC81	8C82	A2E7DE	2-675E	TBB60080
6646	鑄	F373	CC82	8C83	A2E7DF	2-675F	TBB70080
6647	鑄	F374	CC83	8C84	A2E7E0	2-6760	TBB80080
6648	鑄	F375	CC84	8C85	A2E7E2	2-6762	TBB90080
6649	鑄	F376	CC85	8C86	A2E7E3	2-6763	TBBA0080
6650	鑄	F377	CC86	8C87	A2E7E4	2-6764	TBBB0080
6651	鑄	F378	CC87	8C88	A2E7E5	2-6765	TBBC0080
6652	鑄	F379	CC88	8C89	A2E7E6	2-6766	TBBD0080
6653	鑄	F37A	CC89	8C8A	A2E7E7	2-6767	TBBE0080
6654	鑄	F37B	CC8A	8C8B	A2E7E8	2-6768	TBBF0080
6655	鑄	F37C	CC8B	8C8C	A2E7E9	2-6769	TBBG0080
6656	鑄	F37D	CC8C	8C8D	A2E7EA	2-676A	TBBH0080
6657	鑄	F37E	CC8D	8C8E	A2E7EB	2-676B	TBBI0080
6658	鑄	F3A1	CC8E	8C8F	A2E7EC	2-676C	TBBJ0080
6659	鑄	F3A2	CC8F	8C90	A2E7ED	2-676D	TBBK0080
6660	鑄	F3A3	CC90	8C91	A2E7EE	2-676E	TBBL0080
6661	鑄	F3A4	CC91	8C92	A2E7EF	2-676F	TBBM0080
6662	鑄	F3A5	CC92	8C93	A2E7F0	2-6770	TBBN0080
6663	鑄	F3A6	CC93	8C94	A2E7F1	2-6771	TBBO0080
6664	鑄	F3A7	CC94	8C95	A2E7F2	2-6772	TBBP0080
6665	鑄	F3A8	CC95	8C96	A2E7F3	2-6773	TBBQ0080
6666	鑄	F3A9	CC96	8C97	A2E7F4	2-6774	TBBR0080
6667	鑄	F3AA	CC97	8C98	A2E7F5	2-6775	TBBS0080
6668	鑄	F3AB	CC98	8C99	A2E7F6	2-6776	TBBT0080
6669	鑄	F3AC	CC99	8C9A	A2E7F7	2-6777	TBBU0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 22 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6670	飊	F3AD	CC9A	8C9B	A2E7F8	2-6778	TBBV0080
6671	飏	F3AE	CC9B	8C9C	A2E7F9	2-6779	TBBW0080
6672	飐	F3AF	CC9C	8C9D	A2E7FA	2-677A	TBBX0080
6673	飑	F3B0	CC9D	8C9E	A2E7FB	2-677B	TBBY0080
6674	饜	F3B1	CC9E	8C9F	A2E7FC	2-677C	TBBZ0080
6675	饗	F3B2	CC9F	8CA0	A2E7FD	2-677D	TBC00080
6676	饘	F3B3	CCA0	8CA1	A2E7FE	2-677E	TBC10080
6677	饠	F3B4	CCA1	8CA2	A2E8A1	2-6821	TBC20080
6678	饡	F3B5	CCA2	8CA3	A2E8A2	2-6822	TBC30080
6679	饢	F3B6	CCA3	8CA4	A2E8A3	2-6823	TBC40080
6680	饣	F3B7	CCA4	8CA5	A2E8A4	2-6824	TBC50080
6681	饤	F3B8	CCA5	8CA6	A2E8A5	2-6825	TBC60080
6682	饥	F3B9	CCA6	8CA7	A2E8A6	2-6826	TBC70080
6683	饦	F3BA	CCA7	8CA8	A2E8A7	2-6827	TBC80080
6684	饧	F3BB	CCA8	8CA9	A2E8A8	2-6828	TBC90080
6685	饨	F3BC	CCA9	8CAA	A2E8A9	2-6829	TBCA0080
6686	饩	F3BD	CCAA	8CAB	A2E8AA	2-682A	TBCB0080
6687	饪	F3BE	CCAB	8CAC	A2E8AB	2-682B	TBCC0080
6688	饫	F3BF	CCAC	8CAD	A2E8AC	2-682C	TBCD0080
6689	饬	F3C0	CCAD	8CAE	A2E8AD	2-682D	TBCE0080
6690	饭	F3C1	CCAE	8CAF	A2E8AE	2-682E	TBCF0080
6691	饧	F3C2	CCAF	8CB0	A2E8AF	2-682F	TBCG0080
6692	饨	F3C3	CCB0	8CB1	A2E8B0	2-6830	TBCH0080
6693	饩	F3C4	CCB1	8CB2	A2E8B1	2-6831	TBCI0080
6694	饪	F3C5	CCB2	8CB3	A2E8B2	2-6832	TBCJ0080
6695	饫	F3C6	CCB3	8CB4	A2E8B3	2-6833	TBCK0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 23 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6696	鯪	F3C7	CCB4	8CB5	A2E8B4	2-6834	TBCL0080
6697	鰱	F3C8	CCB5	8CB6	A2E8B5	2-6835	TBCM0080
6698	鯪	F3C9	CCB6	8CB7	A2E8B6	2-6836	TBCN0080
6699	鯪	F3CA	CCB7	8CB8	A2E8B7	2-6837	TBCO0080
6700	鯪	F3CB	CCB8	8CB9	A2E8B8	2-6838	TBCP0080
6701	鯪	F3CC	CCB9	8CBA	A2E8B9	2-6839	TBCQ0080
6702	鯪	F3CD	CCBA	8CBB	A2E8BA	2-683A	TBCR0080
6703	鯪	F3CE	CCBB	8CBC	A2E8BB	2-683B	TBCS0080
6704	鯪	F3CF	CCBC	8CBD	A2E8BC	2-683C	TBCT0080
6705	鯪	F3D0	CCBD	8CBE	A2E8BD	2-683D	TBCU0080
6706	鯪	F3D1	CCBE	8CBF	A2E8BE	2-683E	TBCV0080
6707	鯪	F3D2	CCBF	8CC0	A2E8BF	2-683F	TBCW0080
6708	鯪	F3D3	CCC0	8CC1	A2E8C0	2-6840	TBCX0080
6709	鯪	F3D4	CCC1	8CC2	A2E8C1	2-6841	TBCY0080
6710	鯪	F3D5	CCC2	8CC3	A2E8C2	2-6842	TBCZ0080
6711	鯪	F3D6	CCC3	8CC4	A2E8C3	2-6843	TBD00080
6712	鯪	F3D7	CCC4	8CC5	A2E8C4	2-6844	TBD10080
6713	鵠	F3D8	CCC5	8CC6	A2E8C5	2-6845	TBD20080
6714	鵠	F3D9	CCC6	8CC7	A2E8C6	2-6846	TBD30080
6715	鵠	F3DA	CCC7	8CC8	A2E8C7	2-6847	TBD40080
6716	鵠	F3DB	CCC8	8CC9	A2E8C8	2-6848	TBD50080
6717	鵠	F3DC	CCC9	8CCA	A2E8C9	2-6849	TBD60080
6718	鵠	F3DD	CCCA	8CCB	A2E8CA	2-684A	TBD70080
6719	鵠	F3DE	CCCB	8CCC	A2E8CB	2-684B	TBD80080
6720	鵠	F3DF	CCCC	8CCD	A2E8CC	2-684C	TBD90080
6721	鵠	F3E0	CCCD	8CCE	A2E8CD	2-684D	TBDA0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 24 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6722	鵑	F3E1	CCCE	8CCF	A2E8CE	2-684E	TBDB0080
6723	鵑	F3E2	CCCF	8CD0	A2E8CF	2-684F	TBDC0080
6724	鵑	F3E3	CCD0	8CD1	A2E8D0	2-6850	TBDD0080
6725	鵑	F3E4	CCD1	8CD2	A2E8D1	2-6851	TBDE0080
6726	鵑	F3E5	CCD2	8CD3	A2E8D2	2-6852	TBDF0080
6727	鵑	F3E6	CCD3	8CD4	A2E8D3	2-6853	TBDG0080
6728	鵑	F3E7	CCD4	8CD5	A2E8D4	2-6854	TBDH0080
6729	鵑	F3E8	CCD5	8CD6	A2E8D5	2-6855	TBDI0080
6730	鵑	F3E9	CCD6	8CD7	A2E8D6	2-6856	TBDJ0080
6731	鵑	F3EA	CCD7	8CD8	A2E8D7	2-6857	TBDK0080
6732	鵑	F3EB	CCD8	8CD9	A2E8D8	2-6858	TBDL0080
6733	鵑	F3EC	CCD9	8CDA	A2E8D9	2-6859	TBDM0080
6734	鵑	F3ED	CCDA	8CDB	A2E8DA	2-685A	TBDN0080
6735	鵑	F3EE	CCDB	8CDC	A2E8DB	2-685B	TBDO0080
6736	鵑	F3EF	CCDC	8CDD	A2E8DC	2-685C	TBDP0080
6737	鵑	F3F0	CCDD	8CDE	A2E8DD	2-685D	TBDQ0080
6738	鵑	F3F1	CCDE	8CDF	A2E8DE	2-685E	TBDR0080
6739	鵑	F3F2	CCDF	8CE0	A2E8DF	2-685F	TBDS0080
6740	鵑	F3F3	CCE0	8CE1	A2E8E0	2-6860	TBDT0080
6741	鵑	F3F4	CCE1	8CE2	A2E8E1	2-6861	TBDU0080
6742	鵑	F3F5	CCE2	8CE3	A2E8E2	2-6862	TBDV0080
6743	鵑	F3F6	CCE3	8CE4	A2E8E3	2-6863	TBDW0080
6744	鵑	F3F7	CCE4	8CE5	A2E8E4	2-6864	TBDX0080
6745	鵑	F3F8	CCE5	8CE6	A2E8E5	2-6865	TBDY0080
6746	鵑	F3F9	CCE6	8CE7	A2E8E6	2-6866	TBDZ0080
6747	鵑	F3FA	CCE7	8CE8	A2E8E7	2-6867	TBE00080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 25 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6748	斲	F3FB	CCE8	8CE9	A2E8E8	2-6868	TBE10080
6749	斲	F3FC	CCE9	8CEA	A2E8E9	2-6869	TBE20080
6750	𢱁	F3FD	CCEA	8CEB	A2E8EA	2-686A	TBE30080
6751	𢱂	F3FE	CCEB	8CEC	A2E8EB	2-686B	TBE40080
6752	𢱃	F440	CCEC	8CED	A2E8EC	2-686C	TBE50080
6753	𢱄	F441	CCED	8CEE	A2E8ED	2-686D	TBE60080
6754	𢱅	F442	CCEE	8CEF	A2E8EE	2-686E	TBE70080
6755	𢱆	F443	CCEF	8CF0	A2E8EF	2-686F	TBE80080
6756	𢱇	F444	CCF0	8CF1	A2E8F0	2-6870	TBE90080
6757	𢱈	F445	CCF1	8CF2	A2E8F1	2-6871	TBEA0080
6758	𢱉	F446	CCF2	8CF3	A2E8F2	2-6872	TBEB0080
6759	𢱊	F447	CCF3	8CF4	A2E8F3	2-6873	TBEC0080
6760	𢱋	F448	CCF4	8CF5	A2E8F4	2-6874	TBED0080
6761	𢱌	F449	CCF5	8CF6	A2E8F5	2-6875	TBEE0080
6762	𢱍	F44A	CCF6	8CF7	A2E8F6	2-6876	TBEF0080
6763	𢱎	F44B	CCF7	8CF8	A2E8F7	2-6877	TBEG0080
6764	𢱏	F44C	CCF8	8CF9	A2E8F8	2-6878	TBEH0080
6765	𢱐	F44D	CCF9	8CFA	A2E8F9	2-6879	TBEI0080
6766	𢱑	F44E	CCFA	8CFB	A2E8FA	2-687A	TBEJ0080
6767	𢱒	F44F	CCFB	8CFC	A2E8FB	2-687B	TBEK0080
6768	𢱓	F450	CCFC	8CFD	A2E8FC	2-687C	TBEL0080
6769	𢱔	F451	CD40	8D41	A2E8FD	2-687D	TBEP0080
6770	𢱕	F452	CD41	8D42	A2E8FE	2-687E	TBEQ0080
6771	𢱖	F453	CD42	8D43	A2E9A1	2-6921	TBER0080
6772	𢱗	F454	CD43	8D44	A2E9A2	2-6922	TBES0080
6773	𢱘	F455	CD44	8D45	A2E9A3	2-6923	TBET0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 26 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6774	櫨	F456	CD45	8D46	A2E9A4	2-6924	TBEU0080
6775	櫛	F457	CD46	8D47	A2E9A5	2-6925	TBEV0080
6776	櫛	F458	CD47	8D48	A2E9A6	2-6926	TBEW0080
6777	櫛	F459	CD48	8D49	A2E9A7	2-6927	TBEX0080
6778	櫛	F45A	CD49	8D4A	A2E9A8	2-6928	TBEY0080
6779	瀨	F45B	CD4A	8D4B	A2E9A9	2-6929	TBEZ0080
6780	瀨	F45C	CD4B	8D4C	A2E9AA	2-692A	TBF00080
6781	瀨	F45D	CD4C	8D4D	A2E9AB	2-692B	TBF10080
6782	瀨	F45E	CD4D	8D4E	A2E9AC	2-692C	TBF20080
6783	瀨	F45F	CD4E	8D4F	A2E9AD	2-692D	TBF30080
6784	瀨	F460	CD4F	8D50	A2E9AE	2-692E	TBF40080
6785	瀨	F461	CD50	8D51	A2E9AF	2-692F	TBF50080
6786	瀨	F462	CD51	8D52	A2E9B0	2-6930	TBF60080
6787	瀨	F463	CD52	8D53	A2E9B1	2-6931	TBF70080
6788	瀨	F464	CD53	8D54	A2E9B2	2-6932	TBF80080
6789	瀨	F465	CD54	8D55	A2E9B3	2-6933	TBF90080
6790	瀨	F466	CD55	8D56	A2E9B5	2-6935	TBFA0080
6791	瀨	F467	CD56	8D57	A2E9B6	2-6936	TBFB0080
6792	瀨	F468	CD57	8D58	A2E9B7	2-6937	TBFC0080
6793	瀨	F469	CD58	8D59	A2E9B8	2-6938	TBFD0080
6794	瀨	F46A	CD59	8D5A	A2E9B9	2-6939	TBFE0080
6795	瀨	F46B	CD5A	8D5B	A2E9BA	2-693A	TBFF0080
6796	瀨	F46C	CD5B	8D5C	A2E9BB	2-693B	TBFG0080
6797	瀨	F46D	CD5C	8D5D	A2E9BC	2-693C	TBFH0080
6798	瀨	F46E	CD5D	8D5E	A2E9BD	2-693D	TBFI0080
6799	瀨	F46F	CD5E	8D5F	A2E9BE	2-693E	TBFJ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 27 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6800	曠	F470	CD5F	8D60	A2E9BF	2-693F	TBFK0080
6801	礫	F471	CD60	8D61	A2E9C0	2-6940	TBFL0080
6802	敲	F472	CD61	8D62	A2E9C1	2-6941	TBFM0080
6803	整	F473	CD62	8D63	A2E9C2	2-6942	TBFN0080
6804	曠	F474	CD63	8D64	A2E9C3	2-6943	TBFO0080
6805	曠	F475	CD64	8D65	A2E9C4	2-6944	TBFP0080
6806	曠	F476	CD65	8D66	A2E9C5	2-6945	TBFQ0080
6807	嬰	F477	CD66	8D67	A2E9C6	2-6946	TBFR0080
6808	耀	F478	CD67	8D68	A2E9C7	2-6947	TBFS0080
6809	礪	F479	CD68	8D69	A2E9C8	2-6948	TBFT0080
6810	礪	F47A	CD69	8D6A	A2E9C9	2-6949	TBFU0080
6811	礪	F47B	CD6A	8D6B	A2E9CA	2-694A	TBFV0080
6812	礪	F47C	CD6B	8D6C	A2E9CB	2-694B	TBFW0080
6813	礪	F47D	CD6C	8D6D	A2E9CC	2-694C	TBFX0080
6814	礪	F47E	CD6D	8D6E	A2E9CD	2-694D	TBFY0080
6815	礪	F4A1	CD6E	8D6F	A2E9CE	2-694E	TBFZ0080
6816	礪	F4A2	CD6F	8D70	A2E9CF	2-694F	TBG00080
6817	礪	F4A3	CD70	8D71	A2E9D0	2-6950	TBG10080
6818	礪	F4A4	CD71	8D72	A2E9D1	2-6951	TBG20080
6819	礪	F4A5	CD72	8D73	A2E9D2	2-6952	TBG30080
6820	礪	F4A6	CD73	8D74	A2E9D3	2-6953	TBG40080
6821	礪	F4A7	CD74	8D75	A2E9D4	2-6954	TBG50080
6822	礪	F4A8	CD75	8D76	A2E9D5	2-6955	TBG60080
6823	礪	F4A9	CD76	8D77	A2E9D6	2-6956	TBG70080
6824	礪	F4AA	CD77	8D78	A2E9D7	2-6957	TBG80080
6825	礪	F4AB	CD78	8D79	A2E9D8	2-6958	TBG90080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 28 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6826	繡	F4AC	CD79	8D7A	A2E9D9	2-6959	TBGA0080
6827	繡	F4AD	CD7A	8D7B	A2E9DA	2-695A	TBGB0080
6828	繡	F4AE	CD7B	8D7C	A2E9DB	2-695B	TBGC0080
6829	繡	F4AF	CD7C	8D7D	A2E9DC	2-695C	TBGD0080
6830	繡	F4B0	CD7D	8D7E	A2E9DD	2-695D	TBGE0080
6831	繡	F4B1	CD7E	8D7F	A2E9DE	2-695E	TBGF0080
6832	繡	F4B2	CD80	8D81	A2E9DF	2-695F	TBGH0080
6833	繡	F4B3	CD81	8D82	A2E9E0	2-6960	TBGI0080
6834	繡	F4B4	CD82	8D83	A2E9E1	2-6961	TBGJ0080
6835	豐	F4B5	CD83	8D84	A2E6CD	2-664D	TBGK0080
6836	繡	F4B6	CD84	8D85	A2E9E2	2-6962	TBGL0080
6837	繡	F4B7	CD85	8D86	A2E9E3	2-6963	TBGM0080
6838	龍	F4B8	CD86	8D87	A2E9E4	2-6964	TBGN0080
6839	藎	F4B9	CD87	8D88	A2E9E5	2-6965	TBGO0080
6840	藎	F4BA	CD88	8D89	A2E9E6	2-6966	TBGP0080
6841	藎	F4BB	CD89	8D8A	A2E9E7	2-6967	TBQQ0080
6842	藎	F4BC	CD8A	8D8B	A2E9E8	2-6968	TBGR0080
6843	藎	F4BD	CD8B	8D8C	A2E9E9	2-6969	TBGS0080
6844	藎	F4BE	CD8C	8D8D	A2E9EA	2-696A	TBGT0080
6845	藎	F4BF	CD8D	8D8E	A2E9EB	2-696B	TBGU0080
6846	藎	F4C0	CD8E	8D8F	A2E9EC	2-696C	TBGV0080
6847	藎	F4C1	CD8F	8D90	A2E9ED	2-696D	TBGW0080
6848	藎	F4C2	CD90	8D91	A2E9EE	2-696E	TBGX0080
6849	藎	F4C3	CD91	8D92	A2E9EF	2-696F	TBGY0080
6850	藎	F4C4	CD92	8D93	A2E9F0	2-6970	TBGZ0080
6851	藎	F4C5	CD93	8D94	A2E9F1	2-6971	TBH0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 29 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6852	蝶	F4C6	CD94	8D95	A2E9F2	2-6972	TBH10080
6853	蝶	F4C7	CD95	8D96	A2E9F3	2-6973	TBH20080
6854	蝶	F4C8	CD96	8D97	A2E9F4	2-6974	TBH30080
6855	蝶	F4C9	CD97	8D98	A2E9F5	2-6975	TBH40080
6856	禱	F4CA	CD98	8D99	A2E9F6	2-6976	TBH50080
6857	禱	F4CB	CD99	8D9A	A2E9F7	2-6977	TBH60080
6858	臚	F4CC	CD9A	8D9B	A2E9F8	2-6978	TBH70080
6859	譽	F4CD	CD9B	8D9C	A2E9F9	2-6979	TBH80080
6860	謹	F4CE	CD9C	8D9D	A2E9FA	2-697A	TBH90080
6861	謹	F4CF	CD9D	8D9E	A2E9FB	2-697B	TBHA0080
6862	謹	F4D0	CD9E	8D9F	A2E9FC	2-697C	TBHB0080
6863	謹	F4D1	CD9F	8DA0	A2E9FD	2-697D	TBHC0080
6864	諭	F4D2	CDA0	8DA1	A2E9FE	2-697E	TBHD0080
6865	警	F4D3	CDA1	8DA2	A2EAA1	2-6A21	TBHE0080
6866	謹	F4D4	CDA2	8DA3	A2EAA2	2-6A22	TBHF0080
6867	譏	F4D5	CDA3	8DA4	A2EAA3	2-6A23	TBHG0080
6868	趨	F4D6	CDA4	8DA5	A2EAA4	2-6A24	TBHH0080
6869	躐	F4D7	CDA5	8DA6	A2EAA5	2-6A25	TBHI0080
6870	躐	F4D8	CDA6	8DA7	A2EAA6	2-6A26	TBHJ0080
6871	躐	F4D9	CDA7	8DA8	A2EAA7	2-6A27	TBHK0080
6872	躐	F4DA	CDA8	8DA9	A2EAA8	2-6A28	TBHL0080
6873	輜	F4DB	CDA9	8DAA	A2EAA9	2-6A29	TBHM0080
6874	輶	F4DC	CDAA	8DAB	A2EAAA	2-6A2A	TBHN0080
6875	輶	F4DD	CDAB	8DAC	A2EAAB	2-6A2B	TBHO0080
6876	輶	F4DE	CDAC	8DAD	A2EAAC	2-6A2C	TBHP0080
6877	輶	F4DF	CDAD	8DAE	A2EAAD	2-6A2D	TBHQ0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 30 of 59). Secondary Character Set (5 of 5), IBM BIG-5


Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6878	邏	F4E0	CDAE	8DAF	A2EAAE	2-6A2E	TBHR0080
6879	鄴	F4E1	CDAF	8DB0	A2EAAF	2-6A2F	TBHS0080
6880	鄴	F4E2	CDB0	8DB1	A2EAB0	2-6A30	TBHT0080
6881	醴	F4E3	CDB1	8DB2	A2EAB1	2-6A31	TBHU0080
6882	醴	F4E4	CDB2	8DB3	A2EAB2	2-6A32	TBHV0080
6883	醴	F4E5	CDB3	8DB4	A2EAB3	2-6A33	TBHW0080
6884	醴	F4E6	CDB4	8DB5	A2EAB4	2-6A34	TBHX0080
6885	錫	F4E7	CDB5	8DB6	A2EAB5	2-6A35	TBHY0080
6886	鐵	F4E8	CDB6	8DB7	A2EAB6	2-6A36	TBHZ0080
6887	鑛	F4E9	CDB7	8DB8	A2EAB7	2-6A37	TBI00080
6888	錯	F4EA	CDB8	8DB9	A2EAB8	2-6A38	TBI10080
6889	鐔	F4EB	CDB9	8DBA	A2EAB9	2-6A39	TBI20080
6890	鐔	F4EC	CDBA	8DBB	A2EABA	2-6A3A	TBI30080
6891	鐵	F4ED	CDBB	8DBC	A2EABB	2-6A3B	TBI40080
6892	鑛	F4EE	CDBC	8DBD	A2EABC	2-6A3C	TBI50080
6893	鑛	F4EF	CDBD	8DBE	A2EABD	2-6A3D	TBI60080
6894	鑛	F4F0	CDBE	8DBF	A2EABE	2-6A3E	TBI70080
6895	鐵	F4F1	CDBF	8DC0	A2EABF	2-6A3F	TBI80080
6896	鑛	F4F2	CDC0	8DC1	A2EAC0	2-6A40	TBI90080
6897	鑛	F4F3	CDC1	8DC2	A2EAC1	2-6A41	TBIA0080
6898	鑛	F4F4	CDC2	8DC3	A2EAC2	2-6A42	TBIB0080
6899	鑛	F4F5	CDC3	8DC4	A2EAC3	2-6A43	TBIC0080
6900	鑛	F4F6	CDC4	8DC5	A2EAC4	2-6A44	TBID0080
6901	鑛	F4F7	CDC5	8DC6	A2EAC5	2-6A45	TBIE0080
6902	鑛	F4F8	CDC6	8DC7	A2EAC6	2-6A46	TBIF0080
6903	鑛	F4F9	CDC7	8DC8	A2EAC7	2-6A47	TBIG0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 31 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6904	鑲	F4FA	CDC8	8DC9	A2EAC8	2-6A48	TBIH0080
6905	鑲	F4FB	CDC9	8DCA	A2EAC9	2-6A49	TBII0080
6906	鑲	F4FC	CDCA	8DCB	A2EACA	2-6A4A	TBIJ0080
6907	鑲	F4FD	CDCB	8DCC	A2EACC	2-6A4C	TBIK0080
6908	鑲	F4FE	CDCC	8DCD	A2EACD	2-6A4D	TBIL0080
6909	鑲	F540	CDCD	8DCE	A2EACE	2-6A4E	TBIM0080
6910	鑲	F541	CDCE	8DCF	A2EACF	2-6A4F	TBIN0080
6911	鑲	F542	CDCF	8DD0	A2EAD0	2-6A50	TBIO0080
6912	鑲	F543	CDD0	8DD1	A2EAD1	2-6A51	TBIP0080
6913	鑲	F544	CDD1	8DD2	A2EAD2	2-6A52	TBIQ0080
6914	關	F545	CDD2	8DD3	A2EAD3	2-6A53	TBIR0080
6915	關	F546	CDD3	8DD4	A2EAD4	2-6A54	TBIS0080
6916	關	F547	CDD4	8DD5	A2EAD5	2-6A55	TBIT0080
6917	電	F548	CDD5	8DD6	A2EAD6	2-6A56	TBIU0080
6918	電	F549	CDD6	8DD7	A2EAD7	2-6A57	TBIV0080
6919	輦	F54A	CDD7	8DD8	A2EAD8	2-6A58	TBIW0080
6920	輦	F54B	CDD8	8DD9	A2EAD9	2-6A59	TBIX0080
6921	館	F54C	CDD9	8DDA	A2EADA	2-6A5A	TBIY0080
6922	馨	F54D	CDDA	8DDB	A2EADB	2-6A5B	TBIZ0080
6923	類	F54E	Cddb	8DDC	A2EADC	2-6A5C	TBJ00080
6924	頤	F54F	CDDC	8DDD	A2EADD	2-6A5D	TBJ10080
6925	頤	F550	CDDD	8DDE	A2EADE	2-6A5E	TBJ20080
6926	類	F551	CDDE	8DDF	A2EADF	2-6A5F	TBJ30080
6927	颯	F552	CDDF	8DE0	A2EAE0	2-6A60	TBJ40080
6928	颯	F553	CDE0	8DE1	A2EAE1	2-6A61	TBJ50080
6929	饅	F554	CDE1	8DE2	A2EAE2	2-6A62	TBJ60080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 32 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6930	餠	F555	CDE2	8DE3	A2EAE3	2-6A63	TBJ70080
6931	饋	F556	CDE3	8DE4	A2EAE4	2-6A64	TBJ80080
6932	饌	F557	CDE4	8DE5	A2EAE5	2-6A65	TBJ90080
6933	饋	F558	CDE5	8DE6	A2EAE6	2-6A66	TBJA0080
6934	饌	F559	CDE6	8DE7	A2EAE7	2-6A67	TBJB0080
6935	驂	F55A	CDE7	8DE8	A2EAE8	2-6A68	TBJC0080
6936	馭	F55B	CDE8	8DE9	A2EAE9	2-6A69	TBJD0080
6937	駟	F55C	CDE9	8DEA	A2EAEA	2-6A6A	TBJE0080
6938	駟	F55D	CDEA	8DEB	A2EAEB	2-6A6B	TBJF0080
6939	駟	F55E	CDEB	8DEC	A2EAEC	2-6A6C	TBJG0080
6940	駟	F55F	CDEC	8DED	A2EAED	2-6A6D	TBJH0080
6941	駟	F560	CDED	8DEE	A2EAEE	2-6A6E	TBJI0080
6942	駟	F561	CDEE	8DEF	A2EAEF	2-6A6F	TBJJ0080
6943	駟	F562	CDEF	8DF0	A2EAF0	2-6A70	TBJK0080
6944	駟	F563	CDF0	8DF1	A2EAF1	2-6A71	TBJL0080
6945	駟	F564	CDF1	8DF2	A2EAF2	2-6A72	TBJM0080
6946	駟	F565	CDF2	8DF3	A2EAF3	2-6A73	TBJN0080
6947	駟	F566	CDF3	8DF4	A2EAF4	2-6A74	TBJO0080
6948	駟	F567	CDF4	8DF5	A2EAF5	2-6A75	TBJP0080
6949	駟	F568	CDF5	8DF6	A2EAF6	2-6A76	TBJQ0080
6950	駟	F569	CDF6	8DF7	A2EAF7	2-6A77	TBJR0080
6951	駟	F56A	CDF7	8DF8	A2EAF8	2-6A78	TBJS0080
6952	駟	F56B	CDF8	8DF9	A2EAF9	2-6A79	TBJT0080
6953	駟	F56C	CDF9	8DFA	A2EAF9	2-6A7A	TBJU0080
6954	駟	F56D	CDFA	8DFB	A2EAFB	2-6A7B	TBJV0080
6955	駟	F56E	CDFB	8DFC	A2E AFC	2-6A7C	TBJW0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 33 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6956	鰈	F56F	CDFC	8DFD	A2EAFD	2-6A7D	TBJX0080
6957	鰈	F570	CE40	8E41	A2EAFE	2-6A7E	TBK10080
6958	鰈	F571	CE41	8E42	A2EBA1	2-6B21	TBK20080
6959	鰈	F572	CE42	8E43	A2EBA2	2-6B22	TBK30080
6960	鰈	F573	CE43	8E44	A2EBA3	2-6B23	TBK40080
6961	鰈	F574	CE44	8E45	A2EBA4	2-6B24	TBK50080
6962	鰈	F575	CE45	8E46	A2EBA5	2-6B25	TBK60080
6963	鰈	F576	CE46	8E47	A2EBA6	2-6B26	TBK70080
6964	鰈	F577	CE47	8E48	A2EBA7	2-6B27	TBK80080
6965	鰈	F578	CE48	8E49	A2EBA8	2-6B28	TBK90080
6966	鰈	F579	CE49	8E4A	A2EBA9	2-6B29	TBKA0080
6967	鰈	F57A	CE4A	8E4B	A2EBAA	2-6B2A	TBKB0080
6968	鰈	F57B	CE4B	8E4C	A2EBAB	2-6B2B	TBKC0080
6969	鰈	F57C	CE4C	8E4D	A2EBAC	2-6B2C	TBKD0080
6970	鰈	F57D	CE4D	8E4E	A2EBAD	2-6B2D	TBKE0080
6971	鰈	F57E	CE4E	8E4F	A2EBAE	2-6B2E	TBKF0080
6972	鰈	F5A1	CE4F	8E50	A2EBAF	2-6B2F	TBKG0080
6973	鰈	F5A2	CE50	8E51	A2EBB0	2-6B30	TBKH0080
6974	鰈	F5A3	CE51	8E52	A2EBB1	2-6B31	TBKI0080
6975	鰈	F5A4	CE52	8E53	A2EBB2	2-6B32	TBKJ0080
6976	鰈	F5A5	CE53	8E54	A2EBB3	2-6B33	TBKK0080
6977	鰈	F5A6	CE54	8E55	A2EBB4	2-6B34	TBKL0080
6978	鰈	F5A7	CE55	8E56	A2EBB5	2-6B35	TBKM0080
6979	鰈	F5A8	CE56	8E57	A2EBB6	2-6B36	TBKN0080
6980	鰈	F5A9	CE57	8E58	A2EBB7	2-6B37	TBKO0080
6981	鰈	F5AA	CE58	8E59	A2EBB8	2-6B38	TBKP0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 34 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
6982	鷗	F5AB	CE59	8E5A	A2EBB9	2-6B39	TBKQ0080
6983	鷺	F5AC	CE5A	8E5B	A2EBBA	2-6B3A	TBKR0080
6984	鷺	F5AD	CE5B	8E5C	A2EBBB	2-6B3B	TBKS0080
6985	鷺	F5AE	CE5C	8E5D	A2EBBC	2-6B3C	TBKT0080
6986	鷺	F5AF	CE5D	8E5E	A2EBBD	2-6B3D	TBKU0080
6987	鷺	F5B0	CE5E	8E5F	A2EBBE	2-6B3E	TBKV0080
6988	麤	F5B1	CE5F	8E60	A2EBBF	2-6B3F	TBKW0080
6989	麤	F5B2	CE60	8E61	A2EBC0	2-6B40	TBKX0080
6990	霞	F5B3	CE61	8E62	A2EBC1	2-6B41	TBKY0080
6991	黥	F5B4	CE62	8E63	A2EBC2	2-6B42	TBKZ0080
6992	黥	F5B5	CE63	8E64	A2EBC3	2-6B43	TBL00080
6993	黥	F5B6	CE64	8E65	A2EBC4	2-6B44	TBL10080
6994	黥	F5B7	CE65	8E66	A2EBC5	2-6B45	TBL20080
6995	黥	F5B8	CE66	8E67	A2EBC6	2-6B46	TBL30080
6996	黥	F5B9	CE67	8E68	A2EBC7	2-6B47	TBL40080
6997	齷	F5BA	CE68	8E69	A2EBC8	2-6B48	TBL50080
6998	齷	F5BB	CE69	8E6A	A2EBC9	2-6B49	TBL60080
6999	齷	F5BC	CE6A	8E6B	A2EBCA	2-6B4A	TBL70080
7000	齷	F5BD	CE6B	8E6C	A2EBCB	2-6B4B	TBL80080
7001	齷	F5BE	CE6C	8E6D	A2EBCC	2-6B4C	TBL90080
7002	龔	F5BF	CE6D	8E6E	A2EBCD	2-6B4D	TBLA0080
7003	龔	F5C0	CE6E	8E6F	A2EBCE	2-6B4E	TBLB0080
7004	龔	F5C1	CE6F	8E70	A2EBCF	2-6B4F	TBLC0080
7005	廁	F5C2	CE70	8E71	A2EBD0	2-6B50	TBLD0080
7006	廁	F5C3	CE71	8E72	A2EBD1	2-6B51	TBLE0080
7007	噉	F5C4	CE72	8E73	A2EBD2	2-6B52	TBLF0080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 14 (Page 35 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7008	嚙	F5C5	CE73	8E74	A2EBD3	2-6B53	TBLG0080
7009	嚙	F5C6	CE74	8E75	A2EBD4	2-6B54	TBLH0080
7010	嫻	F5C7	CE75	8E76	A2EBD5	2-6B55	TBLI0080
7011	嫻	F5C8	CE76	8E77	A2EBD6	2-6B56	TBLJ0080
7012	巋	F5C9	CE77	8E78	A2EBD7	2-6B57	TBLK0080
7013	嚙	F5CA	CE78	8E79	A2EBD8	2-6B58	TBLL0080
7014	靡	F5CB	CE79	8E7A	A2EBD9	2-6B59	TBLM0080
7015	權	F5CC	CE7A	8E7B	A2EBDA	2-6B5A	TBLN0080
7016	攬	F5CD	CE7B	8E7C	A2EBDB	2-6B5B	TBLO0080
7017	樽	F5CE	CE7C	8E7D	A2EBDC	2-6B5C	TBLP0080
7018	檝	F5CF	CE7D	8E7E	A2EBDD	2-6B5D	TBLQ0080
7019	檣	F5D0	CE7E	8E7F	A2EBDE	2-6B5E	TBLR0080
7020	檣	F5D1	CE80	8E81	A2EBDF	2-6B5F	TBLT0080
7021	檣	F5D2	CE81	8E82	A2EBE0	2-6B60	TBLU0080
7022	灃	F5D3	CE82	8E83	A2EBE1	2-6B61	TBLV0080
7023	灃	F5D4	CE83	8E84	A2EBE2	2-6B62	TBLW0080
7024	灃	F5D5	CE84	8E85	A2EBE3	2-6B63	TBLX0080
7025	灃	F5D6	CE85	8E86	A2EBE4	2-6B64	TBLY0080
7026	灃	F5D7	CE86	8E87	A2EBE5	2-6B65	TBLZ0080
7027	灃	F5D8	CE87	8E88	A2EBE6	2-6B66	TBM00080
7028	灃	F5D9	CE88	8E89	A2EBE7	2-6B67	TBM10080
7029	燭	F5DA	CE89	8E8A	A2EBE8	2-6B68	TBM20080
7030	燭	F5DB	CE8A	8E8B	A2EBE9	2-6B69	TBM30080
7031	燭	F5DC	CE8B	8E8C	A2EBEA	2-6B6A	TBM40080
7032	獯	F5DD	CE8C	8E8D	A2EBEB	2-6B6B	TBM50080
7033	甌	F5DE	CE8D	8E8E	A2EBEC	2-6B6C	TBM60080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 36 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7034	癩	F5DF	CE8E	8E8F	A2EBED	2-6B6D	TBM70080
7035	瞿	F5E0	CE8F	8E90	A2EBEE	2-6B6E	TBM80080
7036	權	F5E1	CE90	8E91	A2EBEF	2-6B6F	TBM90080
7037	碧	F5E2	CE91	8E92	A2EBF0	2-6B70	TBMA0080
7038	礫	F5E3	CE92	8E93	A2EBF1	2-6B71	TBMB0080
7039	藪	F5E4	CE93	8E94	A2EBF2	2-6B72	TBMC0080
7040	籊	F5E5	CE94	8E95	A2EBF3	2-6B73	TBMD0080
7041	糲	F5E6	CE95	8E96	A2EBF4	2-6B74	TBME0080
7042	纒	F5E7	CE96	8E97	A2EBF5	2-6B75	TBMF0080
7043	纒	F5E8	CE97	8E98	A2EBF6	2-6B76	TBMG0080
7044	纒	F5E9	CE98	8E99	A2EBF7	2-6B77	TBMH0080
7045	纒	F5EA	CE99	8E9A	A2EBF8	2-6B78	TBMI0080
7046	纒	F5EB	CE9A	8E9B	A2EBF9	2-6B79	TBMJ0080
7047	纒	F5EC	CE9B	8E9C	A2EBFA	2-6B7A	TBMK0080
7048	纒	F5ED	CE9C	8E9D	A2EBFB	2-6B7B	TBML0080
7049	纒	F5EE	CE9D	8E9E	A2EBFC	2-6B7C	TBMM0080
7050	纒	F5EF	CE9E	8E9F	A2EBFD	2-6B7D	TBMN0080
7051	羸	F5F0	CE9F	8EA0	A2EBFE	2-6B7E	TBMO0080
7052	羸	F5F1	CEA0	8EA1	A2ECA1	2-6C21	TBMP0080
7053	羸	F5F2	CEA1	8EA2	A2ECA2	2-6C22	TBMQ0080
7054	羸	F5F3	CEA2	8EA3	A2ECA3	2-6C23	TBMR0080
7055	羸	F5F4	CEA3	8EA4	A2ECA4	2-6C24	TBMS0080
7056	羸	F5F5	CEA4	8EA5	A2ECA5	2-6C25	TBMT0080
7057	羸	F5F6	CEA5	8EA6	A2ECA6	2-6C26	TBMU0080
7058	羸	F5F7	CEA6	8EA7	A2ECA7	2-6C27	TBMV0080
7059	羸	F5F8	CEA7	8EA8	A2ECA8	2-6C28	TBMW0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 37 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7060	蔚	F5F9	CEA8	8EA9	A2ECA9	2-6C29	TBMX0080
7061	颯	F5FA	CEA9	8EAA	A2ECAA	2-6C2A	TBMY0080
7062	蕪	F5FB	CEAA	8EAB	A2ECAB	2-6C2B	TBMZ0080
7063	蕪	F5FC	CEAB	8EAC	A2ECAC	2-6C2C	TBN00080
7064	蕪	F5FD	CEAC	8EAD	A2ECAD	2-6C2D	TBN10080
7065	蕪	F5FE	CEAD	8EAE	A2ECAE	2-6C2E	TBN20080
7066	蠅	F640	CEAE	8EAF	A2ECAF	2-6C2F	TBN30080
7067	蠅	F641	CEAF	8EB0	A2ECB0	2-6C30	TBN40080
7068	蠅	F642	CEB0	8EB1	A2ECB1	2-6C31	TBN50080
7069	蠅	F643	CEB1	8EB2	A2ECB2	2-6C32	TBN60080
7070	蠅	F644	CEB2	8EB3	A2ECB3	2-6C33	TBN70080
7071	蠅	F645	CEB3	8EB4	A2ECB4	2-6C34	TBN80080
7072	蠅	F646	CEB4	8EB5	A2ECB5	2-6C35	TBN90080
7073	蠅	F647	CEB5	8EB6	A2ECB6	2-6C36	TBNA0080
7074	榷	F648	CEB6	8EB7	A2ECB7	2-6C37	TBNB0080
7075	槽	F649	CEB7	8EB8	A2ECB8	2-6C38	TBNC0080
7076	禡	F64A	CEB8	8EB9	A2ECB9	2-6C39	TBND0080
7077	榷	F64B	CEB9	8EBA	A2ECBA	2-6C3A	TBNE0080
7078	醫	F64C	CEBA	8EBB	A2ECBB	2-6C3B	TBNF0080
7079	讓	F64D	CEBB	8EBC	A2ECBC	2-6C3C	TBNG0080
7080	讓	F64E	CEBC	8EBD	A2ECBD	2-6C3D	TBNH0080
7081	讓	F64F	CEBD	8EBE	A2ECBE	2-6C3E	TBNI0080
7082	讓	F650	CEBE	8EBF	A2ECBF	2-6C3F	TBNJ0080
7083	豐	F651	CEBF	8EC0	A2ECC0	2-6C40	TBNK0080
7084	贖	F652	CEC0	8EC1	A2ECC1	2-6C41	TBNL0080
7085	聶	F653	CEC1	8EC2	A2ECC2	2-6C42	TBNM0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC


Table 14 (Page 38 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7086	趨	F654	CEC2	8EC3	A2ECC3	2-6C43	TBNN0080
7087	躡	F655	CEC3	8EC4	A2ECC4	2-6C44	TBNO0080
7088	躡	F656	CEC4	8EC5	A2ECC5	2-6C45	TBNP0080
7089	輻	F657	CEC5	8EC6	A2ECC6	2-6C46	TBNQ0080
7090	輻	F658	CEC6	8EC7	A2ECC7	2-6C47	TBNR0080
7091	舉	F659	CEC7	8EC8	A2ECC8	2-6C48	TBNS0080
7092	鄂	F65A	CEC8	8EC9	A2ECC9	2-6C49	TBNT0080
7093	嶺	F65B	CEC9	8ECA	A2ECCA	2-6C4A	TBNU0080
7094	嶺	F65C	CECA	8ECB	A2ECCB	2-6C4B	TBNV0080
7095	齶	F65D	CECB	8ECC	A2ECCC	2-6C4C	TBNW0080
7096	鏡	F65E	CECC	8ECD	A2ECCD	2-6C4D	TBNX0080
7097	鑲	F65F	CECD	8ECE	A2ECCE	2-6C4E	TBNY0080
7098	鑲	F660	CECE	8ECF	A2ECCF	2-6C4F	TBNZ0080
7099	鏟	F661	CECF	8ED0	A2ECD0	2-6C50	TBO00080
7100	鏟	F662	CED0	8ED1	A2ECD1	2-6C51	TBO10080
7101	鑲	F663	CED1	8ED2	A2EACB	2-6A4B	TBO20080
7102	鏢	F664	CED2	8ED3	A2ECD2	2-6C52	TBO30080
7103	鏢	F665	CED3	8ED4	A2ECD3	2-6C53	TBO40080
7104	鏢	F666	CED4	8ED5	A2ECD4	2-6C54	TBO50080
7105	鏢	F667	CED5	8ED6	A2ECD5	2-6C55	TBO60080
7106	鏢	F668	CED6	8ED7	A2ECD6	2-6C56	TBO70080
7107	鏢	F669	CED7	8ED8	A2ECD7	2-6C57	TBO80080
7108	鏢	F66A	CED8	8ED9	A2ECD8	2-6C58	TBO90080
7109	闌	F66B	CED9	8EDA	A2ECD9	2-6C59	TBOA0080
7110	闌	F66C	CEDA	8EDB	A2ECDA	2-6C5A	TBOB0080
7111	闌	F66D	CEDB	8EDC	A2ECDB	2-6C5B	TBOC0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 39 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7112	靈	F66E	CEDC	8EDD	A2ECDC	2-6C5C	TBOD0080
7113	靈	F66F	CEDD	8EDE	A2ECDD	2-6C5D	TBOE0080
7114	靈	F670	CEDE	8EDF	A2ECDE	2-6C5E	TBOF0080
7115	靈	F671	CEDF	8EE0	A2ECDF	2-6C5F	TBOG0080
7116	靈	F672	CEE0	8EE1	A2ECE0	2-6C60	TBOH0080
7117	靈	F673	CEE1	8EE2	A2ECE1	2-6C61	TBOI0080
7118	靈	F674	CEE2	8EE3	A2ECE2	2-6C62	TBOJ0080
7119	靈	F675	CEE3	8EE4	A2ECE3	2-6C63	TBOK0080
7120	靈	F676	CEE4	8EE5	A2ECE4	2-6C64	TBOL0080
7121	靈	F677	CEE5	8EE6	A2ECE5	2-6C65	TBOM0080
7122	靈	F678	CEE6	8EE7	A2ECE6	2-6C66	TBON0080
7123	靈	F679	CEE7	8EE8	A2ECE7	2-6C67	TBOO0080
7124	靈	F67A	CEE8	8EE9	A2ECE8	2-6C68	TBOP0080
7125	靈	F67B	CEE9	8EEA	A2ECE9	2-6C69	TBOQ0080
7126	靈	F67C	CEEA	8EEB	A2ECEA	2-6C6A	TBOR0080
7127	靈	F67D	CEEB	8EEC	A2ECEB	2-6C6B	TBOS0080
7128	靈	F67E	CEEC	8EED	A2ECEC	2-6C6C	TBOT0080
7129	靈	F6A1	CEED	8EEE	A2ECED	2-6C6D	TBOU0080
7130	靈	F6A2	CEEE	8EEF	A2ECEE	2-6C6E	TBOV0080
7131	靈	F6A3	CEEF	8EF0	A2ECF0	2-6C6F	TBOW0080
7132	靈	F6A4	CEF0	8EF1	A2ECF0	2-6C70	TBOX0080
7133	靈	F6A5	CEF1	8EF2	A2ECF1	2-6C71	TBOY0080
7134	靈	F6A6	CEF2	8EF3	A2ECF2	2-6C72	TBOZ0080
7135	靈	F6A7	CEF3	8EF4	A2ECF3	2-6C73	TBP00080
7136	靈	F6A8	CEF4	8EF5	A2ECF4	2-6C74	TBP10080
7137	靈	F6A9	CEF5	8EF6	A2ECF5	2-6C75	TBP20080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 40 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7138	鯧	F6AA	CEF6	8EF7	A2ECF6	2-6C76	TBP30080
7139	鯨	F6AB	CEF7	8EF8	A2ECF7	2-6C77	TBP40080
7140	鯪	F6AC	CEF8	8EF9	A2ECF8	2-6C78	TBP50080
7141	鯽	F6AD	CEF9	8EFA	A2ECF9	2-6C79	TBP60080
7142	鯿	F6AE	CEFA	8EFB	A2ECFA	2-6C7A	TBP70080
7143	鮠	F6AF	CEFB	8EFC	A2ECFB	2-6C7B	TBP80080
7144	鮡	F6B0	CEFC	8EFD	A2ECFC	2-6C7C	TBP90080
7145	鮢	F6B1	CF40	8F41	A2ECFD	2-6C7D	TBPD0080
7146	鮣	F6B2	CF41	8F42	A2ECFE	2-6C7E	TBPE0080
7147	鮤	F6B3	CF42	8F43	A2EDA1	2-6D21	TBPF0080
7148	鮥	F6B4	CF43	8F44	A2EDA2	2-6D22	TBPG0080
7149	鮦	F6B5	CF44	8F45	A2EDA3	2-6D23	TBPH0080
7150	鮧	F6B6	CF45	8F46	A2EDA4	2-6D24	TBPI0080
7151	鮨	F6B7	CF46	8F47	A2EDA5	2-6D25	TBPJ0080
7152	鮪	F6B8	CF47	8F48	A2EDA6	2-6D26	TBPK0080
7153	鮫	F6B9	CF48	8F49	A2EDA7	2-6D27	TBPL0080
7154	鮫	F6BA	CF49	8F4A	A2EDA8	2-6D28	TBPM0080
7155	鮫	F6BB	CF4A	8F4B	A2EDA9	2-6D29	TBPN0080
7156	鮫	F6BC	CF4B	8F4C	A2EDAA	2-6D2A	TBPO0080
7157	鮫	F6BD	CF4C	8F4D	A2EDAB	2-6D2B	TBPP0080
7158	鮫	F6BE	CF4D	8F4E	A2EDAC	2-6D2C	TBPQ0080
7159	鮫	F6BF	CF4E	8F4F	A2EDAD	2-6D2D	TBPR0080
7160	鮫	F6C0	CF4F	8F50	A2EDAE	2-6D2E	TBPS0080
7161	鮫	F6C1	CF50	8F51	A2EDAF	2-6D2F	TBPT0080
7162	鮫	F6C2	CF51	8F52	A2EDB0	2-6D30	TBPU0080
7163	鮫	F6C3	CF52	8F53	A2EDB1	2-6D31	TBPV0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 41 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7164	鶯	F6C4	CF53	8F54	A2EDB2	2-6D32	TBPW0080
7165	鷓	F6C5	CF54	8F55	A2EDB3	2-6D33	TBPX0080
7166	鷓	F6C6	CF55	8F56	A2EDB4	2-6D34	TBPY0080
7167	鷓	F6C7	CF56	8F57	A2EDB5	2-6D35	TBPZ0080
7168	鷓	F6C8	CF57	8F58	A2EDB6	2-6D36	TBQ00080
7169	鷓	F6C9	CF58	8F59	A2EDB7	2-6D37	TBQ10080
7170	鷓	F6CA	CF59	8F5A	A2EDB8	2-6D38	TBQ20080
7171	鷓	F6CB	CF5A	8F5B	A2EDB9	2-6D39	TBQ30080
7172	鷓	F6CC	CF5B	8F5C	A2EDBA	2-6D3A	TBQ40080
7173	鷓	F6CD	CF5C	8F5D	A2EDBB	2-6D3B	TBQ50080
7174	鷓	F6CE	CF5D	8F5E	A2EDBC	2-6D3C	TBQ60080
7175	鷓	F6CF	CF5E	8F5F	A2EDBD	2-6D3D	TBQ70080
7176	鷓	F6D0	CF5F	8F60	A2EDBE	2-6D3E	TBQ80080
7177	鷓	F6D1	CF60	8F61	A2EDBF	2-6D3F	TBQ90080
7178	齋	F6D2	CF61	8F62	A2EDC0	2-6D40	TBQA0080
7179	齋	F6D3	CF62	8F63	A2EDC1	2-6D41	TBQB0080
7180	齋	F6D4	CF63	8F64	A2EDC2	2-6D42	TBQC0080
7181	齋	F6D5	CF64	8F65	A2EDC3	2-6D43	TBQD0080
7182	齋	F6D6	CF65	8F66	A2EDC4	2-6D44	TBQE0080
7183	齋	F6D7	CF66	8F67	A2EDC5	2-6D45	TBQF0080
7184	齋	F6D8	CF67	8F68	A2EDC6	2-6D46	TBQG0080
7185	齋	F6D9	CF68	8F69	A2EDC7	2-6D47	TBQH0080
7186	齋	F6DA	CF69	8F6A	A2EDC8	2-6D48	TBQI0080
7187	齋	F6DB	CF6A	8F6B	A2EDC9	2-6D49	TBQJ0080
7188	齋	F6DC	CF6B	8F6C	A2EDCA	2-6D4A	TBQK0080
7189	齋	F6DD	CF6C	8F6D	A2EDCB	2-6D4B	TBQL0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 42 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7190	嶺	F6DE	CF6D	8F6E	A2EDCC	2-6D4C	TBQM0080
7191	廡	F6DF	CF6E	8F6F	A2EDCD	2-6D4D	TBQN0080
7192	攤	F6E0	CF6F	8F70	A2EDCE	2-6D4E	TBQO0080
7193	攤	F6E1	CF70	8F71	A2EDCF	2-6D4F	TBQP0080
7194	攪	F6E2	CF71	8F72	A2EDD0	2-6D50	TBQQ0080
7195	攪	F6E3	CF72	8F73	A2EDD1	2-6D51	TBQR0080
7196	櫺	F6E4	CF73	8F74	A2EDD2	2-6D52	TBQS0080
7197	櫺	F6E5	CF74	8F75	A2EDD3	2-6D53	TBQT0080
7198	櫺	F6E6	CF75	8F76	A2EDD4	2-6D54	TBQU0080
7199	璽	F6E7	CF76	8F77	A2EDD5	2-6D55	TBQV0080
7200	灘	F6E8	CF77	8F78	A2EDD6	2-6D56	TBQW0080
7201	灘	F6E9	CF78	8F79	A2EDD7	2-6D57	TBQX0080
7202	灘	F6EA	CF79	8F7A	A2EDD8	2-6D58	TBQY0080
7203	灘	F6EB	CF7A	8F7B	A2EDD9	2-6D59	TBQZ0080
7204	爐	F6EC	CF7B	8F7C	A2EDDA	2-6D5A	TBR00080
7205	爐	F6ED	CF7C	8F7D	A2EDDB	2-6D5B	TBR10080
7206	羶	F6EE	CF7D	8F7E	A2EDDC	2-6D5C	TBR20080
7207	羶	F6EF	CF7E	8F7F	A2EDDD	2-6D5D	TBR30080
7208	羶	F6F0	CF80	8F81	A2EDDE	2-6D5E	TBR50080
7209	璽	F6F1	CF81	8F82	A2EDDF	2-6D5F	TBR60080
7210	璽	F6F2	CF82	8F83	A2EDE0	2-6D60	TBR70080
7211	璽	F6F3	CF83	8F84	A2EDE1	2-6D61	TBR80080
7212	璽	F6F4	CF84	8F85	A2EDE2	2-6D62	TBR90080
7213	璽	F6F5	CF85	8F86	A2EDE3	2-6D63	TBRA0080
7214	璽	F6F6	CF86	8F87	A2EDE4	2-6D64	TBRB0080
7215	璽	F6F7	CF87	8F88	A2EDE5	2-6D65	TBRC0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 43 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7216	穰	F6F8	CF88	8F89	A2EDE6	2-6D66	TBRD0080
7217	穈	F6F9	CF89	8F8A	A2EDE7	2-6D67	TBRE0080
7218	籩	F6FA	CF8A	8F8B	A2EDE8	2-6D68	TBRF0080
7219	籛	F6FB	CF8B	8F8C	A2EDE9	2-6D69	TBRG0080
7220	籞	F6FC	CF8C	8F8D	A2EDEA	2-6D6A	TBRH0080
7221	籟	F6FD	CF8D	8F8E	A2EDEB	2-6D6B	TBRI0080
7222	簋	F6FE	CF8E	8F8F	A2EDEC	2-6D6C	TBRJ0080
7223	籟	F740	CF8F	8F90	A2EDED	2-6D6D	TBRK0080
7224	穰	F741	CF90	8F91	A2EDEE	2-6D6E	TBRL0080
7225	籛	F742	CF91	8F92	A2EDEF	2-6D6F	TBRM0080
7226	籞	F743	CF92	8F93	A2EDF0	2-6D70	TBRN0080
7227	籟	F744	CF93	8F94	A2EDF1	2-6D71	TBRO0080
7228	籟	F745	CF94	8F95	A2EDF2	2-6D72	TBRP0080
7229	籟	F746	CF95	8F96	A2EDF3	2-6D73	TBRQ0080
7230	籟	F747	CF96	8F97	A2EDF4	2-6D74	TBRR0080
7231	籟	F748	CF97	8F98	A2EDF5	2-6D75	TBRS0080
7232	籟	F749	CF98	8F99	A2EDF6	2-6D76	TBRT0080
7233	籟	F74A	CF99	8F9A	A2EDF7	2-6D77	TBRU0080
7234	籟	F74B	CF9A	8F9B	A2EDF8	2-6D78	TBRV0080
7235	籟	F74C	CF9B	8F9C	A2EDF9	2-6D79	TBRW0080
7236	籟	F74D	CF9C	8F9D	A2EDFA	2-6D7A	TBRX0080
7237	籟	F74E	CF9D	8F9E	A2EDFB	2-6D7B	TBRY0080
7238	籟	F74F	CF9E	8F9F	A2EDFC	2-6D7C	TBRZ0080
7239	籟	F750	CF9F	8FA0	A2EDFD	2-6D7D	TBS00080
7240	籟	F751	CFA0	8FA1	A2EDFE	2-6D7E	TBS10080
7241	籟	F752	CFA1	8FA2	A2EEA1	2-6E21	TBS20080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 44 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7242	覲	F753	CFA2	8FA3	A2EEA2	2-6E22	TBS30080
7243	覲	F754	CFA3	8FA4	A2EEA3	2-6E23	TBS40080
7244	躒	F755	CFA4	8FA5	A2EEA4	2-6E24	TBS50080
7245	譏	F756	CFA5	8FA6	A2EEA5	2-6E25	TBS60080
7246	譏	F757	CFA6	8FA7	A2EEA6	2-6E26	TBS70080
7247	護	F758	CFA7	8FA8	A2EEA7	2-6E27	TBS80080
7248	躒	F759	CFA8	8FA9	A2EEA8	2-6E28	TBS90080
7249	譏	F75A	CFA9	8FAA	A2EEA9	2-6E29	TBSA0080
7250	譏	F75B	CFAA	8FAB	A2EEAA	2-6E2A	TBSB0080
7251	躒	F75C	CFAB	8FAC	A2EEAB	2-6E2B	TBSC0080
7252	躒	F75D	CFAC	8FAD	A2EEAC	2-6E2C	TBSD0080
7253	躒	F75E	CFAD	8FAE	A2EEAD	2-6E2D	TBSE0080
7254	躒	F75F	CFAE	8FAF	A2EEAE	2-6E2E	TBSF0080
7255	躒	F760	CFAF	8FB0	A2EEAF	2-6E2F	TBSG0080
7256	躒	F761	CFB0	8FB1	A2EEB0	2-6E30	TBSH0080
7257	躒	F762	CFB1	8FB2	A2EEB1	2-6E31	TBSI0080
7258	躒	F763	CFB2	8FB3	A2EEB2	2-6E32	TBSJ0080
7259	躒	F764	CFB3	8FB4	A2EEB3	2-6E33	TBSK0080
7260	躒	F765	CFB4	8FB5	A2EEB4	2-6E34	TBSL0080
7261	躒	F766	CFB5	8FB6	A2EEB5	2-6E35	TBSM0080
7262	躒	F767	CFB6	8FB7	A2EEB6	2-6E36	TBSN0080
7263	躒	F768	CFB7	8FB8	A2EEB7	2-6E37	TBSO0080
7264	躒	F769	CFB8	8FB9	A2EEB8	2-6E38	TBSP0080
7265	躒	F76A	CFB9	8FBA	A2EEB9	2-6E39	TBSQ0080
7266	躒	F76B	CFBA	8FBB	A2EEBA	2-6E3A	TBSR0080
7267	躒	F76C	CFBB	8FBC	A2EEBB	2-6E3B	TBSS0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 45 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7268	鑠	F76D	CFBC	8FBD	A2EEBC	2-6E3C	TBST0080
7269	鏞	F76E	CFBD	8FBE	A2EEBD	2-6E3D	TBSU0080
7270	鏹	F76F	CFBE	8FBF	A2EEBE	2-6E3E	TBSV0080
7271	鎏	F770	CFBF	8FC0	A2EEBF	2-6E3F	TBSW0080
7272	霧	F771	CFC0	8FC1	A2EEC0	2-6E40	TBSX0080
7273	靺	F772	CFC1	8FC2	A2EEC1	2-6E41	TBSY0080
7274	靸	F773	CFC2	8FC3	A2EEC2	2-6E42	TBSZ0080
7275	頰	F774	CFC3	8FC4	A2EEC3	2-6E43	TBT00080
7276	隄	F775	CFC4	8FC5	A2EEC4	2-6E44	TBT10080
7277	饗	F776	CFC5	8FC6	A2EEC5	2-6E45	TBT20080
7278	饗	F777	CFC6	8FC7	A2EEC6	2-6E46	TBT30080
7279	驕	F778	CFC7	8FC8	A2EEC7	2-6E47	TBT40080
7280	驕	F779	CFC8	8FC9	A2EEC8	2-6E48	TBT50080
7281	驕	F77A	CFC9	8FCA	A2EEC9	2-6E49	TBT60080
7282	驕	F77B	CFCA	8FCB	A2EECA	2-6E4A	TBT70080
7283	驕	F77C	CFCB	8FCC	A2EECB	2-6E4B	TBT80080
7284	驕	F77D	CFCC	8FCD	A2EECC	2-6E4C	TBT90080
7285	驕	F77E	CFCD	8FCE	A2EECD	2-6E4D	TBTA0080
7286	驕	F7A1	CFCE	8FCF	A2EECE	2-6E4E	TBTB0080
7287	驕	F7A2	CFCF	8FD0	A2EECF	2-6E4F	TBTC0080
7288	驕	F7A3	CFD0	8FD1	A2EED0	2-6E50	TBTD0080
7289	驕	F7A4	CFD1	8FD2	A2EED1	2-6E51	TBTE0080
7290	驕	F7A5	CFD2	8FD3	A2EED2	2-6E52	TBTF0080
7291	驕	F7A6	CFD3	8FD4	A2EED3	2-6E53	TBTG0080
7292	驕	F7A7	CFD4	8FD5	A2EED4	2-6E54	TBTH0080
7293	驕	F7A8	CFD5	8FD6	A2EED5	2-6E55	TBTI0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 46 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7294	魁	F7A9	CFD6	8FD7	A2EED6	2-6E56	TBTJ0080
7295	嶧	F7AA	CFD7	8FD8	A2EED7	2-6E57	TBTK0080
7296	鯨	F7AB	CFD8	8FD9	A2EED8	2-6E58	TBTL0080
7297	鯨	F7AC	CFD9	8FDA	A2EED9	2-6E59	TBTM0080
7298	鯨	F7AD	CFDA	8FDB	A2EEDA	2-6E5A	TBTN0080
7299	鯨	F7AE	CFDB	8FDC	A2EEDB	2-6E5B	TBTO0080
7300	鯨	F7AF	CFDC	8FDD	A2EEDC	2-6E5C	TBTP0080
7301	鯨	F7B0	CFDD	8FDE	A2EEDD	2-6E5D	TBTQ0080
7302	鯨	F7B1	CFDE	8FDF	A2EEDE	2-6E5E	TBTR0080
7303	鯨	F7B2	CFDF	8FE0	A2EEDF	2-6E5F	TBTS0080
7304	鰲	F7B3	CFE0	8FE1	A2EEE0	2-6E60	TBTT0080
7305	鰲	F7B4	CFE1	8FE2	A2EEE1	2-6E61	TBTU0080
7306	鰲	F7B5	CFE2	8FE3	A2EEE2	2-6E62	TBTV0080
7307	鰲	F7B6	CFE3	8FE4	A2EEE3	2-6E63	TBTW0080
7308	鰲	F7B7	CFE4	8FE5	A2EEE4	2-6E64	TBTX0080
7309	鰲	F7B8	CFE5	8FE6	A2EEE5	2-6E65	TBTY0080
7310	鰲	F7B9	CFE6	8FE7	A2EEE6	2-6E66	TBTZ0080
7311	鰲	F7BA	CFE7	8FE8	A2EEE7	2-6E67	TBU00080
7312	鰲	F7BB	CFE8	8FE9	A2EEE8	2-6E68	TBU10080
7313	鰲	F7BC	CFE9	8FEA	A2EEE9	2-6E69	TBU20080
7314	鰲	F7BD	CFEA	8FEB	A2EEEA	2-6E6A	TBU30080
7315	鰲	F7BE	CFEB	8FEC	A2EEEB	2-6E6B	TBU40080
7316	鰲	F7BF	CFEC	8FED	A2EEEC	2-6E6C	TBU50080
7317	鰲	F7C0	CFED	8FEE	A2EEED	2-6E6D	TBU60080
7318	鰲	F7C1	CFEE	8FEF	A2EEEE	2-6E6E	TBU70080
7319	鰲	F7C2	CFEF	8FF0	A2EEEF	2-6E6F	TBU80080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 47 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7320	鸞	F7C3	CFF0	8FF1	A2EEF0	2-6E70	TBU90080
7321	鸞	F7C4	CFF1	8FF2	A2EEF1	2-6E71	TBUA0080
7322	鸞	F7C5	CFF2	8FF3	A2EEF2	2-6E72	TBUB0080
7323	鸞	F7C6	CFF3	8FF4	A2EEF3	2-6E73	TBUC0080
7324	鸞	F7C7	CFF4	8FF5	A2EEF4	2-6E74	TBUD0080
7325	鸞	F7C8	CFF5	8FF6	A2EEF5	2-6E75	TBUE0080
7326	鸞	F7C9	CFF6	8FF7	A2EEF6	2-6E76	TBUF0080
7327	鸞	F7CA	CFF7	8FF8	A2EEF7	2-6E77	TBUG0080
7328	鸞	F7CB	CFF8	8FF9	A2EEF8	2-6E78	TBUH0080
7329	鸞	F7CC	CFF9	8FFA	A2EEF9	2-6E79	TBUI0080
7330	鸞	F7CD	CFFA	8FFB	A2EEFA	2-6E7A	TBUJ0080
7331	鸞	F7CE	CFFB	8FFC	A2EEFB	2-6E7B	TBUK0080
7332	鸞	F7CF	CFFC	8FFD	A2EEFC	2-6E7C	TBUL0080
7333	儻	F7D0	D040	9041	A2EEFD	2-6E7D	TBUP0080
7334	儻	F7D1	D041	9042	A2EEFE	2-6E7E	TBUQ0080
7335	儻	F7D2	D042	9043	A2EFA1	2-6F21	TBUR0080
7336	儻	F7D3	D043	9044	A2EFA2	2-6F22	TBUS0080
7337	儻	F7D4	D044	9045	A2EFA3	2-6F23	TBUT0080
7338	儻	F7D5	D045	9046	A2EFA4	2-6F24	TBUU0080
7339	儻	F7D6	D046	9047	A2EFA5	2-6F25	TBUV0080
7340	儻	F7D7	D047	9048	A2EFA6	2-6F26	TBUW0080
7341	儻	F7D8	D048	9049	A2EFA7	2-6F27	TBUX0080
7342	儻	F7D9	D049	904A	A2EFA8	2-6F28	TBUY0080
7343	儻	F7DA	D04A	904B	A2EFA9	2-6F29	TBUZ0080
7344	儻	F7DB	D04B	904C	A2EFAA	2-6F2A	TBV00080
7345	儻	F7DC	D04C	904D	A2EFAB	2-6F2B	TBV10080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 48 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7346	攆	F7DD	D04D	904E	A2EFAC	2-6F2C	TBV20080
7347	盞	F7DE	D04E	904F	A2EFAD	2-6F2D	TBV30080
7348	轡	F7DF	D04F	9050	A2EFAE	2-6F2E	TBV40080
7349	欝	F7E0	D050	9051	A2EFAF	2-6F2F	TBV50080
7350	藥	F7E1	D051	9052	A2EFB0	2-6F30	TBV60080
7351	權	F7E2	D052	9053	A2EFB1	2-6F31	TBV70080
7352	馨	F7E3	D053	9054	A2EFB2	2-6F32	TBV80080
7353	瀾	F7E4	D054	9055	A2EFB3	2-6F33	TBV90080
7354	灑	F7E5	D055	9056	A2EFB4	2-6F34	TBVA0080
7355	廩	F7E6	D056	9057	A2EFB5	2-6F35	TBVB0080
7356	獬	F7E7	D057	9058	A2EFB6	2-6F36	TBVC0080
7357	獫	F7E8	D058	9059	A2EFB7	2-6F37	TBVD0080
7358	獬	F7E9	D059	905A	A2EFB8	2-6F38	TBVE0080
7359	癰	F7EA	D05A	905B	A2EFB9	2-6F39	TBVF0080
7360	瞞	F7EB	D05B	905C	A2EFBA	2-6F3A	TBVG0080
7361	籩	F7EC	D05C	905D	A2EFBB	2-6F3B	TBVH0080
7362	籛	F7ED	D05D	905E	A2EFBC	2-6F3C	TBVI0080
7363	纒	F7EE	D05E	905F	A2EFBD	2-6F3D	TBVJ0080
7364	纒	F7EF	D05F	9060	A2EFBE	2-6F3E	TBVK0080
7365	籬	F7F0	D060	9061	A2EFBF	2-6F3F	TBVL0080
7366	莖	F7F1	D061	9062	A2EFC0	2-6F40	TBVM0080
7367	穰	F7F2	D062	9063	A2EFC1	2-6F41	TBVN0080
7368	蔎	F7F3	D063	9064	A2EFC2	2-6F42	TBVO0080
7369	藟	F7F4	D064	9065	A2EFC3	2-6F43	TBVP0080
7370	藟	F7F5	D065	9066	A2EFC4	2-6F44	TBVQ0080
7371	穰	F7F6	D066	9067	A2EFC5	2-6F45	TBVR0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 49 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7372	蟻	F7F7	D067	9068	A2EFC6	2-6F46	TBVS0080
7373	蠟	F7F8	D068	9069	A2EFC7	2-6F47	TBVT0080
7374	蠟	F7F9	D069	906A	A2EFC8	2-6F48	TBVU0080
7375	蠟	F7FA	D06A	906B	A2EFC9	2-6F49	TBVV0080
7376	襪	F7FB	D06B	906C	A2EFCA	2-6F4A	TBVW0080
7377	襪	F7FC	D06C	906D	A2EFCB	2-6F4B	TBVX0080
7378	襪	F7FD	D06D	906E	A2EFCC	2-6F4C	TBKY0080
7379	襪	F7FE	D06E	906F	A2EFCD	2-6F4D	TBVZ0080
7380	讌	F840	D06F	9070	A2EFCE	2-6F4E	TBW00080
7381	讌	F841	D070	9071	A2EFCF	2-6F4F	TBW10080
7382	讌	F842	D071	9072	A2EFD0	2-6F50	TBW20080
7383	讌	F843	D072	9073	A2EFD1	2-6F51	TBW30080
7384	讌	F844	D073	9074	A2EFD2	2-6F52	TBW40080
7385	讌	F845	D074	9075	A2EFD3	2-6F53	TBW50080
7386	讌	F846	D075	9076	A2EFD4	2-6F54	TBW60080
7387	讌	F847	D076	9077	A2EFD5	2-6F55	TBW70080
7388	讌	F848	D077	9078	A2EFD6	2-6F56	TBW80080
7389	讌	F849	D078	9079	A2EFD7	2-6F57	TBW90080
7390	鑢	F84A	D079	907A	A2EFD8	2-6F58	TBWA0080
7391	鑢	F84B	D07A	907B	A2EFD9	2-6F59	TBWB0080
7392	鑢	F84C	D07B	907C	A2EFDA	2-6F5A	TBWC0080
7393	鑢	F84D	D07C	907D	A2EFDB	2-6F5B	TBWD0080
7394	鑢	F84E	D07D	907E	A2EFDC	2-6F5C	TBWE0080
7395	鑢	F84F	D07E	907F	A2EFDD	2-6F5D	TBWF0080
7396	鑢	F850	D080	9081	A2EFDE	2-6F5E	TBWH0080
7397	鑢	F851	D081	9082	A2EFDG	2-6F5F	TBWI0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 50 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7398	職	F852	D082	9083	A2EFE0	2-6F60	TBWJ0080
7399	贖	F853	D083	9084	A2EFE1	2-6F61	TBWK0080
7400	鬘	F854	D084	9085	A2EFE2	2-6F62	TBWL0080
7401	鬘	F855	D085	9086	A2EFE3	2-6F63	TBWM0080
7402	鬘	F856	D086	9087	A2EFE4	2-6F64	TBWN0080
7403	鯨	F857	D087	9088	A2EFE5	2-6F65	TBWO0080
7404	鯨	F858	D088	9089	A2EFE6	2-6F66	TBWP0080
7405	鯨	F859	D089	908A	A2EFE7	2-6F67	TBWQ0080
7406	鯨	F85A	D08A	908B	A2EFE8	2-6F68	TBWR0080
7407	鯨	F85B	D08B	908C	A2EFE9	2-6F69	TBWS0080
7408	鯨	F85C	D08C	908D	A2EFEA	2-6F6A	TBWT0080
7409	鯨	F85D	D08D	908E	A2EFEB	2-6F6B	TBWU0080
7410	鯨	F85E	D08E	908F	A2EFEC	2-6F6C	TBWW0080
7411	鯨	F85F	D08F	9090	A2EFED	2-6F6D	TBWW0080
7412	鯨	F860	D090	9091	A2EFEE	2-6F6E	TBWX0080
7413	鯨	F861	D091	9092	A2EFEF	2-6F6F	TBWW0080
7414	鵠	F862	D092	9093	A2EFF0	2-6F70	TBWZ0080
7415	鵠	F863	D093	9094	A2EFF1	2-6F71	TBX00080
7416	鵠	F864	D094	9095	A2EFF2	2-6F72	TBX10080
7417	鵠	F865	D095	9096	A2EFF3	2-6F73	TBX20080
7418	鵠	F866	D096	9097	A2EFF4	2-6F74	TBX30080
7419	鵠	F867	D097	9098	A2EFF5	2-6F75	TBX40080
7420	鵠	F868	D098	9099	A2EFF6	2-6F76	TBX50080
7421	鵠	F869	D099	909A	A2EFF7	2-6F77	TBX60080
7422	鵠	F86A	D09A	909B	A2EFF8	2-6F78	TBX70080
7423	鵠	F86B	D09B	909C	A2EFF9	2-6F79	TBX80080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 51 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7424	鶯	F86C	D09C	909D	A2EFFA	2-6F7A	TBX90080
7425	鶯	F86D	D09D	909E	A2EFFB	2-6F7B	TBXA0080
7426	鶯	F86E	D09E	909F	A2EFFC	2-6F7C	TBXB0080
7427	鶯	F86F	D09F	90A0	A2EFFD	2-6F7D	TBXC0080
7428	鶯	F870	D0A0	90A1	A2EF FE	2-6F7E	TBXD0080
7429	鶯	F871	D0A1	90A2	A2F0A1	2-7021	TBXE0080
7430	鶯	F872	D0A2	90A3	A2F0A2	2-7022	TBXF0080
7431	鶯	F873	D0A3	90A4	A2F0A3	2-7023	TBXG0080
7432	鶯	F874	D0A4	90A5	A2F0A4	2-7024	TBXH0080
7433	鶯	F875	D0A5	90A6	A2F0A5	2-7025	TBXI0080
7434	鶯	F876	D0A6	90A7	A2F0A6	2-7026	TBXJ0080
7435	鶯	F877	D0A7	90A8	A2F0A7	2-7027	TBXK0080
7436	鶯	F878	D0A8	90A9	A2F0A8	2-7028	TBXL0080
7437	鶯	F879	D0A9	90AA	A2F0A9	2-7029	TBXM0080
7438	鶯	F87A	D0AA	90AB	A2F0AA	2-702A	TBXN0080
7439	鶯	F87B	D0AB	90AC	A2F0AB	2-702B	TBXO0080
7440	鶯	F87C	D0AC	90AD	A2F0AC	2-702C	TBXP0080
7441	鶯	F87D	D0AD	90AE	A2F0AD	2-702D	TBXQ0080
7442	齋	F87E	D0AE	90AF	A2F0AE	2-702E	TBXR0080
7443	齋	F8A1	D0AF	90B0	A2F0AF	2-702F	TBXS0080
7444	齋	F8A2	D0B0	90B1	A2F0B0	2-7030	TBXT0080
7445	齋	F8A3	D0B1	90B2	A2F0B1	2-7031	TBXU0080
7446	齋	F8A4	D0B2	90B3	A2F0B2	2-7032	TBXV0080
7447	齋	F8A5	D0B3	90B4	A2F0B3	2-7033	TBXW0080
7448	齋	F8A6	D0B4	90B5	A2F0B4	2-7034	TBXX0080
7449	齋	F8A7	D0B5	90B6	A2F0B5	2-7035	TBXY0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 52 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7450	屬	F8A8	D0B6	90B7	A2F0B6	2-7036	TBXZ0080
7451	搖	F8A9	D0B7	90B8	A2F0B7	2-7037	TBY00080
7452	曠	F8AA	D0B8	90B9	A2F0B8	2-7038	TBY10080
7453	曠	F8AB	D0B9	90BA	A2F0B9	2-7039	TBY20080
7454	櫟	F8AC	D0BA	90BB	A2F0BA	2-703A	TBY30080
7455	瀾	F8AD	D0BB	90BC	A2F0BB	2-703B	TBY40080
7456	瀾	F8AE	D0BC	90BD	A2F0BC	2-703C	TBY50080
7457	瀨	F8AF	D0BD	90BE	A2F0BD	2-703D	TBY60080
7458	覽	F8B0	D0BE	90BF	A2F0BE	2-703E	TBY70080
7459	燻	F8B1	D0BF	90C0	A2F0BF	2-703F	TBY80080
7460	璫	F8B2	D0C0	90C1	A2F0C0	2-7040	TBY90080
7461	璫	F8B3	D0C1	90C2	A2F0C1	2-7041	TBYA0080
7462	璫	F8B4	D0C2	90C3	A2F0C2	2-7042	TBYB0080
7463	磧	F8B5	D0C3	90C4	A2F0C3	2-7043	TBYC0080
7464	禎	F8B6	D0C4	90C5	A2F0C4	2-7044	TBYD0080
7465	禎	F8B7	D0C5	90C6	A2F0C5	2-7045	TBYE0080
7466	斷	F8B8	D0C6	90C7	A2F0C6	2-7046	TBYF0080
7467	繡	F8B9	D0C7	90C8	A2F0C7	2-7047	TBYG0080
7468	羈	F8BA	D0C8	90C9	A2F0C8	2-7048	TBYH0080
7469	艘	F8BB	D0C9	90CA	A2F0C9	2-7049	TBYI0080
7470	葢	F8BC	D0CA	90CB	A2F0CA	2-704A	TBYJ0080
7471	罐	F8BD	D0CB	90CC	A2F0CB	2-704B	TBYK0080
7472	蠟	F8BE	D0CC	90CD	A2F0CC	2-704C	TBYL0080
7473	蠟	F8BF	D0CD	90CE	A2F0CD	2-704D	TBYM0080
7474	蠹	F8C0	D0CE	90CF	A2F0CE	2-704E	TBYN0080
7475	譴	F8C1	D0CF	90D0	A2F0CF	2-704F	TBYO0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 53 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7476	調	F8C2	D0D0	90D1	A2F0D0	2-7050	TBYP0080
7477	躑	F8C3	D0D1	90D2	A2F0D1	2-7051	TBYQ0080
7478	躑	F8C4	D0D2	90D3	A2F0D2	2-7052	TBYR0080
7479	躑	F8C5	D0D3	90D4	A2F0D3	2-7053	TBYS0080
7480	躑	F8C6	D0D4	90D5	A2F0D4	2-7054	TBYT0080
7481	釀	F8C7	D0D5	90D6	A2F0D5	2-7055	TBYU0080
7482	醞	F8C8	D0D6	90D7	A2F0D6	2-7056	TBYV0080
7483	醞	F8C9	D0D7	90D8	A2F0D7	2-7057	TBYW0080
7484	鑫	F8CA	D0D8	90D9	A2F0D8	2-7058	TBYX0080
7485	鎗	F8CB	D0D9	90DA	A2F0D9	2-7059	TBYY0080
7486	鎗	F8CC	D0DA	90DB	A2F0DA	2-705A	TBYZ0080
7487	鎗	F8CD	D0DB	90DC	A2F0DB	2-705B	TBZ00080
7488	鎗	F8CE	D0DC	90DD	A2F0DC	2-705C	TBZ10080
7489	霍	F8CF	D0DD	90DE	A2F0DD	2-705D	TBZ20080
7490	霍	F8D0	D0DE	90DF	A2F0DE	2-705E	TBZ30080
7491	轉	F8D1	D0DF	90E0	A2F0DF	2-705F	TBZ40080
7492	轉	F8D2	D0E0	90E1	A2F0E0	2-7060	TBZ50080
7493	轉	F8D3	D0E1	90E2	A2F0E1	2-7061	TBZ60080
7494	轉	F8D4	D0E2	90E3	A2F0E2	2-7062	TBZ70080
7495	轉	F8D5	D0E3	90E4	A2F0E3	2-7063	TBZ80080
7496	轉	F8D6	D0E4	90E5	A2F0E4	2-7064	TBZ90080
7497	轉	F8D7	D0E5	90E6	A2F0E5	2-7065	TBZA0080
7498	轉	F8D8	D0E6	90E7	A2F0E6	2-7066	TBZB0080
7499	轉	F8D9	D0E7	90E8	A2F0E7	2-7067	TBZC0080
7500	轉	F8DA	D0E8	90E9	A2F0E8	2-7068	TBZD0080
7501	轉	F8DB	D0E9	90EA	A2F0E9	2-7069	TBZE0080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 54 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7502	鴻	F8DC	D0EA	90EB	A2F0EA	2-706A	TBZF0080
7503	鸛	F8DD	D0EB	90EC	A2F0EB	2-706B	TBZG0080
7504	鸛	F8DE	D0EC	90ED	A2F0EC	2-706C	TBZH0080
7505	鸛	F8DF	D0ED	90EE	A2F0ED	2-706D	TBZI0080
7506	鸛	F8E0	D0EE	90EF	A2F0EE	2-706E	TBZJ0080
7507	鸛	F8E1	D0EF	90F0	A2F0EF	2-706F	TBZK0080
7508	鸛	F8E2	D0F0	90F1	A2F0F0	2-7070	TBZL0080
7509	鸛	F8E3	D0F1	90F2	A2F0F1	2-7071	TBZM0080
7510	鸛	F8E4	D0F2	90F3	A2F0F2	2-7072	TBZN0080
7511	鸛	F8E5	D0F3	90F4	A2F0F3	2-7073	TBZO0080
7512	鸛	F8E6	D0F4	90F5	A2F0F4	2-7074	TBZP0080
7513	鸛	F8E7	D0F5	90F6	A2F0F5	2-7075	TBZQ0080
7514	鸛	F8E8	D0F6	90F7	A2F0F6	2-7076	TBZR0080
7515	鸛	F8E9	D0F7	90F8	A2F0F7	2-7077	TBZS0080
7516	鸛	F8EA	D0F8	90F9	A2F0F8	2-7078	TBZT0080
7517	鸛	F8EB	D0F9	90FA	A2F0F9	2-7079	TBZU0080
7518	鸛	F8EC	D0FA	90FB	A2F0FA	2-707A	TBZV0080
7519	鸛	F8ED	D0FB	90FC	A2F0FB	2-707B	TBZW0080
7520	鸛	F8EE	D0FC	90FD	A2F0FC	2-707C	TBZX0080
7521	攪	F8EF	D140	9141	A2F0FD	2-707D	TC010080
7522	攪	F8F0	D141	9142	A2F0FE	2-707E	TC020080
7523	櫛	F8F1	D142	9143	A2F1A1	2-7121	TC030080
7524	櫛	F8F2	D143	9144	A2F1A2	2-7122	TC040080
7525	櫛	F8F3	D144	9145	A2F1A3	2-7123	TC050080
7526	櫛	F8F4	D145	9146	A2F1A4	2-7124	TC060080
7527	灑	F8F5	D146	9147	A2F1A5	2-7125	TC070080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 55 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7528	燈	F8F6	D147	9148	A2F1A6	2-7126	TC080080
7529	摸	F8F7	D148	9149	A2F1A7	2-7127	TC090080
7530	瞠	F8F8	D149	914A	A2F1A8	2-7128	TC0A0080
7531	瞞	F8F9	D14A	914B	A2F1A9	2-7129	TC0B0080
7532	礪	F8FA	D14B	914C	A2F1AA	2-712A	TC0C0080
7533	籩	F8FB	D14C	914D	A2F1AB	2-712B	TC0D0080
7534	簞	F8FC	D14D	914E	A2F1AC	2-712C	TC0E0080
7535	耀	F8FD	D14E	914F	A2F1AD	2-712D	TC0F0080
7536	纒	F8FE	D14F	9150	A2F1AE	2-712E	TC0G0080
7537	縉	F940	D150	9151	A2F1AF	2-712F	TC0H0080
7538	燾	F941	D151	9152	A2F1B0	2-7130	TC0I0080
7539	羅	F942	D152	9153	A2F1B1	2-7131	TC0J0080
7540	櫛	F943	D153	9154	A2F1B2	2-7132	TC0K0080
7541	鸚	F944	D154	9155	A2F1B3	2-7133	TC0L0080
7542	藁	F945	D155	9156	A2F1B4	2-7134	TC0M0080
7543	藎	F946	D156	9157	A2F1B5	2-7135	TC0N0080
7544	藎	F947	D157	9158	A2F1B6	2-7136	TC0O0080
7545	襪	F948	D158	9159	A2F1B7	2-7137	TC0P0080
7546	襪	F949	D159	915A	A2F1B8	2-7138	TC0Q0080
7547	襪	F94A	D15A	915B	A2F1B9	2-7139	TC0R0080
7548	襪	F94B	D15B	915C	A2F1BA	2-713A	TC0S0080
7549	籩	F94C	D15C	915D	A2F1BB	2-713B	TC0T0080
7550	譚	F94D	D15D	915E	A2F1BC	2-713C	TC0U0080
7551	譚	F94E	D15E	915F	A2F1BD	2-713D	TC0V0080
7552	躑	F94F	D15F	9160	A2F1BE	2-713E	TC0W0080
7553	躑	F950	D160	9161	A2F1BF	2-713F	TC0X0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 56 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7554	躑	F951	D161	9162	A2F1C0	2-7140	TC0Y0080
7555	鑄	F952	D162	9163	A2F1C1	2-7141	TC0Z0080
7556	鑪	F953	D163	9164	A2F1C2	2-7142	TC100080
7557	鐵	F954	D164	9165	A2F1C3	2-7143	TC110080
7558	鏡	F955	D165	9166	A2F1C4	2-7144	TC120080
7559	鑿	F956	D166	9167	A2F1C5	2-7145	TC130080
7560	鑿	F957	D167	9168	A2F1C6	2-7146	TC140080
7561	鑿	F958	D168	9169	A2F1C7	2-7147	TC150080
7562	鑿	F959	D169	916A	A2F1C8	2-7148	TC160080
7563	鑿	F95A	D16A	916B	A2F1C9	2-7149	TC170080
7564	鑿	F95B	D16B	916C	A2F1CA	2-714A	TC180080
7565	鑿	F95C	D16C	916D	A2F1CB	2-714B	TC190080
7566	鑿	F95D	D16D	916E	A2F1CC	2-714C	TC1A0080
7567	鑿	F95E	D16E	916F	A2F1CD	2-714D	TC1B0080
7568	鑿	F95F	D16F	9170	A2F1CE	2-714E	TC1C0080
7569	鑿	F960	D170	9171	A2F1CF	2-714F	TC1D0080
7570	鑿	F961	D171	9172	A2F1D0	2-7150	TC1E0080
7571	鑿	F962	D172	9173	A2F1D1	2-7151	TC1F0080
7572	鑿	F963	D173	9174	A2F1D2	2-7152	TC1G0080
7573	鑿	F964	D174	9175	A2F1D3	2-7153	TC1H0080
7574	鑿	F965	D175	9176	A2F1D4	2-7154	TC1I0080
7575	鑿	F966	D176	9177	A2F1D5	2-7155	TC1J0080
7576	鑿	F967	D177	9178	A2F1D6	2-7156	TC1K0080
7577	鑿	F968	D178	9179	A2F1D7	2-7157	TC1L0080
7578	鑿	F969	D179	917A	A2F1D8	2-7158	TC1M0080
7579	鑿	F96A	D17A	917B	A2F1D9	2-7159	TC1N0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 57 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7580	罇	F96B	D17B	917C	A2F1DA	2-715A	TC1O0080
7581	灑	F96C	D17C	917D	A2F1DB	2-715B	TC1P0080
7582	簋	F96D	D17D	917E	A2F1DC	2-715C	TC1Q0080
7583	螻	F96E	D17E	917F	A2F1DD	2-715D	TC1R0080
7584	躉	F96F	D180	9181	A2F1DE	2-715E	TC1T0080
7585	躉	F970	D181	9182	A2F1DF	2-715F	TC1U0080
7586	醜	F971	D182	9183	A2F1E0	2-7160	TC1V0080
7587	鏞	F972	D183	9184	A2F1E1	2-7161	TC1W0080
7588	鏗	F973	D184	9185	A2F1E2	2-7162	TC1X0080
7589	鑛	F974	D185	9186	A2F1E3	2-7163	TC1Y0080
7590	鑪	F975	D186	9187	A2F1E4	2-7164	TC1Z0080
7591	鱻	F976	D187	9188	A2F1E5	2-7165	TC200080
7592	鰈	F977	D188	9189	A2F1E7	2-7167	TC210080
7593	鰈	F978	D189	918A	A2F1E8	2-7168	TC220080
7594	鱈	F979	D18A	918B	A2F1E9	2-7169	TC230080
7595	鱈	F97A	D18B	918C	A2F1EA	2-716A	TC240080
7596	鱈	F97B	D18C	918D	A2F1EB	2-716B	TC250080
7597	鵠	F97C	D18D	918E	A2F1EC	2-716C	TC260080
7598	壓	F97D	D18E	918F	A2F1ED	2-716D	TC270080
7599	鼉	F97E	D18F	9190	A2F1EE	2-716E	TC280080
7600	鰓	F9A1	D190	9191	A2F1EF	2-716F	TC290080
7601	濱	F9A2	D191	9192	A2F1F0	2-7170	TC2A0080
7602	蟲	F9A3	D192	9193	A2F1F1	2-7171	TC2B0080
7603	糲	F9A4	D193	9194	A2F1F2	2-7172	TC2C0080
7604	鱸	F9A5	D194	9195	A2F1F3	2-7173	TC2D0080
7605	蟪	F9A6	D195	9196	A2F1F4	2-7174	TC2E0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 58 of 59). Secondary Character Set (5 of 5), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7606	糞	F9A7	D196	9197	A2F1F5	2-7175	TC2F0080
7607	糞	F9A8	D197	9198	A2F1F6	2-7176	TC2G0080
7608	糞	F9A9	D198	9199	A2F1F7	2-7177	TC2H0080
7609	糞	F9AA	D199	919A	A2F1F8	2-7178	TC2I0080
7610	糞	F9AB	D19A	919B	A2F1F9	2-7179	TC2J0080
7611	糞	F9AC	D19B	919C	A2F1FA	2-717A	TC2K0080
7612	糞	F9AD	D19C	919D	A2F1FB	2-717B	TC2L0080
7613	糞	F9AE	D19D	919E	A2F1FC	2-717C	TC2M0080
7614	糞	F9AF	D19E	919F	A2F1FD	2-717D	TC2N0080
7615	糞	F9B0	D19F	91A0	A2F1FE	2-717E	TC2O0080
7616	糞	F9B1	D1A0	91A1	A2F2A1	2-7221	TC2P0080
7617	糞	F9B2	D1A1	91A2	A2F2A2	2-7222	TC2Q0080
7618	糞	F9B3	D1A2	91A3	A2F2A3	2-7223	TC2R0080
7619	糞	F9B4	D1A3	91A4	A2F2A4	2-7224	TC2S0080
7620	糞	F9B5	D1A4	91A5	A2F2A5	2-7225	TC2T0080
7621	糞	F9B6	D1A5	91A6	A2F2A6	2-7226	TC2U0080
7622	糞	F9B7	D1A6	91A7	A2F2A7	2-7227	TC2V0080
7623	糞	F9B8	D1A7	91A8	A2F2A8	2-7228	TC2W0080
7624	糞	F9B9	D1A8	91A9	A2F2A9	2-7229	TC2X0080
7625	糞	F9BA	D1A9	91AA	A2F2AA	2-722A	TC2Y0080
7626	糞	F9BB	D1AA	91AB	A2F2AB	2-722B	TC2Z0080
7627	糞	F9BC	D1AB	91AC	A2F2AC	2-722C	TC300080
7628	糞	F9BD	D1AC	91AD	A2F2AD	2-722D	TC310080
7629	糞	F9BE	D1AD	91AE	A2F2AE	2-722E	TC320080
7630	糞	F9BF	D1AE	91AF	A2F2AF	2-722F	TC330080
7631	糞	F9C0	D1AF	91B0	A2F2B0	2-7230	TC340080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 14 (Page 59 of 59). Secondary Character Set (5 of 5), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
7632	鑲	F9C1	D1B0	91B1	A2F2B1	2-7231	TC350080
7633	鑪	F9C2	D1B1	91B2	A2F2B2	2-7232	TC360080
7634	鑪	F9C3	D1B2	91B3	A2F2B3	2-7233	TC370080
7635	鑪	F9C4	D1B3	91B4	A2F1E6	2-7166	TC380080
7636	鑪	F9C5	D1B4	91B5	A2F2B4	2-7234	TC390080
7637	鑪	F9C6	D1B5	91B6	A2F2C0	2-7240	TC3A0080
7638	鑪	F9C7	D1B6	91B7	A2F2B5	2-7235	TC3B0080
7639	鑪	F9C8	D1B7	91B8	A2F2B6	2-7236	TC3C0080
7640	鑪	F9C9	D1B8	91B9	A2F2B7	2-7237	TC3D0080
7641	鑪	F9CA	D1B9	91BA	A2F2B8	2-7238	TC3E0080
7642	鑪	F9CB	D1BA	91BB	A2F2B9	2-7239	TC3F0080
7643	鑪	F9CC	D1BB	91BC	A2F2BA	2-723A	TC3G0080
7644	鑪	F9CD	D1BC	91BD	A2F2BB	2-723B	TC3H0080
7645	鑪	F9CE	D1BD	91BE	A2F2BC	2-723C	TC3I0080
7646	鑪	F9CF	D1BE	91BF	A2F2BD	2-723D	TC3J0080
7647	鑪	F9D0	D1BF	91C0	A2F2BE	2-723E	TC3K0080
7648	鑪	F9D1	D1C0	91C1	A2F2BF	2-723F	TC3L0080
7649	鑪	F9D2	D1C1	91C2	A2F2C1	2-7241	TC3M0080
7650	鑪	F9D3	D1C2	91C3	A2F2C2	2-7242	TC3N0080
7651	鑪	F9D4	D1C3	91C4	A2F2C3	2-7243	TC3O0080
7652	鑪	F9D5	D1C4	91C5	A2F2C4	2-7244	TC3P0080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

8.11 IBM Selected Non-Chinese Character Set (1 of 2)

Table 15 (Page 1 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1	①	C6A1*	8A40	4641	A6A1	1-2621	NO010080*
2	②	C6A2*	8A41	4642	A6A2	1-2622	NO020080*
3	③	C6A3*	8A42	4643	A6A3	1-2623	NO030080*
4	④	C6A4*	8A43	4644	A6A4	1-2624	NO040080*
5	⑤	C6A5*	8A44	4645	A6A5	1-2625	NO050080*
6	⑥	C6A6*	8A45	4646	A6A6	1-2626	NO060080*
7	⑦	C6A7*	8A46	4647	A6A7	1-2627	NO070080*
8	⑧	C6A8*	8A47	4648	A6A8	1-2628	NO080080*
9	⑨	C6A9*	8A48	4649	A6A9	1-2629	NO090080*
10	⑩	C6AA*	8A49	464A	A6AA	1-262A	NO100080*
11	⑪	C6AB*	8A50	4651	A6AB	1-262B	NO010081*
12	⑫	C6AC*	8A51	4652	A6AC	1-262C	NO020081*
13	⑬	C6AD*	8A52	4653	A6AD	1-262D	NO030081*
14	⑭	C6AE*	8A53	4654	A6AE	1-262E	NO040081*
15	⑮	C6AF*	8A54	4655	A6AF	1-262F	NO050081*
16	⑯	C6B0*	8A55	4656	A6B0	1-2630	NO060081*
17	⑰	C6B1*	8A56	4657	A6B1	1-2631	NO070081*
18	⑱	C6B2*	8A57	4658	A6B2	1-2632	NO080081*
19	⑲	C6B3*	8A58	4659	A6B3	1-2633	NO090081*
20	⑳	C6B4*	8A59	465A	A6B4	1-2634	NO100081*
21	i	C6B5*	8B51	41B1	A6B5	1-2635	NR010080*
22	ii	C6B6*	8B52	41B2	A6B6	1-2636	NR020080*
23	iii	C6B7*	8B53	41B3	A6B7	1-2637	NR030080*
24	iv	C6B8*	8B54	41B4	A6B8	1-2638	NR040080*
25	v	C6B9*	8B55	41B5	A6B9	1-2639	NR050080*



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 2 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
26	Ⅵ	C6BA*	8B56	41B6	A6BA	1-263A	NR060080*
27	Ⅶ	C6BB*	8B57	41B7	A6BB	1-263B	NR070080*
28	Ⅷ	C6BC*	8B58	41B8	A6BC	1-263C	NR080080*
29	Ⅸ	C6BD*	8B59	41B9	A6BD	1-263D	NR090080*
30	X	C6BE*	8B5A	41BA	A6BE	1-263E	NR100080*
31	、	C6BF*	8742	4843	A7A3	1-2723	T16R0080*
32	ノ	C6C0*	8743	4844	A7A4	1-2724	T16S0080*
33	丿	C6C1*	8745	4846	A7A6	1-2726	T16U0080*
34	一	C6C2*	8747	4848	A7A8	1-2728	T16W0080*
35	冂	C6C3*	874C	484D	A7AD	1-272D	T1710080*
36	冃	C6C4*	874D	484E	A7AE	1-272E	T1720080*
37	冂	C6C5*	874E	484F	A7AF	1-272F	T1730080*
38	冂	C6C6*	8753	4854	A7B4	1-2734	T1780080*
39	匚	C6C7*	8756	4857	A7B7	1-2737	T17B0080*
40	匚	C6C8*	8759	485A	A7BA	1-273A	T17E0080*
41	厶	C6C9*	875B	485C	A7BC	1-273C	T17G0080*
42	攴	C6CA*	8761	4862	A7C2	1-2742	T17M0080*
43	冃	C6CB*	8766	4867	A7C7	1-2747	T17R0080*
44	ㄩ	C6CC*	876D	486E	A7CE	1-274E	T17Y0080*
45	彡	C6CD*	8772	4873	A7D3	1-2753	T1830080*
46	厂	C6CE*	8773	4874	A7D4	1-2754	T1840080*
47	攴	C6CF*	8774	4875	A7D5	1-2755	T1850080*
48	彡	C6D0*	8778	4879	A7D9	1-2759	T1890080*
49	彡	C6D1*	8779	487A	A7DA	1-275A	T18A0080*
50	攴	C6D2*	8781	4882	A7E1	1-2761	T18I0080*
51	无	C6D3*	8786	4887	A7E6	1-2766	T18N0080*




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 3 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
52	疒	C6D4*	87A7	48A8	A8A9	1-2829	T19K0080*
53	夂	C6D5*	87A8	48A9	A8AA	1-282A	T19L0080*
54	疋	C6D6*	87E1	48E2	A8E3	1-2863	T1B60080*
55	隶	C6D7*	87EA	48EB	A8EC	1-286C	T1BF0080*
56	ˆ	C6D8	814E	4460	ADA1A3	13-	SD170080
57	^	C6D9	814F	4470	ADA1A4	13-	SD150080
58	˘	C6DA	8152	43DC	ADA1A5	13-	JQ750080
59	˙	C6DB	8153	43DD	ADA1A6	13-	JQ760080
60	˚	C6DC	8154	44DC	ADA1A7	13-	RQ750080
61	˛	C6DD	8155	44DD	ADA1A8	13-	RQ760080
62	〃	C6DE	8156	445B	ADA1A9	13-	SV090081
63	仝	C6DF	8157	445C	ADA1AA	13-	SS760080
64	々	C6E0	8158	445D	ADA1AB	13-	SS770080
65	夂	C6E1	8159	445E	ADA1AC	13-	SS720080
66	○	C6E2	815A	445F	ADA1AD	13-	ND100087
67	一	C6E3	815B	4358	ADA1AE	13-	JX700080
68	[C6E4	816D	4444	ADA1B0	13-	SM060080
69]	C6E5	816E	4445	ADA1B1	13-	SM080080
70	※	C6E6	8196	425C	ADA1B4	13-	SM040080
71	あ	C6E7	829F	4447	ADA1D3	13-	RA010080
72	あ	C6E8	82A0	4481	ADA1D4	13-	RA000080
73	い	C6E9	82A1	4448	ADA1D5	13-	RI010080
74	い	C6EA	82A2	4482	ADA1D6	13-	RI000080
75	う	C6EB	82A3	4449	ADA1D7	13-	RU010080
76	う	C6EC	82A4	4483	ADA1D8	13-	RU000080
77	え	C6ED	82A5	4451	ADA1D9	13-	RE010080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 4 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
78	え	C6EE	82A6	4484	ADA1DA	13-	RE000080
79	お	C6EF	82A7	4452	ADA1DB	13-	RO010080
80	お	C6F0	82A8	4485	ADA1DC	13-	RO000080
81	か	C6F1	82A9	4486	ADA1DD	13-	RK100080
82	が	C6F2	82AA	44C0	ADA1DE	13-	RG100080
83	き	C6F3	82AB	4487	ADA1DF	13-	RK200080
84	ぎ	C6F4	82AC	44C1	ADA1E0	13-	RG200080
85	く	C6F5	82AD	4488	ADA1E1	13-	RK300080
86	ぐ	C6F6	82AE	44C2	ADA1E2	13-	RG300080
87	け	C6F7	82AF	4489	ADA1E3	13-	RK400080
88	げ	C6F8	82B0	44C3	ADA1E4	13-	RG400080
89	こ	C6F9	82B1	448A	ADA1E5	13-	RK500080
90	ご	C6FA	82B2	44C4	ADA1E6	13-	RG500080
91	さ	C6FB	82B3	448C	ADA1E7	13-	RS100080
92	ざ	C6FC	82B4	44C5	ADA1E8	13-	RZ100080
93	し	C6FD	82B5	448D	ADA1E9	13-	RS200080
94	じ	C6FE	82B6	44C6	ADA1EA	13-	RZ200080
95	す	C740	82B7	448E	ADA1EB	13-	RS300080
96	ず	C741	82B8	44C7	ADA1EC	13-	RZ300080
97	せ	C742	82B9	448F	ADA1ED	13-	RS400080
98	ぜ	C743	82BA	44C8	ADA1EE	13-	RZ400080
99	そ	C744	82BB	4490	ADA1EF	13-	RS500080
100	ぞ	C745	82BC	44C9	ADA1F0	13-	RZ500080
101	た	C746	82BD	4491	ADA1F1	13-	RT100080
102	だ	C747	82BE	44CA	ADA1F2	13-	RD100080
103	ち	C748	82BF	4492	ADA1F3	13-	RT200080




IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 5 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
104	ぢ	C749	82C0	44CB	ADA1F4	13-	RD200080
105	っ	C74A	82C1	4456	ADA1F5	13-	RT310080
106	っ	C74B	82C2	4493	ADA1F6	13-	RT300080
107	づ	C74C	82C3	44CC	ADA1F7	13-	RD300080
108	て	C74D	82C4	4494	ADA1F8	13-	RT400080
109	で	C74E	82C5	44CD	ADA1F9	13-	RD400080
110	と	C74F	82C6	4495	ADA1FA	13-	RT500080
111	ど	C750	82C7	44CE	ADA1FB	13-	RD500080
112	な	C751	82C8	4496	ADA1FC	13-	RN100080
113	に	C752	82C9	4497	ADA1FD	13-	RN200080
114	ぬ	C753	82CA	4498	ADA1FE	13-	RN300080
115	ね	C754	82CB	4499	ADA2A1	13-	RN400080
116	の	C755	82CC	449A	ADA2A2	13-	RN500080
117	は	C756	82CD	449D	ADA2A3	13-	RH100080
118	ば	C757	82CE	44CF	ADA2A4	13-	RB100080
119	ば	C758	82CF	44D5	ADA2A5	13-	RP100080
120	ひ	C759	82D0	449E	ADA2A6	13-	RH200080
121	び	C75A	82D1	44D0	ADA2A7	13-	RB200080
122	び	C75B	82D2	44D6	ADA2A8	13-	RP200080
123	ふ	C75C	82D3	449F	ADA2A9	13-	RH300080
124	ぶ	C75D	82D4	44D1	ADA2AA	13-	RB300080
125	ぶ	C75E	82D5	44D7	ADA2AB	13-	RP300080
126	へ	C75F	82D6	44A2	ADA2AC	13-	RH400080
127	べ	C760	82D7	44D2	ADA2AD	13-	RB400080
128	べ	C761	82D8	44D8	ADA2AE	13-	RP400080
129	ほ	C762	82D9	44A3	ADA2AF	13-	RH500080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 6 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
130	ぼ	C763	82DA	44D3	ADA2B0	13-	RB500080
131	ぽ	C764	82DB	44D9	ADA2B1	13-	RP500080
132	ま	C765	82DC	44A4	ADA2B2	13-	RM100080
133	み	C766	82DD	44A5	ADA2B3	13-	RM200080
134	む	C767	82DE	44A6	ADA2B4	13-	RM300080
135	め	C768	82DF	44A7	ADA2B5	13-	RM400080
136	も	C769	82E0	44A8	ADA2B6	13-	RM500080
137	や	C76A	82E1	4453	ADA2B7	13-	RY110080
138	や	C76B	82E2	44A9	ADA2B8	13-	RY100080
139	ゆ	C76C	82E3	4454	ADA2B9	13-	RY310080
140	ゆ	C76D	82E4	44AA	ADA2BA	13-	RY300080
141	よ	C76E	82E5	4455	ADA2BB	13-	RY510080
142	よ	C76F	82E6	44AC	ADA2BC	13-	RY500080
143	ら	C770	82E7	44AD	ADA2BD	13-	RR100080
144	り	C771	82E8	44AE	ADA2BE	13-	RR200080
145	る	C772	82E9	44AF	ADA2BF	13-	RR300080
146	れ	C773	82EA	44BA	ADA2C0	13-	RR400080
147	ろ	C774	82EB	44BB	ADA2C1	13-	RR500080
148	わ	C775	82EC	4457	ADA2C2	13-	RW110080
149	わ	C776	82ED	44BC	ADA2C3	13-	RW100080
150	る	C777	82EE	44DA	ADA2C4	13-	RW200080
151	ゑ	C778	82EF	44DB	ADA2C5	13-	RW400080
152	を	C779	82F0	4446	ADA2C6	13-	RW500080
153	ん	C77A	82F1	44BD	ADA2C7	13-	RN000080
154	ア	C77B	8340	4347	ADA2C8	13-	JA010080
155	ア	C77C	8341	4381	ADA2C9	13-	JA000080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 7 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
156	イ	C77D	8342	4348	ADA2CA	13-	J1010080
157	イ	C77E	8343	4382	ADA2CB	13-	J1000080
158	ウ	C7A1	8344	4349	ADA2CC	13-	JU010080
159	ウ	C7A2	8345	4383	ADA2CD	13-	JU000080
160	エ	C7A3	8346	4351	ADA2CE	13-	JE010080
161	エ	C7A4	8347	4384	ADA2CF	13-	JE000080
162	オ	C7A5	8348	4352	ADA2D0	13-	JO010080
163	オ	C7A6	8349	4385	ADA2D1	13-	JO000080
164	カ	C7A7	834A	4386	ADA2D2	13-	JK100080
165	ガ	C7A8	834B	43C0	ADA2D3	13-	JG100080
166	キ	C7A9	834C	4387	ADA2D4	13-	JK200080
167	ギ	C7AA	834D	43C1	ADA2D5	13-	JG200080
168	ク	C7AB	834E	4388	ADA2D6	13-	JK300080
169	グ	C7AC	834F	43C2	ADA2D7	13-	JG300080
170	ケ	C7AD	8350	4389	ADA2D8	13-	JK400080
171	ゲ	C7AE	8351	43C3	ADA2D9	13-	JG400080
172	コ	C7AF	8352	438A	ADA2DA	13-	JK500080
173	ゴ	C7B0	8353	43C4	ADA2DB	13-	JG500080
174	サ	C7B1	8354	438C	ADA2DC	13-	JS100080
175	ザ	C7B2	8355	43C5	ADA2DD	13-	JZ100080
176	シ	C7B3	8356	438D	ADA2DE	13-	JS200080
177	ジ	C7B4	8357	43C6	ADA2DF	13-	JZ200080
178	ス	C7B5	8358	438E	ADA2E0	13-	JS300080
179	ズ	C7B6	8359	43C7	ADA2E1	13-	JZ300080
180	セ	C7B7	835A	438F	ADA2E2	13-	JS400080
181	ゼ	C7B8	835B	43C8	ADA2E3	13-	JZ400080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 8 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
182	ソ	C7B9	835C	4390	ADA2E4	13-	JS500080
183	ゾ	C7BA	835D	43C9	ADA2E5	13-	JZ500080
184	タ	C7BB	835E	4391	ADA2E6	13-	JT100080
185	ダ	C7BC	835F	43CA	ADA2E7	13-	JD100080
186	チ	C7BD	8360	4392	ADA2E8	13-	JT200080
187	ヂ	C7BE	8361	43CB	ADA2E9	13-	JD200080
188	ッ	C7BF	8362	4356	ADA2EA	13-	JT310080
189	ツ	C7C0	8363	4393	ADA2EB	13-	JT300080
190	ヅ	C7C1	8364	43CC	ADA2EC	13-	JD300080
191	テ	C7C2	8365	4394	ADA2ED	13-	JT400080
192	デ	C7C3	8366	43CD	ADA2EE	13-	JD400080
193	ト	C7C4	8367	4395	ADA2EF	13-	JT500080
194	ド	C7C5	8368	43CE	ADA2F0	13-	JD500080
195	ナ	C7C6	8369	4396	ADA2F1	13-	JN100080
196	ニ	C7C7	836A	4397	ADA2F2	13-	JN200080
197	ヌ	C7C8	836B	4398	ADA2F3	13-	JN300080
198	ネ	C7C9	836C	4399	ADA2F4	13-	JN400080
199	ノ	C7CA	836D	439A	ADA2F5	13-	JN500080
200	ハ	C7CB	836E	439D	ADA2F6	13-	JH100080
201	バ	C7CC	836F	43CF	ADA2F7	13-	JB100080
202	パ	C7CD	8370	43D5	ADA2F8	13-	JP100080
203	ヒ	C7CE	8371	439E	ADA2F9	13-	JH200080
204	ビ	C7CF	8372	43D0	ADA2FA	13-	JB200080
205	ピ	C7D0	8373	43D6	ADA2FB	13-	JP200080
206	フ	C7D1	8374	439F	ADA2FC	13-	JH300080
207	ブ	C7D2	8375	43D1	ADA2FD	13-	JB300080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 9 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
208	フ	C7D3	8376	43D7	ADA2FE	13-	JP300080
209	へ	C7D4	8377	43A2	ADA3A1	13-	JH400080
210	べ	C7D5	8378	43D2	ADA3A2	13-	JB400080
211	ペ	C7D6	8379	43D8	ADA3A3	13-	JP400080
212	ホ	C7D7	837A	43A3	ADA3A4	13-	JH500080
213	ボ	C7D8	837B	43D3	ADA3A5	13-	JB500080
214	ポ	C7D9	837C	43D9	ADA3A6	13-	JP500080
215	マ	C7DA	837D	43A4	ADA3A7	13-	JM100080
216	ミ	C7DB	837E	43A5	ADA3A8	13-	JM200080
217	ム	C7DC	8380	43A6	ADA3A9	13-	JM300080
218	メ	C7DD	8381	43A7	ADA3AA	13-	JM400080
219	モ	C7DE	8382	43A8	ADA3AB	13-	JM500080
220	ヤ	C7DF	8383	4353	ADA3AC	13-	JY110080
221	ヤ	C7E0	8384	43A9	ADA3AD	13-	JY100080
222	ユ	C7E1	8385	4354	ADA3AE	13-	JY310080
223	ユ	C7E2	8386	43AA	ADA3AF	13-	JY300080
224	ヨ	C7E3	8387	4355	ADA3B0	13-	JY510080
225	ヨ	C7E4	8388	43AC	ADA3B1	13-	JY500080
226	ラ	C7E5	8389	43AD	ADA3B2	13-	JR100080
227	リ	C7E6	838A	43AE	ADA3B3	13-	JR200080
228	ル	C7E7	838B	43AF	ADA3B4	13-	JR300080
229	レ	C7E8	838C	43BA	ADA3B5	13-	JR400080
230	ロ	C7E9	838D	43BB	ADA3B6	13-	JR500080
231	ワ	C7EA	838E	4357	ADA3B7	13-	JW110080
232	ワ	C7EB	838F	43BC	ADA3B8	13-	JW100080
233	キ	C7EC	8390	43DA	ADA3B9	13-	JW200080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 15 (Page 10 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
234	エ	C7ED	8391	43DB	ADA3BA	13-	JW400080
235	ヲ	C7EE	8392	4346	ADA3BB	13-	JW500080
236	ン	C7EF	8393	43BD	ADA3BC	13-	JN000080
237	ヴ	C7F0	8394	43D4	ADA3BD	13-	JV000080
238	カ	C7F1	8395	4359	ADA3BE	13-	JK110080
239	ケ	C7F2	8396	435A	ADA3BF	13-	JK410080
240	А	C7F3	8440	41C0	ADA3C0	13-	KA020080
241	Б	C7F4	8441	41C1	ADA3C1	13-	KB020080
242	В	C7F5	8442	41C2	ADA3C2	13-	KV020080
243	Г	C7F6	8443	41C3	ADA3C3	13-	KG020080
244	Д	C7F7	8444	41C4	ADA3C4	13-	KD020080
245	Е	C7F8	8445	41C5	ADA3C5	13-	KE020080
246	Ё	C7F9	8446	41C6	ADA3C6	13-	KE180080
247	Ж	C7FA	8447	41C7	ADA3C7	13-	KZ220080
248	З	C7FB	8448	41C8	ADA3C8	13-	KZ020080
249	И	C7FC	8449	41C9	ADA3C9	13-	KI020080
250	Й	C7FD	844A	41CA	ADA3CA	13-	KJ120080
251	К	C7FE	844B	41CB	ADA3CB	13-	KK020080
252	Л	C840	844C	41CC	ADA3CC	13-	KL020080
253	М	C841	844D	41CD	ADA3CD	13-	KM020080
254	Н	C842	844E	41CE	ADA3CE	13-	KN020080
255	О	C843	844F	41CF	ADA3CF	13-	KO020080
256	П	C844	8450	41D0	ADA3D0	13-	KP020080
257	Р	C845	8451	41D1	ADA3D1	13-	KR020080
258	С	C846	8452	41D2	ADA3D2	13-	KS020080
259	Т	C847	8453	41D3	ADA3D3	13-	KT020080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 11 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
260	У	C848	8454	41D4	ADA3D4	13-	KU020080
261	Ф	C849	8455	41D5	ADA3D5	13-	KF020080
262	Х	C84A	8456	41D6	ADA3D6	13-	KH020080
263	Ц	C84B	8457	41D7	ADA3D7	13-	KC020080
264	Ч	C84C	8458	41D8	ADA3D8	13-	KC220080
265	Ш	C84D	8459	41D9	ADA3D9	13-	KS220080
266	Щ	C84E	845A	41DA	ADA3DA	13-	KS160080
267	Ъ	C84F	845B	41DB	ADA3DB	13-	KU220080
268	Ы	C850	845C	41DC	ADA3DC	13-	KY020080
269	Ь	C851	845D	41DD	ADA3DD	13-	KX120080
270	Э	C852	845E	41DE	ADA3DE	13-	KE140080
271	Ю	C853	845F	41DF	ADA3DF	13-	KU160080
272	Я	C854	8460	41E0	ADA3E0	13-	KA160080
273	а	C855	8470	4180	ADA3E1	13-	KA010080
274	б	C856	8471	4181	ADA3E2	13-	KB010080
275	в	C857	8472	4182	ADA3E3	13-	KV010080
276	г	C858	8473	4183	ADA3E4	13-	KG010080
277	д	C859	8474	4184	ADA3E5	13-	KD010080
278	е	C85A	8475	4185	ADA3E6	13-	KE010080
279	ё	C85B	8476	4186	ADA3E7	13-	KE170080
280	ж	C85C	8477	4187	ADA3E8	13-	KZ210080
281	з	C85D	8478	4188	ADA3E9	13-	KZ010080
282	и	C85E	8479	4189	ADA3EA	13-	KI010080
283	й	C85F	847A	418A	ADA3EB	13-	KJ110080
284	к	C860	847B	418B	ADA3EC	13-	KK010080
285	л	C861	847C	418C	ADA3ED	13-	KL010080

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 15 (Page 12 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
286	М	C862	847D	418D	ADA3EE	13-	KM010080
287	Н	C863	847E	418E	ADA3EF	13-	KN010080
288	О	C864	8480	418F	ADA3F0	13-	KO010080
289	Π	C865	8481	4190	ADA3F1	13-	KP010080
290	ρ	C866	8482	4191	ADA3F2	13-	KR010080
291	С	C867	8483	4192	ADA3F3	13-	KS010080
292	Т	C868	8484	4193	ADA3F4	13-	KT010080
293	У	C869	8485	4194	ADA3F5	13-	KU010080
294	Ф	C86A	8486	4195	ADA3F6	13-	KF010080
295	Х	C86B	8487	4196	ADA3F7	13-	KH010080
296	Ц	C86C	8488	4197	ADA3F8	13-	KC010080
297	Ч	C86D	8489	4198	ADA3F9	13-	KC210080
298	Ш	C86E	848A	4199	ADA3FA	13-	KS210080
299	Щ	C86F	848B	419A	ADA3FB	13-	KS150080
300	Ъ	C870	848C	419B	ADA3FC	13-	KU210080
301	Ы	C871	848D	419C	ADA3FD	13-	KY010080
302	Ь	C872	848E	419D	ADA3FE	13-	KX110080
303	Э	C873	848F	419E	ADA4A1	13-	KE130080
304	Ю	C874	8490	419F	ADA4A2	13-	KU150080
305	Я	C875	8491	41A0	ADA4A3	13-	KA150080
306	↕	C876	8AED	46EE	ADA4BD	13-	SM460080
307	↖	C877	8AEE	46EF	ADA4BE	13-	SS070080
308	↗	C878	8AEF	46F0	ADA4BF	13-	SS060080
309	┐	C8CD	8B5B	425F	ADA4C0	13-	SM660080
310	┑	C8CE	8B5C	426A	ADA4C1	13-	SM650080
311	┒	C8CF	8B5D	427D	ADA4C2	13-	SP050080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 15 (Page 13 of 13). IBM Selected Non-Chinese (1 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
312	"	C8D0	8B5E	427F	ADA4C3	13-	SP040080
313	(株)	C8D1	8B5F	446D	ADA4C4	13-	SS740080
314	No.	C8D2	8B60	446E	ADA4C5	13-	SM000080
315	TEL	C8D3	8B61	446F	ADA4C6	13-	SS710080

Note: * These 55 IBM selected non-Chinese characters are defined in CNS 11643-1986. They are also part of *DBCS-PC* and *DBCS-Host* as defined in C-H 3-3220-126; and part of *DBCS-EUC* as defined in C-H 3-3220-129. Also, see Table 18 on page 558 for the relationship of IBM *code pages* with CNS 11643.

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8.12 IBM Selected Non-Chinese Character Set (2 of 2)

Table 16 (Page 1 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1	ˆ	F289	814A	43BE	ADA1A1	13-	JX710080
2	˚	F28A	814B	43BF	ADA1A2	13-	JX720080
3	—	F28B	815D	445A	ADA1AF	13-	SP320080
4	’	F28C	818C	44EE	ADA1B2	13-	SM500080
5	”	F28D	818D	44EF	ADA1B3	13-	SM510080
6	=	F28E	81AC	447D	ADA1B5	13-	SS750080
7	€	F28F	81B8	4364	ADA1B6	13-	SA670080
8	∃	F290	81B9	4365	ADA1B7	13-	SA310080
9	⊆	F291	81BA	4366	ADA1B8	13-	SA240080
10	⊇	F292	81BB	4367	ADA1B9	13-	SA270080
11	⊂	F293	81BC	4368	ADA1BA	13-	SA400080
12	⊃	F294	81BD	4369	ADA1BB	13-	SA410080
13	∧	F295	81C8	436C	ADA1BC	13-	SA330080
14	∨	F296	81C9	436D	ADA1BD	13-	SA320080
15	⇒	F297	81CB	436E	ADA1BE	13-	SM420080
16	⇔	F298	81CC	436F	ADA1BF	13-	SM410080
17	∇	F299	81CD	4370	ADA1C0	13-	SA210080
18	∋	F29A	81CE	4371	ADA1C1	13-	SA230080
19	∩	F29B	81DC	434D	ADA1C2	13-	SV420080
20	∂	F29C	81DD	434E	ADA1C3	13-	SA490080
21	∇	F29D	81DE	434F	ADA1C4	13-	SL030080
22	⋈	F29E	81E1	435D	ADA1C5	13-	SA730080
23	⋉	F29F	81E2	435E	ADA1C6	13-	SA740080
24	∫	F2A0	81E4	4360	ADA1C7	13-	SA830080
25	∞	F381	81E5	4361	ADA1C8	13-	SA470080



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 16 (Page 2 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
26	§§	F382	81E8	4363	ADA1C9	13-	SA840080
27	À	F383	81F0	4372	ADA1CA	13-	SM220080
28	%o	F384	81F1	4373	ADA1CB	13-	SM560080
29	#	F385	81F2	4374	ADA1CC	13-	SM880080
30	b	F386	81F3	4375	ADA1CD	13-	SM890080
31	♪	F387	81F4	4376	ADA1CE	13-	SM930080
32	†	F388	81F5	4377	ADA1CF	13-	SM340080
33	‡	F389	81F6	4378	ADA1D0	13-	SM350080
34	¶	F38A	81F7	4379	ADA1D1	13-	SM250080
35	○	F38B	81FC	437A	ADA1D2	13-	SV220080
36	—	F38C	84AA	43B7	ADA4A4	13-	SF100082
37		F38D	84AB	43B8	ADA4A5	13-	SF110082
38	┌	F38E	84AC	43B9	ADA4A6	13-	SF010082
39	└	F38F	84AD	43E1	ADA4A7	13-	SF030082
40	┐	F390	84AE	43E2	ADA4A8	13-	SF040082
41	└	F391	84AF	43E3	ADA4A9	13-	SF020082
42	┌	F392	84B0	43E4	ADA4AA	13-	SF080082
43	└	F393	84B1	43E5	ADA4AB	13-	SF060082
44	┌	F394	84B2	43E6	ADA4AC	13-	SF090082
45	└	F395	84B3	43E7	ADA4AD	13-	SF070082
46	┌	F396	84B4	43E8	ADA4AE	13-	SF050082
47	┌	F397	84B5	43E9	ADA4AF	13-	SF080083
48	└	F398	84B6	43EA	ADA4B0	13-	SF060083
49	┌	F399	84B7	43EB	ADA4B1	13-	SF090083
50	└	F39A	84B8	43EC	ADA4B2	13-	SF070083
51	┌	F39B	84B9	43ED	ADA4B3	13-	SF050083



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 16 (Page 3 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
52	卜	F39C	84BA	43EE	ADA4B4	13-	SF080084
53	冫	F39D	84BB	43EF	ADA4B5	13-	SF060084
54	冫	F39E	84BC	43F0	ADA4B6	13-	SF090084
55	冫	F39F	84BD	43F1	ADA4B7	13-	SF070084
56	十	F3A0	84BE	43F2	ADA4B8	13-	SF050084
57	一	F481*	8740	4841	A7A1	1-2721	T16P0080*
58	丨	F482*	8741	4842	A7A2	1-2722	T16Q0080*
59	乙	F483*	8744	4845	A7A5	1-2725	T16T0080*
60	二	F484*	8746	4847	A7A7	1-2727	T16V0080*
61	人	F485*	8748	4849	A7A9	1-2729	T16X0080*
62	儿	F486*	8749	484A	A7AA	1-272A	T16Y0080*
63	人	F487*	874A	484B	A7AB	1-272B	T16Z0080*
64	八	F488*	874B	484C	A7AC	1-272C	T1700080*
65	几	F489*	874F	4850	A7B0	1-2730	T1740080*
66	冫	F48A*	8750	4851	A7B1	1-2731	T1750080*
67	刀	F48B*	8751	4852	A7B2	1-2732	T1760080*
68	力	F48C*	8752	4853	A7B3	1-2733	T1770080*
69	匕	F48D*	8754	4855	A7B5	1-2735	T1790080*
70	冫	F48E*	8755	4856	A7B6	1-2736	T17A0080*
71	十	F48F*	8757	4858	A7B8	1-2738	T17C0080*
72	卜	F490*	8758	4859	A7B9	1-2739	T17D0080*
73	厂	F491*	875A	485B	A7BB	1-273B	T17F0080*
74	又	F492*	875C	485D	A7BD	1-273D	T17H0080*
75	口	F493*	875D	485E	A7BE	1-273E	T17I0080*
76	口	F494*	875E	485F	A7BF	1-273F	T17J0080*
77	土	F495*	875F	4860	A7C0	1-2740	T17K0080*



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 16 (Page 4 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
78	士	F496*	8760	4861	A7C1	1-2741	T17L0080*
79	夕	F497*	8762	4863	A7C3	1-2743	T17N0080*
80	大	F498*	8763	4864	A7C4	1-2744	T17O0080*
81	女	F499*	8764	4865	A7C5	1-2745	T17P0080*
82	子	F49A*	8765	4866	A7C6	1-2746	T17Q0080*
83	寸	F49B*	8767	4868	A7C8	1-2748	T17S0080*
84	小	F49C*	8768	4869	A7C9	1-2749	T17T0080*
85	尢	F49D*	8769	486A	A7CA	1-274A	T17U0080*
86	尸	F49E*	876A	486B	A7CB	1-274B	T17V0080*
87	屮	F49F*	876B	486C	A7CC	1-274C	T17W0080*
88	山	F4A0*	876C	486D	A7CD	1-274D	T17X0080*
89	工	F581*	876E	486F	A7CF	1-274F	T17Z0080*
90	己	F582*	876F	4870	A7D0	1-2750	T1800080*
91	巾	F583*	8770	4871	A7D1	1-2751	T1810080*
92	干	F584*	8771	4872	A7D2	1-2752	T1820080*
93	井	F585*	8775	4876	A7D6	1-2756	T1860080*
94	弋	F586*	8776	4877	A7D7	1-2757	T1870080*
95	弓	F587*	8777	4878	A7D8	1-2758	T1880080*
96	彳	F588*	877A	487B	A7DB	1-275B	T18B0080*
97	心	F589*	877B	487C	A7DC	1-275C	T18C0080*
98	戈	F58A*	877C	487D	A7DD	1-275D	T18D0080*
99	戶	F58B*	877D	487E	A7DE	1-275E	T18E0080*
100	手	F58C*	877E	487F	A7DF	1-275F	T18F0080*
101	支	F58D*	8780	4881	A7E0	1-2760	T18H0080*
102	文	F58E*	8782	4883	A7E2	1-2762	T18J0080*
103	斗	F58F*	8783	4884	A7E3	1-2763	T18K0080*

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

Table 16 (Page 5 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
104	斤	F590*	8784	4885	A7E4	1-2764	T18L0080*
105	方	F591*	8785	4886	A7E5	1-2765	T18M0080*
106	日	F592*	8787	4888	A7E7	1-2767	T18O0080*
107	曰	F593*	8788	4889	A7E8	1-2768	T18P0080*
108	月	F594*	8789	488A	A7E9	1-2769	T18Q0080*
109	木	F595*	878A	488B	A7EA	1-276A	T18R0080*
110	欠	F596*	878B	488C	A7EB	1-276B	T18S0080*
111	止	F597*	878C	488D	A7EC	1-276C	T18T0080*
112	歹	F598*	878D	488E	A7ED	1-276D	T18U0080*
113	殳	F599*	878E	488F	A7EE	1-276E	T18V0080*
114	毋	F59A*	878F	4890	A7EF	1-276F	T18W0080*
115	比	F59B*	8790	4891	A7F0	1-2770	T18X0080*
116	毛	F59C*	8791	4892	A7F1	1-2771	T18Y0080*
117	氏	F59D*	8792	4893	A7F2	1-2772	T18Z0080*
118	气	F59E*	8793	4894	A7F3	1-2773	T1900080*
119	水	F59F*	8794	4895	A7F4	1-2774	T1910080*
120	火	F5A0*	8795	4896	A7F5	1-2775	T1920080*
121	爪	F681*	8796	4897	A7F6	1-2776	T1930080*
122	父	F682*	8797	4898	A7F7	1-2777	T1940080*
123	爻	F683*	8798	4899	A7F8	1-2778	T1950080*
124	片	F684*	8799	489A	A7F9	1-2779	T1960080*
125	片	F685*	879A	489B	A7FA	1-277A	T1970080*
126	牙	F686*	879B	489C	A7FB	1-277B	T1980080*
127	牛	F687*	879C	489D	A7FC	1-277C	T1990080*
128	犬	F688*	879D	489E	A7FD	1-277D	T19A0080*
129	玄	F689*	879E	489F	A7FE	1-277E	T19B0080*



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 16 (Page 6 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
130	玉	F68A*	879F	48A0	A8A1	1-2821	T19C0080*
131	瓜	F68B*	87A0	48A1	A8A2	1-2822	T19D0080*
132	瓦	F68C*	87A1	48A2	A8A3	1-2823	T19E0080*
133	甘	F68D*	87A2	48A3	A8A4	1-2824	T19F0080*
134	生	F68E*	87A3	48A4	A8A5	1-2825	T19G0080*
135	用	F68F*	87A4	48A5	A8A6	1-2826	T19H0080*
136	田	F690*	87A5	48A6	A8A7	1-2827	T19I0080*
137	疋	F691*	87A6	48A7	A8A8	1-2828	T19J0080*
138	白	F692*	87A9	48AA	A8AB	1-282B	T19M0080*
139	皮	F693*	87AA	48AB	A8AC	1-282C	T19N0080*
140	皿	F694*	87AB	48AC	A8AD	1-282D	T19O0080*
141	目	F695*	87AC	48AD	A8AE	1-282E	T19P0080*
142	矛	F696*	87AD	48AE	A8AF	1-282F	T19Q0080*
143	矢	F697*	87AE	48AF	A8B0	1-2830	T19R0080*
144	石	F698*	87AF	48B0	A8B1	1-2831	T19S0080*
145	示	F699*	87B0	48B1	A8B2	1-2832	T19T0080*
146	肉	F69A*	87B1	48B2	A8B3	1-2833	T19U0080*
147	禾	F69B*	87B2	48B3	A8B4	1-2834	T19V0080*
148	穴	F69C*	87B3	48B4	A8B5	1-2835	T19W0080*
149	立	F69D*	87B4	48B5	A8B6	1-2836	T19X0080*
150	竹	F69E*	87B5	48B6	A8B7	1-2837	T19Y0080*
151	米	F69F*	87B6	48B7	A8B8	1-2838	T19Z0080*
152	糸	F6A0*	87B7	48B8	A8B9	1-2839	T1A00080*
153	缶	F781*	87B8	48B9	A8BA	1-283A	T1A10080*
154	网	F782*	87B9	48BA	A8BB	1-283B	T1A20080*
155	羊	F783*	87BA	48BB	A8BC	1-283C	T1A30080*



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 16 (Page 7 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
156	羽	F784*	87BB	48BC	A8BD	1-283D	T1A40080*
157	老	F785*	87BC	48BD	A8BE	1-283E	T1A50080*
158	而	F786*	87BD	48BE	A8BF	1-283F	T1A60080*
159	耒	F787*	87BE	48BF	A8C0	1-2840	T1A70080*
160	耳	F788*	87BF	48C0	A8C1	1-2841	T1A80080*
161	聿	F789*	87C0	48C1	A8C2	1-2842	T1A90080*
162	肉	F78A*	87C1	48C2	A8C3	1-2843	T1AA0080*
163	臣	F78B*	87C2	48C3	A8C4	1-2844	T1AB0080*
164	自	F78C*	87C3	48C4	A8C5	1-2845	T1AC0080*
165	至	F78D*	87C4	48C5	A8C6	1-2846	T1AD0080*
166	白	F78E*	87C5	48C6	A8C7	1-2847	T1AE0080*
167	舌	F78F*	87C6	48C7	A8C8	1-2848	T1AF0080*
168	舛	F790*	87C7	48C8	A8C9	1-2849	T1AG0080*
169	舟	F791*	87C8	48C9	A8CA	1-284A	T1AH0080*
170	艮	F792*	87C9	48CA	A8CB	1-284B	T1AI0080*
171	色	F793*	87CA	48CB	A8CC	1-284C	T1AJ0080*
172	艸	F794*	87CB	48CC	A8CD	1-284D	T1AK0080*
173	虍	F795*	87CC	48CD	A8CE	1-284E	T1AL0080*
174	虫	F796*	87CD	48CE	A8CF	1-284F	T1AM0080*
175	血	F797*	87CE	48CF	A8D0	1-2850	T1AN0080*
176	行	F798*	87CF	48D0	A8D1	1-2851	T1AO0080*
177	衣	F799*	87D0	48D1	A8D2	1-2852	T1AP0080*
178	冫	F79A*	87D1	48D2	A8D3	1-2853	T1AQ0080*
179	見	F79B*	87D2	48D3	A8D4	1-2854	T1AR0080*
180	角	F79C*	87D3	48D4	A8D5	1-2855	T1AS0080*
181	言	F79D*	87D4	48D5	A8D6	1-2856	T1AT0080*



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 16 (Page 8 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
182	谷	F79E*	87D5	48D6	A8D7	1-2857	T1AU0080*
183	豆	F79F*	87D6	48D7	A8D8	1-2858	T1AV0080*
184	豕	F7A0*	87D7	48D8	A8D9	1-2859	T1AW0080*
185	豸	F881*	87D8	48D9	A8DA	1-285A	T1AX0080*
186	貝	F882*	87D9	48DA	A8DB	1-285B	T1AY0080*
187	赤	F883*	87DA	48DB	A8DC	1-285C	T1AZ0080*
188	走	F884*	87DB	48DC	A8DD	1-285D	T1B00080*
189	足	F885*	87DC	48DD	A8DE	1-285E	T1B10080*
190	身	F886*	87DD	48DE	A8DF	1-285F	T1B20080*
191	車	F887*	87DE	48DF	A8E0	1-2860	T1B30080*
192	辛	F888*	87DF	48E0	A8E1	1-2861	T1B40080*
193	辰	F889*	87E0	48E1	A8E2	1-2862	T1B50080*
194	邑	F88A*	87E2	48E3	A8E4	1-2864	T1B70080*
195	酉	F88B*	87E3	48E4	A8E5	1-2865	T1B80080*
196	采	F88C*	87E4	48E5	A8E6	1-2866	T1B90080*
197	里	F88D*	87E5	48E6	A8E7	1-2867	T1BA0080*
198	金	F88E*	87E6	48E7	A8E8	1-2868	T1BB0080*
199	長	F88F*	87E7	48E8	A8E9	1-2869	T1BC0080*
200	門	F890*	87E8	48E9	A8EA	1-286A	T1BD0080*
201	阜	F891*	87E9	48EA	A8EB	1-286B	T1BE0080*
202	隹	F892*	87EB	48EC	A8ED	1-286D	T1BG0080*
203	雨	F893*	87EC	48ED	A8EE	1-286E	T1BH0080*
204	青	F894*	87ED	48EE	A8EF	1-286F	T1BI0080*
205	非	F895*	87EE	48EF	A8F0	1-2870	T1BJ0080*
206	面	F896*	87EF	48F0	A8F1	1-2871	T1BK0080*
207	革	F897*	87F0	48F1	A8F2	1-2872	T1BL0080*



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 16 (Page 9 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
208	韋	F898*	87F1	48F2	A8F3	1-2873	T1BM0080*
209	韭	F899*	87F2	48F3	A8F4	1-2874	T1BN0080*
210	音	F89A*	87F3	48F4	A8F5	1-2875	T1BO0080*
211	頁	F89B*	87F4	48F5	A8F6	1-2876	T1BP0080*
212	風	F89C*	87F5	48F6	A8F7	1-2877	T1BQ0080*
213	飛	F89D*	87F6	48F7	A8F8	1-2878	T1BR0080*
214	食	F89E*	87F7	48F8	A8F9	1-2879	T1BS0080*
215	首	F89F*	87F8	48F9	A8FA	1-287A	T1BT0080*
216	香	F8A0*	87F9	48FA	A8FB	1-287B	T1BU0080*
217	馬	F981*	87FA	48FB	A8FC	1-287C	T1BV0080*
218	骨	F982*	87FB	48FC	A8FD	1-287D	T1BW0080*
219	高	F983*	87FC	48FD	A8FE	1-287E	T1BX0080*
220	髟	F984*	8840	4941	A9A1	1-2921	T1C10080*
221	鬥	F985*	8841	4942	A9A2	1-2922	T1C20080*
222	鬯	F986*	8842	4943	A9A3	1-2923	T1C30080*
223	鬲	F987*	8843	4944	A9A4	1-2924	T1C40080*
224	鬼	F988*	8844	4945	A9A5	1-2925	T1C50080*
225	魚	F989*	8845	4946	A9A6	1-2926	T1C60080*
226	鳥	F98A*	8846	4947	A9A7	1-2927	T1C70080*
227	鹵	F98B*	8847	4948	A9A8	1-2928	T1C80080*
228	鹿	F98C*	8848	4949	A9A9	1-2929	T1C90080*
229	麥	F98D*	8849	494A	A9AA	1-292A	T1CA0080*
230	麻	F98E*	884A	494B	A9AB	1-292B	T1CB0080*
231	黃	F98F*	884B	494C	A9AC	1-292C	T1CC0080*
232	黍	F990*	884C	494D	A9AD	1-292D	T1CD0080*
233	黑	F991*	884D	494E	A9AE	1-292E	T1CE0080*



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Table 16 (Page 10 of 10). IBM Selected Non-Chinese (2 of 2), IBM BIG-5

Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
234	禘	F992*	884E	494F	A9AF	1-292F	T1CF0080*
235	𠄎	F993*	884F	4950	A9B0	1-2930	T1CG0080*
236	鼎	F994*	8850	4951	A9B1	1-2931	T1CH0080*
237	鼓	F995*	8851	4952	A9B2	1-2932	T1CI0080*
238	鼠	F996*	8852	4953	A9B3	1-2933	T1CJ0080*
239	鼻	F997*	8853	4954	A9B4	1-2934	T1CK0080*
240	齊	F998*	8854	4955	A9B5	1-2935	T1CL0080*
241	齒	F999*	8855	4956	A9B6	1-2936	T1CM0080*
242	龍	F99A*	8856	4957	A9B7	1-2937	T1CN0080*
243	龜	F99B*	8857	4958	A9B8	1-2938	T1CO0080*
244	龠	F99C*	8858	4959	A9B9	1-2939	T1CP0080*
245		F99D	8AA7	46A8	ADA4B9	13-	SV580080
246	-	F99E	8AA8	46A9	ADA4BA	13-	SV590080
247	彡	F99F	8AA9	46AA	ADA4BB	13-	SV560080
248	ㄩ	F9A0	8AAA	46AB	ADA4BC	13-	SV570080

Note: * These 188 IBM selected non-Chinese characters are defined in CNS 11643-1986. They are also part of *DBCS-PC* and *DBCS-Host* as defined in C-H 3-3220-126; and part of *DBCS-EUC* as defined in C-H 3-3220-129. Also, see Table 18 on page 558 for the relationship of IBM *code pages* with CNS 11643.

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

8.13 IBM Selected Chinese Character Set

Table 17. IBM selected Chinese, IBM BIG-5							
Line Number	Graphic	BIG-5 Code	PC Code	Host Code	EUC Code	CNS Code	GCGID
1	撐	F286	A8CA*	68CB*	ADA4C7	13-	T4T90080**
2	槩	F287	D1C5*	91C6*	ADA4C9	13-	T7NC0080***
3	濼	F288	D1C6*	91C7*	ADA4CB	13-	T8OK0080***

Notes:

- 1) These 3 characters were originally defined in CNS 11643-1984. The *graphic character* representation has been changed when CNS 11643 was revised in 1986. IBM BIG-5 supports the changed characters in "Primary Chinese Character Set" and "Secondary Chinese Character Set."
- 2) * See Section 11.2 on page 559 for the *code* translation correspondence among IBM BIG-5 and *DBCS-PC* and *DBCS-Host* and *EUC* and CNS 11643.
- 3) ** This character has been defined as part of "Primary Chinese Character Set" in C-H 3-3220-126.
- 4) *** These characters have been defined as part of "Secondary Chinese Character Set" in C-H 3-3220-126.
- 5) Also, see Table 18 on page 558 for the relationship of IBM *code pages* with CNS 11643.

IBM Traditional Chinese Graphic Character Set for IBM BIG-5 CodeDBCS-PC

Supplementary Information**9. Definition of Terms**

The following terms are defined for the purposes of this document.

9.1 Byte

A unit of string consisting of 8 bits.

9.2 Code

A system of bit-patterns to which specific graphic or control meanings have been assigned.

9.3 Code Page

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

9.4 Code Page Global Identifier (CPGID)

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

9.5 Code Point

One of the bit-patterns specified by a *code*.

9.6 Coded Graphic Character

A *graphic character* with its assigned *code point*.

9.7 Coded Graphic Character Set

A set of *graphic characters* with their assigned *code points*.

9.8 Coded Graphic Character Set Global Identifier (CGCSGID)

A 10-digit decimal identifier consisting of the concatenation of a *graphic character set global identifier (GCSGID)* and a *code page global identifier (CPGID)*. The *CGCSGID* is also represented as the concatenation of the hexadecimal representation of the *GCSGID* and *CPGID*. See C-H 3-3220-050.

9.9 DBCS

Abbreviation of *Double-Byte Character Set*. It is a *graphic character set* in which each character is represented by two *bytes*. See C-S 3-3220-102 for detail.

9.10 DBCS-EUC

A *DBCS code page* which is mainly used with the extended *UNIX code (EUC)* encoding scheme.

9.11 DBCS-Host

A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.

9.12 DBCS-PC

A *DBCS code page* which is mainly used in conjunction with *PC code*.

9.13 EBCDIC

Abbreviation of Extended BCD Interchange Code which is defined in C-S 3-3220-002, *EBCDIC*.

9.14 EUC

Abbreviation of Extended *UNIX Code*.

Note: *UNIX* is a trademark of UNIX System Laboratories.

9.15 Graphic Character

A graphic symbol character, such as a symbol, alphabetic, special or Chinese.

9.16 Graphic Character Global Identifier (GCGID)

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

9.17 Graphic Character Set

A set of *graphic characters*, treated as an entity.

9.18 Graphic Character Set Global Identifier (GCSGID)

A 5-digit decimal identifier assigned to a *graphic character set*. See C-H 3-3220-050.

9.19 PC Code

A single-byte *code page* which is primarily used in the personal computer environment. *PC Code* is based on ISO 646.

9.20 Product

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

IBM Traditional Chinese Graphic Character Set for IBM BIG-5 CodeDBCS-PC

9.21 Registered Code Page

A *code page* that has been registered and assigned a *CPGID*.

9.22 Registered Coded Graphic Character Set

A *coded graphic character set*, whose *graphic character set* and *code page* have both been registered.

9.23 SBCS

Abbreviation of *Single-Byte Character Set*. *Single-Byte Character Set* is a *graphic character set* in which each character is represented by one *byte*.

9.24 TBCS

Abbreviation of *Triple-Byte Character Set*. It is a *graphic character set* in which each character is represented by three *bytes*. See C-S 3-3220-102 for details.

9.25 TBCS-EUC

A *TBCS code page* which is mainly used with EUC encoding scheme.

9.26 UNIX

An operating system developed at AT&T Bell Laboratories, and is being licensed by UNIX System Laboratories. *UNIX* is a trademark of UNIX System Laboratories.

9.27 Unrestricted Code Page

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of “*unrestricted*.”

9.28 User Definable Character (UDC)

A *graphic character* whose graphic shape is definable by users.

9.29 Ward

A section of a *Double-Byte Character Set* where the first *bytes* of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first *byte* of the *code point* belonging to that *ward*.

10. History of CNS 11643**10.1 CNS 11643-1984**

SICGCC (Standard Interchange *Code* for Generally-used Chinese Characters) for the Republic of China was originally defined in 1984, in which a total of 13 494 coded characters: namely 408 symbols, 13 053 Chinese characters, and 33 Chinese control characters, was defined based on the ISO 2022 7-bit *code* scheme.

The objective of the standard is to act as the Chinese information interchange interface between different Chinese character sets that are provided for and used by computer/telecommunication vendors.

The SICGCC is mapped to a theoretical possible number of 16 planes. Each *code point* on a plane is represented by two *bytes*, with the valid range being X'21' through X'7E' for each *byte*. The maximum number of *code points* on a plane is 8 836.

The Chinese characters are assigned into the first and second planes. The first plane contains non-Chinese and frequently used primary Chinese characters, arranged in total stroke sequence. The second plane contains less frequently used secondary Chinese characters, arranged in a total stroke sequence. SICGCC was evolved to CNS 11643.

10.2 CNS 11643-1986

CNS 11643 (Standard Interchange *Code* for Generally-used Chinese Characters) was modified in 1986, in which a total of 13 735 *graphic characters*: namely 651 non-Chinese, 13 051 Chinese characters, and 33 Chinese control characters, were contained. CNS 11643 was published jointly by National Science Council of Executive Yuan, Ministry of Education, Standards Bureau of Ministry of Economic Affairs; and EDP Center of the Directorate General of Budget, Accounting, and Statistics, in March 1986.

10.3 CNS 11643-1988

CNS 11643 was amended in 1988. It allows the user to have the option to add additional 6 148 characters onto its plane 14.

10.4 CNS 11643-1989

CNS 11643 was amended in 1989. Plane 14 was increased to 6 319 characters adding 171 characters.

**IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code**

DBCS-PC

10.5 CNS 11643-1992

CNS 11643 was amended in 1992 and 28828 characters were added onto its plane 4 to plane 7. Plane 14 was renamed to plane 3. Planes 8 through 11 were reserved for future assignments and the user defined character area was assigned to planes 12 through 16.

The title of CNS 11643 was changed to “Chinese Standard Interchange Code” and has been registered to ISO.

Although CNS 11643 has already defined 48027 Chinese characters, it is still planned to expand Chinese *graphic characters* to a total of approximately 73 thousand in the near future.

11. Relationship of IBM Code with CNS 11643**11.1 Character Coverage**

IBM BIG-5 code supports the same number of DBCS characters as IBM CH-T DBCS-PC and DBCS-Host. The supported characters are also identical to IBM CH-T EUC which is defined as DBCS-EUC and TBCS-EUC.

IBM CH-T DBCS-PC code (CPGID 00927) and IBM CH-T DBCS-Host code (CPGID 00835) are the superset of CNS 11643-1986 as described in C-H 3-3220-126.

IBM DBCS-EUC code (CPGID 00960) and TBCS-EUC (CPGID 00961) are the superset of CNS 11643-1986 as described in C-H 3-3220-129.

Since characters are sequenced based on CNS 11643-1984 for IBM BIG-5 code, characters are differently categorized in this specification from C-H 3-3220-126 and C-H 3-3220-129.

Table 18 shows the relationship among IBM BIG-5, DBCS-PC, DBCS-Host, DBCS-EUC, TBCS-EUC, CNS 11643-1984 and CNS 11643-1986.

Since the *graphic character* representations for 1 primary Chinese character and 2 secondary Chinese characters were changed and 2 secondary Chinese characters were deleted when CNS 11643 was revised in 1986, the common characters which are equally defined in CNS 11643-1984 and CNS 11643-1986 are indicated as “Common” characters in Table 18. The

characters which are defined only in CNS 11643-1984 are indicated as “CNS'84 only.” Those defined only in CNS 11643-1986 are indicated as “CNS'86 only.” The characters which are defined in neither CNS 11643-1984 nor CNS 11643-1986 are indicated as “IBM selected.”

Table 18. Character Coverage

Characters	IBM BIG-5	IBM PC Host	IBM EUC
Non-Chinese:			
Common	441	441	441
CNS'84 only	N/A	N/A	N/A
CNS'86 only	243*	243	243
IBM selected	320*	320	320
Primary Chinese:			
Common	5400	5400	5400
CNS'84 only	1**	1	1
CNS'86 only	1	1	1
Secondary Chinese:			
Common	7648	7648	7648
CNS'84 only	4(2***)	4	4
CNS'86 only	2	2	2
Total	14060	14060	14060

Notes:

- 1) * These are undefined in CNS 11643-1984 and included in the IBM selected non-Chinese character set.
- 2) ** 1 primary Chinese character which is only defined in CNS 11643-1984 and is not sequenced based on CNS 11643-1984 is included in the IBM selected Chinese character set.
- 3) *** 2 secondary Chinese characters which are only defined in CNS 11643-1984 and are not sequenced based on CNS 11643-1984 are included in the IBM selected Chinese character set.

IBM selected characters are the characters which are incompatible with the de facto standard “BIG-5

IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

Code” in terms of the relationship between the *graphic character* representation and the *code point*.

The *graphic character* representation of CNS 11643-1986 has been adopted for 1 primary Chinese character and 2 secondary Chinese characters. Then, the original CNS 11643-1984 characters for the three characters are included in IBM selected character set.

In other words, the characters which are undefined in CNS 11643-1984 or those which are defined in CNS 11643-1984 but not sequenced based on CNS 11643-1984 are categorized as IBM selected characters.

When the characters are compared with CNS 11643-1986, 320 non-Chinese, 1 primary Chinese, and 4 secondary Chinese characters which are undefined in CNS 11643-1986 can be considered to be unique to IBM.

The number of the characters which are only defined by IBM and undefined in both CNS 11643-1984 and CNS 11643-1986 is 320 for non-Chinese characters as shown in Table 18 on page 558.

11.2 Code Translation Correspondence

The IBM BIG-5 *code points* are translated to the corresponding *DBCS-PC*, *DBCS-Host* or *EUC code points* which have the same *GCGIDs* as the IBM BIG-5.

Table 19 shows the exception from the *code translation principle*. The exception was mainly to follow the external de facto standard which provides the *code translation correspondence* between IBM *DBCS-PC* and *EUC* and *CNS*.

The *graphic character* representations for the following three *graphic characters* (*code points*: 1-X'6C7D', 2-X'3638' and 2-X'4433') were modified when CNS 11643 was revised in 1986.

Since IBM *DBCS-PC* and *DBCS-Host* were already defined and implemented based on CNS 11643-1984, the *graphic character* representations for those three *graphic characters* remained unchanged but the three *graphic characters*, which were modified by CNS 11643-1986, were newly added to different *code points* on *DBCS-PC* and *DBCS-Host*.

If the *code translation correspondence* is strictly performed based on *GCGID*, those subsequently added characters should be translated to the characters which were modified by CNS 11643-1986 and eventually corresponded to *EUC*. The *code translation correspondence*, however, will become incompatible with non-IBM systems or applications.

It was decided by IBM Taiwan to keep the *code translation correspondence* compatible outside IBM and to make the different *graphic characters* correspond. As a result, the *code translation correspondence principle* based on the *GCGID* was not applied to the following six *graphic characters*.

Table 19. Code Translation Correspondence (Exception)

No.	BIG-5	EUC	CNS	DBCS-PC	DBCS-Host
1	X'BCB5' 撐 T6170080	X'ECFD' 撐 T6170080	1-X'6C7D' 撐 T6170080	X'A09C' 撐 T4T90080	X'609D' 撐 T4T90080
2	X'F286' 撐 T4T90080	X'ADA4C7' 撐 T4T90080	13- 撐 T4T90080	X'A8CA' 撐 T6170080	X'68CB' 撐 T6170080
3	X'D5D4' 槩 TC3Q0080	X'A2B6B8' 槩 TC3Q0080	2-X'3638' 槩 TC3Q0080	X'B3B7' 槩 T7NC0080	X'73B8' 槩 T7NC0080
4	X'F287' 槩 T7NC0080	X'ADA4C9' 槩 T7NC0080	13- 槩 T7NC0080	X'D1C5' 槩 TC3Q0080	X'91C6' 槩 TC3Q0080
5	X'DE4D' 濼 TC3R0080	X'A2C4B3' 濼 TC3R0080	2-X'4433' 濼 TC3R0080	X'BAB3' 濼 T8OK0080	X'7AB4' 濼 T8OK0080
6	X'F288' 濼 T8OK0080	X'ADA4CB' 濼 T8OK0080	13- 濼 T8OK0080	X'D1C6' 濼 TC3R0080	X'91C7' 濼 TC3R0080


12. Difference from the Former Revision 1994-01 of C-H 3-3220-131

This specification adds Euro sign.

13. Graphic Character Representation

Although character graphics are inserted as sample graphics of the *coded graphic characters* in the specification tables, a *graphic character* is independent of actual size or shape in which it may appear.

This specification does not restrict the style of font design. However, it is recommended that the font design of *graphic characters* for *products* follow the *graphic character* representation in this document as close as possible to avoid confusion in identification of *graphic characters*. On questions about the font design



IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code

DBCS-PC

to be implemented, the Standards Project Authority
for *DBCS* (SIRS 029) may be consulted.



© Copyright IBM Corp. 1999

International Business Machines Corporation
IBM Standards Program
Old Orchard Road
Armonk, New York 10504, USA

Table Definitions

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
ISEL	33220131 SCRIPT	4	4, 4
GID	CUSCFJ01	5	5, 6
GID2	CUSCFJ01	5	6
STR	33220131 SCRIPT	7	7, 7
STR2	33220131 SCRIPT	7	7
BODYPC	33220131 SCRIPT	10	10, 10
TOPPC	33220131 SCRIPT	10	10
HOST	33220131 SCRIPT	10	10, 11, 29, 81, 133, 185, 237, 296, 355, 414, 473, 532, 545, 555
HOSTHD	33220131 SCRIPT	10	10, 11, 29, 81, 133, 185, 237, 296, 355, 414, 473, 532, 545, 555
HSTHD2	33220131 SCRIPT	10	10
CCHD	33220131 SCRIPT	558	558
CCDD	33220131 SCRIPT	558	558
MAPE	33220131 SCRIPT	559	559

Figures

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
UDCSTR	33220131 SCRIPT	8	1 7, 7, 7, 10

Headings

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
ABST	33220131 SCRIPT	1	1.1, Abstract 1
IBMDOC	33220131 SCRIPT	2	3.3, Referenced IBM Documents
CNS84	33220131 SCRIPT	3	4.1, Republic of China's CNS 11643-1984
CNS86	33220131 SCRIPT	3	4.2, Republic of China's CNS 11643-1986
NCS	33220131 SCRIPT	11	8.1, Non-Chinese Character Set 9, 9
PCS1	33220131 SCRIPT	29	8.2, Primary Chinese Character Set (1 of 4) 9
PCS2	33220131 SCRIPT	81	8.3, Primary Chinese Character Set (2 of 4) 9
PCS3	33220131 SCRIPT	133	8.4, Primary Chinese Character Set (3 of 4) 9
PCS4	33220131 SCRIPT	185	8.5, Primary Chinese Character Set (4 of 4) 9
SCS1	33220131 SCRIPT	237	8.6, Secondary Chinese Character Set (1 of 5) 9
SCS2	33220131 SCRIPT	296	8.7, Secondary Chinese Character Set (2 of 5) 9
SCS3	33220131 SCRIPT	355	8.8, Secondary Chinese Character Set (3 of 5) 9
SCS4	33220131 SCRIPT	414	8.9, Secondary Chinese Character Set (4 of 5)

SCS5	33220131 SCRIPT	473	9 8.10, Secondary Chinese Character Set (5 of 5)
ISNC	33220131 SCRIPT	532	9 8.11, IBM Selected Non-Chinese Character Set (1 of 2)
ISNC2	33220131 SCRIPT	545	9 8.12, IBM Selected Non-Chinese Character Set (2 of 2)
ISC	33220131 SCRIPT	555	9 8.13, IBM Selected Chinese Character Set
SUPP	33220131 SCRIPT	556	9 8.13, IBM Selected Chinese Character Set
TERMS	33220131 SCRIPT	556	9, Definition of Terms
IBM2CNS	33220131 SCRIPT	558	4 11, Relationship of IBM Code with CNS 11643
EXCEPT	33220131 SCRIPT	559	4 11.2, Code Translation Correspondence 9, 184, 354, 413, 555

Revisions

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
REV02	33220131 SCRIPT	i	1, 1, 1, 1, 2, 2, 2, 2, 4, 4, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 6, 7, 7, 7, 7, 9, 9, 27, 28, 559, 559

Tables

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
ISEL1	33220131 SCRIPT	4	1 4, 4
CGCSGID	CUSCFJ01	6	2 5
STRUCTP	33220131 SCRIPT	7	3 6, 6, 6, 6, 6, 6, 6, 6, 7, 8, 9
FORMPC	33220131 SCRIPT	10	4 10
NOCHPC	33220131 SCRIPT	11	5 7, 10, 10, 10
PRCHPC1	33220131 SCRIPT	29	6 7
PRCHPC2	33220131 SCRIPT	81	7 7
PRCHPC3	33220131 SCRIPT	133	8 7
PRCHPC4	33220131 SCRIPT	185	9
SECHPC1	33220131 SCRIPT	237	10 7
SECHPC2	33220131 SCRIPT	296	11 7
SECHPC3	33220131 SCRIPT	355	12 7
SECHPC4	33220131 SCRIPT	414	13 7
SECHPC5	33220131 SCRIPT	473	14
SECISL1	33220131 SCRIPT	532	15 7, 9

SECISL2	33220131 SCRIPT	545	16	7, 9
SECISL3	33220131 SCRIPT	555	17	7, 10, 10, 10
CHAR	33220131 SCRIPT	558	18	4, 544, 554, 555, 558, 558, 559
MAPET	33220131 SCRIPT	559	19	559

Processing Options

Runtime values:

```

Document fileid ..... 33220131 SCRIPT
Document type ..... STDDOC
Document style ..... IBMS1PL
Profile ..... EDFPRF40
Service Level ..... 0009
SCRIPT/VS Release ..... 4.0.0
Date ..... 99.04.30
Time ..... 11:34:23
Device ..... 3820A
Number of Passes ..... 3
Index ..... YES
SYSVAR A ..... NO
SYSVAR D ..... YES
SYSVAR S ..... OFFSET
SYSVAR X ..... YES
    
```

Formatting values used:

```

Annotation ..... NO
Cross reference listing ..... YES
Cross reference head prefix only ..... YES
Dialog ..... LABEL
Duplex ..... YES
DVCF conditions file ..... (none)
DVCF value 1 ..... (none)
DVCF value 2 ..... (none)
DVCF value 3 ..... (none)
DVCF value 4 ..... (none)
DVCF value 5 ..... (none)
DVCF value 6 ..... (none)
DVCF value 7 ..... (none)
DVCF value 8 ..... (none)
DVCF value 9 ..... (none)
Explode ..... NO
Figure list on new page ..... NO
Figure/table number separation ..... YES
Folio-by-chapter ..... NO
Head 0 body text ..... (none)
Head 1 body text ..... (none)
Head 1 appendix text ..... Appendix
Hyphenation ..... YES
Justification ..... YES
Language ..... ENGL
Keyboard ..... 395
Layout ..... OFF
Leader dots ..... YES
Master index ..... (none)
Partial TOC (maximum level) ..... 4
Partial TOC (new page after) ..... INLINE
Print example id's ..... NO
Print cross reference page numbers ..... YES
Process value ..... (none)
Punctuation move characters ..... ..
Read cross-reference file ..... (none)
Running heading/footing rule ..... NONE
Show index entries ..... NO
Table of Contents (maximum level) ..... 5
Table list on new page ..... NO
Title page (draft) alignment ..... RIGHT
Write cross-reference file ..... (none)
    
```

Imbed Trace

Page 5	CUSCFJ01
Page 11	CUSCFJ02
Page 29	CUSCFJ03
Page 81	CUSCFJ04
Page 133	CUSCFJ05
Page 185	CUSCFJ06
Page 237	CUSCFJ07
Page 296	CUSCFJ08
Page 355	CUSCFJ09
Page 414	CUSCFJ10
Page 473	CUSCFJ11
Page 532	CUSCFJ12
Page 545	CUSCFJ13
Page 555	CUSCFJ14