

InfoPrint ProcessDirector for AIX:  
Release Notes for PTF US00105  
October 15, 2008

*Version 1 Release 3*

**Note:**

Before using this information and the product it supports, read the information in "Notices" on page 7.

These release notes apply to InfoPrint ProcessDirector for AIX, Version 1 Release 3 Modification 1 (Program Number 5765-G74) with PTF US00105 (October 2008).

**Internet**

Visit our home page: <http://www.infoprint.com>

You can send comments by e-mail to [printpub@us.ibm.com](mailto:printpub@us.ibm.com) or by mail to:

InfoPrint Solutions Company  
6300 Diagonal Hwy 002J  
Boulder, CO 80301-9270  
U.S.A.

This product is or contains commercial computer software and commercial computer software documentation developed exclusively at private expense. As specified in Federal Acquisition Regulation 12.212 in the case of civilian agencies and Defense Federal Acquisition Regulation Supplement 227.7202 in the case of military agencies, use, duplication and disclosure by agencies of the U.S. Government shall solely be in accordance with the accompanying International Program License Agreement in case of software products and in accordance with the licensing terms specified in the product's documentation in the case of hardware products.

© Copyright InfoPrint Solutions Company 2008. All rights reserved.

---

## Contents

<b>About PTF US00105 (October 2008)</b> . . .	<b>1</b>	User Documentation CD updated . . . . .	5
Installation alerts . . . . .	2	Printing PDF and PostScript files on the InfoPrint 5000 printer Models AS1 and AD1/2 with hot folders from InfoPrint ProcessDirector for AIX . . .	5
InfoPrint Manager for AIX Version 4 Release 3 support . . . . .	2	Customer support . . . . .	7
Known limitations, problems, and workarounds . . .	3	Notices . . . . .	7
Limitations . . . . .	3	Trademarks . . . . .	9
Problems and workarounds . . . . .	3		
Product documentation . . . . .	4		



---

## About PTF US00105 (October 2008)

These release notes provide information about PTF US00105, Service Pack 2, for InfoPrint® ProcessDirector for AIX®, Version 1 Release 3 Modification 1 (Program Number 5765-G74).

PTF US00105 includes:

### **Enhanced printer status information**

Displays printer status information using the Simple Network Management Protocol (SNMP) and offers one-click access to a printer-resident Web page for up-to-the-minute status information.

### **Cutsheet printer support**

Defines cut-sheet printer options, such as media size and type, and finishing options, such as punch and staple, and lets you schedule jobs based on these properties.

### **User interface automatic refresh**

Each user can set an interval to have the Main page of the user interface refresh. Updates such as printer and job status changes that have occurred since the last refresh appear automatically at this interval.

### **Additional features**

Starting with this PTF, four extensions that were previously available as Services offerings are now orderable as product features. The features are:

- **AFP Editor:** Lets you create bar codes and hide areas in AFP™ files. You can create bar codes that contain index values, job properties, and static text. For example, if the ZIP codes in an AFP file are index values, you can create bar codes that contain the ZIP codes. In addition, AFP Editor can automatically replace POSTNET bar codes with Intelligent Mail bar codes (IMBs) that have the same routing code. You can hide areas in AFP files so that no one can see the data in the hidden areas and so that the data does not print.
- **AFP Indexer:** Lets you create page groups and indexes in AFP files. When you view an AFP print file that contains page groups and indexes in InfoPrint ProcessDirector, you can navigate in the file to find pages containing specific index values. You can also use the indexing provided by AFP Indexer to reprint all the pages in one or more page groups.
- **Reports:** Lets you create reports based on data that InfoPrint ProcessDirector collects about job events, user actions, and printer activity. You can use the reports for capacity planning, production efficiency measurement and optimization, and problem determination.
- **Service Level Agreement (SLA):** Lets you manage your progress towards meeting your performance objectives. If you have service level agreements in place with your customers, this feature can help you make sure that their print jobs are on schedule to be completed on time.

### **Improved interaction with other applications**

Lets you interface with third-party applications that use hot folders to receive work and return results. This update includes a step template that can be used to place work in another application's hot folder and monitor a user-specified directory for results.

### **Job Definition Format (JDF) support**

Lets you select job printing properties, such as media and finishing

options, in a job ticket in the Job Definition Format (JDF). You can submit just a job ticket in a hot folder and tell InfoPrint ProcessDirector where to retrieve the file for processing.

#### **Web services support**

Lets you use Representational State Transfer (REST) Web services to send commands and requests to InfoPrint ProcessDirector from other applications. Syntax and usage for the supported Web services are described in a new publication: *InfoPrint ProcessDirector: Developing Web Services*, G550-1152, and in the InfoPrint ProcessDirector information center.

#### **Security enhancements**

If you have a digital certificate installed on your primary server, you can use a script included in this update to activate the Secure Sockets Layer (SSL) protocol for the InfoPrint ProcessDirector Web server. After SSL is activated, all communications between the primary server and the Web user interfaces are encrypted. Communications between the primary server and applications that use Web services requests are also encrypted.

#### **Halftone selection support**

Lets you specify halftones when converting color images from the continuous tones you see on a monitor to a printer's black and white shading pattern. Halftones are used by transform programs to tune output for the specific printer model you are using.

#### **Import/Export function support**

Exports objects, such as job types created by InfoPrint ProcessDirector on one primary server, so that they can be imported to another InfoPrint ProcessDirector primary server. The objects are saved in XML format in a location you specify.

#### **Stopping a job based on message count**

Lets you set the number of data stream messages that causes an AFP print job to stop printing. Messages issued as a result of an operator command or an intervention required at the printer are not included in this count.

#### **Enhanced printer sharing support**

For AFP printers that support it, you can configure InfoPrint ProcessDirector to let the printer receive IPDS™ data from one source and non-IPDS data from another source, such as a hot folder. The TCP/IP connection over which the IPDS data is sent remains active when the control of the printer engine is switched to the other input source.

For more specific information about the product, see the InfoPrint ProcessDirector information center. You can open the information center from the **Help** link in the user interface or from the Publications CD.

---

## **Installation alerts**

### **InfoPrint Manager for AIX Version 4 Release 3 support**

If you want to install InfoPrint ProcessDirector for AIX with PTF US00105 on the same server with InfoPrint Manager for AIX, you must install InfoPrint Manager for AIX, Version 4 Release 3 (Program Number 5648-F35), because changes were made in both products for printer support:

1. Installing or upgrading either product modifies executables that are shared between the products. Before you install or upgrade either product on the same

server, you must stop both the InfoPrint Manager for AIX and InfoPrint ProcessDirector for AIX servers. You can start the servers after you install or upgrade both products.

2. You must install InfoPrint Manager Version 4 Release 3 before you install InfoPrint ProcessDirector PTF US00105.

---

## Known limitations, problems, and workarounds

### Limitations

#### PSF locale support on AIX

InfoPrint ProcessDirector uses UTF-8 encoded locales on AIX. However, InfoPrint ProcessDirector's printer-driver program, Print Services Facility™ (PSF), does not support UTF-8 on AIX. PSF supports these locales on AIX:

<b>English</b>	ISO8859, IBM850, IBM1275
<b>French</b>	ISO8859, IBM850, IBM1275
<b>German</b>	ISO8859, IBM850, IBM1275
<b>Italian</b>	ISO8859, IBM850, IBM1275
<b>Spanish</b>	ISO8859, IBM850, IBM1275
<b>Japanese</b>	IBM932, IBMecJP

The locale is used to determine what language is used to log printer and server messages.

**Note:** Do not use double-byte characters in the name of an AIX secondary server.

### Problems and workarounds

#### Unexpected results with portlets on the Main page of the user interface

The automatic refresh function added with this PTF causes the portlets on the Main page to fade while they are refreshing. If a portlet remains dim or an error is displayed, click the **Refresh** button on the browser window to activate the portlet. For example, if you use **Go to next page/Go to previous page** or **Go to last page/Go to first page** on the Jobs portlet from the Main page of the InfoPrint ProcessDirector user interface and you receive an unexpected error, click **Refresh**.

#### Use Internet Explorer when accessing different user interfaces

When accessing user interfaces for both InfoPrint Transform Manager and InfoPrint ProcessDirector, InfoPrint Solutions Company recommends that you use separate sessions of the Microsoft® Internet Explorer browser. If you use the Mozilla browser, you must log off the InfoPrint Transform Manager user interface before logging in to the InfoPrint ProcessDirector user interface.

#### Messages and descriptions not shown in the expected language

During the installation process, you are asked for the language to be used by the server for some messages and descriptive text on the user interface. Your selection is used to set the language for the aiw1 user that is created for InfoPrint ProcessDirector. Sometimes that language setting does not take effect, so messages in the printer log or descriptions of objects supplied with InfoPrint ProcessDirector appear in English instead of the language that you selected. To ensure that you receive printer messages in the desired language, you can set the **Printer language** property on each printer. For other text, you can edit the aiw1 user profile and specify the desired language.

## Job continues processing on InfoPrint Transform Manager

When you use the **Stop** function for a job that is processing in a step that calls InfoPrint Transform Manager, the status of the job changes to Stopped, but InfoPrint Transform Manager continues processing the job. Do not use the **Process again** function on the stopped job unless you make a change to the job type to overcome any error that caused the InfoPrint Transform Manager step to take a long time to run.

## Processing AFP files containing multiple documents

The AFP architecture lets applications place multiple documents within a single file, with the document boundaries marked with Begin Document (BDT) and End Document (EDT) structured fields. Applications might use this function to cause finishing operations, such as stapling or binding, to operate on each document separately.

The EnableRepositioning and CreatePageRanges steps provided in all job types supplied with InfoPrint ProcessDirector are used to map pages to sheets so that the **Jump to** and **Print again** functions can reliably locate a page in the job. However, those steps cannot process files that contain multiple documents as described above.

If a job containing multiple documents is processed by the EnableRepositioning or CreatePageRanges step, an error occurs that prevents the job from printing. You can remove those steps from the job type being used to process the job and it will print, but you will no longer be able to use sheet numbers or indexing tags to select pages in the viewer when using the **Jump to** and **Print again** functions.

## Banner pages print in portrait orientation

Configuration files to format the content of banner pages are only available in the portrait orientation. If you change the setting for the **Banner page** property on the printer, it has no effect.

## Messages from InfoPrint Transform Manager not translated

Some messages that InfoPrint ProcessDirector logs from InfoPrint Transform Manager are only available in English.

## Jobs are not deleted as scheduled

If jobs become stuck in a **Preprocessing** state in the **Complete** phase, you can manually delete the jobs.

## APARs included in this PTF

This PTF includes resolution for these APARs:

APAR	Description
IZ27273	Jobs processed through ITM fail with message AIWI6135E
IZ31771	No error message printed for NACK "020D..05"; job terminated
IZ32784	Two or more \$\$ in FORMDEF/PAGEDEF names cause ACIF errors
IZ33932	New LPR and Download Input Devices accept jobs only after stopaiw/startaiw

---

## Product documentation

See *InfoPrint ProcessDirector for AIX: Planning and Installation* (G550-1045) for pre-installation planning, installation tasks, and post-installation tasks.



After it is installed, you can access the InfoPrint ProcessDirector user interface from a Web browser on the AIX, Linux®, and Windows® workstations in your network. The user interface contains field-level help and an information center for InfoPrint ProcessDirector. The information center contains administrative and operational topics that help administrators, operators, and supervisors learn about InfoPrint ProcessDirector. It also includes procedures that describe how to use the product.

To use the online help:

1. Access the user interface at **http://hostname:15080/aiw**. Replace *hostname* with the name of the machine where the primary InfoPrint ProcessDirector system is installed.
2. To view the information center, click **Help** from the top task bar.
3. To access field or property help:
  - a. Log in to the user interface:
    - 1) Type the default user name of **aiw** and the default password of **aiw**.
    - 2) Click **Log in**. You are prompted to change the password before you can log in to the user interface.
  - b. Click the question mark icon for help about a field or property.

## User Documentation CD updated

The *InfoPrint ProcessDirector for AIX: User Documentation CD*, GK4T-4011, has been updated with Service Pack 2. An ISO image of this CD is available on the InfoPrint ProcessDirector Service Pack 2 download page, and you can also order the CD from InfoPrint Solutions Company.

To access the InfoPrint ProcessDirector Service Pack 2 download page:

1. Open the InfoPrint Solutions Company home page at [www.infoprint.com](http://www.infoprint.com).
2. Click **Support & Maintain**.
3. On the left side of the page, click **Online Hardware and Software Support**.
4. Under **Software support**, click **InfoPrint ProcessDirector**.
5. Click **DOWNLOADS AND DRIVERS**.
6. Click the link for PTF US00105.

## Printing PDF and PostScript files on the InfoPrint 5000 printer Models AS1 and AD1/2 with hot folders from InfoPrint ProcessDirector for AIX

To send PDF and PostScript files to the hot folders on the InfoPrint 5000 printer Models AS1 and AD1/2 with InfoPrint ProcessDirector for AIX, you can set up a job type that uses the **CopyToFolder** step.

To send PDF and PostScript files to an InfoPrint 5000 hot folder, you must:

- Verify that the **bos.cifs\_fs** fileset is installed on your primary system.
- Define a job type that includes a **CopyToFolder** step.
- Make sure that your primary AIX system is connected to the InfoPrint 5000 printer.

### Verifying that bos.cifs\_fs fileset is installed

To print to an InfoPrint 5000 printer hot folder from InfoPrint ProcessDirector for AIX requires the **bos.cifs\_fs** fileset.

To verify that the `bos.cifs_fs` fileset is installed:

1. Enter this command:  

```
lspp -l | grep cifs
```
2. You see results similar to these:  

```
bos.cifs_fs.rte      5.3.0.61  COMMITTED  Runtime for SMBFS
bos.cifs_fs.smit    5.3.0.60  COMMITTED  SMIT Interface for SMBFS
bos.cifs_fs.rte      5.3.0.61  COMMITTED  Runtime for SMBFS
bos.cifs_fs.smit    5.3.0.0   COMMITTED  SMIT Interface for SMBFS
```
3. If the `bos.cifs_fs` fileset is not installed, contact your system administrator.

## Defining a job type to submit a file to an InfoPrint 5000 hot folder

To submit a print job to a hot folder on an InfoPrint 5000, you must create a job type that uses the **CopyToFolder** step.

To define the job type:

1. Log in as an administrator.
2. On the Main page, click the **Administration** tab.
3. In the left pane, click **Workflow** → **Job Types**.
4. Select the **OutputPDF** job type.
5. Click **Actions** → **Copy**.
6. Type a name for the new job type.
7. Under the **Prepare** phase, click the **Delete step** button next to the **TransformJobIntoPDF** step.
8. Click the name of the **CopyToFolder** step.
9. Delete the contents of the **External Command [Print] [CopyToFolder]** property and replace it with a command that looks like this:  

```
cp ${getFileName(print,${Job.InputDatastream},read)}
/mnt/destinationHotFolder/${Job.Name}
```
10. Replace *destinationHotFolder* with the name of the directory that the InfoPrint 5000 printer uses as a hot folder:  

```
cp ${getFileName(print,${Job.InputDatastream},read)} /mnt/yourhotfolder
on the InfoPrint 5000/${Job.Name}
```
11. Click **OK**.
12. To use the new job type, select it and click **Enable**.

## Connecting to the InfoPrint 5000 hot folder

To copy files into a hot folder on an InfoPrint 5000, that hot folder must be mounted to the InfoPrint ProcessDirector primary server.

You can mount the hot folder using the **mount** command.

**Note:** If either InfoPrint ProcessDirector or the InfoPrint 5000 printer is shut down, you need to re-issue the **mount** command.

To issue a **mount** command:

1. Log in to the primary InfoPrint ProcessDirector server as root.
2. Enter this command for Model AS1:  

```
>mount -v cifs -n printerIPAddress/none -o fmode=707 /simplex /mnt
```
3. Enter this command for Model AD1/2:  

```
>mount -v cifs -n printerIPAddress/none -o fmode=707 /duplex /mnt
```
4. Press Enter when you are prompted to enter a password.

---

## Customer support

For help installing InfoPrint ProcessDirector, contact Software Support:

- Web page: <http://www.infoprint.com/support>
- Outside the United States: open a call through your country's help line. Level 1 sends it to Level 2 for the Geography. If Level 2 cannot answer the question, the question becomes a PMR in the RETAIN<sup>®</sup> system.

While using the InfoPrint ProcessDirector user interface, see the online help before contacting Software Support. See "Product documentation" on page 4.

---

## Notices

This information was developed for products and services offered in the U.S.A.

InfoPrint Solutions Company may not offer the products, services, or features discussed in this document in other countries. Consult your local InfoPrint Solutions Company representative for information on the products and services currently available in your area. Any reference to an InfoPrint Solutions Company product, program, or service is not intended to state or imply that *only* that InfoPrint Solutions Company product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any InfoPrint Solutions Company intellectual property rights may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-InfoPrint Solutions Company product, program, or service.

References in this document to InfoPrint Solutions Company products, product features, programs or services do not imply that InfoPrint Solutions Company intends to make such products, product features, programs or services available in all countries in which InfoPrint Solutions Company operates or does business.

InfoPrint Solutions Company may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

InfoPrint Solutions Company, LLC  
6300 Diagonal Hwy 002J  
Boulder, CO 80301-9270  
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the InfoPrint Solutions Company Intellectual Property Department in your country or send inquiries, in writing, to:

InfoPrint Solutions Company, LLC  
6300 Diagonal Hwy 002J  
Boulder, CO 80301-9270  
U.S.A.

**The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INFOPRINT SOLUTIONS COMPANY PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states**

do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. InfoPrint Solutions Company may make improvements and/or changes in the product(s) described in this publication at any time without notice.

Any references in this information to non-InfoPrint Solutions Company Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this InfoPrint Solutions Company product and use of those Web sites is at your own risk.

InfoPrint Solutions Company may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

InfoPrint Solutions Company, LLC  
6300 Diagonal Hwy 002J  
Boulder, CO 80301-9270  
U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by InfoPrint Solutions Company under terms of the InfoPrint Solutions Company Customer Agreement, InfoPrint Solutions Company International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurement may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-InfoPrint Solutions Company products was obtained from the suppliers of those products, their published announcements or other publicly available sources. InfoPrint Solutions Company has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-InfoPrint Solutions Company products. Questions on the capabilities of non-InfoPrint Solutions Company products should be addressed to the suppliers of those products.

All statements regarding InfoPrint Solutions Company's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

## Trademarks

These terms are trademarks or registered trademarks of Ricoh Co., Ltd., in the United States, other countries, or both:

- Advanced Function Presentation
- AFP
- InfoPrint
- Infoprint
- IPDS
- Ricoh

These terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

- AIX
- IBM
- Print Services Facility
- RETAIN

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.