

**Deliver output at the speed of e-business with
IBM's new family of workgroup printers.**



Introducing a new line of cost-effective business printers: the IBM Infoprint 1000 family.

IBM Infoprint® 1000 printers offer a wide variety of print speeds and features to serve everyone from small businesses to workgroups in large companies. This full line of printers offers exceptional value with unique functionality, advanced features, broad expansion capabilities and seamless connectivity — all at attractive prices. From 16 to 45 pages per minute, IBM's new family of workgroup printers can meet the printing requirements of your business.

Versatile and expandable

The Infoprint 1000 family supports a variety of media types and sizes such as envelopes, transparencies and A3-size paper. Increased input and output options, including finishing devices that staple and hole-punch, add versatility to your printing. Modular paper handling capabilities are easily expandable, providing printing flexibility to enhance productivity.

Networking options for seamless connectivity

Today's workgroups need fast, reliable connectivity and the ability to print images from the Web. With the Infoprint 1000 family's network-ready Ethernet and standard parallel/USB interfaces, easy host connections and high-speed communications are a given. The ImageQuick Card (standard on Internet models) supports direct PDF and image printing from the Web. Remote printer configuration, management and monitoring software help reduce network administration costs.

Outstanding value

The Infoprint 1000 family offers a range of speeds and configurations to help meet your workgroup's requirements. With six print speeds, a variety of configuration options, cost-efficient supplies, and flexible paper handling features, these printers can be tailored to your needs and budget. Excellent print quality, fast first page print times and reliable software management tools mean these printers can start enhancing your workgroup's productivity right away.



IBM Infoprint 1000 Printers at a glance

For expanded specifications visit: ibm.com/printers/workgroup



Infoprint 1116



Infoprint 1120/1125



Infoprint 1130



Infoprint 1140



Infoprint 1145

	Infoprint 1116	Infoprint 1120/1125	Infoprint 1130	Infoprint 1140	Infoprint 1145
Maximum speed					
pages per minute (ppm)	16 ppm	20/25 ppm	30 ppm	40 ppm	45 ppm
Technology	Monochrome laser	Monochrome laser	Monochrome laser	Monochrome laser	A3 Monochrome laser
Maximum monthly usage¹	15,000 pages	100,000/120,000 pages	150,000 pages	200,000 pages	250,000 pages
Processor	133 MHz	200/250 MHz	300 MHz	350 MHz	350 MHz
Print Resolution	300, 600, 1200 dpi	300, 600, 1200 dpi	300, 600, 1200 dpi	300, 600, 1200 dpi	300, 600, 1200 dpi
Memory (std/max)	8/72 MB	8/264 MB (1120) 16/272 MB (1125)	16/384 MB	16/384 MB	32/384 MB
Options		Hard Drive/Flash	Hard Drive/Flash	Hard Drive/Flash	Hard Drive/Flash
Paper input capacity (std/max)	151/401 pages	350/3,850 pages (1120) 600/4,100 pages (1125)	600/4,100 pages	1,100/4,100 pages	1,035/3,535 pages
Paper output capacity (std/max)	100 pages	250 pages	500/3,000 pages	500/3,000 pages	500/3,550 pages
Duplex	N/A	Option	Option	Option	Option
PC-interfaces					
Standard on base model	USB/Parallel	USB/Parallel	USB/Parallel	USB/Parallel	USB/Parallel
Printer attachments					
Standard	USB port, bi-directional parallel port (base model) 1116 — Internal Fast Ethernet (available on n model only); 1120/1125 — one internal solutions port; 1130/1140/1145 — two internal solutions ports				
Optional	Internal (1120/1125/1130/1140/1145) — Ethernet 10BaseT/2, Ethernet 10/100BaseTX, Twinax/Coax Adapter for SCS, Token Ring, Tri-Port Adapter, RS-232 Serial/Parallel 1284-C Interface Card External (1116/1120/1125/1130/1140/1145) — Ethernet 10/100BaseTX - 1 port, Ethernet 10/100BaseTX - 3 port, Ethernet 10/100BaseTX 10Base2 - 1 port, Token Ring - 3 port, Infrared Adapter, External Serial Adapter				
Media Sizes					
Standard	Letter, legal, A4, A5, JIS B5, executive	Letter, legal, A4, A5, JIS B5, executive, folio, statement and custom sizes from 5.5" x 8.27" to 8.5" x 14"	Letter, legal, A4, A5, JIS B5, executive, folio, statement and custom sizes from 5.5" x 8.27" to 8.5" x 14"	Letter, legal, A4, A5, JIS B5, executive, folio, statement, and custom sizes from 5.5" x 8.27" to 8.5" x 14"	Letter, legal, A3, A4, A5, JIS B4, B5, executive, statement, folio, universal, envelopes
Expanded Custom Sizes		2.75" x 5" to 8.5" x 14"	2.75" x 5" to 8.5" x 14"	2.75" x 5" to 8.5" x 14"	
Media					
—Types	Plain paper, bond, envelopes, card stock, transparencies, labels	Plain paper, bond, envelopes, card stock, transparencies, labels	Plain paper, bond, envelopes, card stock, transparencies, labels	Plain paper, bond, envelopes, card stock, transparencies, labels	Plain paper, bond, envelopes, card stock, transparencies, labels
—Weight	17 lb to 43 lb	16 lb to 47 lb	16 lb to 47 lb	16 lb to 47 lb	16 lb to 90 lb
Network Environment	Microsoft® Windows® XP, 2000, Me, 98, 95, NT® 4.0 or higher; UNIX, Linux and Mac OS	Microsoft Windows XP, 2000, Me, 98, 95, NT 4.0 or higher; UNIX, Linux and Mac OS	Microsoft Windows XP, 2000, Me, 98, 95, NT 4.0 or higher; UNIX, Linux and Mac OS	Microsoft Windows XP, 2000, Me, 98, 95, NT 4.0 or higher; UNIX, Linux and Mac OS	Microsoft Windows XP, 2000, Me, 98, 95, NT 4.0 or higher; UNIX, Linux and Mac OS



	Infoprint 1116	Infoprint 1120/1125	Infoprint 1130	Infoprint 1140	Infoprint 1145
Physical Characteristics (WxDxH)	15.0" x 14.2" x 8.7"	15.7" x 20.2" x 13.4"(1120) 16.5" x 20.2" x 14.9"(1125)	16.5" x 20.2"x15.9"	16.5" x 20.2"x21.2"	35.5" x 22" x 19"
Environmental Characteristics	—49 dBA —35 dBA (idle)	—51 dBA —30 dBA (idle)	—51 dBA —30 dBA (idle)	—55 dBA —31 dBA (idle)	—54 dBA —33 dBA (idle)
Toner Yield² (std/high yield)	3,000/6,000	7,500/20,000	10,000/30,000	10,000/30,000	30,000
Starter Cartridge	3,000	5,000	10,000	10,000	30,000
First Page Out Time	< 12 sec	< 9 sec	10 sec	10 sec	4 sec (Ready) 7 sec (Standby)

¹ IBM does not recommend printing this monthly maximum on a consistent basis.

² Assumes 5% toner coverage per page.

For more information

To learn more about IBM Infoprint solutions, contact your local IBM representative, call (800) 358-6661 or visit the IBM Printing Systems Web site at ibm.com/printers.

The following are trademarks or registered trademarks of IBM Corporation in the United States and/or other countries: Advanced Function Presentation, AFP, AIX, the e-business logo, IBM and Infoprint.

Microsoft, Windows, and Windows NT are registered trademarks of Microsoft Corporation.

ENERGY STAR is a US registered mark. The ENERGY STAR Emblem does not represent EPA endorsement of any product or services.

Other company, product and service names may be trademarks or service marks of others.

References in this publication to IBM products or services do not imply that IBM intends to make them available in all countries in which IBM operates.

IBM hardware products are manufactured from new parts, or new and used parts. Regardless, our warranty terms apply.

For more information on the implications of the euro, visit the IBM euro Web site at ibm.com/euro.

Visit the IBM Printing Systems Web site at ibm.com/printers

The IBM home page can be found on the Internet at ibm.com



©International Business Machines Corporation 2001

IBM Printing Systems
Dept. HT7/00H
P.O. Box 1900
Boulder, Colorado 80301-9191

Printed in the United States of America
10-01
All Rights Reserved

