

**Program Directory for  
Data Restore  
for VSE/ESA**

Version 6 Release 1.0

Program Number 5648-A70

for Use with  
VSE/ESA

Document Date: December 1998

GI10-4959-00

**Note!**

Before using this information and the product it supports, be sure to read the general information under "Notices" on page v.

This program directory, dated December 1998, applies to Data Restore for VSE (Data Restore) Version 6 Release 1.0, Program Number 5648-A70 for the following:

<b>COMPIDs</b>	<b>Feature Numbers</b>	<b>System Name</b>
5648A7005	5851	VSE/ESA
5648A7005	5852	VSE/ESA
5648A7005	5854	VSE/ESA
5648A7005	6690	VSE/ESA

A form for reader's comments appears at the back of this publication. When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© **Copyright International Business Machines Corporation 1995, 1998. All rights reserved.**

Note to U.S. Government Users — Documentation related to restricted rights — Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.

---

# Contents

<b>Notices</b> . . . . .	v
Trademarks and Service Marks . . . . .	v
<b>1.0 Introduction</b> . . . . .	1
<b>2.0 Program Materials</b> . . . . .	2
2.1 Basic Machine-Readable Material . . . . .	2
2.2 Optional Machine-Readable Material . . . . .	3
2.3 Program Publications . . . . .	3
2.3.1 Basic Program Publications . . . . .	3
2.3.2 Optional Program Publications . . . . .	3
2.4 Program Source Materials . . . . .	3
2.5 Publications Useful During Installation . . . . .	3
<b>3.0 Program Support</b> . . . . .	4
3.1 Preventive Service Planning . . . . .	4
3.2 Statement of Support Procedures . . . . .	4
<b>4.0 Program and Service Level Information</b> . . . . .	5
4.1 Program Level Information . . . . .	5
4.2 Service Level Information . . . . .	5
4.3 Cumulative Service Tape . . . . .	5
<b>5.0 Installation Requirements and Considerations</b> . . . . .	6
5.1 Target System Requirements . . . . .	6
5.1.1 Operating System Requirements . . . . .	6
5.1.2 Machine Requirements . . . . .	6
5.1.3 Programming Requirements . . . . .	6
5.1.4 DASD Storage Requirements . . . . .	6
5.1.5 Processor Storage Requirements . . . . .	7
5.2 Program Considerations . . . . .	7
5.2.1 Operating System Requirements . . . . .	7
5.2.2 Machine Requirements . . . . .	8
5.2.3 Programming Considerations . . . . .	8
5.2.4 System Considerations . . . . .	8
5.2.5 Special Considerations . . . . .	8
<b>6.0 Installation Instructions</b> . . . . .	9
6.1 Installing Data Restore . . . . .	9
6.2 Activating Data Restore . . . . .	9
<b>Reader's Comments</b> . . . . .	10

---

## Figures

1. Basic Material: Program Tape . . . . .	2
2. Program Tape: File Content . . . . .	2
3. Basic Material: Unlicensed Publications . . . . .	3
4. Publications Useful During Installation . . . . .	3
5. PSP Upgrade and Subset ID . . . . .	4
6. Component IDs . . . . .	4
7. DASD Storage Requirements for RCV610 Sublibrary . . . . .	6
8. DASD Storage Requirements for Data Restore language file . . . . .	7

---

## Notices

References in this document to IBM products, programs, or services do not imply that IBM intends to make these available in all countries in which IBM operates. Any reference to an IBM product, program, or service is not intended to state or imply that only IBM's product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe on any of IBM's intellectual property rights may be used instead of the IBM product, program, or service. Evaluation and verification of operation in conjunction with other products, except those expressly designated by IBM, is the user's responsibility.

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to the

International Business Machines Corporation  
IBM Director of Licensing  
North Castle Drive, Armonk, NY  
10504-1785, U.S.A.

---

## Trademarks and Service Marks

The following terms, denoted by an asterisk (\*), used in this document, are trademarks or service marks of IBM Corporation in the United States or other countries:

IBM  
RETAIN

VSE/ESA

DATABASE 2  
DB2 Server for VSE

The following terms, denoted by a double asterisk (\*\*), used in this document, are trademarks of other companies as follows:

None



---

## 1.0 Introduction

This program directory is intended for the system programmer responsible for program installation and maintenance. It contains information concerning the material and procedures associated with the installation of Data Restore. You should read all of this program directory before installing the program and then keep it for future reference.

The program directory contains the following sections:

2.0, "Program Materials" on page 2 identifies the basic and optional program materials and documentation for Data Restore.

3.0, "Program Support" on page 4 describes the IBM support available for Data Restore.

4.0, "Program and Service Level Information" on page 5 lists the APARs (program level) and PTFs (service level) incorporated into Data Restore.

5.0, "Installation Requirements and Considerations" on page 6 identifies the resources and considerations for installing and using Data Restore.

6.0, "Installation Instructions" on page 9 provides detailed installation instructions for Data Restore.

Before installing Data Restore, read 3.1, "Preventive Service Planning" on page 4. This section tells you how to find any updates to the information and procedures in this program directory.

Before beginning the install process, you should review the following documents:

*DB2 Data Restore Guide, SC09-2677.*

---

## 2.0 Program Materials

An IBM program is identified by a program number and a feature code. The program number for Data Restore is 5648-A70.

The program announcement material describes the features supported by Data Restore. Ask your IBM marketing representative for this information if you have not already received a copy.

The following sections identify:

- The basic and optional program materials available with this program
- Publications useful during installation

---

### 2.1 Basic Machine-Readable Material

The distribution medium for this program is 9-track magnetic tape (written at 6250 BPI), 3480 cartridge, 1/4-inch tape cartridge, or 4mm tape cartridge. The tape or cartridge contains all the programs and data needed for installation. Data Restore is installed using the instructions included in the *DB2 Data Restore Guide* manual, SC09-2677. See 6.0, "Installation Instructions" on page 9 for more information about how to install the program. Figure 1 describes the tape or cartridge. Figure 2 describes the file content of the program tape or cartridge.

**Note:** The program tape and cartridge contain "Restricted Materials of IBM."

*Figure 1. Basic Material: Program Tape*

Medium	Feature Number	Physical Volume	External Label Identification
6250 tape	5851	1	Data Restore for VSE V6
3480 cart.	5852	1	Data Restore for VSE V6
1/4 inch cart.	5854	1	Data Restore for VSE V6
4 mm cart.	6690	1	Data Restore for VSE V6

*Figure 2 (Page 1 of 2). Program Tape: File Content*

File	Name
1	Data Restore Copyright Records
2	Data Restore History File
3	Data Restore Product
4	Tape Mark



Figure 2 (Page 2 of 2). Program Tape: File Content

---

File	Name
5	Tape Mark

---

---

## 2.2 Optional Machine-Readable Material

There are no optional machine-readable materials for Data Restore.

---

## 2.3 Program Publications

The following sections identify the basic and optional publications for Data Restore.

### 2.3.1 Basic Program Publications

Figure 3 identifies the basic program publications for Data Restore. One copy of each of these publications is included when you order the basic materials for Data Restore. For additional copies, contact your IBM representative.

Figure 3. Basic Material: Unlicensed Publications

---

Publication Title	Form Number
<i>DB2 Data Restore Guide</i>	SC09-2677

---

### 2.3.2 Optional Program Publications

There are no optional publications for Data Restore.

---

## 2.4 Program Source Materials

There are no source materials available for Data Restore.

---

## 2.5 Publications Useful During Installation

You can find a list of related publications in *DB2 Data Restore Guide*, SC09-2677.

Figure 4. Publications Useful During Installation

---

Publication Title	Form Number
VSE/ESA System Control Statements	SC33-6513
VSE/ESA System Utilities	SC33-6517
VSE/ESA System Upgrade and Service	SC33-6602
VSE/ESA Messages and Codes	SC33-6507

---

---

## 3.0 Program Support

This section describes the IBM support available for Data Restore.

---

### 3.1 Preventive Service Planning

Before installing Data Restore, check with your IBM Support Center or use either Information/Access or SoftwareXcel Extended to see whether there is additional Preventive Service Planning (PSP) information that you should know. To obtain this information, specify the following UPGRADE and SUBSET values:

*Figure 5. PSP Upgrade and Subset ID*

<b>UPGRADE</b>	<b>SUBSET</b>	<b>RETAIN Release</b>
DB2VSEVM610	DRFVSE	1JO

---

### 3.2 Statement of Support Procedures

Report any difficulties you have using this program to your IBM Support Center. If an APAR is required, the Support Center will provide the address to which any needed documentation can be sent.

Figure 6 identifies the component IDs (COMPID) for Data Restore.

*Figure 6. Component IDs*

<b>COMP ID</b>	<b>Component Name</b>	<b>CLC</b>
5648A7005	Data Restore for VSE V6	1JO

---

## **4.0 Program and Service Level Information**

This section identifies the program and any relevant service levels of Data Restore. The program level refers to the APAR fixes incorporated into the program. The service level refers to the PTFs integrated. Information about the cumulative service tape is also provided.

---

### **4.1 Program Level Information**

All closed APARs from previous versions/releases have been incorporated at the time of the product GA.

---

### **4.2 Service Level Information**

Check the DB2VSEVM610 PSP bucket for any additional PTFs that should be installed or any additional install information.

---

### **4.3 Cumulative Service Tape**

There is no cumulative service tape for Data Restore.

---

## 5.0 Installation Requirements and Considerations

The following sections identify the system requirements for installing and activating Data Restore.

---

### 5.1 Target System Requirements

This section describes the environment of the target system required to install and use Data Restore.

#### 5.1.1 Operating System Requirements

Data Restore operates under the VSE/ESA operating system.

#### 5.1.2 Machine Requirements

One tape drive supported by VSE/ESA is required for installation.

#### 5.1.3 Programming Requirements

There are no special programming requirements for the driving system.

#### 5.1.4 DASD Storage Requirements

The DASD requirements specified in the *DB2 Data Restore Guide* manual, SC09-2677, are no longer correct. The following chart indicates the correct DASD requirement.

The storage requirements of Data Restore must be added to the storage required by other programs having data in the same library. See Figure 7 and Figure 8 for estimates of the storage required.

APPROXIMATE SPACE REQUIREMENT: 2761 LIBRARY BLOCKS		
DASD Device Type	Approximate Sublibrary Space Required	Maintain System History Program History File Space Required
3375	9 cylinders	3 tracks
3380	6 cylinders	0 tracks
3390	5 cylinders	9 tracks
9345	6 cylinders	9 tracks
FB-512	5542 blocks	

Figure 7. DASD Storage Requirements for RCV610 Sublibrary

**Notes for Figure 7:**

These allocations include approximately 25 percent free space to allow for maintenance.

Maintain System History Program auxiliary history file sizes are based on suggested values in the *VSE/ESA System Control Statements* manual for your VSE operating system.

FB-512 devices include 0671, 3370, 9332, 9335, and 9336 storage devices.

In addition to the RCV610 Sublibrary, additional VSAM file storage is required for the language files. Figure 8 lists the sizes for one language file. You will need to adjust this if you decide to install additional languages.

<b>APPROXIMATE SPACE REQUIREMENT:</b>	
<b>DASD Device Type</b>	<b>Approximate VSAM File Space Required</b>
3375	1 cylinder
3380	1 cylinder
3390	1 cylinder
9345	1 cylinder
FB-512	450 blocks

Figure 8. DASD Storage Requirements for Data Restore language file

### 5.1.5 Processor Storage Requirements

The target libraries (data sets) and their attributes required for the installation of Data Restore can be found in the *DB2 Data Restore Guide* manual, SC09-2677.

---

## 5.2 Program Considerations

There are no program, system, or special considerations for Data Restore.

### 5.2.1 Operating System Requirements

The VSE/ESA operating system is used to install Data Restore.

## **5.2.2 Machine Requirements**

There are no special machine requirements for the driving system.

## **5.2.3 Programming Considerations**

There are no programming considerations for Data Restore.

## **5.2.4 System Considerations**

There are no system considerations for Data Restore.

## **5.2.5 Special Considerations**

There are no special considerations for Data Restore.

---

## 6.0 Installation Instructions

This chapter describes the installation method and the step-by-step procedures to install and to activate the functions of Data Restore.

---

### 6.1 Installing Data Restore

To install the Data Restore feature into a VSE/ESA System, follow the instructions in the *DB2 Data Restore Guide* manual, SC09-2677.

---

### 6.2 Activating Data Restore

Detailed steps to get the program into operational status are defined in *DB2 Data Restore Guide*, SC09-2677.

# Reader's Comments

## Program Directory for Data Restore for VSE Version 6 Release 1.0

You may use this form to comment about this document, its organization, or subject matter with the understanding that IBM may use or distribute whatever information you supply in any way it believes appropriate without incurring any obligation to you.

For each of the topics below please indicate your satisfaction level by circling your choice from the rating scale. If a statement does not apply, please circle N.

RATING SCALE						
very satisfied	<=====				=====	very dissatisfied
1	2	3	4	5		not applicable N

	Satisfaction					
	1	2	3	4	5	N
Ease of product installation						
Contents of program directory						
Installation Verification Programs						
Time to install the product						
Readability and organization of program directory tasks						
Necessity of all installation tasks						
Accuracy of the definition of the installation tasks						
Technical level of the installation tasks						
Ease of getting the system into production after installation						

Did you order this product as an independent product or as part of a package?

- Independent
- Package

Is this the first time your organization has installed this product?

- Yes
- No

Were the people who did the installation experienced with the installation of these products?

- Yes
- No





Program Number: 5648-A70 5851  
5852  
5854  
6690

Printed in U.S.A.

GI10-4959-00

