



| IBM System z – WAVV 2007

Automation of z/VSE and distributed platforms using Open Source ANT

Ingo Franzki – ifranzki@de.ibm.com



Trademarks

The following are trademarks of the International Business Machines Corporation in the United States and / or other countries.

CICS*	IBM*	Virtual Image
DB2*	IBM logo*	Facility
DB2 Connect	IMS	VM/ESA*
DB2 Universal	Intelligent	VSE/ESA
Database	Miner	VisualAge*
e-business logo*	Multiprise*	VTAM*
Enterprise Storage	MQSeries*	WebSphere*
Server	OS/390*	xSeries
HiperSockets	S/390*	z/Architecture
	SNAP/SHOT*	z/VM
	*	z/VSE
		zSeries

* Registered trademarks of IBM Corporation

The following are trademarks or registered trademarks of other companies.

LINUX is a registered trademark of Linus Torvalds

Tivoli is a trademark of Tivoli Systems Inc.

Java and all Java-related trademarks and logos are trademarks of Sun Microsystems, Inc., in the United States and other countries

UNIX is a registered trademark of The Open Group in the United States and other countries.

Microsoft, Windows and Windows NT are registered trademarks of Microsoft Corporation.

SET and Secure Electronic Transaction are trademarks owned by SET Secure Electronic Transaction LLC.

Intel is a registered trademark of Intel Corporation.

Agenda

§ Automating processes in VSE

- Which possibilities exists

§ Using VSE Script for automation

- New with z/VSE V4: VSE Script Client that runs on VSE

§ Using Apache ANT for automation

- What is Apache ANT
- Concepts, ANT Tasks
- Usage examples

§ Live Demo


Approaches on automating processes in VSE

§ Which possibilities / tools exists today ?

- JCL
- REXX
- VSE Script
- Vendor Software

§ A new possibility:

- Apache ANT




Requirements

	Host / VSE	Workstation / distributed
JCL	Built into VSE	-
REXX	REXX (VSE or VM)	-
VSE Script	TCP/IP, VSE Script Client (batch or CICS, z/VSE 4.1)	VSE Script Server
Vendor Software	Depends ...	Depends ...
Apache ANT	TCP/IP , VSE Connector Server	VSE Connector Client, Apache ANT
...

Automation using VSE Script

§ Originally VSE Script was intended to allow non-Java programs to access VSE data

- E.g. Access VSAM data from MS Excel



Agenda

§ Automating processes in VSE

- Which possibilities exists

§ Using VSE Script for automation

- New with z/VSE V4: VSE Script Client that runs on VSE

§ Using Apache ANT for automation


- What is Apache ANT
- Concepts, ANT Tasks
- Usage examples

§ Live Demo

Automation using VSE Script - news with z/VSE V4

§ With z/VSE V4 we provide a Script client that runs on VSE

- Allows to start scripts on remote system



Automation using VSE Script - news with z/VSE V4

§ Sample batch job

- Invokes a VSE script named 'myscript.src' on a remote system
- Script could start FTP transfers, copy files, process data, ...
- Replacement for REXEC
 - REXEC daemon is no longer available or back level on many Linux distributions

```
* $$ JOB JNM=VSESCRPT,DISP=L,CLASS=A
// JOB VSESCRPT INVOKE A VSE SCRIPT FROM BATCH
// LIBDEF *,SEARCH=(PRD1.BASE,PRD2.SCEEBCBASE,PRD2.DBASE)
// EXEC IESSCBAT,PARM='CODEPAGE=Cp1047 SHOWERROR=YES'
192.168.2.15:4711
myscript.src
First parameter
Second parameter
Third parameter
/*
/&
* $$ EOJ
```

Automation using VSE Script - news with z/VSE V4

§ Invoke a VSE script from a CICS program

- EXEC CICS LINK to program IESSCCIC with the following COMMAREA
- Input and output data must fit into 32K

```
01 INPUT-COMMAREA.  
 02 CODE-PAGE      PIC X(12).  
 02 FLAGS          PIC 9(4) COMP.  
 02 LINE-COUNT     PIC 9(4) COMP.  
 02 PARAM-LINE1    PIC X(80).  
 02 PARAM-LINE2    PIC X(80).  
 02 PARAM-LINE3    PIC X(80).  
 ...
```

```
01 OUTPUT-COMMAREA.  
 02 CLIENT-RC       PIC 9(9) COMP.  
 02 SCRIPT-RC       PIC 9(9) COMP.  
 02 LINE-COUNT     PIC 9(4) COMP.  
 02 OUTPUT-LINE1   PIC X(80).  
 02 OUTPUT-LINE2   PIC X(80).  
 02 OUTPUT-LINE3   PIC X(80).  
 ...
```

- § See z/VSE V4R1 e-business Connectors User's Guide chapter 3.10.6 for more details

Agenda

§ Automating processes in VSE

- Which possibilities exists

§ Using VSE Script for automation

- New with z/VSE V4: VSE Script Client that runs on VSE


§ Using Apache ANT for automation

- What is Apache ANT
- Concepts, ANT Tasks
- Usage examples


§ Live Demo

What is Apache ANT

- § Apache ANT is an Java-based Open-Source Build-Tool, similar to Make.
- § Originally intended for automated build (compile) of Java code
- § ANT provides Java-Classes (Tasks) for automating different things
- § Build-Scripts are formulated in XML
- § Web Page:
 - <http://ant.apache.org/>




How does ANT work?



- § ANT provides different functions as so called ANT-Tasks
- § Processes are described in XML Build-Scripts. The ANT-Tasks are called from within those scripts
- § Each ANT-Task is built out of a Java-Class
- § You can easily develop your own ANT-Task.

Idea: Using ANT to automate VSE processes

- § Uses the Java-based VSE Connectors to access VSE resources
- § We have developed a VSE specific Java-Class library containing ANT-Tasks
- § These ANT-Tasks can interoperate with VSE (POWER, VSAM, ...)



Example: ANT Build-Script

```
<?xml version="1.0"?>
<project name= "Project1" default="main" basedir=".">
  ...
  <taskdef name="submit"
            classname="com.ibm.vse.ant.Submit"
            classpath="vseant.jar"/>
  ...
  <target name="startmsg">
    <echo>Starting build of ${Name}</echo>
  </target>
  ...
  <target name="dowork" depends="startmsg">
    <submit jobfile="${tempdir}/test.job"
           waitforoutput="true"
           vsesystem ="${vsesystem}" />
  </target>
  ...
  <target name="endmsg" depends="dowork">
    <echo>Finished build of ${Name}</echo>
  </target>
  ...
  <target name="main" description="runs this script">
    <tstamp/>
    <antcall target="endmsg"/>
  </target>
  ...
</project>
```

§ One Project contains multiple Targets

1

§ One Target can depend on other Targets

2

§ Within a Targets you can call Tasks

3

§ Self written Tasks needs to be declared via taskdef

ANT Properties (Variables)

- § Within a ANT Script you can use so called Properties
- § Property values can be retrieved using \${variable}

```
<property name="tcpip.partition" value="F7" />  
.  
.  
partition="${tcpip.partition}"
```

- § Tasks can set the value of a property (as result) or they can get the value as input
- § The process flow can be dependent on the value of a property, i.e. conditional branch or conditional exit
 - Example: Waitfor, Fail, If, While, Loop

Example: Conditional branch based in Job-RC

```
<submit jobfile="c:\vsejobs\define_vtape.job"
        waitforoutput="true"
        outfile="c:\vsejobs\output\definetape.txt"
        propertyprefix="definetape.job"
        vsesystem="TESTVSE1"/>

<condition property="definetape.failed">
    <not>
        <equals arg1="${definetape.job.maxrc}"
                arg2="0000"/>
    </not>
</condition>

<fail if="definetape.failed"
      message="Define VTape on SCSI disk failed with
              MAXRC=${definetape.job.maxrc}."/>
```

Standard ANT Tasks (Core & Optional Tasks)

- § File operations - Copy, Move, Delete, Rename, Mkdir
- § Zip/Unzip – compression/expansion of files
- § SQL – Database queries (requires JDBC Driver)
- § FTP – File transfer to remote systems
- § Mail – Sending of e-Mails (including attachments)
- § Telnet – Remote control of a Telnet-Session
- § Exec – Executes a local system command or executable
- § Echo – Issues messages
- § ...

VSE Tasks

§ **VSEConnectionManager**

- Maintains TCP/IP connections to VSE

§ **Upload / Download (LIBR Members)**

- Upload and download of LIBR Members, e.g. configuration members

§ **SubmitJob**

- Submits jobs into the POWER reader queue and retrieves the job output

§ **Console**

- Issues console commands and retrieves console messages

§ **VSAM**

- Download of VSAM Data as Text, Comma Separated File (CSV) or HTML

Usage examples for ANT

§ Automation of daily file transfer

- Data is received and/or processed on remote system
- Upload of files into VSE (e.g. VSAM)
- Submission of a batch jobs for processing of the uploaded data on VSE

§ Load of a database (e.g. Data Warehouse)

- Download of VSAM data (using FTP or VSAM-Task)
- Load of a database using a SQL-Loaders or SQL Task
- Start a program on remote database server to process the data

Usage examples for ANT (2)

§ Controlling or scheduling the execution of jobs

- Submit VSE Jobs
- React based on return codes of the jobs or error messages in the listing
- React on console messages
- On error: send e-Mail/SMS to the operator

§ Switch between online and batch

- Shutdown CICS (per Console Task)
- When CICS is down, submit or start batch jobs
- When batch is finished, restart CICS

Benefits

- § One central control instance for processes
 - Processes may cross the border of a VSE system
- § Integration of distributed platforms and systems in the automated process
 - Today, data is processed on many different platforms and system
- § One central place to store all automation scripts, files, jobs, ...
- § Central processing and control, including easy archiving of the logs

Summary

- § Apache ANT is a very powerful tool for automating processes in heterogeneous environments
- § Based on the Java-based Connector, it is very easy to make such a Open Source Tool usable for VSE



Downloads

§ VSE Connector Client

- <http://www.ibm.com/servers/eserver/zseries/zvse/downloads/>


§ Apache ANT

- <http://ant.apache.org/>

§ VSE Tasks

- Currently the VSE Tasks are not available for download on the VSE Homepage
- Send an e-mail to zvse@de.ibm.com if you would like to get them

Questions ?



Now lets see a live demo