ESSBASE® 11.1.1 FOR IBM i INSTALLATION QUICK START

SERVER REQUIREMENTS

Operating System and Installed LPPs
- IBM i5/OS V5R4M0 or V6R1M0, with latest cumulative PTF package and group PTFs.
  Note: The numbers below may differ in V6R1M0.
  - 5722JV1 Base: IBM Developer Kit for Java
  - 5722JV1 Option 7: Java Developer Kit 5.0
  - 5722JV1 Option 8: J2SE 5.0 32-bit
  - 5722JC1 Base: IBM Toolbox for Java
  - 5722SS1 Option 30: Qshell
  - 5722SS1 Option 33: Portable App Solutions Environment (PASE)
  - 5733W61 Base: WebSphere Application Server V6.1 for i5/OS (or option 1 below)
  - 5733W61 Option 1: WebSphere Application Server V6.1 Express (or the base option above)

Hardware
- 3 GB RAM minimum
- DVD-ROM drive required for installation if you use physical media to install your release.
- Minimum 8 GB disk space for installation, 2 GB after installation, plus additional disk space the size of your Essbase databases.

Other
- TCP/IP should be configured and started on the iSeries.
- The system value QALWOBJRST must be set to *ALL or *ALWPGMADP. You can display the value with the DSPSYSVAL QALWOBJRST command.
- The system value QFRCCVNRST must be set to 1 for the duration of the installation process. You can display the value with the DSPSYSVAL QFRCCVNRST command.
- IBM Directory Server should be running.
- DRDA services should be running.
- HTTP servers should be running.
- To run the server components, you may need specific iSeries PTFs. See the *ReadMe* file for the latest levels.
- Migration from ShowCase Essbase 7.1x is supported.

CLIENT REQUIREMENTS

Supported Operating Systems
- Windows Vista (except Home edition), Windows XP Professional SP2, or Windows Server 2003 SP1 (R2 also supported).

Hardware
- x86-32 processor, 1.6 GHz or higher (Windows 2003 SP1 also supports x86-64)
- 1 GB RAM recommended for all clients
- Minimum 8 GB disk space for installation, 2 GB after installation.

Supported Web Browsers
- MS Internet Explorer 6.0–7.0.x or Mozilla Firefox 2.0.x

Other
- Java Runtime Environment 1.5.0 Update 12
- MS Office Excel XP (2002), 2003, or 2007

TO INSTALL SERVER SOFTWARE

Before you begin, create a database schema which is used commonly by Shared Services and EAS.
1. Load the DVD into the iSeries DVD drive.
2. Log on with QSECOFR or equivalent authority.
3. Enter STRQSH to start the QShell.
4. Enter cd /QOPT/SPSSInc-Essbase11/OS400.
5. Enter installTool.sh -console.
6. Follow the screen instructions, using Chapter 4 in the *Essbase for IBM i Installation Guide*.

Note: If the installation fails, check the job logs for more information about the errors. You can find the log files in *<esslib>/hyperion/logs/install*, where *esslib* is the name of the Essbase installation library.

TO INSTALL PC SOFTWARE

The installation uses the Oracle EPM System Installer. You must install with administrative privileges.

1. Insert the DVD into the PC's DVD drive.
2. Copy all zip files from the *\Windows* folder on the DVD to a temporary folder on your PC.
3. Unzip all zip files into the temporary folder.
4. Double-click *InstallTool.cmd* to start the installer.

For more installation instructions, see Chapter 5 in the *Essbase for IBM i Installation Guide*.

RELEASE OVERVIEW

Server Installation
This release includes the following server components:
- Essbase Analytic Server
- Essbase Administration Server (EAS)
- Essbase Integration Server (EIS)
- Shared Services
- Provider Services

Documentation Notes
For known problems and restrictions, see the Essbase 11.1.1 for IBM i ReadMe (*essreadme.htm*) and other documentation, available on the DVD or on the Technical Support web site at *http://support.spss.com/*.

Complete Oracle-Hyperion EPM 11.1.1 documentation is available on the Oracle web site at
http://download.oracle.com/docs/cd/E12825_01/nav/portal_1.htm

Your comments are important. Please let us know about your experiences with SPSS Inc. products. Please send an e-mail to suggest@spss.com.