
(c) Copyright 2002 International Business Machines Corp.
All rights reserved.

Neither this documentation nor any part of it may be copied or reproduced in any form or by any means or translated into another language, without the prior consent of the IBM Corporation.

IBM makes no warranties or representations with respect to the content hereof and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. IBM assumes no responsibility for any errors that may appear in this document. The information contained in this document is subject to change without any notice. IBM reserves the right to make any such changes without obligation to notify any person of such revision or changes. IBM makes no commitment to keep the information contained herein up to date.

Trademarks

These trademark notices apply to the content of this document.

IBM, AIX, DB2 are trademarks of IBM Corporation.

Sun, Java, and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries.

Other company, product, and service names may be trademarks or service marks of others.

JAVA DEVELOPER KIT

This section gives you a quick overview on how to install the IBM Developer Kit for Java, 1.3. You need the IBM Developer Kit for Java to run the DB2 Control Center, the Java applications or applets that connect to DB2. Note that these instructions are not meant to replace the documentation supplied with the IBM Developer Kit for Java.

If you have SuSE Linux:

1. IBM Development Kit for Java, version 1.3 is part of the SuSE v 7.2 install CD. If you have not installed it with the OS install, install it by issuing the following command as root:

```
bash# rpm -ivh IBMJava2-SDK-1.3-81.i386.rpm
```

2. Append the following lines to your /etc/profile file to set up the Java environment for all users:

```
export PATH=$PATH:/usr/lib/java/jre/bin
```

If you have RedHat or Turbolinux:

1. Download the IBM Development Kit for Java, version 1.3, from the IBM Java Developer's Kit downloads web site. I'll assume that you have downloaded the RPM package of the IBM Development Kit for Java.

2. Install the IBM Developer Kit for Java by issuing the following command as root:

```
bash# rpm -ivh IBMJava2-SDK-1.3-9.0.i386.rpm
```

3. Append the following lines to your /etc/profile file to set up the Java environment for all users:

```
export PATH=$PATH:/opt/IBMJava2-13/jre/bin
```