



**Release Notes** 





**Release Notes** 

	•	that it supports, read	1 0	

<sup>© 1993, 2003</sup> CrossAccess Corporation.

## Release notes

This information lists the problems that are fixed for this PTF, known problems, new features, and the APARs that this PTF includes. Any limitations and restrictions might or might not apply to other releases of the product.

#### Problems fixed in Version 8.2

 Publication services terminate with an OC4 abend when the MAX TRANSPORT MESSAGE SIZE configuration parameter is set to 10000 and delimited messages are published.

## Known problems with workarounds

• Disabling a file-control exit causes OC4 abends if the data server where the correlation service is configured is not running. To avoid this problem, start the data server before you enable the exit, and disable the exit before you stop the data server.

## Known problems without workarounds

• The CICS® VSAM change-capture agent terminates when the log of logs log stream is empty. When you configure a CICS VSAM change-capture agent, you define a log of logs log stream in the agent's service information entry. If the log of logs log stream is empty when the agent browses it, you can receive error message CACH103E and the informational message CACH111I. The first message incorrectly states that the log of logs log stream is not specified in the service information entry for the change-capture agent. The second message explains that the change-capture agent is stopped.

#### **New features**

 Messages for publications can use a delimited format as an alternative to the XML format. Delimited messages in Classic event publishing represent changed records as fields that are separated by a character, such as a comma. You can delimit character data with characters such as double quotation marks, and delimit rows with characters such as newline characters.

See the documentation for WebSphere<sup>®</sup> Classic Data Event Publisher for z/OS<sup>®</sup>, Version 9.1.

#### APARs that this PTF includes

This PTF includes fixes and one feature that are not listed in the previous sections. The following APARs distributed these fixes and the feature.

- PK19849
- PK22427
- PK22531
- PK22551
- PK22738
- PK23324
- PK24537
- PK25951
- PK25962

- PK27102
- PK28628
- PK28651
- PK29478
- PK29794
- PK30223
- PK30964
- PK31889 • PK32096
- PK32097
- PK32098 • PK33280
- PK33486
- PK34024
- PK35649
- PK35883
- PK37531
- PK37549

# **Accessing information about IBM**

IBM® has several methods for you to learn about products and services.

You can find the latest information on the Web at www.ibm.com/software/data/sw-bycategory/subcategory/SWB50.html

- Product documentation in PDF and online information centers
- · Product downloads and fix packs
- · Release notes and other support documentation
- Web resources, such as white papers and IBM Redbooks<sup>™</sup>
- Newsgroups and user groups
- · Book orders

To access product documentation, go to this site:

publib.boulder.ibm.com/infocenter/iisclzos/v9r1/

You can order IBM publications online or through your local IBM representative.

- To order publications online, go to the IBM Publications Center at www.ibm.com/shop/publications/order.
- To order publications by telephone in the United States, call 1-800-879-2755.

To find your local IBM representative, go to the IBM Directory of Worldwide Contacts at www.ibm.com/planetwide.

## **Contacting IBM**

You can contact IBM by telephone for customer support, software services, and general information.

## **Customer support**

To contact IBM customer service in the United States or Canada, call 1-800-IBM-SERV (1-800-426-7378).

#### Software services

To learn about available service options, call one of the following numbers:

- In the United States: 1-888-426-4343
- In Canada: 1-800-465-9600

#### **General information**

To find general information in the United States, call 1-800-IBM-CALL (1-800-426-2255).

Go to www.ibm.com for a list of numbers outside of the United States.

### **Accessible documentation**

Documentation is provided in XHTML format, which is viewable in most Web browsers.

XHTML allows you to view documentation according to the display preferences that you set in your browser. It also allows you to use screen readers and other assistive technologies.

Syntax diagrams are provided in dotted decimal format. This format is available only if you are accessing the online documentation using a screen reader.

## Providing comments on the documentation

Please send any comments that you have about this information or other documentation.

Your feedback helps IBM to provide quality information. You can use any of the following methods to provide comments:

- Send your comments using the online readers' comment form at www.ibm.com/software/awdtools/rcf/.
- Send your comments by e-mail to comments@us.ibm.com. Include the name of
  the product, the version number of the product, and the name and part number
  of the information (if applicable). If you are commenting on specific text, please
  include the location of the text (for example, a title, a table number, or a page
  number).

## **Notices**

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing IBM Corporation North Castle Drive Armonk, NY 10504-1785 U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation Licensing 2-31 Roppongi 3-chome, Minato-ku Tokyo 106-0032, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation J46A/G4 555 Bailey Avenue San Jose, CA 95141-1003 U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

#### COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

(C) (your company name) (year). Portions of this code are derived from IBM Corp. Sample Programs. (C) Copyright IBM Corp. \_enter the year or years\_. All rights reserved.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

## **Trademarks**

IBM trademarks and certain non-IBM trademarks are marked at their first occurrence in this document.

See http://www.ibm.com/legal/copytrade.shtml for information about IBM trademarks.

The following terms are trademarks or registered trademarks of other companies:

Java<sup>™</sup> and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft®, Windows®, Windows NT®, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Intel<sup>®</sup>, Intel Inside<sup>®</sup> (logos), MMX and Pentium<sup>®</sup> are trademarks of Intel Corporation in the United States, other countries, or both.

UNIX® is a registered trademark of The Open Group in the United States and other countries.

Linux<sup>®</sup> is a trademark of Linus Torvalds in the United States, other countries, or both.

Other company, product or service names might be trademarks or service marks of others.

# IBM.

Printed in USA