



Taking your business to the mobile era,... While making your information systems a source of innovation – Part 1




Jerry Cuomo IBM Fellow, VP, WebSphere CTO





















OPEN ARCHITECTURE





OPEN PLATFORM



INM (?) Help Center

Derby


Jain developer community.

waiv


Key concepts in ICAP

Quick start with ICAP

Reference



DETECT	ENRICH	PERCEIVE	ACT
--------	--------	----------	-----



New **geo-location** capabilities, available in Worklight, are able to better **detect** opportunities for interactions

DETECT ENRICH	PERCEIVE	ACT
---------------	----------	-----



Worklight's location-based triggers, eliminates network chatter, by pushing interaction data to the mobile client. Reduces network usage and saves battery life.

DETECT

ENRICH

PERCEIVE

ACT



var acqPolicy= {
 Geo: (enableHighAccuracy: true,
 timeout: 10));

var triggers;

for (var geofence in fences)
 triggers.Geo[geofence.id] = {
 type: "Entering",
 area: geofence.pts,
 callback: callbackFunction,
 transmit: {event:
 geofence.event}});

WL.Device.startAcquisition(acqPolicy, triggers, failureFn); WL.Client.setEventTransmissionPolicy((maxIn terval: 10));

Code Snip-it to form a geo-fence, between the driver and the passenger, to secure the payment process

DETECT

ENRICH

PERCEIVE

ACT

With rapid revision, we must guarantee, **Continuous quality**.

eservations(2).recsession (T	erminated)		e 💷 🖑 🐝
9 packets (301 KB), 14 attachments (286	KB)		Started on April 15, 2013 at 4:10:44 PN
Packets	***	Packet Details	
Mobile Packet (Android)	-340:-55:-1340:-55:-1	MoebPacket	
Mobile Packet (Android)	-340:-55:-1340:-55:-1	WICEDI GCKEL	
Mobile Packet (Android)	-340:-55:-1340:-55:-1	., Recorder: 😝 Mobile	and Web Recorder
Mobile Packet (Android)	-340:-55:-1340:-55:-1	. Size: 210508	
🖾 Mobile Packet (Android)	-340:-55:-1340:-55:-1	- Type: onclick - //d	liv[@id='cabinClassOpts']/fieldset/div/div[3]
Mobile Packet (Web UI)	-340:-55:-1340:-55:-1	- Screen Capture:	
Mobile Packet (Android)	-340:-55:-1340:-55:-1		
Mobile Packet (Android)	-340:-55:-1340:-55:-1		
🖾 Mobile Packet (Android)	-340:-55:-1340:-55:-1		Nume 9
🖾 Mobile Packet (Android)	-340:-55:-1340:-55:-1		
🔛 Mobile Packet (Android)	-340:-55:-1340:-55:-1		
Mobile Packet (Android)	-340:-55:-1340:-55:-1		000 👝 📲 🖓 🖓 👘
Mobile Packet (Android)	-340:-55:-1340:-55:-1		
C Mobile Packet (Android)	-340:-55:-1340:-55:-1		
Mobile Packet (Android)	-340:-55:-1340:-55:-1		
Mobile Packet (Android)	-340:-55:-1340:-55:-1		
Mobile Packet (Android)	-340:-55:-1340:-55:-1		1555 Marr St. 🚯
🗹 Mobile Packet (Android)	-340:-55:-1340:-55:-1		
🖾 Mobile Packet (Android)	-340:-55:-1340:-55:-1		- Had Dise
🖾 Mobile Packet (Android)	-340:-55:-1340:-55:-1		
Mobile Packet (Android)	-340:-55:-1340:-55:-1		

Overview Content

This ensures a consistent experience, regardless of device type.

MANAGE AND CONSUME APIs



Our system is enriched by data from a variety of sources. This is all about integration.



Manage and consume data feeds, from partners, with information such as payment and traffic data.





Using our **OAuth** support, we can consume these data feeds, and offer developers a hassle-free way to implement secure access to APIs.



"IN THE NOW" INFORMATION

(Decision Center 🚓 номе 🗄 LIBRARY 🗢 WORK					Robert •
	GC Taxi Cab > Summer Release > Change Driver Rating and Proximity Rules > Taxi positioning rule	9 Undo	(A Redo	Preconditions	Details	C. End Edit
	if 'the hail request' is in 'the area' where count of unsatisfied 'hail request	s'overlast:	30 mi	n is grea	aterth	an 3
	then call all available 'taxi cabs' within 5 miles r		he ' <mark>ur</mark>	ncovered		
	then		he ' <mark>ur</mark>	ncovered		
	then call all available 'taxi cabs' within 5 miles r	radius into t			darea	





"IN THE NOW" INFORMATION


DETECT

ENRICH

PERCEIVE

ACT


Decision Manager enables **collaboration** between developer and business




ANALYZE USAGE DURING INTERACTION





ANALYZE USAGE DURING INTERACTION





New Announcements for Systems of Interaction





Taking your business to the mobile era... While making your information systems a source of innovation – Part 2



Jerry Cuomo IBM Fellow, VP, WebSphere CTO





"IBM Announces Platinum Sponsorship of the New OpenStack Foundation"

"IBM and 10gen Collaborate to Bring Mobile to the Enterprise."






"IBM to Acquire SoftLayer to Accelerate Adoption of Cloud Computing in the Enterprise"



"IBM and Pivotal to Accelerate Open Cloud Innovation with Cloud Foundry"

...Including WebSphere Liberty buildpack



LOB

Angela – Business User

Responding immediately to changing business Shift away from IT to self-reliant Business organization



Dave – Business Developer / Data Analyst

Responsiveness to Angela by rapidly composing business apps Shift towards minimal coding with domain specific services



Jane – Domain Specialized Developer

Rapidly construct reusable domain vertical function Shifts towards domain specialization, producing SOE apps leveraging Backend Services



Bob – Backend Service Developer

Needs a platform to create and operate standardized, scalable SOE and SOR services Shifts from creating & configuring middleware services to composing frameworks with DevOps



IT


Fred – Platform Operations

Needs software defined infrastructure to provide and manage the platform (on or off premise) Shifts from traditional IT operation to creating orchestration and automation services

Andrew – Infrastructure Operations

Needs cross infrastructure management and administration tools. Ability to expose standardized IaaS Shifts from server consolidation and virtualization to exposing standardized infrastructure services





Key concepts

Cloud enabled Business Transformation

Enterprise business transformation by adoption of Social, Mobile, Analytics and Cloud

API Marketplace

API-accessible business services made available to third-party innovators composing solutions

Cloud Operating Environment

Fabric, composition, marketplace & services for born-on-the-cloud solutions and integration to traditional middleware

Software Defined Environment

Dynamic next generation infrastructure for deploying cloud service & enterprise data centers

laaS+PaaS

- Enterprise-class set of Platform Services
- Flexible Infrastructure-as-a-Service based on SoftLayer
- Integrated Systems Based on Pure Application System








PI Marketp			Ang Business		2 -	Busi Developer/		-	A COLOR ANT Maximulas
Company	APIs	Most Popular		C	1		alyst		
Twitter	3 + <u>101</u>	Twitter API							Character Descenting Transmission
Google	96	Google Maps API				F	Bob		Salaran Delivery (second
<u>Yahoo</u>	51	Flickr API				Back			and the second s
Xlgnite	43	XIgnite Realtime Stock Quotes API				Ser		()	「「日本」「「日本」「日本日本」
Microsoft	33	Microsoft Bing Maps				Develo	oper		
AOL	30	MapQuest API							
Amazon	23	Amazon Product Advertising API							
Orange	19	Orange Location							
eBay	18	eBay API	R.				Crow	th Ou	an Tinna
Ericsson	16	Ericsson Web Maps	7000 -	pro	grammable		Grov		er Time
New York Times	14	New York Times Article Search	6000						
Yandex	10	Yandex Search API							/
AT&T	9	US Yellow Pages API	5000						/
Salesforce.com	8	Salesforce.com CRM API	4000						
USA Today	8	USA Today News API	3000						
Facebook	8	Facebook API	1000000	5,000 APIs Adam DuV			nd Twitte	er Are Chan	ging the Web -
Rackspace	6	RackSpace Cloud Servers API	2000			,			
Telenor	6	Telenor Payment	1000			-			
In foChimps	5	InfoChimps Twitter	0		umm			magazorra	700000000000000000000000000000000000000
Deutsche Telekom	5	Deutsche Telekom Send SMS API		2006	2007	2008	2009	2010	2011 2012
SingTel	5	SingTel Messaging API							
T-Mobile	5	Developer Garden API							
Telefonica	5	BlueVia Location API							
Pearson	3	Longman Dictionary API							
Vodafone	3	Vodafone Geolocation							

http://www.programmableweb.com/


IBM WebSphere Cast Iron Live – Web API Services



Mobile cloud services Jane Domain Specialized Developer <u>Mobile</u> **Development Mobile Application** 51 APIs & Data **Client SDK** Management SDK for omni-channel **Domain specific** database schemas App Distribution Cross platform application tools **API** management Push, geo-triggers, passes, encrypted storage, offline synch accelerate mobile construction Connectivity <u>Management</u> Location **Application Container** Integrated development dashboard Cloud Code Feedback management Scripted Logic Analytics Elastic execution Crash analysis & performance Security € **Extension Mechanism** Quality assurance Marketplace

Expanding our mobile portfolio with new capabilities

125+ patents for wireless inventions in 2012, bringing the total to 270



2H 2012

IBM Worklight: A mobile application platform

Speeding the development, integration and management of mobile applications and infrastructure

Accelerate Development

- Web, hybrid, and native development: open, flexible, standard-based, multi-screen/omni-channel
- Functional testing
- Development lifecycle tools and integration

Facilitate App Security and Trust

- Server-enforced authentication
- App authenticity and user-app-device binding
- Secure and syncable on-device storage
- App version enforcement

Enable User Engagement

- Unified push and SMS notifications
- Geolocation and context collections and intelligence
- Mobile-friendly integration

Support Mobile Analytics

- Efficient acquisition of analytics data
- Development, operational, and business analytics
- Offline and online event management integration




"Best Mobile Development Solution" voted by SIIA members, 2013 CODiE Awards




IBM MessageSight appliance for Mobile and M2M


Simplifies "Internet of things", connected car, and mobile


Designed for millions things, millions of events, very dense, very green technology m2m engineered for wireless, with low latency, reliable delivery and quality of service 93x faster, 10x less battery, 8x lower bandwidth versus HTTPS 1 rack does 273M messages/sec, 21M concurrent connections (like 1,000 web servers)















based on Twitter.

48


IBM Cloud Français


IBM reconnu comme l'une des

12h



	IBM CoE		*hello.js - Coding		IBM SocialCRM	+
eMix					Welcome, davidb@us.lbm.com [Logcut]	IE
ome Applications	Services My Apps	Cashboard Accou	int Documentation Help			٩
pps > ethanm					Services You Might	t Like
thanm						
	nch application 🛛 🧮 Stop a;	oplication 🔮 Download ap	plication 🗱 Delete application			P
tate: Running 📮 Services Collaborators	EnvVariables Lo	gs Settings			Hadoop ★★★☆☆	
The services currently availab	le for use by your application	are listed below.			Contract of the second	
Add new service A	dd existing service					cial alytics
Name	۱ ۲	escription	Vendor Version		Alle Alle	aiyucs
		No iter	ns to display		ET Social Analytics ★★★★	
					Twitter	
					#ibmcloud	3
					IBMCloud GIBMcloud t/earlier: Where is enterprise clo headed this year? - by IBM	4h oud
Total: 0		(1 →	10 25 50 100 All +	#SmartCloud VP Graig Sowell (@conictimes): ibm.co/UDm55 #I3Mcloud Expand	
					Leuren C. States GLauren_States Hear Barclays discuss workloar integration in a private cloud - for Pulse 2013 today ibm.co/Yi #ibmcloud Eppand	register
					IBM Cloud Français GIBMCloudFR	12h
					IBM reconnu comme l'une des	





	🖄 😁 ace.etc12	.cloud/index.l	html?demo=tru	ue — BlueMix					Ċ	Reade	er
1		IBM CoE		Г		*hello.js - C	loding	IBM SocialCRM		+]	
BlueMix								Welcome, davidb@usJbm.com [Logcut]	Ī	IBM	-
Home	Applications	Services	My Apps	Cashboard	Account	Documentation	Help		9	٩	

Services > MongoDB

MongoDB is an open source document database, and the leading NoSQL database.

Ad hoc queries

Indexing

MongoDB supports search by field, range queries, regular expression searches. Queries can return specific fields of documents and also include user-defined JavaScript functions. Any field in a MongoDB document can be indexed (indices in MongoDB are conceptually similar to those in RDBMSes). Secondary indices are also available.

Replication

MongoDB supports master-slave replication. A master can perform reads and writes. A slave copies data from the master and can only be used for reads or backup (notwrites). The slaves have the ability to select a new master if the current one goes down.

Load balancing

MongoDB scales horizontally using sharding.[9] The developer chooses a shard key, which determines how the data in a collection will be distributed. The data is split into ranges (based on the shard key) and distributed across multiple shards. (A shard is a master with one or more slaves.) MongoDB can run over multiple servers, balancing the load and/or duplicating data to keep the system up and running in case of hardware faiure. Automatic configuration is easy to deploy and new machines can be added to a running database.

File storage

MongoDB could be used as a file system, taking advantage of load balancing and data replication features over multiple machines for storing files. This function, called GridFS, is included with MongoDB drivers and available with no difficulty for development languages (see Language Support for a lis: of supported languages). MongoDB exposes functions for file manipulation and content to developers. GridFS is used, for example, in plugins for NGINX and lightpd

Aggregation

MapReduce can be used for batch processing of data and aggregation operations. The aggregation framework enables users to obtain the kind of results for which the SQL GROUP BY clause is used.


Entitlement Options

Developer	Free
Production	\$25 per month
Production Pro	\$100 per month
Enterprise Production	\$500 per month
Add to ethanm	Ŧ


Disk	1 G
Memory	100 M
System Status Updates	
Mobile System Notifcation	
System Redundancy	
SSD Storage	

	IBM CoE		*hello.j	is - Coding			IBM SocialCRM		+
eMix							Welcome, davidb@us.lb	m.com [Logout]	IB
ome Applications	Services My Apps	Cashboard Acco	unt Documentatio	on Help	_	_			٩
Apps > ethanm							Sen	vices You Might I	Like
thanm	aunch application 🛛 📕 Stop a	application 🔮 Download a	pplication 🗱 Delete ap	plication			X	Anedaa	P
tate: Running 📮 Services Collaborat	ers EnvVariables L	.ogs Settings					Hadooj ★★★☆		
Add new service	Add existing service	on are listed below. Description	Vendor	Version				Soc Anal	cial lytics
thanm_mongod	b_document_1.8	MongoDB NoSQL store	mongodb	1.8	×		ET Soc ****	cial Analytics nk	
								Twitter	
							#ibmclou		5
Total: 1			1 >		1	10 25 50 100 Ali +	f/earlier: Wf headed this #SmartClos	tere is enterprise clou syear? - by IBM ud VP Craig Sowell ters): Ibm.co/UDm551	
							Hear Barcla integration for Pulse 2t #Ibmoloud Expand		egister AW4H
							IBM 🖓	Cloud Français WCloudFR	12h

		IBM CoE		*hello.js - Coding		IBM SocialCRM	+
				Orion Content / Sample HTML5 Site / h	nello.js *		
¢ t	Save						Line 77 : Col
alla av	1						
hello.css	2	<pre>var mongoDB = require var https = require()</pre>					
hello.js	4	var express = require	('express'):				
index.html	6	<pre>var app = express();</pre>					
	7						
	9	<pre>var mongo = {"hostnar</pre>	<pre>ie":"localhost","por</pre>	"t":27017,"username":"", "passw	ord":'","name":"","db":"db"	}	
	11	<pre>var generate_mongo_u</pre>					
	12 13	obj.nostname = (0 obj.port = (obj.p	<pre>bj.hostname 'loc ort 27017);</pre>	almost');			
	14 15	obj.db = (obj.db					
	16	if(obj.username &&					
	17	return "mongodb:/	//" + obj.username +	- ":" + obj.password + "@" + ob	j.hostname + ":" + obj.port	+ "/" + obj.db;	
	19 20	else{	· · · · · · · · · · · · · · · · · · ·	No			
	20	<pre>return "mongodb:/ }</pre>	/ + obj.nostname +	• ":" + obj.port + "/" + obj.db	;		
	22	<pre>} var mongourl = genera</pre>	ate mongo url(mongo)				
	24	var connection = null	;				
	25 26	<pre>var collection = null var mongodb = require</pre>					
	27 28	mongodb.connect(mongo		com) {			
	29	nongous connect, nonge	conn	ection = conn;			
	30			err) { console.log(err);			
	32		} el	.se {	function(con coll)(
	33 34			<pre>conn.createCollection("test", '</pre>	Tunction(err, coll)(
	35			<pre>if (err) { console.log(err);</pre>			
	37			}			
	38 39		}	<pre>});</pre>			
	40 41		});				
	42	app.get('/', function					
	43	<pre>res.set('Content-Ty var cnt = reg.parar</pre>		it(reg.param("count")] : 10;			
	45	if (collection) {					
	46 47			twitter.com", atuses/sample.json",			
	48 49		method" : "GET", Connection": "Keep-				
	50			ation": "Basic " + new Buffer	("YOUR_ID_HERE:YOUR_PASSWOR	D_HERE").toString('base64')}	
	51 52	} res.write(" ")	;				
	53			function(response) {	en(chunk) {		
	54 55			response.on('data', functi	on(chunk) { (cnt > 0) {		








🔺 🕨 🖻 🌓 suga	arsocial-testrun.rh	cloud.com/index.php?module	=Home&action=index — IBM Seci	alCRM			C Reader
II	BM CoE	coedemo.	api.w3.opensmartcloud.com	*hello.js – Coding		IBM SocialCRN	∫ + ∫ I≡
122.20					Welcome	Stewart Nickolas [Log Out] Employe	es Admin Support About
<u> </u>						Siemap - P	Search
Sales Marketing	Support Activ	vities Collaboration All					
Home Accounts Con							
Recently Vewed: B.H	1. Edwards 🏭 Str	ewart Nick 📄 asdfasfd 🕌 at	offa 🛛 💼 asdf 👘 asdfasfd 👘 Av	ra Felice Serroid Malick Arron Clopton	📄 Leah Bresna	har	
							Add Dashlets
Logistics industry new	VS		Add	,	< eam		200 X
l l	4		Find Sugar Da	shlet Search Clea	r 8	Post	
		, ING.	Modules Charts Tools V	/eb		[HM] [HM] (1	- 15 of 502) 🕨 🕅
	-	Route	Modules		as WSJ ne si com/hor		
<u> </u>			My Accounts	👗 My Assigned Bugs			Reply - Delete
	oistic	SNews	My Calendar	My Calls	as David B	lames	Reply - Delete
	<u>515010</u>	<u>0110W5</u>	My Calendar	My Contacts	as created	a new lead @Kurtis Mogonigal	Reply - Delete
Calendar		Logistic	My Documents	My Emails	sa created	a newlead @ <u>Mariana Ginsburg</u>	Reply - Delete
My Calerdar			My Leads	My Meetings	s created	a newlead @ <u>Marcos Peacock</u>	Reply - Delete
Previous Week Sun 26	Mon 27	May 26 2013 - Jun Tue 28 Wed 29	My Open Tasks	My Project Tasks	s created	a new lead QEIvis Washington	Reply - Delete
08:00am			My Sentiment by Industry	S My Top Open Opportunities	as created	a new lead Q _{Lynnette Gabriele}	Reply - Delete
09:00sm			Top Campaigns		se censtad	a seveland @Chanse Barnetta	
10:00am							
11:00am							
12:00pm							
01:00pm							
02:00pm							
0:3:00pm							
04:00pm							
05-00pm							
06:00pm							


💵 🖻 🍞 si	ugarsocial-testrun.rh	cloud.com/index.php?modu	le=Home&action=Index — IBM Socia	ICRM				C Read
	IBM CoE	coeden	o.api.w3.opensmartcloud.com	*he	llo.js – Coding		IBM SocialCRM	+
1114						Welcome, Stewart Nicl	tolas [Log Out] Employee	es Admin Support Abo
-8						Si	emap - P	Search
Sales Marketin	g Support Acti	vities Collaboration All						
	ontacts Opportunite							
cently Vewed:	B.H. Edwards 88 St	ewart Nick 🔤 asdfasfd 👔	asdfa 📋 asdf 📄 asdfasfd 📄 Ave	Felice] Jerrold Malick	Arron Clopton	Leah Bresnahar		
								Add Dashlets
ogistics industry n	ews		Add		×	eam		0000
	4	1		hlot sentiment	Search Clear	8	Post	
		D. ING.	Modules Charts Tools W	ab			(1 -	15 of 902) 🕨 🕅
	_	, INC Route	Search Results - seatiment:			ss WSJ newslink		
<u> </u>								Reply - Delete
	oistic	sNews	My Sentiment by Industry			as David Barnes		Reply - Delete
	gistic	STICES				as created a new lead	Kurtis Mcgonigal	Deels Delete
(1999) Onlying		Res L a sala Ala					¥	Reply - Delete
Calenda	1r	Logistic				sa created a new lead [€] o	•Manana Ginsburg	Reply - Delete
						s created a new lead 🤇	Marcos Peacock	
ly Calerdar Previous Week		May 26 2013 - Jun						Reply - Delete
Sun 26	Mon 27	Tue 28 Wed 2				ss created a new lead 🤅	Elvis Washington	Reply - Delete
8:00am	_					s created a new lead	Lynnette Gabriele	Reply - Delete
2:00am						se croated a new load	Chance Percette	Const Scouts
0:00am								
1:00am								
2:00pm								
1:00pm								
2:00pm								
3:00pm 4:00pm								

💶 🕨 👕 sugarsocial-testrun.rhcloud.com/in	dex.php?module=Home&action=index — IBM Social	CRM			Ċ Rea
IBM CoE	coedemo.api.w3.opensmartcloud.com	*hello.j	s – Coding	IBM So	cialCRM +
				Welcome, Stewart Nickolas [Log Out]	Employees Admin Support At
e				Silemap 👳 🔎	Search
	aboration All				
ome Accounts Contacts Opportunities Leads ently Vewed: 👝 B.H. Edwards 👸 Stewart Nick 🧃	🖷 asdfasfd 🕘 asdfa 📋 asdf 📑 asdfasfd 📄 Ava	Felice Serrold Malick	Arron Clopton	Leah Bresnahar	
					Add Dashle
Sentiment by Industry		203 X	My Activity St	tream	00
Edwards Inc Funding Co on Inc				Post	
en Ine uared Techs					(1 - 15 of 502) 🕨 🙌
Endowments LTD le Group Inc				olas WSJ news link	
/ Software Co a Hotels			7 Weeks 5 Days a	wsj.com/home-page	Reply - Delete
ern Raaty er Suppliers -Fasting			Stewart Nicko 7 Weeks 5 Days a	olas David Barnes go	Reply - Delete
Cover Trust			Stewart Nicko 43 Weeks 5 Days	olas created a new lead ^Q Kurtis Mogonis	gal Reply - Delete
Query:	Search	400 Tweets	Stewart Nicko 43 Weeks 5 Days	olaa created a new lead @ <u>Mariana Ginab</u> ago	eurg Reply - Delete
onnections	Мар	Arc Stop Expansion	Stewart Nicko 43 Weeks 5 Days	olas created a new lead @ <u>Marcos Peaco</u>	ock Reply - Delete
emoustakite	beeqing @healthetia @ @smartertech @	nabraham	Stewart Nicko 43 Weeks 5 Days	olas created a new lead Q <u>Elvis Washing</u>	ton Reply - Delete
@kimberlydutt@ @lenoteurQ	Busaco_@rki@kfenen @PBWggers @clemsos@bmwalsonbot	ve \	Stewart Nicko 43 Weeks 5 Days	olas created a new lead QLynnette Gabr	tiele Reply - Delete
@jpberhet() @AB@kompate() @m@ @Abrams981()	Midmarket BM Midmarket BM emichaelwmiller	GSUSE	Clauset Mieles	also crosted a service of Chasse Barry	utta.
@Kht	Bouh @bolfish	- 71			
@MzermaAmine() @motilla()	B DemcWondyDBE darthsen				
@NUXN_Healthcare @ @KristenMI		cpts			
	@heanAhleiz@flal4@sbmoon				
istics industry news		000 X			
4		-			

The Mobile Device is The Bank




Proactive Banking




Passbook requires iCloud and an iPhone or iPod touch with iOS 6 or later.

About Passbook


Customer Geographical Spending Profile Day 1




Customer Geographical Spending Profile Day 2




Customer Aggregated Geographical Spending Profile: Month




GeoAnalytics Based Recommendations



Peer GeoAnalytics Based Business Recommendations



Fraud Detection



Peer GeoAnalytics Recommendations

