

WebSphere. software

IBM Application Performance Analyzer for z/OS, V13.1



Figure 1: Application Performance Analyzer environment

Highlights

- Provides easy-to-use function that facilitates isolation of performance problems in applications
- Helps pinpoint performance bottlenecks impacting online transaction-response times
- Assists in reducing batch application turnaround time
- Supports Assembler, C/C++, COBOL, PL/I, Java, CICS, DB2, IMS, WebSphere MQ, and WebSphere Application Server
- Increases application understanding during stress and regression testing
- Can be integrated with Fault Analyzer and Debug Tool with source mapping side files
- Workstation GUI interface

In an increasingly complex and competitive business environment with challenging business demands, managers, system programmers, application developers and performance specialists are under pressure to operate their systems at peak level.

Adopting on demand business strategies and implementing Web services, for example, create more-complex, business-critical applications, increasing the risk of you missing your service-level commitments.

To mitigate this risk, you must carefully consider performance and, ultimately, customer satisfaction as part of your business strategy. IBM® Application Performance Analyzer for z/OS®, V13.1 is an application performancemeasurement tool designed for use on IBM z/OS systems. The product's key function is to measure and report on how system resources are used by applications running in virtually any z/OS address space such as Time Sharing Option (TSO) and batch.

Application Performance Analyzer can also analyze transactions running under an online subsystem such as IBM IMS[™], IBM CICS[®], and WebSphere[®] Application Server, as well as DB2[®] stored procedures.

Using Application Performance Analyzer helps you maximize the performance of your existing hardware resources and helps you improve the performance of your applications and subsystems.

Application Performance Analyzer software aids application design, development and maintenance cycles. It helps you evaluate application prototypes in the design phase, review the impact of increased data volume or changes in business requirements on performance, and generate historical data and reports to analyze performance trends and evaluate program changes for cost-effectiveness. Application Performance Analyzer collects samples from the monitored address space and analyzes the system or resource application in the following categories:

- Control section (CSECT) usage
 within each load module
- Instruction or statement usage
 within each CSECT
- Assembler, COBOL and PL/I statement usage within each module or disassembly for modules without source
- Direct access storage device (DASD) statistics
- Processor usage
- IMS transactions and databases
- DB2 databases, including stored procedures, Structured Query Language (SQL), Distributed Data Facility(DDF) and detailed DB2 delay information
- CICS transactions and the multiplicity of relationships in those transactions from a

performance perspective

• IBM WebSphere MQ queue information

Robust features to help you meet your applicationperformance objectives

Application Performance Analyzer software includes a number of robust features designed to help you optimize the performance of your application resources.

Online analysis

This feature provides displays of overall system activity, enabling you to check on all jobs running online or to select a specific active job to monitor.

Flexible monitoring

The flexible monitoring capabilities of Application Performance Analyzer offer a wide variety of ways to help ensure that the performance of your applications meets your needs:

- Specify the number of times that Application Performance Analyzer should monitor a job's performance when that job or program becomes active.
- Enable DB2, IMS, CICS and WebSphere MQ applications to be monitored.
- Select how long to monitor selected applications — based on when the job ends, the duration of sampling or the number of samples to be taken.
- Invoke the monitoring capability from other programs such as IBM Tivoli® OMEGAMON®, IBM Tivoli Enterprise Portal and IBM Application Performance Analyzer Automation Assistant using the Application Performance Analyzer batch command interface.
- Compare two observation reports to see the relevant differences, to supplement threshold monitoring.



Figure 2: Application Performance Analyzer views and reports

 Use threshold monitoring to enable an observation request to monitor an application by specifying the processor-usage, execute channel program (EXCP) and job-duration thresholds. For jobs that have had problems, you can use this feature to initiate an observation without any direct involvement to permit analysis after the sampling is complete.

Reports

Reports generated by Application Performance Analyzer help you to identify key performance bottlenecks that need examination and resolution. This data is available in printed reports that you can choose to create as text files, Adobe® PostScript® files, or XML files, to view on your workstation.

Other monitoring information

As well as providing performance information about your application code, Application Performance Analyzer also delivers other important information. For example, you can use Application Performance Analyzer to track performance issues to a DASD problem.

Processing performance analysis shows processor usage by procedure, referred attribution, wait time by task, category and module, as well as multiple DASD statistics including EXCP, virtual storage access method (VSAM) statistics and input-output wait times.

Support for IBM Parallel Sysplex® Coupling Facility lets you monitor jobs and transactions on any logical partition (LPAR) image in the Parallel Sysplex environment you choose and also report how IBM Workload Manager for z/OS affects application performance.



Figure 3: Application Performance Analyzer provides detailed information about running CICS transactions

Sixty-four bit memory use is now reported in Application Performance Analyzer.

User Interface

With a single interface, you can monitor applications in test, as well as in production, and in multiple source languages, including Assembler, C/C++, COBOL and PL/I. Optimized code support for COBOL and PL/I is provided to enable you to monitor production applications.

Support for IBM subsystems

Application Performance Analyzer, a single tool, provides applicationmonitoring support for all of IBM's major subsystems:

CICS

Support for IBM CICS Transaction Server, including V5, enables you to monitor specific CICS transactions using wildcard transaction prefixes or by termed selection. With this support, you can trace transactions during critical situations, rather than waiting to review data collected periodically.

DB2

Support for DB2, including V11, delivers relevant information for performance analysis and tuning, including SQL statements and processor usage by SQL statement as well as for IBM DB2 stored procedures written in Java[™]. You can also choose to trace all DB2 calls.

IMS

Support for IMS applications, including V13, means you can have IMS application-performance data-on-call time and service-call time for DL/I. You can also choose to trace all IMS calls. Over 20 IMS reports are now provided, helping to improve your ability to analyze the influences of IMS on application performance.

WebSphere MQ

WebSphere MQ support provides information about CPU usage by queue, by request and by transaction in WebSphere MQ. Application Performance Analyzer also provides service time by queue, request and transaction, as well as wait time, for the same categories.

New in V13.1

- Enhancements to started tasks, sampling, exits and intercepts
 - Recognize Language Environment mode switch for CPU attribution.
 - SMS classes for Application Performance Analyzer created files
 - Repeat observations of batch jobs
 - WebSphere measurements automatically measure servant regions and report Java and DB2 activity
 - Preloaded JVMTI agent
 - CICS+ recognizes CICS filtering criteria
 - IEFU84 SMF exit program supports DB2 V10 compressed records
 - Support of the DB2 V10 bind option for DB2 Explain
 - Clear Application Performance Analyzer exits when started task ends
 - Dynamic change of selected CONFIG settings
 - Export file name configuration setting
 - Export and Import a hierarchy of sample files

- Import operation checks for duplicate sample file names
- Compatibility support for Enterprise COBOL V5, CICS TS V5.1, DB2 V11, IMS V13, z/OS V2.1, and Adabas V8.2.4
- Enhancements to reporting capability
 - Observation List displays setup filters.
 - Observation List allows sort by owner.
 - Observation List displays status of "ErrMsg" when a non-critical error occurs during sampling.
 - JobId is added to observation details pop-up.
 - Display separate counts for general and special processors in Measurement Profile report.
 - Optionally attribute CPU usage to system modules in CPU Referred Attribution report.
 - Report statistics for multivolume datasets in DASD I/O Analysis reports.
 - Identify CICS remote files in the DASD EXCP Summary report.
 - New WebSphere report displays CICS distributed program link calls are initiated from the servant regions

- New WebSphere report correlates WebSphere Application Server activity with DB2 activity.
- Create XML report files as variable block by default.
- Support SYSDEBUG source files created by Enterprise PL/I for z/OS V4.
- Enhancements to the listener and plug-in
 - *Replace report options view with a dialog.*
 - Add report options and report download to individual reports toolbar.
 - Display procedure names in CPU Usage by Procedure report.
 - Allow the user to select the location of the local reports repository.
 - Allow access to local reports for inactive started tasks.
 - Support connection to Application Performance Analyzer instances operating on different z/OS systems.

File Window Help						
0 =						
APA Observators List (CA29) - Local						* * * * * * * * * * * * * * * * * * *
	0.00000000					
RegNum V Owned By Description	Job Name	Date/Time	Samples Status			
3974 LEAKE	ASDF	Sep-08 07:55	1,000 Sched			
# 3969 MACHINI2 v9ref4-uc29	JAVATSTI	Aug-31 10:14	5,555 USS			
a 3967 MACHINZ v9ref4-uc29	JAVATST1	Aug-31 20:09	5,555 USS			
× 3965 MACHIN2 v9ref4-uc29	JAVATSTI	Aug-31 10:05	22,222 USS			
# 3956 MACHIND V9-cst6v37	CIC%	Aug-31 09:12	99,999 Mult3b			
× 3955 MACHIND v9-cite/37	CIC%	Aug-31 09:12	99,999 Mult2b			
# 3946 MACHINZ V9-cst6v3	CIC%	Aug-31 08:50	99,999 Mult3b			
e 3945 NACHINZ v9-cst6v3	CIC%	Aug-31.08:50	99,999 Multib			
3944 LEAKE KH LIN SAMPLE FILE	LEAKE	Aug-31 08:38	1 Ended			
3935 MACHIN2 V9-cst6/3 3934 MACHIN2 V9-cst6/3	CIC%	Aug-31.08:30	99,999 Mult3b			
	CIC% CIC%	Aug-31 08:30	99,999 Multib			
		Aug-31 05:09	99,999 Mult3b			
* 3924 MACHINZ v9-cst6v1 3923 LEAKE KH LIN SAMPLE FILE	CIC% LEAKE	Aug-31.07:45 Aug-31.07:16	99,999 Multib 1 Ended			
3923 LEAKE KHILIV SAMPLE FILE	LEARE	Aug-31 07:16	1 Ended			6
🗖 Details (3944) 🔚 Reports (3944) 😥 👘 🖓	E COL CRIMINAS hu	aterney Chest FarE)	N LE Isane hy Morh le 7904	A FAREN BENN DE2M	excurement Profile (2044) FakE)	S01: Measurement Profile (39446.EAKE)
a contract of the second secon	the second se	andread (reserve) [[m] corr. c	O Usinge by House (394	drewers Ellion parts	card entricity and (applied to the first	and a second second part second second
●回曲::						🖆 😡 🛷 🔃 🕀 🛤 🙀
	S01: Measurement P					
S01 - Measurement Profile	SOI: Measurement P	OUG (SDAA)CENKE)				
502 - Load Module Attributes						
\$03 - Load Module Summary		697				
504 - TCB Summary	overall CPU A	5,064 100.0% ' ' '	1 + + + + + + +	Reports:	23 5.9.5	
S05 - Nemory Usage Timeline	CPU Activo	80 1.5%		C01 C02 C C07 W01 W	23 5.05	
S05 - Data Space Usage Timeline	WAIT	4.683 92.4%	and the second second	25.65. 19205 38	08.	
507 - TC8 Execution Summary	queued	301 5,9%				
S08 - Processor Utilization Summary	A Constant of the second					
509 - Measurement Analysis	CPU Usage Dis	ribution		Reports:		
😑 C - CPU Usage Analysis	CPU Active	80 100.0%		CO1 CO5 C	LESN BL	
C01 - CPU Usage by Category	Application	0 0.0%				
C02 - CPU Usage by Nodule	System D62 SQL	75 93.7% 5.0%				
C03 - CPU Usage by Code Slice	Data Mont	0.0%				
C04 - CPU Usage Timeline	Unresolved	1 1.2%				
O55 - CPU Usage Task/Category	IMS DEI Call	0 0.0%				
C06 - CPU Usage Task/Module						
C07 - CPU Usage by Procedure	MOST CPU ACT	/e Modules		Reports:		
C08 - CPU Referred Attribution	CPU Active	CPU Active 80 100.0%				
C09 - CPU Usage by PSW/ObjCode	IEAVESLL	9 11.2% 6 7.5%				
D - DASD I/O Analysis	IAXVP					
W - CPU WAIT Analysis	TAXVE					
P - 062 Measurement	IGWESMF1	4 5.0% =				
F01 - D62 Measurement Profile F02 - D62 SQL Activity Timeline						
F02 - D62 SQL Activity Timeline F03 - D62 SQL Activity by D8RM	MOST CPU ACT	Ve CSECTS			ports:	
F03 - D62 SQL Activity by D6RM F04 - D62 SQL Activity by Statement	CPU Active	80 1	00.0%	a - 100000000 N	C02	
F04 - D62 SQL Activity by statement F05 - D62 SQL Activity by Plan	LLUOST in	DEAVESLL 9 DRRMNGR 5	11.2%			
F05 - D62 SQL Activity by Han F06 - D62 SQL Statement Attributes	IRRMPPOO in IARVPGTI in	LAXVP 5	6.2% =			
F07 - DB2 SQL Walt Time by OBRM	IARVERMN in	EAXVE 5				
F08 - D62 SQL Wait Time by Statement	IGNELNRD in	CGWSBMFI 2	2.5%			
F09 - D82 SQL Wait Time by Plan						
F10 - D82 SQL CPU/Svc Time by D8RM	CPU Modes			Reports:		
	ACTIVE CPU			508		
		76 95.0%				
F11 - D62 SQL CPU/Svc Time by Stnt	Supv Mode					
	Prob Mode	4 5.0% ·				
F 11 - D62 SQL CPU/Svc Time by Stnt F 12 - D62 SQL CPU/Svc Time by Plan	Prob Mode In SVC	67 83.7%				
F 11 - D62 SQL CPU/Svc Time by Stnt F 12 - D62 SQL CPU/Svc Time by Plan F 13 - D62 SQL Threads Analysis	Prob Mode In SVC AMODE 24 AMODE 31	67 83.7% 1 1.2%				
F11 - 082 SQL CPU/Boc Time by Stat F12 - 082 SQL CPU/boc Time by Plan F13 - 082 SQL Threads Analysis 4	Prob Mode In SVC AMODE 24 AMODE 31 AMODE 64	67 83.7% 1 1.2% 79 98.7% 0 0.0%				
F11 - D62 SQL CPU/Boc Time by Stat F12 - D62 SQL CPU/boc Time by Plan F13 - D62 SQL Threads Analysis 6	Prob Mode In SVC AMODE 24 AMODE 31 AMODE 31 User Key	67 83.7% 1 1.2% 79 98.7% 0 0.0% 5 0%				
Fil: CB3 SQL CPU(Set Time by Stert Fil: CB3 SQL CPU(Set Time by Flan Fil: CB3 SQL Threads Analysis (4) III S01 Optoms 25	Prob Mode In SVC AMODE 24 AMODE 31 AMODE 64	67 83.7% 1 1.2% 79 98.7% 0 0.0%				
F11 - D62 SQL CPU/Boc Time by Stat F12 - D62 SQL CPU/boc Time by Plan F13 - D62 SQL Threads Analysis 6	Prob Mode In SVC AMODE 24 AMODE 31 AMODE 64 User Key System Key	67 83.7% 1 1.2% 79 98.7% 0 0.0% 4 5.0% 76 95.0%		11. A. 12	- 20	
F11 CB3 SQL CPU(Arc Time by Shint) F12 CB3 SQL CPU(Arc Time by Flann) F13 CB3 SQL Threads Analysis (4) (1) S01 Options (2)	Prob Mode In SVC AMODE 24 AMODE 31 AMODE 31 User Key	67 83.7% 1 1.2% 79 98.7% 0 0.0% 4 5.0% 76 95.0%				

Figure 4: The GUI provides a workstation interface to request and view reports

IBM Application Performance Analyzer for z/OS, V13.1, at a glance Hardware requirements

Any hardware configuration capable of running IBM z/OS
Software requirements

- IBM z/OS, V1.12 (5694-A01) or later
- Depending on the functions used in the product, other related products may be required. See the product Web site, listed below, for more detailed software requirements

Part of a leading-edge family of z/OS tools

Application Performance Analyzer is part of the IBM Problem Determination family of products. These include IBM Application Performance Analyzer for z/OS, IBM Debug Tool for z/OS, IBM Fault Analyzer for z/OS, IBM File Manager for z/OS, and IBM Workload Simulator for OS/390 and z/OS.

Designed to help you maximize your investment in IBM System z® products, these products are a robust suite of integrated development tools that enable you to improve IT operational efficiency and transform applications to achieve greater business flexibility.

The IBM Problem Determination tools help application developers to improve application delivery throughout the application life cycle. You can use these tools to help increase productivity and IT effectiveness across source code debugging, application ABEND analysis, data management and application performance analysis.

The IBM Problem Determination tools do much more than support traditional applications. They include capabilities that enable you to build SOA applications. They are tightly integrated with other tools in the IBM problem determination tools portfolio, as well as other tool sets. The tools also continue to support and make the most of the latest subsystem levels. These capabilities help make IBM problem determination tools an excellent choice for your business.

For more information

To learn more about IBM problem determination tools, contact your IBM representative or IBM Business Partner, or visit the following Web sites:

IBM Problem Determination Tools family: ibm.com/software/awdtools/ deployment/

IBM Application Performance Analyzer for z/OS: **ibm.com**/software/awdtools/apa/

IBM Debug Tool for z/OS: ibm.com/software/awdtools/ debug tool/

IBM Fault Analyzer for z/OS: ibm.com/software/awdtools/ faultanalyzer

IBM File Manager for z/OS: ibm.com/software/awdtools/ filemanager

IBM Workload Simulator for z/OS and OS/390: ibm.com/software/awdtools/ workloadsimulator



© Copyright IBM Corporation 2013

IBM Corporation 555 Bailey Ave San Jose, CA 95141, U.S.A.

Produced in the U.S.A. October 2013 All Rights Reserved

IBM, the IBM logo, ibm.com, and WebSphere are trademarks of IBM Corporation, registered in many jurisdictions worldwide. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at <u>ibm.com/legal/copytrade.shtml</u>.

Java and all Java-based trademarks and logos are trademarks of Sun Microsystems, Inc, in the United States, other countries, or both.

Microsoft and Windows are trademarks of Microsoft Corporation, in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries Other company, product and service names may be trademarks or service marks of others.

References in this publication to IBM products or services do not imply that IBM intends to make them available in all countries in which IBM operates.

The IBM home page on the internet can be found at **ibm.com**

TAKE BACK CONTROL WITH WebSphere.