

IBM Worklight V5

Installer



This presentation describes support for installer included in IBM Worklight version 5 and will focus on an overview of the installation process.

Install Overview

The next section discusses the installation overview.

Install Overview

- IBM Worklight V5 install package consists of these programs
 - Worklight Server
 - Application Center installed at same time
 - Worklight Studio
 - Embedded Worklight Server

- Worklight Server and Studio can be installed using Installation Manager; not Mac users

- Worklight Studio can also be installed from the .zip file of the Eclipse update site; for all users

- Installer does not provide any documentation, it is available on IBM site

Worklight Studio and Worklight Server can be installed separately.

Studio is a comprehensive, extensible environment that maximizes code reuse and per-device optimization.

Server is a mobile-optimized middleware that provides a services layer to support back-end integration, version management, security, and unified push notification mechanisms.

Install – At a glance

Packages	Components Installed	Type of install available
<p>IBM Worklight, Consumer edition V5.0</p> <p>or</p> <p>IBM Worklight, Enterprise edition V5.0</p>	<p>Part of Install</p> <ul style="list-style-type: none"> ▪ Studio <ul style="list-style-type: none"> – Embedded Worklight Server – IBM Cordova 1.6.1 – IBM Dojo 1.7.2+ – Rich Page Editor – Development Tools ▪ Server <ul style="list-style-type: none"> – Apache Derby 10.5 or pre-installed IBM DB2 database – IBM WAS Liberty – console ▪ Application Center <ul style="list-style-type: none"> – Apache Derby 10.5 – IBM WAS Liberty – console 	<ul style="list-style-type: none"> ▪ Zip of Eclipse update-site (only for Studio) ▪ Installation Manager (not available for Mac users)

IBM Worklight Consumer and Enterprise both have the same content. Studio can be installed either through Installation Manager or through an Eclipse update-site. Alternatively, Server – and Application Center, as installed with Server – can only be installed through installation Manager. As Installation Manager is not available for Mac users, those will only be able to install Studio.

Install – At a glance

Packages	Components Installed	Type of install available
<p>IBM Worklight, Developer edition V5.0</p>	<p>Part of Install</p> <ul style="list-style-type: none"> ▪ Studio <ul style="list-style-type: none"> – Embedded Worklight Server – IBM Cordova 1.6.1 – IBM Dojo 1.7.2+ – Rich Page Editor – Development Tools 	<ul style="list-style-type: none"> ▪ Zip Eclipse update-site

This free edition is only for development use

IBM Worklight, Developer edition V5 is to help developers reduce testing effort, develop with confidence, and deliver innovative applications faster. This configuration is available at no charge, in order to lower the barrier for developers building applications for IBM Worklight V5. The no-cost Developer edition is supported on a best-can-do basis by forum only.

Install – At a glance

Packages	Content
IBM Mobile Foundation, Consumer edition V5.0	<ul style="list-style-type: none">▪ IBM Worklight, Consumer edition V5.0▪ IBM WebSphere Cast Iron Hypervisor Edition
IBM Mobile Foundation, Enterprise edition V5.0	<ul style="list-style-type: none">▪ IBM Worklight, Enterprise edition V5.0▪ IBM Endpoint Manager▪ IBM WebSphere Cast Iron Hypervisor Edition

IBM Mobile Foundation, Consumer edition V5 provides the essential elements needed for mobile development, deployment, and management in primarily a Business-to-Consumer (B2C) deployment model.

IBM Mobile Foundation, Enterprise edition V5 provides the essential elements needed for mobile development, deployment, and management in Business-to-Consumer (B2C), Business-to-Business (B2B), and Business-to-Enterprise (B2E) environments.

Eclipse update-site - Studio

Eclipse update-site for Studio can be used on Windows, Linux and MacOS.

Pre-requisites


- Eclipse SDK 3.6.2, 3.7.2
- IBM Java SDK 6.0 and future releases, modification levels, and fix packs
- Oracle Java SDK/JRE/JDK 6.0 Update 24 and future releases, modification levels, and fix packs

- Get archive file from the IBM Worklight product website

To install Worklight Studio, you need to have the right versions of Eclipse and JRE pre-installed.

Installing Worklight Studio (1 of 3)


- Open Eclipse
- Select "Install New Software..." in "Help" menu
- In new window, click "Add" button
- In new window, use "Archive..." button to locate the archive file and enter the name you want
- Click "OK" to close repository window



For non-used users, those slides present a step by step on how to install the Worklight Studio plug-in from update site. The first step consists in giving the location of the .zip file you downloaded.

Installing Worklight Studio (2 of 3)

- In install window, click little arrow on left side of product to expand the tree
- Select all or just what you want
- Click "Next", verify items to be installed
- Click "Next" again to see Licenses panel
- Check "I accept..." and click "Finish"



10


Installer

© 2012 IBM Corporation


While going through the panels with "Next", you can always use "Back" to change your choices. On Licenses panel, you need to use the tree to read each license before accepting all at the same time. When clicking Finish, the installation starts.

Installing Worklight Studio (3 of 3)


- Installation will take little time



- Restart Eclipse when asked for



- Worklight items are now available in top toolbar



11

Installer

© 2012 IBM Corporation

When installation is finished, you are asked to restart Eclipse. When done, you will see a new item is available in toolbar to let you access all Worklight Studio items.

Installation Manager
(Passport Advantage Integration)

This part is dedicated to Installation Manager, which can be used on Windows or UNIX, but NOT Macintosh.

Pre-requisites

- IBM Installation Manager (IM) 1.5.2

If IBM Installation Manager does not already exist on your machine, you'll need to install it.

Installing Worklight (1 of 18)

- Launch IBM Installation Manager
- Select “Preferences...” in File” menu



14


Installer

© 2012 IBM Corporation

When IBM Installation Manager is opened, you need to enter your credentials for the product you purchased. In the main window, click “File” menu to open it and then click on Preference; this will open a new window.

Installing Worklight (2 of 18)

- In “Preferences” window, select Passport Advantage in tree
- Check “Connect to Passport Advantage” box
- Provide your credentials in new window and click “OK”



15


Installer

© 2012 IBM Corporation

In the Preferences window, click Passport Advantage item in the left frame and then check the Connection box. This will open a new window in which you need to provide your IBM ID and password, if necessary. Some links are available at the bottom of the window to help you. When done, just click “OK.”

Installing Worklight (3 of 18)


- Click “OK” button in “Preferences” window to close it
- Click “Install” in main window



- Select packages to install and click “Next”

If the Preferences window is still open, click the “OK” button to close it. After clicking on the Install button, installation wizard comes up with the offering packages you have access too. Depending on your purchase, the edition displayed is different. You can select and un-select as you wish. In the example, we’ll keep Worklight Server and Studio. Click the “Next” button to proceed the installation


Installing Worklight (4 of 18)



- Click "Next"

The next wizard panel will only be displayed if Worklight Studio has been selected to be installed; read carefully the information provided and click "Next."


Installing Worklight (5 of 18)



- Select the "I accept" radio button and click "Next"

The next wizard panel shows the license agreements. To review all of them, IBM and non-IBM, select items in the tree. When done, select the I accept radio button and click Next to proceed.


Installing Worklight (6 of 18)



- Click "Next"

When this is the first offering installed by the IBM Installation Manager on the system, a share resource location is required. Once this location is set, the subsequent use of IBM Installation Manager always uses this location without asking again. Click Next to proceed.

Installing Worklight (7 of 18)



- Click "Next"


20

Installer

© 2012 IBM Corporation

Select items in the tree to see wanted information. Worklight Studio and Server cannot be installed in same package group, if you try to, you will have an error displayed and Next won't be enabled. You can select 32 or 64-bit architecture for Studio; only 32-bit is possible for Server. Change the default install location for any package if needed and click Next to proceed.

Installing Worklight (8 of 18)



- Click "Next"


21

Installer

© 2012 IBM Corporation

In this feature selection panel, Worklight Server and Core Development Tools - part of Worklight Studio - are selected by default and cannot be deselected. You can choose to select or not Rich Page Editor and Dojo Mobile Tools and Library. In this example, all are selected. Clicking on the tree items will show some information at the bottom of the panel for each. Click Next to proceed.

Installing Worklight (9 of 18)



- Click "Next"


22

Installer

© 2012 IBM Corporation

The next feature panels are displayed or not, depending on which packages have been selected to be installed: Worklight Studio, Worklight Server or both. For Worklight Server, you will be asked for the Oracle JRE path. Clicking the Browse button will open a File browser dialog. When done, Next button becomes enabled; click it to proceed

Installing Worklight (10 of 18)



- Click "Next"


23

Installer

© 2012 IBM Corporation

For Worklight Server, you are able to choose database and server. The first panel asks you to choose the database: you can choose to install Derby, to use a pre-installed DB2 or to use another pre-installed database. For the last case, you need to see the Administration Guide to do it manually. Next button becomes enabled only when a choice is done; click it to proceed.

Installing Worklight (11 of 18)



- Provide required information and click "Next"

If you choose to install Derby, no settings are required. If you select pre-installed DB2 database, you will be required to enter the related settings. Port as 5000 as default value but you can change it if necessary. Click Next to proceed.

Installing Worklight (12 of 18)

IBM Installation Manager

Install Packages

Fill in the configurations for the packages.

Install Prerequisite Licenses Location Features Summary

IBM Software Delivery Platform

- Common Configurations
- Check Oracle JRE
- Worklight
 - IBM Worklight Server for IBM Mobile Foundation Consumer Edition 5.0.0
 - Choose your database
 - Database properties
 - Choose your application server
 - Application server properties
 - Thank you

Configuration for IBM Worklight Server for IBM Mobile Foundation Consumer Edition 5.0.0

Choose your application server

Application server choice

Windows

- Install WebSphere Application Server Liberty
- Use pre-installed WebSphere Application Server Liberty
- Use another pre-installed Application Server: Tomcat 7 or WebSphere Application Server 7 and future. Requires manual configuration. See [Administration Guide](#) for details.

All other documentation is available [here](#).

Linux

- Install WebSphere Application Server Liberty
- Use pre-installed WebSphere Application Server Liberty
- Use another pre-installed Application Server: Tomcat 7 or WebSphere Application Server 7 and future. Requires manual configuration. See [Administration Guide](#) for details.

Please enter the operating system user group that will be allowed to start the application server and have writing permissions to the associated log files and locally stored databases. The operating system user groups are defined in the file '/etc/group'.

adm

All other documentation is available [here](#).


< Back Next > Install Cancel

25 Installer © 2012 IBM Corporation

- Click "Next"

After you enter the database properties, you can select the application server to use. You can use a pre-installed server, install an instance of the Liberty profile, or use another application server. For the last case, you need to see the Administration Guide to do it manually. On UNIX platforms, you will need to enter the group of users who should be allowed to start the server. The next button becomes enabled only when a choice is made; click it to proceed.

Installing Worklight (13 of 18)



- Provide required information and click “Next”


26

Installer

© 2012 IBM Corporation

If you choose to install WebSphere Application Server Liberty, no settings are required. If you selected pre-installed WAS Liberty, you will be required to enter its installation directory; the combo-box will then be filled in with all available servers so that you can choose the one to be used for Worklight Server. Click Next to proceed.


Installing Worklight (14 of 18)



- Click "Next"

The last panel recommends you to read the Administration Guide and gives you its PowerPoint link. Click "Next" to continue.

Installing Worklight (15 of 18)



- Click "Install"


28

Installer

© 2012 IBM Corporation

Review the installation location and the installing features in the Install summary panel before clicking the Install button to start the installation.

Installing Worklight (16 of 18)




29

Installer

© 2012 IBM Corporation

During the installation, a progress status bar is displayed. The installation can be paused or canceled by clicking the buttons.

Installing Worklight (17 of 18)



- Click "Finish"

30


Installer

© 2012 IBM Corporation

When the installation completes, an installation status is displayed on the top of the panel, and the installation log file can be viewed by clicking the [View Log File](#) link. Clicking Finish will bring you back to Installation Manager main panel.

Installing Worklight (18 of 18)

- On Windows, Worklight Studio installation creates shortcuts in Start menu




On Windows platform, if you installed Worklight Studio, you will have several shortcuts created in Start menu: from there, you are able to access all documentation, release notes and launch Studio.

Uninstall in Eclipse

The next section describes how to uninstall Worklight Studio in Eclipse.

Uninstalling Worklight Studio (1 of 3)

- Open Eclipse
- Select "About Eclipse SDK" in "Help" menu
- In new window, select wanted features and click "Uninstall..."



33

Installer


© 2012 IBM Corporation

In About window, you can see the Worklight icon; clicking it will open a window giving information on License and Plug-ins details.

To uninstall, you need to click Installation Details. In the new window, you can see the features you chose. Select all features you want to uninstall; for multiple selection, you need to use the Ctrl (Control) key. When done, click Uninstall.

Uninstalling Worklight Studio (2 of 3)


- Click "Finish"




In the Uninstall window, verify items to be uninstalled before clicking the Finish button.

Uninstalling Worklight Studio (3 of 3)


- Installation will take little time



- Restart Eclipse when asked for



- Worklight items not there anymore




When uninstallation is finished, you are asked to restart Eclipse. When done, you will see that Worklight is not there anymore in the toolbar.

Uninstall with installation Manager

The next section describes how to uninstall Worklight using IBM installation Manager.


Uninstalling Worklight (1 of 4)

- Launch IBM Installation Manager
- Click "Uninstall" in main window



Start IBM Installation Manager that is installed on the system and click Uninstall in the main window to uninstall Worklight.


Uninstalling Worklight (2 of 4)



- Select packages to uninstall and click "Next"

Select the Packages you want to uninstall and click Next to proceed.


Uninstalling Worklight (3 of 4)



- Click "Uninstall"

Review the information on the Uninstall summary panel before clicking the Uninstall button to start the uninstallation

Uninstalling Worklight (4 of 4)



- Click "Finish"

40

Installer

© 2012 IBM Corporation

When the uninstallation completes, an uninstallation status is displayed on the top of the panel, and the uninstallation log file can be viewed by clicking the View Log File link. Clicking Finish will bring you back to Installation Manager main panel.

Summary

This section contains a summary.

Summary

- Install / Uninstall Worklight Studio
 - Eclipse update-site
 - IBM Installation Manager

- Install / uninstall Worklight Server
 - IBM Installation Manager

To summarize, IBM Worklight Server and Studio are installed by IBM Installation Manager which is used by many IBM products. It provides a consistent user installation experience with other IBM products. A limitation is that Mac users cannot use this. IBM Worklight Studio can also be installed as Eclipse plug-in from update-site and this for any user.

References

- IBM Installation Manager Information Center
 - <http://pic.dhe.ibm.com/infocenter/install/v1r5/index.jsp>
- IBM Worklight V5.0 Documentation
 - <http://www.ibm.com/mobile-docs>
- Eclipse SDK 3.6.2
 - <http://www.eclipse.org/downloads/packages/eclipse-ide-java-ee-developers/heliossr2>
- Eclipse SDK 3.7.2
 - <http://www.eclipse.org/downloads/packages/eclipse-ide-java-ee-developers/indigosr2>

This slide contains links to IBM Installation Manager Information Center and IBM Worklight V5.0 Documentation.

Trademarks, disclaimer, and copyright information

IBM, the IBM logo, ibm.com, Cast Iron, DB2, Passport Advantage, and WebSphere are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of other IBM trademarks is available on the web at "[Copyright and trademark information](http://www.ibm.com/legal/copytrade.shtml)" at <http://www.ibm.com/legal/copytrade.shtml>

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Windows, and the Windows logo are registered trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, or service names may be trademarks or service marks of others.

THE INFORMATION CONTAINED IN THIS PRESENTATION IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. WHILE EFFORTS WERE MADE TO VERIFY THE COMPLETENESS AND ACCURACY OF THE INFORMATION CONTAINED IN THIS PRESENTATION, IT IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. IN ADDITION, THIS INFORMATION IS BASED ON IBM'S CURRENT PRODUCT PLANS AND STRATEGY, WHICH ARE SUBJECT TO CHANGE BY IBM WITHOUT NOTICE. IBM SHALL NOT BE RESPONSIBLE FOR ANY DAMAGES ARISING OUT OF THE USE OF, OR OTHERWISE RELATED TO, THIS PRESENTATION OR ANY OTHER DOCUMENTATION. NOTHING CONTAINED IN THIS PRESENTATION IS INTENDED TO, NOR SHALL HAVE THE EFFECT OF, CREATING ANY WARRANTIES OR REPRESENTATIONS FROM IBM (OR ITS SUPPLIERS OR LICENSORS), OR ALTERING THE TERMS AND CONDITIONS OF ANY AGREEMENT OR LICENSE GOVERNING THE USE OF IBM PRODUCTS OR SOFTWARE.

© Copyright International Business Machines Corporation 2012. All rights reserved.