



**business solutions
by IBM and SAP**

IBM mySAP.com Sizing and Planning Questionnaire

Send completed questionnaire to either your local IBM contact or:

| | |
|--|---|
| North and South America | IBM Americas Techline Solutions Sizing |
| by E-mail | eSizings@us.ibm.com |
| or Fax | +1 919 485 2941 |
| Europe, Middle East, and Africa | IBM EMEA Techline / ISICC |
| IBMers send file to and then raise Techline Request through | ERPEMEA@it.ibm.com http://w3-5.ibm.com/support/emea/techline |
| BPs send file to and then raise Techline Request through | ERPEMEA@it.ibm.com PartnerInfo/PartnerLine |
| Others by E-mail | isicc@de.ibm.com |
| Asia, Pacific | IBM SAP International Competence Center |
| by E-mail | isicc@de.ibm.com |
| or Fax | +49 6227 73 1052 |

***For more information about IBM mySAP.com solutions, go to
<http://www.ibm.com/erp/sap>***

***For online entry of data from this questionnaire, go to
<http://service.sap.com>***

The following terms are trademarks or registered trademarks of IBM Corporation in the United States or other countries or both: AIX, AS/400, Chipkill, DB2, DB2 Universal Database, ESCON, HACMP/6000, IBM, Magstar, MQSeries, Netfinity, OS/400, RISC System/6000, RS/6000, System/390, S/390.

R/3, mySAP.com, SAP (Logo), SAP (Word), are trademarks or registered trademarks of SAP AG. Informix is a trademark of Informix Corporation. Linux is a registered trademark of Linus Torvalds. ADABAS is a registered trademark of Software AG. Microsoft, Windows, Windows NT, Windows 2000, are trademarks of Microsoft Corporation in the United States, other countries, or both. Oracle and Oracle 8 are trademarks or registered trademarks of Oracle Corporation. UNIX is a registered trademark in the United States and other countries licensed exclusively through X/Open Company Limited. Other company, product and service names may be trademarks or service marks of others.

1.0 INSTRUCTIONS FOR COMPLETING THE QUESTIONNAIRE

Before completing the questionnaire, read the *Important Notes* on the next several pages. Then follow the steps below.

1. Read all of the Important Notes.
2. Complete the general sizing questions, providing special notes or comments about your mySAP.com project. (Section 4)
3. Complete the SAP user-based sizing questions. (Section 5)
4. Optional: Complete the SAP quantity structure-based sizing questions. (Section 6)
5. Return the questionnaire to IBM, or, enter the data directly into the QuickSizer at web address: <http://service.sap.com> (you will need an OSS User ID and an SAP customer number which you can get from your local SAP representative).

2.0 IMPORTANT NOTES

2.1 Purpose of the Questionnaire

The purpose of this questionnaire is to collect information that will be used to estimate the IBM hardware resources required to run the basic mySAP.com application suite on S/390/zSeries, AS/400/iSeries, RS/6000/pSeries, Netfinity/xSeries or mixed environments. The sizing estimate results will include recommendations for CPU(s), memory, and disk. In addition, information from the sizing questionnaire may be used by an IBM sales representative or business partner to develop an IBM hardware configuration to support the proposed mySAP.com installation.

2.2 What is a Sizing Estimate?

A sizing estimate is an approximation of the hardware resources required to support a mySAP.com implementation. It is a pre-sales effort based on information available at a point in time, providing an entry into understanding the customer's hardware requirements. Customers' actual experiences will vary from the sizing estimate for many reasons, including batch and reporting workloads, and custom code. The degree of variability can range from small to very significant.

Most likely, there will be software, server, and network requirements that are not addressed by this sizing estimate. For example, many mySAP.com installations run software for systems management, EDI translation, file transfer, help desk management, etc. To determine the complete hardware and software configuration required for your mySAP.com implementation, we recommend that you work with an mySAP.com specialist who will help you to develop the overall system architecture.

Sizing the hardware requirements for each customer's mySAP.com implementation is an *iterative process*, which may be refined and repeated a number of times. If you are in the early stages of planning, you will probably have limited information about your planned mySAP.com environment. In this case, we can complete the sizing estimate with general information about the numbers of users your IBM mySAP.com system needs to support. When you are further along in your mySAP.com implementation planning, you will know more about mySAP.com, the mySAP.com applications you plan to use, and your potential mySAP.com transaction activity. At that time, you may request another sizing estimate based on more detailed information. In any case, after receiving the results of a sizing estimate, you may choose to revise your input and request a re-sizing.

It is important to understand that the sizing estimate is a pre-sales effort mainly based on benchmark performance data; it should not replace capacity planning for installed systems. You can use the sizing estimate for pre-installation planning; however, once you are in the process of implementing mySAP.com, you should work with an IBM/SAP Capacity Planning consultant to monitor and predict the ongoing resource requirements e.g. for your production R/3 system.

The IBM/SAP sizing methodology is continually reviewed and revised to provide the best possible estimate of the IBM hardware resources required to run mySAP.com. Guidelines for sizing mySAP.com come from a number of sources, including SAP, SAP R/3 benchmarks, and customer feedback. Based on information from these sources and your completed sizing questionnaire, we will analyze your mySAP.com requirements and recommend an IBM hardware configuration.

Customer results may vary, and IBM assumes no liability for actual results that differ from the sizing estimate.

2.3 How to Obtain Assistance and IBM Contacts

The questionnaire was designed so that you can answer it without detailed knowledge of mySAP.com. IBM has established the Techlines Solutions Sizing team to provide assistance to your queries and help to size and configure your mySAP.com Solution . These have been established on geographical basis to address them locally. To make sure that you are using the latest version of this questionnaire, or if you have any questions about it and also once you have filled in the questionnaires please contact:

For North and South Americas: IBM Americas Techline Solutions Sizing

- To obtain a softcopy of the questionnaire, visit <http://www.ibm.com/erp/sizing> or ask your IBM Representative or send a request to the IBM Sizing Center at eSizings@us.ibm.com
- For questions, you can reach the IBM Sizing Center at 800-IBM-0222 or at 888-IBM-5525 option 6.

For Europe , Middle East and Africa : IBM EMEA Techline Solutions Sizing

- To obtain a softcopy of the questionnaire, ask your IBM Representative or send a request to the IBM Sizing Center at ERPEMEA@it.ibm.com

For ASEAN / South Asia : IBM ASEAN/SA Techline Solutions Sizing

- To obtain a softcopy of the questionnaire, ask your IBM Representative or send a request to the IBM Sizing Center at techline@my.ibm.com

For others

- Contact the IBM SAP International Competency Center at isicc@de.ibm.com

For additional information on IBM and mySAP.com, go to

External : <http://www.ibm.com/erp/sap>

Internal : <http://w3.isicc.de.ibm.com>

Other contacts for IBM Internal

For Europe , Middle East and Africa : IBM EMEA Techline Solutions Sizing

<http://w3-5.ibm.com/support/emea/techline>

For Asia Pacific , ASEAN /SA : IBM Asia Pacific Techline Solutions Sizing

<http://w3-6.ibm.com/support/ap/asean/techline/>

2.4 User-Based vs. Quantity structure Based Sizing

You must decide whether you want a *user-based* sizing or a *quantity structure-based* sizing. If you have limited information about your planned mySAP.com implementation, we suggest a user-based sizing. If you have more detailed knowledge of mySAP.com and your planned implementation, you may prefer a quantity structure-based sizing. Since the quantity structure-based sizing requires more detailed information, it may provide a more accurate estimate of the hardware resource requirements. To determine if you have enough information to complete a quantity structure-based sizing, read Section 6 *Quantity structure-Based Sizing Questions*. If you do select the quantity structure-based sizing, you must answer the quantity structure-based sizing questions, as well as the user-based sizing questions. When we complete the sizing estimate, we will evaluate both the user-based and quantity structure-based sizing results, and recommend the larger of the two solutions.

2.5 IBM/SAP Sizing Methodology and Terminology

Sizing Methodology

The objective of the IBM/SAP sizing methodology is to estimate the hardware resources required to support your *peak hour of business processing*. Our sizing philosophy is that if we size the hardware to provide acceptable response time for the peak application workload, then all workloads outside of the peak hour should also provide acceptable response time.

Your first step in the sizing process is to identify your organization's peak hour of processing. Next, you will complete the sizing questionnaire, providing information about your planned mySAP.com online and batch

processing for the peak hour. In the Sizing Center, we will use the IBM/SAP sizing tools to convert your questionnaire responses into potential mySAP.com workload and estimate the hardware resources required to support the system.

Note: For quantity structure-based sizings, some customers cannot identify specific application volumes for the peak hour. In those cases, we will accept average yearly volumes.

Identifying the Peak Hour of Processing


Before you can specify your online and batch transaction volumes, you must identify your peak hour of processing. The peak hour is the busiest hour of activity from an information-processing standpoint. It is the hour in which the CPU utilization is the highest. In identifying your peak hour, consider how your processing volumes vary throughout the year and select a peak hour during the busiest time of the year. If you do not know the peak hour, you may need to survey the user departments of the various mySAP.com modules.

Typically, the peak hour occurs somewhere between 8:00 a.m. and 6:00 p.m., but this can vary. In the illustration on the next page, the thick line shows the transaction volumes for all of the SAP R/3 modules used in one organization, with the peak hour occurring from 10:00 a.m. to 11:00 a.m.

Identifying the Online Processing Volumes

Once you have identified the peak hour, you must identify the mySAP.com functions that will be in use during that hour (refer to the illustration below). For a user-based sizing, you will identify the mySAP.com modules that will be active during the peak hour and the numbers of users of each module. For a quantity structure-based sizing, you will breakdown the modules by transaction and specify the number of transactions to be processed during the peak hour. For example, in a user-based sizing, you would indicate that 20 Financial Accounting (FI) users will be active; for a quantity structure-based sizing, you would specify some number of FI transactions like A/P Payments, A/R Invoices, GL Postings, etc.

Note: It is important to understand that you should not include every mySAP.com module/transaction to be used by your organization. Instead, you should report only those mySAP.com modules/transactions that will be active during the peak hour.



Identifying the Batch Processing Workload

The next step is to identify the batch processing workload. For a user-based sizing there is headroom being taken into the calculation by the SAP quicksizer. For a quantity structure-based sizing, you will identify the batch quantity structure volumes for the peak hour in the input “quantity structure II” section of the SAP quicksizer.

Note: In most organizations, the peak hour occurs during the day and includes both online and batch processing. However, for some organizations, overnight batch processing actually requires more CPU resources than the daytime workload (i.e., the peak hour occurs at night with little or no online activity). If this is the case for your organization, you must request a quantity structure-based sizing and provide

application volumes for the batch jobs that will run during the peak hour. We will size your system to accommodate this batch workload.

Sizing Assumptions

This sizing estimate will predict the resources required to support your mySAP.com activity with default values for CPU utilization, batch, spool, and reporting. The default values have been determined as a result of our experience with many mySAP.com projects and sizings. You may, however, change one or more of the default sizing assumptions. The sizing assumptions and default values are listed in section ahead

2.6 Sizing Assumptions

The SAP Quick Sizer Tool uses the following assumptions.

| Questions | Default |
|--|------------------|
| Power user think time (user characteristics are described in Section 5) | 10 seconds |
| Standard user think time (user characteristics are described in Section 5) | 30 seconds |
| Occasional user think time (user characteristics are described in Section 5) | 360 seconds |
| Amount of data created daily per user? | 1.5 MB |
| Data retention period for disk storage? | 1 year |
| Number of working days per year? | Asia/Pacific 300 |
| | Americas 250 |
| | Europe 200 |

2.7 Special Instructions for Installed R/3 Customers or Upgrade Customers

In general, this sizing exercise is intended for new mySAP.com implementations. However, customers who are expanding an existing SAP R/3 installation with new application modules or additional users may use a sizing estimate to help determine the additional resource requirements. In these cases, the sizing estimate must be used in conjunction with an *IBM Insight for SAP R/3 Analysis*, a no-charge IBM offering that provides a workload analysis of the customer's currently installed R/3 system.

When the sizing request accompanies an Insight Analysis, the information provided in the sizing questionnaire should reflect the user or transaction volumes for the new workload only, not the workload for the existing SAP R/3 system. When specifying the user or transaction volumes, only the new SAP R/3 modules or new users should be listed in Sections 5 and 6 of the questionnaire. To complete the sizing estimate, we will obtain the resource requirements for the existing system from the results of the Insight Analysis and the new workload requirements from the sizing questionnaire.

For more information about *IBM Insight for SAP R/3*, go to <http://www.ibm.com/erp/sap/insight>

3.0 CONTACT INFORMATION

Please fill in the information on the following contact points. If unknown or not applicable, leave blank.

| | | | |
|--|--|--|--|
| Company Name | | | |
| Street Address | | | |
| City, State/Province Zip/Postal Code, Country | | | |
| Industry | | | |
| Short Business Description | | | |

| | | | |
|-------------------------|--|-------------------|--|
| Customer Contact | | | |
| Title | | | |
| Phone Number | | Fax Number | |
| E-mail Address | | | |

| | | | |
|-----------------------|--|-------------------|--|
| SAP Contact | | | |
| Phone Number | | Fax Number | |
| E-mail Address | | | |

| | | | |
|---------------------------------|--|-------------------|--|
| SAP Value Added Reseller | | | |
| VAR Contact | | | |
| Phone Number | | Fax Number | |
| E-mail Address | | | |

| | | | |
|---------------------------|--|-------------------|--|
| IBM ERP Specialist | | | |
| Phone Number | | Fax Number | |
| E-mail Address | | | |

| | | | |
|---------------------------------|--|-------------------|--|
| Business Partner Company | | | |
| Contact | | | |
| Phone Number | | Fax Number | |
| E-mail Address | | | |

4.0 GENERAL SIZING QUESTIONS

In this section, you will tell us about your hardware/software environment. Some of the subsections require responses; others are optional.

4.1 mySAP.com Areas of Application

mySAP.com Areas of Application

| Area | MySAP.com Areas of Application |
|--|--|
| Enterprise Resource Planning | <input type="checkbox"/> SAP Enterprise – Core R/3 (the backend System) including Specialised Industry Solutions in mySAP.com Environment |
| Business Intelligence | <input type="checkbox"/> SAP BW - Business Information Warehouse <input type="checkbox"/> SAP SEM - Strategic Enterprise Management <input type="checkbox"/> SAP KM – Knowledge Management |
| Supply Chain Management | <input type="checkbox"/> SAP APO – Advanced Planner & Optimizer |
| Customer Relationship Management (CRM) | <input type="checkbox"/> Field Sales <input type="checkbox"/> Customer Service <input type="checkbox"/> Interaction Center <input type="checkbox"/> Field Service & Dispatch <input type="checkbox"/> Internet Sales <input type="checkbox"/> Sales <input type="checkbox"/> Marketing |
| Infrastructure & Middleware | <input type="checkbox"/> mySAP.com Workplace System <input type="checkbox"/> mySAP.com Internet Transaction Server <input type="checkbox"/> mySAP.com Web Application Server <input type="checkbox"/> R/3 Plug-In (Extractors) for mySAP.com Components |
| Others | <input type="checkbox"/> SAP Employee Self Service <input type="checkbox"/> SAP Employee Health & Safety <input type="checkbox"/> SAP Real Estate <input type="checkbox"/> SAP Product Lifecycle Management |

| mySAP.com Industry Solutions | |
|---|---|
| <input type="checkbox"/> Retail <input type="checkbox"/> Utilities <input type="checkbox"/> Telecom <input type="checkbox"/> Banking <input type="checkbox"/> Insurance <input type="checkbox"/> Automotive <input type="checkbox"/> Healthcare <input type="checkbox"/> Public Sector <input type="checkbox"/> Media | <input type="checkbox"/> High-Tech <input type="checkbox"/> Mill Products <input type="checkbox"/> Pharmaceutical <input type="checkbox"/> Oil + Gas <input type="checkbox"/> Service Provider <input type="checkbox"/> Engineering + Construction <input type="checkbox"/> Consumer Products <input type="checkbox"/> Aerospace + Defense <input type="checkbox"/> Other |

| mySAP.com Extended Solution |
|--|
| <input type="checkbox"/> SAP Portals <input type="checkbox"/> SAP Marketplace |

4.2 Current System

Answer the following questions about your currently installed SAP R/3 system (if applicable).

Note: This sizing exercise is intended for new R/3 implementations and for customers who are expanding an existing R/3 installation with new R/3 modules or additional users (refer to the Special Instructions for Installed R/3 Customers in last section of the previous document).

| Question | Development | QAS | Production | Neither |
|---|-------------|-----|------------|---------|
| Are you currently running mySAP.com in production and/or non-production? (Check all that apply) | | | | |
| Current mySAP.com software release? | | | | n/a |
| Current hardware systems/models for mySAP.com? | | | | n/a |
| Current R/3 database system? | | | | n/a |
| Comments: | | | | |

4.3 mySAP.com System Landscape (required)

A system landscape consists of the mySAP.com systems and clients that are needed for production. Once the system landscape has been defined, you create an implementation strategy for the setup and maintenance of the systems and clients within this landscape.

IBM and SAP strongly recommend having a three-system landscape. A three-system landscape is comprised of a development system, a quality assurance system and a production system. This configuration ensures the proper management and testing of changes to the mySAP.com system before applying them to the live production environment. While the development and quality assurance systems could be implemented on a single server, the production system has to be implemented on its own separate system.

| System Landscape Definitions | |
|---|--|
| Production System | A system that contains live business data to which users have access. |
| Development System | A system used for ongoing customization of the mySAP.com components and/or the development of new components. |
| Quality Assurance System or Consolidation System | A system that enables complete testing of upgrades and new software modules prior to implementation in the production system. This system may also be used to test modifications to system components, such as the operating system, device drivers, new hardware components, etc. |
| Technical Sandbox | A system that is used for Basis or DBA training and testing. |
| Staging System | A system that is populated with "live" data that may be used for end-user training. |

Production System Requirements

You will provide detailed information on the production system requirements in Sections 5 and 6.

Non-Production System Requirements

In addition to the development and quality assurance systems, you may want to add other non-production systems to the landscape. In the table on the next page, specify the non-production system requirements. Check all of the non-production systems that will be included in the landscape.

For each system you check, write the number of users who will be active concurrently during that system's peak processing hour and the total amount of disk space you want to allocate to the system. If no amount of disk is specified, the minimum requirements for the chosen mySAP.com version will be applied. The quality assurance

General Sizing Questions

system recommendation will have the same amount of disk space as the production system to allow replication and simulation of the production system data.

| Non-Production Systems | Number of active users? | Disk space for this system? | Planned Installation Date |
|--------------------------|-------------------------|-----------------------------|---------------------------|
| Development System | | GB | |
| Quality Assurance System | | GB | |
| Technical Sandbox System | | GB | |
| Staging System | | GB | |
| Other | | GB | |
| Comments: | | | |

| Question | Answer |
|---|-----------|
| Did you consult with your SAP implementation partner to complete the non-production system questions above? (Circle one) If you answered no , before ordering the non-production system(s), you must work with your implementation partner to determine the requirements for each system (i.e., number of users and disk space), and then request a re-sizing for the system. | yes or no |

4.4 Planned Hardware Platform (required)

Which hardware platform(s) would you like to consider for this sizing estimate? Check a database server and one of its application server options. If you want to consider more than one application server option, please describe each scenario in the comments section below.

Note: For customers with smaller system requirements, a two-tier configuration in which one server provides both the database and application server functions may be appropriate.

SAP R/3 Enterprise

| ✓ | Database Server | Application Server(s) | | | | | | | |
|------------------|----------------------|-----------------------|---------|--|------------|--|---------|--|---------|
| | zSeries | | pSeries | | RS/6000 SP | | xSeries | | zSeries |
| | pSeries | | pSeries | | RS/6000 SP | | xSeries | | |
| | RS/6000 SP | | | | RS/6000 SP | | | | |
| | xSeries (W2K, Linux) | | | | | | xSeries | | |
| | iSeries | | | | | | iSeries | | |
| Comments: | | | | | | | | | |

Other areas (like APO, BW, CRM, etc) :

| ✓ | Database Server | Application Server(s) | | | | | | | |
|------------------|----------------------|-----------------------|---------|--|------------|--|---------|--|---------|
| | zSeries | | pSeries | | RS/6000 SP | | xSeries | | zSeries |
| | pseries | | pSeries | | RS/6000 SP | | xSeries | | |
| | RS/6000 SP | | | | RS/6000 SP | | | | |
| | xSeries (W2K, Linux) | | | | | | xSeries | | |
| | iSeries | | | | | | iSeries | | |
| Comments: | | | | | | | | | |

4.5 Production System Software Versions

| Technology Questions | ✓ | Answer Options |
|---|---|----------------------|
| What release of mySAP.com do you plan to install? (Check ✓ one) | | Release 6.10 |
| | | Release 4.6(default) |
| | | Release 4.5 |
| | | Other, specify: |
| What database software do you plan to use with mySAP.com? (Check ✓ one) | | IBM DB2 (default) |
| | | Oracle |
| | | SQL Server |
| | | Informix |
| | | Other, specify: |

4.6 Network Interface

| Network Questions | ✓ | Answer Options |
|---|---|--|
| What LAN network attachment do you want on your servers for connection to the client systems? (Check ✓ one) | | Ethernet 100 Mbps (default) |
| | | Token-Ring 16 Mbps |
| | | Other, specify: |
| S/390 Only – Which network communication technology do you want between the S/390 database server and the RS/6000 or Netfinity application servers? (Check ✓ one) | | Gigabit Ethernet via an OSA-Express attachment (Recommended) |
| | | ATM 155, or Fast Ethernet via an OSA-Express attachment |
| | | FDDI, Fast Ethernet, or ATM 155 via an OSA-2 attachment |
| | | ESCON (MCA, PCI, or 2216) |
| | | Other, specify: |

4.7 Preferred Disk Technology

| Disk Technology Questions | ✓ | Answer Options |
|---|--------------------------|-----------------|
| Please indicate your preferred disk technology? (Check ✓ one) | <input type="checkbox"/> | SCSI |
| | <input type="checkbox"/> | SSA |
| | <input type="checkbox"/> | ESS |
| | <input type="checkbox"/> | Other, specify: |

4.8 Scalability

Critical business applications such as mySAP.com commonly require hardware upgrades over time to meet increasing needs. The IBM server options ensure scalability to provide our customers with a path for future growth. In some sizing scenarios, several different server configurations may be able to address the sizing requirements, but the configuration options may vary in terms of their scalability.

In order for us to make the best sizing recommendation, it is important that we know how important the server scalability is to your organization. Please answer the scalability questions below.

| Scalability Questions | ✓ | Answer Options |
|---|--------------------------|------------------|
| How important is it that the hardware configuration recommended by IBM addresses scalability for future growth? (Check ✓ one) | <input type="checkbox"/> | Very Important |
| | <input type="checkbox"/> | Important |
| | <input type="checkbox"/> | Not so Important |
| Comments: | | |

4.9 High Availability

IBM servers offer a wide range of features to address high availability. Some features come as standard, others are optional. In order for us to better determine which high availability options should be included in the recommended configuration, please indicate your preferences for high availability.

| High Availability Questions | ✓ | Answer Options |
|---|--------------------------|---------------------------------|
| Do you want a failover system for the production system? (Check ✓ one) If you answer yes , you must answer the next two questions. | <input type="checkbox"/> | Yes |
| | <input type="checkbox"/> | No (default) |
| In failover mode, what percentage of your total workload needs to run on the backup system? (Specify a percentage) | <input type="checkbox"/> | 100% (default) |
| To which system or server do you want to failover? (Check ✓ one) | <input type="checkbox"/> | Application server (default) |
| | <input type="checkbox"/> | Development system |
| | <input type="checkbox"/> | Test system |
| | <input type="checkbox"/> | Separate server in idle standby |
| | <input type="checkbox"/> | Other, specify: |
| S/390 Only – For what functions do you want to provide high availability? (Check ✓ all that apply) | <input type="checkbox"/> | DB Server |
| | <input type="checkbox"/> | CI (e.g., MSG/ENQ) |
| Do you want a Uninterruptable Power Supply (UPS) included in the configuration? (Check ✓ one) | <input type="checkbox"/> | Yes, for all servers |
| | <input type="checkbox"/> | Only for the production system |
| | <input type="checkbox"/> | No |
| Netfinity Only – In case of a disk failure, do you want hot-spare disks in the servers in order to be able to reconstruct the RAID secured configuration? (Check ✓ one) | <input type="checkbox"/> | Yes, on database servers |
| | <input type="checkbox"/> | No |
| Do you want to have redundant network attachments in your servers, whenever possible? (Check ✓ one) | <input type="checkbox"/> | Yes, for all servers |

General Sizing Questions

| | | |
|-------------------------|--|-----------------------------|
| possible? (Check ✓ one) | | Only for production servers |
| | | No |

4.10 Backup/Restore

| Backup/Restore Questions | ✓ | Answer Options |
|--|---|----------------------------|
| Do you want a backup device included in the proposed configuration? (Check ✓ one) | | Yes |
| | | No |
| If you answered yes , do you want to have an unattended (automatic) backup, or an attended (operator-assisted) backup? (Check ✓ one) | | Unattended (default) |
| | | Attended |
| Do you want to consider a network attached (shared between servers), or a direct attachment (dedicated to a server) backup device? (Check ✓ one) | | Network backup |
| | | Direct attachment |
| | | IBM to make recommendation |
| What is your production system backup window? (Specify <i>nn</i> number of hours) | | Specify: |
| Do you want to do online or off-line backups? (Check ✓ one) | | Online |
| | | Off-line |
| Which tape media would you prefer to use for backup/restore of your system data? (Specify type of tape media) | | Specify: |

4.11 Project Phases and Growth

By default, this sizing estimate will predict the resources required to support the mySAP.com activity you describe in Sections 5 and 6 of the questionnaire. If desired, you can use this section to request sizing estimates for specific project phases. A project phase may be the implementation of one or more mySAP.com business applications, growth in terms of additional users, or growth in business volumes. See the example below.

Example of Project Phase Descriptions

Phase 1 Implement Sales & Distribution, Materials Management, and Financial Accounting in Raleigh (20 users).

Phase 2 Implement Sales & Distribution, Materials Management, and Financial Accounting in Atlanta (add users).

Phase 3 Implement Human Resources in Atlanta (add an mySAP.com business component and users).

Phase 4 Factor in 20% business growth over one year (add 20% to the overall SAP R/3 workload).

If necessary, copy and fill-out questionnaire Section 5 (user-based sizing questions) and/or Section 6 (quantity structure-based sizing questions) for each phase, and submit these pages along with your completed questionnaire.

| Phase | Description | Start Date / Production Date | System Install Date |
|------------------|-------------|------------------------------|---------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| Comments: | | | |

4.12 Additional Comments

Please note any additional comments or requirements for your mySAP.com project. For instance, you might want to provide sizing information from previous SAP installations in your company. Or, you might specify hardware requirements that you want us to take into account for model homogeneity or reuse of existing equipment.

Comments:

QUESTIONS FROM THE SAP QUICKSIZER FOR CORE R/3

Print version
of the Quick Sizer Input Screens

March 2002

Please note that the Quick Sizer is subject to regular changes several times per year. Please make sure you have the most current version available. (<http://service.sap.com/quicksizing>)

SAP R/3 Standard

mySAP.com Workplace

mySAP.com Workplace Users

Enter the number of users who will use the mySAP.com Workplace.

Please enter the number of **peak concurrent active users** in the table below.

Users

| | | Low | Medium | High |
|--------------|------------------------|-----|--------|------|
| FI | Financial Accounting | | | |
| FI-AA | Asset Accounting | | | |
| TR | Treasury | | | |
| CO | Controlling | | | |
| EC | Enterprise Controlling | | | |
| SD | Sales & Distribution | | | |
| MM | Materials Management | | | |
| LE-WM | Warehouse Management | | | |
| QM | Quality Management | | | |
| PM | Plant Maintenance | | | |
| CS | Customer Service | | | |
| PP | Production Planning | | | |
| PS | Project System | | | |
| PA | Personnel Management | | | |
| PA-PD | Personnel Development | | | |
| BC | Basis Components | | | |
| BWP | Business Work Place | | | |

Enter any kind of additional information with regard to this project here.

SAP Business Information Warehouse

Users

Please specify the number of Concurrent Users that will use the SAP Business Information Warehouse.

| Low | Medium | High |
|-----|--------|------|
| | | |

If you have information regarding the InfoCubes or ODS Objects, please complete the transaction version of this sizing and planning questionnaire.

CRM Customer Relationship Management

User Based Sizing

If some of your users work with several different components, attribute them to the component they work with most of the time.

Please enter the number of Concurrent CRM users and how they will work with the system:

| | Low | Medium | High |
|-------------------------------|-----|--------|------|
| Internet Sales | | | |
| Mobile Sales | | | |
| Mobile Service | | | |
| Enterprise Buyer Professional | | | |
| CRM Sales orders | | | |
| Service Transactions | | | |
| Opportunity Management | | | |
| Activity Management | | | |

Enter below how many of the above Users enter objects such as customer orders or opportunities using the Customer Interaction Center.

| | Low | Medium | High |
|-----------------------------|-----|--------|------|
| Customer Interaction Center | | | |

6.0 APPENDIX: SAP QUICKSIZER HELP SCREENS

Following you can find all the help documentation being available in the SAP quicksizer for the different input screens and the result screen.

User-based input

| Term | Definition |
|---|---|
| User-based sizing | For sizing we assume active users who go through a given number of business processes in a given time period. Since not all active users equally put load on the system or consume system resources, we distinguish between three categories to represent typical activity patterns of users: low, medium, and high. Comment: In case some of your users work with several different components attribute them to the component they work with most of the time. |
| Low / Occasional User | An occasional user is logged on and consumes system resources. We assume that the occasional user accesses the system from time to time, fitting the work profile of an information user or an executive. From a technical viewpoint, this user type typically performs around 400 dialog steps (equivalent to approximately 400 screen changes) per week. Assuming a working week of 40 hours, this amounts to ten dialog steps per hour or one every six minutes. In this column you enter the number of users who are logged on and use it every once in a while during the day. Comment: For calculating the optimum memory consumption we assume that these users typically work during peak hours. For minimum requirements they are omitted. Also, they have no influence on disk sizing. |
| Medium User Accountant / Clerk | We assume that this user definition represents the work profile of accountants, clerks or office personnel. From a technical viewpoint, this user type typically performs around 4,800 dialog steps per week. Assuming a working week of 40 hours, this amounts to 120 dialog steps per hour or one every 30 seconds. In this column you enter the number of users who are logged on and use it regularly during the day. |
| High User Data entry user, Telesales User, Power User | We assume that this user definition represents the work profile of users in the telesales environment, data entry users or power users such as application developers. From a technical viewpoint, this user type typically performs an average of around 14,400 dialog steps (screen changes) per week. Assuming a working week of 40 hours, this amounts to 360 dialog steps an hour or on every 10 seconds. In this column you enter the number of users who are logged on and use it intensively during the day. |

SAP BW Business Information Warehouse Sizing Input

| | |
|----------|--|
| Infocube | The central data container for reporting and evaluations. InfoCubes contain two types of data, namely key figures and characteristics. An InfoCube is a number of relational tables, that are put together according to the star schema: A large fact table in the center Surrounded by several dimension tables The fact table is set up in order to save all key figures on the lowest level of detail, while the dimension tables are used to save the characteristics that are required both in reporting and in the evaluations of these key figures. Dimension tables are seen as being independent of one another. Only the fact table connects the dimensions with the key figures. Therefore, all of the data is stored multi-dimensionally in the InfoCubes. |
|----------|--|

CRM Customer Relationship Management

| | |
|------------------------|---|
| Activity Management | Within Activity Management, your employees can: Create business activities to document any interaction they have with customers Create tasks to manage their own workload Manage their work in the Application Workplace View appointments and activities in the calendar Access the fact sheet for valuable information about business partners Access the Business Workplace for using workflow items The two main elements in Activity Management are the application workplace and the calendar. Each provides a different view of your workload and you can switch between them. The calendar displays all your appointments in a daily, weekly, or monthly overview. The inbox, on the other hand, provides you with a personal workplace or file manager, where all your activities, whether they have been given fixed appointments or not, are clearly sorted into different folders. |
| Opportunity Management | The Opportunity describes the sales prospects, their requested products and services, the sales prospect's budget, the potential sales volume and an estimated sales probability. This information |

| | |
|-----------------------------|---|
| | <p>becomes concrete in the course of the sales cycle, and can be displayed and evaluated in the system. Opportunity Management provides the framework for presenting sales projects from the very start, and tracking their progress. In this way, it provides the basis for an analysis and optimization of your enterprise.</p> <p>Users in Opportunity Management can use the following functions:</p> <ul style="list-style-type: none"> • Presentation of the Sales Cycle • Reason for Status • Working With Products • Management of Attachments • Transferring Data for Sales Volume Forecast • Classification of Opportunities • Texts in Opportunities • Opportunities - Fast Change |
| Customer Orders | In CRM, customer orders can be created in different ways, for example by a telesales agent in the Call Center or by customers via the Internet. |
| Internet Sales | <p>This component allows electronic business activities to take place between companies and consumers as well as only between companies. Using SAP Internet Sales, manufacturers, shippers, wholesalers, and retailers can sell their products directly via the World Wide Web. The following components are contained in CRM Internet Sales:</p> <ul style="list-style-type: none"> • Business-to-Consumer (B2C) Internet Sales • Business-to-Business (B2B) Internet Sales • Business-to-Reseller (B2R) Internet Sales |
| Customer Interaction Center | <p>The Customer Interaction Center (CIC) is a key technology of Customer Relationship Management with mySAP.com. It is designed as a multi-channel, blended business process interaction center. To empower call centers to provide the highest level of customer service. It provides robust technology for contact center operations. It tightly integrates a highly customizable and full-featured front office with your back-office as well as your entire range of customer-centric processes. The customer Interaction Center is the common state-of-the-art technology for any business transactions via phone, email, letter or face to face. It's used in the following CRM Business Scenarios: Service Interaction Center, Telesales and Telemarketing. Highlights of CIC include:</p> <p>Processing inbound and outbound telephone calls with customers and other business partners using Computer Telephony Integration (CTI) technology as middleware.</p> <p>An Email Office system for processing incoming and outgoing emails. Also included are Planned Activities for the agent to execute.</p> <p>An Interactive Intelligent Agent (IIA) for problem analysis and Interactive Solution Search along with Frequently Asked Questions.</p> <p>The IIA Intelligent Agent is an easy to use tool that provides a wide range of users access to solutions from various knowledge bases. For more information, see Interactive Intelligent Agent.</p> <p>A comprehensive Interaction History log to provide one view of a customer. This enables agents to view planned and historical activities along with sales and service orders. Interactive Scripting to guide an agent through a telesales, outbound campaign or technical support interaction.</p> |
| Mobile Sales & Service | <p>Mobile Sales allows sales teams to work offline and to synchronize their data with the R/3 System. In this way, it supplies all the information required for optimal customer interaction. Such information can include real-time updates on:</p> <ul style="list-style-type: none"> • Business partners • Contact persons • Products and services • Opportunities • Activities |