


IBM Worklight V6.0.0 Getting Started

Running Dojo-based Mysurance end-to-end sample



Trademarks

- IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corporation, registered in many jurisdictions worldwide. Worklight is a trademark or registered trademark of Worklight, an IBM Company. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at “[Copyright and trademark information](http://www.ibm.com/legal/copytrade.shtml)” at www.ibm.com/legal/copytrade.shtml.
- Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.
- Other company products or service names may be trademarks or service marks of others.
- This document may not be reproduced in whole or in part without the prior written permission of IBM.

About IBM

- See <http://www.ibm.com/ibm/us/en/>

Agenda

- General information
- Running the Mysurance End-to-End sample for Android
- Running the Mysurance End-to-End sample for iOS

About this task

- The Mysurance sample app is a hybrid sample application that illustrates an end-to-end insurance scenario.
- Two projects are provided in the Mysurance sample app:
 - module_60_2_Mysurance is a project for both the Android and iOS client platforms.
 - module_60_2_MysuranceWar is a web project that runs on the application server.
- The Mysurance sample app is a hybrid sample application. Hybrid applications consist of an application that is developed with web technologies such as HTML, CSS, and JavaScript™.
 - The JavaScript invocations call into a JavaScript native bridge.
 - The bridge enables hybrid applications to access native device capabilities (such as GPS or a camera) and to use native device UI controls and navigation.

About this task

- This style of application enables developers to use their existing web skills without needing to learn to program in other languages such as Objective-C or Java™
 - It also frees them from writing multiple versions of the same application for various different platforms
 - A hybrid application tends to have a similar performance and look and feel to a pure native application
- The Mysurance sample app is a business-to-consumer example which demonstrates different capabilities of a hybrid application in an end-to-end insurance scenario
 - The scenario covers an individual who is involved in a road traffic accident
 - The individual can record and document pertinent information on-site and submit necessary documentation to the insurance company for further processing and handling

Starting the application server

- This task is only required if you want the client to send information to the service
- Start the service by using the following instructions:
 1. Deploy the mysurance.war file provided in module_60_2_MysuranceWar to an active application server
 - module_60_2_MysuranceWar is included in module_60_2_Mysurance.zip
 - See your server administration guide for instructions
 2. Confirm that the Mysurance application started normally by accessing URL:
`http://<host>:<port>/mysurance/`

The following message on your browser indicates that the service is started and ready to accept requests:
simple index.html

GPS capabilities

- To allow GPS capabilities to function correctly, ensure WiFi or cellular data is enabled on your device

Previewing Mysurance with the Mobile Browser Simulator

- **Note:** This version of Mysurance cannot be previewed with the Mobile Browser Simulator
 - Mysurance uses data synchronization which is not supported by the Mobile Browser Simulator

Agenda

- General information
- Running the Mysurance End-to-End sample for Android
- Running the Mysurance End-to-End sample for iOS


Before you begin

- See the following modules for how to build and deploy the showcase:
 - Setting up your Worklight development environment
 - Setting up your Android development environment

Before you begin


■ Enable Push Notification

- The Push Notification feature uses the Google Cloud Messaging (GCM) service
- Perform the following steps to configure the showcase to use the GCM service:
 - Follow the instructions at <http://developer.android.com/guide/google/gcm/gs.html> to create a GCM sender ID and API key
 - You need to create a Google Gmail account, if you do not already have one
 - Edit application-descriptor.xml in the /apps/mysurance folder of the Android project
 - Add the following element:
 - `<pushSender key="API_key" senderId="GCM_sender_ID"/>`



Before you begin

- In the **ProfileAdapter.xml** file in the **/adapter/ProfileAdapter** folder of the generated project, set the `<domain>` element to the running *mysurance* server IP address (`http://<host>:<port>/mysurance/`)



```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<!--
Licensed Materials - Property of IBM
5725-G92 (C) Copyright IBM Corp. 2011, 2012. All Rights Reserved.
US Government Users Restricted Rights - Use, duplication or
disclosure restricted by GSA ADP Schedule Contract with IBM Corp.
--><wl:adapter xmlns:wl="http://www.worklight.com/integration" xmlns:
<displayName>ProfileAdapter</displayName>
<description>ProfileAdapter</description>
<connectivity>
  <connectionPolicy xsi:type="http:HTTPConnectionPolicyType">
    <protocol>http</protocol>
    <domain>9.181.110.33</domain>
    <port>80</port>
  </connectionPolicy>
  <loadConstraints maxConcurrentConnectionsPerNode="2"/>
</connectivity>


<procedure name="getAllProfile"/>
<procedure name="getProfile"/>
<procedure name="updateProfile"/>
<procedure name="removeProfile"/>
<procedure name="addProfile"/>
```

Known limitations

There are some known limitations in this showcase. The following instructions describe how to implement workarounds to these limitations:

- **Zooming on Android tablets**

- On Android 3.0+ tablets, the showcase is automatically zoomed which gives a poor user experience
- To disable zooming, perform the following steps to set the SDK version to 11 or above:
 - Right-click the generated Android project and then **Properties**



- Click **Android** in the properties list
- Change **Project Build Target** to Android 3.0 or above and click **OK**
- Edit AndroidManifest.xml in the root of the generated project
 - Set android:minSdkVersion to the API level of the **Project Build Target**

```
</application>
<uses-sdk android:minSdkVersion="15" />
</manifest>
```

Known limitations

- Enable showcase features
 - Edit AndroidManifest.xml in the root of the generated project
 - Add the following permission elements:

<code><uses-permission android:name="android.permission.CAMERA" /></code>	Allows access to the camera device
<code><uses-permission android:name="android.permission.ACCESS_COARSE_LOCATION" /></code>	Allows access to a coarse location such as Cell-ID or WiFi
<code><uses-permission android:name="android.permission.ACCESS_FINE_LOCATION" /></code>	Allows access to a fine location such as GPS
<code><uses-permission android:name="android.permission.WRITE_EXTERNAL_STORAGE" /></code>	Allows access to write to external storage

- Please also check the product Release Notes for information about known defects

Explore the demos

- Load the Mysurance showcase app
 - The Login screen is displayed
- Log in to the app
 - User name = **demo**
 - Password = **demo**
- Click Login
 - The main screen is displayed



Explore the demos

- A tab bar at the top of the screen separates the different demo features
- There are four features:
 - About
 - Toolkit
 - Profile
 - Accident
- Click the **About** tab to read a brief introduction about the app




Explore the demos: Toolkit

- Click the **Toolkit** tab
- There are three features:
 - Application Settings
 - Find a Tow Truck
 - First Aid Instructions




Explore the demos: Toolkit

- Click **First Aid Instructions**
- You are shown useful emergency and first aid information in case you are involved in an accident
- Ensure that the view is scrollable




Explore the demos: Toolkit

- Click **Find a Tow Truck**
- Check that Google Maps correctly identifies your current position* and displays nearby tow service suppliers
- * Assumes a working GPS or wireless-based location. By default, a map of Las Vegas is displayed if the current position cannot be established.



Explore the demos: Toolkit


- Click **Application Settings**
- In the **Service URL** field, enter the correct URL in the format <host>:<port>
- Use the **Subscription** slider to turn on subscription and enable the notification feature
- Click **Update**
 - Message 'Server address set to <host>:<port>' is displayed
 - If the URL is not valid, message 'host not reachable' is displayed instead



Explore the demos: Profile – online mode


- Click the **Profile** tab
 - The existing profile is automatically loaded from the IBM Worklight Server
- You can update the retrieved profile data
 - Edit any of the profile fields and then click **Update profile**
- The profile data is updated on the IBM Worklight Server immediately

The screenshot shows a mobile application interface for a profile. At the top is a navigation bar with four tabs: 'Accident' (with a car icon), 'Profile' (with a person icon and highlighted in blue), 'Toolkit' (with a question mark icon), and 'About' (with an information icon). Below the navigation bar is a header 'My Profile'. The main content area displays four profile fields, each with a label and a value: 'License no:' with value '001', 'First Name:' with value 'carlos', 'Last Name:' with value 'andreu', and 'Date of Birth:' with value '1978-03-14'. At the bottom of the screen is a large blue button labeled 'Update profile'.





Explore the demos: Profile – offline mode

- Switch off WiFi to take the app offline
 - An alert informs you that data will now be saved in a local database




- Edit any of the profile fields and then click **Update profile**
 - An alert informs you that the data was saved in the local database





Explore the demos: Profile – offline mode

- Switch WiFi back on to take the app online again
 - An alert informs you that an online connection has been detected




- Click **OK** to synchronize the local data with the IBM Worklight Server
 - An alert informs you that the profile data is now updated on the IBM Worklight Server




Explore the demos: Profile – offline mode

- If WiFi is already switched off when you start the app, an alert informs you that the app is in offline mode
- Now follow the same steps as just described:
 - Edit any of the profile fields and then click **Update profile**
 - Switch WiFi back on to take the app online again
 - Click **OK** to synchronize the local data with the IBM Worklight Server



Explore the demos: Accident

- Click the **Accident** tab
 - This feature shows all the steps that are required to build and send an accident request
- Click **Add a new accident** to begin the process



Explore the demos: Accident

- Step 1: Record Accident Location
 - Enter the accident location details manually
 - Or obtain your current position* by clicking **Retrieve Current Location**
 - Click **Next** to proceed to Step 2

The screenshot shows a mobile application interface for recording an accident. At the top, there is a status bar with icons for USB, Wi-Fi, cellular signal, and battery, along with the time 20:05. Below the status bar is a navigation bar with four tabs: 'Accident' (selected, with a car icon), 'Profile' (with a person icon), 'Toolkit' (with a question mark icon), and 'About' (with an 'i' icon). The main content area is titled 'Step1: Record Accident Location'. It contains four input fields: 'Street:' with the value '600 Las Vegas Blvd N', 'City:' with the value 'Las Vegas', 'State:' with a dropdown menu showing 'Nevada', and 'Zip:' with the value '89101'. Below these fields is a button labeled 'Retrieve Current Location'. At the bottom of the screen are two large buttons: 'Back' and 'Next'.

- * Assumes a working GPS or wireless-based location. By default, a Las Vegas location is displayed if the current position cannot be established.



Explore the demos: Accident

- Step 2: Record Driver Information
 - Enter driver information
 - Click **Next** to proceed to Step 3

The screenshot shows a mobile application interface for an 'Accident' demo. At the top, there's a status bar with icons for USB, 4G LTE, signal strength, battery, and the time 13:34. Below this is a navigation bar with four tabs: 'Accident' (with a red car icon), 'Profile' (with a person icon), 'Toolkit' (with a question mark icon), and 'About' (with an 'i' icon). The main title bar is blue and says 'Step2:Record Driver Information'. The form area has three input fields: 'License no:' with the placeholder 'Enter license number', 'First Name:' with the placeholder 'Enter first name', and 'Last Name:' with the placeholder 'Enter last name'. At the bottom, there are two large blue buttons: 'Back' and 'Next'.


Explore the demos: Accident

- Step 3: Take Accident Photo
 - Click a photo box to switch to your camera application
 - Take a photo
 - Control returns to the “Take Accident Photo” page and the photo image is displayed
 - Optionally repeat for further photos
 - Click **Submit** to submit the completed accident request to the IBM Worklight Server




Explore the demos: Accident

- The submitted accident request is displayed on the “Accident List” page with status **Pending**



Explore the demos: Accident

- If the Service URL is not configured, warning message 'Mysurance has not yet connected to a server' is displayed







- Click **Connect** to access the Toolkit "Application Settings" page and follow the instructions to enter the Service URL

Explore the demos: Accident


- Server Notification
 - Go to the Mysurance server to send a notification after you submit the accident request
 - `http://<host>:<port>/mysurance/accident.html`
 - Subscription must already be turned on
 - Set the IBM Worklight Server address
 - Select one report from the User Request List
 - Click **Approve**

User Request List


Option	Id	User	Crash Scene	Customer's Car	Other Car	License Plate	Status
<input type="checkbox"/>	2	demo					Pending
Worklight Server Address: <host>:<port>							Approve

Explore the demos: Accident

- Client Notification
 - If the app is running in the foreground, an alert informs you that the request is approved




- If the app is not running, the notification is displayed in the status bar
 - Click the notification to wake up the app



Explore the demos: Accident

- The accident request status that is displayed on the “Accident List” page is now **Approved**



Agenda

- General information
- Running the Mysurance End-to-End sample for Android
- Running the Mysurance End-to-End sample for iOS

Before you begin

- See the following modules for how to build and deploy the showcase:
 - Setting up your Worklight development environment
 - Setting up your iOS development environment

Before you begin

■ Enable Push Notification

- The Push Notification feature uses the Apple Push Notification service (APNs)
- Perform the following steps to configure the showcase to use APNs:
 - Configure App for APNs through the iOS Provisioning Portal:
 1. Create an App ID at the iOS Provisioning Portal
 2. Enable the App ID for APNs
 3. Generate an App ID-specific client Development Push SSL certificate
 4. Create an APNs-enabled provisioning profile for the App ID created in step 1
 - Export the APNs SSL Certificate:
 5. Download the certificate generated in step 3 onto your MAC
 6. Double-click the certificate (.cer file) to open it in Keychain
 7. Expand "My Certificates", and then expand your certificate
 8. Select the certificate and the private key, and export them as a Personal Information Exchange (.p12) file
 - The file name must be **apns-certificate-sandbox.p12**
 9. Specify a password to protect the certificate
 10. Save apns-certificate-sandbox.p12 into the /apps/mysurance folder of the Worklight project

Before you begin

- Configure Worklight Studio:
 11. Update the <ipad> and <iphone> sections in application-descriptor.xml to specify the password chosen in step 9
 - <pushSender password="your_pwd"/>
 12. Update the bundleId attribute of the <ipad> and <iphone> elements in application-descriptor.xml to match the App ID created in step 1
- Verify project settings:
 13. Open the project in Xcode
 14. Ensure that the App Identifier matches the App ID created in step 1 and that the correct provisioning profiles are being used to build and sign the application

Known limitations

There are some known limitations in this showcase. The following instructions describe how to implement workarounds to these limitations:

■ Screen rotation

- Apache Cordova disables screen rotation by default
- To enable free rotation, perform the following step:
 - Edit CDVMainViewController.m
 - Update method **shouldAutorotateToInterfaceOrientation** to always return **YES** in the generated native Xcode project

```
- (BOOL)shouldAutorotateToInterfaceOrientation:(UIInterfaceOrientation)interfaceOrientation
{
    // Return YES for supported orientations
    return (interfaceOrientation == YES);
}
```

■ Photo thumbnails

- The photo thumbnail does not display on the server in the Notifications feature due to a file path issue during the photo upload step
- This problem will be resolved in a future release

Known limitations

- Starting the application server
 - The `java.lang.NoClassDefFoundError` exception is thrown when the server is started. This exception can be ignored.
- For more information about known limitations, see the IBM Worklight Information Center.

Explore the demos

- Load the Mysurance showcase app
 - The Login screen is displayed
- Log in to the app
 - User name = **demo**
 - Password = **demo**
- Click Login
 - The main screen is displayed




Explore the demos

- A tab bar at the top of the screen separates the different demo features
- There are four features:
 - About
 - Toolkit
 - Profile
 - Accident
- Click the **About** tab to read a brief introduction about the app




Explore the demos: Toolkit

- Click the **Toolkit** tab
- There are three features:
 - Application Settings
 - Find a Tow Truck
 - First Aid Instructions




Explore the demos: Toolkit

- Click **First Aid Instructions**
- You are shown useful emergency and first aid information in case you are involved in an accident
- Ensure that the view is scrollable



Explore the demos: Toolkit


- Click **Find a Tow Truck**
- Check that Google Maps correctly identifies your current position* and displays nearby tow service suppliers



- * Assumes a working GPS or wireless-based location. By default, a map of Las Vegas is displayed if the current position cannot be established.



Explore the demos: Toolkit

- Click **Application Settings**
- In the **Service URL** field, enter the correct URL in the format <host>:<port>
- Use the **Subscription** slider to turn on subscription and enable the notification feature
- Click **Update**
 - Message 'Server address set to <host>:<port>' is displayed
 - If the URL is not valid, message 'host not reachable' is displayed instead




Explore the demos: Profile – online mode

- Click the **Profile** tab
 - The existing profile is automatically loaded from the IBM Worklight Server
- You can update the retrieved profile data
 - Edit any of the profile fields and then click **Update profile**
- The profile data is updated on the IBM Worklight Server immediately




Explore the demos: Profile – offline mode

- Switch off WiFi to take the app offline
 - An alert informs you that data will now be saved in a local database




- Edit any of the profile fields and then click **Update profile**
 - An alert informs you that the data was saved in the local database



Explore the demos: Profile – offline mode

- Switch WiFi back on to take the app online again
 - An alert informs you that an online connection has been detected




- Click **OK** to synchronize the local data with the IBM Worklight Server
 - An alert informs you that the profile data is now updated on the IBM Worklight Server




Explore the demos: Profile – offline mode

- If WiFi is already switched off when you start the app, an alert informs you that the app is in offline mode
- Now follow the same steps as just described:
 - Edit any of the profile fields and then click **Update profile**
 - Switch WiFi back on to take the app online again
 - Click **OK** to synchronize the local data with the IBM Worklight Server



Explore the demos: Accident

- Click the **Accident** tab
 - This feature shows all the steps that are required to build and send an accident request
- Click **Add a new accident** to begin the process



Explore the demos: Accident

- Step 1: Record Accident Location
 - Enter the accident location details manually
 - Or obtain your current position* by clicking **Retrieve Current Location**
 - Click **Next** to proceed to Step 2

The screenshot shows a mobile application interface titled "Step1: Record Accident Location". The interface is designed for a mobile device, with a status bar at the top showing "No SIM", signal strength, time "17:21", and battery level "60%". The main form contains four input fields: "Street:" with the value "600 Las Vegas Blvd", "City:" with the value "Las Vegas", "State:" with a dropdown menu showing "Nevada", and "Zip:" with the value "89101". Below these fields is a button labeled "Retrieve Current Location". At the bottom of the screen, there are two large buttons: "Back" and "Next". Below these buttons is a navigation bar with four icons and labels: "Accident" (car icon), "Profile" (person icon), "Toolkit" (question mark icon), and "About" (globe icon).

- * Assumes a working GPS or wireless-based location. By default, a Las Vegas location is displayed if the current position cannot be established.

Explore the demos: Accident

- Step 2: Record Driver Information
 - Enter driver information
 - Click **Next** to proceed to Step 3


The screenshot shows a mobile application interface titled "Step2:Record Driver Information". The interface has a blue header bar with the title. Below the header, there are three input fields, each with a label and a placeholder text:

- License no:** Enter license number
- First Name:** Enter first name
- Last Name:** Enter last name

At the bottom of the screen, there is a navigation bar with two buttons: "Back" and "Next". Below the navigation bar, there is a footer with four icons and labels: "Accident" (car icon), "Profile" (person icon), "Toolkit" (question mark icon), and "About" (globe icon).


Explore the demos: Accident

- Step 3: Take Accident Photo
 - Click a photo box to switch to your camera application
 - Take a photo
 - Control returns to the “Take Accident Photo” page and the photo image is displayed
 - Optionally repeat for further photos
- Click **Submit** to submit the completed accident request to the IBM Worklight Server




Explore the demos: Accident

- The submitted accident request is displayed on the “Accident List” page with status **Pending**



Explore the demos: Accident

- If the Service URL is not configured, warning message ‘Mysurance has not yet connected to a server’ is displayed







- Click **Connect** to access the Toolkit “Application Settings” page and follow the instructions to enter the Service URL

Explore the demos: Accident

- Server Notification
 - Go to the Mysurance server to send a notification after you submit the accident request
 - `http://<host>:<port>/mysurance/accident.html`
 - Subscription must already be turned on
 - Set the IBM Worklight Server address
 - Select one report from the User Request List
 - Click **Approve**

User Request List

Option	Id	User	Crash Scene	Customer's Car	Other Car	License Plate	Status
<input type="checkbox"/>	2	demo					Pending
Worklight Server Address: <input type="text" value="<host>:<port>"/>							<input type="button" value="Approve"/>

Explore the demos: Accident

- Client Notification
 - If the app is running in the foreground, an alert informs you that the request is approved




- If the app is not running, the notification is displayed in the status bar
 - Click the notification to wake up the app



Explore the demos: Accident

- The accident request status that is displayed on the “Accident List” page is now **Approved**



Notices

- Permission for the use of these publications is granted subject to these terms and conditions.
- This information was developed for products and services offered in the U.S.A.
- IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.
- IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:
 - IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.
- For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:
 - Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
1623-14, Shimotsuruma, Yamato-shi
Kanagawa 242-8502 Japan
- **The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.**
- This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.
- Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.
- IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.
- Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:
 - IBM Corporation
Dept F6, Bldg 1
294 Route 100
Somers NY 10589-3216
USA

- Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.
- The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.
- Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

COPYRIGHT LICENSE:

- This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.
- Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:
 - © (your company name) (year). Portions of this code are derived from IBM Corp. Sample Programs. © Copyright IBM Corp., enter the year or years. All rights reserved.

Privacy Policy Considerations

- IBM Software products, including software as a service solutions, ("Software Offerings") may use cookies or other technologies to collect product usage information, to help improve the end user experience, to tailor interactions with the end user or for other purposes. In many cases no personally identifiable information is collected by the Software Offerings. Some of our Software Offerings can help enable you to collect personally identifiable information. If this Software Offering uses cookies to collect personally identifiable information, specific information about this offering's use of cookies is set forth below.
- Depending upon the configurations deployed, this Software Offering may use session cookies that collect session information (generated by the application server). These cookies contain no personally identifiable information and are required for session management. Additionally, persistent cookies may be randomly generated to recognize and manage anonymous users. These cookies also contain no personally identifiable information and are required.
- If the configurations deployed for this Software Offering provide you as customer the ability to collect personally identifiable information from end users via cookies and other technologies, you should seek your own legal advice about any laws applicable to such data collection, including any requirements for notice and consent. For more information about the use of various technologies, including cookies, for these purposes, see IBM's Privacy Policy at <http://www.ibm.com/privacy>, and IBM's Online Privacy Statement at <http://www.ibm.com/privacy/details> the sections entitled "Cookies, Web Beacons and Other Technologies" and the "IBM Software Products and Software-as-a-Service Privacy Statement" at <http://www.ibm.com/software/info/product-privacy>.

Support and comments

- For the entire IBM Worklight documentation set, training material and online forums where you can post questions, see the IBM website at:
 - <http://www.ibm.com/mobile-docs>
- **Support**
 - Software Subscription and Support (also referred to as Software Maintenance) is included with licenses purchased through Passport Advantage and Passport Advantage Express. For additional information about the International Passport Advantage Agreement and the IBM International Passport Advantage Express Agreement, visit the Passport Advantage website at:
 - <http://www.ibm.com/software/passportadvantage>
 - If you have a Software Subscription and Support in effect, IBM provides you assistance for your routine, short duration installation and usage (how-to) questions, and code-related questions. For additional details, consult your IBM Software Support Handbook at:
 - <http://www.ibm.com/support/handbook>
- **Comments**
 - We appreciate your comments about this publication. Please comment on specific errors or omissions, accuracy, organization, subject matter, or completeness of this document. The comments you send should pertain to only the information in this manual or product and the way in which the information is presented.
 - For technical questions and information about products and prices, please contact your IBM branch office, your IBM business partner, or your authorized remarketer.
 - When you send comments to IBM, you grant IBM a nonexclusive right to use or distribute your comments in any way it believes appropriate without incurring any obligation to you. IBM or any other organizations will only use the personal information that you supply to contact you about the issues that you state.
 - Thank you for your support.
 - Submit your comments in the IBM Worklight forums at:
 - <https://www.ibm.com/developerworks/mobile/worklight/connect.html>
 - If you would like a response from IBM, please provide the following information:
 - Name
 - Address
 - Company or Organization
 - Phone No.
 - Email address

Thank You

