IBM Retail Store Solutions





Summary

In addition to the IBM CANPOS Keyboard, the Retail Store Solutions portfolio includes a number of POS keyboards that are ideal for narrow or wide-format models of the IBM SurePOS™ 700 and IBM SurePOS 4694 Series system units. These keyboards accommodate the unique key configurations, customizable keys and language variations used in many segments worldwide. They offer the same retail-hardened construction as our point-of-sale (POS) systems, and they are dust-proof and spill-resistant. What's more, they feature ergonomic keybutton activation, and are known worldwide for their comfortable response during operation.

Retail POS Keyboard

- 49-key layout includes:
 - 38 customizable POS function keys
 - 11-key numeric pad in telephone or calculator format
- Control key used with POS function keys enables 38 additional functions
- Four indicator lights
- Two-position keylock for separate operator and manager functionality
- Adjustable keyboard tone
- Can be integrated on narrow or wide system unit or distributed
- USB connectivity available for IBM SurePOS 700 Series

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|--------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3580 | USB | Worldwide |
| 720, 740, 780 and 4694 | Pearl white | 3315 | RS-485 | Worldwide |

Retail POS Keyboard with MSR

- 49-key layout includes:
 - 38 customizable POS function keys
 - 11-key numeric pad in telephone or calculator format
- Control key used with POS function keys enables 38 additional functions
- Four indicator lights
- Two-position keylock for separate operator and manager functionality
- Adjustable keyboard tone
- Integrated, bi-directional, three-track MSR
- Integrated, bi-directional, JUCC two-head MSR (DBCS countries)
- Can be integrated on narrow or wide system unit or distributed
- USB connectivity available for IBM SurePOS 700 Series

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|--------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3575 | USB | Worldwide |
| 720, 740, 780 | Iron gray | 3576 | USB | Worldwide |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3570 | USB | Japan/Korea |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3320 | RS-485 | Worldwide |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3209 | RS-485 | Japan/Korea |

Retail POS Keyboard with MSR and display

- 49-key layout includes:
 - $-\ 38\ customizable\ POS\ function\ keys$
 - 11-key numeric pad in telephone or calculator format
- Control key used with POS function keys enables 38 additional functions
- Four indicator lights
- Two-position keylock for separate operator and manager functionality
- Adjustable keyboard tone
- Integrated, bi-directional, three-track MSR
- Integrated, adjustable 40-character LCD operator display
- Can be integrated on wide model system unit or distributed
- USB connectivity available for IBM SurePOS 700 Series

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|--------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3565 | USB | Worldwide |
| 720, 740, 780 | Pearl white/ Litho gray | 3566 | RS-485 | Worldwide |
| 4694 | Pearl white/ Litho gray | 6300 | RS-485 | Worldwide |

Retail Alphanumeric POS Keyboard with MSR

- Standard alphanumeric keyboard (QWERTY layout)
- 12 additional function keys
- 33 reconfigurable, relegendable POS function keys
- Control key
- Seven indicator lights
- Numeric keypad
- Integrated, bi-directional, three-track MSR
- Adjustable keyboard tone
- Two-position keylock for separate operator and manager functionality
- Can be integrated on wide model system unit or distributed
- USB connectivity available for IBM SurePOS 700 Series
- Can be ordered with key nomenclature in the following languages:

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|-------------------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3845 | USB | U.S. English |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3850 | USB | Spanish |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3875 | USB | Canadian French |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3865 | USB | French |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3870 | USB | U.K. English |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3860 | USB | German |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3880 | USB | Brazilian Portuguese |
| 730, 750 | Pearl white/ Storm gray | 3855 | USB | Italian |
| 730, 750 | Pearl white/ Storm gray | 3840 | USB | Danish |
| 730, 750 | Pearl white/ Storm gray | 3835 | USB | Norwegian |
| 730,750 | Pearl white/ Storm gray | 3830 | USB | Swedish/ Finnish |

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-------------------|-------------------------|
| 720, 740, 780 | Iron gray | 3846 | USB | U.S. English |
| 720, 740, 780 | Iron gray | 3851 | USB | Spanish |
| 720, 740, 780 | Iron gray | 3876 | USB | Canadian French |
| 720, 740, 780 | Iron gray | 3866 | USB | French |
| 720, 740, 780 | Iron gray | 3871 | USB | U.K. English |
| 720, 740, 780 | Iron gray | 3861 | USB | German |
| 720, 740, 780 | Iron gray | 3881 | USB | Brazilian Portuguese |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3324 | RS-485 or PS/2 | U.S. English |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3206 | RS-485 or PS/2 | Spanish |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3201 | RS-485 or PS/2 | Canadian French |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3203 | RS-485 or PS/2 | French |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3202 | RS-485 or PS/2 | U.K. English |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3204 | RS-485 or PS/2 | German |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3200 | RS-485 or PS/2 | Brazilian Portuguese |
| 4694 | Pearl white/ Litho gray | 3205 | RS-485 or PS/2 | Italian |
| 4694 | Pearl white/ Litho gray | 3211 | RS-485 or PS/2 | Danish |
| 4694 | Pearl white/ Litho gray | 3212 | RS-485 or PS/2 | Norwegian |
| 4694 | Pearl white/ Litho gray | 3213 | RS-485 or PS/2 | Swedish/ Finnish |

Retail Alphanumeric POS Keyboard with MSR and pointing device

- Standard alphanumeric keyboard (QWERTY layout)
- 12 additional function keys
- $\bullet \ \ 33\ reconfigurable, relegendable\ POS\ function\ keys$
- Control key
- Seven indicator lights
- Numeric keypad
- Adjustable keyboard tone
- Two-position keylock for separate operator and manager functionality
- Can be integrated on wide model system unit or distributed
- USB connectivity available for IBM SurePOS 700 Series
- $\bullet \ \ Integrated, bi-directional, three-track \ MSR$
- Integrated thumb-operated pointing device
- Can be ordered with key nomenclature in the following languages:

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|--------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3948 | PS/2 | U.S. English |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3949 | PS/2 | UK English |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3946 | PS/2 | French |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3947 | PS/2 | Spanish |
| 720, 740, 780 | Iron gray | 3120 | PS/2 | U.S. English |
| 720, 740, 780 | Iron gray | 3121 | PS/2 | UK English |
| 720, 740, 780 | Iron gray | 3122 | PS/2 | French |
| 720, 740, 780 | Iron gray | 3123 | PS/2 | Spanish |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3124 | PS/2 | U.S. English |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3125 | PS/2 | UK English |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3126 | PS/2 | French |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3127 | PS/2 | Spanish |

Retail Modifiable Layout Keyboard with MSR

- 120-key matrix with relegendable, reconfigurable POS keys
- 12 interchangeable numeric pad keys can be placed in one of three locations
- Control key
- Four indicator lights
- Integrated, bi-directional, three-track MSR
- Adjustable keyboard tone
- Two-position keylock for separate operator and manager functionality
- Can be integrated on wide model system unit or distributed
- USB connectivity available for the IBM SurePOS 700 Series

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|--------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3780 | USB | Worldwide |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3323 | RS-485 | Worldwide |

Keyboard V (Japan/Korea)

- Key matrix
- Beeper
- System indicators
- Mode key lock switch
- $\bullet \ \ \textit{Integrated dual-sided MSR}$
- USB connectivity available for IBM SurePOS 700 Series

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|--------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3670 | USB | Japan |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3220 | RS-485 | Japan |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3221 | RS-485 | Korea |

PLU Keyboard/Display III (Japan/Korea)

- Price Look-Up (PLU) keyboard
- PLU operator or customer displays
- USB connectivity available for IBM SurePOS 700 Series

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|--------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3680 | USB | Japan |
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3675 | USB | Korea |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3230 | RS-485 | Japan |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3232 | RS-485 | Korea |

PLU Display Extension Box (Japan/Korea)

- Power unit
- T port to the system unit and four connectors to peripheral devices:
 - PLU keyboard/display
 - Operator/customer display
 - $\ Handheld \ scanner$
 - Flatbed scanner
- USB connectivity available for IBM SurePOS 700 Series

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|--------------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3270 | USB | Japan and Korea |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3231 | RS-485 | Japan |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3233 | RS-485 | Korea |

PC POS Keyboard (Japan)

- Standard alphanumeric keyboard (QWERTY layout) on left side
- POS keybutton layout on right side
- Includes redefinable, relegendable keytops
- USB connectivity available for IBM SurePOS 700 Series

| Attaches to SurePOS model | Color | Feature code | Interface | Availability |
|------------------------------|----------------------------|-----------------|-----------|--------------|
| 730, 750, 720, 740, 780 | Pearl white/ Storm gray | 3825 | USB | Japan |
| 720, 740, 780 and 4694 | Pearl white/ Litho gray | 3207 | RS-485 | Japan |



© Copyright IBM Corporation 2004. All Rights Reserved.

IBM Corporation PO Box 12195 3039 Cornwallis Road Research Triangle Park NC 27709

References in this publication to IBM products or services do not imply that IBM intends to make them available in all countries in which IBM operates. Copying or downloading the images contained in this document is expressly prohibited without the written consent of IBM.

IBM assumes no responsibility of liability for any use of the information contained herein. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of IBM or third parties. No warranties of any kind including but not limited to the implied warranties of merchantability or fitness for a particular purpose are offered in this document.

® IBM, the IBM logo and SurePOS are trademarks of International Business Machines Corporation in the United States, other countries, or both.

All other company names or product names are trademarks or registered trademarks of their respective companies.

For a copy of the terms and conditions of IBM's Statement of Limited Warranty, please contact your IBM representative or authorized reseller.