

IBM Cúram Social Program Management
Version 7.0.7

Designing Evidence



Note

Before using this information and the product it supports, read the information in [“Notices” on page 8](#)

Edition

This edition applies to IBM® Cúram Social Program Management v7.0.7 and to all subsequent releases unless otherwise indicated in new editions.

Licensed Materials - Property of IBM.

© **Copyright International Business Machines Corporation 2012, 2019.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Tables..... iv

Chapter 1. Designing evidence..... 1

- Dynamic and static evidence..... 1
- Modelling real-life data as evidence..... 1
- Evidence design examples..... 3
- Person evidence..... 5

Notices..... 8

- Privacy Policy considerations..... 9
- Trademarks..... 9

Tables

1. Sample evidence configurations.....	4
--	---

Chapter 1. Designing evidence

Before you design your evidence, analyze the structural and characteristic requirements for evidence that are required by your organization. Consider whether to use static or dynamic evidence, and the evidence types that your organization requires.

Dynamic and static evidence

Dynamic evidence is the most recent offering for designing and implementing evidence, and is the recommended approach. Dynamic evidence offers an integrated, intuitive approach to editing evidence through the dynamic evidence editor in the administration application. In some rare instances, static evidence might be more suitable than dynamic evidence.

When you are designing evidence, the first question to address is whether to use dynamic or static evidence. The main difference between dynamic and static evidence is how the data is stored in the database. Otherwise, each evidence type has its own application infrastructure that provides customer tools and capabilities to simplify the implementation of evidence. Static evidence has an evidence generator that uses configuration files to generate all the server-side implementations, including the entity, service and facade layer, and also the client-side implementations. Dynamic evidence provides a better overall user experience because it permits configuring and publishing an evidence type from within the administration application.

The configuration of dynamic evidence requires less technical input. Through the editor that is provided in the application, a business analyst can configure dynamic evidence, and can integrate validation and usage of the evidence in eligibility and entitlement rule sets. The difference in data storage between dynamic and static evidence is an example of a consideration that might influence the decision to choose either dynamic or static evidence. Static evidence stores data in individual relational database tables, whereas dynamic evidence uses only two tables to store all evidence types together. Where the storage mechanism is a consideration is the necessity to encrypt data. To meet this requirement, use static evidence because the data that is being encrypted is isolated in its own entity. The need to encrypt data is one example of where static evidence might be more suitable than dynamic evidence.

Modelling real-life data as evidence

Consider the real-life data that you want to store, and how best to represent that data in the system as evidence. Evidence types can vary from very simple types to complex evidence types whose hierarchy includes parent, child, and grandchild records. As well as standard parent-child hierarchy design considerations, some design considerations that are specific to IBM Cúram Social Program Management also apply.

Examples of data that you might want to capture as evidence include personal details (name, address, phone numbers, and so on), employment details, income details, and tax status. The data that you want to represent as evidence defines the attributes that an evidence type needs to include, and the data type of each attribute. For example, to capture income details, you might define an income evidence type that has attributes for source of income, income amount, income frequency, and income start date.

To capture identification evidence for program participants, you might define an identification evidence type that includes the participants' names, the start and end dates for which the evidence is valid, and an ID type. Name attributes can be stored as strings and dates might be stored as integers, while the ID type might be stored as a codetable type, where codetable values are mapped to ID types in a codetable. Valid ID types might include a social security number, passport, and so on. For codetable types, you must define each required value.

After you have analyzed what data you need to capture as evidence, consider the following questions:

How do you want to group the data?

To determine how to group the data, analyze the data to determine where hierarchical patterns occur that can be mapped to parent and child evidence types. For example, employment evidence could have child income evidence. However, income could also be related to other evidence types, such as tax status, or household expense. Many factors affect the grouping of your data, for example, the rules that your organization uses to determine benefits.

Do you want to extend the evidence types that are provided in a default installation?

If the evidence types that are provided in a default IBM Cúram Social Program Management installation broadly match your requirements, consider reusing or customizing the default evidence types to suit the needs of your organization.

Will a person require more than one instance of a type of evidence record at any time?

For some evidence types, a person can have more than one instance. For example, a person can have more than one employment. However, a person can have only one date of birth or date of death. For evidence types where only one instance is valid, apply validation to verify that multiple concurrent instances of the evidence record do not exist.

Are some evidence attributes likely to change during the lifetime of an evidence record?

Configure the **Effective Date of Change** feature on an evidence type so that if only some attributes are changed on an evidence record, caseworkers need only to enter the changed data. Otherwise, to update some attributes on a record, a caseworker must end the evidence record and re-enter all the evidence attributes in a new record.

Is the evidence type part of an evidence group?

Consider whether the evidence type should be assigned to an evidence group and where you want the evidence to be displayed in the evidence dashboard. A caseworker can use the evidence dashboard to view evidence groups, and to filter the evidence to display only the evidence types that are part of a particular group.

Can evidence apply to multiple participants?

If records of the evidence type can apply to multiple participants, for example, members of a family who share an address, enable the Multiple Participant Evidence Update function for the evidence type. If the Multiple Participant Evidence Update function is enabled, it's possible for caseworkers to create, modify, and discard dynamic evidence that applies to multiple participants all in one go.

Does the evidence need to be verified?

Consider which attributes of your evidence types require verification and what forms of verification are accepted. For example, a pay slip could be required to verify income. For more information, see the *Cúram Verification Guide* related link.

Does the evidence need to be shared between cases?

For example, if the evidence is maintained at case level, does it need to be shared between cases, for example, from an application case to an integrated case? If you want to seamlessly share logically equivalent evidence between evidence types that have a similar structure, you must define the attribute and codetable mappings through an XML sharing rules schema. For more information about sharing evidence, see the *Sharing evidence with the evidence broker* section.

For information about how real-life evidence design considerations are reflected in sample evidence type configurations, see the *Evidence design examples* related link.

Related concepts

[Configuring evidence types](#)

[Configuring an Evidence Dashboard Group](#)

[Updating evidence for multiple participants](#)

[Customizing multiple participant evidence](#)

[Cúram Verification Guide](#)

[Sharing evidence by using the evidence broker](#)

Related information

[Evidence design examples](#)

Evidence design examples

Examples of how real-life evidence design considerations are reflected in sample configurations for four evidence types.

Table 1 lists sample configurations for the following four evidence types:

- Address
- Employment
- SSN details
- Medical condition details

For example, an address is a common piece of information about a client that needs to be captured. The table shows an example of how address evidence can be modeled as evidence. The attributes that are listed store the address details for a client for a particular period. The other configuration settings relate to which case types the evidence can be stored in, and how the evidence is verified and shared.

Evidence type and attributes

The evidence type name and the names of its attributes.

Case configuration

The cases or locations where evidence of the specified type can be maintained.

Verification item

Items that are required to verify an evidence record; for example, a utility bill might be required to verify an address evidence record.

Verification case type

Case types that require the evidence to be verified.

Verification mapping

In the evidence sharing configuration, you can specify whether to also share the verification documentation when evidence is shared.

Identical evidence mapping

If the evidence is stored in the same format between two case types, then the evidence can be seamlessly shared by using an identical flow.

Logically equivalent evidence mapping

If evidence is stored in a different format between two case types, then the evidence can be seamlessly shared by using a logically equivalent evidence flow.

Table 1. Sample evidence configurations

Evidence type and attributes	Case configuration	Verification item	Verification case type	Verification mapping	Identical evidence mapping	Logically equivalent evidence mapping
<p>Address</p> <ul style="list-style-type: none"> • Address • fromDate • toDate • addressType 	<ul style="list-style-type: none"> • Application • Person • Integrated case 	Utility bill for address	<ul style="list-style-type: none"> • Application • Integrated case 	Yes, everywhere it is used	<ul style="list-style-type: none"> • Person - application • Application - person • Integrated case - application • Application - integrated case • Integrated case - person • Person - integrated case 	Not applicable
<p>Employment</p> <ul style="list-style-type: none"> • employmentName • Employer ID • Position • fromDate • toDate • Wage • frequency 	<ul style="list-style-type: none"> • Application • Person • Integrated case 	Salary certificate for income	All	Yes, everywhere it is used	<ul style="list-style-type: none"> • Person - application • Application - person • Integrated case - application • Application - integrated case • Integrated case - person • Person - integrated case 	Not applicable

Evidence type and attributes	Case configuration	Verification item	Verification case type	Verification mapping	Identical evidence mapping	Logically equivalent evidence mapping
SSN details <ul style="list-style-type: none"> • SSNDetails • alternateID • altIDType • SSNStatus • fromDate • toDate 	<ul style="list-style-type: none"> • Application • Person or prospect person • Integrated case 	Social security card for alternateID	<ul style="list-style-type: none"> • Application • Person or prospect person • Integrated case 	Yes, everywhere it is used	<ul style="list-style-type: none"> • Person - application • Application - person • Integrated case - application • Application - integrated case • Integrated case - person • Person - integrated case 	Identification <ul style="list-style-type: none"> • alternateID • altIDType • fromDate • toDate
Medical condition details <ul style="list-style-type: none"> • conditionName • ICDCode • severity • impact 	<ul style="list-style-type: none"> • Application • Person or prospect person • Integrated case 	Doctor or hospital certificate: <ul style="list-style-type: none"> • conditionName • severity • impact 	<ul style="list-style-type: none"> • Application • Person or prospect person • Integrated case 	Yes, everywhere it is used	<ul style="list-style-type: none"> • Person - application • Application - person • Integrated case - application • Application - integrated case • Integrated case - person • Person - integrated case 	Not applicable

Person evidence

IBM Cúram Social Program Management also includes evidence at person level that can be used to capture and maintain standard person information that is relevant across all applications or programs.

The following 10 evidence types are delivered as part of the product as evidence at person level. The evidence types can be used to capture and store person evidence that applies across all applications or programs.

Birth and death details

The attributes for the birth and death details evidence type do not change over time. A client has only one date of birth and one date of death. Therefore, any modification to the data occurs only if the data was originally incorrect and must be corrected. For any case, only one evidence record of this type can exist at any time. The date of birth effectively represents the start date and the date of death represents the end date. Birth and death details evidence can be corrected only.

Gender

For any case, only one evidence record can exist at any time and the existence of a record is mandatory for a person. Gender can change over time and a change, which is a succession, from a new effective date is appropriate. For gender, no start or end dates are captured because a client always has a gender but the gender type can change over time. So, any change that is made to the type can either be corrected in place if the original gender was recorded incorrectly, or modified from a new effective date if the client changed gender. Gender evidence can change over time and can be corrected.

Name

A client can have only one registered or preferred name type. Only one registered or preferred name type must always exist. For all other name "types", the client can have more than one overlapping name, for example, multiple "alias" names. To show changes of name of the same type over time, users must edit a record and enter an effective date of change. The system validates that only one registered name must exist. Name evidence can change over time and can be corrected.

Identifications

Identifications are represented by a single record that represents the period when the ID started and when the ID ended. For example, a passport with an identification has a start date, that is, the date that passport was issued, and an end date, that is, the date that the passport expired. Within that period, the passport number does not change. When a client is issued a new passport, the passport has a new issue date and a new end date. Identifications evidence can be corrected only.

Bank accounts

Typically, the bank account number for a type of account does not change over time. The date the bank account was opened represents the start date and the date the bank account was closed represents the end date. Bank accounts evidence can be corrected only.

Postal addresses

The people who are recorded as living at a postal address can change over time, but the address itself does not change. So, when a client changes address it means that the client is moving from one residence to another. The change is represented by ending the address where the client was living and adding an address. Postal addresses evidence can be corrected only.

Email address

While a client can have multiple email addresses over a lifetime, a client might have no email address at specific periods. The period of an email address is modeled as a correction only because each email address has one representation. The date that the client created the account is the start date. The date that the client stopped using the email address is the end date. Email address evidence can be corrected only.

Phone number

While a client can have multiple phone numbers over a lifetime, a client might have no phone number at specific periods. The period of a phone number is modeled as a correction only because each phone number has one representation. The date that the client started using the phone number is the start date. The date that the client stopped using the phone number is the end date. Phone number evidence can change over time and can be corrected.

Contact preferences

A client's preference for how an organization contacts the client or the language that the client wants to communicate in can change over time. For example, if a client speaks Spanish only the client might want to be communicated with in Spanish initially. However, the client might later become fluent in English after the client attended language courses. The client might then decide to change the preference for the language that the client wants to communicate in to English. Contact preferences evidence can change over time and can be corrected.

Relationships

Depending on a relationship type, some relationship types can change during the period of a relationship. For example, if a foster child is adopted by a foster parent or parents, the relationship changes from "Foster child-Foster parent" to "Child-parent". However, other relationship types don't change, for example, relationships like "Grandparent" or "Sibling". Even for a "spouse" relationship, the relationship might end but the fact that the person is a "spouse" doesn't change over time. The marital status can change during a "spouse" relationship. For example, the couple might be separated, divorced, or married. However, marital status is not part of relationship evidence.

In the previous foster child or child scenario, before the child is adopted, a period might exist where the child has no relationship with the client. For example, the child might temporarily be fostered by another family or might be in the care of another person. Therefore, using end dates for a relationship evidence type is not appropriate. The evidence for relationships is managed by using start and end dates only because it simplifies the process for users.

The other unique behavior of relationship evidence is that it allows for the auto creation and management of reciprocal relationships.

To keep the interface and maintenance of relationships simple, relationships are managed as corrections. Managing relationships as corrections ensures that different users manage the information in the same way. Relationships evidence can be corrected only.

Notices

This information was developed for products and services offered in the United States.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing IBM Corporation North Castle Drive, MD-NC119 Armonk, NY 10504-1785 US

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing Legal and Intellectual Property Law IBM Japan Ltd. 19-21, Nihonbashi-Hakozakicho, Chuo-ku Tokyo 103-8510, Japan

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you provide in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Director of Licensing IBM Corporation North Castle Drive, MD-NC119 Armonk, NY 10504-1785 US

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

The performance data and client examples cited are presented for illustrative purposes only. Actual performance results may vary depending on specific configurations and operating conditions.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

Statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

All IBM prices shown are IBM's suggested retail prices, are current and are subject to change without notice. Dealer prices may vary.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to actual people or business enterprises is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

Privacy Policy considerations

IBM Software products, including software as a service solutions, ("Software Offerings") may use cookies or other technologies to collect product usage information, to help improve the end user experience, to tailor interactions with the end user or for other purposes. In many cases no personally identifiable information is collected by the Software Offerings. Some of our Software Offerings can help enable you to collect personally identifiable information. If this Software Offering uses cookies to collect personally identifiable information, specific information about this offering's use of cookies is set forth below.

Depending upon the configurations deployed, this Software Offering may use session cookies or other similar technologies that collect each user's name, user name, password, and/or other personally identifiable information for purposes of session management, authentication, enhanced user usability, single sign-on configuration and/or other usage tracking and/or functional purposes. These cookies or other similar technologies cannot be disabled.

If the configurations deployed for this Software Offering provide you as customer the ability to collect personally identifiable information from end users via cookies and other technologies, you should seek your own legal advice about any laws applicable to such data collection, including any requirements for notice and consent.

For more information about the use of various technologies, including cookies, for these purposes, see IBM's Privacy Policy at <http://www.ibm.com/privacy> and IBM's Online Privacy Statement at <http://www.ibm.com/privacy/details> the section entitled "Cookies, Web Beacons and Other Technologies" and the "IBM Software Products and Software-as-a-Service Privacy Statement" at <http://www.ibm.com/software/info/product-privacy>.

Trademarks

IBM, the IBM logo, and [ibm.com](http://www.ibm.com) are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at <http://www.ibm.com/legal/copytrade.shtml>.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Java™ and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other names may be trademarks of their respective owners. Other company, product, and service names may be trademarks or service marks of others.



Part Number:

(1P) P/N: