




Version 4.1.3 Fix Pack 2



## Patch Installation Guide

## TIVOLI NETCOOL SERVICE QUALITY MANAGER PATCH INSTALLATION GUIDE

---

**Note:** Before using this information and the product it supports, read the information in [Notices](#).

This edition applies to version 4, release 1, Modification 3 of IBM Tivoli Service Quality Manager (Product number 5724-V48) and to all subsequent releases and modifications until otherwise indicated in new editions.

© Copyright International Business Machines Corporation 2011. All rights reserved. US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

# Contents

<b>Contents .....</b>	<b>i</b>
<b>About this publication .....</b>	<b>1</b>
1.1	Intended audience ..... 1
1.2	What this publication contains..... 1
1.3	Publications ..... 2
1.3.1	IBM Tivoli Netcool Service Quality Manager core library .....
1.3.2	Prerequisite publications.....
1.3.3	Accessing terminology online.....
1.3.4	Accessing publications online .....
1.3.5	Ordering publications.....
1.4	Tivoli technical training ..... 4
1.5	Tivoli user groups ..... 4
1.6	Support information ..... 4
1.6.1	Online.....
1.6.2	IBM Support Assistant .....
1.6.3	Additional information .....
1.7	Conventions used in this guide ..... 5
1.7.1	Typeface conventions.....
1.7.2	Operating system-dependent variables and paths.....
<b>2</b>	<b>Installing Tivoli Netcool Service Quality Manager patch 4.1.3.80 (Fix Pack 0002)..... 7</b>
2.1	Tivoli Netcool Service Quality Manager patch prerequisites ..... 7
2.2	Tivoli Netcool Service Quality Manager patch installation - core patch..... 8
2.2.1	Stop Tivoli Netcool Service Quality Manager processes .....
2.2.2	Stop Tivoli Netcool Service Quality Manager Web Portal.....
2.2.3	Install Fix Pack 0002.....
2.2.4	Run post installation script .....
2.2.5	Check version of installed patch.....
2.2.6	Start Tivoli Netcool Service Quality Manager Web Portal .....

## TIVOLI NETCOOL SERVICE QUALITY MANAGER PATCH INSTALLATION GUIDE

---

2.2.7	Start Tivoli Netcool Service Quality Manager processes .....	
2.3	Updating OMNIbus and SNMP probe configuration .....	10
2.4	Patching the Tivoli Business Service Manager Dashboard Server.....	12
2.4.1	Edit the configure_nsbound script.....	
2.4.2	Remove the existing ODA Driver and Report Launcher Web Application	13
2.4.3	Installing the ODA Driver and Report Launcher Web Application .....	
2.4.4	Removing the old Resource Viewer Web Application .....	
2.4.5	Installing the Resource Viewer Web Application .....	
<b>3</b>	<b>Removing Tivoli Netcool Service Quality Manager patch 4.1.3.80 (Fix Pack 0002).....</b>	<b>16</b>
3.1	Prerequisites .....	16
3.2	Patch removal .....	16
3.2.1	Stop Tivoli Netcool Service Quality Manager processes.....	
3.2.2	Stop Tivoli Netcool Service Quality Manager Web Portal .....	
3.2.3	Remove Tivoli Netcool Service Quality Manager Fix Pack 0002.....	
3.2.4	Uninstall Fix Pack 0002 .....	
3.2.5	Display patch history .....	
3.2.6	Start Tivoli Netcool Service Quality Manager Web Portal .....	
3.2.7	Start Tivoli Netcool Service Quality Manager processes .....	
3.3	Removing the Tivoli Business Service Manager Dashboard Server Patch.....	18
3.3.1	Rolling back the OMNIbus and SNMP probe configuration.....	
3.3.2	Removing the ODA Driver and Report Launcher Web Application	19
3.3.3	Removing the Resource Viewer Web Application .....	
<b>Notices</b>	.....	<b>21</b>

## About this publication

This publication provides information on the steps required to install IBM® Tivoli® Netcool® Service Quality Manager version 4.1.3 Fix Pack 0002 (4.1.3-TIV-TNSQM-FP0002).

### 1.1 Intended audience

This publication is for customers who need to install Fix Pack 0002 of the Tivoli Netcool Service Quality Manager product.

Readers need to be familiar with the following topics:

- IT principles
- UNIX® operating systems

### 1.2 What this publication contains

This publication contains the following chapters:

- Chapter 2 "Installing Tivoli Netcool Service Quality Manager patch 4.1.3.80 (Fix Pack 0002)"  
Provides detailed instructions on the deployment and installation of Tivoli Netcool Service Quality Manager patch 4.1.3.80 (Fix Pack 0002).
- Chapter 3 "Removing Tivoli Netcool Service Quality Manager patch 4.1.3.80 (Fix Pack 0002)"  
Provides detailed instructions on the un-installation and removal of Tivoli Netcool Service Quality Manager patch 4.1.3.80 (Fix Pack 0002).

## 1.3 Publications

This section lists the publications in the IBM Tivoli Netcool Service Quality Manager core library. It also describes how to access Tivoli publications online and how to order Tivoli publications.

### 1.3.1 IBM Tivoli Netcool Service Quality Manager core library

The IBM Tivoli Netcool Service Quality Manager core library contains the following publications:

- *IBM Tivoli Netcool Service Quality Manager AIX Server Installation Guide, GC23-9847-00*  
Describes how to install the Tivoli Netcool Service Quality Manager server system on IBM AIX® systems.
- *IBM Tivoli Netcool Service Quality Manager Solaris Server Installation Guide, GC23-9846-00*  
Describes how to install the Tivoli Netcool Service Quality Manager server system on Solaris systems.
- *IBM Tivoli Netcool Service Quality Manager Client Installation Guide, GC23-9850-00*  
Describes how to install the Tivoli Netcool Service Quality Manager client.
- *IBM Tivoli Netcool Service Quality Manager Upgrade Guide, SC23-9842-00*  
Details how to upgrade from one Tivoli Netcool Service Quality Manager version to another.
- *IBM Tivoli Netcool Service Quality Manager AIX and Solaris System Administration Guide, SC27-3570-00*  
Provides an overview of the AIX and Solaris Tivoli Netcool Service Quality Manager administrative tasks including instructions on how to complete the following tasks:
  - Starting and stopping the Tivoli Netcool Service Quality Manager application.
  - Running batch processes such as archiving trace files and log files.
  - Backing up and restoring the system.
- *IBM Tivoli Netcool Service Quality Management Center Integration Guide, SC27-3569-00*  
Describes the IBM Tivoli Netcool Service Quality Management Center solution. Provides information about how to integrate the IBM Tivoli Business Service Manager, Tivoli Netcool Service Quality Manager, and Tivoli Netcool Customer Experience Manager products in a common dashboard layer.
- *IBM Tivoli Netcool Service Quality Manager Provisioning Service SI Guide, SC23-9852-00*  
Reference guide containing information for provisioning the Tivoli Netcool Service Quality Manager system.
- *IBM Tivoli Netcool Service Quality Manager Customer Experience Manager Provisioning Guide, SC23-9843-00*  
Provides information for provisioning the Tivoli Netcool Customer Experience Manager system.
- *IBM Tivoli Netcool Service Quality Manager Customer Experience Manager Monitoring Guide, SC23-9482-00*

Describes how to use and monitor the Tivoli Netcool Customer Experience Manager feature in the Tivoli Netcool Service Quality Manager product.

- *IBM Tivoli Netcool Service Quality Manager Monitoring Guide, SC23-9103-01*

Describes monitoring (Service-level agreement (SLA) monitor, Key quality indicator (KQI) analyzer, alarm monitor, audit manager, and SLA Webview applications) in the Tivoli Netcool Service Quality Manager product.

- *IBM Tivoli Netcool Service Quality Manager Configuration Guide, SC23-9102-01*

Describes SLA provisioning (parties, SLAs, and SLA templates applications) and Tivoli Netcool Service Quality Manager provisioning (service resources, KQI models, and service module applications) in the Tivoli Netcool Service Quality Manager product.

- *IBM Tivoli Netcool Service Quality Manager BusinessObjects Installation and Configuration Guide, SC23-9473-00*

Provides information on the steps required to install and configure the BusinessObjects server and client for use with the Tivoli Netcool Service Quality Manager product.

- *IBM Tivoli Netcool Customer Experience Manager Customer Relationship Management Development Guide, SC23-9857-00*

Provides an overview of the Customer Relationship Management (CRM) proxy server and the CRM plug-in module. The CRM plug-in modules, developed using Java™ code, mediate between the Tivoli Netcool Customer Experience Management framework and an external CRM system.

- *IBM Tivoli Netcool Service Quality Manager Release Notes, G111-9221-00*

Provides information on the Tivoli Netcool Service Quality Manager release contents, platform requirements, installation and upgrade procedures, and known issues.

### 1.3.2 Prerequisite publications

To use the information in this publication effectively, you must have some prerequisite knowledge, which you can obtain from the Tivoli Netcool Service Quality Manager core library documentation listed in section 1.3.1.

### 1.3.3 Accessing terminology online

The IBM Terminology Web site consolidates the terminology from IBM product libraries in one convenient location. You can access the Terminology Web site at <http://www.ibm.com/software/globalization/terminology>.

### 1.3.4 Accessing publications online

The product CD contains the publications that are in the product library. The format of the publications is PDF.

IBM posts publications for Tivoli products, as they become available and whenever they are updated, to the Tivoli Documentation Central Web site at <http://www.ibm.com/tivoli/documentation>.

**Note:** If you print PDF documents on other than letter-sized paper, set the option in the **File -> Print** window that allows Adobe® Reader to print letter-sized pages on your local paper.

---

### 1.3.5 Ordering publications

You can order many Tivoli publications online at <http://www.ibm.com/e-business/linkweb/publications/servlet/pbi.wss>.

You can also order by telephone by calling one of these numbers:

In the United States: 800-879-2755

In Canada: 800-426-4968

In other countries, contact your software account representative to order Tivoli publications. To locate the telephone number of your local representative, perform the following steps:

1. Go to <http://www.ibm.com/e-business/linkweb/publications/servlet/pbi.wss>.
2. Select your country from the list and click **Go**.
3. Click **About this site** in the main panel to see an information page that includes the telephone number of your local representative.

## 1.4 Tivoli technical training

For Tivoli technical training information, refer to the following IBM Tivoli Education Web site at <http://www.ibm.com/software/tivoli/education>.

## 1.5 Tivoli user groups

Tivoli user groups are independent, user-run membership organizations that provide Tivoli users with information to assist them in the implementation of Tivoli Software solutions. Through these groups, members can share information and learn from the knowledge and experience of other Tivoli users. Tivoli user groups include the following members and groups:

- 23,000+ members
- 144+ groups

Access the link for the Tivoli Users Group at <http://www.tivoli-ug.org>.

## 1.6 Support information

If you have a problem with your IBM software, you want to resolve it quickly. IBM provides the following ways for you to obtain the support you need:

### 1.6.1 Online

Access the Tivoli Software Support site at



<http://www-01.ibm.com/software/sysmgmt/products/support/index.html?ibmprd=tivman>.

Access the IBM Software Support site at <http://www.ibm.com/software/support/probsub.html>.

### 1.6.2 IBM Support Assistant

The IBM Support Assistant is a free local software serviceability workbench that helps you resolve questions and problems with IBM software products. The Support Assistant provides quick access to support-related information and serviceability tools for problem determination. To install the Support Assistant software, go to <http://www.ibm.com/software/support/isa>.

### 1.6.3 Additional information

Consult the Release Notes for Tivoli Netcool Service Quality Manager Fix Pack 0002 for additional information pertaining to the content and functionality in this release.

## 1.7 Conventions used in this guide

This publication uses several conventions for special terms and actions, operating system-dependent commands and paths, and margin graphics.

### 1.7.1 Typeface conventions

This publication uses the following typeface conventions:

#### **Bold**

- Lowercase commands and mixed case commands that are otherwise difficult to distinguish from surrounding text.
- Interface controls (check boxes, push buttons, radio buttons, spin buttons, fields, folders, icons, list boxes, items inside list boxes, multicolumn lists, containers, menu choices, menu names, tabs, property sheets), labels (such as **Tip:**, and **Operating system considerations:**)
- Keywords and parameters in text.

#### *Italics*

- Citations (examples: titles of publications, diskettes, and CDs)
- Words defined in text (example: a nonswitched line is called a *point-to-point line*)
- Emphasis of words and letters (words as words example: "Use the word *that* to introduce a restrictive clause."; letters as letters example: "The LUN address must start with the letter *L*.")
- New terms in text (except in a definition list): a *view* is a frame in a workspace that contains data.
- Variables and values you must provide.... where *myname* represents.....

#### **Monospace**

- Examples and code examples.
- File names, programming keywords, and other elements that are difficult to distinguish from surrounding text.

- Message text and prompts addressed to the user.
- Text that the user must type.
- Values for arguments or command options.

### 1.7.2 Operating system-dependent variables and paths

This publication uses the UNIX convention for specifying environment variables and for directory notation. When using the Windows® command line, replace *\$variable* with *%variable%* for environment variables and replace each forward slash (/) with a backslash (\) in directory paths. The names of environment variables are not always the same in the Windows and UNIX environments. For example, %TEMP% in Windows environments is equivalent to \$TMPDIR in UNIX environments.

**Note:** If you are using the bash shell on a Windows system, you can use the UNIX conventions

## 2 Installing Tivoli Netcool Service Quality Manager patch 4.1.3.80 (Fix Pack 0002)


### 2.1 Tivoli Netcool Service Quality Manager patch prerequisites

The Tivoli Netcool Service Quality Manager 4.1.3 Fix Pack 2 (FP0002) patch can only be applied on a Tivoli Netcool Service Quality Manager server on version 4.1.3.70 (FP0001).

**Table 1:** Prerequisites

Version	Type
4.1.3.70	FP0001 (Patch)

To determine the baseline of the TBSM dashboard server log into the TBSM dashboard UI and navigate to the following page



If the “Resource Viewer” portlet is visible the dashboard server is at the 4.1.3.70 baseline. If it is not present then 4.1.3 Fix Pack 1 must first be applied.

To determine the baseline and patch levels currently installed on the TNSQM server, execute the following command as user saserver on the application or consolidated server:

```
$ sap version
```

Output similar to the following syntax is displayed:

```
Baseline Version:
IBM SQM4.1.3.60
Current Version:
SQM4.1.3.70
```

Patch History:

SQM4.1.3.70

If the patch history does not indicate that SQM4.1.3.70 is installed then 4.1.3 Fix Pack 1 must first be applied.

## 2.2 Tivoli Netcool Service Quality Manager patch installation - core patch

---

**Note (distributed installation):** In a distributed system, perform this section on the application, gateway, database, or consolidated servers.

**Note (patch version):** The patch to be installed is `patch-SQM4.1.3.80-patch.tar.gz`. This patch can only be installed on systems running Tivoli Netcool Service Quality Manager.

**Note:** `<target directory>` denotes the directory where the Tivoli Netcool Service Quality Manager and Tivoli Netcool Customer Experience Manager software is installed.

---

### 2.2.1 Stop Tivoli Netcool Service Quality Manager processes

Complete the following as user `saserver` on the Tivoli Netcool Service Quality Manager application server or consolidated server.

Stop all Tivoli Netcool Service Quality Manager processes that are running by executing the following command:

```
$ sap stop -f
```

### 2.2.2 Stop Tivoli Netcool Service Quality Manager Web Portal

You need to stop the running instance of the Tivoli Netcool Service Quality Manager Web Portal on the application or consolidated server. To do this see section 4.5.3 of the Tivoli Netcool Service Quality Manager AIX or Solaris System Administration guides.

### 2.2.3 Install Fix Pack 0002

---

**Note:** `<target directory>` denotes the directory where the Tivoli Netcool Service Quality Manager software is installed.

---

Place the Tivoli Netcool Service Quality Manager 4.1.3.80 (4.1.3 FP0002) patch package (`patch-SQM4.1.3.80-patch.tar.gz`) in the `<target directory>`, for example, `/appl`. Once completed, execute the following commands as user `saserver` on the application, gateway, database, or consolidated servers.

```
$ cd <target directory>/sa/admin/common/install/scripts
```

```
$ ./deploy-patch -wmcr <target directory>/sa -version SQM4.1.3.80 -mode install
Please enter the location of the Service Quality Manager patch [/appl]:
<target directory>
```

### 2.2.4 Run post installation script

Once completed, execute the following commands as user saserver on the application, gateway, database, or consolidated servers.

```
$ cd <target directory>/sa/admin/patch/install/scripts
$ ./install_patch_413_fp2.ksh -wmcr <target directory>/sa -mode install
```

The database upgrade script has to be executed on the database server only.

```
$ cd <target directory>/sa/admin/oracle/schema/core/upgrade/rel413_to_fp2
$ sqlplus saserver@sadb/<Saserver DB Password> < add413fp2.sql
```

### 2.2.5 Check version of installed patch

Check the patch history of Tivoli Netcool Service Quality Manager by executing the following command as user saserver on the application or consolidated servers:

```
$ sap version
```

Output similar to the following syntax is displayed:

```
Baseline Version:
IBM SQM4.1.3.60
Current Version:
SQM4.1.3.80
Patch History:
SQM4.1.3.70
SQM4.1.3.80
```

### 2.2.6 Start Tivoli Netcool Service Quality Manager Web Portal

The instance of the Tivoli Netcool Service Quality Manager Web Portal on the application or consolidated server must now be started. To do this, see section 4.5.1 of the Tivoli Netcool Service Quality Manager AIX or Solaris System Administration guides.

### 2.2.7 Start Tivoli Netcool Service Quality Manager processes

Start all Tivoli Netcool Service Quality Manager processes by executing the following commands as user saserver on the Tivoli Netcool Service Quality Manager application server or consolidated server:

```
$ sap start domain
$ sap start monitoring (if adapters are installed)
```

```
$ sap start cem
$ sap start client
$ sap start adapters (if adapters are installed)
```

## 2.3 Updating OMNIBus and SNMP probe configuration

---

**Note:** Perform the following steps on the OMNIBus server

---

**Note:** The environment variable NC\_RULES\_HOME should point to the root location where the OMNIBus rules files are stored on the OMNIBus server

---

Copy the file `TNSQM_TBSM_INTEGRATION.zip` to a location on the OMNIBus server (<omni\_target\_location>). Unpack the zip archive at this location. The following set of files will be unzipped:

Extract the integration patch to a user defined location:

```
$ mkdir -p ~/tnsqm_fp2
$ cp <omni_target_location>/TNSQM_TBSM_INTEGRATION.zip ~/tnsqm_fp2
$ cd ~/tnsqm_fp2
$ unzip TNSQM_TBSM_INTEGRATION.zip
```

The following set of files will be unzipped:

- 1) An install script:  
For Unix Tivoli Business Service Manager systems:  
`~/tnsqm_fp2/configure_nsbound`
- 2) A jar file containing supporting code:  
`~/tnsqm_fp2/com.ibm.tnsqm.reports.kqihistory.odadriver.jar`
- 3) The Report Launcher web application archive:  
`~/tnsqm_fp2/report_launcher.war`
- 4) The Resource Viewer web application archive:  
`~/tnsqm_fp2/resource_viewer.war`

5) The omnibus rules configuration:

~/tnsqm\_fp2/omnibus

The following command should be executed to update OMNIBus configuration:

```
$ $OMNIHOME/bin/nco_sql -server <OmnibusServerName> -user root -password  
<OmnibusPassword> < ~/tnsqm_fp2/omnibus/tnsqm/sql/upgradeAdd_tnsqm413fp2.sql
```

The existing NcKL files should be preserved in case a patch rollback would be required by executing the following commands:

```
$ mkdir -p ~/tnsqm_fp2/backup/omnibus/rules/ibm
```

For NcKL library version 3 or 2 execute the following command:

```
$ cp -f $NC_RULES_HOME/include-snmpttrap/ibm/*TNSQM* ~/tnsqm_fp2/backup/omnibus/rules/ibm
```

For NcKL library version 1 execute the following command:

```
$ cp -f $NC_RULES_HOME/include-snmpttrap/*TNSQM* ~/tnsqm_fp2/backup/omnibus/rules
```

Deploy the patched NcKL files by following the steps below:

For NcKL library version 3 execute the following command:

```
$ cp ~/tnsqm_fp2/omnibus/tnsqm/nckl3/rules/* $NC_RULES_HOME/include-snmpttrap/ibm
```

For NcKL library version 2 execute the following command:

```
$ cp ~/tnsqm_fp2/omnibus/tnsqm/nckl2/rules/* $NC_RULES_HOME/include-snmpttrap/ibm
```

For NcKL library version 1 execute the following command:

```
$ cp ~/tnsqm_fp2/omnibus/tnsqm/nckl1/rules/* $NC_RULES_HOME/include-snmpttrap
```

The SNMP probe should be restarted now.

## 2.4 Patching the Tivoli Business Service Manager Dashboard Server

---

**Note:** Perform the following steps on the TBSM Dashboard Server.

---

Copy the file `TNSQM_TBSM_INTEGRATION.zip` to a location on the Tivoli Business Service Manager Dashboard server (`<tbsm_target_location>`). Unpack the zip archive at this location.

```
$ mkdir -p ~/tnsqm_fp2
$ cp <tbsm_target_location>/TNSQM_TBSM_INTEGRATION.zip ~/tnsqm_fp2
$ cd ~/tnsqm_fp2
$ unzip TNSQM_TBSM_INTEGRATION.zip
```

### 2.4.1 Edit the `configure_nsbound` script

Edit the `~/tnsqm_fp2/configure_nsbound` script, substituting meaningful values for the following variables, which are by default set to dummy values:

---

**Note:** If you are unsure of which values should be used, you should contact the TNSQM systems administrator.

**Note:** The `--SQMLDAP_PASSWD--` variable which is the encrypted saserver LDAP password on the Tivoli Netcool Service Quality Manager application or consolidated server can be obtained by running the following command as saserver

```
$ grep credentials ${WMCROOT}/conf/ldap/default.properties
```

---

```
SA_USER=--SA_USER--
SQM_HOST=--SQM_HOST--
LDAPHOST=--LDAPHOST--
WASHOST=--WASHOST--
LDAPS_PORT=--LDAPS_PORT--
LDAPROOT="--LDAPROOT--"
SQMLDAP_PASSWD=--SQMLDAP_PASSWD--
ISC_PORT=--ISC_PORT--
```



### 2.4.2 Remove the existing ODA Driver and Report Launcher Web Application

These steps will remove the existing ODA Driver and Report Launcher application.

Change directory to the location of the TNSQM\_TBSM integration

```
$ cd ~/tnsqm_fp2
```

- Set execute permission for the configure\_nsbound script:

```
$ chmod +x configure_nsbound
```

- Execute the removal script:

```
$ ./configure_nsbound -remove
```

When executing the steps above you will be requested to enter the username and password for the TBSM dashboard administrator user.

Also when prompted if you wish to uninstall the KQI History Charts select 'N'

The existing ODA Driver and Report Launcher Web Application will be removed.

### 2.4.3 Installing the ODA Driver and Report Launcher Web Application

These steps will install the ODA Driver and Report Launcher application from fix pack 2.

```
$ cd ~/tnsqm_fp2
```

```
$ ./configure_nsbound
```

When executing the steps above you will be requested to enter the username and password for the TBSM dashboard administrator user.

Also when prompted if you wish to install the KQI History Charts select 'N'

The existing ODA Driver and Report Launcher Web Application will be installed.

### 2.4.4 Removing the old Resource Viewer Web Application

1. Execute the administration console startup script:

```
$ cd $TIP_HOME/bin
```

```
$ ./wsadmin.sh
```

2. Execute the following commands:

```
$AdminApp update isclite modulefile {-operation delete -contenturi  
resource_viewer.war}
```

```
$AdminConfig save
```

3. Exit the administration console:

```
wsadmin> exit
```

4. Restart the Tivoli Integrated Portal

```
$ ./stopServer.sh server1
$ ./startServer.sh server1
```

### 2.4.5 Installing the Resource Viewer Web Application

1. Backup the existing deployment script (web.xml)

```
$ cd $TIP_HOME/systemApps/isclite.ear
$ mkdir -p ~/tnsqm_fp2/backup/web
$ cp resource_viewer.war/WEB-INF/web.xml ~/tnsqm_fp2/backup/web
```

2. Remove the resource\_viewer software with the following commands:

```
$ rm -rf resource_viewer.war
```

3. Create a directory named resource\_viewer.war under \$TIP\_HOME/systemApps/isclite.ear as follows:

```
$ mkdir resource_viewer.war
```

4. Copy the web archive resource\_viewer.war from the patch location to the newly created directory

```
$ cp ~/tnsqm_fp2/resource_viewer.war ./resource_viewer.war
```

5. Unpack the web application archive as follows:

```
$ cd resource_viewer.war
$ $TIP_HOME/java/bin/jar -xf resource_viewer.war
$ rm resource_viewer.war
```

6. Restore the previously backed up deployment script (web.xml)

```
$ cp ~/tnsqm_fp2/backup/web/web.xml ./WEB-INF/
```

7. Execute the administration console startup script:

```
$ cd $TIP_HOME/bin
$ ./wsadmin.sh
```

8. Execute the following commands, substituting the TBSM install location where indicated:

```
$AdminApp update isclite modulefile {-operation add -contents <TBSM
INSTALL>/tip/systemApps/isclite.ear/resource_viewer.war -contenturi
resource_viewer.war -contextroot /ibm/resource_viewer -MapWebModToVH
{{.* .* admin_host}}}
$AdminConfig save
```

9 Exit the administration console:

```
wsadmin> exit
```

10. Restart the TBSM Dashboard

```
$ cd $TBSM_HOME/bin
```

```
$ ./tbsm_suite.sh stop
```

```
$ ./tbsm_suite.sh start
```

## 3 Removing Tivoli Netcool Service Quality Manager patch 4.1.3.80 (Fix Pack 0002)

### 3.1 Prerequisites

---

**Note:** SLOs created in 4.1.3 FP2 are not supported by 4.1.3 FP1 release and must be deleted before the rollback procedure is started. Refer to the TNSQM Provisioning Guide for details on how to remove SLOs from the system.

---

### 3.2 Patch removal

---

**Note:** <target directory> denotes the directory where the Tivoli Netcool Service Quality Manager software is installed.

---

#### 3.2.1 Stop Tivoli Netcool Service Quality Manager processes

Stop all Tivoli Netcool Service Quality Manager processes if they are running by executing the following command as user saserver on the application or consolidated server:

```
$ sap stop -f
```

#### 3.2.2 Stop Tivoli Netcool Service Quality Manager Web Portal

You need to stop the running instance of the Tivoli Netcool Service Quality Manager Web Portal on the application or consolidated server. To do this see section 4.5.3 of the Tivoli Netcool Service Quality Manager AIX or Solaris System Administration guides.

#### 3.2.3 Remove Tivoli Netcool Service Quality Manager Fix Pack 0002

To remove the Tivoli Netcool Service Quality Manager patch, execute the following commands as user saserver on the application, gateway and database servers or consolidated server:

---

**Note:** The following command may take some time to run if a large number of SLOs have been defined

---

```
$ cd <target directory>/sa/admin/oracle/schema/core/upgrade/rel413_to_fp2
$ sqlplus saserver@sadb/<Saserver DB Password> < remove413fp2.sql
$ cd <target directory>/sa/admin/patch/install/scripts
$ ./install_patch_413_fp2.ksh -wmcr <target directory>/sa -mode remove
```

---

**Note:** If the error “rm: Cannot remove any directory in the path of the current working directory” is observed when running the command, this error can be ignored.

---

### 3.2.4 Uninstall Fix Pack 0002

As user saserver on the application, database, gateway or consolidated server execute the following commands:

```
$ cd <target directory>/sa/admin/common/install/scripts
$ ./deploy-patch -wmcr <target directory>/sa -version SQM4.1.3.80 -mode remove
Please enter the location of the Service Quality Manager patch [/appl]:
<target directory> for example: /appl

This removal script will remove the IBM Tivoli Netcool Service Quality
Management software version SQM4.1.3.80 from your system.

Removing patch-SQM4.1.3.80-patch
.....
Successfully removed patch-SQM4.1.3.80-patch
```

### 3.2.5 Display patch history

To check the Tivoli Netcool Service Quality Manager patch history execute the following command as user saserver on the Tivoli Netcool Service Quality Manager Application or Consolidated server.

```
$ sap version
```

Output similar to the following syntax is displayed if the target baseline is 4.1.3.70.

```
Baseline Version:
IBM SQM4.1.3.60
Current Version:
SQM4.1.3.60
Patch History:
SQM4.1.3.70
```

### 3.2.6 Start Tivoli Netcool Service Quality Manager Web Portal

The instance of the Tivoli Netcool Service Quality Manager Web Portal on the application or consolidated server must now be started. To do this, see section 4.5.1 of the Tivoli Netcool Service Quality Manager AIX or Solaris System Administration guides.

### 3.2.7 Start Tivoli Netcool Service Quality Manager processes

Start all Tivoli Netcool Service Quality Manager processes by executing the following commands as user `saserver` on the Tivoli Netcool Service Quality Manager application server or consolidated server:

```
$ sap start domain
$ sap start monitoring (if adapters are installed)
$ sap start cem
$ sap start client
$ sap start adapters (if adapters are installed)
```

## 3.3 Removing the Tivoli Business Service Manager Dashboard Server Patch

### 3.3.1 Rolling back the OMNIBus and SNMP probe configuration

---

**Note:** The environment variable `NC_RULES_HOME` should point to the root location where the OMNIBus rules files are stored on the OMNIBus server

---

The updated NcKL files backed up in Section 2.3 of this document should be restored.

For NcKL library version 3 or 2 execute the following command:

```
$ cp -f ~/tnsqm_fp2/backup/omnibus/rules/ibm/*TNSQM* $NC_RULES_HOME/include-snmpttrap/ibm
```

For NcKL library version 1 execute the following command:

```
$ cp -f ~/tnsqm_fp2/backup/omnibus/rules/*TNSQM* $NC_RULES_HOME/include-snmpttrap/
```

To roll back OMNIBus configuration the following command should be executed:

```
$ $OMNIHOME/bin/nco_sql -server <OmnibusServerName> -user root -password  
<OmnibusPassword> < ~/tnsqm_fp2/omnibus/tnsqm/sql/upgradeRemove_tnsqm413fp2.sql
```

The SNMP probe has to be restarted.

### 3.3.2 Removing the ODA Driver and Report Launcher Web Application patches

These steps will remove the existing ODA Driver and Report Launcher application.

When executing the steps you will be requested to enter the username and password for the TBSM dashboard administrator user.

When prompted if you wish to uninstall the KQI History Charts select 'N'

On a Unix system perform the following:

- Change directory to the location of the TNSQM\_TBSM integration

```
$ cd ~/tnsqm_fp2
```

- Execute the removal script:

```
$ ./configure_nsbound -remove
```

### 3.3.3 Removing the Resource Viewer Web Application

- 1 Execute the administration console startup script:

```
$ cd $TIP_HOME/bin
```

```
$ ./wsadmin.sh
```

- 2 Execute the following commands:

```
$AdminApp update isclite modulefile {-operation delete -contenturi  
resource_viewer.war}
```

```
$AdminConfig save
```

- 3 Exit the administration console:

```
wsadmin> exit
```

- 4 Restart the Tivoli Integrated Portal:

```
$ ./stopServer.sh server1
```

```
$ ./startServer.sh server1
```

5. Remove the resource\_viewer software with the following commands

```
$ cd $TIP_HOME/systemApps/isclite.ear  
$ rm -rf resource_viewer.war
```

6. To return to the 4.1.3.70 baseline the steps outlined in the following sections of the TNSQM 4.1.3 FP0001 install guide should be followed using the 4.1.3 FP001 files:

2.3.1, 2.3.3 and 2.3.4

7. Restart the TBSM Dashboard

```
$ cd $TIP_HOME/bin  
$ ./stopServer.sh server1  
$ ./startServer.sh server1
```



## Notices

IBM may not offer the products, services, or features discussed in this document in all countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing  
IBM Corporation  
North Castle Drive  
Armonk NY 10504-1785  
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing  
Legal and Intellectual Property Law  
IBM Japan Ltd.  
1623-14, Shimotsuruma, Yamato-shi  
Kanagawa 242-8502 Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation  
5300 Cork Airport Business Park  
Kinsale Road  
Cork  
Ireland.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

### Trademarks

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at “Copyright and trademark information” at [www.ibm.com/legal/copytrade.shtml](http://www.ibm.com/legal/copytrade.shtml).

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Java and all Java-based trademarks and logos are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.



Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product or service names may be trademarks or service marks of others.

®

Printed in the Republic of Ireland