

IBM Tivoli Configuration Manager



Readme File for Fix Pack 3 - PTF U802045

Version 4.2.1

IBM Tivoli Configuration Manager



Readme File for Fix Pack 3 - PTF U802045

Version 4.2.1

Note

Before using this information and the product it supports, read the information in "Notices" on page 77.

First Edition (July 2005)

This edition applies to fix pack 3 (PTF U802045) for version 4, release 2, modification level 1 of IBM Tivoli Configuration Manager (program number 5724-C06).

© Copyright International Business Machines Corporation 2003, 2005. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Tables	v
IBM Tivoli Configuration Manager 4.2.1 Readme File for Fix Pack 3 (PTF U802045)	1
About this release	1
CD structure	1
New features	2
New features in this fix pack	2
Displaying the .jar files version - Feature 55204	2
Pocket PC device agent feature - OR1020043017	2
Defer time management for end user notification panel - Feature 53373.	4
Avoiding concurrent logins during critical distributions - Feature 54613.	4
Implementing the concurrent login feature	4
Installing the concurrent login feature	4
Configuring the concurrent login feature	5
wdepccm	9
Using the concurrent login feature.	13
New features in previous fix packs	14
Backward compatibility issues	15
Product compatibility	16
Limitations	16
Limitations in DBCS environments	16
Product fix history	18
Fixes contained in this fix pack.	18
Inventory	18
MCollect	27
Software Distribution	27
Activity Planner	33
Change Manager	35
Tivoli Resource Manager	36
Web Interface.	36
Directory Query	36
Pristine Manager and Pristine Manager Gateway	36
Fixes contained in previous fix packs and interim fixes	36
Installation	42
Hardware and software requirements.	43
Supported platforms	43
System requirements	43
Traditional fix pack installation methods.	43
Installing fix packs using ISMP	43
Installing fix packs using the Tivoli desktop	44
Installing fix packs using the CLI	45
Installing fix packs using SIS	46
Software package block (SPB) fix pack installation for GUI components	46
SPB Patch Installer	48
Software Distribution server command	49
Software Distribution disconnected command	49
Software package block fix packs	49
Updating the inventory signatures.	50
Updating the inventory schema	50
Using SQL scripts to upgrade the schema	51
Updating the Activity Planner schema	51
Upgrading plug-ins.	52
Documentation notes	52
New information contained in this fix pack.	52
User's Guide for Software Distribution	52

Reference Manual for Software Distribution	53
User's Guide for Deployment Services	55
User's Guide for Inventory	56
Release Notes	56
Documentation problems and corrections contained in this fix pack	57
User's Guide for Software Distribution	57
Reference Manual for Software Distribution	58
User's Guide for Deployment Services	59
Planning and Installation Guide	60
User's Guide for Inventory	61
Release Notes	61
New information contained in previous fix packs.	62
User's Guide for Software Distribution	62
Reference Manual for Software Distribution	62
User's Guide for Deployment Services	67
Planning and Installation	68
Messages and Codes	70
DISSE0791W	70
DISSE0794E	71
Documentation problems and corrections contained in previous fix packs	71
User's Guide for Software Distribution	71
Reference Manual for Software Distribution	73
User's Guide for Deployment Services	74
Planning and Installation	75
Release Notes	75
Contacting IBM Software Support	76
Notices	77
Trademarks	78

Tables

1. IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 (CD 1 of 2)	1
2. IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 (CD 2 of 2)	1
3. Customer enhancement request references in this fix pack.	2
4. Customer enhancement request references in previous fix packs	15
5. Interim fixes included in this fix pack.	18
6. Inventory APARs and internal defects included in this fix pack.	18
7. MCollect APARs and internal defects included in this fix pack	27
8. Software Distribution APARs and defects included in this fix pack	27
9. APARs and internal defects included in this fix pack	33
10. Tivoli Resource Manager APARs and internal defects included in this fix pack.	36
11. Web Interface APARs and internal defects included in this fix pack	36
12. Inventory APARs and defects included in this fix pack from 4.2.1-INV-FP01.	36
13. Inventory APARs and internal defects included in this fix pack from 4.2.1-INV-FP02	37
14. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-F0P1, 4.2.1-SWDGW-F0P1, 4.2.1-SWDJPS-F0P1, and 4.2.1-SWDEP-F0P1	37
15. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-FP01, 4.2.1-SWDGW-FP01, 4.2.1-SWDJPS-FP01 and 4.2.1-SWDEP-FP01	38
16. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-FP02, 4.2.1-SWDGW-FP02, 4.2.1-SWDJPS-FP02, and 4.2.1-SWDEP-FP02	38
17. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-F2P1, 4.2.1-SWDGW-F2P1, 4.2.1-SWDJPS-F2P1, and 4.2.1-SWDEP-F2P1	39
18. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-F2P2, 4.2.1-SWDGW-F2P2, 4.2.1-SWDJPS-F2P2, and 4.2.1-SWDEP-F2P2	39
19. Activity Planner APARs and internal defects included in this fix pack from 4.2.1-APM-F0P1.	40
20. Activity Planner APARs and internal defects included in this fix pack from 4.2.1-APM-FP01.	40
21. APARs and internal defects included in this fix pack from 4.2.1-APM-FP02	40
22. APARs and internal defects included in this fix pack from 4.2.1-APM-F2P1	41
23. APARs and internal defects included in this fix pack from 4.2.1-APM-F2P2	41
24. Change Manager internal defects included in this fix pack from 4.2.1-CCM-F0P1	41
25. Change Manager internal defects included in this fix pack from 4.2.1-CCM-FP01	41
26. APARs and internal defects included in this fix pack from 4.2.1-CCM-FP02	41
27. APARs and internal defects included in this fix pack from 4.2.1-CCM-F2P1	41
28. APARs and internal defects included in this fix pack from 4.2.1-CCM-F2P2	41
29. Web Interface APARs and internal defects included in this fix pack from 4.2.1-WEB-F0P1	42
30. Web Interface APARs and internal defects included in this fix pack from 4.2.1-WEB-FP01	42
31. Web Interface APARs and internal defects included in this fix pack from 4.2.1-WEB-FP02	42
32. Directory Query APARs and internal defects included in 4.2.1-DQY-FP01	42
33. Pristine Manager APARs included in this fix pack from 4.2.1-PMGW-F0P1.	42
34. Pristine Manager APARs included in this fix pack from 4.2.1-PMSRV-FP01.	42
35. Pristine Manager APARs and internal defects included in this fix pack from 4.2.1-PMSRV-FP02	42
36. IND files for components	45
37. Default variables defined in SPB fix packs	47
38. Names of SPB files and software profiles	49
39. Server Component Prerequisites.	69
40. Web Gateway Component Prerequisites	70
41. Desktop Component Prerequisites	70

IBM Tivoli Configuration Manager 4.2.1 Readme File for Fix Pack 3 (PTF U802045)

This readme file provides important information about Fix Pack 3 (PTF U802045) for IBM® Tivoli® Configuration Manager Version 4.2.1. This readme file is the most current information for the fix pack and takes precedence over all other documentation for IBM Tivoli Configuration Manager, Version 4.2.1. This fix pack fixes a variety of defects on *Software Distribution, Inventory, Activity Planner, Change Manager, Tivoli Resource Manager, Web User Interface, and Query Directory* components.

Please review this section thoroughly before installing or using this fix pack.

About this release

This section includes the following topics:

- “CD structure”
- “New features” on page 2
- “Product fix history” on page 18
- “Backward compatibility issues” on page 15
- “Product compatibility” on page 16
- “Limitations” on page 16

CD structure

IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 includes *two* CDs:

Table 1. IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 (CD 1 of 2)

Directory or path	Contents
/docs	Readme file.
/images/INVENTORY	Images required for Inventory components.
/images/SWD	Images required for Software Distribution, Activity Planner, Change Manager, Tivoli Resource Manager, Enterprise Query Directory.
/images/SWD_L10N	Images required for Software Distribution Language Support.
/xml	The XML file to be used by the ISMP installation program.
/images/MCOLLECT	Images required for the Scalable Collection Service.

Table 2. IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 (CD 2 of 2)

Directory or path	Contents
/JarVersion	Scripts to retrieve and display the version of the .jar files currently installed.
/LoginControl	Software package block (SPB) and executable files used to implement the concurrent login feature.
/package	Software package block (SPB) files used to patch GUI components and the XML descriptor file.

Table 2. IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 (CD 2 of 2) (continued)

Directory or path	Contents
/PocketPC	Files required for enabling the Pocket PC Device feature.
/spb_installer	SPB Patch Installer that installs SPB interim fixes locally and the SPB Patch Installer Guide.

New features

This section contains a cumulative list of new features introduced in the previous fix pack and in the current fix pack.

- “New features in this fix pack”
- “New features in previous fix packs” on page 14

New features in this fix pack

The following new features have been introduced in this fix pack.

Table 3. Customer enhancement request references in this fix pack

Displaying the .jar files version	Feature 55204
Pocket PC device agent feature	OR1020043017
Defer time management for end user notification panel	Feature 53373
Concurrent login feature	Feature 54613

Displaying the .jar files version - Feature 55204: With this feature you can display the version of installed .jar files, if available. You can start the command on Tivoli servers and managed nodes after having set the Tivoli environment, as described below:

On UNIX[®] operating systems:

```
./wjarversion.sh jarfile
```

On Windows[®] operating systems:

```
wjarversion.bat jarfile
```

where:

jarfile Is the name of the .jar file for which you want to display the version. The following are the supported .jar files for this feature:

- apm.jar
- apm_utils.jar
- swd_plugin.jar
- tl_plugin.jar

Pocket PC device agent feature - OR1020043017: With this feature you can easily reinstall the IBM Agent application after a hard reset or when the battery dies, without having to install the application from scratch. To ensure a persistent one-click installation of the device agent, after a hard reset or when the battery dies, enable this feature.

Use the following procedure to enable the Pocket PC device agent feature when the IBM Agent application is already installed on the device:

1. Copy on the source host in a temporary directory such as C:\temp the following three files from the directory CD2\PocketPC:
 - ceagent.arm.CAB

- IBM_DeviceAgent.ini.sample
 - InstallAgent.lnk
2. Rename the IBM_DeviceAgent.ini.sample file to IBM_DeviceAgent.ini
 3. Edit the IBM_DeviceAgent.ini file to uncomment and configure the keys


```
mgmt.serveraddr=http://DMserver.domain.com/dmservlet/WinceServlet
mgmt.delete_ini_after_processing=no
mgmt.auth.user=user name
```

where:

DMserver.domain.com

Is the hostname of the Tivoli Web Gateway Server workstation.

mgmt.delete_ini_after_processing

Prevents the IBM_DeviceAgent.ini file from being deleted after it is processed. It is set by default to no.

user name

Is the user ID.

4. Edit the InstallAgent.lnk file and set the variable permanent_path to the permanent path on the device, such as IPAQ File Store.
5. Copy the package Tivoli_PocketPC_ARM_Agent_Patch.v4.2.1.FP03.spd from the directory CD2\PocketPC to a temporary directory.
6. Edit the package Tivoli_PocketPC_ARM_Agent_Patch.v4.2.1.FP03.spd by setting the value of the permanent_path and name variables. The permanent_path is the permanent path on the device, while the name is the path of the files (ceagent.arm.CAB, IBM_DeviceAgent.ini.sample, InstallAgent.lnk) on the source host, such as temp.
7. Import the package.
8. Distribute the package to the device. The package installs the files on a permanent path of the device.

Note: During the Agent installation, you receive a message on the device asking if you want to install the IBM agent again. Click **OK** to confirm the installation.

In this way, after a hard reset or when the battery dies, you can reinstall the IBM Agent application by just clicking the InstallAgent.lnk file on the device.

Use the following procedure to enable the Pocket PC device agent feature when the IBM Agent application is installed on the device for the first time:

- Before installing the IBM Agent on the device, you have to install on the endpoint that hosts the Tivoli Web Gateway Server the following package: Tivoli_Web_Gateway_SRV_Fixv4.2.1.FP03.spb located in CD2\package.

This package refreshes the files ceagent.arm.CAB and IBM_DeviceAgent.ini.sample on the Tivoli Web Gateway Server workstation.

To install and configure the device agent on WinCE with a persistent one-click installation, perform the following steps:

1. Rename the IBM_DeviceAgent.ini.sample file to IBM_DeviceAgent.ini.
2. Edit the IBM_DeviceAgent.ini file and set the mgmt.delete_ini_after_processing keyword to no.

3. Copy the IBM_DeviceAgent.ini and the device agent installation package CAB file into the root of a persistent store path on the device, such as IPAQ File Store.
4. Copy from the directory CD2\PocketPC the InstallAgent.lnk file to a temporary directory.
5. Edit the InstallAgent.lnk file and set the variable permanent_path to the permanent path on the device.
6. Copy from the directory CD2\PocketPC the InstallAgent.lnk file into the root of a persistent store path on the device.

In this way, after a hard reset or when the battery dies, you can reinstall the IBM Agent application by just clicking the InstallAgent.lnk file on the device.

Defer time management for end user notification panel - Feature 53373: In the end user notification panel there are two fields to indicate the defer time. It is now possible to indicate the same time as a date and as a timestamp.

Avoiding concurrent logins during critical distributions - Feature 54613: On Windows operating systems, you can use the concurrent login feature to prevent the end user from logging in to the workstation and performing a shutdown while a distribution is taking place. This feature guarantees that critical distributions are not interrupted. You can also define a maximum number of logins that can be performed during a distribution. In this case, the distribution is paused and restarts after the user logs off. For more information, see "Implementing the concurrent login feature."

Implementing the concurrent login feature

This section explains how to install, configure, and use the concurrent login feature to prevent the end user from logging in to the workstation during critical distributions.

Installing the concurrent login feature: Before you can install this feature, you must have installed Software Distribution and Activity Planner, as described in *IBM Tivoli Configuration Manager: Planning and Installation Guide*.

The **4.1.1-TMF-0044** Tivoli Framework patch must also be installed on the Tivoli server and gateways.

To install the concurrent login feature, perform the following steps:

1. Install the **4.2.1-SWDSRV-FP03** Software Distribution server patch to update the Software Distribution command line and GUI.
2. Install the **4.2.1-SWDGW-FP03** Software Distribution gateway patch to update Windows endpoints.
3. Install the **4.2.1-APM-FP03** Activity Planner patch to update the Activity Planner GUI.
4. Upgrade the Activity Planner plug-ins.
5. Distribute the **Tivoli_login_control_4.2.1.spb** software packages to the endpoints.
6. Type the following command to enable the feature on the specified endpoint:

```
wep endpoint_name set allow_distribution_control on
```

where:

endpoint_name

Is the name of the endpoint where the feature is to be enabled.

Repeat the command for each endpoint where the feature is to be enabled.

7. Download the `wdepccm.exe` file from the `/LoginControl` folder on CD 2 to the endpoints.

Configuring the concurrent login feature: After installing the concurrent login feature as described in “Installing the concurrent login feature” on page 4, you can configure the registry keys created on the endpoints by the **Tivoli_login_control_4.2.1.spb** software package.

The registry keys are created in the following locations within the Registry Editor:

- HKEY_LOCAL_MACHINE\SOFTWARE\Tivoli\SWDnotification
- HKEY_LOCAL_MACHINE\SOFTWARE\Tivoli\SWDnotification\upcall
- HKEY_LOCAL_MACHINE\SOFTWARE\Tivoli\SWDnotification\wmansd

To view and edit the registry keys, use the **wdepccm** command. For more information on this command, see “wdepccm” on page 9.

The following is a list of all the registry keys created on the endpoints:

Keys located in

HKEY_LOCAL_MACHINE\SOFTWARE\Tivoli\SWDnotification

IsEnabled

Specifies whether the concurrent login feature is enabled. Supported values are **1**, which means that the feature is enabled, and **0**, which means that the feature is disabled. The default value is **1**.

TraceLevel

Specifies the tracing level. Supported values are as follows:

- 0** Traces are disabled. This is the default value.
- 1** Standard tracing is enabled.
- 2** Verbose tracing is enabled.

TracePath

Specifies the full path and name of the trace files. The default value is: `$(system_drive)\SWDnotification.log`.

DenyPopupEnabled

Specifies whether a message must be displayed on the endpoint to notify the user that login is temporarily disabled. Supported values are **1**, which means that the dialog is displayed, and **0** which means that the dialog is not displayed. The default value is **1**.

PopUpTimeout

Specifies how many seconds the message must be displayed on the endpoint if you set the **DenyPopupEnabled** key to **1**. The default value is **10**.

LoginDeniedTitle

Defines the title of the dialog box displayed on the endpoint if you set the **DenyPopupEnabled** key to **1**. The default value is `SWDNotification`.

LoginDeniedMsg

Defines the text contained in the dialog box displayed on the endpoint if you set the **DenyPopupEnabled** key to **1**. When customizing the message,

you can use the `\r\n` symbols for inserting a carriage return. The default value is: "Distribution in progress\r\nLogon temporarily disabled."

DenyLogonOnPauseError

Specifies whether the user is allowed to log in to the workstation if an error occurs during an attempt to pause the distribution. Supported values are **1**, which means the user is not allowed to log in, and **0**, which means the user is allowed to log in. The default value is **1**.

LoginDeniedMsgOnPauseError

Defines the text contained in the dialog box displayed on the endpoint if the distribution cannot be paused and you set the **DenyLogonOnPauseError** key to **1**. When customizing the message, you can use the `\r\n` symbols for inserting a carriage return and the `$(DIST_ID)` variable which is replaced at run time with the distribution ID. The default value is: " The pause failed for distribution `$(DIST_ID)`\r\n Contact system administrator."

SwitchPopupDesktop

Specifies whether the message displayed on the endpoint if you set the **DenyPopupEnabled** key to **1**, must be shown on a new Windows desktop. Supported values are **0**, which means the default Windows desktop is used, and **1**, which means a new Windows desktop is used. The default value is **1**.

LogoffType

Specifies which type of logoff must be performed. Supported values are as follows

- 0** Performs a standard logoff. This is the default value.
- 1** Performs a forced log off ending all active processes.
- 2** Performs a logoff ending active and hung processes.

DefaultShutdownAllowdBeforeReset

Defines the number of shutdown operations after which the user is allowed to log in again. This key prevents the user from being irrecoverably logged out of the workstation. The default value is **20**.

CompletionPopupEnabled

Specifies whether a message is displayed on the endpoint to notify the user that the distribution has completed and login is allowed. Supported values are **0**, which means the message is not displayed, and **1**, which means the message is displayed.

CompletionProgramPath

Specifies the path to the application that manages the message to be displayed if you set the **CompletionPopupEnabled** to **1**. Use this key if you modified the path where `wcompmsg.exe` is installed or if you want to use a different application for managing the message.

CompletionPopupTitle

Defines the title of the dialog box displayed on the endpoint if you set the **CompletionPopupEnabled** key to **1**. The default value is `SWDNotification`.

CompletionPopupMsg

Defines the text contained in the dialog box displayed on the endpoint if you set the **CompletionPopupEnabled** key to **1**. When customizing the message, you can use the `\n` symbol for inserting a carriage return. The default value is: "Distribution complete\nLogon is now permitted."

ShutdownPopupEnabled

Specifies whether a message is displayed when you attempt to perform a shutdown during a distribution for which shutdown has been disabled. You must choose between performing a logoff immediately, performing a restart immediately, or performing a logoff immediately and subsequently a shutdown when the distribution completes. See also `LogoffShutdownString`. Supported values are **0**, which means the message is not displayed, and **1**, which means the message is displayed. The default value is **1**.

ShutdownPopupMsg

Defines the text contained in the dialog box displayed on the endpoint if you set the **ShutdownPopupEnabled** key to **1**. When customizing the message, you can use the `\n` symbol for inserting a carriage return. The default value is: "The machine will shut down when the distribution completes."

Keys located in

`HKEY_LOCAL_MACHINE\SOFTWARE\Tivoli\SWDnotification\upcall`

LCF_BINDIR

Is the fully qualified path to the `LCF_BINDIR`.

LCF_CACHEDIR

Is the fully qualified path to the `LCF_CACHEDIR`.

LCF_DATDIR

Is the fully qualified path to the `LCF_DATDIR`.

UpcallProgram

Is the fully qualified path to the application which communicates with the gateway.

UpcallTimeout

Specifies the timeout in seconds for communicating with the gateway. The default value is **120** seconds.

Keys located in

`HKEY_LOCAL_MACHINE\SOFTWARE\Tivoli\SWDnotification\wmansd`

Title Defines the title of the dialog box displayed on the endpoint if you set the **ShutdownPopupEnabled** key to **1** and the user attempts to perform a shutdown during a distribution for which shutdown has been disabled. The default value is `SWDNotification`.

Message

Defines the message contained in the dialog box displayed on the endpoint if you set the **ShutdownPopupEnabled** key to **1** and the user attempts to perform a shutdown during a distribution for which shutdown has been disabled. When customizing the message, you can use the `\n` symbol for inserting a carriage return. The default value is: "Please choose one of the following."

Timeout

Specifies a timeout in seconds for choosing between a logoff, a restart, and a logoff and shutdown. If you set the timeout to **0**, the message is not displayed and the default action is performed. Otherwise, the default action is performed after the timeout expires. For more information on the default action, see `DefaultAction`. The default value is **0**.

LogoffString

Defines the first option displayed in the message to request whether a logoff should be performed. If you select this option, a logoff is performed immediately. The default value is "Logoff".

LogoffShutdownString

Defines the second option displayed in the message to request whether a logoff and a shutdown should be performed. If you select this option, a logoff is performed immediately and a shutdown is performed when the distribution completes. The default value is "Logoff and shutdown when complete".

RestartString

Defines the third option displayed in the shutdown message to request whether a restart should be performed. If you select this option, a restart is performed immediately. The default value is "Restart".

DefaultAction

Specifies the default action to be performed when the timeout expires or is set to 0. Supported values are as follows:

- 1 Performs a logoff immediately.
- 2 Performs a logoff immediately and a shutdown when the distribution completes. This is the default value.
- 3 Performs a restart immediately.

LeftLogonPopupEnabled

Specifies whether a message must be displayed on the endpoint listing the number of logins allowed on the workstation. You can define this key when limited logins are allowed during the distribution. If an error occurs and the distribution cannot be paused, the message is not displayed. Supported values are 0, which means the message is not displayed, and 1, which means the message is displayed. The default value is 1.

LeftLogonPopupMsg

Defines the message contained in the dialog box displayed on the endpoint if you set the **LeftLogonPopupEnabled** key to 1. When customizing the message, you can use the \n symbol for inserting a carriage return and the \$(LEFT_LOGON) variable which is replaced at run time with the number of allowed logins. The default value is: "The current distribution has been paused\nYou can logon \$(LEFT_LOGON) times."

wdepccm:

Displays and configures the registry keys created when the concurrent login feature is installed on the endpoint. It can also unlock a workstation that has been locked by mistake.

Syntax: **wdepccm** [-r | -g *property* | -s *property*]

Options:

-r Unlocks a workstation that has been locked by mistake.

-g *property*
Displays the setting defined for the specified registry key.

-s *property*
Defines a setting for the specified registry key, as follows:

-e [true | false]

Specifies whether the concurrent login feature is enabled. Supported values are **true**, which means that the feature is enabled, and **false**, which means that the feature is disabled. The default value is **true**.

-p [true | false]

Specifies whether a message must be displayed on the endpoint to notify the user that login is temporarily disabled. Supported values are **true**, which means that the dialog is displayed, and **false** which means that the dialog is not displayed. The default value is **true**.

-t *timeout*

Specifies how many seconds the message must be displayed on the endpoint if you set the **-p** option to **true**. The default value is **10**.

-l *popup_title*

Defines the title of the dialog box displayed on the endpoint if you set the **-p** option to **true**. The default value is SWDNotification.

-L *popup_msg*

Defines the text contained in the dialog box displayed on the endpoint if you set the **-p** option to **true**. The default value is: "Distribution in progress\r\nLogon temporarily disabled."

-m [true | false]

Specifies whether the user is allowed to log in to the workstation if an error occurs during an attempt to pause the distribution. Supported values are **true**, which means the user is not allowed to log in, and **false**, which means the user is allowed to log in. The default value is **true**.

-M *popup_msg*

Defines the text contained in the dialog box displayed on the endpoint if the distribution cannot be paused and you set the **-m** option to **true**. When customizing the message, you can use the \r\n symbols for inserting a carriage return and the \$(DIST_ID) variable which is replaced at run time with the distribution ID. The default value is: "The pause failed for distribution \$(DIST_ID)\r\n Contact the system administrator."

-x *level* Specifies the tracing level. Supported values are as follows:

0 Traces are disabled. This is the default value.

- 1 Standard tracing is enabled.
- 2 Verbose tracing is enabled.

-y *pathname*

Specifies the full path and name of the trace files. The default value is: \$(system_drive)\SWDnotification.log.

-s [true | false]

Specifies whether the message displayed on the endpoint if you set the **-p** option to **true**, must be shown on a new Windows desktop. Supported values are **true**, which means a new Windows desktop is used, and **false**, which means the default desktop is used. The default value is **true**.

-d *max_shutdowns*

Defines the number of shutdown operations after which the user is allowed to log in again. This key prevents the user from being irrecoverably logged out of the workstation. The default value is 20.

-o [0 | 1 | 2]

Specifies which type of logoff must be performed. Supported values are as follows:

- 0 Performs a standard logoff. This is the default value.
- 1 Performs a forced logoff ending all active processes.
- 2 Performs a logoff ending also hung processes.

-c [true | false]

Specifies whether a message is displayed on the endpoint to notify the user that the distribution has completed and login is allowed. Supported values are **true**, which means the message is displayed, and **false**, which means the message is not displayed. The default value is **true**.

-b *pathname*

Specifies the path to the application that manages the message to be displayed if you set the **-c** option to **true**. Use this key if you modified the path where wcompmsg.exe is installed or if you want to use a different application for managing the message.

-u *popup_title*

Defines the title of the dialog box displayed on the endpoint if you set the **-c** option to **true**. The default value is SWDNotification.

-v *popup_msg*

Defines the text contained in the dialog box displayed on the endpoint if you set the **-c** option to **true**. When customizing the message, you can use the \r\n symbols for inserting a carriage return. The default value is: "Distribution complete\nLogon is now permitted."

-w [true | false]

Specifies whether a message is displayed when you attempt to perform a shutdown during a distribution for which shutdown has been disabled. You must choose between performing a logoff immediately, performing a restart immediately, or performing a logoff immediately and subsequently a shutdown when the distribution completes. See also the -H option. Supported values

are **true**, which means the message is displayed, and **false**, which means the message is not displayed. The default value is **true**.

-z *shut_popup_msg*

Defines the text contained in the dialog box displayed on the endpoint if you set the **-w** option to **true**. When customizing the message, you can use the \n symbol for inserting a carriage return. The default value is: "The machine will shut down when the distribution completes."

-B *pathname*

Specifies the fully qualified path to the LCF_BINDIR.

-C *pathname*

Specifies the fully qualified path to the LCF_CACHEDIR.

-D *pathname*

Specifies the fully qualified path to the LCF_DATDIR.

-U *pathname*

Specifies the fully qualified path to the application which communicates with the gateway.

-W *timeout*

Specifies the timeout in seconds for communicating with the gateway. The default value is **120** seconds.

-E *popup_title*

Defines the title of the dialog box displayed on the endpoint if you set the **-w** option to **true** and the user attempts to perform a shutdown during a distribution for which shutdown has been disabled. The default value is SWDNotification.

-F *popup_msg*

Defines the message contained in the dialog box displayed on the endpoint if you set the **-w** option to **true** and the user attempts to perform a shutdown during a distribution for which shutdown has been disabled. When customizing the message, you can use the \n symbol for inserting a carriage return. The default value is: "Please choose one of the following"

-G *timeout*

Specifies a timeout in seconds for choosing between a logoff, a restart, and a logoff and shutdown. If you set the timeout to **0**, the message is not displayed and the default action is performed. After the timeout expires, the default action is performed. For more information on the default action, see the **-J** option. The default value is **0**.

-T *logoff_str*

Defines the first option displayed in the message to request whether a logoff should be performed. If you select this option, a logoff is performed immediately. The default value is "Logoff".

-H *logoff_and_shut*

Defines the second option displayed in the message to request whether a logoff and a shutdown should be performed. If you select this option, a logoff is performed immediately and a shutdown is performed when the distribution completes. The default value is "Logoff & shutdown when complete".

-K *restart_str*

Defines the third option displayed in the shutdown message to request whether a restart should be performed. If you select this option, a restart is performed immediately. The default value is "Restart".

-J [1 | 2 | 3]

Specifies the default action to be performed when the timeout expires or is set to 0. Supported values are as follows:

- 1 Performs a logoff immediately.
- 2 Performs a logoff immediately and a shutdown when the distribution completes. This is the default value.
- 3 Performs a restart immediately.

-P [true | false]

Specifies whether a message must be displayed on the endpoint listing the number of logins allowed on the workstation. You can define this key when limited logins are allowed during the distribution. Supported values are **true**, which means the message is displayed, and **false**, which means the message is not displayed. The default value is **true**.

-Q *message*

Defines the message contained in the dialog box displayed on the endpoint if you set the **-P** option to 1. When customizing the message, you can use the \n symbol for inserting a carriage return and the \$(LEFT_LOGON) variable which is replaced at run time with the number of allowed logins. The default value is: "The current distribution has been paused\nYou can log on \$(LEFT_LOGON) times."

Return Values: The **wdepccm** command returns one of the following:

0 Indicates that **wdepccm** completed successfully.

other than zero

Indicates that **wdepccm** failed due to an error.

Examples:

1. To display the value set for the **-p** option, type the following command:
wdepccm -g p
2. To set the default action to be performed when the timeout expires so that an immediate logoff is performed, type the following command:
wdepccm -s J 1

Using the concurrent login feature: Using the GUI or the command line, you can define a set of software packages for which user login and shutdown operations can be disabled while the distribution is taking place. This feature guarantees that critical distributions are not interrupted. You can also define a maximum number of logins that can be performed during a distribution. If the user logs in, the distribution is paused and restarts after the user logs off.

Using a series of configurable messages, you can notify the user of the distribution taking place on the workstation, list the number of logins allowed, if any, and prompt the user who is trying to perform a shutdown during a distribution for which the shutdown is disabled to choose between logoff options.

In the Software Distribution command line, the **-X {none | first | middle | last | both}**, **-Y *max_login_allowed***, and **-W** options have been added to the following commands, as described below:

- waccpst
- wcommtsp
- winstsp
- wspmldata
- wremovsp
- wundosp

-X {none | first | middle | last | both}

Use this option to define a set of software packages for which user login and shutdown operations can be disabled while the distribution is taking place. If you define a package as **first**, this package is the first in a series for which you can define these options. Define the other packages in the series as **middle** and the last package as **last**. A software package defined as **last** must exist for each software package defined as **first**. If the series consists of just one package, define this package as **both**, which means the software package is both first and last in the series. The default value is **none** which means user login and shutdown operations cannot be disabled.

-Y *max_login_allowed*

Use this option to specify whether users can log on to the workstation while a distribution is taking place. This setting can be defined only for software packages marked as **first** and **both**. It applies to software packages marked as **first**, **middle**, **last**, or **both**. Supported values are **0** (no login is allowed), **-1** (unlimited number of logins is allowed), and any positive integer. If a login is performed while the distribution is taking place, the distribution is paused until the user performs a logoff.

-W

Specifies that the user cannot perform a shutdown while a distribution is taking place. If the user attempts to perform a shutdown and the timeout is set to a value other than zero using the **Timeout** key, a dialog box is displayed on the endpoint listing the allowed operations and requesting the user to select one. The user can choose between performing a restart, a logoff, or a logoff and shutdown. The restart and logoff operations are performed immediately, while the shutdown is performed after the last distribution has completed. If the user does not respond to the dialog within the allotted time, the default action is performed. The default action is logoff and shutdown.

In the Activity Planner and Software Distribution GUI, the Concurrent Login section was added to the panels for the following operations, as described below:

- Accept
- Commit
- Delete
- Install
- Retrieve
- Send
- Remove
- Undo

Type Define a set of software packages for which user login and shutdown operations can be disabled while the distribution is taking place. If you define a package as **first**, this package is the first in a series for which you can define these options. Define the other packages in the series as **middle** and the last package as **last**. A software package marked as **last** must exist for each software package marked as **first**. If the series consists of just one package, mark this package as **both**, which means the software package is both first and last in the series. The default value is **none** which means user login and shutdown operations cannot be disabled.

Max Login Allowed

Specify whether users can log in to the workstation while a distribution is taking place. You can specify this setting only for software packages defined as **first** or **both**. Packages defined as **middle** or **last** inherit the settings defined for the package defined as **first**. Supported values are **0** (no login is allowed), **-1** (an unlimited number of logins is allowed), and any positive integer. If a login is performed while the distribution is taking place, the distribution is paused until the user performs a logoff.

Disable Shutdown

Select this check box to specify that the user cannot perform a shutdown while a distribution is taking place. If the user attempts to perform a shutdown and the timeout is set to a value other than zero using the **Timeout** key, a dialog box is displayed on the endpoint listing the allowed operations and requesting the user to select one. The user can choose between performing a restart, a logoff, or a logoff and a shutdown. The restart and logoff operations are performed immediately, while the shutdown is performed after the last distribution has completed. If the user does not respond to the dialog within the allotted time, the default action is performed. The default action is logoff and shutdown. You can specify this setting only for software packages defined as **first** or **both**. Packages defined as **middle** or **last** inherit the settings defined for the package defined as **first**.

Dataless packages cannot be paused, therefore you should add them in a series of packages and define them as **middle**.

For more information on the Software Distribution GUI and command line, refer to *IBM Tivoli Configuration Manager: User's Guide for Software Distribution* and *IBM Tivoli Configuration Manager: Reference Manual for Software Distribution*.

New features in previous fix packs

The following new features have been introduced in previous fix packs.

Table 4. Customer enhancement request references in previous fix packs

Cancel Force button and menu option for the Activity Plan Monitor graphical user interface (GUI).	MR0509031922
SD_operation_failed event is customizable.	MR0311035824
Security improvements for the software package definition (SPD) file.	MR0205036850
Validation policy for Data Moving enabled.	MR051603275
The Change Manager CLI command timeout is now customizable.	Defect 49765
Mandatory date in End User Notification window.	Feature 50710

- **Cancel Force button and menu option for the Activity Plan Monitor graphical user interface.**

A new **Cancel Force** button and menu option (**Selected → Cancel Force**) have been added to the Activity Plan Monitor graphical user interface. With this, you can change the operation state of an activity plan to "Cancelled", even though submitted operations are not cancelled.

The **Cancel Force** button and menu option have the same functionality as the **wcntpln -f** command.

Note: The **Cancel Force** button and menu option appear in English only.

- **SD_operation_failed event is customizable.**

You can now choose the level of alarm you want to display for failed operations. Specify FATAL, CRITICAL, MINOR, or HARMLESS for the SD_operation_failed event in the tecad_sdnew.baroc file.

- **Security improvements for the SPD file.**

On UNIX platforms, when you export a software package to SPD format, you have read and write privileges to the package, while all other users have only read privileges. For this reason, the owner of the exported SPD file should be the same user who exports the software package.

- **Validation policy for Data Moving enabled.**

The sp_val_operation policy that validates the targets addressed by a change management operation, now also validates the targets addressed by a send or receive operation.

- **The Change Manager CLI command timeout is now customizable.**

You can specify a timeout for CLI commands in Change Manager using the environment variable **_CCM_CLI_TIMEOUT_=<seconds>**. This is useful when you are using the **wsyncrmod** command to synchronize a reference model, because you can specify a timeout that gives **wsyncrmod** enough time to successfully complete. You can set the **_CCM_CLI_TIMEOUT_** variable in the shell or in the setup_env file.

- **Mandatory date in End User Notification window**

You can defer a distribution until a preset time, which is specified by the administrator and is out of the end user control. When this mandatory date has been reached, the distribution will be delivered immediately to the end user.

Backward compatibility issues

To address a problem with the user resource, the V_PLAN_STATUS view in the APM schema has been modified by adding the TGT_RESOURCE_TYPE field.

To fix the problem, update the V_PLAN_STATUS view by running the script plans_database_schema_update_view.sql, where database represents the supported

vendor database. After the installation of the Fix Pack 3 for APM component (4.2.1-APM-FP03), this script is located in the \$BINDIR/TME/APM/SCRIPTS directory.

Note: Running this script is not required if you have already installed IBM Tivoli Configuration Manager version 4.2.1 Fix Pack 2.

For interconnected Tivoli regions, before performing any Activity Planner operation, all Tivoli regions (TMRs) must be at the same level as Fix Pack 3. Ensure this by performing the following tasks:

1. Install Fix Pack 3 for APM component (4.2.1-APM-FP03) on all interconnected Tivoli regions.
2. Update the V_PLAN_STATUS view by running the script `plans_database_schema_update_view.sql` on all interconnected Tivoli regions.

Product compatibility

Compatibility is defined as whether different versions of a Tivoli product can communicate with different versions of Tivoli Management Framework.

IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 was tested using Tivoli Management Framework, Version 4.1.1 plus the following interim fixes:

- 4.1.1-LCF-0020 interim fix for endpoints.
- 4.1.1-TMF-0044 and 4.1.1-TMF-0039 interim fixes for Tivoli management region servers, managed nodes, and gateways.

Limitations

Defect 50475

If IBM JRE 1.4.1 SR02 is installed, when you use the Web Interface Gateway to install a software package, the progress bar of the Web Interface Operation Console remains at 0% and the package is not installed.

This problem does not occur with IBM JRE 1.4.0 or Sun JRE 1.3.1. The limitation occurs with Fix Pack 1.

Defect 50575

SuSE Intel® Tivoli server: When you perform a data moving operation using four scripts (pre and post at origin and destination), the post script at origin incorrectly runs twice per operation.

This limitation occurs with the General Availability version. It does not occur on Windows platforms.

Limitations in DBCS environments

This section describes limitations that affect DBCS environments found during the use of IBM Tivoli Configuration Manager, Version 4.2.1, GA version, which were not reported in the *IBM Tivoli Configuration Manager Release Notes*. It also describes limitations found during the use of IBM Tivoli Configuration Manager, Version 4.2.1, Fix Pack 3.

Defect 50163

The following message has been added to manage the data moving delete operation against a file that does not exist.

```
DISSE0612W Delete not completed. File or path non-existent:  
'c:\temp\dest\data.txt'
```

In the data moving log, the message appears in English only

Defect 50417

The **Cancel Force** button and menu option in the Activity Plan Monitor graphical user interface appears in English only and not in Japanese. Any new features added to interfaces after the General Availability release are not translated until the next release of the product.

Defect 50527

In SuSE Linux® 8, the Japanese input method used to enter Japanese characters into several Tivoli Java-based GUIs, is not invoked when Shift + space bar is pressed. This problem occurs on the following GUIs: Activity Plan Monitor, Change Manager, and Software Package Editor. The limitation occurs with the General Availability version.

Workaround: Add the line: `export XMODIFIERS="@im=kinput2"` to each of the following GUI start scripts:

- `$BINDIR/TME/APM/EDGUI/apmedit.sh`
- `$BINDIR/TME/CCM/GUI/ccmgui.sh`
- `$BINDIR/speditor/classes/sped_mn.sh`

Defect 50533

IBM Tivoli Configuration Manager 4.2.1 ISMP installation fails when the database is created in Japanese. This happens because there is no available conversion for the source code page 819 to the target code page UNKNOWN. Configuration Manager generates the error SQL0332N and **wrimtest** fails (FRWRA0012E: The RDBMS server call has failed.)

Workaround: After the ISMP fails at Step 22 (the registration of the Activity Planner plug-in):

1. Run `wsetlang -o -l ja_JP`.
2. Run `odadmin reexec all`.
3. Change the Step 22 status to **Available**.
4. Restart the ISMP installation.

Defect 50536

When you run the Data Moving Service from the Tivoli Desktop interface, if you select a DBCS-named file and click **Send and Close**, you receive the error: FRWSL0024E: a failure was detected by the oserv, even though the Data Moving Service has run correctly. If you click **Send**, you do not receive this error.

Defect 50604

Windows platforms: If you create a file using the Software Package Editor for endpoint with a DBCS name that contains the characters 5C in the second byte, when you attempt to import the file to the software package profile, the file name is corrupted and the file cannot be imported.

Workaround: Input the DBCS file name to the Import File Location field manually.

This limitation does not occur with SuSE Intel Tivoli server.

Defect 55236

From the DataMovingRequest.1 profile, select the "Send" function, in the Data Moving Service Send Operation panel there is the Data Origin Type that contains "Source Host" in English while all the other fields are in Japanese.

Defect 55248

The installation performed through ISMP of the Disconnected Speditor of IBM Tivoli Configuration Manager 4.2.1 FP03 is in English only.

In the source directory there is the spcatalog.cat file only for the English version.

Product fix history

IBM Tivoli Configuration Manager, Version 4.2.1, Fix Pack 3 supersedes all interim fixes and fix packs released previously for the product. The following sections include all interim fixes shipped since the IBM Tivoli Configuration Manager, Version 4.2.1 release. It is divided into the following subsections:

- “Fixes contained in this fix pack”
- “Fixes contained in previous fix packs and interim fixes” on page 36

Fixes contained in this fix pack

Table 5 lists the fixes included in this fix pack:

Table 5. Interim fixes included in this fix pack

Interim fix	Component/Service
4.2.1-INV-FP03	Inventory, Version 4.2.1
4.2.1-INVGW-FP03	Inventory Gateway, Version 4.2.1
4.1.1-CLL-FP03	Scalable Collection Service, Version 4.1.1
4.2.1-SWDSRV-FP03	Software Distribution, Version 4.2.1
4.2.1-SWD_fr-0001	Software Distribution, Version 4.2.1 [fr] French Language Support
4.2.1-SWDGW-FP03	Software Distribution Gateway, Version 4.2.1
4.2.1-SWDJPS-FP03	Software Package Editor, Version 4.2.1
4.2.1-APM-FP03	Activity Planner, Version 4.2.1
4.2.1-CCM-FP03	Change Manager, Version 4.2.1
4.2.1-TRMSRV-FP03	Resource Manager, Version 4.2.1
4.2.1-WEB-FP03	Web Interface, Version 4.2.1
4.2.1-DQY-FP03	Enterprise Directory Query Facility, Version 4.2.1
4.2.1-PMSRV-FP03	Pristine Manager, Version 4.2.1
4.2.1-PMGW-FP03	Pristine Manager Gateway, Version 4.2.1

Inventory: The following APARs and defects for Inventory were fixed:

Table 6. Inventory APARs and internal defects included in this fix pack.

Inventory, Version 4.2.1 4.2.1-INV-FP03				
175507	176561	177490	178083	178601
IY65415	IY65476	IY65759	IY66256	IY66569
IY66638	IY66722	IY66780	IY66782	IY66998
IY67049	IY67171	IY67277	IY67728	IY67806
IY68056	IY68383	IY68584	IY68757	IY68772
IY68793	IY68842	IY68885	IY69103	IY69344
IY69400	IY69466	IY69882	IY70006	IY70008

Table 6. Inventory APARs and internal defects included in this fix pack. (continued)

Inventory, Version 4.2.1 4.2.1-INV-FP03				
IY70234	IY70284	IY70308	IY70604	IY70846
IY70912	IY70916	IY70951	IY71000	IY71001
IY71015	IY71336	IY71807	IY72224	IY72269

The following section describes each APAR or internal defect in detail.

Defect 178601

Abstract:

sdscan fails retrieving partition hardware data

Error Description:

sdscan fails retrieving partition FSTotalSize and FSFreeSize data on Microsoft Windows Server 2003 Enterprise Edition.

APAR IY65415

Abstract:

Different BIOS versions for the same target

Error Description:

As the table INST_SMBIOS_DATA has as primary key both COMPUTER_SYS_ID and SMBIOS_ID, different BIOS versions might be reported for the same target.

APAR IY65476

Abstract:

Oserv general failure

Error Description:

From the "Inventory Profile" panel after scheduling and distributing a job, you get an oserv general failure.

APAR IY65759

Abstract:

dmi_RDBMS_type_schema.sql fails in dropping the table

Error Description:

The dmi_RDBMS_type_schema.sql script generated when configuring a DMI scan, fails in dropping the table if it runs for the second time. The problem occurs only for Sybase and MS SQL.

APAR IY66256

Abstract:

Multiple entries for IP address information

Error Description:

Inventory is posting multiple entries for IP address information on many Windows-based endpoints, that only have a single IP address and a single Network Interface.

APAR IY66569

Abstract:

MIF parse error on Linux endpoint

Error Description:

On a Linux endpoint, a MIF parse error in tivhscan.mif occurs when parsing the Partition table: syntax error Context: "-" .

APAR IY66638**Abstract:**

MIF file copied into .bk1 even if a parse error occurs

Error Description:

During a scan, if a parse error occurs, a MIF file is copied into .bk1, but never sent to the database.

APAR IY66722**Abstract:**

Scan forever pending if a custom MIF file is missing

Error Description:

When distributing an InventoryConfig profile enabled only to pick up a custom MIF file and this is missing on the target machine, the MDist 2 shows the distribution as 100% successful and the scan ID remains forever pending in wgetscanstat. If the logging is enabled (inv_ep_debug=3), the INV00(scan_id).log file reports only a WARNING message due to the missing MIF file.

APAR IY66780**Abstract:**

Syntax error in the Oracle scripts

Error Description:

The scripts inv_ora_42_FP05.sql, inv_ora_422_FP01.sql, and inv_ora_421_FP03.sql have the following syntax error: the row / is missing at the end of the statement:

```
CREATE OR REPLACE TRIGGER INSTSMBIOSDATA_TR
BEFORE UPDATE ON INST_SMBIOS_DATA
FOR EACH ROW
BEGIN
:NEW.RECORD_TIME := SYSDATE;
END;
```

APAR IY66782**Abstract:**

If winvrmnode fails there is no error message displayed

Error Description:

If DB2[®] fails or if you do not have the required permissions, the winvrmnode command with the -l option wrongly returns a success.

APAR IY66998**Abstract:**

computer_boot_time not filled up for Windows systems

Error Description:

The column computer_boot_time in Inventory table computer is not filled

up for Windows systems. The data can be extracted through WMI by using the class Win32_OperatingSystem (which is also used for other Inventory information by Tivoli Inventory).

APAR IY67049

Abstract:

Duplicate hot fix entries on Windows

Error Description:

After distributing an Inventory profile configured to scan the registry and the hardware on a Windows endpoint, the NATIV_SWARE_VIEW shows duplicate entries for some Windows hot fixes.

APAR IY67171

Abstract:

Data from DAT files not sent to repository

Error Description:

When running several times the wloadiso command sequentially on the same endpoint machine (Windows 2000) using different groups of DAT files, data from all or some DAT files of the last run is not sent to the Inventory repository.

APAR IY67277

Abstract:

Memory Modules error

Error Description:

After upgrading Inventory 4.0 to 4.2, adding the "Memory Modules" flag in the PC Hardware section to the old 4.0 profiles does not return data. It does not occur when creating new 4.2 profiles. The Hardware section in the old 4.0 profiles shows "MemoryModules" instead of "Memory Modules", this causes the error.

APAR IY67728

Abstract:

Problem running wwaitscan with a timeout

Error Description:

When running the wwaitscan command with a timeout: wwaitscan -i scan_id -t 1 or wwaitscan -e ep_name -t 1 and the prompt is returned, the return code (echo \$?) is 0 even if the Inventory distribution is still active in wgetsstat. A return code different from zero is needed to exit when not all the data has been stored in the database.

APAR IY67806

Abstract:

Hard disks wrongly detected

Error Description:

On Red Hat 7.3, both Inventory 4.0 and the patch 56 detect the correct size for two installed hard disks, but they also detect seven hard disks with 0 MB size, which do not exist.

APAR IY68056

Abstract:

The `swsigs.txt` file is sent with every signature scan

Error Description:

The `swsigs.txt` file is sent with every signature scan. There is no ability to set a flag not to send the file.

APAR IY68383**Abstract:**

Log file sent by default to data handler

Error Description:

When running the `wepscan -s` command, the `INV_SA.LOG` file is sent by default to the data handler together with the `INV_SA.DAT` file. An option is needed to force the `wepscan -s` command not to send the log file to the data handler.

APAR IY68584**Abstract:**

Hardware scan not showing the correct processor

Error Description:

Hardware scan is not showing the correct value for the processor: it shows "unknown" while WMI shows "Intel(R) Pentium(R) 4 CPU 2.80GHz".

APAR IY68757**Abstract:**

Problem scanning Toshiba Tecra 8xxx series notebooks

Error Description:

Inventory has a problem scanning the serial number of Toshiba Tecra 8xxx series notebooks. The scanned information in the `COMPUTER` table shows `Y9343641E,PAT80AE-4B6A-GR,460092`. This value should only contain the MIF attribute "Serial Number" of the MIF group `ComponentId`. The scanner is picking up the value from the `mrbios.mif` file.

APAR IY68772**Abstract:**

`INV_CB_METHS` core dumps after application of 4.2.1-INV-FP02

Error Description:

`INV_CB_METHS` core dumps after installing the fix pack 4.2.1-INV-FP02, if the collector is down and the scan fails.

APAR IY68793**Abstract:**

MIF parse error when doing hardware scan

Error Description:

A MIF parse error message occurs when performing a hardware scan, due to a negative value in the Memory Modules group:

```
Start Table
Name = "Memory Modules Table"
ID = 31
Class = "TIVOLI
Memory Modules
```

```
1"  
1,-2048,8192,"DIMM 01","DIMM"  
2,-2048,8192,"DIMM 02","DIMM"  
....
```

APAR IY68842

Abstract:

Error on Windows Japanese endpoints

Error Description:

When performing a hardware scan on Windows Japanese endpoints, the following error might occur in the wrimtrace when inserting data into the table COMPUTER:

```
CLI0109E String data right truncation. SQLSTATE=22001
```

APAR IY68885

Abstract:

PMEM Service fails to start on Windows

Error Description:

After applying 4.2.1-INV-FP02, the System Event log is filling with errors because the PMEM Service fails to start on Windows 2000 and Windows 2003 systems. The system errors are logged each time an Inventory Hardware scan is run.

APAR IY69103, Internal defect 177490

Abstract:

Hardware scan fails on SuSE Linux 7.3

Error Description:

Hardware scan fails on SuSE Linux 7.3 platforms with a big drive mapped. A MIF parse error is generated by a negative value in the Partition Table.

APAR IY69344

Abstract:

Error with inv_db2_mvs_custom_upgrade_42_422.sql

Error Description:

The upgrade script inv_db2_mvs_custom_upgrade_42_422.sql causes an error with the following statement:

```
ALTER TABLE NATIV_SWARE ALTER COLUMN PACKAGE_NAME SET DATA  
TYPE VARCHAR (128)
```

APAR IY69400

Abstract:

Column ASP_VIEW cannot be created as delivered

Error Description:

The column ASP_VIEW included in the inv_db2_mvs_421_FP02.sql script cannot be created as delivered because the COMPUTER_SYS_ID and TM_OBJECT_ID are included in the group by clause, but not in the select list.

APAR IY69466

Abstract:

wloadiso command from an AIX® endpoint

Error Description:

When running the wloadiso command from an AIX endpoint to send data for an isolated scan, data (contained in the INV_ISO.DAT file) cannot be sent to the database because the mc_get_data on the endpoint fails with the following error in the mcollect.log file:

```
Mar 17 14:32:22 1 pid:00024490 tid:537204488 tmf_req_invoke
failed (nobody lcf) for mc_get_data on
1707025648.206.517+ TMF_Endpoint::Endpoint :
CLLFW0005E: Failed to open File:
/opt/tivoli/lcf/inv/ISOLATED/depot/INV_ISO.DAT.
```

APAR IY69882**Abstract:**

MIF parse error on AS/400® due to a maximum size for the parser

Error Description:

If the size of the file tivhscan.mif is larger than 16384 KB, the parser fails. This problem occurs with AS/400.

APAR IY70006**Abstract:**

Group class name problem

Error Description:

Core dump on UNIX and Dr. Watson on Windows, when reading a custom MIF file that does not contain the class entry in the group.

APAR IY70008**Abstract:**

No Inventory tables updated if custom.mif is missing

Error Description:

4.2.1-INV-0012 causes no Inventory tables to be updated if the custom.mif file is missing.

APAR IY70234**Abstract:**

bios.ini ignored during hardware scan

Error Description:

The bios.ini file filled when running the command mrmmbios -d bios -a is ignored during the hardware scan by the mrmmbios tool. The only way to force mrmmbios to read the information from the bios.ini file is to use the command mrmmbios -d bios.ini as a script to run inside the profile, after the scan.

APAR IY70284**Abstract:**

CD-ROM and FLOPPY devices not inserted into the database

Error Description:

When performing a hardware scan on Windows machines, CD-ROM and FLOPPY devices are not inserted into the Inventory database due to a duplicate value of the HDISK_ID information. To align the inventory database entries with the new identifier number, you should distribute a hardware inventory scan with the replace option only when your target is a Windows machine without a floppy drive.

APAR IY70308

Abstract:

Obtaining unique serial number for HP-UX servers

Error Description:

The machine identification number is retrieved using the uname interface instead of using the new confstr(3C) or getconf(1) interfaces when available (HP-UX 11i Version 1.5).

APAR IY70604

Abstract:

dist_timeout value set by the winvmgr command is ignored

Error Description:

Even if you set the dist_timeout parameter by using the command winvmgr , the Inventory profile distribution expires after 72 hours, because this is the default deadline period.

APAR IY70846

Abstract:

Inventory scan takes the lcf.id value

Error Description:

Even if the GUID exists on the endpoint machine and the wadminp ep_name view_GUID returns the correct value, the Inventory scan takes the lcf.id value. This is because an old libguid module is not replaced by the migration to Inventory 4.2.1. If replacing the module with one from an Inventory 4.2.1 environment, the GUID is taken by the scan as the computer_sys_id. The problem occurs on Windows and UNIX endpoints with Inventory 4.2.1 and on UNIX endpoints with Inventory 4.2.1 and Fix Pack 1.

APAR IY70912

Abstract:

Incorrect user name returned by Inventory when WMI is used

Error Description:

When scanning Windows endpoints, Inventory reports an incorrect user name in the PC_SYS_PARAMS table, when the user is a string containing more than one "\".

APAR IY70916

Abstract:

Problem with Inventory configuration GUI

Error Description:

The Inventory Configuration GUI cannot be opened through a putty or SSH session.

APAR IY70951

Abstract:

Processor model not detected on Linux and reported as unknown

Error Description:

The processor model "Intel(R) Pentium(R) 4 CPU 3.20GHz" cannot be detected on Linux and reported as unknown.

APAR IY71000

Abstract:

Processor speed of Pentium® III

Error Description:

Inventory reports as CurrentClockSpeed the value computed by the legacy algorithm when SMBIOS is not available and WMI is available, instead of reporting the value provided by WMI.

APAR IY71001

Abstract:

Wrong processor speed

Error Description:

Inventory uses the legacy code for retrieving all the CPU information, if the WMI attribute ProcessorID is empty. It should use the legacy code only for the information which is not provided by WMI.

APAR IY71015

Abstract:

Inventory is issuing a wrong commit

Error Description:

Inventory is issuing a commit to the database every 1000 lines; it should be done every 100 lines.

APAR IY71336

Abstract:

Problem with processor model NC600 HP

Error Description:

The processor model NC600 HP is reported as unknown. This problem occurs with Windows XP endpoints.

APAR IY71807

Abstract:

fs_total_size and fs_free_size reported as 0

Error Description:

Both the fs_total_size and the fs_free_size are reported as zero in the Partition Table. This problem occurs with Windows 2003.

APAR IY72224

Abstract:

The wscanner command hangs while scanning NFS mounts

Error Description:

On HP platforms, if the mnttab system file has an entry with a type value set to ignore, the wscanner command hangs.

APAR IY72269

Abstract:

After applying 4.2-INV-FP05, IP information is lost

Error Description:

After applying 4.2-INV-FP05 on Windows 2003 systems, the scanner wrongly manages IP addresses and the corresponding array of subnet masks.

MCollect: The following APARs and internal defects for were fixed.

Table 7. MCollect APARs and internal defects included in this fix pack

MCollect, Version 4.1.1, 4.1.1-CLL-FP03			
IY66400	IY69816	IY70039	IY70283

APAR IY66400**Abstract:**

Data Handler input thread remains forever pending

Error Description:

Data Handler input thread remains forever pending if a network failure occurs while a downstream collector is sending data.

APAR IY69816**Abstract:**

Collector is unable to handle data from downstream Collectors

Error Description:

After creating the tmersrvd account on an HP-UX Collector following the requirement specified in the Framework defect 136410, the Collector is unable to handle any more data from downstream Collectors or Endpoints due to a permission issue.

APAR IY70039**Abstract:**

wcollect -n parameter implementation for gateway collector

Error Description:

Cannot configure the INPUT_QUEUE_THRESHOLD parameter for the WAN entry point collector, but only for a data handler object. In a scenario with interconnected Tivoli regions, you need to configure the INPUT_QUEUE_THRESHOLD also for the WAN entry point collector.

APAR IY70283**Abstract:**

Problem with mc_request_collection when Data Handler crashes

Error Description:

The Data Handler crashes and the Data Handler scheduler is down, the mc_request_collection is invoked by some gateway collectors, but as the threshold is reached, the Data Handler does not attempt to start the scheduler thread in this situation.

Software Distribution: The following APARs and internal defects for Software Distribution were fixed.

Table 8. Software Distribution APARs and defects included in this fix pack

Software Distribution, Version 4.2.1, 4.2.1-SWDSRV-FP03

Table 8. Software Distribution APARs and defects included in this fix pack (continued)

IY68130	IY68626	IY70587	IY70596	IY70651
IY71192	IY71401	IY71403	IY71443	IY71461
IY71795	IY72216	IY72454		
Software Distribution Gateway, Version 4.2.1, 4.2.1-SWDGW-FP03				
55052	IY68282	IY68700	IY70495	IY70505
IY71010	IY71192	IY71983	IY71991	IY72277
IY72454	IY72490	IY72698	IY72786	
Software Package Editor, Version 4.2.1, 4.2.1-SWDJPS-FP03				
None				
Software Package Editor for Endpoints, Version 4.2.1, 4.2.1-SWDEP-FP03				
IY67890	IY68282	IY68380	IY68700	IY70495
IY70505	IY71010	IY71991	IY72490	IY72632
IY72698	IY72786			
Software Distribution, Version 4.2.1 [fr], 4.2.1-SWD_fr-0001, French Language Support				
IY70048				

The following section describes each APAR in detail.

APAR IY67890

Abstract:

INSTALLDIR is not a drop-down option in the properties tab of the Install MSI product or patch panel

Error Description:

INSTALLDIR is not a drop-down option in the properties tab in the SPE, however it seems to be added to the SPD when manually typed in with a value.

Additional Info:

In the properties panel of the Install MSI product and patch of the SPEDitor, the INSTALLDIR properties have been added to the combo box. The destination folder was left on the Wizard, export and import, only for backward compatibility.

APAR IY68130

Abstract:

SWDMGR traps with S=11 distributing a software package to many endpoints and with Tivoli Enterprise Console® installed

Error Description:

When running many software distributions (wspmvdata), and while processing the reports, the Software Distribution Manager traps with S=11. From the software distribution traces it was clear that, when the problem occurs, the CPU used by the Tivoli Enterprise Console process is very high.

APAR IY68282

Abstract:

If undo is made on an undoable software package, Windows shell folder is not removed

Error Description:

If an undo operation is made on the undoable software package, the windows shell folder is not removed. The remove operation is done without any errors or warnings, but the folder remains on the desktop.

APAR IY68380**Abstract:**

Problem with text file and command line objects, inside Software Package Editor for endpoints

Error Description:

When creating an Add a command line object, and selecting the position Before last match , in the workspace of the Software Package Editor, the position is displayed as After first matches. When installing the software package just created, the line is not added correctly.

APAR IY68626**Abstract:**

If a post script is not specified and the flag FailOnPostScript is set, the plan containing a data moving operation goes in Failed status

Error Description:

Submitting a plan containing a data moving operation, with a post script specified at endpoint level, and the flag FailOnPostScript set to TRUE, you get these results:

- MDist 2 returns successful
- APM returns failed
- DataMovingRequests.1.log displays the following:
DISSE0198I User program exit code: 0

APAR IY68700**Abstract:**

Update of RPM package with force option does not work correctly

Error Description:

Base installation of the RPM package works well, but when you install an update of the RPM package, with the force option, you receive the following error:

```
STANDARD ERROR (program: /bin/rpm - exit code = 1)
rpm: only installation, upgrading, rmsource and rmspec may be
forced
```

APAR IY70048**Abstract:**

Warning message not displayed in French if delay time exceeds

Error Description:

When using User notification with a mandatory date, the warning message displayed when a user enters a delay, which exceeds the mandatory date set by the administrator, is not translated into French.

APAR IY70495**Abstract:**

No preexisting SPB can be distributed after migrating from 4.0 to 4.2.1

Error Description:

Software package built with the last level of Software Package Editor 4.0 for endpoints cannot be distributed after migrating from Software Distribution 4.0 to Software Distribution 4.2.1.

APAR IY70505**Abstract:**

Distributing SPB from a Windows Tivoli region to a UNIX endpoint, target directory permissions change

Error Description:

Distributing a software package built on a Windows machine to a UNIX system, the target directory permissions are changed from 755 to 000.

APAR IY70587**Abstract:**

Different behavior when working with conditioned activities

Error Description:

Submit a plan with conditioned activities to more endpoints. If some targets have the software already installed, they get a status of SUCCESS so the next activity in the plan starts. If all the targets have the software installed, all the targets get a status of FAILED and the next activity is CANCELED_BY_CONDITION.

APAR IY70596**Abstract:**

Oserv general failure performing a commit on Linux Red Hat ES 3.0

Error Description:

On a Linux Red Hat ES 3.0 platform, when committing a transactional software package using the "commit and close" button, you get an oserv general failure.

APAR IY70651**Abstract:**

WSPMVDATA TPOST \$4 data file parameter is incorrect

Error Description:

If a network problem occurs between endpoint and gateway, when the endpoint tries to send back the operation results, at the next retry, the current time is reported back to the server as completion data even if the package was already built and the destination path was set with the previous time.

APAR IY71010**Abstract:**

If a transactional remove of a software package fails, the final status remains set to IC---

Error Description:

If the transactional remove of a software package with transactional execute user program at remove time fails, the wd1ssp command on the target shows the IC--- status, while it should be IC--E.

APAR IY71192

Abstract:

Log file on the target shows commit phase actions during the installation phase

Error Description:

When performing a transactional installation of a software package, setting also commit in-a-reboot, during the installation the log file on the target, specified during the creation of the package, shows the actions that will occur during the commit phase before the commit occurs.

APAR IY71401**Abstract:**

MAX_NUM_TRANSACTIONS and REPORT_TRANSACTION_TIMEOUT parameters not correctly evaluated

Error Description:

The parameters max_num_transactions and report_transaction_timeout are not correctly evaluated by the Software Distribution Manager at reporting time.

APAR IY71403**Abstract:**

Improve the performance of wspmldata

Error Description:

The execution time of the command wspmldata needs to be improved.

APAR IY71443**Abstract:**

winstsp -l force_mandatory=n does not work

Error Description:

The installation automatically starts when the mandatory date is reached.

APAR IY71461**Abstract:**

SD_INST table not updated with correct EXEC_TIME after enabling or disabling cmstatus

Error Description:

When the software packages are uploaded to the sd_inst table during the time frame when is_cmstatus_enabled=false, the exec_time of the software packages is wrong. It should be the actual installation time, not the time of the update to the sd_inst table.

APAR IY71795**Abstract:**

Retrieving files from endpoints - the tpost script runs again if oserv is restarted

Error Description:

If oserv is restarted while the tpost script is running on one of the endpoints, the tpost script is run twice on the next endpoint.

APAR IY71983

Abstract:

SPD_ENG not setting correct value for environment variable
USERPROFILE

Error Description:

When spd_eng runs on a Windows endpoint, it does not set the correct value for the environment variable USERPROFILE.

APAR IY71991**Abstract:**

Software Distribution does not correctly manage variables set to blank

Error Description:

Software Distribution does not correctly manage variables whose value is set to blank.

APAR IY72216**Abstract:**

If the database is populated, an operation with dependency check set on causes spo_core problem

Error Description:

When running an installation with the dependency check set on, the spo_core memory size keeps growing due to a memory leak. A core dump occurs on AIX machines.

APAR IY72277**Abstract:**

Empty directory after a retrieve operation

Error Description:

Sometimes running the wspmvdta command to perform a retrieve from an endpoint, on the target only the directory is created but it is empty. The wmdist -e command shows SUCCESS while no file is put under the directory.

APAR IY72454**Abstract:**

Data moving operation (send or retrieve) on Windows source host

Error Description:

The data movement wspmvdta command leaves behind a subdirectory under the %DBDIR% directory, only when the Software Distribution source host is a Windows machine.

APAR IY72490**Abstract:**

The customer requires a method for recovering information from a corrupted endpoint catalog (epsp.cat file)

Error Description:

Running the command wdlssp, if you get the following error:
DISSE0162E Error opening the catalog

You can no longer read the information contained in the catalog.

APAR IY72632**Abstract:**

SPE package version input field under general tab of the package

Error Description:

The SPE package version input field under the general tab of the package properties panel only allows 16 characters, but it should allow 64.

APAR IY72698**Abstract:**

COREQ files remain in SWDIS service

Error Description:

Coreq files remain in the SWDIS service folder after the commit.

APAR IY72786**Abstract:**

Failed container conditions are logged twice in software package

Error Description:

Failed container conditions are logged twice in the software package, if the software package includes a restart or reboot action.

Defect 55052**Abstract:**

To complete APAR IY68587

Error Description:

The fix provided with APAR IY68587 does not work if the environment variable LCF_CACHEDIR is not set.

Activity Planner: The following APARs and internal defects for Activity Planner were fixed:

Table 9. APARs and internal defects included in this fix pack

Activity Planner, Version 4.2.1, 4.2.1-APM-FP03		
IY68138	IY69394	IY70587
IY71064	IY71340	IY71696
IY71810	IY71812	IY71963
IY72167		

To address a problem with the user resource, the V_PLAN_STATUS view in the APM schema has been modified by adding the TGT_RESOURCE_TYPE field.

To fix the problem, update the V_PLAN_STATUS view by running the script plans_database_schema_update_view.sql, where database represents the supported vendor database. After the installation of the Fix Pack 3 for APM component (4.2.1-APM-FP03), this script is located in the \$BINDIR/TME/APM/SCRIPTS directory.

Note: Running this script is not required if you have already installed IBM Tivoli Configuration Manager version 4.2.1 Fix Pack 2.

For interconnected Tivoli regions, before performing any Activity Planner operation, all Tivoli regions (TMRs) must be at the same level as Fix Pack 3. Ensure this by performing the following tasks:

1. Install Fix Pack 3 for APM component (4.2.1-APM-FP03) on all interconnected Tivoli regions.
2. Update the V_PLAN_STATUS view by running the script `plans_database_schema_update_view.sql` on all interconnected Tivoli regions.

The following section describes each APAR in detail.

APAR IY68138

Abstract:

Changes not set if altering distribution deadline in APM activity from relative to default

Error Description:

The distribution deadline in the Activity Planner cannot be altered from a **Relative** setting to a **Default** or **Absolute** setting. The change of the distribution deadline is not saved.

APAR IY69394

Abstract:

Incomplete description of Preview button in AP Editor

Error Description:

The documentation of the Activity Planner does not describe how the Preview button works, to view a list of the targets.

Additional Info:

The preview function works locally only if the hostname is the managed node name and it cannot access the remote managed node to browse the contents of a list file of targets to be added in a plan.

APAR IY70587

Abstract:

Different behavior when working with conditioned activities

Error Description:

If some targets have the software already installed, they get a status of SUCCESS so the next activity in the plan starts. If all the targets have the software installed, all the targets get a status of FAILED and the next activity is CANCELED_BY_CONDITION.

APAR IY71064

Abstract:

Restart of plan previously cancelled does not work

Error Description:

The restart of the plan does not work if an intermediate activity has been completed in successful state, because the status "Success" is not considered as a restartable status.

APAR IY71340

Abstract:

START_NOT_BEFORE option incorrectly resolved in a specific timeframe

Error Description:

The Activity Planner GUI on the endpoint does not correctly resolve the start_not_before option if the plan is submitted between 12 and 1 p.m.

APAR IY71696**Abstract:**

Resuming the second activity of a plan submitted in status "Paused", it goes in CancelByCondition status

Error Description:

Create a plan with the following two activities: the first activity is to load a software package block, while the second is an installation from Depot conditioned by the first activity by Successful Depot. Submit the plan as "Paused" and resume the second activity: it immediately goes in CancelByCondition status.

APAR IY71810**Abstract:**

APM missing exception when the admin user is not configured

Error Description:

If a plan has targets listed in a file (.txt), Activity Planner is unable to read the file when the swd_admin is not properly configured and no exception is reported in the Activity Planner traces at submission time.

APAR IY71812**Abstract:**

Filtering Activity Planner monitor option not working

Error Description:

The filtering option does not work properly and does not show the requested results.

APAR IY71963**Abstract:**

Activity Planner monitor causes database crash on Sybase

Error Description:

If the Activity Planner GUI has Automatic Update Refresh, the Sybase transaction log file gets filled up after a few hours. This problem is caused by the RDBMS management of the queries done by the Activity Planner monitor.

APAR IY72167**Abstract:**

If the APM Executer stops working, a fatal error is dumped in the traces

Error Description:

The Activity Planner Executer stops working and shows a fatal error in the Activity Planner Handler trace, while there is still a lot of workload to handle.

Change Manager: The Change Manager, Version 4.2.1 (4.2.1-CCM-FP03) component does not contain any fixed APARs.

Tivoli Resource Manager: The following APARs and internal defects for the Tivoli Resource Manager were fixed.

Table 10. Tivoli Resource Manager APARs and internal defects included in this fix pack

Tivoli Resource Manager, Version 4.2.1, 4.2.1-TRM-FP03			
54871			

Web Interface: The following APARs and internal defects for the Web Interface were fixed.

Table 11. Web Interface APARs and internal defects included in this fix pack

Web Interface, Version 4.2.1, 4.2.1-WEB-FP03			
IY70235	IY70838		

APAR IY70235

Abstract:

Garbled characters when scanning Japanese endpoints through WEBUI

Error Description:

When performing a scan to a Windows Japanese endpoint through the Web Interface, some Japanese characters are garbled in the Inventory database. This happens when the TISDIR variable on the Web client machine is already set.

APAR IY70838

Abstract:

Trace always created even if trace enabled set to false

Error Description:

Setting trace_enabled=false in the webconsole.properties file, the traces are always written.

Directory Query: The Directory Query Facility, Version 4.2.1 (4.2.1-DQY-FP03) component does not currently contain any fixed APARs.

Pristine Manager and Pristine Manager Gateway: The components Pristine Manager, Version 4.2.1 (4.2.1-PMSRV-FP03) and Pristine Manager Gateway, Version 4.2.1 (4.2.1-PMGW-FP03) do not currently contain any fixed APARs.

Fixes contained in previous fix packs and interim fixes

The following APARS and defects were shipped in previous fix packs and interim fixes.

Table 12. Inventory APARs and defects included in this fix pack from 4.2.1-INV-FP01

Inventory, Version 4.2.1 4.2.1-INV-FP01				
150162	164105	167222	168284	168328
168423	168509	168605	168722	169342
169673	170146	170640	171345	171848
172266	IY47432	IY47767	IY49940	IY50127
IY50277	IY50315	IY50728	IY51373	IY50392
IY51468	IY51469	IY51473	IY52329	IY52338

Table 12. Inventory APARs and defects included in this fix pack from 4.2.1-INV-FP01 (continued)

IY52431	IY52452	IY52485	IY52684	IY52718
IY52762	IY52916	IY53001	IY53426	IY53445
IY54129	IY54266	IY54303	IY54646	IY54960
IY55118	IY55123	IY55129	IY55178	IY55277
IY56521	IY56612	IY56944		

Table 13. Inventory APARs and internal defects included in this fix pack from 4.2.1-INV-FP02

Inventory, Version 4.2.1 4.2.1-INV-FP02				
173472	173510	173514	173902	173904
174414	174421	174532	174635	174642
174654	174790	174921	175123	175134
175167	175168	175465	175648	175362
175382	175386	175464	IY56885	IY58285
IY58460	IY58894	IY59253	IY59662	IY59666
IY60022	IY60094	IY60574	IY60578	IY60878
IY60977	IY61539	IY61580	IY62206	IY62375
IY62660	IY63636	IY64626	IY64677	IY64758
IY65052	IY65127	IY65261		

Table 14. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-F0P1, 4.2.1-SWDGW-F0P1, 4.2.1-SWDJPS-F0P1, and 4.2.1-SWDEP-F0P1

Software Distribution, Version 4.2.1 4.2.1-SWDSRV-F0P1				
46055	47200	47516	47517	47538
47540	47621	48021	48054	48209
48847	IY47824	IY49466	IY49596	IY49820
IY50771	IY50855	IY50982	IY50987	IY51149
IY51399	IY52239	IY52410	IY52566	
Software Distribution Gateway, Version 4.2.1 4.2.1-SWDGW-F0P1				
47509	47513	47526	47554	47557
47620	47817	IY49798	IY50729	IY50849
IY50855	IY51082	IY51842	IY51908	IY52374
IY52865				
Software Package Editor, Version 4.2.1 4.2.1-SWDJPS-F0P1				
49193				
Software Package Editor for Endpoints, Version 4.2.1 4.2.1-SWDEP-F0P1				
47509	47554	47557	47895	
IY49798	IY50729	IY50849	IY50980	IY51908
IY52239	IY52374	IY52439		

Table 15. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-FP01, 4.2.1-SWDGW-FP01, 4.2.1-SWDJPS-FP01 and 4.2.1-SWDEP-FP01

Software Distribution, Version 4.2.1, 4.2.1-SWDSRV-FP01				
48947	48948	49089	49234	49650
50148	50153	50227	50495	50526
IY53265	IY53499	IY53570	IY53595	IY53776
IY53959	IY54124	IY54254	IY54388	IY54588
IY54597	IY55058	IY55222	IY55298	IY55338
IY55516	IY55560	IY55563	IY55830	IY56038
IY56378	IY56524	IY56613		
Software Distribution Gateway, Version 4.2.1, 4.2.1-SWDGW-FP01				
49235	49380	49267	49319	49903
49997	49998	50104	50210	50227
IY52801	IY53499	IY53522	IY53571	IY53916
IY53959	IY54238	IY54261	IY54450	IY55058
IY55275	IY55766	IY55855	IY56568	IY56613
IY57202	IY57658			
Software Package Editor, Version 4.2.1, 4.2.1-SWDJPS-FP01				
49235	49380	50467	IY53959	IY53990
Software Package Editor for Endpoints, Version 4.2.1, 4.2.1-SWDEP-FP01				
48998	49235	49267	49319	49380
49998	50104	50210	50227	50389
IY52801	IY53499	IY53522	IY53571	IY53916
IY53959	IY54238	IY54261	IY54450	IY55058
IY55275	IY55298	IY55402	IY55766	IY55855
IY56568	IY56613	IY57202	IY57658	

Table 16. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-FP02, 4.2.1-SWDGW-FP02, 4.2.1-SWDJPS-FP02, and 4.2.1-SWDEP-FP02

Software Distribution, Version 4.2.1, 4.2.1-SWDSRV-FP02				
49291	50163	50482	50565	50702
50744	50818	50913	50999	51074
51672	51686	51708	51711	51943
51952	51978	52352	52693	
IY56409	IY57781	IY58248	IY58340	IY58530
IY58637	IY59862	IY60607	IY60700	IY61460
IY61565	IY61637	IY61729	IY61753	IY62012
IY62538	IY62830	IY62921	IY62934	IY63340
IY63714	IY63861	IY64239	IY64478	IY64629
Software Distribution Gateway, Version 4.2.1, 4.2.1-SWDGW-FP02				
50851	50915	51708	51869	51978

Table 16. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-FP02, 4.2.1-SWDGW-FP02, 4.2.1-SWDJPS-FP02, and 4.2.1-SWDEP-FP02 (continued)

IY48900	IY57797	IY57874	IY58118	IY58248
IY58294	IY58794	IY59015	IY59054	IY59331
IY59930	IY60521	IY60607	IY60700	IY60734
IY60954	IY61152	IY61199	IY61445	IY61609
IY61637	IY61670	IY61729	IY61753	IY62095
IY62180	IY62378	IY62418	IY62557	IY62830
IY62924	IY62933	IY63151	IY63714	IY63808
IY64483	IY64706	IY64746		
Software Package Editor, Version 4.2.1, 4.2.1-SWDJPS-FP02				
IY60700	IY63378	IY63714		
Software Package Editor for Endpoints, Version 4.2.1, 4.2.1-SWDEP-FP02				
51869	51978			
IY48900	IY52652	IY57797	IY57874	IY58118
IY58248	IY58294	IY58794	IY59015	IY59331
IY59930	IY60521	IY60607	IY60700	IY60734
IY60954	IY61152	IY61609	IY61637	IY61729
IY62095	IY62110	IY62180	IY62378	IY62418
IY62557	IY62924	IY62933	IY62981	IY63151
IY63714	IY63808	IY64483	IY64706	IY64746

Table 17. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-F2P1, 4.2.1-SWDGW-F2P1, 4.2.1-SWDJPS-F2P1, and 4.2.1-SWDEP-F2P1

Software Distribution, Version 4.2.1 4.2.1-SWDSRV-F2P1				
IY63953	IY65524	IY65973	IY66475	IY67238
IY67292	IY67569			
Software Distribution Gateway, Version 4.2.1 4.2.1-SWDGW-F2P1				
IY65274	IY65596	IY66578	IY66652	IY66698
IY66754	IY6786	IY67113	IY67173	
Software Package Editor, Version 4.2.1 4.2.1-SWDJPS-F2P1				
None				
Software Package Editor for Endpoints, Version 4.2.1 4.2.1-SWDEP-F2P1				
IY65274	IY65596	IY66578	IY66652	IY66698
IY66754	IY6786	IY67113	IY67416	

Table 18. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-F2P2, 4.2.1-SWDGW-F2P2, 4.2.1-SWDJPS-F2P2, and 4.2.1-SWDEP-F2P2

Software Distribution, Version 4.2.1 4.2.1-SWDSRV-F2P2				
IY68396	IY68841	IY68920	IY69109	
Software Distribution Gateway, Version 4.2.1 4.2.1-SWDGW-F2P2				
IY67996	IY68290	IY68411	IY68587	IY68864

Table 18. Software Distribution APARs and defects included in this fix pack from 4.2.1-SWDSRV-F2P2, 4.2.1-SWDGW-F2P2, 4.2.1-SWDJPS-F2P2, and 4.2.1-SWDEP-F2P2 (continued)

IY68920	IY69280	IY69401	IY70198	IY70206
Software Package Editor, Version 4.2.1 4.2.1-SWDJPS-F2P2				
None				
Software Package Editor for Endpoints, Version 4.2.1 4.2.1-SWDEP-F2P2				
IY67572	IY67722	IY68051	IY68161	IY68290
IY68411	IY68587	IY68864	IY69280	IY69401

Table 19. Activity Planner APARs and internal defects included in this fix pack from 4.2.1-APM-F0P1

Activity Planner, Version 4.2.1 4.2.1-APM-F0P1		
47032	47157	48821
IY50560	IY52378	IY52432
IY52633	IY52664	IY52720
IY53020	IY53211	IY53466
IY53553	IY53706	

Table 20. Activity Planner APARs and internal defects included in this fix pack from 4.2.1-APM-FP01

Activity Planner, Version 4.2.1, 4.2.1-APM-FP01		
46913	47493	48950
49292	49363	49381
49488	49600	49635
49637	49786	49803
49804	50094	50110
50113	50208	50410
50439	50469	IY53240
IY54387	IY54615	IY54825
IY54905	IY55334	IY55335
IY55375	IY55759	IY55917
IY56020	IY56406	IY56589
IY56955	IY57122	IY57163
IY57166		

Table 21. APARs and internal defects included in this fix pack from 4.2.1-APM-FP02

Activity Planner, Version 4.2.1, 4.2.1-APM-FP02		
47381	50476	50664
50772	50933	
IY53169	IY56238	IY57917
IY57981	IY58077	IY58132
IY58339	IY58571	IY58751

Table 21. APARs and internal defects included in this fix pack from 4.2.1-APM-FP02 (continued)

Activity Planner, Version 4.2.1, 4.2.1-APM-FP02		
IY59616	IY60024	IY60579
IY60932	IY61061	IY62024
IY62379	IY62934	IY63345
IY64443		

Table 22. APARs and internal defects included in this fix pack from 4.2.1-APM-F2P1

Activity Planner, Version 4.2.1, 4.2.1-APM-F2P1		
IY64606	IY65552	IY65622
IY65781	IY66021	IY66713
IY66884	IY67421	IY67715
IY68048		

Table 23. APARs and internal defects included in this fix pack from 4.2.1-APM-F2P2

Activity Planner, Version 4.2.1, 4.2.1-APM-F2P2		
IY67420	IY67427	IY68241
IY69083	IY69815	

Table 24. Change Manager internal defects included in this fix pack from 4.2.1-CCM-F0P1

Change Manager, Version 4.2.1 4.2.1-CCM-F0P1		
47196		

Table 25. Change Manager internal defects included in this fix pack from 4.2.1-CCM-FP01

Change Manager, Version 4.2.1 4.2.1-CCM-FP01		
49754	49765	49776
49790	49865	50410
50494	IY55491	

Table 26. APARs and internal defects included in this fix pack from 4.2.1-CCM-FP02

Change Manager, Version 4.2.1 4.2.1-CCM-FP02		
49843	52058	52415
IY60055	IY64369	

Table 27. APARs and internal defects included in this fix pack from 4.2.1-CCM-F2P1

Change Manager, Version 4.2.1 4.2.1-CCM-F2P1.		
IY65948	IY66712	

Table 28. APARs and internal defects included in this fix pack from 4.2.1-CCM-F2P2

Change Manager, Version 4.2.1 4.2.1-CCM-F2P2		
IY68427		

Table 29. Web Interface APARs and internal defects included in this fix pack from 4.2.1-WEB-F0P1

Web Interface, Version 4.2.1 4.2.1-WEB-F0P1		
47625	47945	

Table 30. Web Interface APARs and internal defects included in this fix pack from 4.2.1-WEB-FP01

Web Interface, Version 4.2.1 4.2.1-WEB-FP01		
48843	49341	49833
49861	49865	IY54275
IY54368		

Table 31. Web Interface APARs and internal defects included in this fix pack from 4.2.1-WEB-FP02

Web Interface, Version 4.2.1 4.2.1-WEB-FP02			
52718	53097		
IY60430	IY60532	IY60789	IY61378

Table 32. Directory Query APARs and internal defects included in 4.2.1-DQY-FP01

Directory Query, Version 4.2.1 4.2.1-DQY-FP01			
IY52340			

Table 33. Pristine Manager APARs included in this fix pack from 4.2.1-PMGW-F0P1

Pristine Manager Gateway, Version 4.2.1 4.2.1-PMGW-F0P1		
47523		

Table 34. Pristine Manager APARs included in this fix pack from 4.2.1-PMSRV-FP01

Pristine Manager, Version 4.2.1, 4.2.1-PMSRV-FP01		
IY55649		

Table 35. Pristine Manager APARs and internal defects included in this fix pack from 4.2.1-PMSRV-FP02

Pristine Manager, Version 4.2.1 4.2.1-PMSRV-FP02		
IY58575		

Installation

This section describes how to install fix pack 3 to upgrade the various components of IBM Tivoli Configuration Manager, Version 4.2.1. The method of installation depends on the component you are upgrading. Once you have installed the fix pack, you cannot uninstall it automatically. Ensure that you perform a complete backup of your system before installing this fix pack.

This section includes the following topics:

- “Hardware and software requirements” on page 43
- “Traditional fix pack installation methods” on page 43

- “Software package block (SPB) fix pack installation for GUI components” on page 46
- “Updating the inventory schema” on page 50

Hardware and software requirements

This section includes the following topics:

- “Supported platforms”
- “System requirements”

Supported platforms

Supported platforms at the time of the release are detailed in the *IBM Tivoli Configuration Manager: Release Notes*[®]. For the most recent information, consult the supported platforms matrix on the IBM software support Web site:

<http://www.ibm.com/software/support>

1. From the Web site, select **Tivoli support** from the **Other support sites** list.
2. When the page displays, select **IBM Tivoli Configuration Manager** from the **Choose a product** pull-down list.
3. Click the **Get The Latest Supported Platforms Matrix** link.
4. Enter your IBM registration ID and password.

System requirements

Hardware and software prerequisites are detailed in the *IBM Tivoli Configuration Manager: Release Notes*. There are currently no changes to the information included in the *Release Notes*.

Traditional fix pack installation methods

You can install the fix pack for IBM Tivoli Configuration Manager using any of the following different installation methods:

- “Installing fix packs using ISMP”
The InstallShield MultiPlatform (ISMP) program, which installs the appropriate IBM Tivoli Configuration Manager fix pack for the entire Tivoli management region (Tivoli region).
- “Installing fix packs using the Tivoli desktop” on page 44
A graphical user interface that you use to select the fix pack to install and the target workstations on which to install them.
- “Installing fix packs using the CLI” on page 45
Tivoli Management Framework command that you use to specify the fix pack to install and the target workstations on which to install them from the command line interface.
- “Installing fix packs using SIS” on page 46
The SIS console or SIS commands you use to specify the fix pack to install and on which target workstations to install them.

Installing fix packs using ISMP

The InstallShield MultiPlatform (ISMP) program provides a wizard-guided process for installing fix packs. It performs a check of the environment and installs the prerequisites, if any, to perform the upgrade process.

This installation can be used on all platforms supported as a Tivoli server, excluding Linux[®] for S/390[®].

Note: Before starting the upgrade process, back up the object database on the Tivoli server and each affected managed node.

For details about performing backup operations, see *Tivoli Management Framework Maintenance and Troubleshooting Guide*.

To upgrade your IBM Tivoli Configuration Manager environment using a fix pack, complete the following steps:

1. Locate the setup executable and run the following command in the root directory of IBM Tivoli Configuration Manager, Version 4.2.1 Installation CD-ROM:
 - On Windows platforms, `setup.exe -cmpatch`
 - On all other platforms, `setup_$(INTERP).bin -cmpatch`, where `$(INTERP)` represents the operating system on which you are launching the upgrade process.
2. Accept the Software License Agreement. Click **Next**.
3. Select the fix pack directory, `$fixpack/xml`. Click **Next**.
4. The actions necessary to upgrade your environment are being generated. When the process completes, a panel displays the fix pack you must install. Click **Next**.
5. Select one of the following Depot options:

Query when needed

The InstallShield wizard prompts you for the location of product images. This option requires you to respond to a series of prompts during the installation process. This is the default setting.

Verify local depot

The InstallShield wizard prompts for the directory to which you have copied the installation images. The InstallShield wizard then searches all subdirectories of this directory to verify that all images are present. If an image is not found, you are prompted to provide its location. The installation process can then run unattended.

Remote

Select this option if images are deployed on a managed node before you start the installation.

Click **Next**.

6. In the Step List, select the steps you want to run. Change the status of steps you do not want to run immediately to Held.
7. Click **Run All** to run all steps whose status is Ready or click **Run Next** to run steps individually.

For more information about installing using ISMP, see *IBM Tivoli Configuration Manager: Planning and Installation Guide*.

Installing fix packs using the Tivoli desktop

When installing fix packs using the Tivoli desktop, the images are located in the images subdirectory on the IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 CD (1 of 2). The Tivoli desktop can upgrade the same product on multiple workstations simultaneously.

The basic procedure for using the Tivoli desktop to upgrade a product is as follows:

1. From the Tivoli desktop, select **Install->Install Patch** from the Desktop menu.

2. Select the media and component to be upgraded.
3. Select the workstations where the component is to be upgraded.
4. Click **Install**.

For detailed information about using the Tivoli desktop to install or upgrade products, see *Tivoli Enterprise™: Installation Guide*.

Installing fix packs using the CLI

When upgrading products using the **wpatch** command, specify the name of the index file using the file shown in Table 36. When using the **wpatch** command to upgrade a product, you specify the following information on the command line:

- The location of the image on the installation media.
- The name of the index file associated with the product to be installed or upgraded.
- The workstations where the image is to be installed.

Example:

```
wpatch -c <CD-ROM>/images -i <index file> <managed node>
```

where:

-c <CD-ROM>/images

Specifies the path to the images on the IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 CD (1 of 2).

-i <index file>

Specifies the product installation index file on which the fix pack is installed.

<managed node>

Specifies the managed node on which the fix pack is installed.

If you do not specify a workstation when running the **wpatch** command, the image is installed on all managed nodes in the Tivoli region when there is a prior version of this image.

For detailed information about using the **wpatch** command, see *Tivoli Management Framework: Reference Manual*.

The following table contains a list of IND files included in this fix pack.

Table 36. IND files for components

IND file	Component name	Tag
421INVFP	Inventory, Version 4.2.1	4.2.1-INV-FP03
421LCFFP	Inventory Gateway, Version 4.2.1	4.2.1-INVGW-FP03
APMFP3	Activity Planner, Version 4.2.1	4.2.1-APM-FP03
CCMFP3	Change Manager, Version 4.2.1	4.2.1-CCM-FP03
DQYFP3	Enterprise Directory Query Facility, Version 4.2.1	4.2.1-DQY-FP03
TRMFP3	Resource Manager, Version 4.2.1	4.2.1-TRMSRV-FP03
SWDFP3	Software Distribution, Version 4.2.1	4.2.1-SWDSRV-FP03
SDGWFP3	Software Distribution Gateway, Version 4.2.1	4.2.1-SWDGW-FP03
SDJFP3	Software Package Editor, Version 4.2.1	4.2.1-SWDJPS-FP03

Table 36. IND files for components (continued)

IND file	Component name	Tag
WEBUIFP3	Web Interface, Version 4.2.1	4.2.1-WEB-FP03
PMFP3	Pristine Manager, Version 4.2.1	4.2.1-PMSRV-FP03
PMGWFP3	Pristine Manager Gateway, Version 4.2.1	4.2.1-PMGW-FP03
411CLLFP	Scalable Collection Service, Version 4.1.1	4.1.1-CLL-FP03
SWDFR01	Software Distribution, Version 4.2.1 [fr] French Language Support	4.2.1-SWD_fr-0001

Installing fix packs using SIS

When installing fix packs using Tivoli Software Installation Service, select the fix packs to be installed using the component name shown in Table 5 on page 18.

Tivoli Software Installation Service does not distinguish between products and fix packs. Whether the installation image is used for an installation or upgrade, Tivoli Software Installation Service refers to all installation images as products.

Tivoli Software Installation Service can install multiple products on multiple workstations in parallel. This software can install more products on more computer systems in less time than using the installation methods provided by Tivoli Management Framework.

The basic procedure for using Tivoli Software Installation Service to install products is as follows:

1. Import the product images into the Tivoli Software Installation Service depot.
2. Select the components to be installed.
3. Select the workstations where each component is to be installed.
4. Click **Install**.

For detailed information about using Tivoli Software Installation Service, see *Tivoli Enterprise: Installation Guide*.

Software package block (SPB) fix pack installation for GUI components

To upgrade the GUI components of IBM Tivoli Configuration Manager using the SPB fix packs on endpoints or standalone workstations, use one of the following installation methods:

- “SPB Patch Installer” on page 48
- “Software Distribution server command” on page 49
- “Software Distribution disconnected command” on page 49

IBM Tivoli Configuration Manager, Version 4.2.1 GA package is a prerequisite of the SPB fix packs.

To successfully install fix packs using any of these installation methods, you must ensure that the values of the default variables specified in the software package block correspond to the existing installation on the workstation to be upgraded. If they do not correspond, ensure they are stored in the `swdis.var` file. If these values were deleted from the `swdis.var` file, you must overwrite them at fix pack installation time using the appropriate panel of the SPB Patch Installer, or using the “-D” command line option (`wdinstsp -D variable=value GUI_component.spb`).

The default variables for each component defined in the SPB fix packs are listed in the following table.

Table 37. Default variables defined in SPB fix packs

Variable	Value	Description
Tivoli_APM_GUI_Fix.v4.2.1.FP03		
DSWIN_DIR	\$(program_files)\Tivoli\Desktop	The directory where the Tivoli Desktop is installed.
TME_JAVATOOLS	\$(program_files)\Tivoli\JavaTools	The directory where the JRE 1.3 is installed.
Tivoli_CCM_GUI_Fix.v4.2.1.FP03		
DSWIN_DIR	\$(program_files)\Tivoli\Desktop	The directory where the Tivoli Desktop is installed.
TME_JAVATOOLS	\$(program_files)\Tivoli\JavaTools	The directory where the JRE 1.3 is installed.
Tivoli_SWDEP_PC_Fix.v4.2.1.FP03		
target_dir	\$(product_dir)\speditor	The directory where the Software Package Editor is installed.
TME_JAVATOOLS	\$(program_files)\Tivoli\JavaTools	The directory where the JRE 1.3 is installed.
Tivoli_SWDEP_NW_Fix.v4.2.1.FP03		
target_dir	\$(product_dir)\SD42CLI	
Tivoli_SWDEP_OS2_Fix.v4.2.1.FP03		
package_type	ALL	
target_dir	\$(product_dir)\speditor	The directory where the Software Package Editor is installed.
Tivoli_SWDEP_UNIX_Fix.v4.2.1.FP03		
target_dir	\$(product_dir)/speditor	The directory where the Software Package Editor is installed.
TME_JAVATOOLS	/opt/Tivoli/JavaTools	The directory where the JRE 1.3 is installed.
Tivoli_SWDEP_NTAS400_Fix.v4.2.1.FP03		
target_dir	\$(product_dir)\speditoras400	The directory where the Software Package Editor for AS/400 is installed.
TME_JAVATOOLS	\$(program_files)\Tivoli\JavaTools	The directory where the JRE 1.3 is installed.
Tivoli_SWDEP_400PS_Fix.v4.2.1.FP03		
Note: This package has to be installed on the AS/400 system to which the user wants to connect through Software Package Editor for AS/400.		
Tivoli_WebUI_Fix.v4.2.1.FP03		
package_type	ALL	
target_dir	\$(product_dir)\speditor	
Tivoli_WebUI_L10N_Fix.v4.2.1.FP03		

Table 37. Default variables defined in SPB fix packs (continued)

Variable	Value	Description
WebSrvHomeDir	/opt/IBMHTTPD	The path to the home directory for the Web server.
AppServerHome	/opt/WebSphere/AppServer	The path where the Tivoli Web Server is installed.
Tivoli_SWD_WebUI_plugin_Fix.v4.2.1.FP03		
LCF_LIBDIR	/opt/Tivoli/lcf/lib/aix4-r1	The LCF_LIBDIR of the endpoint.
WebSrvHomeDir	/opt/IBMHTTPD	The path to the home directory for the Web server.
Tivoli_INV_WebUI_plugin_Fix.v4.2.1.FP03		
LCFROOT	/opt/Tivoli/lcf	The LCFROOT of the endpoint.
WebSrvHomeDir	/opt/IBMHTTPD	The path to the home directory for the Web server.
Tivoli_Web_Gateway_SRV_Fix.v4.2.1.FP03		
DMS.Destination	/usr/TivTwg	The path where the Tivoli Web Gateway is installed.
Tivoli_MD2GUI_Fix.v4.1.1.FP01		
DSWIN_DIR	\$(program_files)\Tivoli\Desktop	The directory where the Tivoli Desktop is installed.
TME_JAVATOOLS	\$(program_files)\Tivoli\JavaTools	The directory where the JRE 1.3 is installed.

SPB Patch Installer

This installation method uses ISMP technology that you can use to install fix packs on an endpoint or standalone workstation to upgrade IBM Tivoli Configuration Manager, Version 4.2.1 GUI components. The SPB Patch Installer is supported on Microsoft® Windows, IBM AIX, Solaris Operating Environment, Linux for Intel, and HP-UX.

The following is a summary of the upgrade process using the SPB Patch Installer. Refer to the *SPB Patch Installer Guide* located in the `spb_installer` directory on the IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 CD (2 of 2) for complete instructions on using this tool.

To install the SPB fix packs using the SPB Patch Installer, perform the following steps:

1. Insert the IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 CD (2 of 2).
2. Locate and run the setup program located in the `spb_installer` directory.
 - On Windows, run the `setup.exe` file.
 - On all other platforms, run the `setup_platform.bin`.
3. Read the Welcome panel and click **Next**.
4. Specify the XML descriptor file for the fix pack located in the package subdirectory on the IBM Tivoli Configuration Manager, Version 4.2.1 Fix Pack 3 CD (2 of 2). Click **Next**.
5. Select **Apply** and click **Next**.
6. Specify the components you want to install and click **Next**.

7. Clear the selection of the components for which you do not want to install in undoable mode. Click **Next**.
8. You might be prompted to specify the value of some variables defined in the SPB. Ensure that they are consistent with the existing installation on the workstation to be upgraded.
9. A Summary panel is displayed. Click **Next**.
10. The upgrade process starts.

Software Distribution server command

To use this type of installation, your Tivoli environment must contain an installation of the Software Distribution Server component, the Software Distribution Gateway component, and a Tivoli endpoint. The following steps must be performed to apply the SPB fix pack on the targets:

1. Create a new Profile in a Profile Manager, using the naming convention described in Table 38.
2. Import the SPB fix pack provided into the new Profile.
3. Select the endpoints to which you want to distribute the fix pack.
4. Submit the installation using either the command line or the Tivoli desktop.

If you need to overwrite the values of the default variables, use the "-D" option (winstsp -D variable=value GUI_component.spb) from the command line, or the Default Variables panel from the Tivoli desktop.

Software Distribution disconnected command

To use this type of installation, you must have the Software Distribution Software Package Editor component installed on the endpoint. If you need to overwrite the values of the default variables, use the "-D" option (wdinstsp -D variable=value GUI_component.spb) from the command line.

Software package block fix packs

Table 38 contains the names of the fix pack 3 software package blocks and the names of the software profiles that must be used when using SPBs to install components. IBM Tivoli Configuration Manager, Version 4.2.1 GA SPBs are a prerequisite of the fix pack SPBs.

Table 38. Names of SPB files and software profiles

SPB Files	Package name with Version
Tivoli_APM_GUI_Fix.v4.2.1.FP03.spb	Tivoli_APM_GUI_Fix.v4.2.1.FP03
Tivoli_CCM_GUI_Fix.v4.2.1.FP03.spb	Tivoli_CCM_GUI_Fix.v4.2.1.FP03
Tivoli_SWDEP_\$(interp)_Fix.v4.2.1.FP03.spb	Tivoli_SWDEP_\$(interp)_Fix.v4.2.1.FP03
Tivoli_SWDEP_NTAS400_Fix.v4.2.1.FP03.spb	Tivoli_SWDEP_NTAS400_Fix.v4.2.1.FP03
Tivoli_SWDEP_400PS_Fix.v4.2.1.FP03.spb	Tivoli_SWDEP_400PS_Fix.v4.2.1.FP03
Tivoli_WebUI_4.2.1.spb	Tivoli_WebUI.4.2.1
Tivoli_WebUI_Fix.v4.2.1.FP03.spb	Tivoli_WebUI_Fix.v4.2.1.FP03
Tivoli_WebUI_L10N.4.2.1.spb	Tivoli_WebUI_L10N.4.2.1
Tivoli_WebUI_L10N_Fix.v4.2.1.FP03.spb	Tivoli_WebUI_L10N_Fix.v4.2.1.FP03
Tivoli_SWD_WebUI_plugin_4.2.1.spb	Tivoli_SWD_WebUI_plugin_4.2.1
Tivoli_SWD_WebUI_plugin_Fix.v4.2.1.FP03.spb	Tivoli_SWD_WebUI_plugin_Fix.v4.2.1.FP03
Tivoli_INV_WebUI_plugin_Fix.v4.2.1.FP03.spb	Tivoli_INV_WebUI_plugin_Fix.v4.2.1.FP03
Tivoli_Web_Gateway_SRV_Fix.v4.2.1.FP03.spb	Tivoli_Web_Gateway_SRV_Fix.v4.2.1.FP03

Table 38. Names of SPB files and software profiles (continued)

SPB Files	Package name with Version
Tivoli_MD2GUI_Fix.v4.1.1.FP03.spb	Tivoli_MD2GUI_Fix.v4.1.1.FP03

Note: If you are installing the WebUI SPB components using the Software Distribution command line, you need to install the following prerequisite packages first:

- Tivoli_WebUI_4.2.1.spb
- Tivoli_WebUI_L10N.4.2.1.spb
- Tivoli_SWD_WebUI_plugin_4.2.1.spb

These are empty packages used to update the local catalog in accordance with the adopted SPB naming convention.

If you are installing the WebUI SPB components via SPB_patch_installer, the prerequisite packages are automatically installed.

Updating the inventory signatures

The latest software signatures are packaged in fix pack 4.2.1-INV-FP03. After you install the fix pack, the signatures are located in the \$BINDIR/./generic/inv/SIGNATURE directory in the SWSIGS.INI file. See the documentation for the winvsig command for more information on how to install these signatures.

Updating the inventory schema

When you install a new fix pack, you also need to update the inventory schema.

The fix pack installation places files named inv_<db>_schema.sql, inv_<db>_421_FP03.sql on the managed nodes where the patch is installed, in the following directory:

\$BINDIR/./generic/inv/SCRIPTS/RDBMS

where <db> is the shortname for the database. For each of these scripts, there is also an equivalent history script for updating the history tables, and these scripts have the same names with a h_ prefix.

You can use all of these scripts to either update or reinstall your database schema.

If you have already run the full schema scripts inv_<db>_schema.sql and you want to preserve your existing data, then you need to run the inv_<db>_421_FP03.sql scripts to update your database without losing any data.

Note: Running the full schema scripts removes all existing data.

Copy the appropriate schema scripts to any system where SQL access is available (such as the database server or the database client workstation if the client allows for SQL connectivity) to install the schema scripts.

DB2 only: Create the temporary tablespace "usertemp1" by running the inv_db2_admin_patch.sql script as a DB2 administrator. If you are installing a new DB2 database and using the inv_db2_admin.sql script, you do not need to run the patch script as it is now contained in the latest version of the admin script.

Note: For all database scripts. Error or information messages might be displayed when running the database scripts. Each database has unique behavior, so some messages can be expected.

Using SQL scripts to upgrade the schema

This section contains additional information about SQL scripts you need to run.

APAR IY52718: To install the fix for APAR IY52718, upgrade the Tivoli Configuration Management, Version 4.2.1 DB2 schema on MVS by running the `inv/SCRIPTS/RDBMS/inv_db2_mvs_421_fp01.sql` script.

APAR IY52431: Run the `h_inv_<db>_FP01.sql` and `inv_<db>_FP01.sql` on an existing Tivoli Configuration Manager, Version 4.2.1 configuration repository, where *db* corresponds to `db2`, `db2_mvs`, or `infx`.

Note: These patch scripts affect the `PTF_INFO` table, which is populated by a scan of OS/400® systems. Use the following guidelines:

- If you do not have any OS/400 endpoints, you do *not* need to upgrade this table.
- If you are using the Inventory, Version 4.2 component and have run the fresh install scripts modified by the 4.2-INV-FP03 fix pack, you do *not* need to run these new scripts. The `PTF_INFO` table is created with the correct `ACTION_PENDING` column type and size in the 4.2-INV-FP02 fresh install script and in the `inv_db2_mvs_custom_schema.sql` and `h_inv_db2_mvs_custom_schema.sql` scripts.
- If you are using the Inventory, Version 4.2.1 component, have migrated from Version 4.2, and had installed the Version 4.2 schema using the fresh install scripts before the 4.2-INV-FP03 fix pack, you *must* run these new scripts.

APAR IY53445: Run the `h_inv_ora_421_fp01.sql` script on a Tivoli Configuration Manager, Version 4.2.1 configuration repository only if the schema was upgraded from an Tivoli Inventory, Version 4.0 configuration repository using the `h_inv_ora_upgrade_40_421.sql` script.

Updating the Activity Planner schema

To address a problem with the user resource, the `V_PLAN_STATUS` view in the APM schema has been modified by adding the `TGT_RESOURCE_TYPE` field.

To fix the problem, update the `V_PLAN_STATUS` view by running the script `plans_database_schema_update_view.sql`, where *database* represents the supported vendor database. After the installation of the Fix Pack 3 for APM component (4.2.1-APM-FP03), this script is located in the `$BINDIR/TME/APM/SCRIPTS` directory.

Note: Running this script is not required if you have already installed IBM Tivoli Configuration Manager version 4.2.1 Fix Pack 2.

For interconnected Tivoli regions, before performing any Activity Planner operation, all Tivoli regions (TMRs) must be at the same level as Fix Pack 3. Ensure this by performing the following tasks:

1. Install Fix Pack 3 for APM component (4.2.1-APM-FP03) on all interconnected Tivoli regions.
2. Update the `V_PLAN_STATUS` view by running the script `plans_database_schema_update_view.sql` on all interconnected Tivoli regions.

Upgrading plug-ins

To upgrade plug-ins, you need to run the upgrade scripts.

Activity Planner

If you have installed 4.2.1-APM, 4.2.1-SWDSRV, and 4.2.1-INV run the following scripts located in the \$BINDIR/TME/APM/SCRIPTS directory. You need the APM_Admin Tivoli region authorization role to run them in the following way:

- sh reg_swd_plugin.sh -r
- sh reg_inv_plugin_patch.sh
- sh reg_tl_plugin.sh -r

The first script enables the Activity Planner for Software Distribution, the second script enables the Activity Planner for Inventory, while the third script enables the Task Library.

If you are using 4.2-APM instead and want to upgrade to 4.2.1-APM, run the following Activity Planner scripts located in the \$BINDIR/TME/APM/SCRIPTS directory. You need the APM_Admin Tivoli region authorization role to run these scripts.

1. Run the upgr_swd_plugin.sh script to upgrade the Software Distribution plug-in.
2. Run the upgr_tl_plugin.sh script to upgrade the Task Library plug-in.

Change Manager

If you have installed both 4.2.1-CCM and 4.2.1-SWDSRV, run the following command to upgrade the CCM plug-in:

```
wccmplugin -s SoftwareDistribution -f $BINDIR/TME/CCM/GUI/swd_plugin.xml
```

You need the CCM_Admin Tivoli region authorization role to run it.

If the Activity Planner is up and running before launching this command, stop the Activity Planner using the wstopapm command.

If you are using 4.2-CCM instead and want to upgrade to 4.2.1-CCM, you need to run the following Change Manager script located in the \$BINDIR/TME/CCM/SCRIPTS directory:

```
upgr_swd_plugin.sh
```

You need the CCM_Admin Tivoli region authorization role to run this script.

Documentation notes

This section contains new information and documentation corrections contained in this fix pack.

New information contained in this fix pack

This section contains new information for the following manuals of the IBM Tivoli Configuration Manager, Version 4.2.1 library.

User's Guide for Software Distribution

The following new information applies to the *User's Guide for Software Distribution*.

- APAR IY53218

In Chapter 15 "Troubleshooting", in the section "Hints and Tips", add the following text at the end of the list:

Cloning software packages from the Tivoli desktop

When cloning software packages from one profile manager to another using the drag-and-drop function, the cloned software package might not work correctly.

To clone a software package from one profile manager to another, perform the following steps:

1. From the Tivoli desktop, open the profile manager containing the software package you want to clone.
2. Select the software package you want to clone.
3. Select **Profiles/Clone** in the **Edit** menu. The Clone Profile dialog is displayed.
4. In the **Name/Icon Label** type a name for the cloned software package.
5. Select a profile manager in the **Clone to Profile Manager** list.
6. Click **Clone and Close**. The selected software package is cloned to the specified profile manager.

Note: When naming software packages, do not use the .dup@ or .tmp@ character sequence in the name or version.

You can also move a software package from one profile manager to another, by performing one of the following procedures:

- On Windows operating systems, drag and drop the software package to the destination profile manager.
- On UNIX operating systems, drag and drop the software package to the destination profile manager while pressing the Shift key.

- **APAR IY53753**

In Chapter 15 "Troubleshooting", in the section "Troubleshooting the Software Package Editor GUI", add the following bullet after the first bullet:

To use the Software Package Editor on Windows XP systems, you must be a member of the Administrators or Power Users group.

Reference Manual for Software Distribution

The following new information applies to the *Reference Manual for Software Distribution*.

- **Defect 51869**

In Chapter 1 "Editing the Software Package Definition File", section "Attributes in Windows Registry Object Stanzas", Table 14 "SPD file attributes for Windows registry objects", add the following note to the explanation of the **add** attribute:

Note: To override this setting, add the `_ALWAYS_ADD_WINREG_KEYS_` variable to the `swdis.var` file and set it to YES or NO. If you set it to YES, parent registry keys are always created, irrespective of the setting specified for the add attribute.

- **Feature 54613**

In Chapter 3 "Using Commands", add the text below to the following commands:

- waccpst
- wcommtsp
- winstsp
- wspmvdta
- wremovsp

– wundosp

-X {none | first | middle | last | both}

Allows you to define a set of software packages for which user login and shutdown operations can be disabled while the distribution is taking place. If you define a package as **first**, this package is the first in a series for which you can define these options. Mark the other packages in the series as **middle** and the last package as **last**. A software package marked as **last** must exist for each software package marked as **first**. If the series consists of just one package, mark this package as **both**, which means the software package is both first and last in the series. The default value is **none** which means user login and shutdown operations cannot be disabled.

-Y max_login_allowed

Allows you to specify whether users can log on to the workstation while a distribution is taking place. This setting can be defined only for software packages marked as **first** and **both**. It applies to software packages marked as **first**, **middle**, **last**, or **both**. Supported values are **0** (no login is allowed), **-1** (an unlimited number of logins is allowed), and any positive integer. If a login is performed while the distribution is taking place, the distribution is paused until the user performs a logoff.

-W

Specifies that the user cannot perform a shutdown while a distribution is taking place. If the user attempts to perform a shutdown and the timeout is set to a value other than zero using the **Timeout** key, a dialog box is displayed on the endpoint listing the allowed operations and requesting the user to select one. The user can choose between performing a restart, a logoff, or a logoff and a shutdown. The restart and logoff operations are performed immediately, while the shutdown is performed after the last distribution has completed. If the user does not respond to the dialog within the allotted time, the default action is performed. The default action is logoff and shutdown.

• **APAR IY66515**

In Chapter 1 "Editing the Software Package Definition File", in the section "Software Package Name and Version", add the following sentence at the end of the first list:

The length of the string that defines the name and version of a software package can vary depending on how you distribute the software package:

- If you use Activity Planner, the maximum length of the string is 128 characters. It includes name, delimiter, version (64 characters), and #region name.
- If you do not use Activity Planner, the maximum length of the string is 230 characters. It includes name, delimiter, and version (64 characters).

• **APAR IY72490**

In Chapter 3 "Using Commands", section "Disconnected Target Commands" modify the usage of the **wdlssp** command as follows:

wdlssp

wdlssp -b and add the following description in the **Options** section:

- b** Creates a backup copy of the catalog to the file you specified. The information stored in the **epsp.cat** file is retrieved up to the point where the corruption occurred. Some data in the new file might be inconsistent

if the command failed to retrieve complete data from the corrupt catalog. You can then manually replace the catalog with the new file.

User's Guide for Deployment Services

The following new information applies to the *IBM Tivoli Configuration Manager: User's Guide for Deployment Services*.

- **APAR IY62930**

In Chapter 13 "Administering the Web Interface", in the section "Monitoring the Results of Operations", add the following text before the table:

The software packages distributed using Software Distribution are tracked in the Inventory database by the endpoint label, while the software packages distributed using the Web Interface are tracked by the workstation hostname. This can lead to a misalignment of information in the Inventory database if you install an endpoint on the Web Interface client workstation and distribute software packages to this workstation using Software Distribution.

To avoid this problem, you should install the endpoint with the same name as the workstation hostname or, if the endpoint is already installed, change its name to match the workstation hostname.

In the "Troubleshooting" section in the same chapter, add the following entry after the last entry in the Administrator on the Tivoli server section:

Information concerning software packages installed on a Web Interface client is inconsistent when an endpoint is installed on the same workstation.

The software packages distributed using Software Distribution are tracked in the Inventory database by the endpoint label, while the software packages distributed using the Web Interface are tracked by the workstation hostname. This can lead to a misalignment of information in the Inventory database if you install an endpoint on the Web Interface client workstation and distribute software packages to this workstation using Software Distribution.

To avoid this problem, you should install the endpoint with the same name as the workstation hostname or, if the endpoint is already installed, change its name to match the workstation hostname.

- **APAR IY65042**

In Chapter 2 "Performing Activity Planner Operations", in the section "Selecting Targets for an Activity", add the following text to the first item in the bulleted list in step 4:

A list of target names. Select this type if you define the targets using the \$(TARGET_LIST) variable.

- **APAR IY65552**

In chapter 4 "Troubleshooting", section "Specific problems and workarounds", add the following text:

Error messages are truncated

If error messages are longer than 250 characters, they are truncated. To solve this problem, add the

`max_error_info_size`

keyword in the DEFAULT section of the apm.ini file and enlarge the ERROR_INFO column in the ACT_STATUS_TGT table to the same value defined for the

`max_error_info_size`

keyword. The maximum size for this column depends on the database you are using.

- **APAR IY70370**

In Chapter 3 "Using the Command Line" in Table 2 "Sub-elements that define the activity plan", in the row `targets_computation` the following information should be added:

If targets are defined at plan level and targets resolution is specified at plan submission, targets are calculated when the plan is submitted and inserted in `ACT_STATUS_TGT`. If the target exists, the OID in the table is the current OID, otherwise it is ----.

In Chapter 3 "Using the Command Line" in Table 3 "Sub-elements that define frequency information", in the row `targets_resolution` the following information should be added:

If the targets resolution (`targets_computation=a`) is at activity execution, the targets are evaluated when the activity starts.

User's Guide for Inventory

The following new information applies to the *User's Guide for Inventory*.

- **APAR IY68383**

In Appendix B, update the usage of the **wepscan** command as follows:

```
wepscan [-d {1 | 2 | 3}] [-s[-1]] [-t mc_upcall_timeout]
```

and add the following parameter to the parameters for command **wepscan**:

-1 Does not send the `INV_SA.LOG` file to the inventory data handler. This option can be used only in conjunction with the **-s** option.

Release Notes

The following information changes apply to the *Release Notes*.

- **APAR IY64238**

In Chapter 3 "Software limitations, problems, and workarounds" in the section "Software Problems and Workarounds" in the subsection "Web Gateway" the following problem description and workaround should be added after defect 28358:

APAR IY64238: Repeated attempts to install the IBM Tivoli Configuration Manager Web Gateway on Windows 2000 Advanced Server dual processor workstations might cause the installation process to stop abruptly.

Workaround: Install the IBM Tivoli Configuration Manager Web Gateway component using an alternate installation method, such as the software package block or silent installation methods. For more information on these methods, refer to IBM Tivoli Configuration Manager Planning and Installation Guide.

- **APAR IY70318**

In Chapter 3 "Software limitations, problems, and workarounds" in the section "Software Problems and Workarounds" in the subsection "Change Manager" the following problem description and workaround should be added:

If you are using the Change Manager based on Microsoft SQL Server and the primary language is not set to English, you might have some problems with the date format (for example month is taken instead of day).

Workaround: You should change the collate to `SQL_Latin1_General_CP1_CI_AS` and the primary language of the user owning the Change Manager tables should be set to English.

Documentation problems and corrections contained in this fix pack

This section contains problems and corrections for the following manuals of the IBM Tivoli Configuration Manager, Version 4.2.1 library:

User's Guide for Software Distribution

The following information changes apply to the *User's Guide for Software Distribution*.

- **APAR IY53753**

In Chapter 15. Troubleshooting, section "Troubleshooting the Software Package Editor GUI", add the following bullet after the first bullet:

2. To use the Software Package Editor on Windows XP systems, you must be a member of either the Administrators or Power Users group.

- **APAR IY57685**

In Chapter 12 "Integrating the Tivoli Enterprise Console", section "The tecad_sd.conf File", subsection "RetryInterval", change the sentence: "The default interval is 120 seconds." to read "The default is 1 second."

- **APAR IY58372**

In Chapter 9 "Preparing a Software Package for Distribution", section "Change Management Operations", subsection "Installing the Appsample^1.0 Software Package", add the following note to the end of Step 5:

Note: If you build packages on the source host system with a specific code set, you cannot perform a delta installation using another source host system with a different code set.

- **APAR IY58534**

In Chapter 15, "Troubleshooting", section "Software Distribution Log", add the following note to the "Distributive" section:

Note: If files in the distributed package are identical to files that already exist on the endpoint, then these files are not redistributed. This means that, if the Software Distribution log on the endpoint is enabled, the line "success: add file" is no longer added to the log.

- **APAR IY59300**

In Chapter 9, "Preparing a Software Package for Distribution", section "Change Management Operations", subsection "Installing the Appsample^1.0 Software Package", step 5, add the following note after the first sentence:

Note: For UNIX source hosts, directory and file name checks are case-sensitive, so the base and the version packages must use the same case.

- **APAR IY59478**

Chapter 9, "Preparing a Software Package for Distribution", section "Change Management Operations", subsection "Installing the Appsample^1.0 Software Package", add the following sentence after the fourth sentence in step 5:

In addition, if the base and the version packages use the same file in the same directory, the packages must be in software package block (built) format, otherwise the whole file is distributed. Byte-level differencing uses dependency checking to verify if the base package has been installed on the target.

- **APAR IY60532**

Chapter 13, add the following text at the end of the section "Monitoring the Results of Operations": For software packages containing restart actions, the

report containing the result of the distribution is sent to the Tivoli server after a second operation is performed on the target.

- **APAR IY66261**

In Chapter 1 "Overview of Software Distribution", in the section "Software Distribution Highlights", modify the Source and repair functionality item description as follows:

The repair functionality identifies which source and target objects have been modified or corrupted since the last successful installation of a software package, and rebuilds the software package with only these objects rather than installing the entire package again. The submission of a repair operation might take a long time if the check of objects modified or corrupted is run for a large number of endpoints.

- **APAR IY70834**

In Chapter 12 "Integrating the Tivoli Enterprise Console", in the table "Software Distribution Tivoli Enterprise Console events" the description of the event `SD_Operation_Failed` should be modified as follows:

By default, severity = FATAL and sub_source = swdist. You can change the severity level to all levels allowed by Tivoli Enterprise Console: CRITICAL, MINOR, WARNING, HARMLESS, or UNKNOWN.

Reference Manual for Software Distribution

The following information changes apply to the *Reference Manual for Software Distribution*.

- **APAR IY58502**

Make the following change to the Reference Manual for Software Distribution:

- In Chapter 3, "Using Commands", add the following text:

- In the section "Server Commands", subsection "wsetsps", add the text "(not in Transactional mode)" to the command description so that it reads:

- "Only the following operations are available:

- Remove software package (not in Transactional mode)
 - Force install software package

- In Chapter 3, "Using Commands", add the following text:

- In the section "Disconnected Target Commands", subsection "wdsetsps", add the text "(not in Transactional mode)" to the command description so that it reads:

- "Only the following operations are available:

- Remove software package (not in Transactional mode)
 - Force install software package

- **APAR IY59478**

- In Chapter 2, "Understanding CM Operations", section "Byte-level Differencing", subsection "How Software Distribution Uses Byte-level Differencing", change the paragraph from:

- To apply the delta installation, the base and the version packages must have the same nested structure. The above operation is performed on the source host and generates a delta package that is sent to the target.

- to:

- To apply the delta installation, the base and the version packages must have the same nested structure. In addition, if the base and the version packages use the same file in the same directory, the packages must be in software

package block (built) format, otherwise the whole file is distributed. The above operation is performed on the source host and generates a delta package that is sent to the target.

- In Chapter 3, "Using Commands", section "Server Commands", subsection "winstsp", change the text in the explanation of **-d *spobj_name*** from:

To apply the delta installation, the base and the version packages must have the same nested structure. Byte-level differencing uses dependency checking to verify that the base package has been installed.

to:

To apply the delta installation, the base and the version packages must have the same nested structure. In addition, if the base and the version packages use the same file in the same directory, the packages must be in software package block (built) format, otherwise the whole file is distributed. Byte-level differencing uses dependency checking to verify that the base package has been installed.

- **APAR IY60532**

- Chapter 2, section Commit Operation, add the following text after the description of the **in-a-reboot** option:

If you perform a transactional installation and select this option from the command line, the report containing the result of the distribution is sent to the Tivoli server after a second operation is performed on the target.

- Chapter 3, replace the description of the **-c** option for the following commands with the text below:

- wcommtsp
- winstsp
- wremovsp
- wundosp
- wdcmmtsp
- wdinstsp
- wdrmvsp
- wdundosp

Specifies the reboot options for the commit operations: n (not-in-a-reboot), which is the default, y (in-a-reboot), o (in-a-reboot), r (auto-reboot). For more information on these options, see Commit Operation.

User's Guide for Deployment Services

The following new information applies to the *IBM Tivoli Configuration Manager: User's Guide for Deployment Services*.

- **APAR IY62930**

In Chapter 13, section Monitoring the Results of Operations, add the following information before the table:

The software packages distributed using Software Distribution are tracked in the Inventory database by the endpoint label, while the software packages distributed using the Web Interface are tracked by the workstation hostname. This condition can lead to a misalignment of information in the Inventory database if you install an endpoint on the Web Interface client workstation and distribute software packages to this workstation using Software Distribution. To avoid this problem, you should install the endpoint with the same name as the workstation hostname or, if the endpoint is already installed, change its name to match the workstation hostname.

In Chapter 13, section "Troubleshooting", subsection "Administrator on the Tivoli server" add the following problem after the last problem in this section:

Problem: Information concerning software packages installed on a Web Interface client is not consistent when an endpoint is installed on the same workstation.

The software packages distributed using Software Distribution are tracked in the Inventory database by the endpoint label, while the software packages distributed using the Web Interface are tracked by the workstation hostname. This condition can lead to a misalignment of information in the Inventory database if you install an endpoint on the Web Interface client workstation and distribute software packages to this workstation using Software Distribution.

Solution: To avoid this problem, you should install the endpoint with the same name as the workstation hostname or, if the endpoint is already installed, change its name to match the workstation hostname.

- **APAR IY66346**

In Chapter 1 "Using Activity Planner", in the section "Before You Start", modify the sentence:

- RIM_view or RIM_update role, depending on database operation.

as follows:

- RIM_view and RIM_update roles.

In Chapter 1. Using Activity Planner, Understanding the Activity Planner Environment sub-section, Table 1. Activity Planner roles and operations, modify the table by adding the RIM_view and RIM_Update roles to all the cells in the **Required Role** column.

- **APAR IY70370**

In Chapter 2, Table 2 "Subelements that define the activity plan", targets_computation row, add the following information:

If targets are defined at plan level and targets resolution is specified at plan submission, targets are calculated when the plan is submitted and inserted in ACT_STATUS_TGT. In case the target exists, the OID in the table is the current OID, otherwise it is ----.

In Chapter 2 "Using the Command Line", Table 3 "Subelements that define frequency information", targets_resolution row, add the following information:

If the targets resolution is at activity execution (targets_computation=a), the targets are evaluated when the activity starts.

Planning and Installation Guide

The following information changes apply to the *Planning and Installation Guide*.

- **APAR IY58932**

In Chapter 7, "Desktop Installation", section "Desktop Installation", replace the paragraph:

The Desktop installation program installs Tivoli Desktop for Windows and the IBM Tivoli Configuration Manager administrative interfaces. This installation can be used on the following Windows operating systems only:

- Windows 2000
- Windows XP
- Windows Server 2003

with the following two paragraphs:

The Desktop installation program installs Tivoli Desktop for Windows and the IBM Tivoli Configuration Manager administrative interfaces. This installation can be used on supported Windows operating systems only.

To install Tivoli Desktop for Windows on Windows Server 2003, open the Desktop directory on CD 3 of the IBM Tivoli Configuration Manager Desktop CD (cd3\desktop), then run setup.exe. When the Tivoli Desktop installation is complete, you can install components that are provided as SPBs (located in the directory cd3\SPB), using Software Distribution (see the section "Components Installed using Software Package Blocks" for more information).

- **APAR IY71740**

In chapter 1, section "IBM Tivoli Configuration Manager Components and Services", add the following information to the Software Distribution component description:

You must install the Software Distribution component on the Tivoli server before you can install either the Software Distribution or Software Distribution Gateway component on any managed node in the local Tivoli region.

In Chapter 1, at the end of section "IBM Tivoli Configuration Manager Components and Services", delete the following paragraph:

You must install these components on the Tivoli server before you can install them on a managed node or before you can install the associated gateway component on a gateway. For example, you must install the Software Distribution component on the Tivoli server before you can install either the Software Distribution or Software Distribution Gateway component on any managed node in the local Tivoli region.

User's Guide for Inventory

The following information changes apply to the *User's Guide for Inventory*.

- **APAR IY72012**

In Appendix B, add the following sentence for commands **wdistinv** and **winvmgr**, at the end of the **wake_on_lan** description:

If you set this option in an InventoryConfig profile, its value overrides the **wake_on_lan** keyword value.

In Appendix B, add the following sentence for commands **wdistinv** and **winvmgr**, add the following sentence at the end of the **hidden** description:

If you set this option in an InventoryConfig profile, its value overrides the **hidden** keyword value.

Release Notes

The following information changes apply to the *Release Notes*.

- **APAR IY69501**

In the IBM Tivoli Configuration Manager version 4.2.1 Release Notes, Chapter 2 "Installation and upgrade notes", in the section "Web Gateway", replace the third bullet in the list of Web Gateway server prerequisites with the following text:

IBM WebSphere Application Server, Advanced Edition 4.0.3 and 4.0.6

- **APAR IY71166**

In Chapter 3, section "Software Problems and Workarounds", sub-section "Software Distribution", add the following problem description and workaround:

Software Package Editor GUI does not start on a Terminal Server Windows 2003.

Workaround: Open Software Package Editor using the Tivoli desktop.

New information contained in previous fix packs

This section contains new information for the following manuals of the IBM Tivoli Configuration Manager, Version 4.2.1 library, contained in previous fix packs.

User's Guide for Software Distribution

The following new information applies to the *User's Guide for Software Distribution*.

- **APAR IY52831**

In Chapter 9. "Preparing a Software Package Distribution", section "Executing Change Management Operations", subsection "Verify a Software Package", add the following paragraph as the final paragraph of the section:

The verify operation checks whether files contained in the package are also present on the target system. The operation is successful if the date of the file on the target is equal to or greater than the date of the same file in the package. If the date of the file is older than the date of the same file in the package, the operation fails. The verify operation does not check whether a file has been changed since it was installed. To perform this check, run a repair operation.

- In Chapter 9. "Preparing a Software Package for Distribution", section "Exporting a Software Package", add the following note after the list of steps:

Note: On UNIX platforms, when you export a software package to an SPD format you have read and write privileges to the package, while all other users only have read privileges. For this reason, the owner of the exported SPD file should be the same user who exported the package.

- In Chapter 12. "Integrating the Tivoli Enterprise Console", section "Software Distribution Classes", make the following changes:

- Delete the note:

Note: This list of classes is provided for reference only. Do *not* edit the `tecad_sdnew.baroc` file.

and replace it with:

Note: Do *not* change the structure of the `tecad_sdnew.baroc` file.

- In Table 14. "Software Distribution Tivoli Enterprise Console events", add the following information to the Notes section of the `SD_Operation_Failed` event:
You can change the severity level to CRITICAL, MINOR, or HARMLESS.

- **APAR IY52831**

In Chapter 9 "Preparing a Software Package Distribution", section "Executing Change Management Operations", sub-section "Verify a Software Package", add the following paragraph as the final paragraph of the section:

The verify operation checks whether files contained in the package are also present on the target system. The operation is successful if the date of the file on the target is the same or later than the date of the same file in the package. If the date of the file is older than the date of the same file in the package, the operation fails. The verify operation does not check whether a file has been changed since it was installed. To perform this check, run a repair operation.

Reference Manual for Software Distribution

The following new information applies to the *Reference Manual for Software Distribution*.

- **Defect 51869**

In Chapter 2 "Performing Change Management Operations", in the section "Editing the Software Package Definition File", subsection Attributes in Windows

Registry Object Stanzas, Table 14, SPD file attributes for Windows registry objects, add the following note to the explanation of the **add** attribute:

To override this setting, add the `__ALWAYS_ADD_WINREG_KEYS__` variable to the `in swdis.var` file and set it to YES or NO. If you set `__ALWAYS_ADD_WINREG_KEYS__` to YES, parent registry keys are always created, irrespective of the setting specified for the **add** attribute.

- **APAR IY52831**

In Chapter 2 "Performing Change Management Operations", section "Types of Change Management Operations", subsection "Verify Operation", add the following second paragraph before the note:

The verify operation checks whether files contained in the package are also present on the target system. The operation is successful if the date of the file on the target is the same or later than the date of the same file in the package. If the date of the file is older than the date of the same file in the package, the operation fails. The verify operation does not check whether a file has been changed since it was installed. To perform this check, run a repair operation.

- **APAR IY42647**

In Chapter 3 "Using Commands" add the following MDist 2 token to the commands listed below:

- `fail_unavail`

Specifies whether the distribution fails on endpoints that cannot be reached for any reason. Supported values are true and false. The default value is false.

This token is to be added to the MDist 2 options for the following commands:

- **waccptsp**
- **wcommtsp**
- **winstsp**
- **wldsp**
- **wremovsp**
- **wsetsp**
- **wspmldata**
- **wswdmgr**
- **wsyncsp**
- **wuldsp**
- **wundosp**
- **wversp**

- In Chapter 3. "Using Commands", section "Server Commands", subsection "wexpspo", add the following note under Authorization:

Note: On UNIX platforms, when you export a software package to an SPD format you have read and write privileges to the package, while all other users only have read privileges. For this reason, the owner of the exported SPD file should be the same user who exported the package.

- **APAR IY61753**

In Chapter 3 "Using Commands" add the following key to the **wswdcfg** command:

stop_on_prog_hang

Modifies the behavior of the Software Distribution engine if user programs are running when communication with the gateway is interrupted for any reason. The default behavior causes the distribution

to end with a warning. If you set this key to n, the user program is completed and the interrupted distribution can restart from the last valid checkpoint when communication with the gateway is restored. If the user program hangs, though, the distribution hangs until its expiration date is reached. Supported values are y and n. The default value is y.

- **APAR IY62154**

In Chapter 3 "Using Commands", in the description of the **wspmvdata** command add the following paragraph after the list in the Description section:

In the data moving architecture, data is moved between source hosts and endpoints and between one endpoint and multiple endpoints. A source host is a Tivoli managed node, functioning as a gateway or a repeater, where Software Distribution is installed. The source host corresponds to the origin system when send operations are performed, with the exception of send operations from one endpoint to multiple endpoints. During a retrieve operation, instead, the source host is the destination system.

Replace the description of the spre:src_prescript, spost:src_postscript, tpre:targ_prescript, tpost:targ_postscript options in the Options section, with the following descriptions:

- spre:src_prescript:

Specifies a script to run on the origin system of the data file, before the data is transmitted. When sending data, the origin system must be a source host, that is a Tivoli managed node, functioning as a gateway or a repeater, where Software Distribution is installed, or an endpoint, when data is sent from one endpoint to one or more endpoints. When retrieving data, the origin list can include multiple Tivoli endpoints, files that store a list of endpoints, profile managers, or a combination of these. Where the -s option specifies a list of endpoints, the script runs on each endpoint.

- spost:src_postscript:

Specifies a script to run on the origin system of the data file, before the data is transmitted. When sending data, the origin system must be a source host, that is a Tivoli managed node, functioning as a gateway or a repeater, where Software Distribution is installed, or an endpoint, when data is sent from one endpoint to one or more endpoints. When retrieving data, the origin list can include multiple Tivoli endpoints, files that store a list of endpoints, profile managers, or a combination of these. Where the -s option specifies a list of endpoints, the script runs on each endpoint.

- tpre:targ_prescript:

Specifies a script to run on the destination system, before the data is transmitted. When retrieving data, the destination system must be a source host, that is a Tivoli managed node, functioning as a gateway or a repeater, where Software Distribution is installed, which afterwards redirects the data to the destination systems. When sending or deleting data, the destination list can include multiple Tivoli endpoints, files that store a list of endpoints, profile managers, or a combination of these. Where the -t option specifies a list of endpoints, the script runs on each endpoint.

- tpost:targ_postscript:

Specifies a script to run on the destination system, before the data is transmitted. When retrieving data, the destination system must be a source host, that is a Tivoli managed node, functioning as a gateway or a repeater, where Software Distribution is installed, which afterwards redirects the data to the destination systems. During retrieve operations, the post-script on the origin system (an endpoint) runs before the data is sent to the destination system. When sending or deleting data, the destination list can include

multiple Tivoli endpoints, files that store a list of endpoints, profile managers, or a combination of these. Where the -t option specifies a list of endpoints, the script runs on each endpoint.

In the "Scripts for Pre- and Post-processing" section, replace the first bulleted list with the following two lists:

- The following list shows the sequence of scripts for send operations:
 1. Origin pre-processing script on the origin system.
 2. Destination pre-processing script on each endpoint.
 3. Destination post-processing script on each endpoint.
 4. Origin post-processing script on the origin system.
- The following list shows the sequence of scripts for retrieve operations:
 1. Destination pre-processing script on each endpoint.
 2. Origin pre-processing script on the origin system.
 3. Destination post-processing script on each endpoint.
 4. Origin post-processing script on the origin system.

In the "Scripts for Pre- and Post-processing" section, replace the descriptions for parameters 5 and 6 with the following descriptions:

- Parameter 5 Endpoint Label
Unique endpoint identifier. This parameter is only available for the post-processing script on the source host, that is a Tivoli managed node, functioning as a gateway or a repeater, where Software Distribution is installed.
- Parameter 6 Endpoint Result
Result of the operation on the endpoint. Possible results are 0 (success) and 1 (failure). This parameter is only available for the post-processing script on the source host, that is a Tivoli managed node, functioning as a gateway or a repeater, where Software Distribution is installed.

In the Scripts for Pre- and Post-processing section, replace the explanation for the example with the following explanation:

The destination system for this command is a source host and the source list includes two endpoints. The purpose of the merge.sh script is to create a single file on the source host system by merging the files that have been retrieved from the endpoints. The merge.sh script is performed as a post-processing script on the source host after the files have been retrieved from the specified endpoints.

- **Defect 51714**

In Chapter 3 "Using Commands", in the section **wspmvdata**, add the following section after the Scripts for Pre- and Post-processing section:

Sending Multiple Files: When you need to send several different files with similar names to different endpoints and each endpoint must receive only a specific file, you can use the \$(ep_label) variable in the source file name. The \$(ep_label) variable replaces the label of the endpoint.

The \$(ep_label) variable is then resolved on each endpoint and the file named with the endpoint label is installed on the corresponding endpoint.

When you perform a send operation using this variable, an internal software package is created in the *product_dir* on the source host, that is a Tivoli managed node, functioning as a gateway or a repeater, where Software Distribution is installed. This software package contains all the files to be sent to the endpoints and a condition for each file which specifies on which endpoint each file must be installed. The software package is then sent to the target endpoints where the variable is resolved and the files installed.

You can specify the maximum size for the software package by setting the **dms_send_max_spb_size** key with the **wswdcfg** command. For more information on this command, refer to *IBM Tivoli Configuration Manager: Reference Manual for Software Distribution*. The default value for this key is 10,000 kilobytes. You can set this value to any integer equal to or lower than two gigabytes, which is the maximum size for a software package. The value defined on the Tivoli server is applied to the entire region, irrespective of the values defined on the source hosts, if any. Note that an amount of space at least equal to the value you specify must be available in the *product_dir* on the source host for the package to be created.

To calculate the precise value for the **dms_send_max_spb_size** key, you need to consider the total size of the files to be sent plus 2 kilobytes for each endpoint.

If you are working with interconnected regions, you must perform the following operations when sending multiple files:

- On the source host append the region name preceded by a pound (#) sign to the endpoint name of the files to be sent to endpoints outside the Tivoli region where the source host is located.
- From the command line, append the region name preceded by a pound (#) sign to the target endpoint name when specifying the **-t** option. This procedure applies only to endpoints with duplicate labels.

This behavior allows you to manage endpoints with duplicate labels within interconnected regions.

The following command sends files *data.ep1#sales-region.txt* to endpoint *ep1#sales-region*, file *data.ep1#resources-region.txt* to endpoint *ep1#resources-region*, and file *data.lab132782-ep.txt* to endpoint *lab132782-ep*, registered to the same region where the source host is located.

```
wspmvdta -s @yoursourcehost -t @ep1#sales-region, @ep1#resources-region, @lab132782-ep -P sp:c:\source\ -P tp:c:\target data.%(ep_label).txt
```

When specifying the distribution list the pound (#) sign and region name must be specified only when the endpoint label is duplicate between one or more endpoints. Note that files *data.ep1#sales-region.txt*, *data.ep1#resources-region.txt*, and file *data.lab132782-ep.txt* must be present on the source host, otherwise the operation is not performed because the **-F** option has not been specified.

To determine the region to which the specified endpoint belongs, type the following two commands on the Tivoli server:

```
eid=`wlookup -r Endpoint endpoint_name | awk -F'.' '{print $1}'`  
ep_region=`wlsconn | grep $eid | awk '{print $2}'`
```

where:

endpoint_name

is the name of the endpoint whose region name you are trying to determine.

The results of the commands are returned to standard output. If the output returned is empty, the endpoint belongs to the region where the command was launched. If you have a large number of endpoints, you can insert this command in a script file. On Windows systems, these commands must be run in a bash shell. For more information on the **wlookup** and **wlsconn** commands, refer to *Tivoli Management Framework: Reference Manual*.

In the *DataMovingRequests.1.log* file, the information concerning the distributions to interconnected regions is logged according to the following criteria:

- The names of the origin and destination files are specified with the \$(ep_label) variable.
- The name of the endpoint which received the distribution is logged before the **Distribution ID:** keyword. Use this value to determine which endpoint received the distribution.
- The region name preceded by a pound (#) sign is appended to the names of the endpoints outside the Tivoli region where the source host is located.

- **Defect 51714**

In Chapter 3 "Using Commands", in the section **wswdcfg**, add the following key after the `continue_on_invalid_targets` key:

dms_send_max_spb_size

Specifies the maximum size for a software package to be created and sent to multiple endpoints using data moving. For more information on this data moving feature, see *Sending Multiple Files*. The default value for this key is 10,000 kilobytes. You can set this value to any integer equal to or less than two gigabytes, which is the maximum size for a software package. Note that an amount of space at least equal to the value you specify must be available in the `product_dir` on the source host for the package to be created.

- In Chapter 4 "Managing Policy", in the section "Policy Methods", subsection "sp_val_operation", add the following two bullet points to the beginning of the Options list:

- send
- receive

- **APAR IY62398**

Add the following note to each explanation of the **from_fileserver** option:

Note: This option is not supported for Novell NetWare endpoints.

- **APAR IY52831**

In Chapter 2 "Performing Change Management Operations", section "Types of Change Management Operations", sub-section "Verify Operation", add the following second paragraph before the note:

The verify operation checks whether files contained in the package are also present on the target system. The operation is successful if the date of the file on the target is the same or later than the date of the same file in the package. If the date of the file is older than the date of the same file in the package, the operation fails. The verify operation does not check whether a file has been changed since it was installed. To perform this check, run a repair operation.

User's Guide for Deployment Services

The following new information applies to the *User's Guide for Deployment Services*.

- **APAR IY65042**

In Chapter 2 "Performing Activity Planner Operations", in the section "Selecting Targets for an Activity", add the following text to the first item in the list in step 4:

- A list of target names. Select this type if you define the targets using the \$(TARGET_LIST) variable.

- **APAR IY62379**

In Chapter 2 "Performing Activity Planner Operations", in the section "Scheduling Plans to execute within a time interval", add the following text in step 5 after the note:

If the plan contains activities which cannot be canceled, that is Tivoli Framework tasks or Software Distribution operations addressed to devices or users, a warning message is displayed. If you choose to submit the plan, and the Complete not after time expires, all activities are cancelled with the exception of Tivoli Framework tasks and Software Distribution operations addressed to devices or users.

In Chapter 3, section "Activity Plan Definition file", Table 2, add the following text to the description of the `compl_not_after` subelement:

If the plan contains activities which cannot be cancelled, that is Tivoli Framework tasks or Software Distribution operations addressed to devices or users, a warning message is displayed. If you choose to submit the plan, and the `compl_not_after` time expires, all activities are cancelled with the exception of Tivoli Framework tasks and Software Distribution operations addressed to devices or users.

Also, replace the description of the `cancel_at_cutoff` subelement with the following text:

If set to `n`, the time specified by the `compl_not_after` attribute is ignored for those activities already in execution. If set to `y`, activities in execution when the `compl_not_after` time is reached are canceled. If the plan contains activities which cannot be cancelled, that is Tivoli Framework tasks or Software Distribution operations addressed to devices or users, a warning message is displayed. If you choose to submit the plan, and the `compl_not_after` time expires, all activities are cancelled with the exception of Tivoli Framework tasks and Software Distribution operations addressed to devices or users.

- In Chapter 2 "Performing Activity Planner Operations", in the section "Submitting and Monitoring Activity plans", subsection "Controlling the Execution of Activity Plans and Activities", make the following changes:
 - Change step 2 so that it reads:
 2. Select either the **Pause**, **Resume**, **Restart**, **Cancel**, or **Cancel Force** option from the Selected menu.
 - Add the following information after the explanation of **Cancel**:

You can use **Cancel Force** to change the operation state of an activity plan to "cancelled", even when submitted operations are not cancelled. **Cancel Force** has the same functionality as the `wcntpln -f` command.

Note: The **Cancel Force** button and menu option appear in English only.

- **Defect 49765**

In Chapter 7 "Using the Command Line", in the section "Managing Reference Models" add the following paragraph after the bulleted list:

You can specify a timeout for CLI commands in Change Manager using the environment variable `_CCM_CLI_TIMEOUT=<seconds>`. This is useful when you are using the `wsyncrmod` command to synchronize a reference model, because you can specify a timeout that gives `wsyncrmod` enough time to successfully complete. You can set the `_CCM_CLI_TIMEOUT_` variable in the shell or in the `setup_env` file.

Planning and Installation

The following new information applies to the *IBM Tivoli Configuration Manager: Messages and Codes*.

- **APAR IY54441**

In Chapter 5, create a new section after the "Components Installed" section, named "Component Prerequisites", and include the following text:

When using this installation, the following component prerequisites must be installed before starting the installation.

Table 39. Server Component Prerequisites

Component	Software to be installed as prerequisite
Tivoli Management Framework	None
Web Interface	Tivoli Management Framework, Version 4.1, or later
Activity Planner	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later • Java™ Client Framework for Tivoli, Version 4.1 • Java 1.3.0 for Tivoli • Java RDBMS Interface Module, Version 4.1 • One of the supported databases (DB2, Informix®, Microsoft SQL Server, Oracle, or Sybase)
Change Manager	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later • Java Client Framework for Tivoli, Version 4.1 • Java 1.3.0 for Tivoli • Java RDBMS Interface Module, Version 4.1 • Activity Planner, Version 4.2.1 • One of the supported databases (DB2, Informix, Microsoft SQL Server, Oracle, or Sybase)
Inventory and Inventory Gateway	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later • Scalable Collection Service, Version 4.1.1 • Java 1.3.0 for Tivoli • Java RDBMS Interface Module, Version 4.1 • Java Client Framework for Tivoli, Version 4.1 • One of the supported databases (DB2, Informix, Microsoft SQL Server, Oracle, or Sybase)
Resource Manager and Resource Manager Gateway	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later • One of the supported databases (DB2, Informix, Microsoft SQL Server, Oracle, or Sybase)
Software Distribution and Software Distribution Gateway	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later • Inventory, Version 4.2.1. Software Distribution requires that the Inventory, Version 4.2.1 component must be installed on the TMR Server.
Enterprise Directory Query Facility	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later • Java 1.3.0 for Tivoli • Resource Manager, for resource management of users • An installed and configured LDAP directory server. For a list of supported LDAP directory servers, see IBM Tivoli Configuration Manager Release Notes.
Pristine Manager	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later • One of the supported databases (DB2, Informix, Microsoft SQL Server, Oracle, or Sybase)
Pristine Manager Gateway	Tivoli Management Framework, Version 4.1, or later
Software Package Editor	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later • Java 1.3.0 for Tivoli • Software Distribution, Version 4.2.1

Note: For more information on the components, refer to Installation Options.

- In Chapter 6, create a new section after the "Components Installed" section, named "Component Prerequisites", and include the following text:

When using this installation, the following component prerequisites must be installed before starting the installation.

Table 40. Web Gateway Component Prerequisites

Component	Software to be installed as prerequisite
Web Gateway database	DB2
Web Gateway server	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later. • A DB2 client that can connect to the Web Gateway database. • WebSphere® Application Service is running.
Web Infrastructure	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later. • IBM DB2. • IBM WebSphere Application Server. • Web Gateway database and Web Gateway server.

Note: For more information on the components, refer to Installation Options.

- In Chapter 7, create a new section before the "Locating the InstallShield Wizard Installation Program" section, named "Component Prerequisites", and include the following text:

When using this installation, the following component prerequisites must be installed before starting the installation.

Table 41. Desktop Component Prerequisites

Component	Software to be installed as prerequisite
Tivoli Desktop for Windows	None
Java components	None
Activity Planner GUI	Java components
Distribution Status console	Java components
Change Manager GUI	Java components
Inventory GUI	Java components
Software Package Editor	<ul style="list-style-type: none"> • Tivoli Management Framework, Version 4.1, or later • Java 1.3.0 for Tivoli

Note: For more information on the components, refer to Installation Options.

Messages and Codes

The following new information applies to the *IBM Tivoli Configuration Manager: Messages and Codes*.

In Chapter 8, in the section "DIS SE Messages", add the following messages after message DISSE0602E:

DISSE0791W:

Delete not completed. File or path non-existent:
'*path_name*'.

Explanation: The file to be deleted is not found.

Message Variable:

path_name

The name of the path.

DISSE0794E:

The maximum size defined for the software package is not enough for building all files in *path_name* into the software package. The size required is at least: *package_size*. To modify this setting, use the *dms_send_max_spb_size* option with the *wswdcfg* command.

Explanation: The software package you are trying to create and send cannot be built because there is either not enough space in the *product_dir* on the source host or the maximum size defined for the software package has been exceeded.

System Action: The operation is not performed.

System Action: The submitted operation is not performed.

Operator Response: Verify that the name of the file or the path name are correct.

Operator Response: Check that the space available in the *product_dir* on the source host is sufficient for creating the software package and verify the value defined for the maximum size of the software package. Add more space to the *product_dir* on the source host or increase the maximum size of the software package using the *dms_send_max_spb_size* option with the *wswdcfg* command. For more information on this option, refer to *IBM Tivoli Configuration Manager: Reference Manual for Software Distribution*. Note that two gigabytes is the maximum size for a software package.

Documentation problems and corrections contained in previous fix packs

This section contains problems and corrections for the following manuals of the IBM Tivoli Configuration Manager, Version 4.2.1 library, referring to previous fix packs:

User's Guide for Software Distribution

The following information changes apply to the *User's Guide for Software Distribution*.

- **APAR IY52383**

In Chapter 15. "Troubleshooting", section "Troubleshooting Process", add the following text as the first paragraph in Step 3:

When a software package is distributed to an endpoint, a check is performed on a subset of the actions contained in the package. If any of the checks on these actions fails, the package installation stops and no action is performed on the endpoint. The following is a list of the actions that are checked on the endpoint.

Add Windows registry key

Fails if the required platform is not supported.

Add device object

Fails if the required platform is not supported.

Execute program

Fails on devices.

Install MSI product

Fails if the required platform is not supported.

Install AIX package

Fails if the required platform is not supported.

Install RPM package

Fails if the required platform is not supported.

Install Solaris package

Fails if the required platform is not supported.

Install Solaris patch

Fails if the required platform is not supported.

Add directory/files

Fails in the following cases:

- The specified destination is not valid.
- The base file does not exist. This check only applies to delta installations.
- The specified file is locked.

Check disk space

Fails on devices.

If all checks are successful, the package installation starts and the actions contained in the package are performed in the order in which they are listed.

If any actions fail for reasons other than those already explained, the package installation stops. All actions listed in the package before the failed one have already been performed on the endpoint.

You should install the software package in undoable mode, so you can return the system to its previous state if the installation fails.

- **APAR IY55736**

In Chapter 11. "Configuring a Network Topology", section "Software Distribution Methods", add the following paragraph at the end of the section:

The methods most frequently used by Software Distribution are:

export Requests package export.

unbuild/unbuild_ex

Unbuilds a software package.

estimate_sp_size

Estimates the software package size.

file_exists

Verifies whether the file exists on the source host file system.

save_spfile

Imports software packages in .sp format.

build Builds software packages in .spb format, imports built software packages (spb), and is used during data distributions when a package must be built.

get_package_info

Gathers the main information concerning the package (name, version, source host, format) during package import.

extract_spfile

Extracts the .sp file during export operations, evaluates the package size, and is used during distributions.

run_speditor

Starts the Software Package Editor in a server environment.

init_privileged

Initializes traces and configurations.

cm_execute_src

Starts a data distribution.

build_differences

Retrieves data to be sent to the endpoint.

dm_mdists_result

Manages post scripts during a datamoving operation.

cm_operation_ep

Used by the install repair operation (winstsp -mr).

cm_operation_ep2

Calls the endpoint during all distribution operations.

swd_mobile_setup

Starts the download of mobile libraries to the endpoint.

- **APAR IY57467**

In Chapter 3 "Using the command line", in the section "Parameters of Software Distribution Operations", tables 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, replace every occurrence of the **ExecuteTimeout** parameter with **ExecutionTimeout** and every occurrence of the **ExecuteTimeoutUnit** parameter with **ExecutionTimeoutUnit** .

- **APAR IY45548**

In Chapter 1 "Using Activity Planner", in the section "Defining the Activity Planner Engine Parameters", add the following keyword after the **deep_gc_interval**:

commit_interval

Specifies the number of operations after which the data inserted in the Activity Planner database is saved. This setting applies to the plan submission phase, which is the one creating more data to be stored in the database. The default value is 500 operations, which means that data is committed after 500 Activity Planner operations have been completed. You can specify any positive integer, depending on the size of your environment. Note that frequent commit operations can significantly slow down system performance.

Reference Manual for Software Distribution

The following information changes apply to the *Reference Manual for Software Distribution*.

- **APAR IY54907**

In Chapter 2. "Editing the Software Package Definition File", Table 11 "SPD File Attributes in File System Stanzas", add a second note to the explanation of the **descend_dirs** attribute:

Note: If you set this attribute to **y** when creating packages containing symbolic links, the symbolic links are resolved, and the data they point to is inserted in the package in place of the links. To transfer a directory containing symbolic links to directories and files without resolving the links, you must respect the following rules:

- Add directories to the package by setting the **descend_dirs** attribute to **n**
- Add links to the package by setting the **follow_links** and **hard_link** attributes to **n**

- **APAR IY55404**

In Chapter 1. "Editing the Software Package Definition File", section "System Actions", subsection "Restart", Table 38 "Software Package Definition File

attributes of the restart stanza", replace the last bullet in the explanation of the force_restart attribute with the following text:

If the timeout attribute is greater than or equal to zero and the force_restart attribute is set to y, a soft reboot is invoked. If it fails, a hard reboot is performed after the timeout expires and when the gateway reconnects to the endpoint.

- **APAR IY56703**

In Chapter 1. "Editing the Software Package Definition File", section "Attributes in the File System Stanzas", Table "SPD File attributes in file system stanzas", remove the following note from the explanation of the rename_if_locked attribute:

Note: The rename_if_locked attribute is not supported for OS/400 endpoints.

- **APAR IY64823**

In Chapter 3, in the explanation of the **wsetsps** command, replace the two paragraphs following the Description heading with the following two paragraphs:

- Using this command, you can add applications that were installed independently of Software Distribution to the Software Distribution catalog on the endpoint. The specified software package is assigned a state of IC-D-, indicating that it is installed and discovered.
- There are limitations to the change management operations that can be used for a discovered software package. Only the following operations are available:
 - Remove software package (not in Transactional mode). The related entry is removed from the Software Distribution catalog on the endpoint, but the application is not uninstalled.
 - Force install software package.

User's Guide for Deployment Services

The following information changes apply to the *IBM Tivoli Configuration Manager: User's Guide for Deployment Services*.

- **APAR IY57467**

In Chapter 3, "Using the command line", section "Parameters of Software Distribution Operations", tables 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, replace every occurrence of the **ExecuteTimeout** parameter with **ExecutionTimeout** and every occurrence of the **ExecuteTimeoutUnit** parameter with **ExecutionTimeoutUnit**.

- **APAR IY45548**

In Chapter 1, "Using Activity Planner", section "Defining the Activity Planner Engine Parameters", add the following keyword after the **deep_gc_interval**:

commit_interval

Specifies the number of operations after which the data inserted in the Activity Planner database is saved. This setting applies to the plan submission phase, which is the one creating more data to be stored in the database. The default value is 500 operations, which means that data is committed after 500 Activity Planner operations have been completed. You can specify any positive integer, depending on the size of your environment. Note that frequent commit operations can significantly slow down system performance.

Planning and Installation

The following information changes apply to the *Planning and Installation* manual.

- **APAR IY53556**

In "Chapter 7. "Desktop Installation", section "Upgrading Tivoli Desktop for Windows", add the following note at the end of the chapter:

Note: If the Desktop for Tivoli Management Framework, Version 4.1 is already installed, no upgrade to Version 4.1.1 is performed. This is because the Desktop for Tivoli Management Framework, Version 4.1.1 does not offer any new features for IBM Tivoli Configuration Manager, Version 4.2.1.

- **APAR IY53601**

In "Chapter 2. Planning a Configuration Manager Environment", section "Using Configuration Management in Connected Tivoli Regions", replace the introductory sentence with the following:

This section discusses the requirements for running inventory scans, distributing software, and managing devices and users in connected Tivoli regions. If you plan to use IBM Tivoli Configuration Manager among Tivoli regions, the following conditions must be met:

- You can install the IBM Tivoli Configuration Manager components on the Hub region, or on the Hub and Spoke regions. Installing components on Spoke regions reduces the workload on the Hub region. For more information on Hub and Spoke regions, refer to *Tivoli Management Framework Planning for Deployment Guide*.

Note: If you install Activity Planner on more than one region, you need to create a separate Activity Planner database for each installation. These databases cannot communicate with each other and cannot share information on activity plans.

To workaroud this problem, you should write a script to extract data from each Activity Planner database and collect it at a central location, typically, the Hub region.

- **APAR IY56955**

In Chapter 5. "IBM Tivoli Configuration Manager Installation and Upgrade", section "Server Upgrade", add the following note to step 10:

Note: If you have installed Activity Planner version 4.1, rename the existing apm.ini file before performing the upgrade. When the upgraded Activity Planner starts, a new apm.ini file is created with up-to-date information.

Release Notes

The following information changes apply to the *Release Notes*.

- **APAR IY54453**

In Chapter 2. "Installation and upgrade notes", Table 1 "Supported Tier 1 operating systems by components and services", make the following change:

Divide the table row "IBM AIX Versions 5.1, 5.2" into two separate rows; one row for Version 5.1, and one row for Version 5.2. Both rows have the same check marks to indicate that Server/Managed Node and Endpoint are supported. Version 5.1 also has a check mark for Gateway, but Version 5.2 does not, because it does not support Gateway.

- **APAR IY53469**

In Chapter 3, "Software limitations, problems, and workarounds", section "Software limitations", subsection "Inventory", add the following information:

– Tivoli Inventory, Version 3.6.2, cannot run on Tivoli Management Framework, Version 4.1.1.

- **APAR IY63710**

The trace files `tmesdisn.trc` where `n` is the file number, generated when you issue a command line command, can be written to only by the user who was logged in when the command was issued. If another user logs in and issues a command line command, the trace file content is printed to the standard output.

Workaround: Disable the tracing function, unless it is necessary. The tracing function is intended for debugging purposes. If enabled for extended periods of time, tracing can decrease performance and slow the processing of the product considerably. Alternatively, you can delete the trace files created by the previous user.

Contacting IBM Software Support

Before contacting IBM Software Support with a problem, refer to the IBM Software Support site by accessing the following Web address:

<http://www.ibm.com/software/support>

To access Tivoli support, click the Tivoli support link at the bottom right of the page.

If you want to contact IBM Software Support, see the *IBM Software Support Guide* at the following Web site:

<http://techsupport.services.ibm.com/guides/handbook.html>

The guide provides information about how to contact IBM Software Support, depending on the severity of your problem, and the following information:

- Registration and eligibility.
- Telephone numbers, depending on the country in which you are located.
- Information you must have before contacting IBM Software Support.

Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785 U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement might not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
2Z4A/101
11400 Burnet Road
Austin, TX 78758 U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurement may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

If you are viewing this information in softcopy form, the photographs and color illustrations might not display.

Trademarks

IBM, the IBM logo, AIX, DB2, IBMLink™, Informix, OS/2®, OS/400, S/390, AS/400, Tivoli, the Tivoli logo, Tivoli Enterprise Console and WebSphere are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both.

Lotus® and Lotus Notes are trademarks of International Business Machines Corporation and Lotus Development Corporation in the United States, other countries, or both.

Intel, the Intel Inside logos, MMX™, and Pentium are trademarks of Intel Corporation in the United States, other countries, or both.

Microsoft, Windows, and Windows NT® are registered trademarks of Microsoft Corporation in the United States, other countries, or both.



Java and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Linux is a trademark of Linus Torvalds in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.



Program Number: 5724-C06