



Fix pack 5.2.0-TIV-ITDS-FP0002
README for IBM Tivoli Directory Server
5.2



Fix pack 5.2.0-TIV-ITDS-FP0002
README for IBM Tivoli Directory Server
5.2

Contents

Fix pack 5.2.0-TIV-ITDS-FP0002.	1
General description	1
Platforms	1
Dependencies	1
Tested platforms	1
Tested DB2 levels.	2
Problems fixed.	2
Problems fixed in fix pack 2	2
Problems fixed in fix pack 1	5
Fix pack contents	9
AIX	9
HP-UX	11
Linux i386.	13
Linux pSeries.	14
Linux s390.	16
Solaris	17
Windows	19
Applying the fix pack	22
Applying the fix pack on UNIX or Linux platforms	22
Applying the fix pack on Windows platforms . .	23
Uninstalling the fix pack	24
Uninstalling the fix pack on UNIX or Linux platforms	24
Uninstalling the fix pack on Windows platforms	24
Functionality/Behavior Impact	24

Fix pack 5.2.0-TIV-ITDS-FP0002

Fix pack 5.2.0-TIV-ITDS-FP0002

Date: December, 2004

IBM® Tivoli Directory Server Version 5.2

General description

The fix pack contains fixes for problems encountered in IBM Tivoli Directory Server Version 5.2. The APAR number for the problem is listed in "Problems fixed in fix pack 2." Refer to the specific APAR for more detail.

For information on changes and fixes that occurred after the product documentation was translated, see the *IBM Tivoli Directory Server README Addendum Version 5.2*. The Addendum file is in English only and can also be found on the IBM Tivoli Directory Server Library Web page:

http://publib.boulder.ibm.com/tividd/td/IBMDS/ID7002517S_52/en_US/PDF/addendum52.pdf

Platforms

The following platforms are supported for this fix pack:

- AIX
- HP-UX
- Linux s390
- Linux pSeries
- Linux i386
- Solaris
- Windows

Dependencies

IBM Tivoli Directory Server version 5.2 must be installed.

Tested platforms

- AIX 5.1 ML7, AIX 5.2 ML4, AIX 5.3 (+Mandatory fix APAR IY58143)
- Solaris 8 & 9
- Intel Linux
 - Red Hat Enterprise Linux (RHEL) 3.0 update 3
 - SLES 8.0 service pack 3
- PPC Linux
 - Red Hat Enterprise Linux (RHEL) 3.0 update 3
 - SLES 8.0 service pack 3
- zSeries Linux
 - Red Hat Enterprise Linux (RHEL) 3.0 update 3
 - SLES 8.0 service pack 3

- Windows
 - Windows 2000 service pack 3, 4
 - Windows NT service pack 6
 - Windows 2003 EE
- HP UX 11i

Tested DB2 levels

- AIX 5.1 db2 v81 fp2 refresh + db2 v81 fp7a
- AIX 5.2 db2 v81 fp2 refresh
- AIX 5.3 db2 v81 fp2 refresh + db2 v81 fp7a
- Solaris 8 db2 v81 fp2 refresh
- Solaris 9 db2 v81 fp2 refresh + db2 v81 fp7a
- Intel Linux
 - Red Hat Enterprise Linux (RHEL) 3.0 db2 v81 fp2 refresh + db2 v81 fp7a
 - SLES 8.0 db2 v81 fp2 refresh
- PPC Linux
 - Red Hat Enterprise Linux (RHEL) 3.0 db2 v81 fp2 refresh + db2 v81 fp5
 - SLES 8.0 db2 v81 fp2 refresh + db2 v81 fp7a
- zSeries Linux
 - Red Hat Enterprise Linux (RHEL) 3.0 db2 v81 fp2 refresh + db2 v81 fp5
 - SLES 8.0 db2 v81 fp2 refresh + db2 v81 fp7a
- Windows
 - Windows 2000 db2 v81 fp2 refresh
 - Windows NT db2 v81 fp2 refresh
 - Windows 2003 EE db2 v81 fp2 refresh + db2 v81 fp6a
- HP UX 11i db2 v81 fp2 refresh + db2 v81 fp7a

Problems fixed

Problems fixed in fix pack 2

New fixes in 5.2.0-TIV-ITDS-FP0002:

APAR IR53741 (CMVC 87393)

Replacing the V3.modifiedschema file causes the replication que to disappear without replicating nor schema errors.

APAR IR53988 (CMVC 84902, 86434)

(Solaris only) Allow LDAP client plug-ins to resolve symbols from those identified as global of the parent loader.

APAR IR54007 (CMVC 86086)

A search using the ibm-allGroups operational attribute may not return all the groups of which the base entry is a dynamic member.

APAR IR54063 (CMVC 86601, 88122)

Changes to the FD_SETSIZE for BPM

APAR IR54069 (CMVC 85064)

Server Hang occurs when performance Run Stat Tool is running.

APAR IR54084 (CMVC 82619)

A search of base cn=monitor always returns total_ssl_connections=0 and total_tls_connections=0.

APAR IR54085 (CMVC 85478)

Members of the Administration Group do not have the same search size and time limits as the Administrator.

APAR IR54086 (CMVC 86156)

Client will leak memory resolving a referral to an entry which is also a referral

APAR IR54087 (CMVC 86303)

Server may return incorrect results or ABEND if network capacity is saturated.

APAR IR54124 (CMVC 86607)

Memory leaks replicating adds, deletes, and searches.

APAR IR54212 (CMVC 88974)

LDAP does not observe matching rules by names

APAR IR54268 (CMVC 87993)

chlog: firstchangenumbers and lastchangenumbers not incrementing

APAR IR54428 (CMVC 87946)

Server cores w/tracing on and old slapd.cat file.

APAR IR54443 (CMVC 87560)

Client API ldap_parse_pwdpolicy_response can crash client.

APAR IR54445 (CMVC 86722)

Not able to generate a core file on Red Hat Linux 3.0

APAR IR54446 (CMVC 87000)

Incorrect transaction processing for Password Policy operational attributes.

APAR IR54466 (CMVC 88256, 86404)

Server may core if ibm-slapdAllowAnon=false

APAR IR54509 (CMVC 89475)

Crebind on referrals should be sync not async

APAR IR54519 (CMVC 88889, 89237)

Remove all ctime() and localtime() and replace with MTSafe functions

APAR IR54519 (CMVC 88889)

solaris Funtion localtime_r() causes ldap server crash.

APAR IR54762 (CMVC 88820, 88861)

Timeout client connections on SSL port which do not promptly initiate handshake

APAR IR54785 (CMVC 88105, 88401)

Server leaks memory in ldapsearch operations

APAR IR54787 (CMVC 84997)

aclsource and ownersource operational attributes may be corrupted by ModifyDN operation

APAR IR54788 (CMVC 87642)

ldapexop utility returns exit code 0 on LDAP error

APAR IR54789 (CMVC 87932)

ldapchangepwd utility returns exit code 0 on LDAP error

APAR IR54791 (CMVC 87978)

Server crashes on readlog exop with start line=0 and endline=0

APAR IR54792 (CMVC 88055)

Authentication failure using digest MD5 returns LDAP error 1 (Operations error)

APAR IR54793 (CMVC 88456)

Bulkload may not detect file system full errors during parse phase

APAR IR54795 (CMVC 88690)

Certain ldap searches looking for acls can core the ldap server with fix IR53383 (delivered in 5.2 fix pack 1)

APAR IR54804 (CMVC 89034, 89044)

Now free SQL handles in password policy as required

APAR IR54881 (CMVC 89222, 89244)

ldapsearch fails with ssl error 406 or 420 if server is on AIX w/ P520A-01D

APAR IR54901 (CMVC 82598)

ldapsearch -e shows SDK version 510

APAR IR54902 (CMVC 87493)

Boolean values ("true" | "false") are not enforced in audit configuration

APAR IR54954 (CMVC 89183, 88416)

Do not delete pwdFailureTime attribute on Read-only replica

APAR IR54958 (CMVC 88973)

ldapmodify of pwdchangetime with invalid date doesn't fail

APAR IR54959 (CMVC 99972)

LDAPMODIFY - Replace PWDReset with no values crashes server

APAR IR54960 (CMVC 99971)

pwdchangetime in year 2100 results in expired password

APAR IR54971 (CMVC 89093)

CHANGE IDSWEBAPP APP-VERSION TO 2.0001

APAR IR54986 (CMVC 89558)

Possible LDAP server crashes upon receiving bad BER.

APAR IR55005 (CMVC 89679)

Change be_paged_res_list_mutex locks to try locks

APAR IR55018 (CMVC 89733)

Log effective ulimits at server startup.

APAR IR55034 (CMVC 89378)

incorrect and missing attr in diradm rootDSE

APAR IR55035 (CMVC 89752)

Kerberos enabled ldapsearch failed when allowAnon is set.

APAR IR55082 (CMVC 87525)

"Skip Blocking Entry" button send 0 changeid to system - Delete fails
[2-part fix IR54267 (WebAdmin) and IR55082 ITDS (Server)]

APAR IR55090 (CMVC 89850)

SSL Connection not working correctly when only sending 64 bytes of data

APAR IR55107 (CMVC 89822)

APAR fixes errors found in IR54958 with ldapmodify of
PWDCHANGETIME

Problems fixed in fix pack 1

APAR IR52568 (CMVC 82799)

ibm-slapdSetenv is overwritten in config by ldapcfg utility.

APAR IR52768 (CMVC 82946)

ldapcompare() API always returns **true** with password policy on.

APAR IR52775 (CMVC 82949)

Replication fails if client performs multiple operations per bind.

APAR IR52949 (CMVC 83224)

Modify/replace without value does not behave as expected. It must delete the attribute.

APAR IR52964 (CMVC 83328)

db2ldif: exports CN=NULL for some groups.

APAR IR53117 (CMVC 83436)

An entry DN containing an attribute name not defined in schema might result in server SEGV.

APAR IR53125 (CMVC 82797)

db2ldif leaks memory.

APAR IR53295 (CMVC 83954)

-t option not working correctly in ldapcfg. The server starts in config mode.

APAR IR53383 (CMVC 84198)

There is a memory leak when processing filter acls.

APAR IR53491 (CMVC 82947)

Enforce password reuse policy when changing another user's password.

APAR IR53496 (CMVC 84081)

ibmslapd on Windows defaults to a maximum of 64 connections. See "2.2.8 Communications error: Exceeding 64 connections/OCH" in *IBM Tivoli Directory Server README Addendum Version 5.2*.

APAR IR53519 (CMVC 84333)

ibmdirctl hangs when supplied invalid password and server is offline.

APAR IR53609 (CMVC 84824, 84867)

Using ldapexpop to read a large audit log is very slow.

APAR IR53820 (CMVC 84776)

Modify-replace with no values for an attribute gives a 0-length value. The attribute must be removed from the entry.

APAR IR53863 (CMVC 84385)

Support OpenLDAP LDAP kerberos client.

APAR IR53964 (CMVC 82555)

db2restore generates an invalid timestamp for database backup.

APAR IR53965 (CMVC 82664, 84327)

imask passwords are not matching for passwords greater than 46 characters in length. This might cause the ldapcompare API to fail when comparing large passwords.

APAR IR53967 (CMVC 82526)

Auditing of log extended operations does not show log type.

APAR IR53968 (CMVC 84802)

ibm-membergroup entry not being deleted when group is deleted.

APAR IR53969 (CMVC 82877)

Reset sleepFailInterval to 5 seconds when replication connection fails.

APAR IR53970 (CMVC 82837)

The server can core after repeated updates using certain codepages.

APAR IR53971 (CMVC 83237)

Duplicate results are possible with null base search.

APAR IR53972 (CMVC 82922)

Supplier not replicating updates to consumers after skipped changes.

APAR IR53973 (CMVC 82889)

Fix memory leaks when chasing referrals.

APAR IR53974 (CMVC 83257)

Bulkload logs and displays error if unique attribute tables are not yet created. This is not an error and must not be logged.

APAR IR53975 (CMVC 83396)

stderr is redirected improperly causing a hang condition.

APAR IR53977 (CMVC 83458)

Memory corruption with regard to Windows 850 codepage.

APAR IR53978 (CMVC 82869)

Log errors in CLI log pertaining to DB2 not having a large enough statement buffer.

APAR IR53979 (CMVC 84071)

Server can core under heavy load if changelog is enabled.

APAR IR53980 (CMVC 83871)

Enable changelog entries to use GMT timestamps instead of local time. Environment variable CLOG_USE_GMT=YES enabled.

APAR IR53981 (CMVC 84611)

Bulkload cores when input contains undefined attribute.

APAR IR54001 (CMVC 85946)

On all distributions of Linux, the number of connections which the server can open has increased from approximately 1000 to approximately 8000.

Note: In order to use more connections you must override the operating system-imposed limit on the maximum file descriptors, such as:
`ulimit -n 8192`

APAR IR54013 (CMVC 83606)

Failed Bind Reports as Successful with password policy on.

APAR IR54022 (CMVC 84926)

LDAP client library might enter infinite loop if the process runs out of memory when an LDAP request is sent to the server.

APAR IR54023 (CMVC 83720)

The following URL:

<http://www.securityfocus.com/bid/9682/info/>

describes an exploit that leads to a buffer overflow of the iLDAP daemon. Although the same code does not give a remote shell from the ITDS 5.2 server, the code crashes the server. Only ITDS 5.2 gold is vulnerable.

APAR IR54024 (CMVC 82364)

Search of cn=changelog sorted descending by changenumber returns LDAP Operations Error (rc=1).

APAR IR54025 (CMVC 82828)

Certain replication agreements can cause server to core at startup. A debug trace shows the last message printed before SEGV is
*****MasterSrvInfo:*****

APAR IR54026 (CMVC 82928)

Configuring a database using ldapcfg fails on UNIX if the DB2 instance owner does not have execute (x) permission for current working directory.

APAR IR54032 (CMVC 82527)

Changing the Admin Group membership from the Emergency Thread must not be enabled as it can result in memory corruption.

APAR IR54033 (CMVC 83231)

If a search operation with scope subtree or onelevel requests alias dereferencing, and aliases exist in the directory, and all attributes specified in the search filter are configured to be cached in the attribute cache, then the results returned by the search operation might not be correct.

APAR IR54034 (CMVC 83579)

If a server is configured to use the attribute cache, but not enough memory is configured for the attribute cache or not enough memory is available for the attribute cache, the server might hang or leak memory.

APAR IR54041 (CMVC 83487)

The line

"Log: {log type}"

where {log type} is one of { "Slapd", "CLI", "Audit", "Bulkload", "Admin", "AdminAudit", "Debug", "Unknown" } has been added to the audit (V2) entry for an extended operation on a log file to specify the type of log file being accessed.

APAR IR54042 (CMVC 83483)

Memory leak on extended operations when audit is off or audit plugin is disabled (removed).

APAR IR54043 (CMVC 83722)

The server leaks memory when log files are read remotely using "ldapexop -op readlog" or using Web Admin.

APAR IR54044 (CMVC 85415)

The functions slapi_is_connexion_ssl() & slapi_get_client_port() are not exported from libslapi.a on AIX.

APAR IR54045 (CMVC 83494)

cn=workers,cn=monitor does not return the thread attribute if auditing is turned off.

APAR IR54046 (CMVC 83482)

When auditing is set to V1 it still prints V2-only data for TLS connections and proxy controls.

APAR IR54048 (CMVC 86153)

Note: This APAR applies to AIX platforms only.

A 64-bit AIX server plugin using slapi_pblock_get() to get an int param corrupts memory and destabilizes the server. Certain slapi pblock

parameters are defined as integers (as opposed to a pointer of some kind). These need to be returned as int (32 bit) even on 64 bit platforms. On 64-bit platforms (AIX) slapi_pblock_get() must cast the following parameters to 32-bit integer:

Parameter	Integer definition
SLAPI_PLUGIN_TYPE	5
SLAPI_PLUGIN_ARGC	7
SLAPI_PLUGIN_VERSION	8
SLAPI_PLUGIN_OPRETURN	9
SLAPI_PLUGIN_INTOP_RESULT	15
SLAPI_CONFIG_LINENO	41
SLAPI_CONFIG_ARGC	42
SLAPI_BIND_METHOD	70
SLAPI_MODRDN_DELOLDRDN	102
SLAPI_SEARCH_SCOPE	110
SLAPI_SEARCH_DEREF	111
SLAPI_SEARCH_SIZELIMIT	112
SLAPI_SEARCH_TIMELIMIT	113
SLAPI_SEARCH_ATTRSONLY	117
SLAPI_NENTRIES	195
SLAPI_CHANGENUMBER	197
SLAPI_DBSIZE	199
SLAPI_REQUESTOR_ISROOT	133
SLAPI_BE_READONLY	136
SLAPI_BE_LASTMOD	137
SLAPI_CONN_ID	139
SLAPI_REQUESTOR_ISUPDATEDN	142
SLAPI_DB2LDIF_PRINTKEY	183
SLAPI_LDIF2DB_REMOVEDUPVALS	185
SLAPI_PWDPOLICY	189
SLAPI_MANAGEDSAIT	1000
SLAPI_PLUGIN_DB_INIT_FN	-19
SLAPI_JBM_BROADCAST_BE	-23
SLAPI_JBM_REPLICATE	-27
SLAPI_JBM_CL_MAX_ENTRIES	-30
SLAPI_JBM_CL_FIRST_ENTRY	-32
SLAPI_JBM_CL_LAST_ENTRY	-33
SLAPI_JBM_EVENT_ENABLED	-42
SLAPI_JBM_EVENT_MAXREG	-43
SLAPI_JBM_EVENT_REGPERCONN	-44
SLAPI_PLUGIN_MAX_PEN_DIS	-85
SLAPI_JBM_CL_MAX_AGE	-95

APAR IR54049 (CMVC 83408)

Server support for modifyDN with newSuperior attribute on a leaf node (RFC 2251 section 4.9).

APAR IR54052 (CMVC 83287)

Bulkload leaks memory during parse phase if entries include attributes which are not string syntax (such as, boolean, time, integer).

APAR IR54053 (CMVC 82588)

Note: This APAR applies to AIX platforms only.

Cannot run ITDS 5.2 for AIX on OS/400 in AIX compatibility mode due to an unnecessary linkage dependency on libtli.a

APAR IR54055 (CMVC 83643)

Server leaks memory performing subtree search of NULL base DN.

APAR IR54056 (CMVC 85258)

If language tags are disabled, ignore any attribute that has a tag associated with it.

APAR IR54059 (CMVC 84255)

Server might ABEND under stress on Solaris in multi processor environment.

APAR IR54060 (CMVC 84959)

rootdse must include "ibm-supportedCapabilities: 1.3.18.0.2.32.26" (Null Base Subtree Search)

Fix pack contents

The following are the fix pack contents for each specified platform:

AIX

The archive for this fix pack is named 5.2.0-TIV-ITDS-AIX-FP0002.tar and contains the following files:

File	bytes	cksum	sum	-r
5.2.0-TIV-ITDS-AIX-FP0002/install_update.sh	19483	2707811637	54713	
5.2.0-TIV-ITDS-AIX-FP0002/uninstall_update.sh	19483	2707811637	54713	
5.2.0-TIV-ITDS-AIX-FP0002/data/all_files.list	1690	191533572	58893	
5.2.0-TIV-ITDS-AIX-FP0002/data/patch.tar.Z	14456203	4239183552	46381	

Installing the update adds the following file to your system:

File	bytes	cksum	sum	-r
/usr/ldap/bin/5.2.0-TIV-ITDS-AIX-FP0002.txt	54	3426634799	50734	

The following files are updated with the accompanying sizes and sums. Depending on the packages and options used in the original product installation, you might not have all of the following files:

File	bytes	cksum	sum	-r
/usr/ldap/bin/IBMLDAPJavaBer.jar	42096	3630654657	33650	
/usr/ldap/bin/IDSproxyExe	32904	1261741630	44342	
/usr/ldap/bin/dbback	57564	1184438613	26112	
/usr/ldap/bin/dbrestore	58455	1111308223	02118	

/usr/ldap/bin/ibmdiradm	668832	2985053508	24722
/usr/ldap/bin/ibmdiradmn	664626	2106034035	15461
/usr/ldap/bin/ibmdirctl	38610	1489826902	12263
/usr/ldap/bin/ibmmultiadd	97377	2320750444	00876
/usr/ldap/bin/ibmslapd	1345716	1772259624	40881
/usr/ldap/bin/ibmslapdn	1345504	3835630381	19762
/usr/ldap/bin/ldamsg	27130	717204929	47423
/usr/ldap/bin/ldapbp.jar	49437	199784888	33729
/usr/ldap/bin/ldapcfg	59774	434275196	15220
/usr/ldap/bin/ldapchangepwd	45977	2061457021	11011
/usr/ldap/bin/ldapdelete	44473	322209941	52566
/usr/ldap/bin/ldapdiff	59801	49350518	40090
/usr/ldap/bin/ldapdiff.jar	133567	2980547972	39663
/usr/ldap/bin/ldapexop	107910	142462441	23345
/usr/ldap/bin/ldapmodify	88249	2791915183	12724
/usr/ldap/bin/ldapmodrdn	45321	3329681200	53188
/usr/ldap/bin/ldapsearch	94573	4591330	34624
/usr/ldap/bin/ldaptrace	42821	1059972839	10946
/usr/ldap/bin/ldapucfg	59801	2583016210	43904
/usr/ldap/bin/ldapxcf	61549	1711300885	44830
/usr/ldap/config/IDSConfig.jar	2971763	3789304256	48670
/usr/ldap/examples/ldapchangepwd.c	34560	3830205609	50391
/usr/ldap/examples/ldapdelete.c	29503	3469777378	00802
/usr/ldap/examples/ldapexop.c	142261	1509344193	16695
/usr/ldap/examples/ldapmodify.c	58156	1700887665	33561
/usr/ldap/examples/ldapmodrdn.c	30543	3199137981	49505
/usr/ldap/examples/ldapsearch.c	61506	3779822771	29464
/usr/ldap/examples/makefile.ex	4091	1752465038	01523
/usr/ldap/include/audit-plugin-list.h	3110	883381909	52353
/usr/ldap/include/audit-plugin.h	13269	1983768205	58152
/usr/ldap/include/lber.h	1633	1377037984	62011
/usr/ldap/include/ldap.h	54934	1789982928	51548
/usr/ldap/include/ldaplocale.h	5132	2295141588	18001
/usr/ldap/include/ldapssl.h	17949	2337347919	17290
/usr/ldap/include/ldif.h	4343	1784490045	37164
/usr/ldap/include/slapi-plugin.h	12015	525783859	20895
/usr/ldap/lib/aix5/ldap_plugin_ibm_gsskrb_64.a	31183	378432634	06428
/usr/ldap/lib/aix5/ldap_plugin_sasl_cram-md5_64.a	6778	737147680	21899
/usr/ldap/lib/aix5/ldap_plugin_sasl_digest-md5_64.a	39582	1334621472	32879
/usr/ldap/lib/aix5/libibmldap64.a	662940	613413299	48871
/usr/ldap/lib/aix5/libibmldap64n.a	623867	3654738829	63319
/usr/ldap/lib/aix5/libldapiconv64.a	7540	560567632	23079
/usr/ldap/lib/aix5/libldapstatic64.a	759699	1760883955	64998
/usr/ldap/lib/aix5/libldapstatic64n.a	713901	1849493367	47791
/usr/ldap/lib/aix5/libldif64.a	22509	3609935672	47227
/usr/ldap/lib/ldap_plugin_ibm_gsskrb.a	32193	475354033	62864
/usr/ldap/lib/ldap_plugin_sasl_cram-md5.a	6157	634561898	49291
/usr/ldap/lib/ldap_plugin_sasl_digest-md5.a	39650	2100034109	30632
/usr/ldap/lib/libDSP.a	36064	992082204	19401
/usr/ldap/lib/libDigest.a	97284	3033441670	20558
/usr/ldap/lib/libIDSProxyD11.a	17315	2238564989	39561
/usr/ldap/lib/libback-config.a	380588	3427894915	57314
/usr/ldap/lib/libback-rdbm.a	2350236	130758448	21759
/usr/ldap/lib/libdbadmin.a	206015	2229735370	58370
/usr/ldap/lib/libevent.a	86316	2710024635	24456
/usr/ldap/lib/libibmldap.a	673635	1389666172	64992
/usr/ldap/lib/libibmldapcfg.a	2209520	3260865521	40424
/usr/ldap/lib/libibmldapcl.a	53903	3758839263	27010
/usr/ldap/lib/libibmldapn.a	632734	3503528839	51917
/usr/ldap/lib/libldacfg.a	111565	1349104212	52273
/usr/ldap/lib/libldapaudit.a	51816	827364482	60797
/usr/ldap/lib/libldapiconv.a	6757	1170841106	37815
/usr/ldap/lib/libldajrt.a	28337	776843630	47064
/usr/ldap/lib/libldapkrb.a	56984	1162491576	20455
/usr/ldap/lib/libdaprepl.a	635952	2679546831	14933
/usr/ldap/lib/libdapstatic.a	762227	2084112519	17178
/usr/ldap/lib/libdapstaticn.a	714923	2197908637	22995

/usr/ldap/lib/libldif.a	24041	2644798271	35932
/usr/ldap/lib/libloga.a	45990	2496502999	65400
/usr/ldap/lib/libmessage.a	114284	3335769665	06005
/usr/ldap/lib/libslapi.a	280596	1872270071	38022
/usr/ldap/lib/libtranext.a	273064	3214537912	32236
/usr/ldap/lib/libtransys.a	329625	1159365646	46725
/usr/ldap/lib/libtrc.a	44243	1428207279	55675
/usr/ldap/lib/libutils.a	3154700	2184237602	42815
/usr/ldap/lib/libutlsa.a	65491	753231760	54064
/usr/ldap/sbin/SchemaMigrate.jar	42862	2727205338	12375
/usr/ldap/sbin/bulkload	760010	941607921	21549
/usr/ldap/sbin/cfgmodify	68837	2641191954	09608
/usr/ldap/sbin/db2ldif	608850	861935104	43597
/usr/ldap/sbin/ldif	49779	2185012027	26447
/usr/ldap/sbin/ldif2db	531856	3515032393	05063
/usr/ldap/sbin/dtrc	128543	2812465894	37284
/usr/ldap/sbin/ltnou	272160	3022280626	04480
/usr/ldap/sbin/migrate52	39613	2184782838	39944
/usr/ldap/sbin/runscript	24926	3872142200	35410
/usr/ldap/sbin/runstats	488101	2713163894	42099
/usr/ldap/sbin/utol	272135	553978418	06774

HP-UX

The archive for this fix pack is named 5.2.0-TIV-ITDS-HPUX-FP0002.tar and contains the following files:

File	bytes	cksum	sum -r
=====	=====	=====	=====
5.2.0-TIV-ITDS-HPUX-FP0002/install_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-HPUX-FP0002/uninstall_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-HPUX-FP0002/data/all_files.list	1593	134702624	49995
5.2.0-TIV-ITDS-HPUX-FP0002/data/patch.tar.Z	15484641	1841411320	22573

Installing the update adds the following file to your system:

File	bytes	cksum	sum -r
=====	=====	=====	=====
/usr/IBMDap/bin/5.2.0-TIV-ITDS-HPUX-FP0002.txt	54	3426634799	50734

The following files are updated with the accompanying sizes and sums. Depending on the packages and options used in the original product installation, you might not have all of the following files:

File	bytes	cksum	sum -r
=====	=====	=====	=====
/usr/IBMDap/bin/IBMLDAPJavaBer.jar	42096	3630654657	33650
/usr/IBMDap/bin/IDSproxyExe	32768	4068755984	51949
/usr/IBMDap/bin/dbback	49152	1595158352	21226
/usr/IBMDap/bin/dbrestore	49152	3479481182	01639
/usr/IBMDap/bin/ibmdiradm	462848	1837029191	58574
/usr/IBMDap/bin/ibmdiradmn	458752	4070376482	11347
/usr/IBMDap/bin/ibmdirctl	40960	909996581	34321
/usr/IBMDap/bin/ibmmultiadd	77824	3491814677	21347
/usr/IBMDap/bin/ibmslapd	2389152	217936230	44899
/usr/IBMDap/bin/ibmslapdn	1413120	1291091309	49453
/usr/IBMDap/bin/ldamsq	28672	79201980	28217
/usr/IBMDap/bin/ldapbp.jar	49437	199784888	33729
/usr/IBMDap/bin/ldapcfg	15570	1727291636	24059
/usr/IBMDap/bin/ldapchangepwd	49152	522277586	14388
/usr/IBMDap/bin/ldapdelete	45056	2294769017	59560
/usr/IBMDap/bin/ldapdiff	9165	4006213554	24357
/usr/IBMDap/bin/ldapdiff.jar	133567	2980547972	39663
/usr/IBMDap/bin/ldapexop	94208	3636751386	17321
/usr/IBMDap/bin/ldapmodify	61440	3619943294	41885
/usr/IBMDap/bin/ldapmodrdn	49152	3895334912	09393
/usr/IBMDap/bin/ldapsearch	65536	2639376100	52329
/usr/IBMDap/bin/ldaptrace	45056	1533774651	05457

/usr/IBMldap/bin/ldaqdsp	24576	2178829138	42908
/usr/IBMldap/config/IDSConfig.jar	1860018	2698692533	52373
/usr/IBMldap/examples/README	8390	3155403282	60987
/usr/IBMldap/examples/ldapchangepwd.c	34560	3830205609	50391
/usr/IBMldap/examples/ldapdelete.c	29503	3469777378	00802
/usr/IBMldap/examples/ldapexpop.c	142261	1509344193	16695
/usr/IBMldap/examples/ldapmodify.c	58156	1700887665	33561
/usr/IBMldap/examples/ldapmodrdn.c	30543	3199137981	49505
/usr/IBMldap/examples/ldapsearch.c	61506	3779822771	29464
/usr/IBMldap/examples/makefile.ex	3560	2954575666	18758
/usr/IBMldap/include/audit-plugin-list.h	3110	883381909	52353
/usr/IBMldap/include/audit-plugin.h	13269	1983768205	58152
/usr/IBMldap/include/lber.h	1633	1377037984	62011
/usr/IBMldap/include/ldap.h	54934	1789982928	51548
/usr/IBMldap/include/ldaplocale.h	5132	2295141588	18001
/usr/IBMldap/include/ldapssl.h	17949	2337347919	17290
/usr/IBMldap/include/ldif.h	4343	1784490045	37164
/usr/IBMldap/include/slapi-plugin.h	12015	525783859	20895
/usr/IBMldap/lib/ldap_plugin_sasl_cram-md5.s1	45056	677864373	55820
/usr/IBMldap/lib/ldap_plugin_sasl_digest-md5.s1	36864	3768692558	37402
/usr/IBMldap/lib/libDSP.s1	24576	2779735097	08474
/usr/IBMldap/lib/libDigest.s1	122880	2432335078	01522
/usr/IBMldap/lib/libIDSproxyDl1.s1	24576	3453810077	33552
/usr/IBMldap/lib/libavl.s1	28672	4291117071	09226
/usr/IBMldap/lib/libback-config.s1	224584	1673759921	63789
/usr/IBMldap/lib/libback-rdbm.s1	4190988	322048401	58546
/usr/IBMldap/lib/libcsgl.s1	438272	1551678951	59528
/usr/IBMldap/lib/libcstr.s1	12288	2928067630	61759
/usr/IBMldap/lib/libdbadmin.s1	167936	3160335027	25198
/usr/IBMldap/lib/libevent.s1	102400	1751138278	24428
/usr/IBMldap/lib/libibmdap.s1	712704	3570832181	06321
/usr/IBMldap/lib/libibmdapcfg.s1	1978368	3285806744	21691
/usr/IBMldap/lib/libibmdapcl.s1	57344	4286226171	27363
/usr/IBMldap/lib/libibmdapn.s1	684032	472031146	02297
/usr/IBMldap/lib/liblber.s1	106496	3372389831	48710
/usr/IBMldap/lib/libldacfg.s1	98304	376876341	12354
/usr/IBMldap/lib/libldapaudit.s1	77824	2559343850	44782
/usr/IBMldap/lib/libldapconv.s1	12288	531066502	59981
/usr/IBMldap/lib/libldapconvstatic.a	9092	657815437	06624
/usr/IBMldap/lib/libldaprepl.s1	843776	2112843020	50973
/usr/IBMldap/lib/libdapstatic.a	743518	2571283106	34160
/usr/IBMldap/lib/libdapstaticcn.a	661710	3393588663	62565
/usr/IBMldap/lib/libldbm.s1	12288	2114481782	12360
/usr/IBMldap/lib/libldif.s1	32768	287723395	55595
/usr/IBMldap/lib/libldifstatic.a	27636	3159937279	28023
/usr/IBMldap/lib/libldtr.s1	73728	3628652454	35883
/usr/IBMldap/lib/libloga.s1	57344	4155193244	37288
/usr/IBMldap/lib/liblthread.s1	12288	3278081104	16552
/usr/IBMldap/lib/libmessage.s1	110592	2395325409	61941
/usr/IBMldap/lib/libsha_md5.s1	45056	918046762	55477
/usr/IBMldap/lib/libslapi.s1	344064	3458823460	42139
/usr/IBMldap/lib/libsleepers.s1	12288	3217847885	20860
/usr/IBMldap/lib/libtranext.s1	132140	3443283993	03434
/usr/IBMldap/lib/libtransys.s1	315392	3921393037	17378
/usr/IBMldap/lib/libtrc.s1	45056	1150358619	59240
/usr/IBMldap/lib/libutils.s1	5332992	2651730850	22129
/usr/IBMldap/lib/libutlsa.s1	61440	2384279980	36351
/usr/IBMldap/sbin/SchemaMigrate.jar	42881	826123988	36054
/usr/IBMldap/sbin/bulkload	630784	2818258471	47993
/usr/IBMldap/sbin/cfgmodify	40960	2172469690	31221
/usr/IBMldap/sbin/db2ldif	454656	4092572328	51788
/usr/IBMldap/sbin/ldif	32768	2893198297	58759
/usr/IBMldap/sbin/ldif2db	323584	2964312378	32323
/usr/IBMldap/sbin/ldtrc	131072	3423927684	55180
/usr/IBMldap/sbin/ltou	28672	486958771	56333
/usr/IBMldap/sbin/migrate52	39613	2184782838	39944
/usr/IBMldap/sbin/runscript	24576	2234977568	13472

/usr/IBMDap/sbin/runstats	307200	3431818549	17990
/usr/IBMDap/sbin/trcmsgwin.1dif	121	872321605	44738
/usr/IBMDap/sbin/utol	28672	2053637659	39892

Linux i386

The archive for this fix pack is named 5.2.0-TIV-ITDS-Linux32-FP0002.tar and contains the following files:

File	bytes	cksum	sum -r
5.2.0-TIV-ITDS-Linux32-FP0002/install_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-Linux32-FP0002/uninstall_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-Linux32-FP0002/data/all_files.list	1377	113062827	11310
5.2.0-TIV-ITDS-Linux32-FP0002/data/patch.tar.gz	6395149	4147109639	23438

Installing the update adds the following file to your system:

File	bytes	cksum	sum -r
/usr/ldap/bin/5.2.0-TIV-ITDS-Linux32-FP0002.txt	54	3426634799	50734

The following files are updated with the accompanying sizes and sums. Depending on the packages and options used in the original product installation, you might not have all of the following files:

File	bytes	cksum	sum -r
/usr/ldap/bin/IBMLDAPJavaBer.jar	42096	3630654657	33650
/usr/ldap/bin/IDSproxyExe	18756	510589462	21103
/usr/ldap/bin/dbback	41244	520357476	28273
/usr/ldap/bin/dbrestore	41309	1308159164	49082
/usr/ldap/bin/ibmdiradm	211470	3843986422	39470
/usr/ldap/bin/ibmdiradm.ksh	48	1328104074	05787
/usr/ldap/bin/ibmdirctl	33290	2480413413	25281
/usr/ldap/bin/ibmmultiadd	61367	4229119883	47076
/usr/ldap/bin/ibmslapd	689634	1923727929	08099
/usr/ldap/bin/ibmslapdn	689602	1689528687	08252
/usr/ldap/bin/ldamsq	16136	4215881087	00372
/usr/ldap/bin/ldapbp.jar	49437	199784888	33729
/usr/ldap/bin/ldapcfg	15564	280109474	02764
/usr/ldap/bin/ldapchangepwd	32164	2737692769	55539
/usr/ldap/bin/ldapdelete	31889	2162503751	28506
/usr/ldap/bin/ldapdiff	9162	3315085829	10595
/usr/ldap/bin/ldapdiff.jar	133567	2980547972	39663
/usr/ldap/bin/ldapexop	69659	2123861090	23907
/usr/ldap/bin/ldapmodify	52862	2125092541	12047
/usr/ldap/bin/ldapmodrdn	32473	1093060556	18109
/usr/ldap/bin/ldapsearch	65433	1959885816	22383
/usr/ldap/bin/ldaptrace	34240	2500888474	52708
/usr/ldap/config/IDSConfig.jar	2039462	3118315210	65442
/usr/ldap/examples/ldapchangepwd.c	34560	3830205609	50391
/usr/ldap/examples/ldapdelete.c	29503	3469777378	00802
/usr/ldap/examples/ldapexop.c	142261	1509344193	16695
/usr/ldap/examples/ldapmodify.c	58156	1700887665	33561
/usr/ldap/examples/ldapmodrdn.c	30543	3199137981	49505
/usr/ldap/examples/ldapsearch.c	61506	3779822771	29464
/usr/ldap/examples/makefile.ex	3482	1619162265	51847
/usr/ldap/include/audit-plugin-list.h	3110	883381909	52353
/usr/ldap/include/audit-plugin.h	13269	1983768205	58152
/usr/ldap/include/lber.h	1633	1377037984	62011
/usr/ldap/include/ldap.h	54934	1789982928	51548
/usr/ldap/include/ldaplocale.h	5132	2295141588	18001
/usr/ldap/include/ldapssl.h	17949	2337347919	17290
/usr/ldap/include/ldif.h	4343	1784490045	37164
/usr/ldap/include/slapi-plugin.h	12015	525783859	20895
/usr/ldap/lib/ldap_plugin_sasl_cram-md5.so	7143	1509084669	30246
/usr/ldap/lib/ldap_plugin_sasl_digest-md5.so	29492	1645996593	64739

/usr/ldap/lib/libDSP.so	24334	2118363315	44928
/usr/ldap/lib/libDigest.so	83756	2005997336	25538
/usr/ldap/lib/libIDSproxyD11.so	11548	3382390601	02143
/usr/ldap/lib/libback-config.so	128251	1135707199	30749
/usr/ldap/lib/libback-rdbm.so	2125414	4192835129	08648
/usr/ldap/lib/libdbadmin.so	121605	2821742109	29596
/usr/ldap/lib/libevent.so	76379	959064513	09237
/usr/ldap/lib/libibmldap.so	417935	399780434	40546
/usr/ldap/lib/libibmldapcfg.so	3138483	125010877	05198
/usr/ldap/lib/libibmldapcl.so	34540	3094788740	48146
/usr/ldap/lib/libibmldapn.so	393729	54482740	57659
/usr/ldap/lib/libldacfg.so	61464	681289857	08060
/usr/ldap/lib/libldapaudit.so	47919	2477714200	37773
/usr/ldap/lib/libldapconv.so	7301	519057091	48120
/usr/ldap/lib/libldajrt.so	24142	612290609	26190
/usr/ldap/lib/libldaprepl.so	514036	1178103041	40927
/usr/ldap/lib/libldapstatic.a	467782	2606350322	49910
/usr/ldap/lib/libldapstaticn.a	431248	625855354	62304
/usr/ldap/lib/libldif.a	14282	2141824697	34422
/usr/ldap/lib/libloga.so	38455	3925166409	29843
/usr/ldap/lib/libmessage.so	88289	1210838966	39965
/usr/ldap/lib/libslapi.so	253908	2967952956	54818
/usr/ldap/lib/libtranext.so	31245	2545544605	57006
/usr/ldap/lib/libtransys.so	276855	3175566753	51306
/usr/ldap/lib/libtrc.so	24938	4014865418	19031
/usr/ldap/lib/libutils.so	2079344	595177311	15609
/usr/ldap/lib/libutlsa.so	40321	858744481	02030
/usr/ldap/sbin/SchemaMigrate.jar	42862	3950793035	07675
/usr/ldap/sbin/bulkload	361156	3864827776	54215
/usr/ldap/sbin/cfgmodify	38620	1616753879	01068
/usr/ldap/sbin/db2ldif	279127	3873443782	13262
/usr/ldap/sbin/ldif	29528	1875382958	59456
/usr/ldap/sbin/ldif2db	197190	4230315167	24212
/usr/ldap/sbin/ldtrc	75945	3324709964	19842
/usr/ldap/sbin/ltout	20167	3364496047	34174
/usr/ldap/sbin/migrate52	39613	2184782838	39944
/usr/ldap/sbin/runscript	14319	1666877529	26586
/usr/ldap/sbin/runstats	177330	3479575247	01565
/usr/ldap/sbin/utol	20170	2837629409	41996

Linux pSeries

The archive for this fix pack is named 5.2.0-TIV-ITDS-Linuxip32-FP0002.tar and contains the following files:

File	bytes	cksum	sum -r
=====	=====	=====	=====
5.2.0-TIV-ITDS-Linuxip32-FP0002/install_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-Linuxip32-FP0002/uninstall_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-Linuxip32-FP0002/data/all_files.list	1434	3447174411	23896
5.2.0-TIV-ITDS-Linuxip32-FP0002/data/patch.tar.gz	4946361	675485708	19995

Installing the update adds the following file to your system:

File	bytes	cksum	sum -r
=====	=====	=====	=====
/usr/ldap/bin/5.2.0-TIV-ITDS-Linuxip32-FP0002.txt	54	3426634799	50734

The following files are updated with the accompanying sizes and sums. Depending on the packages and options used in the original product installation, you might not have all of the following files:

File	bytes	cksum	sum -r
=====	=====	=====	=====
/usr/ldap/bin/IBMLDAPJavaBer.jar	42096	3630654657	33650
/usr/ldap/bin/IDSproxyExe	25823	1864753945	20441
/usr/ldap/bin/dbback	44024	3142991115	09268

/usr/ldap/bin/dbrestore	43510	2737985041	17236
/usr/ldap/bin/ibmdiradm	196627	2220007740	15681
/usr/ldap/bin/ibmdirctl	39532	2186713321	21782
/usr/ldap/bin/ibmmultiadd	55962	3378767839	35528
/usr/ldap/bin/ibmslapd	598663	2696005813	34267
/usr/ldap/bin/ldamsg	23618	2257122468	15254
/usr/ldap/bin/ldapbp.jar	49437	199784888	33729
/usr/ldap/bin/ldapcfg	15564	280109474	02764
/usr/ldap/bin/ldapchangepwd	38583	2930876285	19329
/usr/ldap/bin/ldapdelete	37663	1523824382	07581
/usr/ldap/bin/ldapdiff	9162	3315085829	10595
/usr/ldap/bin/ldapdiff.jar	133567	2980547972	39663
/usr/ldap/bin/ldapexop	77251	3364667545	18156
/usr/ldap/bin/ldapmodify	49578	442385758	32712
/usr/ldap/bin/ldapmodrdn	38331	675614071	39906
/usr/ldap/bin/ldapsearch	58036	468742428	11490
/usr/ldap/bin/ldaptrace	41024	3840406437	27176
/usr/ldap/bin/ldaqdsp	21227	2017188489	39448
/usr/ldap/config/IDSConfig.jar	2039462	2320391527	15777
/usr/ldap/examples/ldapchangepwd.c	34560	3830205609	50391
/usr/ldap/examples/ldapdelete.c	29503	3469777378	00802
/usr/ldap/examples/ldapexop.c	142261	1509344193	16695
/usr/ldap/examples/ldapmodify.c	58156	1700887665	33561
/usr/ldap/examples/ldapmodrdn.c	30543	3199137981	49505
/usr/ldap/examples/ldapsearch.c	61506	3779822771	29464
/usr/ldap/examples/makefile.ex	3514	3492744728	63890
/usr/ldap/include/audit-plugin-list.h	3110	883381909	52353
/usr/ldap/include/audit-plugin.h	13269	1983768205	58152
/usr/ldap/include/lber.h	1633	1377037984	62011
/usr/ldap/include/ldap.h	54934	1789982928	51548
/usr/ldap/include/ldaplocale.h	5132	2295141588	18001
/usr/ldap/include/ldapssl.h	17949	2337347919	17290
/usr/ldap/include/ldif.h	4343	1784490045	37164
/usr/ldap/include/slapi-plugin.h	12015	525783859	20895
/usr/ldap/lib/ldap_plugin_sasl_cram-md5.so	16433	3632444445	30486
/usr/ldap/lib/ldap_plugin_sasl_digest-md5.so	49796	1762363583	38857
/usr/ldap/lib/libDSP.so	25636	2620820271	39143
/usr/ldap/lib/libDigest.so	68104	3856871710	27278
/usr/ldap/lib/libIDSProxyD11.so	22328	4213153640	49958
/usr/ldap/lib/libback-config.so	99452	2139615272	59078
/usr/ldap/lib/libback-rdbm.so	1389789	653584918	20488
/usr/ldap/lib/libdbadmin.so	130849	98516414	36917
/usr/ldap/lib/libevent.so	58509	2231997903	14329
/usr/ldap/lib/libibmdap.so	506755	2810838337	02645
/usr/ldap/lib/libibmldapcfg.so	361327	3723986537	26909
/usr/ldap/lib/libibmldapcl.so	41110	1132432730	18036
/usr/ldap/lib/liblber.so	62948	4240013917	58255
/usr/ldap/lib/libldacfg.so	76289	2862660917	26207
/usr/ldap/lib/libldapaudit.so	41555	578159153	58011
/usr/ldap/lib/libldapconv.so	16487	3220563858	38726
/usr/ldap/lib/libldapconvstatic.a	2980	1426234277	56117
/usr/ldap/lib/libldapjrt.so	37312	414232906	25095
/usr/ldap/lib/libldaprepl.so	358077	4034996348	54427
/usr/ldap/lib/libldapstatic.a	550744	3725521288	00639
/usr/ldap/lib/libldif.so	28374	1760871549	12432
/usr/ldap/lib/libldifstatic.a	14958	2259557098	46838
/usr/ldap/lib/libloga.so	34868	1776831800	54462
/usr/ldap/lib/libmessage.so	97710	1776614562	33948
/usr/ldap/lib/libsha_md5.so	22526	2056143831	58985
/usr/ldap/lib/libslapi.so	161606	1074875056	65004
/usr/ldap/lib/libsleep.so	18706	334332319	10815
/usr/ldap/lib/libtranext.so	33681	801690753	34368
/usr/ldap/lib/libtransys.so	240489	3597521550	62856
/usr/ldap/lib/libtrc.so	34440	874485953	63471
/usr/ldap/lib/libutils.so	2210168	16198416	54961
/usr/ldap/lib/libutlsa.so	49494	1159796176	49688
/usr/ldap/sbin/SchemaMigrate.jar	42862	1725260033	25902

/usr/ldap/sbin/bulkload	318868	3339320096	46730
/usr/ldap/sbin/cfgmodify	36189	1107757258	32505
/usr/ldap/sbin/db2ldif	215031	3154181884	32125
/usr/ldap/sbin/ldif	25568	2466910227	21018
/usr/ldap/sbin/ldif2db	187080	2676179955	48037
/usr/ldap/sbin/ldtrc	81097	3222041388	30108
/usr/ldap/sbin/ltout	32506	2182034337	08784
/usr/ldap/sbin/migrate52	39613	2184782838	39944
/usr/ldap/sbin/runscript	17634	1056014156	37600
/usr/ldap/sbin/runstats	171226	1613115231	27980
/usr/ldap/sbin/trcmsgwin.ldif	121	872321605	44738
/usr/ldap/sbin/utol	32509	155090954	15891

Linux s390

The archive for this fix pack is named 5.2.0-TIV-ITDS-Linuxz31-FP0002.tar and contains the following files:

File	bytes	cksum	sum -r
5.2.0-TIV-ITDS-Linuxz31-FP0002/install_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-Linuxz31-FP0002/uninstall_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-Linuxz31-FP0002/data/all_files.list	1402	2499302505	44875
5.2.0-TIV-ITDS-Linuxz31-FP0002/data/patch.tar.gz	5136616	1330288899	09898

Installing the update adds the following file to your system:

File	bytes	cksum	sum -r
/usr/ldap/bin/5.2.0-TIV-ITDS-Linuxz31-FP0002.txt	54	3426634799	50734

The following files are updated with the accompanying sizes and sums. Depending on the packages and options used in the original product installation, you might not have all of the following files:

File	bytes	cksum	sum -r
/usr/ldap/bin/IBMLDAPJavaBer.jar	42096	3630654657	33650
/usr/ldap/bin/IDSproxyExe	17195	1824579941	21908
/usr/ldap/bin/dbback	35118	3034159280	38212
/usr/ldap/bin/dbrestore	34872	2687787264	22386
/usr/ldap/bin/ibmdiradm	188314	3663323715	27140
/usr/ldap/bin/ibmdiradm.ksh	48	1328104074	05787
/usr/ldap/bin/ibmdirct1	31554	507306379	00482
/usr/ldap/bin/ibmmultiadd	59980	2593057587	02243
/usr/ldap/bin/ibmslapd	569081	3163175226	51558
/usr/ldap/bin/ibmslapdn	568785	4249419227	03280
/usr/ldap/bin/ldamsg	14998	242448865	43297
/usr/ldap/bin/ldapbp.jar	49437	199784888	33729
/usr/ldap/bin/ldapcfg	15564	280109474	02764
/usr/ldap/bin/ldapchangepwd	31271	1166105244	26397
/usr/ldap/bin/ldapdelete	29951	716692810	62807
/usr/ldap/bin/ldapdiff	9162	3315085829	10595
/usr/ldap/bin/ldapdiff.jar	133567	2980547972	39663
/usr/ldap/bin/ldapexpop	69247	3663510375	42759
/usr/ldap/bin/ldapmodify	53127	340951620	31829
/usr/ldap/bin/ldapmodrdn	30667	2258556148	09576
/usr/ldap/bin/ldapsearch	63567	1613958601	40060
/usr/ldap/bin/ldaptrace	32826	1072556409	46117
/usr/ldap/config/IDSConfig.jar	2039462	4237559931	60239
/usr/ldap/examples/ldapchangepwd.c	34560	3830205609	50391
/usr/ldap/examples/ldapdelete.c	29503	3469777378	00802
/usr/ldap/examples/ldapexpop.c	142261	1509344193	16695
/usr/ldap/examples/ldapmodify.c	58156	1700887665	33561
/usr/ldap/examples/ldapmodrdn.c	30543	3199137981	49505
/usr/ldap/examples/ldapsearch.c	61506	3779822771	29464
/usr/ldap/examples/makefile.ex	3482	2306843847	05618

/usr/ldap/include/audit-plugin-list.h	3110	883381909	52353
/usr/ldap/include/audit-plugin.h	13269	1983768205	58152
/usr/ldap/include/lber.h	1633	1377037984	62011
/usr/ldap/include/ldap.h	54934	1789982928	51548
/usr/ldap/include/ldaplocale.h	5132	2295141588	18001
/usr/ldap/include/ldapssl.h	17949	2337347919	17290
/usr/ldap/include/ldif.h	4343	1784490045	37164
/usr/ldap/include/slapi-plugin.h	12015	525783859	20895
/usr/ldap/lib/ldap_plugin_sasl_cram-md5.so	7019	3081678096	21889
/usr/ldap/lib/ldap_plugin_sasl_digest-md5.so	27892	2130086167	51413
/usr/ldap/lib/libDSP.so	22449	2328525167	14985
/usr/ldap/lib/libDigest.so	57825	2142212394	58166
/usr/ldap/lib/libIDSproxyD11.so	12170	4248131888	05540
/usr/ldap/lib/libback-config.so	92219	333368715	53210
/usr/ldap/lib/libback-rdbm.so	1375267	3169463023	40961
/usr/ldap/lib/libdbadmin.so	128180	3390562611	39130
/usr/ldap/lib/libevent.so	53874	2429659378	12951
/usr/ldap/lib/libibmldap.so	421173	3831304831	18523
/usr/ldap/lib/libibmldapcfg.so	393472	2409012767	17189
/usr/ldap/lib/libibmldapcl.so	33693	1208190260	18016
/usr/ldap/lib/libibmldapn.so	400883	3934129167	34434
/usr/ldap/lib/libldacfg.so	55964	2855902275	31199
/usr/ldap/lib/libldapaudit.so	33298	249013491	25568
/usr/ldap/lib/libldapconv.so	7666	1538843507	65109
/usr/ldap/lib/libldapconvstatic.a	3236	2730561679	29381
/usr/ldap/lib/libldapjrt.so	20676	1807347098	27230
/usr/ldap/lib/libldaprepl.so	344460	910025345	13413
/usr/ldap/lib/libldapstatic.a	495334	597764210	12376
/usr/ldap/lib/libldapstaticcn.a	460358	3022516541	35598
/usr/ldap/lib/libdif.a	15154	1356891081	38849
/usr/ldap/lib/libloga.so	27855	1398449119	20514
/usr/ldap/lib/libmessage.so	82594	2871960993	52436
/usr/ldap/lib/libslapi.so	158755	643391689	49695
/usr/ldap/lib/libtranext.so	25537	519119106	17827
/usr/ldap/lib/libtransys.so	226518	1247839575	46473
/usr/ldap/lib/libtrc.so	27893	561231317	61897
/usr/ldap/lib/libutils.so	2324454	1898165801	38233
/usr/ldap/lib/libutlsa.so	41789	2167667263	61091
/usr/ldap/sbin/SchemaMigrate.jar	42862	261803957	05229
/usr/ldap/sbin/bulkload	305007	4023197323	63342
/usr/ldap/sbin/cfgmodify	39858	3375554956	50553
/usr/ldap/sbin/db2ldif	205602	3470487662	18092
/usr/ldap/sbin/ldif	29057	435085780	20609
/usr/ldap/sbin/ldif2db	177483	342372024	58094
/usr/ldap/sbin/ldtrc	71677	1503761932	32992
/usr/ldap/sbin/ltnou	24167	4024090770	14285
/usr/ldap/sbin/migrate52	39613	2184782838	39944
/usr/ldap/sbin/runscript	12782	3331096264	57431
/usr/ldap/sbin/runstats	161933	2006395097	61379
/usr/ldap/sbin/utol	24166	3586133508	36371

Solaris

The archive for this fix pack is named 5.2.0-TIV-ITDS-Solaris-FP0002.tar and contains the following files:

File	bytes	cksum	sum -r
<hr/>			
5.2.0-TIV-ITDS-Solaris-FP0002/install_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-Solaris-FP0002/uninstall_update.sh	19483	2707811637	54713
5.2.0-TIV-ITDS-Solaris-FP0002/data/all_files.list	1984	87050444	54945
5.2.0-TIV-ITDS-Solaris-FP0002/data/patch.tar.Z	10561957	892181010	12389

Installing the update adds the following file to your system:

File	bytes	cksum	sum	-r
/opt/IBMldapc/bin/5.2.0-TIV-ITDS-Solaris-FP0002.txt	54	3426634799	50734	

The following files are updated with the accompanying sizes and sums. Depending on the packages and options used in the original product installation, you might not have all of the following files:

File	bytes	cksum	sum	-r
/opt/IBMldapc/bin/ibmdirctl	25708	2233084318	59996	
/opt/IBMldapc/bin/ibmmultiadd	61912	1237047279	48186	
/opt/IBMldapc/bin/ldamsq	10896	3500685039	59964	
/opt/IBMldapc/bin/ldapchangepwd	27316	2151288227	20203	
/opt/IBMldapc/bin/ldapdelete	26588	234505503	62078	
/opt/IBMldapc/bin/ldapexop	74364	4052920039	31574	
/opt/IBMldapc/bin/ldapmodify	55612	3974889893	30471	
/opt/IBMldapc/bin/ldapmodrdn	27144	3627386544	57987	
/opt/IBMldapc/bin/ldapsearch	62196	1524784170	50420	
/opt/IBMldapc/bin/ldaptrace	28324	150263811	57776	
/opt/IBMldapc/examples/ldapchangepwd.c	34560	3830205609	50391	
/opt/IBMldapc/examples/ldapdelete.c	29503	3469777378	00802	
/opt/IBMldapc/examples/ldapexop.c	142261	1509344193	16695	
/opt/IBMldapc/examples/ldapmodify.c	58156	1700887665	33561	
/opt/IBMldapc/examples/ldapmodrdn.c	30543	3199137981	49505	
/opt/IBMldapc/examples/ldapsearch.c	61506	3779822771	29464	
/opt/IBMldapc/examples/makefile.ex	3526	3508729482	19220	
/opt/IBMldapc/include/audit-plugin-list.h	3110	883381909	52353	
/opt/IBMldapc/include/audit-plugin.h	13269	1983768205	58152	
/opt/IBMldapc/include/lber.h	1633	1377037984	62011	
/opt/IBMldapc/include/ldap.h	54934	1789982928	51548	
/opt/IBMldapc/include/ldapssl.h	17949	2337347919	17290	
/opt/IBMldapc/include/ldif.h	4343	1784490045	37164	
/opt/IBMldapc/include/slapi-plugin.h	12015	525783859	20895	
/opt/IBMldapc/lib/ldap_plugin_sasl_cram-md5.so	7764	2688938983	06949	
/opt/IBMldapc/lib/ldap_plugin_sasl_digest-md5.so	38240	1829916519	28834	
/opt/IBMldapc/lib/libibmldap.so	645096	3802410904	52320	
/opt/IBMldapc/lib/libldapiconv.so	9964	3006350330	14584	
/opt/IBMldapc/lib/libldapiconvstatic.a	6660	2588647574	31081	
/opt/IBMldapc/lib/libldapstatic.a	692868	215984746	50841	
/opt/IBMldapc/lib/libldif.a	21060	2811092823	54606	
/opt/IBMldaps/bin/IBMDAPJavaBer.jar	42096	3630654657	33650	
/opt/IBMldaps/bin/IDSproxyExe	14800	4228092161	54071	
/opt/IBMldaps/bin/dbback	492040	173354022	13255	
/opt/IBMldaps/bin/dbrestore	492636	2764899497	41987	
/opt/IBMldaps/bin/ibmdiradm	751872	2766317611	09709	
/opt/IBMldaps/bin/ibmslapd	1430784	3245563967	25042	
/opt/IBMldaps/bin/ldapbp.jar	49437	199784888	33729	
/opt/IBMldaps/bin/ldapcfg	15572	932950617	33322	
/opt/IBMldaps/bin/ldapdiff	9166	2062787888	31058	
/opt/IBMldaps/bin/ldapdiff.jar	133567	2980547972	39663	
/opt/IBMldaps/config/IDSConfig.jar	2041495	1871377572	20357	
/opt/IBMldaps/lib/libDSP.so	20792	578724660	20896	
/opt/IBMldaps/lib/libDigest.so	77384	495863934	30936	
/opt/IBMldaps/lib/libIDSproxyDll.so	14192	186702185	62609	
/opt/IBMldaps/lib/libback-config.so	135832	892092130	13573	
/opt/IBMldaps/lib/libback-rdbm.so	2110092	134165573	27932	
/opt/IBMldaps/lib/libbdbadmin.so	685360	2478992547	60923	
/opt/IBMldaps/lib/libevent.so	85964	1702608484	09994	
/opt/IBMldaps/lib/libibmldapcfg_CC.so	2040836	2847289046	11142	
/opt/IBMldaps/lib/libibmldapcl.so	41276	2280214501	13998	
/opt/IBMldaps/lib/libldacfg.so	73976	1099195446	38050	
/opt/IBMldaps/lib/libldapaudit.so	39028	2126681795	62662	
/opt/IBMldaps/lib/libldaprepl.so	576940	1631617633	18376	
/opt/IBMldaps/lib/libldtr.so	15064	1344887057	48270	
/opt/IBMldaps/lib/libloga.so	33872	2435995613	52814	

/opt/IBMdaps/lib/libmessage.so	92128	3527282062	64827
/opt/IBMdaps/lib/libslapi.so	206288	255890880	58011
/opt/IBMdaps/lib/libtranext.so	27828	3378496046	09699
/opt/IBMdaps/lib/libtransys.so	94536	160313743	31442
/opt/IBMdaps/lib/libtrc.so	45556	2713530041	35888
/opt/IBMdaps/lib/libutils.so	3360700	2079408891	20213
/opt/IBMdaps/lib/libutlsa.so	56832	1638494998	28114
/opt/IBMdaps/sbin/SchemaMigrate.jar	42926	3628741852	54632
/opt/IBMdaps/sbin/bulkload	898012	492705051	10530
/opt/IBMdaps/sbin/cfgmodify	502368	2641744116	07495
/opt/IBMdaps/sbin/db2ldif	814856	2482605629	36204
/opt/IBMdaps/sbin/ldif	29848	2883892761	55590
/opt/IBMdaps/sbin/ldif2db	707820	3491768956	62266
/opt/IBMdaps/sbin/ldtrc	84312	1405990583	35847
/opt/IBMdaps/sbin/ltout	477152	509055204	55817
/opt/IBMdaps/sbin/migrate52	39613	2184782838	39944
/opt/IBMdaps/sbin/runscript	9688	546705691	08011
/opt/IBMdaps/sbin/runstats	681676	759225559	15815
/opt/IBMdaps/sbin/utol	477144	4168736340	40150

Windows

The archive for this fix pack is named 5.2.0-TIV-ITDS-Win32-FP0002.zip and contains the following files:

File	bytes	cksum	sum -r
=====	=====	=====	=====
5.2.0-TIV-ITDS-Win32-FP0002\install_update.bat	7508	4186928	58571
5.2.0-TIV-ITDS-Win32-FP0002\uninstall_update.bat	4198	2992043893	49236
5.2.0-TIV-ITDS-Win32-FP0002\data\all_files.list	1763	3521687338	15010
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\5.2.0-TIV-ITDS-Win32-FP0002.txt	54	3426634799	50734
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\IBMLDAPJavaBer.jar	42096	3630654657	33650
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\IDSproxyD11.dll	24830	488599706	12694
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\IDSproxyExe.exe	21362	2225577090	65017
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\SHSMP.DLL	116432	3186840877	27703
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\SHSMPd.DLL	190976	1173065809	21358
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\SchemaMigrate.jar	42862	2138958268	61327
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\bulkload.exe	334484	4031925182	58397
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\cfgmodify.exe	43739	346869558	29479
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\db2ldif.exe	230191	2415812189	44941
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\dbback.exe	34972	3082272397	14402
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\dbrestore.exe	35239	1917919054	31163
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ibmdiradm.exe	198627	1728340992	04374
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ibmdirctl.exe	33411	254328483	25099
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ibmldapcfg.dll	305672	188160637	46561
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ibmmultiadd.exe	62312	3703280127	15706
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ibmslapd.exe	719741	3169153476	40194
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldacfg.dll	73214	3624678388	21210
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldamsg.exe	20143	3018251038	45713
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldap.dll	395441	4278716211	47979
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldap_ph.dll	58896	3280165042	49885
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldap_plugin_ibm_gsskrb.dll	31873	3040551721	44039
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldap_plugin_sasl_cram-md5.dll	23198	1272331507	39154
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldap_plugin_sasl_digest-md5.dll	40745	3073325131	14726
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapadd.exe	56275	1076214132	08098
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapbp.jar	49437	199784888	33729
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapcfg.exe	22775	753506561	28699
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapchangepwd.exe	30562	271209757	60502
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapdelete.exe	30227	1002209522	19321
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapdiff.exe	22776	1394788086	32275
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapdiff.jar	133567	2980547972	39663
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapexp.exe	79448	3718129678	39498
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapjrt.dll	31668	3131963304	19429

5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapmodify.exe	56275	1076214132	08098
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapmodrdn.exe	34627	3194369571	56836
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapsearch.exe	60363	3750480120	11282
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldaptrace.exe	34350	2848014221	22922
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapucfg.exe	22776	1980470550	58130
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldapxcfg.exe	22776	2843571837	21787
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldif.exe	26872	1302434083	12792
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldif2db.exe	191535	4178695196	51438
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldtrc.exe	68020	2915560442	39605
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ldtrcd.exe	20037	1704535119	30302
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libDSP.dll	36111	259034971	33668
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libDigest.dll	67501	1229046212	07810
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libback-config.dll	89531	3196600851	47686
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libback-rdbm.dll	1394363	2488268962	47269
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libcl.dll	46960	3847365937	45613
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libdbadmin.dll	177300	280687166	02139
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libevent.dll	52283	1373344811	65146
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libdapaudit.dll	43375	3215424595	05906
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libdapiconv.dll	23946	3289139455	28354
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libdapkrb.dll	47767	568586171	13660
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libdaprep1.dll	371233	4191142257	43553
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libloga.dll	41718	1664255510	50080
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libmessage.dll	99350	2006620437	43030
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libmsgs.dll	86016	3396738132	45929
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libsapi.dll	153691	2131638686	62161
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libtranext.dll	35692	353958606	43346
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libtransys.dll	158554	2597469044	46183
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libtrc.dll	40541	1721296336	29931
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libutils.dll	1379470	1473099135	53050
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\libutlsa.dll	41723	3919496964	22990
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\ltou.exe	20216	20995915	60994
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\runstats.exe	165172	4206500918	45819
5.2.0-TIV-ITDS-Win32-FP0002\data\bin\utol.exe	20220	3371438064	05900
5.2.0-TIV-ITDS-Win32-FP0002\data\config\IDSConfig.jar	2059429	2482208413	25348
5.2.0-TIV-ITDS-Win32-FP0002\data\examples\getopt.c	1590	2090084485	20165
5.2.0-TIV-ITDS-Win32-FP0002\data\examples\ldapchangepwd.c	35682	4205320871	59673
5.2.0-TIV-ITDS-Win32-FP0002\data\examples\ldapdelete.c	30375	3420861261	57941
5.2.0-TIV-ITDS-Win32-FP0002\data\examples\ldapexpoc.c	146997	719625620	62822
5.2.0-TIV-ITDS-Win32-FP0002\data\examples\ldapmodify.c	60008	178445060	39924
5.2.0-TIV-ITDS-Win32-FP0002\data\examples\ldapmodrdn.c	31448	2534638156	52535
5.2.0-TIV-ITDS-Win32-FP0002\data\examples\ldapsearch.c	63248	1319681194	56347
5.2.0-TIV-ITDS-Win32-FP0002\data\examples\makefile.ex	4164	3773856574	26300
5.2.0-TIV-ITDS-Win32-FP0002\data\include\audit-plugin-list.h	3205	1088798553	58947
5.2.0-TIV-ITDS-Win32-FP0002\data\include\audit-plugin.h	13643	3348734374	50721
5.2.0-TIV-ITDS-Win32-FP0002\data\include\lber.h	1690	2601408596	07655
5.2.0-TIV-ITDS-Win32-FP0002\data\include\ldap.h	56351	854341946	57785
5.2.0-TIV-ITDS-Win32-FP0002\data\include\ldaplocale.h	5333	1610832070	23402
5.2.0-TIV-ITDS-Win32-FP0002\data\include\ldapssl.h	18249	3056274632	51552
5.2.0-TIV-ITDS-Win32-FP0002\data\include\ldif.h	4476	1531774735	54751
5.2.0-TIV-ITDS-Win32-FP0002\data\include\slapi-plugin.h	12363	1388291967	36103
5.2.0-TIV-ITDS-Win32-FP0002\data\lib\ldap.lib	250894	3223540739	51334
5.2.0-TIV-ITDS-Win32-FP0002\data\lib\ldapstatic.lib	1316352	1394987415	25265
5.2.0-TIV-ITDS-Win32-FP0002\data\lib\libdapiconv.lib	6186	3369418620	57957
5.2.0-TIV-ITDS-Win32-FP0002\data\lib\libdapiconvstatic.lib	7202	3349926222	15205
5.2.0-TIV-ITDS-Win32-FP0002\data\lib\libdif.lib	30842	950026334	20684
5.2.0-TIV-ITDS-Win32-FP0002\data\lib\libmsg.lib	119908	1530169006	53970
5.2.0-TIV-ITDS-Win32-FP0002\data\lib\libmsgs.lib	33478	1033499879	22052
5.2.0-TIV-ITDS-Win32-FP0002\data\lib\libsapi.lib	83612	2640659783	09326

Installing the update adds the following file to your system:

File	bytes	cksum	sum -r
%LDAPHome%\bin\5.2.0-TIV-ITDS-Win32-FP0002.txt	54	3426634799	50734

The following files are updated with the accompanying sizes and sums. Depending on the packages and options used in the original product installation, you might not have all of the following files:

File	bytes	cksum	sum -r
%LDAPHome%\bin\IBMLDAPJavaBer.jar	42096	3630654657	33650
%LDAPHome%\bin\IDSproxyD11.dll	24830	488599706	12694
%LDAPHome%\bin\IDSproxyExe.exe	21362	2225577090	65017
%LDAPHome%\bin\SHSMP.DLL	116432	3186840877	27703
%LDAPHome%\bin\SHSMPd.DLL	190976	1173065809	21358
%LDAPHome%\bin\SchemaMigrate.jar	42862	2138958268	61327
%LDAPHome%\bin\bulkload.exe	334484	4031925182	58397
%LDAPHome%\bin\cfgmodify.exe	43739	346869558	29479
%LDAPHome%\bin\db2dif.exe	230191	2415812189	44941
%LDAPHome%\bin\dbback.exe	34972	3082272397	14402
%LDAPHome%\bin\dbrestore.exe	35239	1917919054	31163
%LDAPHome%\bin\ibmdiradm.exe	198627	1728340992	04374
%LDAPHome%\bin\ibmdirctl.exe	33411	254328483	25099
%LDAPHome%\bin\ibmldapcfg.dll	305672	188160637	46561
%LDAPHome%\bin\ibmmultiadd.exe	62312	3703280127	15706
%LDAPHome%\bin\ibmslapd.exe	719741	3169153476	40194
%LDAPHome%\bin\ldacfg.dll	73214	3624678388	21210
%LDAPHome%\bin\ldamsg.exe	20143	3018251038	45713
%LDAPHome%\bin\ldap.dll	395441	4278716211	47979
%LDAPHome%\bin\ldap_ph.dll	58896	3280165042	49885
%LDAPHome%\bin\ldap_plugin_ibm_gsskrb.dll	31873	3040551721	44039
%LDAPHome%\bin\ldap_plugin_sasl_cram-md5.dll	23198	1272331507	39154
%LDAPHome%\bin\ldap_plugin_sasl_digest-md5.dll	40745	3073325131	14726
%LDAPHome%\bin\ldapadd.exe	56275	1076214132	08098
%LDAPHome%\bin\ldapbp.jar	49437	199784888	33729
%LDAPHome%\bin\ldapcfg.exe	22775	753506561	28699
%LDAPHome%\bin\ldapchangepwd.exe	30562	271209757	60502
%LDAPHome%\bin\ldapdelete.exe	30227	1002209522	19321
%LDAPHome%\bin\ldapdiff.exe	22776	1394788086	32275
%LDAPHome%\bin\ldapdiff.jar	133567	2980547972	39663
%LDAPHome%\bin\ldapexop.exe	79448	3718129678	39498
%LDAPHome%\bin\ldapjrt.dll	31668	3131963304	19429
%LDAPHome%\bin\ldapmodify.exe	56275	1076214132	08098
%LDAPHome%\bin\ldapmodrdn.exe	34627	3194369571	56836
%LDAPHome%\bin\ldapsearch.exe	60363	3750480120	11282
%LDAPHome%\bin\ldaptrace.exe	34350	2848014221	22922
%LDAPHome%\bin\ldapucfg.exe	22776	1980470550	58130
%LDAPHome%\bin\ldapxcfg.exe	22776	2843571837	21787
%LDAPHome%\bin\ldif.exe	26872	1302434083	12792
%LDAPHome%\bin\ldif2db.exe	191535	4178695196	51438
%LDAPHome%\bin\ldtrc.exe	68020	2915560442	39605
%LDAPHome%\bin\ldtrcd.exe	20037	1704535119	30302
%LDAPHome%\bin\libDSP.dll	36111	259034971	33668
%LDAPHome%\bin\libDigest.dll	67501	1229046212	07810
%LDAPHome%\bin\libback-config.dll	89531	3196600851	47686
%LDAPHome%\bin\libback-rdbm.dll	1394363	2488268962	47269
%LDAPHome%\bin\libcl.dll	46960	3847365937	45613
%LDAPHome%\bin\libdbadmin.dll	177300	280687166	02139
%LDAPHome%\bin\libevent.dll	52283	1373344811	65146
%LDAPHome%\bin\libldapaudit.dll	43375	3215424595	05906
%LDAPHome%\bin\libldapconv.dll	23946	3289139455	28354
%LDAPHome%\bin\libldapkrb.dll	47767	568586171	13660
%LDAPHome%\bin\libdaprepl.dll	371233	4191142257	43553
%LDAPHome%\bin\libloga.dll	41718	1664255510	50080
%LDAPHome%\bin\libmessage.dll	99350	2006620437	43030
%LDAPHome%\bin\libmsgs.dll	86016	3396738132	45929
%LDAPHome%\bin\libsapi.dll	153691	2131638686	62161
%LDAPHome%\bin\libtranext.dll	35692	353958606	43346
%LDAPHome%\bin\libtransys.dll	158554	2597469044	46183
%LDAPHome%\bin\libtrc.dll	40541	1721296336	29931
%LDAPHome%\bin\libutils.dll	1379470	1473099135	53050

%LDAPHome%\bin\libutlsa.dll	41723	3919496964	22990
%LDAPHome%\bin\ltou.exe	20216	20995915	60994
%LDAPHome%\bin\runstats.exe	165172	4206500918	45819
%LDAPHome%\bin\utol.exe	20220	3371438064	05900
%LDAPHome%\config\IDSConfig.jar	2059429	2482208413	25348
%LDAPHome%\examples\getopt.c	1590	2090084485	20165
%LDAPHome%\examples\ldapchangepwd.c	35682	4205320871	59673
%LDAPHome%\examples\ldapdelete.c	30375	3420861261	57941
%LDAPHome%\examples\ldapexpop.c	146997	719625620	62822
%LDAPHome%\examples\ldapmodify.c	60008	178445060	39924
%LDAPHome%\examples\ldapmodrdn.c	31448	2534638156	52535
%LDAPHome%\examples\ldapsearch.c	63248	1319681194	56347
%LDAPHome%\examples\makefile.ex	4164	3773856574	26300
%LDAPHome%\include\audit-plugin-list.h	3205	1088798553	58947
%LDAPHome%\include\audit-plugin.h	13643	3348734374	50721
%LDAPHome%\include\lber.h	1690	2601408596	07655
%LDAPHome%\include\ldap.h	56351	854341946	57785
%LDAPHome%\include\ldaplocale.h	5333	1610832070	23402
%LDAPHome%\include\ldapssl.h	18249	3056274632	51552
%LDAPHome%\include\ldif.h	4476	1531774735	54751
%LDAPHome%\include\slapi-plugin.h	12363	1388291967	36103
%LDAPHome%\lib\ldap.lib	250894	3223540739	51334
%LDAPHome%\lib\ldapstatic.lib	1316352	1394987415	25265
%LDAPHome%\lib\libldapconv.lib	6186	3369418620	57957
%LDAPHome%\lib\libldapconvstatic.lib	7202	3349926222	15205
%LDAPHome%\lib\libldif.lib	30842	950026334	20684
%LDAPHome%\lib\libmsg.lib	119908	1530169006	53970
%LDAPHome%\lib\libmsgs.lib	33478	1033499879	22052
%LDAPHome%\lib\libslapd.lib	83612	2640659783	09326

Applying the fix pack

You can apply this fix pack on the following platforms:

- AIX
- HP-UX
- Linux s390
- Linux pSeries
- Linux i386
- Solaris
- Windows

Go to the appropriate section for your platform:

- “Applying the fix pack on UNIX or Linux platforms”
- “Applying the fix pack on Windows platforms” on page 23

Applying the fix pack on UNIX or Linux platforms

Do the following to apply the fix pack:

1. Stop all IBM Tivoli Directory Server client or server processes, including the LDAP server, Admin Daemon, and custom LDAP applications. Programs and libraries cannot be replaced while they are in use. Run **ldtrc off** to turn off tracing, if tracing is enabled.
2. Extract the tar file to a directory with free space as defined in the following table:

Platforms	Storage requirements	Tar file	Subdirectory
AIX	55 MB free space	5.2.0-TIV-ITDS-AIX-FP0002.tar	5.2.0-TIV-ITDS-AIX-FP0002

HP-UX	57 MB free space	5.2.0-TIV-ITDS- HPUX-FP0002.tar	5.2.0-TIV-ITDS- HPUX-FP0002
Linux i386	29 MB free space	5.2.0-TIV-ITDS- Linux32-FP0002.tar	5.2.0-TIV-ITDS- Linux32-FP0002
Linux pSeries	22 MB free space	5.2.0-TIV-ITDS- Linuxip32-FP0002.tar	5.2.0-TIV-ITDS- Linuxip32-FP0002
Linux s390	23 MB free space	5.2.0-TIV-ITDS- Linuxz31-FP0002.tar	5.2.0-TIV-ITDS- Linuxz31-FP0002
Solaris	42 MB free space	5.2.0-TIV-ITDS- Solaris-FP0002.tar	5.2.0-TIV-ITDS- Solaris-FP0002

This creates a new subdirectory named 5.2.0-TIV-ITDS-<Multi>-FP0002, where <Multi> is the operating system designator:

- AIX – AIX
- HPUX – HP-UX
- Linux32 – Linux i386
- Linuxip32 – Linux pSeries
- Linuxz31 – Linux s390
- Solaris – Solaris

The new directory contains the following files and subdirectory:

```
install_update.sh  
uninstall_update.sh  
data/
```

3. Log in as root.
4. Run the following command from the 5.2.0-TIV-ITDS-<Multi>-FP0002 subdirectory:
`./install_update.sh`

Note: The install_update script saves a backup of your previous version of IBM Tivoli Directory Server in the data subdirectory. Do not remove the data subdirectory if you intend to uninstall the update.

5. After installation, confirm the following files:
 - /usr/ldap/bin/5.2.0-TIV-ITDS-AIX-FP0002.txt (AIX)
 - /usr/IBMdap/bin/5.2.0-TIV-ITDS-HPUX-FP0002.txt (HP-UX)
 - /usr/ldap/bin/5.2.0-TIV-ITDS-Linux32-FP0002.txt (Linux i386)
 - /usr/ldap/bin/5.2.0-TIV-ITDS-Linuxip32-FP0002.txt (Linux pSeries)
 - /usr/ldap/bin/5.2.0-TIV-ITDS-Linuxz31-FP0002.txt (Linux s390)
 - /opt/IBMdapc/bin/5.2.0-TIV-ITDS-Solaris-FP0002.txt (Solaris)

contain the following information:

```
IBM Directory     Release: aus52ldap    Build: 041206a
```

Applying the fix pack on Windows platforms

Do the following to apply the fix pack:

1. Extract the patch file to a directory with at least 22 MB free space. This creates a new subdirectory named 5.2.0-TIV-ITDS-Windows-FP0002 containing the following files and subdirectory:

```
install_update.bat  
uninstall_update.bat  
data\
```

2. Stop all IBM Tivoli Directory Server client or server processes, including the LDAP server, Admin Daemon, and custom LDAP applications. Programs and libraries cannot be replaced while they are in use. Run **ldtrc off** to turn off tracing, if tracing is enabled.

3. Run the following command from the 5.2.0-TIV-ITDS-Windows-FP0002 subdirectory:

```
./install_update.bat
```

Note: The install_update script saves a backup of your previous version of IBM Tivoli Directory Server in the data subdirectory. Do not remove the data subdirectory if you intend to uninstall the update.

4. After installation, confirm the file <LDAPHOME>\bin\5.2.0-TIV-ITDS-Windows-FP0002.txt (Windows) contains the following information:

```
IBM Directory     Release: aus52ldap  Build: 041206a
```

Uninstalling the fix pack

Do the following to uninstall the fix pack on each platform:

Uninstalling the fix pack on UNIX or Linux platforms

To uninstall the fix pack:

1. Log in as root.
2. Stop all IBM Tivoli Directory Server client and server processes including the LDAP server, Admin Daemon and custom LDAP applications. Programs and libraries cannot be replaced while they are in use.
3. Run the following command from the 5.2.0-TIV-ITDS-<Multi>-FP0002 subdirectory:

```
./uninstall_update.sh
```

Uninstalling the fix pack on Windows platforms

To uninstall the fix pack:

1. Stop all IBM Tivoli Directory Server client and server processes including the LDAP server, Admin Daemon and custom LDAP applications. Programs and libraries cannot be replaced while they are in use.
2. Run the following command:

```
5.2.0-TIV-ITDS-Windows-FP0002\uninstall_update.bat
```

Functionality/Behavior Impact

Changes in the functionality or behavior of IBM Tivoli Directory Server after upgrading to this fix pack:

APAR	Impact			Description
	Low	Medium	High	
IR53988	✓			(Solaris only) Allow LDAP client plugins to resolve symbols from those identified as global of the parent loader.
IR54007	✓			A search using the ibmallGroups operational attribute may not return all the groups of which the base entry is a dynamic member.

IR54084	✓			A search of base cn=monitor always returns total_ssl_connections=0 and total_tls_connections=0.
IR54085	✓			Members of the Administration Group do not have the same search size and time limits as the Administrator.
IR54086		✓		Client will leak memory resolving a referral to an entry which is also a referral
IR54087			✓	Server may return incorrect results or ABEND if network capacity is saturated
IR53741		✓		Replacing the V3.modifiedschema file causes the replication que to disappear without replicating nor schema errors.
IR54069		✓		Server Hang occurs when performance Run Stat Tool is running.
IR54124		✓		Memory leaks replicating adds, deletes and searches.
IR54443		✓		Client API ldap_parse_pwdpolicy_responce can crash client.
IR54445	✓			Not able to generate a core file on Red Hat Linux 3.0
IR54446		✓		Incorrect transaction processing for Password Policy operational attributes
IR54268	✓			chlog: firstchangenumber and lastchangenumber not incrementing
IR54428			✓	Server cores w/tracing on and old slapd.cat file.
IR54063	✓			Changes to the FD_SETSIZE for BPM
IR54466		✓		Server may core if ibmslapdAllowAnon=false
IR54762		✓		Timeout client connections on SSL port which do not promptly initiate handshake
IR54785		✓		Server leaks memory in ldapsearch operations
IR54787	✓			aclsource and ownersource operational attributes may be corrupted by ModifyDN operation
IR54788	✓			ldapexop utility returns exit code 0 on LDAP error
IR54789	✓			ldapchangepwd utility returns exit code 0 on LDAP error
IR54791			✓	Server crashes on readlog exop with start line=0 and endline=0
IR54792		✓		Authentication failure using digest MD5 returns LDAP error 1 (Operations error)
IR54793		✓		Bulkload may not detect file system full errors during parse phase
IR54795			✓	Certain ldap searches looking for acls can core the ldap server with fix IR53383 (delivered in 5.2 fix pack 1)
IR54519			✓	solaris Function localtime_r() causes ldap server crash.

IR54804		✓		Now free SQL handles in password policy as required
IR54212		✓		LDAP does not observe matching rules by names
IR54267	✓			"Skip Blocking Entry" button does not function properly in Webadmin [2part fix requires both webadmin and IDS server updates]
IR54519	✓			Remove all ctime() and localtime() and replace with MTSAFE functions
IR54881	✓			ldapsearch fails with ssl error 406 or 420 if server is on AIX w/P520A01Db
IR54901	✓			ldapsearch e shows SDK version 510
IR54902		✓		Boolean values ("true" "false") are not enforced in audit configuration
IR54954		✓		Do not delete pwdFailureTime attribute on Readonly replica
IR54958		✓		ldapmodify of pwdchangetime with invalid date doesn't fail
IR54959			✓	LDAPMODIFY Replace PWDReset with no values crashes server
IR54960		✓		pwdchangetime in year 2100 results in expired password
IR54986			✓	Possible LDAP server crashes upon receiving bad BER.
IR55018	✓			Log effective ulimits at server startup.
IR55034		✓		incorrect and missing attr in diradm rootDSE
IR54509		✓		Crebind on referrals should be sync not async
IR55035		✓		Kerberos enabled ldapsearch failed when allowAnon is set.
IR55090		✓		SSL Connection not working correctly when only sending 64 bytes of data
IR55107		✓		APAR fixes errors found in IR54958 with ldapmodify of PWDCHANGETIME

IBM[®]

Printed in USA