



IBM Software  
VisualAge Pacbase



## Monthly Newsletter January 1998

## ***New Functionalities***

- VisualAge Pacbase 2.0*** - ***Client/Server system develop.***

***Number : 016035***

***Platform : ALL***

**Communication monitor MQ Series:** parameterization of the waiting time for the next query.  
The WAITINT=XXXX option will allow you to modify the waiting time used for the MQ Series communication in a Folder monitor.  
The default value is 1000 seconds.

- C/S Facility - Graphic Clients 2.0*** - ***Generation***

***Number : 016086***

***Platform : ALL***

OCX generation: the compilation of proxies can be started from the generation window, after the generation. This window includes a button which triggers the compilation of generated sources.

Note: the existing proxies must not be compiled this way. In this case you must compile them manually in Visual C++, like before.

## **Corrected Bugs**

### **. VisualAge Pacbase 2.0 - Client/Server system develop.**

**Number : 016048      Platform : ALL**

Communication monitor: abend on the cursor position in the temporary file which is not initialized in some cases.

### **. VisualAge Pacbase 2.0 - Pacbase Access Facility**

**Number : 015760      Platform : ALL**

The formatting of transactions to the PAF table format was not correct as far as U.E.Os are concerned. Corrected.

**Number : 015913      Platform : ALL**

UPDP :  
In english, some table codes were not recognized so the update was not possible.

### **. VisualAge Pacbase 2.0 - Batch Procedures**

**Number : 015744      Platform : ALL**

Multi-level extraction: not to extract the fields data structure and transaction codes on the Segment because they are on the description screen.

**Number : 015760      Platform : ALL**

The formatting of transactions to the PAF table format was not correct as far as U.E.Os are concerned. Corrected.

**Number : 015913      Platform : ALL**

UPDP :  
In english, some table codes were not recognized so the update was not possible.

. **VisualAge Pacbase WorkStation 2.0** - **Compatibility**

**Number : 016145**      **Platform : ALL**

ILRTF: Titles in the table of contents.

The titles that were following a page break were incorrectly indicated in the table of contents. This is corrected.

WARNING: In order that this modification be taken into account, the PDM facility must be reinstalled on Host.

. **VisualAge Pacbase WorkStation 2.0** - **Non formatted description**

**Number : 016072**      **Platform : ALL**

TEXTE, DESCL: Loading screen fonts under Windows/NT.

The screen fonts are correctly loaded under Windows/NT

. **VisualAge Pacbase WorkStation 2.0** - **Graph**

**Number : 012179**      **Platform : ALL**

Selection of a free line

Up to now, a selection by mouse drag could not completely select a free line: the end points could not be moved.

This has been corrected.

**VisualAge Pacbase WorkStation 2.0**

**- RTF Local prints**

**Number : 016089**

**Platform : ALL**

ILRTF: display of the first characters on text lines

The user is allowed not to define margins for texts in a PDM Document. ILRTF considered this as an error, which had the result not to print the first characters on the lines.

This behavior is avoided by specifying that 0 is the default value when no margin is defined.

**Number : 016142**

**Platform : ALL**

ILRTF: removing the extra blank page on top of the edition.

The blank page that was printed on top of the documents generated with ILRTF is removed.

**Number : 016145**

**Platform : ALL**

ILRTF: Titles in the table of contents.

The titles that were following a page break were incorrectly indicated in the table of contents. This is corrected.

WARNING: In order that this modification be taken into account, the PDM facility must be reinstalled on Host.

**VisualAge Pacbase WorkStation 2.0**

**- MERISE methodology**

**Number : 016056**

**Platform : ALL**

Merise: Icons "with attributes" in the MET and MLT and SEP entities

It is now possible to link the following icons "with attributes":

- Phase, in METs
- Event/Result, in MLTs
- Processes, in SEPs

in the same way as the corresponding "without attributes" icons.

. **VisualAge Pacbase WorkStation 2.0** - **Text**

**Number : 016072**      **Platform : ALL**

TEXTE, DESCL: Loading screen fonts under Windows/NT.

The screen fonts are correctly loaded under Windows/NT

. **VisualAge Pacbase WorkStation 2.0** - **Miscellaneous**

**Number : 015988**      **Platform : ALL**

Chart facility creation

It is possible again to create chart facility description in a Free Entity.

. **C/S Facility - Graphic Clients 2.0** - **Proxy functionalities**

**Number : 015716**      **Platform : ALL**

FVP: A second call to the readFirstChildrenFromCurrentInstance action no longer reads the following instances as before but sends the same request as the first call.

**Number : 015986**      **Platform : ALL**

PVD: Quick Form on the errorManager correct attribute errorList.

. **PACBASE 1.6** - **Pacbase Access Facility**

**Number : 015913**      **Platform : ALL**

UPDP :  
In english, some table codes were not recognized so the update was not possible.

. **PACBASE 1.6** - **Batch Procedures**

**Number : 015913**      **Platform : ALL**

UPDP :

In english, some table codes were not recognized so the update was not possible.

. **WORKSTATION 1.6** - **Non formatted description**

**Number : 016072**      **Platform : ALL**

TEXTE, DESCL: Loading screen fonts under Windows/NT.

The screen fonts are correctly loaded under Windows/NT

. **WORKSTATION 1.6** - **MERISE methodology**

**Number : 016056**      **Platform : ALL**

Merise: Icons "with attributes" in the MET and MLT and SEP entities

It is now possible to link the following icons "with attributes":

- Phase, in METs
- Event/Result, in MLTs
- Processes, in SEPs

in the same way as the corresponding "without attributes" icons.

. **WORKSTATION 1.6** - **Text**

**Number : 016072**      **Platform : ALL**

TEXTE, DESCL: Loading screen fonts under Windows/NT.

The screen fonts are correctly loaded under Windows/NT

## ***New Availabilities***

### ***Softwares***

<b>REFERENCE</b>	<b>LABEL</b>
IH 200 WIN V02 X	DSMS GUI 2.0 WIN
PB 160 HP9 V12 X	Pacbase 1.6 HP/9000
PB 160 IRX V12 X	Pacbase 1.6 IRX
PB 160 RS6 V12 X	Pacbase 1.6 RS/6000
PB 160 SUN V12 X	Pacbase 1.6 SUN SOLARIS
PB 200 COS V07 X	VisualAge Pacbase 2.0 CICS
PB 200 DP7 V07 X	VisualAge Pacbase 2.0 DPS/7
PB 200 IMS V06 A	VisualAge Pacbase 2.0 - IMS
PB 200 IMS V06 F	VisualAge Pacbase 2.0 - IMS
PB 200 WNT V06 X	VisualAge Pacbase 2.0 Windows/NT
PD 160 *** V13 X	WorkStation 1.6
PD 200 *** V03 X	VisualAge Pacbase WorkStation 2.0
PT 200 IMS V02 A	Pactables 2.0 - IMS
PT 200 IMS V02 F	Pactables 2.0 - IMS

### ***Documentations***

<b>REFERENCE</b>	<b>LABEL</b>
DDDSQ000201A	Relational/SQL Database Description - Reference Manual
DDDSQ000201F	DBD Relationnelles SQL - Manuel de Référence
DDOAU000201A	C/S Facility - Business Components - User's Guide
DEPD7001201A	VA Pacbase 2.0 GCOS/7 Environment & Installation
DEPD7001201F	VA Pacbase 2.0 GCOS/7 Environnement & Installation
DETIM000201F	Pactables 2.0 IMS - Manuel d'Exploitation