

Express Runtime



# Getting Started Guide for Developing Solutions for Deployment

*Version 2.1.1*



Express Runtime



# Getting Started Guide for Developing Solutions for Deployment

*Version 2.1.1*

**Note**

Before using this information and the product it supports, read the information in "Notices," on page 27.

**Second Edition (November 2005)**

This edition applies to version 2, release 1, modification 1 of IBM Express Runtime (product number 5724-J10) and to all subsequent releases and modifications until otherwise indicated in new editions.

© Copyright International Business Machines Corporation 2003, 2005. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

## Contents

### Chapter 1. About this document . . . . 1

Who might use this information . . . . . 1

### Chapter 2. Introduction to Express Runtime. . . . . 3

Express Runtime typical user roles . . . . . 3

Express Runtime middleware components . . . . . 4

Express Runtime application development toolkit . . . . . 4

Express Runtime solution assembly toolkit . . . . . 4

    Express Runtime developer . . . . . 5

    Solution launcher. . . . . 5

    Deployment wizard . . . . . 5

    IBM Installation Agent . . . . . 5

Express Runtime system management components . . . . . 6

    Express Runtime console . . . . . 6

### Chapter 3. Installing Express Runtime. . . . . 7

Express Runtime system requirements . . . . . 7

Supported IBM Installation Agent operating systems . . . . . 14

Installing Express Runtime and the IBM Installation

Agent . . . . . 15

### Chapter 4. Using Express Runtime. . . . . 17

Developing a solution . . . . . 17

Testing a solution . . . . . 17

Distributing a solution. . . . . 18

Deploying a solution . . . . . 18

### Chapter 5. Other documentation available . . . . . 19

### Chapter 6. Troubleshooting . . . . . 21

### Chapter 7. Accessibility . . . . . 23

### Chapter 8. Trademarks . . . . . 25

### Appendix. Notices . . . . . 27



---

## Chapter 1. About this document

The Getting Started Guide for Developing a Solution for Deployment describes IBM® Express Runtime.

This document provides basic information to help you understand the benefits of using Express Runtime and the process for using it effectively. For detailed information, refer to the Express Runtime InfoCenter.

This document provides overview information on the following tasks:

- Introducing Express Runtime
- Installing Express Runtime
- Using Express Runtime
- Finding more information

---

### Who might use this information

This document is intended for business partners who plan to use Express Runtime to create, configure, and deploy solutions containing IBM middleware. It assumes you have no previous experience with Express Runtime.

This document provides a description of basic processes necessary to use Express Runtime effectively. After reading this document, you can use the more detailed information sources as a step-by-step guide for creating, configuring, and deploying Express Runtime solutions.

This document provides an overview of the following topics:

- The value of using Express Runtime
- Tools and components included with Express Runtime
- User roles typically required to use Express Runtime
- Process for developing an Express Runtime solution
- Options for deploying an Express Runtime solution
- Finding more detailed information





---

## Chapter 2. Introduction to Express Runtime

Total business solutions for mid-sized company customers usually involve multiple products that work and share data together. These solutions often depend on middleware, such as a Web server, a database, and an application server. Express Runtime offers a cohesive set of middleware components, as a single offering, that you can bundle with custom applications. It also provides an easy method for integrating custom applications with the middleware components to deliver a total business solution to end users as a single package.

When you provide a total business solution to end users as a single package, you simplify the process of deploying a solution and guarantee that a solution is configured correctly. Using Express Runtime, you specify configuration parameters during solution creation, which later prevent end users from installing a solution incorrectly. You also have the ability to provide a solution directly to end users for installation as needed, without requiring further assistance for configuration or integration. Express Runtime greatly reduces the complexity and time required to deploy a total business solution to mid-sized company customers.

This chapter provides information on the tools included with Express Runtime that help you create total business solutions. The chapter covers:

- Express Runtime user roles
- Express Runtime middleware components
- Express Runtime application development toolkit
- Express Runtime solution assembly toolkit
- Express Runtime system management components

---

### Express Runtime typical user roles

Using Express Runtime effectively to create, configure, and deploy total business solutions requires several core skills. A user role defines a set of the core skills required to perform a specific activity. Express Runtime users can be described by four user roles. One person might complete the tasks of multiple user roles, but each user role must have at least one person capable of completing its necessary tasks. You need to identify people to take on the following user roles:

#### **Application developer**

The application developer creates the business partner application.

#### **Solution developer**

The solution developer builds Express Runtime solutions to integrate the installation and configuration of applications with selected middleware. The solution developer should be familiar with Java™ and XML.

#### **Solution distributor**

The solution distributor distributes solutions to customers.

#### **End User**

The end user completes the deployment of a solution and might perform solution maintenance and administrative tasks.

---

## Express Runtime middleware components

As a business partner, you create custom applications that meet the specific needs of mid-sized company customers. To create a total business solution, you need to provide the middleware that these applications depend on to share data. Express Runtime offers a cohesive set of middleware components that you can bundle with custom applications to deliver a total business solution to end users.

Express Runtime includes the following middleware components that you can install as part of a solution:

### **IBM DB2 Universal Database™ Express Edition for Windows® and Linux™ (the OS/400® or i5/OS™ database is embedded in the operating system)**

Designed for small and medium business needs, DB2® UDB Express features self-tuning, self-managing, self-configuring capabilities that increase reliability while reducing complexity and required skills.

### **Informix® Dynamic Server - Express**

Informix Dynamic Server is an extensible object-relational database. Informix Dynamic Server supports on-demand computing, WebSphere®, and OLTP and OLAP data management applications in the SQL, Dynamic SQL, C++, and Java language.

### **IBM WebSphere Application Server – Express (server only)**

IBM WebSphere Application Server – Express helps you develop, deploy, and manage static and dynamic Web sites with wizards and templates that actually generate code for you. You can view information in databases, perform updates, and create and use Web services.

### **IBM HTTP Server for Windows, Linux, and OS/400 or i5/OS**

The foundation of any e-business application is the Web server. The IBM HTTP Server provides support for SSL secure connections, a fast response cache accelerator, and an administration server that helps to administer and configure itself.

---

## Express Runtime application development toolkit

The application developer creates business partner applications to address the specific needs of mid-sized company customers. The application developer might find the tools included with the Express Runtime application development toolkit beneficial. The Express Runtime application development toolkit includes the following:

- Rational® Developer for the Web
- IBM WebSphere Application Server tooling with development samples
- IBM DB2 tooling with development samples

For more information on the tooling, see the Express Runtime InfoCenter.

---

## Express Runtime solution assembly toolkit

The solution assembly toolkit is the heart of Express Runtime and is used by the solution developer, solution distributor, and end user. The solution assembly toolkit helps you create Express Runtime solutions, deploy solutions to end users, and provide a simple method for helping end users to deploy solutions themselves. The following tools are included with the Express Runtime installation as part of the solution assembly toolkit:

- Express Runtime developer

- Solution launcher
- Deployment wizard
- IBM Installation Agent

## Express Runtime developer

The Express Runtime developer is an Eclipse-based plug-in that provides a standard platform for solution development. To create Express Runtime solutions, you must develop or modify existing wrappers. A wrapper is an XML definition of an application or solution. The Express Runtime developer includes custom editors that help you assemble solutions quickly and easily. The custom editors automatically generate necessary XML wrappers as you provide simple information about applications and solutions.

Express Runtime also includes sample application and solution wrappers for use with the Express Runtime developer. You can edit existing wrappers and create new wrappers to deliver tailored solutions to customers.

## Solution launcher

The solution launcher is a utility that helps you start the deployment wizard and deploy a solution directly from a CD or DVD. With a solution launcher image, you can give your solution directly to end users for easy installation. Creating a solution launcher image is simple. The image can be created by an export wizard within the Express Runtime developer. The solution developer should complete the creation and testing of your solution. Then, export a completed solution as a solution launcher image. With the image exported, the solution distributor can use media burning software to create CDs or DVDs of a solution for distribution to end users.

## Deployment wizard

The deployment wizard is an easy-to-use tool for deploying solutions. It can be used by solution distributors and end users. End users can use solution launcher image CDs or DVDs to automatically start the deployment wizard. With the deployment wizard started, the end customer is guided through the deployment of your solution. A solution developer can choose to expose as much or as little of the configuration information of a solution as you believe necessary for end users. By limiting the configuration information, the solution is installed with the configuration that optimizes the performance of the solution and provides the necessary security to run according to your recommendations.

The deployment wizard enables the deployment of solutions either locally or remotely and provides help with the following tasks:

- Selecting tasks to deploy
- Specifying target computers for each task
- Configuring deployment parameters for each task
- Reviewing task summary information
- Deploying one or more tasks
- Monitoring deployment status

## IBM Installation Agent

The IBM Installation Agent enables solutions to be installed on target computers. Each target computer, with the exception of localhost, must have an IBM Installation Agent installed and running before deployments to the target computer

can begin. The deployment wizard communicates with the target computer through the IBM Installation Agent. More information on the installation agent is available in the IBM Installation Agent InfoCenter.

---

## Express Runtime system management components

The end user can maintain and perform administrative tasks on the middleware components installed as part of a solution. Express Runtime offers a system management component for performing routine maintenance and administrative tasks on the middleware components.

### Express Runtime console

The Express Runtime console helps end customer manage servers on multiple platforms from a single Web-based location. It provides a simple method for performing administrative tasks on servers hosting Express Runtime middleware components with a consistent user interface. Using the Express Runtime console, you can perform the following tasks:

- Managing the Express Runtime middleware
- Common logging for Express Runtime middleware components for a single, integrated point of problem determination for all the software components in a middleware solution for improved troubleshooting
- Performing frequent administrative tasks
- Customizing tasks to an individual's user role

To use the Express Runtime console, you deploy the console to target computers, just like the IBM middleware components. The deployment installs the console software, and you refer to the Express Runtime console documentation for instructions on how to configure the console to monitor and administer other software.

---

## Chapter 3. Installing Express Runtime

Express Runtime supports multiple platforms for development and deployment. Before installing Express Runtime, you should verify that the computer where you plan to install Express Runtime, and all computers that you plan to deploy a solution to remotely, meet the minimum system requirements.

This chapter includes the following information:

- System requirements for Express Runtime development
- Supported operating systems for Express Runtime development
- Supported operating systems for Express Runtime deployment
- Installing Express Runtime

---

### Express Runtime system requirements

This topic lists the hardware and software prerequisites for installing and using Express Runtime.

#### Operating system support

The following tables show which specific operating systems are supported for each basic platform type:

##### Windows

Operating System	Development or Deployment	Deployable as Target OS?
Windows XP Professional SP™ 2 <b>Note:</b> Informix Dynamic Server is the only Express Runtime middleware that supports Windows XP Professional SP 2.	both	No
Windows 2000 Server SP 4	both	Yes
Windows 2000 Advanced Server SP 4	both	Yes
Windows 2000 Professional SP 3	both	Yes
Windows Server 2003, Standard Edition SP 1	both	Yes
Windows Server 2003, Enterprise Edition SP 1	both	Yes

##### Linux (Intel® Pentium® or equivalent platforms only)

Operating System	Development or Deployment	Deployable as Target OS?
Red Flag Advanced Server 4.1	deployment only	Yes
Red Hat Enterprise Linux 3.0 WS/AS/ES	both	Yes
Red Hat Enterprise Linux 4.0 WS/AS/ES	deployment only	Yes
SUSE LINUX Enterprise Server 8.0	deployment only	Yes

Operating System	Development or Deployment	Deployable as Target OS?
<b>Note:</b> Informix Dynamic Server is not supported on SUSE LINUX Enterprise Server 8.0		
SUSE LINUX Enterprise Server 9.0	both	Yes

### Linux (IBM POWER5™ processor-based technology systems only)

Operating System	Development or Deployment	Deployable as Target OS?
Linux on POWER™ (using SUSE LINUX Enterprise Server 9.0)	deployment only	Yes
Red Hat Enterprise Linux AS 3.0		
Red Hat Enterprise Linux AS 4.0		
AIX 5.3	neither	Yes

### OS/400

Operating System	Development or Deployment	Deployable as Target OS?
V5R2	neither	Yes

### i5/OS<sup>1</sup>

Operating System	Development or Deployment	Deployable as Target OS?
V5R3 and V5R3M5	neither	Yes

## Windows development requirements

- A minimum of 1 GB of memory. Additional memory might be required if middleware is installed on the same computer. Refer to the middleware specific requirements for more details
- At minimum, an Intel Pentium or equivalent processor with a minimum clock speed of 600 MHz. A Pentium or equivalent class processor with a minimum clock speed of 1.2 GHz recommended.
- The following network support must be configured when deploying solutions to network-attached target computers:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.
- An SVGA monitor with a minimum 1024 x 768 video resolution configured to display a minimum color depth of 256 colors.
- One of the following Web browsers:
  - Internet Explorer 6.0 SP1 +

1. The OS/400 operating system is known as the i5/OS operating system beginning with V5R3.

- Mozilla 1.7
- Firefox 1.0
- Approximately 19 GB of disk space to install and run Express Runtime (9 GB of the 19 GB is temporary space used during the installation).
- Administrative authority (required for product installation and uninstallation).
- Eclipse versions supported (IBM JRE 1.4.2.1 required) - based on the following:
  - IES - Eclipse Full SDK - 3.0.1
  - eclipse.org - Eclipse SDK - 3.0.1

### **Linux development requirements**

- A minimum of 1 GB of memory. Additional memory might be required if middleware is installed on the same computer. Refer to the middleware specific requirements for more details
- At minimum, an Intel Pentium or equivalent processor with a minimum clock speed of 600 MHz. A Pentium or equivalent class processor with a minimum clock speed of 1.2 GHz recommended.
- The following network support must be configured when deploying solutions to network-attached target computers:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.
- An SVGA monitor with a minimum 1024 x 768 video resolution configured to display a minimum color depth of 256 colors.
- Any Linux supported video card that supports the resolution requirements.
- One of the following Web browsers:
  - Mozilla 1.7
  - Firefox 1.0
- Approximately 19 GB of disk space to install and run Express Runtime (9GB of the 19GB is temporary space used during the installation).
- Administrative authority (required for product installation and uninstallation).
- The 32 bit version of the compat-libstdc rpm package.
- Eclipse versions supported (IBM JRE 1.4.2.1 required) - based on the following:
  - IES - Eclipse Full SDK - 3.0.1
  - eclipse.org - Eclipse SDK - 3.0.1

### **Windows deployment server requirements**

- A minimum of 512 MB of memory; 1 GB recommended. Additional memory might be required if middleware is installed on the same computer. Refer to the middleware specific requirements for more details.
- At minimum, an Intel Pentium or equivalent processor with a minimum clock speed of 600 MHz. A Pentium or equivalent class processor with a minimum clock speed of 1.2 GHz recommended.
- The following network support must be configured when deploying solutions to network-attached target computers:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.

- An SVGA monitor with a minimum 1024 x 768 video resolution configured to display a minimum color depth of 256 colors.
- One of the following Web browsers:
  - Internet Explorer 6.0 SP1 +
  - Mozilla 1.7
  - Firefox 1.0
- Approximately 14 GB of disk space to install and run Express Runtime (7 GB of the 14 GB is temporary space used during the installation).
- Administrative authority (required for product installation and uninstallation).

### **Linux deployment server requirements**

- A minimum of 512 MB of memory; 1 GB recommended. Additional memory might be required if middleware is installed on the same computer. Refer to the middleware specific requirements for more details.
- At minimum, an Intel Pentium or equivalent processor with a minimum clock speed of 600 MHz. A Pentium or equivalent class processor with a minimum clock speed of 1.2 GHz recommended.
- The following network support must be configured when deploying solutions to network-attached target computers:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.
- An SVGA monitor with a minimum 1024 x 768 video resolution configured to display a minimum color depth of 256 colors.
- Any Linux supported video card that supports the resolution requirements.
- One of the following Web browsers:
  - Mozilla 1.7
  - Firefox 1.0
- Approximately 14 GB of disk space to install and run Express Runtime (7 GB of the 14 GB is temporary space used during the installation).
- Administrative authority (required for product installation and uninstallation).
- The 32 bit version of the compat-libstdc rpm package is required.

### **Linux on IBM POWER deployment server requirements**

- 2 GB of memory.
- A RS64-IV processor with a minimum clock speed of 600 MHz.
- The following network support must be configured when deploying solutions to network-attached target computers:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.
- An SVGA monitor with a minimum 1024 x 768 video resolution configured to display a minimum color depth of 256 colors.
- Any Linux supported video card that supports the resolution requirements.
- One of the following Web browsers:
  - Mozilla 1.7
  - Firefox 1.0



- Approximately 14 GB of disk space to install and run Express Runtime (7GB of the 14GB is temporary space used during the installation).
- Administrative authority (required for product installation and uninstallation).
- The 32 bit version of the compat-libstdc rpm package is required.

### **Windows deployment target requirements**

- A minimum of 512 MB of memory; 1 GB recommended. Additional memory might be required if middleware is installed on the same computer. Refer to the middleware specific requirements for more details.
- At minimum, an Intel Pentium or equivalent processor with a minimum clock speed of 600 MHz. A Pentium or equivalent class processor with a minimum clock speed of 1.2 GHz recommended.
- The following network support must be configured when deploying solutions to network-attached target computers:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.
- An SVGA monitor with a minimum 1024 x 768 video resolution configured to display a minimum color depth of 256 colors.
- One of the following Web browsers:
  - Internet Explorer 6.0 SP1 +
  - Mozilla 1.7
  - Firefox 1.0
- Approximately 150 MB of disk space to install and run the IBM Installation Agent (75 MB of the 150 MB is temporary space used during the installation).
- Administrative authority (required for product installation and uninstallation).

### **Linux deployment target requirements**

- A minimum of 512 MB of memory; 1 GB recommended. Additional memory might be required if middleware is installed on the same computer. Refer to the middleware specific requirements for more details.
- At minimum, an Intel Pentium or equivalent processor with a minimum clock speed of 600 MHz. A Pentium or equivalent class processor with a minimum clock speed of 1.2 GHz recommended.
- The following network support must be configured when deploying solutions to network-attached target computers:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.
- An SVGA monitor with a minimum 1024 x 768 video resolution configured to display a minimum color depth of 256 colors.
- Any Linux supported video card that supports the resolution requirements
- One of the following Web browsers:
  - Mozilla 1.7
  - Firefox 1.0
- Approximately 160 MB of disk space to install and run the IBM Installation Agent (80 MB of the 160 MB is temporary space used during the installation).
- Administrative authority (required for product installation and uninstallation).
- The 32 bit version of the compat-libstdc rpm package is required.

## Linux on IBM POWER deployment target requirements

- 1 GB of memory; 1.5 GB recommended. Additional memory might be required if middleware is installed on the same computer. Refer to the middleware specific requirements for more details.
- A RS64-IV processor with a minimum clock speed of 600 MHz.
- The following network support must be configured when deploying solutions to network-attached target computers:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.
- An SVGA monitor with a minimum 1024 x 768 video resolution configured to display a minimum color depth of 256 colors.
- Any Linux supported video card that supports the resolution requirements.
- One of the following Web browsers:
  - Mozilla 1.7
  - Firefox 1.0
- Approximately 160 MB of disk space to install and run the IBM Installation Agent (80 MB of the 160 MB is temporary space used during the installation).
- Administrative authority (required for product installation and uninstallation).
- The 32 and 64 bit versions of the compat-libstdc rpm package is required.

## AIX® deployment target requirements

- 1 GB of memory. Additional memory might be required if middleware is installed on the same computer. Refer to the middleware specific requirements for more details.
- An IBM® POWER3™ -II processor with a minimum clock speed of 400® MHz.
- A monitor with a minimum 1024 x 768 video resolution configured to display a minimum color depth of 256 colors (only required for GUI-based tasks, such as interactive installation; not needed for silent installation or command-line functions).
- The following network support, which must be configured:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.
- Mozilla 1.7 Web browser
- Approximately 75 MB of disk space to install the IBM Installation Agent, plus 75 MB available in the system temporary folder. Additional space is required to deploy and run each application that you install on a target computer.

## i5/OS and OS/400 deployment target requirements

- OS/400 V5R2 (5722SS1) or i5/OS V5R3 (5722SS1) or i5/OS V5R3M5 (5722SS1)
  - For V5R2, SF99520 Cumulative PTF pack and SF99169 Java Group PTF
  - For V5R3Mx, SF99530 Cumulative PTF pack and SF99269 Java Group PTF
- Host Servers (5722SS1, option 12)
- QShell (5722SS1, option 30) -
- Java Developer Kit 1.4 (5722JV1, option 6)
- Crypto Access Provider 128-bit (5722AC3)
- XML Toolkit (5733XT1)

- The most recent WebSphere version 6 group and cumulative PTFs
- The following network support must be configured:
  - TCP/IP
  - DNS
- A local area network (LAN) connection.
- Approximately 20 MB of disk space to install and run the IBM Installation Agent (an additional 80 MB require temporary space used during the installation).
- Administrative authority (required for product installation and uninstallation).

## Middleware requirements

### DB2 UDB - Express 8.2 FP3

The hardware and software requirements are provided in the DB2 UDB - Express InfoCenter:

<http://publib.boulder.ibm.com/infocenter/db2help/index.jsp>

### Informix Dynamic Server - Express TC3E for Windows and Informix Dynamic Server UC3E for Linux

The hardware and software requirements are provided in the Informix Dynamic Server InfoCenter:

<http://publib.boulder.ibm.com/infocenter/ids9help/index.jsp>

For Linux platforms, the following prerequisite RPM packages are required:

- libstdc++-3.\*
- pam-0.75\*
- libgcc-3.2\*
- glibc-2.3.\*
- ncurses-5.\*

For Linux platforms, the following are required for Informix Storage Manager:

- glibc-devel-2.3.\*
- pdksh\*

For Linux platforms, the following are require to use optional graphical tools:

- openmotif-2.2\*
- XFree86-libs-4.\* (xorg-x11-libs-6.8.1 on Red Hat Enterprise Linux 4.0)

**Note:** \* = the build number is irrelevant.

If Informix Dynamic Server is to be used on Windows platforms, the drive where Informix Dynamic Server is to be installed must be formatted as NTFS.

### WebSphere Application Server - Express 6.0.2

The hardware and software requirements are provided in the WebSphere Application Server - Express InfoCenter:

<http://publib.boulder.ibm.com/infocenter/wasinfo/v6r0/index.jsp>

## IBM HTTP Server

The hardware and software requirements are provided in the WebSphere Application Server - Express InfoCenter:

<http://publib.boulder.ibm.com/infocenter/wasinfo/v6r0/index.jsp>

## Rational Web Developer 6.0

The hardware and software requirements are provided in the Rational Web Developer InfoCenter:

<http://www.ibm.com/software/awdtools/developer/web/sysreq/>

Note: for Linux platforms, Rational Web Developer requires that Mozilla 1.4 be installed before it can be run.

## Express Runtime console

The hardware and software requirements are provided in the Express Runtime console InfoCenter:

<http://publib.boulder.ibm.com/infocenter/iru21inf/index.jsp>

---

## Supported IBM Installation Agent operating systems

You must install the IBM Installation Agent on all computers that you plan to deploy to remotely. Using the table below, verify that all computers you plan to deploy to remotely use a supported IBM Installation Agent operating system.

*Table 1.*

Platform	Deployment targets
AIX 5.3	Yes
OS/400 V5R2 & V5R3	Yes
Red Hat Linux 3.0 - Red Hat Enterprise Linux	Yes
SUSE LINUX 9.0 - SUSE LINUX Enterprise Server	Yes
SUSE LINUX 8.0 - SUSE LINUX Enterprise Server	Yes
<b>Note:</b> Informix Dynamic Server is not supported on SUSE LINUX Enterprise Server 8.0	
LINUX on POWER	Yes
(using SUSE LINUX Enterprise Server 9.0, Red Hat Enterprise Linux AS 3.0, Red Hat Enterprise Linux AS 4.0)	
RedFlag AS 4.1 Linux	Yes
Windows 2000 Server or Advanced Server w/SP4+	Yes
Windows 2003 Server Standard and Enterprise w/SP1+	Yes

Table 1. (continued)

Platform	Deployment targets
Windows XP Professional w/SP2+	Yes
<b>Note:</b> With the exception of Informix Dynamic Server, no Express Runtime middleware supports Windows XP Professional w/SP2	
Windows 2000 Professional w/SP3+	Yes

---

## Installing Express Runtime and the IBM Installation Agent

This section provides basic information on installing Express Runtime and the IBM Installation Agent. The solution developer should install Express Runtime. You might also choose to install only the deployment wizard on a computer that you plan to use for initiating deployments. You need to install the IBM Installation Agent on all computers that you plan to deploy to remotely.

### Installing Express Runtime on the staging server

Begin the installation of Express Runtime from the Express Runtime launch pad panel. The launch pad automatically starts from the Express Runtime installation CD or DVD. If you are deploying from a network location, or the launch pad does not automatically start, start it by using `launchpad.exe` on Windows or the `launchpad.sh` on Linux.

The launch pad provides controls for performing the following tasks:

- Viewing release information
- Viewing prerequisite information
- Viewing migration information
- Installing Express Runtime

For more information on installing Express Runtime, consult the Express Runtime InfoCenter.

### Installing the IBM Installation Agent on a target computer

You should install the IBM Installation Agent on each target computer that you plan to deploy to remotely. Begin the installation of the IBM Installation Agent from the IBM Installation Agent launch pad. The launch pad automatically starts from the installation CD. If you are deploying from a network location, or the launch pad does not automatically start, start it by using the `IIA_<OS>Launchpad` program, where `<OS>` is the operating system of the computer where you are installing the installation agent.

The IBM Installation Agent launch pad provides controls for performing the following tasks:

- Installing IBM Installation Agent
- Viewing the IBM Installation Agent prerequisite information.
- Viewing the IBM Installation Agent Readme

More information on installing the IBM Installation Agent is available in the IBM Installation Agent Installation Guide.



---

## Chapter 4. Using Express Runtime

This chapter presents an end-to-end scenario for developing and deploying a total business solution using Express Runtime. It contains an overview of the following tasks:

- Developing a solution
- Testing a solution
- Deploying a solution
- Distributing a solution

For more detailed information on any of the tasks, consult the Express Runtime InfoCenter.

---

### Developing a solution

The solution developer completes the development of a solution. To create the solution, the solution developer uses the Express Runtime developer to generate application and solution wrappers. The wrapper file uses XML to describe an application or solution. Express Runtime includes application wrappers for each Express Runtime middleware component. A solution developer can use these middleware applications as part of a solution. The solution developer writes application wrappers for custom applications. The solution developer must also create a solution wrapper to define the applications that a solution includes. Express Runtime provides a sample solution that the solution developer can use as a guide, or modify to reuse as a solution.

The Express Runtime developer includes several useful resources for solution developers. The Express Runtime developer includes custom editors that create XML wrappers for the solution developer as they provide descriptive information about applications or solutions. The Express Runtime developer also includes cheat sheets that guide the solution developer through the process of creating a wrapper.

You should decide the method you plan to use for distributing your solution and the licensing that is most appropriate for your solution during solution development. The licensing you decide on for a solution affects areas such as packaging, pricing and support. Consult expert legal counsel for advice on a solution's licensing requirements.

Once a solution has been developed, the solution developer generates the solution and begins testing. Generating the solution produces a file with a .ser extension. You can open this file in the deployment wizard.

---

### Testing a solution

The solution developer needs to test the solution before providing it to the solution distributor or end customer. The Express Runtime developer includes a test and debug environment. The solution can be tested in the Express Runtime developer with the "Test in deployment wizard" option. This option launches the deployment wizard inside the Express Runtime developer and helps the solution developer to see how the solution is presented to the end customer and to verify that the deployment can be completed successfully. The Express Runtime developer

provides a plug in to the Eclipse-based debugger and therefore can be used by a solution developer to debug problems before distribution begins.

---

## Distributing a solution

The solution distributor might distribute a solution as a solution launcher image, or by creating a staging server. If the solution is provided as a solution launcher image, the end customer is provided with a set of CDs or DVDs. When the first CD or DVD is inserted in the end user's computer, the deployment wizard starts with a solution open and ready to be deployed. The solution distributor might decide to create a staging server instead of providing a solution launcher image to end users. To create a staging server, the solution distributor installs only the deployment wizard to a computer. The solution distributor then deploys your solution, either locally or remotely, to target computers from the staging server.

---

## Deploying a solution

The solution can be deployed by the solution distributor or the end customer using the deployment wizard. The deployment wizard provides a simple graphical interface for deploying a solution.

A solution is presented as a list of tasks in the deployment wizard. The solution developer has specified in the Express Runtime solution which tasks should be visible, required, or optional. The solution developer has also specified the configuration parameters that can be specified by the end user at deployment.

To deploy a solution, perform the following steps:

1. Open the deployment wizard.
2. Click **File > Open**.
3. Locate the file provided by your solution developer with a .ser extension.
4. Click **Open**.
5. The deployment wizard welcome screen is displayed with information provided by your solution developer about your solution. Click **Next**.
6. On the Select Tasks panel, select at least one task to deploy. Click **Next**. Repeat for all Select Tasks panels.
7. On the Target Computers panel, specify a target computer hostname or IP address and click **Add**. To deploy to more than one target computer, add additional target computer hostnames. To deploy to your computer, enter localhost as the target computer hostname. Click **Next**. Repeat for all Target Computers panels.
8. On the Specify Parameters panel, complete all required configuration parameters. Click **Next**. Repeat for all Specify Parameters panels.
9. On the Summary panel, review the tasks you have configured to deploy.
10. To deploy all configured tasks, click **Deploy All**. To deploy only a specific task, click **Deploy** associated with the task if this option is available.
11. Monitor the deployment status until deployment is complete.



---

## Chapter 5. Other documentation available

The following table provides information about other documentation that you can use:

*Table 2. Other documentation*

Information unit	Purpose	How to access
Express Runtime InfoCenter	Describes pertinent product information from installation, development, deployment, and maintenance instructions, to concept and troubleshooting information	On the Web or from the Help menu in the deployment wizard.
Express Runtime console InfoCenter	Describes pertinent product information from installation, development, deployment, and maintenance instructions, to concept and troubleshooting information	On the Web.
Express Runtime release notes	Sometimes called a readme, describes product information that was not captured in the Express Runtime InfoCenter	From the Express Runtime CD or DVD.
IBM Installation Agent InfoCenter	Describes how to install and configure the IBM Installation Agent. Conceptual and troubleshooting information is also included.	From the IBM Installation Agent CD or DVD.
IBM Installation Agent release notes	Sometimes called a readme, describes product information that was not captured in the IBM Installation Agent InfoCenter	From the IBM Installation Agent CD or DVD.

The Express Runtime and Express Runtime console documentation resides on the Web at the following URL:

<http://publib.boulder.ibm.com/infocenter/iru21inf/index.jsp>

For IBM middleware documentation, install the middleware components to view each product's documentation. You can also access documentation for each middleware component on the World Wide Web:

**IBM DB2 Universal Database Express:**

<http://publib.boulder.ibm.com/infocenter/db2help/index.jsp/>

**Informix Dynamic Server Express:**

<http://publib.boulder.ibm.com/infocenter/ids9help/index.jsp>

**IBM WebSphere Application Server – Express**

<http://publib.boulder.ibm.com/infocenter/wasinfo/v6r0/index.jsp>

**IBM HTTP Server for Windows, Linux, and OS/400 or i5/OS**

<http://publib.boulder.ibm.com/infocenter/wasinfo/v6r0/index.jsp>

Business partners might provide documentation regarding solutions they provide separately from the Express Runtime documentation.

---

## Chapter 6. Troubleshooting

If you encounter errors during a deployment, perform the following tasks to identify the cause of the problem:

- On the Status dialog, click **Detailed Messages**. A table of messages appears in a new dialog. Double-click on a message to view more detailed information and to print the error details.
- Verify that your staging server can communicate with all of the target computers. Use the left navigation in the deployment wizard to click on the Specify Targets link. Click **Test Connections** on each Specify Targets dialog to verify that the agent is running on all of the target computers.
- View the log file: <InstallPath>\logs\IRU\_DeploymentWizard.log, where <InstallPath> is the location where you installed Express Runtime.
- Record any displayed error messages.



---

## Chapter 7. Accessibility

You can use screen-reader software to hear what is displayed on the user interface of the deployment wizard. You can operate all features using the keyboard instead of the mouse. Express Runtime honors system accessibility settings, such as font and color settings. Accelerator and mnemonic keys are enabled throughout Express Runtime. These are identified on the Menu bar and its associated pull-down menus.

You can use keys or key combinations to perform operations that can also be done through mouse actions. Many menu actions can be initiated from the keyboard. In those cases, the keyboard equivalent is displayed to the right of the menu item or the shortcut letter is underlined. In addition, the following keyboard shortcuts are enabled:

**Tab** Navigates through the user interface.

**Arrow keys**

Navigate within each panel in the user interface.

**F3** Decreases size of selected column incrementally.

**F4** Increases size of selected column incrementally.

**F5** Moves selected column to the left.

**F6** Moves selected column to the right

**Navigating in Linux**

If you have trouble navigating a panel in Linux using CTRL+Tab, use CTRL+ALT+Tab instead. If this is not your default navigation method, refer to your operating system documentation to change the navigation settings.



---

## Chapter 8. Trademarks

The following terms are trademarks of the IBM Corporation in the United States, other countries or both:

- AIX
- DB2
- IBM
- i5/OS
- Informix
- OS/400
- WebSphere

Java, and all Java-based trademarks and logos and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft<sup>®</sup> and Windows and Windows NT<sup>®</sup> are registered trademarks of Microsoft Corporation in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries or both.

UNIX<sup>®</sup> is a registered trademark of The Open Group.

Intel and Pentium are registered trademarks of Intel Corporation in the United States, other countries, or both.

Other company, product, and service names might be trademarks or service marks of others.





---

## Appendix. Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing  
IBM Corporation  
North Castle Drive  
Armonk, NY 10504-1785  
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation  
Licensing  
2-31 Roppongi 3-chome, Minato-ku  
Tokyo 106-0032, Japan

**The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:**

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation  
Software Interoperability Coordinator, Department 49XA  
3605 Highway 52 N  
Rochester, MN 55901  
U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this information and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement, or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

#### COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

If you are viewing this information softcopy, the photographs and color illustrations may not appear.





Printed in USA