

*IBM WebSphere Business Integration Collaborations
for Property and Casualty Insurance Version 1.0
IBM WebSphere Business Integration Collaborations
Version 4.5*



Installation Guide

Note!

Before using this information and the product it supports, be sure to read the general information under “Notices and Trademarks” on page 7.

Fifth Edition (December 2003)

This edition applies to:

Version 1 of IBM® WebSphere® Business Integration Collaborations for Life Insurance (5724-H57)

Version 1 of IBM WebSphere Business Integration Collaborations for Property and Casualty Insurance (5724-H58)

Version 4, Release 5, of IBM WebSphere Business Integration Collaborations (5724-C12)

and to all subsequent releases and modifications until otherwise indicated in new editions.

IBM welcomes your comments. You can send them to the following address:

IBM Canada Ltd. Laboratory
Information Development
8200 Warden Avenue
Markham, Ontario, Canada L6G 1C7

Include the title and order number of this book, and the page number or topic related to your comment.

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© Copyright International Business Machines Corporation 2002, 2003. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

| | |
|--|----------|
| Installing the solution | 1 |
| Related documents | 1 |
| Naming conventions. | 1 |
| Software prerequisites | 2 |
| Solution contents | 3 |
| WebSphere Business Integration Collaborations | |
| for Life Insurance | 3 |
| WebSphere Business Integration Collaborations for | |
| Property and Casualty Insurance | 3 |
| Installing WebSphere Business Integration | |
| Collaborations using System Manager | 4 |

| | |
|---|---|
| Creating the collaboration objects | 5 |
| Deploying to WebSphere InterChange Server . . . | 5 |

| | |
|--|----------|
| Notices and Trademarks. | 7 |
| Notices | 7 |
| Programming interface information. | 8 |
| Trademarks and service marks | 9 |

Installing the solution

This document describes how to install the IBM WebSphere Business Collaborations for the insurance industry on Microsoft^(R) Windows^(R) systems.

IBM^(R) WebSphere^(R) Business Integration Collaborations for Life Insurance consists of the following collaborations:

- WebSphere Business Integration Collaboration for Partial Withdrawal Surrender Quote (PWSC)
- WebSphere Business Integration Collaboration for Traditional Life Policy Addition (TLPA)

IBM^(R) WebSphere^(R) Business Integration Collaborations for Property and Casualty Insurance consists of the following collaborations:

- WebSphere Business Integration Collaboration for HomeOwner First Loss (HOFL)
- WebSphere Business Integration Collaboration for Personal Articles Coverage Quote (PACQ)

This release of the WebSphere Business Integration Collaborations for the insurance industry replaces the one that is packaged with IBM WebSphere InterChange Server V4.2 or V4.2.1. Instead of selecting WebSphere Business Integration Collaborations for Insurance from the WebSphere InterChange Server 4.2 or 4.2.1 InstallShield, use these installation instructions to install the most current version of the collaborations.

If you have already installed the WebSphere Business Integration Collaborations for Insurance as part of WebSphere InterChange Server V4.2 or V4.2.1, you must follow the instructions in this document to **upgrade to the current version**. Note any changes or modifications that have been made to your Insurance collaboration files so that you can reapply them after you install the latest version.

Related documents

In order to implement a solution using WebSphere Business Integration Collaborations for the insurance industry, you may need to refer to one or both of the following WebSphere InterChange Server documents (see the WebSphere Business Integration Library):

- IBM WebSphere InterChange Server System Installation Guide for Windows
- IBM WebSphere InterChange Server System Administration Guide

Naming conventions

In this section, the following conventions are used to refer to directories, names, IDs, and passwords:

Table 1. Conventions

| Notation | Description | Example |
|----------|---|---------------------|
| <WICS> | Directory where IBM WebSphere InterChange Server is installed | C:\IBM\WebSphereICS |

Table 1. Conventions (continued)

| Notation | Description | Example |
|----------------|--|-----------------|
| <WBII-PWSC> | Directory where the WebSphere Business Integration Collaborations for Insurance (PWSC) are installed | C:\IBM\ESD\PWSC |
| <WBII-PACQ> | Directory where the WebSphere Business Integration Collaborations for Insurance (PACQ) are installed | C:\IBM\ESD\PACQ |
| <WBII-HOFL> | Directory where the WebSphere Business Integration Collaborations for Insurance (HOFL) are installed | C:\IBM\ESD\HOFL |
| <WBII-TLPA> | Directory where the WebSphere Business Integration Collaborations for Insurance (TLPA) are installed | C:\IBM\ESD\TLPA |
| <WICSERVER> | Server name where IBM WebSphere InterChange Server is installed | wicserver |
| <WICSADMINID> | Administrator ID for IBM WebSphere InterChange Server | admin |
| <WICSADMINPWD> | Administrator password for IBM WebSphere InterChange Server | null |

Software prerequisites

IBM WebSphere InterChange Server and its prerequisites should be installed appropriately for your platform. Prerequisites include the following:

- IBM WebSphere InterChange Server V4.2.0 or V4.2.1, including:
 - Borland Visibroker V4.5
 - WebSphere MQ V5.3.0.1
- IBM WebSphere Business Integration Toolset V4.2.0 or V4.2.1
- IBM DB2^(R) Universal Database V8.1 with Service Pack (or another supported database)
- IBM WebSphere Business Integration Adapter for JDBC
- JavaTM Development Kit 1.3.1_06

Installation instructions for a full WebSphere InterChange Server installation, including WebSphere InterChange Server, Borland Visibroker, WebSphere Business Integration Toolset, and WebSphere MQ, are provided in IBM WebSphere InterChange Server System Installation Guide for Windows.

Solution contents

This section lists the contents of the WebSphere Business Integration Collaborations for the insurance industry. (**Note:** The files that you install will depend on the particular insurance collaborations that you have purchased.) All the files described in this section are located in their respective <WBII> directories.

The contents of WebSphere Business Integration Collaborations for the insurance industry are listed in the following tables.

WebSphere Business Integration Collaborations for Life Insurance

Table 2. IBM WebSphere Business Integration Collaboration for Partial Withdrawal Surrender Quote

| File name | Description |
|--|--|
| BIA_BO_PartialWithdrawalSurrenderQuote.jar | IBM WebSphere Business Integration Business Object repository file for PWSC |
| BIA_CT_PartialWithdrawalSurrenderQuote.jar | WebSphere Business Integration Collaboration Template repository file for PWSC |
| BIA_NM_PartialWithdrawalSurrenderQuote.jar | IBM WebSphere Business Integration Map repository file for PWSC |

Table 3. IBM WebSphere Business Integration Collaboration for Traditional Life Policy Addition

| File name | Description |
|-------------------------------------|--|
| BIA_BO_AddTraditionalLifePolicy.jar | IBM WebSphere Business Integration Business Object repository file for TLPA |
| BIA_CT_AddTraditionalLifePolicy.jar | WebSphere Business Integration Collaboration Template repository file for TLPA |
| BIA_NM_AddTraditionalLifePolicy.jar | IBM WebSphere Business Integration Map repository file for TLPA |

WebSphere Business Integration Collaborations for Property and Casualty Insurance

Table 4. IBM WebSphere Business Integration Collaboration for HomeOwner First Loss

| File name | Description |
|--|--|
| BIA_BO_ValidateLossInputAndSubmitClaim.jar | IBM WebSphere Business Integration Business Object repository file for HOFL |
| BIA_CT_ValidateLossInputAndSubmitClaim.jar | WebSphere Business Integration Collaboration Template repository file for HOFL |

Table 4. IBM WebSphere Business Integration Collaboration for HomeOwner First Loss (continued)

| File name | Description |
|--|---|
| BIA_NM_ValidateLossInputAndSubmitClaim.jar | IBM WebSphere Business Integration Map repository file for HOFL |

Table 5. IBM WebSphere Business Integration Collaboration for Personal Articles Coverage Quote

| File name | Description |
|--|--|
| BIA_BO_PersonalArticlesCoverageQuote.jar | IBM WebSphere Business Integration Business Object repository file for PACQ |
| BIA_CT_PersonalArticlesCoverageQuote.jar | WebSphere Business Integration Collaboration Template repository file for PACQ |
| BIA_NM_PersonalArticlesCoverageQuote.jar | IBM WebSphere Business Integration Map repository file for PACQ |

Installing WebSphere Business Integration Collaborations using System Manager

To install IBM WebSphere Business Integration Collaborations for the insurance industry, complete the following steps for each of the insurance collaborations that you are installing:

1. To install the Generic Business Objects repository files, start the System Manager, right-click the appropriate Integration Component Library instance and select **Import Repository File**. Import the appropriate Business Objects file, for example, BIA_BO_PartialWithdrawalSurrenderQuote.jar. (**Note:** The Business Objects file will have **_BO_** in the file name.)
Important: If you are upgrading the collaboration, this file will replace the existing business object files. Before you import, be sure to back up or copy any object that was modified after you first installed, in order to re-apply these changes to the object after you have finished importing.
2. To install the Collaboration Templates repository file, right-click the appropriate Integration Component Library instance and select **Import Repository File**. Import the appropriate Collaboration Template file, for example, BIA_CT_PartialWithdrawalSurrenderQuote.jar. (**Note:** The Collaboration Template file will have **_CT_** in the filename.)
Important: If you are upgrading the collaboration, this file will replace the existing collaboration files. Before you import, be sure to back up or copy any object that was modified after you first installed, in order to re-apply these changes to the object after you have finished importing.
3. To install the Maps repository file, right-click the appropriate Integration Component Library instance and select **Import Repository File**. Import the appropriate Map file, for example, BIA_NM_PartialWithdrawalSurrenderQuote.jar. (**Note:** The Map file will have **_NM_** in the filename. Refer to the IBM WebSphere InterChange Server System Installation Guide for Windows for further information on configuring your database server for stored procedures with DB2 and the requirements for a C++ compiler.

Important: If you are upgrading the collaboration, this file will replace the existing relationship files. Before you import, be sure to back up or copy any object that was modified after you first installed, in order to re-apply these changes to the object after you have finished importing.

Creating the collaboration objects

To create the collaboration objects, complete the following steps:

1. In System Manager, right-click the Collaboration Templates Component, select **Compile All**, and compile the templates.
2. In System Manager, right-click the Collaboration Objects Integration Component, select **New Collaboration Object**, and create a new object. (**Note:** You can delete the existing object before creating the new object.)

Repeat the previous steps for each Insurance collaboration that you want to install.

Deploying to WebSphere InterChange Server

Be sure to deploy each of the following components to the WebSphere InterChange Server:

1. Business objects
2. Collaboration templates
3. Collaboration objects
4. Collaboration maps

Notices and Trademarks

Proprietary Information

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Notices

IBM may not offer the products, services, or features discussed in this document in all countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created

programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Burlingame Laboratory Director
IBM Burlingame Laboratory
577 Airport Blvd., Suite 800
Burlingame, CA 94010
U.S.A

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement, or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurement may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not necessarily tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information may contain examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples may include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

COPYRIGHT LICENSE

This information may contain sample application programs in source language, which illustrates programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.

Programming interface information

Programming interface information, if provided, is intended to help you create application software using this program.

General-use programming interfaces allow you to write application software that obtain the services of this program's tools.

However, this information may also contain diagnosis, modification, and tuning information. Diagnosis, modification and tuning information is provided to help you debug your application software.

Warning: Do not use this diagnosis, modification, and tuning information as a programming interface because it is subject to change.

Trademarks and service marks

The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States or other countries, or both:

IBM
the IBM logo
AIX
AS/400e
CrossWorlds
DB2
DB2 Universal Database
iSeries
Lotus
Lotus Notes
MQIntegrator
MQSeries
OS/400
Tivoli
WebSphere

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

MMX, Pentium, and ProShare are trademarks or registered trademarks of Intel Corporation in the United States, other countries, or both.

Solaris, Java, and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

UCC and UCCnet are trademarks of Uniform Code Council, Inc., UCCnet, Inc. or both, in the United States, other countries, or both.

UCCnet Messaging is a product and/or trademark of UCCnet and is used with permission.

Other company, product, or service names may be trademarks or service marks of others.

IBM WebSphere InterChange Server Version 4.2.2

IBM WebSphere Business Integration Toolset Version 4.2.2

IBM WebSphere Business Integration Adapters Version 2.4



