

IBM WebSphere Process Server for Multiplatforms



# Technical Overviews

*Version 7.0.0*

**30 April 2010**

This edition applies to version 7, release 0, modification 0 of WebSphere Process Server for Multiplatforms (product number 5724-L01) and to all subsequent releases and modifications until otherwise indicated in new editions.

To send us your comments about this document, send an e-mail message to [doc-comments@us.ibm.com](mailto:doc-comments@us.ibm.com). We look forward to hearing from you.

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© **Copyright IBM Corporation 2005, 2010.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

<b>Technical overviews . . . . .</b>	<b>1</b>	Transforming data . . . . .	33
Service Component Architecture . . . . .	1	Working with business objects . . . . .	37
SCA and service invocation . . . . .	1	Business graphs . . . . .	38
Modules . . . . .	2	Relationships . . . . .	41
Service components . . . . .	5	Relationship service . . . . .	43
Stand-alone references . . . . .	16	Relationship manager . . . . .	44
Business objects . . . . .	16	Relationships in Network Deployment environments . . . . .	44
Business objects . . . . .	17	Relationship service APIs . . . . .	45
The business object framework . . . . .	18	The enterprise service bus in WebSphere Process Server . . . . .	45
Business object framework in version 7.0 . . . . .	19	Connecting services through an enterprise service bus . . . . .	45
Business object definitions and instances . . . . .	21	Enterprise service bus messaging infrastructure . . . . .	47
Business objects and XML schema definitions (XSDs) . . . . .	23	Service applications and service modules . . . . .	51
Business object inheritance . . . . .	25	Message Service clients . . . . .	64
Service message objects . . . . .	28		
Business objects use patterns . . . . .	31		



---

## Technical overviews

Technical overview information introduces the standards and technical aspects related to the product architecture.

---

### Service Component Architecture

Service Component Architecture (SCA) enables a service-oriented architecture and is made available by many corporations including IBM®. SCA is a platform and vendor independent programming model that provides a simple and consistent means for expressing business logic and business data as SOA services, regardless of technical implementation details. In this section, we examine SCA services and data objects.

#### SCA and service invocation

If you take the three aspects of a programming model, which are data, invocation, and composition, and apply some of the new paradigms of a services-based approach, the new programming model for SOA starts to emerge. Service Component Architecture (SCA) provides a way of invoking business services within SOA solutions.

The architectural constructs that make up a service-oriented architecture include a way to represent the data that is exchanged between services, a mechanism for invoking services, and a way to compose services into larger integrated business applications. Today there are many different programming models for supporting each of these. This situation presents developers with the challenge of not only solving a particular business problem, but also choosing and understanding the appropriate implementation technology. One of the important goals of the WebSphere® Process Server SOA solution is to mitigate these complexities. This is done by converging the various programming models used for implementing service-oriented business applications into a simplified programming model.

This section focuses specifically on the Service Component Architecture (SCA) in WebSphere Process Server as the service-oriented component model for defining and invoking business services. SCA plays an important role in providing an invocation model for the SOA solution in WebSphere Process Server. SCA also plays a role in composing business services into composite business applications.

First, we see that data is primarily represented by Extensible Markup Language (XML) and is programmed with business objects based on the Service Data Object (SDO) specification or through native XML facilities such as XPath or XSLT (Extensible Stylesheet Language Transformation). Second, service invocation maps to Service Component Architecture (SCA). Finally, composition is embodied in process orchestration using Business Process Execution Language (BPEL). The figure shows the three aspects of this new programming model.




Figure 1. Representing data, invocation, and composition within a programming model for SOA

SCA is aimed at providing a simplified programming model for writing applications that run in a Java EE runtime environment, and is based upon concepts and techniques that are refinements of existing Java EE technology. One of the important aspects of SCA is to enable the separation between application business logic and the implementation details. In order to accomplish this, SCA provides a single abstraction for service types that might already be expressed as session beans, Web services, Java classes, or BPEL. The ability to separate business logic from infrastructure logic is important to help reduce the IT resources needed to build an enterprise application, and give developers more time to work on solving a particular business problem rather than focusing on the details of which implementation technology to use.

## Modules

A *module* is a unit of deployment that determines which artifacts are packaged together in an Enterprise Archive (EAR) file. Components within a module are collocated for performance, and can pass their data by reference. A module can be seen as a scoping mechanism; that is, it sets an organizational boundary for artifacts.

A module is a composite of service components, imports, and exports. The service components, imports, and exports reside in the same project and root folder, which also contain the wiring that links the components and the bindings needed for the imports and exports. A module may also contain the implementations and interfaces referenced by its components, imports and exports, or these may be placed in other projects, such as a library project.

There are two types of modules. First, a module called *module* (sometimes referred to as a business integration module) that contains a choice of many component types, often used to support a business process. Second, a module called a *mediation module*, which contains up to one component, one or more mediation flow components, plus zero or more Java™ components that augment the mediation flow component.

A module may contain one or more mediation flow components.

Why are there two module types? The first type of module is primarily designed for business processes. A mediation module is like a gateway to existing external services, which is common in enterprise service bus architectures. These external services or exports are accessed in a mediation module by imports or service providers. By decoupling client service requesters from service providers by a mediation flow, your applications gain flexibility and resilience, a goal of service-oriented architecture. For example, your mediation flow can log incoming messages, route messages to a specific service determined at run time or transform data to make it suitable to pass to another service. These functions can be added and changed over time without modifying the requester or provider services.

A module results in a service application tested and deployed to the WebSphere Process Server. A mediation module results in a service application tested and deployed to either the WebSphere Process Server or the WebSphere Enterprise Service Bus server. Both types of modules support imports and exports.

Implementations, interfaces, business objects, business object maps, roles, relationships, and other artifacts often need to be shared among modules. A *library* is a project used to store these shared resources.

In Figure 2 on page 4, the module contains two service components, each containing an implementation. The module also contains the appropriate interfaces and references required by the service components. The second service component does not contain a reference because it does not invoke any external service.





Figure 2. Structure of a module

In Figure 3, the module contains an export, two imports, and a service component that uses them. Wiring is shown linking the interfaces and references.

Figure 3. Service module





Module and mediation module artifacts include:

- Module definition - defines the module.
- Service components - definitions of the services in the module. A service component name inside a module is unique. However, a service component can have an arbitrary display name, which is typically a name more useful to a user.
- Imports - definitions of imports, which are calls to services external to this module. Imports have bindings, which are discussed in the Bindings section.
- Exports - definitions of exports, which are used to expose components to callers that are external to this module. Exports have bindings, which are discussed in the Bindings section.
- References - references from one component to another in the module.
- Stand-alone references - references applications that are not defined as Service Component Architecture components (for example, JavaServer Pages), which enable these applications to interact with Service Component Architecture components. There can be only one stand-alone references artifact per module.
- Other artifacts - these artifacts include WSDL files, Java classes, XSD files, BPEL processes, and so on.

## Service components

A service component configures a service implementation. A service component is presented in a standard block diagram.

In addition to providing a consistent syntax and mechanism for service invocation, Service Component Architecture (SCA) is the invocation framework that provides a way for developers to encapsulate service implementations in reusable components. SCA enables developers to define interfaces, implementations, and references in a way that is independent of the technology that is used. This approach gives you the opportunity to bind the elements to whichever technology you choose. SCA separates business logic from infrastructure so that application programmers can focus on solving business problems.

A component consists of an implementation, which is hidden when using WebSphere Integration Developer's tools, one or more interfaces, which defines its inputs, outputs and faults, and zero or more references. A reference identifies the interface of another service or component that this component requires or consumes. An interface may be defined in one of two languages: a WSDL port type or Java. An interface supports synchronous and asynchronous interaction styles. A component's implementation can be in various languages.

The recommended interface type is WSDL and our tutorials and samples consistently use the WSDL interface type. A Java interface, however, is supported and used mostly in the case when a stateless session EJB is imported. Should you develop a top-down Java component, that is, define a component and add the Java implementation later, you should still use a WSDL interface. You cannot mix WSDL-interface-based components with Java-interface-based components.




Figure 4. Structure of a component

In Figure 5 on page 7, we have a component in the center. Its implementation, `MyValueImpl`, is in Java as is its interface. It has two references: another Java interface and a WSDL interface.




Figure 5. Service component structure

When working with this component, as shown below, you effectively only see the component itself. A reference to this component from another component would be revealed visually by a line to its interface. A reference from this component would be revealed by a line from its reference point to the interface of other component. A reference represents a service that this component consumes. By naming a reference and only specifying its interface, it allows the component implementation author to defer binding that reference to an actual service until later. At that later time, the integration specialist will do so by wiring from the reference to the interface of another component or import. This loose coupling, which allows for deferred binding and the re-use of implementations, is one of the key reasons for using WebSphere Integration Developer's Service Component Architecture.

A component may also have properties and qualifiers. A qualifier is a quality of service (QoS) directive on interfaces and references for the run time.




Figure 6. Instance of a service component

Service component implementation types are the implementations of the service components.

WebSphere Integration Developer supports the following implementation artifacts for WebSphere Process Server and WebSphere Enterprise Service Bus:

Table 1. Implementation artifacts

WebSphere Process Server	WebSphere Enterprise Service Bus
Java objects	Java objects
Business processes	Mediation flows
Business state machines	
Business rules	
Selectors	
Human tasks	
Interface maps	
Mediation flows	

**Note:** Note: Interface maps are deprecated as of WebSphere Process Server version 7.0. You can migrate your existing interface map components in WebSphere Integration Developer to use the functions in the mediation flow component.

The standard component implementations of the services are described in the topics in this section. These implementations appear in services in the assembly editor and or within BPEL processes.

## Java objects

An implementation of a component in Java is referred to as a Java object.

One common implementation is a component written in Java. This implementation is sometimes nicknamed a "plain old Java object" or POJO. Generally, this implementation has a WSDL interface type, though this implementation could also have a Java interface. If there are multiple interfaces specified, then you cannot mix WSDL interfaces with Java interfaces. You can, however, "join" an application created with a set of WSDL interfaces to an application with a set of Java interfaces. A sample listed in the samples gallery of the Welcome view shows you how.

When working with a Java object, the code remains hidden from you within the context of the editors.

A Java object can be used in a mediation module. It can be deployed to either a WebSphere Process Server or a WebSphere Enterprise Service Bus server.

## BPEL process

A *BPEL process* component implements a business process.

Its implementation language is the industry standard Business Process Execution Language for Web Services (BPEL4WS) and its IBM extensions. A BPEL process implements a potentially long-running service through the use of more elementary services. A BPEL process created in the process editor can do the following things:

- Describe the orchestration of other services using control flow graphs
- Use variables to keep the process state
- Use sophisticated error handling through fault handling
- Support asynchronous events
- Correlate inbound requests with the right instance of a particular process by using correlation sets to mark that business data within the request that identifies the instance (for example, a customer ID)

- Provide extended transactions through sophisticated compensation support

In addition to these standard BPEL items, WebSphere Integration Developer also extends BPEL to include people into a process with *human task* support. For example, this extension could add to a process the requirement that a person approves a loan.

The process editor uses visual representations of BPEL constructs to build your business process quickly and simply.




Figure 7. Simple business process

A BPEL process cannot be used in a mediation module. It can only be deployed to a WebSphere Process Server.

## State machines

A state machine is an alternative way of creating a business process. A state machine is suited for processes related to changing states rather than a flow of control. A state defines what an artifact can do at a point in time. A *state machine* is an implementation of this set of states.

State machines are a common way of showing a set of interrelated states in a process. A familiar state machine is a drink dispenser. You put some coins into the machine and along with your drink, which hopefully is dispensed, you get your exact change as the state machine mechanically breaks down the coins that need to be returned to you based on the coins you inserted. In the diagram that follows, a typical state machine is shown as created by the state machine editor. In the state machine, an item is purchased and shipped to a customer.




Figure 8. State machine

A state machine cannot be used in a mediation module. It can only be deployed to a WebSphere Process Server.

## Business rules

Business rules complement business processes and state machines. If there is condition with a variable, for example, a *business rule* can change the value in that variable at run time. Created by a visual programming language, a business rule makes a decision based on context. The decision can be simple or complex. Business rules are nonprocedural and the rules can be changed independently of an application.

Business rules determine the outcome of a process based on a context. Business rules are used in everyday business situations to make a decision given a specific set of circumstances. This decision may require many rules to cover all the circumstances. Business rules within a business process allow applications to respond quickly to changing business conditions. In an insurance corporation, for example, a business rule for approving car insurance to an applicant could be: *If the applicant is male and over 25 years old, and the car category is sports, and he has been insured with us for the past 5 years, then approve the application for insurance at a fee of \$100 per month.*

WebSphere Integration Developer offers a number of approaches to creating business rules. You can create if-then rules or decision tables, all which shape the outcome of your process. These rules are independent of the process itself, meaning that you can change the rules at any time without having to redo your process. For example, based on where your business is located, you might have a rule that says: *If the date is between December 26th and January 1st, then offer a post-holiday sale discount of 20%.* However, if sales continue to be too slow, you could at any time modify the discount to 40%.




Figure 9. Types of business rules

Business rules cannot be used in a mediation module. They can only be deployed to a WebSphere Process Server.

## Selectors

Integrated applications contain many ways to interact. A *selector* is used to route an operation from a client application to one of several possible components for implementation.

Routing to a component is based on dates. For example, here is one route based on a date: *Two weeks before school starts, offer a back-to-school special price on our school-related merchandise.* Businesses have many such routes based on dates. A selector decides to choose one route over another at run time based on a date. For example, if the time is just before school starts, then the previous back-to-school offer would be called. However, if it is the season when school is ending, there could be an offer to prepare children for summer.




Figure 10. Selecting from a set of business rules

A selector cannot be used in a mediation module. It can only be deployed to a WebSphere Process Server.

### Human task

A *human task* component implements a task done by a person. It represents the involvement of a person in a business process.

Occasionally, people need to intervene in a business process. For example, a customer wants to purchase an item that is above their credit limit. A human task lets you intervene and override a business rule that prevents the customer from making the purchase. A human task can have attributes, such as setting the owner of the task, and providing an escalation process in the case that the human specified is not available. The human task component recognizes the reality that many processes require human intervention for tasks like reviewing, researching, and approving.






Figure 11. Human task component

A human task cannot be used in a mediation module. It can only be deployed to a WebSphere Process Server.

### Interface map

An *interface map* resolves differences between the interfaces of interacting components.

**Note:** Interface maps are deprecated as of WebSphere Process Server version 7.0. You can migrate your existing interface map components in WebSphere Integration Developer to use the functions in the mediation flow component.

Differences between interfaces in components that need to interact with one another are common. These differences arise because in WebSphere Integration Developer you are often assembling components that were created for different applications. Reusing them to create an application is one of WebSphere Integration Developer's strengths, since otherwise you would be recoding similar components. But you typically must make some adjustments.

For example, two components can have methods that perform basically the same action but have different names such as `getCredit` and `getCreditRating`. They also may have different operation names and the operations may have different parameter types. An interface map maps the operations and parameters of these methods so that the differences are resolved and the two components can interact. An interface map is like a bridge between the interfaces of two components allowing them to be wired together despite differences.

An interface map exists independent of the components using it, which means the components themselves do not need to be changed.

An interface map cannot be used in a mediation module. It can only be deployed to a WebSphere Process Server.

## Mediation flow

*Mediation* is a way of mediating or intervening dynamically between services. A *mediation flow* implements a mediation.

Mediation has several useful functions. For example, you can use mediation when you need to transform data from one service into an acceptable format for a subsequent service. Logging lets you log messages from a service before they are sent to the next service. Routing lets you route data from one service into an appropriate service determined by the mediation flow. A mediation operates independently of the services it connects to. A mediation in the assembly editor appears as a mediation flow component between exports and imports.

In the diagram that follows, three service requesters or exports send their output data to the interface of the mediation flow component. The mediation flow component then routes the appropriate data to two service providers or imports.




Figure 12. Mediation flow component between three service requesters or exports and two service providers or imports

A mediation flow is a flow-like construct created with the mediation flow editor. Selecting a mediation flow component in the assembly editor, launches the mediation flow editor. In the mediation flow editor, an operation from one service, the service requester or export, is mapped to the operation of another service, the service provider or import, along with functions provided by the mediation flow editor. These functions are called *mediation primitives* and are wired in a mediation flow as shown in the following diagram. Mediation primitives are IBM-supplied or you can create your own custom primitives. Mediation primitives can act on both message content and message context, where context is binding-specific information such as SOAP or JMS headers, or user-defined properties.

In the diagram that follows an operation, `applyforLoan`, sends a message first to a logging primitive, `Log`, that records the message. `Log` sends the message to the `Filter` primitive, which, depending on the message, routes the message to either a `processBusinessLoan` operation or a `processPersonalLoan` operation.




Figure 13. Mediation flow between operations

As discussed in the Modules section, mediation flows can be in either a module or a mediation module. Both types of modules can contain one or more mediation flow components plus zero or more Java components that augment the mediation flow component. A module can be deployed to a WebSphere Process Server. A mediation module can be deployed to either a WebSphere Process Server or a WebSphere Enterprise Service Bus server.

### Service qualifiers

An application communicates its quality of service (QoS) needs to the runtime environment by specifying *service qualifiers*. They govern the interaction between a service client and a target service.

Qualifiers can be specified on service component references, interfaces, and implementations. Since declaration of the QoS values is external to an implementation, you can change these values without changing the implementation, or set them differently when several instances of the same implementation are used in different contexts.

These are the categories of qualifiers:

- Transaction - rules for the type of transaction
- Activity session - rules for joining the active session
- Security - rules for permission
- Asynchronous reliability - rules for asynchronous message delivery




Figure 14. Qualifiers

## Stand-alone references

*Stand-alone references* are references to applications that are not defined as Service Component Architecture components (for example, JavaServer Pages or servlets). Stand-alone references permit these applications to interact with Service Component Architecture components.

Stand-alone references have neither an interface or an implementation (as the implementation is outside the scope of the module). A module can contain no stand-alone references or one stand-alone references artifact. Stand-alone references have the practical value of allowing you to use your existing applications together with Service Component Architecture components created in WebSphere Integration Developer.

Stand-alone references can be used in a mediation module. They can be deployed to either a WebSphere Process Server or a WebSphere Enterprise Service Bus server.

## Business objects

Business objects complement Service Component Architecture. Service Component Architecture defines the services as components and the connectivity between them. *Business objects* define the data flowing between components.

Each component passes information as input and output. When a service is invoked, data objects are passed as an XML document with document literal encoding when using a WSDL port type or as a Java object when using a Java interface. Data objects are the preferred form for data and metadata in Service Component Architecture services. Like components, business objects separate the data object from its implementation. For example, a component interacts with purchase orders while the purchase order itself might use JDBC, EJB, and so on, to perform the updates to the data. Business objects let the integration developer focus on working with business artifacts. In fact, service data objects are transparent to the integration developer. They are defined by a service data objects Java Specification Request (JSR).

In Figure 15, business objects are passed from an external service to an export, from an export to a component, from a component to a component, from a component to an import, and from an import to a service. Imports and exports are discussed in the Bindings section.




Figure 15. Business objects

## Business objects

Data is exchanged between components in an application using business objects. A business object is the primary structure for representing business data in the WebSphere Process Server runtime. The underlying structure of a business object is an XML schema definition (XSD), and programmatic access to business objects is provided using business object interfaces in WebSphere.

Collectively, these aspects of the business object, its structural representation, its programmatic interfaces, and its behavior and manipulation within the Service Component Architecture (SCA), are the business object framework, which provides a powerful, consistent means for describing and delivering business data in your solution.

The business object relates to the data object construct in the Service Data Object (SDO) standard and is represented in memory as a `SDO commonj.sdo.DataObject`.

Therefore, if you are doing development work that involves programmatically working with business objects, it is important to become familiar with the DataObject APIs.




Figure 16. Conceptual diagram of a business object

Currently, the only model for modeling or defining business objects is the XML schema. Because the business object framework supports the most commonly used XSD modeling techniques, business object definitions created by third-party systems can be successfully imported and used in WebSphere Process Server.

## The business object framework

The computer software industry has developed several programming models and frameworks that enable developers to encapsulate business object information. In general, a business object framework should provide database independence, transparently map custom business objects to database tables or to data structures in enterprise information systems, and bind business objects to user interfaces. Of late, XML schemas are perhaps the most popular and accepted way to represent the structure of a business object.

From a tooling perspective, WebSphere Integration Developer provides developers with a common business object model for representing different kinds of entities from different domains. At development time, WebSphere Integration Developer represents business objects as XML schemas. At runtime, however, those same business objects are represented in memory by a Java instance of a Service Data Object (SDO). SDO is a standard specification that IBM and BEA Systems have jointly developed and agreed on. IBM has extended the SDO specification by including some additional services that facilitate the manipulation of data within the business objects.

Before we get into the business object framework, let us look at the basic types of data that get manipulated:

- **Instance data** is the actual data and data structures, from simple, basic objects with scalar properties to large, complex hierarchies of objects. This also includes data definitions such as a description of the basic attribute types, complex type information, cardinality, and default values.
- **Instance metadata** is instance-specific data. Incremental information is added to the base data, such as change tracking (also known as change summary), context information associated with how the object or data was created, and message headers and footers.
- **Type metadata** is typically application-specific information, such as attribute-level mappings to destination enterprise information system (EIS) data columns (for example, mapping a business object field name to an SAP table column name).

- **Services** are basically helper services that get data, set data, change summary information, or provide data definition type access.

The table shows how the basic types of data are implemented in the WebSphere platform.

*Table 2. Business object framework*

Concept	Description
Business object	Fundamental data structure for representing business data
Business graph	Wrapper for a business object or hierarchy of business objects to provide enhanced information, such as <ul style="list-style-type: none"> <li>• Change summary</li> <li>• Event summary</li> <li>• Verb</li> </ul>
Business object type metadata	Metadata provides the ability to annotate business objects with application-specific information
Business object services	A set of services provided to facilitate working with business objects. These services are available in addition to the capabilities already provided by the SDO specification.

## Business object framework in version 7.0

The business object framework has been updated in WebSphere Process Server version 7.0. The enhancements allow you to continue using business objects developed with the framework in version 6.x.

Business objects deployed on WebSphere Process Server are governed by the business object framework. Starting with version 7.0, the framework implementation has been updated to be more compliant with XML standards. The enhancements to the framework do not incorporate any changes that affect the business objects you have deployed in version 6.x of WebSphere Process Server. Version 6.x of the business object framework API has been retained in order to provide full compatibility with your older business objects.

There are some behavior changes in business objects using the version 7.0 framework over business objects using the 6.x framework. Additionally, you can set the loggers to capture the version of the business object framework used to process your business objects.

### Business objects from previous product versions

There are several differences in behavior between version 6.x and version 7.0 of the Business Object Framework API for WebSphere Process Server.

Business objects that you created using the Business Object Framework API and deployed in WebSphere Process Server version 6.x generally perform in the same manner in version 7.0. There are, however, some differences that you might find when you run older business objects on version 7.0. You can find a list of these behaviors in the technote at <http://www.ibm.com/support/docview.wss?rs=2307&uid=swg21404008>.

## Logging versions of business objects

You can use the logging facilities contained in WebSphere Process Server to determine the Business Object Framework API version used to process your business objects.

### Before you begin

Review the material in the Monitoring section that is related to using loggers to better understand how to set the logger to capture specific data. You can also review the same section and the WebSphere Application Server for information about how to view the results in the log files.

### About this task

You need to specify the output log type and parameters to be logged. You then view the logs and see the version information included with each instance of a processed business object.

### Procedure

1. In the navigation pane, click **Servers > Server Types > WebSphere application servers**.
2. Click the name of the server that you want to work with.
3. Under **Troubleshooting**, click **Logs and Trace**.
4. Click the name of a system log to configure, in this case **JVM Logs**.
5. To make a static change to the system log configuration, click the **Configuration** tab. To change the configuration dynamically, click the **Runtime** tab.
6. Select the strings `com.ibm.ws.bo.*=all` and `com.ibm.ws.box.*=all`.
7. Click **Apply**.
8. Click **OK**.

### Results

If you selected the dynamic configuration, the log files immediately contain version information about business objects that are processed by the server. If you chose to make a static change, then the log files will begin logging the same information after you restart your server.

### What to do next

View the log files using either of these methods:

1. View the JVM logs from the administrative console
  - a. Click **Troubleshooting** → **Logs and Trace** in the console navigation tree. To view the logs for a particular server, select the server name, then click **JVM Logs**.
  - b. Select the **Runtime** tab.
  - c. Click **View** corresponding to the log you want to view.
2. View the JVM logs from the workstation where they are stored.
  - a. Go to the workstation where the logs are stored.
  - b. Navigate to the `profile_root/logs/server_name` directory and select `SystemOut.log` or `SystemErr.log`.



- c. Open the file in a text editor or drag the file into an editing and viewing program.

### **Business object containment in downstream invocations**

When using the business object framework for WebSphere Process Server version 7.0, business objects must be passed by value between components in the same module. In WebSphere Process Server version 6.2 it is possible to pass business objects by reference when certain conditions are met.

On WebSphere Process Server version 6.2 when a business object was passed between components in a single module, the value may be passed by reference. This functionality means that a downstream component could update a business object, and that update would be visible to the original component.

On WebSphere Process Server version 7.0, the value will always be passed by value. Modifications to the business object by a downstream component will not be visible in the source component.

### **Business object definitions and instances**

While the business object definition represents the template for a collection of data, a business object instance (often just called a *business object*) is the run-time entity that contains the data.

A business object definition is a data template that can be treated as a collective unit. It contains a business object header, which specifies the name and version of the business object definition. In addition, the business object definition contains the following information:

- Business object attributes and attribute properties
- Business object verbs
- Business object application-specific information

The business object is what is passed between components of the business process. The business object contains the following information:

- Attributes, each of which contains the data for the associated business object. One of the attributes is usually a key attribute, which contains a value that uniquely identifies this business object among all business objects of the same definition.
- An active verb, which should be one of the supported verbs for the business object definition.

Figure 1 shows the Customer business object definition and a corresponding business object instance for this definition. Notice that the Customer business object instance contains specific data for its attributes (for example, the CustomerID attribute is 8776)




Figure 17. Business object definition and sample business object

## Business object fields

The attributes of a business object are represented as fields which have a name, a type (scalar type or another business object), a default value (for scalar types) and cardinality.

Business objects can extend (define a superset of fields) other business objects through parent/child relationships, however, a business object can only inherit from a single parent. These objects can also be used in conjunction with each other to perform a task.

Essentially, business object fields are the mechanisms through which you define what information a business object can hold, and how that information should be accessible. Business object fields are used to define the content of a business object. Each field has a name, type, cardinality, and other optional properties. Once a business object has been created, its fields can be created or changed using the business object editor. A business object is simply a container for the data specified in its fields. An empty business object without fields is not useful as it does not have the means to hold any data.

If you were to create a business object and add a field called "customerName" with type "string", you can now do something with the business object. With the addition of each new field, the usefulness of the business object increases. For example, if you were to add, "customerID" of type "int", customerAddress of type "string", you now have a business object with useful information in it to use however you would like. You can pass it to a Web service for example, to run a credit check on a customer. You may even choose to have your business object contain "salesContact" that has a type "Employee" - another business object. A business object can contain other business objects as data too, meaning that if needed, business objects can be very complex containers of data.

**Note:** When you create a business object, you can decide whether or not a field is going to be an *array*. You may later notice that the field is typed to `java.lang.List` for that same business object. The type has not changed since the business object was created, and in simple terms fields with the array box selected are "lists". When you select the field to be an array, you are indicating that you may have more than one of what you are defining. For example, consider a field in `CustomerBO` called "previousOrders" of type "OrderBO". You would select the array box to indicate that a customer may have any number of previous orders, so this should be prepared to hold a list of items, not just a single item. By contrast, something like "name" would not be defined as an array since a Customer should not need more than one. Setting an array is simply a way in which to distinguish between business object fields that store one value, and fields that store *X* values.

## Business objects and XML schema definitions (XSDs)


Business objects are logical constructs of XSDs (XML schema definitions). When you create or import an XSD file, a business object is created for each typed or anonymous complexType in the XSD.

This topic uses the example of a basic XSD to show the relationship between a business object and an XSD. For detailed information, see Supported XSD and WSDL artifacts.


Consider the following example XSD:

```
<?xml version="1.0" encoding="UTF-8"?>
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  targetNamespace="http://Arrays" xmlns:tns="http://Arrays">
  <xsd:complexType name="IDType">
    <xsd:sequence>
      <xsd:element minOccurs="0" name="id_type" type="xsd:int"/></xsd:element>
    </xsd:sequence>
  </xsd:complexType>
  <xsd:complexType name="NameType">
    <xsd:sequence>
      <xsd:element minOccurs="0" name="name_type" type="xsd:string">
    </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
  <xsd:complexType name="EmployeeType">
    <xsd:sequence>
      <xsd:element name="id" type="tns:IDType" maxOccurs="unbounded" />
      <xsd:element name="name" type="tns:NameType" maxOccurs="unbounded" />
    </xsd:sequence>
  </xsd:complexType>
</xsd:schema>
```


When the above XSD is imported or saved in the XML Schema editor in WebSphere Integration Developer, three business objects are created, one for each complexType defined in the XSD. The business objects are created in the **Data Types** category in the Business Integration view:




A field is created for each element in the business object. **EmployeeType** has two fields, **id** of type **IDType**, and **name** of type **NameType**



The attributes of each element are shown in the Properties view of the field. The Properties view of field **id** shows that the field is an array, as indicated by the `maxOccurs="unbounded"` attribute in the XSD.



In the business object editor, you can click the toggle between two views; the default graph view, or a table view. To view and edit the minOccurs or maxOccurs attribute of an element, switch to the table view by clicking the table view icon in the toolbar:



## Business object inheritance

Inheritance is useful when you have two business objects that share the same attributes, but you would like one of the business objects to be more specialized.

Inheritance is accomplished by extending one business object (the child) from another (the parent). The child reuses attributes defined in the parent, reducing duplication and complexity, but it also contains additional attributes that make it useful for specialized roles.

A new business object can be created using the New Business Object wizard. On the first panel of the wizard, you specify basic information about the new business object. This information includes items such as the name and namespace (optional) for the business object. Also included on the first panel is the ability to select a parent business object to associate with the new business object. Selecting a business object in the inherit from field gives the new business object all the attributes included with the parent business object plus any additional attributes that you add to the business object. For example, a VIPCustomer business object can inherit base attributes from a Customer business object and then be customized with additional attributes.




Figure 18. Specify information about a new business object

On the second panel, you can select from the available business objects and select one or more attributes from that business object to include in the new one. This differs from the inheritance option because these attributes can be modified or changed while editing the new business object. When using inheritance, the parent attributes cannot be removed from the new business object, and any changes to the parent object are automatically reflected in the child business object.




Figure 19. Specify inheritance of business object data

In the business object editor, the inheritance between the parent and child business objects is shown with a connecting arrow labeled superset.




Figure 20. View of inherited business object

## Service message objects

Service message objects (SMOs) provide an abstraction layer for processing and manipulating messages exchanged between services.

### SMO model

Mediation primitives process messages as SMOs. SMOs are enhanced Service Data Objects (SDOs), and the SMO model is a pattern for using SDO DataObjects to represent messages. The SMO contains a representation of the following groups of data:

- Header information associated with the message. For example, Java Message Service (JMS) headers if a message has been conveyed using the JMS API, or MQ headers if the messages has come from WebSphere MQ.
- The body of the message: the message payload. The message payload is the application data exchanged between service endpoints.
- Message attachments.
- Context information (data other than the message payload).



All of this information is accessed as SDO DataObjects, and there is a schema declaration that specifies the overall structure of the SMO. The schema is generated by WebSphere Integration Developer.

## SMO content

All SMOs have the same basic structure. The structure consists of a root data object called a ServiceMessageObject, which contains other data objects representing the header, body, attachments, and context data. The precise structure of the headers, body, and context depends on how you define the mediation flow at integration development. The mediation flow is used at runtime to mediate between services.

The SMO headers contain information that originates from a specific export or import binding (a binding specifies the message format and protocol details). Messages can come from a number of sources, so the SMO has to be able carry different kinds of message header. The kinds of message headers handled are:

- Web services message headers.
- Service Component Architecture (SCA) message headers.
- Java Message Service (JMS) message headers.
- WebSphere MQ message headers.
- WebSphere Adapters message headers.

Typically, the structure of the SMO body, which holds the application data, is determined by the Web Services Description Language (WSDL) message that you specify when you configure a mediation flow.

If a SOAP message has attachments, they are stored or referred to in SMO attachments elements.

- Referenced attachments, which are defined in a WSDL port type as parts within an input or output message and which have a binary type, do not have their data stored in the SMO; instead, the path to the message body element that holds the data is contained in the bodyPath element.
- Unreferenced attachments, which are not defined in a WSDL port type, have their data placed in the data element in the SMO, and have no bodyPath element.

In either case, the attachments element also holds the contentID and contentType for each attachment.

**Note:** You can only send or receive SOAP attachments if the module binding is one of the following types: Web service binding **SOAP 1.1/HTTP** using JAX-WS, Web service binding **SOAP 1.2/HTTP** using JAX-WS, or SCA binding.

SMO context objects are either user-defined or system-defined. You can use user-defined context objects to store a property that mediation primitives can use later in the flow. You define the structure of a user-defined context object in a business object, and use the business object in the input node of the request flow. The correlation context, transient context and shared context are user-defined context objects.




Figure 21. Overview of SMO structure. The context, headers, body and attachments of a ServiceMessageObject

The SMO provides an interface to access and modify message headers, message payloads, message attachments, and message context.

## How the runtime uses the SMO

The runtime operates on messages that are in flight between interaction endpoints. The runtime creates SMO objects, which a mediation flow uses to process a message.

When you create mediation flows, WebSphere Integration Developer specifies the type of message body for each terminal (input, output or fail) and, optionally, the type of context information. The runtime uses this information to convert messages into SMO objects of the specified type.

To provide dynamic routing, the interaction endpoints can be looked up using WebSphere Service Registry and Repository (WSRR), or a database. The result of the WSRR query, or database lookup, can be stored at a particular location in the SMO, from where the runtime will take the dynamic endpoint.

## Business objects use patterns

Service Component Architecture (SCA) provides the framework to define service components and compose these services into an integrated application. Business objects play an important role in providing the data abstraction for SCA and they facilitate data flow in various use patterns.

### Document pattern

Business objects represent the data that flows between each service. Whether the interface associated with a particular component is defined as a Java interface or a WSDL port type, the input and output parameters are represented using business objects.

If using the document pattern, the solution only requires a simple XML to Java binding. This case is a common pattern for many SCA applications. In this situation, the business object is used as the data abstraction within the SCA runtime. In this case there is no requirement for the enhanced capabilities provided by the business graph.




Figure 22. Business objects represent the data that flows between services in an application.

### Disconnected data pattern

The disconnected data pattern provides support for business applications that require the ability to capture change summary information in a disconnected data model. The task of connecting applications to data sources is performed by data mediator services. Client applications query a data mediator service and get a business graph in response. Client applications send an updated business graph to a data mediator service to have the updates applied to the original data source. This architecture allows applications to deal principally with business graphs and business objects.

For a disconnected data pattern, the change summary provided by the business graph is required to provide the appropriate level of data concurrency control. However, other business graph capabilities would not be used, specifically, there would be no requirement for the event summary or the verb attribute.

Business applications must be able to capture change summary information in a disconnected model.





Figure 23. Business applications must be able to capture change summary information in a disconnected model.

## Event pattern

Business objects are required to mitigate the complexities of working with disparate data systems. This diagram shows several Enterprise Information Systems (EIS) each with a unique and application-specific schema representing the business data in the system. The complexity of this situation is that most enterprises ultimately require a single view of the business data in their enterprise when building business processes and applications that do not depend on a particular type of EIS system. To solve this problem, WebSphere Process Server provides an architecture built upon business objects that allows mapping data from application-specific (ASBO) to global business objects (GBO). This mapping infrastructure is central to the process of transferring information between disparate applications.

In the event pattern, the solution must perform data synchronization (after image) to downstream EIS systems. In this case, the full capabilities provided by the business graph are needed to communicate this information. This information includes the change summary provided by the business graph, the verb for after image support, and the event summary.



ASBO = Application Specific Business Object  
GBO = Generic Business Object

Figure 24. Services must have a data abstraction to capture and publish data changes to other services.

## Transforming data

Flexible and scalable business integration and SOA-based solutions often require support for different types of transformations. When you are integrating services, you often need to transform the data into a format that the receiving service can process. Typically, interfaces and operations of disparate services are not identical, and the message from the source needs to be transformed into a format that can be accepted by the target. Another possibility is that you might want to manipulate the data that you are moving between the source and target.

In the process of integrating various systems, the components that make up these systems are likely to have different interfaces that do not match. Mismatches could be encountered between these interfaces in various places. For example, between Service Component Architecture (SCA) components within the same module, SCA components within different modules, or SCA components and external services, such as an enterprise information system (EIS).

Obviously there is a need to integrate these interfaces and there are multiple options for doing so. Options include using SCA exports and imports, as well as mediation flow components and data maps. If integrating external services or other SCA components, you can use exports and imports. If integrating between two components, you can use *mediation*, as implemented using a mediation flow component. Mediation flow components mediate all source operations from the source component interface to the target operations of the target component interface. Once a source operation is bound to a target operation, you can use data mapping for parameter to parameter transformations.

**Note:** Interface maps are deprecated as of WebSphere Process Server version 7.0. You can migrate your existing interface map components in WebSphere Integration Developer to use the functions in the mediation flow component.

One of the means of transforming data passed between business entities across your enterprise solution is data mapping. *Data mapping* is responsible for transforming business objects from one type to another so that the business object is compatible with the business object type defined by the target operation. Data values from one or more attributes in a source business object are mapped to one or more attributes in a target business object. Data mapping also defines transformation rules for how to transform data from the source to the target format.

Mapping is the enabler of the canonical mapping object pattern and provides the ability to design business logic in an application independent manner allowing you to preserve the core of your business integration logic independent of the actual EIS systems or external services being integrated.

The diagram shows the high-level view of the relationship between maps, imports/exports, and the business process within the context of integrating two EIS systems.




Figure 25. Role of mapping components in a business process flow

## Mediation flow component

Flexible and scalable business integration and SOA-based solutions often require support for different types of transformations. WebSphere Process Server delivers flexible and powerful transformation capabilities through its mediation flow functions.

A *mediation flow* is a bridge component between two SCA components that have interfaces with different method signatures, enabling them to communicate. Interface maps provide operation binding and parameter transformation between components.

In operation mappings, operations of the source interface are mapped to operations of the target interface. For example, a source operation called `getData()` to a target operation called `getInformation()`. An operation in one interface is bound to an operation in another interface. Operation mappings can have parameter mappings.

Parameter mappings are one level deeper than operation mappings. They map data from a source business object to a target business object. When a calling operation has different parameters than the receiving operation, a mediation flow reconciles the parameters. Parameter mapping is essential in the process of moving information between different applications and also between components within the WebSphere Process Server system.

The mediation flow component provides resolution and reconciliation of differences between interfaces found between SCA components. A map can be created that understands one interface (chancellories) and invokes another interface (`updateOrderStatus`) as shown in Figure 1. The interfaces can additionally map the data on these interface calls through a data map.




Figure 26. Mediation flow component

## Business object maps and XML maps

WebSphere Integration Developer contains a rich graphical mapping tool that offers move, join, extract, and assign functionality for data fields and custom mapping (through custom activities or Java code). The data map provides the structural and semantic transformation of business objects. You can use business object maps or XML maps to transform your data.

*Business object maps* support mappings between source and target business objects. Business object maps can be stored in modules, mediation modules, and libraries.

XML maps support mapping between source and target objects. XSL stylesheets that are generated from XML maps are used in XSL Transformation primitives in mediation flow components. XML Maps can be stored in modules, mediation modules, and libraries. However, the root XML Map that is used by an XSL Transformation primitive must be stored in the same module as the XSL Transformation primitive. XML maps that are used as submaps in a root XML map can be stored in modules and libraries.

## Business object maps versus XML maps

You can perform the same transformations using either XML maps or business object maps. In general, use an XML map in an XSL Transformation primitive. However, in the following situations use a business object map:

- If you have existing business object maps that you want to reuse in your mediation. In this situation use a Business Object Map mediation primitive.
- If you need to maintain non-static relationships across the mapping, use a business object map in a business module.
- If the business object has a business graph that needs the change summary updated, use a business object map in a business module.

## Data mapping by a mediation flow component

In Figure 27, an adapter interacts with a back-end enterprise information system (for example, SAP) to create, read, update, or delete events of application-specific business objects (for example, SAPCustomer and SAPOrder). The adapter publishes these events to a set of business processes that are modeled using generic business objects (for example, Customer and Order) for further processing. In this case, the data map, which is called from within the mediation flow component, allows the request to be transformed into a canonical, or generic, format (generic business object) from an application-specific format (application-specific business object). The result of this built-in functionality is the transformation of the operation name (interface) and the content and structure of the parameters that are being passed as part of the operation (data).




Figure 27. Data maps used by a mediation flow component



## Working with business objects

WebSphere Integration Developer and WebSphere Process Server provide the capability to work with business objects in various contexts.

### Data handlers and data bindings

WebSphere Process Server provides a set of predefined data formats and corresponding data handlers or data bindings that support the formats.

*Data handlers* are protocol-neutral and transform data from one format to another. In WebSphere Process Server, data handlers typically transform native data (such as XML, CSV, and COBOL) to a business object and a business object to native data. Because they are protocol-neutral, you can reuse the same data handler with various export and import bindings. For example, you can use the same XML data handler with an HTTP export or import binding or with a JMS export or import binding.

*Data bindings* also transform native data to a business object (and vice versa), but they are protocol-specific. For example, an HTTP data binding can be used with an HTTP export or import binding only. Unlike data handlers, an HTTP data binding cannot be reused with an WebSphere MQ export or import binding.

**Note:** Three HTTP data bindings (HTTPStreamDataBindingSOAP, HTTPStreamDataBindingXML, and HTTPServiceGatewayDataBinding) are deprecated as of WebSphere Process Server Version 7.0. Use data handlers whenever possible.

### Visual snippets

The WebSphere Integration Developer family have been designed so that users can compose integrative business solutions with minimal programming skills. One example of this is the visual snippet editor that you can use to graphically compose customized behavior as snippets of Java™ code. If you are comfortable coding using Java, then there are times that you find it easier to simply type it yourself, especially for simple code. The biggest advantage of the visual snippet editor for experienced users, is the fact that the editor generates much code quickly, and ultimately save the user much typing.

You can transform data in a business object from one format to another using the visual snippet editor. You can use one of the three mapping service snippets provided:

#### Basic mapping snippet

Use a basic mapping snippet for general mappings between two business objects. This standard visual snippet provides terminals that you can use link to the name and namespace of the map, the business objects that you are working with, and three exceptions.

#### Advanced mapping snippet

The advanced mapping snippet builds on the basic mapping snippet. It includes similar terminals, but accepts a map of input and a map of output business objects. It also provides an additional terminal for an execution context (which may be null).

#### Specific mapping snippet

Use a specific mapping snippet to reference an existing business object map. Like the previous two options, this standard visual snippet has

terminals for inputs (that automatically refer to the business objects as defined in the business object map), exceptions and for execution context.

## Java snippets

In WebSphere Integration Developer, in addition to coding Java using visual snippets, you have the option to switch to Java mode and compose code in a text editor.

## Java objects

One common implementation is a component written in Java. This implementation is sometimes nicknamed a "plain old Java object" or POJO. Generally, this implementation has a WSDL interface type, though this implementation could also have a Java interface.

A Java object can be used in a mediation module. It can be deployed to either a WebSphere Process Server or a WebSphere Enterprise Service Bus server.

When working with a Java object in WebSphere Integration Developer, the code remains hidden from you within the context of the editors.

## Business graphs

*Business graphs* are wrappers that are added around a business object, or around a hierarchy of business objects, to provide additional capabilities. For example, you could carry change summary and event summary information related to the business object in the business graph.

In the WebSphere Process Server run time, a business graph is used as a container to wrap a top-level business object and provides several important capabilities that are related to the contained business object hierarchy. The business graph provides enhanced information, such as a change summary, event summary or verb.

**Note:** If you are migrating an application from WebSphere InterChange Server or migrating adapters, you may need to use business graphs.

### Change summary

The change summary associated with a business graph, records changes that have been made to the contained business object hierarchy wrapped by the business graph. This information is useful for both disconnected data patterns usage and command event models data synchronization between EIS systems.

There are two ways to modify the change summary associated with a business graph. The first way is to make implicit change summary updates. This modification is done by turning on change summary logging through the `commonj.sdo.ChangeSummary` API interface. Activating logging begins tracking changes made whenever any of the `DataObject` APIs are called for the business objects contained within the business graph.

The other type of change summary tracking can be made explicitly by using a business objects service that allows the change summary to be updated directly. To make explicit change summary updates use the `commonj.bo.BOChangeSummary` API.

## Event summary

The event summary includes instance metadata. The event summary carries information about non-standard verbs for each object in the business graph, along with a unique identifier for each object, the `ObjectEventId`.

## Verb

The verb associated with every business graph communicates the type of after-image event for the business graph. An *after-image* refers to a business object that contains all entity data after changes have been made to it during an update operation. An after-image is used during data synchronization between EIS systems to capture and publish changes to business data using the WebSphere Process Server run time.

There are several levels of granularity to consider with an after-image. If the change summary is empty, it means that the verb associated with the business graph applies to all objects in the business graph. For example, if the verb is *create*, then it means that all objects in the business graph were created. Next, a business graph might contain a verb and also include a change summary with object level changes. This situation is more granular than the case with an empty change summary. Finally, the most granular case is when the change summary includes both object level changes and property level changes.

The five standard verbs for business graphs are:

- **Create** - This indicates that every object in the business object graph was created.
- **Delete** - This indicates that every object in the business object graph was deleted.
- **Retrieve** - This indicates that the specified content of a business object has been retrieved.
- **Update** - This indicates that the objects in the business object graph that have been created, updated, or some combination.
- **UpdateWithDelete** - This indicates that the objects in the business object graph that have been created, updated, deleted, or some combination.

The set of verbs associated with a particular type of business graph can be extended beyond the stand set.

## Example

To understand the additional capabilities provided by the business graph, it is helpful to first consider some of their fundamental use cases.

The first use case to consider is a disconnected use model, where there is a need to capture changes made to the contained business object between processes. For example, consider a scenario where a service constructs a business graph based upon a query to a back-end data source, and then passes it to another service for processing. If the second service makes changes to the business objects contained in the business graph, and then later calls the first service to apply those changes to the back-end data store, then change summary information is necessary to ensure the appropriate level of data concurrency.

Another important use case involves the situation where the information contained with the business graph is used to capture and publish data changes to the run

time from an EIS system. In this case, the change summary, event summary, and verb, associated with the business graph, are all used to communicate the appropriate information needed to perform data synchronization among different EIS systems.

Consider the case where a customer business object needs the enhancements provided by a business graph. For this example, you could create a business graph call *CustomerBG*. The *CustomerBG* is defined using XML schema and can be thought of as a specialized type of business object. It includes the verb for the business graph and a single element of type Customer. In addition to this information, the *CustomerBG* extends the business graph complex type provided by the WebSphere business object framework run time. The business graph complex type is the part of the business graph that provides the change summary and event summary to a business graph.




Figure 28. Business graph that show relationship between the business object, change summary, and event summary

Business graphs are used for enrichment of only top-level business objects. However, this does not mean that a contained business object in one scenario, would not be a top-level business object in another scenario and a candidate for enrichment with a business graph. A business graph is represented by a `commonj.sdo.DataObject` in memory, but the event header and change summary header can not be accessed using the normal `DataObject` APIs, but rather can use

the BOChangeSummary and BOEventSummary APIs provided as part of the business object framework.

---

## Relationships

A relationship is an association between two or more data entities, typically business objects. Relationships can be used to transform data that is equivalent across business objects and other data but that is represented differently, or they can be used to draw associations across different objects found in different applications. They can be shared across applications, across solutions, and even across products.

The relationship service in WebSphere Process Server provides the infrastructure and operations for managing relationships. Because it enables you to deal with business objects regardless of where they reside, it can provide a unified holistic view across all applications in an enterprise, and serve as a building block for BPM solutions. Because relationships are extensible and manageable, they can be used in complex integration solutions.

### What are relationships?

A relationship is an association between business objects. Each business object in a relationship is called a *participant* in the relationship. Each participant in the relationship is distinguished from other participants based on the function, or *role*, it serves in that relationship. A relationship contains a list of roles.

The relationship *definition* describes each role and specifies how the roles are related. It also describes the overall "shape" of the relationship. For example, this role can have only one participant, but this other role can have as many participants as necessary. You might define a *car-owner* relationship, for instance, where one owner might own multiple cars. For example, one instance could have the following participants for each of these roles:

- Car (Ferrari)
- Owner (John)

The relationship definition is a template for the relationship *instance*. The instance is the run-time instantiation of the relationship. In the *car-owner* example above, an instance might describe any of the following associations:

- John owns Ferrari
- Sara owns Mazda
- Bob owns Ferrari

Using relationships frees you from the need to custom build relationship tracking persistence within your business logic. For certain scenarios, the relationship service does all the work for you. See the example described in the section on Identity relationships.

### Scenarios

Here is a typical example of a situation in which an integration solution might use relationships. A large corporation buys multiple companies, or business units. Each business unit uses different software to monitor personnel and laptops. The company needs a way to monitor its employees and their laptops. It wants a solution that enables them to:

- View all the employees in the various business units as if they were in one database
- Have a single view of all their laptops
- Allow employees to log on to the system and buy a laptop
- Accommodate the different enterprise application systems in the various business units

To accomplish this, the company needs a way to ensure, for example, that John Smith and John A. Smith in different applications are seen as the same employee. For Example, they need a way to consolidate a single entity across multiple application spaces.

More complex relationship scenarios involve building business processes that draw relationships across different objects found in multiple applications. With complex relationship scenarios, the business objects reside in the integration solution, and not in the applications. The relationship service provides a platform for managing relationships persistently. Before the relationship service, you would have to build your own object persistence service. Two examples of complex relationship scenarios are:

- You have a car business object with a VIN number in an SAP application, and you want to track the fact that this car is owned by someone else. However, the ownership relationship is with someone in a PeopleSoft application. In this pattern of relationships, you have two solutions and you need to build a cross-bridge between them.
- A large retail company wants to be able to monitor merchandise returned for cash back or credit. There are two different applications involved: an order management system (OMS) for purchases, and a returns management system (RMS) for returns. The business objects reside in more than one application, and you need a way to show the relationships that exist between them.

## Common usage patterns

The most common relationship patterns are *equivalence* patterns. These are based on cross-referencing, or correlation. There are two types of relationships that fit this pattern: *non-identity* and *identity*.

- **Non-identity relationships** establish associations between business objects or other data on a one-to-many or many-to-many basis. For each relationship instance, there can be one or more instances of each participant. One type of non-identity relationship is a static lookup relationship. An example of this is a relationship in which CA in an SAP application is related to California in a Siebel application.

- 

**Identity relationships** establish associations between business objects or other data on a one-to-one basis. For each relationship instance, there can be only one instance of each participant. Identity relationships capture cross-references between business objects that are semantically equivalent, but that are identified differently within different applications. Each participant in the relationship is associated with a business object that has a value (or combination of values) that uniquely identifies the object. Identity relationships typically transform the key attributes of business objects, such as ID numbers and product codes.

For example, if you have car business objects in SAP, PeopleSoft, and Siebel applications, and you want to build a solution that synchronizes them, you would normally need to introduce hand-built relationship synchronization logic in six maps:

SAP -> generic  
generic -> SAP  
PeopleSoft-> generic  
generic-> PeopleSoft  
Siebel-> generic  
generic-> Siebel

However, if you use relationships in your solution, the relationship service provides prebuilt pattern implementations that maintains all these relationship instances for you.

## Tools for working with relationships

The *relationship editor* in WebSphere Integration Developer is the tool you use to model and design business integration relationships and roles. For detailed background and task information about creating relationships and using the relationship editor, refer to the WebSphere Integration Developer Information Center.

The *relationship service* is an infrastructure service in WebSphere Process Server that maintains relationships and roles in the system and provides operations for relationship and role management.

The *relationship manager* is the administrative interface for managing relationships. It is accessed through the Relationship Manager pages of the administrative console.

Relationships can be invoked programmatically through the relationship service APIs.

## Relationship service

The relationship service stores relationship data in relationship tables, where it keeps track of application-specific values across applications and across solutions. The relationship service provides operations for relationship and role management.

### How relationships work

Relationships and roles are defined using the graphical interface of the relationship editor tool in WebSphere Integration Developer. The relationship service stores the correlation data in tables in the relationship database in the default data source that you specify when you configure the relationship service. A separate table (sometimes called a participant table) stores information for each participant in the relationship. The relationship service uses these relationship tables to keep track of the related application-specific values and propagate updated information across all the solutions.

Relationships, which are business artifacts, are deployed within a project or in a shared library. At the first deployment, the relationship service populates the data.

At run time, when maps or other WebSphere Process Server components need a relationship instance, the instances of the relationship are either updated or retrieved, depending on the scenario.

Relationship and role instance data can be manipulated through three means:

- WebSphere Process Server component Java snippet invocations of the relationship service APIs
- Relationship transformations in the WebSphere Process Server business object mapping service
- The relationship manager tool

For detailed background and task information on creating relationships, identifying relationship types, and using the relationship editor, refer to the WebSphere Integration Developer Information Center.

## Relationship manager

The relationship manager is the administrative interface for managing relationships. It is accessed through the Relationship Manager pages of the administrative console.

The relationship manager provides a graphical user interface for creating and manipulating relationship and role data at run time. You can manage relationship entities at all levels: relationship instance, role instance, and attribute data and property data levels. With the relationship manager, you can:

- View a list of the relationships in the system and detailed information for individual relationships
- Manage relationship instances:
  - Query relationship data to view subsets of instance data
  - Query relationship data to view subsets of instance data using database views
  - View a list of relationship instances that match a relationship query and detailed information about an instance
  - Edit the property values for a relationship instance
  - Create and delete relationship instances
- Manage roles and role instances:
  - View details about a role or a role instance
  - Edit role instance properties
  - Create and delete role instances for a relationship
  - Roll back relationship instance data to a point in time when you know the data is reliable
- Import data from an existing static relationship into your system, or export data from an existing static relationship to an RI or CSV file
- Remove relationship schema and data from the repository when the application that uses it is uninstalled

## Relationships in Network Deployment environments

Relationships can be used in Network Deployment (ND) environments without any extra configuration.

In Network Deployment (ND) environments, relationships are installed in an application cluster. Relationships are then visible within the cluster, and all servers in the cluster have access to the instance data stored in the relationship database. The ability to run the relationship service in an ND environment makes it scalable and highly available.



The relationship manager allows relationships to be managed across different clusters through a centralized administrative interface. You connect the relationship manager to a server in a cluster by selecting its relationship MBean.

## Relationship service APIs

Relationships can be invoked programmatically through the relationship service APIs, within or outside of business object maps.

Three API types are available:

- Relationship instance manipulation APIs (including create, update, delete instance data directly)
- Relationship pattern support APIs (including correlate(), correlateforeignKeyLookup)
- Relationship lookup patterns (lookup APIs)

---

## The enterprise service bus in WebSphere Process Server

WebSphere Process Server supports the integration of application services, including the same capabilities as WebSphere Enterprise Service Bus.

### Connecting services through an enterprise service bus

With an enterprise service bus (ESB), you can maximize the flexibility of an SOA. Participants in a service interaction are connected to the ESB, rather than directly to one another.

When the service requester connects to the ESB, the ESB takes responsibility for delivering its requests, using messages, to a service provider offering the required function and quality of service. The ESB facilitates requester-provider interactions and addresses mismatched protocols, interaction patterns, or service capabilities. An ESB can also enable or enhance monitoring and management. The ESB provides virtualization and management features that implement and extend the core capabilities of SOA.

The ESB abstracts the following features:

#### Location and identity

Participants need not know the location or identity of other participants. For example, requesters need not be aware that a request could be serviced by any of several providers; service providers can be added or removed without disruption.

#### Interaction protocol

Participants need not share the same communication protocol or interaction style. For example, a request expressed as SOAP over HTTP can be serviced by a provider that only understands SOAP over Java Message Service (JMS).

#### Interface

Requesters and providers need not agree on a common interface. An ESB reconciles differences by transforming request and response messages into a form expected by the provider.

#### Requesters and providers need not agree on a common interface

An ESB reconciles differences by transforming request messages into a form expected by the provider.


### Qualities of (interaction) service

Participants, or systems administrators, declare their quality-of-service requirements, including authorization of requests, encryption and decryption of message contents, automatic auditing of service interactions, and how their requests should be routed (for example, optimizing for speed or cost).

Interposing the ESB between participants enables you to modulate their interaction through a logical construct called a *mediation*. Mediations operate on messages in-flight between requesters and providers. For example, mediations can be used to find services with specific characteristics that a requester is asking for, or to resolve interface differences between requesters and providers. For complex interactions, mediations can be chained sequentially.

An enterprise service bus, with mediations, performs the following actions between requester and service:

- *Routing* messages between services. An enterprise service bus offers a common communication infrastructure that can be used to connect services, and thereby the business functions they represent, without the need for programmers to write and maintain complex connectivity logic.
- *Converting* transport protocols between requester and service. An enterprise service bus provides a consistent, standards-based way to integrate business functions that use different IT standards. This enables integration of business functions that could not normally communicate, such as to connect applications in departmental silos or to enable applications in different companies to participate in service interactions.
- *Transforming* message formats between requester and service. An enterprise service bus enables business functions to exchange information in different formats, with the bus ensuring that the information delivered to a business function is in the format required by that application.
- *Handling* business events from disparate sources. An enterprise service bus supports event-based interactions in addition to the message exchanges to handle service requests.



*Figure 29. An enterprise service bus.* The enterprise service bus is routing messages between applications, which are requesters or providers of services. The bus is converting transport protocols and transforming message formats between requesters and providers. In this figure, each application uses a different protocol (represented by the different geometric shapes of their connectors) and uses different message formats.

By using the enterprise service bus you can concentrate focus on your core business rather than your computer systems. You can change or add to the services when you need to; for example, to respond to changes in the business requirement, to add extra service capacity, or to add new capabilities. You can make the required changes by reconfiguring the bus, with little or no impact to existing services and applications that use the bus.

## Enterprise service bus messaging infrastructure

WebSphere Process Server includes enterprise service bus capabilities. WebSphere Process Server supports the integration of service-oriented, message-oriented, and event-driven technologies to provide a standards-based, messaging infrastructure in an integrated enterprise service bus.

The enterprise service capabilities that you can use for your enterprise applications provide not only a transport layer but mediation support to facilitate service interactions. The enterprise service bus is built around open standards and service-oriented architecture (SOA). It is based on the robust Java EE infrastructure and associated platform services provided by IBM WebSphere Application Server Network Deployment.

WebSphere Process Server is powered by the same technology available with IBM WebSphere Enterprise Service Bus. This capability is part of the underlying functionality of WebSphere Process Server, and no additional license for WebSphere Enterprise Service Bus is required to take advantage of these capabilities.

However, you can deploy additional stand-alone licenses of WebSphere Enterprise Service Bus around your enterprise to extend the connectivity reach of the process integration solutions powered by WebSphere Process Server. For example, WebSphere Enterprise Service Bus can be installed closer to an SAP application to host an IBM WebSphere Adapter for SAP and to transform SAP messages before sending that information across the network to a business process choreographed by WebSphere Process Server.

You can deploy WebSphere Enterprise Service Bus around your enterprise to extend the connectivity reach of the process integration solutions powered by separate installations of WebSphere Process Server or other integration solutions as part of a federated ESB. For example, WebSphere Enterprise Service Bus can be installed closer to an SAP application to host an IBM WebSphere Adapter for SAP and to transform SAP messages before sending that information across the network to a business process choreographed by WebSphere Process Server.

### Messaging or queue destination hosts

A messaging or queue destination host provides the messaging function within a server. A server becomes the messaging destination host when you configure it as the messaging target.

A messaging engine runs within a server. The messaging engine provides messaging functions and a connection point for applications to connect to the bus. Service Component Architecture (SCA) asynchronous communication, JMS imports and exports, asynchronous internal processing use message queues on the messaging engine.

The deployment environment connects the message source to the message target through the bus when the application modules are deployed. Knowing the message source and message target helps you determine what type of deployment environment you need.

Applications can store persistent data in a data store, which is a set of tables in a database or schema, or in a file store. The messaging engine uses an instance of a JDBC data source to interact with that database.

Configure the messaging destination host when you define your deployment environment by using **Server** from the administrative console or designate the server as the destination host during software installation.

### **Data stores:**

Every messaging engine can use a data store, which is a set of tables in a database or schema that store persistent data.

All of the tables in the data store are held in the same database schema. You can create each data store in a separate database. Alternatively, you can create multiple data stores in the same database, with each data store using a different schema.

A messaging engine uses an instance of a JDBC data source to interact with the database that contains the data store for that messaging engine.

### **Data sources**

Data sources provide the link between applications and relational databases.

Applications use a data source to obtain connections to a relational database. A data source is analogous to the Java EE Connector Architecture (JCA) connection factory, which provides connectivity to other types of enterprise information systems (EIS).

A data source is associated with a JDBC provider, which supplies the driver implementation classes that are required for JDBC connectivity with a specific type of database. Application components transact directly with the data source to obtain connection instances to your database. The connection pool that corresponds to each data source provides connection management.

You can create multiple data sources with different settings, and associate them with the same JDBC provider. For example, you might use multiple data sources to access different databases within the same database application. WebSphere Process Server requires JDBC providers to implement one or both of the following data source interfaces, which are defined by Sun Microsystems. These interfaces enable the application to run in a single-phase or two-phase transaction protocol.

**Note:** Business Process Choreographer data sources are created using the Business Process Choreographer configuration tools. Refer to *Configuring Business Process Choreographer*.

- **ConnectionPoolDataSource** - a data source that supports application participation in local and global transactions, except two-phase commit transactions. When a connection pool data source is involved in a global transaction, transaction recovery is not provided by the transaction manager. The application is responsible for providing the backup recovery process if multiple resource managers are involved.
- **XADataSource** - a data source that supports application participation in any single-phase or two-phase transaction environment. When this data source is involved in a global transaction, the WebSphere Application Server transaction manager provides transaction recovery.

The following tables provide examples of typical stand-alone and typical deployment environment setups:

Table 3. Typical stand-alone environment setup

Datasource	Component	Scope	JNDI Name
WBI DataSource	CommonDB	Node	jdbc/WPSDB
SCA Application Bus ME data source	SCA ME	Server	jdbc/com.ibm.ws.sib/nlNode01.server1-SCA.APPLICATION.localhostNode01Cell.Bus
Business Process Choreographer data source	BPC	Server	jdbc/BPEDB
Business Process Choreographer ME data source	BPC ME	Server	jdbc/com.ibm.ws.sib/nlNode01.server1-BPC.localhostNode01Cell.Bus
event	CEI	Server	jdbc/cei
CEI ME data source	CEI ME	Server	jdbc/com.ibm.ws.sib/nlNode01.server1-CEI.cellName.BUS

Table 4. Typical deployment environment setup

Datasource	Component	Scope	JNDI Name
WBI DataSource	CommonDB	Cell	jdbc/WPSDB
SCA Application Bus ME data source	SCA ME	Cluster	jdbc/com.ibm.ws.sib/clusterone-SCA.APPLICATION.enduranceTestCell01.Bus
Business Process Choreographer data source	BPC	Cluster	jdbc/BPEDB
Business Process Choreographer ME data source	BPC ME	Cluster	jdbc/com.ibm.ws.sib/clusterone-BPC.enduranceTestCell01.Bus
event	CEI	Cluster	jdbc/cei
CEI ME data source	CEI ME	Cluster	jdbc/com.ibm.ws.sib/clusterone-CEI.cellName.BUS

For more information on data sources, see “Data sources” in the WebSphere Application Server information center.

#### JDBC providers:

You can use JDBC providers to interact applications with relational databases.

Applications use JDBC providers to interact with relational databases. The JDBC provider supplies the specific JDBC driver implementation class for access to a specific type of database. To create a pool of connections to that database, you associate a data source with the JDBC provider. Together, the JDBC provider and the data source objects are functionally equivalent to the Java EE Connector Architecture (JCA) connection factory, which provides connectivity with a non-relational database.

Refer to the examples of both Typical stand-alone environment setup and Typical deployment environment setup in the previous topic.

For more information on JDBC providers, see “JDBC providers” in the WebSphere Application Server information center.

## **Service integration buses for WebSphere Process Server**

A service integration bus is a managed communication mechanism that supports service integration through synchronous and asynchronous messaging. A bus consists of interconnecting messaging engines that manage bus resources. It is one of the WebSphere Application Server technologies on which WebSphere Process Server is based.

Some buses are automatically created for use by the system, the Service Component Architecture (SCA) applications that you deploy, and by other components. You can also create buses to support service integration logic or other applications, for example, to support applications that act as service requesters and providers within WebSphere Process Server, or to link to WebSphere MQ.

A bus destination is a logical address to which applications can attach as a producer, consumer, or both. A queue destination is a bus destination that is used for point-to-point messaging.

Each bus can have one or more bus members, each of which is either a server or a cluster.

The *bus topology* is the physical arrangement of application servers, messaging engines, and WebSphere MQ queue managers and the pattern of bus connections and links between them that makes up your enterprise service bus.

Some service integration buses are created automatically to support WebSphere Process Server. Up to four buses are created when you create your deployment environment or configure a server or cluster to support SCA applications. These buses each have three authentication aliases that you must configure.

### **SCA system bus:**

The *SCA system bus* is a service integration bus that is used to host queue destinations for Service Component Architecture (SCA) modules. The SCA run time, which supports mediation modules, uses queue destinations on the system bus as an infrastructure to support asynchronous interactions between components and modules.

The system bus is automatically created when you create a deployment environment or when you configure a server or cluster to support SCA applications. The system bus provides a scope within which resources, such as queue destinations, are configured for mediation modules and interaction endpoints. The bus enables message routing between endpoints. You can specify the quality of service for the bus, including priority and reliability.

The bus name is SCA.SYSTEM.busID.Bus. The authentication alias used for securing this bus is SCA\_Auth\_Alias.

### **SCA application bus:**

The application bus destinations support the asynchronous communication of WebSphere Business Integration Adapters and other System Component Architecture components.

The application bus is automatically created when you create a deployment environment or when you configure a server or cluster to support SCA applications. The application bus is similar to service integration buses you might create to support service integration logic or other applications.

The bus name is `SCA.APPLICATION.busID.Bus`. The authentication alias used for securing this bus is `SCA_Auth_Alias`.

#### **The Common Event Infrastructure bus:**

The Common Event Infrastructure bus is used for transmitting common base events, asynchronously, to the configured Common Event Infrastructure server.

The bus name is `CommonEventInfrastructure_Bus`. The authentication alias used for securing this bus is `CommonEventInfrastructureJMSAuthAlias`

#### **The Business Process Choreographer bus:**

Use the Business Process Choreographer bus name and authentication for internal message transmission.

The Business Process Choreographer bus is used for transmitting messages internally and for business flow manager's Java Messaging Service (JMS) API.

The bus name is `BPC.cellName.Bus`. The authentication alias is `BPC_Auth_Alias`

## **Service applications and service modules**

A service module is a Service Component Architecture (SCA) module that provides services in the run time. When you deploy a service module to WebSphere Process Server, you build an associated service application that is packaged as an Enterprise ARchive (EAR) file.

Service modules are the basic units of deployment and can contain components, libraries, and staging modules used by the associated service application. Service modules have exports and, optionally, imports to define the relationships between modules and service requesters and providers. WebSphere Process Server supports modules for business services and mediation modules. Both modules and mediation modules are types of SCA modules. A mediation module allows communication between applications by transforming the service invocation to a format understood by the target, passing the request to the target and returning the result to the originator. A module for a business service implements the logic of a business process. However, a module can also include the same mediation logic that can be packaged in a mediation module.

### **Deploying a service application**

The process of deploying an EAR file containing a service application is the same as the process of deploying any EAR file. You can modify values for mediation parameters at deployment time. After you have deployed an EAR file containing an SCA module, you can view details about the service application and its associated module. You can see how a service module is connected to service requesters (through exports) and service providers (through imports).

## Viewing SCA module details

The service module details that you can view depend upon the SCA module. They can include the following attributes.

- SCA module name
- SCA module description
- Associated application name
- SCA module version information, if the module is versioned
- SCA module imports:
  - Import interfaces are abstract definitions that describe how an SCA module accesses a service.
  - Import bindings are concrete definitions that specify the physical mechanism by which an SCA module accesses a service. For example, using SOAP/HTTP.
- SCA module exports:
  - Export interfaces are abstract definitions that describe how service requesters access an SCA module.
  - Export bindings are concrete definitions that specify the physical mechanism by which a service requester accesses an SCA module, and indirectly, a service.
- SCA module properties

## Imports and import bindings

Imports define interactions between Service Component Architecture (SCA) modules and service providers. SCA modules use imports to permit components to access external services (services that are outside the SCA module) using a local representation. Import bindings define the specific way that an external service is accessed.

If SCA modules do not need to access external services, they are not required to have imports. Mediation modules usually have one or more imports that are used to pass messages or requests on to their intended targets.

## Interfaces and bindings

An SCA module import needs at least one interface, and an SCA module import has a single binding.

- Import interfaces are abstract definitions that define a set of operations using Web Services Description Language (WSDL), an XML language for describing Web services. An SCA module can have many import interfaces.
- Import bindings are concrete definitions that specify the physical mechanism that SCA modules use to access an external service.

## Supported import bindings

WebSphere Process Server supports the following import bindings:

- SCA bindings connect SCA modules to other SCA modules. SCA bindings are also referred to as default bindings.
- Web Service bindings permit components to invoke Web services. The supported protocols are SOAP1.1/HTTP, SOAP1.2/HTTP, and SOAP1.1/JMS.

You can use a SOAP1.1/HTTP or SOAP1.2/HTTP binding based on the Java API for XML Web Services (JAX-WS), which allows interaction with services using document or RPC literal bindings and which uses JAX-WS handlers to



customize invocations. A separate SOAP1.1/HTTP binding is provided to allow interaction with services that use an RPC-encoded binding or where there is a requirement to use JAX-RPC handlers to customize invocations.

- HTTP bindings permit you to access applications using the HTTP protocol.
- Enterprise JavaBeans™ (EJB) import bindings enable SCA components to invoke services provided by Java EE business logic running on a Java EE server.
- Enterprise information system (EIS) bindings provide connectivity between SCA components and an external EIS. This communication is achieved through the use of resource adapters.
- Java Message Service (JMS) 1.1 bindings permit interoperability with the WebSphere Application Server default messaging provider. JMS can exploit various transport types, including TCP/IP and HTTP or HTTPS. The JMS Message class and its five subtypes (Text, Bytes, Object, Stream, and Map) are automatically supported.
- Generic JMS bindings permit interoperability with third-party JMS providers that integrate with the WebSphere Application Server using the JMS Application Server Facility (ASF).
- WebSphere MQ JMS bindings permit interoperability with WebSphere MQ-based JMS providers. The JMS Message class and its five subtypes (Text, Bytes, Object, Stream, and Map) are automatically supported. If you want to use WebSphere MQ as a JMS provider, use WebSphere MQ JMS bindings.
- WebSphere MQ bindings permit interoperability with WebSphere MQ. You can use WebSphere MQ bindings only with remote queue managers by way of a WebSphere MQ client connection; you cannot use them with local queue managers. Use WebSphere MQ bindings if you want to communicate with native WebSphere MQ applications.

## Dynamic invocation of services

Services can be invoked through any supported import binding. A service is normally found at an endpoint specified in the import. This endpoint is called a static endpoint. It is possible to invoke a different service by overriding the static endpoint. Dynamic override of static endpoints lets you invoke a service at another endpoint, through any supported import binding. Dynamic invocation of services also permits you to invoke a service where the supported import binding does not have a static endpoint.

An import with an associated binding is used to specify the protocol and its configuration for dynamic invocation. The import used for the dynamic invocation can be wired to the calling component, or it can be dynamically selected at runtime.

For Web service and SCA invocations, it is also possible to make a dynamic invocation without an import, with the protocol and configuration deduced from the endpoint URL. The invocation target type is identified from the endpoint URL. If an import is used, the URL must be compatible with the protocol of the import binding.

- An SCA URL indicates invocation of another SCA module.
- An HTTP or a JMS URL by default indicates invocation of a Web service; for these URLs, it is possible to provide an additional binding type value that indicates that the URL represents an invocation by way of an HTTP or JMS binding.

- For a Web service HTTP URL, the default is to use SOAP 1.1, and a binding type value can be specified that indicates the use of SOAP 1.2.

## Exports and export bindings

Exports define interactions between Service Component Architecture (SCA) modules and service requesters. SCA modules use exports to offer services to others. Export bindings define the specific way that an SCA module is accessed by service requesters.

## Interfaces and bindings

An SCA module export needs at least one interface.

- Export interfaces are abstract definitions that define a set of operations using Web Services Description Language (WSDL), an XML language for describing Web services. An SCA module can have many export interfaces.
- Export bindings are concrete definitions that specify the physical mechanism that service requesters use to access a service. Usually, an SCA module export has one binding specified. An export with no binding specified is interpreted by the run time as an export with an SCA binding.

## Supported export bindings

WebSphere Process Server supports the following export bindings:

- SCA bindings connect SCA modules to other SCA modules. SCA bindings are also referred to as default bindings.
- Web Service bindings permit exports to be invoked as Web services. The supported protocols are SOAP1.1/HTTP, SOAP1.2/HTTP, and SOAP1.1/JMS. You can use a SOAP1.1/HTTP or SOAP1.2/HTTP binding based on the Java API for XML Web Services (JAX-WS), which allows interaction with services using document or RPC literal bindings and which uses JAX-WS handlers to customize invocations. A separate SOAP1.1/HTTP binding is provided to allow interaction with services that use an RPC-encoded binding or where there is a requirement to use JAX-RPC handlers to customize invocations.
- HTTP bindings permit exports to be accessed using the HTTP protocol.
- Enterprise JavaBeans (EJB) export bindings allow SCA components to be exposed as EJBs so that Java EE business logic can invoke SCA components otherwise unavailable to them.
- Enterprise information system (EIS) bindings provide connectivity between SCA components and an external EIS. This communication is achieved through the use of resource adapters.
- Java Message Service (JMS) 1.1 bindings permit interoperability with the WebSphere Application Server default messaging provider. JMS can exploit various transport types, including TCP/IP and HTTP or HTTPS. The JMS Message class and its five subtypes (Text, Bytes, Object, Stream, and Map) are automatically supported.
- Generic JMS bindings permit interoperability with third-party JMS providers that integrate with the WebSphere Application Server using the JMS Application Server Facility (ASF).
- WebSphere MQ JMS bindings permit interoperability with WebSphere MQ-based JMS providers. The JMS Message class and its five subtypes (Text, Bytes, Object, Stream, and Map) are automatically supported. If you want to use WebSphere MQ as a JMS provider, use WebSphere MQ JMS bindings.

- WebSphere MQ bindings permit interoperability with WebSphere MQ. You use a remote (or client) connection to connect to an MQ queue manager on a remote machine. A local (or bindings) connection is a direct connection to WebSphere MQ. This can be used only for a connection to an MQ queue manager on the same machine. WebSphere MQ will permit both types of connection, but MQ bindings only support the "remote" (or "client") connection.

## Mediation modules

Mediation modules are Service Component Architecture (SCA) modules that can change the format, content, or target of service requests.

Mediation modules operate on messages that are in-flight between service requesters and service providers. You are able to route messages to different service providers and to amend message content or form. Mediation modules can provide functions such as message logging, and error processing that is tailored to your requirements.

You can change certain aspects of mediation modules, from the WebSphere Process Server administrative console, without having to redeploy the module.

## Components of mediation modules

Mediation modules contain the following items:

- Imports, which define interactions between SCA modules and service providers. They allow SCA modules to call external services as if they were local. You can view mediation module imports from WebSphere Process Server and modify the binding.
- Exports, which define interactions between SCA modules and service requesters. They allow an SCA module to offer a service and define the external interfaces (access points) of an SCA module. You can view mediation module exports from WebSphere Process Server.
- SCA components, which are building blocks for SCA modules such as mediation modules. You can create and customize SCA modules and components graphically, using WebSphere Integration Developer. After you deploy a mediation module you can customize certain aspects of it from the WebSphere Process Server administrative console, without having to redeploy the module.

Usually, mediation modules contain a specific type of SCA component called a *mediation flow component*. Mediation flow components define mediation flows.

A mediation flow component can contain none, one, or a number of mediation primitives. WebSphere Process Server supports a supplied set of mediation primitives that provide functionality for message routing and transformation. If you need additional mediation primitive flexibility, you can use the Custom Mediation primitive to call custom logic.

The purpose of a mediation module that does not contain a mediation flow component is to transform service requests from one protocol to another. For example, a service request might be made using SOAP/JMS but might need transforming to SOAP/HTTP before sending on.

**Note:** You can view and make certain changes to mediation modules from WebSphere Process Server. However, you cannot view or change the SCA components inside a WebSphere Process Server module. Use WebSphere Integration Developer to customize SCA components.




Figure 30. Simplified example of a mediation module. The mediation module contains one mediation flow component, which contains mediation primitives.

- Properties

Mediation primitives have properties, some of which can be displayed in the administrative console as additional properties of an SCA module.

For mediation primitive properties to be visible from the WebSphere Process Server administrative console, the integration developer must promote the properties. Certain properties lend themselves to being administratively configured and WebSphere Integration Developer describes these as promotable properties, because they can be promoted from the integration cycle to the administrative cycle. Other properties are not suitable for administrative configuration, because modifying them can affect the mediation flow in such a way that the mediation module needs to be redeployed. WebSphere Integration Developer lists the properties that you can choose to promote under the promoted properties of a mediation primitive.

You can use the WebSphere Process Server administrative console to change the value of promoted properties without having to redeploy a mediation module, or restart the server or module.

Generally, mediation flows use property changes immediately. However, if property changes occur in a deployment manager cell, they take effect on each node as that node is synchronized. Also, mediation flows that are in-flight continue to use previous values.

**Note:** From the administrative console, you can only change property values, not property groups, names or types. If you want to change property groups, names or types, you must use WebSphere Integration Developer.

- A mediation module or dependent library may also define subflows. A subflow encapsulates a set of mediation primitives wire together as a reusable piece of integration logic. A primitive can be added to a mediation flow to invoke a subflow.

## Deploying mediation modules

Mediation modules are created using WebSphere Integration Developer, and are generally deployed to WebSphere Process Server inside an enterprise archive (EAR) file.

You can change the value of promoted properties at deployment time.

You can export a mediation module from WebSphere Integration Developer, and cause WebSphere Integration Developer to package the mediation module inside a Java archive (JAR) file, and the JAR file inside an EAR file. You can then deploy the EAR file, by installing a new application from the administrative console.

Mediation modules can be thought of as one entity. However, SCA modules are defined by a number of XML files stored in a JAR file.

Example of EAR file, containing a mediation module




Figure 31. Simplified example of an EAR file containing a mediation module. The EAR file contains JARs. The utility JAR file contains a mediation module.

## Mediation primitives

Mediation flow components operate on message flows between service components. The capabilities of a mediation component are implemented by *mediation primitives*, which implement standard service implementation types.

A mediation flow component has one or more flows. For example, one for request and one for reply.

WebSphere Process Server supports a supplied set of mediation primitives, which implement standard mediation capabilities for mediation modules or modules deployed into WebSphere Process Server. If you need special mediation capabilities, you can develop your own custom mediation primitives.

A mediation primitive defines an “in” operation that processes or handles messages that are represented by service message objects (SMOs). A mediation primitive can also define “out” operations that send messages to another component or module.




Figure 32. Mediation module containing three mediation primitives

You can use WebSphere Integration Developer to configure mediation primitives and set their properties. Some of these properties can be made visible to the runtime administrator by promoting them. Any mediation primitive property that can be promoted can also be a dynamic property. A dynamic property can be overridden, at run time, using a policy file.

WebSphere Integration Developer also allows you to graphically model and assemble mediation flow components from mediation primitives, and assemble mediation modules or modules from mediation flow components. The administrative console refers to mediation modules and modules as SCA modules.

WebSphere Integration Developer also allows the definition of subflows in modules or their dependent libraries. A subflow can contain any mediation primitive except for the Policy Resolution mediation primitive. A subflow is invoked from a request or response flow, or from another subflow using the Subflow mediation primitive. Properties promoted from mediation primitives in a subflow are exposed as properties on the Subflow mediation primitives. These may then be promoted again until they reach the module level at which point they can then be modified by the runtime administrator.

### Supported mediation primitives

The following set of mediation primitives are supported by WebSphere Process Server:

#### Business Object Map

Transforms messages.

- Defines message transformations using a business object map, which can be reused.
- Allows you to define message transformations graphically, using the business object map editor.
- Can alter the content of a message.
- Can transform an input message type to a different output message type.

#### Custom Mediation

Allows you to implement your own mediation logic in Java code. The

Custom Mediation primitive combines the flexibility of a user-defined mediation primitive, with the simplicity of a pre-defined mediation primitive. You can create complex transformations and routing patterns by:

- Creating Java code.
- Creating your own properties.
- Adding new terminals.

You can call a service from a Custom Mediation primitive, but the Service Invoke mediation primitive is designed to call services and provides additional functionality, such as retry.

### **Data Handler**

Allows you to transform a part of a message. It is used to convert an element of a message from a physical format to a logical structure or a logical structure to a physical format. The primary usage of the primitive is to convert a physical format, such as a Text string within a JMS Text Message object, into a logical Business Object structure and back again. This mediation is commonly used to:

- Transform a section of the input message from a defined structure to another - an example of this would be were the SMO includes a string value that is comma delimited and you want to parse this into a specific Business Object.
- Alter the message type – an example would be when a JMS export has been configured to use a JMS basic typed data binding and within the mediation module the integration developer decides that the content should be inflated to a specific BO structure.

### **Database Lookup**

Modifies messages, using information from a user-supplied database.

- You must set up a database, data source, and any server authentication settings for the Database Lookup mediation primitive to use. Use the administrative console to help you do this.
- The Database Lookup mediation primitive can read from only one table.
- The specified key column must contain a unique value.
- The data in the value columns must be either a simple XML schema type, or an XML schema type that extends a simple XML schema type.

### **Endpoint Lookup**

Allows for the dynamic routing of requests, by searching for service endpoints in a repository.

- Service endpoint information is retrieved from a WebSphere Service Registry and Repository (WSRR). The WSRR registry can be local or remote.
- You make registry changes from the WSRR administrative console.
- WebSphere Process Server needs to know which registry to use, therefore, you must create WSRR access definitions using the WebSphere Process Server administrative console.

### **Event Emitter**

Enhances monitoring by letting you send events from inside a mediation flow component.

- You can suspend the mediate action by deselecting the check box.
- You can view Event Emitter events using the Common Base Events (CBE) browser on WebSphere Process Server.

- You should only send events at a significant point in a mediation flow, for performance reasons.
- You can define the parts of the message that the event contains.
- The events are sent in the form of Common Base Events and are sent to a Common Event Infrastructure server.
- To fully use the Event Emitter information, event consumers need to understand the structure of the Common Base Events. The Common Base Events has an overall schema, but this does not model the application specific data, which is contained in the extended data elements. To model the extended data elements, the WebSphere Integration Developer tools generate a Common Event Infrastructure event catalog definition file for each of the configured Event Emitter mediation primitives. Event catalog definition files are export artifacts that are provided to help you; they are not used by WebSphere Integration Developer or by the WebSphere Process Server runtime. You should refer to the event catalog definition files when you create applications to consume Event Emitter events.
- You can specify other monitoring from WebSphere Process Server. For example, you can monitor events to be emitted from imports and exports.

**Fail** Stops a particular path in the flow, and generates an exception.

**Fan In** Helps aggregate (combine) messages.

- Can only be used in combination with the Fan Out mediation primitive.
- Together, the Fan Out and Fan In mediation primitives allow aggregation of data into one output message.
- The Fan In mediation primitive receives messages until a decision point is reached, then one message is output.
- The shared context should be used to hold aggregation data.

**Fan Out**

Helps split and aggregate (combine) messages.

- Together, the Fan Out and Fan In mediation primitives allow aggregation of data into one output message.
- In iterate mode, the Fan Out mediation primitive lets you iterate through a single input message that contains a repeating element. For each occurrence of the repeating element, a message is sent.
- The shared context should be used to hold aggregation data.

**HTTP Header Setter**

Provides a mechanism for managing headers in HTTP messages.

- Can create, set, copy, or delete HTTP message headers.
- Can set multiple actions to change multiple HTTP headers.

**MQ Header Setter**

Provides a mechanism for managing headers in MQ messages.

- Can create, set, copy, or delete MQ message headers.
- Can set multiple actions to change multiple MQ headers.

**SOAP Header Setter**

Provides a mechanism for managing headers in SOAP messages.

- Can create, set, copy, or delete SOAP message headers.
- Can set multiple actions to change multiple SOAP headers.



### **Message Element Setter**

Provides a simple mechanism for setting the content of messages.

- Can change, add or delete message elements.
- Does not change the type of the message.
- The data in the value columns must be either a simple XML schema type, or an XML schema type that extends a simple XML schema type.

### **Message Filter**

Routes messages down different paths, based on the message content.

- You can suspend the mediate action by deselecting the check box.

### **Message Logger**

Logs messages in a relational database or through your own custom logger. The messages are stored as XML, therefore, data can be post-processed by XML-aware applications.

- You can suspend the mediate action by deselecting the check box.
- The relational database schema (table structure) is defined by IBM.
- By default, the Message Logger mediation primitive uses the Common database. The runtime maps the data source at `jdbc/mediation/messageLog` to the Common database.
- You can set Handler implementation classes to customize the behavior of the custom logger. Optionally, you can provide Formatter implementation classes, Filter implementation classes, or both to customize the behavior of the custom logger.

### **Policy Resolution**

Allows for the dynamic configuration of requests, by searching for service endpoints, and associated policy files, in a repository.

- You can use a policy file to dynamically override the promoted properties of other mediation primitives.
- Service endpoint information and policy information is retrieved from a WebSphere Service Registry and Repository (WSRR). The WSRR registry can be local or remote.
- You make registry changes from the WSRR administrative console.
- WebSphere Process Server needs to know which registry to use, therefore, you must create WSRR access definitions using the WebSphere Process Server administrative console.

### **Service Invoke**

Calls a service from inside a mediation flow, rather than waiting until the end of the mediation flow and using the callout mechanism.

- If the service returns a fault, you can retry the same service or call another service.
- The Service Invoke mediation primitive is a powerful mediation primitive that can be used on its own for simple service calls, or in combination with other mediation primitives for complex mediations.

### **Set Message Type**

During integration development, lets you treat weakly-typed message fields as though they are strongly-typed. A field is weakly-typed if it can contain more than one type of data. A field is strongly-typed if its type and internal structure are known.

- At runtime, the Set Message Type mediation primitive lets you check that the content of a message matches the data types you expect.

**Stop** Stops a particular path in the flow, without generating an exception.

**Type Filter**

Allows you to direct messages down a different path of a flow, based on their type.

**XSL Transformation**

Transforms messages.

- Allows you to perform Extensible Stylesheet Language (XSL) transformations.
- You transform messages using an XSLT 1.0 transformation. The transformation operates on an XML serialization of the message.

**Dynamic routing**

You can route messages in various ways using endpoints defined at integration time or endpoints determined, dynamically, at run time.

Dynamic routing covers message routing where the flow is dynamic but all possible endpoints are predefined in a Service Component Architecture (SCA) module, and message routing where the flow is dynamic and the endpoint selection is also dynamic. In the latter case, the service endpoints are selected from an external source, at run time.

**Dynamic endpoint selection**

The run time has the capability to route request and response messages to an endpoint address identified by a message header element. This message header element can be updated by mediation primitives, in a mediation flow. The endpoint address could be updated with information from a registry, a database, or with information from the message itself. Routing of response messages applies only when the response is being sent by a Web service JAX-WS export.

In order for the run time to implement dynamic routing on a request or response, the SCA module must have the Use dynamic endpoint if set in the message header property set. Integration developers can set the Use dynamic endpoint if set in the message header property or they can promote it (make it visible at run time), so that the runtime administrator can set it. You can view module properties in the Module Properties window. To see the window, click **Applications** → **SCA Modules** → **Module Properties**. The integration developer gives promoted properties alias names, and these are the names displayed on the administrative console.

**Registry**

You can use IBM WebSphere Service Registry and Repository (WSRR) to store service endpoint information, and then create SCA modules to retrieve endpoints from the WSRR registry.

When you develop SCA modules, you use the Endpoint Lookup mediation primitive to allow a mediation flow to query a WSRR registry for a service endpoint, or a set of service endpoints. If an SCA module retrieves a set of endpoints then it must use another mediation primitive to select the preferred one.

**Mediation policy control of service requests**

You can use mediation policies to control mediation flows between service requesters and service providers.

You can control mediation flows using mediation policies stored in IBM WebSphere Service Registry and Repository (WSRR). The implementation of service policy management in WSRR is based on the Web Services Policy Framework (WS-Policy).

In order to control service requests using mediation policies, you must have suitable Service Component Architecture (SCA) modules and mediation policy documents in your WSRR registry.

### **How to attach a mediation policy to a service request**

When you develop an SCA module that needs to make use of a mediation policy, you must include a Policy Resolution mediation primitive in the mediation flow. At run time, the Policy Resolution mediation primitive obtains mediation policy information from the registry. Therefore, an SCA module must contain a mediation flow component in order to support mediation policy control of service requests.

In the registry, you can attach one or more mediation policies to an SCA module, or to a target service used by the SCA module. Attached mediation policies could be used (are in scope) for all service messages processed by that SCA module. The mediation policies can have policy attachments that define conditions. Mediation policy conditions allow different mediation policies to apply in different contexts. In addition, mediation policies can have classifications, which can be used to specify a governance state.

### **WebSphere Service Registry and Repository**

The WebSphere Service Registry and Repository (WSRR) product allows you to store, access, and manage information about service endpoints and mediation policies. You can use WSRR to make your service applications more dynamic, and more adaptable to changing business conditions.

#### **Introduction**

Mediation flows can use WSRR as a dynamic lookup mechanism, providing information about service endpoints or mediation policies.

To configure access to WSRR, you create WSRR definition documents using the administrative console. Alternatively, you can use the WSRR administration commands from the wsadmin scripting client. WSRR definitions and their connection properties are the mechanism used to connect to a registry instance, and retrieve a service endpoint or mediation policy.

#### **Service endpoints**

You can use WSRR to store information about services that you already use, that you plan to use, or that you want to be aware of. These services might be in your systems, or in other systems. For example, an application could use WSRR to locate the most appropriate service to satisfy its functional and performance needs.

When you develop an SCA module that needs to access service endpoints from WSRR, you must include an Endpoint Lookup mediation primitive in the mediation flow. At run time, the Endpoint Lookup mediation primitive obtains service endpoints from the registry.

## Mediation policies

You can also use WSRR to store mediation policy information. Mediation policies can help you to control service requests, by dynamically overriding module properties. If WSRR contains mediation policies that are attached to an object representing either your SCA module or your target service, then the mediation policies could override the module properties. If you want different mediation policies to apply in different contexts, you can create mediation policy conditions.

**Note:** Mediation policies are concerned with the control of mediation flows, and not with security.

When you develop an SCA module that needs to make use of a mediation policy, you must include a Policy Resolution mediation primitive in the mediation flow. At run time, the Policy Resolution mediation primitive obtains mediation policy information from the registry.

## Message Service clients

Message Service clients is available for C/C++ and .NET to enable non-Java applications to connect to the enterprise service bus.

Message Service Clients for C/C++ and .NET provide an API called XMS that has the same set of interfaces as the Java Message Service (JMS) API. Message Service Client for C/C++ contains two implementations of XMS, one for use by C applications and another for use by C++ applications. Message Service Client for .NET contains a fully managed implementation of XMS, which can be used by any .NET compliant language.

You can obtain Message Service Clients for .NET from [http://www-01.ibm.com/support/docview.wss?rs=0&q1=IA9H&uid=swg24011756&loc=en\\_US&cs=utf-8&cc=us&lang=en](http://www-01.ibm.com/support/docview.wss?rs=0&q1=IA9H&uid=swg24011756&loc=en_US&cs=utf-8&cc=us&lang=en)

You can obtain Message Service Clients for C/C++ from [http://www-01.ibm.com/support/docview.wss?rs=0&q1=ia94&uid=swg24007092&loc=en\\_US&cs=utf-8&cc=us&lang=en](http://www-01.ibm.com/support/docview.wss?rs=0&q1=ia94&uid=swg24007092&loc=en_US&cs=utf-8&cc=us&lang=en).

You can also install and use the Java EE client support from WebSphere Application Server Network Deployment, including Web services Client, EJB Client, and JMS Client.





Printed in USA