

**WebSphere** IBM WebSphere Partner Gateway Enterprise and Advanced  
Editions  
Version 6.2.1

*Programmers Guide*

**IBM**

**Note**

Before using this information and the product it supports, read the information in "Notices" on page 141.

**February 2011**

This edition applies to version 6, release 2, modification 1 of IBM WebSphere Partner Gateway Enterprise Edition (product number 5724-L69) and version 6, release 2, modification 1 of Advanced Edition (product number 5724-L68) and to all subsequent releases and modifications until otherwise indicated in new editions.

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© Copyright IBM Corporation 2010, 2011.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

## Chapter 1. About this book . . . . . 1

Audience . . . . .	1
Typographic conventions . . . . .	1
Related documents . . . . .	2
New in release 6.2.1 . . . . .	2

## Chapter 2. Customizing WebSphere

### Partner Gateway: user exits . . . . . 3

Customizing receivers . . . . .	3
Overview for creating new receivers . . . . .	3
Overview for creating new receiver handlers . . . . .	7
Development and deployment . . . . .	7

#### APIs and example code for receivers and receiver handlers . . . . . 11

ReceiverInterface . . . . .	11
ReceiverDocumentInterface . . . . .	13
ReceiverFrameworkInterface . . . . .	18
ReceiverConfig . . . . .	22
ResponseCorrelation . . . . .	25
BCGReceiverException . . . . .	26
ReceiverPreProcessHandlerInterface . . . . .	26
ReceiverSyncCheckHandlerInterface . . . . .	27
ReceiverPostProcessHandlerInterface . . . . .	28
BCGReceiverUtil . . . . .	29
Events . . . . .	30
Example receiver implementation outline . . . . .	31

#### Customizing fixed and variable workflow . . . . . 34

Overview for creating handlers in fixed inbound workflow . . . . .	35
Overview for creating actions in variable workflow . . . . .	40
Overview for creating handlers in fixed outbound workflow . . . . .	43
Development and deployment . . . . .	46

#### APIs and example code for workflow handlers and steps . . . . . 48

From com.ibm.bcg.bcgdk.workflow . . . . .	48
BusinessProcessFactoryInterface . . . . .	49
BusinessProcessInterface . . . . .	50
BusinessProcessHandlerInterface . . . . .	50
AttachmentInterface . . . . .	51
BusinessProcessUtil . . . . .	54
From com.ibm.bcg.bcgdk.services . . . . .	55
SecurityServiceInterface . . . . .	55
MapServiceInterface . . . . .	62
SignInfo . . . . .	64
BCGSecurityException . . . . .	65
From com.ibm.bcg.bcgdk.common . . . . .	66
Context . . . . .	66
Config . . . . .	67
BusinessDocumentInterface . . . . .	68
BCGException . . . . .	77
BCGUtil . . . . .	77
EventInfo . . . . .	79
BCGDocumentConstants . . . . .	83

Events . . . . .	88
Example handlers and steps implementation outline . . . . .	91
Customizing senders . . . . .	94
Overview for creating new senders . . . . .	95
Overview for creating new sender handlers . . . . .	96
Development and deployment . . . . .	96
APIs and example code for senders and sender handlers . . . . .	99
Sender Interface . . . . .	100
SenderResult . . . . .	101
SenderPreProcessHandlerInterface . . . . .	105
SenderPostProcessHandlerInterface . . . . .	106
BCGSenderException . . . . .	107
Events for sender handlersEvents . . . . .	107
Implementation outlines for an example sender . . . . .	108
End-to-end flow: an overview for using user exits . . . . .	109
Synchronous and asynchronous flows . . . . .	109
Associated document . . . . .	111
Troubleshooting user exits . . . . .	112
Setting up logging . . . . .	112
Common sources of error . . . . .	113

## Chapter 3. Customizing WebSphere

### Partner Gateway: administrative APIs and external event delivery . . . . . 115

Using the administrative API . . . . .	115
Understanding the administrative API . . . . .	115
The administrative API . . . . .	117
ParticipantCreate . . . . .	117
ParticipantCreateResponse . . . . .	118
ParticipantUpdate . . . . .	118
ParticipantUpdateResponse . . . . .	119
ParticipantSearchByName . . . . .	119
ParticipantSearchByNameResponse . . . . .	119
ParticipantAddBusinessId . . . . .	120
ParticipantAddBusinessIdResponse . . . . .	120
ParticipantRemoveBusinessId . . . . .	121
ParticipantRemoveBusinessIdResponse . . . . .	121
ContactCreate . . . . .	121
ContactCreateResponse . . . . .	122
ContactUpdate . . . . .	123
ContactUpdateResponse . . . . .	124
ListParticipantCapabilities . . . . .	125
ListParticipantCapabilitiesResponse . . . . .	125
ListParticipantConnections . . . . .	126
ListParticipantConnectionsResponse . . . . .	126
ListTargets . . . . .	127
ListTargetsResponse . . . . .	127
ListEventDefinitions . . . . .	128
ListEventDefinitionsResponse . . . . .	128
BCGPublicAPIException . . . . .	129
Using the configuration migration API . . . . .	129
Understanding the configuration migration API . . . . .	129

Developing with the configuration migration	
API . . . . .	129
Running your program . . . . .	130
BCGMigrationUtil . . . . .	130
Using external event delivery . . . . .	133
The external event delivery process . . . . .	133
The structure of delivered events . . . . .	134

<b>Notices . . . . .</b>	<b>141</b>
Programming interface information . . . . .	143
Trademarks and service marks . . . . .	143
<b>Index . . . . .</b>	<b>145</b>

---

## Chapter 1. About this book

IBM<sup>(R)</sup> WebSphere<sup>(R)</sup> Partner Gateway Enterprise and Advanced Editions provide a robust, scalable platform for managing business-to-business (B2B) communication.

This document describes a new set of tools available for the programmatic customization of the system as well as for the automation of certain aspects of day to day system administration.

---

### Audience

This document is for consultants, developers, and system administrators for WebSphere Partner Gateway Enterprise and Advanced Editions.

---

### Typographic conventions

This document uses the following conventions:

---

Monospace font	Text in this font indicates text that you type, values for arguments or command options, examples, and code samples, or information that the system prints on the screen (message text or prompts).
<b>bold</b>	Boldface text indicates graphical user interface controls (for example, online button names, menu names, or menu options) and column headings in tables and text.
<i>italic</i>	Text in italics indicates emphasis, book titles, new terms and terms that are defined in the text, or variable names.
<i>italic monospace font</i>	Text in italics monospace font indicates variable names within monospace-font text.
Underlined colored text	Underlined colored text indicates a cross-reference. Click the text to go to the object of the reference.
Text in blue outline	(In PDF files only) An outline around text indicates a cross-reference. Click the outlined text to go to the object of the reference. This convention is the equivalent for PDF files of the "Underlined colored text" convention included in this table.
"" (quotation marks)	(In PDF files only) Quotation marks surround cross-references to other sections of the document.
{ }	In a syntax line, curly brackets surround a set of options from which you must choose one and only one.
[ ]	In a syntax line, square brackets surround an optional parameter.
. . .	In a syntax line, ellipses indicate a repetition of the previous parameter. For example, <code>option[,...]</code> means that you can enter multiple, comma-separated options.
< >	Angle brackets surround variable elements of a name to distinguish them from one another. For example, <code>&lt;server_name&gt;&lt;connector_name&gt;tmp.log</code> .
\,/	Backslashes (\) are used as separators in directory paths in Windows installations. For UNIX installations, substitute slashes (/) for backslashes.
<i>ProductDir</i>	<i>ProductDir</i> represents the directory where the product is installed. When necessary, another variable word is added to <i>ProductDir</i> to indicate the type of directory. For example, <i>ReceiverProductDir</i> .

---

---

## Related documents

The complete set of documentation available with this product includes comprehensive information about installing, configuring, administering, and using WebSphere Partner Gateway Enterprise and Advanced Editions.

You can download, install, and view the documentation at the following site:  
<http://www.ibm.com/software/integration/wspartnergateway/library/>

**Note:** Important information about this product may be available in Technical Support Technotes and Flashes issued after this document was published. The Technical Support Technotes and Flashes can be found on the WebSphere Support Web site, <http://www.ibm.com/software/integration/wspartnergateway/support>

---

## New in release 6.2.1

WebSphere Partner Gateway V6.2.1 supports the following new features:

- Web Mail box is web based support for B2B interaction. Partners, customers, and vendors interact with the WebSphere Partner Gateway hub using only the internet browser.
- SFTP integrated server is supported in addition to FTP integrated server.
- OpenPGP certificate is supported in WebSphere Partner Gateway.
- Support for WebSphere Application Server ND V7.0.0.13, WebSphere Messaging Queue 7.0, and WTX 8.3.
- Platform support for Windows 2008, Windows 7, and SLES 11.
- Power 7 Support -Toleration Mode (P6/P6+ Compatible Modes).
- Virtualization Support - VMware® ESX with Windows and Linux, Power VM with AIX.

---

## Chapter 2. Customizing WebSphere Partner Gateway: user exits

WebSphere Partner Gateway is a business-to-business (B2B) community management solution. With WebSphere Partner Gateway, you exchange data and processes within a trading community, crossing enterprise boundaries and extending business integration beyond the enterprise and into the community. A trading community typically revolves around a hub—an enterprise that acts as the internal partner. external partners send documents to the hub, where they are processed and then routed to the appropriate destination.

WebSphere Partner Gateway provides users who have needs that fall outside the range of options delivered with the product, to customize the process at a number of crucial stages. You can develop and deploy plug-in modules that support additional transports, business protocols and so forth, based on a newly developed set of APIs. The points in the process where these plug-in modules can be invoked are called user exits.

The following chapters document how to customize WebSphere Partner Gateway by using these user exits.

---

### Customizing receivers

The receiver handles the first stage in the WebSphere Partner Gateway data flow. It picks up documents from the transport, performs some basic processing on them, and places them in a storage queue to be picked up by the main processing component, Document Manager. In synchronous requests, it also returns the response document to the initiating partner. You can customize the receiver stage of processing in two ways, by creating new receivers or by creating and configuring new receiver handlers. This chapter covers both ways of customizing receivers in the following sections:

- “Overview for creating new receivers”
- “Overview for creating new receiver handlers” on page 7

An additional section, “Development and deployment” on page 7, covers development and deployment issues.

The API list and the code and pseudocode example outlines follow in the next chapter.

### Overview for creating new receivers

Receivers are transport-specific. WebSphere Partner Gateway ships with receivers for FTP directory, JMS, File directory, SFTP, SMTP (POP3), FTP/S Scripting, and HTTP/S transports. To add a new transport to the WebSphere Partner Gateway system, you can write your own receivers, using an API provided with WebSphere Partner Gateway. Use the Community Console to configure your new receivers, and then integrate them into the processing flow in the normal way. This section describes the process of developing a new receiver. It covers the following topics:

- “Receiver flow” on page 4
- “Receiver types” on page 6
- “Multiple box deployment” on page 6

## Receiver flow

The nature of the processing flow inside a receiver is in part dictated by the needs of the particular transport, but there are basic tasks that all receivers must accomplish. This section describes those tasks in a high level, general way.

### 1. Detect message arrival on transport

Receivers use one of two methods to detect request message arrival: polling the targets defined for this transport, as the provided JMS receiver does, or receiving callbacks from the transport, as the provided HTTP/S receiver does.

### 2. Retrieve message from transport

The receiver retrieves the request message and any transport attributes, like headers, from the transport. This might require the creation of temporary files on the file system.

### 3. Generate headers required by WebSphere Partner Gateway

WebSphere Partner Gateway uses special metadata to further process the document. The metadata comprises headers that the receiver constructs from the request message or the transport headers. The receiver sets one or more of following headers on the request document:

- **BCGDocumentConstants.BCG\_RCVR\_DESTINATION** A destination type (such as production or test) associated with a target and set by receivers on a ReceiverDocumentInterface object upon receiving the document from the target. The destination type configured for the target can be read from the receiver configuration by using the **BCGDocumentConstants.BCG\_TARGET\_DESTINATION** attribute.
- **BCGDocumentConstants.BCG\_RCVD\_IPADDRESS** The host IP address where the document is received.
- **BCGDocumentConstants.BCG\_INBOUND\_TRANSPORT\_CHARSET** The character set that is obtained from the transport headers.
- **BCGDocumentConstants.BCG\_REQUEST\_URI** The URI of the target where the request is received.
- **BCGDocumentConstants.BCG\_RCVD\_DOC\_TIMESTAMP** The time when the document was received.
- **BCGDocumentConstants.BCG\_RCVD\_CONTENT\_LENGTH** The size of the received content.
- **BCGDocumentConstants.BCG\_RCVD\_MSG\_LNGTH\_INC\_HDRS** The size of the received content including headers.
- **BCGDocumentConstants.BCG\_RCVD\_CONTENT\_TYPE** The content type of the request.

The *receiver request* document that will be forwarded to Document Manager for further processing consists of the transport message, transport headers, and the above WebSphere Partner Gateway headers.

**Note:** You can execute steps, 4 and 5 in either order.

### 4. Do preprocessing

The receiver calls a WebSphere Partner Gateway component, the Receiver Framework, to actually do the preprocessing. The Framework executes the handlers, either supplied by WebSphere Partner Gateway or user-defined, that have been specified for this target via the Community Console, in the order they are shown in the Community Console configuration page. The Receiver Framework invokes the configured list of handlers for the target one handler after the other until one of the handlers accepts the received



request document. This handler is invoked to process the receiver document. This handler can return one or more documents, and all receivers must be designed to handle multiple returns.

### **5. Check whether synchronous or asynchronous**

The receiver calls the Receiver Framework to determine whether the received request is synchronous or not. The Framework invokes a configured list of handlers for this target, one after the other, until one of the handlers accepts the request receiver document. The Receiver Framework executes this handler to determine whether this is a synchronous request or an asynchronous request. If the handler determines that the request is asynchronous, path A will be followed. If the request is synchronous, path B will be followed.

#### **6A. Process asynchronous request**

If the request is asynchronous, (meaning that it does not require a response document to be returned to the originating trading partner) the receiver calls the Framework to process the request document. The Framework takes care of storing the information in a place from which Document Manager will retrieve it.

#### **6B. Process synchronous request**

If the request is synchronous (meaning that it requires a response document to be returned to the originating trading partner) the receiver calls the Framework to process the request document. There are two possible types of synchronous requests: blocking and nonblocking. In blocking mode, the receiver's calling thread will be blocked until the Framework returns the response document to it from Document Manager. In nonblocking mode, the receiver's calling thread will return immediately. When the Framework receives the response document at a later time, it will call the `processResponse` method on the receiver to pass the response document back. A correlation object is used to synchronize the originating request with this response.

Note that the JMS receiver has been migrated to the user-exit Receiver Framework and enhanced to support the handling of synchronous request-responses. Perform the following steps to use the synchronous behavior in the JMS receiver.

1. Configure the back-end application to set the ReplyTo queue and Correlation ID in the JMS headers. When the JMS receiver receives the synchronous response from the Document Manager, it writes the response to the ReplyTo queue and the Correlation ID in the JMS headers.
2. Configure the SyncCheck handler, either a WebSphere Partner Gateway default sync-check handler or a user-defined sync-check handler, for the JMS receiver target in the Community Console. When invoked, the configured handler returns true or false based on the received request. If the handler is the default sync check handler, it always returns true.

### **7. Do postprocessing**

In the case of a synchronous request, the receiver calls the Receiver Framework to execute postprocessing on the response document before it is returned to the originating partner. The Receiver Framework invokes a configured list of handlers for this target one after the other until one of the handlers accepts the response receiver document. The Receiver Framework executes this handler to process the response receiver document.

## 8. Complete processing

In case of a synchronous request, the response document is returned to the originating trading partner over the transport. The receiver calls the `setResponseStatus` method on the Framework to report on the success or failure of the response delivery. The receiver removes the request message from the transport.

**Exceptions:** Errors can occur in the following circumstances:

- Retrieval of the message from the transport fails
- Call to `preprocess` fails
- Sync check fails
- Call to carry out asynchronous or synchronous processing fails
- Call to `postprocess` the response document fails
- Attempt to return response document on transport fails

If any of these failures occurs, the receiver can perform the following actions:

### Reject the message from the transport

The message must be removed from the transport. In the case of a JMS receiver, for example, the message is removed from the queue. In the case of an HTTP receiver, a 500 status code is returned to the trading partner.

### Archive the rejected message

This is an optional step. The message is archived, either in a queue to be resubmitted later or in a folder for rejected messages on the local file system.

### Generate an event

This is an optional step. Receiver developers can choose to have receivers produce events, alerts, or both in the case of error conditions. For example, if in a synchronous request the receiver is unable to return a response document it has received from the Framework to the originating trading partner, an error event is logged. A list of events available for logging problems in the receiver stage is presented in the following chapter about APIs.

## Receiver types

There are two general types of receivers, based on how they detect incoming messages on the transport. Some receivers are polling based. They poll their transports at regular intervals to determine if new messages have arrived. WebSphere Partner Gateway-supplied examples of this type of receiver include JMS, file, POP3, FTP/S Scripting, and FTP. Other receivers are callback based. They receive notification from the transport when messages arrive. The HTTP receiver is an example of a callback-based receiver.

## Multiple box deployment

Receivers can be deployed in a multiple box (multi-box) mode. In this scenario, multiple receivers and their configured targets can pick up messages from the same transport location.

The file system can be a shared or a mounted file system and can be used based on the Operating System on the boxes. If multiple receivers are deployed on different boxes, then all these boxes has to share a common file system with the box on which the console is deployed. The File receivers have to point to the shared file location such that all the receivers in the multiple boxes poll the same physical location.

In a deployment model where receiver components are deployed on multiple boxes, all the defined receivers exist on each of the boxes. These receivers get the list of configured targets from the database, which are created from the Community Console. The target configuration must be accessible to each receiver instance; if it is not, the receiver instances fail to receive the document from that target. In some cases, the target has to be created in each of the receiver boxes.

For example, if you have a receiver component running on two boxes with a configured JMS receiver and target (MyJMSTarget) going to a queue, such as MyQueue, both the JMS receiver instances will poll the target called MyJMSTarget, which is configured with the queue 'MyQueue'. In this case, the JMS bindings file that is configured with the target is accessible to both the JMS receiver instances; for example, the bindings file kept in a shared location or the same bindings file kept in each of the boxes. This same deployment model is also applicable for the File and FTP receivers.

## Overview for creating new receiver handlers

The receiver can call the Receiver Framework to invoke receiver handlers at three stages, called configuration points, during the receiver processing flow: preprocessing, sync checking, and postprocessing. Preprocessing returns one or more receiver documents. Preprocessing can be used to process the document before submitting it to WebSphere Partner Gateway for processing. It can also be used for splitting an incoming document from a trading partner. The sync-check handler determines whether the document is to be processed as a synchronous or asynchronous request. Postprocessing provides necessary processing for response documents that are returned from Document Manager as a result of a synchronous request.

The Framework relies on handlers to execute these processing requests. You can develop handlers to satisfy your specific needs, using APIs that ship with WebSphere Partner Gateway. After you write and deploy the handlers, you need to configure them by using the Community Console. For further information about this process, see the *WebSphere Partner Gateway Hub Configuration Guide*.

## Development and deployment

The following sections describe development and deployment for user-created receivers and handlers.

### Development environment

The receiver and receiver handler development API relies on classes and interfaces from two packages:

- com.ibm.bcg.bcgdk.receiver
- com.ibm.bcg.bcgdk.common

These packages are part of the bcgSDK.jar file, and are found in the following directories:

- ProductDir\wasND\Profiles\\installedApps\\BCGArchiver.ear\lib
- ProductDir\wasND\Profiles\\installedApps\\BCGBPE.ear\lib
- ProductDir\wasND\Profiles\\installedApps\\BCGDocMgr.ear\lib
- ProductDir\wasND\Profiles\\installedApps\\BCGReceiver.ear\lib

- ProductDir\wasND\Profiles\\installedApps\\BCGConsole.ear\lib

In all deployed instances, the bcgsdk.jar file is installed in the application server class path.

For development, the bcgsdk.jar file has to be included in the build path of the project that contains the user exit classes.

## Deployment and packaging (receivers)

All user-created code needs to be made available to the run-time environment. Package and deploy user-created code in one of the following ways for use during runtime:

- Placed in a JAR file in \- Added as classes in \

**Note:** Ensure that the class file is placed under the appropriate folder in the class folder structure in accordance with the package declared in the source.

Adding the JAR or class files to the run-time environment makes them available only if the transport or handler is configured to be used by the run-time library. Receiver transports and handlers are configured for use like the other product-provided transports and handlers. In order to configure them you must first make them known to the Community Console. You do this by importing their definitions into the Community Console by means of an XML descriptor file.

To import a Receiver transport, click **Hub Admin > Hub Configuration > Receivers > Manage Transport Types**.

To import a Receiver transport handler, click **Hub Admin > Hub Configuration > Handlers > Receivers > Import**. One of the descriptors is the Handler Type. Only defined Handler Types are allowed and are based on the transport target configuration points. For user-defined transports, the transport descriptor file must be imported first in order to provide the handler type.

## Descriptor file definition for a receiver transport

The receiver transport descriptor file uses the bcgtarget.xsd schema. Following is a brief outline for each of the elements in the descriptor file based on the following example:

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- Copyright (c) 2004 IBM Corp. - All Rights Reserved.-->
<!-- IBM makes no representations or warranties about the suitability of -->
<!-- this program, either express or implied, including but not limited to -->
<!-- the implied warranties of merchantability, fitness for a particular -->
<!-- purpose, or non-infringement. -->
<tns:TargetDefinition
  xmlns:tns="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external"
  xmlns:tns2="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external
  bcgtarget.xsd http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types
  bcgimport.xsd">
  <tns:TargetClassName>com.mycompany.MyHTTPTransport</tns:TargetClassName>
  <tns:Description>My company HTTP Transport</tns:Description>
  <tns:TransportTypeName>MYHTTP</tns:TransportTypeName><tns:TransportAttributes>
  <tns2:ComponentAttribute>
  <tns2:AttributeName>URI</tns2:AttributeName>
  <tns2:AttributeDefaultValue>localhost</tns2:AttributeDefaultValue>
  </tns2:ComponentAttribute>
```

```

<tns2:ComponentAttribute>
<tns2:AttributeName>Timeout</tns2:AttributeName>
</tns2:ComponentAttribute>
</tns:TransportAttributes>
<tns:TargetConfigurationPoints>
<tns:Preprocess>RECEIVER.PREPROCESS.MYHTTP</tns:Preprocess>
<tns:SyncCheck>RECEIVER.SYNCHECK.MYHTTP</tns:SyncCheck>
</tns:TargetConfigurationPoints>
</tns:TargetDefinition>

```

A description of the XML elements follows:

**TargetClassName**

The full class name of the Receiver implementation

**Description**

General description for the transport

**TransportTypeName**

The name that appears in the Transport drop down list in the Console Target List page

**TransportAttributes (optional)**

Any attributes that this transport can have

**ComponentAttribute**

An attribute name and default value that are used to provide configuration information to the target at runtime

**AttributeName**

The name of a specific attribute

**AttributeDefaultValue (optional)**

The attribute's default value

**TargetConfigurationPoints (optional)**

The names of the configuration points that this transport has

**Preprocess**

A preprocess configuration point, RECEIVER.PREPROCESS.xxx where xxx is the value of the TransportTypeName

**SyncCheck**

A SyncCheck configuration point, RECEIVER.SYNCHECK.xxx where xxx is the value of the TransportTypeName

**SyncResponseProcess**

A SyncResponseProcess configuration point, RECEIVER.SYNCRESPONSEPROCESS.xxx where xxx is the value of the TransportTypeName

Any handlers defined for this receiver transport must match one of these TargetConfigurationPoints values.

**Descriptor file definition for a receiver transport handler**

The receiver transport handler descriptor file uses the bcghandler.xsd schema. Following is a brief outline for each of the elements in the descriptor file based on the following example:

```

<?xml version="1.0" encoding="UTF-8"?>
<tns:HandlerDefinition
  xmlns:tns="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external"
  xmlns:tns2="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external
  bcghandler.xsd http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types

```

```

    bcgimport.xsd ">
<tns:HandlerClassName>com.mycompany.RecvHandler</tns:HandlerClassName>
<tns:Description>My companies handler for my business protocol and multiple
    transports.</tns:Description>
<tns:HandlerTypes>
<tns:HandlerTypeValue>RECEIVER.PREPROCESS.MYHTTP</tns:HandlerTypeValue>
<tns:HandlerTypeValue>RECEIVER.PREPROCESS.JMS</tns:HandlerTypeValue>
</tns:HandlerTypes>
<tns:HandlerAttributes>
<tns2:ComponentAttribute>
<tns2:AttributeName>Attribute 1</tns2:AttributeName>
</tns2:ComponentAttribute>
<tns2:ComponentAttribute>
<tns2:AttributeName>Attribute 2</tns2:AttributeName>
<tns2:AttributeDefaultValue>Attribute2DefaultValue</tns2:AttributeDefaultValue>
</tns2:ComponentAttribute>
</tns:HandlerAttributes>
</tns:HandlerDefinition>

```

A description of the XML elements follows:

#### **HandlerClassName**

The full class name of the handler implementation.

#### **Description**

General description for the handler.

#### **HandlerTypes**

The handler types with which this handler can be used. For transports, the handler type corresponds to the TargetConfigurationPoints value defined for that transport. To see a list of the currently defined transport Handler Types, click **Hub Admin > Hub Configuration > Handlers > Target > HandlerTypes**.

#### **HandlerTypeValue**

The HandlerType value that corresponds to the TargetConfigurationPoints value. A handler can be associated with more than one transport type.

#### **HandlersAttributes (optional)**

The attributes, if any, for this handler.

#### **ComponentAttribute**

An attribute's name and default values that are used to provide configuration information to the handler at runtime.

#### **AttributeName**

The name of a specific attribute.

#### **AttributeDefaultValue (optional)**

The attribute's default value.

### **Reserved attribute names**

Every target configuration has the following two reserved attribute names:

#### **ACTIVESTATUSCD**

An attribute whose value indicates whether the target of a receiver is enabled or disabled. You can enable or disable a target from the Community Console. If a target is enabled, this attribute has a value of 1. Do not obtain the value of this attribute at runtime from the configuration of the target by using the constant `BCGDocumentConstants.BCG_TARGET_STATUS`. While developing a receiver, do not define `ACTIVESTATUSCD` as an attribute in the receiver's deployment descriptor.

## DESTNAME

An attribute whose value indicates the destination type associated with the target. Every target has a destination type associated with it. The destination type can be configured from the Community Console while configuring a target. A destination type is required for determining the partner connection. You can obtain the value of this attribute at runtime from the configuration of the target by using the constant `BCGDocumentConstants.BCG_TARGET_DESTINATION`. While developing a receiver, make sure that you do not define `DESTNAME` as an attribute in the deployment descriptor of the receiver. For every business document received by a target, the receiver creates an object of type `ReceiverDocumentInterface`, also referred to as a receiver document. The receiver sets the `BCGDocumentConstants.BCG_RCVR_DESTINATION` attribute on the receiver document. The value of this attribute should be same as the value of the `BCGDocumentConstants.BCG_TARGET_DESTINATION` attribute from the target configuration. If `BCGDocumentConstants.BCG_RCVR_DESTINATION` is not set on the receiver document, the Document Manager cannot determine the partner connection for this document.

---

## APIs and example code for receivers and receiver handlers

The following chapter provides an annotated list of the APIs provided for developing custom receivers and receiver handlers. The following classes and interfaces are documented:

- “ReceiverInterface”
- “ReceiverDocumentInterface” on page 13
- “ReceiverFrameworkInterface” on page 18
- “ReceiverConfig” on page 22
- “ResponseCorrelation” on page 25
- “BCGReceiverException” on page 26
- “ReceiverPreProcessHandlerInterface” on page 26
- “ReceiverSyncCheckHandlerInterface” on page 27
- “ReceiverPostProcessHandlerInterface” on page 28
- “BCGReceiverUtil” on page 29
- “Events” on page 30

A brief example of code and pseudo code for a custom receiver implementation is included in “Example receiver implementation outline” on page 31.

## ReceiverInterface

Each receiver must implement this interface. It has the following methods:

- `init`
- `refreshConfig`
- `startReceiving`
- `processResponse`
- `stopReceiving`

## Method

init

## Method description

Initializes the receiver, based on the contents of the ReceiverConfig object

## Syntax

```
public void init (Context context, ReceiverConfig config)
    throws BCGReceiverException
```

## Parameters

### context

Run-time context information for this receiver

### config

Configuration details as specified in the Community Console

## Method

refreshConfig

## Method description

Called by the Receiver Framework if it detects changes in the configuration of this receiver

**Note:** The target of a receiver can be enabled or disabled from the Community Console. The target status can be read from the target configuration attribute `BCGDocumentConstants.BCG_TARGET_STATUS`. The value of this attribute returns 1 if the target is enabled.

## Syntax

```
public void refreshConfig(ReceiverConfig config)
    throws BCGReceiverException
```

## Parameters

### config

An object that carries configuration details as specified in the Community Console

## Method

startReceiving

## Method description

Called by the Receiver Framework in its thread. After this method is called, the receiver can receive documents on its active targets. If the receiver is of the callback type, it processes callbacks in its own thread only after this point. The receiver receives documents in its own threads. This method returns quickly.

**Note:** The receiver is responsible for its own thread management.

## Syntax

```
public void startReceiving()
    throws BCGReceiverException
```



## Parameters

None

## Method

processResponse

## Method description

In the case of nonblocking synchronous requests, called by the Receiver Framework when the response document has returned from Document Manager. The call comes on a Receiver Framework (or internal class) thread. The receiver returns this call quickly.

## Syntax

```
public void processResponse(ResponseCorrelation respCorr,  
                           ReceiverDocumentInterface response)  
    throws BCGReceiverException
```

## Parameters

### respCorr

An object that contains the information needed to synchronize the response document to the original request document

### response

The response document

## Method

stopReceiving

## Method description

This method is called by the Receiver Framework in its thread. This method returns quickly. After this method is called, the receiver stops receiving the documents, and cleanup is performed. After this method is called, all references to the receiver are removed. This method is called when the Receiver Framework receives a request to terminate.

## Syntax

```
public void stopReceiving()  
    throws BCGReceiverException
```

## Parameters

None

## ReceiverDocumentInterface

Represents the document. This object will be created by the receiver before it invokes the Framework. It has the following methods:

- getTempObject
- setTempObject
- getAttribute
- setAttribute

- getAttributes
- getTransportHeaders
- setTransportHeaders
- getDocument
- setDocument
- getDocumentUUID
- setdocumentUUID
- getReceiverID
- setReceiverID
- getTransportID
- setTransportID

### Method

getTempObject

### Method description

Retrieves temporary information for passing among handlers

### Syntax

```
public Object getTempObject(String objectName)
```

### Parameters

**objectName**

The name of the object holding the temporary information

### Method

setTempObject

### Method description

Sets temporary information for passing among handlers

### Syntax

```
public void setTempObject(String objectName, Object objectValue)
```

### Parameters

**objectName**

The name of the object holding the temporary information

**objectValue**

The temporary information

### Method

getAttribute

### Method description

Retrieves a console-defined attribute

### Syntax

```
public Object getAttribute(String name)
```

## Parameters

### name

The name of the attribute

## Method

setAttribute

## Method description

Sets console-defined attribute

## Syntax

```
public void setAttribute(String name, Object value)
```

## Parameters

### name

The name of the attribute

### value

The value to be set on the attribute

## Method

getAttributes

## Method description

Retrieves the entire attribute map

## Syntax

```
public Map getAttributes()
```

## Parameters

None

## Method

getTransportHeaders

## Method description

Retrieves transport headers

## Syntax

```
public HashMap getTransportHeaders()
```

## Parameters

None

## Method

setTransportHeaders

## Method description

Sets transport headers

## Syntax

```
public setTransportHeaders(HashMap transportHeaders)
```

## Parameters

### **transportHeaders**

The transport headers

## Method

```
getDocument
```

## Method description

Retrieves the document content as a file

## Syntax

```
public File getDocument()
```

## Parameters

None

## Method

```
setDocument
```

## Method description

Sets the document content in the file object

## Syntax

```
public void setDocument(File document)
```

## Parameters

### **document**

The name of the file object that contains the document

## Method

```
getDocumentUUID
```

## Method description

Gets the unique reference ID for this document. Every document is assigned a unique ID.

## Syntax

```
String getDocumentUUID()
```

## Parameters

None

## Method

setdocumentUUID

## Method description

This method sets the request ID in the given Request/Response Document.

## Syntax

```
public void setdocumentUUID(String referenceID)
```

## Parameters

**referenceID**

Document Reference Id

## Method

getReceiverID

## Method description

Getter for retrieving the Receiver ID.

## Syntax

```
public String getReceiverID()
```

## Parameters

None

## Method

setReceiverID

## Method description

Setter for setting Receiver ID.

## Syntax

```
public void setReceiverID(String configID)
```

## Parameters

**configID**

Receiver ID for this receiver

## Method

getTransportID

## Method description

Getter for retrieving Transport ID.

## Syntax

```
public String getTransportID()
```

## Parameters

None

## Method

setTransportID

## Method description

Setter for setting Transport ID.

## Syntax

```
public void setTransportID(String transportID)
```

## Parameters

**transportID**

transport ID for this receiver

## ReceiverFrameworkInterface

This interface specifies the methods available in the Receiver Framework, which are as follows:

- remove
- preProcess
- syncCheck
- postProcess
- process
- setResponseStatus

## Method

remove

## Method description

Called by the receiver when it detects a nonrecoverable condition. The receiver calls this method only if it cannot continue receiving. The framework marks this receiver for removal and returns immediately. Later the stopReceiving method will be called on the receiver object.

## Syntax

```
public void remove(String transportType)  
                throws BCGReceiverException
```

## Parameters

**transportType**

A string identifying the receiver by the transport it supports

## Method

preProcess

## Method description

Called by the receiver to preprocess the document. The Receiver Framework invokes preprocessing handlers configured in the Community Console for this target. The framework invokes the `applies` method of the handlers (by passing the request document as input) one after the other (in the same sequence as they are configured in the Community Console), until a handler's `applies` method returns true. The Receiver Framework executes this handler's `process` method to process the request document. This method returns an array of receiver documents.

## Syntax

```
public ReceiverDocumentInterface[] preProcess(  
    String transportType,  
    String target,  
    ReceiverDocumentInterface request)  
    throws BCGReceiverException
```

## Parameters

### **transportType**

A string identifying the receiver by the transport it supports

### **target**

A string identifying the target

### **request**

The request document to be processed

## Method

`syncCheck`

## Method description

Called by the receiver to determine whether the received document can be processed synchronously or asynchronously. The Receiver Framework invokes `syncCheck` handlers configured in the Community Console for this target. The framework invokes the `applies` method of each handler one after the other (in the same sequence as they are configured in Community Console), until a handler's `applies` method returns true. The Receiver Framework executes this handler's `syncCheck` method to determine whether the request document can be processed synchronously or asynchronously. A value of true indicates that the request is synchronous. A value of false indicates that the request is configured to be asynchronous or that there are no `syncCheck` handlers configured for this receiver; the request is handled asynchronously.

## Syntax

```
public boolean syncCheck(String transportType, String target,  
    ReceiverDocumentInterface request)  
    throws BCGReceiverException
```

## Parameters

### **transportType**

A string identifying the receiver by the transport it supports

### **target**

A string identifying the target

**request**

The request document to be processed

**Method**

postProcess

**Method description**

In the case of a synchronous request, the receiver calls the Receiver Framework to postprocess the response document. The Receiver Framework invokes postprocessing handlers configured in the Community Console for this target. The framework invokes each handler's `applies` method by passing the response document as input one after the other (in the same sequence that they are configured in the Community Console), until the `applies` method of a handler returns `true`. The Receiver Framework executes this handler's `process` method to process the response document.

**Syntax**

```
public ReceiverDocumentInterface[] postProcess(  
    String receiverType,  
    String target,  
    ReceiverDocumentInterface request)  
    throws BCGReceiverException
```

**Parameters****receiverType**

A string identifying the receiver

**target**

A string identifying the target

**request**

The response document to be processed

**Method**

process

**Method description**

When this method is called, the framework checks for the Universal Unique ID (UUID) in the request document. If the UUID has not been set, the framework generates the UUID. The framework checks the `router_in` and `sync_in` folders for a pre-existing file with the same name as the newly generated UUID (`<UUID>.vcm`). If the framework finds a pre-existing file with that UUID, it regenerates the UUID. The receiver document is then introduced into the WebSphere Partner Gateway Document Manager. The method has three distinct signatures, depending on the type of processing required: asynchronous, blocking synchronous, or nonblocking synchronous.

**Note:** The method takes only one request document at a time. If multiple documents exist as a result of preprocessing, the receiver can call this method for each received document.

**Syntax**



## Parameters

### **transportType**

A string identifying the receiver

### **request**

The input document

### **response**

The blank document to hold the response from Document Manager

### **responseCorr**

The response correlation object that holds information allowing the receiver to synchronize the original request document with the response document to be returned from Document Manager.

## Method

setResponseStatus

## Method description

Notifies the Receiver Framework of the status of the synchronous response document after it has been returned to the trading partner

## Syntax

```
public void setResponseStatus(String documentUUID,  
                             boolean status, String statusMessage)  
    throws BCGReceiverException
```

## Parameters

### **documentUUID**

The document's unique ID

### **status**

A Boolean value that represents the state of the response document

### **statusMessage**

Information related to the status of the response document

## Asynchronous request

```
public void process(String transportType, ReceiverDocumentInterface request)  
    throws BCGReceiverException
```

This method returns immediately after introducing the document into WebSphere Partner Gateway Document Manager.

## Blocking synchronous request

```
public void process(String transportType,  
                   ReceiverDocumentInterface request,  
                   ReceiverDocumentInterface response)  
    throws BCGReceiverException
```

This method introduces the document into the WebSphere Partner Gateway Document Manager. The method does not return until a response is available.

## Nonblocking synchronous request

```
public void process(String transportType,  
                   ReceiverDocumentInterface request,  
                   ResponseCorrelation responseCorr)  
    throws BCGReceiverException
```

This method returns immediately after introducing the document into the WebSphere Partner Gateway Document Manager. When a response is available, the Receiver Framework invokes the processResponse method on the receiver that made the process call. The Receiver Framework passes the correlation object that was passed in the process method. The receiver can use the response correlation object to correlate the request with the response document.

## ReceiverConfig

This object stores receiver configuration information. It provides the following methods:

- getTransportType
- getConfigs
- getAttribute
- setAttribute
- getTargetConfig
- getTargetConfigsMethod
- getTargetConfigsMap
- setConfigs
- setTargetConfigs
- getTransportID

### Method

getTransportType

### Method description

Retrieves the type of receiver

### Syntax

```
public String getTransportType()
```

### Parameters

None

### Method

getConfigs

### Method description

Retrieves the configuration properties of a receiver

### Syntax

```
public Map getConfigs()
```

### Parameters

None

### Method

getAttribute

## Method description

Retrieves the value of a configuration property

### Syntax

```
public Object getAttribute(String configName)
```

### Parameters

#### configName

The name of the property

### Method

```
setAttribute
```

## Method description

Sets the value of a configuration property

### Syntax

```
public void setAttribute(String configName, Object value)
```

### Parameters

#### configName

The name of the property

#### value

The value to be set on the property

### Method

```
getTargetConfig
```

## Method description

Retrieves the target configuration

### Syntax

```
public Config getTargetConfig(String targetName)
```

### Parameters

#### targetName

The name of the target

### Method

```
getTargetConfigs
```

## Method description

Retrieves the configuration of all targets

### Syntax

```
public List getTargetConfigs()
```

## Parameters

None

## Method

getTargetConfigsMap

## Method description

Retrieves the list of target configuration

## Syntax

```
public Map getTargetConfigsMap()
```

## Parameters

None

## Method

setConfigs

## Method description

Sets the configs.

## Syntax

```
public void setConfigs(HashMap configs)
```

## Parameters

Configs the configs to set

## Method

setTargetConfigs

## Method description

Sets the targetConfigs

## Syntax

```
public void setTargetConfigs(Map targetConfigs)
```

## Parameters

targetConfigs The targetConfigs to set

## Method

getTransportID

## Method description

Getter to retrieve the transport ID

## Syntax

```
public String getTransportID()
```

## Parameters

None

## ResponseCorrelation

This interface provides a generic way to persist information needed to synchronize a request with a response when nonblocking synchronous processing has been invoked.

For example, a JMS receiver stores the JMS correlation ID, so the call looks like:

```
ResponseCorrelation respCorrel = new ResponseCorrelation()  
respCorrel.set (CORREL_ID_STRING, correlID);
```

Multiple types of information might need to be stored, depending on the transport type.

The interface provides the following methods:

- set
- get

### Method

set

### Method description

Sets serializable key and data

### Syntax

```
public Object set(Serializable key, Serializable value)  
throws NullPointerException
```

### Parameters

**key**

The key for the correlation-enabling data

**value**

The value to be set

### Method

get

### Method description

Gets serializable data of the serializable key

### Syntax

```
public Object get(Serializable key)
```

### Parameters

**key**

The serializable key for retrieving serializable data

## BCGReceiverException

Exception class for the receiver

### Examples

```
public class BCGReceiverException extends  
com.ibm.bcg.bcgdk.common.exception.BCGException {  
}
```

## ReceiverPreProcessHandlerInterface

This interface describes the methods that all preprocess handlers must implement:

- init
- applies
- process

### Method

init

### Method description

Initializes the handler

### Syntax

```
public void init(Context context, Config handlerConfig)  
    throws BCGReceiverException
```

### Parameters

**context**

The context in which the handler executes

**handlerConfig**

Handler configuration

### Method

applies

### Method description

The handler returns true if it can process the request document. Otherwise it returns false.

### Syntax

```
public boolean applies(ReceiverDocumentInterface request)  
    throws BCGReceiverException
```

### Parameters

**request**

The request document

### Method

process

## Method description

Performs preprocessing. Returns an array of documents

## Syntax

```
public ReceiverDocumentInterface[] process(  
    ReceiverDocumentInterface request) throws BCGReceiverException
```

## Parameters

**request**  
The request document

## ReceiverSyncCheckHandlerInterface

This interface describes the methods that all syncCheck handlers must implement:

- init
- applies
- syncCheck

Sync-check handlers are configured in the Community Console just as other handlers are.

## Method

init

## Method description

Initializes the handler

## Syntax

```
public void init(Context context, Config handlerConfig)  
    throws BCGReceiverException
```

## Parameters

**context**  
The context in which the handler executes

**handlerConfig**  
Handler configuration

## Method

applies

## Method description

The handler returns true if it can process the request document. Otherwise it returns false.

## Syntax

```
public boolean applies(ReceiverDocumentInterface request)  
    throws BCGReceiverException
```

## Parameters

**request**  
The request document

## Method

syncCheck

## Method description

Checks to see whether the document is to be processed synchronously. The method returns true if the request is synchronous, false if asynchronous.

## Syntax

```
public boolean syncCheck(ReceiverDocumentInterface request)
    throws BCGReceiverException
```

## Parameters

**request**  
The request document

Sync-check handlers are configured in the Community Console just as other handlers are.

## ReceiverPostProcessHandlerInterface

This interface describes the methods that all postprocessing handlers must implement:

- init
- applies
- process

## Method

init

## Method description

Initializes the handler

## Syntax

```
public void init(Context context, Config handlerConfig)
    throws BCGReceiverException
```

## Parameters

**context**  
The context in which the handler executes

**handlerConfig**  
Handler configuration

## Method

applies



## Method description

The handler returns true if it can process the request document. Otherwise it returns false.

## Syntax

```
public boolean applies(ReceiverDocumentInterface request response)
    throws BCGReceiverException
```

## Parameters

**request**  
The request document

## Method

process

## Method description

Postprocesses the response document. Returns an array of a receiver document.

## Syntax

```
public ReceiverDocumentInterface[] process(
    ReceiverDocumentInterface request response)
    throws BCGReceiverException
```

## Parameters

**request**  
The request document

## BCGReceiverUtil

This static class provides essential utility methods used for business document storage and management.

- createReceiverDocument
- getReceiverFramework
- getTempDir
- getRejectDir

## Method

createReceiverDocument

## Method description

Creates the receiver document (an instance of the ReceiverDocumentInterface class), which can be used as a request or a response receiver document

## Syntax

```
public static ReceiverDocumentInterface createReceiverDocument()
```

## Method

getReceiverFramework

## Method description

Returns a reference to the Receiver Framework so that document processing can begin

### Syntax

```
public static ReceiverFrameworkInterface getReceiverFramework()
```

### Method

getTempDir

## Method description

Gets a location for temporary storage

### Syntax

```
public static File getTempDir()
```

### Method

getRejectDir

## Method description

Gets a location for archiving rejected messages

### Syntax

```
public static File getRejectDir()
```

## Events

A list of events available for the receiver execution flow follows.

- “Informational events”
- “Warning events”
- “Error events”

### Informational events

#### BCG103207 - Receiver Entrance

Event text: Receiver *{0}* entrance.  
*{0}* Receiver class name

#### BCG103208 - Receiver Exit

Event text: Receiver *{0}* exit.  
*{0}* Receiver class name

### Warning events

#### BCG240618 - Sender warning

Event text: Sender warning *-{0}*  
*{0}* Sender warning information

### Error events

#### BCG103203 - Receiver Processing Error

Event text: Receiver '*{0},{1}*' failed to processing document, error: *{2}*.  
*{0}* Receiver name  
*{1}* Receiver type  
*{2}* Exception message

## BCG103205 - Receiver Error

Event text: Receiver '{0},{1}' failed to process target: {2}.

{0} Receiver name

{1} Receiver) type

{2} Exception message

(An example of a Receiver Error event is a failure in opening a queue connection)

## developerheader

### Example receiver implementation outline

The following code and pseudocode outlines an example implementation for a JMS receiver.

```
public class CustomJMSReceiver implements ReceiverInterface {
    private Context m_context = null;
    private ReceiverConfig m_rcvConfig = null;
    String receiverType = "CustomJMS";

    public void init(Context context, ReceiverConfig receiverConfig) {
        this.m_context = context;
        this.m_rcvConfig = receiverConfig;
        return;
    }

    public void refreshConfig(ReceiverConfig rcvconfig) throws BCGReceiverException {
        this.m_rcvConfig = rcvconfig;

        // Check which receiver targets are updated, added newly, or deleted
        // If new target is added, create a new thread and start polling the target.
        // If current target is updated, stop the thread that is polling the
        // target, and, using the updated configuration information, start polling.
        // If the current target is deleted, stop the thread which is polling the
        // target and delete the thread that is responsible for polling the target.
        ...

        return;
    }

    public void startReceiving() throws BCGReceiverException {
        // Read the list of targets in the ReceiverConfig object.
        // For each target, create a UserJMSThread and start the thread.
        ...

        return;
    }

    public void processResponse(ResponseCorrelation respCorr,
        ReceiverDocumentInterface response) throws BCGReceiverException {

        ReceiverDocumentInterface responseDocs[];
        responseDocs = rcvFramework.postProcess(receiverType, target, response);

        // Process the responseDocs.
        // Get the correlation information, for example, reply-to-queue
        // and correlation ID, and send the responses to the reply-to-queue queue.
        ...

        return;
    }

    public void stopReceiving() throws BCGReceiverException {
```

```

// Get the list of UserJMSReceiverThreads associated with each target.
// Call the stop method.

...

return;
}

private class UserJMSReceiverThread extends Thread {

String target; // Name of the target
String receiverType = "CustomJMS";
Config targetConfig;

    public UserJMSReceiverThread(Config targetConfig) {
        target = targetConfig.getName();
        this.targetConfig = targetConfig;
        // Create the queue session, connection, queue receiver
        // for this target.
        ...
    }

    public void run() {
        while (true) {
            try {
                // Call the receive method on the queue.
                // If a message is available, read the message and process the
                // document.
                ...

                processDocument(data);

                ...

                // else continue to poll the queue.
                ...

            } catch(Exception e) {

                ...

            }
        }
    }

}

// Upon receiving the document from the queue, start processing the
// document by using Receiver Framework APIs.

    public void processDocument(byte[] data) throws BCGReceiverException {

        // Get the temporary location where data can be written.
        File tempDir = BCGReceiverUtil.getTempDir();

        // Now create the temp file and write the data into it.
        File fileLocation = new File(tempDir, fileStr);
        FileOutputStream fos = new FileOutputStream(fileLocation);
        fos.write(data);
        fos.close();

        // Create the ReceiverDocument object.
        ReceiverDocumentInterface request = BCGReceiverUtil.createReceiverDocument();

        // Set document, transport headers, and BCG headers in the request.
        request.setDocument(fileLocation);
        String destination = targetConfig.getAttribute(
        BCGDocumentConstants.BCG_TARGET_DESTINATION)
        request.setAttribute(BCGDocumentConstants.BCG_RCVR_DESTINATION, destination);
    }
}

```

```

...

// Now start processing the document using ReceiverFramework APIs.
ReceiverFrameworkInterface rcvFramework =
BCGReceiverUtil.getReceiverFramework();

ReceiverDocumentInterface requestDocs[] =
rcvFramework.preprocess(receiverType, target, request);

// Check whether the requestDocs length is 1; if yes, document is not.
// Split into multiple documents. In this example, it is assumed
// that there is no splitting.
ReceiverDocumentInterface requestDoc = requestDocs[0];
boolean sync = rcvFramework.syncCheck(receiverType, target, requestDoc);
...

if (!sync) {
// Request is not synchronous.
rcvFramework.process(receiverType, target, requestDoc);

} else {
// Request is synchronous. Your receiver can make a blocking
// or nonblocking process call to the framework. The flow in
// this example is for illustration purpose only.
// Depending on your requirements, your receiver can make
// only one type of synchronous process call.

if (isRequestBlocking(requestDoc)) {

ReceiverDocumentInterface responseDoc;
ReceiverDocumentInterface responseDocs[];
rcvFramework.process(receiverType, requestDoc, responseDoc);
responseDocs =
rcvFramework.postProcess(receiverType, target, responseDoc);

// Process the responseDocs.
// Get the correlation information, for example, reply-to-queue and
// correlation ID, and send the responses to reply-to-queue queue.

...

} else {
ResponseCorrelation respCorr;
// Create response correlation by using the information that
// you can use later in CustomJMSReceiver.processResponse
// to correlate response with the request.

...

rcvFramework.process(receiverType, requestDoc, responseCorr)

...
// In case of nonblocking process, whenever response is
// available, Receiver Framework calls
// CustomJMSReceiver.processResponse.
}
}
}

public void isRequestBlocking(ReceiverDocumentInterface request) {
// Return true if you want to invoke Receiver Framework
// by using blocking process call for this request.
// Return false if you want to use nonblocking one.
...
}

```

```

        return true;
    }
}

```

## Customizing fixed and variable workflow

WebSphere Partner Gateway processes the business documents so that it can route them to the business partners in the business protocol that the trading partners are expecting. As described earlier, the Business Processing Engine (BPE), the core component of the Document Manager component, is responsible for running the flow as the business document flows through Document Manager. The entire business document flow in the BPE is divided into three units, also referred to as workflows: fixed inbound workflow, variable workflow, and fixed outbound workflow. Each workflow consists of series of steps, which the BPE runs in sequence.

Fixed inbound and fixed outbound workflow refer to the standard processing that all documents undergo as they flow into and out of the main processing stage. They are called fixed because the number and type of processing steps are always the same. Figure 1 illustrates Document Manager and the workflow.




Figure 1. Document Manager and workflow

In variable workflow, the number and type of processing steps depend completely on the requirements of the business protocol. You can customize the business document processing in two ways:

- By creating custom handlers for steps in fixed inbound and fixed outbound workflows
- By defining new actions (steps and their sequence) in the variable workflow stage

This chapter covers both ways of customizing the workflow:

- “Overview for creating handlers in fixed inbound workflow” on page 35

- “Overview for creating actions in variable workflow” on page 40
- “Overview for creating handlers in fixed outbound workflow” on page 43
- 

An additional section covers development and deployment issues.  
 “Development and deployment” on page 46

The API and some example code are provided in the next chapter. Information on a number of utility, security, and classes common to all WebSphere Partner Gateway components are also provided.

## Overview for creating handlers in fixed inbound workflow

Business documents received by WebSphere Partner Gateway are packaged according to the packaging requirements of the business protocol. WebSphere Partner Gateway uses the following terminology:

### Packaging

A type of document packaging such as RNIF, AS2, or Backend Integration.

### Protocol

The business protocol that the contents of the document follow; for example, RosettaNet, XML, or EDI.

### Document flow

A particular document type such as RosettaNet 3A4.

To process the business document, the BPE determines the packaging, protocol, and document flow associated with the incoming business document. The protocol unpackaging and protocol processing steps of fixed inbound workflow provide this information. When running fixed inbound workflow, the BPE first runs the protocol unpackaging step followed by the protocol processing step. These steps generate meta-information defined by WebSphere Partner Gateway that is used by fixed inbound workflow to determine the partner connection that can be used to route this business document. Note that the partner connection determines which variable workflow will run for this business document.

Each step invokes a series of handlers, the sequence of which is configured in the WebSphere Partner Gateway Community Console. While running the steps, the BPE runs these handlers one after the other, until one of the handlers determines that it can handle the business document. If a handler determines that it can handle the business document, the BPE invokes the handler to process the business document. If there is no such handler, the BPE fails the flow of this business document. After the process method of the handler runs, the BPE logs the events generated by this process method. The BPE checks the status of business document. The BPE fails the flow of a business document if its status is marked as failed.

For the business protocols that it supports, WebSphere Partner Gateway delivers handlers for these steps. With the user exit support and APIs available in WebSphere Partner Gateway, you can develop handlers for these steps. The handlers implement all the methods of `BusinessProcessHandlerInterface`. `BusinessDocumentInterface` represents the business document processed by these handlers. `BusinessDocumentInterface` consists of following components:

- Business data stored in a file object
- Transport headers associated with the business document

- Metadata specific to WebSphere Partner Gateway associated with this business document flow

## Protocol unpackaging handlers

WebSphere Partner Gateway provides RNIF, AS2, backend integration, and NONE packaging. If you are required to support packaging not currently supported by WebSphere Partner Gateway, you can develop a new protocol unpackaging handler.

The protocol unpackaging handler is expected to unpackage business documents. Depending on business protocol requirements and the TPA (trading partner agreement) between the sending and receiving business partners, the incoming business document might be encrypted, signed, or compressed. The protocol unpackaging handler determines whether it can handle the incoming business document. If it can, it unpackages the business document so that the following fixed inbound workflow steps, and the BPE workflows can process it. Additionally, this handler extracts package-level meta-information from the incoming business document.

Depending on the business protocol requirements, the protocol unpackaging handler might perform one or more of the following steps:

### Decryption

Decrypt the message if it is encrypted

### Decompression

Decompress the message if it is compressed

### Signature verification

Verify the signature if the message is signed

### Routing information extraction

Extract package-level business IDs for sending to and receiving from a trading partner, if the packaging provides them

### Form packaging and versions

Use a packaging code and version to identify the packaging; for example, RNIF v02.00

### Business document parts extraction

Extract the location of various message parts such as payload and attachments, if the packaging specifies them

These steps are not exhaustive and might not apply to all business protocols.

### Important:

- WebSphere Partner Gateway provides a security service API that you can use to decrypt messages and verify signatures.
- Define the packaging and version associated with this handler in the WebSphere Partner Gateway Community Console on the Manage Document Flow Definitions page.

To implement a protocol unpackaging handler:

1. Create a handler class that implements `BusinessProcessHandlerInterface`.
2. Implement a `BusinessProcessHandlerInterface.init` method. Use this method to initialize your handler. The handler can have configuration properties that can be configured in the Community Console.



3. Implement a `BusinessProcessHandlerInterface.applies` method. In this method, the handler determines whether it can process the business document. (The business document is passed as an argument of type `BusinessDocumentInterface` to this method.) You can make the handler determine this by making the handler look at transport-level headers, quickly scan the business document, or take any other protocol-specific approach. If the handler can handle this document, the `applies` method returns `true`; otherwise, it returns `false`.
4. Implement a `BusinessProcessHandler.process` method. The business document is passed as an argument of type `BusinessDocumentInterface` to this method. This method performs the following tasks:
  - Unpackage the business document so that other steps and workflows can process it. If the handler is changing the contents of the business document, update `BusinessDocumentInterface` by calling the `setDocument` method.
  - Set the metadata required by WebSphere Partner Gateway on the `BusinessDocumentInterface` object by calling the `setAttribute` method. These constants, defined in the `BCGDocumentConstants` class, are described in the following table:

Attribute name	Description
<code>BCGDocumentConstants.BCG_PKG_FRBUSINESSID</code>	The "From" business ID at the package level. For example, for AS2 the "From" business ID is available in the AS2-From HTTP header.
<code>BCGDocumentConstants.BCG_PKG_TOBUSINESSID</code>	The "To" Business ID at the package level. For example, for AS2 the "To" business ID is available in the AS2-To HTTP header.
<code>BCGDocumentConstants.BCG_PKG_INITBUSINESSID</code>	The initiating business ID at the package level. Set it the same as <code>BCG_PKG_FRBUSINESSID</code> or set it as the business ID that belongs to the same partner as <code>BCG_PKG_FRBUSINESSID</code> .
<code>BCGDocumentConstants.BCG_FRPACKAGINGCD</code>	The attribute to which the code of the received packaging is set when WebSphere Partner Gateway receives a document. Use the WebSphere Partner Gateway Community Console to define this code for the packaging document flow.
<code>BCGDocumentConstants.BCG_FRPACKAGINGVER</code>	The version to which the received packaging is set when WebSphere Partner Gateway receives a document. Use the WebSphere Partner Gateway Community Console to define this version for the packaging document flow.

- Add events to the `BusinessDocumentInterface` object. You can add events to this object by calling the `addEvent` method. These events will be visible in the Community Console with this business document. For a list of events that you can add in this step, see "Events" on page 88.
- Update the status of the `BusinessDocumentInterface` object. If there were any errors, mark this object as failed by calling the `setDocumentState` method with the `BCGDocumentConstants.BCG_DOCSTATE_FAILED` argument.

5. Define the packaging implemented by this handler, by clicking **Hub Admin > Hub Configuration > Document Definition > Create Document Definition** and completing the resulting page.
6. Create a deployment descriptor for this handler.
7. Use the Community Console to upload your handler, by clicking **Hub Admin > Hub Configuration > Handlers > Fixed Workflow > Import** and completing the resulting page.
8. Configure your handler. Specify the sequence in which to call your handler by clicking **Hub Admin > Hub Configuration > Fixed Workflow > Outbound > View Details** for `com.ibm.bcg.server.pkg.ProtocolPackagingFactory` > **Edit Record** and completing the resulting page.

## Protocol processing handlers

WebSphere Partner Gateway provides processing for the XML, RosettaNet, and EDI protocols. If you are required to support a protocol not currently supported by WebSphere Partner Gateway, you can develop a protocol processing handler.

A protocol processing handler is responsible for parsing the business document to determine meta-information required by WebSphere Partner Gateway. Depending on business protocol, this handler can provide one or more of following items:

### Routing information

Business IDs of the sending and receiving trading partners

### "From" protocol and version

The protocol code and version that WebSphere Partner Gateway uses to identify the protocol; for example RosettaNet PIP V02.02

### Document flow and version

The document flow code and version that WebSphere Partner Gateway uses to identify the document flow, for example, 3A4, V02.00 (for RosettaNet)

### Important:

1. Define the protocol and version associated with this handler in the WebSphere Partner Gateway Community Console on the Manage Document Flow Definitions page.
2. Define the document flow and version associated with this handler in the WebSphere Partner Gateway Community Console on the Manage Document Flow Definitions page.

To implement a protocol processing handler:

1. Create a handler class that implements `BusinessProcessHandlerInterface`.
2. Implement a `BusinessProcessHandlerInterface.init` method. In this method initialize your handler. The handler can have configuration properties that can be configured in the Community Console.
3. Implement a `BusinessProcessHandlerInterface.applies` method. In this method the handler determines whether it can process the business document, whose name is passed to the method as an argument of type `BusinessDocumentInterface`. You can determine this by looking at transport-level headers, quickly scanning the business document, or by using any other protocol-specific approach. If the handler can handle this document, the `applies` method returns `true`; otherwise, it returns `false`.

4. Implement a `BusinessProcessHandler.process` method. The business document is passed to this method as an argument of type `BusinessDocumentInterface`. This method performs the following actions:

- Set metadata required by WebSphere Partner Gateway on the `BusinessDocumentInterface` object by calling the `setAttribute` method. These constants, defined in the `BCGDocumentConstant` class, are described in the following table:

Protocol attribute name	Description
<code>BCGDocumentConstants.BCG_FRBUSINESSID</code>	The "From" business ID obtained from the protocol.
<code>BCGDocumentConstants.BCG_TOBUSINESSID</code>	The "To" business ID obtained from the protocol.
<code>BCGDocumentConstants.BCG_INITBUSINESSID</code>	The initiating business ID obtained from the protocol.
<code>BCGDocumentConstants.BCG_FRPROTOCOLCD</code>	The protocol code associated with the incoming business document. This must be a valid process name as defined in the Community Console, for example, <code>RosettaNet</code> .
<code>BCGDocumentConstants.BCG_FRPROTOCOLVER</code>	The protocol version associated with the incoming business document. This must be a valid process version as defined in the Community Console, for example, <code>V02.00</code> .
<code>BCGDocumentConstants.BCG_FRPROCESSCD</code>	The process code associated with the incoming business document. This must be a valid code as defined in the Community Console, for example, <code>3A4</code> .
<code>BCGDocumentConstants.BCG_FRPROCESSVER</code>	The process version associated with the incoming business document. This must be a valid process version as defined in the Community Console, for example, <code>V02.00</code> .

- Add events to the `BusinessDocumentInterface` object by calling the `addEvent` method. These events will be visible in the Community Console with this business document. For a list of events that you can add in this step, see "Events" on page 88.
  - Update the status of the `BusinessDocumentInterface` object. If there were any errors, mark `BusinessDocumentInterface` as failed by calling the `setDocumentState` method with a `BCGDocumentConstants.BCG_DOCSTATE_FAILED` argument.
5. Define the protocol implemented by this handler, by clicking **Hub Admin > Hub Configuration > Document Definition > Create Document Definition** and completing the resulting page.
  6. Create a deployment descriptor for this handler.
  7. Use the Community Console to upload your handler, by clicking **Hub Admin > Hub Configuration > Handlers > Fixed Workflow > Import** and completing the resulting page.
  8. Configure your handler. Specify the sequence in which your handler is called, by clicking **Hub Admin > Hub Configuration > Fixed Workflow > Outbound > View Details** for `com.ibm.bcg.server.pkg.ProtocolPackagingFactory > Edit Record` and completing the resulting page.

## Overview for creating actions in variable workflow

When the inbound workflow is completed, the appropriate variable workflow path is determined by the partner connection. This variable workflow, or action, is specified in the Community Console by the hub administrator while creating the interactions. For more information on using the Community Console to configure partner connections and variable workflows, see the *WebSphere Partner Gateway Hub Configuration Guide*.

An action is a number of steps, arranged in a sequence. WebSphere Partner Gateway ships with eleven predefined actions. If other options are required, you can customize a variable workflow by defining new actions. You can do this in either of two ways:

- Develop an entirely new set of steps, placed into a new sequence
- Copy an existing action and modify it by adding a step, deleting or replacing a pre-existing step, or modifying the order of the steps

**Note:** Not all steps delivered by WebSphere Partner Gateway can be used in new, user-defined actions. Some are used by WebSphere Partner Gateway for internal purposes. For more detailed information, see “Actions supplied by WebSphere Partner Gateway” on page 41

Actions consist of a series of steps, the sequence of which is configured in the Community Console, as seen by clicking **Hub Admin > Hub Configuration > Actions** and by clicking **Hub Admin > Hub Configuration > Actions > Create**. The steps can be reused across the actions.

You can also create multiple actions by using the same set of steps but by specifying a different sequence. Note that reusability of steps depends on their intended use and their dependency on other steps.

While running the action (the variable workflow), the BPE runs these steps one after the other in the sequence these steps are specified for this action. Steps of an action implement the `BusinessProcessInterface` class. The BPE runs the process method of the steps. After running each step, the BPE logs the events generated by this process method. The BPE checks the status of the business document. If its status is marked as failed, the BPE fails the flow of business document. The next step is run only if the business document status is not marked as failed.

Typically steps include the following types:

### **Validation**

Checking the form of the business document. For example, an XML document can be validated against an XML schema.

### **Transformation**

Changing the form of the business document. For example, an XML document can be transformed into a different XML document using XSLT.

### **Translation**

Changing the entire format of a business document from one type to another. For example, an XML document can be transformed into CSV (comma separated value) format.

**Note:** These steps are typical examples only. The actual steps depend on your business protocol requirements.

## Creating steps

To create a step:

1. Create a class that implements `BusinessProcessFactoryInterface`. This class is factory class for constructing objects of type `BusinessProcessInterface`, which represents the steps of variable workflow.
2. Implement the `BusinessProcessFactoryInterface.getBusinessProcess` method. This method constructs an object of type `BusinessProcessInterface`, which can process the business document.
3. Implement the `BusinessProcessFactoryInterface.returnBusinessProcess` method. This factory can reuse or discard the `BusinessProcessInterface` object that is being returned.
4. Create a class that implements `BusinessProcessInterface`. This class is the actual step.
5. Implement the `BusinessProcessInterface.process` method. Implement the processing logic of the step here. This method also performs the following actions:
  - a. Add events to the `BusinessDocumentInterface` object. You can do this by calling the `addEvent` method. These events will be visible in the Community Console with this business document. For a list of events that you can add in this step, see “Events” on page 88.
  - b. Update the status of the `BusinessDocumentInterface` object. If there were any errors, mark `BusinessDocumentInterface` as failed by calling the `setDocumentState` method with the `BCGDocumentConstants.BCG_DOCSTATE_FAILED` argument.
6. Implement the `BusinessProcessInterface.reset` method. If this factory is caching `BusinessProcessInterface` objects, it can call this method to reset the state of a `BusinessProcessInterface` object. You can then reuse the `BusinessProcessInterface` object.
7. Create a deployment descriptor for this step.
8. Use the Community Console to upload your step, by clicking **Hub Admin > Hub Configuration > Handlers > Action > Import** and completing the resulting page. Click **Import** .

Now you can use this step for creating your actions.

## Actions supplied by WebSphere Partner Gateway

WebSphere Partner Gateway ships with seventeen predefined actions. Some, but not all, of these actions and the steps that make them up are available for you to customize. A list of the supplied actions and the degree they can be utilized for user-customized actions follows.

**Pass through:** This action can be copied and modified. Steps can be pre-pended or appended to the action sequence.

**Internal Partner Cancellation of RosettaNet Process:** This action cannot be copied and modified. It is specific to the RosettaNet protocol.

**RosettaNet Pass Through with Process Logging:** This action can be copied and modified. You can append steps to the action sequence.

**Bi-Directional Translation of RosettaNet and RosettaNet Service Content with Validation:** This action cannot be copied and modified. It is used for RNIF messages.

**Bi-Directional Translation of RosettaNet and XML with Validation:** This action cannot be copied and modified. It is used for RNIF messages.

**Bi-Directional Translation of Custom XML with Validation:** This action cannot be copied and modified. Additional steps can be pre-appended or appended.

**Bi-Directional Translation of Custom XML with Duplicate Check and Validation:** This action can be copied and modified. User-defined steps can be substituted for the following three supplied steps: `ValidationFactory`, `XSLTTranslationFactory`, and `OutboundValidationFactory`. Additional steps can be pre-pended or appended. The supplied steps perform the following actions:

**ValidationFactory**

Validates the received custom XML document.

**XSLTTranslationFactory**

Transforms the received XML document into its outbound XML format.

**OutboundValidationFactory**

Validates the transformed document.

The steps cannot be used in other user actions outside of the context of a copied action.

**Bi-Directional Translation of Internal Partner Custom XML to RosettaNet with Content Duplicate Check and Validation:** This action cannot be copied or modified. It is specific to RNIF messages.

**Custom XML pass through with duplicate check and validation:** This action can be copied and modified. Additional steps can be pre-pended or appended.

**Custom XML pass through with duplicate check:** This action cannot be copied and modified. Additional steps can be pre-pended or appended.

**Custom XML pass through with validation:** This action can be copied and modified. A user-defined step can be substituted for the `ValidationFactory` step.

The `ValidationFactory` step validates the received custom XML document.

**EDI De-envelope:** This action cannot be copied and modified. The supplied steps perform the following actions:

**de-enveloper**

De-envelopes an EDI Interchange.

**EDI Validate and EDI Translate:** These actions can be copied and modified. The supplied steps perform the following actions:

**SourceEDIVValidation**

Validates an EDI transaction.

**EDITransformation**

Transforms an EDI transaction.

**XML Translate and EDI Validate:** These actions can be copied and modified. The supplied steps perform the following actions:

**XMLTransformation**

Transforms an XML document into an EDI document.

**TargetEDIVValidation**

Validates the EDI document.

**ROD (FlatFile) Translate and EDI Validate:** These actions can be copied and modified. The supplied steps perform the following actions:

**RODTransformation**

Transforms an ROD document into an EDI document.

**TargetEDIVValidation**

Validates the EDI document.

**ebMS Split and Parse:** This action cannot be copied and modified. Additional steps can be pre-pended or appended.

**Soap Envelope Validate:** This action cannot be copied and modified. Additional steps can be pre-appended or appended..

**Soap Body Validate:** This action cannot be copied and modified. Additional steps can be pre-appended or appended.

**Soap De Envelope:** This action cannot be copied and modified. Additional steps can be pre-appended or appended.

**Bi-Directional Translation of RosettaNet and RosettaNet Service Content with Validation:** This action cannot be copied and modified. Additional steps can be pre-appended or appended.

**Bi-Directional Translation of RosettaNet and RosettaNet Service Content without Content Validation:** This action cannot be copied and modified. Additional steps can be pre-appended or appended.

**Bi-Directional Translation of Custom XML:** This action cannot be copied and modified. Additional steps can be pre-pended or appended.

**Bi-Directional Translation of Custom XML with Validation:** This action cannot be copied and modified. Additional steps can be pre-appended or appended.

## Overview for creating handlers in fixed outbound workflow

The last step of fixed inbound workflow determines the connection. The connection gives the variable workflow to run on this business document and the "To" packaging and protocol to be used to send the business document to the destination trading partner.

After running the variable workflow, the BPE runs the fixed outbound workflow. The protocol packaging step in the fixed outbound workflow packages the business document in the "To" packaging as determined by the connection.

The protocol packaging step consists of a series of handlers, the sequence of which is configured in the WebSphere Partner Gateway Community Console. While running the steps, the BPE runs these handlers one after the other until one of the handlers determines that it can process the business document. The BPE invokes this handler to process the business document. After the process method runs, the BPE logs the events generated by this process method, and then checks the status of the business document. If its status is marked as failed, the BPE fails the flow of business document.

After running the fixed outbound workflow, the BPE gives the packaged business document to the Delivery Manager. The Delivery Manager sends the business document to the partner as configured in the “To” destination of the connection.

### **Protocol packaging handlers**

A protocol packaging handler packages a business document. Depending on business protocol requirements and the trading partner agreement (TPA) between the sending and receiving trading partners, the outgoing business document might have to be assembled, encrypted, signed, or compressed. The protocol packaging handler determines whether it can handle the business document. If it can, it packages the business document as expected by the business protocol for which it is designed. Additionally, if the business protocol requires transport headers, it can also specify them in metadata defined by WebSphere Partner Gateway.

WebSphere Partner Gateway provides handlers for this step for RNIF, backend integration, AS, and NONE packaging. If a requirement exists to support a packaging protocol not currently supported by WebSphere Partner Gateway, you can develop a protocol packaging handler.

Depending on business protocol requirements, the protocol packaging handler might perform one or more of the steps:

#### **Assembling**

If the business protocol requires the message to be packaged as different parts, such as payload, attachments, and so forth

#### **Encrypting**

If the packaging type requires encryption

#### **Signing**

If the packaging type requires signatures

#### **Compressing**

If the packaging type requires compression

These steps are not exhaustive and might not apply to all the business protocols.

#### **Important::**

- WebSphere Partner Gateway provides a security service API that you can use for decryption and signature verification.
- Define the packaging and version associated with this handler in the WebSphere Partner Gateway Community Console on the Manage Document Flow Definitions page.

**Implementing protocol packaging handlers:** To implement a protocol packaging handler:

1. Create a handler class that implements `BusinessProcessHandlerInterface`.
2. Implement the `BusinessProcessHandlerInterface.init` method. Use this method to initialize your handler. Note that the handler can have configuration properties that can be configured in the Community Console.
3. Implement the `BusinessProcessHandlerInterface.applies` method. The business document is passed as an argument of type `BusinessDocumentInterface` to this method. In this method, the handler determines whether it can process the business document. To determine this, look at the following metadata defined by WebSphere Partner Gateway:
  - `BCGDocumentConstant.BCG_TOPackageCD`



- BCGDocumentConstant.BCG\_TOPackageVersion
- BCGDocumentConstant.BCG\_TOProtocolCD
- BCGDocumentConstant.BCG\_TOProtocolVersion

To obtain the metadata, use the `BusinessDocumentInterface.getAttribute` method.

**Notes:**

- The handler can use various mechanisms to determine whether it can process this business document. For example, it can do a quick scan of business document.
- Define the packaging and protocol being processed by this handler in the Community Console on the Manage Document Flow Definitions page.

If the handler can process this document, the `applies` method returns `true`; otherwise it returns `false`.

4. Implement the `BusinessProcessHandler.process` method. The business document is passed as an argument of type `BusinessDocumentInterface` to this method. This method performs the following actions:
  - a. Package the business document so that other steps and workflows can process it. If the handler is changing the contents of business document, the `BusinessDocumentInterface` class is updated by calling the `setDocument` method.
  - b. Set metadata required by WebSphere Partner Gateway on the `BusinessDocumentInterface` object by calling the `setAttribute` method. The following constants are defined in the `BCGDocumentConstant` class:

Protocol attribute name	Description
<code>BCGDocumentConstants.BCG_OUTBOUNDTRANSPORTHEADERS</code>	Outbound transport headers that are used by the sender, when it transfers the document over a specified transport. The value for this attribute is a <code>HashMap</code> object that contains the list of transport headers. For example, HTTP Sender uses this attribute to set the HTTP headers.

- c. Add events to the `BusinessDocumentInterface` object by calling the `addEvent` method. These events will be visible in the Community Console with this business document. For a list of events that you can add in this step, see “Events” on page 88.
  - d. Update the status of the `BusinessDocumentInterface` object. If there were any errors, mark `BusinessDocumentInterface` as failed by calling the `setDocumentState` method with `BCGDocumentConstants.BCG_DOCSTATE_FAILED`.
5. Define the packaging implemented by this handler by clicking **Hub Admin > Hub Configuration > Document Definition > Create** and completing the resulting page.
  6. Create a deployment descriptor for this handler.

7. Use the Community Console to upload your handler by clicking **Hub Admin > Hub Configuration > Handlers > Fixed Workflow > Import** and completing the resulting page.
8. Configure your handler. Specify the sequence in which to call your handler, by clicking **Hub Admin > Hub Configuration > Fixed Workflow > Outbound > View Details** for `com.ibm.bcg.server.pkg.ProtocolPackagingFactory` > **Edit Record** and completing the resulting page.

## Development and deployment

The following sections describe development and deployment for both user-created handlers in fixed workflows and user-created steps in variable workflow.

### Development environment

The workflow development API relies on classes and interfaces from three packages:

- `com.ibm.bdg.bcgdk.workflow`
- `com.ibm.bdg.bcgdk.common`
- `com.ibm.bdg.bcgdk.services`

These packages are part of the `bcgsdk.jar` file and are mentioned in the following directories:

- `ProductDir\router\lib`
- `ProductDir\receiver\lib`
- `ProductDir\console\lib`

In all deployed instances, the `bcgsdk.jar` file must be available in the application server class path and not in the module class path.

For development, the `bcgsdk.jar` file must be included in the build path of the project that contains the user exit classes, that is, in the class path.

### Deployment and packaging

Make all user-created code available to the run-time environment. Package and deploy user-created code in one of the following ways:

- Placed in a JAR file in `\<receiver or router>\lib\userexits`
- Added as classes in `\<receiver or router>\lib\userexits\classes`

Adding the JAR or class files to the run-time environment makes the handler available only if the Fixed Workflow or Variable Workflow (Action) is configured to be used by the run-time environment. Handlers are configured for use like the other product-provided handlers. To configure them you must first make them known to the Community Console by importing their definitions in the Community Console through an XML descriptor file.

To import a Fixed Workflow handler, click **Hub Admin > Hub Configuration > Handlers > Fixed Workflow > Import**.

To import a Variable Workflow (Action) handler, click **Hub Admin > Hub Configuration > Handlers > Action > Import**. One of the descriptors is the handler type. Only defined handler types are allowed. To view a list of allowed handler types, click **Hub Admin > Hub Configuration > Handlers > Handler Types**.

**Descriptor file definition for a workflow handler:** The workflow handler descriptor file uses the bcghandler.xsd schema. The following example presents a brief outline for each of the elements in the descriptor file:

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- Copyright (c) 2004 IBM Corp. - All Rights Reserved.-->
<!-- IBM makes no representations or warranties about the suitability of -->
<!-- this program, either express or implied, including but not limited to -->
<!-- the implied warranties of merchantability, fitness for a particular -->
<!-- purpose, or non-infringement. -->
<tns:HandlerDefinition
  xmlns:tns="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external"
  xmlns:tns2="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external
  bcghandler.xsd http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types
  bcgimport.xsd">
  <tns:HandlerClassName>com.mycompany.WorkHandler</tns:HandlerClassName>
  <tns:Description>My companies handler.</tns:Description>
  <tns:HandlerTypes>
  <tns:HandlerTypeValue>ACTION.VALIDATION</tns:HandlerTypeValue>
  </tns:HandlerTypes>
  <tns:HandlerAttributes>
  <tns2:ComponentAttribute>
  <tns2:AttributeName>Attribute 1</tns2:AttributeName>
  </tns2:ComponentAttribute>
  <tns2:ComponentAttribute>
  <tns2:AttributeName>Attribute 2</tns2:AttributeName>
  <tns2:AttributeDefaultValue>Attribute2DefaultValue</tns2:AttributeDefaultValue>
  </tns2:ComponentAttribute>
  </tns:HandlerAttributes>
</tns:HandlerDefinition>
```

#### **HandlerClassName**

The full class name of the handler implementation.

#### **Description**

General description for the handler.

#### **HandlerTypes**

The handler types for the workflow step that this handler can be used with.

#### **HandlerTypeValue**

The HandlerType value that corresponds to the workflow step type. For Fixed Inbound Workflow the allowable types are:

- FIXEDWORKFLOW.PROTOCOL.UNPACKAGING
- FIXEDWORKFLOW.PROTOCOL.PARSE

For Fixed Outbound Workflow the allowable type is:

- FIXEDWORKFLOW.PROTOCOL.PARSE

For Variable Workflow the allowable types are:

- ACTION.VALIDATION
- ACTION.TRANSFORMATION
- ACTION.DUPLICATECHECK

#### **HandlersAttributes (optional)**

Any attributes that this handler can have.

#### **ComponentAttribute**

An attributes name and default values that are used to provide configuration information to the handler at runtime.

**AttributeName**

The name of a specific attribute.

**AttributeDefaultValue (optional)**

The attribute's default value.

---

## APIs and example code for workflow handlers and steps

This chapter provides an annotated list of the APIs provided for developing custom handlers for fixed inbound and outbound workflow and for steps that can be assembled into actions for variable workflow. It also includes lists for utility, security, and other common classes shared across components.

The following classes and interfaces are documented:

**From com.ibm.bcg.bcgdk.workflow**

- “BusinessProcessFactoryInterface” on page 49
- “BusinessProcessInterface” on page 50
- “BusinessProcessHandlerInterface” on page 50
- “AttachmentInterface” on page 51
- “BusinessProcessUtil” on page 54

**From com.ibm.bcg.bcgdk.services**

- “SecurityServiceInterface” on page 55
- “MapServiceInterface” on page 62
- “SignInfo” on page 64
- “BCGSecurityException” on page 65

**From com.ibm.bcg.bcgdk.common**

- “Context” on page 66
- “Config” on page 67
- “BusinessDocumentInterface” on page 68
- “BCGException” on page 77
- “BCGUtil” on page 77
- “EventInfo” on page 79
- “BCGDocumentConstants” on page 83

**And for workflow events**

- “Events” on page 88

Brief examples of code and pseudocode outlining the implementation of sample protocol processing and protocol unpackaging handlers, and validation and transformation steps are also included. More complete code examples of validation and transformation steps are available in the delivery image in the `DevelopmentKits/UserExits/samples/` directory. More information about these examples can be found in the product readme file.

### From com.ibm.bcg.bcgdk.workflow

These classes and interfaces are directly associated with the workflow stage of processing:

- “BusinessProcessFactoryInterface” on page 49

- “BusinessProcessInterface” on page 50
- “BusinessProcessHandlerInterface” on page 50
- “AttachmentInterface” on page 51

## BusinessProcessFactoryInterface

Each variable workflow step must implement this factory interface. It has the following methods:

- `getBusinessProcess`
- `returnBusinessProcess`

### Method

`getBusinessProcess`

### Method description

Gets an instance of `BusinessProcessInterface`. The factory class constructs the `BusinessProcess` instance by calling the appropriate constructor, based on the configuration information that is passed in. The factory might cache `BusinessProcess` objects, which this method returns the from the cache.

### Syntax

```
public BusinessProcessInterface getBusinessProcess(
    Context context,
    Config workflowConfig,
    BusinessDocumentInterface bDoc)
```

### Parameters

#### **context**

The context associated with this flow

#### **workflowConfig**

Configuration details as specified in the Community Console

#### **bDoc**

The business document being processed

### Method

`returnBusinessProcess`

### Method description

Returns a `BusinessProcessInterface` object to the factory. This method is called by the BPE. The factory resets `BusinessProcess`. For subsequent `getBusinessProcess` calls, the factory can cache instances of `BusinessProcessInterface`.

### Syntax

```
public void returnBusinessProcess(BusinessProcessInterface bp)
```

### Parameters

**bp** The business process to be returned

## BusinessProcessInterface

Each variable workflow step must implement this interface. The factory produces an instance of the `BusinessProcess` class. This class runs the actual business logic on the document. It has the following methods:

- `process`
- `reset`

### Method

`process`

### Method description

Runs the business logic on the business document that is passed in.

### Syntax

```
public BusinessDocumentInterface process(  
    Context context,  
    BusinessDocumentInterface bDoc)
```

### Parameters

#### `context`

The context associated with this flow

#### `bDoc`

The business document being processed

### Method

`reset`

### Method description

Resets the `BusinessProcess` class. This method is called by `BusinessProcessFactory`.

### Syntax

```
public boolean reset()
```

### Parameters

None

## BusinessProcessHandlerInterface

Handlers for fixed inbound and fixed outbound workflow must implement this interface. It has the following three methods:

- `init`
- `applies`
- `process`

### Method

`init`

## Method description

Initializes the handler by reading the configuration properties in the “Config” on page 67 object.

### Syntax

```
public void init(Context context,  
                Config config)
```

### Parameters

#### context

The context associated with this flow

#### config

Configuration information set by the Community Console

## Method

applies

## Method description

Determines whether the handler can process the business document. If it can process it, the handler returns true; otherwise, it returns false.

### Syntax

```
public boolean applies(BusinessDocumentInterface bDoc)
```

### Parameters

#### bDoc

The business document being processed

## Method

process

## Method description

This method is called only if the applies method returned true. In this method, the handler performs its respective processing.

### Syntax

```
public BusinessDocumentInterface process(BusinessDocumentInterface bDoc)
```

### Parameters

#### bDoc

The business document being processed

## AttachmentInterface

This is a utility interface for handling attachments. It has the following ten methods:

- setContentType
- getContentType
- setDescription

- getDescription
- setURI
- getURI
- setEncoding
- getEncoding
- setFile
- getFile

### **Method**

setContentType

### **Method description**

Sets the content type of the attachment

### **Syntax**

```
public void setContentType(String contentType)
```

### **Parameters**

**contentType**

The content type

### **Method**

getContentType

### **Method description**

Retrieves the content type of the attachment

### **Syntax**

```
public String getContentType()
```

### **Parameters**

None

### **Method**

setDescription

### **Method description**

Sets a string describing the attachment

### **Syntax**

```
public void setDescription(String desc)
```

### **Parameters**

**desc**

The description of the attachment

### **Method**

getDescription



## Method description

Retrieves the description

### Syntax

```
public String getDescription()
```

### Parameters

None

## Method

setURI

## Method description

Sets a URI for the attachment

### Syntax

```
public void setURI(String URI)
```

### Parameters

URI

The Uniform Resource Identifier (URI)

## Method

getURI

## Method description

Retrieves the URI

### Syntax

```
public String getURI()
```

### Parameters

None

## Method

setEncoding

## Method description

Sets the attachment's character encoding

### Syntax

```
public void setEncoding(String encoding)
```

### Parameters

encoding

The encoding of the attachment

**Method**

getEncoding

**Method description**

Retrieves the attachment's character encoding

**Syntax**

```
public String getEncoding()
```

**Parameters**

None

**Method**

setFile

**Method description**

Sets a file for the attachment

**Syntax**

```
public void setFile(File file)
```

**Parameters**

**file**

The name of the file that will contain the attachment

**Method**

getFile

**Method description**

Retrieves the file

**Syntax**

```
public File getFile()
```

**Parameters**

None

**BusinessProcessUtil**

This is a utility class provided by WebSphere Partner Gateway. It has the following methods:

- getSecurityService
- getMapService

**Method**

getSecurityService

## Method description

Retrieves a security service implementation of WebSphere Partner Gateway

## Syntax

```
public SecurityServiceInterface getSecurityService()
```

## Parameters

None

## Method

getMapService

## Method description

Retrieves a map service implementation of WebSphere Partner Gateway

## Syntax

```
public MapServiceInterface getMapService()
```

## Parameters

None

## From com.ibm.bcg.bcgdk.services

The following interfaces and classes allow general access to security and mapping services:

- “SecurityServiceInterface”
- “MapServiceInterface” on page 62
- “SignInfo” on page 64
- “BCGSecurityException” on page 65

## SecurityServiceInterface

### Utility methods

This interface provides utility methods for the following security features:

- Encryption (encryptBytes method)
- Decryption (decryptBytes method)
- Digital signature generation (signMessage method)
- Digital signature verification (verifySignature method)
- Message digest generation (generateDigest method)

You can obtain an instance of the implementation of this interface as follows:

```
SecurityServiceInterface securityService =  
com.ibm.bcg.bcgdk.workflow.BusinessProcessUtil.getSecurityService();
```

## Method

encryptBytes

## Method description

This method encrypts the given data by using the given algorithm that uses the currently valid certificate of the to-partner specified in the business document. Encryption is done in accordance with the PKCS #7 standard described in PKCS #7: Cryptographic Message Syntax, section 10.

The method has two forms. One takes input as a byte array. The other takes input as an `InputStream` object.

## Syntax

### Byte array input

```
public byte[]
encryptBytes(BusinessDocumentInterface businessDocument,
             byte[] inBuf,
             String encryptionAlg)
throws BCGSecurityException
```

### InputStream input

```
public InputStream
encryptBytes(BusinessDocumentInterface businessDocument,
             InputStream inStream,
             String encryptionAlg)
throws BCGSecurityException
```

## Parameters

### Byte array input

#### **businessDocument**

contains the partner's business ID in the `BCG_PKG_TOBUSINESSID` or `BCG_TOBUSINESSID` attributes. The partner's business ID is used to obtain the partner's encryption certificates.

#### **inBuf**

The data to be encrypted.

#### **encryptionAlg**

The encryption algorithm to use. The encryption algorithm must be one of the algorithm names defined in this class. The key length used for RC2 is 128.

### InputStream input

#### **businessDocument**

contains the partner's business ID in the `BCG_PKG_TOBUSINESSID` or `BCG_TOBUSINESSID` attributes.

#### **inStream**

The `InputStream` from which to read the data to be encrypted.

#### **encryptionAlg**

The encryption algorithm to use. The encryption algorithm must be one of the algorithm names defined in this class. The key length used for RC2 is 128.

## Returns

### Byte array input

Encrypted data that is PKCS7 EnvelopedData in encoded form.

## InputStream input

InputStream for the encrypted data. The encrypted data is PKCS7 EnvelopedData in encoded form.

## Throws

com.ibm.bcg.bcgdk.services.BCGSecurityException - if any exception occurs.

## Method

decryptBytes

## Method description

This method decrypts the given encrypted data. It expects the encrypted data to be in an encoded form of PKCS #7 EnvelopedData. So encryption must be done in accordance with the PKCS #7 standard described in PKCS #7: Cryptographic Message Syntax, section 10.

The method has two forms. One takes input as a byte array. The other takes input as an InputStream object.

## Syntax

### Byte array input

```
public byte[]
decryptBytes(BusinessDocumentInterface businessDocument,
             byte[] inBuf,
             String algName)
             throws BCGSecurityException
```

### InputStream input

```
public InputStream
decryptBytes(BusinessDocumentInterface businessDocument,
             InputStream inStream,
             String algName)
             throws BCGSecurityException
```

## Parameters

### Byte array input

#### businessDocument

The business document.

#### inBuf

The data to be decrypted as an encoded form of PKCS #7 EnvelopedData.

#### algName

The encryption algorithm that is expected to be used for decryption. This algorithm must match one contained in the EnvelopedData object.

### InputStream input

#### businessDocument

The business document.

**inStream**

The `InputStream` from where the data to be decrypted is read. Encode data to be decrypted in the form of PKCS #7 EnvelopedData.

**algName**

The encryption algorithm that is expected to be used for decryption. This algorithm must match one contained in the `EnvelopedData` object.

**Returns**

Decrypted data.

**Throws**

`com.ibm.bcg.bcgdk.services.BCGSecurityException` - if any exception occurs.

**Method**

`signMessage`

**Method description**

This method generates a signature for the given data. The signature is in the form of an encoded PKCS #7 ContentInfo object that contains a PKCS #7 SignedData object.

The method has two forms. One takes input as a byte array. The other takes input as an `InputStream` object.

**Syntax****Byte array input**

```
public SignInfo  
signMessage(BusinessDocumentInterface businessDocument,  
            byte[] data,  
            String micAlg)  
throws BCGSecurityException
```

**InputStream input**

```
public SignInfo  
signMessage(BusinessDocumentInterface businessDocument,  
            InputStream inStream,  
            String micAlg)  
throws BCGSecurityException
```

**Parameters****Byte array input****businessDocument**

The business document.

**data**

The data to be signed.

**micAlg**

The digest algorithm to be used: SHA1 or MD5.

**InputStream input****businessDocument**

The business document.

## **InputStream**

The InputStream from which to read the data to be signed.

## **micAlg**

The digest algorithm to be used: SHA1 or MD5.

## **Returns**

SignInfo or null if an error occurs. Signature is in the form of encoded PKCS #7 ContentInfo object that contains a PKCS #7 SignedData object.

## **Throws**

com.ibm.bcg.bcgdk.services.BCGSecurityException - if any exception occurs.

## **Method**

verifySignature

## **Method description**

This method verifies the signature for the given message. The signature is verified by using the signature verification certificate of the sender partner.

The method has two forms. One takes input as a byte array. The other takes input as an InputStream object.

## **Syntax**

### **Byte array input**

```
public SignInfo
verifySignature(BusinessDocumentInterface businessDocument,
                byte[] signature,
                byte[] messageContent,
                String senderId,
                String signatureAlgo)
throws BCGSecurityException
```

### **InputStream input**

```
public SignInfo
verifySignature(BusinessDocumentInterface businessDocument,
                byte[] signature,
                InputStream messageStream,
                String senderId,
                String signatureAlgo)
throws BCGSecurityException
```

## **Parameters**

### **Byte array input**

#### **businessDocument**

The business document.

#### **signature**

The signature bytes expected to be encoded in the PKCS #7 SignedData object.

#### **messageContent**

The message to verify against.

**senderId**

The business ID of the trading partner that the content is from.

**signatureAlgo**

The signature algorithm to use.

**InputStream input****businessDocument**

The business document.

**signature**

The signature bytes expected to be encoded in the PKCS #7 SignedData object.

**messageStream**

The InputStream from which to read the message to verify against.

**senderId**

The business ID of the trading partner that the content is from.

**signatureAlgo**

The signature algorithm to use.

**Returns**

SignInfo or null if an error occurs. Signature is in the form of encoded PKCS #7 ContentInfo object that contains a PKCS #7 SignedData object.

**Throws**

com.ibm.bcg.bcgdk.services.BCGSecurityException - if any exception occurs.

**Method**

generateDigest

**Method description**

This method calculates a digest of a specified message by using a specified algorithm.

The method has two forms. One takes input as a byte array. The other takes input as an InputStream object.

**Syntax****Byte array input**

```
public byte[] generateDigest(byte[] data,  
                             String alg)  
    throws BCGSecurityException
```

**InputStream input**

```
public byte[] generateDigest(java.io.InputStream inStream,  
                             String alg)  
    throws BCGSecurityException
```

**Parameters****Byte array input**



**data**

The data whose digest you want to be calculated.

**alg**

The digest algorithm to be used: SHA1 or MD5.

**InputStream input****inStream**

The InputStream from which data whose digest is to be calculated can be obtained.

**alg**

The digest algorithm to be used: SHA1 or MD5.

**Returns**

Digest as a byte array.

**Throws**

com.ibm.bcg.bcgdk.services.BCGSecurityException - if any exception occurs.

**Constants**

These constants define encryption and signature types:

```
public static final String BCG_ENC_ALG_DES="3des"
public static final String BCG_ENC_ALG_RC2 = "RC2"
public static final String BCG_ENCRYPT_ALG_DESEDE = "DESede"
public static final String BCG_SIGN_ALG_SHA1 = "sha1"
public static final String BCG_SIGN_ALG_MD5 = "md5"
public static final String BCG_ENCRYPT_ALG_RC5 = "rc5"
```

**Fields**

The following fields are used by SecurityServiceInterface methods:

**BCG\_ENCRYPT\_ALG\_DES**

```
public static final java.lang.String BCG_ENCRYPT_ALG_DES
Encryption algorithm DES
```

**BCG\_ENCRYPT\_ALG\_DESEDE**

```
public static final java.lang.String BCG_ENCRYPT_ALG_DESEDE
Encryption algorithm DESede
```

**BCG\_ENCRYPT\_ALG\_RC2**

```
public static final java.lang.String BCG_ENCRYPT_ALG_RC2
Encryption algorithm RC2
```

**BCG\_ENCRYPT\_ALG\_AES**

```
public static final java.lang.String BCG_ENCRYPT_ALG_AES
Encryption algorithm AES
```

**BCG\_ENCRYPT\_ALG\_3DES**

```
public static final java.lang.String BCG_ENCRYPT_ALG_3DES
Encryption algorithm 3DES, same as DESede
```

## BCG\_SIGN\_ALG\_SHA1

```
public static final java.lang.String BCG_SIGN_ALG_SHA1
SHA1 algorithm used for generating digest and signing
```

## BCG\_SIGN\_ALG\_MD5

```
public static final java.lang.String BCG_SIGN_ALG_MD5
MD5 algorithm used for generating digest and signing
```

## BCG\_ENCRYPT\_ALG\_RC5

```
public static final String BCG_ENCRYPT_ALG_RC5 = "rc5"
Encryption algorithm RC5
```

## MapServiceInterface

This interface provides access to validation and transformation maps. There are four methods, as follows:

- `getFromValidationMap`
- `getToValidationMap`
- `getTransformationMap`
- `getDTDOrXSD`
- `getTransformationMapPath`
- `getFAMap`

### Method

`getFromValidationMap`

### Method description

Retrieves the appropriate “From” validation map. The “From” validation map is the validation map associated with the connection's “From” document flow definition. Steps of the action can call this method to obtain the validation map associated with an incoming document. The “From” validation maps can be uploaded from the Community Console.

### Syntax

```
public byte[] getFromValidationMap(Context context,
                                   BusinessDocumentInterface document)
```

### Parameters

#### context

The context associated with this flow

#### document

The business document

### Method

`getToValidationMap`

### Method description

Retrieves the appropriate “To” validation map. The “To” validation map is the validation map associated with the connection's “To” document flow definition. If

the steps of the action are transforming an incoming business document into another business document, they can call this method to obtain the validation map associated with the transformed document. The “To” validation maps can be uploaded from the Community Console.

### Syntax

```
public byte[] getToValidationMap(Context context,  
                                BusinessDocumentInterface document)
```

### Parameters

#### context

The context associated with this flow

#### document

The business document

### Method

```
getTransformationMap
```

### Method description

Retrieves the appropriate transformation map associated with the connection. When you create the partner connection in the Community Console, you can select the transformation map that you want to use for the connection.

### Syntax

```
public byte[] getTransformationMap(Context context,  
                                   BusinessDocumentInterface document)
```

### Parameters

#### context

The context associated with this flow

#### document

The business document

### Method

```
getDTDOrXSD
```

### Method description

Retrieves the appropriate XSD or DTD file. When you want to validate the document against more than one schema, the action steps can call this method to obtain the schemas one by one.

All the schemas for an XML document are loaded in WebSphere Partner Gateway. To validate a document using the parser, you need its schema. This first schema references additional schemas, which are also loaded in WebSphere Partner Gateway. To obtain these schemas, pass the schema name to getDTDOrXSD

### Syntax

```
public byte[] getDTDOrXSD(string dtdOrXsdName)
```

## Parameters

### **dtdOrXsdName**

The name of the XSD or DTD file

### **document**

The business document

## Method

getFAMap

## Method description

Retrieves the appropriate functional acknowledgement map associated with the connection. When you create the partner connection in the Community Console, you can select the functional acknowledgement map that you want to use for the connection.

## Syntax

```
public byte[] getFAMap(Context context, BusinessDocumentInterface document)
```

## Parameters

### **context**

The context associated with this flow

### **document**

The business document

## Method

getTransformationMapPath

## Method description

Retrieves and returns the absolute path of the WTX Transformation Map. In all other cases, it returns NULL. This is supported only for WTX maps.

## Syntax

```
public String getTransformationMapPath(Context context, BusinessDocumentInterface document)
```

## Parameters

### **context**

The context associated with this flow

### **document**

The business document

## SignInfo

This object holds signature information that is used by SecurityServiceInterface. The SignInfo object methods are as follows:

- getDetachedSignature
- getDigest
- getDigestAlgoName

## Method

getdetachedSignature

## Method description

Constructs SignInfo with a detached signature, digest, and the algorithm name.

## Syntax

```
public SignInfo(byte[] detachedSignature, byte[] digest, String digestAlgoName)
```

## Parameters

### digestAlgoName

The digest algorithm name

## Method

getDigest

## Method description

Returns the digest contained in this SignInfo.

## Syntax

```
public byte[] getDigest()
```

## Parameters

None

## Method

getDigestAlgoName

## Method description

Returns the digest algorithm name contained in this SignInfo object.

## Syntax

```
public String getDigestAlgoName()
```

## Parameters

None

## BCGSecurityException

If there are any errors, the security service API throws this exception.

## Constructor

BCGSecurityException

## Constructor description

The constructor has two forms. One constructs an exception object with null as its detail message. The other constructs an exception object with a specified detail message.

## Syntax

### Without a detail message

```
BCGSecurityException()
```

### With a detail message

```
BCGSecurityException(String s)
```

## Parameters

### Without a detail message

- None

### With a detail message

s        The detail message

## From `com.ibm.bcg.bcgdk.common`

These are general utility classes and interfaces common to all stages of WebSphere Partner Gateway processing:

- “Context”
- “Config” on page 67
- “BusinessDocumentInterface” on page 68
- “BCGException” on page 77
- “BCGUtil” on page 77
- “EventInfo” on page 79
- “BCGDocumentConstants” on page 83

## Context

This class, which contains information about the context associated with this flow, has two methods:

- `getContext`
- `setContext`

### Method

```
getContext
```

### Method description

Gets the named context

### Syntax

```
public Object getContext(String contextName)
```

### Parameters

#### `contextName`

The name of the context

### Method

```
setContext
```

## Method description

Sets the named context

### Syntax

```
public void setContext(String contextName, Object context)
```

### Parameters

**contextName**

The name of the context

**context**

The context associated with this flow

## Config

This class holds configuration information. The class is used in receiver, workflow, and sender APIs and has four methods:

- getName
- getAttribute
- setAttribute
- getAttributes

**Note:** This class is not thread safe.

### Method

getName

## Method description

Retrieves the name. If called on the configuration of the receiver's target, this method returns the name of the target.

### Syntax

```
public String getName()
```

### Parameters

None

### Method

getAttribute

## Method description

Retrieves the value of a configuration property

### Syntax

```
public Object getAttribute(String name)
```

### Parameters

**name**

The name of the property

## Method

setAttribute

## Method description

Sets the value of a configuration property

## Syntax

```
public void setAttribute(String name, Object value)
```

## Parameters

### name

The name of the property

### value

The value to be set

## Method

getAttributes

## Method description

Retrieves a collection of all the properties

## Syntax

```
public Map getAttributes()
```

## Parameters

None

## BusinessDocumentInterface

This interface represents the business document that is being processed. The following are the methods of BusinessDocumentInterface:

- getDocumentUUID
- getDocumentParentUUID
- createFile
- getDocument
- setDocument
- getOriginalFile
- getDocumentState
- setDocumentState
- addEvents
- getEvents
- clearEvents
- getAttribute
- setAttribute
- getTempObject
- setTempObject
- getAttachments



- addAttachment
- getTransportHeaders
- setDocumentParentUUID
- getAttributes
- addChildBDO
- getParentBDO
- getChildBDOs
- createChildBDOforNoReroute
- createChildBDOforReroute
- getContentType
- setContentType
- createAttachment

### Method

getDocumentUUID

### Method description

Retrieves the universally unique ID (UUID) associated with this document

### Syntax

```
public String getDocumentUUID()
```

### Parameters

None

### Method

getDocumentParentUUID

### Method description

Retrieves the universally unique ID (UUID) associated with this document's parent

### Syntax

```
public String getDocumentParentUUID()
```

### Parameters

None

### Method

createFile

### Method description

Creates a file. You can call this method if you need to create additional files during the flow of a business document. For example, in the case of a synchronous response received by the sender, the sender can call this method to create a file to store the response.

## Syntax

```
public File createFile()
```

## Parameters

None

## Method

```
getDocument
```

## Method description

Retrieves a file reference for the business document

## Syntax

```
public File getDocument()
```

## Parameters

None

## Method

```
setDocument
```

## Method description

Sets the file reference for the business document

## Syntax

```
public void setDocument(File document)
```

## Parameters

### document

The business document

## Method

```
getOriginalFile
```

## Method description

Gets the file reference for the original business document file that created the business document object

## Syntax

```
public File getOriginalFile()
```

## Parameters

None

## Method

```
getDocumentState
```

## Method description

Gets the state of this business document. It can return one of the following states:

- BCGDocumentConstants.BCG\_DOCSTATE\_FAILED
- BCGDocumentConstants.BCG\_DOCSTATE\_IN\_PROCESS
- BCGDocumentConstants.BCG\_DOCSTATE\_SENT

## Syntax

```
public String getDocumentState()
```

## Parameters

None

## Method

```
setDocumentState
```

## Method description

Sets the state of the business document object to one of the following states:

- BCGDocumentConstants.BCG\_DOCSTATE\_FAILED
- BCGDocumentConstants.BCG\_DOCSTATE\_IN\_PROCESS
- BCGDocumentConstants.BCG\_DOCSTATE\_SENT

## Syntax

```
public String setDocumentState(String state)
```

## Parameters

**state**

The state to be set

## Method

```
addEvents
```

## Method description

Adds events to be associated with this document. These events will be displayed in the event viewer and the document viewer

## Syntax

```
public void addEvents(EventInfo[] events)
```

## Parameters

**events**

The array of EventInfo objects to be added

## Method

```
getEvents
```

## Method description

Retrieves the array of EventInfo objects associated with this document

## Syntax

```
public EventInfo[] getEvents()
```

## Parameters

None

## Method

```
clearEvents
```

## Method description

Clears the events associated with this business document object

## Syntax

```
public void clearEvents()
```

## Parameters

None

## Method

```
getAttribute
```

## Method description

Gets the named attribute. Used to retrieve information such as packaging name and version, and so forth.

## Syntax

```
public Object getAttribute(String attrName)
```

## Parameters

**attrName**

The name of the attribute requested

## Method

```
setAttribute
```

## Method description

Sets the named attribute on this document.

## Syntax

```
public void setAttribute(String attrName, Object attrValue)
```

## Parameters

**attrName**

The name of the attribute to be set

**attrValue**

The value to be set

## Method

getTempObject

## Method description

Retrieves a temporary object associated with this flow

## Syntax

```
public Object getTempObject(String objectName)
```

## Parameters

**objectName**

The name of the requested object

## Method

setTempObject

## Method description

Sets a temporary object associated with this flow

## Syntax

```
public void setTempObject(String objectName, Object objectValue)
```

## Parameters

**objectName**

The name of the object to be set

**objectValue**

The value to be set

## Method

getAttachments

## Method description

Retrieves the list of attachments for this document

## Syntax

```
public ListIterator getAttachments()
```

## Parameters

None

## Method

addAttachment

## Method description

Adds an attachment to this document

## Syntax

```
public void addAttachment(AttachmentInterface attachment)
```

## Parameters

### attachment

The attachment to be added

## Method

getTransportHeaders

## Method description

Retrieves the transport headers that were set by the receiver. The method return type is `java.util.HashMap`.

## Syntax

```
public ListIterator getTransportHeaders()
```

## Parameters

None

## Method

setDocumentParentUUID

## Method description

Sets the universally unique ID (UUID) associated with the parent of this document.

## Syntax

```
Public void setDocumentParentUUID(String parentUUID)
```

## Parameters

### parentUUID

Universally unique ID (UUID) associated with the parent of this document.

## Method

getAttributes

## Method description

This method returns an Iterator over the Set of Attributes currently defined for the document. This does not include the Location or VUID attributes.

## Syntax

```
Public Iterator getAttributes()
```

## Parameters

None

## Method

addChildBDO

## Method description

This method adds the childBDO to the ArrayList of parent business document object.

## Syntax

```
public void addChildBDO(BusinessDocumentInterface childBDO)
```

## Parameters

### childBDO

the child business document

## Method

```
getParentBDO
```

## Method description

This method returns the parent business document object.

## Syntax

```
public BusinessDocumentInterface getParentBDO()
```

## Parameters

None

## Method

```
getChildBDOs
```

## Method description

This method returns the arraylist of child business document objects.

## Syntax

```
public ArrayList getChildBDOs()
```

## Parameters

None

## Method

```
createChildBDOforNoReroute
```

## Method description

This method creates the child business document object when REROUTE is false.

## Syntax

```
public BusinessDocumentInterface createChildBDOforNoReroute(File location)
```

## Parameters

### location

location of the child business document

## Method

`createChildBDOforReroute`

## Method description

This method creates the child business document object when REROUTE is True.

## Syntax

```
public BusinessDocumentInterface createChildBDOforReroute(File location)
```

## Parameters

### location

location of the child business document

## Method

`getContentType`

## Method description

This method returns the content type.

## Syntax

```
public String getContentType()
```

## Parameters

None

## Method

`setContentType`

## Method description

This method sets the content type.

## Syntax

```
public void setContentType(String contentType)
```

## Parameters

### contentType

content type to be set

## Method

`createAttachment`

## Method description

This utility method creates an object of type `RtrAttachment`, which is an implementation of the `AttachmentInterface` provided by the product.

## Syntax

```
public AttachmentInterface createAttachment()
```



## Parameters

None

## BCGException

This is an exception thrown from various APIs.

### Constructor

BCGException

### Constructor description

The object can be initialized in two different ways. The first constructs a new exception with null as its detail message. The second constructs a new exception with the specified detail message.

### Syntax

```
public class BCGException extends Exception {}
```

#### Without a detail message

```
public BCGException
```

#### With a detail message

```
public BCGException(String s)
```

## Parameters

#### Without a detail message

- None

#### With a detail message

- s - the detail message

## BCGUtil

This class provides three utility methods and defines some common constants. The methods include:

- generateUUID()
- logEvent
- trace

The constants include:

- BCG\_TRACE\_SEVERITY\_DEBUG = "Debug"
- BCG\_TRACE\_SEVERITY\_INFO = "Info"
- BCG\_TRACE\_SEVERITY\_WARNING = "Warning"
- BCG\_TRACE\_SEVERITY\_ERROR = "Error"
- BCG\_TRACE\_SEVERITY\_CRITICAL = "Critical"
- BCG\_CONTEXT\_DB\_CONNECTION\_KEY = "DBConnection"

### Method

```
generateUUID()
```

## Method description

Generates a UUID

### Syntax

```
public String generateUUID()
```

### Parameters

None

### Method

logEvent

## Method description

Logs the event so that it can be viewed from the Community Console

### Syntax

```
public boolean logEvent(EventInfo eventInfo)
```

### Parameters

**eventInfo**

The event information

### Method

trace

## Method description

Traces a message in WebSphere Partner Gateway log files

### Syntax

**Without exception object**

```
public void trace(String severity, String fullClassName, String msg)
```

**With exception object**

```
public void trace(String severity, String fullClassName, String msg, Throwable t)
```

### Parameters

**Without exception object**

**severity**

A constant indicating severity level.

**fullClassName**

The affected module name.

**msg**

The trace message.

**With exception object**

**severity**

A constant indicating severity level.

**fullClassName**

The affected module name.

**msg**

T - the trace message.

**Constants**

These constants indicate trace severity levels:

```
public static final String BCG_TRACE_SEVERITY_DEBUG = "Debug"
public static final String BCG_TRACE_SEVERITY_INFO = "Info"
public static final String BCG_TRACE_SEVERITY_WARNING = "Warning"
public static final String BCG_TRACE_SEVERITY_ERROR = "Error"
public static final String BCG_TRACE_SEVERITY_CRITICAL = "Critical"
public static final String BCG_CONTEXT_DB_CONNECTION_KEY = "DBConnection"
```

**EventInfo**

This class stores event information that will be logged by the `logEvent` method. The event will be associated with a business document and will be visible in the Community Console. It can be initialized in five ways. It includes the following methods:

- `getEventCode`
- `getBusinessDocument`
- `getDocumentParentUUID`
- `getDocumentUUID`
- `getParams`
- `getStackTrace`
- `getSourceClass`
- `setSourceClass`
- `setFaultType`
- `getFaultType`

The class also defines four constants:

- `FAULTTYPE_UNKNOWN`
- `FAULTTYPE_SOURCE`
- `FAULTTYPE_TARGET`
- `FAULTTYPE_SYSTEM`

**Constructors**

The object can be initialized in five distinct ways:

- **With a business document**

This method can be used by workflow handlers, action steps, senders, and their handlers.

```
public EventInfo(java.lang.String eventCode,
                 BusinessDocumentInterface document,
                 java.lang.String[] params)
```

- **With a business document and an exception or error**

This method can be used by workflow handlers, action steps, senders, and their handlers when an exception or error occurs.

```
public EventInfo(java.lang.String eventCode,  
                 BusinessDocumentInterface document,  
                 java.lang.String[] params,  
                 java.lang.Throwable t)
```

- **With a document UUID**

This method can be used by a receiver and its handlers.

```
public EventInfo(java.lang.String eventCode,  
                 java.lang.String documentUUID,  
                 java.lang.String[] params)
```

- **With a document UUID and an error or exception**

This method can be used by the receiver and its handlers when an exception or error occurs.

```
public EventInfo(String eventCode, String documentUUID, String[] params,  
                 Throwable t)
```

- **With a document UUID and document parent UUID**

```
public EventInfo(java.lang.String eventCode,  
                 java.lang.String documentUUID,  
                 java.lang.String documentParentUUID,  
                 java.lang.String[] params)
```

## Method

getEventCode

## Method description

Retrieves the event code

## Syntax

```
public String getEventCode()
```

## Parameters

None

## Method

getBusinessDocument

## Method description

Retrieves the business document

## Syntax

```
public BusinessDocument getBusinessDocument()
```

## Parameters

None

## Method

getDocumentParentUUID

## Method description

Retrieves the document parent Universal Unique Identifier (UUID)

### Syntax

```
public java.lang.String getDocumentParentUUID()
```

### Parameters

None

### Method

```
getDocumentUUID
```

## Method description

Retrieves the document UUID

### Syntax

```
public String getDocumentUUID
```

### Parameters

None

### Method

```
getParams
```

## Method description

Retrieves the parameter array

### Syntax

```
public String[] getParams()
```

### Parameters

None

### Method

```
getStackTrace
```

## Method description

Retrieves the stack trace

### Syntax

```
public Throwable getStackTrace()
```

### Parameters

None

### Method

```
getSourceClass
```

## Method description

Retrieves the source class

### Syntax

```
public String getSourceClass()
```

### Parameters

None

## Method

setSourceClass

## Method description

Sets the source class

### Syntax

```
public void setSourceClass(String sourceClass)
```

### Parameters

**sourceClass**

The source class

## Method

setFaultType

## Method description

Sets the fault type. See “Constants” on page 83.

### Syntax

```
public void setFaultType(String faultType)
```

### Parameters

**faultType**

The fault type

## Method

getFaultType

## Method description

Retrieves the fault type. See “Constants” on page 83.

### Syntax

```
public String getFaultType()
```

### Parameters

None

## Constants

These constants are used to define fault types:

```
public static final String FAULTTYPE_UNKNOWN = "0"  
public static final String FAULTTYPE_SOURCE = "1"  
public static final String FAULTTYPE_TARGET = "2"  
public static final String FAULTTYPE_SYSTEM = "3"
```

## BCGDocumentConstants

This class sets constants.

### Constants

This section describes the following types of constants:

- Constants used in protocol unpackaging and protocol packaging
- Constants used in protocol processing and protocol packaging
- Sender status constants
- Document state constants
- Receiver constants

### Constants used in protocol unpackaging and protocol packaging steps

The following general constants are used in the protocol unpackaging and protocol packaging steps:

**public static final String BCG\_FRPACKAGINGCD = "FromPackagingName";**

The attribute to which the received packaging name is set when WebSphere Partner Gateway receives a document. Define the receiving packaging name in the Community Console. This constant is set in the transport unpackaging step in the workflow.

**public static final String BCG\_FRPACKAGINGVER = "FromPackagingVersion";**

The attribute to which the received content packaging version is set when WebSphere Partner Gateway receives a document. The received packaging version must be defined in the Community Console. This constant is set in the transport unpackaging step in the workflow.

**public static final String BCG\_TOPACKAGINGCD = "ToPackagingName";**

The "To" packaging code that is associated with the document flow.

**public static final String BCG\_TOPACKAGINGVER = "ToPackagingVersion";**

The "To" packaging version that is associated with the document flow.

**public static final String BCG\_PKG\_INITBUSINESSID =  
"PackageInitPartnerBusinessId";**

The initiating business ID at the packaging level. This is set in the transport protocol unpackaging step in the workflow.

**public static final String BCG\_PKG\_FRBUSINESSID =  
"PackageFromPartnerBusinessId";**

The "From" business ID at the package level. For example, for AS2 the "From" business ID is available in the AS2-From HTTP header. This constant is set in the transport protocol unpackaging step in the fixed inbound workflow

**public static final String BCG\_PKG\_TOBUSINESSID =  
"PackageToPartnerBusinessId";**

The "To" business ID at the package level. For example, for AS2 the "To"

business ID is available in the AS2-To HTTP header. This constant is set in the transport protocol unpacking step in the fixed inbound workflow.

## Constants used in protocol processing and protocol packaging steps

The following constants are used in the protocol processing and protocol packaging steps:

**public static final String BCG\_FRBUSINESSID = "FromPartnerBusinessId";**

The property name for the "From" business ID obtained from the protocol message and set onto BusinessDocument in the protocol parsing step.

**public static final String BCG\_INITBUSINESSID = "InitiatingPartnerBusinessId";**

The property name for the initiating partner business ID that is obtained from the protocol.

**public static final String BCG\_TOBUSINESSID = "ToPartnerBusinessId";**

The property name for the "To" business ID that is obtained from the protocol message and set onto BusinessDocument in the protocol parsing step.

**public static final String BCG\_FRPROTOCOLCD = "FromProtocolName";**

The received protocol namecode that is obtained from the document, for example, XML/EDI. Define this namecode in the Community Console. This constant is set in the protocol processing step in the workflow.

**public static final String BCG\_FRPROTOCOLVER = "FromProtocolVersion";**

The received protocol version. Define this version in the Community Console. This constant is set in the protocol processing step in the workflow.

**public static final String BCG\_FRPROCESSCD = "FromProcessCode";**

The "From" process code name. For example, in RNIF this value is set to 3A4, and the version is set to V02.02. Set this constant in the protocol processing step in the workflow. Define this constant in the Community Console in the Document Flow Definitions column of the Manage Document Flow Definitions page by clicking **Package > Protocol > DocumentFlow**.

**public static final String BCG\_FRPROCESSVER = "FromProcessVersion";**

The "From" process version, which is set in the protocol processing step in the workflow. Define this constant in the Community Console in the Document Flow Definitions column of the Manage Document Flow Definitions page by clicking **Package > Protocol > DocumentFlow**.

**public static final String BCG\_TOPROTOCOLCD = "ToProtocolName";**

The target protocol name. This channel is set by CheckChannel fixed inbound workflow after it identifies the partner connection and is used by the handlers protocol packaging step.

**public static final String BCG\_TOPROTOCOLVER = "ToProtocolVersion";**

The "To" protocol version.

**public static final String BCG\_TOPROCESSCD = "ToProcessCode";**

The "To" process code name. For example, in RNIF this value is set to 3A4 and the version is set to V02.02. Define this constant in the Community Console in the Document Flow Definitions column of the Manage Document Flow Definitions page by clicking **Package > Protocol > DocumentFlow**.

**public static final String BCG\_TOPROCESSVER = "ToProcessVersion";**

The "To" process code version. For example, in RNIF this value is set to 3A4, and the version is set to V02.02. Define this constant in the Community Console in the Document Flow Definitions column of the Manage Document Flow Definitions page by clicking **Package > Protocol > DocumentFlow**.



**public static final String BCG\_DESTINATION = "DestinationType";**

The destination type that will be used in the workflow and in senders.

**public static final String BCG\_OUTBOUNDTRANSPORTHEADERS = "OutboundTransportHeaders";**

The outbound transport headers attribute that is used by the sender to set the transport headers when it transfers the document over a specified transport. The value for this attribute is a HashMap object that contains the list of transport headers. For example, an HTTP sender uses this attribute to set the HTTP headers. This attribute is set in the handlers that are configured for the protocol packaging step in the fixed outbound workflow.

**public static final String BCG\_SOAP\_HEADER = "SOAP-HEADER"**

The SOAP header attribute is set by De-Envelope SOAP Envelope action that contains information present under SOAP header element of SOAP envelope. In case the processed SOAP envelope has no SOAP header element, then this attribute will return NULL.

### Sender status constants

The following constants handle sender status:

**public static final String BCG\_SENT\_STATUS\_SUCCESS = "sent";**

The status that the sender sets in a SenderResult object when the sender successfully sends a document.

**public static final String BCG\_SENT\_STATUS\_FAILED = "failed";**

The status that the sender sets in a SenderResult object when the sender fails while sending a document.

### Document state constants

The following constants pertain to the document state:

**public static final String BCG\_DOCSTATE\_FAILED = "Failed";**

The document state, set to "failed", if any error occurs while the document is being processed by the handler in the workflow steps. The document state when an error occurs while the handler is processing the document in workflow steps or actions.

**public static final String BCG\_DOCSTATE\_IN\_PROCESS = "In Process";**

The document state, set to "In Process", in BusinessDocumentInterface when the workflow handler or action is processing a document.

**public static final String BCG\_DOCSTATE\_SENT = "Sent";**

The document state, set to "Sent", in the BusinessDocumentInterface in the workflow steps. If a workflow step sets this state on a business document, further steps and workflows will not be performed and this business document will not be sent to Document Manager. Basically, this will end the flow of the business document and so this document will not be sent to the trading partner.

### Receiver constants

If a sender is introducing a response file into the flow by setting a response document on SenderResult, the sender can optionally set the attributes described in this section. The following are receiver constants:

**public static final String BCG\_RCVD\_DOC\_TIMESTAMP = "ReceivedDocumentTimestamp";**

The time stamp of the received document. When a receiver receives a business document, the receiver sets this attribute on the receiver document. The value of this attribute gives the time stamp of the received document.

**public static final String BCG\_RCVD\_CONTENT\_LENGTH = "content-length";**

The content length of the received document. When a receiver receives a business document, the receiver sets this attribute on the receiver document. The sender also sets this on the business document when it receives the synchronous response. The value of this attribute gives the content size of the received document. This attribute is required for the Community Console to display the document size.

**public static final String BCG\_RCVD\_MSG\_LNGTH\_INC\_HDRS = "MsgLengthIncHeaders";**

The message length of the received document. When a receiver receives a business document, the receiver sets this attribute on the received document. The sender also sets this on the business document when it receives the synchronous response. The value of this attribute gives the size of the content and headers from the received document. This attribute is required for the Community Console to display the document size.

**public static final String BCG\_RCVD\_CONTENT\_TYPE = "content-type";**

The content type of the received document. When a receiver receives a business document, the receiver sets this attribute on the received document. The sender also sets this on the business document when it receives the synchronous response. This attribute is required for the Community Console to display the document size.

**public static final String BCG\_RCVR\_DESTINATION = "ReceiverDestinationType";**

The attribute that is set by receivers on a ReceiverDocumentInterface object when a document is received from a target. This target is associated with a destination type such as production and test. The destination type is configured for the target, and you can read it from the receiver configuration by using the BCGDocumentConstants.BCG\_TARGET\_DESTINATION attribute.

This attribute might be set by a sender if it is doing a synchronous request response. If the sender is introducing a response file into the flow by setting the response document on SenderResult, the sender is required to set the BCG\_RCVR\_DESTINATION attribute in SenderResult. If this attribute is not set, the flow of response document will fail in the Document Manager. This attribute can be set by copying the BCG\_RCVR\_DESTINATION attribute from the request business document that it is sending.

**public static final String BCG\_TARGET\_STATUS = "ACTIVESTATUSCD";**

The name of a reserved attribute that determines whether the target of a receiver is enabled or disabled. If enable equals 1, the target is enabled; otherwise, it is disabled. You can read the target status from the target configuration by using the BCGDocumentConstants.BCG\_TARGET\_STATUS attribute.

**public static final String BCG\_TARGET\_DESTINATION = "DESTNAME";**

The name of a reserved attribute that determines the target destination type from a targetConfig object such as production or test.

**public static final String BCG\_RCVD\_IPADDRESS = "FromIPAddress";**

The host IP address where a document is received. When a receiver receives a business document, it can set this attribute on the received document.

**public static final String BCG\_INBOUND\_TRANSPORT\_CHARSET = "InboundTransportCharset";**

The character set that is obtained from the transport headers. This is set by the

receiver when it receives the request. For example, the HTTP receiver checks for charset in the content-type header and sets it on the receiver document as the value of this attribute.

**public static final String BCG\_INBOUND\_CHARSET = "InboundCharset";**  
The character set that is used for the inbound document.

**public static final String BCG\_REQUEST\_URI = "requestURI";**  
The URI from which the receiver has received the request. When a receiver receives a business document, it set this attribute on the receiver document. Targets are configured with this URI in the Community Console and associated with a destination type such as production or test.

## Other constants

Following are other constants:

**public static final String BCG\_GET\_SYNC\_RESPONSE = "GetSynchronousResponse";**  
A flag set by the handler in the protocol unpacking, protocol parsing, or protocol packaging step. If the handler determines that the received request requires a synchronous response from the target, it sets this attribute to true. The sender checks this flag; if it is set to true, the sender retrieves the synchronous response from the target.

**public static final String BCG\_RESPONSE\_STATUS = "ResponseStatus";**  
If a response needs to be sent synchronously by the receiver to a trading partner, this contains the one-line response. It can be set by a sender on a response business document. For example, for an HTTP receiver, the value of this attribute can be a number such as 200, 404, or 500, which are HTTP transport status codes. Receivers can either use this response or specify another response.

**public static final String BCG\_REPLY\_TO\_DOC\_ID = "ReplyToDocID";**  
The request document ID that is present in the response document. The response document is considered a response to this request document.

**public static final String BCG\_REPLY\_TO\_DOC\_UUID = "ReplyToMessageId";**  
The attribute to which SenderFrameWork sets the UUID of the request business document in the response business document. This is used to correlate the request-response in the process engine.

**public static final String BCG\_DOCID = "DocumentId";**  
The document ID from the business document payload.

**public static final String BCG\_TARGET\_TRANSPORTTYPE = "TargetTransportType";**  
This constant can be used to determine the target transport type from a target configuration object such as JMSReceiver or CustomReceiver.

**public static final String BCG\_TRUE = "true";**  
This constant can be used to set the value to true for any attribute that requires a boolean value. For example, the attribute BCG\_TRUE can be used to set the value of BCG\_GET\_SYNC\_RESPONSE to true.

**public static final String BCG\_FALSE = "false";**  
This constant can be used to set the value to false for any attribute that requires a boolean value. For example, the attribute BCG\_FALSE can be used to set the value of BCG\_GET\_SYNC\_RESPONSE to false.

**public static final String BCG\_OUT\_DOC\_FILENAME = "X-out-filename";**  
This constant can be used to set or access the output file name in the business document. For example, you can write a pre-process handler, set the output file

name to user defined, and then configure it with the File Sender. When File Sender writes the document to the target location, it is written with the name that was set to the OUT\_DOC\_FILENAME attribute.

**public static final String BCG\_USER\_SEARCH\_FIELD1 = "SearchField1";**

There are ten search fields defined in this manner. They are numbered from 1 to 10 (that is, BCG\_USER\_SEARCH\_FIELD1 to BCG\_USER\_SEARCH\_FIELD10). If you set values in these fields with your protocol parse handler or EDI map, the values can be the target of a document viewer search.

## Events

The following sections list events available for workflow execution flow:

### Events that can be logged from the protocol unpackaging handler

- "Informational events"
- "Warning events"
- "Error events"

#### Informational events:

##### **BCG240607 - Unpackaging Business Process Entrance**

Event text: Packaging business process (*{0}*) entrance  
{0} Unpackaging BusinessProcess class name

##### **BCG240608 - Unpackaging Business Process Exit**

Event text: Packaging business process (*{0}*) exit  
{0} Unpackaging BusinessProcess class name

#### Warning events:

##### **BCG240609 - Unpackaging warning**

Event text: Unpackaging warning - *{0}*  
{0} Unpackaging warning information

#### Error events:

##### **BCG240610 - Unpackaging Error**

Event text: Unpackaging Error - *{0}*  
{0} Unpackaging error information

##### **BCG210014 - Error Unpackaging Mime Message**

Event text: Failed to unpackage a MIME multipart document: *{0}*  
{0} Exception message

### Events that can be logged from the protocol processing handler

- "Informational events"
- "Warning events" on page 89
- "Error events" on page 89

#### Informational events:

##### **BCG240612 - Protocol Parse Business Process Entrance**

Event text: Protocol Parse business process (*{0}*) entrance  
{0} Protocol Parse BusinessProcess class name

##### **BCG240613 - Protocol Parse Business Process Exit**

Event text: Protocol parse business process (*{0}*) exit  
{0} BusinessProcess class name

**Warning events:**

**BCG240614 - Protocol parse warning**

Event text: Protocol parse warning - {0}  
{0} Protocol parsing warning information

**Error events:**

**BCG240615 - Protocol parse error**

Event text: Protocol parse error: - {0}  
{0} Protocol parse error message

**Events that can be logged from user-defined actions and steps**

- “Informational events”
- “Warning events”
- “Error events”

**Informational events:**

**BCG200002 - Protocol Transformer Entrance**

Event text: Protocol transformer business process ({0}) entrance.  
{0} Class name

**BCG200003 - Protocol Transformer Exit**

Event text: Protocol transformer business process ({0}) exit.  
{0} Class name

**BCG200004 - Document Successfully Transformed**

Event text: {0} - Class name.  
{0} A string constructed from the “From” protocol name <protocol name, protocol version> and the “To” protocol <protocol name, protocol version>

**BCG230000 - Validation Business Process Entrance**

Event text: Validation business process ({0}) entrance.  
{0} Validation class name

**BCG230003 - Validation Business Process Exit**

Event text: Validation business process ({0}) exit.  
{0} Validation class name

**BCG230005 - Validation Successful**

Event text: Validation {0} successful.  
{0} Validation class name

**Warning events:**

**BCG230008 - Validation Warning**

Event text: {0}.  
{0} Any validation-level warning message

**Error events:**

**BCG200005 - Document Transformation Failure**

Event text: Document failed transformation due to {0}  
{0} Exception message

**BCG200009 - Failed to parse the document**

Event text: Failed to parse: {0}  
{0} A list of parser errors

**BCG230001 - Field Validation failed**

Event text: Field Validation Error: {0}  
{0} A field validation error

**BCG230007 - Validation Business Process Factory Error**

Event text: {0}  
{0} The error message that occurred in the validation step

**BCG230010 - Data Validation Error**

Event text: Document failed data validation: {0}  
{0} A list of errors as a String object

**Events that can be logged from the protocol packaging handler**

You can get to know the error events that can be logged from the protocol packaging handler at “Error events.”

**Informational events:****BCG240603 - Packaging Business Process Entrance**

Event text: Packaging business process ({0}) entrance  
{0} Packaging BusinessProcess class name

**BCG240604 - Packaging Business Process Exit**

Event text: Packaging business process ({0}) exit  
{0} BusinessProcess class name

**Warning events:****BCG240605 - Packaging warning**

Event text: Packaging warning - {0}  
{0} Packaging warning information

**Error events:****BCG240606 - Packaging Error**

Event text: Packaging Error - {0}  
{0} Packaging error information

**Security and other events**

- “Error events”

**Error events:****BCG240417 - Decryption failure**

Event text: {0}  
{0} Decryption failure message

**BCG240418 - Digest Generation Failure**

Event text: {0}  
{0} Digest failure message

**BCG240419 - Unsupported Signature format (signed receipt protocol is not pkcs7-signature)**

Event text: {0}  
{0} Exception message containing the signature format

**BCG240420 - Unsupported Signature algorithm (the Signature algorithm is not MD5 or SHA1)**

Event text: {0}  
{0} Exception message including signature algorithm

### BCG240421 - Unexpected Error

Event text: {0}  
{0} Exception message

### BCG240424 - Insufficient message security error

Event text: {0}  
{0} Details of what is missing; for example, a message indicating that the received document is encrypted but the partner agreement requires it to be encrypted and signed

## Example handlers and steps implementation outline

The following code and pseudocode provide example implementations for fixed-workflow handlers and variable-workflow steps.

- “Protocol processing handler”
- “Protocol unpackaging handler” on page 92
- “Transformation step” on page 92

### Protocol processing handler

This section provides an outline of a handler implementation for processing a fixed-inbound protocol; in this case, a handler to support CSV processing. You must add protocol-specific code.

```
public class MyCSVProtocolProcess implements BusinessProcessHandlerInterface {

    public boolean applies(BusinessDocumentInterface document) {
        // do quick scan of the file contents to determine if it is CSV file
        // if it is then set from_protocol = "CSV_PROTOCOL"
        if (from_protocol.equals("CSV_PROTOCOL"))
            return true;

        return false;
    }

    public BusinessDocumentInterface process(BusinessDocumentInterface document) {
        try {
            String[] params;

            // obtain the file contents in a String
            StringTokenizer tokenizer = new StringTokenizer(fileContents, ",");
            String fromBusinessId = tokenizer.nextToken();
            if (fromBusinessId == null) {
                params = new String[1];
                params[0] = "From business ID not available.";
                EventInfo event = new EventInfo("BCG240614", document, params);
                document.addEvent(event);
            }
            String toBusinessId = tokenizer.nextToken();
            String customerId = tokenizer.nextToken();
            String customerName = tokenizer.nextToken();
            String documentType = tokenizer.nextToken();
            String documentVersion = tokenizer.nextToken();

            ...
            // trace-obtained information
            ...

            document.setValue(BCGDocumentConstants.BCG_FRBUSINESSID, fromBusinessId);
            document.setValue(BCGDocumentConstants.BCG_TOBUSINESSID, toBusinessId);
            document.setValue(BCGDocumentConstants.BCG_FRPROTOCOLCD, "CSV_PROTOCOL ");
            document.setValue(BCGDocumentConstants.BCG_FRPROTOCOLVER, "1.0");
            document.setValue(BCGDocumentConstants.BCG_FRPROCESSCD, documentType);
            document.setValue(DocumentConstant.BCG_FRPROCESSVER, documentVersion);
        }
    }
}
```

```

...
} catch (Exception e) {
params = new String[1];
params[0] = "Error in MyCSVProtocolProcess";
EventInfo event = new EventInfo("BCG240615", document, params, e);
document.addEvent(event);
document.setDocumentState(BCGDocumentConstants.BCG_DOCSTATE_FAILED);
}
return document;
}
}

```

## Protocol unpacking handler

This section provides an outline of a fixed inbound protocol unpacking handler implementation; in this case a handler to support custom XML packaging from WebSphere Commerce Business Edition. You must add protocol-specific code.

```

public class MyProtocolUnPackagingHandler
implements BusinessProcessHandlerInterface {

public boolean applies(BusinessDocumentInterface document) {
// do quick scan of the file contents, transport headers to determine
// if it is "MY_PACKAGE". if it is then set from_package = "MY_PACKAGE"
if (from_package.equals("MY_PACKAGE"))
return true;

return false;
}

public BusinessDocumentInterface process(BusinessDocumentInterface document) {

// from your packaging, obtain package level routing information

try {
String[] params;

// obtain routing information from your packaging
...

// trace-obtained information
...

// set routing information on the document
document.setValue(BCGDocumentConstants.BCG_PKG_FRBUSINESSID, fromBusinessId);
document.setValue(BCGDocumentConstants.BCG_PKG_TOBUSINESSID, toBusinessId);
document.setValue(BCGDocumentConstants.BCG_PKG_INITBUSINESSID, customerId);
document.setValue(BCGDocumentConstants.BCG_FRPACKAGINGCD, "MY_PACKAGE");
document.setValue(BCGDocumentConstants.BCG_FRPACKAGINGVER, "1.0");

...

} catch (Exception e) {
params = new String[1];
params[0] = "Error in MyProtocolUnPackagingHandler";
EventInfo event = new EventInfo("BCG240610", document, params, e);
document.addEvent(event);
document.setDocumentState(BCGDocumentConstants.BCG_DOCSTATE_FAILED);
}
return document;
}
}

```

## Transformation step

This section provides an outline of a variable workflow step implementation; in this case, a step to transform a document from one format to another. The sample



includes code and pseudocode for the BusinessProcessFactory and BusinessProcess implementation. You must add protocol-specific code.

#### Factory implementation:

```
public class MyTransformationBusinessProcessFactory implements
    BusinessProcessFactoryInterface {

    public BusinessDocumentInterface getBusinessProcess(Context context,
        Config config, BusinessDocumentInterface document) {
        // Can use any configuration values from config as necessary. These
        // are set via the Community Console.
        MyTransformationBusinessProcess bp = new MyTransformationBusinessProcess();

        // Set any items in this class as specific to the implementation
        // between the factory and the business process class.
        return bp;
    }

    public void returnBusinessProcess(BusinessProcessInterface bp) {
        // if not reusing Business Processes then do nothing.
    }
}
```

#### Business process implementation:

```
public class MyTransformationBusinessProcess implements BusinessProcessInterface {

    public BusinessDocumentInterface process (BusinessDocumentInterface document,
        Context context) {

        String[] params;
        try {
            // trace relevant information. log relevant events.
            ...

            // obtain transformation map
            MapService mapService = BusinessProcessUtil.getMapService();
            byte[] transformationMap = mapService.getTransformationMap (bDoc, context);

            // Get the Business document file.
            File sourceFile = document.getDocument();

            // create a new file to store your transformed document
            File targetFile = document.createFile();

            // read business data from the source. write your logic to transform
            // the source to target. store your target business data into target file
            ...

            // store the transformed target file into business document.
            document.setDocument(targetFile);

        } catch(Exception ex) {
            params = new String[1];
            params[0] = "Error in MyTransformationBusinessProcess: " + ex.getMessage();
            EventInfo event = new EventInfo("BCG_200005", document, params, e);
            document.addEvent(event);
            document.setDocumentState(BCGDocumentConstants.BCG_DOCSTATE_FAILED);
        }

        return document;
    }

    public boolean reset() {
```

```

    /* reset internal variables. */
    ...
}

```

---

## Customizing senders

When a WebSphere Partner Gateway receiver component receives a business document from a trading partner, the sequence of steps is as follows:

1. The document processor component unpackages the business document in accordance with the business protocol for that document type.
2. The partner connection determines how the document will be processed and routed.
3. The document is processed and packaged according to the business protocol requirements of the "To" protocol and the "To" packaging specified by the partner connection.
4. The Delivery Manager picks up the business document and sends it to the trading partner. The "To" destination determined from the partner connection gives the configuration to use for sending the packaged business document to the recipient trading partner.
5. The Delivery Manager invokes the Receiver Framework to send the document. The Receiver Framework manages the senders and sending of the document.
6. The sender performs the actual sending of the packaged business document to the target trading partner.

The sender is responsible for sending the packaged business documents to the target trading partner. If the business protocol requires such action, the sender can synchronously receive the response business document for the document it is sending. The sequence is as follows:

1. The sender receives the response business document according to the business protocol semantics.
2. If the sender obtains the response business document, the sender introduces the document into the system.
3. After the response document is introduced into the system, the WebSphere Partner Gateway document processor processes the document like any other business document.
4. The document processor unpackages the response document, using the partner connection to look up information for the document.
5. The response business document is processed and packaged according to the business protocol requirements of the "To" protocol and the "To" packaging given by the partner connection.
6. The Delivery Manager picks up the business document and sends it to the trading partner.
7. If the response document is in response to a request document that was synchronously received by the receiver, the Delivery Manager gives this document to the receiver. In this case, the receiver sends the response to the waiting trading partner.

If the request document was not synchronously received, the Delivery Manager processes the response document the same way that it processed the request document.

The sender handles the final stage in the data flow of WebSphere Partner Gateway. It picks up documents from the BPE, packages them, and sends them to their

destinations, based on information in the Community Console-configured destination. In the case of a synchronous request, it can also process the response document.

This chapter describes sender customization and the processing done by senders. You can customize the sending of documents in either of two ways:

- By creating new senders
- By creating new sender handlers

The chapter describes both ways of customizing senders:

- “Overview for creating new senders”
- “Overview for creating new sender handlers” on page 96

An additional section describes development and deployment issues:

- “Development and deployment” on page 96

The API list and example code follows in the next chapter.

## Overview for creating new senders

Senders are transport-specific. WebSphere Partner Gateway ships with senders for FTP/S, JMS, File, SMTP, SFTP and HTTP/S transports. To add a new capability to the WebSphere Partner Gateway system, such as a WAP transport, you can write your own senders, using an API provided with WebSphere Partner Gateway. You can use the Community Console to associate these new senders with transports and integrate them into the processing flow. This section describes the process of developing a new sender in the following topics:

- “The Sender/Sender Framework flow”
- “Sender architecture” on page 96

### The Sender/Sender Framework flow

The nature of the processing flow on the sender side of WebSphere Partner Gateway is in part dictated by the needs of the particular situation and transport, but certain basic tasks must always be done. This section describes those tasks at a high level.

1. **Deliver** After processing the document, the Business Processing Engine (BPE) delivers it to the Delivery Manager. The Delivery Manager determines the configured “To” destination for the partner connection associated with this document flow, and then invokes the Sender Framework to send the document to the target trading partner.
2. **Preprocess** From the destination configuration, the Sender Framework determines the configured preprocessing handlers. These handlers, which have been configured for this destination, can be user-defined or supplied by WebSphere Partner Gateway. The document is passed as input to the first handler, the returned processed document is fed as input to the next handler, and so on until one of the handlers accepts it. This handler is invoked to preprocess the document.
3. **Initialize the sender** The Sender Framework determines the sender for this destination. It initializes the sender by calling its `init` method. The sender initializes itself with the destination configuration.
4. **Send the document** The Framework calls the sender's `send` method. The sender creates a `SenderResult` object to store transmission and status information and sends the message, using the destination specified in the destination configuration.

5. **Set synchronous response** The `GET_SYNC_RESPONSE` attribute can be set on the business document by any of the workflow steps and the handlers. If the `GET_SYNC_RESPONSE` attribute on the business document is set to true, the sender can obtain the response business document synchronously. It stores the response business document on the file system. The sender constructs `SenderResult` and updates it appropriately with the transmission status, message, and response details.
6. **Postprocess** From the destination configuration, the Sender Framework determines the configured postprocessing handlers. These handlers, which have been configured for this destination, can be user-defined or supplied by WebSphere Partner Gateway. `SenderResult` is passed as input to the first handler, the returned `SenderResult` document is fed as input to the next handler, and so on until one of the handlers accepts it. This handler is invoked to postprocess the response.
7. **Process the response** The Sender Framework processes the response, appropriately updating the status of the request business document that was sent. If the sender obtained a business document response, the Sender Framework introduces the business document into the system. This business document flows through the system like any other business document.

### Sender architecture

Sender development is based on two major parts:

- The sender itself, represented in the API by the `SenderInterface` interface
- `SenderFramework`, a class that WebSphere Partner Gateway supplies to manage the sender

The sender is responsible for actually sending the message to the destination, and for creating and initially populating the `SenderResult` object. In the case of a synchronous request, the sender also writes the response document to a file and places a reference to the File object in the `SenderResult` object. The Framework is responsible for preprocessing and postprocessing documents and for instantiating and utilizing the sender.

## Overview for creating new sender handlers

The `SenderFramework` can invoke handlers at two stages during the sender processing flow: preprocessing and postprocessing. These stages are also referred to as *configuration points*. Preprocessing refers to what occurs before the request document is given to the sender to be sent to its destination and postprocessing occurs after the request document has been sent to its destination and the `SenderResult` object has been created to document the request's status.

WebSphere Partner Gateway ships with a number of predefined handlers, but you can also develop your own, if you have specific needs not satisfied by the delivered handlers. If a request document comes from a preferred trading partner, for example, a custom preprocessing handler can be written to determine the partner's status and set the transport headers accordingly. After the handlers are written and deployed, you need to configure them by using the Community Console, just as you configure handlers supplied by WebSphere Partner Gateway. For further information on this process, see the *WebSphere Partner Gateway Hub Configuration Guide*.

## Development and deployment

The following sections describe development and deployment for both user-created senders and user-created handlers.

- “Development environment”
- “Deployment and packaging (senders)”

## Development environment

The sender and sender handler development API relies on classes and interfaces from this package: `com.ibm.bcg.bcgdk.gateway`

This package is part of the `bcgsdk.jar` file, which is found among the WebSphere Partner Gateway installable files in the following directories:

- `ProductDir\router\lib`
- `ProductDir\receiver\lib`
- `ProductDir\console\lib`

In all deployed instances, this JAR file must be available in the application server class path and not in the module class path.

For development, the `bcgsdk.jar` file must be included in the build path of the project that contains the user exit classes, that is, in the class path.

## Deployment and packaging (senders)

All user-created code needs to be made available to the run-time environment. For use during runtime, package and deploy user-created code in one of the following ways:

- Placed in a JAR file in `\<receiver or router>\lib\userexits`
- Added as classes in `\<receiver or router>\lib\userexits\classes`

Adding the JAR or class files to the run-time environment makes them available only if the transport or handler is configured to be used by the run-time environment. Sender transports and handlers are configured for use like the other product-provided transports and handlers. To configure them, you must first make them known to the Community Console. You do this by importing their definitions into the Community Console by means of an XML descriptor file.

To import a sender transport, click **Account Admin > Profiles > Destination > Manage Transport Types**.

To import a sender transport handler, click **Hub Admin > Hub Configuration > Handlers > Destination > Import**. One of the descriptors is the handler type. Only defined handler types are allowed and are based on the transport destination configuration points. For user-defined transports, the transport descriptor file must be imported first to provide the handler type.

**Descriptor file definition for a sender transport:** The sender transport descriptor file uses the `bcgateway.xsd` schema. Following is a brief outline for each of the elements in the descriptor file based on the following example:

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- Copyright (c) 2004 IBM Corp. - All Rights Reserved.-->
<!-- IBM makes no representations or warranties about the suitability of -->
<!-- this program, either express or implied, including but not limited to -->
<!-- the implied warranties of merchantability, fitness for a particular -->
<!-- purpose, or non-infringement. -->
<tns:GatewayDefinition
  xmlns:tns="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external"
  xmlns:tns2="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external
```

```

    bcggateway.xsd http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types
bcgimport.xsd ">
<tns:GatewayClassName>com.mycompany.MyHTTPGateway</tns:GatewayClassName>
<tns:Description>My companies HTTP Gateway</tns:Description>
<tns:TransportTypeName>MYHTTP</tns:TransportTypeName>
<tns:TransportAttributes>
<tns2:ComponentAttribute>
<tns2:AttributeName>Timeout</tns2:AttributeName>
<tns2:AttributeDefaultValue>300</tns2:AttributeDefaultValue>
</tns2:ComponentAttribute>
</tns:TransportAttributes>
<tns:GatewayConfigurationPoints>
<tns:Postprocess>GATEWAY.POSTPROCESS.MYHTTP</tns:Postprocess>
</tns:GatewayConfigurationPoints>
</tns:GatewayDefinition>

```

### **GatewayClassName**

The full class name of the sender implementation

### **Description**

General description for the transport

### **TransportTypeName**

The name that will appear in the Transport list in the Console Target List page

### **TransportAttributes**

(optional) Any attributes that this transport can have

### **ComponentAttribute**

An attribute's name and default values that are used to provide configuration information to the target at runtime

### **AttributeName**

The name of a specific attribute

### **AttributeDefaultValue**

(optional) The attribute's default value

### **GatewayConfigurationPoints**

(optional) The names of the configuration points that this transport might have

### **Preprocess**

GATEWAY.PREPROCESS.*xxx*, the name of a preprocessing configuration point being defined, where *xxx* is the value of the TransportTypeName attribute

### **Postprocess**

GATEWAY.POSTPROCESS.*xxx*, the name of a postprocessing configuration point being defined, where *xxx* is the value of the TransportTypeName attribute

Any handlers defined for this sender transport must match one of these GatewayConfigurationPoints values.

**Descriptor file definition for a sender transport handler:** The sender transport handler descriptor file uses the bcghandler.xsd schema. The following example presents a brief outline for each of the elements in the descriptor file:

```

<?xml version="1.0" encoding="UTF-8"?>
<tns:HandlerDefinition
  xmlns:tns="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external"
  xmlns:tns2="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.ibm.com/websphere/bcg/2004/v0.1/import/external
bcghandler.xsd http://www.ibm.com/websphere/bcg/2004/v0.1/import/external/types
bcgimport.xsd ">
<tns:HandlerClassName>com.mycompany.SenderHandler</tns:HandlerClassName>

```

```

<tns:Description>My company's handler for my business protocol and multiple
    transports.</tns:Description>
<tns:HandlerTypes>
<tns:HandlerTypeValue>GATEWAY.POSTPROCESS.MYHTTP</tns:HandlerTypeValue>
<tns:HandlerTypeValue>GATEWAY.POSTPROCESS.JMS</tns:HandlerTypeValue>
</tns:HandlerTypes>
<tns:HandlerAttributes>
<tns2:ComponentAttribute>
<tns2:AttributeName>Attribute 1</tns2:AttributeName>
</tns2:ComponentAttribute>
<tns2:ComponentAttribute>
<tns2:AttributeName>Attribute 2</tns2:AttributeName>
<tns2:AttributeDefaultValue>Attribute2DefaultValue</tns2:AttributeDefaultValue>
</tns2:ComponentAttribute>
</tns:HandlerAttributes>
</tns:HandlerDefinition>

```

#### **HandlerClassName**

The full class name of the handler implementation.

#### **Description**

General description of the handler.

#### **HandlerTypes**

The handler types with which the handler can be used. For transports, the handler type corresponds to the GatewayConfigurationPoint values defined for that transport. To see a list of the currently defined transport handler types, click **Hub Admin > Hub Configuration > Handlers > Gateway > HandlerTypes**.

#### **HandlerTypeValue**

The HandlerType value that corresponds to the GatewayConfigurationPoints value. A handler can be associated with more than one transport type.

#### **HandlersAttributes**

(optional) Any attributes that this handler can have.

#### **ComponentAttribute**

An attribute's name and default values that are used to provide configuration information to the handler at runtime.

#### **AttributeName**

The name of a specific attribute.

#### **AttributeDefaultValue**

(optional) The attribute's default value.

---

## **APIs and example code for senders and sender handlers**

This chapter provides an annotated listing of the APIs provided for developing custom senders and sender handlers. The following classes and interfaces are documented:

- “Sender Interface” on page 100
- “SenderResult” on page 101
- “SenderPreProcessHandlerInterface” on page 105
- “SenderPostProcessHandlerInterface” on page 106
- “BCGSenderException” on page 107
- “Events for sender handlersEvents” on page 107

See the Workflow API chapter for more utility, security, and other classes shared across components.

Brief examples of code and pseudocode are also included:

- “Implementation outlines for an example sender” on page 108

## Sender Interface

Each sender must implement this interface. It has the following methods:

- `init`
- `send`
- `cancel`

### Method

`init`

### Method description

Initializes the sender, based on the contents of the `deliveryConfig` object, which contains destination configuration information

### Syntax

```
public void init (Context context, Config deliveryConfig)
    throws BCGSenderException
```

### Parameters

#### `context`

Flow information associated with this sender

#### `deliveryConfig`

Gateway configuration details as specified in the Community Console

### Method

`send`

### Method description

Called by the `SenderFramework`. It sends the document to the destination using the information specified in the `deliveryConfig` object. It creates and updates the `SenderResult` object with delivery status, WebSphere Partner Gateway transport headers, and, in the case of a synchronous flow, the response document. If delivery fails, the sender may try transport retries.

### Syntax

```
public SenderResult send(BusinessDocumentInterface document)
```

### Parameters

#### `document`

The business document being sent

### Method

`cancel`

### Method description

Called by the `SenderFramework`. Stops message delivery and any transport retries.



## Syntax

```
public SenderResult cancel()
```

## Parameters

None

## SenderResult

The SenderResult object is created by the sender, based on this provided class. It holds meta-information on the status of the request business document, and, in the case of a synchronous flow, a reference to the File object containing the response document. It contains the following methods:

- addEvent
- getEvents
- setSendStatus
- getSendStatus
- setResponseDocument
- getResponseDocument
- setTransportStatusCode
- getTransportStatusCode
- setTransportHeaders
- getTransportHeaders
- setAttribute
- getAttribute
- get Attributes

## Method

addEvent

## Method description

Adds an event to the SenderResult object

## Syntax

```
public void addEvent(EventInfo eventInf)
```

## Parameters

### EventInfo

A specialized class from the `com.ibm.bcg.bcgdk.common` package, used to hold event information throughout the WebSphere Partner Gateway system. The `addEvent` method implementation only accepts `EventInfo` as a single parameter, not as an array. `EventInfo` is documented in the Workflow API chapter under “From `com.ibm.bcg.bcgdk.common`” on page 66.

## Method

getEvents

## Method description

Retrieves the events set in this object

## Syntax

```
public EventInfo[] getEvents()
```

## Parameters

None

## Method

```
setSendStatus
```

## Method description

Sets the delivery status, which can be success or failure based on transmission status.

## Syntax

```
public void setSendStatus(String status)
```

## Parameters

**status**

The appropriate status

## Method

```
getSendStatus
```

## Method description

Retrieves the delivery status

## Syntax

```
public String getSendStatus()
```

## Parameters

None

## Method

```
setResponseDocument
```

## Method description

Sets the file that holds the response document.

## Syntax

```
public void setResponseDocument(File responseFile)
```

## Parameters

**responseFile**

The File object where the response document is stored

## Method

```
getResponseDocument
```

## Method description

Retrieves the File object which holds the response document

### Syntax

```
public File getResponseDocument()
```

### Parameters

None

## Method

```
setTransportStatusCode
```

## Method description

Sets the transport return status code (like HTTP 200 OK)

### Syntax

```
public void setTransportStatusCode(Object transportStatusCode)
```

### Parameters

**transportStatusCode**

The status code

## Method

```
getTransportStatusCode
```

## Method description

Retrieves the transport return status code

### Syntax

```
public Object getTransportStatusCode()
```

### Parameters

None

## Method

```
setTransportHeaders
```

## Method description

Sets these headers upon receiving a synchronous response.

### Syntax

```
public void setTransportHeaders(HashMap transportHeaders)
```

### Parameters

**transportHeaders**

The HashMap that contains the transport headers

## Method

getTransportHeaders

## Method description

Retrieves the transport headers set by the sender

## Syntax

```
public HashMap getTransportHeaders()
```

## Parameters

None

## Method

setAttribute

## Method description

Sets attributes specific to WebSphere Partner Gateway. These attributes contain headers specific to senders. They are used by the Framework as input into the metadata file: delivery duration, transport status description, and so forth.

## Syntax

```
public void setAttribute(String name, Object obj)
```

## Parameters

**name**

The name of the object that stores the attributes

**obj**

The object

## Method

getAttribute

## Method description

Retrieves the attributes specific to WebSphere Partner Gateway

## Syntax

```
public Object getAttribute()
```

## Parameters

None

## Method

getAttributes

## Method description

Retrieves HashMap of all attributes set

## Syntax

`getAttributes()`

## Parameters

None

## SenderPreProcessHandlerInterface

This interface describes the methods that all preprocessing handlers must implement:

- `init`
- `applies`
- `process`

## Method

`init`

## Method description

Initializes the handler by reading the configuration properties in the Config object

## Syntax

```
public void init(Context context, Config handlerConfig)
    throws BCGSenderException
```

## Parameters

**context**

The name of an object that contains run-time context information for this interface

**handlerConfig**

The object that stores configuration information

## Method

`applies`

## Method description

Determines whether the handler can process the business document

## Syntax

```
public boolean applies(BusinessDocumentInterface doc)
    throws BCGSenderException
```

## Parameters

**doc**

The business document that is being processed

## Method

`process`

## Method description

Called by SenderFramework to preprocess the request. This method updates the BusinessDocument class.

## Syntax

```
public BusinessDocumentInterface process(BusinessDocumentInterface doc)
    throws BCGSenderException
```

## Parameters

**doc**

The business document that is being processed

## SenderPostProcessHandlerInterface

This interface describes the methods that all postprocessing handlers must implement:

- `init`
- `applies`
- `process`

## Method

`init`

## Method description

Initializes the handler by reading the configuration properties in the Config object

## Syntax

```
public void init(Context context, Config handlerConfig)
    throws BCGSenderException
```

## Parameters

**context**

The name of an object that contains run-time context information for this interface

**handlerConfig**

The object that stores configuration information

## Method

`applies`

## Method description

Determines whether the handler can process the business document

## Syntax

```
public boolean applies(BusinessDocumentInterface doc)
    throws BCGRSenderException
```

## Parameters

**doc**

The business document that is being processed

## Method

process

## Method description

SenderFramework calls this method to process the delivery response and updates the SenderResult object with processing information.

## Syntax

```
public SenderResult process(SenderResult response,  
                           BusinessDocumentInterface doc)  
    throws BCGReceiverException
```

## Parameters

### response

The SenderResult object to be updated

### doc

The business document that is being processed

## BCGSenderException

If errors occur, sender APIs generate this exception.

## Events for sender handlersEvents

Following is a list of events available for the sender execution flow:

- “Informational events”
- “Warning events” on page 30
- “Error events”

### Informational events

#### BCG250004 - Document Delivered

Event text: Document was delivered successfully, response: {0}  
{0} Target response status

### Error events

#### BCG250001 - Document Delivery Failed

Event text: Document delivery to partner destination failed: {0}  
{0} Response status and error message

#### BCG250011 - First Delivery Attempt Failed

Event text: First delivery attempt failed for message {0} due to {1}, on destination {2}.  
{0} Message ID  
{1} Failure reason  
{2} Destination name

#### BCG250012 - Delivery Retry Failed

Event text: {0} retry {1} for message {2} failed due to {3}, on destination {4}.  
{0} Transport or destination  
{1} Retry number  
{2} Message UUID  
{3} Failure reason  
{4} Destination name

## Implementation outlines for an example sender

The following code and pseudocode outline example implementations for senders.

- “Example sender”

### Example sender

This section contains an outline of a sender handler implementation. You should add protocol-specific code.

```
public class CustomJMSSender implements SenderInterface {

    SenderResult result = new SenderResult();
    Config deliveryConfig;

    public CustomJMSSender() {
        ...
    }

    public void init(Context context, Config deliveryConfig)
    throws BCGSenderException {

        // initialization code
        // deliveryConfig gives the destination configuration
        this.deiveryConfig = deliveryConfig;

        // initialize sender using destination configuration.
        ...
    }

    public SenderResult send(BusinessDocumentInterface document) {
    try {
        // Obtain configuration information from destination configuration.
        // from the configuration and document, determine destination details
        // for sending like queue names, JMS connection details, retries,
        // business protocol specific transport headers and so forth.
        ...

        // get the document to send
        File documentFile = document.getDocument();

        // read the file contents.
        // establish transport connection. construct transport message.
        // send the transport message. perform retries if error.
        ...

        // check if response is desired
        String syncResp = document.getAttribute(
        BCGDocumentConstants.BCG_GET_SYNC_RESPONSE);

        if (syncResp.compareToIgnoreCase("true")){
            // read the response from the response queue
            ...

            // create response file
            File responseFile = document.createFile();

            // store the response on to file system
            ...

            // set the response in the result
            result.setResponse(responseFile);
        }

        // close transport connection
        ...

        // set the send status
```



```

result.setSendStatus(BCGDocumentConstants.BCG_SENT_STATUS_SUCCESS);
} catch(Exception ex) {
//create an event and add to the sender result
String[] params = new String[1];
params[0] = "CustomJMSSender.send failure: " + ex.getMessage();
EventInfo eventInfo = EventInfo("BCG250008", document, params);
result.addEvent(eventInfo);
result.setSendStatus(BCGDocumentConstants.BCG_SENT_STATUS_FAILED);
}
return result;
}

public SenderResult cancel(){
// if currently sending a document, cancel the sending.
// update the send status appropriately.
...

return result;
}
}

```

---

## End-to-end flow: an overview for using user exits

This chapter describes end-to-end flow of the business document through WebSphere Partner Gateway when user exits are involved. At a high level, a WebSphere Partner Gateway receiver receives a document from the sending trading partner. The receiver introduces the document into the document processor. The BPE component of the document processor performs business-protocol-specific processing on this business document by executing the workflows and their steps. BPE packages the business document and delivers it to the Delivery Manager component, which invokes the sender to send the business document to the receiving trading partner.

The user exit capabilities of WebSphere Partner Gateway let you develop business protocols. Each business protocol can have its unique requirements:

- The business protocol can involve synchronous and asynchronous document flows. For example, RNIF supports synchronous and asynchronous document exchange.
- Each business protocol can involve a sequence of one or more business document flows that can be related or associated to each other. For example, in cXML a given request document can have multiple asynchronous responses.

## Synchronous and asynchronous flows

WebSphere Partner Gateway supports synchronous and asynchronous flows with sending and receiving trading partners. Synchronous interaction involves response business documents. This means that if a sending trading partner invokes WebSphere Partner Gateway synchronously, it expects a business-protocol-level synchronous response. Similarly, if WebSphere Partner Gateway invokes a receiving trading partner synchronously, it expects a synchronous business-protocol-level response. Note that synchronous and asynchronous interactions are dictated by the business protocol requirements and trading partner agreements. Synchronous interactions depend on the nature of the transports used as well. For example, in the case of HTTP, send the response in the same HTTP connection.

This section explains how you can use the user exit capabilities of WebSphere Partner Gateway to develop synchronous and asynchronous flows. The following

table lists the various types of document flows that can be supported between a sending trading partner, WebSphere Partner Gateway, and a receiving trading partner.

*Table 1. Types of document flows*

Sending trading partner	WebSphere Partner Gateway	Receiving trading partner
A. Sends a business document (asynchronous)	<ol style="list-style-type: none"> <li>1. WebSphere Partner Gateway receiver receives the business document. SyncCheck handler returns false for this business document. Receiver introduces the document into document processor. (Receiver and receiver handlers).</li> <li>2. WebSphere Partner Gateway unpackages the document and parses the document to determine partner connection. (Un-packaging handler, protocol processing handler). This also determines sending and receiving trading partners for this document.</li> <li>3. WebSphere Partner Gateway performs business protocol specific processing on the request business document. (Actions and their steps).</li> <li>4. WebSphere Partner Gateway packages the business document in the packaging determined by the partner connection, as expected by receiving trading partner. (Protocol Packaging handler).</li> <li>5. WebSphere Partner Gateway sends the document to receiving trading partner asynchronously. (Sender and handlers).</li> </ol>	Receives the business document (asynchronous)
B. Sends a business document (asynchronous)	<p>The processing steps are the same as in A above. However, the protocol packaging handler sets the <code>BCGDocumentConstants.BCG_GET_SYNC_RESPONSE</code> attribute on the business document, which causes the sender to send the request document synchronously to the receiving trading partner. The sender waits to receive the response business document.</p> <p>The response business document received by the sender is introduced into the Document Manager by the Delivery Manager. This document is processed like any other document.</p>	

Table 1. Types of document flows (continued)

Sending trading partner	WebSphere Partner Gateway	Receiving trading partner
<p>C. Sends the request business document synchronously to WebSphere Partner Gateway. Synchronously receives response business document from WebSphere Partner Gateway.</p>	<p>The processing steps are the same as in A above. However, the protocol packaging handler sets the <code>BCGDocumentConstants.BCG_GET_SYNC_RESPONSE</code> attribute on the business document, making the sender send the request document synchronously to the receiving trading partner. The sender waits to receive the response business document.</p> <p>Note the following points in this scenario:</p> <ul style="list-style-type: none"> <li>• The sending trading partner of the response document is the trading partner who received the request business document.</li> <li>• The receiving trading partner of response document is the trading partner who sent the request business document.</li> </ul> <p>After the sender receives the response business document, it is processed as follows:</p> <ol style="list-style-type: none"> <li>1. SenderFramework introduces the response business document into the Document Manager.</li> <li>2. The unpacking handler unpackages the document, and the protocol processing handler parses the response document to determine the partner connection.</li> <li>3. WebSphere Partner Gateway performs business-protocol-specific processing (actions and their steps) on the response business document.</li> <li>4. The protocol packaging handler packages the response business document in the packaging as expected by the receiving trading partner and determined by the partner connection for this document.</li> <li>5. Since the request document was received synchronously by the WebSphere Partner Gateway receiver, the response is sent by the receiver (and postprocessing handler) to the trading partner.</li> </ol>	<p>Receives the business document (synchronous). Responds synchronously with business document.</p>

**Note:** If an error occurs during the flow of either the request or the response business document, any of the user exits can set the `BCGDocumentConstants.BCG_RESPONSE_STATUS` attribute on the business document object. Set the value of this attribute with the error status to be sent synchronously to the trading partner who sent the request document.

## Associated document

Each business protocol can involve a sequence of one or more business document flows that can be related or associated to each other. For example, in cXML a given request document can have multiple asynchronous responses. WebSphere Partner Gateway provides the capability to view associated documents. The document viewer for WebSphere Partner Gateway displays all the business documents that flow through the system. If a particular document has associated documents, they are displayed in the associated document section of the document viewer. A document can have one or more associated documents.

**Note:** A synchronous response for a given document is considered an associated document. Synchronous responses are also displayed in the associated document section of the document viewer.

If the business protocol has the concept of associated documents, you can use user exits to provide information to WebSphere Partner Gateway so that for a given business document, the WebSphere Partner Gateway document viewer can display associated documents in the associated document section. The user exits need to have their own mechanism to determine whether the business document which they are currently processing is associated with any other business document flow. If it is, a user exit can set one of the following attributes on the business document:

- `BCGDocumentConstants.BCG_REPLY_TO_DOC_ID`: Set this attribute to the document ID of the business document associated with this document flow.
- `BCGDocumentConstants.BCG_REPLY_TO_DOC_UUID`: Set this attribute to the UUID (parent UUID) of the business document associated with this document flow.

These attributes can be set in handlers of the workflow steps or in the steps of the actions. After executing the flow for this business document, WebSphere Partner Gateway will see whether any of these attributes are set. If they are, WebSphere Partner Gateway updates WebSphere Partner Gateway activity logs so that the document viewer can display the association correctly.

---

## Troubleshooting user exits

This chapter highlights some common situations in setting up and using user exits where troubleshooting might be necessary.

- “Setting up logging”
- “Common sources of error” on page 113

## Setting up logging

The trace method of the `BCGUtil` class in the `com.ibm.bcg.bcgdk.common` package is used to set up logging of internal activity for the entire document flow. Full documentation of the method is located in “`BCGUtil`” on page 77. The following is an example code snippet that sets up logging in an XML translation step in variable workflow:

```
BCGUtil bcgUtil = new BCGUtil ();
:
:
:
    bcgUtil.trace(BCGUtil.BCG_TRACE_SEVERITY_DEBUG,
                  "CustomXMLTranslation",
                  "The Schema is present",
                  null)
```

Receiver logs for fully distributed mode of installation can be found at:  
<hub-location>/wasND/Profiles/<profile name>/logs/bcgreceiver/

Server logs for simple distributed mode or simple mode of installation can be found at: <hub-location>/wasND/Profiles/<profile name>/logs/server1/

Fixed and variable workflow and sender logs (grouped together as part of the Document Manager component) can be found at: < hub-location>/wasND/Profiles/<profile name>/logs/bcgdocmgr

MAS server logs for distributed mode of installation can be found at: < hub-location >/wasND/Profiles/<profile name>/logs/bcgm

Trace levels can be set for Websphere Partner Gateway servers from Websphere Application Server administration console.

## Common sources of error

Following are four general types of errors commonly encountered in setting up user exits, and the steps to take to correct them.

- “File location errors”
- “Handler failure errors”
- “Processing mode errors”
- “File update errors” on page 114

### File location errors

It is crucial that the WebSphere Partner Gateway system be able to find the user exit classes. A Class Not Found exception in either log can occur if:

- The user exit class files are not loaded in the class path.  
or
- The user exit class files are not present as specified in the package hierarchy designated in the XML file that you must upload through the Community Console.

Additional file location problems can arise if, in a multi-box, split topology setup, the appropriate user exits are not deployed with all instances of receivers or Document Managers, as necessary.

**Resolution** Make sure that the class files are properly loaded in the class path and that the exact name and location of the user exit class files match the details specified during the upload of the XML descriptor files through the Community Console. Make sure all appropriate files exist in all appropriate places.

### Handler failure errors

Failure of a preprocessing handler in the receiver component or of either type of handler in the sender component, or failure in an unpacking, protocol processing, or packaging handler in the Document Manager component will produce an error in the appropriate logs and in the Community Console. Turning on Debug mode will produce a more detailed error report. The error will result in the message or business document not being processed further, and, in the case of an HTTP receiver preprocessing failure, a 500 response code being sent back to the initiating host.

**Resolution** Correct the problem in the user exit code, reload the class files, and restart the component

### Processing mode errors

When a document protocol supports synchronous processing, the defined target *must* have a SyncCheck handler specified. If the protocol does not support synchronous processing, a postprocess handler must *not* be specified.

**Resolution** Make sure that the user exits you specify are appropriate for the defined processing mode

## File update errors

You can update user exit information in the system in either of two ways:

- Update the class files (or JARs) themselves
- Update the XML descriptor files

If you update the class files, restart the appropriate components to make sure that the changes are effective. Uploading new XML descriptor files for existing user exits (assuming that the files have the same name and designate the same class) immediately changes whatever attributes and attribute values that are set. In this case, any documents that are processed after the new descriptor files are uploaded will be processed as described in those new files.

**Resolution** Updating class files requires a component restart to be effective; updating XML descriptor files takes effect immediately

## User exit java.lang.ClassNotFoundException:xxx event

When WebSphere Partner Gateway invokes the map, it in turn invokes the User Exit, which may fail and raise the java.lang.ClassNotFoundException:xxx event. During runtime, if WebSphere Partner Gateway is not able to locate the User exit xxx.class, java.lang.ClassNotFoundException:xxx exception occurs.

To resolve the issue, perform the following steps:

1. Check the setting of WAS\_EXT\_DIRS variable in SetupCmdLine.bat (under bcghub\was\profiles\< < bcgconsole, bcgreceiver or bcgdocmgr>\bin). For example: "SET WAS\_EXT\_DIRS=%JAVA\_HOME%\lib;%WAS\_HOME%\classes;%WAS\_HOME%\lib;%WAS\_HOME%\installedChannels;%WAS\_HOME%\lib\ext;%WAS\_HOME%\web\help;%ITP\_LOC%\plugins\com.ibm.etools.ejbdeploy\runtime"
2. Copy the User Exit jar/class file to one of path defined in WAS\_EXT\_DIRS (For example, copy to %WAS\_HOME%\lib\ext) or add your path to this variable. For example, your User Exit jar/class is in c:\myDir, then SET WAS\_EXT\_DIRS=...;c:\myDir.
3. Restart the component after performing these steps 1 and 2.

---

## Chapter 3. Customizing WebSphere Partner Gateway: administrative APIs and external event delivery

WebSphere Partner Gateway allows a hub administrator to use a newly established application program interface (API) to accomplish certain common administrative tasks programmatically, using a simple XML based HTTP POST mechanism. WebSphere Partner Gateway allows events, both document-related and general system-based, to be delivered to an external JMS queue as well as sent to the internal WebSphere Partner Gateway event store.

The following chapters document these features.

---

### Using the administrative API

This chapter describes the administrative APIs, which allow certain Hub administrative functions to be executed programmatically. It is divided into two sections:

- “Understanding the administrative API”
- “The administrative API” on page 117

**Note:** The XML-based administrative API is deprecated in Version 6.1.

The new migration utility that is introduced in WebSphere Partner Gateway, Version 6.1 can be used instead of the administrative API to perform the creation and update tasks. See the *WebSphere Partner Gateway Administration Guide* or the *WebSphere Partner Gateway Hub Configuration Guide* to learn how the migration utility can be used instead of the administrative API.

### Understanding the administrative API

The administrative API for WebSphere Partner Gateway allows certain common administrative functions to be carried out without using the Community Console GUI.

**Note:** The Community Console must be running for API calls to be processed, and the API functionality must have been turned on in the GUI before the calls are made. For more information using the GUI to turn the APIs on, see the *WebSphere Partner Gateway Hub Configuration Guide*

A method is called by sending an HTTP POST request with an appropriate XML document as the body. This request is directed to a servlet running on the console instance, at the relative URL of `/console/bcgpublishapi`.

In general, the XML request document includes the following data:

- User information (this is the same information used when logging in the Community Console and must be provided with every request, as there is no notion of session management)
  - User name
  - Password
  - Partner login name
- API information

- Method name, typically an action given as a concatenated noun and verb, for example, ParticipantCreate
- Parameters, typically an item, for example, Partner

The following eleven methods are supported:

- "ParticipantCreate" on page 117
- "ParticipantUpdate" on page 118
- "ParticipantSearchByName" on page 119
- "ParticipantAddBusinessId" on page 120
- "ParticipantRemoveBusinessId" on page 121
- "ContactCreate" on page 121
- "ListTargets" on page 127
- "ListParticipantCapabilities" on page 125
- "ListParticipantConnections" on page 126
- "ListTargets" on page 127
- "ListEventDefinitions" on page 128

The system processes the request and returns the response (or exception) XML synchronously, that is, on the same HTTP connection. Each method has a corresponding response. Using an API produces the same internal process that using the Community Console does. If a particular operation that is executed in the Community Console generates events, that operation executed in the API generates the same events.

"The administrative API" on page 117 section that follows describes these APIs in detail. More detail can be gathered by looking in the \$(WPGINSTALLABLESEXTRACT)/DevelopmentKits/AdministrativeAPI/schemas directory at the two provided schemas:

- publicapi.xsd The API signatures
- publicapi\_vocabulary.xsd The vocabulary from which the schema is constructed

In addition to the actual response, the servlet itself also provides standard HTTP status codes, as specified in Table 2.

Table 2. Servlet status codes

HTTP status code	Situation in which this code is returned
500	<ul style="list-style-type: none"> <li>• Request XML cannot be parsed.</li> <li>• There is an error in processing the request.</li> <li>• There is an internal error.</li> </ul>
405	<ul style="list-style-type: none"> <li>• An HTTP request other than POST has been received. The servlet supports only the POST method.</li> </ul>
200	<ul style="list-style-type: none"> <li>• The API has been successfully executed.</li> </ul>
501	<ul style="list-style-type: none"> <li>• An unimplemented request has been received.</li> <li>• The administrative API has not been turned on.</li> </ul>

Security is provided by the use of SSL and, optionally, Client Authorization. Data, but not the elements of the API itself, can be localized, based on the locale, as long as character encoding is set to UTF-8, which is the standard expected encoding.



## The administrative API

This section outlines the structure of the eleven XML method calls and their responses, and the exception XML that is used to report errors. The general structure of the XML is as follows:

- The root element is always a `BCGPublicAPI` element
- The first child of the root in a request document is the `<MethodName>` element.
  - The first child of the `<MethodName>` element is the `UserInfo` element. This element contains your (the user making the request) Community Console login information. You must have permissions that are adequate for the task being attempted.
  - The second child of the `<MethodName>` element represents any input parameters.
- The first child of the root in a response document is the `<MethodName>Response` element. This element represents results of the execution of the request API.
- The first child of the root in an exception document is a `BCGPublicAPIException` element.

## ParticipantCreate

Adds a partner to the hub community. Partners are the companies that do business with the internal partner through the hub community. Once connected, partners can exchange electronic business documents with the internal partner.

### Root element

`BCGPublicAPI`

### First child element

`ParticipantCreate`

### First child of ParticipantCreate

`UserInfo` element. This is the same information used to log in the Community Console. It contains three elements:

- `UserName` The Community Console login user name
- `Password` The Community Console login password
- `ParticipantLogin` The partner (company) login name

### Second child of ParticipantCreate

`ParticipantCreateInfo` element. Contains seven elements:

- `ParticipantLogin` The partner's login name
- `ParticipantName` The name the partner wants displayed to the hub community
- `ParticipantType` Defines the partner's function in the community  
Available values are `Hub Administrator`, `Internal Partner`, and `External Partner`
- `ParticipantStatus` `Enabled` or `Disabled`. If disabled, the partner is not visible in search criteria and drop-down lists. The default value is `Enabled`
- `CompanyURL` The URL of the partner's Web site. This is an optional element.
- `ClassificationId` Identifies the partner's role. Available values are `Supplier`, `Contract Manufacturer`, `Distributor`, `Logistic Provider`, and `Other`. This is an optional element.
- `Password` The password this partner will use to access the system

## ParticipantCreateResponse

Response document for the ParticipantCreate method.

### Root element

BCGPublicAPI

### First child element

ParticipantCreateResponse

### First child of ParticipantCreateResponse

ParticipantCreateResponseInfo element. Contains seven elements:

- **ParticipantId** An internal numeric ID that identifies the partner to the system
- **ParticipantLogin** The partner's login name
- **ParticipantName** The name the partner wants displayed to the hub community
- **ParticipantType** Defines the partner's function in the community. Available values are Hub Administrator, Internal Partner, and External Partner
- **ParticipantStatus** Enabled and Disabled. If disabled, the partner is not visible in search criteria and drop-down lists
- **CompanyURL** The URL of the partner's Web site. This is an optional element.
- **ClassificationId** Identifies the partner's role. Available values are Supplier, Contract Manufacturer, Distributor, Logistic Provider, and Other. This is an optional element.

## ParticipantUpdate

Updates the partner's profile in the system.

### Root element

BCGPublicAPI

### First child element

ParticipantUpdate

### First child of ParticipantUpdate

UserInfo element. This is the same information used to log in the Community Console. It contains three elements:

- **UserName** The Community Console login user name
- **Password** The Community Console login password
- **ParticipantLogin** The partner (company) login name

### Second child of ParticipantUpdate

ParticipantUpdateInfo element. Contains 6 elements:

- **ParticipantId** An internal numeric ID that identifies the partner to the system
- **ParticipantName** The name the partner wants displayed to the hub community
- **ParticipantType** Defines the partner's function in the community. Available values are Hub Administrator, Internal Partner, and External Partner.
- **ParticipantStatus** Available values are Enabled and Disabled. If disabled, the partner is not visible in search criteria and drop-down lists.

- **CompanyURL** The URL of the partner's Web site. This is an optional element
- **ClassificationId** Identifies the partner's role. Available values are Supplier, Contract Manufacturer, Distributor, Logistic Provider, and Other. This is an optional element.

## ParticipantUpdateResponse

Response document for the ParticipantUpdate method.

### Root element

BCGPublicAPI

### First child element

ParticipantUpdateResponse

### First child of ParticipantUpdateResponse

ParticipantUpdateResponseInfo element. Contains seven elements:

- **ParticipantId** An internal numeric ID that identifies the partner to the system
- **ParticipantLogin** The partner's login name
- **ParticipantName** The name the partner wants displayed to the hub community
- **ParticipantType** Defines the partner's function in the community. Available values are Hub Administrator, Internal Partner, and External Partner.
- **ParticipantStatus** Available values are Enabled and Disabled. If disabled, the partner is not visible in search criteria and drop-down lists.
- **CompanyURL** The URL of the partner's Web site. This is an optional element.
- **ClassificationId** Identifies the partner's role. Available values are Supplier, Contract Manufacturer, Distributor, Logistic Provider, and Other. This is an optional element.

## ParticipantSearchByName

Searches for partner profiles by display name.

### Root element

BCGPublicAPI

### First child element

ParticipantSearchByName

### First child of ParticipantSearchByName

UserInfo element. This is the same information used to log in the Community Console. It contains three elements:

- **UserName** The Community Console login user name
- **Password** The Community Console login password
- **ParticipantLogin** The partner (company) login name

### Second child of ParticipantSearchByName

**ParticipantName** element The name the partner wants displayed to the hub community

## ParticipantSearchByNameResponse

Response document for the ParticipantSearchByName method.

**Root element**

BCGPublicAPI

**First child element**

ParticipantSearchByNameResponse

**First child element of ParticipantSearchByNameResponse**

Participants element

**Zero or more children of Participants**

ParticipantInfo. Contains five elements:

- **ParticipantId** An internal numeric ID that identifies the partner to the system
- **ParticipantLogin** The partner's login name.
- **ParticipantName** The name the partner wants displayed to the hub community
- **ParticipantType** Defines the partner's function in the community. Available values are Hub Administrator, Internal Partner, and External Partner.
- **ParticipantStatus** Available values are Enabled and Disabled. If disabled, the partner is not visible in search criteria and drop-down lists.

## ParticipantAddBusinessId

Adds a business ID to the partner's profile.

**Root element**

BCGPublicAPI

**First child element**

ParticipantAddBusinessId

**First child of ParticipantAddBusinessId**

UserInfo element. This is the same information used to log in the Community Console. It contains three elements:

- **UserName** The Community Console login user name
- **Password** The Community Console login password
- **ParticipantLogin** The partner (company) login name

**Second child of ParticipantAddBusinessId**

ParticipantAddBusinessIdInfo element. Contains three elements:

- **ParticipantId** An internal numeric ID that identifies the partner to the system
- **BusinessId** The DUNS, DUNS+4, or Freeform number that the system uses for routing. DUNS numbers must equal nine digits, and DUNS+4 must equal 13 digits. Freeform ID numbers accept up to 60 alphabetic, numeric, and special characters.
- **BusinessIdType** The type of ID being used. Available values are DUNS, DUNS+4, and Freeform

## ParticipantAddBusinessIdResponse

Response document for the ParticipantAddBusinessId method.

**Root element**

BCGPublicAPI

**First child element**

ParticipantAddBusinessIdResponse

### **First child element of ParticipantAddBusinessIdResponse**

ParticipantAddBusinessIdResponseInfo Contains four elements

- BusinessIdentifierId An internal numeric ID that identifies the business ID to the system
- ParticipantId An internal numeric ID that identifies the partner to the system
- BusinessId The DUNS, DUNS+4, or Freeform number that the system uses for routing. DUNS numbers must equal nine digits, and DUNS+4 must equal 13 digits. Freeform ID numbers accept up to 60 alphabetic, numeric, and special characters.
- BusinessIdType The type of ID being used. Available values are DUNS, DUNS+4, and Freeform

## **ParticipantRemoveBusinessId**

Removes a business ID from the partner's profile.

### **Root element**

BCGPublicAPI

### **First child element**

ParticipantRemoveBusinessId

### **First child of ParticipantRemoveBusinessId**

UserInfo element. This is the same information used to log in the Community Console. It contains three elements:

- UserName The Community Console login user name
- Password The Community Console login password
- ParticipantLogin The partner (company) login name

### **Second child of ParticipantRemoveBusinessId**

BusinessIdentifierId An internal numeric ID that identifies the business ID to the system

## **ParticipantRemoveBusinessIdResponse**

The response document for the ParticipantRemoveBusinessId method.

### **Root element**

BCGPublicAPI

### **First child element**

ParticipantRemoveBusinessIdResponse

## **ContactCreate**

Creates a contact. Contacts are key personnel who receive notification when the system generates alerts as a result of specified events in the system.

### **Root element**

BCGPublicAPI

### **First child element**

ContactCreate

### **First child of ContactCreate**

UserInfo element. This is the same information used to log in the Community Console. It contains three elements:

- UserName The Community Console login user name
- Password The Community Console login password

- ParticipantLogin The partner (company) login name

### Second child of ContactCreate

ContactCreateInfo Contains thirteen elements:

- ParticipantId An internal numeric ID that identifies the partner to the system
- GivenName The contact's given name
- FamilyName The contact's family name
- Address The contact's address. This is an optional element.
- ContactType The contact's role. This is an optional element. Available values are:
  - Project Manager
  - Business Lead
  - Technical Lead
  - B2B Lead
  - Data Content Lead
  - Backend Application Lead
  - Network Firewall Lead
- Email The contact's e-mail address. This is an optional element.
- Telephone The contact's telephone number. This is an optional element.
- FaxNumber The contact's fax number. This is an optional element.
- LanguageLocale The contact's language locale. This is an optional element.
- FormatLocale Additional locale information for the contact. This is an optional element.
- TimeZone The contact's time zone. This is an optional element.
- AlertStatus Indicates whether the contact will receive alerts. Available values are Enabled and Disabled. The default is Disabled.
- Visibility Indicates the visibility. Available values are Local (restricted to the organization) and Global (the organization and the internal partner). The default is Local.

## ContactCreateResponse

The response document for the ContactCreate method.

### Root element

BCGPublicAPI

### First child element

ContactCreateResponse

### First child of ContactCreateResponse

ContactCreateResponseInfo element. Contains fourteen elements:

- ContactId An internal numeric ID that identifies the contact to the system
- ParticipantId An internal numeric ID that identifies the partner to the system
- GivenName The contact's given name
- FamilyName The contact's family name
- Address The contact's address. This is an optional element.

- **ContactType:** The contact's role. This is an optional element. Available values are:
  - Project Manager
  - Business Lead
  - Technical Lead
  - B2B Lead
  - Data Content Lead
  - Backend Application Lead
  - Network Firewall Lead
- **Email** The contact's e-mail address. This is an optional element.
- **Telephone** The contact's telephone number. This is an optional element.
- **FaxNumber** The contact's fax number. This is an optional element.
- **LanguageLocale** The contact's language locale. This is an optional element.
- **FormatLocale** Additional locale information for the contact. This is an optional element.
- **TimeZone** The contact's time zone. This is an optional element.
- **AlertStatus** Indicates whether the contact will receive alerts. Available values are `Enabled` and `Disabled`. The default is `Disabled`.
- **Visibility:** Indicates the visibility. Available values are `Local` (restricted to the organization) and `Global` (the organization and the internal partner). The default is `Local`.

## ContactUpdate

Updates contact information.

### Root element

`BCGPublicAPI`

### First child element

`ContactUpdate`

### First child of ContactUpdate

`UserInfo` element. This is the same information used to log in the Community Console. It contains three elements:

- **UserName** The Community Console login user name
- **Password** The Community Console login password
- **ParticipantLogin** The partner (company) login name

### Second child of ContactUpdate

`ContactUpdateInfo` element. Contains thirteen elements:

- **ContactId** An internal numeric ID that identifies the contact to the system
- **GivenName** The contact's given name
- **FamilyName** The contact's family name
- **Address** The contact's address. This is an optional element.
- **ContactType** The contact's role. This is an optional element. Available values are:
  - Project Manager
  - Business Lead
  - Technical Lead

- B2B Lead
- Data Content Lead
- Backend Application Lead
- Network Firewall Lead
- Email The contact's e-mail address. This is an optional element.
- Telephone The contact's telephone number. This is an optional element.
- FaxNumber The contact's fax number. This is an optional element.
- LanguageLocale The contact's language locale. This is an optional element.
- FormatLocale Additional locale information for the contact. This is an optional element.
- TimeZone The contact's time zone. This is an optional element.
- AlertStatus Indicates whether the contact will receive alerts. Available values are Enabled and Disabled. The default is Disabled.
- Visibility Indicates the visibility. Available values are Local (restricted to the organization) and Global (the organization and the internal partner). The default is Local.

## ContactUpdateResponse

The response document for the ContactUpdate method.

### Root element

BCGPublicAPI

### First child element

ContactUpdateResponse

### First child of ContactUpdateResponse

ContactUpdateResponseInfo element. Contains fourteen elements:

- ContactId An internal numeric ID that identifies the contact to the system
- ParticipantId An internal numeric ID that identifies the partner to the system
- GivenName The contact's given name
- FamilyName The contact's family name
- Address The contact's address. This is an optional element.
- ContactType The contact's role. This is an optional element. Available values are:
  - Project Manager
  - Business Lead
  - Technical Lead
  - B2B Lead
  - Data Content Lead
  - Backend Application Lead
  - Network Firewall Lead
- Email The contact's e-mail address. This is an optional element.
- Telephone The contact's telephone number. This is an optional element.
- FaxNumber The contact's fax number. This is an optional element.
- LanguageLocale The contact's language locale. This is an optional element.



- **FormatLocale** Additional locale information for the contact. This is an optional element.
- **TimeZone** The contact's time zone. This is an optional element.
- **AlertStatus** Indicates whether the contact will receive alerts. Available values are **Enabled** and **Disabled**. The default is **Disabled**.
- **Visibility** Indicates the visibility. Available values are **Local** (restricted to the organization) and **Global** (the organization and the internal partner). The default is **Local**.

## ListParticipantCapabilities

Queries a partner's functional capabilities

### Root element

BCGPublicAPI

### First child element

ListParticipantCapabilities

### First child of ListParticipantCapabilities

**UserInfo** element. This is the same information used to log in the Community Console. It contains three elements:

- **UserName** The Community Console login user name
- **Password** The Community Console login password
- **ParticipantLogin** The partner (company) login name

### Second child of ListParticipantCapabilities

**ParticipantId** An internal numeric ID that identifies the partner to the system

## ListParticipantCapabilitiesResponse

The response document for the ListParticipantCapabilities method

### Root element

BCGPublicAPI

### First child element

ListParticipantCapabilitiesResponse

### First child of ListParticipantCapabilitiesResponse

**ParticipantCapabilities** element.

### Zero or more children of ParticipantCapabilities

**ParticipantCapability** element. Contains eight elements.

- **CapabilityId** An internal numeric ID that identifies this capability to the system
- **ParticipantId** An internal numeric ID that identifies this partner to the system
- **ParticipantName** The name the partner wants displayed to the hub community
- **CapabilityRole** The functional role the partner has in the system. Available values are:
  - **Source**
  - **Target**
  - **SourceAndTarget**
- **CapabilityEnabled** A Boolean value

- **RoutingObjectRefId** An internal numeric ID that identifies the routing object reference associated with this capability to the system
- **RoutingObjectRefInfo** Routing objects in WebSphere Partner Gateway are hierarchical. They are defined once, but can be referenced at multiple places. The routing object reference uniquely identifies where the routing objects are referenced. This is a complex type holding the following elements:
  - **RoutingObjectRefId** An internal numeric ID of the routing object reference
  - **RoutingObjectId** An internal numeric ID of the routing object referenced
  - **RoutingObjectName** The name of the routing object
  - **RoutingObjectVersion** The routing object version
  - **RoutingObjectType** The type of this routing object localized into your (the user's) locale
  - **RoutingObjectTypeKey** The key to the type of this routing object. For example: Package, Protocol, and so forth
  - **RoutingObjectEnabled** A Boolean value
  - **RoutingObjectParentRefId** The internal numeric ID of the parent routing object reference. This is an optional element.
- **CapabilityChildren** element. This is an optional element. Contains zero or more **CapabilityChild** elements. Each **CapabilityChild** element holds the same eight elements as the **ParticipantCapability** element.

## ListParticipantConnections

Queries the partner's connections.

### Root element

BCGPublicAPI

### First child element

ListParticipantConnections

### First child of ListParticipantConnections

**UserInfo** element. This is the same information used to log in the Community Console. It contains three elements:

- **UserName** The Community Console login user name
- **Password** The Community Console login password
- **ParticipantLogin** The partner (company) login name

### Second child of ListParticipantConnections

**SourceParticipantId** An internal numeric ID that identifies the partner as a source to the system

### Third child of ListParticipantConnections

**TargetParticipantId** An internal numeric ID that identifies the partner as a target to the system

## ListParticipantConnectionsResponse

The response document for the **ListParticipantCapabilities** method

### Root element

BCGPublicAPI

**First child element**

ListParticipantConnectionsResponse

**First child of ListParticipantConnectionResponse**

ParticipantConnections element.

**Zero or more children of ParticipantConnections**

ParticipantConnection element. Contains nine elements.

- ConnectionId An internal numeric ID that identifies this connection to the system
- SourceParticipantId An internal numeric ID that identifies the partner as a source to the system
- SourceCapabilityId An internal numeric ID identifies the source capability to the system
- TargetParticipantId An internal numeric ID that identifies the partner as a target to the system
- TargetCapabilityId An internal numeric ID that identifies the target capability to the system
- ActionId An internal numeric ID that identifies the action to the system
- ActionName The display name of the action
- TransformMapId An internal numeric ID that identifies the transform map associated with this action. This is an optional element.
- ConnectionEnabled A Boolean value

## ListTargets

Queries for the targets configured on the system.

**Root element**

BCGPublicAPI

**First child element**

ListTargets

**First child of ListTargets**

UserInfo element. This is the same information used to log in the Community Console. It contains three elements:

- UserName The Community Console login user name
- Password The Community Console login password
- ParticipantLogin The partner (company) login name

## ListTargetsResponse

The response document for the ListTargets method.

**Root element**

BCGPublicAPI

**First child element**

ListTargetsResponse

**First child of ListTargetsResponse**

Targets

**Zero or more children of Targets**

Target element. Contains six elements.

- TargetId An internal numeric ID that identifies the target to the system
- Description A string describing the target

- **ClassName** The name of the target class. This is an optional class.
- **TransportType Name** The transport type
- **TargetAttributes** A complex type holding zero or more **TargetAttribute** complex elements, each holding the following elements:
  - **AttributeName** The target attribute's name
  - **AttributeValue** The target attribute's value. This is an optional value.
- **TargetConfigPoints** There are three target configuration points: **PreProcess**, **PostProcess**, and **SyncCheck**. Each of them is represented by a complex type that holds the following elements:
  - **ConfigPointName** A complex type that holds a **Handlers** element, which is a complex type that holds zero or more **Handler** elements, each of which is a complex type that holds three elements:
    - **ClassName** The name of the handler class
    - **HandlerType** The handler type
    - **HandlerAttributes** A complex type that holds zero or more **HandlerAttribute** elements, each of which is a complex type that holds the following two elements:
      - **AttributeName** The attribute's name
      - **AttributeValue** The attribute's value. This is an optional element.

## ListEventDefinitions

Queries for the events configured on the system.

### Root element

BCGPublicAPI

### First child element

ListEventDefinitions

### First child of ListEventDefinitions

**UserInfo** element. This is the same information used to log in the Community Console. It contains three elements:

- **UserName** The Community Console login user name
- **Password** The Community Console login password
- **ParticipantLogin** The partner (company) login name

## ListEventDefinitionsResponse

The response document for the `ListEventsDefinitions` method.

### Root element

BCGPublicAPI

### First child element

ListEventsDefinitionsResponse

### First child of ListEventsDefinitionsResponse

EventDefinitions

### Zero or more children of EventDefinitions

**EventDefinition** element. A complex type holding the following six elements. This is an optional element.

- **EventCode** The code for this event
- **Event name** The event's name

- `InternalDescription` A string with the event's internal specific description
- `Visibility` The event's visibility in the system. A complex type holding three elements.
  - `CommunityManager` A Boolean value
  - `CommunityOperator` A Boolean value
  - `CommunityParticipant` A Boolean value
- `Severity` The event's severity. Available values are:
  - `Info`
  - `Debug`
  - `Warning`
  - `Error`
  - `Critical`
- `Alertable` A Boolean value

## BCGPublicAPIException

The response document in the case of an exception.

### Root element

`BCGPublicAPI`

### First child element

`BCGPublicAPIException`

### First child of `BCGPublicAPIException`

`ErrorMsg` A string containing the error message

---

## Using the configuration migration API

This chapter describes the configuration migration API. It is divided into three sections:

- "Understanding the configuration migration API"
- "Developing with the configuration migration API"
- "Running your program" on page 130

## Understanding the configuration migration API

The command line interface for the configuration migration utility is described in the *WebSphere Partner Gateway Administration Guide*. See that book for an overview of the configuration migration utility. A Java API for the configuration migration utility is also available so you can export and import configuration data programmatically if you prefer.

The configuration migration API does not provide additional function over that provided by the command line utility. It simply allows you to export and import configuration data programmatically. You still need an export option file when exporting. When importing, the import API uses an import XML file and associated map and zip files or a simple zip file just like the command line utility.

## Developing with the configuration migration API

To develop a program that uses the configuration migration API, perform the following steps:

1. Set your programming environment to use the Java 5 sdk. Java 5 is required if you plan to test the API program from within your programming environment. Java 5 is the Java runtime that is used by WebSphere Application Server Version 6.1.
2. Give your programming environment access to the classes that provide the API. After you unzip `<wpg-install-root>/console/support/BCGMigrationUtility.zip` into your local file system, locate file `BCGMigrationUtility.jar` in the `bcgmigrate` directory. Set the build-time class path of your Java development environment to include this jar file. This gives your programs access to the API classes.
3. If you plan to test using your programming environment, you need to give your programming environment access to other classes that the API depends on. There are several jar files in the `bcgmigrate/lib` directory that contain dependency classes that are needed to test your API code.
4. If your programming environment allows a script to be used to set the class path, there are sample `ClassPath` scripts for Windows and Unix platforms that you can modify for this purpose.
5. See the sample import and export Java code modules under the `bcgmigrate/samples` directory.

## Running your program

To run a program that uses the configuration migration API, complete the following steps:

1. Perform the usual steps to package your program classes so they can be executed outside your programming environment.
2. To set the runtime class path, make a copy of the `ClassPath` script for your platform, edit it to set the `Migration_Home` value for your machine, and call it from your own script.

Remember the following:

- The console component for the WebSphere Partner Gateway system you are targeting must be running and that your program has to have connectivity to its bootstrap port (typically 58809).
- The user ID and password that you use must either be `hubadmin` or have migration permission granted on the target WebSphere Partner Gateway system.

## BCGMigrationUtil

Class that contains the configuration migration utility APIs for exporting and importing configuration data.

### Method

`exportWPGConfig`

### Method description

This method is used to export WebSphere Partner Gateway configuration data in the form of XML and related files from a WebSphere Partner Gateway system to the machine where the utility is operating. See the *WebSphere Partner Gateway Administration Guide* for details of the options file and other parameters. There are two method signatures for this API described below.

## exportWPGConfig Signature 1

```
public int exportWPGConfig(File exportOption,String hostNport,  
string username, String pwd, HashMap otherInputs)
```

### Parameters

#### exportOptions

The File containing the Export Options for exporting from the WebSphere Partner Gateway instance.

#### hostNport

Console component IP address and port number separated with a ':'

#### username

The WebSphere Partner Gateway Console login user name

#### pwd

The WebSphere Partner Gateway Console login password

#### otherInputs

Additional options as name/value pairs. The keys for these options are 'rootPath' and 'arg\_debugLevel'

### Returns

After completion this API call returns one of the following:

- 0 Success
- 1 Insufficient Data
- 2 Login Failure
- 3 Communication Failure
- 4 Error in migration of definitions
- 5 Unknown error

## exportWPGConfig Signature 2

```
public int exportWPGConfig(InputStream zippedExportOptions,String hostNport,  
string username, String pwd, HashMap otherInputs)
```

### Parameters

#### zippedExportOptions

A ZipInputStream for the file containing the Export Options for exporting from the WebSphere Partner Gateway instance.

#### hostNport

Console component IP address and port number separated with a ':'

#### username

The WebSphere Partner Gateway Console login user name

#### pwd

The WebSphere Partner Gateway Console login password

#### otherInputs

Additional options as name/value pairs. The keys for these options are 'rootPath' and 'arg\_debugLevel'

## Returns

After completion this API call returns one of the following:

- 0 Success
- 1 Insufficient Data
- 2 Login Failure
- 3 Communication Failure
- 4 Error in migration of definitions
- 5 Unknown error

## Method

importWPGConfig

## Method description

This method is used to import WebSphere Partner Gateway configuration data that was previously exported or created. See the *WebSphere Partner Gateway Administration Guide* for details of the options file and other parameters. There are two method signatures for this API described below.

### importWPGConfig Signature 1

```
public int importWPGConfig(File importConfig,String hostNport,  
string username, String pwd, HashMap otherInputs)
```

## Parameters

### importOption

A Zip File containing the Import XML and other associated files to be imported

### hostNport

Console component IP address and port number separated with a ':'

### username

The WebSphere Partner Gateway Console login user name

### pwd

The WebSphere Partner Gateway Console login password

### otherInputs

Additional options as name/value pairs. The keys for these options are 'overwrite', 'rootPath', and 'arg\_debugLevel'

## Returns

After completion this API call returns one of the following:

- 0 Success
- 1 Insufficient Data
- 2 Login Failure
- 3 Communication Failure
- 4 Error in migration of definitions
- 5 Unknown error



## importWPGConfig Signature 2

```
public int importWPGConfig(zipperedImportStream,String hostNport,  
string username, String pwd, HashMap otherInputs)
```

### Parameters

#### zipperedImportStream

A ZipInputStream for the Zip file containing the XML import data and associated files to import

#### hostNport

Console component IP address and port number separated with a ':'

#### username

The WebSphere Partner Gateway Console login user name

#### pwd

The WebSphere Partner Gateway Console login password

#### otherInputs

Additional options as name/value pairs. The keys for these options are 'overwrite', 'rootPath', and 'arg\_debugLevel'

### Returns

After completion this API call returns one of the following:

- 0 Success
- 1 Insufficient Data
- 2 Login Failure
- 3 Communication Failure
- 4 Error in migration of definitions
- 5 Unknown error

---

## Using external event delivery

WebSphere Partner Gateway generates and stores events as a way of monitoring the activity inside its system. Events are published to an internal queue from which the WebSphere Partner Gateway event server fetches them. The event server sends them to the internal event store. Events can also be delivered to an external JMS queue, where they can be fetched by other processes, such as monitoring applications. This chapter provides an overview of this process. It consists of two sections:

- "The external event delivery process"
- "The structure of delivered events" on page 134

### The external event delivery process

The WebSphere Partner Gateway system has two different types of events: document events and message events.

Document events are events directly associated with a business document. The Business Processing Engine is responsible for publishing these events to a WebSphere Partner Gateway internal queue. In the case of either a Sent or a Failed document state, the Delivery Manager also publishes business document events to this queue.

Message events, on the other hand, are published by all components of WebSphere Partner Gateway. Message events are not necessarily related to a business document, although one or more message events can be associated with a business document.

Events that are published to the internal queue are sent by the event server to WebSphere Partner Gateway's event store. You can have events delivered to an external JMS queue. Turning external delivery on and off and configuring the external queue are done in the Community Console. See the *WebSphere Partner Gateway Hub Configuration Guide* for help in setting up this up.

Events are delivered to the JMS queue in Common Base Event (CBE) XML format. CBE format is a part of a larger evolving IBM initiative, the Common Event Infrastructure (CEI), designed to standardize the handling of events across applications. CBE structure covers three basic types of information:

- CBE standard properties, consisting of details such as creation time, event type, source, severity, and so forth
- CBE context data, including information about the environment in which the event was generated
- CBE extended data, holding generic data that is specific to the event type

If external delivery is turned on, all events are delivered to the external queue. The visibility flag, which limits which type of user can see which type of event in the Community Console Event Viewer, is not used in external delivery. Event names and descriptions in external delivery are localized in the same manner as they are in the Event Viewer.

Incorrect JMS configuration and JMS provider problems can cause errors in external event delivery. If they are not detected on startup, and an external delivery error occurs, the following happens:

- Future event delivery is turned off.
- Events are redelivered upon system restart *only* if you reinitialize the system in one of the following ways:
  - By correcting and updating the JMS properties on the Event Publishing Properties window in the Community Console (see the *WebSphere Partner Gateway Hub Configuration Guide* and the Community Console online Help for more information)
  - By correcting the JMS provider issues and clicking **Save** on the Event Publishing Properties window in the Community Console
- An alert-able event is logged, so that the WebSphere Partner Gateway alert engine can produce an alert. If for some reason the alert event cannot be logged, however, the event is ignored. No retries for logging this event are made.
- Normal internal event processing continues normally.

## The structure of delivered events

This section covers the CBE document structure of events delivered to the external JMS queue. Because the CBE event document structure is complex, the description of it is divided into two parts:

- “The basic CBE document structure” on page 135
- “CBE event structure for WebSphere Partner Gateway message events and business document events” on page 135

For the full canonic description of the CBE structure, see the schema file, located at \B2BIntegrate\events\schemas\commonbaseevent1\_0\_1.xsd. In the same directory there is an additional schema file, eventdelivery.xsd. This file defines a WebSphere Partner Gateway extension to the main schema, which defines the OtherSituation type of the SituationType type used in the situation element in the main schema. Further information on CBE and the schema can be found at the eclipse.org Web site, in the context of the Hyades project: [www.eclipse.org/hyades/](http://www.eclipse.org/hyades/)

### The basic CBE document structure

The root element of a Common Base Event document is a CommonBaseEvent element. The children of the CommonBaseEvent are as follows:

- `contextDataElements`: Provides context for the event. It is an optional event. WebSphere Partner Gateway does not provide it.
- `extendedDataElements`: Captures information not captured directly by the basic CBE structure. It is an optional element provided by WebSphere Partner Gateway.
- `associatedEvents`: Captures associated events. It is an optional element not provided by WebSphere Partner Gateway.
- `reporterComponentId`: Specifies the component that reports the event. It is an optional element not provided by WebSphere Partner Gateway.
- `sourceComponentId`: Specifies the component that generated the event. It is a required element provided by WebSphere Partner Gateway.
- `msgDataElement`: Represents the data that is used to specify all of the related information that is associated with the message that this event holds. It is an optional element. It is generated for CBE events created for message events. For business document events, this element is *not* generated. WebSphere Partner Gateway always generates this element as follows: `<msgDataElement msgLocale="en-US"></msgDataElement>`
- `situation`: Describes the type of situation that caused the event. It is a required element provided by WebSphere Partner Gateway.

### CBE event structure for WebSphere Partner Gateway message events and business document events

This section provides an element by element description of the CBE elements supplied in the event documents generated by the WebSphere Partner Gateway external event delivery system. It includes a detailed list of the main elements' attributes. Some descriptions include a brief example of that element as it would appear in CBE XML for message and business document events, as appropriate.

**The CommonBaseEvent element:** This is the root element of all CBE event documents. The following table describes this element and its attributes.

Table 3. The CommonBaseEvent element

Property name	Description
Version	1.0.1 WebSphere Partner Gateway supports this version of the schema
localInstanceId	Unique identifier in the WebSphere Partner Gateway store: <ul style="list-style-type: none"> <li>• Message events: the event ID of the source event</li> <li>• Business document events: the UUID of the business document</li> </ul>
creationTime	Creation time of this CBE event: <ul style="list-style-type: none"> <li>• Message events: the creation time of the event</li> <li>• Business document events: since logging time is not stored in business document, set to current time</li> </ul>

Table 3. The CommonBaseEvent element (continued)

Property name	Description
severity	<ul style="list-style-type: none"> <li>Message events:                             <ul style="list-style-type: none"> <li>Debug: 8</li> <li>Information: 10</li> <li>Warn: 30</li> <li>Error: 50</li> </ul> </li> <li>Business document events: business documents have no severity level, so this is set at 10 (Information)</li> </ul>
priority	WebSphere Partner Gateway has no notion of priority. Always set at 50
msg	<ul style="list-style-type: none"> <li>Message event: description of this event is localized.</li> <li>Business document event: not specified</li> </ul>
repeatCount	Not specified by WebSphere Partner Gateway
elapsedTime	Not specified by WebSphere Partner Gateway
extensionName	Used to distinguish message events from business document events <ul style="list-style-type: none"> <li>Message event: BCG_EVENT</li> <li>Business document event: BCG_BUSINESSDOCUMENT</li> </ul>
sequenceNumber	Not specified by WebSphere Partner Gateway

The following sample illustrates the CommonBaseEvent element for a message event:

```
<cbe:CommonBaseEvent
  creationTime="2004-06-20T06:26:01"
  extensionName="BCG_EVENT"
  localInstanceId="1087712761674000C766F006F0178601DF89630A39DF6CA"
  msg="ASValidation"
  priority="50"
  severity="10"
  version="1.0.1"
  xsi:schemaLocation=
    "http://www.ibm.com/AC
    /commonbaseevent1_0_1commonbaseevent1_0_1.xsd">
:
:
</cbe:CommonBaseEvent />
```

This is a sample of the CommonBaseEvent element for a business document event:

```
<cbe:CommonBaseEvent
  creationTime="2004-06-20T06:26:02"
  extensionName="BCG_BUSINESSDOCUMENT"
  localInstanceId="1087712759944000C766F006F017860B7583EB51E26A336"
  priority="50"
  severity="10"
  version="1.0.1"
  xsi:schemaLocation="http://www.ibm.com/AC
    /commonbaseevent1_0_1 commonbaseevent1_0_1.xsd">
:
:
</cbe:CommonBaseEvent />
```

**The sourceComponentId element:** This element specifies the component that generated the event. WebSphere Partner Gateway fills this in the normal CBE way. Please see the schema for more information.

**The situation element:** This element describes the type of situation that generated the event. The following table describes this element and its attributes.

Table 4. The situation element

Property name	Description
categoryName	OtherSituation
reasoningScope	INTERNAL
faultType	WebSphere Partner Gateway defines this attribute for OtherSituation in the eventdelivery.xsd file. Message events: <ul style="list-style-type: none"> <li>• SOURCE</li> <li>• TARGET</li> <li>• SYSTEM</li> <li>• UNKNOWN</li> </ul> Business document events: <ul style="list-style-type: none"> <li>• UNKNOWN</li> </ul>

This is an example of the situation element for a message event:

```
<cbe:situation categoryName="OtherSituation">
  <cbe:situationType
    reasoningScope="INTERNAL"
    xsi:type="cbe:OtherSituation">
    <bcg:faultType/>
  </cbe:situationType>
</cbe:situation>
```

**The extendedDataElements element:** This element captures information not captured directly by the basic CBE structure. The following three tables describe this element, its attributes, and its specialized child elements, covering message event extended elements and business document event extended elements:

Table 5. The extendedDataElements element

Property name	Description
name	Used to distinguish message events from business document events <ul style="list-style-type: none"> <li>• Message event: BCG_EVENT</li> <li>• Business document event: BCG_BUSINESSDOCUMENT</li> </ul>
type	WebSphere Partner Gateway sets this to noValue
children	One or more elements are created, depending on the type (message or business document) of event. Descriptions are in the following tables.

Table 6. Message event extended data elements

Name	Value
BCG_EVENTCD	Event code from the message event
BCG_HOSTIPADDRESS	Host IP address. Specified if available
BCG_PARTNERID1	Internal ID for partner. Specified if available
BCG_PARTNERID2	Internal ID for partner. Specified if available
BCG_STACKTRACE	Stack trace. Specified if available
BCG_FRIPADDRESS	From: IP address. Specified if available
BCG_PARENTBCGDOCID	Unique ID for parent business document. Specified if available

Table 6. Message event extended data elements (continued)

Name	Value
BCG_BCGDOCID	The ID of the business document with which this message event is associated <b>Note:</b> Monitoring applications can use this element for correlating this event with any associated business document
BCG_USERID	User ID. Specified if available
BCG_BUSINESSID1	From: business ID. Specified if available
BCG_INITBUSINESSID	Initiating business ID. Specified if available
BCG_INITASMESAGEID	Initiating AS message ID. Specified if available
BCG_BUSINESSID2	To: business ID. Specified if available

The following example shows a partial example of an extendedDataElements element in a message event.

```
<cbe:extendedDataElements name="BCG_EVENT" type="noValue">
  <cbe:values/>
    <cbe:children name="BCG_EVENTTIMESTAMP" type="string">
      <cbe:values>1087712761674</cbe:values>
    </cbe:children>
    <cbe:children name="BCG_PARENTBCGDOCID" type="string">
      <cbe:values>1087712759944000C766F006F017860B7583EB51E26A336
      </cbe:values>
    </cbe:children>
    <cbe:children name="BCG_ARGUMENTSTRING" type="string">
      <cbe:values>ASValidation</cbe:values>
    </cbe:children>
    <cbe:children name="BCG_HOSTIPADDRESS" type="string">
      <cbe:values>127.0.0.1</cbe:values>
    </cbe:children>
  :
  :
  :
</cbe:extendedDataElements>
```

Table 7. The business document event extended data elements

Attribute	Value
BCG_BCGDOCID	Business document's unique document ID
BCG_PARENTBCGDOCID	Document ID for parent business document. Specified if available
BCG_DOCLOCATION	Location of business document with complete path. Specified if available
BCG_DOCSTATE	Current state of the business document: <ul style="list-style-type: none"> <li>• DOC_IN_PROCESS = "In Process"</li> <li>• DOC_SENT = "Sent"</li> <li>• DOC_RECEIVED = "Received"</li> <li>• DOC_FAILED = "Failed"</li> </ul>
BCG_DOCSIZE	Obtained from business document. Specified if available

Table 7. The business document event extended data elements (continued)

Attribute	Value
Data related to business document	<p>In addition, business document events can contain other information concerning:</p> <ul style="list-style-type: none"> <li>• routing related data</li> <li>• flow related data</li> <li>• business protocol related data</li> </ul> <p>The name attribute of the child elements is set to one of the constants specified in the BCGDocumentConstants class. See “BCGDocumentConstants” on page 83 for further information. Specified only if available.</p>

A partial example of an extendedDataElements element in a business document event follows:

```

<cbe:extendedDataElements name="BCG_BUSINESSDOCUMENT" type="noValue">
  <cbe:values/>
    <cbe:children name="BCG_BCGDOCID" type="string">
      <cbe:values>1087712755684000C766F006F01786046684D6EAC6FAC22
      </cbe:values>
    </cbe:children>
    <cbe:children name="BCG_DOCLOCATION" type="string">
      <cbe:values>
        /opt/IBM/bcghub/common/data/Inbound/process
        /520/D9
        /1087712753565000C766F006F003149F07FF1FC6C41D8D9.ascontent
      </cbe:values>
    </cbe:children>
    <cbe:children name="BCG_PARENTBCGDOCID" type="string">
      <cbe:values>1087712753565000C766F006F003149F07FF1FC6C41D8D9
      </cbe:values>
    </cbe:children>
    <cbe:children name="BCG_DOCSTATE" type="string">
      <cbe:values>In Process</cbe:values>
    </cbe:children>
    <cbe:children name="BCG_DOCRESTARTED" type="string">
      <cbe:values>false</cbe:values>
    </cbe:children>
    <cbe:children name="BCG_FRPARTNERTYPE" type="string">
      <cbe:values>0</cbe:values>
    </cbe:children>
    :
    :
    :
</cbe:extendedDataElements>

```





---

## Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM® Director of Licensing  
IBM Corporation  
North Castle Drive  
Armonk, N.Y. 10504-1785  
U.S.A.*

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*IBM World Trade Asia Corporation Licensing  
2-31 Roppongi 3-chome, Minato-ku  
Tokyo 106-0032, Japan.*

**The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:**INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licenses of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Burlingame Laboratory Director  
IBM Burlingame Laboratory  
577 Airport Blvd., Suite 800  
Burlingame, CA 94010  
U.S.A

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

All IBM prices shown are IBM's suggested retail prices, are current and are subject to change without notice. Dealer prices may vary.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

#### COPYRIGHT LICENSE

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating

platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

Copyright (c) 1995-2007 International Business Machines Corporation and others  
All rights reserved.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

---

## Programming interface information

Programming interface information, if provided, is intended to help you create application software using this program. General-use programming interfaces allow you to write application software that obtain the services of this programs tools. However, this information also contains diagnosis, modification, and tuning information. Diagnosis, modification, and tuning information is provided to help you debug your application software.

**Attention:** Do not use this diagnosis, modification, and tuning information as a programming interface because it is subject to change.

---

## Trademarks and service marks

The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States or other countries, or both:

IBM	DB2	IMS	MQIntegrator	Tivoli
the IBM logo	DB2 Universal Database	Informix	MVS	WebSphere
AIX	Domino	iSeries	OS/400	z/OS
CICS	IBMLink	Lotus	Passport Advantage	
CrossWorlds	i5/OS	Lotus Notes	SupportPac	

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

MMX, Pentium, and ProShare are trademarks or registered trademarks of Intel Corporation in the United States, other countries, or both.

Solaris, Java, and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Linux is a trademark of Linus Torvalds in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.

WebSphere Partner Gateway Enterprise and Advanced Editions includes software developed by the Eclipse Project ([www.eclipse.org](http://www.eclipse.org))



---

# Index

## A

actions  
supplied 41

## B

Business Processing Engine (BPE) 34

## C

classes 48, 129  
BCGDocumentConstants 83  
BCGException 77  
BCGReceiverException 26  
BCGReceiverUtil 29  
BCGSecurityException 65  
BCGSenderException 107  
BCGUtil 77  
BusinessProcessUtil 54  
Config 67  
Context 66  
EventInfo 79  
ReceiverConfig 22  
SenderResult 101  
SignInfo 64  
configuration points 96  
constants  
document state 85  
other 87  
protocol packaging 83, 84  
protocol processing 84  
protocol unpackaging 83  
receiver 85  
sender status 85

## D

destination  
console-configured 95  
document state constants 85

## E

end to end, receiving 109  
error conditions, receiver 6  
event types, definition (external delivery) 133  
events  
for receiver handlers 30  
for sender handlers 107  
for workflow handlers 88  
external event delivery 133  
error conditions 134  
structure of 134

## F

fixed inbound workflow  
allowable types 47  
creating handlers in 35  
fixed outbound workflow  
allowable types 47  
creating handlers in 43

## H

handlers  
creating in fixed inbound workflow 35  
creating in fixed outbound workflow 43

## I

intellectual property 141  
interfaces 48, 100, 129  
AttachmentInterface 51  
BCGMigrationUtil 130  
BusinessDocumentInterface 68  
BusinessProcessFactoryInterface 49  
BusinessProcessHandlerInterface 50  
BusinessProcessInterface 50  
MapServiceInterface 62  
ReceiverDocumentInterface 13  
ReceiverFrameworkInterface 18  
ReceiverInterface 11  
ReceiverPostProcessHandler 28  
ReceiverPreProcessHandler 26  
ReceiverSyncCheckHandler 27  
ResponseCorrelation 25  
SecurityServiceInterface 55  
SenderPostProcessHandler 106  
SenderPreProcessHandler 105

## L

license, patents 141  
licensing  
address 141  
logging, how to set up 112

## P

patents 141  
protocol packaging  
constants 83, 84  
handlers 44  
typical steps 44  
protocol processing  
constants 84  
protocol unpackaging  
constants 83  
typical steps 36

## R

receiver architecture 6  
receiver constants 85  
receiver types 6  
receivers  
creating 3  
overall flow 4  
reserved attribute names 10  
RNIF (RosettaNet Implementation Framework) 35

## S

samples  
JMS receiver 31  
protocol processing handler 91  
protocol unpackaging handler 92  
sender handler 108  
sender architecture 96  
sender flow 95  
sender interface 100  
sender status constants 85  
senders  
APIs for 99  
creating 95  
creating handlers 96  
customizing 94  
deploying 97  
developing 97  
example code for 99  
sync-check handlers  
configuring 28

## U

User exit  
java.lang.ClassNotFoundException:xxx  
event 114  
User exit xxx.class 114  
user exits  
troubleshooting 112

## X

XML descriptor files 8  
definition for a receiver transport 8







Printed in USA