



Technical Documentation for EU Regulation 2019/424 laying down ecodesign requirements for servers and data storage product pursuant to Directive 2009/125/EC

2022-5-31

The following information is based on IBM's knowledge as of the date of this document, which may be based on its records and information from third parties. This documentation applies to finished products that IBM newly puts on the market in the European Union and other jurisdictions which require this Technical Documentation as of the above date.

Product Information			
Machine Type(s)	Model(s)	Part Number	Product Type
5341	993, 994, 996, 998, E96	-	Server or Online Data Storage
			Online Data Storage

Manufacturer's name, registered trade name and registered trade address:




Year of manufacture: – 2022

Power Supply Unit (PSU) efficiency and power factor:

Ecos ID #	SO-541
Manufacturer	IBM
Model Number	7001691-XXXX
Serial Number	11S94Y8092YK10812BA007
Year	2012
Type	1U
Test Date	04/25/13

Rated Specifications	Value	Units
Input Voltage	100-127 / 200-240	Volts
Input Current	10.0/5.0	Amps
Input Frequency	50/60	Hz
Rated Output Power	900	Watts

Note: All measurements were taken with input voltage at 230 V nominal and 60 Hz.




Input AC Current Waveform (ITHD = 5.39%, 50% Load)

I _{RMS} A	PF	I _{THD} (%)	Load (%)	Fraction of Load	Input Watts	External Fan (W)*	DC Terminal Voltage (V)/ DC Load Current (A)		Output Watts	Efficiency %
							12.2V	12Vsb		
0.58	0.76	15.36	10%	Low	102	0.84	12.28/7.15	12.07/0.25	91	88.92%
0.92	0.92	13.03	20%	Light	194	0.84	12.27/14.22	12.06/0.49	180	92.85%
2.13	0.98	5.39	50%	Typical	481	0.84	12.26/35.74	12.04/1.22	453	94.16%
4.29	0.99	6.74	100%	Full	978	2.88	12.26/71.5	11.99/2.43	905	92.57%

* Fan power is not included in the efficiency calculations



Ecos ID #	SO-542
Manufacturer	IBM
Model Number	7001692-XXXX
Serial Number	11S94Y8090YK10812AZ003
Year	2012
Type	1U
Test Date	04/25/13



Input AC Current Waveform (ITHD = 3.91%, 50% Load)


Rated Specifications	Value	Units
Input Voltage	100-127 200-240	Volts
Input Current	10-8	Amps
Input Frequency	50/60	Hz
Rated Output Power	1,400	Watts

Note: All measurements were taken with input voltage at 230 V nominal and 60 Hz.

I _{RMS} A	PF	I _{THD} (%)	Load (%)	Fraction of Load	Input Watts	External Fan (W)*	DC Terminal Voltage (V)/ DC Load Current (A)		Output Watts	Efficiency %
							12.2V	12Vsb		
0.78	0.86	16.03	10%	Low	155	0.84	12.28/11.25	12.24/0.25	141	90.93%
1.39	0.94	9.64	20%	Light	302	0.84	12.28/22.5	12.21/0.49	282	93.52%
3.30	0.99	3.91	50%	Typical	748	1.56	12.27/56.26	12.11/1.23	705	94.21%
6.71	0.99	3.75	100%	Full	1533	4.56	12.25/112.54	11.94/2.45	1408	91.85%

* Fan power is not included in the efficiency calculations

Ecos ID #	SO-542.1
Manufacturer	IBM
Model Number	700-013875-0000
Serial Number	11S94Y8090YK10812AZ003
Year	2012
Type	1U
Test Date	04/25/13



Input AC Current Waveform (ITHD = 3.91%, 50% Load)

Rated Specifications	Value	Units
Input Voltage	100-127 200-240	Volts
Input Current	10-8	Amps
Input Frequency	50/60	Hz
Rated Output Power	1,400	Watts


Note: All measurements were taken with input voltage at 230 V nominal and 60 Hz.

I _{RMS} A	PF	I _{THD} (%)	Load (%)	Fraction of Load	Input Watts	External Fan (W)*	DC Terminal Voltage (V)/ DC Load Current (A)		Output Watts	Efficiency %
							12.2V	12Vsb		
0.78	0.86	16.03	10%	Low	155	0.84	12.28/11.25	12.24/0.25	141	90.93%
1.39	0.94	9.64	20%	Light	302	0.84	12.28/22.5	12.21/0.49	282	93.52%
3.30	0.99	3.91	50%	Typical	748	1.56	12.27/56.26	12.11/1.23	705	94.21%
6.71	0.99	3.75	100%	Full	1533	4.56	12.25/112.54	11.94/2.45	1408	91.85%

* Fan power is not included in the efficiency calculations



Ecos ID #	SO-1161
Manufacturer	IBM
Model Number	SGE006-030G
Serial Number	N/A
Year	2016
Type	1U
Test Date	09/12/16



Input AC Current Waveform (THD = 4.68%, 50% Load)


Rated Specifications		Value	Units
Input Voltage		100-240	Volts
Input Current		9.4	Amps
Input Frequency		50/60	Hz
Rated Output Power		800	Watts

Note: All measurements were taken with input voltage at 230 V nominal and 60 Hz.

I _{RMS} A	PF	I _{THD} (%)	Load (%)	Fraction of Load	Input Watts	External Fan (W)*	DC Terminal Voltage (V)/ DC Load Current (A)			Output Watts	Efficiency %
							12V	5V	5Vsb		
0.42	0.94	11.91	10%	Low	90	18.98	12/5.19	4.95/3.36	4.98/0.21	80	88.51%
0.76	0.99	11.09	20%	Light	174	18.84	12/10.4	4.95/6.72	4.97/0.42	160	92.15%
1.86	1.00	4.68	50%	Typical	425	18.84	11.99/26	4.94/16.81	4.96/1.05	400	94.16%
3.76	1.00	3.54	100%	Full	864	18.72	11.97/51.99	4.93/33.59	4.94/2.09	798	92.42%

* Fan power is not included in the efficiency calculations

Ecos ID #	SO-1003
Manufacturer	IBM
Model Number	TDPS-800FB A
Serial Number	CCQT1538000260
Year	2015
Type	1U
Test Date	9/28/15



Input AC Current Waveform (THD = 6.86%, 50% Load)


Rated Specifications		Value	Units
Input Voltage		100-240	Volts
Input Current		9.4	Amps
Input Frequency		47-63	Hz
Rated Output Power		800	Watts

Note: All measurements were taken with input voltage at 230 V nominal at 60 Hz.

I _{RMS} A	PF	I _{THD} (%)	Load (%)	Input Watts	External Fan (W)*	DC Terminal Voltage (V)/ DC Load Current (A)			Output Watts	Efficiency %
						12V	5V	5Vsb		
0.62	0.65	11.85%	10%	92.45	40.43	12.01/5.21	5.01/3.34	5.01/0.21	80.34	86.91%
0.89	0.86	11.32%	20%	174.24	40.43	12/10.39	5/6.67	5/0.42	160.16	91.92%
1.91	0.97	6.86%	50%	424.30	40.43	11.99/26	4.99/16.64	4.99/1.05	399.93	94.26%
3.78	0.99	6.36%	100%	858.90	40.43	11.96/51.92	4.97/33.18	4.98/2.09	796.36	92.72%

* Fan power is not included in the efficiency calculations

ID Number	SO-2020
Manufacturer	IBM
Model Number	AWF2DC1600W-E
Serial Number	02PX119YL30NH22R186
Year	2022
Type	1U
Test Date	04/18/22



Input AC Current Waveform (THD = 5.052%, 50% Load)

Rated Specifications		Value	Units
Input Voltage		100-127/200-240	Volts
Input Current		12/9	Amps
Input Frequency		50/60	Hz
Rated Output Power		1,600	Watts

Note: All measurements were taken with input voltage at 230 V nominal and 60 Hz.

I _{RMS}	PF	I _{THD}	Load	Fraction of Load	Input Watts	External Fan (W)*	DC Terminal Voltage (V)/ DC Load Current (A)		Output Watts	Efficiency
							12.3V	12.3Vsb		
0.822	0.9224	21.08%	10%	Low	174.44	1.92	12.27/12.48	12.25/0.57	160.15	91.80%
1.531	0.9597	9.13%	20%	Light	338.06	1.80	12.26/24.95	12.21/1.15	319.96	94.65%
3.643	0.9900	5.05%	50%	Typical	829.42	1.92	12.22/62.39	12.15/2.86	797.46	96.15%
7.277	0.9969	4.13%	100%	Full	1668.89	8.52	12.16/124.77	12.05/5.73	1586.12	95.04%


* Fan power is not included in the efficiency calculations



ID Number	SO-2021
Manufacturer	IBM
Model Number	AWF2DC1200W-E
Serial Number	03FP726YL30NH1C7133
Year	2022
Type	1U
Test Date	04/18/22

Rated Specifications	Value	Units
Input Voltage	100-127/200-240	Volts
Input Current	12/7.5	Amps
Input Frequency	50/60	Hz
Rated Output Power	1,200	Watts

Note: All measurements were taken with input voltage at 230 V nominal and 60 Hz.



Input AC Current Waveform (ITHD = 7.107%, 50% Load)

I _{RMS}	PF	I _{THD}	Load	Fraction of Load	Input Watts	External Fan (W)*	DC Terminal Voltage (V)/ DC Load Current (A)		Output Watts	Efficiency
							12.3V	12.3Vsb		
0.677	0.8473	42.10%	10%	Low	131.97	2.04	12.18/9.24	12.14/0.55	119.18	90.31%
1.149	0.9541	16.84%	20%	Light	252.12	2.04	12.16/18.47	12.1/1.11	238.06	94.42%
2.747	0.9778	7.11%	50%	Typical	617.67	2.04	12.13/46.16	12.04/2.78	593.29	96.05%
5.404	0.9930	4.86%	100%	Full	1234.64	8.52	12.07/92.32	11.94/5.55	1180.98	95.65%

* Fan power is not included in the efficiency calculations

Declared operating condition class:

Ensure that your declared operating condition class falls within the ASHRAE class A1 environment.

See link for detailed environment requirements: [Operating environment requirements](#)

This product has been tested in order to verify that it will function within the boundaries of the declared operating condition class.

Secure data functionality:

https://www.ibm.com/support/knowledgecenter/SSHGBU_9.0.0/com.ibm.storage.ssic.help.doc/f2c_ekmtklm_3ekm3r.html

IBM Security Key Lifecycle Manager:

https://www.ibm.com/support/knowledgecenter/SSWPVP_3.0.1/com.ibm.skim.doc/overview/top/landing-overview.html

IBM maintains a product environmental specification, IBM Engineering Specification 46G3772 - Baseline Environmental Requirements for Supplier Deliverables to IBM which mandates part and product compliance to relevant worldwide regulations. The specifications are located for supplier access at: <http://www.ibm.com/ibm/environment/products/> and <http://www-03.ibm.com/procurement/proweb.nsf/ContentDocsByTitle/United+States~Information+for+suppliers>.

Suppliers are required to certify compliance to IBM product environmental specifications by completing the IBM Product Content Declaration (PCD), located at: <http://www.ibm.com/ibm/environment/products/>. Once completed, the PCD form is submitted to IBM, loaded into product management databases and accessed for compliance review by product. IBM's Product Environmental Profile process and tool documents and reviews product compliance prior to release to the market. The documentation presented here is a result of this review and process.

In 1997, IBM became the world's first major multinational corporation to have earned a single worldwide registration to the ISO 14001 Environmental Management System (EMS) standard. The registration covers IBM's manufacturing, product design and hardware development operations across its business



units worldwide. IBM was able to earn its single worldwide registration to ISO 14001 because of its longstanding global EMS. ISO 14001 EMS standard is a voluntary international standard that identifies the elements of an EMS needed for an organization to effectively manage its impact on the environment. Its objective is to integrate the EMS with overall business management processes so that environmental considerations are a standard part of business decisions. Applied to all its manufacturing and hardware development operations globally, IBM's EMS fosters common solutions, continual improvement and worldwide consistency. The result is a more effective and efficient EMS. The single registration also ensures that IBM executes the same EMS no matter where in the world it does business. Under IBM's single global registration, approximately 20 sites or registered entities are audited annually on a sampling or rolling basis by Bureau Veritas Certification North America, IBM's ISO 14001 registrar. These audits of IBM's EMS include sampling and verification of the implementation of IBM's internal requirements, monitoring and measurement as reported through the self assessment program, energy master plans, and in the Environmental Performance Database, and other tools used to provide the information for IBM's annual environmental and corporate responsibility reporting and for management review. The IBM ISO 14001 certification is located at <http://www.ibm.com/ibm/environment/iso14001/>.

More information on IBM's product stewardship program and / or environmental policies is located at: <http://www.ibm.com/ibm/environment/>

Limitations for Customers: The Product information provided in this Technical Documentation ("Documentation") is provided "AS IS", without any express or implied warranty of any kind. This information is subject to change without notice; provided, however, that IBM reserves the right, in its discretion, to issue an update or modification to this Documentation if it believes it is appropriate to do so. The contents of this Documentation do not constitute either: (1) legal advice; (2) a legal opinion; or (3) any representation, warranty, or guarantee regarding a person's ability to comply with applicable legal requirements. This Documentation in no way modifies any agreements entered into by IBM. The information here is based on IBM's knowledge as of the date of this document, which may be based on its records and information from third parties. This documentation applies to finished products that IBM newly puts on the market in the European Union and other jurisdictions which require this Declaration of Conformity as of the date above. CE Mark applies only to those new products put on the market in the EU and the European Free Trade Association jurisdictions by IBM.

The following are trademarks of International Business Machines Corporation in the United States, or other countries, or both: IBM IBM Logo.