

Printing Systems Division



Infoprint Fonts: Font Summary

Printing Systems Division



Infoprint Fonts: Font Summary

Note!

Before using this information and the product it supports, read the information in "Notices" on page 67.

Third Edition (May 2005)

This edition of *IBM Infoprint Fonts: Font Summary* applies to IBM Infoprint Fonts for z/OS, Version 1 Release 1 Modification 0, program number 5648-E76; to IBM Infoprint Fonts for Multiplatforms, Version 1 Release 1 Modification 0, program number 5648-E77; and to all subsequent releases of these products until otherwise indicated in new releases or technical newsletters.

IBM Printing Systems welcomes your comments. For your convenience, a form for reader's comments is provided at the back of this publication. If the form has been removed, you may send your comments to the following address:

INFORMATION DEVELOPMENT
IBM PRINTING SYSTEMS
DEPARTMENT TPQS BUILDING 004N
PO BOX 1900
BOULDER, CO 80301-9191

If you prefer to send comments electronically, use one of the following methods:

- Internet/Email: printpub@us.ibm.com
- Fax: 1-800-524-1519 within U.S. or 1-303-924-6873 outside U.S.

Internet

Visit our home page at <http://www.ibm.com/printers>.

Visit our Printing Systems Information Center at <http://publib.boulder.ibm.com/printer/psindex.htm>.

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© Copyright International Business Machines Corporation 2002, 2005. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Figures	v
Tables	vii
Chapter 1. Introduction	1
About this publication	1
Related Publications	1
About Infoprint Fonts Version 1.1.0 June 2005	2
About Infoprint Fonts Version 1.1.0 December 2003	2
About Infoprint Fonts Version 1.1.0 December 2002	3
Infoprint Fonts limitations	3
General Font Library	3
Japanese Font Library	5
Korean Font Library	5
Simplified Chinese Font Library	6
Traditional Chinese Font Library	6
Type Transformer and Utilities	6
IBM Logo fonts	6
Summary of Releases	6
Distribution	7
Chapter 2. About Infoprint Fonts	9
IBM Expanded Core Fonts	9
Languages supported	10
DBCS fonts	10
DBCS Core Fonts	11
DBCS Simulation Fonts	11
Type Transformer and Utilities	12
WorldType Fonts	12
Unicode ranges	13
Localizations	13
Embedded Bitmaps	13
Font Installer for AFP Systems	13
Chapter 3. Font Concepts	15
Representation of characters	15
Font Spacing characteristics	16
Point and pitch sizes	17
Point examples	18
Pitch examples	19
Box size examples	19
Chapter 4. FOCA font concepts	21
Font definitions	21
FOCA font structure	22
Coded font	22
Font Character set	22
Code page	23
Format of FOCA character sets	26
Chapter 5. FOCA font naming conventions	29
First character in the IBM naming convention	29
Remaining characters in the IBM naming convention	29

Expanded Core Fonts	30
DBCS Core Outline Fonts	33
DBCS Core Full-Width Fonts	34
DBCS Core Half-Width Fonts	35
DBCS Simulation Fonts	36
Character set	36
Coded font	36
IBM code page naming conventions	38
Single-byte code pages	38
DBCS code pages using half-width characters	38
DBCS code pages using full-width characters	39
Chapter 6. WorldType font naming conventions.	41
Chapter 7. Font summary tables.	43
Expanded Core Fonts	44
DBCS Core Fonts	48
DBCS Simulation Fonts	51
WorldType Fonts	55
Chapter 8. Code pages	59
Notices	67
Trademarks	69
Font trademarks	69
Index	71

Figures

1. Print resolution examples	15
2. Print direction and character rotation combinations (print orientations)	16
3. Type size in pitch.	17
4. Type size in points	17
5. Point size examples.	18
6. Pitch size examples.	19
7. Box size examples	19
8. Helvetica type family	21
9. Font components.	22
10. Composition of a character set.	23
11. Translation of a keyboard character into a printed character	24
12. IBM code page T1V10037	25
13. Expanded Core Font naming convention overview	30
14. DBCS Core Full-Width Font naming convention overview	34
15. DBCS Core Half-Width Font naming convention overview	35
16. Simulation Font naming convention	37
17. Code page name and category or version level	38

Tables

1. Summary of font releases	6
2. Packaging for Infoprint fonts	7
3. Font distribution information for z/OS	7
4. Font distribution information for AIX, Linux, and Windows on CD-ROM medium	8
5. Font distribution information for OS/400	8
6. Windows font distribution information for WorldType fonts	8
7. Font Installer for AFP Systems	8
8. Type Transformer and Utilities for Windows	8
9. Format and operating systems for General Font Library	9
10. Format and operating systems for DBCS fonts	10
11. Raster font products associated with DBCS Simulation Fonts	11
12. Format and operating systems for WorldType fonts	12
13. DBCS Core Outline Font naming convention overview	33
14. DBCS Simulation Font naming convention overview for character sets	36
15. DBCS Simulation Fonts naming convention overview for coded fonts	36
16. DBCS code pages using half-width characters naming convention overview	39
17. DBCS code pages using full-width characters naming convention overview	39
18. WorldType font naming: TTTT identifies the typeface name	41
19. WorldType font naming: LLSB identifies the localization, subset and the presents of embedded bitmaps	41
20. Format and operating systems for Expanded Core Fonts	44
21. Expanded Core Fonts	44
22. Format and operating systems for DBCS Core Fonts	48
23. DBCS Core Fonts for Japanese	49
24. DBCS Core Fonts for Korean	49
25. DBCS Core Fonts for Simplified Chinese	50
26. DBCS Core Fonts for Traditional Chinese	50
27. Format and operating systems for DBCS Simulation Fonts	51
28. DBCS Simulation Fonts	52
29. WorldType Directory and file naming	55
30. Code pages shipped with Infoprint Fonts	59

Chapter 1. Introduction

The IBM® Infoprint® Fonts provide fonts and font utilities that can be used to create a robust AFP™ presentation environment. The IBM Infoprint Fonts is actually two separate products:

- **IBM Infoprint Fonts for z/OS™** (Program Number 5648-E76)
- **IBM Infoprint Fonts for Multiplatforms** (Program Number 5648-E77)

About this publication

This publication summarizes the contents of the Infoprint Fonts products: Infoprint Fonts for z/OS (product number 5648-E76) and Infoprint Fonts for Multiplatforms (product number 5648-E77).

This publication is organized as follows:

- Chapter 1, “Introduction” explains how this publication is organized, introduces the Infoprint Fonts versions, provides a summary of releases, and a summary of how the fonts are packaged and distributed.
- Chapter 2, “About Infoprint Fonts,” on page 9 summarizes what is included with the Infoprint Fonts products.
- Chapter 3, “Font Concepts,” on page 15 explains some basic font concepts including how characters are represented, characteristics of font spacing, and point and pitch sizes.
- Chapter 4, “FOCA font concepts,” on page 21 explains the basic FOCA (Font Object Content Architecture) font structure and the format of FOCA characters sets.
- Chapter 5, “FOCA font naming conventions,” on page 29 explains the conventions used to name the FOCA fonts, as well as the conventions used to name the Code pages.
- Chapter 6, “WorldType font naming conventions,” on page 41 explains the conventions used to name the WorldType fonts.
- Chapter 7, “Font summary tables,” on page 43 contains tables that identify the operating systems, media shipped on, formats available, major font types, code page identifiers, coded font identifiers, character set identifiers, and available point or pitch size for the following:
 - Expanded Core Fonts
 - DBCS Core Fonts
 - Simulation Fonts
 - WorldType Fonts
- Chapter 8, “Code pages,” on page 59 contains a table that lists the code pages included with Infoprint Fonts.

Related Publications

For more information about character sets, code pages, coded fonts, warranty, and usage information, refer to the following publications:

- *Using OpenType Fonts in an AFP System*, G544-5876, which explains how to install and reference TrueType and OpenType fonts in Microsoft Unicode format on systems that use the IBM Advanced Function Presentation Architecture to print or display data.
- *Licensed Information for IBM Infoprint Fonts for z/OS and IBM Infoprint Fonts for Multiplatforms*, G544-5847, which provides warranty information for both products.

- *IBM AFP Fonts: Introduction to Typography*, G544-3122, which introduces the concepts of typography to help the user design documents and print them using Advanced Function Presentation™ (AFP) software.
- *IBM AFP Fonts: Technical Reference for Code Pages*, S544-3802, which provides in-depth Expanded Core font information including character set attributes, tables that show all AFP characters and the language complements that contain them.
- *IBM Technical Reference for AFP Font Collection Expanded Core Fonts*, S544-5228
- *IBM AFP Fonts: Font Samples*, G544-3792, which provides printed samples of all AFP fonts.
- *IBM Data Stream and Object Architectures: Font Object Content Architecture (FOCA) Reference*, S544-3285, which contains the architecture definition and describes the functions and elements that make up the Font Object Content Architecture (FOCA).
- *IBM Infoprint Fonts: Japanese Font Library Technical Reference*, S544-5849, which provides technical details for the Japanese character sets and code pages.
- *IBM Infoprint Fonts: Korean Font Library Technical Reference*, S544-5850, which provides technical details for the Korean character sets and code pages.
- *IBM Infoprint Fonts: Simplified Chinese Font Library Technical Reference*, S544-5851, which provides technical details for the Simplified Chinese character sets and code pages.
- *IBM Infoprint Fonts: Traditional Chinese Font Library Technical Reference*, S544-5852, which provides technical details for the Traditional Chinese character sets and code pages.

Note: The Infoprint Fonts WorldType® references are available only as PDF files at <http://www.printers.ibm.com/psc.nsf/support/manuals>.

- *Infoprint Fonts WorldType Reference: Windows Glyph List*, S544-5911
- *Infoprint Fonts WorldType Reference: Middle East Glyph List*, S544-5912
- *Infoprint Fonts WorldType Reference: East Asia Glyph List*, S544-5913
- *Infoprint Fonts WorldType Reference: Complete Glyph List*, S544-5914

For more information about Type Transformer, refer to *IBM Infoprint Fonts: Introduction to Type Transformer and Utilities for Windows®*, G544-5853.

For information about the font formats supported by IBM printers, refer to *IBM Printing Systems: Printer Information*, S544-5750.

For more information on fonts, visit the **Printing Systems Font Finder** that you can access through the **Printing Systems Information Center**.

About Infoprint Fonts Version 1.1.0 June 2005

The June 2005 version adds the Linux install process for the Linux print servers supported by the Printing Systems Division.

About Infoprint Fonts Version 1.1.0 December 2003

This section lists the enhancements to Infoprint Fonts, Version 1.1.0:

- Four WorldType fonts:
 - Monotype Sans™ WorldType
 - Monotype Sans Duospace™ WorldType

- Thorndale Duospace™ WorldType
- Times New Roman® WorldType
- Font Installer for AFP Systems, which includes integrated help, for installing the WorldType fonts or other TrueType/OpenType fonts in an AFP system.

About Infoprint Fonts Version 1.1.0 December 2002

This section lists the enhancements and limitations of the Infoprint Fonts, Version 1.1.0, compared with the AFP Font Collection, Version 2.1.1.

The following applies to the Infoprint Fonts product in general:

- With Infoprint Fonts, there are fewer installation selections, components, and procedures.
- File extensions were added to the AIX® and Windows media features for Code Pages (CDP) and Coded Fonts (CFT) to better utilize file associations in the environment.

Infoprint Fonts limitations

- Infoprint Fonts provides **only** AFP Outline Fonts. That is, no AFP Raster Fonts, such as 240 or 300 dpi, are included.
- No additional coded fonts are provided in the General Library.
- The Compatibility Fonts are no longer provided with any media feature; they are now included with the print servers (PSF and Infoprint Manager).
- The following FontLab components are no longer supplied:
 - Composer for CID font editing
 - TypeTool for simple Type1 font editing.
 - Sigmaker for converting signatures to font characters
- No new coded fonts are provided in the General Library.
- Increased BLOCKSIZE and LRECL dataset allocations on z/OS systems.
- The store fonts function for z/OS and OS/400® have been removed from Type Transformer. You can use FTP to transfer fonts and then invoke the AFP Reblocker program shipped with PSF to store fonts on z/OS, and you can use the AFP Manager feature of Client Access to store fonts on OS/400.

General Font Library

The General Font Library contains the fonts referred to as single-byte fonts in the AFP Font Collection. The General Font Library also contains fonts that were not labeled in the AFP Font Collection, such as Arabic, Cyrillic/Greek, Latin, OCR, and Thai. The Infoprint Fonts includes the following regional enhancements for the General Font Library:

Arabic

- Enhanced the existing 12 AFP Outline Characters Sets as follows:
 - Added Euro support
 - Height of Arabic and Latin numbers now match the height of Latin letters
- Added four new code pages that support the euro:
 - T1E00420: Arabic Bilingual with euro
 - T1E00864: Arabic Personal Computer with euro
 - T1E01008: Arabic ISO with euro
 - T1E01046: Arabic Extended ISO with euro

Cyrillic/Greek

- Enhanced the existing 12 AFP Outline Characters Sets as follows:
 - Added Euro support
 - Added Kazakhstan support
 - Added Microsoft® Windows support
- Added 14 new code pages as follows:
 - Greece:
 - T1E00813: Greece—ISO 8859-7
 - T1E00869: Greece—Personal Computer
 - T1E00875: Greece—EBCDIC
 - T1001253: Windows Greek
 - Russia:
 - T1000808: Personal Computer, Cyrillic, Russian with euro
 - T1001154: EBCDIC Cyrillic, Multilingual with euro
 - T1001251: Windows Cyrillic
 - Belarus:
 - T1000849: Personal Computer, Cyrillic, Belo Russian with euro
 - T1001131: Personal Computer, Cyrillic, Belo Russian
 - Ukraine:
 - T1000848: Personal Computer, Cyrillic, Ukraine with euro
 - T1001125: Personal Computer, Cyrillic, Ukraine
 - T1001158: EBCDIC Cyrillic, Ukraine with euro
 - Bulgaria, Macedonia, Serbia (Cyrillic):
 - T1000872: Cyrillic Personal Computer with euro
 - Kazakhstan:
 - T1001166: EBCDIC Cyrillic, Multilingual with euro

Latin

- Created a new Latin character compliment to remove divisional boundaries of the Latin1, Latin235, and Latin4 character compliments
- Created 12 new AFP Outline Character Sets for:
 - All Latin characters
 - Euro for Latin235
 - Baltic
 - Vietnam
- Added 18 new code pages as follows:
 - Czech Republic, Hungary, Poland, Croatia, Serbia (Latin), Slovakia, Slovenia, Romania (Latin):
 - T1E00852: Latin2 Multilingual Personal Computer with euro
 - T1001153: Latin2 Multilingual with euro
 - T1001250: Windows Latin2
 - Turkey:
 - T1E00857: Latin5 Turkey Personal Computer with euro
 - T1001155: EBCDIC Turkey with euro
 - T1001254: Windows Turkish
 - Estonia:
 - T1000902: 8-bit Estonia with euro
 - T1000922: Estonia, Personal Computer
 - T1001157: EBCDIC Estonia with euro
 - Latvia, Lithuania:
 - T1000901: Personal Computer Baltic Multilingual with euro
 - T1000921: Personal Computer Baltic Multilingual
 - T1001156: EBCDIC Baltic Multilingual with euro
 - T1001257: Windows Baltic Rim
 - Vietnam:

- T1001129: Vietnamese ISO-8
- T1001130: Vietnamese EBCDIC
- T1001163: Vietnamese ISO-8 with euro
- T1001164: Vietnamese EBCDIC with euro
- T1001258: Windows Vietnamese
- Latin235 was updated with an IBM character name to Adobe Character Name mapping that better reflects the IBM Corporate Standards
- Latin1 and Latin4 are unchanged

OCR

- OCR-A was not changed
- OCR-B was updated as follows:
 - New Letterpress design using the objectives of the following specifications:
 - CEN/TC304 N992 specification (draft dated 29 October 2001)
 - ISO 1073 II
 - Added Euro support
 - Added two new OCR-B code pages:
 - T1E00893: OCR B with euro
 - T1E00877: OCR B Personal Computer with eruo

Thai Enhanced the existing 12 AFP Outline Character Sets as follows:

- Added Euro support
- Added Microsoft Windows support
- Added three new code pages:
 - T1001160: Thailand EBCDIC with euro
 - T1001161: Thailand Personal Computer with euro
 - T1001162: Windows Thailand

The following character complements remain unchanged from the AFP Font Collection:

- APL
- BookMaster®
- Hebrew
- Katakana
- Lao
- Symbols

Japanese Font Library

The Japanese Font Library was enhanced as follows:

- Enhanced to support the new Japanese standard for JIS X-0213
- Added new support for SAP
- Added 4 new code pages as follows:
 - Full-width code page for the JIS X-0213 standard supporting glyphs
 - Full-width code page for the HYOOGAI KANJI JITAIHYO
 - Two full-width code pages for IBM unique character shapes

Korean Font Library

The Korean Font Library was enhanced as follows:

- Added support for Euro Phase 2
- Added support for a registered trademark
- Added new support for SAP
- Enhancements to full- and half-width code pages

Simplified Chinese Font Library

The Simplified Chinese Font Library was enhanced as follows:

- The Hei and Song typefaces are enhanced for GB18030 Phase 1 Support, including the euro
- Fang Song and Kai typefaces are enhanced with the euro
- Added new support for SAP
- Enhancements to full- and half-width code pages

Traditional Chinese Font Library

The Traditional Chinese Font Library was enhanced as follows:

- Added new support for SAP
- Improved glyph designs for better clarity.

Type Transformer and Utilities

The following enhancements have been made to the Type Transformer and utilities available with Infoprint Fonts:

Type Transformer

The Type Transformer program was revised to create the AFP Font media features included with Infoprint Fonts.

Font utilities

- AFP Font Editor
 - GUI display of Character Set information
 - GUI editing of Code Page and Coded Font information
- Improved GUI for RMARKing font data with DUVRMARK
- User Designed Character (UDC) Generation Tool that allows migration from 240 dpi UDC raster fonts to an outline format
- CID to EPS transform with Type Transformer Double Byte

FontLab

- FontLab product has been updated to Version 4.5.

IBM Logo fonts

The use of the IBM Logo fonts is restricted to printing softcopy documents provided by IBM or such other use as may be consistent with IBM softcopy publication distribution.

Summary of Releases

This publication provides information about the following licensed program releases:

Table 1. Summary of font releases

Licensed program	Description	Release level
5648-113	IBM AFP Font Collection for IBM Operating System (contains IBM Expanded Core Fonts, 4028 Font Metrics, IBM Compatibility Fonts.	1.1.0
5648-B33	IBM AFP Font Collection for MVS™, OS/390®, VM, and VSE (contains IBM Expanded Core Fonts)	2.1.0
5648-B45	IBM AFP Font Collection for Workstations and OS/400 (contains Expanded Core Fonts and features that provide Compatibility Fonts, Type Transformer plus other font utilities, and DBCS Core Fonts)	2.1.1

Table 1. Summary of font releases (continued)

Licensed program	Description	Release level
5648-E76	IBM Infoprint Fonts for z/OS (contains IBM Expanded Core Fonts)	1.1.0
5648-E77	IBM Infoprint Fonts for Multiplatforms (contains Expanded Core Fonts, as well as font utilities, including Type Transformer)	1.1.0 December 2002
	Contains the same data provided in the December 2002 release with new support for WorldType Fonts and an optional font installer	1.1.0 December 2003
	Adds Linux install process for the Linux Print Servers supported by the Printing Systems Division.	1.1.0 May 2005

Distribution

The following table summarizes the packaging for Infoprint Fonts:

Table 2. Packaging for Infoprint fonts

Package	General Font Library	Japanese, Korean, Simplified Chinese, and Traditional Chinese Font Libraries		Outline fonts		
	Expanded Core	DBCS Core	DBCS Simulation	CID-keyed	Type 1	TrueType
z/OS	Yes	Yes	Yes	No	No	No
OS/400	Yes	Yes	Yes	No	No	No
AIX, Linux, and Windows	Yes	Yes	Yes	Yes	Yes	See Table 6 on page 8.

The following tables summarize the distribution numbers and media for Infoprint Fonts:

Table 3. Font distribution information for z/OS

Library	Operating system	Distribution medium	Media feature number	OTC feature number	Material ID
General	z/OS	3480	5802	0001	N/A
Japanese	z/OS	3480	5812	0002	N/A
Korean	z/OS	3480	5822	0003	N/A
Simplified Chinese	z/OS	3480	5832	0004	N/A
Traditional Chinese	z/OS	3480	5842	0005	N/A

Table 4. Font distribution information for AIX, Linux, and Windows on CD-ROM medium

Library	OTC feature number	Media feature number	Material ID
General	0001	5957	LCD4-5587
Japanese	0002	5849	LCD4-5589
Korean	0003	5889	LCD4-5591
Simplified Chinese	0004	5879	LCD4-5593
Traditional Chinese	0005	5809	LCD4-5595

Table 5. Font distribution information for OS/400

Library	OTC feature number	Media feature number	Medium	Material ID
General	0001	5829	CD-ROM	LCD4-5588
Japanese	0002	5839	CD-ROM	LCD4-5590
Korean	0003	5819	CD-ROM	LCD4-5592
Simplified Chinese	0004	5869	CD-ROM	LCD4-5594
Traditional Chinese	0005	5859	CD-ROM	LCD4-5596

Table 6. Windows font distribution information for WorldType fonts

Package	OTC feature number	Media feature number	Medium	Material ID
AFP Print Servers	0020	5996	CD-ROM	LK2T-9315
AFP Clients	0023	5983	CD-ROM	LK2T-9391

Table 7. Font Installer for AFP Systems

Operating system	OTC feature number	Media feature number	Medium	Material ID
Windows	0026	5970	CD-ROM	LCD4-5602

Table 8. Type Transformer and Utilities for Windows

Operating system	OTC feature number	Media feature number	Medium	Material ID
Windows	0006	5899	CD-ROM	LCD4-5597

Chapter 2. About Infoprint Fonts

This section describes that is included with the Infoprint Fonts products.

IBM Expanded Core Fonts

The IBM Expanded Core Fonts are provided with Infoprint Fonts. Code pages and coded fonts compatible with the Expanded Core Fonts are also provided.

The IBM Expanded Core Fonts combine the IBM Core Interchange Fonts, IBM Coordinated Fonts, and IBM BookMaster Fonts.

The IBM Expanded Core Fonts are all derived from Adobe Type 1 font technology and are provided in the AFP outline format supported by AFP software for SBCS fonts.

The IBM Expanded Core Fonts are provided in the following formats:

Table 9. Format and operating systems for General Font Library

Format	Operating systems
AFP outline fonts	z/OS, OS/400, AIX, Windows
Type 1	AIX, Windows

The Expanded Core Fonts include the following font families:

- Boldface in Roman Bold typeface
- BookMaster Latin1 in Roman Medium, Roman Bold, Italic Medium, and Italic Bold typefaces
- BookMaster Reverse in Roman Medium typeface
- BookMaster Specials in Roman Medium, Roman Bold, Italic Medium, and Italic Bold typefaces
- BookMaster Specials Reverse in Roman Medium typeface
- Courier in Roman Medium, Roman Bold, Italic Medium, and Italic Bold typefaces
- Courier APL2[®] in Roman Medium and Roman Bold
- Gothic Katakana in Roman Medium typeface
- Gothic Text in Roman Medium typeface
- Helvetica[™] in Roman Medium, Roman Bold, Italic Medium, and Italic Bold typefaces
- IBM Logo in Roman Medium typeface
- Letter Gothic in Roman Medium and Roman Bold typefaces
- OCR-A in Roman Medium typeface
- OCR-B in Roman Medium typeface
- Prestige in Roman Medium, Italic Medium, and Roman Bold typefaces
- Times New Roman in Roman Medium, Roman Bold, Italic Medium, and Italic Bold typefaces

Courier, Helvetica, and Times New Roman contain characters for the International Standards Organization (ISO) language groups listed under “Languages supported” on page 10. A symbol collection is also provided for each of these three type families that contains scientific, mathematical, and special-purpose characters in Roman Medium and Roman Bold typefaces.

Languages supported

Language groups identified in items 2 through 10 are defined in the International Organization for Standardization (ISO) standard 8859.

Note: Not every font provides characters for every language listed.

1. The Latin language group includes Latin1 through Latin5 and Vietnamese.
2. The Latin1 language group (ISO 8859-1) includes Danish, Dutch, English, Faeroese, Finnish, French, German, Icelandic, Irish, Italian, Norwegian, Portuguese, Spanish, and Swedish. The Latin1 language group also provides the euro currency symbol and all Latin9 (ISO 8859-15) characters.
3. The Latin2 language group (ISO 8859-2) includes Albanian, Czech, English, German, Hungarian, Polish, Romanian, Serbocroatian, Slovak, and Slovenian.
4. The Latin3 language group (ISO 8859-3) includes Afrikaans, Catalan, Dutch, English, Esperanto, French, German, Italian, Maltese, Spanish, and Turkish.
5. The Latin4 language group (ISO 8859-4) includes Danish, English, Finnish, French, German, Greenlandic, Lap, Latvian, Lithuanian, Estonian, and Norwegian.
6. The Latin/Cyrillic language group (ISO 8859-5) includes Bulgarian, Byelorussian, English, Macedonian, Russian, Serbocroatian, and Ukrainian.
7. The Latin/Arabic language group (ISO 8859-6) includes Latin and Arabic scripts.
8. The Latin/Greek language group (ISO 8859-7) includes Latin and Greek scripts.
9. The Latin/Hebrew language group (ISO 8859-8) includes Latin and Hebrew scripts.
10. The Latin5 language group (ISO 8859-9) includes Danish, Dutch, English, Finnish, French, Irish, Italian, Norwegian, Portuguese, Spanish, Swedish, and Turkish.
11. The Latin/Lao language group provides support for the Lao language.
12. The Latin/Thai language group provides support for the Thai language.
13. Katakana/Gothic Katakana contains phonetic syllabic characters used for writing non-Japanese words, such as foreign names, borrowed words, or company names.

DBCS fonts

The DBCS fonts are derived from the Adobe CID-Keyed font technology. The DBCS fonts are available in AFP outline format.

DBCS Fonts are provided in the following formats:

Table 10. Format and operating systems for DBCS fonts

Format	Operating systems
AFP outline fonts	z/OS, OS/400, AIX, Windows
CID-Keyed fonts	AIX, Windows

DBCS Core Fonts

The DBCS Core Fonts are available for use with IBM Print Services Facility™ (PSF) licensed programs. These fonts contain the following typefaces suitable for printing a variety of Chinese, Japanese, and Korean documents:

- Japanese:
 - Japanese Heisei Kaku Gothic
 - Japanese Heisei Maru Gothic
 - Japanese Heisei Mincho
- Korean:
 - Korean Gothic
 - Korean Myengjo
- Simplified Chinese
 - Fang Song (GB)
 - Hei (GB18030)
 - Kai (GB)
 - Song (GB18030)
- Traditional Chinese
 - Kai
 - Sung

DBCS Simulation Fonts

The DBCS Simulation Fonts are available for use with IBM Print Services Facility (PSF) licensed programs. The DBCS Simulation Fonts are provided in AFP Outline Font format that simulates the following raster font products:

Table 11. Raster font products associated with DBCS Simulation Fonts

Product Name	Product ID	Host	OS/400	AIX	OS/2	Status
Japanese						
AFP Japanese Font V2	5771-AGB	X				Available
AFP Japanese Heisei Font	5648-104	X				Available
AFP AIX Japanese Font/6000	5765-345			X		Available
AFP Japanese Font/2	5605-0L0				X	Withdrawn
Korean						
AFP Korean Font	5771-ARW	X				Available
AFP Korean Font	5765-547			X		Available
Simplified Chinese						
AFP Simplified Chinese Font	5771-AEK	X				Available
AFP Simplified Chinese Font	5765-545			X		Available
AFP Simplified Chinese Font/2	5605-3L0				X	Withdrawn
Traditional Chinese						
AFP Traditional Chinese Font	5771-AFZ	X				Available
AFP Traditional Chinese Font	5765-546			X		Available
AFP Traditional Chinese Font/2	5606-TL0				X	Withdrawn
DBCS (Japanese, Korean, Simplified Chinese, Traditional Chinese)						
IBM AS/400 Advanced Function Printing Fonts for DBCS Japan Version 2	5738-FN1		X			Withdrawn

Table 11. Raster font products associated with DBCS Simulation Fonts (continued)

Product Name	Product ID	Host	OS/400	AIX	OS/2	Status
Advanced Function Printing DBCS Fonts for AS/400	5769-FN1		X			Available
Advanced Function Printing DBCS for OS/400	5716-FN1		X			Withdrawn
Advanced Function Printing DBCS Fonts/400	5763-FN1		X			Withdrawn

Note: Host operating systems include MVS, VM, and VSE.

Type Transformer and Utilities

The Type Transformer single-byte program converts Type 1 outlines to 240 dpi, 300 dpi, and AFP outline fonts. The Type Transformer single-byte program also converts TrueType Outlines to 240 dpi.

The Type Transformer double-byte program converts CID-Keyed fonts to 240 dpi and AFP outline fonts.

The Type Transformer and Utilities are provided for the Windows Operating System.

The Type Transformer Utilities include the following:

- AFP Font Editor that includes GUI editing of Character Set, Code Page, and Coded Font information
- Improved GUI for RMARKing font data with DUVRMARK
- User Designed Character (UDC) Generation Tool that allows migration from 240 dpi UDC raster fonts to an outline format
- CID to EPS transform for UDC creation

WorldType Fonts

Four WorldType Fonts are provided with Infoprint Fonts.

The WorldType Fonts include the following typefaces:

- Monotype Sans WorldType
- Monotype Sans Duospace WorldType
- Thorndale Duospace WorldType
- Times New Roman WorldType

Table 12. Format and operating systems for WorldType fonts

Format	Operating systems
WorldType fonts	Native support for Windows that can be installed to AIX, OS/400, and z/OS by using the Font Installer for AFP Systems.

Note: Before you can order the WorldType fonts, you must purchase and install the following components of the Infoprint Fonts product:

- AFP Outline Fonts for a General Library (base feature)
- Font Installer for AFP Systems

Unicode ranges

The WorldType fonts are organized by subsets and grouped by character blocks as defined by Unicode. The following subsets do not fully support all glyphs in every character block and may contain glyphs from other characters blocks:

- Windows Glyph List (WGL) is a subset supporting Latin, Greek, Cyrillic, Modified Letters and Combining Marks. Partial support for Symbols and glyphs in the Special Area. This subset provides the same basic set of characters as Microsoft's Windows Glyph List 4.
- Middle East Glyph List is a subset supporting Arabic and Hebrew in addition to the WGL support.
- East Asia Glyph is a subset supporting Han, Hiragana, Katakana, Hangul, Bopomofo and Yi in addition to the WGL support.
- Complete Glyph List contains every character presently supported by IBM.

This section is provided as a high-level overview. Please refer to the World Type References (listed under "Related Publications" on page 1) for a complete list of glyphs provided by each subset.

Localizations

The East Asia Glyph List and Complete Glyph List are available with Han localizations for Japanese, Korean, Simplified Chinese, and Traditional Chinese. There is a 64K glyph limit in the TrueType and OpenType font architecture that limits the amount of support that can be provided with a single font. This limitation requires a different font to be selected to properly represent each locale.

The set of Han glyphs is not fully localized for all four locales. Each of the localizations support the Windows 98 glyph set for a particular locale. The Simplified Chinese locale is the only uniform designed glyph set. There are fallback glyphs in the other locales for those not supported. For example, if a glyph is specified that is not part of the Windows 98 Japanese glyph set, then the Simplified Chinese glyph is used for that particular glyph.

Embedded Bitmaps

The East Asia Glyph List and Complete Glyph List are available with and without embedded bitmaps. The embedded bitmaps are provided for many of the Han, Hiragana, and Katakana glyphs. These bitmaps improve the quality of the glyph at screen resolutions. It is recommended that the fonts without embedded bitmaps be used by the print system and that the embedded bitmap fonts be installed into the operating system for display on screens.

The level of embedded bitmap support is based upon the Windows 95 glyph set. There are six bitmap sizes included within the fonts. Each bitmap size is designed to represent the locale and the type style, except for the smallest bitmap, which is too small to distinguish the difference.

Font Installer for AFP Systems

The Font Installer for AFP Systems, which is an optional feature of Infoprint Fonts, allows TrueType and OpenType fonts to be installed in an AFP environment. The Font Installer is a Java application designed for Windows. The program allows the creation and modification of AFP font libraries on AIX, OS/400, Windows, and z/OS.

Note: Before you can order the Font Installer for AFP Systems, you must purchase and install the AFP Outline Fonts for a General Library (base feature).

Chapter 3. Font Concepts

Representation of characters

An important concept to understand is how fonts are represented. For the fonts printed by page printers using Advanced Function Presentation (AFP) licensed programs, characters are represented by mathematical formulas (outline fonts) or by data describing each dot to be printed (raster or bitmap fonts).

Pels and print resolution

A dot is called a *picture element* or pel. The sequence of dots forming a character is called a *raster pattern*. The number of dots per inch that a printer generates is called the *print resolution*, or density. A resolution of 240 pels means that a printer prints 240 pels per inch both vertically and horizontally, or 57 600 pels per square inch (240×240).

Figure 1 shows two images of different print resolutions. The image on the right has more pels per inch and greater print resolution than the image on the left.



Figure 1. Print resolution examples

The ability to print at a given pel density is determined by the type of printer. Because IBM fonts are provided for specific resolutions, different fonts are available for printers with different resolutions (for example, 240-pel and 300-pel printers).

Outline fonts

Characters in outline fonts are described by mathematical formulas rather than by pels. These formulas are used by rasterizing software to create bitmap characters based on two variables: resolution and point size. This means that a single outline font can offer many print resolutions and point sizes. “Hints” are also contained in the outline fonts to ensure that typographic characteristics of the typeface are maintained in a consistent manner throughout all printed characters. Some of these characteristics include horizontal and vertical stroke widths, serifs, and curve radii.

Rotation of characters

The ability to print in different directions and with different character rotations is also determined by the type of printer. *Print direction* shows the direction in which characters are added to a line of text. *Character rotation* is the clockwise rotation of a character with respect to the character baseline. The *character baseline* is a reference on which characters are aligned as they are added to the page in the print direction. The character baseline is always parallel to the print direction.

Figure 2 shows how print direction and character rotation can be combined to print in many orientations.

Print Direction	Character Rotation (in degrees)			
	0	90	180	270
Across (0)	ABCD	Y B C D	D C B A	A B C D
Down (90)	A B C D	A B C D	D C B A	A B C D
Back (180)	A B C D	D C B A	DCBA	A B C D
Up (270)	A B C D	D C B A	D C B A	D C B A

Figure 2. Print direction and character rotation combinations (print orientations)

Font Spacing characteristics

Fonts can be classified according to their spacing characteristics as well as by their format.

Uniformly spaced fonts

Uniformly spaced fonts, or monospaced fonts, are similar to typewriter fonts, for which each character increment¹ is the same width. Thus, the lowercase *i* and the . each occupy as much space as the uppercase *M*. Examples of uniformly spaced fonts include Courier and Letter Gothic.

i.M.i.M.i.M.i.M.i.M.i.M.i.M.

Duospace fonts

Duospace fonts are similar to uniformly spaced fonts or monospaced fonts. Duospace fonts may be two character widths instead of a single character width. Ideographic characters are designed on full-width increments while other characters can be designed for half-width increments. This concept allows the half-width and full-width characters in the Box Size examples in Figure 7 on page 19 to be implemented in a single font.

Note: As additional language support is implemented in Duospace fonts, more character widths may be used. However, the characters widths are always a multiple of the half-width character increment. This functionality allows a monospaced appearance of the data using this font spacing.

Typographic fonts

Typographic fonts are proportionally spaced fonts. The character increment¹ is part of the design and varies on a character-by-character basis. Thus, the lowercase *i* and the . occupy narrow spaces. The uppercase *M* occupies a wide space. Examples of typographic fonts include Helvetica and Times New Roman.

i.M.i.M.i.M.i.M.i.M.i.M.i.M.

1. A character increment is the distance that the current print position is increased for the particular character printed.

Pitch Uniformly spaced fonts are often described or referred to in *pitch*, or the number of characters printed in 1 horizontal inch (Figure 3). Pitch is also referred to as characters per inch (CPI).




Figure 3. Type size in pitch

Points

All fonts are measured in *points*, the vertical size of the font. One inch is equal to approximately 72 points. Point size is a baseline-to-baseline measurement, which includes minimal white space. The *baseline* is the line upon which the characters rest. Thus, the actual height of the characters in an 18-point font is less than 18 points (Figure 4). The line spacing usually includes one or more additional points of white space between lines of type.



Figure 4. Type size in points

Box size

DBCS raster fonts were formerly measured in *box size*, the number of pels in the character box. Box size can be either a horizontal or a vertical measurement. Usually both dimensions are given, the box width first. If only one dimension is given, it is the box height. In full-width fonts, the box width is usually equal to the box height. In half-width fonts, the box width is one-half the box height.

Point and pitch sizes

This section illustrates various point and pitch sizes. See the figures in Chapter 5, “FOCA font naming conventions,” on page 29 for the character position within the font naming conventions that represent the point or pitch size.

Uniformly spaced SBCS fonts are measured horizontally in pitch and specified as points in the coded font or character set name. Proportionally spaced and mixed-pitch fonts are measured vertically in points. Although the DBCS fonts are uniformly spaced, they are measured vertically in points.

Point examples

Point size is a vertical measurement.

This is 6 points.
This is 7 points.
This is 8 points.
This is 9 points.
This is 10 points.
This is 11 points.
This is 12 points.
This is 14 points.
This is 16 points.
This is 18 points.
This is 20 points.
This is 24 points.
This is 30 points.
This is 36 points.

6 7 8 9 10 11 12 14 16 18 20 24 30 36

Figure 5. Point size examples

Pitch examples

Pitch size is a horizontal measurement.

1234567890

This is 10 pitch or 10 characters per inch.

123456789012

This is 12 pitch or 12 characters per inch.

1234567890123

This is 13.3 pitch or 13.3 characters per inch.

123456789012345

This is 15 pitch or 15 characters per inch.

123456789012345678

This is 18 pitch or 18 characters per inch.

12345678901234567890

This is 20 pitch or 20 characters per inch.

123456789012345678901234567

This is 27 pitch or 27 characters per inch.

Figure 6. Pitch size examples

Box size examples

Box size is a 240-pel measurement.

Full-Width a b c d e アイウオツ 1 2 3 4 5 A B C D E Z アイウオツ
Half-Width abcde アイウオツ 12345 A B C D E Z アイウオツ
Box height of 48 or Point size of 14.4

Full-Width a b c d e アイウオツ 1 2 3 4 5 A B C D E Z アイウオツ
Half-Width abcde アイウオツ 12345 A B C D E Z アイウオツ
Box height of 40 or Point size of 12.0

Full-Width a b c d e アイウオツ 1 2 3 4 5 A B C D E Z アイウオツ
Half-Width abcde アイウオツ 12345 A B C D E Z アイウオツ
Box height of 32 or Point size of 9.6

Full-Width a b c d e アイウオツ 1 2 3 4 5 A B C D E Z アイウオツ
Half-Width abcde アイウオツ 12345 A B C D E Z アイウオツ
Box height of 24 or Point size of 7.2

Figure 7. Box size examples

Chapter 4. FOCA font concepts

This section introduces you to font terminology and how characters are represented in digitized type. The structure of FOCA (Font Object Content Architecture) fonts is then presented along with the format of the fonts and spacing characteristics. In addition, the ways in which IBM supplies fonts are described, and the naming conventions for the fonts are included.

Font definitions

To understand FOCA font structure, you must first understand some definitions about fonts. Figure 8 shows the basic components of a type family, including typeface, style, weight, width, complement, type font, and type size. These terms are illustrated and defined in this section.




Figure 8. Helvetica type family

Type family

A *type family* is a group of typefaces that share basic design characteristics and encompass many size and style variations. Examples of type families include:

- Courier
- Helvetica (Figure 8)
- Times New Roman

Typeface

A *typeface* is a collection of characters having the same style, weight, and width. Examples of these attributes are shown in Figure 8.

- *style* is the inclination of a letter around a vertical axis; for example, roman (upright) or *italic* (slanted).
- *weight* is the degree of boldness of a typeface; for example, medium or **bold**.
- *width* is the horizontal variation in a character design; for example, normal or condensed.

Type font, type size, and complement

A *type font*, or font, is a collection of characters sharing the same type family, typeface, and type size. Collections of characters for Expanded Core Fonts are referred to as *complements*.

Note: In IBM Type Transformer, complements are called *character lists*.

FOCA font structure

In FOCA font terminology, a font has three components (Figure 9). They are:

- Coded font
- Character set
- Code page




Figure 9. Font components

Coded font

In FOCA font structure, a *coded font* translates your request for type (for example, text you previously entered at a computer terminal) into characters for printing. A raster coded font consists of two parts:

- References to specific character sets
- References to specific code pages

A character must be included in the specified character set and listed on the specified code page before it can be printed. A coded font pairs a specific code page with a specific character set.

An outline coded font consists of three parts:

- References to specific character sets
- References to specific code pages
- References to point size

Font Character set

In FOCA font structure, a *font character set* corresponds to the definition of a font; it contains the characters of a single type family, typeface, and type size. In addition, a character set specifies *character properties* and printing attributes (Figure 10 on page 23).




Figure 10. Composition of a character set

Characters

Characters are the letters, numerals, punctuation marks, or other symbols of a font.

Character properties

Character properties detail how a character is positioned relative to the characters around it. Some character properties include the following:

- The baseline of a character showing its general alignment
- The dimensions of space in which the character is printed
- The position of the character within that space
- The identifier of the character (the character ID)

One of the character properties is the *character ID* (or graphic character ID). Each character is assigned a character ID; for example, the character A (uppercase A) is assigned the character ID LA020000.

The purpose of a character ID is to distinguish the character from similar characters. For example, the following characters look similar; however, they are different and are assigned different character IDs.

Minus sign (–)	Character ID SA000000
Hyphen (-)	Character ID SP100000
Em dash (—)	Character ID SM900000

For a list of character IDs, the character each represents, and the code pages where the characters are found, refer to *IBM AFP Fonts: Technical Reference for Code Pages*.

Printing attributes

The printing attributes define how the character set will be printed. Some printing attributes include rotation of characters, maximum ascender, and point size.

Single- and double-byte character sets

A single-byte character set (SBCS) is a font character set intended for use with a single-byte code page (see 25).

A double-byte character set (DBCS) is a font character set intended for use with a double-byte code page. Double-byte character sets contain some single-byte characters, usually romaji (Western characters) and katakana. Single-byte code pages are used with these characters.

Code page

In FOCA font structure, a *code page* maps each character of text to the characters in a character set (Figure 11 on page 24). As you enter your text at a computer terminal, each keyboard character is translated into a *code point*. When the text is

printed, each code point is matched to a character ID on the code page you specified. The character ID is then matched to the image (*raster pattern or outline pattern*) of the character in the character set you specified. The image in the character set is the image that is printed in your text. To be a valid code page for a particular character set, all character IDs in the code page must be included in that character set.




Figure 11. Translation of a keyboard character into a printed character

A character ID is an 8-byte character data string. A code point is an 8-bit binary number representing one of 256 potential characters (the maximum number of characters available on a code page). Code points are usually shown as hexadecimal representations of their binary values.

Binary	11000001
Decimal	193
Hexadecimal	C1

Figure 12 on page 25 shows an example of a code page. When the printer receives hexadecimal code point C1 for the code page shown (code page T1V10037), it prints an uppercase A (character ID LA020000).

T1V10037 Country Extended: United States, Canada

CPGID	GCSGID
37	697

Hex Codes 1st→ 2nd↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	^ SD150000	{ SM110000	}	\ SM140000	0 SM070000 ND100000
-1	SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LA150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Î LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000

Figure 12. IBM code page T1V10037

Different code pages

Code pages accommodate various national languages by using characters and special symbols appropriate to the language. Different code pages can have identical character IDs assigned to different code points.

For example, the character é (lowercase e accent acute, character ID LE110000) has the following code point assignments in two different code pages:

- Hexadecimal code point 51 in code page T1V10037 (Country Extended: United States, Canada)
- Hexadecimal code point 5A in code page T1V10280 (Country Extended: Italy)

Single- and double-byte code pages

A *single-byte code page* contains 256 or fewer one-byte code points.

Single-byte code pages are large enough for languages with alphabetic writing systems, such as English, Greek, and Arabic.

A *double-byte code page* can contain as many as 65 536 two-byte code points. Languages with non-alphabetic writing systems, such as Chinese, Japanese, and Korean, require double-byte code pages.

Double-byte character sets contain some single-byte characters, usually romaji (Western characters) and katakana. Single-byte code pages are used with these characters. Because the characters are either half-width (see 17) or proportionally spaced, these code pages are sometimes called *half-width* code pages.

Code page sections

If you think of a double-byte code page as a collection of single-byte code

pages, a double-byte character code has two parts: the first byte indicating a section of the code page and the second byte a code point within the section.

Raster coded fonts treat double-byte code pages this way. The coded font is divided into sections, each with its own single-byte code page. Each character in the section has a single-byte code point.

Outline coded fonts treat double-byte code pages as single large code pages. Each character has a double-byte code point.

Format of FOCA character sets

IBM supplies character sets in these formats:

- 240-pel bounded-box raster format
- 300-pel raster format
- Type 1 outline format for IBM Type Transformer
- CID-keyed outline format for IBM Type Transformer
- AFP outline format

240-pel raster

240-pel raster fonts are bounded-box fonts used on 240-pel printers. The resolution of these fonts is 240 dots per inch. All character positioning metrics in these fonts are expressed in whole-pel (fixed-metric) values.

300-pel raster

300-pel raster fonts are used on printers where the resolution is 300 dots per inch. The character positioning values are expressed in *relative metrics* and the exact pel count is determined at print time.

Type 1 Outline

Type 1 outline is the format used with IBM Type Transformer for SBCS fonts. This format includes outlines of the various type families, which can be transformed for use by advanced function printers in sizes from 1–999 points (AFP outline fonts) or from 1–72 points (raster fonts). For more information, refer to *IBM Infoprint Fonts: Introduction to Type Transformer and Utilities for Windows*.

CID-keyed outline

CID-keyed outline is the format used with IBM Type Transformer for DBCS fonts. This format includes outlines of the various type families, which can be transformed for use by advanced function printers in sizes from 1–999.9 points (AFP outline fonts) or from 1–72 points (raster fonts). For more information, refer to *IBM Infoprint Fonts: Introduction to Type Transformer and Utilities for Windows*.

AFP outline

AFP outline is the format by which PSF and other AFP applications can identify Type 1 outline fonts. The Type 1 or CID-keyed outlines are encapsulated in Font Object Content Architecture (FOCA) wrappers that allow them to be accessed as AFP resources. AFP outlines utilize *relative metrics* in exactly the same way as 300-pel fonts.

Fixed metrics

Fixed-metric fonts have all character positioning metrics expressed in whole-pel values. All 240-pel fonts are fixed-metric fonts. For example, the character increment of the 'A' in 240-pel Helvetica Latin1 roman medium 10pt is 22 pels. When 240-pel fonts are created, any fractional pels encountered are eliminated by rounding up or down to whole-pel values.

Relative metrics

Relative metrics were developed for scaleable outline fonts where a single metric value could be used to determine a pel value given a desired resolution and point size. Relative metrics are based on 1000 units per “em space,” which means the fonts are designed for a hypothetical 1000 dpi, 72-point font where each side of the bounding box is 1000 pels. All AFP outlines and 300-dpi fonts contain relative metrics. The exact pel values are determined when the font is used, such as during document formatting or printing. For example, the character increment for *A* in 300-pel Helvetica Latin1 roman medium is 667 relative units. In the hypothetical 1000 dpi, 72-point font, the *A* would have a character increment of 667 pels, but at 10 points and 300-dpi resolution, the character increment of the *A* is 27.8 pels. The fractional pel (.8 in this case) is accumulated by the printer and a whole white pel is inserted when the accumulator = 1. Constantly adjusting the character increments in this way ensures that the output text is as close to the original outline specification as possible.

Chapter 5. FOCA font naming conventions

You can select a font from the tables in this publication without understanding the naming conventions. However, if you want to know how the IBM naming conventions identify a specific font and its characteristics, this section helps you.

Naming conventions for the code pages are described under “IBM code page naming conventions” on page 38.

First character in the IBM naming convention

The following list shows the first letter of the naming convention and the type of font component that each letter represents.

First Character	Font Component
C	Character set
X	Coded font
T	Code page

Remaining characters in the IBM naming convention

The remainder of each name has been assigned according to different conventions, for each of the following IBM font groups:

- Expanded Core Fonts (see Figure 13 on page 30)
- DBCS Core Fonts (see Figure 14 on page 34 and Figure 15 on page 35)
- DBCS Simulation Fonts (Figure 16 on page 37)

Character set and coded font names are usually distinctive and can be used to determine whether a font is an Expanded Core Font or a DBCS Core Font.

Code page names are usually not distinctive enough to determine for which IBM font group the code page is supplied.

For character set, code page, and coded font names associated with Infoprint Fonts, see:

- “Expanded Core Fonts” on page 44
- “DBCS Core Fonts” on page 48
- “DBCS Simulation Fonts” on page 51

Note: For the naming conventions for fonts produced by IBM Type Transformer, refer to *IBM Infoprint Fonts: Introduction to Type Transformer and Utilities for Windows*.

Expanded Core Fonts




Figure 13. Expanded Core Font naming convention overview (Part 1 of 3). The raster font information provided in Part 1 of this figure is provided for your convenience. However, no raster fonts are included with Infoprint Fonts. Code pages not listed in Part 2 and Part 3 of this figure do not have a corresponding coded font.

A F R S T C P X

Latin1 Country Extended Code Pages (T=1)	Latin1 DCF Code Pages (T=4)																																																																																																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">X</th> <th style="width: 5%;">C</th> <th style="width: 10%;"></th> <th style="width: 80%;"></th> </tr> </thead> <tbody> <tr><td>1</td><td>0</td><td>T1V10037</td><td>United States, Canada</td></tr> <tr><td>2</td><td>0</td><td>T1V10273</td><td>Austria, Germany</td></tr> <tr><td>3</td><td>0</td><td>T1V10274</td><td>Belgium</td></tr> <tr><td>4</td><td>0</td><td>T1V10275</td><td>Brazil</td></tr> <tr><td>5</td><td>0</td><td>T1V10277</td><td>Denmark, Norway</td></tr> <tr><td>6</td><td>0</td><td>T1V10278</td><td>Finland, Sweden</td></tr> <tr><td>7</td><td>0</td><td>T1V10280</td><td>Italy</td></tr> <tr><td>8</td><td>0</td><td>T1V10281</td><td>Japan (Latin)</td></tr> <tr><td>9</td><td>0</td><td>T1V10282</td><td>Portugal</td></tr> <tr><td>0</td><td>0</td><td>T1V10284</td><td>Spain, Latin America</td></tr> <tr><td>A</td><td>0</td><td>T1V10285</td><td>United Kingdom</td></tr> <tr><td>B</td><td>0</td><td>T1V10297</td><td>France</td></tr> <tr><td>C</td><td>0</td><td>T1V10500</td><td>International #5</td></tr> <tr><td>D</td><td>0</td><td>T1V10871</td><td>Iceland</td></tr> </tbody> </table>	X	C			1	0	T1V10037	United States, Canada	2	0	T1V10273	Austria, Germany	3	0	T1V10274	Belgium	4	0	T1V10275	Brazil	5	0	T1V10277	Denmark, Norway	6	0	T1V10278	Finland, Sweden	7	0	T1V10280	Italy	8	0	T1V10281	Japan (Latin)	9	0	T1V10282	Portugal	0	0	T1V10284	Spain, Latin America	A	0	T1V10285	United Kingdom	B	0	T1V10297	France	C	0	T1V10500	International #5	D	0	T1V10871	Iceland	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">X</th> <th style="width: 5%;">C</th> <th style="width: 10%;"></th> <th style="width: 80%;"></th> </tr> </thead> <tbody> <tr><td>1</td><td>0</td><td>T1001002</td><td>DCF Release 2 Compatibility</td></tr> <tr><td>2</td><td>0</td><td>T1001003</td><td>U. S. Text Subset</td></tr> <tr><td>3</td><td>0</td><td>T1001068</td><td>Text with Numeric Spacing</td></tr> <tr><td>4</td><td>0-7</td><td>T1001039</td><td>GML List Symbols</td></tr> </tbody> </table>	X	C			1	0	T1001002	DCF Release 2 Compatibility	2	0	T1001003	U. S. Text Subset	3	0	T1001068	Text with Numeric Spacing	4	0-7	T1001039	GML List Symbols																																																								
X	C																																																																																																																																								
1	0	T1V10037	United States, Canada																																																																																																																																						
2	0	T1V10273	Austria, Germany																																																																																																																																						
3	0	T1V10274	Belgium																																																																																																																																						
4	0	T1V10275	Brazil																																																																																																																																						
5	0	T1V10277	Denmark, Norway																																																																																																																																						
6	0	T1V10278	Finland, Sweden																																																																																																																																						
7	0	T1V10280	Italy																																																																																																																																						
8	0	T1V10281	Japan (Latin)																																																																																																																																						
9	0	T1V10282	Portugal																																																																																																																																						
0	0	T1V10284	Spain, Latin America																																																																																																																																						
A	0	T1V10285	United Kingdom																																																																																																																																						
B	0	T1V10297	France																																																																																																																																						
C	0	T1V10500	International #5																																																																																																																																						
D	0	T1V10871	Iceland																																																																																																																																						
X	C																																																																																																																																								
1	0	T1001002	DCF Release 2 Compatibility																																																																																																																																						
2	0	T1001003	U. S. Text Subset																																																																																																																																						
3	0	T1001068	Text with Numeric Spacing																																																																																																																																						
4	0-7	T1001039	GML List Symbols																																																																																																																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">X</th> <th style="width: 5%;">C</th> <th style="width: 10%;"></th> <th style="width: 80%;"></th> </tr> </thead> <tbody> <tr><td>1</td><td>E</td><td>T1001140</td><td>USA, Canada ECECP</td></tr> <tr><td>2</td><td>E</td><td>T1001141</td><td>Austria, Germany ECECP</td></tr> <tr><td>5</td><td>E</td><td>T1001142</td><td>Denmark, Norway ECECP</td></tr> <tr><td>6</td><td>E</td><td>T1001143</td><td>Finland, Sweden ECECP</td></tr> <tr><td>7</td><td>E</td><td>T1001144</td><td>Italy ECECP</td></tr> <tr><td>0</td><td>E</td><td>T1001145</td><td>Spain, Latin America ECECP</td></tr> <tr><td>A</td><td>E</td><td>T1001146</td><td>UK ECECP</td></tr> <tr><td>B</td><td>E</td><td>T1001147</td><td>France ECECP</td></tr> <tr><td>C</td><td>E</td><td>T1001148</td><td>International ECECP</td></tr> <tr><td>D</td><td>E</td><td>T1001149</td><td>Iceland ECECP</td></tr> </tbody> </table>	X	C			1	E	T1001140	USA, Canada ECECP	2	E	T1001141	Austria, Germany ECECP	5	E	T1001142	Denmark, Norway ECECP	6	E	T1001143	Finland, Sweden ECECP	7	E	T1001144	Italy ECECP	0	E	T1001145	Spain, Latin America ECECP	A	E	T1001146	UK ECECP	B	E	T1001147	France ECECP	C	E	T1001148	International ECECP	D	E	T1001149	Iceland ECECP	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">X</th> <th style="width: 5%;">C</th> <th style="width: 10%;"></th> <th style="width: 80%;"></th> </tr> </thead> <tbody> <tr><td>1</td><td>2</td><td>T1000870</td><td>Latin2 EBCDIC</td></tr> <tr><td>2</td><td>2</td><td>T1000905</td><td>Latin3 EBCDIC</td></tr> <tr><td>3</td><td>2</td><td>T1001026</td><td>Latin5 EBCDIC</td></tr> <tr><td>4</td><td>2</td><td>T1000852</td><td>Personal Computer: Latin2</td></tr> <tr><td>5</td><td>2</td><td>T1000853</td><td>Personal Computer: Latin3</td></tr> <tr><td>6</td><td>2</td><td>T1000857</td><td>Personal Computer: Latin5</td></tr> <tr><td>7</td><td>2</td><td>T1000912</td><td>ISO/ANSI 8-Bit: Latin2</td></tr> <tr><td>8</td><td>2</td><td>T1000920</td><td>ISO/ANSI 8-Bit: Latin5</td></tr> <tr><td>9</td><td>7</td><td>T1001069</td><td>Latin4 EBCDIC</td></tr> <tr><td>0</td><td>7</td><td>T1000914</td><td>ISO/ASCII: Latin4</td></tr> <tr><td>A</td><td>2</td><td>T1001110</td><td>Latin2 Multilingual</td></tr> <tr><td>B</td><td>2</td><td>T1001111</td><td>Latin2 ISO/ANSI 8-bit</td></tr> <tr><td>C</td><td>2</td><td>T1000913</td><td>Latin3 ISO/ASCII</td></tr> <tr><td>D</td><td>2</td><td>T1001122</td><td>Estonia EBCDIC</td></tr> </tbody> </table>	X	C			1	2	T1000870	Latin2 EBCDIC	2	2	T1000905	Latin3 EBCDIC	3	2	T1001026	Latin5 EBCDIC	4	2	T1000852	Personal Computer: Latin2	5	2	T1000853	Personal Computer: Latin3	6	2	T1000857	Personal Computer: Latin5	7	2	T1000912	ISO/ANSI 8-Bit: Latin2	8	2	T1000920	ISO/ANSI 8-Bit: Latin5	9	7	T1001069	Latin4 EBCDIC	0	7	T1000914	ISO/ASCII: Latin4	A	2	T1001110	Latin2 Multilingual	B	2	T1001111	Latin2 ISO/ANSI 8-bit	C	2	T1000913	Latin3 ISO/ASCII	D	2	T1001122	Estonia EBCDIC																																
X	C																																																																																																																																								
1	E	T1001140	USA, Canada ECECP																																																																																																																																						
2	E	T1001141	Austria, Germany ECECP																																																																																																																																						
5	E	T1001142	Denmark, Norway ECECP																																																																																																																																						
6	E	T1001143	Finland, Sweden ECECP																																																																																																																																						
7	E	T1001144	Italy ECECP																																																																																																																																						
0	E	T1001145	Spain, Latin America ECECP																																																																																																																																						
A	E	T1001146	UK ECECP																																																																																																																																						
B	E	T1001147	France ECECP																																																																																																																																						
C	E	T1001148	International ECECP																																																																																																																																						
D	E	T1001149	Iceland ECECP																																																																																																																																						
X	C																																																																																																																																								
1	2	T1000870	Latin2 EBCDIC																																																																																																																																						
2	2	T1000905	Latin3 EBCDIC																																																																																																																																						
3	2	T1001026	Latin5 EBCDIC																																																																																																																																						
4	2	T1000852	Personal Computer: Latin2																																																																																																																																						
5	2	T1000853	Personal Computer: Latin3																																																																																																																																						
6	2	T1000857	Personal Computer: Latin5																																																																																																																																						
7	2	T1000912	ISO/ANSI 8-Bit: Latin2																																																																																																																																						
8	2	T1000920	ISO/ANSI 8-Bit: Latin5																																																																																																																																						
9	7	T1001069	Latin4 EBCDIC																																																																																																																																						
0	7	T1000914	ISO/ASCII: Latin4																																																																																																																																						
A	2	T1001110	Latin2 Multilingual																																																																																																																																						
B	2	T1001111	Latin2 ISO/ANSI 8-bit																																																																																																																																						
C	2	T1000913	Latin3 ISO/ASCII																																																																																																																																						
D	2	T1001122	Estonia EBCDIC																																																																																																																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">X</th> <th style="width: 5%;">C</th> <th style="width: 10%;"></th> <th style="width: 80%;"></th> </tr> </thead> <tbody> <tr><td>1</td><td>0</td><td>T1000361</td><td>International Set #5</td></tr> <tr><td>2</td><td>0</td><td>T1000382</td><td>Austria, Germany, Switzerland</td></tr> <tr><td>3</td><td>0</td><td>T1000383</td><td>Belgium</td></tr> <tr><td>4</td><td>0</td><td>T1000384</td><td>Brazil</td></tr> <tr><td>5</td><td>0</td><td>T1000385</td><td>Canada (French)</td></tr> <tr><td>6</td><td>0</td><td>T1000386</td><td>Denmark, Norway</td></tr> <tr><td>7</td><td>0</td><td>T1000387</td><td>Sweden, Finland</td></tr> <tr><td>8</td><td>0</td><td>T1000388</td><td>France, Switzerland</td></tr> <tr><td>9</td><td>0</td><td>T1000389</td><td>Italy, Switzerland (Italian)</td></tr> <tr><td>0</td><td>0</td><td>T1000390</td><td>Japan (Latin)</td></tr> <tr><td>A</td><td>0</td><td>T1000391</td><td>Portugal</td></tr> <tr><td>B</td><td>0</td><td>T1000392</td><td>Spain, Philippines</td></tr> <tr><td>C</td><td>0</td><td>T1000393</td><td>Latin America (Spanish)</td></tr> <tr><td>D</td><td>0</td><td>T1000394</td><td>United Kingdom, Australia, Ireland, Hong Kong, New Zealand</td></tr> <tr><td>E</td><td>0</td><td>T1000395</td><td>United States, Canada (English)</td></tr> <tr><td>F</td><td>0</td><td>T1000924</td><td>Latin9</td></tr> </tbody> </table>	X	C			1	0	T1000361	International Set #5	2	0	T1000382	Austria, Germany, Switzerland	3	0	T1000383	Belgium	4	0	T1000384	Brazil	5	0	T1000385	Canada (French)	6	0	T1000386	Denmark, Norway	7	0	T1000387	Sweden, Finland	8	0	T1000388	France, Switzerland	9	0	T1000389	Italy, Switzerland (Italian)	0	0	T1000390	Japan (Latin)	A	0	T1000391	Portugal	B	0	T1000392	Spain, Philippines	C	0	T1000393	Latin America (Spanish)	D	0	T1000394	United Kingdom, Australia, Ireland, Hong Kong, New Zealand	E	0	T1000395	United States, Canada (English)	F	0	T1000924	Latin9	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">X</th> <th style="width: 5%;">C</th> <th style="width: 10%;"></th> <th style="width: 80%;"></th> </tr> </thead> <tbody> <tr><td>1</td><td>4</td><td>T1000420</td><td>Arabic Bilingual</td></tr> <tr><td>2</td><td>3</td><td>T1000423</td><td>Greece 183</td></tr> <tr><td>3</td><td>5</td><td>T1000424</td><td>Hebrew</td></tr> <tr><td>4</td><td>5</td><td>T1000803</td><td>Hebrew</td></tr> <tr><td>5</td><td>3</td><td>T1000875</td><td>Greece</td></tr> <tr><td>6</td><td>8</td><td>T1V10290</td><td>Japan (Katakana)</td></tr> <tr><td>7</td><td>3</td><td>T1000880</td><td>Cyrillic Multilingual</td></tr> <tr><td>8</td><td>6</td><td>T1000838</td><td>Thailand</td></tr> <tr><td>9</td><td>3</td><td>T1001025</td><td>Cyrillic Multilingual</td></tr> <tr><td>0</td><td>5</td><td>T1001028</td><td>Hebrew Publishing</td></tr> <tr><td>A</td><td>8</td><td>T1001027</td><td>Japanese (Latin) Extended</td></tr> <tr><td>B</td><td>6</td><td>T1000889</td><td>Thailand</td></tr> <tr><td>C</td><td>3</td><td>T1001123</td><td>Cyrillic, Ukraine EBCDIC</td></tr> <tr><td>D</td><td>3</td><td>T1001124</td><td>Cyrillic, Ukraine ASCII</td></tr> <tr><td>E</td><td>9</td><td>T1001132</td><td>Lao EBCDIC</td></tr> <tr><td>F</td><td>8</td><td>T1001139</td><td>Japan Katakana Numeric</td></tr> </tbody> </table>	X	C			1	4	T1000420	Arabic Bilingual	2	3	T1000423	Greece 183	3	5	T1000424	Hebrew	4	5	T1000803	Hebrew	5	3	T1000875	Greece	6	8	T1V10290	Japan (Katakana)	7	3	T1000880	Cyrillic Multilingual	8	6	T1000838	Thailand	9	3	T1001025	Cyrillic Multilingual	0	5	T1001028	Hebrew Publishing	A	8	T1001027	Japanese (Latin) Extended	B	6	T1000889	Thailand	C	3	T1001123	Cyrillic, Ukraine EBCDIC	D	3	T1001124	Cyrillic, Ukraine ASCII	E	9	T1001132	Lao EBCDIC	F	8	T1001139	Japan Katakana Numeric
X	C																																																																																																																																								
1	0	T1000361	International Set #5																																																																																																																																						
2	0	T1000382	Austria, Germany, Switzerland																																																																																																																																						
3	0	T1000383	Belgium																																																																																																																																						
4	0	T1000384	Brazil																																																																																																																																						
5	0	T1000385	Canada (French)																																																																																																																																						
6	0	T1000386	Denmark, Norway																																																																																																																																						
7	0	T1000387	Sweden, Finland																																																																																																																																						
8	0	T1000388	France, Switzerland																																																																																																																																						
9	0	T1000389	Italy, Switzerland (Italian)																																																																																																																																						
0	0	T1000390	Japan (Latin)																																																																																																																																						
A	0	T1000391	Portugal																																																																																																																																						
B	0	T1000392	Spain, Philippines																																																																																																																																						
C	0	T1000393	Latin America (Spanish)																																																																																																																																						
D	0	T1000394	United Kingdom, Australia, Ireland, Hong Kong, New Zealand																																																																																																																																						
E	0	T1000395	United States, Canada (English)																																																																																																																																						
F	0	T1000924	Latin9																																																																																																																																						
X	C																																																																																																																																								
1	4	T1000420	Arabic Bilingual																																																																																																																																						
2	3	T1000423	Greece 183																																																																																																																																						
3	5	T1000424	Hebrew																																																																																																																																						
4	5	T1000803	Hebrew																																																																																																																																						
5	3	T1000875	Greece																																																																																																																																						
6	8	T1V10290	Japan (Katakana)																																																																																																																																						
7	3	T1000880	Cyrillic Multilingual																																																																																																																																						
8	6	T1000838	Thailand																																																																																																																																						
9	3	T1001025	Cyrillic Multilingual																																																																																																																																						
0	5	T1001028	Hebrew Publishing																																																																																																																																						
A	8	T1001027	Japanese (Latin) Extended																																																																																																																																						
B	6	T1000889	Thailand																																																																																																																																						
C	3	T1001123	Cyrillic, Ukraine EBCDIC																																																																																																																																						
D	3	T1001124	Cyrillic, Ukraine ASCII																																																																																																																																						
E	9	T1001132	Lao EBCDIC																																																																																																																																						
F	8	T1001139	Japan Katakana Numeric																																																																																																																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">X</th> <th style="width: 5%;">C</th> <th style="width: 10%;"></th> <th style="width: 80%;"></th> </tr> </thead> <tbody> <tr><td>1</td><td>0</td><td>T1000437</td><td>Personal Computer</td></tr> <tr><td>2</td><td>0</td><td>T1000850</td><td>Personal Computer: Multilingual</td></tr> <tr><td>3</td><td>0</td><td>T1000860</td><td>Personal Computer: Portugal</td></tr> <tr><td>4</td><td>0</td><td>T1000861</td><td>Personal Computer: Iceland</td></tr> <tr><td>5</td><td>0</td><td>T1000863</td><td>Personal Computer: Canadian French</td></tr> <tr><td>6</td><td>0</td><td>T1000865</td><td>Personal Computer: Nordic</td></tr> <tr><td>7</td><td>0</td><td>T1001004</td><td>IBM PC Desktop Publishing</td></tr> <tr><td>8</td><td>0</td><td>T1000819</td><td>ISO/ANSI 8-Bit: Latin1</td></tr> <tr><td>9</td><td>0</td><td>T1000858</td><td>PC Multilingual with euro</td></tr> <tr><td>A</td><td>0</td><td>T1000923</td><td>Latin9</td></tr> <tr><td>B</td><td>0</td><td>T1001252</td><td>Windows Latin1</td></tr> </tbody> </table>	X	C			1	0	T1000437	Personal Computer	2	0	T1000850	Personal Computer: Multilingual	3	0	T1000860	Personal Computer: Portugal	4	0	T1000861	Personal Computer: Iceland	5	0	T1000863	Personal Computer: Canadian French	6	0	T1000865	Personal Computer: Nordic	7	0	T1001004	IBM PC Desktop Publishing	8	0	T1000819	ISO/ANSI 8-Bit: Latin1	9	0	T1000858	PC Multilingual with euro	A	0	T1000923	Latin9	B	0	T1001252	Windows Latin1																																																																																									
X	C																																																																																																																																								
1	0	T1000437	Personal Computer																																																																																																																																						
2	0	T1000850	Personal Computer: Multilingual																																																																																																																																						
3	0	T1000860	Personal Computer: Portugal																																																																																																																																						
4	0	T1000861	Personal Computer: Iceland																																																																																																																																						
5	0	T1000863	Personal Computer: Canadian French																																																																																																																																						
6	0	T1000865	Personal Computer: Nordic																																																																																																																																						
7	0	T1001004	IBM PC Desktop Publishing																																																																																																																																						
8	0	T1000819	ISO/ANSI 8-Bit: Latin1																																																																																																																																						
9	0	T1000858	PC Multilingual with euro																																																																																																																																						
A	0	T1000923	Latin9																																																																																																																																						
B	0	T1001252	Windows Latin1																																																																																																																																						

Figure 13. Expanded Core Font naming convention overview (Part 2 of 3). The raster font information provided in Part 1 of this figure is provided for your convenience. However, no raster fonts are included with Infoprint Fonts. Code pages not listed in Part 2 and Part 3 of this figure do not have a corresponding coded font.

A F R S T C P X

Special Purpose EBCDIC and ASCII Code Pages (T=7)		
X	C	
1	1	T1000259 Symbols, Set 7
2	P	T1000293 APL (USA)
3	P	T1000310 Graphic Escape APL
4	A	T1000892 OCR A
5	B	T1000393 OCR B
6	1	T1000899 ASCII: Symbols, Set 7
7	1	T1001087 Symbols, Adobe
8	1	T1001038 ASCII: Symbols, Adobe
9	1	T1001091 Symbols, Set 7 Modified
0	1	T1001092 ASCII: Symbols, Set 7 Modified
A	1	T1000363 Symbols, Set 8
B	1	T1000829 Symbols, Math Symbols
C	P	T1000910 APL ASCII
D	A	T1000876 OCR-A ASCII
E	B	T1000877 OCR-B ASCII
International Non-Latin ASCII Code Pages (T=8)		
X	C	
1	3	T1000813 ISO/ASCII 8-Bit: Greece
2	3	T1000851 Personal Computer: Greek
3	3	T1000855 Personal Computer: Cyrillic
4	5	T1000856 Personal Computer: Hebrew
5	5	T1000862 Personal Computer: Hebrew
6	4	T1000864 Personal Computer: Arabic
7	3	T1000869 Personal Computer: Greece
8	6	T1000874 Personal Computer: Thailand
9	3	T1000915 ISO/ASCII 8-Bit: Cyrillic
0	5	T1000916 ISO/ASCII 8-Bit: Hebrew
A	4	T1001008 ISO/ASCII 8-Bit: Arabic
B	4	T1001029 ISO/ASCII 8-Bit: Arabic
C	4	T1001046 ISO/ASCII 8-Bit: Arabic Extended
D	3	T1000866 Personal Computer: Cyrillic #2
E	8	T1000897 Japan PC #1
F	8	T1001041 Japanese Extended-PC
G	9	T1001133 Lao ISO-8
J	5	T1000867 Israel - Personal Computer

Figure 13. Expanded Core Font naming convention overview (Part 3 of 3). The raster font information provided in Part 1 of this figure is provided for your convenience. However, no raster fonts are included with Infoprint Fonts. Code pages not listed in Part 2 and Part 3 of this figure do not have a corresponding coded font.

DBCS Core Outline Fonts

Table 13. DBCS Core Outline Font naming convention overview. This naming convention is used for CID-keyed outlines and AFP outline character sets.

PP	Prefix	XXXX	Language and Typeface	Wn	Weight
IB	CID outline	JHKG	Japanese Heisei Kaku Gothic	W3	Light
IL	CID outline (GB18030)	JHMG	Japanese Heisei Maru Gothic	W4	Semilight
CZ	AFP outline	JHMN	Japanese Heisei Mincho	W5	Medium
		HKG2	Korean Gothic	W6	Semibold
		HSM2	Korean Myengjo	Note:	Wn is not used when PP is CZ.
		SFSG	Simplified Chinese Fang Song (GB)		
		SHEI	Simplified Chinese Hei (GB18030)		
		SKAI	Simplified Chinese Kai (GB)		
		SSNG	Simplified Chinese Song (GB18030)		
		TKAI	Traditional Chinese Kai		
		TSNG	Traditional Chinese Sung		

DBCS Core Full-Width Fonts




Figure 14. DBCS Core Full-Width Font naming convention overview

DBCS Core Half-Width Fonts




Figure 15. DBCS Core Half-Width Font naming convention overview

DBCS Simulation Fonts

Character set

Table 14. DBCS Simulation Font naming convention overview for character sets

CZ	Character set	XXXX	Language and typeface
CZ	AFP outline character set	JHKG	Japanese Heisei Kaku Gothic
		JHMG	Japanese Heisei Maru Gothic
		JHMN	Japanese Heisei Mincho
		HKG2	Korean Gothic
		HSM2	Korean Myengjo
		SHEI	Simplified Chinese Hei
		SSNG	Simplified Chinese Song
		TSNG	Traditional Chinese Sung

Coded font

Table 15. DBCS Simulation Fonts naming convention overview for coded fonts. See Figure 16 on page 37 for detailed information.

XZ	Coded font	XXXX	
XZ	AFP outline coded font	T	Typestyle
		BX	Box Size
		E	Encoding

Japanese Full-Width						Korean Full-Width		
BX	Boxsize (HxV)					BX	Boxsize (HxV)	
		Heisei			Heisei		Gothic	Mincho
		Kaku	Round		Heisei	16	16x16	-
	Gothic	Gothic	Gothic	Mincho	Mincho	24	24x30	24x24
16	16x16	-	-	16x16	16x16	36	-	36x36
20	20x24	-	-	-	-	40	-	40x40
24	24x30	24x24	-	24x24	24x24	48	-	48x48
26	-	26x26	-	26x26	26x26	64	-	64x64
32	32x32	32x32	-	32x32	32x32	Korean Half-Width		
36	36x36	36x36	36x36	36x36	36x36	BX	Boxsize (HxV)	
40	40x40	40x40	40x40	40x40	40x40		Gothic	Mincho
44	-	44x44	-	44x44	44x44	08	8x16	-
48	48x48	48x48	48x48	48x48	48x48	12	12x30	12x24
52	-	52x52	-	52x52	52x52	18	-	18x36
64	64x64	64x64	64x64	64x64	64x64	20	-	20x40
						24	-	24x48
						32	-	32x64
Japanese Half-Width						Simplified Chinese Full-Width		
BX	Boxsize (HxV)					BX	Boxsize (HxV)	
		Heisei			Heisei		Gothic	Song
		Kaku	Round		Mincho	16	16x16	-
	Gothic	Gothic	Gothic	Mincho	Mincho	26	-	26x26
12	12x30	12x24	-	12x24	12x24	32	-	32x32
13	-	13x26	-	13x26	13x26	40	-	40x40
16	16x32	16x32	-	16x32	16x32	Traditional Chinese Full-Width		
18	18x36	18x36	18x36	18x36	18x36	BX	Boxsize (HxV)	
20	20x40	20x40	20x40	20x40	20x40		Gothic	Ming
22	-	22x44	-	-	22x44	16	16x16	-
24	24x48	24x48	24x48	24x48	24x48	24	-	24x24
26	-	26x52	-	26x52	26x52	32	-	32x32
32	32x64	32x64	32x64	32x64	32x64	40	-	40x40

XZ

T

BX

E

Japanese	
T	T ypestyle
E	Heisei Kaku Gothic
F	Heisei Kaku Gothic Half-Width
G	Gothic
H	Gothic Half-Width
K	Heisei Mincho
L	Heisei Mincho Half-Width
M	Mincho
N	Mincho Half-Width
R	Round Gothic
S	Round Gothic Half-Width
Y	Mincho Half-Width
Z	Mincho
Korean	
T	T ypestyle
G	Gothic
H	Gothic Half-Width
M	Mincho
N	Mincho Half-Width
Simplified Chinese	
T	T ypestyle
G	Gothic
S	Song
Traditional Chinese	
T	T ypestyle
G	Gothic
M	Ming

Japanese	
E	Encoding
B	Base Set (Section 41-55)
D	DCF Set (Half-Width) / JIS90 (Full-Width)
F	Full Set
J	PC Set
N	Katakana Set
O	Extended Katakana Set
U	US English Set
V	Extended Latin Set
X	Extension Set (Section 56-68)
Korean	
E	Encoding
K	Full Set
K	EBCDIC Set (Half-Width)
L	Special and Hangul Set (Section 41-4B, 84-D3)
Simplified Chinese	
E	Encoding
P	PRC Host (GB)
Traditional Chinese	
E	Encoding
T	Taiwan Host

Figure 16. Simulation Font naming convention

IBM code page naming conventions

The name of an IBM code page makes it possible to recognize it as a code page. The resource names of all AFP code pages begin with **T1**.

Single-byte code pages

The name of a single-byte code page used with single-byte character sets makes it possible to identify its code page number or name. For more information on fonts, visit the **Printing Systems Font Database** that you can access through the **Printing Systems Information Center** at:

<http://publib.boulder.ibm.com/printer/psindex.htm>

From the pull-down list under **Select Navigation View**, select **Fonts**.

The last 6 characters of the code page name are used to identify the code page. In all cases where the first two characters are **00**, **V1**, or **B0**, the following 4 characters are the Code Page Global Identifier, a number registered by IBM to uniquely identify each code page. All future code pages provided by IBM will be named in this manner.




Figure 17. Code page name and category or version level

DBCS code pages using half-width characters

You can recognize a new single-byte code page used with double-byte character sets because the third and fourth characters of its name are H0. Some older code pages follow a different naming convention.

Table 16. DBCS code pages using half-width characters naming convention overview

T1	Always T1	H0	Always H0 Exception: Japanese CPGID:0037,00290 and Simplified Chinese CPGID:1114 take HK.	XXXX	Code page global identifier (CPGID)
-----------	-----------	-----------	---	-------------	-------------------------------------

DBCS code pages using full-width characters

The names of double-byte code pages supplied for use with IBM CJK fonts follow a new convention, so you may see some older double-byte code pages with different names.

You can recognize a double-byte code page used with an outline font because its name is only 6 characters long instead of the usual 8.

Table 17. DBCS code pages using full-width characters naming convention overview

T1	Always T1	XXXX	Code page global identifier (CPGID) Exceptions: <ul style="list-style-type: none"> • Korean Full Hangul code page is K834 for CPGID:0834. • Simplified Chinese GB18030 code page is K837 for CPGID:0837. • Japanese HYOGAI KANJI JITAIHYO code page is K300 for CPGID:0300. • Japanese IBM JIKEI code page is I300 for CPGID:0300. • Japanese JIS90 JIKEI code page is J300 for CPGID:0300. 	SS	Section number
				SS	Code page used with a raster font
				blank	Code page used with an outline font

Chapter 6. WorldType font naming conventions

The WorldType file naming convention uses the format of *TTTTLLSB* with the definitions listed in Table 18 and Table 19.

Table 18. WorldType font naming: *TTTT* identifies the typeface name

TTTT	Typeface name
mts_	Monotype Sans™ WT
mtsd	Monotype Sans Duospace™ WT
thrd	Thorndale Duospace™ WT
tnr_	Times New Roman® WT

Table 19. WorldType font naming: *LLSB* identifies the localization, subset and the presents of embedded bitmaps

LLSB	Typeface name appendage	Description	Bitmaps
j__	J	Japanese	No
j_b	J	Japanese	Yes
j_e_	J EA	Japanese—East Asia	No
j_eb	J EA	Japanese—East Asia	Yes
k__	K	Korean	No
k_b	K	Korean	Yes
k_e_	K EA	Korean—East Asia	No
k_eb	K EA	Korean—East Asia	Yes
m__	ME	Middle East	No
s__	SC	Simplified Chinese	No
s_b	SC	Simplified Chinese	Yes
s_e_	SC EA	Simplified Chinese—East Asia	No
s_eb	SC EA	Simplified Chinese—East Asia	Yes
sxb_	Ext B	Simplified Chinese—Extension B	No
t__	TC	Traditional Chinese	No
t_b	TC	Traditional Chinese	Yes
t_e_	TC EA	Traditional Chinese—East Asia	No
t_eb	TC EA	Traditional Chinese—East Asia	Yes
w__		Windows Glyph List 4	No

Chapter 7. Font summary tables

The Expanded Core Fonts, DBCS Core Fonts, and DBCS Simulation Fonts summary tables provide the following information:

AFP typeface name

This is the IBM name for the typeface.

Type 1 typeface name

This is the Type 1 outline font name for the typeface. It is used in the Typefaces window of SBCS Type Transformer.

Style and weight

Possible values are:

RB	Roman Bold
RM	Roman Medium
IM	Italic Medium
IB	Italic Bold

Character set identifier

A 6- or 8-character name used to identify AFP character sets. The second character identifies the character set as raster or outline.

Type 1 file name

Extensions are AFM, INF, and PFB.

CID-keyed file name

Extensions are CID and CMP.

Graphic Character Set Global Identifier (GCSGID)

The GCSGID is a collection of characters registered with a unique number and sometimes used for font and code page selection.

Font Global Identifier (FGID)

The FGID is a number assigned to each typeface and is sometimes used for font selection.

The WorldType Fonts summary table provides the following information:

Full Font Name

The combination of the Font Family name and the Font Subfamily name

Style & Weight

RM	Roman Medium
-----------	--------------

Filename

The font file name; extensions are TTF or OTF

Localization

The view preference of the glyph shapes

Glyph List

The set of glyphs contained in the font

Bitmaps

Font contains embedded bitmaps for better quality at screen resolutions.

Note: Not all information applies to all font groups.

Expanded Core Fonts

This section describes the Expanded Core Fonts available for use with IBM Print Services Facility (PSF) licensed programs. These fonts contain various typefaces and font sizes (include typographic and uniformly spaced typeface families) suitable for printing a variety of documents. They are provided in the following formats:

Table 20. Format and operating systems for Expanded Core Fonts

Format	Operating systems
AFP outline fonts	z/OS, OS/400, AIX, Windows
Type 1 outline fonts	AIX, Windows

Table 21. Expanded Core Fonts

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
APL						
Courier APL2	Courier APL2	RM	CZ420P	APL	1364	307
	" Bold	RB	CZ440P	APLB		322
Arabic						
Boutros Typing Arabic	Typing	RM	CZ4204	COU_A	1506	416
	" Bold	RB	CZ4404	COU_AB		420
	" Italic	IM	CZ4304	COU_AI		424
	" Bold Italic	IB	CZ4504	COU_ABI		428
ITC Boutros Modern	Rokaa	RM	CZH204	HEL_A	1506	2304
Rokaa Arabic	" Bold	RB	CZH404	HEL_AB		2305
	" Italic	IM	CZH304	HEL_AI		2306
	" Bold Italic	IB	CZH504	HEL_ABI		2307
ITC Boutros Setting	Setting	RM	CZN204	TNR_A	1506	2308
Arabic	" Bold	RB	CZN404	TNR_AB		2309
	" Italic	IM	CZN304	TNR_AI		2310
	" Bold Italic	IB	CZN504	TNR_ABI		2311
BookMaster Specials						
BookMaster Specials	BookMaster Specials	RM	CZB20C	EDFBS	1241	335
	" Bold	RB	CZB40C	EDFBSB		336
	" Italic	IM	CZB30C	EDFBSI		337
	" Bold Italic	IB	CZB50C	EDFBSBI		338
BookMaster Specials Reverse	BookMaster Specials Reverse	RM	CZB60C	EDFBSR	1241	339
Cyrillic						
Courier Cyrillic Greek	Courier Cyr Grk	RM	CZ4203	COU_CG	1504	416
	" Bold	RB	CZ4403	COU_CGB		420
	" Italic	IM	CZ4303	COU_CGI		424
	" Bold Italic	IB	CZ4503	COU_CGBI		428
Helvetica Cyrillic Greek	Helvetica Cyr Grk	RM	CZH203	HEL_CG	1504	2304
	" Bold	RB	CZH403	HEL_CGB		2305
	" Italic	IM	CZH303	HEL_CGI		2306
	" Bold Italic	IB	CZH503	HEL_CGBI		2307
Times New Roman Cyrillic Greek	Times New Roman Cyr Grk	RM	CZN203	TNR_CG	1504	2308
	" Bold	RB	CZN403	TNR_CGB		2309
	" Italic	IM	CZN303	TNR_CGI		2310
	" Bld It	IB	CZN503	TNR_CGBI		2311
Greek						
Courier Cyrillic Greek	Courier Cyr Grk	RM	CZ4203	COU_CG	1504	416
	" Bold	RB	CZ4403	COU_CGB		420
	" Italic	IM	CZ4303	COU_CGI		424
	" Bold Italic	IB	CZ4503	COU_CGBI		428

Table 21. Expanded Core Fonts (continued)

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
Helvetica Cyrillic Greek	Helvetica Cyr Grk	RM	CZH203	HEL_CG	1504	2304
	" Bold	RB	CZH403	HEL_CGB		2305
	" Italic	IM	CZH303	HEL_CGI		2306
	" Bold Italic	IB	CZH503	HEL_CGBI		2307
Times New Roman Cyrillic Greek	Times New Roman Cyr Grk	RM	CZN203	TNR_CG	1504	2308
	" Bold	RB	CZN403	TNR_CGB		2309
	" Italic	IM	CZN303	TNR_CGI		2310
	" Bld It	IB	CZN503	TNR_CGBI		2311
Hebrew						
Shalom Hebrew	Shalom Hebrew	RM	CZ4205	COU_H	1362	416
	" Bold	RB	CZ4405	COU_HB		420
	" Italic	IM	CZ4305	COU_HI		424
	" Bold Italic	IB	CZ4505	COU_HBI		428
Narkiss Tam Hebrew	Narkiss Tam Hebrew	RM	CZH205	HEL_H	1362	2304
	" Bold	RB	CZH405	HEL_HB		2305
	" Italic	IM	CZH305	HEL_HI		2306
	" Bold Italic	IB	CZH505	HEL_HBI		2307
Narkissim Hebrew	Narkissim Hebrew	RM	CZN205	TNR_H	1362	2308
	" Bold	RB	CZN405	TNR_HB		2309
	" Italic	IM	CZN305	TNR_HI		2310
	" Bold Italic	IB	CZN505	TNR_HBI		2311
IBM Logo						
IBM Logo	IBM Logo	RM	CZIBM0	LOGOIBM	2040	51767
Katakana						
Gothic Katakana	Gothic Katakana	RM	CZ6208	GOT_K	1306	304
Lao						
Courier Lao	Courier Lao	RM	CZ4209	COU_L	1341	416
	" Bold	RB	CZ4409	COU_LB		420
	" Italic	IM	CZ4309	COU_LI		424
	" Bold Italic	IB	CZ4509	COU_LBI		428
Pusuwan	Pusuwan	RM	CZH209	HEL_L	1341	2304
	" Bold	RB	CZH409	HEL_LB		2305
	" Italic	IM	CZH309	HEL_LI		2306
	" Bold Italic	IB	CZH509	HEL_LBI		2307
Kaewfah	Kaewfah	RM	CZN209	TNR_L	1341	2308
	" Bold	RB	CZN409	TNR_LB		2309
	" Italic	IM	CZN309	TNR_LI		2310
	" Bold Italic	IB	CZN509	TNR_LBI		2311
Latin						
Courier Latin	Courier	RM	CZ420L	COU	1503	416
	" Bold	RB	CZ440L	COUB		420
	" Italic	IM	CZ430L	COUI		424
	" Bold Italic	IB	CZ450L	COUBI		428
Helvetica Latin	Helvetica	RM	CZH20L	HEL	1503	2304
	" Bold	RB	CZH40L	HELB		2305
	" Italic	IM	CZH30L	HELI		2306
	" Bold Italic	IB	CZH50L	HELBI		2307
Times New Roman Latin	Times New Roman	RM	CZN20L	TNR	1503	2308
	" Bold	RB	CZN40L	TNRB		2309
	" Italic	IM	CZN30L	TNRI		2310
	" Bold Italic	IB	CZN50L	TNRBI		2311

Table 21. Expanded Core Fonts (continued)

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
Latin1						
Boldface Latin1	Boldface	RB	CZ8400	BFC	2041	20224
BookMaster Latin1	BookMaster	RM	CZB200	EDFBL	2041	335
	" Bold	RB	CZB400	EDFBLB		336
	" Italic	IM	CZB300	EDFBLI		337
	" Bold Italic	IB	CZB500	EDFBLBI		338
BookMaster Latin1 Reverse	BookMaster Reverse	RM	CZB600	EDFBLR	2041	339
Courier Latin1	Courier	RM	CZ4200	COU	2041	416
	" Bold	RB	CZ4400	COUB		420
	" Italic	IM	CZ4300	COUI		424
	" Bold Italic	IB	CZ4500	COUBI		428
Gothic Text Latin1	Gothic Text	RM	CZ6200	GOT	2041	304
Helvetica Latin1	Helvetica	RM	CZH200	HEL	2041	2304
	" Bold	RB	CZH400	HELB		2305
	" Italic	IM	CZH300	HELI		2306
	" Bold Italic	IB	CZH500	HELBI		2307
Letter Gothic Latin1	Letter Gothic	RM	CZ5200	LGO	2041	400
	" Bold	RB	CZ5400	LGOB		404
Prestige Latin1	Prestige	RM	CZ7200	PRS	2041	432
	" Bold	RB	CZ7400	PRSB		318
	" Italic	IM	CZ7300	PRSI		319
Times New Roman Latin1	Times New Roman	RM	CZN200	TNR	2041	2308
	" Bold	RB	CZN400	TNRB		2309
	" Italic	IM	CZN300	TNRI		2310
	" Bold Italic	IB	CZN500	TNRBI		2311
Latin2, Latin3, Latin5						
Courier Latin235	Courier	RM	CZ4202	COU	1261	416
	" Bold	RB	CZ4402	COUB		420
	" Italic	IM	CZ4304	COUI		424
	" Bold Italic	IB	CZ4502	COUBI		428
Helvetica Latin235	Helvetica	RM	CZH202	HEL	1261	2304
	" Bold	RB	CZH402	HELB		2305
	" Italic	IM	CZH302	HELI		2306
	" Bold Italic	IB	CZH502	HELBI		2307
Times New Roman Latin235	Times New Roman	RM	CZN202	TNR	1261	2308
	" Bold	RB	CZN402	TNRB		2309
	" Italic	IM	CZN302	TNRI		2310
	" Bold Italic	IB	CZN502	TNRBI		2311
Latin4						
Courier Latin4	Courier	RM	CZ4207	COU	1268	416
	" Bold	RB	CZ4407	COUB		420
	" Italic	IM	CZ4307	COUI		424
	" Bold Italic	IB	CZ4507	COUBI		428
Helvetica Latin4	Helvetica	RM	CZH207	HEL	1268	2304
	" Bold	RB	CZH407	HELB		2305
	" Italic	IM	CZH307	HELI		2306
	" Bold Italic	IB	CZH507	HELBI		2307
Times New Roman Latin4	Times New Roman	RM	CZN207	TNR	1268	2308
	" Bold	RB	CZN407	TNRB		2309
	" Italic	IM	CZN307	TNRI		2310
	" Bold Italic	IB	CZN507	TNRBI		2311
Optical Character Recognition (OCR)						
OCRA	OCR A	RM	CZ920A	OCR_A	968	305

Table 21. Expanded Core Fonts (continued)

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
OCRB	OCRBM	RM	CZ920B	OCR_B	1502	306
Symbols						
Courier Symbols	Courier Symbols	RM	CZ4201	COU_S	1275	416
	" Bold	RB	CZ4401	COU_SB		420
Helvetica Symbols	Helvetica Symbols	RM	CZH201	HEL_S	1275	2304
	" Bold	RB	CZH401	HEL_SB		2305
Times New Roman Symbols	Times New Roman Symbols	RM	CZN201	TNR_S	1275	2308
	" Bold	RB	CZN401	TNR_SB		2309
Thai						
Courier Thai	Courier Thai	RM	CZ4206	COU_T	1505	416
	" Bold	RB	CZ4406	COU_TB		420
	" Italic	IM	CZ4306	COU_TI		424
	" Bold Italic	IB	CZ4506	COU_TBI		428
Thonburi	Thonburi	RM	CZH206	HEL_T	1505	2304
	" Bold	RB	CZH406	HEL_TB		2305
	" Italic	IM	CZH306	HEL_TI		2306
	" Bold Italic	IB	CZH506	HEL_TBI		2307
Burirum	Burirum	RM	CZN206	TNR_T	1505	2308
	" Bold	RB	CZN406	TNR_TB		2309
	" Italic	IM	CZN306	TNR_TI		2310
	" Bold Italic	IB	CZN506	TNR_TBI		2311

DBCS Core Fonts

This section describes the DBCS Core Fonts available for use with IBM Print Services Facility (PSF) licensed programs. These fonts contain various typefaces suitable for printing a variety of Chinese, Japanese, and Korean documents. They are provided with the Outline Fonts and Programs feature as PostScript CID-keyed fonts. These CID-keyed fonts can be used with example jobs provided with Infoprint Font Utilities to create the fonts listed in Table 23 on page 49. The fonts can then be stored on the z/OS operating system. The CID-keyed fonts can be used directly by the AIX and Windows environments.

Type Transformer and the CID fonts are all part of the Type Transformer and Utilities for Windows CD-ROM shipped with IBM Infoprint Fonts for Multiplatforms (program number 5648-E77). AFP Fonts are all part of the DBCS Fonts feature of IBM Infoprint Fonts for z/OS (program number 5648-E76).

DBCS Core Fonts are provided in the following formats:

Table 22. Format and operating systems for DBCS Core Fonts

Format	Operating systems
AFP outline fonts	z/OS, OS/400, AIX, Windows
CID-keyed fonts	AIX, Windows

The following list shows the values to be used in Table 23 on page 49:

- 4.8 point size/box size of 16
- 6.0 point size/box size of 20
- 7.2 point size/box size of 24
- 8.4 point size/box size of 28
- 9.6 point size/box size of 32
- 10.8 point size/box size of 36
- 12.0 point size/box size of 40
- 13.8 point size/box size of 46
- 15.6 point size/box size of 52
- 18.0 point size/box size of 60
- 24.0 point size/box size of 80
- 30.0 point size/box size of 100
- 36.0 point size/box size of 120

Substitute the box size value from this list for the lowercase **pd** (point deci–point) used in the coded font and character set names in Table 23 on page 49. For example, if you want a point size of 12.0, substitute 40 for the lowercase **pd**.

Table 23. DBCS Core Fonts for Japanese

AFP/CID typeface name	CID file name	Weight	Width	Coded font	Character set	Code page	GCSCID	FGID
Japanese Heisei Kaku Gothic								
Heisei Kaku Gothic	IBJHKGW5	Medium	Full	XZEFpd	CZJHKG	T10300	2093	53249
			Half	XZEDpd	CZJHKG	T1H01002	1132	
			Half	XZEJpd	CZJHKG	T1H01041	1187	
			Half	XZEOpd	CZJHKG	T1H00290	1398	
			Half	XZEVpd	CZJHKG	T1H01027	1398	
			Half	XZEWpd	CZJHKG	T1H01031	1363	
			Half	XZEYpd	CZJHKG	T1H01030	1363	
Japanese Heisei Kaku Gothic (HYOGAI KANJI JITAIHYO)								
Heisei Kaku Gothic	IBJHKGW5	Medium	Full	XZIFpd	CZJHKG	T1K300	2093	53249
Japanese Heisei Maru Gothic								
Heisei Maru Gothic	IBJHMGW4	Semi- Light	Full	XZPFpd	CZJHMG	T10300	2093	53250
			Half	XZPDpd	CZJHMG	T1H01002	1132	
			Half	XZPJpd	CZJHMG	T1H01041	1187	
			Half	XZPOpd	CZJHMG	T1H00290	1398	
			Half	XZPVpd	CZJHMG	T1H01027	1398	
			Half	XZPWpd	CZJHMG	T1H01031	1363	
			Half	XZPYpd	CZJHMG	T1H01030	1363	
Japanese Heisei Maru Gothic (HYOGAI KANJI JITAIHYO)								
Heisei Maru Gothic	IBJHMGW4	Semi- Light	Full	XZWFpd	CZJHMG	T1K300	2093	53250
Japanese Heisei Mincho								
Heisei Mincho	IBJHMNW3	Light	Full	XZKFpd	CZJHMN	T10300	2093	53248
			Half	XZKDpd	CZJHMN	T1H01002	1132	
			Half	XZKJpd	CZJHMN	T1H01041	1187	
			Half	XZKOpd	CZJHMN	T1H00290	1398	
			Half	XZKVpd	CZJHMN	T1H01027	1398	
			Half	XZKWpd	CZJHMN	T1H01031	1363	
			Half	XZKYpd	CZJHMN	T1H01030	1363	
Japanese Heisei Mincho (HYOGAI KANJI JITAIHYO)								
Heisei Mincho	IBJHMNW3	Light	Full	XZOFpd	CZJHMN	T1K300	2093	53248

Table 24. DBCS Core Fonts for Korean

AFP/CID typeface name	CID file name	Weight	Width	Coded font	Character set	Code page	GCSCID	FGID
Korean Gothic								
Gothic	IBHKG2W5	Medium	Full	XZGKpd	CZHKG2	T10834	1010	53816
			Full	XZGHpd	CZHKG2	T1K834	1098	
			Half	XZGEpd	CZHKG2	T1H00833	1173	
			Half	XZGJpd	CZHKG2	T1H01126	1267	
			Half	XZGWpd	CZHKG2	T1H01150	1365	
Korean Myengjo								
Myengjo	IBHSM2W5	Medium	Full	XZMKpd	CZHSM2	T10834	1010	53560
			Full	XZMHpd	CZHSM2	T1K834	1098	
			Half	XZMEpd	CZHSM2	T1H00833	1173	
			Half	XZMJpd	CZHSM2	T1H01126	1267	
			Half	XZMWpd	CZHSM2	T1H01150	1365	

Table 25. DBCS Core Fonts for Simplified Chinese

Simplified Chinese - GB Fang Song								
Fang Song	IBSFSGW4	Semi-Light	Full	XZFPpd	CZSFSG	T10837	1020	54566
			Half	XZFEpd	CZSFSG	T1H00836	1174	
			Half	XZFJpd	CZSFSG	T1H01115	1240	
			Half	XZFWpd	CZSFSG	T1H01151	1366	
Simplified Chinese - GB18030 Hei								
Hei	ILSHEIW6	Semi-Bold	Full	XZHPpd	CZSHEI	T10837	1020	54565
			Full	XZHSpd	CZSHEI	T1K837	2103	
			Half	XZHEpd	CZSHEI	T1H00836	1174	
			Half	XZHJpd	CZSHEI	T1H01115	1240	
			Half	XZHQpd	CZSHEI	T1H01252	0103	
			Half	XZHWpd	CZSHEI	T1H01151	1366	
Simplified Chinese - GB Kai								
Kai	IBSKAIW5	Medium	Full	XZJPpd	CZSKAI	T10837	1020	54568
			Half	XZJEpdp	CZSKAI	T1H00836	1174	
			Half	XZJJpd	CZSKAI	T1H01115	1240	
			Half	XZJWpd	CZSKAI	T1H01151	1366	
Simplified Chinese - GB18030 Song								
Song	ILSSNGW5	Medium	Full	XZSPpd	CZSSNG	T10837	1020	54567
			Full	XZSSpd	CZSSNG	T1K837	2103	
			Half	XZSEpd	CZSSNG	T1H00836	1174	
			Half	XZSJpd	CZSSNG	T1H01115	1240	
			Half	XZSQpd	CZSSNG	T1H01252	0103	
			Half	XZSWpd	CZSSNG	T1H01151	1366	

Table 26. DBCS Core Fonts for Traditional Chinese

AFP/CID typeface name	CID file name	Weight	Width	Coded font	Character set	Code page	GCSCID	FGID
Traditional Chinese Kai								
Kai	IBTKAIW5	Medium	Full	XZLTpd	CZTKAI	T10835	2074	54568
			Half	XZLEpd	CZTKAI	T1H00037	1175	
			Half	XZLJpd	CZTKAI	T1H01043	1189	
			Half	XZLQpd	CZTKAI	T1H01114	1500	
			Half	XZLVpd	CZTKAI	T1H01159	1399	
			Half	XZLWpd	CZTKAI	T1H01152	1367	
Traditional Chinese Sung								
Sung	IBTSNGW3	Light	Full	XZTTpd	CZTSNG	T10835	2074	54563
			Half	XZTEpd	CZTSNG	T1H00037	1175	
			Half	XZTJpd	CZTSNG	T1H01043	1189	
			Half	XZTQpd	CZTSNG	T1H01114	1500	
			Half	XZTVpd	CZTSNG	T1H01159	1399	
			Half	XZTWpd	CZTSNG	T1H01152	1367	

DBCS Simulation Fonts

This section describes the DBCS Simulation Fonts available for use with IBM Print Services Facility (PSF) licensed programs. The DBCS Simulation Fonts are provided in AFP Outline Font Format that simulates the raster font products shown in Table 11 on page 11.

DBCS Simulation Fonts are provided in the following formats:

Table 27. Format and operating systems for DBCS Simulation Fonts

Format	Operating systems
AFP outline fonts	z/OS, OS/400, AIX, Windows
CID-keyed fonts	AIX, Windows

See Table 28 on page 52 for the summary of the DBCS simulation fonts.

Table 28. DBCS Simulation Fonts

CID file name	Weight	Width	Coded font	Character set	Code page	GCSGID	FGID	Box Size 240 pel (HXV)
Japanese Gothic simulated by Heisei Kaku Gothic								
IBJHKGW5	Medium	Full	XZGbxB	CZJHKG	T11300	2093	53249	16x16 20x24 24x30 32x32 36x36 40x40 48x48 64x64
		Full	XZGbxF		T11300	2093		16x16 20x24 24x30 32x32 36x36 40x40 48x48 64x64
		Full	XZGbxX		T11300	2093		48x48 64x64
		Half	XZHbxD		T1H01002	1132		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxJ		T1H01041	1187		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxN		T1HK0290	332		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxO		T1H00290	1398		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxU		T1HK0037	101		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxV		T1H10027	1398		12x30 16x32 18x36 20x40 24x48 32x64
Japanese Gothic (JIS90) simulated by Heisei Kaku Gothic								
IBJHKGW5	Medium	Full	XZGbxD	CZJHKG	T1J300	2093	53249	16x16 20x24 24x30 32x32 36x36 40x40 48x48 64x64
Japanese Heisei Kaku Gothic simulated by Heisei Kaku Gothic								
IBJHKGW5	Medium	Full	XZEbxB	CZJHKG	T10300	2093	53249	24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64
		Full	XZEbxF		T10300	2093		24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64
		Half	XZFbxD		T1H01002	1132		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxJ		T1H01041	1187		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxN		T1HK0290	332		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxO		T1H00290	1398		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxU		T1HK0037	101		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxV		T1H01027	1398		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
Japanese Round Gothic simulated by Heisei Maru Gothic								
IBJHMGW4	Semi-light	Full	XZRbxB	CZJHMG	T11300	2093	53250	36x36 40x40 48x48 64x64
		Full	XZRbxF		T11300	2093		36x36 40x40 48x48 64x64
		Full	XZRbxX		T11300	2093		48x48 64x64
		Half	XZSbxD		T1H01002	1132		18x36 20x40 24x48 32x64
		Half	XZSbxJ		T1H01041	1187		18x36 20x40 24x48 32x64
		Half	XZSbxN		T1HK0290	332		18x36 20x40 24x48 32x64
		Half	XZSbxO		T1H00290	1398		18x36 20x40 24x48 32x64
		Half	XZSbxU		T1HK0037	101		18x36 20x40 24x48 32x64
		Half	XZSbxV		T1H01027	1398		18x36 20x40 24x48 32x64
Japanese Round Gothic (JIS90) simulated by Heisei Maru Gothic								
IBJHMGW4	Semi-Light	Full	XZRbxD	CZJHMG	T1J300	2093	53250	36x36 40x40 48x48 64x64
Japanese Mincho simulated by Heisei Mincho								

Table 28. DBCS Simulation Fonts (continued)

CID file name	Weight	Width	Coded font	Character set	Code page	GCSGID	FGID	Box Size 240 pel (HXV)					
IBJHMNNW3	Light	Full	XZMbxB	CZJHMN	T1J300	2093	53248	16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64					
		Full	XZMbxF					16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64					
		Full	XZMbxX					48x48 64x64					
		Full	XZZbxB					24x24					
		Full	XZZbxF					24x24					
		Half	XZNbxD					12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64					
		Half	XZNbxJ					12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64					
		Half	XZNbxN					12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64					
		Half	XZNbxO					12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64					
		Half	XZNbxU					12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64					
		Half	XZNbxV					12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64					
		Half	XZYbxJ					12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64					
		Half	XZYbxN					12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64					
	Half	XZYbxO	12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64										
	Half	XZYbxU	12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64										
	Half	XZYbxV	12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64										
Japanese Mincho (JIS90) simulated by Heisei Mincho													
IBJHMNNW3	Light	Full	XZMbxD	CZJHMN	T1J300	2093	53248	16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64					
		Full	XZZbxD					24x24					
Japanese Heisei Mincho simulated by Heisei Mincho													
IBJHMNNW3	Light	Full	XZKbxB	CZJHMN	T10300	2093	53248	16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64					
		Full	XZKbxF					16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64					
		Half	XZLbxD					12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64					
		Half	XZLbxJ					12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64					
		Half	XZLbxN					12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64					
		Half	XZLbxO					12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64					
		Half	XZLbxU					12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64					
		Half	XZLbxV					12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64					
	Korean Gothic simulated by Gothic												
	IBHKG2W5	Medium	Full					XZGbxK	CZHKG2	T10834	1010	53816	16x16 24x30
			Full					XZGbxL					16x16 24x30
			Half					XZHbxK					8x16 12x30
	Korean Mincho simulated by Myengjo												

Table 28. DBCS Simulation Fonts (continued)

CID file name	Weight	Width	Coded font	Character set	Code page	GCSGID	FGID	Box Size 240 pel (HXV)
IBHSM2W5	Medium	Full	XZMbxK	CZHSM2	T10834	1010	53560	24x24 32x32 36x36 40x40 48x48 64x64
		Full	XZMbxL		T10834	1010		24x24 32x32 36x36 40x40 48x48 64x64
		Half	XZNbxK		T1H00833	1173		12x30 16x32 18x36 20x40 24x48 32x64
Simplified Chinese Gothic simulated by Hei								
ILSHEIW6	Semi- bold	Full	XZGbxP	CZSHEI	T10837	1020	54565	16x16
Simplified Chinese Song simulated by Song								
ILSSNGW5	Medium	Full	XZSbxP	CZSSNG	T10837	1020	54567	26x26 32x32 40x40
Traditional Chinese Gothic simulated by Sung								
IBTSNGW3	Light	Full	XZGbxT	CZTSNG	T10835	2074	54563	16x16
Traditional Chinese Ming simulated by Sung								
IBTSNGW3	Light	Full	XZMbxT	CZTSNG	T10835	2074	54563	24x24 32x32 40x40

WorldType Fonts

Table 29. WorldType Directory and file naming

Full Font Name	Style & Weight	Filename	Localization	Glyph List	Bit-maps
Monotype Sans WT					
Monotype Sans WT	RM	mts_w__.ttf	n/a	WGL	No
Monotype Sans WT J	RM	mts_j__.ttf	Japanese	Complete	No
Monotype Sans WT J	RM	mts_j__b.ttf	Japanese	Complete	Yes
Monotype Sans WT J EA	RM	mts_j_e_.ttf	Japanese	East Asia	No
Monotype Sans WT J EA	RM	mts_j_eb.ttf	Japanese	East Asia	Yes
Monotype Sans WT K	RM	mts_k__.ttf	Korean	Complete	No
Monotype Sans WT K	RM	mts_k__b.ttf	Korean	Complete	Yes
Monotype Sans WT K EA	RM	mts_k_e_.ttf	Korean	East Asia	No
Monotype Sans WT K EA	RM	mts_k_eb.ttf	Korean	East Asia	Yes
Monotype Sans WT ME	RM	mts_m__.ttf	n/a	Middle East	No
Monotype Sans WT SC	RM	mts_s__.ttf	Simplified Chinese	Complete	No
Monotype Sans WT SC	RM	mts_s__b.ttf	Simplified Chinese	Complete	Yes
Monotype Sans WT SC EA	RM	mts_s_e_.ttf	Simplified Chinese	East Asia	No
Monotype Sans WT SC EA	RM	mts_s_eb.ttf	Simplified Chinese	East Asia	Yes
Monotype Sans WT TC	RM	mts_t__.ttf	Traditional Chinese	Complete	No
Monotype Sans WT TC	RM	mts_t__b.ttf	Traditional Chinese	Complete	Yes
Monotype Sans WT TC EA	RM	mts_t_e_.ttf	Traditional Chinese	East Asia	No
Monotype Sans WT TC EA	RM	mts_t_eb.ttf	Traditional Chinese	East Asia	Yes
Monotype Sans Duospace WT					
Monotype Sans Duospace WT	RM	mts_dw__.ttf	n/a	WGL	No
Monotype Sans Duospace WT J	RM	mts_dj__.ttf	Japanese	Complete	No
Monotype Sans Duospace WT J	RM	mts_dj__b.ttf	Japanese	Complete	Yes
Monotype Sans Duospace WT J EA	RM	mts_dj_e_.ttf	Japanese	East Asia	No
Monotype Sans Duospace WT J EA	RM	mts_dj_eb.ttf	Japanese	East Asia	Yes
Monotype Sans Duospace WT K	RM	mts_dk__.ttf	Korean	Complete	No
Monotype Sans Duospace WT K	RM	mts_dk__b.ttf	Korean	Complete	Yes
Monotype Sans Duospace WT K EA	RM	mts_dk_e_.ttf	Korean	East Asia	No
Monotype Sans Duospace WT K EA	RM	mts_dk_eb.ttf	Korean	East Asia	Yes
Monotype Sans Duospace WT ME	RM	mts_dm__.ttf	n/a	Middle East	No
Monotype Sans Duospace WT SC	RM	mts_ds__.ttf	Simplified Chinese	Complete	No
Monotype Sans Duospace WT SC	RM	mts_ds__b.ttf	Simplified Chinese	Complete	Yes
Monotype Sans Duospace WT SC EA	RM	mts_ds_e_.ttf	Simplified Chinese	East Asia	No
Monotype Sans Duospace WT SC EA	RM	mts_ds_eb.ttf	Simplified Chinese	East Asia	Yes
Monotype Sans Duospace WT EXT B	RM	mts_dsb_.ttf	Simplified Chinese	Extension B	No
Monotype Sans Duospace WT TC	RM	mts_dt__.ttf	Traditional Chinese	Complete	No
Monotype Sans Duospace WT TC	RM	mts_dt__b.ttf	Traditional Chinese	Complete	Yes

Table 29. WorldType Directory and file naming (continued)

Full Font Name	Style & Weight	Filename	Localization	Glyph List	Bit-maps
Monotype Sans Duospace WT TC EA	RM	mtsdt_e_.ttf	Traditional Chinese	East Asia	No
Monotype Sans Duospace WT TC EA	RM	mtsdt_eb_.ttf	Traditional Chinese	East Asia	Yes
Thorndale Duospace WT					
Thorndale Duospace WT	RM	thrdw___.ttf	n/a	WGL	No
Thorndale Duospace WT J	RM	thrdj___.ttf	Japanese	Complete	No
Thorndale Duospace WT J	RM	thrdj_b_.ttf	Japanese	Complete	Yes
Thorndale Duospace WT J EA	RM	thrdj_e_.ttf	Japanese	East Asia	No
Thorndale Duospace WT J EA	RM	thrdj_eb_.ttf	Japanese	East Asia	Yes
Thorndale Duospace WT K	RM	thrdk___.ttf	Korean	Complete	No
Thorndale Duospace WT K	RM	thrdk_b_.ttf	Korean	Complete	Yes
Thorndale Duospace WT K EA	RM	thrdk_e_.ttf	Korean	East Asia	No
Thorndale Duospace WT K EA	RM	thrdk_eb_.ttf	Korean	East Asia	Yes
Thorndale Duospace WT ME	RM	thrdm___.ttf	n/a	Middle East	No
Thorndale Duospace WT SC	RM	thrds___.ttf	Simplified Chinese	Complete	No
Thorndale Duospace WT SC	RM	thrds_b_.ttf	Simplified Chinese	Complete	Yes
Thorndale Duospace WT SC EA	RM	thrds_e_.ttf	Simplified Chinese	East Asia	No
Thorndale Duospace WT SC EA	RM	thrds_eb_.ttf	Simplified Chinese	East Asia	Yes
Thorndale Duospace WT TC	RM	thrdt___.ttf	Traditional Chinese	Complete	No
Thorndale Duospace WT TC	RM	thrdt_b_.ttf	Traditional Chinese	Complete	Yes
Thorndale Duospace WT TC EA	RM	thrdt_e_.ttf	Traditional Chinese	East Asia	No
Thorndale Duospace WT TC EA	RM	thrdt_eb_.ttf	Traditional Chinese	East Asia	Yes
Times New Roman WT					
Times New Roman WT	RM	tnr_w___.ttf	n/a	WGL	No
Times New Roman WT J	RM	tnr_j___.ttf	Japanese	Complete	No
Times New Roman WT J	RM	tnr_j_b_.ttf	Japanese	Complete	Yes
Times New Roman WT J EA	RM	tnr_j_e_.ttf	Japanese	East Asia	No
Times New Roman WT J EA	RM	tnr_j_eb_.ttf	Japanese	East Asia	Yes
Times New Roman WT K	RM	tnr_k___.ttf	Korean	Complete	No
Times New Roman WT K	RM	tnr_k_b_.ttf	Korean	Complete	Yes
Times New Roman WT K EA	RM	tnr_k_e_.ttf	Korean	East Asia	No
Times New Roman WT K EA	RM	tnr_k_eb_.ttf	Korean	East Asia	Yes
Times New Roman WT ME	RM	tnr_m___.ttf	n/a	Middle East	No
Times New Roman WT SC	RM	tnr_s___.ttf	Simplified Chinese	Complete	No
Times New Roman WT SC	RM	tnr_s_b_.ttf	Simplified Chinese	Complete	Yes
Times New Roman WT SC EA	RM	tnr_s_e_.ttf	Simplified Chinese	East Asia	No
Times New Roman WT SC EA	RM	tnr_s_eb_.ttf	Simplified Chinese	East Asia	Yes
Times New Roman WT TC	RM	tnr_t___.ttf	Traditional Chinese	Complete	No
Times New Roman WT TC	RM	tnr_t_b_.ttf	Traditional Chinese	Complete	Yes

Table 29. WorldType Directory and file naming (continued)

Full Font Name	Style & Weight	Filename	Localization	Glyph List	Bit-maps
Times New Roman WT TC EA	RM	tnr_t_e_.ttf	Traditional Chinese	East Asia	No
Times New Roman WT TC EA	RM	tnr_t_eb.ttf	Traditional Chinese	East Asia	Yes

Chapter 8. Code pages

Table 30 lists, in code page ID sequence, all the code pages included with Infoprint Fonts.

To see a grid for each code page, visit the **Printing Systems Font Finder** that you can access through the **Printing Systems Information Center**.

Table 30. Code pages shipped with Infoprint Fonts

Code page ID	Description
T1000259	Symbols, Set 7
T1000290	Gothic Katakana, Katakana 10, Katakana 12
T1000293	APL (USA)
T10300	Japanese DBCS—Host: JISX0213-2000 character shape
T1000310	APL Graphic Escape
T1000361	Publishing: International #5
T1000363	Symbols, Set 8
T1000382	Publishing: Austria, Germany, Switzerland
T1000383	Publishing: Belgium
T1000384	Publishing: Brazil
T1000385	Publishing: Canada (French)
T1000386	Publishing: Denmark, Norway
T1000387	Publishing: Finland, Sweden
T1000388	Publishing: France, Switzerland
T1000389	Publishing: Italy, Switzerland
T1000390	Publishing: Japan (Latin)
T1000391	Publishing: Portugal
T1000392	Publishing: Spain, Philippines
T1000393	Publishing: Latin America (Spanish)
T1000394	Publishing: United Kingdom, Australia, Hong Kong, Ireland, New Zealand
T1000395	Publishing: United States, Canada (English)
T1000420	Arabic Bilingual
T1000423	Greece 183
T1000424	Hebrew
T1000437	Personal Computer: ASCII
T1000803	Hebrew Character Set A
T1000813	ISO/ANSI 8-Bit Greek
T1000819	ISO/ANSI 8-Bit Latin1
T1000829	Math Symbols
T10834	Korean Host DBCS KS
T10835	Traditional Chinese Host DBCS
T10837	Simplified Chinese Host DBCS GB

Table 30. Code pages shipped with Infoprint Fonts (continued)

Code page ID	Description
T1000808	Personal Computer: Cyrillic, Russian with euro
T1000836	People's Republic of China
T1000838	Thailand
T1000848	Personal Computer: Cyrillic, Ukraine with euro
T1000849	Personal Computer: Cyrillic, Belo Russian with euro
T1000850	Personal Computer: Multilingual
T1000851	Personal Computer: Greece
T1000852	Personal Computer: Latin2
T1000853	Personal Computer: Latin3
T1000855	Personal Computer: Cyrillic
T1000856	Personal Computer: Hebrew
T1000857	Personal Computer: Latin5
T1000858	Personal Computer – Multilingual with euro
T1000860	Personal Computer: Portugal
T1000861	Personal Computer: Iceland
T1000862	Personal Computer: Hebrew (ASCII)
T1000863	Personal Computer: France, Canada (French)
T1000864	Personal Computer: Arabic
T1000865	Personal Computer: Nordic—Denmark, Norway
T1000866	Personal Computer: Cyrillic #2
T1000867	Israel – Personal Computer
T1000869	Personal Computer: Greece
T1000870	Personal Computer: Latin2 Multilingual
T1000872	Cyrillic Personal Computer with euro
T1000874	Personal Computer: Thailand
T1000875	Greece
T1000876	OCR-A ASCII
T1000877	OCR-B ASCII
T1000848	Personal Computer: Cyrillic, Ukraine with euro
T1000849	Personal Computer: Cyrillic, Belo Russian with euro
T1000880	Cyrillic Multilingual
T1000889	Thailand
T1000892	OCR-A
T1000893	OCR-B
T1000897	Katakana Personal Computer
T1000899	ASCII Symbol Set 7
T1000901	Personal Computer Baltic Multilingual with euro
T1000902	8-bit Estonia with euro
T1000903	People's Republic of China (Latin)
T1000904	Taiwan (Latin)

Table 30. Code pages shipped with Infoprint Fonts (continued)

Code page ID	Description
T1000905	Latin3 Multilingual
T1000910	APL ASCII
T1000912	Latin2 ISO/ANSI 8-Bit
T1000913	Latin3 ISO/ASCII
T1000914	Latin4 ISO/ANSI
T1000915	Cyrillic ISO/ANSI 8-Bit
T1000916	Hebrew ISO/ANSI 8-Bit
T1000920	Latin5 ISO/ANSI 8-Bit
T1000921	Personal Computer Baltic Multilingual
T1000922	Estonia Personal Computer
T1000923	Latin9
T1000924	Latin9 EBCDIC
T1001002	DCF
T1001003	United States Text Subset
T1001004	Personal Computer: Desktop Publishing
T1001008	Arabic ISO/ASCII 8-Bit
T1001025	Cyrillic Multilingual
T1001026	Latin5
T1001027	Katakana
T1001028	Hebrew Publishing
T1001029	Arabic ISO/ASCII 8-Bit
T1001038	ASCII Symbols Abode
T1001039	GML List Symbols
T1001041	Katakana Personal Computer
T1001042	Simplified Chinese Extended
T1001043	Traditional Chinese Extended
T1001046	Arabic Extended ISO/ASCII 8-Bit
T1001068	Text with numeric spacing
T1001069	Latin4
T1001087	Symbols Abode
T1001091	Symbols, Set 7 Modified
T1001092	ASCII Symbols, Set 7 Modified
T1001093	IBM Logo
T1001110	Latin2 Multilingual
T1001111	Latin3 Multilingual
T1001112	Baltic – Multilingual EBCDIC
T1001122	Estonia EBCDIC
T1001123	Cyrillic, Ukraine EBCDIC
T1001124	Cyrillic, Ukraine ISO–8
T1001125	Personal Computer: Cyrillic, Ukraine

Table 30. Code pages shipped with Infoprint Fonts (continued)

Code page ID	Description
T1001129	Vietnamese ISO-8
T1001130	Vietnamese EBCDIC
T1001131	Personal Computer: Cyrillic, Belo Russian
T1001132	Lao EBCDIC
T1001133	Lao ISO-8
T1001139	Japan Alphanumeric Katakana
T1001140	USA, Canada ECECP
T1001141	Austria, Germany ECECP
T1001142	Denmark, Norway ECECP
T1001143	Finland, Sweden ECECP
T1001144	Italy ECECP
T1001145	Spain, Latin America ECECP
T1001146	UK ECECP
T1001147	France ECECP
T1001148	International ECECP
T1001149	Iceland ECECP
T1001153	Latin2 Multilingual with euro
T1001154	EBCDIC Cyrillic, Multilingual with euro
T1001155	EBCDIC Turkey with euro
T1001156	EBCDIC Baltic Multilingual with euro
T1001157	EBCDIC Estonia with euro
T1001158	EBCDIC Cyrillic, Ukraine with euro
T1001160	Thailand EBCDIC with euro
T1001161	Thailand Personal Computer with euro
T1001162	Windows Thailand
T1001163	Vietnamese ISO-8 with euro
T1001164	Vietnamese, EBCDIC with euro
T1001166	EBCDIC Cyrillic, Multilingual with euro
T1001250	Windows Latin2
T1001251	Windows Cyrillic
T1001252	Windows Latin1
T1001253	Windows Greek
T1001254	Windows Turkish
T1001257	Windows Baltic Rim
T1001258	Windows Vietnamese
T1B00037	BookMaster: United States, Canada
T1B00273	BookMaster: Austria, Germany, Switzerland
T1B00274	BookMaster: Belgium
T1B00275	BookMaster: Brazil
T1B00277	BookMaster: Denmark, Norway

Table 30. Code pages shipped with Infoprint Fonts (continued)

Code page ID	Description
T1B00278	BookMaster: Finland, Sweden
T1B00280	BookMaster: Italy, Switzerland
T1V00281	BookMaster: Japan (Latin)
T1B00282	BookMaster: Portugal
T1B00284	BookMaster: Spain, Latin America
T1B00285	BookMaster: United Kingdom
T1B00297	BookMaster: France
T1B00382	BookMaster: Austria, Germany, Switzerland
T1B00383	BookMaster: Belgium
T1B00384	BookMaster: Brazil
T1B00385	BookMaster: Canada (French)
T1B00386	BookMaster: Denmark, Norway
T1B00387	BookMaster: Finland, Sweden
T1B00388	BookMaster: France, Switzerland
T1B00389	BookMaster: Italy, Switzerland
T1B00390	BookMaster: Japan (Latin)
T1B00391	BookMaster: Portugal
T1B00392	BookMaster: Spain, Philippines
T1B00393	BookMaster: Latin America (Spanish)
T1B00394	BookMaster: United Kingdom, Australia, China (Hong Kong S.A.R.), Ireland, New Zealand
T1B00395	BookMaster: United States, Canada (English)
T1B00500	BookMaster: International #5
T1B00871	BookMaster: Iceland
T1B00BGS	BookMaster: Specials
T1DABASE	Migration: Austria, Germany
T1DDBASE	Migration: Belgium, Luxemburg, Switzerland
T1DDBASE	Migration: Denmark, Iceland, Norway
T1DEBASE	Migration: Finland, Sweden
T1DFBASE	Migration: France
T1DIBASE	Migration: Italy
T1DNBASE	Migration: Netherlands, Portugal
T1DSBASE	Migration: Spain, Latin America
T1DUBASE	Migration: United Kingdom
T1D0BASE	Migration: DCF
T1D0GP12	DCF Gothic Tri-Pitch
T1E00420	Arabic Bilingual with euro
T1E00813	Greece – ISO 8859-7
T1E00852	Latin2 Multilingual Personal Computer with euro
T1E00857	Latin5 Turkey Personal Computer with euro

Table 30. Code pages shipped with Infoprint Fonts (continued)

Code page ID	Description
T1E00864	Arabic Personal Computer with euro
T1E00869	Greece – Personal Computer
T1E00875	Greece – EBCDIC
T1E00877	OCR B Personal Computer with euro
T1E00893	OCR B with euro
T1E01008	Arabic ISO with euro
T1E01046	Arabic Extended ISO with euro
T1H00037	Traditional Chinese Host SBCS
T1H00290	Japanese Katakana Extended
T1H00833	Korean SBCS Host
T1H00836	Simplified Chinese Host
T1H01002	Japanese DCF Compatibility
T1H01027	Japanese Latin Extended
T1H01030	Japanese Katakana Extended with box
T1H01031	Japanese (Latin) Extended with box
T1H01041	Japanese Personal Computer Extended
T1H01043	Traditional Chinese Host SBCS
T1H01088	Korean SBCS Personal Computer
T1H01114	Traditional Chinese Personal Computer SBCS
T1H01115	Simplified Chinese Personal Computer, GB
T1H01126	Korean SBCS Personal Computer
T1H01150	Korean Latin with Box
T1H01151	Simplified Chinese Latin with Box
T1H01152	Traditional Chinese SBCS with box characters
T1H01159	Traditional Chinese SBCS with Euro
T1H01252	Simplified Chinese Personal Computer, GB18030
T1HK0037	Japanese Latin
T1HK0290	Japanese Katakana
T1HK1114	Simplified Chinese Personal Computer GBK
T1I300	Japanese DBCS—Host: Supports 751 unique IBM character shapes
T1J300	Japanese DBCS—Host: Supports 751 unique IBM character shapes with 14 of them changed according to JIS90
T1K300	Japanese DBCS—Host: HYOGAI KANJI JITAIHYO character shape
T1K834	Korean Host DBCS Full Hangul
T1K837	Simplified Chinese Host DBCS GB18030
T1L0DUMP	LCS Dump Character Set
T1L0FOLD	LCS Gothic Folded
T1L0OCRB	LCS Gothic and OCR B
T1L0OCR1	LCS OCR A
T1L0OCR2	LCS Gothic and OCR A

Table 30. Code pages shipped with Infoprint Fonts (continued)

Code page ID	Description
T1L0OCR3	LCS Gothic and OCR A
T1L0PCAN	LCS Gothic
T1L0PCHN	LCS Gothic
T1L00A11	LCS Gothic
T1L00FMT	LCS Format Characters
T1L00KN1	LCS Gothic, Katakana (KN1)
T1L00QNC	LCS Gothic
T1L000GN	LCS Gothic
T1L000RN	LCS Gothic
T1L000SN	LCS Text-1 and Text-2
T1L000XN	LCS Gothic
T1L038BA	LCS Gothic
T1L038TE	LCS Text-1 and Text-2
T1L000YN	LCS Gothic
T1L02773	LCS Gothic, Katakana (2773)
T1L02774	LCS Gothic, Katakana (2774)
T1S0AE10	APL (AE10)
T1S0S192	6670 Symbol Set
T1S0S193	6670 Symbol Set
T1S0S198	6670 Symbol Set
T1V10037	Country Extended: United States, Canada
T1V10273	Country Extended: Austria, Germany, Switzerland
T1V10274	Country Extended: Belgium
T1V10275	Country Extended: Brazil
T1V10277	Country Extended: Denmark, Norway
T1V10278	Country Extended: Finland, Sweden
T1V10280	Country Extended: Italy, Switzerland
T1V10281	Country Extended: Japan (Latin)
T1V10282	Country Extended: Portugal
T1V10284	Country Extended: Spain, Latin America
T1V10285	Country Extended: United Kingdom
T1V10290	Japan (Katakana)
T1V10297	Country Extended: France
T1V10500	Country Extended: International #5
T1V10871	Country Extended: Iceland

Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property rights may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785 U.S.A.

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106, Japan

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs

and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
Department 11PA Building 002S
PO Box 1900
Boulder CO 80301 USA

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee. The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurement may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrates programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. You may copy, modify, and distribute these sample programs in any form without payment to IBM for the purposes of developing, using, marketing, or distributing application programs conforming to IBM's application programming interfaces.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

© (your company name) (year). Portions of this code are derived from IBM Corp. Sample Programs. © Copyright IBM Corp. _enter the year or years_. All rights reserved.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

For online versions of this book, we authorize you to:

- Copy, modify, and print the documentation contained on the media, for use within your enterprise, provided you reproduce the copyright notice, all warning statements, and other required statements on each copy or partial copy.
- Transfer the original unaltered copy of the documentation when you transfer the related IBM product (which may be either machines you own, or programs, if the program's license terms permit a transfer). You must, at the same time, destroy all other copies of the documentation.

You are responsible for payment of any taxes, including personal property taxes, resulting from this authorization.

Your failure to comply with the terms above terminates this authorization. Upon termination, you must destroy your machine readable documentation.

Trademarks

The following terms, used in this publication, are trademarks or registered trademarks of the IBM Corporation in the United States or other countries or both:

Advanced Function Presentation

AFP

AIX[®]

APL2[®]

BookMaster[®]

IBM[®]

Infoprint[®]

OS/390[®]

OS/400[®]

Print Services Facility

z/OS

Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be the trademarks or service marks of others.

Font trademarks

Trademark	Company
Monotype [™]	Agfa Monotype Corporation
Monotype Sans [™]	Agfa Monotype Corporation
Monotype Sans Duospace [™]	Agfa Monotype Corporation
Thorndale Duospace [™]	Agfa Monotype Corporation
Times New Roman [®]	Agfa Monotype Corporation

Trademark	Company
WorldType®	Agfa Monotype Corporation
Boutros Typing™	Applied Arabic Limited
Helvetica™	Linotype Library GmbH
ITC Boutros Modern Rokaa™	International Typeface Corporation
ITC Boutros Settings™	International Typeface Corporation

Index

Numerics

- 240-pel fonts
 - definition 15
- 300-pel fonts
 - definition 15

A

- AFP Font Editor 6
- attributes
 - printing 23

B

- baseline, character 15
- box size
 - definition 17

C

- character baseline 15
- character IDs
 - definition 23
 - translating from keyboard to printed character 24
- character image 23
- character properties 23
- character rotation 15
- character sets
 - definition 22
- characters
 - representation of 15
 - rotation of 15
- CID to EPS transform 6
- code page naming conventions 38
- code page section 25
- code pages
 - definition 23
- code pages shipped
 - Infoprint Fonts 59
- coded fonts
 - definition 22
- complements
 - definition 22
- concepts of fonts 21

D

- DBCS (double-byte character set)
 - definition 23
- DBCS Core Fonts
 - format and operating systems 48
- DBCS Core Fonts for Japanese
 - summary table 49
- DBCS Core Fonts for Korean
 - summary table 49

- DBCS Core Fonts for Simplified Chinese
 - summary table 50
- DBCS Core Fonts for Traditional Chinese
 - summary table 50
- DBCS simulation fonts
 - summary table 51
- DBCS Simulation Fonts
 - format and operating systems 51
- definitions
 - character baseline 15
 - character IDs 23
 - character list 22
 - character rotation 15
 - character set 22
 - code page 23
 - coded font 22
 - complement 22
 - duospace font 16
 - fonts 21, 22
 - pel 15
 - picture element 15
 - pitch 17
 - point 17
 - print direction 15
 - print resolution 15
 - resolution 15
 - style 21
 - type family 21
 - type font 22
 - typeface 21
 - typographic font 16
 - uniformly spaced font 16
 - weight 21
 - width 21
- density 15
 - raster pattern 15
- direction, print 15
- distribution for Infoprint fonts 7
- double-byte character set
 - definition 23
- double-byte code page
 - definition 25
- duospace font 16

E

- Embedded Bitmaps for WorldType Fonts 13
- expanded core fonts 9
 - font families 9
 - format and operating systems 44
 - formats 9
 - languages supported 10
 - operating systems 9
 - summary table 44

F

- fixed-metric fonts 26
- FOCA font naming conventions 29
- font families
 - expanded core fonts 9
 - WorldType Fonts 12
- Font Installer for AFP Systems 13
- font release summary 6
- font selection 22
- font structure 22
- Font utilities in Infoprint Fonts 6
 - AFP Font Editor 6
 - CID to EPS transform 6
 - GUI for RMARKing 6
 - IBM Logo fonts 6
 - UDC Generation Tool 6
- fonts
 - concepts 21
 - definition 21, 22
 - expanded core 9
- format and operating systems
 - DBCS Simulation Fonts 51
- Format and operating systems
 - DBCS Core Fonts 48

G

- General Font Library in Infoprint Fonts 3
- GUI for RMARKing 6

H

- half-width code page
 - definition 25

I

- IBM Logo fonts 6
- image, character 23
- Infoprint Fonts
 - code pages shipped 59
 - distribution 7
 - Font utilities 6
 - General Font Library 3
 - Japanese Font Library 5
 - Korean Font Library 5
 - limitations 3
 - packaging 7
 - Simplified Chinese Font Library 6
 - Traditional Chinese Font Library 6
 - Type Transformer 6
 - Version 1.1.0 December 2002 3
 - Version 1.1.0 December 2003 2

J

- Japanese Font Library in Infoprint Fonts 5

K

- Korean Font Library in Infoprint Fonts 5

L

- language code pages 25
- languages supported
 - expanded core fonts 10
- Localizations for WorldType Fonts 13

N

- naming conventions
 - code pages 38
 - FOCA fonts 29
 - WorldType fonts 41
- national language 25
- national language code pages 25
- notices 67

O

- organization of this publication 1
- orientation 15
- outline fonts 15

P

- packaging for Infoprint fonts 7
- pels
 - definition 15
- picture element 15
- pitch
 - definition 17
- point size
 - definition 17
- print direction 15
- print resolution 15
- printing attributes 23
- properties, character 23
- publication organization 1

R

- raster pattern 15
- Related Publications 1
- relative metrics 27
- release summary for fonts 6
- representation of characters 15
- resolution
 - definition 15
- rotation, character 15

S

- SBCS (single-byte character set)
 - definition 23
- section, code page 25
- Simplified Chinese Font Library in Infoprint Fonts 6

- single-byte character set
 - definition 23
- single-byte code page
 - definition 25
- structure
 - character set 22
 - code page 23
 - coded font 22
- structure of fonts 22
- summary of font releases 6
- Summary tables
 - DBCS Core Fonts for Japanese 49
 - DBCS Core Fonts for Korean 49
 - DBCS Core Fonts for Simplified Chinese 50
 - DBCS Core Fonts for Traditional Chinese 50
 - DBCS simulation fonts 51
 - Expanded Core Fonts 44
 - WorldType Fonts 55

T

- trademarks 69
- Traditional Chinese Font Library in Infoprint Fonts 6
- type family
 - definition 21
- type font 22
- Type Transformer in Infoprint Fonts 6
- typeface
 - definition 21
- typographic font 16

U

- UDC Generation Tool 6
- Unicode ranges for WorldType Fonts 13
- uniformly spaced fonts
 - definition 16
- User Designed Character (UDC) Generation Tool 6

W

- WorldType font naming conventions 41
- WorldType Fonts 12
 - Embedded Bitmaps 13
 - Font Installer for AFP Systems 13
 - Localizations 13
 - Monotype Sans Duospace WorldType 12
 - Monotype Sans WorldType 12
 - summary table 55
 - Thorndale Duospace WorldType 12
 - Times New Roman WorldType 12
 - Unicode ranges 13

Readers' Comments — We'd Like to Hear from You

Printing Systems Division
Infoprint Fonts: Font Summary

Publication No. G544-5846-02

Overall, how satisfied are you with the information in this book?

	Very Satisfied	Satisfied	Neutral	Dissatisfied	Very Dissatisfied
Overall satisfaction	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

How satisfied are you that the information in this book is:

	Very Satisfied	Satisfied	Neutral	Dissatisfied	Very Dissatisfied
Accurate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Complete	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Easy to find	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Easy to understand	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Well organized	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicable to your tasks	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please tell us how we can improve this book:

Thank you for your responses. May we contact you? Yes No

When you send comments to IBM, you grant IBM a nonexclusive right to use or distribute your comments in any way it believes appropriate without incurring any obligation to you.

Name

Address

Company or Organization

Phone No.



Fold and Tape

Please do not staple

Fold and Tape



NO POSTAGE
NECESSARY
IF MAILED IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 40 ARMONK, NEW YORK

POSTAGE WILL BE PAID BY ADDRESSEE

IBM Corporation
IBM Printing Systems Division
Department TPQS, Building 004N
Information Development
P.O. Box 1900
Boulder, CO USA 80301-9817



Fold and Tape

Please do not staple

Fold and Tape



Program Number: 5648-E76
5648-E77

Printed in USA

G544-5846-02

