



System x

**IBM Hardware Management Pack for
Microsoft System Center Operations
Manager 2007**

Version 3.0

Release Notes

System x
IBM Hardware Management Pack for
Microsoft System Center Operations
Manager 2007



Version 3.0

Release Notes

Before using this information and the product it supports, read the information in "Notices."

Third Edition – July, 2011

This edition applies to version 3.0 of the IBM Hardware Management Pack for Microsoft System Center Operations Manager 2007

©Copyright IBM Corporation 2011.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Contents	v
About this publication	viii
Conventions and terminology.....	viii
PDF files	viii
Downloading Adobe Acrobat Reader	viii
Viewing and printing PDF files	viii
World Wide Web resources	viii
IBM System x Integration Offerings for Microsoft System Management Solutions	viii
IBM Systems: Technical support site.....	viii
IBM Systems Director: Download/Registration page.....	ix
IBM Systems Management page.....	ix
IBM ServerProven pages.....	ix
Microsoft System Center Operations Manager 2007 page	ix
Overview	10
About this release	11
What's new in this release	11
Contents of IBM Hardware Management Pack v3.0.....	11
File and registry locations	12
Known limitations.....	13
Issues related to install/upgrade/uninstall	13
1. If the UAC is on, managing the installation directly through Control Panel or the MSI file will fail.....	13
2. Overrides saved in the default management pack can prevent the Hardware Management Pack from being deleted.	13
3. "Script or executable failed to run" alerts can occur on some or most of the managed systems during deletion of the Hardware Management Pack.	13
4. Deleting the Hardware Management Pack from Operations Manager on a Windows Server 2008 may prompt an alert about "a script is running..."	14
5. Errors show up on the Operations Manager Console immediately after deleting Hardware Management Pack	14
6. "Handle Count Threshold Exceeding" errors reported of Health Service on Operations Manager servers, after the Hardware Management Pack is imported	14
7. Need to restart the Operations Manager Console to access the external knowledge articles for a newly installed Hardware Management Pack	15
8. Need to restart the Operations Manager Console to update the directory path for the remote blade on and off task	15
Issues related to discovery of server hardware components.....	16
1. It can take three minutes or longer for all the hardware components to appear in the Operations Manager state views after a managed system is added to the Operations Manager.....	16
2. Older Systems with RSA-II without BMC in Director Agent 6.1.x or 6.2.x will have critical alerts about Director Agent's compatibility even if the RSA-II daemon is installed and running	16
3. Hardware components of a certain class of System x systems are not discovered with Microsoft IPMI driver	16
4. No power supplies, fans, temperature sensors, or voltage sensors discovered for blade servers	17
5. No power supplies are discovered on xSeries 335 systems with Director Core services 5.20.31.	17
6. No power supplies are discovered on IBM System x3755 M3 systems with Director Platform Agent 6.2.1	17

7. Some RAID controller names may show as a serial numbers instead of in a text readable format	17
8. Older management controllers (service processors) are not discovered	17
Issues related to health monitoring of server hardware	19
1. Not all hardware events are reportable events on every system	19
2. Running out of temporary disk space on a managed system can prevent health monitoring and event alerting	19
3. Manual health resets required for some hardware alerts	20
4. Alerts and events of an off-line managed system will not show up in Operations Manager console until the managed system comes back online and reconnects to the Operations Manager	21
5. Disconnected NICs on managed systems are reported with an "offline" error, even if disabled in Windows	21
6. Different version of IBM Director Agent may report different severity for the same hardware events	21
7. All the events generated with the "WinEvent" tool are reported under one monitor.....	22
8. Outstanding errors generated through "WinEvent" from Director Agent 5.10.x are reported continuously by regular health checkup monitors (even after they are manually cleared in Operations Manager)	22
9. No events are generated in Operations Manager for logging on or off from the IBM Remote Supervisor Adaptor (RSA) II.....	22
10. No alerts are generated in Operations Manager when the RSA-II event log exceeds the capacity threshold or is full.....	22
11. Uninstalling OSA IPMI driver does not resolve the expected "software missing" error..	22
12. External hardware knowledge articles of the Hardware Management Pack are not available on an Operations Manager management server that does not have the Hardware Management Pack installed.....	23
Issues related to discovery of BladeCenter and its modules	24
1. A management server with multiple NICs may not be able to reliably discover the BladeCenter if there is more than one network connection between the BladeCenter AMM and the management server	24
2. BladeCenter is discovered, but no modules are discovered after ample time has passed or, modules are discovered intermittently even when Refreshing the modules	24
3. Time needed for full discovery of a BladeCenter	24
Issues related to health monitoring of BladeCenter	26
1. Operations Manager 2007 cannot receive SNMP trap data on Windows Server 2008 ...	26
2. A critical "SNMP Trap Generated Alerts" is reported for each BladeCenter event regardless of its severity, if Microsoft's "Network Device Monitoring Library" is imported ...	26
3. Removing the primary management module in a BladeCenter does not generate an alert to Operations Manager	26
4. BladeCenter storage modules are not monitored.....	27
5. BladeCenter multi-slot wide blades are reported single-slot wide	27
6. BladeCenter Media Module can report empty values for the part number and serial number of the Media Tray.....	27
7. BladeCenter may not be able to send out all the SNMP traps when the AMM is extremely overloaded	27
8. BladeCenter Media Module may include "Not available" for its module name for a while and for the alert source after it is plugged in.....	27
Tips about Operations Manager.....	28
1. Objects discovered with a management pack can disappear after deleting and re-importing the same management too quickly	28
2. Managed servers can be shown in different health states when managed in more than one management groups.....	28
3. It can take more than a few minutes for state changes to roll up to the topmost level.....	28
4. Data disappears in Operations Manager state views after a few scrolling left and right..	28

5. "Reset health" through Operations Manger Console can take two minutes or more for the state to roll up to the top-most level of state view.....	29
6. Value of "Path" property of some Operations Manager objects can be empty or wrong .	29
7. Views and columns in the Operations Manager state views do not revert to default settings even after deleting and reimporting the management pack	29
8. The height of individual views of an Operations Manager dashboard view cannot be adjusted independently	29
10. Warning Alert "Processing backlog events taking long time error" will show when an Operations Manager 2007 SP1 agent is installed on a computer that is running Windows 7 or Windows Server 2008 R2	30
Notices	31
Trademarks	32

About this publication

This book provides highlights about IBM® Hardware Management Pack for Microsoft® System Center Operations Manager 2007, Version 3.0.

Conventions and terminology

These notices are designed to highlight key information:

Note:

These notices provide important tips, guidance, or advice.

Important:

These notices provide information or advice that might help you avoid inconvenient or difficult situations

Attention:

These notices indicate possible damage to programs, devices, or data. An attention notice appears before the instruction or situation in which damage can occur.

PDF files

View or print documentation that is available in Portable Document Format (PDF).

Downloading Adobe Acrobat Reader

You need Adobe® Acrobat Reader to view or print these PDF files. You can download a copy from the [Adobe Web site](#).

Viewing and printing PDF files

You can view or print any of the PDF files. The most current version of each document is available online on the product download page. Go to the [Microsoft Systems Management Solutions](#) to sign in and locate the download links for the publications.

World Wide Web resources

The following Web pages provide resources for understanding, using, and troubleshooting IBM System x, BladeCenter blade servers, and systems-management tools.

IBM System x Integration Offerings for Microsoft System Management Solutions

IBM System x Integration Offerings for Microsoft System Management Solutions at <http://www.ibm.com/systems/management/director/partners/microsoft/>

Locate the latest downloads for IBM Hardware Management Pack for Microsoft System Center Operations Manager 2007, Version 3.0.

IBM Systems: Technical support site

Support for IBM Systems Technical support site at <http://www.ibm.com/systems/support/>

Locate support for IBM hardware and systems-management software.

IBM Systems Director: Download/Registration page

IBM Systems Director Downloads page at <http://www.ibm.com/systems/software/director/downloads/>

Download IBM systems-management software, including IBM Systems Director and Director Agents.

IBM Systems Management page

IBM Systems Management page at <http://www.ibm.com/systems/management/>

Obtain an overview of IBM systems management offerings.

IBM ServerProven pages

IBM System x ServerProven® pages at
<http://www.ibm.com/servers/eserver/serverproven/compat/us/indexsp.html>

IBM BladeCenter ServerProven pages at
<http://www.ibm.com/servers/eserver/serverproven/compat/us/eserver.html>

Obtain information about compatibility with IBM System x servers, xSeries servers and IBM BladeCenter with respect to operating systems, applications, middleware, and add-on hardware.

Microsoft System Center Operations Manager 2007 page

[Microsoft System Center Operations Manager](http://technet.microsoft.com/en-us/opsmgr/default.aspx) at <http://technet.microsoft.com/en-us/opsmgr/default.aspx>

Obtain information about System Center Operations Manager that describes how to monitor your IBM systems across large organizations, using IBM and Microsoft applications, and operating system knowledge required to resolve operational problems.

Overview

IBM® Hardware Management Pack for Microsoft® System Center Operations Manager 2007 extends Microsoft System Center Operations Manager 2007 by monitoring the hardware health of IBM BladeCenter® chassis and BladeCenter® modules, and that of IBM System x® servers and BladeCenter x86/x64 blade servers. The Hardware Management Pack completes the holistic view of the health of your IT infrastructures, so you can keep your business running continuously and minimize the down time caused by hardware problems.

Major features of IBM Hardware Management Pack are:

- Rich hardware health monitoring of IBM BladeCenter Chassis and IBM BladeCenter modules through the use of the Simple Network Management Protocol (SNMP).
- Extensive hardware health monitoring of IBM System x servers and BladeCenter x86/x64 blades running Microsoft Windows and the IBM Director Agent via Windows Management Instrumentation (WMI).
- Managed server software stack monitoring to advise on the necessary installation prerequisites required for comprehensive hardware health monitoring.

About this release

What's new in this release

The IBM Hardware Management Pack v3.0 adds the following premium features:

- Power Monitoring of UEFI/IMM System x Servers and Blades running Windows 2008 or Windows 2008 R2 and the IBM Director Platform agent v6.2.1. Offers the ability to monitor overall system power usage, and generates alerts when power consumption rises above predefined consumption thresholds.
- BladeCenter and Blade hardware health correlation and event propagation providing BladeCenter specific hardware health condition monitoring under the Windows health explorer view
- Remote power on and off of Blades Servers using the Operations Manager Console
- Hardware Management Software Configuration Advisor for IBM Systems detects the presence of IBM Hardware Management Pack software dependencies in order to make appropriate configuration recommendations

Premium features are part of the IBM Upward Integration for Microsoft System Center, and require the purchase of an activation license. Activation licenses can be purchased by contacting your IBM representative or IBM Business Partner.

New IBM servers supported by this release of the Hardware Management Pack are listed in the following table.

Table 1 New IBM servers supported by new release of Hardware Management Pack

Server Product Name	Machine Type
IBM BladeCenter HS22	1911
IBM System x3100 M4	2582, 2586
IBM System x3250 M4	2583, 2587
IBM System x3690 X5	7147, 7192
IBM System x3850 X5	7143, 7191
IBM System x3950 X5	7143

Contents of IBM Hardware Management Pack v3.0

IBM Hardware Management Pack v3.0 includes the following:

- Five management packs
 - IBM Hardware Management Pack - Common Library
 - IBM Hardware Management Pack for IBM System x and x86/64 Blade Systems
 - IBM Hardware Management Pack for IBM BladeCenter Chassis and Modules
 - IBM Hardware Management Pack – Hardware IDs Library
 - IBM Hardware Management Pack for the relation between Windows System and IBM BladeCenter Chassis and Modules
- Hardware knowledge articles that describe details about hardware events that are independent of how the Hardware Management Pack integrates with Operations Manager
- Supporting code for managing BladeCenter

File and registry locations

By default, the contents of the Hardware Management Pack are installed in the following directory:

"%ProgramFiles%\IBM\IBM Hardware Management Pack"

The registry path used by the Hardware Management Pack is:

"HKEY_LOCAL_MACHINE\SOFTWARE\IBM\System Management Integrations\IBM HW
Mgmt Pack for OpsMgr 2007"

The Hardware Management Pack also uses system-wide environment variables IBM_DIR_KB point to the directory into which the hardware knowledge articles are installed. IBM_DIR_VBS points to the program directory into which the task for the remote power on and off of Blades Servers.

Known limitations

The following limitations, problems, and workarounds are applicable to IBM Hardware Management Pack for Microsoft System Center Operations Manager 2007, Version 3.0.

Issues related to install/upgrade/uninstall

The following are issues related to installing, upgrading or uninstalling the Hardware Management Pack Version 3.0.

1. If the UAC is on, managing the installation directly through Control Panel or the MSI file will fail.

If you try to manage install-related activities (for example, to uninstall) directly through Control Panel or through the MSI file, the process will fail when run on Windows 2008 or later while the User Access Control (UAC) is turned on.

Workaround: To do install-related activities, turn off the UAC through the Control Panel first or use the designated Local Administrator account to conduct the activity.

2. Overrides saved in the default management pack can prevent the Hardware Management Pack from being deleted.

When attempting to delete the Hardware Management Pack from Operations Manager, a message similar to the following is displayed:

Remove the Default Management Pack first before removing the Management Pack because of dependency. You cannot delete the Management Pack without removing the dependent management packs.

This message means that there is one or more overrides saved in the Default Management Pack for the rules or the monitors. The overrides can be saved in the Default Management Pack, or another management pack as listed in the message.

Solution: If you plan to use these overrides at a later time, save the overrides in a management pack other than the Default Management Pack (or the management pack listed in the message). After saving the overrides, delete the management pack causing the problem from the Operations Manager and delete the other remaining management packs. When you import the Hardware Management Pack back to the Operations Manager, import the management pack that you saved earlier to restore the overrides.

3. "Script or executable failed to run" alerts can occur on some or most of the managed systems during deletion of the Hardware Management Pack.

Scripts of the Hardware Management Pack can be launched by the Operations Manager, at various times, on agent-based managed systems. If a script defined in the Hardware Management Pack is running when you delete the Hardware Management Pack, a script failure occurs. This failure then results in a corresponding alert to the Operations Manager.

Workaround: You can ignore these alerts in this situation. To avoid these failures, place the management server in maintenance mode before deleting the Hardware Management Pack from the Operations Manager.

4. Deleting the Hardware Management Pack from Operations Manager on a Windows Server 2008 may prompt an alert about “a script is running...”

If you delete the Hardware Management Pack while a script defined in the Hardware Management Pack is running, a message dialog box notifies you that a script is currently running and the file containing the script is about to be deleted.

You can click **Ignore** to continue uninstalling without affecting any of the servers running the script.

Solution: Place the management server into Operations Manager’s maintenance mode before deleting the Hardware Management Pack from the Operations Manager.

5. Errors show up on the Operations Manager Console immediately after deleting Hardware Management Pack

Immediately after deleting the Hardware Management Pack from the Operations Manager, you may see a series of errors on the Operations Manager Console. This is because the GUI focus is sharing a view with the Hardware Management Pack you are deleting. The errors look like:

Invalid Column Name ...

Solution: Ignore this and any related errors (for example, “Collection was modified”) and note that the enumeration operation might not run in this situation.

6. “Handle Count Threshold Exceeding” errors reported of Health Service on Operations Manager servers, after the Hardware Management Pack is imported

On the Operations Manager management servers, an alert of “handle count threshold exceeding” might occur after the Hardware Management Pack is imported.

For details about this error, open Operations Manager’s Health explorer on the Windows Computer for the management server that shows this error and navigate through **Performance -> Windows local Application Health Rollup -> Performance -> Health Service Performance -> Health Service -> Handle Count Threshold**. Then find that the “Too many rules and monitors are loaded from all the management packs that this Health Service has been configured with.” message.

Solution: Apply the hotfix to the Microsoft .NET Framework 2.0 referred to in the Microsoft Knowledge Base Article about a managed application having a high number of thread handles and event handles in the Microsoft .NET Framework 2.0 at <http://support.microsoft.com/kb/968760>. Also see the Microsoft Operations Manager Support Team Blog article at <http://blogs.technet.com/operationsmgr/archive/2009/04/02/opsmgr-2007-monitoringhost-exe-or-healthservice-exe-may-have-a-high-10000-handle-count-and-restart.aspx>.

Workaround: Restart the Health Service and reset the health state manually every time this error occurs.

Note: You should manually reset the health state as a temporary measure for this issue, as doing so will have a negative effect on Operations Manager performance and the continuity of health monitoring.

7. Need to restart the Operations Manager Console to access the external knowledge articles for a newly installed Hardware Management Pack

If you keep the Operations Manager Console open while installing the Hardware Management Pack or if you changed the installation path for the Hardware Management Pack, the links to the hardware knowledge articles will not be available until you restart the Operations Manager Console.

These links appear inside the knowledge articles for the monitors defined in the Hardware Management Pack and appear as tasks in the Actions pane in the Operations Manager state views.

Workaround: Close and reopen the Operations Manager Console so the links point to the new setup location for the hardware knowledge articles.

8. Need to restart the Operations Manager Console to update the directory path for the remote blade on and off task

If you keep the Operations Manager Console open while installing the Hardware Management Pack, the Operations Manager Console environment will lose the program directory path information for the remote blade on, off and shutdown OS task. This issue causes the error message, “Input Error: Cannot find script file” with %IBM_DIR_VBS% in the program directory path when the remote blade power on, off or shutdown OS console task is requested.

Workaround: Close and reopen the Operations Console so the new program directory path %IBM_DIR_VBS% is defined properly in the Operations Manager Console environment.

Issues related to discovery of server hardware components

The following issues are related to the discovery of a server or its hardware components.

1. It can take three minutes or longer for all the hardware components to appear in the Operations Manager state views after a managed system is added to the Operations Manager

After a managed system is added to the Operations Manager, it can take three minutes or longer before the system appears in the Operations Manager Console. It can take up to 6 hours for all the hardware components and all the health states to fully populate in the Operations Manager.

IBM Hardware Management Pack implements a staged discovery of the hardware components in IBM servers to limit the CPU demands on the managed systems for hardware health monitoring. It will take time for a newly added system to complete the initial discovery.

Solution: In a controlled lab environment, you can override the discovery intervals with a shorter interval (through Operations Manager's Authoring Console) in order to speed up the process. Note that such overrides should be performed with care to avoid overloading the processor of the managed systems. See the Operations Manager's online help for the overrides.

Another option is to perform manual refreshes in the Operations Manager Console for a few times to force the console to catch up with the latest data.

2. Older Systems with RSA-II without BMC in Director Agent 6.1.x or 6.2.x will have critical alerts about Director Agent's compatibility even if the RSA-II daemon is installed and running

Director Agent 6.1.x and 6.2.x does not support systems that have only RSA-II and no BMC. The Hardware Management Pack deliberately raises alerts for systems in this situation even if the RSA daemon is installed and running without problems.

Hardware health of systems in that situation will not be monitored correctly.

Workaround: Use the Director Core Services 5.20.31 for systems that have only RSA-II and no BMC.

3. Hardware components of a certain class of System x systems are not discovered with Microsoft IPMI driver

The Microsoft Intelligent Platform Management Interface (IPMI) driver requires a system BIOS to expose the Baseboard Management Controller (BMC) in the designated ACPI namespace for the driver to be able to communicate with the BMC. For a system with Microsoft IPMI driver running, but not having a BIOS level that exposes the BMC in the designated ACPI namespace, there will be a critical alert that flags the needed BIOS update.

For a list of the latest System x servers that are in this category, see [IPMI tasks/applications cannot access the on-board BMC - IBM System x](http://www.ibm.com/systems/support/supportsite.wss/docdisplay?brandind=5000008&Indocid=MIGR-5075267) at <http://www.ibm.com/systems/support/supportsite.wss/docdisplay?brandind=5000008&Indocid=MIGR-5075267>.

Workaround: Do not run these systems with Microsoft IPMI driver. Instead use the OSA IPMI driver.

Note: The OSA IPMI driver is supported on Windows Server 2003 or earlier, but not supported on Windows 2008 or later. Without a proper IPMI stack, the hardware health of the system will not be available.

4. No power supplies, fans, temperature sensors, or voltage sensors discovered for blade servers

In a BladeCenter, power supplies, cooling fans, temperature sensors or voltage sensors are all shared components of the chassis. Because a blade server itself does not have information that goes beyond the server, there are no instances of power supplies, fans, temperature sensors, or voltage sensors to be discovered for a blade server.

Solution: First monitor the BladeCenter with the BladeCenter management pack included in the Hardware Management Pack and then use the "M/T-S/N" value of the blade server to locate the corresponding BladeCenter and watch the health conditions of these shared components of the BladeCenter.

5. No power supplies are discovered on xSeries 335 systems with Director Core services 5.20.31.

No power supply instances are discovered on xSeries 335 systems with Director Core Services 5.20.31.

Solution/Workaround: None available at this time.

6. No power supplies are discovered on IBM System x3755 M3 systems with Director Platform Agent 6.2.1

No power supply instances are discovered on IBM system x3755 M3 systems with Director Platform Agent 6.2.1.

Solution/Workaround: None available at this time.

7. Some RAID controller names may show as a serial numbers instead of in a text readable format

Instance names for IBM System Storage (ServeRAID-MR, MegaRAID, ServeRAID-BR, or Integrated RAID) may show as a serial number in the detail view, but not in a readable format, such as "LSI MegaRAID SAS Adapter". Instead it may show as "IBM.500605B000A8F214". You may see this serial number format in the instance detail view, the Health explorer view, or in the Alert Source column.

Solution/Workaround: None available at this time.

8. Older management controllers (service processors) are not discovered

Older service processors, including the Advanced Systems Management (ASM) PCI Adapter, the ASM processor (ASMP), and Integrated Systems Management Processor (ISMP) are not discovered by the Hardware Management Pack. However, hardware components that these older service processors manage, can still be discovered and monitored with a version of IBM Director Agent that supports these configurations (for example, 5.20.31).

Solution: To achieve full coverage of hardware health of your IT infrastructure, upgrade to a newer system equipped with a Baseboard Management Controller (BMC) service processor, Remote Supervisor Adapter (RSA) II, or with the Integrated Management Module (IMM).

Also install the latest supported firmware for the management controller.

Issues related to health monitoring of server hardware

The following are issues related to the health monitoring of a server or its hardware components.

It is essential to keep current with the **latest system firmware** for BIOS/UEFI, BMC/IMM and other components. For the latest system firmware, visit the [IBM Support & downloads](http://www.ibm.com/support/us/en/) site at <http://www.ibm.com/support/us/en/>.

1. Not all hardware events are reportable events on every system

Health monitoring is dependent on hardware capability, the firmware support level, and the management software support level. As an example, some systems might have more than one physical power supply, but not all of the power supplies are instrumented or manageable.

Hardware health events are specific to hardware platforms and not all hardware events are supported as reportable events for all hardware platforms.

This is normal behavior for the IBM Hardware Management Pack.

Workaround: To achieve full coverage of hardware health for your IT infrastructure, upgrade to a newer system equipped with a Baseboard Management Controller (BMC) service processor, Remote Supervisor Adapter (RSA) II, or with the Integrated Management Module (IMM).

Also install the latest supported firmware for the management controller.

2. Running out of temporary disk space on a managed system can prevent health monitoring and event alerting

The IBM Hardware Management Pack implements health monitoring through client-side scripts and requires temporary working disk space on the managed system. The temporary working disk space is managed by the Operations Manager Health Service. If that disk space runs out, the scripts in the Hardware Management Pack cannot run, and therefore will not be able to correctly detect and report the health state to the Operations Manager.

The temporary working disk space is, by default, allocated from the %TEMP% folder on the managed system for the Local System Account.

Note: The Local System Account is the user account under which the Operations Manager Health Service runs. There is no known recommendation for the least amount of the disk space you should reserve for managed systems.

Should this situation occur, in the Windows event logs on the managed system for Operations Manager, there will be entries similar to the following examples.

Example 1:

Event Type:	Warning
Event Source:	Health Service Modules
Event Category:	None
Event ID:	10363
Date:	04/20/08
Time:	17:24:04

User: N/A
Computer: A-X3650-RAID
Description: Module was unable to enumerate the WMI data.

Error: 0x80041032
Details: Call cancelled

One or more workflows were affected by this.

Workflow name: many
Instance name: many
Instance ID: many
Management group: scomgrp1

For more information, see the Help and Support Center
at: <http://go.microsoft.com/fwlink/events.asp>.

Example 2:

Event Type: Error
Event Source: Health Service Modules
Event Category: None
Event ID: 9100
Date: 04/20/08
Time: 17:25:33
User: N/A
Computer: A-X3650-RAID
Description:
An error occurred on line 105 while executing script
'MOM Backward Compatibility Service State Monitoring Script'
Source: Microsoft VBScript runtime error
Description: ActiveX component can't create object: 'GetObject'

One or more workflows were affected by this.

Workflow name: System.Mom.BackwardCompatibility.ServiceStateMonitoring
Instance name: a-x3650-raid.Lab54.local
Instance ID: {EE77E6E4-5DC5-F316-A0CA-502E4CBFCB97}
Management group: scomgrp1

For more information, see Help and Support Center
at: <http://go.microsoft.com/fwlink/events.asp>.

Workaround: Monitor the free disk space in the %TEMP% folder on the managed system for the Local System Account and increase the free disk space as needed.

3. Manual health resets required for some hardware alerts

The Hardware Management Pack can automatically reset the health state of hardware components for most of the hardware alerts. Resets occur when there is enough specific information in the alerts to determine if it is appropriate to reset the health state of the component.

However, there are cases where information of the physical condition is too generic for the Hardware Management Pack to determine if the physical condition has been resolved, or if the problem is a security concern that warrants manual acknowledgement by an IT administrator.

The following are examples of categories of physical hardware problems that need manual health resets:

- Problems of potential security breach to physical systems
- Hardware problems related to RAID or disk drives
- Hardware problems that do not contain enough specific information, such as a generic processor error
- Hardware problems that are hardware-platform specific, such as the condition of a too-hot processor but not detected through a temperature sensor outside of the processor chip

Solution: Refer to the knowledge articles of the Hardware Management Pack for each monitor and alerts to learn if an alert or the state of a monitor requires a manual health reset.

4. Alerts and events of an off-line managed system will not show up in Operations Manager console until the managed system comes back online and reconnects to the Operations Manager

All the alerts, events, and state changes of an agent-based managed system depend on the local Microsoft Health Service on the managed system communicating with the Operations Manager Server. If the network connection between the Operations Manager Server and the managed system is disrupted, or if the managed system becomes offline for some reason, no alerts or events are communicated to the Operations Manager Server.

When the network connection resumes the alerts and events previously recorded locally on the managed system flow to the Operations Manager Server.

When communication between the managed systems and the Operations Manager Server is fully established, you might see outdated alerts and events from previously disconnected systems showing up on Operations Manager views.

Solution/workaround: None needed.

5. Disconnected NICs on managed systems are reported with an “offline” error, even if disabled in Windows

For NICs that have been disabled in Windows (either through the Control Panel or some other means), the Hardware Management Pack still reports the error and the alert for the physically disconnected NIC, despite the NIC being explicitly disabled in Windows.

The Hardware Management Pack monitors the physical condition of the NICs without taking into consideration their relationship with the Windows OS.

Solution/Workaround: None available at this time, however you can disable the NIC offline alert monitor to ignore these errors. See Operations Manager online help about how to disable a monitor.

6. Different version of IBM Director Agent may report different severity for the same hardware events

Some hardware events might be reported as critical errors by Director Core Services 5.20.31 while they might be reported as warnings by Director Platform Agent 6.1.2 and 6.2.x

Solution/Workaround: None available at this time.

7. All the events generated with the “WinEvent” tool are reported under one monitor

The only purpose of WinEvent.exe (part of the IBM Director Agent 5.20.x) is to validate the connection of a managed system with Operations Manager through the Hardware Management Pack. WinEvent.exe does not fully populate all of the relevant information needed to simulate real-world hardware events, therefore all of the events generated with WinEvent.exe are reported under one monitor in the Hardware Management Pack.

Solution/Workaround: None available at this time.

8. Outstanding errors generated through “WinEvent” from Director Agent 5.10.x are reported continuously by regular health checkup monitors (even after they are manually cleared in Operations Manager)

In IBM Director Agent 5.10.x, an error generated through WinEvent.exe also affects the internal health state maintained inside of the Director Agent for the corresponding hardware component. The saved state affects the resulting health state reported by the regular health checkup monitor for that component. Consequently, even after that error is manually cleared in Operations Manager, the regular health checkup monitor still reports the error until the error is cleared at the Director Agent level.

In IBM Director Agent 5.20.x and later, events generated through WinEvent do not affect the health state maintained inside of the Director Agent for the hardware component.

Solution/Workaround: Use WinEvent.exe to generate the pairing event (that is, the same event id) of severity level 0, to clear the error state maintained in the Director Agent for the hardware component. Alternatively clear all the outstanding errors generated through WinEvent.exe by deleting the IBM\director\cimom\data\health.dat file and all the IBM\director\cimom\data\health.dat*.evt files on the managed system, and restarting the system.

9. No events are generated in Operations Manager for logging on or off from the IBM Remote Supervisor Adaptor (RSA) II

Solution: Install the latest firmware for the IBM Remote Supervisor Adaptor II.

10. No alerts are generated in Operations Manager when the RSA-II event log exceeds the capacity threshold or is full

Solution: Install the latest firmware for the IBM Remote Supervisor Adaptor II.

11. Uninstalling OSA IPMI driver does not resolve the expected "software missing" error

Uninstalling the OSA IPMI driver from a managed system results in a "software failed" warning, not the "software missing" error, until the system reboots. The reason for this error is because the OSA IPMI driver is not Windows Plug-and-Play compliant. Until a reboot, the driver is still present in the system of Windows kernel, even though it has been removed.

Solution: For systems that are listed at

<http://www.ibm.com/systems/support/supportsite.wss/docdisplay?brandind=5000008&Indocid=MIGR-5075267>, use the Microsoft IPMI driver to replace the OSA IPMI driver. Microsoft IPMI driver can be installed on Windows Server 2003 R2 as the optional "Hardware Management" feature, while the driver is installed automatically on Windows Server 2008 or later.

12. External hardware knowledge articles of the Hardware Management Pack are not available on an Operations Manager management server that does not have the Hardware Management Pack installed

If you are using the Operations Manager Console on a server that does not have the IBM Hardware Management Pack installed, the external knowledge pages about IBM hardware alerts are not available. The IBM Hardware Management Pack must be installed locally for these IBM knowledge pages to be accessible from the Operations Manager console.

Workaround: To access the hardware knowledge articles, use the Operations Manager 2007 Console on a management server that has the IBM Hardware Management Pack installed.

Issues related to discovery of BladeCenter and its modules

The issues listed in this section are related to discovery of BladeCenter and its modules.

It is essential to keep current with the latest firmware level for BladeCenter Advanced Management Module (AMM). Having an outdated firmware level for the AMM can prevent the discovery of all the modules. For the latest AMM firmware, refer to the [AMM firmware release matrix](http://www.ibm.com/systems/support/supportsite.wss/docdisplay?Indocid=SERV-AMM&brandind=5000020) page at <http://www.ibm.com/systems/support/supportsite.wss/docdisplay?Indocid=SERV-AMM&brandind=5000020>.

BladeCenter SNMP settings must also be configured correctly for BladeCenter to be discovered and monitored correctly. Follow the instructions in the User's Guide to set up the SNMP settings for the BladeCenter and use Operations Manager Discovery Wizard to discover the BladeCenter as a network device.

1. A management server with multiple NICs may not be able to reliably discover the BladeCenter if there is more than one network connection between the BladeCenter AMM and the management server

If the BladeCenter does not appear as a Network Device in the Operations Manager Console after a discovery, and if the management server for discovery has more than one network connection to reach the BladeCenter AMM, then the discovery will be impacted by an SNMP on multi-NIC binding problem. As a consequence, a discovery of BladeCenter can be intermittent.

Workaround: Use only one network connection between the management server and the BladeCenter AMM by disabling all the other NICs on the management server or through other means to keep the NICs disconnected from the AMM.

2. BladeCenter is discovered, but no modules are discovered after ample time has passed or, modules are discovered intermittently even when Refreshing the modules

The Hardware Management Pack v2.3 or earlier can leave orphan objects in the Operations Manager, which can prevent the BladeCenter module discovery process from flowing. This error happens if you managed a BladeCenter at the same time managing any of its blade servers with the earlier Hardware Management Pack and you deleted only the BladeCenter management pack but not the other objects. In that state, after you reimported the BladeCenter management pack, BladeCenter modules discovery would appear stuck for the new BladeCenter you are adding.

This issue may also appear with the Hardware Management Pack Version 3.0. The orphan objects left behind by the earlier Hardware Management Pack version.

Workaround: Delete all three management packs and then reimport them. Deleting all three management packs forces the Operations Manager to remove any orphan objects created by any of the Hardware Management Pack. After that, BladeCenter module discovery will function properly.

3. Time needed for full discovery of a BladeCenter

After the network device discovery for BladeCenter finishes, it may take up to 2 hours for the BladeCenter module discovery process to begin. Also, it can take up to 6 hours for all the BladeCenter module discovery processes to finish, for their initial health state to be initialized, and for all the states and properties to fully populate in Operations Manager Console.

Workaround: You can override default monitoring interval values to a shorter interval. See the Operations Manager's online help for more information about overrides.

Issues related to health monitoring of BladeCenter

The following are issues related to the health monitoring of BladeCenter.

It is essential to keep current with the latest firmware level for BladeCenter Advanced Management Module (AMM). If you have an outdated firmware level for the AMM, this can prevent getting all the health states needed. For the latest AMM firmware, visit the [AMM firmware release matrix](http://www.ibm.com/systems/support/supportsite.wss/docdisplay?lnocid=SERV-AMM&brandind=5000020) web page at: <http://www.ibm.com/systems/support/supportsite.wss/docdisplay?lnocid=SERV-AMM&brandind=5000020>.

BladeCenter SNMP settings must be configured correctly for BladeCenter to be monitored correctly. Review the settings with the instructions in the User's Guide specifying the BladeCenter SNMP settings.

1. Operations Manager 2007 cannot receive SNMP trap data on Windows Server 2008

If you can discover a BladeCenter successfully with an Operations Manager management server running Windows Server 2008, SNMP traps from the BladeCenter might not propagate to Operations Manager if you do not have a specific hotfix available for System Center Operations Manager 2007. Please see: 'Cannot receive SNMP trap data on Windows Server 2008...' described at: <http://support.microsoft.com/kb/958936/en-us>.

Solution: Install the hotfix for Windows Server 2008 on the Operations Manager management server designated to manage the BladeCenter.

2. A critical "SNMP Trap Generated Alerts" is reported for each BladeCenter event regardless of its severity, if Microsoft's "Network Device Monitoring Library" is imported

The "Network Device Monitoring Library" management pack, made by Microsoft for System Center Essential 2007, treats every SNMP traps it receives as a critical error and does not capture enough relevant data from the SNMP trap. This management pack does not manage BladeCenter, and can confuse IT administrators.

Solution: Delete the "Network Device Monitoring Library" management pack from the Operations Manager.

3. Removing the primary management module in a BladeCenter does not generate an alert to Operations Manager

The primary management module of a BladeCenter cannot generate an alert to Operations Manager when it is removed physically from the BladeCenter, because the original connection to its Operations Manager management server no longer exists.

Note: The stand-by management module must have a different IP address from the primary management module.

Solution/workaround:

You will miss the event of the primary management module removal but full coverage of health monitoring of the BladeCenter can still be achieved if you set up the Operations Manager to monitor the stand-by

management module in addition to the primary management module. You must temporarily make the stand-by management module the active management module while you are adding the BladeCenter to be managed through the stand-by management module.

4. BladeCenter storage modules are not monitored

BladeCenter storage modules are not monitored with the Hardware Management Pack Version 3.0.

Workaround: To manage the BladeCenter storage modules and their disk drives, use the RAIDed SAS Switch Module (RSSM) in the BladeCenter.

5. BladeCenter multi-slot wide blades are reported single-slot wide

BladeCenter multi-slot wide blades are reported as single-slot width if the AMM of the BladeCenter is running at the firmware level BPET50C.

Workaround: Upgrade the AMM firmware to the BPET54D level or later, or, downgrade to the BPET48N level.

6. BladeCenter Media Module can report empty values for the part number and serial number of the Media Tray

Workaround: Upgrade the AMM firmware to the latest firmware level.

7. BladeCenter may not be able to send out all the SNMP traps when the AMM is extremely overloaded

There are extreme conditions that cause the AMM of a BladeCenter to be overwhelmed and it cannot send out all the SNMP traps needed for the Hardware Management Pack to report to the Operations Manager.

Note: Such cases of extreme activity are rare and occur only in extreme conditions such as a catastrophic failure of all the components in a BladeCenter chassis.

8. BladeCenter Media Module may include "Not available" for its module name for a while and for the alert source after it is plugged in

The module name of a BladeCenter Media Module is gathered on a timed interval basis, therefore, the module name for a newly inserted Media Module is provided as "Not available" until it is correctly gathered during the next interval time.

Because the alert source for a Media Module is exactly the module name, the alert source for this Media Module can be displayed as "Not available" for alerts that occur in the time between the insertion of the module and the time the module name is gathered.

Solution/workaround: None available at this time.

Tips about Operations Manager

The following list provides some tips and observations about Operations Manager.

1. Objects discovered with a management pack can disappear after deleting and re-importing the same management too quickly

For the details about this problem, see the “[Discovery information is missing after you delete and then reimport a management pack in Microsoft System Center Operations Manager 2007](http://support.microsoft.com/kb/943307)” article at: <http://support.microsoft.com/kb/943307>.

Note: If you do not wait long enough, reimporting the MP files can result in managed systems that were previously added to the Operations Manager not appearing in the Operations Manager console.

Solution/workaround: See the "Resolution" section of Microsoft's KB article mentioned above.

2. Managed servers can be shown in different health states when managed in more than one management groups

To manage servers that are in more than one Operations Manager management groups make sure the same version of the Hardware Management Pack is used for all the management groups in which the servers belong. Otherwise, you might see inconsistent health states or alert reporting of the servers.

Also, because some of the health states managed by the Hardware Management Pack are updated on a timed interval basis, there can be times that a server is in different health states in different management groups.

Solution/workaround: Make sure the management packs in all the management groups are of the same version.

3. It can take more than a few minutes for state changes to roll up to the topmost level

It might take the Operations Manager Console some time to reflect the final rolled-up state of a highest level object.

Workaround: Do manual refreshes (F5) to force the Operations Manager Console to catch up with the latest data or consult the "Detail" state view of the object for its latest health state.

4. Data disappears in Operations Manager state views after a few scrolling left and right

Data in the health state views might disappear if you scroll left and right often to browse the many columns in the state view.

Workaround: Do manual refreshes (F5) to force Operations Manager Console to catch up with the latest data.

5. "Reset health" through Operations Manager Console can take two minutes or more for the state to roll up to the top-most level of state view

After using Health Explorer to reset the health states the most current data can take two minutes or more to roll up to the top-most state views and reflect the true health state.

Workaround: Do manual refreshes (F5) to force Operations Manager Console to catch up with the latest data.

6. Value of "Path" property of some Operations Manager objects can be empty or wrong

For IBM System x and x86/x64 blade servers: The Path property for some object classes can be empty. The Path property of all the systems in the root Computers view has an empty value but the Path name property of those objects is not empty. The Hardware Management Pack does not explicitly override the Path property for all the objects it creates. The Path property of an object can be empty if that object is based on a class with an empty and the Hardware Management Pack does not override the value explicitly.

For IBM BladeCenter: The value of the Path property of IBM BladeCenter Chassis is correct in the "Details" view in the Operations Manager Monitoring pane, but the value can be incorrect in the tabular state view.

Workaround: Look up the value in the "Details" view of the Operations Manager Console before using the value of the Path in the state list view.

7. Views and columns in the Operations Manager state views do not revert to default settings even after deleting and reimporting the management pack

The Microsoft Operations Manager Console implements "sticky" settings for those personalized views that are remembered from session to session. Such views are remembered even if you delete the Hardware Management Pack and reimport it.

Solution/workaround: With Operations Manager 2007 R2, you can click **Revert to default** while personalizing a view.

8. The height of individual views of an Operations Manager dashboard view cannot be adjusted independently

The Hardware Management Pack utilizes the Operations Manager dashboard view to provide two simultaneous levels of information in the Operations Manager Console. For example, the view of "IBM System x and x86/x64 blade servers" is a dashboard view with two individual state views: the "IBM System x and x86/x64 blade servers" state view and the "IBM Systems Hardware Components" state view. In this case, you cannot adjust the height of one state view independently of the other, because they are part of a dashboard view.

Solution/workaround: None available at this time.

9. Right-click on the blank space in the "All IBM System x and x86/x64 Blade Servers" state view does not bring up the context menu

When you right-click on the blank space between the last system line and the horizontal scroll bar in the "All IBM System x and x86/x64 Blade Servers" state view, no context menu comes up.

Solution/workaround: Right click on other spots in the state view.

10. Warning Alert "Processing backlog events taking long time error" will show when an Operations Manager 2007 SP1 agent is installed on a computer that is running Windows 7 or Windows Server 2008 R2

When an Operations Manager 2007 SP1 agent is installed on a computer that is running Windows 7 or Windows Server 2008 R2, EventID 26017 may be logged. Then a warning alert "Processing backlog events taking long time error" will show.

Solution/workaround: No workaround is required. Ignore the events or upgrade to Operations Manager 2007 R2. Or refer to <http://support.microsoft.com/kb/974722>.

Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information about the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106-0032, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
MW9A/050
5600 Cottle Road
San Jose, CA 95193
U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

Trademarks

IBM, the IBM logo, and ibm.com® are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both. If these and other IBM trademarked terms are marked on their first occurrence in this information with a trademark symbol (or), these symbols indicate U.S. registered or common law trademarks owned by IBM at the time this information was published. Such trademarks may also be registered or common law trademarks in other countries. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at <http://www.ibm.com/legal/copytrade.shtml>.

Adobe, Acrobat, and Portable Document Format (PDF) are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, other countries, or both.

Intel®, Itanium®, and Pentium® are trademarks of Intel Corporation in the United States, other countries, or both.

Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.