

```
# Timestamp = Wed Jan 1 00:00:00 2014
# Timezone = -0600, CST
# Organization = IBM
# Machine Address = 123 Main St
# Machine City = Anytown
# Machine State = NC
# Machine Zip = 99999
# Machine Country = US
# Contact Name = Tom Taylor
# Alternate Contact Name = N/A
# Contact Phone Number = 555-555-1212
# Alternate Contact Phone Number = N/A
# Offshift Phone Number = 555-555-1212
# Alternate Offshift Phone Number = N/A
# Contact Email = juser@ibm.com
# Machine Location = IBM
# Machine Type = 2076124
# Serial Number = XXXXXX
# Machine Part Number =
# System Version = 6.4.1.4 (build 75.3.1303080000)
# Record Type = 6
# Frequency = 7
```

```
# Cluster_VPD:
```

```
id:0000000000000000
name:v7000
location:local
partnership:
bandwidth:
total_mdisk_capacity:73.6TB
space_in_mdisk_grps:73.6TB
space_allocated_to_vdisks:44.86TB
total_free_space:28.8TB
statistics_status:on
statistics_frequency:15
required_memory:0
cluster_locale:en_US
time_zone:513 US/Central
code_level:6.4.1.4 (build 75.3.1303080000)
FC_port_speed:2Gb
id_alias:000000000000
gm_link_tolerance:300
gm_inter_cluster_delay_simulation:0
gm_intra_cluster_delay_simulation:0
email_reply:juser@ibm.com
email_contact:Joe User
email_contact_primary:555-555-1212
email_contact_alternate:555-555-1212
email_contact_location:IBM Datacenter
```

email_state:running
inventory_mail_interval:7
total_vdiskcopy_capacity:44.86TB
total_used_capacity:44.86TB
total_overallocation:60
total_vdisk_capacity:44.86TB
iscsi_auth_method:none
auth_service_configured:no
auth_service_enabled:no
auth_service_pwd_set:no
auth_service_cert_set:no
relationship_bandwidth_limit:25
gm_max_host_delay:5
tier:generic_ssd
tier_capacity:0.00MB
tier_free_capacity:0.00MB
tier:generic_hdd
tier_capacity:73.64TB
tier_free_capacity:28.78TB
email_contact2:
email_contact2_primary:
email_contact2_alternate:
total_allocated_extent_capacity:44.86TB
has_nas_key:no
auth_service_type:tip
layer:storage
rc_buffer_size:48
cache_prefetch:on

End

Cluster_Size:

Number of Nodes in Cluster: 2

Node_VPD:

id 1

system board: 23 fields
part_number 85Y5899
system_serial_number 9999999
number_of_processors 1
number_of_memory_modules 2
number_of_fans 0
number_of_generic_devices 1
number_of_FC_adapters 1
number_of_Ethernet_adapters 2

number_of_SAS_adapters 1
number_of_Bus_adapters 1
number_of_power_supplies 0
number_of_local_managed_disks 0
BIOS_manufacturer American Megatrends Inc.
BIOS_version 124
BIOS_release_date 03/25/2011
system_manufacturer Xyratex
system_product Storage Server
planar_manufacturer Xyratex
CMOS_battery_part_number 85Y5899
frame_assembly_part_number 85Y5899
power_cable_assembly_part_number 85Y5899
service_processor_firmware 332
disk_controller 85Y5899

processor: 6 fields
part_number 85Y5899
processor_location Processor 1
manufacturer Intel
version Intel(R) Xeon(R) CPU C3539 @ 2.13GHz
speed 2128
status Enabled

memory module: 12 fields
part_number 85Y5899
device_location CHA DIMM0
bank_location BANK0
size (MB) 4096
manufacturer Undefined
serial_number 4261482B

part_number 85Y5899
device_location CHB DIMM0
bank_location BANK0
size (MB) 4096
manufacturer Undefined
serial_number 4261491C

Adapter card: 9 fields
card_type FC
part_number 85Y5899
port_numbers 1 2 3 4
location 0
device_serial_number BLANK
manufacturer IBM
device QE8 Fibre Channel Host Adapter
card_revision 0
chip_revision 2.0

Fibre channel port: 44 fields

part_number 85Y5958
manufacturer FINISAR CORP.
device FTLF8528P2BCV-IB
serial_number 99999999999
supported_speeds 2,4,8 Gbps
connector_type LC
transmitter_type SN
wavelength 850
max_distance_by_cable_type OM1:20,OM2:50,OM3:150
hw_revision A
port_number 1

part_number 85Y5958
manufacturer FINISAR CORP.
device FTLF8528P2BCV-IB
serial_number 99999999999
supported_speeds 2,4,8 Gbps
connector_type LC
transmitter_type SN
wavelength 850
max_distance_by_cable_type OM1:20,OM2:50,OM3:150
hw_revision A
port_number 2

part_number 85Y5958
manufacturer FINISAR CORP.
device FTLF8528P2BCV-IB
serial_number 99999999999
supported_speeds 2,4,8 Gbps
connector_type LC
transmitter_type SN
wavelength 850
max_distance_by_cable_type OM1:20,OM2:50,OM3:150
hw_revision A
port_number 3

part_number 85Y5958
manufacturer FINISAR CORP.
device FTLF8528P2BCV-IB
serial_number 99999999999
supported_speeds 2,4,8 Gbps
connector_type LC
transmitter_type SN
wavelength 850
max_distance_by_cable_type OM1:20,OM2:50,OM3:150
hw_revision A
port_number 4

Adapter card: 9 fields

card_type Ethernet
part_number 85Y5899
port_numbers 1
location 0
device_serial_number Unknown
manufacturer Unknown
device Intel (R)82574L Gigabit Ethernet Controller
card_revision Unknown
chip_revision 0.0

Ethernet port: 11 fields
part_number Unknown
manufacturer N/A
device N/A
serial_number N/A
supported_speeds 10,100 Mbps,1 Gbps
connector_type N/A
transmitter_type N/A
wavelength N/A
max_distance_by_cable_type N/A
hw_revision N/A
port_number 1

Adapter card: 9 fields
card_type Ethernet
part_number 85Y5899
port_numbers 2
location 0
device_serial_number Unknown
manufacturer Unknown
device Intel (R)82574L Gigabit Ethernet Controller
card_revision Unknown
chip_revision 0.0

Ethernet port: 11 fields
part_number Unknown
manufacturer N/A
device N/A
serial_number N/A
supported_speeds 10,100 Mbps,1 Gbps
connector_type N/A
transmitter_type N/A
wavelength N/A
max_distance_by_cable_type N/A
hw_revision N/A
port_number 2

Adapter card: 18 fields
card_type SAS
part_number 85Y5899

port_numbers 1 2
location 0
device_serial_number Unknown
manufacturer Unknown
device PMC Sierra 6G SAS/SATA Controller
card_revision Unknown
chip_revision 1.1

card_type Bus
part_number 85Y5899
port_numbers 1
location 0
device_serial_number Unknown
manufacturer Unknown
device PLX 48 lane PCI Express GEN 2 Switch
card_revision Unknown
chip_revision 46.3

device: 8 fields
part_number 85Y5899
bus sata
device 0
model SanDisk pSSD-S2 32GB
revision SSD 6.30
serial_number 105146302532
approx_capacity 29
hw_revision

system code level: 4 fields
id 1
node_name node1
WWNN 0x500507680FFFFFFF
code_level 6.4.1.4 (build 75.3.1303080000)

front panel assembly: 3 fields
part_number 85Y5899
front_panel_id 01-1
dump_name 78XXXXX-1

End

Node_VPD:

id 2

system board: 23 fields
part_number 85Y5899
system_serial_number 9999999
number_of_processors 1
number_of_memory_modules 2

number_of_fans 0
number_of_generic_devices 1
number_of_FC_adapters 1
number_of_Ethernet_adapters 2
number_of_SAS_adapters 1
number_of_Bus_adapters 1
number_of_power_supplies 0
number_of_local_managed_disks 0
BIOS_manufacturer American Megatrends Inc.
BIOS_version 124
BIOS_release_date 03/25/2011
system_manufacturer Xyratex
system_product Storage Server
planar_manufacturer Xyratex
CMOS_battery_part_number 85Y5899
frame_assembly_part_number 85Y5899
power_cable_assembly_part_number 85Y5899
service_processor_firmware 332
disk_controller 85Y5899

processor: 6 fields
part_number 85Y5899
processor_location Processor 1
manufacturer Intel
version Intel(R) Xeon(R) CPU C3539 @ 2.13GHz
speed 2128
status Enabled

memory module: 12 fields
part_number 85Y5899
device_location CHA DIMM0
bank_location BANK0
size (MB) 4096
manufacturer Undefined
serial_number 42614873

part_number 85Y5899
device_location CHB DIMM0
bank_location BANK0
size (MB) 4096
manufacturer Undefined
serial_number 426148F0

Adapter card: 9 fields
card_type FC
part_number 85Y5899
port_numbers 1 2 3 4
location 0
device_serial_number BLANK
manufacturer IBM

device QE8 Fibre Channel Host Adapter
card_revision 0
chip_revision 2.0

Fibre channel port: 44 fields
part_number 85Y5958
manufacturer FINISAR CORP.
device FTLF8528P2BCV-IB
serial_number 999999999999
supported_speeds 2,4,8 Gbps
connector_type LC
transmitter_type SN
wavelength 850
max_distance_by_cable_type OM1:20,OM2:50,OM3:150
hw_revision A
port_number 1

part_number 85Y5958
manufacturer FINISAR CORP.
device FTLF8528P2BCV-IB
serial_number 999999999999
supported_speeds 2,4,8 Gbps
connector_type LC
transmitter_type SN
wavelength 850
max_distance_by_cable_type OM1:20,OM2:50,OM3:150
hw_revision A
port_number 2

part_number 85Y5958
manufacturer FINISAR CORP.
device FTLF8528P2BCV-IB
serial_number 999999999999
supported_speeds 2,4,8 Gbps
connector_type LC
transmitter_type SN
wavelength 850
max_distance_by_cable_type OM1:20,OM2:50,OM3:150
hw_revision A
port_number 3

part_number 85Y5958
manufacturer FINISAR CORP.
device FTLF8528P2BCV-IB
serial_number 999999999999
supported_speeds 2,4,8 Gbps
connector_type LC
transmitter_type SN
wavelength 850
max_distance_by_cable_type OM1:20,OM2:50,OM3:150

hw_revision A
port_number 4

Adapter card: 9 fields

card_type Ethernet
part_number 85Y5899
port_numbers 1
location 0
device_serial_number Unknown
manufacturer Unknown
device Intel (R)82574L Gigabit Ethernet Controller
card_revision Unknown
chip_revision 0.0

Ethernet port: 11 fields

part_number Unknown
manufacturer N/A
device N/A
serial_number N/A
supported_speeds 10,100 Mbps,1 Gbps
connector_type N/A
transmitter_type N/A
wavelength N/A
max_distance_by_cable_type N/A
hw_revision N/A
port_number 1

Adapter card: 9 fields

card_type Ethernet
part_number 85Y5899
port_numbers 2
location 0
device_serial_number Unknown
manufacturer Unknown
device Intel (R)82574L Gigabit Ethernet Controller
card_revision Unknown
chip_revision 0.0

Ethernet port: 11 fields

part_number Unknown
manufacturer N/A
device N/A
serial_number N/A
supported_speeds 10,100 Mbps,1 Gbps
connector_type N/A
transmitter_type N/A
wavelength N/A
max_distance_by_cable_type N/A
hw_revision N/A
port_number 2

Adapter card: 18 fields

card_type SAS
part_number 85Y5899
port_numbers 1 2
location 0
device_serial_number Unknown
manufacturer Unknown
device PMC Sierra 6G SAS/SATA Controller
card_revision Unknown
chip_revision 1.1

card_type Bus
part_number 85Y5899
port_numbers 1
location 0
device_serial_number Unknown
manufacturer Unknown
device PLX 48 lane PCI Express GEN 2 Switch
card_revision Unknown
chip_revision 46.3

device: 8 fields
part_number 85Y5899
bus sata
device 0
model SanDisk pSSD-S2 32GB
revision SSD 6.30
serial_number 105146302839
approx_capacity 29
hw_revision

system code level: 4 fields
id 2
node_name node2
WWNN 0x500507680FFFFFFF
code_level 6.4.1.4 (build 75.3.1303080000)

front panel assembly: 3 fields
part_number 85Y5899
front_panel_id 01-2
dump_name 78XXXXX-2

End

License_Information:

used_flash 0.00
used_remote 0.00
used_virtualization 0.00

license_flash 0
license_remote 0
license_virtualization 0
license_physical_disks 0
license_physical_flash off
license_physical_remote off
used_compression_capacity 0.00
license_compression_capacity 0
license_compression_enclosures 0

End

Controller_Information:

Number of Controllers in Cluster: 0

End

Host_Information:

Number of Hosts connected to the Cluster: 11

Host Details:

Host Id	SAN Ports	iSCSI Ports
0	2	0
1	2	0
2	2	0
3	2	0
4	1	0
5	4	0
6	4	0
7	4	0
8	1	0
9	2	0
10	2	0

End

Enclosure_Information:

Number of Enclosures in the Cluster: 5

Enclosure Details:

Model Type	Serial Number	FRU Part Number
2076-124	9999999	85Y5897
11S85Y6051YG50CG121HVB		
2076-224	9999999	85Y5897
11S00Y2524YG10CG33JERW		
2076-224	9999999	85Y5897

11S00Y2524YG10CG33KF96		
2076-212	9999999	85Y5896
11S85Y6047YG10CG36JHME		
2076-224	9999999	85Y5897
11S00Y2524YG10CG38CC0Y		

End

RAID_Information:

Number of RAID Arrays in the Cluster: 14

RAID Details:

Raid Level	Number of Disks	Capacity in TB
Raid0	0	0
Raid1	0	0
Raid5	14	73
Raid6	0	0
Raid10	0	0

End

Drive_Information:

Number of Drives in the Cluster: 108

Drive Details:

FRU Identity	Vendor ID	Product Id	FRU Part Number
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02HQZ	B546		
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02CSJ	B546		
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX01KZP	B546		
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX0390D	B546		
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX0392H	B546		
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02F9R	B546		
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX027B1	B546		
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02ZCA	B546		
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX03839	B546		
	IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX037GV	B546		
	IBM-207x	ST9450404SS	85Y5863

11S49Y7404YXXX6XX02ZRP	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02585	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX03F9X	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX024W6	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX01EBZ	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX03H24	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX03FEG	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02FAQ	B546	
IBM-207x	ST9450405SS	00L4520
11S49Y7425YXXX6XQ1EAYY	B55D	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02GVQ	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02FJJ	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02BDG	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX02YRH	B546	
IBM-207x	ST9450404SS	85Y5863
11S49Y7404YXXX6XX0347P	B546	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWNT9F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWETXF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW3T4F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWHJ3F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW9W5F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWHH4F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWHREF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWBJSF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWD6PF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWMWJF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHMMWAF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683

11S49Y7448YXXXKNHWKDTF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWGBJF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWMGJF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWBKTF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWHR9F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWEJPF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWE7KF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWLB0F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWB8NF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW8X3F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWLDXF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWEHAF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWMH0F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWP6DF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWH2GF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW71XF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWHPMF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW4JHF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW73GF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW6ZMF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW2V3F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW4EDF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW3DGF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW4ZZF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW5ASF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683

11S49Y7448YXXXKNHWM5GF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHMM9TF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWA6F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHVJDJF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWK5AF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW86AF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW3VKF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWP85F	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWPEVF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW50DF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHWGVJF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNHW2GTF	J2E6	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKXV10F	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYAXBF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYHHVF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYJ18F	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYHH8F	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKY9BBF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYJ4MF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKZHTWF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKZHDYF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYPL5F	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKY8L7F	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYHMF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKZHE7F	J2E9	
IBM-207x	HUC109060CSS60	00Y2683

11S49Y7448YXXXKNKYPKHF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKY9WGF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYPBEF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYHEWF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKZURJJ	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYHMKF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYB00F	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKZT5HJ	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKYD0ZF	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKZSG1J	J2E9	
IBM-207x	HUC109060CSS60	00Y2683
11S49Y7448YXXXKNKZUTZJ	J2E9	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KLD2	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KLG0	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KLGE	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KCLK1	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KMMJJ	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KMT2	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KMLR	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KLZH	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KMR2	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KLYZ	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KLDV	BC5A	
IBM-207x	ST4000NM0023	00AR144
11S00D5317YXXXZ1Z1KLNJ	BC5A	

End

MDisk_Information:

Number of MDisks in the Cluster: 14

MDisk Details:

Mode	Number of MDisks	Max Size
Internal	14	18627 GB
External	0	0 GB

End

Easy_Tier_Information:

Number of MDiskGrps in the Cluster: 3

Number of Easy Tier MDiskGrps in the Cluster: 0

End

VDisk_Information:

Number of VDIs in the Cluster: 268

VDisk Details:

IO Group	Number of VDIs	Max Size
IO Group 0	268	12288 GB
IO Group 1	0	0 GB
IO Group 2	0	0 GB
IO Group 3	0	0 GB
IO Group 4	0	0 GB

Type	Virtual Capacity	Real Capacity	Used Capacity
Uncompressed	Used Capacity		
Thin	0 GB	0 GB	0 GB
0 GB			
Compressed	0 GB	0 GB	0 GB
0 GB			

End

FlashCopy_Information:

Number of FC Maps defined on the Cluster: 0

Number of FC Consistency Groups defined on the Cluster: 0

Number of Incremental FC Maps defined on the Cluster: 0

End

RemoteCopy_Information:

Number of RC Relationships defined on the Cluster: 0

Number of RC Consistency Groups defined on the Cluster: 0

End

Node_Hardware:

```
id 1
name node1
status online
IO_group_id 0
IO_group_name io_grp0
hardware 100
actual_different no
actual_valid yes
memory_configured 8
memory_actual 8
memory_valid yes
cpu_count 1
cpu_socket 1
cpu_configured 4 core Intel(R) Xeon(R) CPU C3539 @ 2.13GHz
cpu_actual 4 core Intel(R) Xeon(R) CPU C3539 @ 2.13GHz
cpu_valid yes
adapter_count 5
adapter_location 0
adapter_configured Four port 8Gb/s FC adapter
adapter_actual Four port 8Gb/s FC adapter
adapter_valid yes
adapter_location 0
adapter_configured 1Gb/s Ethernet adapter
adapter_actual 1Gb/s Ethernet adapter
adapter_valid yes
adapter_location 0
adapter_configured 1Gb/s Ethernet adapter
adapter_actual 1Gb/s Ethernet adapter
adapter_valid yes
adapter_location 0
adapter_configured High Speed SAS adapter
adapter_actual High Speed SAS adapter
adapter_valid yes
adapter_location 0
adapter_configured Midplane bus adapter
adapter_actual Midplane bus adapter
adapter_valid yes
ports_different no
```

End

Node_Hardware:

id 2

name node2
status online
IO_group_id 0
IO_group_name io_grp0
hardware 100
actual_different no
actual_valid yes
memory_configured 8
memory_actual 8
memory_valid yes
cpu_count 1
cpu_socket 1
cpu_configured 4 core Intel(R) Xeon(R) CPU C3539 @ 2.13GHz
cpu_actual 4 core Intel(R) Xeon(R) CPU C3539 @ 2.13GHz
cpu_valid yes
adapter_count 5
adapter_location 0
adapter_configured Four port 8Gb/s FC adapter
adapter_actual Four port 8Gb/s FC adapter
adapter_valid yes
adapter_location 0
adapter_configured 1Gb/s Ethernet adapter
adapter_actual 1Gb/s Ethernet adapter
adapter_valid yes
adapter_location 0
adapter_configured 1Gb/s Ethernet adapter
adapter_actual 1Gb/s Ethernet adapter
adapter_valid yes
adapter_location 0
adapter_configured High Speed SAS adapter
adapter_actual High Speed SAS adapter
adapter_valid yes
adapter_location 0
adapter_configured Midplane bus adapter
adapter_actual Midplane bus adapter
adapter_valid yes
ports_different no

End