

BPA 3DSmartDocCreator >

- <TC9> -

Installation Guide – V1.8

BPA Delivery 8 for V5R20 (V5.8)

3DSmartDocCreator – Business Process Accelerator
Do not reproduce, copy or use without a license from Dassault Systèmes
© 2010. Dassault Systèmes. All Rights Reserved.

Table of Contents

Installation Guide – V1.8	1
MODIFICATION TRACKING.....	0
Table of Contents.....	1
List of figures and tables	2
Copyright Notice.....	3
1. Introduction	4
1. Related Documentation.....	4
2. Definitions	4
Variables	4
Pictograms	4
3. Prerequisite for 3DSmartDocCreator Installation	5
Hardware requirements.....	5
Software requirements	5
Required disk space	5
2. 3DSmartDocCreator Client installation	6
1. Before Installing	6
2. 3DSmartDocCreator Client package description	6
SetUp files	6
3. 3DSmartDocCreator Client Installation.....	7
3. Configuring 3DSmartDocCreator Client.....	10
1. 3DSmartDocCreator Client Configuration	10
1. Modifying existing/used Database.....	10
3. Create Profile Cards for Admin Classes	19
4. Create Profile Cards for Composer Project Class and Composer File Class	20
5. Create Filetypes	22
6. Add Application Informations	22
7. Editing the Script Hooks	24
8. Add LifeCycle Rules	26
9. Setting the licensing mechanism for 3DSmartDocCreator Client.....	28
Appendix A: Creating a Nodelock file	29
Appendix B : Enrolling a Concurrent license on the Network license server	29
10. Create a Mapping Group type and a Mapping Group to store 3D Data into the Composer Meta XML Files	32
11. Add all Administrator Settings to use 3DSmartDocCreator Client	34
12. Create a Toolbar for the Client Functions.....	41
13. Install Product for zipping	42
14. Changing Path of log files	43
15. Installation Checklist	44

List of figures and tables

Error! No table of figures entries found.

Table 1 - Variables.....	4
Table 2 - Ideograms	5

Copyright Notice

Copyright © 2010, Dassault Systèmes. All rights reserved.
© 2010, SmarTeam Corporation Ltd. All rights reserved.

1. Introduction

This document describes the installation procedure for the BPA 3DSmartDocCreator Client

This document is divided into the following sections:

- 3DSmartDocCreator Client Installation
- Configuring 3DSmartDocCreator Client

1. Related Documentation

Related Documentation for Configuring the 3DSmartDocCreator Client

- TC9 Delivery8 UserGuide.doc
- SmarTeam Administration Guide
- SmarTeam Installation Guide

2. Definitions




Variables

Proposed examples:

Name	Definition
HOME	The selected directory for BPA Server installation
<CATIA Install Directory>	The directory of CATIA installation
<OS_Root_directory>	The operating system root directory (typically C:\)
<BPA License Directory>	The installation directory for BPA license files
<Path>	Variable for search path

Table 1 - Variables

Pictograms

Symbol	Usage
	Step The step symbol signals that a sequence of work operations is given.
	Information The info symbol signals background information.
	Tip The lamp symbol signals a tip that offers you practical experience to make your work easier.


	<p>Warning: The warning symbol signals critical moments to which you should pay attention in order to avoid problems in your work process.</p>
---	---

Table 2 - Ideograms

3. Prerequisite for 3DSmartDocCreator Installation

Hardware requirements

- See SmarTeam Hardware requirements

Software requirements

Software requirements for 3DSmartDocCreator Client

- SmarTeam Client Installation
- 3DVIA Composer
- Operating System : Windows XP SP3

Required disk space

- See SmarTeam Hardware requirements

2. 3DSmartDocCreator Client installation

1. Before Installing


- Be sure that SmarTeam Editor is installed on your PC and you have the rights to copy files to your Scripts and Icons Directory of your SmarTeam Installation
- Check for SmarTeam Scripts and Icons installation folder
- Dot Net Framework 3.5 SP2 is installed
- Be sure you are a SmarTeam Administrator to use the administration tools

2. 3DSmartDocCreator Client package description


SetUp files

The Installation Media contains following files under the folder 3DSmartDocCreatorClient in the SmarTeam installation folder


\ 3DSmartDocCreator



\Icons (inside SmarTeam installation)



\\Scripts (inside SmarTeam installation)



\\Composer


- Template.smgProj
- Template.smgSce
- Template.smgView
- Template.smgXml

3. 3DSmartDocCreator Client Installation


1.) The installation is done through installation software. Please execute the “setup.exe” from the delivered or existing media




2.) Key in your preferred User Name and Organisation:




3.) Choose the installation type as Client. If you choose this type 3DSmartDocClientClient will be installed.



4.) Click Install to begin the installation on your machine:



5.) Click Finish to complete the installation.



3. Configuring 3DSmartDocCreator Client

1. 3DSmartDocCreator Client Configuration

The Client Configuration contains these steps

- Modify existing Datamodel
 - Add Composer Classes
 - Add Admin Classes
 - Add Link Classes
- Create Profile Cards for Admin Classes
- Create Filetypes
- Create Admin Objects
- Implement Script Hooks
- Implement menu Commands
- Changing path of log files (if needed)


1. Modifying existing/used Database

a.) Add Composer Classes. You can add these classes on the structure level of your choice.

- Add a "Composer Project" Class to the Document Superclass
- Add a "Composer File" Class to the Document Superclass


b.) Add Admin Classes

If you use SmarTeam R17 or higher you can select the Admin Database Mechanism to get the Admin Classes into your Datamodel.




If you use SmarTeam R16 or a converted Database you have to add the Admin Classes manually.


- Start the SmarTeam Data Model Designer and add the Superclass : Admin
Define Class as shown in the Picture:




- Add Leafclasses:
 - Admin Folder
 - Messages
 - Settings
 - Admin Setting
 - User Setting
- Add Fields to the Admin Class
 - SUBJECT



- Add Fields to the Message Leaf Class
 - Original Message




Message




Add Fields to the Settings Leaf Class

Section -> TDMX_SECTION




First Value -> TDMX_VALUE_1




- Do the same values for
 - Second Value -> TDMX_VALUE_2
 - Third Value -> TDMX_VALUE_3
 - Fourth Value -> TDMX_VALUE_4

- Long Value -> TDMX_VALUE_LONG




- 1st value Desc -> TDMX_VALUE_DESCRIPTION_1



- Do the same values for :
 - TDMX_VALUE_DESCRIPTION_2
 - TDMX_VALUE_DESCRIPTION_3

- TDMX_VALUE_DESCRIPTION_4
- TDMX_VALUE_DESCRIPTION_LONG

○ Instructions -> TDMX_INSTRUCTIONS




The screenshot shows the 'Definition' window for the class 'TDMX_INSTRUCTIONS'. On the left, a tree view shows the class hierarchy: Fields (Section, First Value, Second Value, Third Value, Fourth Value, Long Value, 1st value Desc, 2nd value Desc, 3rd value Desc, 4th value Desc, Long value Desc) and Admin Setting (Fields (Section, First Value)). The 'Instructions' class is selected under the 'Fields' icon. The 'Definition' window contains the following fields:

Name:	TDMX_INSTRUCTIONS	Mandatory:	<input type="checkbox"/>
Type:	String4000		
Size:	4000	Display:	Instructions
Language:	English	Description:	Instructions
Sensitive:	Default Wide		

Click on a Class name in order to define its Index. In the Definition window, you can view the previously defined Class definitions. In the Index window, define the Index (unique primary identifier) of the Class. Click on the Fields icon in order to define Attributes for the

▪ User Id -> TDMX_USER_ID





The screenshot shows the 'Definition' window for the class 'TDMX_USER_ID'. On the left, a tree view shows the class hierarchy: Instructions, User Setting, Fields (Section, First Value, Second Value, Third Value, Fourth Value, Long Value, 1st value Desc, 2nd value Desc, 3rd value Desc, 4th value Desc, Long value Desc), Instructions, and User ID. The 'User ID' class is selected under the 'Fields' icon. The 'Definition' window contains the following fields:

Name:	TDMX_USER_ID	Mandatory:	<input type="checkbox"/>
Type:	Reference to Class	Reference:	Users
Size:	4	Display:	User ID
Language:	English	Description:	User ID
Sensitive:	Default Wide		

Click on a Class name in order to define its Index. In the Definition window, you can view the previously defined Class definitions. In the Index window, define the Index (unique primary identifier) of the Class. Click on the Fields icon in order to define Attributes for the


b.) Add “Composer Project” Class and “Composer File” Class to the Document Super Class described in the screenshot




Add all additional Fields to this new classes you want to use. There are no special Fields required by the BPA.

c.) Add Composition Informations to the “Document Tree Link Class”

1.) Activate the possibility to add a “Composer Project” to a “Folder”




2.) Activate the possibility to add 3D Documents as children to the Composer Project:



d.) Add link Classes to the Database.

- Add the link class that links the used 3D Documents with the “Composer Project” Class. This link class is a additional documentation link class: Composer Document Relation



Definition | Index | Display Order

Class Name: Composer Document Relation

Display Name: Composer Document Relation

Table Name: TN_LINK_00432

Display Names for Directions:

Normal: Documents

Reverse: Documents

Icons: Normal (None), Reverse (None)

Class mechanisms:

- ☐ Date Effectivity
- ☐ Default Link
- ☐ Directional Link
- ☐ Planned Activities Dependency Link
- ☐ Planned Activities Resource Link
- ☐ Planning Planning Document Link
- ☐ ProE Attributes
- ☐ Project Planning Link
- ☐ Resource Task Link

Linked Classes:

Documents

Documents

On this screen:


1. Click on "Links" item in a Tree in order to add or delete user-defined Link Classes.
2. Click on "Fields" item in a Tree in order to add or delete user-defined Attributes to a Link

This link class should be “Directional”

Name the normal Direction : Composer used 3D

Name the Reverse Direction: 3D used by Composer

- Add a link class that links the Composer and the Items. If you have not an Item Class don't create this link class



Definition | Index | Display Order

Class Name: Composer Item Relation

Display Name: Composer Item Relation

Table Name: TN_LINK_00429

Display Names for Directions:

Normal: Items

Reverse: Documents

Icons: Normal (Document icon), Reverse (Document icon)

Class mechanisms:

- ☒ Date Effectivity
- ☒ Unit Effectivity
- ☐ Default Link
- ☐ Directional Link
- ☐ Planned Activities Dependency Link
- ☐ Planned Activities Resource Link
- ☐ Planning Planning Document Link
- ☐ ProE Attributes
- ☐ Project Planning Link

Linked Classes:

Items

Documents


On this screen:

1. Click on "Links" item in a Tree in order to add or delete user-defined Link Classes.
2. Click on "Fields" item in a Tree in order to add or delete user-defined Attributes to a Link

e.)



If you want to map Item related data to your 3DVIA Composer files without saving the related 3D Cad documents you can add an additional identifier to the Item Superclass. Please add Attribute "CN_RELATED_INSTANCE" to the Item Superclass..



SMARTeam Data Model Designer

File View Tools Help

Define class attributes and indexes

Definition

Name: Mandatory ☐

Type:

Size: Display:

Language: Description:

Sensitive:

Click on a Class name in order to define its Index. In the Definition window, you can view the previously defined Class definitions. In the Index window, define the Index (unique primary identifier) of the Class. Click on the Attributes icon in order to define Attributes for


Close < Back Next > Create Help

Mode: Modify

3. Create Profile Cards for Admin Classes

Create Profile Cards for the newly created Admin Classes

Admin Folder should like :




You should create a new Sequence to be used in the TDMX_ID Attribute like:



And use the new Sequence as Mask.

Create a Profile Card for : Admin Setting like:



And use the same Sequence for the Mask.

4. Create Profile Cards for Composer Project Class and Composer File Class

For the new classes you have to create the Profile Cards. Please open the Form Designer and define your Forms like:

Working Form - Composer Project : Attribute Profile Card

Composer Project

ID * **Revisor** *

State: **Phase:**


CAD Identifier:



Description

Detailed Description:

Item Number:

Design Configuration:



Approval Date:  **Approved By:** 

[General](#) / [File Information](#) / [System Info](#) /

Please don't forget to choose a proper Sequence for the ID Field. Do the same for the "Composer File" Class:

Working Form - Composer File : Attribute Profile Card



Composer File

ID * **Revisor** *

State: **Phase:**

Description

Detailed Description:

Approval Date:  **Approved By:** 

[General](#) / [File Information](#) / [System Information](#) /

5. Create Filetypes

Add relevant Filetypes to the SmarTeam environment:


Use the Tool for change Lookup Tables and add following Filetypes to the Filetype Table:

- Composer Project
- Composer Geom
- Composer Meta File
- Composer View File
- Composer Scene File
- Composer Style


6. Add Application Informations

Add the Application Information to the Filetype :Composer Project.



Use the Application Setup Tool from SmarTeam



Use the ComposerStarter Exe-file from your SmarTeam/Bin Directory



Add the 3DVIA Composer Viewer OCX into the SmarTeam Viewer Settings:



7. Editing the Script Hooks

Add the necessary Script Hooks to the SmartTeam Environment. Use the Script Maintenance for these actions.

a.) User defined Script Hooks:

Based on the Class “Composer Project” add these User defined Scripts:

Operation Name	Script File	Function Name in Script File
RefreshByLatest	SmartDocCreator.bs	RefreshToLatest
RefreshFiles	SmartDocCreator.bs	RefreshFileToWorking
SaveSceneFile	SmartDocCreator.bs	SaveSceneFile
SaveViewFile	SmartDocCreator.bs	SaveViewFile
UpdateMetaData	SmartDocCreator.bs	UpdateAllCompXMLFiles

Based on the Design Classes for Part and Assembly add these User defined Scripts:

Operation Name	Script File	Function Name in Script File
AddCompProject	SmartDocCreator.bs	AddComposerProject
CreateAllGeomFiles	CreateJobFile.bs	CreateGeomFiles
CreateGeomFile	CreateJobFile.bs	CreateGeomFile
Update Composer Metainformation	SmartDocCreator.bs	UpdateCompXMLFile
ReplaceSelectedVersion	SmartDocCreator.bs	ReplaceSelectedVersion

Based on the Item Super Class User defined Scripts:

Operation Name	Script File	Function Name in Script File
Update Composer Metainformation	SmartDocCreator.bs	UpdateCompXMLFile

c.) Operation driven hooks

Based on the Class “Composer Project” add these Operation hooked Scripts:

Operation/Hook	Script File	Function Name in Script File
Delete/Instead	SmartDocCreator.bs	DeleteComposerProject
CheckOut/After (only R16->R18)	SmartDocCreator.bs	LifeCycleComposerProject
CheckIn/Instead	SmartDocCreator.bs	LifeCycleComposerProject
Release/Instead	SmartDocCreator.bs	LifeCycleComposerProject
New Version/After (only R16->R18)	SmartDocCreator.bs	LifeCycleComposerProject
MakeObsolete/Instead	SmartDocCreator.bs	LifeCycleComposerProject
ADD/Before	SmartDocCreator.bs	BeforeAddComposerProject



If you use SmarTeam R19 and higher please add these Operation hooked scripts. This results through new LifeCycle behaviours in R19

Operation/Hook	Script File	Function Name in Script File
Lifecycle Stage 2 / After (has to be placed on SuperClass Level)	SmartDocCreator.bs	LFVaulttoLocal

Based on the Class “Part” and “Assembly” add these Operation hooked Scripts:

Operation/Hook	Script File	Function Name in Script File
CheckIn/After	CreateJobFile.bs	CreateGeomFile
Release/After	CreateJobFile.bs	CreateGeomFile


Based on the Tree-link Class “Documents”

Operation/Hook	Script File	Function Name in Script File
Add/After	SmartDocCreator.bs	AfterAddAssembly

8. Add LifeCycle Rules


To prevent lifecycling of linked 3D Documents when Composer Project is lifecycled you have to add the following rules:

Please open the Lifecycle Rules Setup and switch to the Class Rules Area:



1.) “Check Out” and “New Release General Link Rules “Reverse Direction””


Add class rules for Composer Project to prevent automatic linking between 3D and Composer Projects:



Please do this for both commands : Check Out, New Release

2.) “Check Out” and “New Release General Link Rules “Normal Direction””

Add class rules for Composer Project to for automatic linking between 3D and Composer Projects during out of VAULT operations:




Your normal directional Composer 3D Relation

Please do this for both commands : Check Out, New Release

3.) “Check Out” and “New Release Tree Rules”

Add class rules for Composer Project to prevent automatic Copy of 3D Objects.




Your Document Superclass

Add the same Rule with the same Settings for the Original Operation “New Release”

4.) "Check In", "Release", "Obsolete"

Add class rules for Composer Project to prevent automatic Lifecycle of 3D



Your Document Superclass

Add another Rule also for "Release" and "Make Obsolete"

Add the same Rule with the same Settings for the Original Operation "Release" and "Make Obsolete"

9. Setting the licensing mechanism for 3DSmartDocCreator Client

License management

Information

Software Requirements

- The license server should have IBM LUM 4.6.8.3 installed

3DSmartDocCreator V5.8 or higher requires a license.

To ask a license, the following information must be provided:

- Product Name: This is the BPA trigram.
- License Type: Nodelock or concurrent.
- Number of License: 1 for Nodelock, >0 for Concurrent
- LUM targetID: Provide the target id (run i4target in a DOS window)
 - On Client side for Nodelock
 - On Server side for Concurrent

On receiving the license:

- For Nodelock type of license
 - Modify/ Create Nodelock file by inserting necessary information (VendorID, ProductPassword) - See Appendix A
- For Concurrent type of license
 - Enroll the license on the LUM server - See Appendix B


Appendix A: Creating a Nodelock file

Nodelock file: how to proceed

You should input yourself the parameters of your License into the nodelock file (create it if doesn't exist)

- This file is located in C:\Documents and Settings\All Users\Application Data\IBM\LUM\nodelock
- You should extract from the .lic file the following informations :
 - VendorID (looks like an UUID)
 - ProductPassword (a crypted key)
 - ProductAnnotation (should be unset)
 - ProductVersion (should be set to 1)
- And insert them in nodelock file by respecting the order
 - # comment : put your BPA trigram and its range date
 - vendorID ProductPassword ProductAnnotation ProductVersion

Example:




```
# CP9 from 15-Jul-08 to 14-Jul-09
c6c8ef44bcb7.4a.74.95.13.1f.00.00.00 r8ezikjzgsvk9fzf7fe3p2gn3eaa "" "1"
```

Appendix B : Enrolling a Concurrent license on the Network license server


Setting up the Network License server:

Start > Programs> License Use Runtime > Configuration tool


- Stop the service if needed using the Service Manager Tool.
- Ensure that the option for Network License Server is selected




- Switch to the Direct Binding tab.
- In the Name field enter the machine name
- Check the box for NetworkLS and click on Add button






- Close the Configuration Tool window and validate accepting the changes



- Pass the message to restart the service (if previously it was stopped)






Service	Name	Status	Description
	I4LLMD.EXE	Started	Nodelock License Server
	I4LMD.EXE	Started	Network License Server


Enrolling the Concurrent License

Start > Programs> License Use Runtime > Basic License Tool

- Select Product / Enroll/
 - Choose Single or Multiple depending on whether you want to enroll a single or multiple licenses at a time.



- Click on Import button



The 'Enroll Product' dialog box contains the following fields:

- Product:** Product Name, Product Version
- License:** License Password, License Serial Number, License Annotation
- Vendor:** Vendor Name (dropdown), Vendor ID, Vendor Password
- Server name:** (dropdown)

Buttons at the bottom: OK, Import... (highlighted), Cancel, Help.


Please refer to the DS BPA License Management Documentation.

10. Create a Mapping Group type and a Mapping Group to store 3D Data into the Composer Meta XML Files

3DSmartDocCreator offers the possibility to store 3D Meta Data into the SmgXml files of the composer. Later on in the composer you can use these informations to do “Call Outs” or “Annotations”.


To use 3D Data you have to add a Grouptype and a Property Group the the CATIA Integration Rules.

1.) Please open the CATIA Group with the Admin Tool : Integration Tool Setup :



2.) Add a new Mapping Group type : 3DVIA Composer


Open this new Group type:



3.) Add a new Mapping Group : Properties


Now you can add Attributes that are exposed into the SmgXml File.

You see here some examples




3DSmartDocCreator is following these mechanism:

- 1.) The Property Name will be the Property Name in the 3DVIA SmgXml file
- 2.) The Property Description will be the Property Description in the 3DVIA SmgXml file



3.) The Attribute name is the value from SmarTeam from the selected Class that is exposed into the 3DVIA SmgXml

The result is like this inside the 3DVIA Composer:



11. Add all Administrator Settings to use 3DSmartDocCreator Client



Tip


Be sure you have following Information's of you SmarTeam Environment:

- Class Id from the Document Super Class
- Class Id from the 3D Assembly Class
- Class Id from the Items Super Class
- Class Id from the Item Class
- Class Id from the Lookup Table : File type
- Class Id from the Link Class: Composer Document Relation
- Class Id from the Link Class : Composer Item Relation
- Fieldname of your Description in the Document Class

	<ul style="list-style-type: none"> Id Fieldname of your Identifier in the Document Super Class
--	---

Add all necessary Admin Objects to the database

1.) Add a Admin Folder : 3DVIA Composer to a Project Desktop of your choice:



2.) Add these Admin Settings to this folder:

Description	Section	Subject
General Composer Settings	SmartDocCreator	Composer
Geometry Files Location	GeomFiles	Composer
Composer-Project Assembly Mappinginformation	AssemblyMapping	Composer
Composer-Project Item Mappinginformation	ItemMapping	Composer
Composer-Structure Item Mappinginformation	StructureItemMapping	Composer

3.) Add the Admin values to the created Admin Settings:

General Composer Settings:

Admin Settings

ID:	*	ADM-0000194
Description:	General Composer Settings	
Section:	SmartDocCreator	Subject: Composer

First Value:	TDM_DESCRIPTION	Desc.:	Description Field Document Super Class
Second Value:	C:\Programme\SMARTTEAM\CAD T	Desc.:	template prefix for project, sce, and view-
Third Value:	432	Desc.:	Linkclass Id for linking Assembly and Co
Fourth Value:	429	Desc.:	Linkclass Id for linking Item and Compos
Description:	ID-Field-Documents;CLASS-ID File Type;Document SuperClassId;Item SuperClassId;AssemblyCI		
Long Value:	TDMX_ID;18;92;109;100;113		

First Value : Description Field that is used in Documentation Super Class

Second Value : Your composer template folder path including “\template” at the end

Example : c:\program files\smarteam\templates\composer\template. You have copied default templates to this directory during the installation.

Third value: Class Id of your “Composer Document Relation” link class

Fourth value: Class Id of your “Composer Item Relation” link class

Long Value: six values separated by a “;”:

- ID Field in the Document Super Class, mostly “CN_ID”, “TDM_ID” or “TDMX_ID”
- Class Id of the lookup Table “Filetype”
- Document Super Class Id
- Items Super Class id
- 3D Assembly Class Id
- Item Class Id

Geometry Files Location

Admin Settings	
ID:	* ADM-0000195
Description:	Geometry Files Location
Section:	GeomFiles
Subject:	Composer
First Value:	e:\composer\GeomFiles
Desc.:	Serverpath of actual Geomfiles

First Value: Shared Server Path where the converted Files (SmgXml and Geom) are placed
 Example: [\\Server1\ComposerFiles](#)

Composer Assembly Mapping Information

Admin Settings	
ID:	* ADM-0000196
Description:	Composer-Project Assembly Mappinginformation
Section:	AssemblyMapping
Subject:	Composer
First Value:	3DVia Composer
Desc.:	GroupType
Second Value:	Properties
Desc.:	Mapping Group
Third Value:	
Desc.:	
Fourth Value:	
Desc.:	
Description:	Fieldname Assembly:Fieldname Composerproject;Fieldname Assembly:Fieldname Composerproj
Long Value:	TDMX_CAD_IDENTIFIER:TDMX_CAD_IDENTIFIER:TDM_DESCRIPTION:TDM_DESCRIPTION:TDMX_RELATED_ITEM_ID:TDMX_RELATED_ITEM_ID

First Value : The Mapping Group Type corresponding to the created Mapping Group Type in the Integration Tool Setup (Section CATIA)

Example : 3DVIA Composer

Second Value : The Property Group corresponding to the created Group Type in the Integration Tool Setup (Section CATIA)


Example : Properties

Long Value: Here you can define which values from the “Starting 3D Assembly” should be copied to the “Composer Project” during the creation. Fieldname Assembly Class:Fieldname Composer Project Class


Seperated by “,”

Example: TDM_DESCRIPTION:TDM_DESCRIPTION;TDMX_RELATED_ITEM_ID;ITEM_ID

Result:



Composer Project Item Mapping Information




Long Value: Here you can define which values from the related Item of the “Starting 3D Assembly” should be copied to the “Composer Project” during the creation. Fieldname Item Class:Fieldname Composer Project Class

Separated by “,”


Example: TDM_DESCRIPTION:ItemDescription:Item Description:40;REVISION:ItemRevision:Item

Result



The image shows two software windows. The left window, titled 'Item', contains fields for ID (MA 1234), Revision (A), State (In Work), Previous Revision, Phase (Preliminary Design), Description (Wheel Housing CF 56), Item Type (Make), Unit of Measure (Each), Long Lead Item, Service Item, Flow Process, Flow Status, and Comments. The right window, titled 'Add Object', shows the 'Composer Project' form with fields for ID (DDC-0000183), Revision (a.0), State, Phase, CAD Identifier (ASY-0000053 - Mainassembly), Description (Root Assembly Housing), Detailed Description (Wheel Housing CF 56), Item Number (MA 1234), Design Configuration, Flow Process, Flow Status, Comments, Approval Date, and Approved By. An arrow points from the 'Description' field in the 'Item' form to the 'Detailed Description' field in the 'Composer Project' form.

Composer Structure Item Mapping Information



The image shows the 'Admin Settings' form for 'Composer Structure Item Mapping Information'. The form includes fields for ID (ADM-0000198), Description (Composer-Structure Item Mappinginformation), Section (StructureItemMapping), and Subject (Composer). Below these are four rows of 'First Value' and 'Desc.' fields. The 'Description' field contains the text 'Fieldname Item:Propertyname XML File:Label XML File:Fieldname Item:Propertyname XML File:'. The 'Long Value' field contains the text 'TDM_DESCRIPTION:ItemDescription:Item Description:40;REVISION:ItemRevision:Item Revision:10;TDM_DETAILED_DESCRIPTION:ItemDetailedDescription:Item Detailed Description:400;TDMX_COST:ItemCost:Item Cost:20'.


Long Value: Here you can define which values from the related Item of the used 3D Files should be exposed to the “Composer Project” SmgXml Files

The Syntax is separated with a “;” at the end and with a “:” between

- Fieldname Item Class that has to be evaluated
- Property Name in the SmgXml File of the 3DVIA Composer
- Property Description in the SmgXml File of the 3DVIA Composer
- Maximum length of the value

Example: TDM_DESCRIPTION:ItemDescription:Item Description:40

Result:



Linked Parent (level)	21170616.prt (level 1)
Text linked property	Text String
Attach	Text String
Type	Properties
Shape	BOM Id (Actor.BomId)
Shape	Name (Actor.Name)
Color	Opacity (Actor.Alpha)
Opacity	Meta-properties
Line	3D Creation date (Meta.CreationDate)
Show	3D Description (Meta.AssemblyDescription)
Width	3D Detailed Description (Meta.PrDetailedDescription)
Opacity	3D Last Modification Date (Meta.ModifiedDate)
Color	Item Cost (Meta.ItemCost)
Type	Item Description (Meta.ItemDescription)
Border	Item Detailed Description (Meta.ItemDetailedDescription)
	Item Revision (Meta.ItemRevision)
	Product Filename (Meta.Filename)

Item Information

12. Create a Toolbar for the Client Functions



Tip

You can create any Toolbar in any area of "Group" Menus you want. In this documentation only a SmartTeam "Toolbar" is created as an example you can also create

- Popup Menus
- Main Menus


1.) Create the needed command:

Use the Menu-Editor from SmartTeam to do the work

a.) Add all commands as Used-defined Commands to the SmartTeam Menu Area

Command name	User defined Sript name	Icon name
Create Composer Project	AddCompProject	SDCCreateNewProject.ico
CreateAssemblyGeomFiles	CreateAllGeomFiles	SDCCreateAllJobs.ico
CreateSingleConvertJob	CreateGeomFiles	SDCCreateSingleJobs.ico
RefreshToLatest	RefreshByLatest	SDCSwitchToLatest.ico
Refresh All Files	RefreshFiles	SDCCopyFilesToWorking.ico
ReplaceSelectedVersion	ReplaceSelectedVersion	Changes_Replace_16.ico
SaveSceneFile	SaveSceneFile	SDCSaveScenFile.ico
SaveViewFile	SaveViewFile	SDCSaveViewFile.ico
ShowStructure	ShowStructure	Browse Superclasses.ico
Update3DXMLFile	Update Composer Metainformation	SDC3DDatToXml.ico
UpdateAllMetaData	UpdateMetaData	SDCPushDataToXml.ico

b.) Create a Toolbar in any section where user should have access to



Command names

Create Composer Project
UpdateAllMetaData
Update3DXMLFile
Refresh All Files
ReplaceSelectedVersion
SaveSceneFile
SaveViewFile
CreateSingleConvertJob
CreateAssemblyGeomFiles
ShowStructure

C.) This is an example how the Toolbar should look like in SmarTeam

If a Composer Project is marked:




If a 3D Assembly is marked:



13. Install Product for zipping

From the Installation media install both files from the “zipping” folder:




- 1.) Install IZArc_Setup.exe
- 2.) Install IZArcCL.exe (Command line Tool)

Add the System Environment Variable to the PC : COMPOSERZIP

Value = Full Path of IZArc.exe



Example:



14. Changing Path of log files

As a standard the TC9 client writes log files into the installation directory, I: e: "... SmarTeam\3DSmartDocCreator"

To Change this path:



You set the system Environment variable: T9LOGPATH=NewPath (e: g: T:\D8SP3\T9_logs)

15. Installation Checklist

Please feel free to use this checklist during Installation.

BPA Client Installation:

Installation Step	Description	Done
Copy Binary files	Copy the \BIN files from media to SmarTeam \BIN Directory	
Copy Scripts	Copy the delivered scripts to the SmarTeam script directory	
Copy Icons	Copy the delivered Icons to the SmarTeam Icon directory	
Copy Composer Templates	Copy the delivered Composer template files to the SmarTeam Composer directory	
Register DLL	Register the SmartDocCreator.dll (see 4.4)	
Install Zipping Software	Install Zipping Software instead of use Windows ZIP See 5.14	

BPA Client Configuration

Database Steps	Description	Done
Add Admin Classes	Add manually Admin classes or add "Admin Behavior"	
Add Composer Class	Add "Composer Project" and "Composer File" leaf classes to the Document Superclass	
Add Document Link Class	Add a directional Link Class to link the "Composer Project" class with the "Design" abstract class	
Add Document Item Link Class	Add a normal link Class to link items and "Composer Project"	
Add Compositions	Add "Compositions" to the "Document Tree" link class to be able to link the "Design" Objects to the new "Composer Project" class. Add "Compositions" to the "Folder" class to be able to add a "Composer Project" to a "Folder"	
Modify Profile Cards	Create/Modify Profile Cards for the new Composer Classes and Admin Classes (Don't forget Sequences and default Values)	
Add new Filetypes	Add new filetypes (see 4.5)	
Add application Informations	Add Application information for the new filetypes (see 4.6)	
Edit Script Hooks	Enter script functions to the described script hooks (see 4.7)	
Add Lifecycle Rules	Add additional Lifecycle rules to manage "Composer Project" Lifecycle	
Add License information	Install proper LUM Licenses for TC9	
Create Mapping Group Type	Create a mapping group type for mapping 3D Data into the Composer files	
Add all Admin values	Add all five Admin Objects and fill them with proper values	
Create a Menu	Create either a Context-Menu or/and a Toolbar to access the given Functions.	