
Comergent eBusiness System

Release 7.1

Administration Guide

Sterling Commerce
An IBM Company

Comergent eBusiness System Administration Guide

Documentation part number: 1-7.1-1-01

© 1998-2006 by Comergent Technologies, Inc. All Rights Reserved.

This manual, as well as the software described in it, is furnished under license and may only be used or copied in accordance with the terms of such license. The information in this manual is furnished for information use only, is subject to change without notice, and should not be construed as a commitment by Comergent Technologies. Comergent Technologies assumes no responsibility or liability for any errors or inaccuracies that may appear in this book.

Except as permitted by license, no part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form, or by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Comergent Technologies.

Comergent and the Comergent logo are registered trademarks of Comergent Technologies. Comergent Distributed E-Business System, Comergent eBusiness System, **C3** Commerce Manager, **C3** Advisor, **C3** Analyzer, **C3** Configurator, **C3** Integrator, **C3** Promotions, **C3** MarketLink, **C3** Marketplace, **C3** Orders, **C3** Partner.com, **C3** Pricing, **C3** Product Manager, **C3** Profile Manager, **C3** Quotes, **C3** Returns, and Comergent Message Adapters are trademarks of Comergent Technologies. All other company and product names may be trademarks of the respective companies with which they are associated.

Actuate and e.Analysis are registered trademarks of Actuate Corporation. Java and all Java-based marks are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. All other company and product names may be trademarks of the respective companies with which they are associated. Docushare is a registered trademark of Xerox Corporation. This product includes software developed under the auspices of the Apache Software Foundation (<http://www.apache.org/>).

Preface

Welcome to the Comergent eBusiness System. This *Administration Guide* and the associated documentation provides all the information required for you to manage the Comergent eBusiness System at your site.

This guide provides step-by-step information for administering the Comergent eBusiness System. Before reading this guide, you should verify that the system is up and running, and that the system has passed the basic connectivity tests outlined in the *Comergent eBusiness System Implementation Guide*.

Audience

This guide presupposes a reasonable level of information systems knowledge and familiarity with basic network and database concepts. Channel administrators, user administrators, and partner administrators reading this should have a basic understanding of the Comergent eBusiness System before starting their tasks.

Availability

This guide is also provided in the form of online help. At any time while using the Comergent eBusiness System, you can click **Help** to view this guide through your browser.

Conventions

Throughout this guide, we will use the following conventions shown in Table 1, "Conventions", on page iv:

TABLE 1. Conventions

| Type | Convention |
|---------------------------|--|
| File names | Sample.txt |
| Paths and directory names | /top_level/next_level/next_level/destination_directory/ |
| Sample code extracts | <code>public void method(String s)</code> |
| Values to be provided | <i><value supplied by developer></i> |

Comments

We welcome your feedback. Our aim is to provide our customers with the best quality documentation possible. Let us know about any inaccuracies or missing information in our documentation. We also welcome suggestions for enhancements to our documentation. Our email address is:

`support@comergent.com`

Contents

| | |
|---|----------|
| CHAPTER 1 Introduction | 1 |
| Terminology | 2 |
| Managing the Sales Channel | 3 |
| Partner Profiles | 3 |
| Profile Hierarchy | 3 |
| Partner Users | 4 |
| Profile Statuses | 5 |
| Order Approvals | 5 |
| Moving Users Between Levels in a Partner Hierarchy | 6 |
| Associating Products with Partners | 7 |
| Applying Discounts and Special Prices to Partners | 7 |
| Viewing Quote Activity for a Partner | 7 |
| Exporting Partner Information | 7 |
| Account Limits | 8 |
| Using Storefronts | 8 |
| Storefront Administrator Tasks | 8 |
| Storefront Hierarchy | 9 |
| Skins | 10 |
| Storefront Data | 10 |
| Storefront Partners | 11 |
| Legacy Storefront Partners and Partner.com Partners | 11 |

| | |
|--|----|
| <i>Customers and Their Users</i> | 12 |
| <i>Products, Pricing, and Product Availability</i> | 12 |
| <i>Product Availability File</i> | 13 |
| <i>Product Mapping File</i> | 13 |
| Users, Roles, and Functions | 14 |
| <i>Organizational Functions</i> | 14 |
| <i>Creating Users</i> | 15 |
| <i>Assigning Functions</i> | 16 |
| <i>Pre-defined Functions</i> | 17 |
| <i>Managers</i> | 19 |
| <i>User Statuses</i> | 19 |
| <i>User Preferences</i> | 20 |
| Administering the Product Catalog..... | 20 |
| Guided Selling..... | 21 |
| Using the Visual Modeler | 21 |
| Setting Prices for Products | 21 |
| <i>Price Lists</i> | 22 |
| <i>Price List Line Item Effectivity Dates</i> | 23 |
| <i>How Prices are Calculated</i> | 25 |
| <i>Entitlement and Pricing</i> | 25 |
| <i>Price Lists and Products</i> | 25 |
| <i>Assigning Prices</i> | 26 |
| <i>Making Price Lists Available to Customers</i> | 27 |
| <i>Price Lists Managed by Partners</i> | 28 |
| <i>Enterprise Master Price List</i> | 29 |
| Sales Contracts | 29 |
| <i>Workflow to Manage Sales Contracts</i> | 29 |
| Product Reviews | 30 |
| Payment Processing and Credit Cards | 31 |
| <i>Payment Gateways</i> | 31 |
| <i>Payment Transactions</i> | 31 |
| Using Carts..... | 31 |
| <i>Carts</i> | 31 |
| <i>Life Cycle of a Cart</i> | 32 |
| Serving Promotions | 32 |
| <i>Promotions Served by an Enterprise</i> | 32 |
| <i>Promotions Served by a Partner</i> | 33 |
| <i>Promotions as Viewed by a Customer</i> | 33 |
| <i>How Promotions Are Implemented</i> | 34 |

| | |
|--|----|
| Customer Service..... | 35 |
| <i>Order Management</i> | 36 |
| <i>Account Management</i> | 36 |
| <i>Returns Management</i> | 37 |
| <i>Quotes Management</i> | 37 |
| Invoice Management | 37 |
| <i>Invoice Statuses</i> | 38 |
| <i>Access to Invoices</i> | 39 |
| <i>Credit and Debit Memos</i> | 39 |
| Leads Management..... | 40 |
| <i>Opportunity</i> | 40 |
| <i>Functions</i> | 41 |
| <i>Contacts</i> | 41 |
| <i>Proposals</i> | 41 |
| <i>Assigning Functions for Managing Leads</i> | 42 |
| <i>Creating the Leads through the User Interface</i> | 42 |
| <i>Uploading Leads</i> | 43 |
| <i>Assigning Leads</i> | 43 |
| <i>Recommended Partners and the Business Rule</i> | 44 |
| <i>Working the Leads</i> | 44 |
| <i>Converting Leads to Orders</i> | 45 |
| <i>Closing a Lead</i> | 45 |
| Campaigns Management | 45 |
| <i>Campaigns and Locales</i> | 45 |
| Program Management and Payment Accounts..... | 46 |
| <i>Programs</i> | 47 |
| <i>Activities</i> | 47 |
| <i>Payment Accounts</i> | 47 |
| <i>Approval Requests and Claims</i> | 47 |
| Task Management | 48 |
| Inventory and Demand | 49 |
| <i>Inventory Collection</i> | 49 |
| <i>Reseller Forecasting</i> | 49 |
| Data Analysis Using C3 Analyzer..... | 50 |
| <i>C3 Analyzer: Analyzing the Results</i> | 50 |
| Internationalizing the Comergernt eBusiness System | 50 |
| Franchise Model and Suppliers | 51 |
| Configuring the Comergernt eBusiness System | 52 |
| <i>Site System Administration</i> | 52 |

| | |
|---|-----------|
| <i>Enterprise System Administration</i> | <i>52</i> |
| <i>Business Rules</i> | <i>53</i> |
| <i>Job Scheduling.....</i> | <i>53</i> |

CHAPTER 2 Introduction to Product Administration.. 55

| | |
|--|-----------|
| Administering the Product Catalog..... | 55 |
| <i>Categories and Products</i> | <i>56</i> |
| <i>Guidelines for Creating a Product Catalog</i> | <i>56</i> |
| <i>Creating Categories and Products</i> | <i>57</i> |
| <i>Product Statuses</i> | <i>57</i> |
| <i>Products Sold Separately.....</i> | <i>58</i> |
| <i>Service Products</i> | <i>59</i> |
| <i>Aggregated Products</i> | <i>59</i> |
| <i>Feature Management in C3 Product Manager</i> | <i>60</i> |
| <i>Managing Assemblies</i> | <i>63</i> |
| <i>Managing Configurable Products</i> | <i>63</i> |
| <i>Superseding One Product with Another</i> | <i>64</i> |
| <i>Moving Products to Another Category.....</i> | <i>65</i> |
| <i>Exporting Product Data</i> | <i>65</i> |
| <i>Importing Product Data</i> | <i>66</i> |
| <i>Categories and Products Managed by Partners</i> | <i>66</i> |
| <i>Product Suppliers</i> | <i>66</i> |
| Product Entitlements | 67 |
| <i>Item Precedence.....</i> | <i>67</i> |
| <i>Assignment Precedence</i> | <i>68</i> |
| <i>Suppliers</i> | <i>68</i> |
| <i>Inheritance.....</i> | <i>69</i> |
| <i>Pricing</i> | <i>69</i> |
| Managing Availability Information | 69 |
| Displaying the Product Catalog | 70 |
| <i>Associating Display Styles with Product Categories.....</i> | <i>70</i> |
| <i>Customizing the Look-and-Feel of Catalog Pages</i> | <i>70</i> |
| <i>Suppressing Display of Empty Product Categories.....</i> | <i>70</i> |
| Using the Visual Modeler | 71 |
| <i>Terminology.....</i> | <i>72</i> |
| <i>Model Group Hierarchy</i> | <i>73</i> |
| <i>Associating a Product with a Model, an Option Class, or Option Item</i> | <i>74</i> |
| <i>How the Visual Modeler Works.....</i> | <i>75</i> |
| <i>Creating a Tab-Based User Interface.....</i> | <i>75</i> |

| | |
|--|-----------|
| <i>Option Classes and Option Items</i> | <i>76</i> |
| <i>Groups and Sub-Models</i> | <i>76</i> |
| <i>Properties</i> | <i>77</i> |
| <i>Lists</i> | <i>80</i> |
| <i>Rules in Visual Modeler.....</i> | <i>81</i> |
| <i>Managing Option Constraints</i> | <i>90</i> |
| <i>Testing and Compiling the Model.....</i> | <i>91</i> |
| <i>Copying and Embedding.....</i> | <i>91</i> |
| <i>Importing and Exporting</i> | <i>93</i> |
| <i>Searching</i> | <i>97</i> |
| <i>Reporting</i> | <i>97</i> |

CHAPTER 3 Administration Interface.....99

| | |
|--|------------|
| Accessing the Administration Interface | 99 |
| General Navigation Tips..... | 100 |
| <i>Navigation Bar.....</i> | <i>101</i> |
| <i>Content Panel</i> | <i>101</i> |
| Search Capabilities | 103 |

CHAPTER 4 Introduction to C3 Advisor.....105

| | |
|--|------------|
| Feature Types and Features | 105 |
| Resources and Resource Types | 106 |
| Questions and Answers | 106 |
| <i>Questions</i> | <i>106</i> |
| <i>Answers.....</i> | <i>108</i> |
| Questionnaire Pages | 109 |
| Rules in C3 Advisor | 109 |
| The C3 Advisor Questionnaire | 110 |
| About the Questionnaire..... | 110 |
| <i>How the Questionnaire Works.....</i> | <i>111</i> |
| <i>Components of the Questionnaire</i> | <i>111</i> |
| <i>Rules for Creating the Questionnaire.....</i> | <i>112</i> |
| Rules in the C3 Advisor | 112 |
| <i>Rule Authoring Tips.....</i> | <i>119</i> |
| Designing the Questionnaire | 121 |
| <i>Conceptual Design of the Questionnaire.....</i> | <i>122</i> |

| | |
|--|------------|
| <i>Laying Out the Questionnaire</i> | <i>123</i> |
| <i>An Example of Questionnaire Design.....</i> | <i>124</i> |
| <i>Keeping the Customer in Mind</i> | <i>131</i> |
| Building the Questionnaire | 132 |
| <i>Questionnaire Construction Tasks</i> | <i>132</i> |

CHAPTER 5 Administration Interface in C3 Advisor 135

| | |
|---|------------|
| Basic C3 Advisor Administration Page | 135 |
| <i>About the Navigation Panel.....</i> | <i>136</i> |
| <i>About the Content Panel.....</i> | <i>138</i> |
| Types of Content Panels | 139 |
| <i>List Panels</i> | <i>139</i> |
| Create Object Panels | 139 |
| Tabbed Panels | 140 |
| <i>General Tabs</i> | <i>141</i> |
| <i>Assignment Tabs</i> | <i>142</i> |
| <i>Resources Tabs</i> | <i>143</i> |

CHAPTER 6 User Administration 145

| | |
|---|------------|
| Managing Users | 145 |
| <i>To Create a New Enterprise User</i> | <i>146</i> |
| <i>To Modify an Enterprise User Profile</i> | <i>149</i> |
| <i>To Delete an Enterprise User</i> | <i>149</i> |
| <i>To Search for an Enterprise User</i> | <i>149</i> |
| <i>To Search for Any User</i> | <i>150</i> |
| Defining Functions and Roles..... | 152 |

CHAPTER 7 Channel Administration 153

| | |
|----------------------------------|------------|
| Profile Detail Page | 154 |
| <i>Info Tab.....</i> | <i>155</i> |
| <i>Addresses Tab.....</i> | <i>157</i> |
| <i>Detail Tab.....</i> | <i>158</i> |
| <i>Business Tab.....</i> | <i>159</i> |
| <i>Hierarchy Tab.....</i> | <i>160</i> |
| <i>Logo Tab.....</i> | <i>161</i> |

| | |
|---|-----|
| Commerce Tab..... | 162 |
| Assigned To..... | 164 |
| Pricelists Tab..... | 164 |
| Product Entitlements Tab..... | 165 |
| Notes Tab..... | 166 |
| Profile Administration Tasks..... | 166 |
| To Search for a Profile | 166 |
| To Export Profile List Information | 168 |
| To Create a New Profile | 169 |
| To Create a Profile as a Child of a Parent Profile | 171 |
| To Move a Child Profile to Another Parent | 173 |
| To Upload a Partner Logo | 173 |
| To Create Profile Addresses | 174 |
| To Delete Profile Addresses | 176 |
| To Create a New Partner User | 176 |
| To Move Users Between Levels in a Profile Hierarchy | 180 |
| To Modify an Existing Profile | 182 |
| To Assign a Price List to a Profile | 183 |
| To Assign a Product Entitlement to a Profile | 184 |
| To Set Up a Payment Gateway | 186 |
| To View Cart Activity for Selected Profiles | 187 |
| Payment Accounts | 189 |
| To Create an MDF Payment Account | 189 |
| To Create an Co-op Payment Account | 191 |
| To Add Funds to a Payment Account | 193 |
| To Remove Funds From a Payment Account | 194 |
| Storefront Administration..... | 194 |
| To Create a Storefront | 194 |
| Skin Administration | 195 |
| To Create a Skin | 195 |
| Managing the Enterprise Profile..... | 196 |
| Info Tab..... | 196 |
| Commerce Tab..... | 196 |
| Current Accounts | 197 |

CHAPTER 8 Account Administration 199

| | |
|--|-----|
| Overview | 199 |
| Managers | 201 |
| Drawing Accounts from Pool | 202 |
| Assigning Accounts to Enterprise Nodes | 202 |

| | |
|--|------------|
| To Assign an Account to an Enterprise Node | 202 |
| To Unassign an Account from an Enterprise Node | 203 |
| Assigning Accounts to Users | 203 |
| To Assign an Account to a User | 203 |
| To Unassign an Account from a User | 204 |
| To Draw Accounts from the Pool | 205 |
| To Return Accounts to the Pool | 206 |

CHAPTER 9 Administration Performed by Partner Users **209**

| | |
|--|------------|
| Profile Administration for Partners | 211 |
| To Maintain Your Profile | 212 |
| To Create a Profile in Your Partner Hierarchy | 212 |
| <i>Logo Tab</i> | 214 |
| To Upload Your Logo File | 214 |
| <i>Forecast Tab</i> | 215 |
| <i>Forecast File</i> | 216 |
| To Create a Forecast File | 216 |
| To Upload a Forecast File | 217 |
| <i>Commerce Tab</i> | 218 |
| <i>Print Templates Tab</i> | 219 |
| To Create a Template Group | 219 |
| To Upload a New Proposal Template | 219 |
| User Administration for Partners | 221 |
| To Create a User | 221 |
| To Create a User at Another Level in a Profile Hierarchy | 225 |
| To Modify a User | 228 |
| To Modify a User at Another Level in the Partner Hierarchy | 230 |
| To Move a User from the Top Level in a Profile Hierarchy | 232 |
| To Move a User from a Level Below the Top Level in a Profile Hierarchy | 234 |
| To Delete a User | 237 |
| To Delete a User at Another Level in the Profile Hierarchy | 238 |
| To Recover Carts | 241 |
| Product Administration for Partners | 242 |
| To Maintain Product Information | 242 |
| <i>Managing Availability Information</i> | 244 |
| Pricing Administration for Partners | 244 |
| To Maintain Pricing Information | 244 |
| To Assign Price Lists to Partners | 245 |

| | |
|--|-----|
| Opportunity Administration by Partners | 245 |
| To Create Partner Sales Representatives | 246 |
| To Accept an Opportunity | 246 |
| To Decline an Opportunity | 247 |
| To Delegate an Opportunity | 248 |
| To Add or Modify General Opportunity Information | 250 |
| To Prepare a Proposal for a Contact | 252 |
| To Create an Order from an Opportunity | 254 |
| To Add Notes About An Opportunity | 257 |
| To Close an Opportunity | 259 |
| To Create a New Proposal by Copying an Existing Proposal | 260 |
| To Create a New Proposal and New Opportunity | 261 |
| Invoice Administration by Partners..... | 263 |
| To View an Invoice | 263 |
| Program Administration by Partners | 265 |
| To Submit a Preapproval Request | 265 |
| To Submit a Claim | 265 |
| Managing Product Information | 267 |
| To Upload Product Mapping | 267 |
| To Download Products | 268 |
| To Update Product Mappings | 269 |
| <i>Managing Prices</i> | 271 |
| To Assign Price Lists to Partners | 271 |
| <i>Managing Email Templates</i> | 273 |
| To Set Your Email Templates | 273 |
| <i>Managing Inbound Orders</i> | 274 |
| To View Inbound Orders | 275 |

CHAPTER 10 Product Administration.....277

| | |
|---|-----|
| Product Management Interface..... | 279 |
| To Access the Product Manager Page | 280 |
| Product Category Administration Tasks | 281 |
| To Create a Product Category | 281 |
| To Modify a Product Category | 284 |
| To Assign or Remove Products | 290 |
| To Move a Product to Another Category | 291 |
| To Reconcile Feature Mismatch | 293 |
| To Delete a Product Category | 294 |
| To Enable Access Control | 295 |
| To Change the Display of a Product Category | 297 |
| Product Administration Tasks | 298 |

| | |
|--|-----|
| To Create a Product | 299 |
| To Create A Product As a Child of an Aggregated Product | 302 |
| To Copy a Product | 306 |
| To Modify a Product | 307 |
| To Delete a Product | 313 |
| To Assign Products as Children to an Aggregated Product | 314 |
| To Unassign Child Products from an Aggregated Product | 316 |
| To Find and Select a Product in the Navigation Panel | 317 |
| Pricing Products | 318 |
| To Add a Product to a Price List | 318 |
| To Change Prices for a Product | 319 |
| To Change All Prices for a Product | 320 |
| Related Products | 322 |
| To Relate One Product to Another | 323 |
| To Remove a Product Relationship | 324 |
| Superseding a Product..... | 325 |
| To Supersede a Product | 325 |
| To Remove a Superseding Product | 326 |
| Managing Assemblies | 326 |
| To Define the Parts in an Assembly | 327 |
| To Modify a Line Item in an Assembly | 329 |
| To Define or Relocate Hot Spots in a Parts Diagram | 330 |
| To Delete a Hot Spot | 335 |
| To Delete an Item from an Assembly | 336 |
| Managing Pre-Configured Products..... | 337 |
| To Pre-configure a Configurable Product | 337 |
| To Delete a Configuration for a Pre-Configured Product | 339 |
| Importing Products..... | 340 |
| To Create an Import Set | 340 |
| To Delete an Import Set | 345 |
| To Import a Catalog Immediately | 345 |
| To Import a Catalog Using a Cron Job | 346 |
| <i>Importing Partner Product Information</i> | 348 |
| <i>Posting CatalogRequest Messages</i> | 349 |
| To Update the Product Catalog using CatalogRequest | 349 |
| Exporting the Product Catalog..... | 349 |
| To Create an Export Set | 350 |
| To Add or Remove Categories and Products from the Export Set | 352 |
| To Add Feature Types and Features to an Export Set | 354 |
| To Delete an Export Set | 355 |
| To Export the Catalog Immediately | 356 |
| To Export the Catalog Using a Cron Job | 356 |

| | |
|---|-----|
| Suppressing Empty Product Categories | 358 |
| To Suppress Display of Empty Product Categories | 358 |
| Product Availability..... | 359 |
| Using the Hierarchical Entity Chooser..... | 360 |
| To Select Products from the Product Hierarchy | 360 |
| To Search for Products in the Hierarchical Entity Chooser | 361 |
| Administering Advanced Search..... | 362 |
| Overview | 362 |
| Administration Tasks | 364 |
| To Build a New Index | 365 |
| To Build Indexes Using a Cron Job | 366 |
| To Build an Index Incrementally | 367 |
| To Activate an Index Set | 368 |
| To Change the Index and Search Settings | 368 |
| To Update Dictionary Definitions | 370 |
| Using XML Messages to Manage Search Indexes..... | 370 |
| Supported Search Syntax | 372 |

CHAPTER 11 Product Entitlement375

| | |
|---|-----|
| Managing Product Entitlements | 376 |
| To Create a Product Entitlement | 376 |
| To Modify a Product Entitlement | 377 |
| To Delete a Product Entitlement | 378 |
| To Assign a Product Entitlement | 378 |
| To Unassign a Product Entitlement | 379 |
| To Search for a Product Entitlement | 380 |

CHAPTER 12 Managing Availability Information.....385

| | |
|--|-----|
| Product Availability Tasks | 385 |
| To Upload Product Availability | 385 |
| To Download Product Availability | 387 |
| To Update Product Availability | 388 |

CHAPTER 13 Managing Features in C3 Product Manager.....391

| | |
|---------------------------------------|-----|
| Working with Feature Type Groups..... | 392 |
|---------------------------------------|-----|

| | |
|--|-----|
| To Create a Feature Type Group | 392 |
| To Modify a Feature Type Group | 394 |
| To Delete a Feature Type Group | 395 |
| Working with Feature Types..... | 395 |
| To Create a Feature Type within a Feature Type Group | 395 |
| To Create an Unassigned Feature Type | 398 |
| To Modify a Feature Type | 401 |
| To Assign a Feature Type to a Product Category | 404 |
| To Unassign a Feature Type from a Product Category | 406 |
| To Assign a Feature Type to a Feature Type Group | 407 |
| To Unassign a Feature Type from a Feature Type Group | 408 |
| To Delete a Feature Type | 409 |
| Working with Features..... | 410 |
| To Create a Feature | 410 |
| To Modify a Feature | 412 |
| To Modify a Feature from the Feature Type Detail Panel | 414 |
| To Delete a Feature | 417 |
| To Assign a Feature to a Product Category | 418 |
| To Unassign a Feature from a Product Category | 420 |
| To Assign a Feature to a Product | 421 |
| To Unassign a Feature from a Product | 423 |
| Assigning Resources to Feature Type Groups, Feature Types, and Features | 424 |
| To Assign a Resource to an Entity | 424 |
| To Unassign a Resource from an Entity | 426 |

CHAPTER 14 Using the Visual Modeler..... 429

| | |
|---|-----|
| Visual Modeler Interface | 429 |
| To Access the Visual Modeler | 433 |
| Working with Model Groups | 436 |
| To Create a Model Group | 436 |
| To Modify a Model Group | 437 |
| To Delete the Children of a Model Group | 438 |
| To Copy a Model Group | 439 |
| Working with Models | 441 |
| To Create a Model | 441 |
| To Modify an Existing Model | 443 |
| To Delete a Model | 444 |
| To Delete the Children of a Model | 444 |
| To Associate a Product with a Model, Option Class, or Option Item | 444 |
| To Copy a Model | 445 |

| | |
|---|-----|
| To Copy a Model Reference | 447 |
| To Embed a Model | 449 |
| Working with Option Classes and Option Items | 450 |
| To Create an Option Class | 450 |
| To Modify an Option Class | 452 |
| To Add Option Items to an Option Class | 453 |
| To Copy an Option Class | 454 |
| To Modify an Option Item | 456 |
| To Copy an Option Item | 457 |
| To Delete an Option Class | 459 |
| To Delete the Children of an Option Class | 459 |
| Working with Option Class Groups and Option Item Groups ... | 460 |
| To Create a Group | 461 |
| To Modify a Group | 461 |
| To Copy an Option Class Group | 462 |
| To Embed an Option Class Group | 464 |
| To Copy an Option Item Group | 465 |
| To Embed an Option Item Group | 467 |
| To Attach a Group to a Model or Another Group | 468 |
| To Attach a Model, Option Class Group, or Option Item Group to an Option Class | 470 |
| To View the Structure of an Attached Group | 471 |
| To Copy an Option Class Group Attachment | 472 |
| To Copy an Option Item Group Attachment | 474 |
| To Delete a Group | 475 |
| To Delete the Children of a Group | 476 |
| Including Sub-Models in Models | 476 |
| To Include a Sub-Model in a Model | 476 |
| Testing a Model | 478 |
| To Test a Model | 478 |
| Compiling a Model | 479 |
| To Compile a Model | 480 |
| To Compile All Models | 481 |
| Searching the Product Catalog for a Product ID | 481 |
| Working with a Tabbed User Interface | 482 |
| To Create a Tabbed User Interface | 482 |
| To Modify a Tab | 486 |
| To Delete a Tab | 487 |

CHAPTER 15 Advanced Visual Modeler Concepts 489

| | |
|------------------|-----|
| Properties | 490 |
|------------------|-----|

| | |
|--|-----|
| <i>Working With Properties</i> | 490 |
| To Define a Property | 490 |
| To Attach a Property | 493 |
| To Use the Property Editor Window | 495 |
| To Modify or Remove an Attached Property | 497 |
| To Modify or Delete a Property Definition | 498 |
| <i>Using Worksheets</i> | 500 |
| To Create a Worksheet | 501 |
| To Modify a Worksheet | 501 |
| To Export a Worksheet | 502 |
| To Import a Worksheet | 503 |
| <i>Properties as Variables</i> | 503 |
| <i>Comergent eBusiness System Properties</i> | 504 |
| Lists | 505 |
| <i>Working With Lists</i> | 506 |
| To Define a List | 506 |
| To Modify a List | 507 |
| To Delete a List | 508 |
| Rules | 508 |
| <i>Working With Rules</i> | 509 |
| To Define a Rule | 509 |
| To Modify a Rule | 511 |
| To Create a Rule Classification | 513 |
| To Attach a Rule | 514 |
| To View the Details of an Attached Rule | 515 |
| To View Rule Attachments | 517 |
| To Unattach a Rule | 519 |
| To Delete a Rule | 519 |
| To Move or Copy a Rule | 520 |
| <i>Rule Firing</i> | 521 |
| To Specify the Rule Firing Sequence | 521 |
| To Review Rule Firing | 521 |
| <i>Controlling Rule Firing</i> | 522 |
| To Force Multiple-Pass Rule Testing | 523 |
| Fragments | 523 |
| <i>Working With Rule Fragments</i> | 523 |
| Example: To Create a Simple Level of Fragments | 525 |
| Example: To Create Nested Fragments | 529 |
| To Modify a Fragment | 535 |
| To Delete a Fragment | 536 |
| <i>Working with Rule Actions</i> | 537 |
| To Create a Message Action | 538 |
| To Create an Expansion Action | 539 |

| | |
|--|-----|
| To Create an Assignment Action | 541 |
| Option Constraints | 544 |
| <i>Working With Constraints</i> | 544 |
| To Create a Constraint Table | 544 |
| To Modify a Constraint Table | 546 |
| To Define Option Constraints | 547 |
| To Modify an Option Constraint | 551 |
| To Delete Option Constraints | 552 |
| To Delete a Constraint Table | 553 |
| Importing and Exporting Models | 553 |
| <i>Importing Model Groups and Models</i> | 553 |
| To Import Model Groups and Models | 554 |
| <i>Exporting Model Groups and Models</i> | 555 |
| To Export a Model Group or Model | 556 |
| Using Dynamic Instantiation | 556 |
| Searching | 558 |
| To Search for Entities | 559 |
| Reporting | 561 |
| To Run A Report | 561 |

CHAPTER 16 Visual Modeler UI Concepts.....565

| | |
|---|-----|
| UI Properties..... | 565 |
| <i>Working with Display Properties</i> | 566 |
| <i>Comergent eBusiness System UI Properties</i> | 566 |
| Display Properties | 574 |
| To Define Display Property Values | 574 |
| Tabular Display of Properties..... | 580 |
| To Display Properties in a Tabular Form | 580 |
| To Display Properties in a Tabular Form | 581 |
| Image Properties | 583 |
| <i>Models and Option Classes</i> | 583 |
| <i>Option Items</i> | 583 |
| User-Entered Values..... | 583 |

CHAPTER 17 Pricing Administration.....585

| | |
|--|-----|
| Searching for and Displaying Price Lists | 586 |
| To Search for a Price List | 586 |

| | |
|---|-----|
| <i>Advanced Search for Price Lists</i> | 592 |
| Managing Price Lists | 594 |
| To Create a Price List | 594 |
| To Modify a Price List | 595 |
| To Delete a Price List | 596 |
| To Duplicate a Price List | 596 |
| To Import a Price List | 597 |
| Setting Prices for Products | 600 |
| To Set Prices for Products as a Mass Update | 601 |
| To Set Prices for Individual Products | 603 |
| <i>Conditional Pricing</i> | 605 |
| To Set Conditional Prices for a Product | 605 |
| Downloading Pricing Information | 608 |
| To Download Pricing Information for All Products in a Price List .. | 608 |
| Assigning Price Lists to Partners | 608 |
| To Assign a Price List to a Partner using C3 Profile Manager | 609 |
| To Assign a Price List to All Partners Using C3 Pricing | 610 |
| To Unassign a Price List from All Partners Using C3 Pricing | 610 |

CHAPTER 18 Advanced Pricing Administration..... 611

| | |
|--------------------------------|-----|
| Overview | 612 |
| <i>Rule Types</i> | 612 |
| <i>Coupons</i> | 613 |
| Pricing Rule Tasks | 613 |
| To Create a Pricing Rule | 613 |
| To Delete a Rule | 618 |
| Coupon Administration | 618 |
| To Create a Coupon | 619 |
| To Delete a Coupon | 622 |

CHAPTER 19 C3 Promotions Administration 623

| | |
|---|-----|
| Managing Promotions | 623 |
| <i>Promotion Administration List Page</i> | 623 |
| <i>Managing Promotions</i> | 625 |
| To Create or Duplicate a Promotion | 626 |
| To Modify a Promotion | 631 |
| To Delete a Promotion | 632 |
| To Disable a Promotion | 632 |

CHAPTER 20 Managing Features in C3 Advisor 633

| | |
|---------------------------------------|-----|
| Working with Feature Type Groups..... | 633 |
| To Create a Feature Type Group | 633 |
| To Modify a Feature Type Group | 635 |
| To Delete a Feature Type Group | 636 |
| Working with Feature Types | 637 |
| To Create a Feature Type | 638 |
| To Modify a Feature Type | 641 |
| To Delete a Feature Type | 641 |
| Working with Features | 642 |
| To Create a Feature | 643 |
| To Modify a Feature | 645 |
| To Delete a Feature | 646 |

CHAPTER 21 Managing Resources in C3 Advisor 647

| | |
|---|-----|
| Working with Resource Types | 647 |
| To Create a Resource Type | 648 |
| To Modify a Resource Type | 649 |
| To Delete a Resource Type | 651 |
| Working with Resources | 652 |
| To Assign a Resource to an Entity | 652 |
| To Unassign a Resource from an Entity | 654 |

CHAPTER 22 Managing Questionnaire Pages in C3 Advisor..... 657

| | |
|--|-----|
| Working with Questionnaire Pages | 657 |
| To Create a Questionnaire Page | 658 |
| To Modify a Questionnaire Page | 662 |
| To Delete a Questionnaire Page | 664 |
| To Assign Questions and Sequence Questions | 665 |
| To Set the Start Page | 667 |

CHAPTER 23 Managing Questions and Answers in C3 Advisor..... 669

| | |
|-----------------------------|-----|
| Working with Questions..... | 669 |
|-----------------------------|-----|

| | |
|--|-----|
| To Create a Question | 669 |
| To Modify a Question | 671 |
| To Delete a Question | 673 |
| Working with Answers | 674 |
| To Create an Answer | 674 |
| To Modify an Answer | 677 |
| To Assign a Feature to an Answer | 680 |
| To Unassign a Feature from an Answer | 681 |
| To Delete an Answer | 682 |

CHAPTER 24 Rule Management in C3 Advisor..... 685

| | |
|--------------------------|-----|
| Working with Rules | 685 |
| To Create a Rule | 685 |
| To Modify a Rule | 688 |
| To Delete a Rule | 690 |

CHAPTER 25 Cart and Commerce Administration.... 691

| | |
|---|-----|
| Working with Carts | 691 |
| To Search for a Cart | 691 |
| To Download Cart Information | 695 |
| To View Cart Activity for Selected Partners | 696 |
| Working with Quotes | 696 |
| To Search for a Quote | 696 |
| To View Cart Activity for Selected Partners | 697 |

CHAPTER 26 Customer Service..... 699

| | |
|--|------------|
| Viewing and Modifying Order Information..... | 700 |
| <i>Simultaneous Changes to an Order.....</i> | <i>700</i> |
| To Search for Orders | 701 |
| To Modify Price and Quantity Information | 704 |
| To Modify Order Header Information | 706 |
| To Modify Header Information for a Line Item | 709 |
| To View Order History | 713 |
| Ordering On Behalf Of Customers | 714 |
| To Create Orders On Behalf of Customers | 715 |
| To Download Order Information | 718 |
| To Email Order Information | 720 |

| | |
|---|-----|
| Processing Return Requests | 721 |
| To Search for Return Requests | 721 |
| To Process Return Requests | 724 |
| Processing Quotes | 725 |
| To Search for Quotes | 725 |
| To Process Quotes | 727 |
| To Modify a Quote | 728 |
| To Approve a Quote | 729 |
| To Reject a Quote | 730 |
| Creating Tasks From Commerce Objects..... | 730 |
| To Create a Task from a Commerce Object | 730 |

CHAPTER 27 Inventory Collection..... 733

| | |
|---------------------------------------|-----|
| Setting Up Inventory Collection..... | 733 |
| To Perform Inventory Collection | 733 |

CHAPTER 28 C3 Leads..... 735

| | |
|---|-----|
| Creating and Modifying Leads | 735 |
| To Create a Lead | 735 |
| To Upload a Lead | 738 |
| To Modify a Lead | 740 |
| To Search for a Lead | 742 |
| To Add or Modify Lead Information | 743 |
| To Add or View Notes About a Lead | 746 |
| To Add Product Information to a Lead | 748 |
| Assigning Leads | 750 |
| To Assign Leads Manually from the Leads Management List | 750 |
| To Assign a Lead Manually from Lead Header Page | 753 |
| To Assign a Lead Automatically | 755 |
| To Retract a Lead | 756 |
| Viewing Partner Activity..... | 757 |
| To View Partner Activity | 757 |
| Closing a Lead..... | 760 |
| To Close a Lead | 760 |

CHAPTER 29 C3 Campaigns..... 763

| | |
|---|-----|
| Creating and Modifying Campaigns | 763 |
| To Create a Campaign | 763 |
| <i>Mailing Lists</i> | 768 |
| To Create a Mailing List by Uploading a File | 768 |
| To Create a Mailing List by Specifying Selection Criteria | 769 |
| Campaigns Cron Job | 770 |

CHAPTER 30 C3 Partner Programs..... 773

| | |
|--|-----|
| Creating and Modifying Programs | 774 |
| To Create a Program | 774 |
| To Upload a Marketing Plan | 775 |
| To Add an Activity | 776 |
| To Assign a Program to a Partner | 777 |
| Creating Forms | 778 |
| To Create an Approval Form | 778 |
| To Create a Claim Form | 780 |
| Managing Approval Requests and Claims | 782 |
| To Manage Approval Requests | 783 |
| <i>Managing Claims</i> | 785 |
| To Manage a Claim | 785 |
| To Manage Claims for an Activity | 787 |
| Managing Payment Accounts | 789 |
| To Upload Co-op Account Information | 789 |
| To Download a Co-op Account Update Template File | 790 |

CHAPTER 31 Sales Contracts 793

| | |
|--|-----|
| Creating and Modifying Sales Contracts | 793 |
| To Create a Sales Contract | 793 |
| To Submit a Sales Contract | 796 |
| To Search for a Sales Contract | 797 |

CHAPTER 32 Product Reviews..... 801

| | |
|--------------------------------|-----|
| Managing Product Reviews | 801 |
| To View a Product Review | 801 |

| | |
|--------------------------------------|-----|
| To Hide or Reject a Review | 802 |
| To Search for a Product Review | 803 |

CHAPTER 33 Payment Transactions.....805

| | |
|--|-----|
| Viewing and Modifying Payment Transactions | 805 |
| To View a Payment Transaction | 805 |
| To Make a Manual Transaction | 806 |

CHAPTER 34 Task Management.....809

| | |
|----------------------------------|-----|
| Creating Tasks | 809 |
| To Create a Task | 809 |
| To Update an Existing Task | 812 |
| Automated Task Creation..... | 813 |

CHAPTER 35 Invoice Administration.....815

| | |
|---|-----|
| Invoice Administration | 815 |
| To View an Invoice | 816 |
| To Modify an Invoice | 818 |
| To View the History of an Invoice | 818 |
| Memo Administration | 819 |
| To Create a Credit Memo | 819 |
| To Create a Debit Memo | 819 |

CHAPTER 36 C3 Analyzer.....821

| | |
|---|-----|
| Viewing Reports | 821 |
| To View a Report | 821 |
| Refreshing the Dashboard Graphs..... | 823 |
| To Schedule Refreshing the Dashboard Graphs | 823 |
| Exporting and Printing Reports | 824 |
| To Save a Report in PDF Format | 824 |
| To Export a Report to Excel Format | 824 |
| Analyzing Report Results with e.Analysis | 825 |
| To Analyze Reports Using e.Analysis | 825 |
| Prices in Reports..... | 830 |

CHAPTER 37 C3 Analyzer Reports 833

| | |
|--|-----|
| Terminology and Useful Information | 834 |
| Order Management Dashboard | 834 |
| <i>E-Commerce</i> | 835 |
| PRM Dashboard | 843 |
| <i>Sales and Inventory</i> | 844 |
| <i>Lead Management</i> | 848 |
| Catalog Dashboard | 856 |
| <i>Sales and Inventory</i> | 856 |
| <i>Catalog and Advisor</i> | 857 |

CHAPTER 38 Enterprise System Administration 861

| | |
|--|-----|
| System Administration Tasks | 861 |
| To Modify System Settings | 862 |
| Configuration Properties | 863 |
| <i>Locale Settings</i> | 863 |
| To Define the Display Names | 864 |
| Job Scheduler Settings | 864 |
| Frequently Used System Administration Settings | 865 |
| <i>Commerce Manager</i> | 865 |
| <i>Application Settings</i> | 866 |
| <i>Orders</i> | 866 |
| <i>Product Manager</i> | 867 |

CHAPTER 39 Business Rules Administration 869

| | |
|---|-----|
| Business Rules Administration Tasks | 869 |
| To Manage Business Rules | 869 |
| Frequently Used Business Rules | 871 |
| <i>Advisor</i> | 871 |
| <i>Configurator</i> | 871 |
| <i>Coupons</i> | 872 |
| <i>Leads</i> | 872 |
| <i>Marketing</i> | 873 |
| <i>Orders</i> | 873 |
| <i>Pricing</i> | 873 |

| | |
|------------------------------|-----|
| <i>Product Manager</i> | 874 |
| <i>Quotes</i> | 874 |

CHAPTER 40 Job Scheduling Administration877

| | |
|---|-----|
| Job Scheduling Tasks | 877 |
| To Display a Scheduled Job | 878 |
| To Create a Job | 879 |
| To Modify a Job | 880 |
| To Run a Cron Job Immediately | 882 |
| To Delete a Job | 882 |
| To View the History of a Cron Job | 882 |
| Cron Jobs | 883 |
| <i>Cache Cleanup</i> | 883 |
| <i>CommerceOne PO</i> | 884 |
| <i>Export Catalog</i> | 884 |
| <i>Inventory Collection</i> | 884 |
| <i>Import Catalog</i> | 885 |
| <i>Index Builder</i> | 885 |
| <i>OrdersToERP</i> | 886 |
| <i>Update Catalog</i> | 886 |

CHAPTER 41 Site System Administration889

| | |
|---|-----|
| Overview | 889 |
| To Access the System Administration Home Page | 890 |
| System User Administration..... | 891 |
| To Create a System Administrator User | 891 |
| System Profile Administration | 892 |
| To Manage the System Administrator Profile | 892 |
| System Property Administration | 892 |
| To Update a System Property | 893 |
| System Cron Jobs | 894 |
| To Create a System Cron Job | 894 |
| System Status..... | 895 |
| To View the System Status | 895 |

APPENDIX A File Formats897

| | |
|--|----------------|
| CatalogRequest DTD | 897 |
| Category Display Style | 898 |
| Proposal Templates | 899 |
| Search Configuration Parameters..... | 901 |
| Product Mapping File Format | 905 |
| Product Availability File Format | 906 |
| Co-op Account Update File Format..... | 907 |
| <i>Index</i> | 909 |

This guide provides a comprehensive manual for administering the Comergent eBusiness System. The main topics covered in this chapter are:

- "Managing the Sales Channel" on page 3
- "Using Storefronts" on page 8
- "Users, Roles, and Functions" on page 14
- "Administering the Product Catalog" on page 20
- "Guided Selling" on page 21
- "Using the Visual Modeler" on page 21
- "Setting Prices for Products" on page 21
- "Sales Contracts" on page 29
- "Product Reviews" on page 30
- "Payment Processing and Credit Cards" on page 31
- "Using Carts" on page 31
- "Serving Promotions" on page 32
- "Customer Service" on page 35
- "Leads Management" on page 40

- "Campaigns Management" on page 45
- "Program Management and Payment Accounts" on page 46
- "Task Management" on page 48
- "Inventory and Demand" on page 49
- "Data Analysis Using C3 Analyzer" on page 50
- "Internationalizing the Comergent eBusiness System" on page 50
- "Franchise Model and Suppliers" on page 51
- "Configuring the Comergent eBusiness System" on page 52

Terminology

In managing the Comergent eBusiness System, we distinguish between two basic types of users: enterprise users and customer users. Enterprise users are responsible for managing enterprise data (products, price lists, partner profiles, and so on). Customer users are users who log in principally to buy products from the enterprise.

In earlier releases of the Comergent eBusiness System, there is only one enterprise partner (referred to as Matrix in our reference data) and enterprise users of this partner manage the enterprise data for all customer users of the Comergent eBusiness System.

This release of the Comergent eBusiness System supports the ability to create storefronts. Within each storefront, a *storefront partner* is created: this is the partner profile that represents the storefront enterprise. Users of this partner are the enterprise users for this storefront. In general, employees of the organization running the storefront will log in as one of these users. We refer to these users as enterprise users of the storefront.

We refer to the tenant enterprise and to storefront partners as enterprises within the Comergent eBusiness System.

Thus:

- *enterprise users* are users who belong to either the tenant enterprise or to the storefront partner of a storefront.
- *customer users* are users who belong to customer partners of the tenant or to customer partners of a storefront.

Managing the Sales Channel

Your sales partners are the heart of the sales channel and so it is important to maintain partner information as accurately as possible. At least one employee of the enterprise, known as the *channel administrator*, is responsible for managing your sales partners information.

Partner Profiles

CHAPTER 7, "Channel Administration" describes the tasks you use to manage your channel partners.

The *channel administrator* uses the Partner Profile pages to provide the information required to integrate the partner with your Comergent eBusiness System. The information is maintained using the **C3** Profile Manager application and the information is stored in the Knowledgebase.

The information you provide includes:

- whether the partner is a distributor, reseller, Original Equipment Manufacturer (OEM), Retailer, systems integrator, or system partner,
- the customer type,
- whether the partner is gold, silver, or platinum level.

This information becomes important when you define your price lists. For example, when you define a price list, you can define pricing rules that enable special prices for partners who have a particular level or customer type. See "Making Price Lists Available to Customers" on page 27 for more information.

Profile Hierarchy

Your partners' companies may be divided into complex organizational structures. For example, a partner may comprise management companies, divisions, locations, and departments. A partner could even have more complicated structures such as franchises and retail outlet chains. In Release 6.0 and higher, you can mirror these complex structures by creating not simply a partner but a hierarchy belonging to a partner.

For example, in Figure 1 on page 4, Partner A comprises four divisions: three immediately below it in the hierarchy and a fourth division as a child of Division A3. The enterprise for which Partner A is a partner can set up a profile for each of these entities that reflects the hierarchy.




FIGURE 1. Partner Hierarchy

To do this, you create the Partner A profile first, then within the Partner A profile, a **Hierarchy** tab enables you to create a profile for each of the children: A1, A2, A3. The profile for Division A3 contains a **Hierarchy** tab, where you can create a profile for its child, Division A3-1. The hierarchy structure supports an unlimited number of nodes.

See CHAPTER 7, "Channel Administration" for a step-by-step description of the tasks involved.

Partner Users

In addition to creating and maintaining profiles for each partner in the sales channel, the *channel administrator* creates, for each customer partner, one partner user with the profile administrator function. This partner user then becomes the partner administrator who creates the other customer partner users for their organization.

Partner administrators can log into the enterprise site to maintain partner information. They can create customer partner users and modify their partner profile as necessary.

In addition to the *User* user type, partners can be assigned another user type: *ProcurementUser*. The *ProcurementUser* user type is assigned to a user that is created to facilitate punchin from an external system. See the *Comergent eBusiness System Implementation Guide* for more information about punchin from an external system.

Profile Statuses

Every profile and every partner user has a status: they determine what partner users can do. See "User Statuses" on page 19 for more details about user statuses.

Profile statuses are as follows:

- Open: no restrictions on a partner user's activities.
- On Hold: partner users can log in, but they cannot place orders.
- On Credit Hold: partner users can log in, but they cannot place orders.
- Closed: partner users cannot log in. If a business relationship ends, then you can set the partner status to Closed.

Functionally, On Hold and On Credit Hold have the same effect, but the intention is that you use On Credit Hold to manage issues associated with orders being bought on account whereas On Hold should be used for more general business issues.

Inheriting Status

When a partner is a child of another partner, then the effective status of the child partner is inherited from the parent's profile status. For example, suppose that Partner B is the child of Partner A, and that the status of Partner B is Open. If you set the status of Partner A to On Credit Hold, then even though you have not changed the status of Partner B, the effective status of Partner B is inherited to be On Credit Hold. Consequently, Partner B users cannot place orders.

A parent's profile status overrides a partner's profile status if the parent's status is more restrictive: In the example above, if the profile status of Partner A is set to Closed, then the effective profile status of Partner B is also Closed, irrespective of the profile status of Partner B.

Order Approvals

You can set a business rule that sets spending limits for partner users. Along with the limits, you define approvers for these users who can approve orders above the

spending limit. For the approver name, you must enter a valid username within the same hierarchy as the user for whom you are establishing the spending limit.

| |
|--|
| Note: You must enter both a spending limit and an approver for the approval process to take effect. |
|--|

These users, in turn, have their own spending limits and their own approvers. See "To Create a User" on page 221 for instructions on creating a partner user.

When a user places an order whose value is above their spending limit, the designated approver can accept or reject the order. If the approver accepts the order, but if the order value is above their spending limit, then the order moves to that person's designated approver, and so on until an appropriate level is reached. At that point, the order is finally placed.

Proxy for Approvals

When you create or modify a user, you can designate that user as being a proxy for approvals for certain users. You enter these user's usernames in a Proxy for Approvals field in the user profile. When you do so, you are designating that the user defined by the profile can approve any orders for which the users listed in the Proxy for Approvals field are approvers.

Moving Users Between Levels in a Partner Hierarchy

Occasionally, in a partner hierarchy, a user belonging to a partner needs to be moved between levels in a hierarchy. For example, a user in one division is transferred to another division. Typically, this is something a partner administrator would do. If necessary, however, the enterprise administrator can perform this function. See "To Move Users Between Levels in a Profile Hierarchy" on page 180.

Functions Assigned to a Moved User

If you move a user between two node levels of a partner hierarchy, then the functions assigned to the user before the move are retained. If you move a user from the partner level to a node level (or the reverse), then the functions assigned to the user revert to the default functions assigned at the destination.

Carts and Orders

Moving a user does not move any carts, orders, and so on, associated with the user. When you move a user to another level in the partner hierarchy, notify the administrator for the level from which the user has been moved. The administrator for that level can recover these carts, orders, and so on, using the steps described in "To Recover Carts" on page 241.

Associating Products with Partners

The users associated with a partner must have a means to order products in the product catalog. As shown in Figure 2 on page 7, the price lists provide this means. A price list consists of a list of products and can be assigned to one or more partners. In this way, the user sees the products in the price lists assigned to the partner.

See "Setting Prices for Products" on page 21 for a more detailed discussion about price lists and pricing.

Applying Discounts and Special Prices to Partners

The price list assignment to partner also enables you to maintain special prices for certain partners. This is done through conditional rules, that is, defining certain prices depending on certain qualities of the partner (for example, membership level, and so on.). See "Setting Prices for Products" on page 21 for a more detailed discussion of conditional pricing.




FIGURE 2. Products, Prices, and Partners

Viewing Quote Activity for a Partner

Once the *channel administrator* has added all the partners to the Comergent eBusiness System, and once users begin creating carts and placing orders, you can examine the business generated. You do this by searching for one or more partners and viewing the carts created by customers. In this way, you can get an idea of the kinds of products customers are buying. See "To View Cart Activity for Selected Profiles" on page 187.

Exporting Partner Information

From within *C3 Profile Manager*, you can also search for one or more partners, then select them for downloading to a tab-delimited text file. This enables you to open the files in a spreadsheet application, or even email the information as necessary.

Account Limits

You can set up a partner so that its users can place orders on account. See "Payment Options" on page 163. You can also set an account limit on a partner. Initially, their outstanding credit is set to the same amount. When users of this partner place orders on account, then the amount of their order is subtracted from their partner's outstanding credit. If the outstanding credit falls below zero, then the current order is placed on hold, and subsequent orders placed on account are also placed on hold.

Orders placed on hold can be approved by users that have been assigned the Finance function. Partner users can continue to place orders by credit card, but they cannot place any more orders on account until the outstanding credit is increased above zero again.

The outstanding credit amount can be increased by posting XML messages into the Comergent eBusiness System. Contact your Comergent Technologies, Inc. representative for details.

Using Storefronts

Some of your selling partners may not have the infrastructure to maintain their own e-commerce Web site. In Release 7.1 and higher, you can create storefronts for your partners. The storefronts provide a complete e-commerce environment within which your partner can do almost all of the same things that you can do within the enterprise. Each storefront is created with a "storefront partner": this is the partner that represents the enterprise running the storefront. For example, suppose you want to create a storefront for an organization called Anderel. When you create the storefront, you provide details for the Anderel partner profile within the storefront. Anderel employees can log in as users of this storefront partner: when they do so, they act as enterprise administrators within their storefront. We refer to these users as storefront administrators.

Storefront Administrator Tasks

Administrators of each storefront perform administration tasks to manage their sites. These tasks correspond to the equivalent enterprise administration tasks and so the chapters in this guide that cover general enterprise administration are also applicable to storefront administrators.

Storefront administrators can perform nearly all of the same tasks for their storefront that tenant administrators can perform for the enterprise, including:

- Managing business rules for their storefront

- Performing user administration for their storefront
- Creating and managing storefront partners for their storefront
- Setting prices for their storefront
- Managing system properties for their storefront
- Assigning and unassigning feature types to feature categories that they manage for their storefront
- Assigning and unassigning features to the products that they manage for their storefront

Storefront administrators cannot modify parts of the product catalog or perform catalog administration tasks that affect the entire enterprise. This means that they cannot perform the following tasks:

- Generating and running **C3** Analyzer reports
- Managing features with **C3** Product Manager
- Setting up guided selling with **C3** Advisor
- Performing product import/export
- Performing search administration
- Creating or modifying models using the Visual Modeler

Storefront Hierarchy

Storefront administrators at any level can create child storefronts beneath them. Over time, a hierarchy of storefronts can develop: the tenant storefront, the storefronts that tenant administrators create, the storefronts that storefront administrators of these storefronts create, and so on. With the exception of the tenant storefront, each storefront has one *parent* storefront, and may have zero or more child storefronts.

- When we refer to the ancestors of a storefront, we mean the parent storefront of the storefront, the parent of that parent, and so on up the hierarchy up to and including the tenant storefront.
- When we refer to the descendants of a storefront, we mean the child storefronts of the storefront, the child storefronts of these children, and so on.

Skins

A skin is a way to determine the look-and-feel of a storefront. In Release 7.1 it comprises a logo (in the form of a GIF file), and a cascading stylesheet. Together, these determine some aspects of the user experience as users access the storefront. One skin is created when an enterprise administrator creates the storefront: they specify the string for the URL and this becomes part of the URL that is used when users access the storefront.

A storefront is accessed using a URL. Typically, URLs used to access the Comergent eBusiness System look like this:

```
http://server:port/Comergent/en/US/enterpriseMgr/matrix
```

The last component of the path (“matrix” in this case) is used to determine which skin of which storefront the user is accessing.

A storefront administrator can create more than one skin for their storefront: they must specify the URL string, and optionally a GIF image and cascading stylesheet, for each skin they want to create. For example, the enterprise administrator creates a storefront for Anderel, and they specify the URL string as “anderel”. To begin with, Anderel storefront administrators and end-users will access the Anderel storefront using a URL that looks like this:

```
http://server:port/Comergent/en/US/enterpriseMgr/anderel
```

If an Anderel storefront administrator logs in, and creates a new skin with the URL string “anderelStore” for their storefront, then both storefront administrators and end-users can access the Anderel storefront using:

```
http://server:port/Comergent/en/US/enterpriseMgr/anderelStore
```

Depending on the differences between the cascading stylesheets used for the two skins, users will experience a different look-and-feel depending on which of the two skins they use to enter the Anderel storefront.

Storefront Data

In general, any data that is created within a storefront (either by storefront administrators or by storefront end-users) is separate from data of the enterprise storefront. In particular, data created within a storefront cannot be seen from any other storefront. However, note that the following data is “shared” between the enterprise and storefronts:

- **Product data:** Enterprise product data is visible as read-only data to storefront administrators. Storefront administrators can view enterprise product details and add enterprise products to storefront price lists.

Storefront end-users can buy enterprise products provided that they meet the standard access criteria (using product entitlements and price lists defined at the storefront level).

Enterprise administrators can open a product category to one or more storefront partners (see "To Enable Access Control" on page 295) immediately below them. When they do so, storefront administrators who have been granted access can create products and child product categories within this product category.

- Products created will be visible as read-only to storefront administrators of any ancestor storefronts, and will be visible as read-only to storefront administrators of any descendant storefronts.
- Product categories created will be visible as read-only to the storefront administrators of any ancestor storefronts. The storefront administrators at this level can open the product category to child storefront partners immediately below them in the storefront hierarchy.

This same principle is applied to product data that child storefronts of a storefront create. At any level within a hierarchy of storefronts, storefront administrators have full access to product data created at their level, and they have read-only access to product data created at ancestor and descendant storefronts.

- Enterprise administrators can see storefront price lists. This is so they can assign storefront price lists to enterprise partners for the purposes of supplier order-brokering.

Storefront Partners

In Release 7.1 and higher, storefronts are created by an administrator (of either the enterprise or an existing storefront). When an enterprise administrator creates a storefront, they provide profile information for the "storefront partner" and a URL that will be the access point for all users entering the storefront. This is different from earlier releases in which any partner could be marked as a storefront partner. See "Legacy Storefront Partners and Partner.com Partners" on page 11 for a description of this earlier functionality.

Legacy Storefront Partners and Partner.com Partners

This section describes how earlier releases managed partner storefronts. Partners are enabled for C3 Partner.com either as a Partner.com Partner or as a Storefront Partner.

The Partner.com Partner gains the same advantages of e-business as other partners in the Comergent eBusiness System. End-users can log into the enterprise site, select products, and then be able to select the Partner.com Partner for price and availability checks or cart transfers. With the ability to create their own partners called customers, the Partner.com Partner can give special prices and access to additional products to users belonging to these customers. When a partner is enabled for C3 Partner.com, their customers can log into a dedicated location to obtain order information.

Storefront Partners support the same capabilities as Partner.com partners, and, in addition, they can operate a storefront for their customers. End-users created for these customers can access the storefront URL, defined when the Storefront Partner is enabled, and order products directly from the storefront. In addition, the Storefront Partner can participate in the selling experience described for the Partner.com Partner, providing special pricing and products to end-users belonging to their customers.

Storefront administrators can manage the emails that are sent to their customers when they place orders so that the email messages are customized for their storefront.

Customers and Their Users

A customer is any partner created by an enterprise administrator (tenant or storefront). As described earlier ("Managing the Sales Channel" on page 3), the enterprise administrator creates customer partners in their sales channel.

- Tenant administrators create a partner administrator for each customer partner who, in turn, creates partner users. These users log in to the enterprise tenant site using the usernames and passwords assigned to them by the partner administrator.
- Similarly, storefront administrators create customer partners in *their* sales channel. They create a partner administrator for each such partner who, in turn, creates partner users. These users log in to the storefront site using the usernames and passwords assigned to them by their partner administrator.

Products, Pricing, and Product Availability

Storefront partners must keep their product and pricing information current in the Comergent eBusiness System. Storefront administrators create products through **C3** Product Manager. When they create a product, they assign a product ID that will be a reference in the enterprise product catalog. Through **C3** Pricing, they create and maintain price lists for these product IDs as well as for enterprise product IDs.

The storefront administrator identifies partners of the enterprise to whom the storefront administrator wants to assign the price lists (that is, to whom the storefront administrator wants to make the products on those price lists available). Since only the enterprise administrator can assign price lists to enterprise partners, the storefront administrator notifies the enterprise administrator to assign the lists to these enterprise partners.

Once the storefront administrator has done this, we recommend that partners identify the availability of the product for their own product IDs ("Product Availability File" on page 13). Partners can also provide a file that maps the enterprise product IDs to their own product IDs ("Product Mapping File" on page 13).

Product Availability File

Once storefront administrators have created the products and price lists, then ensured that their price lists have been assigned, we recommend that they provide product availability information for their own product IDs.

| | |
|--------------|--|
| Note: | A product for which no availability information is provided is displayed to the end-user with an available quantity of zero. |
|--------------|--|

Storefront administrators provide availability by creating a file with the availability information, then uploading it. As described in "Product Availability File Format" on page 906, the file includes such information as warehouse location, availability, and restock quantity. Storefront administrators can create an availability file using their preferred text editor. Alternatively, if they create the data using a spreadsheet other than Microsoft Excel, they can export the data as a tab-delimited file. Follow the instructions provided by the spreadsheet application for further details.

Once the file is uploaded, partners can modify the availability information in one of two ways:

- Download the file, modify the current entries or add new ones, then upload the modified file.
- Update individual availability information from within the Comergent eBusiness System.

Product Mapping File

Partners can create a product mapping between the enterprise product ID and their own product ID. Product mappings may be uploaded to the Comergent eBusiness System in a product mapping file. The format of the file is a tab-delimited file as described in "Product Mapping File Format" on page 905. They can use their

preferred text editor to create or modify the file. Alternatively, if they create the data using a spreadsheet other than Microsoft Excel, they can export the data as a tab-delimited file. Follow the instructions provided by the spreadsheet application for further details.

| |
|---|
| Note: Providing a Product Mapping file is optional. The partner's product ID is displayed to the end-user along with the enterprise product ID. If no mapping is provided, then only the enterprise product ID is displayed. |
|---|

Once the file is uploaded, partners can modify the mapping information in one of two ways:

- Download the mapping file, modify the current entries or add new ones, then upload the modified file.
- Update individual mapping information from within the Comergent eBusiness System.

Users, Roles, and Functions

The first step towards using the Comergent eBusiness System is to assign the necessary functions within your organization that will administer the various parts of the enterprise site. Once you have done that, the second step is to create the users who will perform these functions and assign access privileges for that purpose.

The tasks for this purpose are presented in CHAPTER 6, "User Administration".

Organizational Functions

Once your company has installed the Comergent eBusiness System, it is useful to assign the following functions in your organization:

- *Accounts Receivable Representative*: This person manages invoices for the enterprise site.
- *Business Rules Manager*: This person has access to the Business Rules Manager module and controls the business rules for the enterprise site.
- *Channel Administrator*: This person creates and maintains the profiles for each partner. In addition, this person is responsible for creating a partner administrator for each profile. This partner administrator is an employee of a partner who is responsible for creating and maintaining their own partner users.
- *Commerce Administrator*: This person is responsible for monitoring all cart activity at the enterprise or **C3** Partner.com partner site.

- *Customer Service Representative*: This person is responsible for creating and updating orders on behalf of customers, monitoring orders, and for monitoring any product return requests. Typically, products returns have internal rules that guide whether to approve or reject a return. When a decision must be made manually, however, this person has the authority to make that decision.
- *Enterprise Lead Administrator*: This person creates and assigns leads to one or more partners. The enterprise lead administrator also closes the lead.
- *Promotion Administrator*: This person is responsible for managing promotions.
- *Product Administrator*: This person is responsible for all the products at the enterprise site, including setting the correct prices for those products and associating them with the appropriate partners.
- *Sales Manager*: this person manages the sales representatives and is responsible for delegating leads to them.
- *Sales Representative*: this person handles leads that are delegated to them.
- *System Administrator*: This person maintains the system configuration by having access to the System Administration module.
- *User Administrator*: This person is responsible for creating and maintaining all the users at the enterprise site.

Creating Users

The *user administrator* is the person at the Comergent installation responsible for adding users to the system and giving them access to the areas appropriate for them to perform their function. In general, user administrators do not have any privileges associated with partners. In particular, they cannot create partner users. (The only enterprise employees who can create partner users is the *channel administrator*.)

When you create users, you must assign them a username and password. The username you assign must be unique. Each username is checked for uniqueness when the user is created: if the username is already in use, then the user administrator must choose a different username. When a user is deleted from the Comergent eBusiness System, their username is not: that is, once a username is in use, it can never be re-used.

As you create users, you must also assign access privileges by assigning one or more functions.

You can also set a preferred locale for each user. See "Internationalizing the Comergent eBusiness System" on page 50 for more information.

Assigning Functions

In the Comergent eBusiness System, *entitlement functions and roles* explicitly define the access that users have to business objects and the functions they can perform such as updating users or creating price lists. These functions and roles are listed in the **Entitlements.xml** configuration file which is read by the Comergent eBusiness System server on startup. The file comes with several entitlement functions and roles pre-defined (see "Pre-defined Functions" on page 17), but you can customize access by editing this configuration file to create more roles and edit the privileges of existing roles.

Roles are grouped into functions: functions are intended to correspond quite closely to the business functions within an organization: finance, sales, and so on. Each function has a label: this is what is displayed in the browser when you perform user administration.

It is important to distinguish these *entitlement functions* from the *organizational functions* described in the earlier section. Any person in your organization may have one or more organizational functions that they perform to complete their job responsibilities: system administrator, product manager, sales manager, and so on. These may or may not correspond to the entitlement functions defined in the Comergent eBusiness System.

Consequently, the entitlement functions defined in your implementation of the Comergent eBusiness System may serve as "umbrella" roles that cover more than one organizational function. For example, to provide them with the proper access, you may need to assign the same entitlement function to the *channel administrator* and the *user administrator*. At implementation time, your system integrators determine appropriate groupings of organizational functions into entitlements functions. These entitlement functions are defined in the **Entitlements.xml** configuration file.

However, note that only those roles present in the access policies and access control lists (ACLs) or in the **Entitlements.xml** file have any effect on the privileges users have. Refer to the *Comergent eBusiness System Reference Guide* for more information.

Pre-defined Functions

The **Entitlements.xml** configuration file that is implemented with the Comergent eBusiness System comes with the following pre-defined functions:

TABLE 1. Pre-defined Enterprise Functions

| Function/Label | Description of Access |
|---|---|
| EnterpriseProgramManagement/ Program Management | Includes Pricing, Product, Model, Coupons, Advisor, and Promotion Management. Also includes reporting, job scheduling, inventory collection, and editing of system properties and business rules. |
| EnterpriseFinancials/Financials | Includes the ability to remove Credit Holds from Partners, Users and Orders. Also includes the ability to view and edit invoices. |
| EnterpriseCommerce/Commerce | Includes the ability to create carts, place orders, create quotes on behalf of customers. |
| EnterpriseSales/Sales | Includes the ability to work with opportunities and proposals as well as being able to create carts, quotes, and orders. |
| EnterpriseSalesExecutive/ Sales Executive | Adds the ability to act as sales manager to the EnterpriseSales function. Sales managers assign opportunities to other users and can also work opportunities themselves. |
| EnterpriseLeadAdministratorSales/ Lead Administration | Can manage leads for the enterprise. |
| EnterpriseBasicAdministration/ Basic Profile Maintenance | Performs limited user and profile administration at or below their node. Can only assign functions to other users that they have. |
| EnterpriseAdministration/ Profile Administration | Performs full user and profile administration at or below their node. You must ensure that at least one enterprise user has the EnterpriseAdministration function. |

For partners, the following table summarizes their functions:

TABLE 2. Pre-defined Partner Functions

| Function/Label | Description of Access |
|---|--|
| PartnerProgramManagement/ Program Management | Includes Pricing, Product, Promotion Management. Also includes creation of email templates, SKU and availability management. |
| DirectFinancials/Financials | The ability to view and edit invoices. |
| DirectCommerce/Commerce | Includes the ability to create carts, place orders and create quotes. |
| DirectCommerceExecutive/ Commerce Executive | Includes the ability to create carts, place orders, perform order approvals, and create quotes. |
| Commerce | Includes the ability to create and transfer carts. |
| DirectSales/Sales | Includes the ability to work with leads and opportunities apart from being able to create carts, quotes, and orders. |
| DirectSalesExecutive/Sales Executive | Includes the ability to work with opportunities apart from being able to create carts, quotes, and orders. |
| Sales | Includes the ability to work with leads and opportunities as well as being able to create and transfer carts. |
| Sales Executive | Includes the ability to work with leads and opportunities apart from being able to create and transfer carts. |
| PartnerBasicAdministration/ Basic Profile Maintenance | Performs limited user and profile administration at or below the node. |
| PartnerAdministration/ Profile Administration | Performs full user and profile administration at or below the node. |
| StorefrontCustomerBasicAdministration /Basic Profile Maintenance | Performs limited user and profile administration at the node. Can only assign functions to other users that they have. |
| StorefrontCustomerAdministration/ Profile Administration | Performs full user and profile administration at the node. |

Managers

Users can be marked as managers. Managers are entitled to navigate to child nodes of their node to perform the same tasks as they can at their own node. They can also view and modify the activity of other users at their node. For example, an enterprise user with the Commerce function and marked as a manager can navigate to a child node in the enterprise hierarchy and view the orders created by EnterpriseCommerce users at the child node.

An enterprise user who is a manager can access all the accounts assigned to their enterprise node and nodes below this node. That is, managers do not have to explicitly draw accounts from the pool of accounts assigned to their node: they can work on any account assigned to their node.

User Statuses

Every user has a status. Together with the profile status of their partner, this determines what the partner user can do. See "Profile Statuses" on page 5 for more details on partner profile statuses.

In Release 7.1 the following user statuses are defined:

- Open: no restrictions on a user's activities.
- On Credit Hold: users can log in, but they cannot place orders.
- On Hold: users can log in, but they cannot place orders.
- Closed: users cannot log in.

When you set a user status to closed, or if their effective status becomes closed because you close their partner, this does not affect the carts, orders, returns, and other objects that the user has been working on. These remain in their current status until another partner user or enterprise user changes them.

Note that only partner users can be assigned the On Credit Hold and On Hold statuses. Only enterprise users with the Financials function can set partner users on On Credit Hold status. An enterprise user can re-open an On Hold partner user, but only enterprise users with the Financials function can re-open On Credit Hold partner users.

Inheriting Status

Each user belongs to a partner, and the user's effective status is inferred from their user status and their partner's effective status. For example, suppose that User 1 is a partner user of Partner B and that the effective status of Partner B is Open. Then if User 1's status is Open, then there is no restriction on the user's activities. If you

change the profile status of Partner B to On Hold, then even though you have not changed the status of User 1, their effective status changes to On Hold, and so they can log in, but they cannot place orders.

Suppose that Partner B is the child of Partner A, and that the status of Partner B is Open. If you set the status of Partner A to On Credit Hold, then even though you have not changed the status of Partner B, the effective status of Partner B is inherited to be On Credit Hold. Consequently, the effective status of Partner B users is On Hold, and so they cannot place orders.

A partner's status overrides a user's status if the partner's status is more restrictive: In the example above, if the status of Partner B is set to Closed, then the effective status of User 1 is also Closed, irrespective of the status of User 1.

User Preferences

In this release, partner users have *user preferences*: these are properties that influence a user's experience as they use the Comergent eBusiness System. In general, users will manage their own preferences through their user profile, but it is possible for their partner administrators to manage preferences for a user.

User preferences for this release include:

- Cart view: offers a choice between a simple and a complex view of each shopping cart.
- Workspace pagination: determines the number of lines displayed on each list page in the user's workspace.

User preferences are set up as part of the implementation of the Comergent eBusiness System, and so your installation may have more user preferences.

Administering the Product Catalog

Your product catalog organizes all your products into product categories that reflect the way in which you want to present your products to your customers. By grouping your products in to categories, you can help customers find products quickly. You can define a product as an assembly and provide a parts diagram to help customers learn what your product provides. You can assign features and resources to products to help product comparison and to provide additional information such as data sheets, and product photographs. In addition, you can enable customers to search for products by their product ID, name, and other attributes.

See "Administering the Product Catalog" on page 55 for a complete introduction to the concepts involved in administering the product catalog.

Guided Selling

If your catalog is large or complex, then you want to help customers select products that most exactly meet their needs. Using the Comergent eBusiness System, you can create a series of pages that interactively ask customers about the sorts of products they are looking for: for example, the usage they plan for the product, the performance characteristics they require, or specific features that they need. As customers respond to these questions, you can ensure that each customer sees only those products that meet their requirements and at any time customers can compare products to see which best fits what they are looking for.

See CHAPTER 4, "Introduction to C3 Advisor" for a complete overview of C3 Advisor.

Using the Visual Modeler

Complex products may need to be configured before they can be bought by customers and they have optional components that customers can configure based on their needs. The Comergent eBusiness System provides the ability for you to create models that define the configurable options of a product and to associate the products with these models. In doing so, you can provide a seamless experience for customers between selecting and configuring their product selections.

See "Using the Visual Modeler" on page 71 for a complete introduction to the Visual Modeler and its concepts.

Setting Prices for Products

An integral part of an e-commerce system is to display accurate and up-to-date prices to customers as they select products on your Web site. The C3 Pricing application provides a graphically intuitive user interface to maintain prices for products through your Web browser. See CHAPTER 17, "Pricing Administration" for the tasks associated with pricing.

Bear in mind the distinction between list prices and extended prices:

- List price: this is the unit price for an item. It does not take into account volume discounts, special pricing rules, or anything else that may affect the price that the user pays.

- Extended price: this is the price that the user pays for a given line item. It depends upon the list price, quantity bought, and pricing rules.

For example, in the following line item, the first price displayed is the list price (\$9.95), and the second price is the extended price.

| Product ID | List Price | Quantity | Extended Price |
|------------|------------|----------|----------------|
| MXWS-1000 | \$9.95 | 120 | \$1194.00 |

The precision to which prices are displayed is controlled by system properties. See "Application Settings" on page 866 for more information.

Price Lists

The Comergent eBusiness System uses price lists to manage the access that customers have to products and to display appropriate prices to each customer. As shown in Figure 3 on page 23, a price list is a combination of products and prices. The process for creating price lists is as follows:

1. Create products.
See "Administering the Product Catalog" on page 20.
2. Create the price list and assign products to the list.

Enter basic information about the price list such as effectivity dates, and so on. During creation, you decide which products you want to assign to the price list, depending on criteria such as customer type, and so on. See "To Create a Price List" on page 594.

Each price list has a supplier ID associated to it. The supplier ID is used to determine how price lists are used when calculating the price to be displayed to a user as follows:

- If you associate a supplier ID of "1", then the price list is an *enterprise price list*: it is used to price products when users access the enterprise as direct commerce users.
- If you associate a supplier ID of a partner, then the price list is used to price products if the partner is selected as the supplier of the product, or if a cart is transferred to the supplier's storefront, or when a storefront customer user logs into the storefront.
- If a product is on price lists that belong to more than one supplier, then no price is displayed until the user has selected which supplier they want to supply the product. Instead, a range of prices is displayed. The user is

prompted to select a supplier in order to get a firm price from that supplier's price lists.

Note: This behavior is different from earlier releases of the Comergent eBusiness System: previously, the owner of each price list was used to determine whether the price list was used in direct commerce or in a storefront.

If a partner administrator creates a price list, then the supplier ID is pre-populated as a read-only field. If an enterprise administrator creates a price list, then they can accept the default supplier ID which is "1". They can choose to enter the partner key of any partner: if they do this, then the price list is used when the partner is selected as the supplier for a product.

3. Set prices for the products.

You can set the prices by category or by individual product. You can also set special prices by creating special pricing rules for product categories or for individual products. These rules make a price conditional on qualities belonging to a partner or order. See "Conditional Pricing" on page 605.

4. Assign the price list to one or more partners.

This is how you enable customers to see products. When users log into the Web site, they see only the products on price lists associated with their partner. See "To Assign a Price List to a Profile" on page 183.




FIGURE 3. Products, Prices, and Partners

Price List Line Item Effectivity Dates

In this release, you can set effectivity dates at the line item level. By default, the price of a line item is effective for the effective period of the price list. However, if you override the price list effectivity dates by specifying effectivity dates at the line

item level, then you can specify a special price for a particular period. This means that the same product ID can be present more than once on the same price list. If a product ID shows up more than once, then its price is derived by taking the lowest of the effective prices.




FIGURE 4. Price List Line Item Effectivity Dates

In an example, illustrated by the Figure "Price List Line Item Effectivity Dates" on page 24, a price list is effective from 12/01/2003 through to 12/01/2004. One product ID, ProductID1, is listed three times:

- the first entry defines a price of \$35.00 and does not define effectivity dates and so its effectivity dates are taken to be the same as the price list effectivity dates.
- the second entry defines a price of \$25.00 and effectivity dates from 02/01/2004 to 08/01/2004.
- the third entry defines a price of \$30.00 and is effective from 01/01/2004 to 10/01/2004.

The following table provides prices for ProductID1 on various dates.

TABLE 3. Price List Line Item Effectivity Dates Example

| Date | Price |
|------------|--|
| 11/15/2003 | Price not available from this price list: the price list is not effective |
| 12/02/2003 | \$35.00: only the first entry is effective |
| 01/03/2004 | \$30.00: the first and third entries are effective and the third provides the lowest price |
| 05/16/2004 | \$25.00: all three entries are effective and the second provides the lowest price |

TABLE 3. Price List Line Item Effectivity Dates Example

| Date | Price |
|------------|--|
| 09/20/2004 | \$30.00: the first and third entries are effective and the third provides the lowest price |
| 11/02/2004 | \$35.00: only the first entry is effective |

Note that throughout this time period, ProductID2 continues to be priced at \$30.00.

How Prices are Calculated

This section describes how prices are calculated when they are displayed to a user.

1. First, the list of appropriate price lists is determined:
 - a. Start with the list of all active, effective price lists.
 - b. Reduce this set to the price lists that are assigned to the user's partner.
 - c. If the user is shopping at a storefront, then reduce this set to only those whose supplier ID is the storefront's partner key.
 - d. Reduce this set by considering only price lists that match the user's current selection of customer type and currency.
2. Using this list, calculate the lowest available price taking into account price list line item effectivity dates and any conditional pricing rules on each price list.

Entitlement and Pricing

If your company uses its own pricing engine to determine prices, instead of the Comergent eBusiness System pricing engine, then you can set a business rule to "Entitlement Only" instead of "Entitlement and Pricing". When you set the rule for entitlement only, you still add products to price lists. You still assign the price lists to partners, but only as a means of determining which products the partner is entitled to view and purchase. You do not use the price lists to assign prices to the products since the prices are derived from your company's own pricing engine. See the *Comergent eBusiness System Implementation Guide* for information about configuring your system to get prices from an external source.

Price Lists and Products

You create and maintain price lists from within the Price List Detail page in the Pricing Administration module. The first step is to populate the list with products. You must decide what kind of products should be included in this list.

You add products to the list by moving through a product hierarchy of product categories and products. You can either select a category and assign all the products to the list, or you can select individual products from the category. When you are done adding products from one category, you can move on to another category, and so on until you have added all the products you want.

The Product List Detail frame (where your selections are displayed) displays one category of products at a time. As you click another category, the frame will refresh itself. If the price list already contains products from that category, then the products will appear in the Product List Detail frame.

Assigning Prices

The previous section described how products are assigned to price lists. Once you have assigned products to lists, you assign the prices to the products. You assign prices in two ways: a default price that applies if none of the conditions are met, and a price applied by determining if certain conditions are met.

| | |
|--------------|--|
| Note: | The number of decimal places supported by C3 Pricing is a configurable parameter. See "Setting Prices for Products" on page 600 for more information. |
|--------------|--|

Assigning Default Prices

You assign default prices in the Price List Detail frame using one or both of the following methods:

- You assign category price information. In this case, you assign all the products in the category on the price list the same category price information.
- You assign price information to individual products within each category on the price list.

The price information includes a list price, a +/- discount percentage, and a +/- absolute amount. You can use one or both of the above-named methods. For example, an easy way to assign prices might be to assign category price information, then modify individual products in the category as necessary.

Creating Conditional Prices

In addition to the default prices, you can create conditional prices dependent on one or two factors relating to partners or orders. For example, you can set price information that applies only if the partner's membership level is gold and the order quantity is between 5 and 10 units.

You can create rules that apply to all the products on the price list within a product category. You can create rules that apply only to a specific product within a category. You can create multiple rules for a category or product. In a case where a customer satisfies more than one rule, the lowest price applies.

Making Price Lists Available to Customers

Once you have created the price lists, making them available to customers is a two step process. The first step is to make the price list “active” by checking the Active box on the Price List Detail page. Once you have done that, the second step is to assign the price list to one or more partners. "To Assign a Price List to a Profile" on page 183 describes the step-by-step process for making price lists available.

You can assign zero or more price lists to each partner. When a customer belonging to the partner enters your Web site, the price lists determine (a) the products that the customer is able to view and (b) the prices that are displayed when the customer adds products to a cart.

You can assign an inactive price list to a customer. That is, you can assign a price list whose Active box is not checked. Inactive price lists have no effect on the customer’s buying experience until you activate them by checking the Active check box.

Each price list has a unique currency associated with it and a unique customer type. Using the price lists, you can determine that not all products are available in a particular currency. Similarly, not all products are sold to a particular customer type.

When a customer first logs in, they are assigned an initial customer type and currency based on their partner. You can let customers change either the currency or customer type or both as they navigate through your Web site. If you do so, then bear in mind that the prices that they see can change.

Making Price Lists Sharable with Child Profiles

If one of your profiles is a parent in a hierarchy of profiles, then you can assign price lists to the parent so that those price lists are automatically assigned to any profiles below the parent in the hierarchy. For example, in Figure 5 on page 28, Partner A is parent to Partner B and Partner C. Partner C is parent to Partner D and Partner E. If you assign a price list to Partner A and mark that price list as sharable, then that price list is automatically assigned to Partner B and Partner C and, in addition, to Partner D and Partner E.




FIGURE 5. Sharable Price Lists

When assigning price lists to the child partner of a parent, you will notice a dollar sign (\$) next to any list that is shared with the parent (and therefore automatically assigned to the child). However, you can still assign that price list to the child and mark it as sharable. This guarantees that the price list will still be assigned to the child (and to its children), even after the assignment is removed from the parent.

Assigning Price Lists to the AnonymousUserPartner

The AnonymousUserPartner is a partner profile that come predefined with the Comergent eBusiness System. The existence of this partners enables anonymous users to “log in” and select products. Note that the user does not realise that they have been logged in: this happens invisibly to the user so that session can be maintained as they navigate through the Comergent eBusiness System.

When an anonymous user logs in, they see prices and products determined by the price lists assigned to the AnonymousUser Partner. If an enterprise administrator changes the assignment of price lists to the AnonymousUserPartner, then the changes take effect immediately. As new anonymous users “log in”, they see prices determined by the new assignment. Existing anonymous users, that is users already browsing the product catalog anonymously at the time the assignment is changed, will continue to see the old prices.

Price Lists Managed by Partners

Partner administrators can also create and maintain price lists for any products to which their partner has access. These products include products maintained by the

partner (see "Categories and Products Managed by Partners" on page 66) as well as products created by enterprise administrators

Note: Partner administrators can create price lists, but cannot assign price lists to partners. When a partner administrator creates a price list, it is automatically assigned a supplier ID whose value is the partner key.

Only enterprise administrators can assign the price lists to partners. When they have created a price list, partner administrators should notify an enterprise administrator.

See CHAPTER 9, "Administration Performed by Partner Users" for more information.

Enterprise Master Price List

When you implement the Comergent eBusiness System, an Enterprise Master Price List is automatically created and automatically assigned to the enterprise. This price list is used to provide prices for reporting purposes, but it can also be assigned to profiles just like any other price list.

Typically, the Enterprise Master Price List should contain all the products in your product catalog. When you create a new product, or when you import new products into your catalog, you add these new products to the Enterprise Master Price List (in addition to any other assignable price lists). In this way, the products can be picked up by the reports if the Enterprise Master Price List is designated as the reporting price list. This is the default setup: if you want to change to a different reporting price list, then see "Prices in Reports" on page 830 for more information.

The currency of the Enterprise Master Price List is referred to as the *Enterprise currency*. If it is being used as the reporting price list, then it is used in reports in which values are calculated, but where no currency has been specified.

Sales Contracts

Release 7.0 and higher support the capability of creating *sales contracts* for your partners. These are pre-approved carts which specify prices and quantities for customers. When you create a sales contract, you specify the partner for which it is intended, and users from this partner can make use of the contract while the contract is effective. See "Sales Contracts" on page 793 for details on sales contract-related tasks.

Workflow to Manage Sales Contracts

This is the basic flow of how sales contracts are managed:

1. An enterprise user creates a sales contract. Enterprise users must be assigned the Commerce function to be able to create sales contracts. As the enterprise user creates the sales contract, they specify the target partner, and this is saved as part of the header information of the sales contract. The header information also determines the start and end dates for the sales contract, some other contractual information, and the offer expiry date: this is the date by which the partner must accept the sales contract.
2. Having created the sales contract header, the enterprise user then builds up the line items of the sales contract. These comprise product IDs, quantities, and prices. Each line item is a commitment that the designated partner can buy that product ID for the specified price.
3. Once the sales contract is created, the enterprise user submits the contract to the designated partner. The contract is in the Pending state: orders cannot yet be placed from the contract, but the designated partner now has access to the contract.
4. Before partner users can use the contract, it must be accepted by the partner. Only partner users who have been assigned the Commerce Executive function can accept contracts. A Commerce Executive partner user must accept the sales contract before the offer expiry date. Once a sales contract is accepted it is in the Active state.
5. Once the sales contract has been accepted, then any Commerce partner user from the designated partner can use the contract to create orders.

Product Reviews

This release supports the ability of end-users to provide product reviews. These offer a way for your customers to give feedback to you and other customers about their experience with a product and its capabilities. End-users must be assigned the Product Reviewer function to write reviews.

A product review comprises:

- Title
- Rating: A numerical rating from 1 (bad) to 5 (good).
- Pros: a summary of what is good about a product.
- Cons: a summary of what is bad about a product.
- Review: a detailed description of the user's experience of the product.

Once a user has submitted a review of a product, then it is visible to other end-users who view the product detail page of the same product.

Product Review Administrators are enterprise users who have been assigned the Product Review Administration function. These users can hide reviews from end-users. They can also reject reviews.

Payment Processing and Credit Cards

Release 7.0 and higher support credit card transactions. This includes:

- "Payment Gateways" on page 31
- "Payment Transactions" on page 31

Payment Gateways

To support credit card transactions, you must specify the payment gateways to be used to process each transaction. A payment processor, such as CyberSource, provides the external service through which the credit card information is passed to capture transactions and to pass back authorization and transaction codes.

Each partner, including the enterprise, can set up a payment gateway. Typically, this includes specifying the payment processor, the merchant ID for the partner, and the location of the merchant key (used to identify the merchant with the payment processor). See "To Set Up a Payment Gateway" on page 186 for more information.

Payment Transactions

Enterprise users can review payment transactions, and they can make manual adjustments. See CHAPTER 33, "Payment Transactions" for more information.

Using Carts

Carts

A cart is the basic unit of e-commerce. Customers and partner employees purchase items by placing them into a cart and then either placing the cart as an order or transferring the cart to a storefront for processing or ordering. Multiple items can be placed in a cart, and items can be added and removed from a cart before transferring it. Depending on the capabilities of the distributor site, a cart can be modified on the storefront even after the transfer has occurred.

Each line in the display of a cart is a cart line. *Parent lines* are displayed for items that carry prices whereas *child lines* display subsidiary items. Both parent and child

line items are priced for configured products. However, the child line items are not priced for assemblies.

Enterprise users of the Comergent eBusiness System may view information about the cart activity on their system. By doing so, they can monitor commerce activity on their Web site.

Life Cycle of a Cart

Typically a cart goes through the following process during its lifetime.

1. A user creates a cart and places items in it. Once a cart is created it is referred to as an *active* cart.
2. Individual items may be configured while in an active cart. Users can duplicate an active cart to create another cart. You can also delete an active cart.
3. Users can save carts as quotes: the prices saved with a quote are valid for a time that can be configured as part of system configuration. Users can also make requests for price negotiation: that is, they can submit the cart with requested prices to see if one of your customer service representatives approves the request.
4. The user can place the cart as an order. Registered users are asked to verify shipping information, while unregistered (anonymous) users are asked to register.

Serving Promotions

The **C3** Promotions application enables you to serve promotions to customers as they select products for their cart, or as they obtain price and availability information from your site. By associating promotions to products (through their product IDs), you are able to take advantage of “up-sell” or “cross-sell” opportunities that are closely related to products that the customer has selected already. The *promotion administrator* manages all information related to promotions.

Promotions Served by an Enterprise

When your installation of the Comergent eBusiness System is serving as an enterprise site, it can provide cart functionality for your e-commerce site. Users can create carts in their workspace and place products in their carts prior to obtaining price and availability information or transferring the cart to a partner or ordering from your site.

You can enhance the cart environment by adding promotions. When a customer adds a product to a cart, the enterprise server can display a “sale” icon next to the item to indicate that a promotion is available for this line item.

Promotions Served by a Partner

When the Comergent eBusiness System is installed at an enterprise that responds to price and availability requests, it can respond to price and availability requests received from enterprise servers. Typically, the response to the request is a price and availability reply message that provides a price element and an availability element for each line item in the request. You can, however, enhance a price and availability reply message by associating promotions with certain products. When the enterprise site displays the price and availability information to the customer, a “sale” icon indicates that a promotion is available for this line item.

Promotions as Viewed by a Customer

Promotions are served up dynamically: they are not tied to particular pages or templates in the Comergent eBusiness System. As soon as you create and configure a promotion (by associating it with products), then the promotion is available to be served up to a customer. Similarly, any changes that you make to a promotion can take effect immediately. Alternatively, you may specify a range of effectivity dates so that a promotion is served only for some pre-defined period of time.

In addition, promotion controls are used to determine which promotion(s) (if any) are to be displayed as part of a cart display. Promotion controls associate a promotion with one or more products and determine when a particular promotion is served.

Each promotion is indicated by a “sale” icon next to a product ID in a customer’s cart. By moving the mouse over the icon, a small piece of text is displayed describing the promotion.

Clicking on the icon opens a new browser window showing the promotion to the customer. The customer can click on **Previous** and **Next** to view additional promotions associated with the products contained in the customer’s cart.

In addition, for promotions served by an enterprise server, the customer can click **Add to List** and immediately add the promotion item to the cart. This functionality is available if you have configured the promotion with the optional properties: Add to List Product and Add to List Quantity. (See "To Create or Duplicate a Promotion" on page 626) This button is not available on partner promotions.

How Promotions Are Implemented

A promotion comprises three general parts: promotion content, promotion control, and promotion event.

Promotion Content

The content of a promotion is principally a promotion identifier, the promotion URL or an image file that displays the promotion, and the short description of the promotion.

Promotion Control

Promotion controls are used to determine which promotion is to be displayed in response to a price availability request line item. Each promotion control includes a priority level, a date range, the product with which to associate the promotion, and a flag that indicates whether or not the promotion is enabled.

The Comergent eBusiness System determines at runtime which promotion, if any should be associated with each line item. The Comergent eBusiness System selects promotions based on the following rules.

For the Enterprise Site:

1. The Comergent eBusiness System selects the *enabled* promotion controls whose Product ID field matches the Product ID of the cart line item, and for which the current date falls within the date range of the promotion controls.
2. The system filters those promotions that do not apply to the customer. The system only considers those promotions that match:
 - the customer's partner type *and* partner level
 - the customer's partner type *or* partner level
 - *all* partner types and partner levels
3. The system filters out all promotions that do not match the customer's current presentation locale.
4. From these promotion controls, the system selects the promotion(s) with the highest priority.
5. If this choice results in multiple promotions, then the system further narrows the matching promotions by selecting promotions that match *both* the partner type and partner level. If multiple promotions meet this criteria, then the system selects one promotion at random from the matching promotions.

6. If no promotions match both the partner type and partner level, then the Comergent eBusiness System selects promotions that match *either* the partner type control *or* the partner level control.

For example, if three promotions match the partner type control property and five promotions match the partner level control property, then the system selects one promotion at random from the eight total matching promotions.

7. If there are no matches for either partner type or member level, then the Comergent eBusiness System selects at random, the highest priority promotion that matches the product and has partner type and member level set to Match All.

For more information on partner type and partner level, see "To Create or Duplicate a Promotion" on page 626.

8. The Comergent eBusiness System serves the selected promotion.

Promotion Event

For an enterprise edition of Comergent eBusiness System, a promotion event is divided into three types:

- A hit is defined as when a promotion is available to be viewed. For example, when a customer add a product to the cart and that product has a promotion associated with it, a promotion icon appears with the line item.
- A view is a promotion event where the customer clicks on the promotion icon next to a line item in either a cart or in **C3** Advisor and actually displays the promotion.
- An Add to List promotion event involves a customer clicking **Add to List** in the promotions window.

For an implementation of the Comergent eBusiness System installed at a partner site, a promotion event is created each time a promotion is served in a price and availability reply. Principally, this comprises the date, the identity of the recipient of the promotion, and the promotion identifier.

Customer Service

Customer service representatives are enterprise users that have been assigned the EnterpriseCommerce function. This function is designed to let enterprise users help customers with tasks such as placing orders, modifying or cancelling orders, requesting returns, and approving submitted quotes.

Note that enterprise users can be assigned this function in addition to other functions too, and so, for example, it is possible for an enterprise user to act as both an profile administrator and as a customer service representative.

Once a customer has placed an order, the customer service representative monitors order activity and monitors any line item returns and evaluates them as necessary.

Order Management

Customer service representatives can create carts and place orders on behalf of customers. Once a customer has placed an order, the customer service representative can display and modify information about the order. This includes line item information (such as quantities and prices) and addresses. For example, the original order quantity might have warranted a price break; a change in quantity might mean the price break is no longer relevant.

The representative can also define specific information for a line item, for example a shipping address for a specific line item. The customer service representative can add line items to an order. See CHAPTER 26, "Customer Service" for a description of the tasks. The customer service representative can also view the history for the line items on a specific order.

Sometimes customers are unable (their computer system is down, and so on) to place orders for products. In Release 6.4 and higher, customer service representatives are able to create orders on behalf of self-registered and direct commerce users. From the Comergent eBusiness System home page, they can see the products, price lists, address books, and so on, from the standpoint of the customers for whom they are creating the orders.

Account Management

You can manage customer service representatives and their managers so that each customer service representative manages a specified set of partners, known as their accounts. Before a user at a node of the enterprise hierarchy can be assigned an account, the account must be assigned to that node. Customer service representatives can assign themselves accounts from their available pool of accounts or they can be assigned accounts by their manager.

When a user is assigned an account, they can view the commerce activity of all users who belong to the account. If they have the appropriate functions (such as Finance and so on), then they can view the corresponding activity, such as invoices and so on, of all their account users. However, if they have not been assigned the account, then they cannot see this activity.

Managers at an enterprise node can automatically see all of the commerce activity of account users of accounts assigned to that node, but other enterprise users can only see the activity if they have been explicitly assigned the account. By default, all partners are assigned to the root node of the enterprise hierarchy. Consequently, any manager at the enterprise node can view the commerce activity of any partner.

Returns Management

Whenever a customer returns items from an order, the Comergent eBusiness System has internal rules that decide automatically whether the return request will be approved or not. Where a decision cannot be made automatically, the customer service representative can access a list of return requests and review the return requests manually. See CHAPTER 26, "Customer Service" for a description of the tasks.

Quotes Management

When partner users create a cart, they can either place the order with the prices as supplied by the price lists, or they can enter their own, requested prices and submit this for price negotiation.

The customer service representative can display a list of quotes, and view the submitted quote detail. The customer service representative can reject the requested prices, or they can modify the quantity and price as necessary and then accept the quote, at which point the quote becomes a quote that can be turned into an order. Once the submitted quote has been converted to an orderable quote, the end-user can either remove the quote or convert the quote to an order.

See "Working with Quotes" on page 696 for the tasks involved.

Invoice Management

Invoices are created by posting XML messages to the Comergent eBusiness System. See the *Comergent eBusiness System Implementation Guide* for information on how this can be implemented. CHAPTER 35, "Invoice Administration" covers all the enterprise tasks associated with invoice management and "Invoice Administration by Partners" on page 263 covers all the partner tasks associated with invoices.

Each invoice may or may not be associated with an existing order in the Comergent eBusiness System. If there is an associated order, then users can view the invoice from the order page and can navigate to the order from the invoice (if their entitlements permit this: see "Access to Invoices" on page 39).

A single order can have more than one associated invoice: for example, the enterprise may generate one invoice for each line item in an order.

Two groups of users work most closely with invoices:

- Financials enterprise employees: these users work for the enterprise and are responsible for ensuring that invoices are paid by their customers and that disputes regarding invoices are handled quickly. These users can view and modify all invoices in the Comergent eBusiness System. Typically, these users are referred to as accounts receivable users.
- Financials customer employees: these users work for partners of the enterprise and are responsible for ensuring that invoices are paid by the customers and to initiate any disputes regarding the payment of invoices. These users can view and modify all invoices owned by users that belong to their partner. Typically, these users are referred to as accounts payable users.

Invoice Statuses

Each line item of an invoice has two statuses: these reflect the status of the line item as viewed by the customer and enterprise.

TABLE 4. Invoice Line Item Statuses

| Customer Status | Enterprise Status |
|-----------------|-------------------|
| New | New |
| Paid | Payment Received |
| Disputed | Disputed |

In addition, the invoice as a whole has a status: it provides a summary of the line item statuses as follows:

TABLE 5. Invoice Status

| Invoice Status | Combination | |
|----------------|-----------------------------|---|
| | Customer Status | Enterprise Status |
| New | New | New |
| Partially Paid | Paid, but not for all lines | Payment Received, but not for all lines |

TABLE 5. Invoice Status

| Invoice Status | Combination | |
|----------------|-------------------------------|-------------------|
| | Customer Status | Enterprise Status |
| Paid | Paid for all lines | Any |
| Disputed | Disputed on at least one line | Any |

Access to Invoices

When an invoice is created in the Comergerent eBusiness System, it may be viewed by appropriate users of both customers and the enterprise as described in this section.

Invoice Ownership

- If an invoice is associated with an order in the Comergerent eBusiness System, then ownership of the invoice is inferred from the associated order.
- If the invoice is not associated with an order, then the owner of the invoice is set to the user key of the ERPAdministrator user (used to authenticate the inbound post). As a result, enterprise Financials employees can view and modify the invoice, but no customer users can view or modify the invoice.

Viewing and Modifying Invoices

The owner of an invoice can always view an invoice.

Financials employees of the customer may view an invoice to verify or modify its customer status at the enterprise or to contest some aspect of its payment.

Financials employees of the enterprise may view any invoice for any customer to verify or modify its enterprise status or customer status.

Credit and Debit Memos

You can associate *memos* with invoices: these are financial adjustments to invoices. Typically, you use these to record changes made to invoices as a result of negotiations made between invoice parties (the enterprise and the partner to whom the invoice has been submitted).

A credit memo is used to reduce the amount owed on an invoice. A debit memo is used to increase the amount owed. See "Memo Administration" on page 819 for more information on the tasks associated with invoice memos.

Leads Management

You can manage sales leads that become available to your company. Using **C3 Leads**, you can create a lead and assign the lead to one or more of your partners as well as possibly to your own sales team. Using the Comergent eBusiness System, sales representatives work the lead and can convert their opportunities into orders. CHAPTER 28, "C3 Leads" covers all the tasks associated with lead management and "Opportunity Administration by Partners" on page 245 covers all the tasks associated with opportunities.

Users must be assigned the Sales function to work as sales representatives. Users must be assigned the SalesExecutive function to work as sales managers: that is, to delegate opportunities to other sales representatives.

Opportunity

When an enterprise lead administrator creates a lead (see "To Create a Lead" on page 735), they provide contact information (such as the contact's name, address, and so on) and they can indicate what products the contact is interested in. Having created the lead, the lead administrator can assign the lead to one or more partners: each partner is free to work the lead as they see fit. It is also possible to assign a lead to the enterprise partner: this gives enterprise sales managers and sales representatives the opportunity to work the lead.

When a lead administrator assigns a lead to a partner, an opportunity is created. An opportunity contains all the contact information from the lead and the list of products that the contact has expressed interest in. Partner users work on opportunities as follows:

- First, the partner sales manager accepts the opportunity.
- The sale manager then delegates the opportunity to one of their sales representatives.
- Then the sales manager or delegated sales representative works on the opportunity. When a partner sales representative works on an opportunity, they do not change the lead itself, only their opportunity copy of it.

The enterprise lead administrator can view partner activity for each lead by viewing each of the opportunities generated from the original lead. One opportunity is created for each assignment of a lead to a partner, and so if a lead is assigned to five partners, then five opportunities are created. Each of the partner sales representatives who works on an opportunity cannot see the other opportunities for that lead and so they work independently of each other.

Functions

The following entitlement functions are relevant in lead management:

- **EnterpriseLeadAdministratorSales:** this is an enterprise function. Enterprise users assigned this function can create leads and assign leads to partners (including the enterprise itself).
- **EnterpriseSalesExecutive, DirectSalesExecutive:** these functions can be assigned to enterprise and partner users. Users with these functions are responsible for accepting or declining opportunities that are assigned to their partner and for delegating opportunities to other partner users who have been assigned the Sales function.
- **EnterpriseSales, DirectSales:** these functions can be assigned to enterprise and partner users. Users with these functions can be delegated opportunities and work with them to create proposals and orders from them.

Contacts

When a lead is created by the lead administrator, they enter contact information for the person represented by the lead. Each lead must have at least one contact. When a lead is assigned to a partner, the contact information is passed to the opportunity, and so a partner sales representative can contact the contact person to ascertain more precisely the person's needs.

More than one contact can be associated with a lead. One of these must be designated as the primary contact, and in lists of leads or opportunities this is the name that is displayed for each lead. If you delete the primary contact, then the first of the remaining contacts is made the primary contact.

Proposals

When a lead is created by the lead administrator, a cart is created with the lead: the lead administrator can choose to add products to the cart to indicate the products that the contact is interested in. This cart is known as a *proposal*. When a lead is assigned to a partner, an opportunity is created: this is a copy of the lead created by the lead administrator, and it contains a copy of the proposal as it was created by the lead administrator.

When a sales representative works on an opportunity, they can use the associated proposal to add (or remove products) and to make adjustments to the prices of products as they think appropriate for their sale. The sales representative can also make new proposals associated with the same opportunity, or they can create a new proposal which is associated to a new opportunity, not an existing one.

When a sales representative wants to show a proposal to a contact, they can use proposal templates to determine the look-and-feel of the proposal. Templates are XSL files that can be used to transform an XML representation of the proposal into an HTML page or PDF file. See "Print Templates Tab" on page 219 for a description of how partner administrators can maintain proposal templates.

Proposal Template Format

The format of a proposal template must be a valid XSL file. It must be capable of generating a valid PDF file from the XML representation of a proposal. See "Proposal Templates" on page 899 for an example proposal template.

Assigning Functions for Managing Leads

As described in "Managing the Sales Channel" on page 3, the Comergent eBusiness System has a function called *EnterpriseLeadAdministratorSales*. The person who manages functions in your enterprise assigns the function of *EnterpriseLeadAdministratorSales* to the person responsible for managing leads. This function gives this person, the *Enterprise Lead Administrator*, access to the **C3** Leads application, including full capability for managing leads on the enterprise server.

As described in "Partner Users" on page 4, the enterprise *channel administrator* user creates, for each partner, a *partner administrator* user. This partner user usually creates the other partner users for their partner.

- For each partner, the partner administrator can assign the SalesExecutive function to one or more of their partner users. This partner user becomes the *partner sales manager*: this user is responsible for accepting or declining leads assigned to the partner by the enterprise. Once they have accepted a lead, then they can delegate the opportunity to one of their sales representatives.
- The partner administrator can assign the Sales function to one or more of their partner users: such users can have opportunities delegated to them, and they can work the opportunities to create proposals and turn them into orders.

Creating the Leads through the User Interface

As sales and marketing activities (that is, phone calls, trade shows, and so on) generate sales leads, as *Enterprise Lead Administrator*, you add these sales leads to **C3** Leads. As described in "Creating and Modifying Leads" on page 735, you can either create the leads manually, with the user interface, or you can upload the leads

from a file. See "Uploading Leads Using an XML File" on page 43 for information about uploading leads.

When you create the leads manually, you enter such general information as the territory and customer type to which the lead belongs. You can also define the partner type (distributor, OEM, etc.) and partner level (platinum, gold, and so on) to which the lead should be assigned. When you assign leads automatically (see "Assigning Leads" on page 43) or when you want to display only recommended partners, the Comergent eBusiness System uses this information to determine the recommended partners.

Uploading Leads

You can upload leads as described in:

- "Uploading Leads Using an XML File" on page 43

The Automatic assign uploaded leads to their fixed recommended partners business rule determines whether uploaded leads are automatically assigned to partners. See "Automatic assign uploaded leads to their fixed recommended partners" on page 872.

Uploading Leads Using an XML File

You can create leads by uploading them using an XML file. The XML file must conform to the DTD provided by **debs_home/Comergent/WEB-INF/dXML/4.0/LeadCreateListRequest.dtd**. See "To Upload a Lead" on page 738 for the steps you perform to upload the file. Before uploading the file, the Job Scheduler Message URL system property must be set to point to the Comergent eBusiness System. See "Job Scheduler Settings" on page 864 for more information.

You must provide authentication information in the XML file by entering your username and password in the UserLogin and UserAuthenticator elements respectively. If the XML file is invalid, then an error message is displayed.

Assigning Leads

Once the leads have been added to **C3** Leads, the leads are assigned to one or more of the enterprise's channel partners and optionally to the enterprise partner. This can be done manually, or it can be done automatically by setting a business rule (see "Recommended Partners and the Business Rule" on page 44).

You can do automatic assignment when you assign multiple leads simultaneously from the Leads Management List. You select the leads from the list, then click a

browser button to perform automatic assignment. **C3** Leads uses the business rule setting to determine the recommended partners for assigning the lead.

| | |
|--------------|--|
| Note: | Recommended partners must also have a <i>SalesExecutive</i> function assigned to one of their partner users. |
|--------------|--|

As described in "Assigning Leads" on page 750, you have several options when assigning leads manually. You can assign them on a lead-by-lead basis when you create or modify the lead, or you can assign multiple leads simultaneously from a list of leads. You can choose from among all the partners, or you can click a browser link that enables you to choose only from recommended partners determined by a business rule setting.

Recommended Partners and the Business Rule

When you assign leads automatically, or when you want to show only recommended partners, **C3** Leads uses the business rule setting to determine the recommended partners. See also "Lead Management Recommended Partner Search Attributes" on page 872.

The business rule works this way. When you set the rule, you can choose one to four attributes (partner type, partner level, territories, and customer type) to use when recommending a partner to a lead. You can also choose to use none of the attributes. Each lead is assigned these attributes when the lead is created. Each partner is assigned one or more of these attributes when the partner is created in **C3** Profile Manager (see "Managing the Sales Channel" on page 3). The system recommends (or automatically assigns) a partner to a lead whose attributes (as defined in the business rule) match the same attributes in the lead.

For example, suppose the business rule is set to use partner type and territories when recommending partners. A lead is assigned the attributes OEM (as partner type) and North America (as territory). When you request to display only recommended partners, only partners that have the partner type "OEM" *and* the territory "North America" will be displayed (not one *or* the other). Likewise, when you are doing automatic assignment, the system automatically assigns the lead only to partners that have the partner type "OEM" **AND** the territory "North America".

Working the Leads

A *Partner Sales Manager* can accept or decline the opportunities assigned to their partner by an *Enterprise Lead Administrator*. The *Partner Sales Representatives* work with the contacts to determine which products the contact is interested in. The *Partner Sales Representatives* can browse the product catalog, or search for products, just as if they were filling a cart.

Converting Leads to Orders

When a *Partner Sales Representatives* has worked with the contact to select the desired products, the *Partner Sales Representatives* can click a button that converts the proposal to a an order.

Closing a Lead

At some point, the *Partner Sales Manager* will close the opportunity. An *Enterprise Lead Administrator* can view partner activity for a lead and notice when an opportunity has been closed. At this point, the *Enterprise Lead Administrator* can choose to close the lead on the enterprise side.

Campaigns Management

The **C3** Campaigns module enables you to create email marketing campaigns to send targeted email messages to specific lists of recipients. You can create the lists of recipients by uploading email addresses in files or by specifying search criteria to select partner users from your existing partners.

The email messages are created through the administration UI and are scheduled for delivery using a cron job. See CHAPTER 29, "C3 Campaigns" for more information.

Campaigns and Locales

When you create a campaign, you specify its content as an HTML page that is sent to recipients. You can create an HTML page for each locale supported by the Comergent eBusiness System. When the campaign is executed, users receive the appropriate HTML page based on their preferred locale.

Recipients who are selected using selection criteria are already users defined in the Comergent eBusiness System. They all have a preferred locale defined in their user profile and this is what is used to determine which HTML page is used.

Recipients whose email addresses are uploaded in files may or may not have a locale specified in the file. If they do, then this locale is used to determine which HTML page is used. If they do not, then they are assumed to have the default system locale as their preferred locale, and so they are sent the HTML page for the default system locale, if one has been defined.

Program Management and Payment Accounts

The Comergent eBusiness System provides the capability to manage marketing programs using MDF and Co-op funds. Enterprise channel executives (enterprise users assigned the Channel Executive function) can create programs and activities associated with the programs, and then enterprise account managers can assign the programs to some all or all of their accounts. See CHAPTER 30, "C3 Partner Programs" for more information about these tasks.

Partners who are assigned programs can participate in their assigned programs by initiating activities as described in the program's marketing plan. They can make requests for funds by submitting pre-approval requests for activities, and then claims once they have completed the activities. For example:

1. A partner is assigned a program. The partner's marketing manager looks at the program activities, decides which activities to perform, and submits a preapproval request for each activity.
2. The enterprise marketing manager or channel executive reviews the preapproval request, determines how much money should be allocated to the request, and allocates funds from the partner's account to the preapproval. This puts the funds on hold so that they cannot be assigned to other claims or preapproval requests.
3. Once the request is approved, the partner's marketing manager performs the marketing activity. Once the activity is complete, the marketing manager submits a claim against the preapproval request for all or part of the funds.
4. The enterprise marketing manager or channel executive reviews the claim and allocates funds to it, reverses the hold on the amount of the claim, and places the claim amount on hold for that claim. If the claimed amount is less than the preapproved amount, then the balance of the preapproved amount remains on hold. The amount allocated may be different from the amount submitted for the claim.

See "Program Administration by Partners" on page 265 for more information.

Each partner has payment accounts for MDF and Co-op funds: these are maintained through the partner profile for the partner. You can add and remove funds from these accounts to manage activities undertaken by your partners, and claims made against activities can be used to remove funds from accounts as the claims are made.

Programs

A program represents a general marketing plan such as the launch of a new product. Typically, a program may have several associated activities such as press releases, print campaigns, direct mail, and so on that your partners can undertake.

A program has a start date and an end date that determine within which time the associated activities must take place.

A program can be assigned to one or more partners. When you assign a program to a partner, you make it possible for the partner to start making claims against their payment accounts for activities.

Activities

An activity is a specific component of a program. A program can have one or associated activity. When a partner participates in a program, they do so by undertaking one or more of the activities that make up the program, and they make claims against the activities as they plan and execute the activities.

Payment Accounts

An essential part of program management is to manage the funds that partners can spend on their program activities. The Comergent eBusiness System enables you to create payment accounts for each partner: each payment account is of MDF type or Co-op type, and you can create more than one payment account of each type for a partner.

When a marketing executive partner user makes a claim against a program activity, the money must be allocated by the enterprise channel executive from one or more of the partner's payment accounts.

Co-op Accounts

Co-op accounts can be denominated in a currency such as US dollars, or you can choose to use points as a virtual currency to manage them. All Co-op accounts for all partners are denominated in this currency. You can upload updates to the Co-op accounts which result in more funds being assigned to the accounts. When you do so, the Co-op Percentage and Co-op Account Maximum fields in the partner profile are used to calculate by how much the account is increased.

The CoopAccountsUsePoints business rule is used to specify this: set the value of this rule to "True" to use points, otherwise set it to "False".

Approval Requests and Claims

The process of making a claim is a two-step process:

1. Approval Request
2. Claim

Approval Request

When a partner is planning an activity that is part of a program, they consider the anticipated costs, and decide whether to make a full or partial claim against a payment account. If they choose to do so, then they must first submit an approval request against the activity.

The approval request is submitted to the enterprise and a channel executive can choose to approve or deny the request. If they approve the request, then funds are deducted from the available balance of one or more payment accounts: the channel executive can choose how to allocate the approved request across one or more payment accounts. If the approval request is denied, then no claims can be made against the request, but a new request can be submitted.

Claim

Once a partner has had an approval request approved and has completed the corresponding activity, they submit a claim against the approval request. The channel executive can choose to approve or deny the claim. If the claim is approved, then the channel executive specifies how the funds should be deducted from the payment accounts.

Task Management

You can create tasks for yourself and colleagues: these are the jobs that you might think of as being on a “to do list”. You can create a task manually or some tasks are generated by the system when a particular event occurs, such as a user placing an order that exceeds their account limit. CHAPTER 34, “Task Management” covers all the tasks associated with task management.

When a task is first created, you can associate a list of “watchers” to the task. Watchers can view the task, and if they want to, can take ownership of a task. Once a watcher has taken ownership of a task, then they can perform associated actions such as approving the associated order. The task owner can mark the task as completed.

Sometimes a task can involve two or more people. Once a task owner has completed their part of a task, they can re-assign the task to another user. This user becomes the owner of the task, and then they can work on it: either to complete the task or to work on it and then to pass it on.

Inventory and Demand

Maintaining enough inventory to meet demand is an important part of business. Being able to forecast that demand enables you to maintain the right amount of inventory. The Comergent eBusiness System provides you with the tools to track your partners' inventory and to forecast demand.

Inventory Collection

An important demand signal that manufacturers use to determine future production is the quantity of inventory that is held by their sales partners. The Comergent eBusiness System enables you to gather information about inventory held by your partners. You can select which sales partners to poll and receive inventory information from them.

The Comergent eBusiness System enables you to automatically send messages to the distributors containing a list of products. The distributor enters the inventory information for each product. The manufacturer can set up an automated process to receive inventory reports from these distributors.

Reseller Forecasting

Enterprises can make use of the Comergent eBusiness System to forecast demand for their products through their sales channel. By requiring resellers to submit periodic forecasts, the enterprise can aggregate these demand signals to gain a clear picture of future demand.

Resellers can submit forecasts in the form of a tab-delimited text file through their browser interface to the Comergent eBusiness System. Resellers can create these tab files using a text editor or by exporting the data from a database or a spreadsheet. If the reseller uses a spreadsheet, then they must first save the spreadsheet as a CSV file before uploading the file to the Comergent eBusiness System.

In general, the enterprise is responsible for specifying when forecasts should be submitted by their resellers. This release supports the submission of quarterly forecasts.

Once forecasts have been submitted by the resellers, the enterprise can make use of the reporting capabilities of the Comergent eBusiness System to analyze the forecasts. See "Data Analysis Using C3 Analyzer" on page 50 for further information about the available reports.

Data Analysis Using C3 Analyzer

Once you have established your business with partners, products, and carts, you can analyze the data using *C3 Analyzer*. When the Comergent eBusiness System is implemented, a set of prepackaged reports is included with the implementation. These prepackaged reports provide information on everything from key performance indicators to inventory. Refer to CHAPTER 37, "C3 Analyzer Reports" for a detailed description of these reports.

C3 Analyzer: Analyzing the Results

Once you generate a report, you can use Actuate's e.Analysis tool to provide you with interactive analysis of the information in the report. You can select specific data fields from the report and display search results based on these selected fields. You can manipulate this data to produce charts and graphs. In this way, you can view and analyze the data to determine relationships and trends.

See "Analyzing Report Results with e.Analysis" on page 825 for details about using this function. Also, refer to the Actuate documentation for e.Analysis on the Comergent eBusiness System Documentation CD-ROM.

Internationalizing the Comergent eBusiness System

The Comergent eBusiness System is an internationalized product. This means that it has the capability of being localized, that is, the user interface can be displayed in multiple languages.

You can set a default system locale, that is, the specific language in which you want information displayed across the user interface. This locale takes effect after you restart the servlet container. See CHAPTER 38, "Enterprise System Administration". You can also set a preferred locale for each user in their user profile. The locale takes effect the next time the affected user logs in.

The locales are defined using ISO-639 language codes and ISO-3166 country codes. You can define the names that will be displayed for these codes for each locale throughout the Comergent eBusiness System. See "Locale Settings" on page 863.

By default, the Comergent eBusiness System performs a binary sort for all database operations. You can localize this sort according to the system locale or the user-specified locale, whichever is in effect, by setting the "Use Localized Sorting"

property in System Administration to “true” (see CHAPTER 38, “Enterprise System Administration”).

Franchise Model and Suppliers

This release supports a franchise model of doing business: in this model, your enterprise may not be the supplier for all the products that are sold on your e-commerce Web site. Instead, you can specify that certain partners in your system are suppliers for products: when customers start to place an order at your e-commerce Web site, the order is broken into subsidiary orders: one for each supplier of products in the cart: this is the *order-brokering* process.

You can associate suppliers to each product, so that when customers buy products from your Comergent eBusiness System, their orders are split up and sent to each supplier as orders that should be fulfilled by them. In this model, the following features are supported:

- suppliers: every partner created in the system can be used as a supplier. In general, think of suppliers primarily as storefront partners and external partners capable of processing messages notifying them of the creation of an order.
- products: you can associate a supplier to a product by adding the product to a price list owned by the partner. When orders are placed, this product and any others associated with the same supplier are split into an order that is sent to the partner.
- price lists: every price list has a supplier ID associated with it. The supplier ID is used to determine if the price list is used to price products as follows:
 - Every price list is used in determining prices that users see as they shop at the enterprise. If price lists that belong to more than one supplier all have the same product on them, then a range of prices is displayed to the user, and the user must select a supplier from those that offer prices on the product.

- Price lists whose supplier ID is set to the value of a Partner.com or storefront partner are used when a user obtains prices from the partner or when a storefront customer is shopping at the storefront partner.

Enterprise administrators can change the value of price list supplier IDs at any time. If a partner administrator creates a price list, then the supplier ID is set automatically to the partner key of the partner administrator and it cannot be changed by the partner administrator.

Configuring the Comergent eBusiness System

The properties of the Comergent eBusiness System are defined in a set of configuration files and in the Knowledgebase. When the servlet container is started, the Comergent eBusiness System loads and accesses the configuration files in order to determine Comergent eBusiness System settings. (See the *Comergent eBusiness System Implementation Guide* for more information on these configuration files.)

In Release 7.1 and higher, system properties for each enterprise (tenant and storefronts) are managed in the CMGT_SYS_PROPERTIES database table: for each storefront default values are populated when the storefront is first created. When a system property is changed through the Web UI, then the new value is stored in the table.

After implementation, however, you can modify the settings using the System Administration page and the Business Rules Manager.

Site System Administration

Site system administration is performed by site system administrators. These users access the Comergent eBusiness System through the site administration URL which is of the form:

```
http://server:port/Comergent/en/US/enterpriseMgr/admin
```

Site system administrators manage properties that are common to all storefronts such as logging. See CHAPTER 41, "Site System Administration" for more information.

Enterprise System Administration

Enterprise system administration manages enterprise-level (either tenant or storefront) settings in the Comergent eBusiness System. For example, you can specify the email settings in the System Properties page.

You can only modify system configuration settings if you have the appropriate access role. In the reference implementation provided with the Comergent eBusiness System, only users with the Program Management function can access the System Administration pages. These users access the Comergent eBusiness System through an enterprise administration URL which is of the form:

```
http://server:port/Comergent/en/US/enterpriseMgr/matrix
```

Enterprise system administrators manage properties that are specific to their enterprise: changes that they make do not affect other enterprises. See CHAPTER 38, "Enterprise System Administration" for more information.

Business Rules

Business Rules define the behavior of the Comergent eBusiness System. For example, this includes punchin and punchout specifications, the behavior of imports and exports, and other product management specifications. These business rules are specified in the properties files of the Comergent eBusiness System, and are managed through the business rule administration interface. See CHAPTER 39, "Business Rules Administration" for the tasks involved in Business Rules management.

Job Scheduling

You can create cron jobs for different activities in the Comergent eBusiness System. See CHAPTER 40, "Job Scheduling Administration" for the tasks.

You can schedule system-level or application-level cron jobs to run according to a specific frequency between a certain date and time range.

| | |
|--------------|--|
| Note: | When a job is run using the Job Scheduler, its execution status is recorded. On occasion a job may execute successfully but the status is recorded as "Timed Out". |
|--------------|--|

Introduction to Product Administration

This chapter provides a detailed description of the concepts involved in product administration in the Comergent eBusiness System. This includes:

- "Administering the Product Catalog" on page 55
- "Product Entitlements" on page 67
- "Managing Availability Information" on page 69
- "Displaying the Product Catalog" on page 70
- "Using the Visual Modeler" on page 71

Administering the Product Catalog

The **C3** Product Manager provides a central location for creating, maintaining, and managing product information in the Comergent eBusiness System. CHAPTER 10, "Product Administration" describes the tasks associated with managing the product catalog.




FIGURE 6. Categories and Products

Categories and Products

The basic structure of the Comergent product catalog consists of product categories and products. A product category is a collection of products with similar attributes. A product identifies a uniquely purchasable item within a category. Each product has a unique product ID: this must be unique in the Comergent eBusiness System. Some characters are not allowed in product IDs. See "Product Administration Tasks" on page 298 for more details.

When you create a product, you can assign the product to an appropriate category, or create the product unassigned (to be assigned later). You can also nest a category within another category. The Comergent eBusiness System allows products and categories to exist at the same level, as shown in Figure 6 on page 56. You can:

- create an arbitrarily deep nesting of categories and products.
- assign products to categories at any level of the product hierarchy.
- assign products to multiple product categories. (As shown in Figure 6 on page 56, Product P3 belongs to both Category PC2 and PC4, and Product P6 belongs to both Category PC4 and PC5.)

Guidelines for Creating a Product Catalog

The guidelines for a reasonable product catalog are:

- *Levels of Product Hierarchy*: an average depth of 4 levels and a maximum of 7 levels
- *Products per Product Category*: an average of 50 products and a maximum of 400 products
- *Number of Categories*: an average of 100 Product Categories and a maximum of 250 Product Categories
- *Number of Products*: an average of 5,000 products and a maximum of 100,000 products

| | |
|--------------|--|
| Note: | The Comergent eBusiness System will still work beyond the maximum numbers described here. However, there will be a degradation of usability and performance. |
|--------------|--|

Creating Categories and Products

You can create products either as assigned to parent categories or as products unassigned to a category. Therefore, it is best to begin the process by creating product categories and the product category hierarchy. "To Create a Product Category" on page 281 describes the process.

Once you have created the categories, you are ready to create the products for your catalog. There are two ways to do this. One way is to import product categories and products into your catalog from an outside source as described in "Importing Products" on page 340. During the import task, you will select the root category for the imported product categories and products.

The other method of creating products is to follow the process in "To Create a Product" on page 299. When you create the product (either assigned to a parent category or as unassigned), you define effectivity dates for the product, units of measure, and so on. You can designate the type of product (normal, configurable, assembly, and aggregated) and you can also assign features to the product.

| | |
|--------------|--|
| Note: | In Release 6.0 and higher, subsequent to creating a product within an initial category, you can assign a product to multiple categories. See "To Assign or Remove Products" on page 290. |
|--------------|--|

Product Statuses

Products in your implementation of the Comergent eBusiness System can have a life cycle in which they are first created and prepared by administrators, then released so that they can be bought by customers, and then at the end of their life made unorderable. This release of the Comergent eBusiness System enables you to

manage product life cycles using the product status field. This can take the following values:

- **In Creation:** products with this status can be seen by enterprise users, but not by end-users. They can be added to price lists, associated with promotions, used to create models, and so on.

Typically, you create a product with the In Creation status so that you can ready it for release without it being available to end-users until you are ready to release it. Once you have moved a product from the In Creation status to one of the other statuses, then you cannot move it back. You can delete products while they have this status.

- **Not Orderable:** products with this status can be seen by enterprise users and end-users. They can be added to price lists, associated with promotions, used to create models, and so on. End-users can view products in this status, add them to carts, and configure them, but carts that contain products with this status cannot be placed as orders.
- **Released:** products with this status can be seen by enterprise users and end-users. They can be added to price lists, associated with promotions, used to create models, and so on. End-users can view products with this status, add them to carts, configure them, and place orders which include them.
- **Blocked:** products with this status can be seen by enterprise users; they can be added to price lists, associated with promotions, used to create models, and so on. End-users cannot see these products as they browse the product catalog, search for products, and so cannot add such products to carts and orders. However, if the product is already in a cart, then the end-user can see the product there, but they cannot turn the cart into an order.

The main use for the Blocked status is to prevent end-users from buying the product. You can move a product to the Blocked status, and then subsequently delete the product once you have processed any current orders that contain the product. You can delete products while they have this status.

Products Sold Separately

Certain products are only meaningful in the context of a main item being purchased. For example a five-year warranty should only be purchased as a component to a configured solution. In previous releases of the Comergent eBusiness System, these products could be added as main items. In Release 7.1 and higher, you can check a box when you create a product that identifies the product as

not sellable as a separate item, that is, the product can be added as a component of a configurable product or a line item in an assembly, but cannot be sold separately. If this box is not checked, then the product can be added as a component and can be sold as a separate item as well.

Service Products

You can specify that a product is a service product. In most respects, service products behave as most products do, but there is one difference when a service product is configurable. It depends on the setting of the Use Configuration Prices for Service Products? business rule as follows.

When you create a model for a configurable product, you can price option items in the model in one of two ways: either by associating a product with the option item, and pricing the corresponding product using price lists, or by attaching a price to the option item directly. See "Working with Display Properties" on page 566 for a description of how prices can be set for models, option classes, and option items using the Price display property.

When you configure a product, the underlying model may get prices for items from the **C3** Pricing engine or it may get prices from the model itself. When the end-user finishes configuring their product, they return to their cart with the configured product with prices from their configuration session.

- If the **C3** Quotes business rule called Use Configuration Prices for Service Products? is set to true, then prices set in the **C3** Configurator session are preserved as the user continues their shopping.
- If the **C3** Quotes business rule called Use Configuration Prices for Service Products? is set to false, then prices set in the **C3** Configurator session are not preserved as the user continues their shopping. Prices are retrieved from the **C3** Pricing engine just as they are for non-service products.

Aggregated Products

In Release 6.0 and higher, you can create *aggregated products*. An aggregated product is a product that comprises a collection of products, each of which shares essential characteristics with the others, but each of which differs from the others in minor but significant ways. Since they share essential characteristics, the individual products would not be separate products in a product category.

For example, an enterprise might have an aggregated wire product which comprises a number of individual wire products each of which differs from the other only in length, gauge, or color. You would not create a product category, since these are not different products. Each wire product is technically the same product, differing

only in color, gauge, or length. You would not create an assembly, since these are not individual parts of a larger product. You can, however, create an aggregated product that would contain the same wire products, each of which differs only in color and/or length.

There are two ways to assign products to an aggregated product. You can create products as part of the aggregated product, or you can assign existing products to the aggregated product. If you assign an existing product to the aggregated product, then the existing product no longer is assigned to the product categories to which it was currently assigned. It becomes part of the product category to which the aggregated product belongs. Any features assigned to the product remain assigned provided that they are consistent with the assignment of feature types to the product category in which the aggregated product is assigned.

Feature Management in C3 Product Manager

In Release 7.1, you can manage features both in **C3 Product Manager** and in **C3 Advisor**.

Features, Feature Types, and Feature Type Groups

Figure 7 on page 61 shows the feature hierarchy in the Comergent eBusiness System.




FIGURE 7. Feature Hierarchy

Features are characteristics of products. For example, a company that sells computers might offer a model that comes in four colors, has a 21" monitor, a 700MHz processor, a 20GB hard drive, an internal 56K modem, a writable CD drive, a DVD drive, and an ergonomic keyboard. Each of these characteristics is a feature.

Feature types are collections of features. Usually these are features that are in some way related to each other, and so form a logical “type” of feature. To continue the previous example, the company that sells computers offers computers with several different processor speeds. Customers can buy computers that come with processors of 450MHz, 500MHz, 550MHz, 600MHz, and 700MHz. Thus, 450MHz, 500MHz, 550MHz, 600MHz, and 700MHz would all be features, and they could be grouped into a feature type named “Processor Speed”. Other feature types might include “Monitor Size”, “Available Memory (RAM)”, “Hard Drive” and “Internet Connectivity”.

Feature type groups provide a means of grouping feature types. Using the same example, some feature types that relate to a computer’s performance are processor speed, hard drive, and available memory. The company might decide to attribute the feature type group “Performance” to these feature types.

Features and the Comergent eBusiness System

When an end-user experiences the guided selling experience, they answer questions in a questionnaire. These answers comprises features that are created and assigned to products in **C3** Product Manager. When an end-user answers a question, the screen displays the products to which the answer (feature) has been assigned.

To provide these questions and answers, one or more enterprise users create a questionnaire using **C3** Advisor. They use features and feature types to define attributes of products that will help end-users to find the products they want. By assigning features and feature types, therefore, you are defining how the product selection and product comparison tools work.

Creating and Assigning Feature Types and Features

You create the feature types and features using the Feature Management panel in **C3** Product Manager or the **C3 Advisor Administration** link from the Comergent eBusiness System home page.

You can assign features to products by assigning features to the product category to which the product belongs. In this case, the feature is automatically assigned to all the products in a category. You can also assign features to products on a product-by-product basis.

You can assign features to a product when you are modifying a product, or you can assign a feature to one or more products when you are modifying the feature.

When you assign a feature type to a category, the features belonging to that type are available to be assigned to the products in that category as well as products in subcategories of the category. When you assign individual features to a category, those features are automatically assigned to all the products within the category and within subcategories of the category. This is referred to as *power assignment*. In Release 6.4 and higher, you can also mark the feature for *inheritance* so that as new products are added to the product category, then the feature is automatically assigned to the new products.

Feature Effectivity

In some cases, features may only be effective (available to customers) during a given time period. This is *feature effectivity*. For example, the computer company described in the previous sections may currently offer a model of desktop computer with processors of 450MHz, 500MHz, 600MHz, and 700MHz. However, as the marketplace changes, and demand for higher processor speeds increases, the company may decide to change the set of processors from which their customers are permitted to choose. Starting in the next financial quarter, the same desktop model will only be available with processors of 500MHz, 600MHz, 700MHz, and

933MHz. When the company's **C3** Advisor administrator creates these features, they can set an effectivity for each feature, specifying that until a certain date (the last date of the quarter) the feature 450MHz will be available, but that after that date it will no longer be available. Conversely, before a certain date (the first day of the next quarter) the feature 933MHz will not be available, but after that date, it will be available.

Managing Assemblies

An assembly is a product that refers to a set of items (products and text items) that together form the assembly. For example, a laptop may actually comprise a laptop computer, a docking station, a monitor, and a warranty. In this example, three of the items in this assembly are products, while the fourth item (the warranty) is a text item. The assembly is used to enable a customer to order all four items as a single product.

| | |
|--------------|---|
| Note: | You must define a product as an Assembly before you can define its structure. |
|--------------|---|

When you create a product as an assembly, there is an **Assembly** tab that enables you to add the items that make up this assembly. When you define the product, you will be able to select products from the product hierarchy

See "To Define the Parts in an Assembly" on page 327 for the tasks involved in creating an assembly.

You can also create a hot spot for each part in a parts diagram image of an assembly. When an end-user displays the assembly, the end-user can order one or more parts in the assembly by clicking on their respective hot spots. The hot spot can be any spot in the image: you can make a hot spot out of a callout designation for the part, or you can make the image of the part itself as the hot spot.

Managing Configurable Products

When you create a product, you choose from one of these types: normal, assembly, configurable, or aggregated. A configurable product refers to a product which is customized at the time of purchase by the end-user by making a series of selections. For example, the product catalog contains a product called a "Bicycle", but the "Bicycle" does not exist as a single selectable item. Rather, the "Bicycle" represents a model created by a modeler (using the Visual Modeler); that is, a series of choices. The "Bicycle" can have one of four frame types, three wheel types, and

so on. The customer selects the frame type, wheel type, and so on, at the time of purchase, and therefore defines the product at that time.

| | |
|--------------|--|
| Note: | Before you create a configurable-type product in C3 Product Manager, a corresponding model must be created using the Visual Modeler. See "Using the Visual Modeler" on page 71 for more information about the Visual Modeler. |
|--------------|--|

You can also create pre-configured products. In some cases, your company might have a need for products that are pre-configured. For example, the product "Bicycle" can be configured with a number of different selections. However, you might notice that your end-users select a specific configuration most of the time. In other cases, you might notice that they begin with a certain set of common selections before they achieve the configuration they want.

For these cases, you create pre-configured products. When you create a product as a configurable type, that product has an extra tab, a **Configuration** tab. A button in this tab enables you to select the configuration for this pre-configured product.

When your end-users select this product from the catalog, they can either buy the pre-configured product as is or use the pre-configured product as a base which they can then reconfigure to their specifications.

See "Managing Pre-Configured Products" on page 337 for the steps involved.

Superseding One Product with Another

The Comergent eBusiness System supports the ability for one product to supersede one or more products: that is, you can specify that a product has become obsolete and that references to it should be referred to another product. A product is obsolete if the current date is out of the range of its effectivity dates. In order to specify supersession, you must specify both the superseded product and the superseding product.

| | |
|--------------|--|
| Note: | A product can be superseded by only one product. By contrast, one product can supersede many products. |
|--------------|--|

The Comergent eBusiness System only checks whether a product has been superseded if the current date is out of the range of the product's effectivity dates.

If the superseding product is itself obsolete, then the Comergent eBusiness System checks whether there is a superseding product for the obsolete superseding product. In this way, you can create a chain (series) of products each of which supersedes a

preceding product. You can view the supersession stack for a product through the **Supersession** tab.

| | |
|--------------|--|
| Note: | The C3 Product Manager application only manages the supersession relationship between products. Product obsolescence is only checked during commerce activities of the Comergent eBusiness System |
|--------------|--|

For example, if product A is superseded by product B and product B is superseded by product C, then the supersession chain for product A is both product B and product C. When you click on the **Remove Chain** for product A, the link is only broken between product A and the supersession chain. Product A is no longer superseded by any product but product B *is still superseded* by product C.

See "Superseding a Product" on page 325 for the tasks involved in supersession.

Moving Products to Another Category

You can move products from one category to another, as described in "To Move a Product to Another Category" on page 291. One of the potential problems in doing this is "feature mismatch", that is, the features assigned to the product may not have corresponding feature types in its new parent category. A user interface enables you to reconcile this mismatch by manually adding the missing feature types to the new parent category. This automatically adds the features belonging to the feature type. If you do not add a feature type, then the type's features are automatically unassigned from the product. See "Feature Types and Features" on page 105 for a description of feature types and features and their relationships to products categories and products.

Exporting Product Data

You can export product data (including product categories, products, feature types, and features) as either a dXML, cXML, RosettaNet, or xCBL file and send it to selling partners such as resellers, distributors, OEMs, and Net Markets. "Exporting the Product Catalog" on page 349 describes the tasks.

You include list price data for the products by selecting a price list that contains the products in the export set.

| | |
|--------------|--|
| Note: | Only list price information is exported. The export does not include any conditional pricing that might be part of the price list. |
|--------------|--|

The file is stored, by default, in the **debs_home/Comergent/catalogexport/** directory. You can rename the **catalogexport** directory, but the new directory *must* be located in the **debs_home/Comergent/** directory. See the *Comergent eBusiness System Implementation Guide* for the location of the **debs_home** directory.

Once you have created the export set, you have the option of exporting the set immediately or clicking a button to display a screen that enables you to schedule a cron job to export at regular intervals. See "To Export the Catalog Using a Cron Job" on page 356.

Exporting Aggregated Products

If you include an aggregated product (see "Aggregated Products" on page 59) in an export set, then the products that comprise the aggregated product are automatically included in the export set.

Importing Product Data

When you have large amounts of product data that you want to add to the Comergent eBusiness System, you can import a catalog as an import set in dXML format. See "Importing Products" on page 340 for a description of the process. During the process, you define an insertion point, that is, a place in the product category hierarchy, a parent category within which you want to place the products.

You can provide pricing information with the imported products as follows. A price list can be associated to an import set: when the products in the dXML file are imported, pricing information in the dXML file is used to add products to the price list or to update prices if they are already on the price list.

Categories and Products Managed by Partners

In some cases, your partners might carry products in addition to yours that they want to make available through your catalog. The partner administrator for such partners can create and maintain product categories and products in the catalog within certain "open" categories.

When the enterprise administrator creates a product category, that category is, by default, "closed" to partners. Partner administrators cannot create categories or products within a "closed" category. Using an interface in **C3** Product Manager, the enterprise administrator chooses the partners for whom this category is "open". The enterprise administrator can also close categories to a partner, whether the category is created by the enterprise administrator or the partner administrator.

Product Suppliers

The products in your product catalog may be supplied by your enterprise or by one or more of your partners. When you or one of your partners put a product on a price list, then the partner that owns the price list is the supplier for that price list. If the price list is assigned to a partner, then, implicitly, you are expressing the fact that

the partner that owns the price list can act as the supplier of the products on the price list to the partner to whom the price list is assigned.

For example, suppose that Price List 1 is owned by the enterprise and suppose that Product X is on this price list. If Price List 1 is assigned to Partner A, then users of Partner A can buy Product X and the enterprise can supply it. If Price List 2 is owned by the Anderel partner and Product X is also on Price List 2, then if Price List 2 is also assigned to Partner A, then users of Partner A can also select Anderel as the supplying partner of Product X before they place their order.

Product Entitlements

In earlier releases of the Comergent eBusiness System, users could see products that were on price lists assigned to their partner. In Release 7.0 and higher, a new mechanism called *product entitlements* manages users' access to products. See CHAPTER 11, "Product Entitlement" for more information about the tasks associated with product entitlement.

Each product entitlement comprises one or more *product entitlement items*. The simplest way to think of a product entitlement item is simply as a list of products. If a product entitlement is assigned to a partner, then the users belonging to that partner can see the products included in the product entitlement: that is, listed on one or more of the product entitlement items that make up the product entitlement. However, note that you can mark each product entitlement item for *inclusion* or *exclusion*: if a product entitlement item is marked for exclusion, then the products on its list of products are excluded from partners to whom the product entitlement is assigned.

A product entitlement item can be expressed in several different ways:

- as a price list: all products on the price list are on the product entitlement item.
- as a feature: all products assigned the feature are on the product entitlement item.
- by product category: all products in a product category are on the product entitlement item.

Item Precedence

The order in which items are evaluated on a product entitlement is important because a product is included or excluded depending on whether the last item which references it is marked to include or exclude. For example, suppose that a

product entitlement PE1 is defined as having two product entitlement items PEI1 (defined as products having feature F) and PEI2 (defined as products in product category PC). Suppose that product P is effectively on both product entitlement items: that is, it belongs to the product category PC and has feature F. If PEI1 is marked for inclusion and PEI2 is marked for exclusion, and if the order of evaluation is PEI1 followed by PEI2, then the net effect of product entitlement PE1 is to *exclude* product P. That is, if PE1 is assigned to a partner, then users of that partner will be excluded from seeing product P. Note that if more than one product entitlement is assigned to a partner, then you also have to take into account assignment precedence: see "Assignment Precedence" on page 68.

Assignment Precedence

You can assign zero or more product entitlements to a partner. If the same product appears on more than one product entitlement assigned to a partner, then one possibility is that a product is *included* on one product entitlement and *excluded* on another. This conflict is resolved by ordering the product entitlements so that the last product entitlement evaluated takes precedence.

For example, if there are three product entitlements, PE1, PE2, and PE3 on which Product A is listed and suppose that they are all assigned to a Partner A. If their precedence order when assigned to Partner A is 1, 2, and 3 respectively and suppose that Product A is excluded on PE3, and included on the other two, then Product A is excluded by virtue of the fact that the last product entitlement evaluated (PE3) excludes Product A.

Suppliers

Each partner, including the enterprise, can create product entitlements, but only enterprise users can assign product entitlements to partners. If you assign entitlements from different suppliers to partners, then note that these entitlements work independently of each other as follows.

Entitlements are evaluated on a *per* supplier basis: that is, by taking the set of product entitlements owned by each supplier and evaluating them according to the rules described above. If the entitlements for supplier A result in a product P being visible to users of a partner, and if the entitlements for supplier B result in the same product being excluded, then the net result is that the users can see product P. However, the prices that they see will still depend on what price lists have been assigned to their partner.

Inheritance

If partner is a child node of another partner, then product entitlements assigned to the parent can be inherited by the child. When they are, the inherited product entitlements are evaluated before the product entitlements assigned directly to the child partner. Consequently, product entitlements assigned to the child partner node can override inclusions or exclusions inherited from product entitlements assigned to the parent node. Thus, the more specifically a product entitlement is assigned, the greater influence it has.

Pricing

The separation of product entitlement from price lists means that there is a possibility that a user will be entitled to see a product, but there will be no price available. For backward compatibility with earlier releases, as well as to ensure consistency, you can run the Comergent eBusiness System in a mode in which price lists are automatically treated as product entitlements. You do this by setting a business rule as described in "Using Price Lists for Product Entitlement" on page 69.

If you do not run in this mode, then you must take care to manage both prices and product entitlements as you add new products to your product catalog, and as new partners are created.

Using Price Lists for Product Entitlement

When the Create Product Entitlement Based on Pricelist business rule is set to "True", then whenever a price list is created a corresponding product entitlement is created. When the price list is assigned to a partner, then the corresponding product entitlement is assigned to the partner. In this mode, it should always be true that whenever a user can see a product, then they have a price for the product.

Managing Availability Information

You can use the Comergent eBusiness System to manage availability information regarding your products. This includes:

- Inventory
- Warehouse locations
- Restock dates
- Restock quantities

This information is used when customers request availability information as they place orders. Your partners can also maintain availability information: see CHAPTER 12, "Managing Availability Information" for more information.

Displaying the Product Catalog

You can manage how your customers view the catalog as follows:

- "Associating Display Styles with Product Categories" on page 70
- "Customizing the Look-and-Feel of Catalog Pages" on page 70
- "Suppressing Display of Empty Product Categories" on page 70

Associating Display Styles with Product Categories

You can manage which display style is used when users view product categories. By selecting different styles for different product categories, you can determine how products are displayed as end-users view their categories. Two display styles are provided as out-of-the-box styles: you can customize these styles or add new styles. See "To Change the Display of a Product Category" on page 297.

Customizing the Look-and-Feel of Catalog Pages

When customers point their browsers to your Web site, the pages that they see are rendered from JSP pages. These pages can be customized to reflect the way in which you want the customers to navigate your product catalog. See the *Comergent eBusiness System Developer Guide* for further information about customizing your implementation of Comergent eBusiness System.

Suppressing Display of Empty Product Categories

In previous releases, when an end-user browsed the product catalog, the catalog would display product categories even if the categories contained no displayable products. Products may not be displayed for the following reasons:

- The product category contains no products.
- The product category contains only products whose effectivity dates are beyond the current date.
- The product category contains products that are not on any price list assigned to the partner of the end-user viewing the product category (see "Associating Products with Partners" on page 7).

Even so, the "empty" category would still be displayed.

In Release 6.3 and higher, you can set a business rule which enables you to suppress the display of such categories. **C3** Product Manager contains a button you can click to calculate whether a category display should be suppressed. You must periodically renew this calculation as products become displayable (for example, new products added) or not displayable (for example, expiration), for whatever reason. If suppression is not recalculated, then end-users will not see the products even though they exist and should be accessible.

| | |
|--------------|--|
| Note: | Suppressed display of categories only applies to browsing the product catalog. If new products are added to an “empty” category, and if a recalculation is not done for the category, then end-users can still access these products by searching or by using the C3 Advisor guided selling experience. |
|--------------|--|

Release 7.1 includes a pre-defined cron job that enables you schedule this calculation to occur automatically at regular intervals. See "Update Catalog" on page 886.

Using the Visual Modeler

A configurable product is a product that offers a number of different options from which a customer can select before buying the product. The choice of options or available combinations of options may be constrained by technical or marketing concerns so that customers can only choose certain combinations of options in configuring their purchase.

In the Comergent eBusiness System, a product is made configurable by marking it as configurable in the product catalog and by associating with it a model that provides the information about options and the possible combinations of options.

- Visual Modeler is the application used to create models.
- **C3** Configurator is the application used to display configurable products to customers.

| | |
|--------------|--|
| Note: | Mobile Configurator is a Comergent Technologies, Inc. product designed to enable customers to buy configurable products when they do not have Web access to the Comergent eBusiness System. It provides the ability to configure products using the product models on a standalone PC. |
|--------------|--|

Configurable products enable a customer to start with a basic model, then move through a series of selections, option items, to configure the product to their specific needs. You create configurable products using **C3** Product Manager, but

before you can do that, a product modeler must use the Visual Modeler to create a corresponding model.

Terminology

TABLE 6. C3 Configurator Terminology

| Term | Definition |
|------------------------|--|
| Ancestor | The entities which precede an entity in a hierarchical chain, back to the root model group. The ancestral chain. |
| C3 Configurator | The Comergent eBusiness System application that enables a company to specify the possible available configurations of their products and enables customers to select the configuration that best meets their needs. |
| Constraint Table | A means of specifying which selections of option items are compatible with each other. Constraint tables provide a simple way to manage the selections that end-users can make as they configure a product. |
| List | An object that allows the C3 Configurator to validate a selected item by virtue of it being part of a list. |
| Model | A configurable combination of product options. Rules can be added to models to restrict the choice of combinations. |
| Model Group | In the Model hierarchy, a model group is a collection of models, option class groups, option item groups, or even other model groups. |
| Option Class Group | An option class group is a collection of option classes or nested option class groups that represent entities that can be reused without change in any number of models and option classes. See "Groups and Sub-Models" on page 76 for more information. |
| Option Item Group | An option item group is a collection of option items that can be reused in any number of option classes or option class groups in any number of models. |
| Option Class | <p>An option class is a collection of option items, option class groups, option item groups, or other option classes that have a common purpose.</p> <p>An option class is a configurable part of a model. For example, an engine is a configurable part of a car. The option items in the engine option class are 4-cylinder, 6-cylinder, and 8-cylinder.</p> |

TABLE 6. C3 Configurator Terminology (Continued)

| Term | Definition |
|----------------|--|
| Option Item | An option item is a member of an option class or an option item group and is an orderable part or service for a model. Typically, an option item is associated with properties. |
| Property | <p>A property is a descriptive element used as the basic entity for rule creations. Properties are associated with models, option classes and option items.</p> <p>A quantity or attribute of an item that indicates interdependencies (for example, a property could be “uses 5 MB of memory” or “provides 5 expansion slots”).</p> |
| Rule | A constraint that is attached to some part of a model hierarchy to enforce a technical requirement or business rule. |
| Sub-Model | A model that is used as part of another model. |
| Visual Modeler | The data modeling tool used to create and maintain models. |

Model Group Hierarchy

A model, with its option classes, option items, option class groups, and option item groups, represents all of the possible valid configurations for a single saleable product. Every model created in the Visual Modeler belongs to a model group.

A model group is a way of grouping similar model groups, models, option class groups, and option item groups. At the top-level of the model group hierarchy is the root model group. Each model group belongs to a parent model group, except for the top-level, root model group which has no parent. Figure 8 on page 74 shows an example of the model group hierarchy.




FIGURE 8. Model Group Hierarchy

Associating a Product with a Model, an Option Class, or Option Item

Using the Visual Modeler, you can select a product, created with **C3** Product Manager, and associate it with a model, an option class, or option item. You do this to associate the entity with the price determined for the product using the price lists created with **C3** Pricing. As the end-user configures the product, **C3** Configurator uses either the price of the product associated with the model or the accumulated prices of the products associated with the option classes or option items.

You might have an option item that represents a saleable product. For example, you might have an option class that represents a selection of graphics cards. Each option item represents a different graphics card. When you modify each option item (in this case, each graphics card), you can associate each graphics card with a product. In this way, you can associate a price with each graphics card (through the price lists created with **C3** Pricing).

Note that if you do associate a product with an option item, then end-users will see this option item only if the associated product is on one of the price lists assigned to their partner.

See "Setting Prices for Products" on page 21 for information about pricing. For information on associating a product with a model, see "To Associate a Product with a Model, Option Class, or Option Item" on page 444.

How the Visual Modeler Works

Properties define the characteristics of models, option classes, and option items. Rules are defined using properties to constrain customer selections and determine whether or not a configuration is valid. The **C3** Configurator uses the model to guide customers choices so that they can configure a Build-to-Order (BTO) product. When an end-user chooses an option item, a rule can be subsequently triggered by a property attached to that option item.

For example, a Mountain Bike model may consist of the following option classes: frame, forks, and wheels. Weight is a property defined for the model and attached to every option item in the model. Each item in each Mountain Bike option class is assigned a weight property value; that is, each frame has a weight, each fork has a weight, and each wheel has a weight. After the customer makes choices about a frame, fork, and a wheel, the sum of all the individual weights total the entire weight of the bike.

By defining a weight rule the modeler can specify that the entire weight of the Mountain Bike should not be over 15 kilograms. The modeler can also specify in the rule a message that will be displayed to the customer if the weight is exceeded.

Therefore, in **C3** Configurator, when a customer chooses an option item such as a frame, fork, or wheel, the **C3** Configurator uses the rule to determine the total weight value by adding the weights of all chosen option items associated with the weight property. If the total weight of all the option item(s) is over 15 kilograms, then the customer is presented with a message stating the recommended weight is exceeded and the customer should choose another option item in one or more of the option classes.

Creating a Tab-Based User Interface

In Release 6.3 and higher, you can arrange your end-user interface in the form of a series of tabs. First you enable a tab-based UI by selecting the Tab-based UI display template when you set the display properties for the model. Once you have enabled the tab-based UI, you create the top-level option classes or option class groups that make up your model. Next you access the **Tabs** tab within your selected model and

create the tabs. As you create the tabs, you populate them with the one or more of the top-level option classes or option class groups that you have created.

| | |
|--------------|--|
| Note: | By top-level is meant those option classes or option class groups at the top of the model group hierarchy, directly below the model. |
|--------------|--|

An option class can be attached to zero or more tabs. See "Working with a Tabbed User Interface" on page 482 for step-by-step instructions on creating a tabbed user interface.

Option Classes and Option Items

An option class is a configurable part of a model consisting of option items and nested option classes that have a common purpose.

An option item is a member of an option class. The option item can either be an orderable part or an intermediate selection in the process of determining an orderable part. Typically, properties are associated with option items.

For example, if a car is a configurable product, then an engine is a configurable part of the car. Thus, you could create a model called "car", and "engine" would be an option class in the model. The option items in the engine option class are 4-cylinder, 6-cylinder, and 8-cylinder.

Groups and Sub-Models

A option class group or an option item group enables you to re-use option classes and option items in more than one place in a model group without having to recreate the same items over and over again as you need them. You can create a single group (created at the model group level), add option classes (with their option items) to the group and then "attach" the group, as needed in the required locations. For example, several models might have the same support choices (the same warranty selections, the same hardware support choices). Rather than create these new for each model as two option classes, the same two option classes, you could create these option classes once as part of an option class group, then attach the group to each model that requires these option classes.

If the elements of a group (option classes, option items) need new properties attached to them, or if the elements need existing properties modified, then you need only modify the group in the place where you originally created it. The modifications will be reflected in the group throughout its "attached" locations. Figure 9 on page 77 shows different examples of groups. As illustrated in that example, you can also nest groups within other groups.




FIGURE 9. Option Class Groups and Option Item Groups

A model can be used both as stand-alone and as part of another model. When used as part of another model, the model is referred to as a sub-model.

The following table shows which groups can be attached to which elements in the Comergerent eBusiness System.

TABLE 7. Attaching Groups

| Groups To Be Attached | Attach to Model? | Attach to Option Class Group? | Attach to Option Class? |
|----------------------------|------------------|-------------------------------|-------------------------|
| Models | No | Yes | Yes |
| Option Class Groups | Yes | Yes | Yes |
| Option Item Groups | No | No | Yes |

Properties

A property is a characteristic that in some way describes a model, option class, or option item.

When you define a property, you can define it either as a part of a model group or as part of a specific model. In the case of a property defined for a model group, the

property is then available to be attached to any model, option class, or option item in the hierarchy beneath the model group for which it was created. In the case of a property defined for a model, the property is available exclusively to the model itself, as well as option classes and option items within the model hierarchy.

TABLE 8. Defining and Attaching Properties

| | Model Group | Model | Option Class | Option Item | Option Class Group | Option Item Group |
|--------|-------------|-------|--------------|-------------|--------------------|-------------------|
| Define | Yes | Yes | No | No | No | No |
| Attach | No | No | Yes | Yes | No | No |

For example, in Figure 10 on page 78, property X is defined in Model Group A and property Y is defined in Model A1. Property X can be attached to Model A1 and Model A2, as well as any models in Model Group B, such as Model B1. However, the property cannot be attached to Model C which is not a child of Model Group A. Property Y is defined in Model A1 and therefore cannot be attached to either Models B1, A2, or C.




FIGURE 10. Property Attachment in the Model Group Hierarchy

Note: The catalog of properties that you build up using the Visual Modeler can become extensive very quickly, so before defining a new property, take care to check that there is not an existing property that will suit your needs.

When you define a property, the name you give it should be descriptive of the property being represented. The property name must be unique within the model group.

Using Properties

As a modeler, you determine the value of a property when the property is attached. When you create a property, you can also define a default value for that property. Then, when you assign that property to a model, option class, or option item, the property has the default value unless you choose to override it. For example, you can assign the value of 8 when assigning the weight property to one of the bike forks but assign the value of 10 when assigning the weight property to a different bike fork.

| | |
|--------------|--|
| Note: | You <i>must</i> set up properties for each option class and option item that is included in a validity check <i>and</i> triggers an option item expansion. |
|--------------|--|

In another example, a model for a configurable computer requires a different amount of RAM for different types of software. Thus, this model needs to have a property called “memory_required”. When you attach this property to different software option items in the model, you determine the value of RAM memory required for the individual software. At the same time, RAM itself is an option class, and the amounts of RAM that the customer can order are the option items in that class. Therefore, there needs to be a corollary property called “memory_ordered”. You may set a value for this property or it may be a calculated value triggered by a rule based on a quantity input by the customer.

Naming Properties

Take care to name properties so that you avoid confusing properties that should be kept distinct. For example, if you use Weight as a property name, then there may be situations in which you need to distinguish between the weight of items from two different option classes.

Attaching Properties to Option Items

The option item to which a property is attached may be any component of an orderable item that has the characteristic represented by the property. For example, as a modeler, you can attach the weight property to a frame since the frame has a specific, defined weight. The property value must be consistent with the property type entered when the property was defined. In other words, you cannot assign a value of “blue” to a property with the type Number. The property must be of type String in order to assign the value “blue”. Depending on the property type, the value may represent either the quantity of the property represented (*numeric*), a

specific instance of the property (*character*), or a *list* of many instances of the property.

Display Properties

As a modeler, you use display properties to control the model elements on the HTML page displayed to the customer by the Configurator Engine. See "Working with Display Properties" on page 566.

Lists

You use a list to enter and maintain lists of property values for a specific property. It is possible to define multiple choices by using a list. By comparison, number and string property types define a single value.

You use lists in the **C3** Configurator when you have a property with multiple values. For example, a modeler can use a list property type for a property called *days of the month*. The values in this property list are 1, 2, 3, and so on, with the last value 31. For this particular property, the list is the appropriate property type.

| | |
|--------------|--|
| Note: | The list name should be descriptive of the items contained in the list, and the property list value is a specific value in the list. |
|--------------|--|

You can also use lists to define the selection of option items during product configuration. You do this by creating a list of items and then creating a rule stating that an item is either valid or invalid with the items on the list.

For example, we have three bike models: Mountain Bike, Racing Bike, and Dirt Bike.

1. Create three lists, one for each bike (Table 9).

TABLE 9. Lists for Different Bike Models

| Bike model | List property | List values |
|---------------|-------------------------|-------------------------|
| Mountain Bike | MtnBikeWheelsAllowed | Mavic mountain wheels |
| | | Shimano mountain wheels |
| Racing Bike | RacingBikeWheelsAllowed | Mavic racing wheels |
| | | Shimano racing wheels |
| Dirt Bike | DirtBikeWheelsAllowed | Mavic dirt wheels |
| | | Shimano dirt wheels |

2. Create a property of type list called "WheelsAllowed".
3. Attach the WheelsAllowed property to each bike model.

- a. Attach the WheelsAllowed property to the Mountain Bike model with the value “MtnBikeWheelsAllowed”.
 - b. Repeat step a for the Racing Bike and Dirt Bike models using the values in Table 9.
4. Create a property of type character called “WheelsOrdered”.
5. Create a rule with the following condition.

TABLE 10. Entries to Define Wheels Rule

| Field | Value |
|------------------|---------------|
| Function | Value |
| Property | WheelsOrdered |
| Operator | in |
| Function | list |
| Property | WheelsAllowed |
| If not specified | Ignore |

6. Attach this rule to the Mountain Bike, Racing Bike, and Dirt Bike models.

The same rule is attached to three different models, but the value of the WheelsAllowed property is specific for each model. That is, for the Mountain Bike model, the MtnBikeWheelsAllowed list is used, whereas for the Racing Bike model, the RacingBikeWheelsAllowed list is used. Similarly, the DirtBikeWheelsAllowed list is used for the Dirt Bike model.

Rules in Visual Modeler

Rules are essential to the Visual Modeler. They determine which instances of a model are valid. By defining and attaching rules to appropriate places in the model hierarchy, you ensure that customers may select only combinations of options items that are compatible or suitable. In doing so, you ensure that customers are offered the best shopping experience possible.

Each time a model is validated (for example, each time a user make a pick of an option item), the rules are fired. Some rules may evaluate to false: these are said to fail, whereas if a rule evaluates to true, then it is said to succeed.

A rule consists of one or more fragments and an action. The action can consist of either message actions (messages that will be displayed), an expansion action (items that will be added), or an assignment action (properties that will be assigned).

Rules enable the Configurator Engine to guide a customer through the configuration experience by offering additional explanations and checking the selected options to ensure a correctly built product. The rule can also check when certain conditions will provide expansion, that is, provide a customer with additional option items in the configured solution.

Rules can be simple: a particular option item must not weigh more than 100 grams. Rules can be complex: one option item must not weight more than 100 grams OR another option item must not weigh more than 50 grams AND the material must be steel.

Rules result in some kind of action being performed. A rule can check to see if some condition prevails and then display a message action as a result. An example of this would be a check on the total weight of a bike resulting in a warning message that the bike is over a weight limit.

Rules can result in expansion actions. Based on a rule, additional selections can be provided for a customer. For example, a rule can decide if additional memory is needed and how much.

Rules can result in assignment actions. Based on the calculations in a rule, a value can be assigned to a designated property.

You can choose to design rules that display messages when a model instance fails to satisfy a rule or when a model instance satisfies the rule. You can also adjust the severity of the message.

Defining and Attaching Rules

You define rules at the model group level or the model level depending on how the rules will be used. For example, if you want to attach the rule to any element in the model group hierarchy, then you define the rule at the root model group level. If you want to limit the use of a rule only to elements within a certain model group (or to elements in sub-groups within that group), then you define the rule only at that model group level. Likewise, if you want a rule for localized use by the elements in a particular model, then you define the rule at the particular model level.

TABLE 11. Defining and Attaching Rules

| | Model Group | Model | Option Class | Option Item | Option Class Group | Option Item Group |
|--------|--------------------|--------------|---------------------|--------------------|---------------------------|--------------------------|
| Define | Yes | Yes | No | No | No | No |
| Attach | No | Yes | Yes | Yes | No | No |

Attaching Rules

Once you have defined a rule, you attach the rule to some level in the model (or group) structure. Where you attach the rule in the structure determines when the rule is fired (see "Rule Firing" on page 89). By attaching a rule to a model, you ensure that the rule is processed to validate the model. A rule may be attached to any number of models (including sub-models). You can also attach rules at the option class and option item level, if the rule is specific to that level.

The point at which you attach a rule determines where messages will be displayed to end-users as they configure the product, and it determines when, in the order of rule-firing, the rule is fired.

Rule Fragments

A rule fragment is a component of a rule and comprises a function and property joined by an operator to another function and property (or sometimes a literal value). The function determines a value for a property. Table 12 on page 83 lists the functions supported by the Visual Modeler.

| | |
|--------------|--|
| Note: | The functions listed here are the standard functions. The list of functions can be customized for your installation. See the <i>Comergent eBusiness System Developer Guide</i> . |
|--------------|--|

TABLE 12. Function Definitions

| Function | Definition |
|---------------|---|
| checkwslookup | Checks that the correct properties exist to invoke a Web service. |
| childsum | Sum of the specified property values defined at this node and any of the node's children (and recursively down to children of child nodes and so on). |
| length | Returns the length of a string property. |
| list | Used with the operators "in" and "not in" to check if a property value is included or not included in a specified list of values. |

TABLE 12. Function Definitions (Continued)

| Function | Definition |
|------------|---|
| lookup | Used to look up values specified by name from a properties file: the lookupValues.properties configuration file. A string property containing the key is used to find the entry in the property file. This entry defines the properties for this key and the values that each of these properties should be set to when the function is invoked. For example: suppose the following is defined in the properties file: Color=blue,green,red Color.blue=#0000FF Color.green=#00FF00 Color.red=#FF0000 Then if the lookup(Color) function is invoked, the corresponding properties blue, green, and red will be attached at the appropriate node. |
| sum | Sum of the property values from all selected items having the specified property. |
| value | Uses the property value for comparison. If multiple items exist on the order with the given property, then the maximum value is used. |
| min | Returns the minimum property value from all selected items having the specified property. |
| isselected | Returns true if the option item is selected; otherwise returns false. |
| propval | Returns the value of a property even if the option item has not been selected. |
| max | Returns the maximum property value from all selected items having the specified property. |
| count | Counts the number of objects (selected option items, models, or groups) having the specified property. |
| parent | This function walks up the tree from the current location to see if the property has been defined anywhere at or above the current location. For example, if the rule is attached at an option item level, then the property will be looked for on the option item itself. If it is not defined there, then the option class to which the option item belongs will be looked at to see if the property is defined there. |

TABLE 12. Function Definitions (Continued)

| Function | Definition |
|----------|--|
| literal | Exact match of the literal value. |
| wslookup | Invokes a specified Web service by calling its handler class. use this in conjunction with the checkwslookup function. |

Operators tie rule fragments together and define the fragments' relationship within the rule. Table 13 on page 85 lists the operators supported by the Visual Modeler.

TABLE 13. Operators

| Operator | Description |
|----------|---------------------------|
| != | Not equal to |
| < | Less than |
| <= | Less than or equal to |
| = | Equal to |
| > | Greater than |
| >= | Greater than or equal to |
| in | In the specified list |
| not in | Not in the specified list |

For example, the rule “value(wheels selected) >= max (wheels required)” states in conversational English, “the number of wheels selected in the configuration must be greater than or equal to the maximum number of wheels required by the configuration; otherwise this rule fails”.

Single Fragments, Multiple Fragments, and Nested Fragments

A single fragment can consist of either of the following:

- Two properties and their functions combined with an operator.
- A property, its function, an operator and a literal value.

For example, a rule that has a single fragment might read: Quantity of wheels ordered = Quantity of wheels required. In this example, Quantity of wheels ordered is the first half of the fragment with the property, wheels ordered, and the function, count (quantity). The second half of the fragment, Quantity of wheels required, has the property, wheels required, and the function is also count (quantity). The operator is equals (“=”).

Single fragments can be linked together to form *multiple fragments* using Boolean operators, AND, OR, ANDNOT, ORNOT.

For example, we can use the preceding single fragment and add another single fragment to form a rule with multiple fragments (multiple lines in the Visual Modeler):

Quantity of wheels ordered = Quantity of wheels required

AND

Type of front wheels = Type of rear wheels

You can build complex rules such as:

(FragmentA AND (FragmentB OR FragmentC))

See "Fragments" on page 523 for examples of simple levels of fragments and nested levels of fragments.

If Not Specified

A property can have an unspecified value. If a property is not assigned to an object which is part of the current configuration (a valid option item is not selected), then the value for that property is defined as "not specified".

When creating a rule, you can select from four results for a fragment when the property is not specified:

- Rule is true: The entire rule and all its fragments evaluates to true.
- Rule is false: The entire rule and all its fragments evaluates to false.
- Fragment is true: Treat the fragment result as a success, and move on to evaluate the next fragment.
- Fragment is false: Treat the fragment result as a failure.

Triggering the Rule: Success or Failure

When you create a rule, you can specify whether action results if the rule succeeds or fails. For example, you can specify that the rule will be triggered on "failure". In this case, if the rule evaluates to "true", then nothing is done. No message is displayed; if the rule involves expansion, no expansion occurs.

Rules and Messages

Messages are used to help guide a user toward correct configuration choices. The rule message text may be up to 2000 characters in length.

For each message action, you can specify one of three types of messages.

TABLE 14. Types of Rule Messages

| Message Type | Definition |
|--------------|--|
| Suggest | Suggest messages create a message for the user indicating that a rule has failed or passed. These types of messages provide details about the suggestion (for example; “You may want to add more memory”). The configuration can continue. |
| Warn | Warn messages are similar to Suggest messages. The configuration can continue. |
| Error | Error messages prevent further configuration until the error has been cleared. |

Expansion

Expansion means that, based on a rule formula, additional items are added to the model configuration. The result of a rule formula is the starting point to determine which option item(s) is expanded and included in the product configuration.

| | |
|--------------|--|
| Note: | Properties can be used to create rules that will calculate, based on a user choice, the correct parts to expand on a model with additional option items. |
|--------------|--|

The modeler can use rule formulas to create rules that calculate or determine the result of a rule. In general, rule formulas are based on values associated with properties. For example, a modeler can use a rule formula to compare the property quantity ordered by a customer with the quantity required for the model. The rule formula calculates the difference, if there is one, and can automatically expand the model to include the option items that are needed to match the required quantity.

Numerical rule formulas must be valid mathematical expressions. A rule formula combines mathematical notation with Comergent functions, operators, properties, and literal values to produce a value that is then measured against a minimum and maximum value to determine what and how much should be expanded. (Ranges are used only if a rule formula has been entered.)

Edit Rule

Name: EXP_MX75_Automatic_Memory_Selection

Description: This rule adds and selects the minimum required memory for an end user

Comments:

Rule Triggered on: ☐ Failure ☒ Success

| Fragments | If Not Specified | Actions |
|--|------------------|--|
| and value(MX75_Mem_Auto_Select) = Yes | Rule is false | <input checked="" type="checkbox"/> <input type="checkbox"/> |
| <input checked="" type="checkbox"/> - Delete <input type="checkbox"/> - Edit <input type="checkbox"/> - New Operator <input type="checkbox"/> - New Fragment | | |

Message Actions

| Type | Message | Actions |
|------------|--|--|
| Error | | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| Suggestion | RAM modules are autoselected based on your software choi | <input checked="" type="checkbox"/> <input type="checkbox"/> |

Formula

sum(MX75_Mem_Required) - sum(MX75_Mem_Ordered)

Expansion Actions

| Min | Max | Qty | Item | Actions |
|-----|-----|-----|------|--|
| | | | | <input type="checkbox"/> <input checked="" type="checkbox"/> |

FIGURE 11. Memory Requirements Rule

The following example illustrates a business situation where creating an expansion rule formula is useful. A customer orders a workstation. The first fragment of the rule references a property called MX75_Mem_Auto_Select and is set to YES. The second fragment references two properties: MX75_Mem_Ordered and MX75_Mem_Required. If the MX75_Mem_Auto_Select is set to YES, and if the customer orders less memory (MX75_Mem_Ordered) than required (MX75_Mem_Required), then the rule formula result is used to expand the configuration to include the right amount of necessary memory. The customer is prevented from ordering an invalid workstation.

In this rule, a rule formula would be written as in Figure 11 on page 88. If the customer orders 64 MB of memory and the memory required is 128 MB, then the rule formula returns a result of 64. This result is evaluated against the min/max

ranges for results and finds that 64 falls within the range of a minimum of 64 and a maximum of 128. According to the table, when this happens, a quantity of 128MB of memory is selected (expanded).

Assignment

Another type of action that can result from a rule is Assignment. In this case, the Modeler can define a rule that results in a value (based on the rule formula) being assigned to a property designated by the modeler.

Rule Firing

The **C3** Configurator processes rules by a two step process. Within each level in a model hierarchy, it processes rules according to the order defined by the modeler when rules are attached to that level. See "To Modify a Rule" on page 511 for the steps to sequencing rules.

Within the model hierarchy itself, **C3** Configurator follows a process called “depth first traversal”. At any node in the structure, **C3** Configurator traverses down through that node’s children to the lowest level, then traverses back, firing rules as it goes.




FIGURE 12. Rule Firing

For example, in Figure 12 on page 89, **C3** Configurator starts at the top and checks for any children, then traverses down to the first node. At this first node (Option Class 1), **C3** Configurator checks for children. Since none are found, **C3** Configurator fires any rules attached to this option class, in this case only one (1).

C3 Configurator proceeds to the next node (Submodel A) and finds two children (Option Class 2 and Option Class 4). Option Class 2 has a child (Option Class 3) so **C3** Configurator traverses to that node. Since Option Class 3 has no children, **C3** Configurator fires the rules attached to Option Class 3 (2), then traverses back up the structure to the parent, Option Class 2, and fires the rule (3) attached at that node.

C3 Configurator traverses to the next child of SubModel A, Option Class 4. Finding no children there, the rule attached to Option Class 4 (4) is fired. At this point, **C3** Configurator traverses to the parent, Submodel A, and fires the rules attached to that level (5 and 6).

Now, **C3** Configurator moves to the next node (Option Class 5) and, finding no children, fires the rule attached to Option Class 5 (7). Having fired all the rules attached to the children, **C3** Configurator now traverses back to the parent (Model B) and fires the rules attached to the parent (8 and 9).

Managing Option Constraints

When customers select certain option items, you might want to prohibit them from making other selections. For example, a car dealer might want to constrain certain interior colors of a car from being sold with certain exterior colors. Likewise, combinations of option items might constrain the selection of other option items. For example, if Option A and Option B are selected, then Option C is not a valid choice.

You can create these constraints by creating a constraint table for a particular model. The constraint table consists of two or more columns each of which represents an option class containing choices (option items) which may or may not be valid with the choices in the other columns. The constraints are defined by one or more constraint rows in the table. When you create the table, you can include a message (error, warning, or suggestion) that is displayed.



FIGURE 13. Option Constraints

The above figure shows a set of option constraints for the car example. When translated into a model for the customer, this table means that the customer's choices for Exterior Color and Interior Color must match a set of choices in one of the constraint rows: for example, Black and Silver, or Red and Green are valid choices, but not Black and Green.

You can also define a constraint row so that the choices for one column are not valid with the other columns. In this case, you want to constrain the customer's choices from matching any combination of items in an invalid row.

See "Option Constraints" on page 544 for more information about constraint tables.

Testing and Compiling the Model

As you create your model, you can test the model as you go along. Once you have created the model, you can easily click a button to compile the model into an XML file.

Copying and Embedding

In Release 7.1, you can copy or embed entities in the model group hierarchy. To copy an entity (model group, model, and so on) means to make a duplicate of a single entity (in the case of an option item) or of an entity and its structure (in the case of a model group, model, or option class group or option item group) within another location in the hierarchy. To embed an entity is to make a duplicate of the structure of an entity. For example, to embed a model is to take the model's

structure and duplicate that structure (option classes, groups, and so on) within a destination in the model group hierarchy. Copying or embedding is performed at different location in the Visual Modeler interface. See the individual tasks related to copying or embedding in CHAPTER 14, "Using the Visual Modeler" for more information.

When you are copying or embedding, attached properties follow certain rules:

- If properties attached to the item being copied or embedded are not defined anywhere among the ancestors of the destination, then the property is defined locally.
- Where there is a conflict between a property attached to an item being copied or embedded and a property attached to the destination, the property attached to the item being copied or embedded is dropped.

Figure 14 on page 93 shows a model group hierarchy before and after embedding. In this example, you are embedding Option Class Group 1 (OCG1) under Model 1 (MOD1). In OCG1, Property P1 (defined in Model Group 1 as INT) is attached to Option Class 1 (OC1). After embedding, a conflict will exist since, In MOD1, Option Class 3 (OC3) also has a Property P1 (defined in MG2.1 as STRING). Visual Modeler resolves the conflict by dropping the P1 attachment to the newly embedded OC1.




FIGURE 14. Property Conflict During Embedding

Importing and Exporting

You can import or export model groups or models in the form of **XML** files. When you import, you can choose to import a model group or model to a specific destination or you can import the model group or model with its structure relative to its original root model group. This means that, rather than choosing a destination model group, the model group or model will be placed relative to the destination root model group in the same position relative to its original root model group without compromising the integrity of the destination (existing paths, and so on).

For example, in Figure 15 on page 94, Model **MOD1** (located in Model Group **MG2.1** which is located in **MG2**) is being imported into **MG2** on the right. It is being imported relative to the root model group. In the destination hierarchy, there

Comergent eBusiness System Administration Guide

In Figure 16 on page 95, Model **MOD1** (located in Model Group **MG2.1** which is located in **MG2**) is being imported into **MG2** on the right. It is being imported relative to its original root under **MG2.1**. In the destination hierarchy, there is indeed a Model Group **MG2**. However, there is no Model Group **MG1A**. To create **MG1A** above the existing **MG2** would compromise the integrity of any entities within **MG2**. In this case, therefore, the process satisfies the import requirements by creating a new branch: **MG1A**, **MG2**, **MG2.1**, and the imported **MOD1** with **OC3**.




FIGURE 16. Importing Relative to the Root Model Group II

Properties, Rules, Lists, Option Groups, and Sub-Models

When you import entities, the process handles properties, rules, lists, and option groups differently, depending on whether you are importing a structure as relative to its original root, or whether you are importing to a specific location without regard to its original root.

When you import a structure relative to its original root, the process handles these items in the following manner:

- **Properties, Rules, and Lists**

The process examines the ancestral chain of the destination for the definitions of the entities. If they are found, then you are prompted as to whether you want to overwrite or not overwrite the entities with the

definitions of the attached entities. The entities need not be defined in the same location as in the imported structure. If the definitions are not found in the destination, then the process creates them in the same location in the destination as in the original.

- Option Class Groups, Option Item Groups, and Sub-Models

At the destination, the process examines the path in the destination:

- If the path in the original exists in the destination, and if a definition of the item already exists at the same location as in the original, then you are prompted to either overwrite or not overwrite the definition.
- If the path in the original exists in the destination, but if a definition of the item does not exist at the same location as in the original, then the item is created at the same location in the path.
- If the same path does not exist, then the path is created and the item is created at the same location in the path.

When you import a structure to a specific destination, the process handles properties, rules, lists, and groups in the following manner:

- Properties, Rules, and Lists

The process examines the ancestral chain of the destination for the definitions of the entities. If the definitions are found, then you are prompted as to whether you want to overwrite or not overwrite the entities with the definitions of the attached entities. The entities need not be defined in the same locations in the destination as in the imported structure. If the definitions are not found in the destination, and if the structure does exist, then the entity is created at the same location in the structure as in the original. If the location does not exist, then the entity is created as part of the immediate parent to the structure being imported.

- Option Class Groups, Option Item Groups, and Sub-Models

At the destination, the process examines the path in the destination:

- If the path in the original exists in the destination, and if a definition of the item already exists at the same location as in the original, then you are prompted to either overwrite or not overwrite the definition.
- If the path in the original exists in the destination, but if a definition of the item does not exist at the same location as in the original, then the item is created at the same location in the path.

- If the same path does not exist, then the location is created and the item is created at the same location in the path. For example, in Figure 17 on page 97, **MOD1** is being imported into **MG2**. **MOD1** has an option class group attached which is defined at **MG2.1**. **MG2.1** does not exist under **MG2**. Therefore **MG2.1** is created under **MG2**, the option class group is created at **MG2.1** and the **MOD1** is imported under **MG2**.




FIGURE 17. Importing to a Specific Location - Groups and Sub-Models

Searching

In Release 7.1, you can search the model hierarchy for entities that contain property names or property values that you specify as parameters for the search. You can use the entire hierarchy for your search, or you can limit your search to model groups, models, option classes, option items, or rules. You can also limit your search to the currently selected model group, model, option class group, or option item group. See "Searching" on page 558 for more information.

Reporting

In Release 7.1, you can run a report on any of the models created with the Visual Modeler. You define the criteria that the report will include:

- Definitions: rule, list, and property

- Model hierarchy: display settings, attached properties, attached rules, whether groups will be expanded, whether complete paths will be shown
- Constraint tables

This chapter provides a guide to using the Web UI to administer the Comergent eBusiness System. See CHAPTER 5, "Administration Interface in C3 Advisor" for a description of the *C3* Advisor administrative interface.

Accessing the Administration Interface

To begin an administration session, you access the Comergent eBusiness System enterprise home page by pointing your browser to the home page URL. This URL should be provided by your system administrator. Typically, it will be of the form:

```
http://<server>:<port>/en/US/Comergent/enterpriseMgr/matrix
```

You must provide authentication information in the form of a username and password. Your system administrator must provide these to you.

Once you have accessed the Comergent eBusiness System home page, the home page displays links to the various modules as shown below. The modules that appear depend on the entitlement functions assigned to you. See "Managing the Sales Channel" on page 3 for an overview of entitlement functions.




FIGURE 18. Comergent eBusiness System Home Page

General Navigation Tips

The Comergent eBusiness System user interface is designed to be simple and intuitive. In general, pages served up by the Comergent eBusiness System have the same basic structure:

- an upper navigation bar
- a content panel which is either a list or a detail page

The following figure shows a sample page.




FIGURE 19. Pricing Administration List Page

Navigation Bar

The navigation bar has general navigation links, as shown in Figure 20 on page 101. On the right, buttons enable you to access the online help and to log out.




FIGURE 20. Navigation Links

The **About** link is used to ascertain the Release version of the Comergent eBusiness System.



FIGURE 21. About Link

Content Panel

The content panel displays the primary information to assist you in your task. It is used to display a list of search results (as shown in Figure 19 on page 101), the details of a partner profile, shopping carts, and so on. List pages sometime contain check boxes next to each line that enable you to select one or more items for applying one of the actions you can perform on the items. You can click the Select

All check box at the top of the column to select all the items on the current page. (Note that this does not select items on any page other than the current page.)

Some applications use a multi-panel frame consists of a navigation panel on the left and a content panel on the right. The panel on the right often consists of one or more tabbed panels. The multi-panel frame is used to display product management screens (as shown in Figure 22 on page 103) or screens used to manage **C3** Advisor information.

| | |
|-------------|--|
| Note | See CHAPTER 5, "Administration Interface in C3 Advisor" for information about the C3 Advisor interface. |
|-------------|--|

When the content frame appears as a multi-panel frame, the Navigation Panel on the left provides access to items in the form of a directory tree.

In some cases, this consists of a product hierarchy. You can either click on a product category to see the products within the category, or click on the triangle next to the product category to see child product categories within the parent. In Product Administration (shown in Figure 22 on page 103), if you click on the product category, then you not only see the products in the category, but you also see information about the product in the Content Panel to the right.

In the case of **C3** Advisor, the navigation panel appears as a hierarchy of folders. Folders can contain sub-folders, items, or both. See CHAPTER 5, "Administration Interface in C3 Advisor" for more information about using the **C3** Advisor interface.




FIGURE 22. Product Manager Page

The Content Panel sometimes appears as a list to which you can assign products. In other cases, it provides detailed information about an item selected in the Navigation Panel. In many cases, it appears as a series of tabbed panels, each of which provides different types of information. When you create certain items, for example a partner, you must remember to enter information in the appropriate panels.

Search Capabilities

The Comergent eBusiness System offers advanced search capabilities through its administration interface. You can search for most objects, such as users, partners, orders, and so on by specifying one or more attributes.

You can use wild card characters such as “*” to help you in your search. Bear in mind that “_” is treated as a single wild card character. For example, if you search for “C_a*”, then the results will include matches to “Craftsman”, “Chapel Hill”, as well as to “C_anchor”.

The **C3** Advisor application enables your customers to identify a product or set of products in which they are interested. Once identified, products can be compared, configured (if necessary), and purchased. By creating an appropriate questionnaire, you greatly simplify your customers' process of buying your products while enhancing the overall customer experience.

This chapter first discusses the concepts involved in creating an effective questionnaire, then walks you step-by-step through the creation process.

| |
|---|
| Attention: C3 Advisor will not work unless you create and activate a search index. See "Administering Advanced Search" on page 362 for more information. |
|---|

Feature Types and Features

Feature types and features are characteristics of products that you use when you create a questionnaire in **C3** Advisor. These form the answers to questions posed by the customer during the guided selling experience.

See "Feature Management in C3 Product Manager" on page 60 for an explanation of these elements.

Resources and Resource Types

Resource is the term used to describe an electronic media attribute that you can associate with a business object. Resources can be of many kinds: URLs, image files, sound files, and text files to name a few. You can assign any or all of these media to any of your business objects (except rules and resource types). When an entity is displayed (for example, in a questionnaire), the resource can be displayed or accessed along with it. For example, you assign a resource (an image) to a feature (a processor). During the guided selling experience, the end-user sees the processor as a selection and also sees the image of the processor.

How resources appear to your customers is up to you. You can have resources displayed directly in pages generated by the **C3** Advisor. Alternatively, resources can be links to other pages, or even other applications. Note that you must customize your JSP files to display resources.

Each resource is a member of a specific *resource type*. Resource types are business objects that you create in **C3** Advisor Administration.

Questions and Answers


Questions are business objects that define the conditions that will narrow down a customer's search for products. The answers to these questions are associated with features used to filter down the resulting product list.

Questions

Questions posed to a customer in a questionnaire enable you to help the customer to find product(s) that match the customer's needs. Questions are reusable on multiple questionnaire pages.

We suggest that you start with general questions to help limit a customer's choices, then write more specific questions. For example, if a customer is purchasing a dishwasher, then the general question, "Do you want a portable or under-counter dishwasher?" should be asked before the more specific question, "Do you want your dishwasher to have heating capability?" particularly if portable models do not offer heating capability.

It is helpful to think of each question as a single question and its collection of possible answers. This collection of a question and its answers are displayed on a questionnaire page as a *palette*. Figure 23 on page 107 shows an example palette that presents two questions and their answers.



The screenshot shows a sample palette with a 'Reset Choices' link at the top left. It contains two questions. The first question, 'Approximately, how many hours a week do you spend on a computer?', has five radio button options: 'Less than 5 hours per week', '5 to 10 hours per week', '10 to 20 hours per week', '20 to 30 hours per week', and 'Greater than 30 hours per week'. The second question, 'What would you like to do with your new computer?', has six checkbox options: 'Correspond with Email', 'Use the Internet', 'Word Processing', 'Play Games', 'Graphics/Multimedia', 'Data Analysis', and 'Programming'.

FIGURE 23. Sample Palette

Within **C3** Advisor, questions consist of properties, answers and (optionally) resources. The properties of a question are:

- **Name**

This is the name you give to the question for internal use. It is not displayed to customers. The name is used in the Navigation panel, and needs to be unique; for example, “Heating Function”.
- **Question Text**

This is the text of the question as your customer sees it; for example, “Do you want your dishwasher to have heating capability?”.
- **Description**

This is your description of the question for internal use. Use this field to briefly describe the question so that you and other **C3** Advisor administrators understand the purpose of the question; for example: “This question determines whether the customer wants the dishwasher to heat the water. If customers answer ‘Yes’, then filter products based on whether they have one of the heating features.”.
- **Control Type**

What kind of control will be assigned to the answers. These are the possible selections:

 - Radio button controls only permit the customer to select one answer to the question. Selecting one radio button automatically deselects any other radio buttons for that question.

- Check box controls permit the customer to select zero or more answers to the question.
- Drop-down list controls only permit the customer to select one answer to the question.
- Filter Logic

You can select either AND or OR. If you select AND, then products will only be matched if they have features associated with all of the answers selected to this question. If you select OR, then products will be matched if they have features associated with at least one of the answers selected to this question.

Answers

In the questionnaire, answers are the response to the conditions posed by a question. Within **C3** Advisor, answers are child objects of questions, and have the following properties:

- Name

This is the name you give to the answer for internal use; for example: “Yes to Heating”.

- Answer Text

This is the text of the answer as your customer sees it; for example, “Yes”.

- Description

This is your description of the answer for internal use. Use this field to briefly describe the answer so that you and other **C3** Advisor administrators understand the purpose of the answer; for example: “If customers answer ‘Yes’, then filter for products that have one of the heating features.”.

- Filter Logic

You can select either AND or OR. If you select AND, then products will only be matched if they have all of the features associated with this answer. If you select OR, then products will be matched if they have at least one of the features associated with this answer.

In addition, answers have both features and (optionally) resources assigned to them. The assignment of features to answers is crucial to the creation of the questionnaire, for it is this assignment that enables the **C3** Advisor to find products based upon the answers your customers select in your questionnaire.

Questionnaire Pages

Questionnaire pages are containers for questions. Your primary task in creating a questionnaire page is to define the questions it will display.

You will set one of your questionnaire pages to be the *start page*: the first page displayed in your questionnaire. In addition, the questionnaire includes an *end page*. The end page is the page that appears when your customers reach the end of the questionnaire. This is defined as the state when there are no more rules to test against the state. When customers reach this page, their product list is as refined as it can be, based on the decisions they have made. This page shows the refined product list as well as a summary of the questions and answers on which the list is based.

You can also define a template JSP page to render the questionnaire page (to supersede the default JSP page).

Rules in C3 Advisor

In the **C3** Advisor, rules are logical expressions with an IF/THEN syntax, and their definition determines what happens when your customers use your questionnaire.

| | |
|--------------|---|
| Note: | C3 Advisor rules are distinct from the rules in Visual Modeler. For an explanation of rules in Visual Modeler, see "Rules in Visual Modeler" on page 81. |
|--------------|---|

The definition of a rule includes its name, description, IF clause, THEN clause, and priority.

The *name* of a rule is the designation you give the rule for internal use only. The name of the rule is used in the **C3** Advisor Administration Navigation panel, and must be unique.

The *description* of a rule is for internal use only, and is optional. You may choose to give a rule any description you like, or none at all.

The *IF clause* defines the state that must exist in order for the rule to be executed. In the **C3** Advisor, *state* is a special term that defines at any moment which questionnaire page the customer is viewing, what facts have been specified, and which rules have been executed. The state must satisfy all of the arguments in a rule's IF clause in order for the rule to be executed.

The *THEN clause* defines what action the **C3** Advisor will take when the rule is executed.

Priority determines the order in which rules are tested against the current state. Rules with a smaller numerical value are tested before rules of larger value.

The C3 Advisor Questionnaire

The concepts discussed in the previous sections are used to create the collection of questionnaire pages known as the **C3** Advisor questionnaire. The remainder of this chapter contains a discussion of the design and creation of a questionnaire.

The **C3** Advisor questionnaire is used to ask each customer questions to determine their business needs. As a customer enters their answers, the **C3** Advisor filters out products that do not meet the customer's requirements. By reducing the set of possible product choices, you can reduce the customer's purchase decision to choosing from a small number of acceptable products, all of which meet the customer's stated requirements.

The responses to each question serve to restrict the list of acceptable products from the list of available products. If you use multiple questions, then they are used to filter out available products that do not meet *all* the requirements selected. The list of acceptable products can also serve as the starting point for the product comparison tool.

Each questionnaire comprises a set of questionnaire pages or Web pages that are displayed to the customer. A questionnaire page is made up of one or more *questions*. Each question is associated with one or more questionnaire pages. A question is displayed on a questionnaire page with one or more possible *answers*. This grouping of a question and its answers on a questionnaire page is a palette. A question has one or more answers that are displayed on the palette.

Answers are used to specify the features that are used to filter the list of available products once a user has made their selections on the questionnaire page. Each answer has one or more *features* assigned to it. Since features are also assigned to products (this is done in the **C3** Product Manager), answers are indirectly connected to products. When a customer selects an answer, only those products that have the features assigned to that answer are included in the resulting list of products.

About the Questionnaire

In the **C3** Advisor, a questionnaire is a collection of questions and answers integrated with a set of rules that, when applied to your list of products, generate a refined product set.

How the Questionnaire Works

There are two ways to look at how the questionnaire works: how your customers experience it, and how it works for you.

Customer Experience

From your customers' point of view, the questionnaire is a series of one or more Web pages containing questions and answers. By answering the questions, your customers identify which of your products interest them.

Administrator Experience

You create the questionnaire pages that make up your questionnaire, decide what questions and answers should appear on each questionnaire page, and write the rules that determine how the questionnaire behaves.

Components of the Questionnaire

There are several components that make up the questionnaire. Each of these components serves a specific purpose. They are:

- *Features* are assigned to products. The **C3** Advisor uses them to differentiate between products.
- *Feature types* are categories of features.
- *Feature type groups* are attributes of feature types.
- *Questionnaire pages* are the pages that make up your questionnaire. Each questionnaire page displays one or more questions.
- *Questions* are the building blocks of questionnaire pages.
- *Answers* are possible responses to the question text posed by a question. The *Answers* frequently consist of the *Features* assigned to a product.
- *Resources* are supplemental media that can be assigned to any entity. Commonly, resources include such things as photographs, data sheets, product or feature descriptions, white papers, and URLs.
- *Resources types* are categories for resources.
- *Rules* are the logic behind the questionnaire. They are used to determine actions based on customer decisions.

Note that even though the questionnaire is used to identify products, products are not managed by the **C3** Advisor, but rather by the **C3** Product Manager. Features can be created in both **C3** Advisor Administration and **C3** Product Manager: they

are assigned to answers using **C3** Advisor Administration, and are assigned to products using **C3** Product Manager. Features are thus assigned both to answers (in **C3** Advisor Administration) and to products (via the **C3** Product Manager).

Rules for Creating the Questionnaire

C3 Advisor will work effectively assuming a reasonable product catalog. See "Guidelines for Creating a Product Catalog" on page 56 for the guidelines for creating a product catalog. The guidelines for creating a reasonable questionnaire are as follows:

- The Product list presented on each **C3** Advisor page should not exceed 50 products to ensure reasonable performance and make the number of available choices intelligible to the end user.
- Questionnaires should contain between 40 rules and 100 rules.
- Questionnaires should have between 20 and 100 **C3** Advisor Questionnaire Pages.

Note that these are not absolute limits for what the Advisor product can handle. These limits are meant as guidelines for the size and characteristics of a set of product information under which **C3** Advisor operates most effectively.

Rules in the C3 Advisor

Defining the right rules is the key to building the questionnaire, because rules determine how the questionnaire behaves. To understand this, you need to understand what the questionnaire is doing in **C3** Advisor.

Rules are statements you create that are designed to determine questionnaire behavior and identify a set of criteria used to filter the product list. A rule comprises an IF clause and a THEN clause. If the state satisfies the IF clause, then the THEN clause is executed. An example of a rule is:

```
IF Questionnaire Page = 1 AND Question1 = D
    THEN Questionnaire Page = 2
```

This rule translates to: if the customer is on questionnaire page 1 and selects answer "D" in question 1, and then clicks **Next**, then display questionnaire page 2.

Terminology

To understand rules, you need to be familiar with the following terms:

- State

The *state* defines where the customer is within the questionnaire. It is a combination of which questionnaire page they currently see, which choices they have made thus far, and which rules have been executed. As customers progress through the questionnaire, the **C3** Advisor updates the state.

- Session

Whenever a customer logs into the Comergerent eBusiness System, they begin a *session*. When they launch the questionnaire, the **C3** Advisor begins to store the state of the questionnaire within the session. State information is kept in the session as long as the customer remains within the questionnaire. Once they leave the questionnaire, their state is lost. If the customer subsequently returns to the questionnaire, then they automatically return to the start page.

- Rule Priority

Priority determines the order in which rules are tested against a state. Each time you create a rule, you assign a priority to it. Specific ways to use rule priority are discussed in the section "Rule Priority" on page 117 and also in the section "Rule Authoring Tips" on page 119.

- Rule Testing

When a customer clicks **Next**, the **C3** Advisor *tests* each rule against the current state. When the state satisfies a rule, **C3** Advisor executes that rule.

- Rule Satisfaction and Execution

When the **C3** Advisor tests a rule against the current state, it compares the state to the "IF" clause of the rule. If the state meets the requirements of the rule, then the state is said to *satisfy* the rule. If the state satisfies the rule, then **C3** Advisor *executes* the rule. Note that when a rule has been executed, the fact that it has been executed becomes part of the state. Rules that have already been executed are not tested against the state again in the same session.

- Facts

Facts are the elements of rules that can be used to filter the product list. In the example:

```
IF Questionnaire Page = 1 AND Question1 = D
  THEN Questionnaire Page = 2
```

"Question1 = D" is a fact.

- Product List

The *product list* is the list of all products that meet the current state. Each time the customer clicks **Next**, the **C3** Advisor updates the current state. **C3** Advisor then uses the facts in the updated state to filter the product list.

- Start Page

The *start page* can be any one of the questionnaire pages you create, or it can be a URL. When you set a questionnaire page as the start page, you designate it to be the questionnaire page that all customers see first. This will be used unless the start state URL is used.

- End of the Questionnaire

When your customers reach a point in the questionnaire where there are no more questionnaire pages to display, and thus no more questions to be answered, they reach the end of the questionnaire. At this point, the **C3** Advisor displays the end page with the message “No More Questions”. The page also contains the refined list of products as well as a list of the questions and answers that resulted in the final list.

Rule Execution

C3 Advisor operates the questionnaire based on an evolving state. Each time the customer clicks **Next**, **C3** Advisor tests unexecuted rules against the state, one at a time in the order of their priority. When the state satisfies a rule, **C3** Advisor executes the rule’s THEN clause. If the rule’s THEN clause includes facts, then these facts are added to the state. What happens next depends on the rule:

- If the rule’s THEN clause defines the next questionnaire page to display, then **C3** Advisor stops testing rules and displays that questionnaire page.
- If the rule’s THEN clause does not define the next questionnaire page, then **C3** Advisor continues testing rules against the updated state, starting with the next rule in order of priority. This process continues until **C3** Advisor executes a rule that defines the next questionnaire page.

Once **C3** Advisor begins to test rules against the current state, the testing process continues until a rule is executed that brings the user to a new questionnaire page. If no such rule exists (that is, if there are no more questionnaire pages to display), then **C3** Advisor automatically displays the “end” page.

If a customer:

- Uses either the **Previous Questionnaire Page** button or their browser's **Back** button to go to a previous page in the questionnaire, the state reverts to what it was on that page.
- Makes a combination of selections that result in an empty product list, **C3 Advisor** displays a page informing the customer that there are no products that meet their search criteria.

Rule Construction

Rules are logical statements you create in **C3 Advisor Administration**. Rules have the following key elements:

| | |
|-------------|---|
| IF clause | The <i>IF clause</i> determines when the rule is executed. When the rule is tested against the state, the IF clause is compared to the state. The rule is only executed if the current state satisfies all of the arguments in the IF clause. |
| THEN clause | The <i>THEN clause</i> determines what action the C3 Advisor will take when the rule is executed. These actions are adding facts to the state, which questionnaire page to display next, and whether or not to display specific answers. |
| Priority | <i>Priority</i> determines the rule's place in the sequence of rules to be tested against the state. |

The syntax of a rule is:

```
IF
    <arguments that must be satisfied by state>
THEN
    <results of rule execution>
```

The IF clause and the THEN clause are composed of the following kinds of arguments:

| | |
|-----------------------------------|---|
| One "Questionnaire page" argument | Both the IF clause and the THEN clause can include a questionnaire page. In an IF clause, a questionnaire page defines which questionnaire page the customer must be viewing in order for that rule to be satisfied. In a THEN clause, a questionnaire page defines which will be the next questionnaire page to be displayed. |
| One or more AND modifiers | AND arguments refine clauses and can only be used with question facts. In an IF clause, an AND argument adds an additional requirement for a state to satisfy the rule. In a THEN clause, an AND argument determines that an answer is selected. |
| One or more AND NOT modifiers | An AND NOT argument is the same as an AND argument, except that it specifies that an answer not be selected. In an IF clause, this means that the state cannot satisfy the rule unless that specific answer is not selected. In a THEN clause, using AND NOT specifies that an answer that would normally appear on the page will not be displayed. |

Table 15 on page 116 shows some examples of rules and the behavior they define:

TABLE 15. Sample Rules and Translations

| Rule Syntax | Translation |
|---|--|
| IF Questionnaire Page = Alpha THEN Questionnaire Page = Beta | Execute this rule only if the customer is on questionnaire page Alpha. When they click Next , display questionnaire page Beta. |
| IF Question 1 = 600MHz THEN Questionnaire Page = Gamma | Execute this rule only if the customer has selected 600MHz in Question 1. When they click Next , display questionnaire page Gamma. |
| IF Questionnaire Page = Alpha AND Question 1 = 600MHz THEN Questionnaire Page = Delta | Execute this rule only if the customer is on questionnaire page Alpha and has selected 600MHz in Question 1. When they click Next , display questionnaire page Delta. |

TABLE 15. Sample Rules and Translations (Continued)

| Rule Syntax | Translation |
|---|--|
| IF Questionnaire Page = Alpha AND Question 1 = 600MHz THEN Questionnaire Page = Delta AND Question 2 = 128MB | Execute this rule only if the customer is on questionnaire page Alpha and has selected 600MHz in Question 1. When they click Next , display questionnaire page Delta with the answer 128MB in Question 2 selected. |
| IF Questionnaire Page = Alpha AND Question 1 = 600MHz THEN Questionnaire Page = Delta AND NOT Question 2 = 128MB AND NOT Question 2 = 192MB | Execute this rule only if the customer is on questionnaire page Alpha and they have selected 600MHz in Question 1. When they click Next , display questionnaire page Delta, but do not display the answers 128MB and 192MB in Question 2. |

Note that while both the IF clause and the THEN clause must each have at least one argument, it is not necessary for either clause to have a questionnaire page specified.

Rule Priority

Priority is an integer value you assign to a rule, used to determine in which order rules will be tested by the **C3** Advisor against the state. The smaller the number, the higher priority the rule has. Rules of higher priority are tested before rules of lower priority. Thus, a rule of priority 4 will be tested against the state after a rule of priority 2, and before a rule of priority 6.

Consider the following rules, listed in the order in which they were created:

```

RuleA: IF Questionnaire Page = A
      THEN Questionnaire Page = B
RuleB: IF Questionnaire Page = A AND Question1 = Z
      THEN Questionnaire Page = E
RuleC: IF Questionnaire Page = A AND Question1 = X
      THEN Questionnaire Page = C
RuleD: IF Questionnaire Page = A AND Question1 = Y
      THEN Questionnaire Page = D

```

In this example, if a customer reaches questionnaire page A, then there are four possible questionnaire pages they might see next. Which page they see depends on the choice they make in questionnaire page A. However, if the **C3** Advisor tests the rules in the order shown, then the customer will *always* go to questionnaire page B: because RuleA is always satisfied when a customer is on questionnaire page A.

In actuality, the rules author needs to have the **C3** Advisor test each of the other rules in the list before it tests RuleA. So the author assigns priorities to the rules:

```
RuleA: (priority 30)
RuleB: (priority 20)
RuleC: (priority 10)
RuleD: (priority 18)
```

The priorities assigned to these rules may seem arbitrary, but they determine the order in which the rules will be tested against the state. The **C3** Advisor will now test the rules in this order:

```
RuleC: IF Questionnaire Page = A AND Question1 = X
      THEN Questionnaire Page = C
RuleD: IF Questionnaire Page = A AND Question1 = Y
      THEN Questionnaire Page = D
RuleB: IF Questionnaire Page = A AND Question1 = Z
      THEN Questionnaire Page = E
RuleA: IF Questionnaire Page = A
      THEN Questionnaire Page = B
```

The result is that the customer goes to questionnaire page B only if they have not selected X, Y, or Z.

Note that when you assign priorities to rules, you don't have to number them sequentially. Since priorities must be integer values, it is often a good idea to intentionally leave gaps. Thus, if you had intended to assign priorities such as 1, 2 and 3, then consider assigning priorities of 10, 20, and 30 instead.

Note that if you assign the same priority to multiple rules, then the **C3** Advisor will test those in alphanumeric order by rule name. For example:

You have created 12 rules. Listed in order of their creation, their names and priorities are:

```
RuleA —Priority 10
RuleB —Priority 20
RuleC —Priority 30
RuleD —Priority 40
RuleE —Priority 50
RuleF —Priority 35
RuleG —Priority 45
RuleH —Priority 25
RuleI —Priority 7
RuleJ —Priority 30
RuleK —Priority 20
RuleL —Priority 27
```

Note that the syntax of rules is not relevant to the order in which the **C3** Advisor tests them against the state. The *name* you give to a rule *is* relevant, in that if two or more rules have the same priority, then the **C3** Advisor tests those rules against the

state in alphanumeric order. Thus, these rules would be tested in the following order:

```
RuleI —Priority 7
RuleA —Priority 10
RuleB —Priority 20
RuleK —Priority 20
RuleH —Priority 25
RuleL —Priority 27
RuleC —Priority 30
RuleJ —Priority 30
RuleF —Priority 35
RuleD —Priority 40
RuleG —Priority 45
RuleE —Priority 50
```

The use of priorities is discussed further in the section "Rule Authoring Tips" on page 119.

Creating the syntax of a rule and determining its priority are only part of the process of creating a rule. For a complete description of the process, see "To Create a Rule" on page 685.

Rule Authoring Tips

The example shown in "Rule Priority" on page 117 is only one case where the rules author needs to create rules in a specific way to achieve the necessary result. There are a few instances where specific construction and ordering of rules may be required. The tips that follow show you how to handle some potential problems.

Creating Default Rules

As you create your rules, you should keep in mind one characteristic of the **C3** Advisor: once it begins testing rules against the current state, it continues to do so *until it executes a rule that causes it to display a new questionnaire page*. If there is no such rule, then the **C3** Advisor jumps to the end page and ends the questionnaire.

This functionality can be useful, since it helps streamline the product selection process. On the other hand, if you accidentally omit or delete a rule that you need, then a customer that makes the "wrong" choice bypasses the remainder of the questionnaire and winds up at the end page.

One way to avoid this is to create a default rule for each questionnaire page in the questionnaire, defining what the next questionnaire page needs to be if no other rule is executed from the questionnaire page. The syntax for such a default rule is:

```
IF Questionnaire Page = <qpage1>
  THEN Questionnaire Page = <qpage2>
```

Assign this rule the lowest priority of all of your rules, to ensure that any answer-specific rule that might be satisfied by the state is executed before this rule. Thus, this rule will only be executed if there is no other rule satisfied by the state.

| |
|---|
| Note: Once this rule is executed, then it cannot be re-used. |
|---|

Note that the design of your questionnaire will determine whether or not you have need of these default rules. In some cases, jumping directly to the end of the questionnaire may be considered a desirable thing.

Using AND NOT Arguments to Disable Answers

There may be instances when one of your questions affects another, and an answer your customer chooses on one questionnaire page needs to limit the available answers on a subsequent questionnaire page. Consider this example:

You have two questions, one for processor speed and another for available memory.

- The processor speed question appears on questionnaire page 1, and asks "What speed should your computer's processor be?" Its answers are 400MHz, 500MHz, or 600MHz.
- The available memory question is displayed on questionnaire page 2, and asks "How much available memory do you need?" Its answers are 128MB RAM, 192MB RAM, 256MB RAM, or 512MB RAM.

Your company offers computers that have:

- 400MHz processors and can have either 128MB or 192MB of RAM.
- 500MHz processors and can have 192MB, 256MB, or 512MB of RAM.
- 600MHz processors and can have 256MB or 512MB of RAM.

When your customers see questionnaire page 1, they will choose one of the available processor speeds. Depending on which processor speed they choose, some of the answers of the available memory question should not be displayed on questionnaire page 2. You need to write a series of rules such that:

- If a customer chooses 400MHz on questionnaire page 1, then they will only be able to select either 128MB or 192MB on questionnaire page 2.
- If a customer chooses 500MHz on questionnaire page 1, then they will only be able to select either 192MB, 256MB, or 512MB on questionnaire page 2.
- If a customer chooses 600MHz on questionnaire page 1, then they will only be able to select either 256MB or 512MB on questionnaire page 2.

This translates to three rules:

| | |
|----|--|
| 1. | IF Questionnaire Page = 1 AND processor speed = 400MHz THEN Questionnaire Page = 2 AND NOT available memory = 256MB AND NOT available memory = 512MB |
| 2. | IF Questionnaire Page = 1 AND processor speed = 500MHz THEN Questionnaire Page = 2 AND NOT available memory = 128MB |
| 3. | IF Questionnaire Page = 1 AND processor speed = 600MHz THEN Questionnaire Page = 2 AND NOT available memory = 128MB AND NOT available memory = 192MB |

Creating these rules ensures that questionnaire page 2 will display only those answers that are appropriate, based on the customer's selection on questionnaire page 1.

Designing the Questionnaire

The process of creating your questionnaire has two stages: design and construction. This section addresses how you design your questionnaire. The following section, "Building the Questionnaire" on page 132, describes the construction stage.

Design is the more complex of these two stages, and is likely to require more thought. Building the questionnaire is a matter of implementing the decisions and concepts you arrive at during the design stage.

In order to design your questionnaire, you need to do two things. First you need to make some basic decisions about how you want your questionnaire to work for your customers. This is described in the section "Conceptual Design of the Questionnaire" on page 122. Then you need to lay out the questionnaire you want to build. This is discussed in section "Laying Out the Questionnaire" on page 123.

Once you arrive at a blueprint: that is, once you have designed the questionnaire, then you are ready to build it.

| | |
|--------------|---|
| Note: | Before you begin designing your questionnaire, you must ensure that your product catalog has already been defined in the C3 Product Manager. |
|--------------|---|

Conceptual Design of the Questionnaire

There are a few steps in the conceptual design of your questionnaire. As you progress through these steps, you determine the form that the questionnaire will eventually take. These steps are:

- Identifying your products and their features
Use the **C3** Product Manager to generate a complete list of your company's products, and use this list to generate a list of product features. This list of features does not need to include every feature in every product, but it does need to include the features that can help distinguish between products.
- Categorizing your features
Once you have identified your features, you need to group the features into a hierarchy.
- Determining the look and feel you want your questionnaire to have
You need to decide how you want your questionnaire to look. This includes such things as how many questions should appear on each page of the questionnaire.

Identify Your Products

You base your design on your list of products and the list of features these products represent. The questionnaire is used to identify products, and it uses features to do it. Thus, the logical place to start is by making a list of your company's products. You can get this list from the **C3** Product Manager. Then you use your product list to identify your feature list.

Your company may carry a large product line, and this product line might change frequently. As a result, you may need to periodically redesign your questionnaire to take these changes into account.

Identify and Categorize Your Features

Once you have a complete list of your products, you can use this list to identify the features you will use in your questionnaire. Features are important because:

- You create your questions based on your features.

Since the questionnaire distinguishes between products by how their feature sets differ, you need to create questions that can isolate specific features.

- Your customers will compare products based on their features.

One of the capabilities of the **C3** Advisor is to display a comparison of two or more products. This comparison is based on the features you define.

Once you have created your list of features, you need to categorize them. That is, you need to group them into a hierarchy where each feature is a member of a specific feature type.

The process you follow to identify and categorize your features is described in more detail in "An Example of Questionnaire Design" on page 124.

Determine the Look and Feel You Want

C3 Advisor Administration gives you a great deal of freedom in determining how your questionnaire will be organized. In particular, you can decide how many questionnaire pages will make up the questionnaire, as well as how many questions will appear on each questionnaire page. This in turn defines the customer experience.

You might decide that a customer would rather answer all possible questions on a single page, and go from that page to their final product list. This approach would only require you to create a single questionnaire page within your questionnaire.

On the other hand, you might decide that each questionnaire page should have only one question to answer, providing a wizard-like experience for your customer. In this case, you would need to create a questionnaire page for each of your questions.

These two cases are the extremes, and it is more likely that you will create a questionnaire that falls somewhere between the two. Most administrators choose to design a questionnaire that has a reasonable number of questionnaire pages, with a few questions assigned to each questionnaire page.

Whichever approach you choose to take, you need to decide ahead of time the general appearance and behavior you want your questionnaire to have.

Laying Out the Questionnaire

Once you have listed your feature hierarchy and made a preliminary decision about how you want your questionnaire to appear, you need to lay the questionnaire out. The layout is a kind of tree diagram of the questionnaire that you create before you actually build the questionnaire. This layout shows each of the questionnaire pages

that will be in the questionnaire, as well as the questions and answers that will appear on each questionnaire page. The layout needs to show the path from one questionnaire page to the next, as well as which products are identified by each path in the diagram. To do this, you will:

- Use your list of features to determine what questions and answers you need to create. The features can represent possible answers to the questions.
- Write questions (and their answers) that map to specific features.
- List the questionnaire pages that will contain these questions.
- Create a story board that shows the questionnaire.

Each of these tasks is illustrated in the following example.

An Example of Questionnaire Design

This example is based on a fictional company called Matrix Solutions, and shows how their questionnaire might be built.

List the Products

The first step in creating the questionnaire is to list the products. Matrix sells desktop computers, and these are the models they offer:

- Matrix7480 Desktop
- Matrix7490 Desktop
- Matrix7500 Desktop
- Matrix7510 Desktop
- Matrix7520 Desktop
- Matrix7540 Desktop
- Matrix7550 Desktop
- Matrix7600 Desktop

Use the Features to Determine the Answers to the Questions

The next step is to identify the kinds of features that can be used to distinguish between models. These are:

- Processor
- RAM

- Hard Drive
- Connectivity

Each of these computers has additional features, but these features differ enough between models that they can be used to create the questionnaire. Table 16 on page 125 shows each of the models and their features.

Note that in many cases a model shows several values for a single feature. This means that the customer may choose any of these values for that model.

TABLE 16. Matrix Solutions Desktop Models and their Features

| Model | Processor | RAM | Hard Drive | Connectivity |
|------------|----------------------------|-------------------------|--------------------------------|---|
| Matrix7480 | 400MHz | 128MB | 4.0GB 6.1GB | 56K Internal Modem |
| Matrix7490 | 400MHz 450MHz | 128MB 256MB | 4.0GB 6.1GB 8.2GB | 56K Internal Modem |
| Matrix7500 | 400MHz 450MHz 500MHz | 128MB 192MB 256MB | 4.0GB 6.1GB 12GB | 56K Internal Modem 56K Wireless Internal Modem |
| Matrix7510 | 450MHz 500MHZ 550MHz | 128MB 256MB 512MB | 6.1GB 8.2GB 12GB | 56K Internal Modem 56K Wireless Internal Modem Ethernet |
| Matrix7520 | 550MHz 600MHz | 512MB | 6.1GB 8.2GB 12GB 16GB | 56K Internal Modem Cable Modem DSL Ethernet |
| Matrix7540 | 600MHz | 512MB | 8.2GB 12GB 16GB | 56K Internal Modem 56K Wireless Internal Modem Cable Modem DSL Ethernet |

TABLE 16. Matrix Solutions Desktop Models and their Features (Continued)

| Model | Processor | RAM | Hard Drive | Connectivity |
|------------|-----------|-------|------------|--------------------------------|
| Matrix7550 | 600MHz | 256MB | 8.2GB | 56K Internal Modem |
| | 650MHz | 512MB | 12GB | Cable Modem |
| | 700MHz | | 16GB | DSL Ethernet |
| Matrix7600 | 650MHz | 512MB | 12GB | 56K Internal Modem |
| | 700MHz | | 16GB | 56K Wireless Internal Modem |
| | | | 20GB | Cable Modem DSL Ethernet |

Creating a table like this is very useful. It does more than simply list each product and its features—it also identifies the feature types that need to be created as well as some of the questions and answers. The feature types are Processors, RAM, Hard Drive, and Connectivity and they correspond to four questions:

- The Processor question: "How fast do you want the processor in your computer to be?" The possible answers for this question are:
 - 400MHz
 - 450MHz
 - 500MHz
 - 550MHz
 - 600MHz
 - 650MHz
 - 700MHz.
- The Available Memory question: "How much available memory do you need your computer to have?" This question's answers are:
 - 128MB
 - 192MB
 - 256MB
 - 512MB.

- The Hard Drive question: "How much disk space do you need?" Its answers are:
 - 4.0GB
 - 6.1GB
 - 8.2GB
 - 12GB
 - 16GB
 - 20GB
- The Connectivity question: "How will you connect to the Internet (if at all)?" Its answers are:
 - 56K Internal Modem
 - 56K Wireless Internal Modem
 - Cable Modem
 - DSL
 - Ethernet

These questions indicate specific features, and so can quickly determine which of Matrix' models is appropriate for a customer. In addition, the administrator building Matrix Solutions' questionnaire added the following questions:

- The Computer Experience question asks "How experienced a computer user are you?" Its answers are:
 - Novice
 - Somewhat Experienced
 - Very Experienced
 - Expert
- The Computer Use question asks "What will you use your computer for?" Its answers are:
 - Data Analysis
 - Graphics/Multimedia
 - Programming

- Internet
- Email
- Games
- Word Processing

These questions are more general in nature. Rather than isolating a single feature, each of the answers implies a collection of features. Customers that identify themselves as experts or plan to use their computers for data analysis are likely to require high speed processors, more available RAM, and larger hard drives. Customers that are somewhat experienced or plan to use their computers for word processing may not need as much processor speed or disk space.

List the Questionnaire Pages

The next step is to make a list of the questionnaire pages and lay them out in sequence.

Matrix Solutions chooses to limit each questionnaire page to no more than three questions. They decide to create the following questionnaire pages:

- QP1 is the first questionnaire page in the questionnaire, and displays the Computer Experience Question
- QP2 displays the Computer Use question.
- QP3 displays the Connectivity question.
- QP4 displays the Processor question, the Hard Drive question, and the Available Memory question.

Matrix' administrator lays out the questionnaire as follows:

- Customers begin at QP1, and are asked how experienced they are. Regardless of which answer they choose, they go to QP2.
- At QP2, customers are asked how they will use their computer. Which page they see next depends on which answer they choose.
 - If they choose "Internet", then they go to QP3.
 - If they choose any other use, then they go to QP4.

There are now two paths to the questionnaire.

- If the customer has been directed to QP3, then they are asked how they will connect to the Internet. When they choose an answer, they go to QP4.

- If the customer has been directed to QP4, then they are asked three questions:
 - How fast a processor they want
 - What size hard drive they want
 - How much RAM they want

The customer may answer any of the questions or all of them. Regardless of the answers they choose, there are no more questions to be answered. As a result, the *C3* Advisor displays a questionnaire page that shows only the resulting product list.

Figure 24 on page 129 shows the query page flow.




FIGURE 24. Questionnaire Layout

Identify the Rules

The last design step is to identify the rules that need to be created to ensure that the questionnaire behaves correctly. The layout can be used to identify the rules.

- The questionnaire automatically starts at QP1. This does not require you to create any rules, but you need to set QP1 as the start page in the *C3* Advisor. (See "To Set the Start Page" on page 667.)
- If the customer selects either "Novice" or "Somewhat Experienced" on QP1, then the answers "Data Analysis" and "Programming" need to be disabled on QP2. This requires Rules 1 and 2.

- Regardless of what the customer selects on QP1, the next page they see is QP2. To ensure this, you need to create Rule 3.
- At QP2 there are two possibilities. If the customer chooses “Internet”, then they are directed to QP3. This is Rule 4.
- If they choose any of the other answers on QP2, then they go to QP4, which is defined by Rule 5.
- If the customer arrives at QP3, then they are asked how they plan to connect to the Internet. Regardless of which answer the customer chooses at QP3, the next questionnaire page is QP4. This is defined by Rule 6.
- Once the customer completes QP4, they have completed the questionnaire. By intention, there are no rules satisfied by the state at QP4, so the **C3** Advisor will bring the customer to the end page.

Table 17 on page 130 shows these rules.

TABLE 17. Rules in Matrix Solutions’ Questionnaire

| Rule | Syntax | Priority |
|-------------|--|-----------------|
| 1 | IF Computer Experience = Novice THEN NOT Computer Use = Data Analysis AND NOT Computer Use = Programming | 10 |
| 2 | IF Computer Experience = Somewhat Experienced THEN NOT Computer Use = Data Analysis AND NOT Computer Use = Programming | 10 |
| 3 | IF Questionnaire Page = QP1 THEN Questionnaire Page = QP2 | 30 |
| 4 | IF Computer Use = Internet THEN Questionnaire Page = QP3 | 20 |

TABLE 17. Rules in Matrix Solutions' Questionnaire

| Rule | Syntax | Priority |
|------|--|----------|
| 5 | IF Questionnaire Page = QP2 THEN Questionnaire Page = QP4 | 30 |
| 6 | IF Questionnaire Page = QP3 THEN Questionnaire Page = QP4 | 30 |

Consider the priorities assigned to these rules. Rules 1 and 2 have a priority of 10, Rule 4 has a priority of 20, and Rules 3, 5, and 6 have a priority of 30. This means that the **C3** Advisor tests Rules 1 and 2 before any of the others. Because the **C3** Advisor tests rules of the same priority in alphanumeric order by name, Rule 1 is tested before Rule 2. Since neither Rule 1 nor Rule 2 specifies a next questionnaire page, Rule 4 is tested next. If Rule 4 is not satisfied by the state, then the **C3** Advisor goes on to test Rule 3, then Rule 5, then Rule 6.

Keeping the Customer in Mind

As you create your layout, you should keep the customer experience in mind. Some helpful guidelines are:

- Start your questionnaire with a questionnaire page that has only one or two questions that focus on the customer, rather than on your products.

Using questions like this can help you classify your customers and define the paths that the questionnaire can take. An example might be to ask “How experienced a computer user are you?” This question leads to two different questionnaire paths, one for experienced users who will be interested in powerful, cutting edge computers, and another for less experienced users who may not want or need as much computing power.

- Move from general questions to more specific ones.

It is often a good policy to reserve your most specific questions for questionnaire pages that appear later in the questionnaire.

- Try not to show your customers redundant questions or questionnaire pages.

While you may need to assign a question to multiple questionnaire pages, your customer will prefer to see (and answer) each question only once. Note that if your customer answers the same question more than once, then they may accidentally create a situation where none of your company's products meet their specified requests.

This completes the design phase. Your questionnaire is likely to be more complex than the example illustrated here. However, if you follow the design process as it has been described, then you will have little trouble building your questionnaire.

Building the Questionnaire

Once you have designed your questionnaire, you are ready to build it. The tasks you perform in building your questionnaire are listed in order in the section that follows.

Questionnaire Construction Tasks

There are several tasks you need to perform in building your questionnaire, and performing these tasks in the right sequence can help prevent both omissions and redundancies, as well shortening the process. "An Example of Questionnaire Design" on page 124 provides a detailed description of how to design a questionnaire. You may find it useful to refer to this example before building your own questionnaire.

The tasks you perform to build a questionnaire are:

- Use the **C3** Product Manager to create your product catalog hierarchy.

The product list you created when you designed your questionnaire needs to be defined in the **C3** Product Manager. The products themselves need to be organized into an n-tier hierarchy of product categories and products. See:

- "To Create a Product Category" on page 281.
- "To Create a Product" on page 299.

- Use the **C3** Product Manager to create your feature hierarchy

Create the feature hierarchy that you developed while designing your questionnaire. You will need to create feature type groups, feature types, and features. See:

- "To Create a Feature Type Group" on page 633.
 - "To Create a Feature Type" on page 638.
 - "To Create a Feature" on page 643.
 - Use the **C3** Product Manager to assign features to products
Once you have created both the product hierarchy and the feature hierarchy, you need to build relationships between products and features. Feature types can be associated only to product categories, while features can be assigned to both product categories and to individual products. See:
 - "To Create a Question" on page 669.
 - "To Create an Answer" on page 674.
 - Use **C3** Advisor Administration to create the questions and answers you identified in your layout. See:
 - "To Create a Question" on page 669.
 - "To Create an Answer" on page 674.
 - Use **C3** Advisor Administration to assign features to your answers.
Refer to your questionnaire layout to ensure that you make all of the necessary feature assignments. See:
 - "To Assign a Feature to an Answer" on page 680.
 - Use **C3** Advisor Administration to create the questionnaire pages that you identified in your questionnaire layout. See:
 - "To Create a Questionnaire Page" on page 658.
 - Use **C3** Advisor Administration to create your rules. Your layout shows the rules you need to create, and their priority. See:
 - "To Create a Rule" on page 685.
 - Use **C3** Advisor Administration to create the resource types you expect to apply to any of your entities. See:
 - "To Create a Resource Type" on page 648.
 - Use **C3** Advisor Administration to assign resources to your entities. See:
 - "To Assign a Resource to an Entity" on page 652.
- Once you have created your business objects, your questionnaire is complete.

Administration Interface in C3 Advisor

C3 Advisor Administration is a browser-based application that enables you to create an interactive questionnaire designed to guide your customers to the products that best suit their needs. This chapter describes the **C3** Advisor Administration interface and presents examples of how to build a questionnaire.

See CHAPTER 3, "Administration Interface" for general interface and navigation information about the Comergent eBusiness System.

Basic C3 Advisor Administration Page

To access **C3** Advisor Administration, log into the Comergent eBusiness System, and on the home page, click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page. This displays the **C3** Advisor Administration page.




FIGURE 25. C3 Advisor Administration Page

The page has two parts, or panels. The left-hand panel is the Navigation Panel, while the right-hand panel is the Content Panel which displays the content relevant to your location within the Navigation Panel.

About the Navigation Panel

The Navigation panel provides navigation access to the questionnaire in the form of a directory tree. For example:

- Folders can contain subfolders, items, or both.
- Clicking a folder (the icon next to the underlined link) expands the structure beneath that folder. Clicking the folder again causes it to contract.
- Clicking either a folder or the underlined link next to a folder in the Navigation Panel causes the Content Panel to display content appropriate for that link.

Figure 25 on page 136 shows how the **C3** Advisor Administration page looks whenever you connect to **C3** Advisor Administration.

There are several folders displayed: Feature Type Groups, Feature Types, Questions, Questionnaire Pages, Rules, and Resource Types. These represent the various components of the questionnaire.

Each of these folders has sub-folders, and can be expanded, as shown in Figure 26 on page 137:




FIGURE 26. Example C3 Advisor Administration Page

In this example, the Navigation Panel shows the Feature Types folder expanded to display all existing feature types. The Accessories Included feature types has also been expanded, displaying all of the features (AC Adapter, Battery, and so on.) that have been created within that feature type.

All of the folders in the **C3** Advisor Administration Navigation Panel follow a similar hierarchy. For example, the Questions folder has the list of existing questions beneath it, while each individual question has the list of its answers beneath it. The hierarchies are as follows:

- Feature Type Groups > All existing feature type groups
- Feature Types > All existing feature types > All existing features
- Questions > All existing questions > All existing answers
- Questionnaire Pages > All existing questionnaire pages
- Rules > All existing rules
- Resource Types > All existing resource types

Use the Navigation Panel to navigate within **C3** Advisor Administration.

About the Content Panel

As you use the Navigation Panel, the Content Panel changes to reflect where you are in the application. Each of the content panels serves a different purpose.




FIGURE 27. C3 Advisor Administration Page with Content Panel

In Figure 27 on page 138, the right-hand panel is the Content Panel. Note that:

- The top of the panel shows you where you are in the application (>Feature Types>Monitor Size).
- The panel has a **Save All Changes** button in the lower left corner.

Changes that you make in a content panel are *not* automatically saved to the database; they are only saved when you click **Save All Changes**. If you leave a content panel (or even change tabs within a content panel) without first clicking **Save**, then your changes are lost.

Note that Create Object Panels are the exception to this rule. They do not have a **Save** button. Instead, they have a **Create** button, which automatically saves your changes.

- Some content panels have tabs across the top.

Different tabs allow you to perform different tasks. The number of tabs varies between content panels.

The various kinds of content panels you see in **C3** Advisor Administration are described in more detail in the following sections.

Types of Content Panels

As you use **C3 Advisor**, each content panel deals with a different kind of object. These are:

- List panels display all of the existing objects of that type.
- New object panels are used to create new business objects.
- Tabbed panels let you manage the attributes of business objects

All of the **C3 Advisor** content panels fall into one of these basic panel types.

List Panels

When you select a top-level link, a List Panel appears that shows all of the objects that exist under that heading. Clicking any of these links brings you to a list panel.




FIGURE 28. Example of a List Panel

All list panels include links that allow you to create and delete objects. Some list panels also allow you to order the subobjects that appear in the list. Those list panels that allow you to order subobjects have **Move Up** and **Move Down** buttons to facilitate the ordering process.

Create Object Panels

Create Object panels allow you to create new business objects in your questionnaire. Each kind of business object has its own creation panel, accessed by

clicking the Create button on that object's list panel. For example, to create a question, you would first access the Questions List Panel, then click **Create Question**. This brings you to the New Question Panel, as shown in Figure 29 on page 140.

The screenshot shows the 'Advisor Administration' interface for the 'COMERGENT eBusiness System'. On the left, under 'All Objects', there is a list of links: 'Feature Type Groups', 'Feature Types', 'Questions', 'Questionnaire Pages', 'Rules', and 'Resource Types'. The 'Questions' link is selected, and the right panel displays the 'New Question' form. This form includes fields for 'Name', 'Question Text', and 'Description'. Below these is a 'Control Type' dropdown menu currently set to 'Radio button', with radio buttons for 'AND' and 'OR'. At the bottom of the form are two buttons: 'Save All and Return to List' and 'Cancel and Return to List'. The top right of the interface contains navigation links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'.

FIGURE 29. New Question Panel

Each type of business object has unique attributes, and so the Create Object panels differ from object type to object type. However, they all follow the same pattern.

Tabbed Panels

Tabbed panels enable you to manage the properties of business objects. These properties include such things as the name and description given to the business object, as well as the definition of that object's relationships with other business objects. Figure 30 on page 141 shows an example of a tabbed panel.




FIGURE 30. Example of a Tabbed Panel

In tabbed panels, different tabs serve different functions. These may differ from business object to business object, but as a rule:

- General tabs allow you to manage an object's basic properties such as its name and description.
- Assignment tabs allow you to assign an object to another object.
- Resources tabs allow you to assign one or more resources to an object.

General Tabs

General tabs enable you to manage an object's basic properties. Usually these are such things as an object's name and description, but may also include more specific information unique to a particular business object. For example, part of the general information that relates specifically to a questionnaire page includes how many columns the questionnaire page should display. Figure 31 on page 142 shows an example of the General tab.




FIGURE 31. Example of a General Tab

Assignment Tabs

Assignment tabs let you manage the relationships between business objects. For example, you would use the Assign Questions tab of the Questionnaire Page Detail Panel to assign specific questions to the questionnaire page. Figure 32 on page 142 shows an example assignment tab.




FIGURE 32. Example of an Assignment Tab

Resources Tabs

Resources tabs let you assign resources to business objects. Resources tabs are the same, regardless of business object. Figure 33 on page 143 shows an example resources tab.




FIGURE 33. Example of a Resources Tab

This chapter covers tasks performed to manage users in the Comergent eBusiness System: See "Managing Users" on page 145 for the tasks performed by Enterprise employees or the employees of a **C3** Partner.com partner. See CHAPTER 9, "Administration Performed by Partner Users" for the tasks performed by employees of a partner.

"Users, Roles, and Functions" on page 14 contains an overview of user administration in the Comergent eBusiness System.

Managing Users


The *user administrator* (an enterprise employee with enterprise user management responsibilities) performs the following tasks:

- "To Create a New Enterprise User" on page 146
- "To Modify an Enterprise User Profile" on page 149
- "To Delete an Enterprise User" on page 149
- "To Search for an Enterprise User" on page 149
- "To Search for Any User" on page 150
- "Defining Functions and Roles" on page 152

Note that enterprise profile administrators can also create partner profiles and partner users for partners. See "To Create a New Partner User" on page 176 for more information on creating partner users.

To Create a New Enterprise User

1. Click **System Users** in the System Administration panel on the Comergent eBusiness System enterprise home page. This displays the User List page.


 **COMERGENT**
eBusiness System

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

User List: Enterprise

Find users that match:

Username 

[Search](#) [Show All](#) [Advanced Search](#)

[Enterprise: All users shown](#)

[Create User](#)

| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
|------------------------|---------------------------|---|---------|----------------------------|----------------|--|--|
| admin | Administrator, Enterprise | Profile Administration | Yes | Enterprise | | admin@matrixsolutions.com | Move Delete |
| ajones | Jones, Alison | Profile Administration, Basic Profile Maintenance, Commerce, Financials, Program Management, Sales, Sales Executive | Yes | Enterprise | 610-6950 | ajones@matrixsolutions.com | |
| bjones | Jones, Brendan | Basic Profile Maintenance, Program Management | Yes | Enterprise | 610-6951 | bjones@matrixsolutions.com | Move Delete |

FIGURE 34. User List Page

2. On the User List page, click **Create User**. If this button is not visible, then you do not have the access privileges to create a new user.

FIGURE 35. User Detail Page: New User Tab

3. On the User Detail page, enter the details of this new user. Note the following:
 - Username: This username must be unique throughout the Comergent eBusiness System.
 - Password: Use letters and numbers from the keyboard with no spaces or other punctuation.
 - User Functions: Select those functions that this user will perform by checking the appropriate check boxes. The list of functions displayed here is determined at implementation time.

Attention: Do not select the ERPAdministrator user type for standard users. Users of this user type cannot log in through the Web user interface.

- Preferred Locale: Select the preferred locale which will apply when the user logs in. The drop-down list displays the names for the supported locales.
4. Enter any other pertinent details.
 5. Click **Save**.

Once you have saved the basic information for a new user, the User Detail page is displayed with new tabs.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

User Detail for Andrew Goldsworthy

Info | Addresses | Current Accounts | Notes

Belongs To: [Enterprise](#)

[View Users](#) [Save](#)

NOTE: (*) items are required.

| | | | |
|---|--|--|--|
| User Information Username * andrewg Password * ***** Confirm Password * ***** Title Mr. First name * Andrew Last name * Goldsworthy Job Title | User Locale Preferred Locale United States Note: changes to Preferred Locale will take effect on the next login. | User Functions <input checked="" type="checkbox"/> Manager User Type User Functions <input type="checkbox"/> Commerce <input type="checkbox"/> Sales <input checked="" type="checkbox"/> Sales Executive <input type="checkbox"/> Program Management <input checked="" type="checkbox"/> Channel Executive <input type="checkbox"/> Financials <input type="checkbox"/> Lead Administration <input type="checkbox"/> Basic Profile | Status Please enter a reason when changing the status. Parent Status Open Status Open Comment |
|---|--|--|--|

User Account Limits
 Max. Accounts

FIGURE 36. User Detail Page: Info Tab

6. You can update information on the Info tab and click **Save**. In particular, you can now set a maximum on the number of accounts that can be assigned to this user.
7. You can manage the assignment of accounts to this user. See "Assigning Accounts to Users" on page 203 for more details.
8. You can also make notes regarding this user by clicking the Notes tab.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

User Detail for Andrew Goldsworthy

Info | Addresses | Current Accounts | Notes

Belongs To: [Enterprise](#)

[View Users](#)

Enter a new note in the textbox and click the Add Note button to save the note.

Add Note

Private ☐

[Add Note](#)

| Date | Note | Organization | Created By |
|-----------|--------------|--------------|------------|
| 9/13/2005 | Created user | Enterprise | ajones |

FIGURE 37. User Detail Page: Notes Tab

To Modify an Enterprise User Profile

You can change user profile information for another enterprise user or partner user if you have the right level of entitlement access to the user.

| |
|--|
| Attention: Do not change the username or password of the Anonymous User user. |
|--|

1. Click **System Users** in the System Administration panel on the Comergent eBusiness System enterprise home page. This displays the User List page.
2. On the User List page, click the link to the user whose profile you wish to modify. This displays the User Detail page. If you cannot see the user whose details you want to update, then you can search for the user.
3. On the User Detail page, modify user details as appropriate.
4. Click **Save All and Return to List**.

To Delete an Enterprise User

1. Click **System Users** in the System Administration panel on the Comergent eBusiness System enterprise home page.
2. On the User List page, click **Delete (X)** in the Actions column next to the user you wish to delete.

The user is deleted from the Comergent eBusiness System. However, note that the username that belonged to this user is still present in the system. No new user can re-use this username.

To Search for an Enterprise User

1. Click **System Users** in the System Administration panel on the Comergent eBusiness System enterprise home page.
2. Select one of Username, First Name, Last Name, from the drop-down list, and enter the full or partial string for the search. You can use “*” as a wild card character.

For example, if you select First Name and enter “An*”, then you will find all enterprise users whose first name begins with “An” such as Andrew and Anne.

3. Click **Go**.
4. You can click **Advanced Search** to perform a more detailed search.

The screenshot displays the 'User Search: Enterprise' page in the Comergent eBusiness System Administration interface. The page header includes the Comergent logo and navigation links like 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main content area is titled 'User Search: Enterprise' and contains a search form. The form has three main sections: 'Search by Profile Name' with a dropdown set to 'Enterprise' and an 'Include Organization Hierarchy' checkbox; 'Search by User Name' with input fields for 'Username', 'First Name', 'Last Name', and 'Business Phone'; and 'Search by User Functions' with a list of roles including 'Commerce', 'Sales', 'Sales Executive', 'Program Management', 'Channel Executive', 'Financials', 'Lead Administration', 'Basic Profile Maintenance', and 'Profile Administration'. Each role has a checkbox. At the top right of the search section are 'Search', 'Reset', and 'Cancel' buttons. A 'Go to Users List' link is at the top right. A 'Back to Top' link is at the bottom left.

FIGURE 38. User Advanced Search Page

To Search for Any User

You can view the user details for any user in the Comergent eBusiness System. If you have the appropriate function, then you can also modify user details or delete them from the Comergent eBusiness System. Note that in general, the administration of partner users should be left to partner administrators for each partner.

You can use the Search for User by Name panel to perform a quick search for a user, or you can use the advanced search capabilities as follows:

1. Click **Advanced Search** in the Search for User by Name panel.

FIGURE 39. User Advanced Search Page

2. Enter search criteria and click **Submit**.

The search results page displays the users that match your search criteria.

| Username | Full Name | Profile Name | Business Phone | Email Address | Actions |
|----------|--------------------|--------------|----------------|-------------------------|--------------------------------------|
| ahuang | Huang, Andrew | TaiwanTech | 235-8099 | ahuang@taiwantech.tw | Prepare Order Workspace Delete |
| alaurens | Laurens, Alexandre | ParisTech | 76.923.1230 | alaurens@paristech.fr | Prepare Order Workspace Delete |
| bbarry | Barry, Boris | SysPoint | 610-6853 | bbarry@netresources.com | Prepare Order Workspace Delete |
| bbunson | Bunson, Brad | AllNet Corp | 610-6850 | bbunson@farcom.com | Prepare Order Workspace Delete |

FIGURE 40. User Search Results Page

3. Click the link to the user that you were looking for.

Defining Functions and Roles

Functions and roles are defined using the **Entitlements.xml** file. Defining a function or role requires that you specify the functionality that you wish the function or role to perform. Refer to the *Comergent eBusiness System Reference Guide* for more information.

This chapter describes the tasks required to administer the channel in the Comergent eBusiness System. The enterprise employee who acts as the *channel administrator* can create, modify, and delete partner profile information. See "Profile Administration Tasks" on page 166. The partner employee who acts as partner administrator can maintain the partner profile once it has been created by the channel administrator. See "Profile Administration for Partners" on page 211 for this information. "Managing the Sales Channel" on page 3 contains an overview of partner administration in the Comergent eBusiness System.

This chapter covers the following tasks:

- "To Search for a Profile" on page 166
- "To Export Profile List Information" on page 168
- "To Create a New Profile" on page 169
- "To Create a Profile as a Child of a Parent Profile" on page 171
- "To Move a Child Profile to Another Parent" on page 173
- "To Upload a Partner Logo" on page 173
- "To Create Profile Addresses" on page 174
- "To Delete Profile Addresses" on page 176
- "To Create a New Partner User" on page 176

- "To Move Users Between Levels in a Profile Hierarchy" on page 180
- "To Modify an Existing Profile" on page 182
- "To Assign a Price List to a Profile" on page 183
- "To Assign a Product Entitlement to a Profile" on page 184
- "To Set Up a Payment Gateway" on page 186
- "To View Cart Activity for Selected Profiles" on page 187
- "To Create an MDF Payment Account" on page 189
- "To Create an Co-op Payment Account" on page 191
- "To Add Funds to a Payment Account" on page 193
- "To Remove Funds From a Payment Account" on page 194

Profile Detail Page

You maintain partner profile information on the Profile Detail page. The Profile Detail page provides a straightforward means to administer the information you need to work effectively with your partners. The information is organized by tabs that group related information together:

The screenshot displays the 'Profile Manager' interface for 'COMERGENT eBusiness System'. The 'Organization Profile: SysPoint' is selected, and the 'Info' tab is active. The interface includes a navigation bar with tabs: Info, Addresses, Detail, Business, Hierarchy, Logo, Commerce Assigned To, Pricelists, and Product Entitlements. Below the tabs are buttons for 'View Users', 'View Commerce Activity', and 'Save'. A note states: 'NOTE: (*) Items are required.' The 'General Information' section contains the following fields:

| | | |
|---|---|----------------------------|
| Profile name * SysPoint | Organization website address www.syspoint.com | Custom Field #1 |
| Main telephone 610-6800 | Organization Email corp@syspoint.com | Custom Field #2 |
| Main facsimile N/A | Distributors Select to add | Custom Field #3 |
| Profile type * Distributor | Remove | Custom Field #4 |
| Profile level * Gold | Message URL http://192.168.200.247 | Custom Field #5 |
| XML Message Version dXML 3.0 | Content Type | |
| Login/Password required <input checked="" type="checkbox"/> | | |

FIGURE 41. Profile Detail Page: Info Tab

The tabs are:

- Info Tab
- Addresses Tab
- Detail Tab
- Business Tab
- Hierarchy Tab
- Logo Tab
- Commerce Tab
- Assigned To
- Pricelists Tab
- Product Entitlements Tab
- Notes Tab

Info Tab

This tab displays key partner information:

- Profile name: the display name for this profile. In Release 6.0 and higher, profile names need not be unique. However, bear in mind that in several places in the user interface, profiles are listed by profile name and so if two profiles have the same name, then they will be indistinguishable in any list of profile names. We suggest that you adopt a naming convention that ensures that profile names are effectively unique.
- Main telephone: the main telephone number of the partner
- Main facsimile: the main facsimile number for the partner
- Profile type: Each profile must be assigned a *type*. The choice of types is determined at the time of the implementation of the Comergent eBusiness System. For a profile to be available for selection as a distributor, you must select “Distributor” in this drop-down list.
- Profile level: if you assign profiles to one of several levels (such as Platinum, Gold, Silver), then select the correct level for this partner.
- XML Message version: the XML version is required to send messages to this partner’s server.

- Login/Password required (for distributor partners only): if you check this box, then a username and password is required for the enterprise employee to access the distributor's site for inventory collection. For more information, see CHAPTER 27, "Inventory Collection".
- Company website address: the main home page for this profile. Although this field is not required, you must provide a Web site address if you wish the partner to be contacted through the Partner Selector function.
- Organization Email: the email address for the company. Although this field is not required, you must provide an Email address if you wish the partner to be contacted through the Partner Selector function.
- Distributors: each partner can have a business relationship with one or more distributors to place orders and obtain price and availability information. For the current profile, select those distributors with whom the partner has a business relationship. The list of profiles whose names are displayed in the drop-down list is determined by those profiles whose whose type is "Distributor".

| | |
|--------------|--|
| Note: | In previous releases, the list of distributors was used to determine to which distributors could be used for price-and-availability requests. In this release, this information is for display only. |
|--------------|--|

- Message URL: This field is required if the partner needs to send or receive Comergent XML messages (such as price and availability checks and cart transfers). This field represents the URL to which messages for this partner are sent to or received from.

If you are creating a profile for a storefront partner, then the entry follows the format:

`http://<servername:port>/Comergent/msg/<partner name URL>`

- Account manager: the enterprise employee responsible for the business relationship with this partner
- Custom field #1, Custom field #2, and so on: these fields can be customized to suit individual information needs.
- Profile Status: this panel enables you to change the status of the profile. See "Profile Statuses" on page 5 for more information on profile status.

The screenshot shows a web form titled "Profile Status". Below the title is a text prompt: "Please enter a reason when changing the status." There are two main sections: "Status" and "Reason". The "Status" section contains a dropdown menu with "Open" selected. The "Reason" section contains a large, empty text input area.

FIGURE 42. Profile Status Panel

- **Accounts:** this panel provides access to the payment accounts used by the partner to manage their program activities.

The screenshot shows a web form titled "Accounts". Below the title is a text prompt: "Please enter a reason when changing the account limits." There are several fields: "Currency" (a dropdown menu with "U" selected), "Credit Limit" (a text input field with "5000.00"), "Available Credit" (a text input field with "\$5,000.00"), and "Reason" (a large, empty text input area). Below these fields is a section titled "View Account Details" which includes a dropdown menu with "MDF" selected, a "Go" button, "Co-op %" (a text input field with "15"), and "Co-op Account Maximum" (a text input field with "2000").

FIGURE 43. Accounts Panel

This panel gives you access to the payment accounts for the partner: MDF and Co-op accounts. The Co-op % and Co-op Account Maximum fields are used to calculate how uploaded updates to Co-op accounts are added to the available balances in the accounts.

Addresses Tab

This tab displays the sold-to, ship-to, and bill-to addresses provided by the partner.

The screenshot shows the 'Addresses' tab in the 'Profile Manager' interface. The header includes the Comergent logo and 'eBusiness System'. The main title is 'Organization Profile: SysPoint'. Below the title is a navigation bar with tabs: Info, Addresses, Detail, Business, Hierarchy, Logo, Commerce Assigned To, Pricelists, and Product Entitlements. The 'Addresses' tab is active. Below the navigation bar is a 'Notes' section with buttons for 'View Users', 'View Commerce Activity', and 'Save'. The main content area is titled 'Addresses' and contains a form for address details. The form includes fields for 'Address line 1', 'Address line 2', 'City', 'State/Province and Postal code', and 'Country'. There are also checkboxes for 'Use as Sold To Address', 'Use as Ship To Address', and 'Use as Bill To Address'. A note at the top of the form states: 'NOTE: (*) Items are required.'

FIGURE 44. Profile Detail Page: Addresses Tab

This tab contains business information about the profile.

The screenshot shows the 'Detail' tab in the 'Profile Manager' interface. The header is the same as Figure 44. The main title is 'Organization Profile: SysPoint'. Below the title is a navigation bar with tabs: Info, Addresses, Detail, Business, Hierarchy, Logo, Commerce Assigned To, Pricelists, and Product Entitlements. The 'Detail' tab is active. Below the navigation bar is a 'Notes' section with buttons for 'View Users', 'View Commerce Activity', and 'Save'. The main content area is titled 'Detail' and contains a form for business information. The form includes fields for 'Organization ID', 'Founded', 'Current FY Revenue', 'Dun & Bradstreet ID', 'Total # of employees', 'Next FY Revenue', and 'Fiscal year end month'. There are also checkboxes for 'Use as Sold To Address', 'Use as Ship To Address', and 'Use as Bill To Address'. A note at the top of the form states: 'NOTE: (*) Items are required.'

FIGURE 45. Profile Detail Page: Detail Tab

The Detail tab contains the following fields:

- Organization ID: This ID is used by the enterprise to identify each organization uniquely with whom they do business.
- Year founded: used for information only.
- Revenue: Estimates for this year's and next year's revenues.
- Fiscal year end month: used for information only.
- Number of employees: used for information only.
- Dun and Bradstreet ID: this ID must uniquely identify the partner in the commercial world.
- Services: this sub-tab provides information about the services that this partner offers.

The screenshot shows the 'Services' sub-tab of a profile detail page. It has a blue header with 'Services' and 'Skills' tabs. Below the header are links for 'Delete' and 'Duplicate', and a pagination indicator 'Previous 1 out of 4 Next'. The main form area contains a 'Service name' dropdown menu with 'Asset Mgmt' selected, a 'Service level' dropdown menu, a 'Service description' text field with 'Asset Management' entered, and a 'Rating' dropdown menu.

FIGURE 46. Services Sub-tab

- Skills: this sub-tab provides information about the skills and skill levels that this partner is assessed to have.

The screenshot shows the 'Skills' sub-tab of a profile detail page. It has a blue header with 'Services' and 'Skills' tabs. Below the header are links for 'Delete' and 'Duplicate', and a pagination indicator 'Previous 1 out of 2 Next'. The main form area contains a 'Skill name' dropdown menu with 'Novell Network' selected, a 'Rating' dropdown menu with 'A' selected, a 'Skill description' text field with 'Novell Network description' entered, and a 'Rating description' text field with 'Excellent' entered.

FIGURE 47. Skills Sub-tab

Business Tab

This tab contains information relating to the business relationship between your enterprise and the current profile. Only enterprise employees who are channel administrators have the authority to modify information on this tab.

The information on this tab is for informational purposes only and has no effect on any other part of the Comergent eBusiness System. The information comprises:

- Product categories: select one or more product categories to show categories of products that the partner may sell.
- Territories: select one or more territories for this partner.
- Customer types: select one or more customer types (vertical markets) for this partner.
- Contracts: there may be several business agreements between your enterprise and this partner. This sub-tab provides basic information about each agreement.

The screenshot displays the COMERGENT eBusiness System Profile Manager interface. The top navigation bar includes links for My Home, My Account, About, Help, and Logout. The main header shows the Organization Profile for SysPoint, with tabs for Info, Addresses, Detail, Business (selected), Hierarchy, Logo, Commerce, Assigned To, Pricelists, and Product Entitlements. Below the tabs, there are buttons for View Users, View Commerce Activity, and Save. The Business tab is active, showing three sections: Product Categories, Territories, and Customer types. Each section has a 'Select To Add' dropdown and a 'Delete' button. The Territories section shows 'North America' selected. Below these sections is the Contracts sub-tab, which includes links for Delete, Duplicate, Previous, and Next. A note states: 'NOTE: (*) items are required when creating a contract.' The Contracts form contains fields for Name (*), Active date (M/D/YYYY), Volume commitment (YR), Type code (*), End date (M/D/YYYY), Volume commitment (QTR), and Agreement date (M/D/YYYY). The values entered are: Name: PRS-RG03013, Active date: 10/6/2000, Volume commitment (YR):, Type code: MS-PH002873, End date: 8/2/2001, Volume commitment (QTR):, and Agreement date: 9/16/2000.

FIGURE 48. Profile Detail Page: Business Tab and Contracts Sub-tab

Hierarchy Tab

The Hierarchy tab enables you to manage a profile hierarchy. You can use this tab to create a complex organizational structure. For example, you can create management companies, divisions, locations, and departments. Then, by navigating down through the hierarchy of “children”, you can create and view “children”

within “children” to an infinite number of levels. See "Profile Hierarchy" on page 3 for more information.



FIGURE 49. Profile Detail Page: Hierarchy Tab

Logo Tab

You can use the **Logo** tab to upload a profile logo so that the logo is displayed when customers access the partner’s storefront. You can also upload a cascading stylesheet (CSS) file to manage the look-and-feel of the partner’s storefront.

COMERGENT eBusiness System | Profile Manager

My Home | My Account | About | Help | Logout

Organization Profile: SysPoint

Info | Addresses | Detail | Business | Hierarchy | Logo | Commerce | Assigned To | Pricelists | Product Entitlements

Notes

View Users | View Commerce Activity | Save

Logo

For proper display, image size must be 181*41 pixels.

Upload Logo Image to Server

Logo URL or Uploaded File Path

Preview Logo

CSS

Locale

United States

Upload CSS file to Server

FIGURE 50. Profile Detail Page: Logo Tab

Commerce Tab

Use this tab to specify payment options and shipping options that this partner wants to support. The selected options are displayed to users when they edit the order header information before placing an order.

COMERGENT eBusiness System | Profile Manager

My Home | My Account | About | Help | Logout

Organization Profile: AllNet Corp

Info | Addresses | Detail | Business | Hierarchy | Logo | Commerce | Assigned To | Pricelists | Product Entitlements

Notes

View Users | View Commerce Activity | Save

Commerce Options

Payment Options

- ☒ Credit card
- ☐ Visa
- ☒ MasterCard
- ☒ American Express
- ☐ Discover
- ☐ Account

Shipping Options

- ☐ UPS
- ☒ FedEx

Storefront Options


NOTE: (*) items are required when Partner.com is enabled.

- ☒ Enable for Partner.com
- ☒ Enable as Storefront

FIGURE 51. Profile Detail Page: Commerce Tab

Payment Options

You must select one or both of Account or Credit Card: if you do not, then customers placing a split order to this partner will not be able to complete their order.



The screenshot shows a window titled "Payment Options". Inside, there is a list of payment methods, each with a checkbox. The checked options are "Credit card", "Visa", "MasterCard", "American Express", and "Account". "Discover" is unchecked.

| Payment Options | |
|-------------------------------------|------------------|
| <input checked="" type="checkbox"/> | Credit card |
| <input checked="" type="checkbox"/> | Visa |
| <input checked="" type="checkbox"/> | MasterCard |
| <input checked="" type="checkbox"/> | American Express |
| <input type="checkbox"/> | Discover |
| <input checked="" type="checkbox"/> | Account |


FIGURE 52. Payment Options Panel

The available options are determined by entries in the CMGT_LOOKUPS table whose LOOKUP_TYPE is set to "PaymentType" and "CreditCardType". These entries are typically created at implementation time.

You can set up a payment gateway for your partner profile: this involves selecting a payment processor and providing the merchant details for your partner. See "To Set Up a Payment Gateway" on page 186 for details.

Shipping Options

You must select at least one of these options: if you do not, then customers placing a split order to this partner will not be able to complete their order.



The screenshot shows a window titled "Shipping Options". Inside, there is a list of shipping methods, each with a checkbox. Both "UPS" and "FedEx" are checked.

| Shipping Options | |
|-------------------------------------|-------|
| <input checked="" type="checkbox"/> | UPS |
| <input checked="" type="checkbox"/> | FedEx |

FIGURE 53. Shipping Options Panel

The available options are determined by entries in the CMGT_LOOKUPS table whose LOOKUP_TYPE is set to "ShippingMethod". These entries are typically created at implementation time.

Pricing Options

Use this panel to specify if this partner maintains their pricing information remotely. Prices are retrieved using the Message URL specified on the Info tab (see "Info Tab" on page 155).

Pricing Options

Are prices stored remotely?

☐

Enter expiry time in hours. Leave this field blank if prices should never expire once retrieved.

FIGURE 54. Pricing Options Panel

If you check the **Are prices stored remotely?** check box, then you can also specify how long prices may be cached on the Comergent eBusiness System before needing to be retrieved again.

Assigned To

You use this tab to see which enterprise users have been assigned to this partner.

COMERGENT

eBusiness System

Profile Manager

My Home

My Account

About

Help

Logout

Organization Profile: SysPoint

Info

Addresses

Detail

Business

Hierarchy

Logo

Commerce

Assigned To

Pricelists

Product Entitlements

Notes

View Users

View Commerce Activity

Find users that match:

Username

Search

Show All


| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address |
|--------------------------|----------------|---|---------|------------|----------------|--|
| cService | Jones, Richard | Basic Profile Maintenance, Commerce, Financials, Program Management | No | Enterprise | | rjones@matrixsolutions.com |

[Back to Top ↑](#)

FIGURE 55. Profile Detail Page: Assigned To Tab

Pricelists Tab

You use the Pricelists tab to assign price lists to this partner.


COMERGENT
eBusiness System

Profile Manager

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Organization Profile: SysPoint

[Info](#) | [Addresses](#) | [Detail](#) | [Business](#) | [Hierarchy](#) | [Logo](#) | [Commerce](#) | [Assigned To](#) | [Pricelists](#) | [Product Entitlements](#)

Notes

Select appropriate price list for assignment and click Save button to save changes. \$ indicates the price list inherited from parent.

[View Users](#)
[View Commerce Activity](#)
[Save](#)


[Previous](#)
[Next](#)

| Assign | Sharable | Price List Name | Starting Date | Ending Date | Currency | Customer Type | Supplier | Status | |
|--------------------------|--------------------------|------------------------|---------------|-------------|----------|---------------|-------------|--------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_unistor | 1/17/2001 | 10/4/2010 | USD | General | UNISTOR | Active | |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_taiwantech | 1/17/2001 | 10/4/2010 | USD | General | TaiwanTech | Active | |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_syspoint | 1/17/2001 | 10/4/2010 | USD | General | SysPoint | Active | |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_paristech | 1/17/2001 | 10/4/2010 | USD | General | ParisTech | Active | |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_ornitech | 1/17/2001 | 10/4/2010 | USD | General | OrnnTech | Active | |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_dataLink | 1/17/2001 | 10/4/2010 | USD | General | DataLink | Active | |
| <input type="checkbox"/> | <input type="checkbox"/> | Government | 1/17/2001 | 10/6/2003 | USD | Government | Enterprise | Active | ⚠ |
| <input type="checkbox"/> | <input type="checkbox"/> | Enterprise Master List | 1/17/2001 | 10/4/2010 | USD | General | Enterprise | Active | |
| <input type="checkbox"/> | <input type="checkbox"/> | Commercial | 1/17/2001 | 10/6/2003 | USD | Commercial | Enterprise | Active | ⚠ |
| <input type="checkbox"/> | <input type="checkbox"/> | AllNet Price List | 9/1/2005 | 9/30/2005 | USD | General | AllNet Corp | Active | |

FIGURE 56. Profile Detail Page: Pricelists Tab

Product Entitlements Tab

You use the Product Entitlements tab to assign product entitlements to this partner. You can also manage the order in which the product entitlements are evaluated.


COMERGENT
eBusiness System

Profile Manager

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Organization Profile: AllNet Corp

[Info](#) | [Addresses](#) | [Detail](#) | [Business](#) | [Hierarchy](#) | [Logo](#) | [Commerce](#) | [Assigned To](#) | [Pricelists](#) | [Product Entitlements](#)

Notes

Select a Supplier. Select appropriate product entitlements for assignment by clicking the Assign button. Click Save button to save changes.

Supplier:

[Assign...](#)
[Remove](#)
[Save](#)

| | Sharable | Inherited | Entitlement Name | Description | Supplier | Start Date | End Date | Status | Order |
|--------------------------|--------------------------|-----------|------------------------|---------------------------|------------|------------|------------|--------|-------|
| <input type="checkbox"/> | <input type="checkbox"/> | | USA Distributor | USA Distribution Partners | Enterprise | 1/17/2001 | 12/31/2010 | Active | 1 |
| <input type="checkbox"/> | <input type="checkbox"/> | | Enterprise Master List | Enterprise Master List | Enterprise | 1/17/2001 | 10/4/2010 | Active | 2 |

[Back to Top ↑](#)

FIGURE 57. Profile Detail Page: Product Entitlements Tab

Notes Tab

You can make notes as you work on partner profiles using the Notes tab.

The screenshot shows the 'Profile Manager' interface for 'SysPoint' organization. The 'Notes' tab is selected. It features a text area for adding a note, a 'Private' checkbox, and an 'Add Note' button. Below the text area is a table with columns: Date, Note, Organization, and Created By. The table is currently empty, showing 'No Rows Found'.

FIGURE 58. Profile Detail Page: Notes Tab

Profile Administration Tasks


All of the tasks described here are initiated by an enterprise administrator.

To Search for a Profile

You can perform searches on your existing profile to access a given profile.

Note: In the case of a profile hierarchy (see "Profile Hierarchy" on page 3), you can only search for the profile at the top-level of the hierarchy.


1. You can perform a quick search by entering the profile name in the Profile Name text field of the Search for Organization by Name panel, and clicking **Go**. You can use "*" as a wild card. For example, searching for "Af*" will find "Affine Systems", "AffinityNet", and so on.



A small panel titled "Search for Organization by Name". It contains a text input field labeled "Profile Name", a "Go" button, and a link labeled "Advanced Search".

FIGURE 59. Search for Organization by Name Panel

You can perform a more advanced search by clicking **Advanced Search**. This takes you to the Profile Search page.



The Profile Search page features the Comergent eBusiness System logo and navigation links (My Home, My Account, About, Help, Logout). The main section is titled "Profile Search:" and includes instructions to "Enter data and click on search button to search". It contains several search criteria panels: "Search by Profile Name" with a text input; "Search by Profile Type" with checkboxes for Distributor, OEM, Reseller, Retailer, Systems Integrator, SystemPartner, and Not Applicable; "Search by Profile Level" with checkboxes for Platinum, Gold, Silver, Tin, and Not Applicable; "Search by Product Category" with a dropdown menu; "Search by Customer Type" with a "Select all that apply" option; and "Search by Territory" with a "Select all that apply" option. A "Search" button, "Reset" button, and "Cancel" button are located at the top right of the search area.

FIGURE 60. Profile Search Page

2. Click **Search** to view all the profiles, or enter search criteria and click **Search**.

You can use the asterisk (*) in your searches. For example, "Ander*" in the Profile Name field will find any profile whose name begins with "Ander". Likewise, "*erel" will find any profile whose name ends in "erel".

The list of profiles satisfying your search criteria is displayed.

COMERGENT | Administration
eBusiness System

My Home | My Account | About | Help | Logout

Profile List:

Search for Profiles

Name Search Show All Advanced Search

Expert List View Commerce Activity Create Profile

| <input type="checkbox"/> | Name | Root Profile Name | Type | Level |
|--------------------------|-------------------------------------|---------------------------------------|----------|--------|
| <input type="checkbox"/> | AffinityNet | | Reseller | Gold |
| <input type="checkbox"/> | AMT Systems | | Reseller | Gold |
| <input type="checkbox"/> | ARCnet Group | | Reseller | Gold |
| <input type="checkbox"/> | CompCam | | Reseller | Tin |
| <input type="checkbox"/> | Computet | | Reseller | Gold |
| <input type="checkbox"/> | DataMatrix | | Reseller | Gold |
| <input type="checkbox"/> | DataShift Corp | | Reseller | Silver |
| <input type="checkbox"/> | DataSolve | | Reseller | Gold |
| <input type="checkbox"/> | Dexus Communication | | Reseller | Gold |
| <input type="checkbox"/> | Eastern Division | NorthSea Technologies | Reseller | Gold |
| <input type="checkbox"/> | FARCOM Group | | Reseller | Silver |

FIGURE 61. Profile List Page

3. In the displayed list, find and click the name of a profile to display the Profile Detail page for that partner.

If the list is too long to efficiently locate the profile or if the profile is not in the list, then you can return to the main search page and attempt a new search.

On the Profile List page, you can also click the check box next to a profile and then do one of the following:

- Export a list of selected profiles. See "To Export Profile List Information" on page 168.
- Click **View Commerce Activity** to view cart activity for selected partners. See CHAPTER 25, "Cart and Commerce Administration" for additional information.

To Export Profile List Information

There may be times when you want to review profile information offline or using an analysis tool such as a spreadsheet. You can export profile information as a text file for this purpose.

1. Using the Search for Organization by Name panel, enter search criteria to help you locate a profile or set of profiles. You can specify criteria to limit the scope of the search as described in "To Search for a Profile" on page 166.

The Profile List page is displayed. It presents all of the profiles that meet your search criteria.

2. Select those profiles whose details you wish to export by checking the check boxes next to each profile.

You can click **Select All** to select all the profiles on the current page.

3. Click **Export List**.

A new browser window is displayed showing the selected profile data in text format.

You can save this file to your machine. When you open this saved file in a spreadsheet application, you must specify that it has been created in a tab-delimited format.

If the file has been generated by a UNIX installation of the Comergent eBusiness System, then the file has UNIX end-of-line characters. This means that some Windows text-editing applications such as Notepad may display the file as one continuous line. You can still open the file as a spreadsheet.

To Create a New Profile

Perform this task to create a profile either as a standalone profile (no child profile, no parent profile) or as the top-level profile in a profile hierarchy. To create a child profile of a parent in a profile hierarchy, use "To Create a Profile as a Child of a Parent Profile" on page 171.

1. Click **Go** in the Search for Organization by Name panel on the Comergent eBusiness System home page.
2. Click **Create Profile** on the Profile List page.

This displays the Profile Detail page.

The screenshot shows the 'COMERGENT eBusiness System' logo and 'Profile Manager' title. The page is titled 'Organization Profile: New Profile' and has a 'Create' tab selected. At the top right are links for 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below the title bar are 'Cancel' and 'Save' buttons. A note states: 'Please enter mandatory profile information. Once this profile has been saved, you will be allowed to enter more information. NOTE: (*) items are required.' The form is divided into two main sections: 'General Information' and 'Distributors'. The 'General Information' section includes fields for 'Profile name *', 'Main telephone', 'Main facsimile', 'Profile type *', 'Profile level *', 'XML Message Version', and a checked 'Login/Password required' box. The 'Distributors' section includes a 'Select to add' dropdown and a 'Remove' button. Other fields include 'Organization website address', 'Organization Email', 'Message URL', 'Content Type', and five 'Custom Field' boxes.

FIGURE 62. Profile Detail Page: Create Tab

- At the **Create** tab, enter the pertinent profile information.

See "Info Tab" on page 155 for a description of these fields. At a minimum, you must enter information in the fields marked (*).

Note: Although the Organization website address and the Organization Email address are not required, you must provide these if you wish the partner to be contacted through the Partner Selector function.

You must enter at least one address and define the address as Sold-to, Bill-to, or Ship-to by checking the appropriate boxes.

Enter an Organization ID: this should be a unique identifier for the profile.

- Click **Save**.

Once you have saved the required information for the new profile, then you can continue through the other profile tabs to enter additional information.

- (Optional) For enterprise nodes, on the **Info** tab, you can specify the maximum number of users of this node who can be assigned to a particular account.
- (Optional) At the **Addresses** tab, enter additional sold-to, bill-to, and ship-to addresses for the profile.
 - Create a new address by clicking **New**, or duplicate an existing address by clicking **Duplicate**.

- b. Enter the pertinent address information.
 - c. Define the address as Sold-to, Bill-to, or Ship-to by checking the appropriate box.
 - d. Define the address as the default Sold-to, Bill-to, or Ship-to address by checking the appropriate box.
7. (Optional) At the **Detail** tab, enter pertinent information. You can specify what services and skills the profile offers by using the Services and Skill sub-tabs.
- At minimum, you must enter information in the fields marked (*).
8. (Optional) At the **Business** tab, enter the product categories, territories, and approved customer types (vertical markets).
9. (Optional) At the **Hierarchy** tab, create any desired profile hierarchy.
- See "To Create a Profile as a Child of a Parent Profile" on page 171.
10. (Optional) At the **Logo** tab, upload the logo that will appear on the partner's storefront. Typically, the task of uploading a logo is done by a partner administrator of each partner who is enabled for **C3** Partner.com.
11. Save the information you have entered.
12. If you want to assign price lists to this profile, then click the Pricelists tab. See "To Assign a Price List to a Profile" on page 183 for more details.
13. You can add notes about this partner by clicking the Notes tab.

You can create partner users for the new partner by clicking **View Partner Users**.

To Create a Profile as a Child of a Parent Profile

Perform this task if you want to create a profile as part of an existing profile hierarchy. Typically, you do this if you are creating an organizational hierarchy for a partner to match its organization into departments or divisions.

1. Click **Organization Lookup** in the Channel Management panel on the Comergent eBusiness System home page.
 2. Search for the top-level profile within whose hierarchy you want to create the child.
- See "To Search for a Profile" on page 166. The list of profiles satisfying your search criteria is displayed.
3. Find the profile in the search results list, then click their name to be taken to the Profile Detail page.

4. Click the **Hierarchy** tab.




FIGURE 63. Profile Detail Page: Hierarchy Tab

5. Find the profile that you want to be the parent.

Note: Skip this step if you want the child profile to be child to the top-level, parent profile.

- a. Find and click the parent profile in the list of child nodes.
- b. Click **Go To Child**.
This displays the Profile Detail page for the child.
- c. Click the **Hierarchy** tab for the child.
- d. Repeat these steps until you find the appropriate node in the hierarchy.

6. When you find the desired parent profile, click **Create Child**.

This displays the Profile Detail page for the new partner. Notice that certain information (for example, Profile type) is copied from the parent profile.

7. Enter the information for the partner.

See "To Create a New Profile" on page 169.

8. Save the information you entered.

- Click **Save All** to save the information and remain at the Profile Detail page.

- Click **Save All and View Partner Users** to save the information and view the partner users for this partner. See "To Create a New Partner User" on page 176 for further information about creating partner users.
- Click **Save All and Return to List** to save the information and display the Profile List.

To Move a Child Profile to Another Parent

You can move a child profile to another location in a profile hierarchy. For example, you might want to re-arrange the divisional organization of a profile hierarchy if the partner undergoes a re-organization.

1. Search for the profile that is the parent in the hierarchy.
See "To Search for a Profile" on page 166.
2. In the Profile Detail page, click the **Hierarchy** tab.
3. In the Hierarchy tab (Figure 49 on page 161), navigate the hierarchy until you find the child that you want to move.
4. Click on the child you want to move.
5. Click **Move Child**.

This displays a list of the other nodes to which you can move the child.




FIGURE 64. Move Child Popup Window

6. Click **Move**.

The child becomes a child of the selected parent.

To Upload a Partner Logo

You can upload a logo to be displayed on co-branded Web pages. If the partner is enabled for C3 Partner.com, then the logo is displayed automatically on the Web pages. Otherwise, the enterprise must customize the Web pages to display the logo.

1. Display the Profile Detail page.

You can access the page either by creating a new partner and enabling the partner for **C3 Partner.com** ("To Create a New Profile" on page 169) or by searching for and displaying an existing partner ("To Search for a Profile" on page 166).

2. Click the **Logo** tab.

The screenshot shows the 'Profile Manager' interface for 'SysPoint'. The 'Logo' tab is selected, displaying instructions for logo upload: 'For proper display, image size must be 181*41 pixels.' It includes a 'Browse...' button to select a file, an 'Upload' button, and a text field for 'Logo URL or Uploaded File Path'. Below this is a 'Preview Logo' section with a 'Preview' button. The 'CSS' section shows a 'Locale' dropdown set to 'United States' and an 'Upload CSS file to Server' button with a 'Browse...' button.

FIGURE 65. Profile Detail Page: Logo Tab

3. Click **Browse...** to find the GIF or JPEG image file to be uploaded.

The logo file must be 181x41 pixels to display properly.

Once you select the file, the image file and its path appears in the Upload Logo Image to Server field.

4. Click **Upload** to load the image file.

The image file name and its path appear in the Logo URL or Uploaded File Path field. You can click **Preview** to preview the uploaded image.

To Create Profile Addresses

1. Click **Organization Lookup** in the Channel Management panel on the Comergent eBusiness System home page.

2. Search for a profile.

Enter the profile name, or enter search criteria such as the profile type or the first few letters of their name, then click **Search**, or click **Show All** to view all the profiles.

The list of profiles satisfying your search criteria is displayed.

3. Find the profile in the list, then click their name to be taken to the Profile Detail page.

4. Click the **Addresses** tab.

The screenshot shows the 'COMERGENT eBusiness System' Profile Manager interface. The top navigation bar includes links for 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below this, the 'Organization Profile: SysPoint' is displayed. A series of tabs (Info, Addresses, Detail, Business, Hierarchy, Logo, Commerce, Assigned To, Pricelists, Product Entitlements) are shown, with 'Addresses' being the active tab. The main content area contains a 'Notes' section and buttons for 'View Users', 'View Commerce Activity', and 'Save'. The 'Addresses' section includes a form with the following fields: 'Address line 1' (with a red asterisk), 'Address line 2', 'City' (with a red asterisk), 'State/Province and Postal code', and 'Country' (with a red asterisk). Below these fields are three checkboxes: 'Use as Sold To Address', 'Use as Ship To Address', and 'Use as Bill To Address'. The form also includes a 'NOTE: (*) Items are required.' and navigation links for 'New', 'Delete', 'Duplicate', 'Previous', and 'Next'.

FIGURE 66. Profile Detail Page: Addresses Tab

5. Create a new address by clicking **New**, or duplicate an existing address by clicking **Duplicate**.

6. Enter the pertinent address information.

7. Define the address as Sold-to, Bill-to, or Ship-to by checking the appropriate box.

When you check the appropriate box, a check box appears that enables you to define the address as the default.

8. Save the information you entered.

- Click **Save All** to save the information and remain at the **Addresses** tab.

- Click **Save All and View Partner Users** to save the information and view the partner users for this profile. See "To Create a New Partner User" on page 176 for further information about creating partner users.
- Click **Save All and Return to List** to save the information and display the Profile List.

To Delete Profile Addresses

1. Search for the profile who has the address you want to delete.
See "To Search for a Profile" on page 166.
2. Find the profile in the list, then you can click their name to be taken to the Profile Detail page.
3. Click the **Addresses** tab.
4. Find the address you want to delete by clicking **Next** or **Previous**.
5. Click **Delete** to delete the address.
6. Click **Save All**.

To Create a New Partner User

In general, each partner is responsible for managing the partner employees who may log in to the Comergent eBusiness System. These people are known as partner users. See "Partner Users" on page 4 for further information.

When a profile is created, the channel administrator should create at least one partner user with partner administrator privileges so that this partner administrator may manage their profile and users for that partner: you do this by assigning the user the Profile Administration function.

1. Click **Organization Lookup** in the Channel Management panel on the Comergent eBusiness System home page.
2. Find the profile for whom you want to create the user.
See "To Search for a Profile" on page 166.
3. From the list of search results, click the profile.
4. On the Profile Detail page, click **View Users**.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

User List: DataSolve

Find users that match:

Username Search Show All Advanced Search

DataSolve: All users shown

Create User

| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
|----------|---------------|-----------|---------|-----------|----------------|---------------------------|---|
| alain | Duprés, Alain | Commerce | No | DataSolve | 610-6854 | jstevens@icmsolutions.com | Prepare Order Workspace Move Delete |
| cchen | Cl. Chen | Commerce | No | DataSolve | 610-6856 | cchen@icmsolutions.com | Prepare Order Workspace Move Delete |
| dsmith | Smith, Darren | Commerce | No | DataSolve | 601-6800 | dsmith@datasolve.com | Prepare Order Workspace Move Delete |
| frutton | Sutton, Felix | Commerce | No | DataSolve | 610-6851 | frutton@icmsolutions.com | Prepare Order Workspace Move Delete |

FIGURE 67. Partner User List Page

- On the User List page, click **Create User**.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

Create New User

Info

Belongs To: DataSolve

Cancel Save

NOTE: (*) items are required.

User Information

Username *

Password *

Confirm Password *

Title

Mr. *

First name *

Last name *

Job Title

User Locale

Preferred Locale

United States *

Note: changes to Preferred Locale will take effect on the next login.

User Functions

☐ Manager

User Type *

User *

☐ Functions

☐ Commerce

☐ Commerce Executive

☐ Sales

☐ Sales Executive

☐ Financials

☐ Program Management

☐ Marketing Executive

☐ Basic Profile

Spending Limits & Approver

Feature requires both Spending Limit and Approver.

Spending Limit

USD *

Approver

Proxy for Approver

FIGURE 68. Create User Page

6. Enter a username in the **Username** field.

All usernames must comprise standard keyboard characters. Do not use punctuation marks or spaces in a username. Usernames in the Comergent eBusiness System must be unique within a storefront, so your first choice of username may be already taken. If a username is taken, then a dialog box prompts you to try again with a different username.

7. Enter a password for this new user. The system verifies that the same password has been entered in both fields.
8. If this user is to be a partner user with the partner administrator function, then check the **Profile Administration** check box.
9. Enter any other required information (indicated with an asterisk (*)), as well as any optional information you want to enter.
10. Click **Save**.

When the User Detail page is re-displayed, additional tabs are available.

The screenshot displays the 'User Detail for Steve Madison' page in the Comergent eBusiness System Administration interface. The page has a header with the Comergent logo and navigation links (My Home, My Account, About, Help, Logout). Below the header, there are tabs for 'Info', 'Addresses', and 'Notes', with 'Info' being the active tab. The page shows the user's details, including their username (smadison), password, title (Mr.), first name (Steve), last name (Madison), and job title. There are also sections for 'User Locale' (Preferred Locale: United States), 'User Functions' (Manager, User, Commerce Executive, Sales, Sales Executive, Financials, Program Management, Marketing Executive), and 'Status' (Parent Status: Open, Status: Open). A 'Spending Limits & Approver' section is also visible at the bottom right. A note indicates that items marked with an asterisk (*) are required.

FIGURE 69. Partner User Detail Page: Info Tab

11. Optionally, enter a spending limit and designate one or more approvers if the user exceeds the spending limit. See "Order Approvals" on page 5 for more information.

Note: The fields for spending limits and approvers appear only if this feature has been enabled. This is done with a business rule. See CHAPTER 39, "Business Rules Administration".

12. Click **Save**.
13. Click the **Addresses** tab to enter the addresses.

COMERGENT eBusiness System | Administration

My Home | My Account | About | Help | Logout

User Detail for Steve Madison

Info | **Addresses** | Notes

Belongs To: [DataSolve](#)

[View Users](#) | [View Commerce Activity](#) | [Save](#)

NOTE: (*) Items are required.

☐ Same as Sold To

Sold To

Address Line 1 *

Address Line 2

City *

State and Zip Code

Country *

USA

☐ Same as Sold To

Bill To

Address Line 1 *

Address Line 2

City *

State and Zip Code

Country *

USA

☐ Same as Sold To

Ship To

Address Line 1 *

Address Line 2

City *

State and Zip Code

Country *

USA

Select the addresses defined at the organization that should not be visible in this user's address book. * denotes default address.

| Hide | Type | Address Line 1 | Address Line 2 | City | Postal Code | State | Country |
|------|------|----------------|----------------|------|-------------|-------|---------|
|------|------|----------------|----------------|------|-------------|-------|---------|

FIGURE 70. Partner User Detail Page: Addresses Tab

14. You can create as many addresses as you like for the user.
15. You can make notes about this user by clicking the Notes tab.

The screenshot shows the 'User Detail for Steve Madison' page in the Comergent eBusiness System Administration interface. The page has a header with the Comergent logo and navigation links: My Home, My Account, About, Help, and Logout. Below the header, there are tabs for Info, Addresses, and Notes, with the Notes tab currently selected. The page indicates that the user belongs to 'DataSolve'. There are two buttons: 'View Users' and 'View Commerce Activity'. A text box for adding a note is present, along with a 'Private' checkbox and an 'Add Note' button. At the bottom, a table lists the user's details:

| Date | Note | Organization | Created By |
|-----------|--------------|--------------|------------|
| 9/13/2005 | Created user | Enterprise | gle |

FIGURE 71. Partner User Detail Page: Notes Tab

16. Contact the partner to let them know that a partner user has been created.

To Move Users Between Levels in a Profile Hierarchy

Perform this task if you want to move one of your partner's users between the partner nodes in their profile hierarchy. In general, you can only move users to nodes to which you have access: typically, this means that you can move users to your node or to nodes below your node.

Note: Moving a user does not move any carts, orders, and so on, associated with the user. When you move a user to another level in the partner hierarchy, notify the administrator for the level. The administrator for the level can recover these lists, orders, and so on, using the steps in "To Recover Carts" on page 241.

1. Click **Organization Lookup** in the Channel Management panel on the Comergent eBusiness System home page.
2. Find the partner that contains the user you want to move.
See "To Search for a Profile" on page 166.
3. From the list of search results, click the partner that contains the user.
4. Find the user you want to move.

If the user belongs to the top level in the partner hierarchy, then click **View Partner Users** on the Profile Detail page. This displays the User List page (Figure 73 on page 181).

If the user belongs to a level below the top level:

- a. Click the **Hierarchy** tab on the Profile Detail Page.




FIGURE 72. Profile Detail Page: Hierarchy Tab

- b. Find and select the level that contains the user you want to move.
- c. Click **Go To Child**.

This displays the Partner Profile Detail Page for that partner. If the user you want belongs to a level below this one, then repeat these steps until you reach the desired level.

- d. Click **View Partner Users** to display the User List Page for that level.




FIGURE 73. Partner User List Page

5. In the User List page, find the user you want to move.
6. Click the **Move** icon in the Actions column.

This displays a window with a selection of levels in the profile hierarchy. The levels are displayed as fully-qualified paths. For example, in Figure 74 on page 182, the first selection is AffinityNet East, a division of AffinityNet. The third selection is AffinityNet West - San Jose, a division of AffinityNet West, which is itself a division of AffinityNet.




FIGURE 74. Level Selection Window

7. Click the radio button next to the level to which you want to move the user.

If you move a user between two node levels of a profile hierarchy, then the functions assigned to the user before the move are retained.

| | |
|--------------|--|
| Note: | Moving a user does not move any carts, orders, and so on, associated with the user. When you move a user to another level in the partner hierarchy, notify the administrator for the level. The administrator for the level can recover these lists, orders, and so on, using the steps in "To Recover Carts" on page 241. |
|--------------|--|

8. Click **Move**.

The user is moved to the selected level.

After you move a user, you should inform the partner (or the node) administrator so that they can examine and modify the information as necessary. This ensures that the information is correct for the new location. For example, the addresses (ship-to, bill-to, and so on) might need to be corrected for the new location.

To Modify an Existing Profile

Over time, your relationship with a partner may change and profile information will need to be updated as contacts and addresses change. As channel administrator, your responsibility is to keep profile information up-to-date by modifying the profile.

As a channel administrator, you can create, modify, and delete partner users. However, once a profile administrator has been created, primary responsibility for partner user administration rests with the partner administrators.

1. Search for the profile as described in "To Search for a Profile" on page 166 and click their name to display their Profile Detail page.
2. Enter the revised information in the appropriate fields.
3. As you enter the information, click **Save** to save the information that you have entered so far.

To Assign a Price List to a Profile

As a channel administrator, you can assign the appropriate price lists to a profile.

1. Click **Organization Lookup** in the Channel Management panel on the Comergent eBusiness System home page.
2. Search for a profile.
Enter the profile name, or enter search criteria (you can use an asterisk to perform a wildcard search), then click **Search**, or click **Show All** to view all the profiles.
3. Click on the profile name to display the Profile Detail page.
4. Click the Pricelists tab.

COMERGENT | Profile Manager
eBusiness System

My Home | My Account | About | Help | Logout

Organization Profile: SysPoint

Info | Addresses | Detail | Business | Hierarchy | Logo | Commerce | Assigned To | Pricelists | Product Entitlements

Notes

Select appropriate price list for assignment and click Save button to save changes. \$ indicates the price list inherited from parent.

View Users | View Commerce Activity | Save

Previous | Next

| Assign | Sharable | Price List Name | Starting Date | Ending Date | Currency | Customer Type | Supplier | Status |
|--------------------------|--------------------------|------------------------|---------------|-------------|----------|---------------|-------------|--------|
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_unistor | 1/17/2001 | 10/4/2010 | USD | General | UNISTOR | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_taiwantech | 1/17/2001 | 10/4/2010 | USD | General | TaiwanTech | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_syspoint | 1/17/2001 | 10/4/2010 | USD | General | SysPoint | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_paristech | 1/17/2001 | 10/4/2010 | USD | General | ParisTech | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_omnittech | 1/17/2001 | 10/4/2010 | USD | General | OmnitTech | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_dataLink | 1/17/2001 | 10/4/2010 | USD | General | DataLink | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Government | 1/17/2001 | 10/6/2003 | USD | Government | Enterprise | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Enterprise Master List | 1/17/2001 | 10/4/2010 | USD | General | Enterprise | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Commercial | 1/17/2001 | 10/6/2003 | USD | Commercial | Enterprise | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Allnet Price List | 9/1/2005 | 9/30/2005 | USD | General | AllNet Corp | Active |

FIGURE 75. Available Price Lists for a Partner

- Click in the check box next to the appropriate price list(s).
- If you want this price list to be automatically assigned to any profiles beneath this partner in the profile hierarchy, then check the box in the Sharable column.

A dollar sign (\$) designates any list that is shared with a parent (and therefore automatically assigned to the current partner). However, you can still assign that price list to the child and mark it as sharable. This guarantees that the price list will still be assigned to the child (and to its children), even after the assignment is removed from the parent.

See "Making Price Lists Sharable with Child Profiles" on page 27 for an explanation of sharable price lists.

- Click **Update**.

The selected price lists are assigned to that partner.

To Assign a Product Entitlement to a Profile

As a channel administrator, you can assign the appropriate price lists to a profile.

- Click **Organization Lookup** in the Channel Management panel on the Comergent eBusiness System home page.

2. Search for a profile.

Enter the profile name, or enter search criteria (you can use an asterisk to perform a wildcard search), then click **Search**, or click **Show All** to view all the profiles.

3. Click on the profile name to display the Profile Detail page.
4. Click the Product Entitlements tab. The list of product entitlements currently assigned to partner is displayed.

COMERGENT eBusiness System | Profile Manager

My Home | My Account | About | Help | Logout

Organization Profile: AllNet Corp

Info | Addresses | Detail | Business | Hierarchy | Logo | Commerce | Assigned To | Pricelists | **Product Entitlements**

Notes

Select a Supplier. Select appropriate product entitlements for assignment by clicking the Assign button. Click Save button to save changes.

Supplier: Enterprise

Assign... Remove Save

| <input type="checkbox"/> | Sharable | Inherited | Entitlement Name | Description | Supplier | Start Date | End Date | Status | Order |
|--------------------------|--------------------------|-----------|------------------------|---------------------------|------------|------------|------------|--------|-------|
| <input type="checkbox"/> | <input type="checkbox"/> | | USA Distributor | USA Distribution Partners | Enterprise | 1/17/2001 | 12/31/2010 | Active | 1 |
| <input type="checkbox"/> | <input type="checkbox"/> | | Enterprise Master List | Enterprise Master List | Enterprise | 1/17/2001 | 10/4/2010 | Active | 2 |

[Back to Top ↑](#)

FIGURE 76. Current Product Entitlements for a Partner

5. Click **Assign...**




FIGURE 77. Product Entitlement Picker Window

6. Search for the product entitlement(s) that you want to assign. Click on their names to add them to the list box.

7. Click **Done**.

The Product Entitlements tab is re-displayed with the added product entitlements.

8. If you want to make the product entitlement(s) inherited by child nodes of this partner, then check the Sharable check box.

9. Click **Save**.

The selected product entitlements are assigned to the partner.

To Set Up a Payment Gateway

Before you set up a payment gateway for a partner, the partner must have established a business relationship with a payment processor. Typically, this will involve establishing a merchant ID with the processor and obtaining a merchant key which is used to authenticate the merchant at the payment processor. The key must be stored on the file system accessible by the Comergent eBusiness System.

1. Display the Profile Detail page.
2. Click the **Commerce** tab.

3. Click **Setup Payment Gateway**.

The screenshot shows the 'Payment Gateway Setup' page within the 'Administration' section of the 'COMERGENT eBusiness System'. The page has a header with navigation links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below the header, there are two buttons: 'ViewProfile' and 'Save'. The main content area is divided into two sections: 'Payment Processing Options' and 'Payment Gateway Configuration Parameters'. In the 'Payment Processing Options' section, there is a dropdown menu for 'Credit Card Payment Processor Gateway Type' set to 'CyberSource', and a radio button for 'Enable CV Number Check' set to 'True'. In the 'Payment Gateway Configuration Parameters' section, there are input fields for 'Merchant ID', 'Key Directory', 'Target API Version', 'Log Directory', and 'Log Maximum Size (MB)', along with radio buttons for 'Send to Production' and 'Enable Logging', both set to 'False'. A legend at the bottom indicates that an asterisk (*) denotes a required field.

FIGURE 78. Payment Gateway Setup Page

4. Select the appropriate payment processor radio button. The available options are determined during the implementation of the Comergent eBusiness System, see the *Comergent eBusiness System Implementation Guide* for more information.
5. Select the appropriate CV number check radio button.
6. Enter the payment gateway information as required. Check the *Comergent eBusiness System Implementation Guide* for the appropriate values for your payment gateway. At the time of writing, the following values are correct for a CyberSource payment gateway:
 - Target API Version: 1.7
7. Click **Save**.

To View Cart Activity for Selected Profiles

Once you have completed a search and displayed a list of profiles, you can view cart activity for selected profiles. Note that you must have been assigned the Commerce function to do this.

1. Search for and display the list of profiles whose activity you want to view.
See "To Search for a Profile" on page 166. This displays a search results list.




FIGURE 79. Profile List Page

2. Check the box next to each profile whose activity you want to view.
3. Click **View Commerce Activity**.




FIGURE 80. Product Lists Page: Active Tab

4. Find the cart you want to view.
5. Click the link in the Name column to display the detail for a cart.

COMERGENT
eBusiness System

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Build your Cart: [Return to List](#)

Name:

Product List

[Change](#)

Customer Type:

General

Currency:

USD

Last Modified:

9/13/2005

Items:

5

User Name:

[Scott, Mike](#)

Organization:

[DataSolve](#)

Checkout >

Ready to order? Click on Checkout to go to the next page and enter or update address and payment information and confirm your order.

You are currently on step 1 of 2 in processing this Cart.

Add items to the Cart below by clicking on Continue Shopping to browse the catalog or click on Enter Product IDs if you know the SKU numbers you are interested in.

When finished click on 'Checkout' to complete the Order.

Save as Quote

Continue Shopping

Help Me Find Products

Enter Product IDs

Compare

Move to Cart

Copy to Cart

Remove

After changing quantities, click 'Update'

Update

| <input type="checkbox"/> | Name | Product ID | Supplier | Price | Quantity | Ext. Price | Status |
|--------------------------|---------------------------|---------------------------|------------|-------------|--|------------|--------|
| <input type="checkbox"/> | 7410 Notebook "Workhorse" | MXLP-7410 | Enterprise | \$100.00000 | <input type="text" value="1"/> x x | \$100.000 | |
| <input type="checkbox"/> | 7490 Desktop "Base Plus" | MXDS-7490 | Enterprise | \$100.00000 | <input type="text" value="3"/> x x | \$300.000 | |
| | 17" Monitor | MX-GV17T | | included | 3 | | |
| | Windows 2000 | MX-MSW2K | | included | 3 | | |

FIGURE 81. Cart Detail Page

Payment Accounts

This section describes how to manage payment accounts for a partner.

To Create an MDF Payment Account

1. Navigate to the partner profile for whom you want to create a payment account.
2. In the Payment Accounts panel, select MDF from the View Accounts detail drop-down list.
3. Click **Go**.

The MDF Account List page is displayed.

The screenshot shows the 'MDF Account List' page. At the top, there's a header with the 'COMERGENT eBusiness System' logo and 'Administration' text. Navigation links include 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below the header, a search bar is labeled 'Find accounts that contain:' with a dropdown for 'Currency' set to 'ARS' and buttons for 'Search' and 'Show All'. A section titled 'All accounts shown' contains a 'New MDF Account' button. Below this is a table with columns: Account Name, Account Status, Creation Date, Available Date, Currency, Available Balance, Balance, Expiration Date, Program Name, and Activity Name. The first row shows 'General Account' with status 'Active', creation date '9/13/2005', available date '9/13/2005', currency 'USD', and balances of '\$5,000.000'.

| Account Name | Account Status | Creation Date | Available Date | Currency | Available Balance | Balance | Expiration Date | Program Name | Activity Name |
|-----------------|----------------|---------------|----------------|----------|-------------------|-------------|-----------------|--------------|---------------|
| General Account | Active | 9/13/2005 | 9/13/2005 | USD | \$5,000.000 | \$5,000.000 | 12/12/2005 | | |

FIGURE 82. MDF Account List Page

4. Click **New MDF Account**.

The New MDF Account page is displayed.

The screenshot shows the 'New MDF Account' page. It has the same header as Figure 82. Below the header, there's a 'Go to Accounts List' button and a prompt 'Enter data and click on the Create button to create an account.' with 'Create' and 'Cancel' buttons. A section titled '* Required Fields' contains an 'Account Information' form. The form has two columns of fields. The left column includes 'Account Type' (set to 'MDF'), 'Account Name' (required, empty), 'Description' (empty), 'Currency' (required, set to 'USD'), and 'Starting Balance' (required, empty). The right column includes 'Account ID' (empty), 'Account Status' (set to 'Active'), 'Creation Date' (empty), 'Available Date' (required, set to '9/13/2005'), 'Expiration Date' (required, set to '12/12/2005'), 'Program Name' (empty), and 'Activity Name' (empty).

FIGURE 83. New MDF Account Page

5. Enter details for the new MDF account as follows:

- Account Name:
- Description:
- Currency:
- Starting Balance:
- Available Date:

- f. Expiration Date:
 - g. Program Name:
 - h. Activity Name:
6. Click **Create**.

The MDF Account Detail page is displayed.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

General Account

Account Details | Account Activity | Notes

[Go to Accounts List](#)

After changing account information save changes using the Save button. Use the Cancel button to reverse the changes.

[Save](#) [Cancel](#)

* Required Fields

Account Information

| | | | |
|---------------|---|--------------------|-------------|
| Account Type: | MDF | Account ID: | 600500 |
| Account Name: | General Account | Account Status: | Active |
| Description: | General account for untargted activities. | Creation Date: | 9/13/2005 |
| Currency: | USD | Available Date: | 9/13/2005 |
| | | Expiration Date: | 12/12/200 |
| | | Available Balance: | \$5,000.000 |
| | | Balance: | \$5,000.000 |
| | | Program Name: | |
| | | Activity Name: | N/A |

[Update Account Balance](#)

FIGURE 84. MDF Account Detail Page

7. You can add or remove funds from this account as described in "To Add Funds to a Payment Account" on page 193 and "To Remove Funds From a Payment Account" on page 194.

To Create an Co-op Payment Account

1. Navigate to the partner profile for whom you want to create a payment account.
2. In the Payment Accounts panel, select Co-op from the View Accounts detail drop-down list.
3. Click **Go**.

The Co-op Account List page is displayed.

COMERGENT eBusiness System | Administration

My Home | My Account | About | Help | Logout

Co-op Account List

Find accounts that contain:

Currency: ARS

All accounts shown

| Account Name | Account Status | Creation Date | Available Date | Currency | Available Balance | Balance | Expiration Date | Program Name | Activity Name |
|-------------------------|----------------|---------------|----------------|----------|-------------------|---------|-----------------|--------------|---------------|
| Marketing Co-op Account | Active | 9/13/2005 | 9/13/2005 | USD | \$0.000 | \$0.000 | 12/12/2005 | | |

FIGURE 85. Co-op Account List Page

4. Click **New Co-op Account**.

The New Co-op Account page is displayed.

COMERGENT eBusiness System | Administration

My Home | My Account | About | Help | Logout

New Co-op Account

Enter data and click on the Create button to create an account.

* Required Fields

Account Information

Account Type: Co-op

Account Name:

Description:

Denomination:

Currency:

Account ID:

Account Status: Active

Creation Date:

Available Date: 9/13/2005

Expiration Date: 12/12/200

Base Amount:

Currency: ARS

Coop Percentage: 0.000

FIGURE 86. New Co-op Account Page

5. Enter details for the new Co-op account as follows:
- Account Name: A unique name for the account.
 - Description: Provide a description of the account.
 - Currency: The currency in which funds will be maintained.
 - Starting Balance: The starting balance for the account.
 - Available Date: When the account can begin to be used.

- f. Expiration Date: When the account stops being usable for funds.
- g. Base Amount: The amount on which the funds should be calculated.
- h. Currency: The currency in which the base amount is defined.

When the account is created, the base amount and percentage will be used to calculate the amount that should be put in the Co-op account. If the base amount currency is different from the account currency, then the calculated amount will be converted into the account currency. The currency conversion rates are stored in the CMGT_CURRENCIES database table.

6. Click **Create**.

The Co-op Account Detail page is displayed.

The screenshot shows the 'Marketing Co-op Account' detail page. At the top, there's a header with the 'COMERGENT eBusiness System' logo and 'Administration' text. Below this is a navigation bar with links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main title is 'Marketing Co-op Account'. Below the title are three tabs: 'Account Details' (selected), 'Account Activity', and 'Notes'. A 'Go to Accounts List' button is on the left. A message states: 'After changing account information save changes using the Save button. Use the Cancel button to reverse the changes.' Below this are 'Save' and 'Cancel' buttons. A section labeled '* Required Fields' contains the 'Account Information' form. This form has two columns. The left column includes: 'Account Type' (Co-op), 'Account Name' (Marketing Co-op Ac), 'Description' (Account to support marketing activities), 'Denomination' (Currency), and 'Currency' (USD). The right column includes: 'Account ID' (600501), 'Account Status' (Active), 'Creation Date' (9/13/2005), 'Available Date' (9/13/2005), 'Expiration Date' (12/12/200), 'Available Balance' (\$0.000), and 'Balance' (\$0.000). At the bottom, there's an 'Update Account Balance' section with a text area for notes and a button.

FIGURE 87. Co-op Account Detail Page

- 7. You can add or remove funds from this account as described in "To Add Funds to a Payment Account" on page 193 and "To Remove Funds From a Payment Account" on page 194.

To Add Funds to a Payment Account

You can add funds to a payment account as follows.

- 1. Navigate to the payment account detail page.

2. In the Update Account Balance panel, click the **Add Funds** radio button.
3. Enter the amount you wish to add.
4. (Optional) Enter a reason for the addition.
5. Click **Post**.

The Payment Account Detail page is re-displayed with the updated available balance.

To Remove Funds From a Payment Account

You can remove funds from a payment account as follows.

1. Navigate to the payment account detail page.
2. In the Update Account Balance panel, click the **Remove Funds** radio button.
3. Enter the amount you wish to remove.
4. (Optional) Enter a reason for the removal.
5. Click **Post**.

The Payment Account Detail page is re-displayed with the updated available balance.

Storefront Administration

In Release 7.1 and higher, the way in which you can manage storefronts for your partners has changed from earlier releases. In earlier releases, storefronts were created by marking an existing partner as a storefront. Now, by creating a storefront you create a partner profile that serves as the enterprise partner within the storefront: we refer to this partner as the storefront administrator partner and users who belong to this partner as *storefront administrators*.

To Create a Storefront

1. Click **Go** in the Search for Organization by Name panel on the Comergent eBusiness System home page.
2. Click **Create Storefront** on the Profile List page.

This displays the Organization Detail: New Profile page.

3. Enter basic information for the storefront administrator partner as you would do for any other partner. * denotes required fields.

4. Enter a skin URL for the new storefront. This should be a simple string and must be unique within the Comergent eBusiness System. For example, you can use “anderel” or “storefront”. This string will be used in URLs used to access the storefront. For example:

`http://server:port/Comergent/en/US/enterpriseMgr/anderel`

5. Click **Save**.

Once the storefront has been created, then you must create at least one user to act as the first storefront administrator for the new storefront. See "To Create a New Partner User" on page 176 for details. Once you have done, this, then you should notify the organization for whom you have created the storefront and provide them with the URL to use and the userid of the storefront administrator that you have created.

Skin Administration

To Create a Skin

1. Navigate to your organization profile.
2. Click the Commerce tab.
3. Click **Create New Skin**.



The screenshot shows the 'Profile Manager' interface for 'Matrix Solutions Inc.'. It includes a navigation bar with links like 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below the organization name, there are '<<Back' and 'Save' buttons. The main section is titled 'Enter Skin Choices' and contains a text box for the 'Skin Url (the name used in the URL to access this skin)'.

FIGURE 88. New Skin Page

4. Enter the URL string for the new skin.
5. Click **Save**.

The Edit Skin page is displayed.

FIGURE 89. Edit Skin Page

6. You can upload an image to use to brand the storefront skin, and you can upload a cascading stylesheet to use with the storefront skin.
7. Click **Save**.

Managing the Enterprise Profile

In addition to managing partner profiles, some enterprise users are responsible for managing the enterprise profile (that is, the profile of the tenant or storefront partner). Almost all of the profile fields are the same as for partner profiles, and so are covered in their respective sections above. However, some fields are used only by enterprise profiles and child nodes. This section documents these fields.

Info Tab

For enterprise profiles, an additional field is displayed:

- **Max Reps Per Account:** enter the maximum number of users belonging to this profile that may be assigned to any particular partner profile account.

Commerce Tab

For the tenant and storefront partners, you can also manage their skins. See "Skin Administration" on page 195 for more information.

Current Accounts

Use this tab to assign partners to each node of the enterprise. This gives you a way in which to manage which partner accounts are managed by which enterprise nodes.

This chapter describes the tasks associated with managing accounts in the Comergent eBusiness System. These include assigning accounts to nodes in the enterprise hierarchy and assigning accounts to users of these nodes. "Account Management" on page 36 contains an overview of account administration in the Comergent eBusiness System.

Overview

Account management is the general task of ensuring that the right enterprise users can work with the right partners. It enables enterprise users to use the Comergent eBusiness System to work with their partner users by creating orders on their behalf, working with their quotes, and so on. In this release of the Comergent eBusiness System, account management is done by creating a hierarchy of profile nodes within the enterprise partner, creating users at these nodes, and then assigning other non-enterprise partners, known as accounts, to these nodes. Then, enterprise users at these nodes can be assigned to the accounts assigned to their node, and each enterprise user will then be able to work with a small number of partner accounts.

For example, consider the following enterprise hierarchy of node and users:




FIGURE 90. Example Enterprise Hierarchy

Suppose that there are two non-enterprise partners, Partner A and Partner B, and suppose that you set up the following assignment of these partners to the enterprise nodes and users as follows:

TABLE 18. Account Assignment to Nodes and Users

| Node | Assignment to Node | User ^a | Assignment to User |
|--------|------------------------|-------------------|--------------------|
| Root | Partner A Partner B | user0a* | Partner A |
| | | user0b | Partner B |
| Node 1 | Partner A Partner B | user1a* | Partner A |
| | | user1b | Partner A |
| | | user1c | Partner B |
| Node 2 | | user2a* | |
| | | user2b | |

TABLE 18. Account Assignment to Nodes and Users (Continued)

| Node | Assignment to Node | User ^a | Assignment to User |
|----------|--------------------|-------------------|-------------------------------------|
| Node 3 | Partner A | user3a* | Partner A Partner B ^b |
| | | user3b* | Partner A Partner B ^c |
| | | user3c | Partner A |
| | | user3d | |
| Node 1-1 | Partner A | user11a* | Partner A |
| | | user11b | Partner A |
| Node 1-2 | Partner B | user12a* | Partner B |
| | | user12b | |
| Node 3-1 | Partner B | user31a | Partner B |
| | | user31b | |

a. In this table, manager users are marked with an “*”.

b. This is inferred from the assignment of Partner B to Mode 3-1.

c. This is inferred from the assignment of Partner B to Mode 3-1.

This table says that both Partner A and Partner B are assigned to the root enterprise node. Partner A is also assigned to Nodes 1, 3, and 1-1. Partner B is also assigned to Nodes 1, 1-2, and 3-1. Note that because user3a and user3b are managers, they are also assigned Partner B because Partner B has been assigned to a child node, Node 3-1.

As a result, you can assign Partner A to any of the users of Nodes 1, 3, and 1-1, but you do not have to assign it to all users of these nodes. For example, user3c has been assigned Partner A, but user3d has not. If user3d logs in to the Comergent eBusiness System, then they will not be able to view commerce information generated by Partner A users. Depending on the functions assigned to user3c, this user will be able to view orders, quotes, and so on belonging to Partner A users.

Managers

Manager users are assigned all accounts that have been assigned to their node. They can also assign accounts to other users at their node. See "To Assign an Account to a User" on page 203.

Drawing Accounts from Pool

Enterprise users can pro-actively assign themselves accounts by drawing them from the pool of accounts that have been assigned to their node. You can specify a limit to the number of accounts that a user can have at any one time. See "To Draw Accounts from the Pool" on page 205.

Assigning Accounts to Enterprise Nodes

Before you can assign an account to user, you must assign the account to the enterprise node to which the user belongs.

To Assign an Account to an Enterprise Node

1. Log in as an enterprise user: you must be a user that has write access to the target enterprise node to which you want to assign the account.
2. Navigate to the partner profile page for the target enterprise node, and click the **Assign Accounts** tab.

COMERGENT | Profile Manager
eBusiness System

My Home | My Account | About | Help | Logout

Organization Profile: Enterprise > West Coast Office

Info | Addresses | Detail | Business Hierarchy | Logo | Current Accounts | **Assign Accounts** | Pricelists | Product Entitlements

Notes

[View Users](#)

Find profiles that contain:

Profile Name [Search](#) [Show All](#) [Advanced Search](#)

[View Commerce Activity](#) [Assign](#)

Previous [Next](#)

| <input type="checkbox"/> | Name ↵ | Type | Level |
|--------------------------|-----------------------------|-------------|----------|
| <input type="checkbox"/> | A1 | Distributor | Platinum |
| <input type="checkbox"/> | Asisten_us | Distributor | Gold |
| <input type="checkbox"/> | Asisten_us | Distributor | Gold |
| <input type="checkbox"/> | AffinityNet | Reseller | Gold |
| <input type="checkbox"/> | Allnet_Corp | Distributor | Silver |
| <input type="checkbox"/> | Andarel | Distributor | Silver |

FIGURE 91. Profile Detail Page: Assign Accounts Tab

3. Check one or more check boxes next to the partners that you want to assign to this node.
4. Click **Assign**.

To Unassign an Account from an Enterprise Node

1. Log in as an enterprise user: you must be a user that has write access to the target enterprise node to which you want to assign the account.
2. Navigate to the partner profile page for the target enterprise node, and click the **Current Accounts** tab.

The screenshot shows the 'Profile Manager' interface for 'COMERGENT eBusiness System'. The 'Organization Profile' is set to 'Enterprise > West Coast Office'. The 'Current Accounts' tab is selected. Below the tabs, there is a search bar with the text 'Find profiles that contain:' and a 'Search' button. Below the search bar, there are two buttons: 'View Commerce Activity' and 'Unassign'. Below these buttons is a table with columns for 'Name', 'Type', and 'Level'.

| | Name | Type | Level |
|--------------------------|--------------|----------|-------|
| <input type="checkbox"/> | AMT Systems | Reseller | Gold |
| <input type="checkbox"/> | ARCnet Group | Reseller | Gold |

FIGURE 92. Profile Detail Page: Current Accounts Tab

3. Check one or more check boxes next to the partners that you want to unassign from this node.
4. Click **Unassign**.

Assigning Accounts to Users

Before assigning an account to an enterprise user, make sure that you have assigned the account to their enterprise node. See "Assigning Accounts to Enterprise Nodes" on page 202.

To Assign an Account to a User

1. Log in as an enterprise user: you must be a user that has write access to the target user to which you want to assign the account.
2. Navigate to the user profile page for the target user, and click the **Assign Accounts** tab.

COMERGENT eBusiness System | Administration

My Home | My Account | About | Help | Logout

User Detail for Richard Jones

Info | Addresses | Current Accounts | **Assign Accounts** | Notes

Belongs To: [Enterprise](#) [View Users](#)

Find profiles that contain:

Profile Name [Search](#) [Show All](#) [Advanced Search](#)

Some of the accounts might be disabled because the maximum number of reps that can work an account at this user's node has already been reached

[View Commerce Activity](#) [Assign](#)

Previous [Next](#)

| <input type="checkbox"/> | Name ↕ | Type | Level |
|--------------------------|------------------------------|-------------|----------|
| <input type="checkbox"/> | A1 | Distributor | Platinum |
| <input type="checkbox"/> | AMT-Systems | Reseller | Gold |
| <input type="checkbox"/> | ARCnet-Group | Reseller | Gold |
| <input type="checkbox"/> | Aessten_uc | Distributor | Gold |
| <input type="checkbox"/> | Aelthen_uc | Distributor | Gold |

FIGURE 93. User Detail Page: Assign Accounts Tab

3. Check one or more check boxes next to the partners that you want to assign to this user.
4. Click **Assign**.

To Unassign an Account from a User

1. Log in as an enterprise user: you must be a user that has write access to the target user to which you want to assign the account.
2. Navigate to the user profile page for the target user, and click the **Current Accounts** tab.

The screenshot shows the 'User Detail for Richard Jones' page in the Comergent eBusiness System Administration interface. The page has a navigation bar with 'Info', 'Addresses', 'Current Accounts', 'Assign Accounts', and 'Notes' tabs. The 'Current Accounts' tab is selected. Below the tabs, it says 'Belongs To: Enterprise' and there is a 'View Users' button. A search section titled 'Find profiles that contain:' includes a 'Profile Name' dropdown, a search input field, and buttons for 'Search', 'Show All', and 'Advanced Search'. Below the search section are 'View Commerce Activity' and 'Unassign' buttons. A table lists current accounts with columns for Name, Type, and Level. The table contains three entries: 'AMT Systems' (Reseller, Gold), 'ARChet Group' (Reseller, Gold), and 'Archer Technologies' (Systems Integrator, Gold). Each entry has a checkbox in the first column.

| <input type="checkbox"/> | Name | Type | Level |
|--------------------------|---------------------|--------------------|-------|
| <input type="checkbox"/> | AMT Systems | Reseller | Gold |
| <input type="checkbox"/> | ARChet Group | Reseller | Gold |
| <input type="checkbox"/> | Archer Technologies | Systems Integrator | Gold |

FIGURE 94. User Detail Page: Current Accounts Tab

3. Check one or more check boxes next to the partners that you want to unassign from this user.
4. Click **Unassign**.

To Draw Accounts from the Pool

1. Log in as an enterprise user.
2. Navigate to your user profile page, and click the **Draw Accounts From Pool** tab.

COMERGENT | Administration
eBusiness System

My Home | My Account | About | Help | Logout

User Detail for James Blake

Info | Addresses | **Current Accounts** | Draw Accounts from Pool | Notes

Belongs To: [Enterprise](#) [View Users](#)

Find profiles that contain:

Profile Name [Search](#) [Show All](#) [Advanced Search](#)

Some of the accounts might be disabled because the maximum number of reps that can work an account at this user's node has already been reached

[Draw from Pool](#)

Previous [Next](#)

| <input type="checkbox"/> | Name ↕ | Type | Level |
|--------------------------|------------------------------|-------------|----------|
| <input type="checkbox"/> | A1 | Distributor | Platinum |
| <input type="checkbox"/> | AMT Systems | Reseller | Gold |
| <input type="checkbox"/> | ARCnet Group | Reseller | Gold |
| <input type="checkbox"/> | Assisten uc | Distributor | Gold |

FIGURE 95. User Detail Page: Draw Accounts From Pool Tab

3. Check one or more check boxes next to the partners that you want to assign to yourself.
4. Click **Draw From Pool**.

To Return Accounts to the Pool

1. Log in as an enterprise user.
2. Navigate to your user profile page, and click the **Current Accounts** tab.

The screenshot shows the 'User Detail for James Blake' page in the Comergent eBusiness System Administration interface. The page has a header with the Comergent logo and 'Administration' text. Navigation links include 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The page title is 'User Detail for James Blake'. Below the title is a tabbed interface with 'Info', 'Addresses', 'Current Accounts', 'Draw Accounts from Pool', and 'Notes'. The 'Current Accounts' tab is selected. Below the tabs, it says 'Belongs To: Enterprise' and there is a 'View Users' button. A search section titled 'Find profiles that contain:' has a 'Profile Name' dropdown, a search input field, and buttons for 'Search', 'Show All', and 'Advanced Search'. Below the search section is a 'Decline' button. At the bottom is a table with columns for 'Name', 'Type', and 'Level'. The table lists three items: 'Coca Cola' (Distributor, Platinum), 'CompCom' (Reseller, Tin), and 'CompuNet' (Reseller, Gold). Each item has a checkbox to its left.

| <input type="checkbox"/> | Name | Type | Level |
|--------------------------|-----------|-------------|----------|
| <input type="checkbox"/> | Coca Cola | Distributor | Platinum |
| <input type="checkbox"/> | CompCom | Reseller | Tin |
| <input type="checkbox"/> | CompuNet | Reseller | Gold |

FIGURE 96. User Detail Page: Current Accounts Tab

3. Check one or more check boxes next to the partners that you want to return to the pool.
4. Click **Decline**.

Administration Performed by Partner Users

This chapter covers all of the tasks that employees of Comergent eBusiness System partners perform to maintain their data at the enterprise installation of Comergent eBusiness System. These tasks are of two types: tasks performed by any partner administrator, and tasks exclusive to an administrator of a partner enabled for **C3** Partner.com.

The following are tasks performed by any partner administrator:

- "Profile Administration for Partners" on page 211
 - "To Maintain Your Profile" on page 212
 - "To Create a Profile in Your Partner Hierarchy" on page 212
 - "To Upload Your Logo File" on page 214
 - "To Create a Forecast File" on page 216
 - "To Upload a Forecast File" on page 217
 - "To Create a Template Group" on page 219
 - "To Upload a New Proposal Template" on page 219
- "User Administration for Partners" on page 221
 - "To Create a User" on page 221
 - "To Create a User at Another Level in a Profile Hierarchy" on page 225

- "To Modify a User" on page 228
- "To Modify a User at Another Level in the Partner Hierarchy" on page 230
- "To Delete a User" on page 237
- "To Delete a User at Another Level in the Profile Hierarchy" on page 238
- "To Recover Carts" on page 241
- "Product Administration for Partners" on page 242
 - "To Maintain Product Information" on page 242
 - "Managing Availability Information" on page 244
- "Pricing Administration for Partners" on page 244
 - "To Maintain Pricing Information" on page 244
- "Opportunity Administration by Partners" on page 245
 - "To Create Partner Sales Representatives" on page 246
 - "To Accept an Opportunity" on page 246
 - "To Decline an Opportunity" on page 247
 - "To Delegate an Opportunity" on page 248
 - "To Add or Modify General Opportunity Information" on page 250
 - "To Prepare a Proposal for a Contact" on page 252
 - "To Create an Order from an Opportunity" on page 254
 - "To Add Notes About An Opportunity" on page 257
 - "To Close an Opportunity" on page 259
 - "To Create a New Proposal by Copying an Existing Proposal" on page 260
 - "To Create a New Proposal and New Opportunity" on page 261
- "Invoice Administration by Partners" on page 263
 - "To View an Invoice" on page 263
- "Program Administration by Partners" on page 265
 - "To Submit a Preapproval Request" on page 265
 - "To Submit a Claim" on page 265

This chapter also covers the following tasks exclusive to storefront partners:

- "To Upload Product Mapping" on page 267
- "To Download Products" on page 268
- "To Update Product Mappings" on page 269
- "To Assign Price Lists to Partners" on page 271
- "To Set Your Email Templates" on page 273
- "To View an Invoice" on page 263

Only users that have the Profile Administration function may perform these tasks. For each partner, the enterprise channel administrator must create at least one user with the Profile Administration function. If the partner is the top-level in a partner hierarchy, then the partner administrator for that partner must create at least one user with the Profile Administration function for each child partner in the hierarchy.

The Comergent eBusiness System enterprise channel administrator is responsible for providing each partner with a URL that brings a partner employee to their Comergent eBusiness System home page.

Profile Administration for Partners

When a channel administrator creates a new partner, they are responsible for creating the partner profile. The partner profile provides basic contact information and defines the business relationship between the enterprise and partner. The channel administrator must also create at least one partner user who will be the profile administrator. The profile administrator is responsible for adding and modifying information held in the partner profile. The profile administrator cannot modify certain fields that remain the responsibility of the enterprise profile administrators.

In Release 6.3.1 and higher, the Comergent eBusiness System enables partners to create and maintain a partner hierarchy. For each partner (node) in the hierarchy, the profile administrator must create at least one partner user who will be the node profile administrator. The node profile administrator is responsible for adding and modifying information held in the partner profile for their specific node.

To Maintain Your Profile

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page and entering your login information.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

2. Click the link to your profile. In the reference implementation, you do this by clicking **Update Your Organization Profile** on the partner home page.

This displays the Profile Detail page.

atrrix • SOLUTIONS POWERED BY **COMERGENT**

My Home | My Account | Account Activity | Help | Logout

Organization Profile: DataSolve

Info | Addresses | Detail | Business | Hierarchy | Logo | Commerce | Forecast | Print Templates | Notes

[View Users](#) [Save](#)

NOTE: (*) Items are required.

| General Information | | |
|--|--|----------------------------|
| Profile name * DataSolve | Organization website address www.datasolve.com | Custom Field #1 |
| Main telephone 610-6800 | Organization Email corp@datasolve.com | Custom Field #2 |
| Main facsimile N/A | Distributors Select to add | Custom Field #3 |
| Profile type * Reseller | OmniTech UNISTOR Andarel RTT Solutions Remove | Custom Field #4 |
| Profile level * Gold | Message URL | Custom Field #5 |
| XML Message Version dXML 3.0 | Content Type | |
| <input type="checkbox"/> Login/Password required | | |

Profile Status
Status
Open

FIGURE 97. Organization Profile Detail Page

3. Enter and modify the organization profile information. You cannot modify some fields that are maintained by the enterprise channel administrators.
4. Click **Save** to save your changes.

To Create a Profile in Your Partner Hierarchy

1. Access the Profile Detail page as described in "To Maintain Your Profile" on page 212.

2. Click the **Hierarchy** tab.



FIGURE 98. Organization Profile Detail Page: Hierarchy Tab

3. Find the profile that you want to be the parent.

| | |
|--------------|--|
| Note: | Skip this step if you want the child partner to be a child of the top-level, parent partner. |
|--------------|--|

- a. Find and click the parent profile in the list of child nodes.
 - b. Click **Go To Child**.
This displays the profile tabs for the child.
 - c. Click the **Hierarchy** tab for the child.
 - d. Repeat these steps until you find the appropriate node in the hierarchy.
4. When you find the desired parent profile, click **Create Child** or **Create Customer**.
 - If you want to create profile for a part of your business organization such as a department or division, then click **Create Child**. Users created under this profile are treated like other partner users: they can log into the enterprise site.

- If you want to create profile to represent a customer organization, then click **Create Customer**. Users created under this profile can only enter your storefront: they cannot log into the enterprise site.

This displays the partner profile tabs for the new partner. Notice that certain information (for example, partner type) is copied from the parent partner.

5. Enter and modify the profile information. You cannot modify some fields that are maintained by the enterprise channel administrators.
6. Click **Save** to save your changes.

Logo Tab

The Comergent eBusiness System enables you to include your logo in partner pages that are presented to the customer. For example, if you are a storefront partner, then users will see your partner pages when they transfer a cart to your storefront. If you are enabled for **C3** Partner.com, then the logo is displayed automatically on the Web pages. Otherwise, the enterprise must customize the Web pages to display the logo.

You can also upload a cascading stylesheet (CSS) file that can be used to manage the look-and-feel of your storefront pages.

To Upload Your Logo File

1. Access the Partner Profile Detail page as described in "To Maintain Your Profile" on page 212.
2. Click the **Logo** tab.

The screenshot displays the 'Logo' tab of the 'Organization Profile: DataSolve' page. The page header includes the 'atrix SOLUTIONS' logo and a 'POWERED BY COMERGENT' badge. Navigation links for 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout' are present. The main navigation bar lists tabs: 'Info', 'Addresses', 'Detail', 'Business', 'Hierarchy', 'Logo' (selected), 'Commerce', 'Forecast', 'Print Templates', and 'Notes'. Action buttons 'View Users' and 'Save' are located at the top right of the content area. The 'Logo' section contains a text box with instructions: 'For proper display, image size must be 181*41 pixels.' Below this is the 'Upload Logo Image to Server' section, which includes a 'Browse...' button, an 'Upload' button, a text field for 'Logo URL or Uploaded File Path', and a 'Preview Logo' section with a 'Preview' button. The 'CSS' section below it features a 'Locale' dropdown menu currently set to 'United States', followed by an 'Upload CSS file to Server' section with a 'Browse...' button and an 'Upload' button.

FIGURE 99. Partner Profile Detail Page: Logo Tab

3. Select the logo file.

There are two ways to select the file:

- Enter the filename (including the path) in the Upload Logo File field.
- Click **Browse...** and select the appropriate filename.

| |
|--|
| Attention: The logo file must be 181x41 pixels to display properly. |
|--|

4. Click **Upload**.
5. If you want to upload a CSS file, then click **Browse...** next to the Upload CSS File to Server text field, and select the CSS file on your local system.
6. Click **Upload**.

Forecast Tab

This tab is used by partners to provide detailed forecasts of their sales activities. See "Inventory and Demand" on page 49 for an overview of reseller forecasting in the Comergent eBusiness System.

Before resellers can submit forecasts, the enterprise must specify the interval each forecast should cover and when forecasts should be submitted by resellers to the

enterprise. The enterprise must specify the start and end date of their financial year and the start and end date for each quarter.

For example, if the enterprise has a financial year that begins in June of each year, then Quarter 1 of Year 2001 covers the period June 1st 2000 to August 31st 2000, Quarter 2 covers September 1st 2000 to November 30th 2000, and so on.

There are two steps involved in submitting a forecast:

- "To Create a Forecast File" on page 216
- "To Upload a Forecast File" on page 217

Forecast File

The format of a forecast file is as follows:

- Exactly one header line that comprises quarter and year separated by a *tab*.
- One body line for each product included in the forecast.

For example:

```
12005
OMDT-7490120
OMDT-7500240
OMDT-75100
OMWS-7600100
OMWS-76101000
```

This example supplies the forecast for the first quarter of the 2005 financial year. You must create the forecast using the enterprise's product IDs for each product. The quantity must be a positive integer or zero ("0").

You can create a forecast file in Excel spreadsheet format, or you can create a forecast file using your preferred text editor. If you create the data using a spreadsheet other than Microsoft Excel, then you can simply export the data as a tab-delimited file. Follow the instructions provided by your spreadsheet application for further details.

| | |
|--------------|---|
| Note: | You must take care to ensure that your forecast file follows this <i>tab-delimited</i> format exactly. Make sure that no lines precede the header line. |
|--------------|---|

To Create a Forecast File

1. Access the Partner Profile Detail page as described in "To Maintain Your Profile" on page 212.
2. Click the **Forecast** tab.



FIGURE 100. Partner Profile Detail Page: Forecast Tab

3. Click **in Excel format** for the information to be displayed in an Excel spreadsheet.

The Microsoft Excel application is opened in a browser window and the information is displayed in an Excel spreadsheet. Use the Excel program to save or print the forecast information.

4. On your local machine, make the appropriate updates to the forecast file.

Once you have created the forecast file, then you are ready to upload the file to the Comergent eBusiness System.

To Upload a Forecast File

Having created a forecast file, you must upload it to the enterprise server. You can use the Comergent eBusiness System browser interface to do this as follows:

1. Log into the Comergent eBusiness System.
2. Navigate to your Partner Profile Detail page.
3. Click the **Forecast** tab.
4. Enter the forecast file by completing one of the following:
 - Enter the path to the forecast file on your local machine.
 - Click **Browse...** and navigate to the forecast file on your local machine. Click **Open**.
5. Click **Upload**.

Commerce Tab

Use this tab to specify payment options and shipping options that you want to support. The selected options are displayed to customers when they are editing the order header information before placing an order.

1. Access the Partner Profile Detail page as described in "To Maintain Your Profile" on page 212.
2. Click the **Commerce** tab.

The screenshot displays the 'Commerce Options' section of the 'Organization Profile: DataSolve' page. The page has a header with the Atrix Solutions logo and a navigation bar with tabs: Info, Addresses, Detail, Business, Hierarchy, Logo, Commerce (selected), Forecast, Print Templates, and Notes. Below the tabs are 'View Users' and 'Save' buttons. The 'Commerce Options' section contains four sub-sections: 'Payment Options' with checkboxes for Credit card, Visa, MasterCard, American Express, Discover, and Account; 'Shipping Options' with checkboxes for UPS and FedEx; 'Storefront Options' with a note that (*) items are required when Partner.com is enabled, and checkboxes for 'Enable for Partner.com' and 'Enable as Storefront'; and 'Pricing Options' with a checkbox for 'Are prices stored remotely?'.

FIGURE 101. Partner Profile Detail Page: Commerce Tab

3. Update the Payment Options and Shipping Options as appropriate.
4. Click **Save**.

Payment Options

You must select one or both of Account or Credit Card: if you do not, then customers placing a split order will not be able to complete their order.

Shipping Options

You must select at least one of these options: if you do not, then customers placing a split order will not be able to complete their order.

Print Templates Tab

Use this tab to manage the templates used to generate proposals. See "Proposals" on page 41 for more information about proposals. You can create groups of templates and upload templates that your sales representatives can use when they are presenting proposals to contacts.

Templates are XSL files: before your sales representatives can use them, you must upload them to the Comergent eBusiness System so that they can be selected when a sales representative is creating a proposal.

Templates are organized by groups: for example, you may choose to organize them so that all the PDF files are in one group whereas HTML templates are in another.

To Create a Template Group

1. Click the Print Templates tab.

You only see this tab if you have been assigned the Sales Executive function.



The screenshot shows the Atrix Solutions web interface. At the top, there's a navigation bar with 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. Below this is a header for 'Organization Profile: DataSolve'. A secondary navigation bar contains tabs: 'Info', 'Addresses', 'Detail', 'Business', 'Hierarchy', 'Logo', 'Commerce', 'Forecast', 'Print Templates' (which is active), and 'Notes'. The main content area is titled 'Create Template Group' and includes a text box for 'New Group Name' and a yellow 'Create Group' button. Below this, a table displays existing template groups.

| ID | Name | Create Date |
|----|-------------------------|-------------|
| 1 | Standard Sales Template | 9/14/2005 |

FIGURE 102. Partner Profile Detail Page: Print Templates Tab

2. Enter a name for the new group.
3. Click **New**.

The new template group is created.

To Upload a New Proposal Template

Before you upload a template, make sure that it conforms to the XSL style that you want, and check that you know where it is stored on your local file system. See "Proposal Templates" on page 899 for an example proposal template.

1. Click the Proposal Templates tab.
2. Click the link to the group within which you want to add the proposal template.

The screenshot shows the 'Create Template' form in the Atrix Solutions interface. The form is titled 'Create Template' and is part of the 'Organization Profile: DataSolve' page. It includes a 'Description' text area, a 'File' input field with a 'Browse...' button, a 'Locale' dropdown menu set to 'United States', and a 'Type' dropdown menu set to 'PDF'. An 'Upload Template' button is located to the right of the form. Below the form is a table with columns 'ID', 'Description', 'File', 'Locale', and 'Type'. The table is currently empty, with the text 'No Rows Found' displayed below it.

FIGURE 103. Partner Profile Detail Page: Create Template

3. Enter a brief description of the new template so that your sales representatives will know when to use it.
4. Click **Browse...**
5. In the File Upload window, navigate in your local file system to the location of the template file. Select the file and click **Open**.

The File text field is populated with the path to the template file.

6. Select the locale for which the template should be used.
7. Specify whether the template is to be used to generate PDF files or some other format of proposal. By default, only PDF files are supported.
8. Click **Upload**.

The file is uploaded to the Comergent eBusiness System. You can see it listed with the other templates in its group.

User Administration for Partners

When a profile is first created, the enterprise channel administrator must create at least one partner user with the profile administrator function. This *profile administrator* manages the partner employees who may log into the Comergent eBusiness System users for that partner.

In Release 6.3.1 and higher, the profile administrator can create a hierarchy of profiles (see "To Create a Profile in Your Partner Hierarchy" on page 212). The profile administrator can create users at the partner level (called partner users), and users at any level in the hierarchy (called node users). At each level in the hierarchy, the profile administrator must create at least one user with the profile administrator function called the node administrator. The node administrator can create and maintain users only at their own specific node.

Users (either partner or node) who do not have the administrator function assigned to them can view and modify their partner profile information. However, they cannot assign functions to users. If spending limits is activated, then they cannot modify spending limits and the approver list.

Partner users have access to any level in the hierarchy. *Node users* are limited to the node for which they were created.

This release supports *user preferences*: these control the user some aspects of the user experience as they use the Comergent eBusiness System. Typically, users will manage their own preferences, but as a partner administrator you can set a user's preferences if you wish.

To Create a User

Perform this task if you are a profile administrator creating a partner user, or if you are a node administrator creating a user within your own level in the partner hierarchy.


1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.


Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

2. Click the link to your user accounts. In the reference implementation, you do this by clicking **Update User Accounts** on the partner home page.

This displays the User List page.

Note: You can also access the User List page from your Profile Detail page. To do this, click **View Users**.



POWERED BY 

[My Home](#) | [My Account](#) | [Account Activity](#) | [Help](#) | [Logout](#)

User List: DataSolve

Find users that match:

Username

[Search](#) [Show All](#) [Advanced Search](#)

DataSolve : All users shown

[Create User](#) [List recovery](#)

| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
|----------|-----------------|---|---------|---------------------------|----------------|--|--|
| alain | Duprés, Alain | Commerce | No | DataSolve | 610-6854 | jstevens@icmsolutions.com | Move Delete |
| cchen | Ci, Chen | Commerce | No | DataSolve | 610-6856 | cchen@icmsolutions.com | Move Delete |
| fsutton | Sutton, Felix | Commerce | No | DataSolve | 610-6851 | fsutton@icmsolutions.com | Move Delete |
| johannes | Beßer, Johannes | Commerce | No | DataSolve | 610-6855 | jkimberlev@icmsolutions.com | Move Delete |
| lcollins | Collins, Linda | Commerce | No | DataSolve | 610-6850 | lcollins@icmsolutions.com | Move Delete |
| mrcott | Scott, Mike | Commerce Executive, Financials, Sales Executive, Profile Administration, Basic Profile Maintenance, Marketing Executive, Program Management | Yes | DataSolve | 610-6853 | mrcott@icmsolutions.com | |

FIGURE 104. User List Page

3. On the Partner User List page, click **Create User**.

atrrix • SOLUTIONS

POWERED BY **COMERGENT**

My Home | My Account | Account Activity | Help | Logout

Create New User

Info

Belongs To: [DataSolve](#)

[Cancel](#) [Save](#)

NOTE: (*) Items are required.

| User Information | User Locale | User Functions | Payment Options |
|--|---|--|---|
| Username * <input type="text"/> Password * <input type="password"/> Confirm Password * <input type="password"/> Title <input type="text"/> First name * <input type="text"/> Last name * <input type="text"/> Job Title <input type="text"/> Email * <input type="text"/> | Preferred Locale <input type="text" value="United States"/> <small>Note: changes to Preferred Locale will take effect on the next login.</small> | <input type="checkbox"/> Manager User Type <input type="text" value="User"/> Functions <input type="checkbox"/> Commerce <input type="checkbox"/> Commerce Executive <input type="checkbox"/> Sales <input type="checkbox"/> Sales Executive <input type="checkbox"/> Financials <input type="checkbox"/> Program Management <input type="checkbox"/> Marketing Executive <input type="checkbox"/> Basic Profile | <small>Please enter the default payment information</small> Payment Type <input type="text" value="Credit card"/> CreditCard Type <input type="text" value="Visa"/> Payment Expiration Date <input type="text" value="January"/> <input type="text" value="2001"/> Payment Number/Account Number <input type="text"/> Card holder name First Name <input type="text"/> Middle <input type="text"/> |

FIGURE 105. Partner Create New User Page

- On the Partner User Detail page, enter information in the required fields (marked with an asterisk (*)).

Note that all usernames must comprise standard keyboard characters. Do not use punctuation marks or spaces in a username. All usernames in the Comergent eBusiness System must be unique so your first choice of username may be already taken. If so, try again with a different username.

Select the functions that you want this user to perform. If this user is to be a partner user with the profile administrator function, then check the **Profile Administration** check box.

Note: When you are creating users for a direct commerce partner, you can also assign a Procurement User user type. The Procurement User user type is assigned to a user that is created to facilitate punchin from an external system.

Select the preferred locale which will apply when the user logs in. The drop-down list displays the names for the supported locales.

- Enter any additional pertinent information.
- Click **Save**.

When the User Detail page is re-displayed, new tabs are available.

matrixsolutions
GRAPHIC DESKTOP SYSTEMS
product selection

POWERED BY COMERGENT

My Home | My Account | Account Activity | Help | Logout

User Detail for Darren Smith

Info | Addresses | Notes | Preferences

Belongs To: [DataSolve](#)

[View Users](#) [Save](#)

NOTE: (*) Items are required.

| | | | |
|---|--|---|---|
| User Information Username * dsmith Password * ***** Confirm Password * ***** Title Mr. First name * Darren Last name * Smith | User Locale Preferred Locale United States Note: changes to Preferred Locale will take effect on the next login. | User Functions <input type="checkbox"/> Manager User Type User Functions <input checked="" type="checkbox"/> Commerce <input type="checkbox"/> Commerce Executive <input type="checkbox"/> Sales <input type="checkbox"/> Sales Executive <input type="checkbox"/> Financials <input type="checkbox"/> Program Management | Status Please enter a reason when changing the status. Parent Status Open Status Open Comment Payment Options Please enter the default payment information. |
|---|--|---|---|

FIGURE 106. Partner User Detail Page: Info Tab

7. If you are creating users for a direct commerce partner:

- Enter a spending limit and designate one or more approvers if you want to limit the user from placing orders above a certain amount.

Note: The fields for spending limits and approvers appear only if this feature has been enabled. This is done with a business rule. See CHAPTER 39, "Business Rules Administration" for information about accessing business rules.

For the approver name, enter a valid username within the same hierarchy as the user for whom you are establishing the spending limit. You must enter both a spending limit and an approver for the approval process to take effect.

See "Order Approvals" on page 5 for more information.

- (Optional) Enter one or more usernames in the Proxy for Approvals field. These must be valid usernames within the same hierarchy as the user. This field enables the user defined by the profile to approve any orders for which the listed users are approvers.

8. Click **Save**.
9. Click the **Addresses** tab to enter the addresses.

COMERGENT eBusiness System | Administration

My Home | My Account | About | Help | Logout

User Detail for Steve Madison

Info | **Addresses** | Notes

Belongs To: [DataSolve](#)

[View Users](#) [View Commerce Activity](#) [Save](#)

NOTE: (*) Items are required.

☐ Same as Sold To

☐ Same as Sold To

Sold To
 Address Line 1 *
 Address Line 2
 City *
 State and Zip Code
 Country *
 USA

Bill To
 Address Line 1 *
 Address Line 2
 City *
 State and Zip Code
 Country *
 USA

Ship To
 Address Line 1 *
 Address Line 2
 City *
 State and Zip Code
 Country *
 USA

Select the addresses defined at the organization that should not be visible in this user's address book. * denotes default address.

| Hide | Type | Address Line 1 | Address Line 2 | City | Postal Code | State | Country |
|------|------|----------------|----------------|------|-------------|-------|---------|
|------|------|----------------|----------------|------|-------------|-------|---------|

FIGURE 107. Partner User Detail Page: Addresses Tab

10. You can enter notes about this user by clicking the **Notes** tab.

Once you have created the user, contact the relevant person to let them know that a partner user has been created for them.

To Create a User at Another Level in a Profile Hierarchy

Perform this task if you are a partner administrator creating a user for one of the child partners in the partner hierarchy. Node administrators should use the procedure described in "To Create a User" on page 221.

1. Access the Profile Detail page as described in "To Maintain Your Profile" on page 212.

The screenshot shows the 'Organization Profile: DataSolve' page. The header includes the Atrix Solutions logo and 'POWERED BY COMERGENT'. Navigation links include 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. A secondary navigation bar contains 'Info', 'Addresses', 'Detail', 'Business', 'Hierarchy', 'Logo', 'Commerce', 'Forecast', 'Print Templates', and 'Notes'. Below this is a 'View Users' button and a 'Save' button. A note states: 'NOTE: (*) Items are required.' The main form is titled 'General Information' and contains several fields: 'Profile name' (DataSolve), 'Main telephone' (610-6800), 'Main facsimile' (N/A), 'Organization website address' (www.datasolve.com), 'Organization Email' (corp@datasolve.com), 'Distributors' (a dropdown menu), 'Profile type' (Reseller), 'Profile level' (Gold), 'XML Message Version' (dXML 3.0), 'Login/Password required' (checkbox), 'Organization website address' (www.datasolve.com), 'Organization Email' (corp@datasolve.com), 'Distributors' (a dropdown menu), 'Profile type' (Reseller), 'Profile level' (Gold), 'XML Message Version' (dXML 3.0), 'Login/Password required' (checkbox), 'Message URL', 'Content Type', and five 'Custom Field' boxes. A 'Remove' button is next to the 'Distributors' dropdown. At the bottom, there is a 'Profile Status' field.

FIGURE 108. Profile Detail Page

2. Click the **Hierarchy** tab.

The screenshot shows the 'Organization Profile: DataSolve' page with the 'Hierarchy' tab selected. The header and navigation bars are the same as in Figure 108. The main form is titled 'Hierarchy' and contains the following information: 'Organization: None', 'Children', 'Go to Child', 'Move Child', 'DataSolve Western Division', and 'Create Child'.

FIGURE 109. Hierarchy Tab

3. Find the partner for whom you want to create users.
 - a. Find and click the partner in the list of child partners.

b. Click **Go To Child**.

This displays the Profile Detail page for the selected partner. Notice that the Partner Level and Partner Type fields are read only.

If the partner is at a lower level, then click the **Hierarchy** tab and repeat these steps until you find the appropriate node in the hierarchy.

4. When you display the Profile Detail page for the desired partner, click **View Partner Users**.

This displays the users for that specific node level.

5. Click **Create User**.

This displays the Partner User Detail page.

atrrix • SOLUTIONS POWERED BY COMERGENT

My Home | My Account | Account Activity | Help | Logout

Create New User

Info

Belongs To: [DataSolve](#)

[Cancel](#) [Save](#)

NOTE: (*) Items are required.

| | | | |
|---|---|--|--|
| User Information Username * <input type="text"/> Password * <input type="password"/> Confirm Password * <input type="password"/> Title <input type="text"/> First name * <input type="text"/> Last name * <input type="text"/> Job Title <input type="text"/> Email * <input type="text"/> | User Locale Preferred Locale <input type="text" value="United States"/> Note: changes to Preferred Locale will take effect on the next login. | User Functions <input type="checkbox"/> Manager User Type <input type="text" value="User"/> Functions <input type="checkbox"/> Commerce <input type="checkbox"/> Commerce Executive <input type="checkbox"/> Sales <input type="checkbox"/> Sales Executive <input type="checkbox"/> Financials <input type="checkbox"/> Program Management <input type="checkbox"/> Marketing Executive <input type="checkbox"/> Basic Profile | Payment Options Please enter the default payment information. Payment Type <input type="text" value="Credit card"/> CreditCard Type <input type="text" value="Visa"/> Payment Expiration Date <input type="text" value="January"/> <input type="text" value="2001"/> Payment Number/Account Number <input type="text"/> Card holder name First Name <input type="text"/> Middle <input type="text"/> |
|---|---|--|--|

FIGURE 110. Partner User Detail Page

6. On the Partner User Detail page, enter the information in the required fields (marked with an asterisk (*)).

Note that all usernames must comprise standard keyboard characters. Do not use punctuation marks or spaces in a username. All usernames in the Comergent eBusiness System must be unique so your first choice of username may be already taken. If so, try again with a different username.

Select the functions that you want this user to perform. If this user is to be a user with the Profile Administration function, then check the **Profile Administration** check box.

Select the preferred locale which will apply when the user logs in. The drop-down list displays the names for the supported locales.

7. Enter any additional pertinent information.
8. Click **Save**.
9. If you are creating users for a direct commerce partner, then enter a spending limit and designate one or more approvers if the user exceeds the spending limit. See "Order Approvals" on page 5 for more information.

| | |
|--------------|--|
| Note: | The fields for spending limits and approvers appear only if this feature has been enabled. This is done with a business rule. See CHAPTER 39, "Business Rules Administration". |
|--------------|--|

10. Click **Save**.
11. Click the **Addresses** tab to enter addresses for the user.
12. Contact the relevant person to let them know that a partner user has been created for them.

To Modify a User

Perform this task if you are a profile administrator modifying a partner user, or if you are a node administrator modifying a user within your own level in the partner hierarchy.

| | |
|-------------------|--|
| Attention: | If you are a partner administrator of a storefront partner, then you must not change the username or password of the Anonymous User of the storefront. |
|-------------------|--|

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

2. Click the link to your user accounts. In the reference implementation, you do this by clicking **Update User Accounts** on the partner home page.

This displays the Partner User List page.

Note: You can also access the Partner User List page from your Partner Profile Detail page. To do this, click **View Users**.



|  POWERED BY  | | | | | | | |
|---|------------------|---|---------|-----------|----------------|-----------------------------|--|
| My Home My Account Account Activity Help Logout | | | | | | | |
| User List: DataSolve | | | | | | | |
| Find users that match: <input type="text" value="Username"/> Search Show All Advanced Search | | | | | | | |
| DataSolve : All users shown Create User List recovery | | | | | | | |
| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
| alain | Duprés, Alan | Commerce | No | DataSolve | 610-6854 | latavens@icmsolutions.com | Move Delete |
| chen | Chen, Ci | Commerce | No | DataSolve | 610-6856 | cchen@icmsolutions.com | Move Delete |
| frutten | Sutton, Felix | Commerce | No | DataSolve | 610-6851 | f.sutton@icmsolutions.com | Move Delete |
| johannes | Beller, Johannes | Commerce | No | DataSolve | 610-6855 | ikimberlev@icmsolutions.com | Move Delete |
| collins | Collins, Linda | Commerce | No | DataSolve | 610-6850 | lcollins@icmsolutions.com | Move Delete |
| mccott | Scott, Mike | Commerce Executive, Financials, Sales Executive, Profile Administration, Basic Profile Maintenance, Marketing Executive, Program Management | Yes | DataSolve | 610-6853 | m.scott@icmsolutions.com | |

FIGURE 111. Partner User List Page

3. On the User List page, click the username for the partner user whose details you wish to modify.

matrixsolutions
GRAPHIC DESKTOP SYSTEMS
product selection

POWERED BY COMERGENT

My Home | My Account | Account Activity | Help | Logout

User Detail for Darren Smith

Info | Addresses | Notes | Preferences

Belongs To: [DataSolve](#)

[View Users](#) [Save](#)

NOTE: (*) Items are required.

| | | | |
|---|--|---|---|
| User Information Username * dsmith Password * [*****] Confirm Password * [*****] Title Mr. [v] First name * Darren Last name * Smith | User Locale Preferred Locale United States [v] Note: changes to Preferred Locale will take effect on the next login. | User Functions <input type="checkbox"/> Manager User Type User Functions <input checked="" type="checkbox"/> Commerce <input type="checkbox"/> Commerce Executive <input type="checkbox"/> Sales <input type="checkbox"/> Sales Executive <input type="checkbox"/> Financials <input type="checkbox"/> Program Management | Status Please enter a reason when changing the status. Parent Status Open Status Open [v] Comment [Text Area] Payment Options Please enter the default payment information |
|---|--|---|---|

FIGURE 112. User Detail Page

- On the Partner User Detail page, modify the appropriate details for this partner user and click **Save**.

To Modify a User at Another Level in the Partner Hierarchy

Perform this task if you are a partner administrator modifying a user belonging to one of the child partners in your partner hierarchy. Node administrators should use the procedure described in "To Modify a User" on page 228.

- Access the Profile Detail page as described in "To Maintain Your Profile" on page 212.

The screenshot shows the 'Organization Profile: DataSolve' page with the 'General Information' tab selected. The page header includes the Atrix Solutions logo and 'POWERED BY COMERGENT'. Navigation links include 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. The main navigation bar has tabs for 'Info', 'Addresses', 'Detail', 'Business', 'Hierarchy', 'Logo', 'Commerce', 'Forecast', 'Print Templates', and 'Notes'. Below the tabs are 'View Users' and 'Save' buttons. A note states: 'NOTE: (*) items are required.' The 'General Information' section contains the following fields:

| | | |
|--|--|----------------------------|
| Profile name * DataSolve | Organization website address www.datasolve.com | Custom Field #1 |
| Main telephone 610-6800 | Organization Email corp@datasolve.com | Custom Field #2 |
| Main facsimile N/A | Distributors Select to add | Custom Field #3 |
| Profile type * Reseller | Message URL | Custom Field #4 |
| Profile level * Gold | Content Type | Custom Field #5 |
| XML Message Version dXML 3.0 | | |
| Login/Password required <input type="checkbox"/> | | |

At the bottom of the form is a 'Profile Status' field.

FIGURE 113. Profile Detail Page

2. Click the **Hierarchy** tab.

The screenshot shows the 'Organization Profile: DataSolve' page with the 'Hierarchy' tab selected. The page header and navigation bar are the same as in Figure 113. The 'Hierarchy' section displays the following information:

Organization: None
Children

Buttons: 'Go to Child' and 'Move Child'.

Child Profile List:

| |
|----------------------------|
| DataSolve Western Division |
|----------------------------|

At the bottom of the list is a 'Create Child' button.

FIGURE 114. Profile Detail Page: Hierarchy Tab

3. Find the profile that has the user you want to modify.
 - a. Find and click the profile in the list of child profiles.

b. Click **Go To Child**.

This displays the Profile Detail page for the selected partner. Notice that the Profile Level and Profile Type fields are read only.

If the partner is at a lower level, then click the **Hierarchy** tab and repeat these steps until you find the appropriate node in the hierarchy.

4. When you display the Profile Detail page for the desired partner, click **View Partner Users**.

This displays the users for that specific node level (Figure 115 on page 232).

atrinx • SOLUTIONS POWERED BY **COMERGENT**

My Home | My Account | Account Activity | Help | Logout

User List: DataSolve Western Division

Find users that match:

Username Search Show All Advanced Search

DataSolve Western Division: All users shown

[Create User](#)

| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
|----------|--------------------|-------------------------------------|---------|--|----------------|--------------------------|--|
| abigailm | Moorhouse, Abigail | Commerce Executive, Sales Executive | Yes | DataSolve Western Division (DataSolve) | | mailchirst@comergent.com | Move Delete |

[Back to Top](#)

FIGURE 115. User List Page for a Specific Child Node

5. Click the user name of the user you want to modify.

This displays the Partner User Detail page for the child partner user.

6. Modify the appropriate details for this partner user.

7. Click **Save**.

To Move a User from the Top Level in a Profile Hierarchy

Perform this task if you are a partner administrator moving a partner user from the top level to another level in the partner hierarchy. If you want to move a user from a

lower level in the partner hierarchy, then see "To Move a User from a Level Below the Top Level in a Profile Hierarchy" on page 234.

Note: Moving a user does not move any carts, orders, and so on, that belong to the user. To recover these items after you move a user, follow the steps in "To Recover Carts" on page 241.

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

2. Click the link to your user accounts. In the reference implementation, you do this by clicking **Update User Accounts** on the partner home page.

This displays the Partner User List page.

Note: You can also access the Partner User List page from your Profile Detail page. To do this, click **View Users**.

The screenshot shows the 'User List: DataSolve Western Division' page. It includes a search bar with 'Find users that match:' and a dropdown menu. Below the search bar, it says 'DataSolve Western Division: All users shown' and has a 'Create User' button. A table lists users with columns: Username, Full Name, Functions, Manager, Profile, Business Phone, Email Address, and actions (Move, Delete). The table contains one user: 'abigailm' with full name 'Abigail Moorhouse', functions 'Commerce Executive, Sales Executive', manager 'Yes', profile 'DataSolve Western Division (DataSolve)', business phone, and email 'mgilchrist@comergent.com'.

| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
|----------|--------------------|-------------------------------------|---------|--|----------------|--------------------------|----------------|
| abigailm | Moorhouse, Abigail | Commerce Executive, Sales Executive | Yes | DataSolve Western Division (DataSolve) | | mgilchrist@comergent.com | Move Delete |

Back to Top ↑

FIGURE 116. Partner User List Page

3. On the User List page, find the user that you want to move.
4. Click the **Move** icon.

This displays a window with a selection of levels in the partner hierarchy. The levels are displayed as fully-qualified paths.




FIGURE 117. Level Selection Window

5. Click the radio button next to the level to which you want to move the user.

If you move a user between two node levels of a partner hierarchy, then the functions assigned to the user before the move are retained. If you move a user from the partner (top) level to a node level (or the reverse), then the functions assigned to the user revert to the default functions assigned at the destination.

6. Click **Move**.

The user is moved to the selected level.

After a user is moved, the profile administrator (or the node administrator of the level to which they are moved) should examine and modify the information as necessary. This ensures that the information is correct for the new location. For example, the addresses (ship-to, bill-to, and so on) might need to be corrected for the new location. See "To Modify a User" on page 228 or "To Modify a User at Another Level in the Partner Hierarchy" on page 230.

To Move a User from a Level Below the Top Level in a Profile Hierarchy

Perform this task if you are a profile administrator moving a partner user from the top level to another level in the partner hierarchy. If you want to move a user from the top level in a partner hierarchy, then see "To Move a User from the Top Level in a Profile Hierarchy" on page 232.

| | |
|--------------|--|
| Note: | Moving a user does not move any carts, orders, and so on, that belong to the user. To recover these items after you move a user, follow the steps in "To Recover Carts" on page 241. |
|--------------|--|

1. Access the Profile Detail page as described in "To Maintain Your Profile" on page 212.

The screenshot shows the 'Organization Profile: DataSolve' page with the 'General Information' tab selected. The page header includes the Atrix Solutions logo, 'POWERED BY COMERGENT', and navigation links: My Home, My Account, Account Activity, Help, and Logout. Below the header is a secondary navigation bar with tabs: Info, Addresses, Detail, Business, Hierarchy, Logo, Commerce, Forecast, Print Templates, and Notes. A 'View Users' button is visible next to the 'Notes' tab. The main content area contains a form with the following fields:

- Profile name ***: DataSolve
- Organization website address**: www.datasolve.com
- Custom Field #1**: (empty)
- Main telephone**: 610-6800
- Organization Email**: corp@datasolve.com
- Custom Field #2**: (empty)
- Main facsimile**: N/A
- Distributors**: Select to add (dropdown menu)
- Custom Field #3**: (empty)
- Profile type ***: Reseller
- OmniTech**: (dropdown menu)
- Custom Field #4**: (empty)
- Profile level ***: Gold
- UNISTOR**: (dropdown menu)
- Custom Field #5**: (empty)
- XML Message Version**: dXML 3.0 (dropdown menu)
- Message URL**: (empty)
- Login/Password required**: ☐
- Content Type**: (empty)

A 'Remove' button is located next to the 'OmniTech' dropdown menu. At the bottom of the form is a 'Profile Status' field.

FIGURE 118. Profile Detail Page

2. Click the **Hierarchy** tab.

The screenshot shows the 'Organization Profile: DataSolve' page with the 'Hierarchy' tab selected. The page header and navigation bars are identical to Figure 118. The main content area displays the hierarchy information:

- Hierarchy**: Organization: None
- Children**: (empty list)
- Go to Child**: (button)
- Move Child**: (button)
- DataSolve Western Division**: (text box)
- Create Child**: (button)

FIGURE 119. Profile Detail Page: Hierarchy Tab

3. Find the partner that has the user you want to move.
 - a. Find and click the partner in the list of child partners.

b. Click **Go To Child**.

This displays the Profile Detail page for the selected partner. Notice that the Profile Level and Profile Type fields are read only.

If the profile is at a lower level, then click the **Hierarchy** tab and repeat these steps until you find the appropriate level in the hierarchy.

4. When you display the Profile Detail page for the desired node, click **View Users**.

This displays the users for that specific level (Figure 120 on page 236).

atrinx • SOLUTIONS POWERED BY **COMERGENT**

My Home | My Account | Account Activity | Help | Logout

User List: DataSolve Western Division

Find users that match:

Username Search Show All Advanced Search

DataSolve Western Division: All users shown

[Create User](#)

| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
|----------|--------------------|-------------------------------------|---------|--|----------------|--------------------------|--|
| abigailm | Moorhouse, Abigail | Commerce Executive, Sales Executive | Yes | DataSolve Western Division (DataSolve) | | mailchrist@comergent.com | Move Delete |

[Back to Top](#)

FIGURE 120. Users for a Specific Level

5. Find the username of the user you want to move.

6. Click the **Move** icon.

This displays a window with a selection of levels in the partner hierarchy. The levels are displayed as fully-qualified paths. For example, in Figure 121 on page 237, the first selection is AffinityNet, the top level in the hierarchy. The third selection is AffinityNet West - San Jose, a division of AffinityNet West, which is itself a division of AffinityNet.




FIGURE 121. Level Selection Window

7. Click the radio button next to the level to which you want to move the user.

If you move a user between two node levels of a partner hierarchy, then the functions assigned to the user before the move are retained. If you move a user from the partner (top) level to a node level (or the reverse), then the functions assigned to the user revert to the default functions assigned at the destination.

8. Click **Move**.

The user is moved to the selected level.

After a user is moved, the profile administrator (or the node administrator of the level to which they are moved) should examine and modify the information as necessary. This ensures that the information is correct for the new location. For example, the addresses (ship-to, bill-to, and so on) might need to be corrected for the new location. See "To Modify a User" on page 228 or "To Modify a User at Another Level in the Partner Hierarchy" on page 230.

To Delete a User

Perform this task if you are a partner administrator deleting a partner user, or a node administrator deleting a node user below you in the partner hierarchy. You can also use this task if you are a node administrator deleting a user within your own level in the partner hierarchy. See "Profile Hierarchy" on page 3 for an explanation of the parent-child node concept.


1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

- Click the link to your user accounts. In the reference implementation, you do this by clicking **Update User Accounts** on the partner home page.

This displays the Partner User List page.

Note: You can also access the Partner User List page from your Partner Profile Detail page. To do this, click **View Users**.



| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
|----------|------------------|---|---------|-----------|----------------|-----------------------------|----------------|
| alain | Duprés, Alain | Commerce | No | DataSolve | 610-6854 | lstevens@icmsolutions.com | Move Delete |
| cchen | Chen, Chen | Commerce | No | DataSolve | 610-6856 | cchen@icmsolutions.com | Move Delete |
| fsutton | Sutton, Felix | Commerce | No | DataSolve | 610-6851 | fsutton@icmsolutions.com | Move Delete |
| johannes | Beller, Johannes | Commerce | No | DataSolve | 610-6855 | ikimberlev@icmsolutions.com | Move Delete |
| lcollins | Collins, Linda | Commerce | No | DataSolve | 610-6850 | lcollins@icmsolutions.com | Move Delete |
| mscott | Scott, Mike | Commerce Executive, Financials, Sales Executive, Profile Administration, Basic Profile Maintenance, Marketing Executive, Program Management | Yes | DataSolve | 610-6853 | mscott@icmsolutions.com | |

FIGURE 122. Partner User List Page

- Click **Delete** in the Actions column next to the partner user you wish to delete from the system.
- A dialog box asks you to confirm deletion: click **OK** to continue.

The User List page is re-displayed and the deleted user is not listed.

To Delete a User at Another Level in the Profile Hierarchy

Perform this task if you are a partner administrator deleting a user belonging to one of the child profiles in your partner hierarchy. Node administrators should use the procedure described in "To Delete a User" on page 237.

- Access the Partner Profile Detail page as described in "To Maintain Your Profile" on page 212.

2. Click the **Hierarchy** tab.




FIGURE 123. Profile Detail Page: Hierarchy Tab

3. Find the profile that has the user you want to delete.
 - a. Find and click the partner in the list of child profile.
 - b. Click **Go To Child**.

This displays the Partner Profile Detail page for the selected partner (Figure 124 on page 240).

If the profile that you are looking for is at a lower level, then click the **Hierarchy** tab and repeat these steps until you find the appropriate node in the hierarchy.

NOTE: (*) Items are required.

General Information

| | | |
|--|--|----------------------------|
| Profile name * DataSolve | Organization website address www.datasolve.com | Custom Field #1 |
| Main telephone 610-6800 | Organization Email corp@datasolve.com | Custom Field #2 |
| Main facsimile N/A | Distributors Select to add | Custom Field #3 |
| Profile type * Reseller | Message URL | Custom Field #4 |
| Profile level * Gold | Content Type | Custom Field #5 |
| XML Message Version dXML 3.0 | | |
| Login/Password required <input type="checkbox"/> | | |

Profile Status

FIGURE 124. Partner Profile Detail Page: Node Level

4. When you display the Partner Profile Detail page for the desired profile, click **View Users**.

This displays the users for that specific node level (Figure 125 on page 240).

User List: DataSolve Western Division

Find users that match:

Username [Search](#) [Show All](#) [Advanced Search](#)

DataSolve Western Division: All users shown

[Create User](#)

| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
|----------|--------------------|-------------------------------------|---------|--|----------------|--------------------------|---|
| abigailm | Moorhouse, Abigail | Commerce Executive, Sales Executive | Yes | DataSolve Western Division (DataSolve) | | mailchrist@comergent.com | Move Delete |

[Back to Top](#)

FIGURE 125. Users for a Specific Node

5. Click **Delete** in the Actions column next to the partner user you wish to delete from the system.

6. A dialog box asks you to confirm deletion: click **OK** to continue.

The User List page is re-displayed and the deleted user is not listed.

To Recover Carts

A deleted partner user might have one or more active carts. The profile administrator can display these carts and delete them or transfer them to other existing partner users.

1. Log into the Comergent eBusiness System at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.
2. Click the link for updating user accounts.

This displays the User List page (see Figure 126 on page 241). You can also access this page from the Partner Profile Detail page. Click **View Partner Users**.



The screenshot shows the 'User List' page for 'DataSolve'. It includes a search bar with a dropdown for 'Username' and buttons for 'Search', 'Show All', and 'Advanced Search'. Below the search bar, it says 'DataSolve: All users shown' and has buttons for 'Create User' and 'List recovery'. A table lists users with columns: Username, Full Name, Functions, Manager, Profile, Business Phone, Email Address, and a 'Move Delete' link.

| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address | |
|----------|---------------|-----------|---------|-----------|----------------|---------------------------|----------------|
| alain | Duprés, Alain | Commerce | No | DataSolve | 610-6854 | lstevens@comsolutions.com | Move Delete |

FIGURE 126. User List Page

3. Click **List Recovery** to display the lists to be deleted or transferred.

at r i x • SOLUTIONS

POWERED BY COMERGENT

My Home | My Account | Account Activity | Help | Logout

List Recovery

Delete Transfer to alain

| | List ID | Name | Status | Old User |
|--------------------------|---------|----------------------|--------|----------|
| <input type="checkbox"/> | 600707 | Cart | Open | |

FIGURE 127. List Recovery Page

4. Check one or more boxes next to the list numbers to select the lists for deletion or transfer.

You can click the Name to display the contents of the cart. You can add to or modify the cart as necessary.

5. You can do one of the following:
 - Click **Delete Selected** to delete the selected list(s).
 - Select a user from the drop-down list, then click **Transfer to**.

Product Administration for Partners

Partner administrators can add and maintain products specific to the partner's organization. They can also browse the products maintained by the *enterprise administrator*. For an introduction to product administration, see "Administering the Product Catalog" on page 20.

To Maintain Product Information

1. Log into the Comergent eBusiness System at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

This displays the Comergent eBusiness System partner home page.



FIGURE 128. Comergent eBusiness System Partner Home Page

2. Click **Product Master** in the Product and Catalog Administration panel.

The Product Manager page is displayed.

Once you reach this page, you can:

- Create and maintain product categories.
See "Product Category Administration Tasks" on page 281.
- Create and maintain products.
See "Product Administration Tasks" on page 298.
- Supersede products.
See "Superseding a Product" on page 325.
- Create and maintain assemblies.
See "Managing Assemblies" on page 326.

You also have access to products created by the *enterprise administrator*. However, these products are displayed in read-only mode. You cannot make changes to them.

For products to be available to customers, you must create price lists and assign the products to price lists. Then you must ensure that the price lists are assigned to the appropriate partners. See "Pricing Administration for Partners" on page 244.

Managing Availability Information

You can maintain product availability information for the products that you supply. See CHAPTER 12, "Managing Availability Information" for more information.

Pricing Administration for Partners

Partner administrators can add and maintain price lists for products specific to the partner's organization. For an introduction to pricing in the Comergent eBusiness System, see "Setting Prices for Products" on page 21.

| | |
|--------------|--|
| Note: | If you are either a Partner.com Partner or a Storefront Partner, then you must also provide a mapping between the enterprise product ID and your own manufacturer's part number, as well as information about product availability. See "To Upload Product Mapping" on page 267. |
|--------------|--|

To Maintain Pricing Information

1. Log into the Comergent eBusiness System at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

This displays the Comergent eBusiness System home page.



FIGURE 129. Comerгент eBusiness System Partner Home Page

2. Click **Price Lists** in the Pricing Administration panel.

The Pricing Administration page is displayed.

Once you reach this page, you can create and maintain price lists. See CHAPTER 17, "Pricing Administration".

To Assign Price Lists to Partners

If you are a profile administrator for a storefront, then you can assign your price lists to your customer partners: that is the anonymous and registered user partners for your storefront and any customer partners that you have created for your storefront.

Only an enterprise administrator can assign a price list to a partner of the enterprise. If you want to assign a price list that you have created to a partner of the enterprise, then you must notify an enterprise administrator.

Opportunity Administration by Partners

Enterprise lead administrators create leads so that they can assign the leads to their sales partners. They become sales opportunities that partners can close. Leads can only be assigned to a partner if one of the partner users of that partner has been

assigned the Sales Executive function: we sometimes refer to these users as sales managers. In general, it is the responsibility of a profile administrator to ensure that at least one of their partner users has been assigned by the Sales Executive function.

Note that you must ensure that at any time, only one of your partner users has been assigned the Sales Executive function. If you want to change who performs this function, then you should do this by navigating to the user profile for the new sales manager, and add the Sales Executive function to them: this action automatically removes the function from the old sales manager.

When a lead administrator assigns a lead to a partner, an *opportunity* is created: it is a copy of the lead and it contains all of the contact information and product list information contained in the original lead.

Each partner sales manager can accept or reject the opportunities assigned to their partner. If they accept an opportunity, then they can work the opportunity themselves or they can delegate the opportunity to *partner sales representatives*: partner users who have been assigned the Sales function.

Proposals are product lists associated with an opportunity. When a lead is first assigned to a partner, the product list associated with the lead is copied to the opportunity, so that an opportunity always has at least one proposal associated with it. Sales managers and sales representatives can create new proposals: these can be associated with an existing opportunity or you can create a new proposal that is associated with a new opportunity. See "To Create a New Proposal by Copying an Existing Proposal" on page 260 and "To Create a New Proposal and New Opportunity" on page 261.

To Create Partner Sales Representatives

To create Partner Sales Representatives, you create partner users and assign them the Sales function. See "User Administration for Partners" on page 221 for information about creating and modifying partner users.

To Accept an Opportunity

Only users who have been assigned the Sales Executive function can accept or decline opportunities.

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

- Click the link to take you to your opportunities. In the reference implementation, click **Opportunity & Proposal Activity** in the Commerce Activity panel.

This displays the Opportunities tab for the Account Activity page (Figure 130 on page 247).

- Find the opportunity that you want to accept. You can view its detail by clicking its link.

The screenshot shows the Atrix Solutions web interface. At the top, there's a navigation bar with 'My Home', 'My Account', 'Account Activity', and 'Logout'. Below this is the 'Account Activity' section with tabs for 'Active', 'Approvals', 'Routed', 'Quotes', 'Sales Contracts', 'Orders', 'Returns', 'Opportunities', 'Proposals', and 'Invoices'. The 'Opportunities' tab is selected. Below the tabs is a search bar with the text 'Find Opportunities that contain:' and a dropdown for 'Opportunity ID'. Below the search bar is a table of opportunities.

| <input type="checkbox"/> | Opportunity ID | Opportunity Name | Priority | Primary Contact | Received Date | Assigned To | Status |
|--------------------------|----------------|---|----------|-----------------|---------------|-------------|----------|
| <input type="checkbox"/> | 600547 | Lead 27 - No Proposal Items | Medium | Fong, Al | 9/13/2005 | msscott | Accepted |

FIGURE 130. Opportunities List Page for Partners

- Click **Accept** for that opportunity.

The icons disappear and the Detail Status column shows “Accepted”.

To Decline an Opportunity

- Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

- Click the link to take you to your opportunities. In the reference implementation, click **Opportunity & Proposal Activity** in the Commerce Tasks panel.

This displays the Opportunities tab for the Account Activity page (Figure 130 on page 247).

- Find the opportunity that you want to decline.



FIGURE 131. Opportunities List Page for Partners

4. Click **Decline** for that opportunity.

This displays the Opportunity Decline popup window.




FIGURE 132. Opportunity Decline Popup

5. Enter a reason for declining the opportunity.
6. Click **Decline**.

The opportunity is removed from the Opportunities tab.

To Delegate an Opportunity

Only users who have been assigned the Sales Executive function can delegate opportunities. You must first accept an opportunity (see "To Accept an Opportunity" on page 246) before you can delegate it. You can delegate opportunities only to users who have been assigned the Sales Executive or Sales function.

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

2. Click the link to take you to your opportunities. In the reference implementation, click Account Activity on your Partner Home page and then click the Opportunities tab.

This displays the Opportunities tab for the Account Activity page (Figure 130 on page 247).

| <input type="checkbox"/> | Opportunity ID | Opportunity Name | Priority | Primary Contact | Received Date | Assigned To | Status |
|--------------------------|----------------|---|----------|-----------------|---------------|-------------|----------|
| <input type="checkbox"/> | 600547 | Lead 27 - No Proposal Items | Medium | Fong, Al | 9/13/2005 | mscott | Accepted |

FIGURE 133. Opportunities List Page for Partners

3. Find the opportunity that you want to delegate.
4. Click the check box next to the opportunity.

No check box indicates that the opportunity has not yet been accepted or declined. You must accept an opportunity before you can delegate it. See "To Accept an Opportunity" on page 246.

5. Repeat the last two steps for each opportunity you want to delegate.
6. Click **Delegate**.

A popup window appears.




FIGURE 134. Delegate Opportunity Popup

7. Select a name from the drop-down list. Only users who have been assigned the Sales Executive or Sales function are listed.
8. Click **OK**.

To Add or Modify General Opportunity Information

Only partner users who have been assigned the Sales Executive or Sales function can work on opportunities.

- Users who have the Sales Executive function can work on any opportunity assigned to their partner and which have been accepted.
- Users who have the Sales function can work on any opportunity assigned to their partner and which have been accepted by the Sales Executive user and delegated to the user.

If you are a user who has not been assigned either the Sales Executive or Sales function, then you will not see the Opportunities tab in your workspace.

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

2. Click the link to take you to your opportunities. In the reference implementation, click **Opportunity & Proposal Activity** in the Commerce Tasks panel.

This displays the Opportunities tab for the Account Activity page (Figure 135 on page 251).

The screenshot shows the Atrix Solutions web interface. At the top, there's a navigation bar with 'My Home', 'My Account', 'Account Activity', and 'Logout'. Below this is the 'Account Activity' section with tabs for 'Active', 'Approvals', 'Routed', 'Quotes', 'Sales Contracts', 'Orders', 'Returns', 'Opportunities', 'Proposals', and 'Invoices'. The 'Opportunities' tab is selected. A search box labeled 'Find Opportunities that contain:' has a dropdown for 'Opportunity ID' and a 'Search' button. Below the search box is a table of opportunities.

| <input type="checkbox"/> | Opportunity ID | Opportunity Name | Priority | Primary Contact | Received Date | Assigned To | Status |
|--------------------------|----------------|---|----------|-----------------|---------------|-------------|----------|
| <input type="checkbox"/> | 600547 | Lead 27 - No Proposal Items | Medium | Fong, Al | 9/13/2005 | mscott | Accepted |

FIGURE 135. Opportunities List Page for Partners

- Find the opportunity you want to modify.

An opportunity must be accepted before you can modify the opportunity. See "To Accept an Opportunity" on page 246.

- Click the opportunity name.

This displays the opportunity page.

The screenshot shows the Comergent eBusiness System 'Lead Management' page. The 'Opportunity' is 'Western Trade Show' and the 'Organization' is 'DataSolve'. There are tabs for 'Edit Properties', 'Manage Proposals', and 'Add Notes'. The 'Edit Properties' tab is active. The page is divided into two main sections: 'Organization Information' and 'General Opportunity Information'.

| Organization Information | |
|--------------------------------------|--|
| Organization Name: DataSolve | Representative's Phone: 610-6853 (Business) |
| Representative's First Name: Mike | Representative's Email: mscott@comsolutions.com |
| Representative's Last Name: Scott | |

| General Opportunity Information | | |
|---|-------------------------|----------------------------|
| Opportunity Name: Western Trade Show | | Status: Accepted |
| Date Created: 9/14/2005 | | Expected Close Date: |
| Priority: Low | Territory: SouthWest | Expected Revenue: |
| Customer Type: General | Budget Price: | Probability of Sale: 50 |
| * Lead Source: Tradeshaw | Budget Approved: N/A | |

FIGURE 136. Opportunity Detail Page: Edit Properties Tab

5. Modify the desired information.

Some fields are read-only and can only be modified by the *Enterprise Lead Administrator*. You can use the calendar widget (to the right of the Expected Close Date field) to select a date for that field.

6. Click **Save**.

To Prepare a Proposal for a Contact

The primary purpose of an opportunity is to help you close business with the opportunity contact. Often you do this by preparing a proposal to offer to the contact: this comprises a list of products with your prices so that you can send this to the contact.

1. Navigate to your workspace.
2. Click the **Proposals** tab.
3. Click the link to the proposal that you want to work on.
4. Add and configure products on the product list as the contact requests them.
5. For each line item, the price that you would pay to buy the line item from the enterprise is displayed in the Extended Price column as the first price you see.
6. Enter numbers into the Uplift and Discount fields. A revised extended price is calculated each time you click **Calculate** or **Save**.

The revised extended price is calculated as follows:

Extended Price x (100 + Uplift%) x (100 - Discount%)

For example, if the original extended price is \$50.00 and you enter an uplift of 15% and a discount of 5%, then the revised extended price is:

$\$50 \times (115\%) \times (95\%) = \54.62 .

Clicking **Calculate** does not save the uplift or discount percentages whereas **Save** does.

7. You can review the Total prices and margins for the proposal in the Summary panel.

| | |
|------------------------------------|--------------------------------|
| Percent Discount: 6% | Total Price: \$5,168.41 |
| Absolute Discount: \$321.81 | Total Margin: \$356.91 |

FIGURE 137. Proposal Summary Panel

The Total margin is calculated as the difference between the total of the revised extended prices and the total of the extended price: it is the difference between the price that you are offering the contact and what you would have to pay for this cart.

8. You can view a printable version of this proposal by clicking **Print View**.

The screenshot shows the 'Print Proposal Preparation Page' in the Atrix Solutions system. The page header includes the Atrix Solutions logo and navigation links like 'My Home', 'My Account', 'Account Activity', and 'Logout'. Below the header, there's a breadcrumb trail: 'All Categories > Computers > Portable Devices > Alla's testing > Handhelds > Peripherals > Software > Accessories > Product Advisor'. The main heading is 'Opportunity: Western Trade Show' with a 'Return To List' link. Below this, there are tabs for 'Edit Properties', 'Manage Proposals', and 'Add Notes'. The 'Edit Properties' tab is active, showing a form with fields for Name (Western Trade Show), Customer Type (General), Currency (USD), Last Modified (9/14/2005), Status (New), and Expiration Date. To the right of this form is a summary box showing 'Percent Discount: 6%', 'Total Price: \$5,168.41', 'Absolute Discount: \$321.81', and 'Total Margin: \$356.91'. Below the form, there's a section for 'Print Field Selection' with a 'Print Template' dropdown set to 'Select a template'. There are also checkboxes for 'Header Items' like 'Customer Name' and 'Title'. At the bottom, there are buttons for 'Reset', 'Print View', 'Save', and 'Edit Proposal'.

FIGURE 138. Print Proposal Preparation Page

9. Select a template to use to generate the proposal. These template have been previously uploaded by your sales manager. See "To Upload a New Proposal Template" on page 219.
10. Select the proposal items that you want to include in the view and enter text that you want to accompany the proposal.

Print Field Selection

Print Template: Select a template ▼

Header Items

☐ Customer Name

☐ Title:

☐ Opening Comments:

☐ Company Address ☐ Company Logo ☐ Account Representative Name

☐ Terms & Conditions:

☐ Total Price ☐ Total Discount

Major Line Items

☐ Product ID ☐ Product Name ☐ Product Description ☐ Price ☐ Discount

Minor Line Items

☐ Product ID ☐ Product Name ☐ Product Description ☐ Price ☐ Discount

[Back to Top ↑](#)

FIGURE 139. Proposal Field Selection

11. Click **Print View**.

A new browser window opens up to display a printable form of the proposal. Note that this window displays the discounts offered on each line item, but not the uplifts.

12. If you want, you can click **Save** to save a copy of the proposal template settings with the proposal.**To Create an Order from an Opportunity**

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

2. Click the link to take you to your opportunities. In the reference implementation, click **Opportunity and Proposal Activity** in the Commerce Tasks panel.

This displays the Opportunities tab for the Account Activity page (Figure 140 on page 255).

3. Find the opportunity for which you want to add products.

An opportunity must be accepted before you can add products. See "To Accept an Opportunity" on page 246.

The screenshot shows the Atrix Solutions web interface. At the top, there's a navigation bar with 'My Home', 'My Account', 'Account Activity', and 'Logout'. Below this is a section titled 'Account Activity' with tabs for 'Active', 'Approvals', 'Routed', 'Quotes', 'Sales Contracts', 'Orders', 'Returns', 'Opportunities', 'Proposals', and 'Invoices'. The 'Opportunities' tab is selected. Below the tabs is a search box labeled 'Find Opportunities that contain:' with a dropdown for 'Opportunity ID' and a 'Search' button. Below the search box is a table of opportunities.

| <input type="checkbox"/> | Opportunity ID | Opportunity Name | Priority | Primary Contact | Received Date | Assigned To | Status |
|--------------------------|----------------|---|----------|-----------------|---------------|-------------|----------|
| <input type="checkbox"/> | 600547 | Lead 27 - No Proposal Items | Medium | Fong, Al | 9/13/2005 | msscott | Accepted |

FIGURE 140. Opportunities List Page for Partners

- Click the opportunity name.

This displays the opportunity detail page.

The screenshot shows the Comergent eBusiness System 'Lead Management' page. The page title is 'Opportunity: Western Trade Show [Organization: DataSolve]'. There are tabs for 'Edit Properties', 'Manage Proposals', and 'Add Notes'. The 'Edit Properties' tab is selected. Below the tabs is a form with two sections: 'Organization Information' and 'General Opportunity Information'.

| Organization Information | |
|--------------------------------------|---|
| Organization Name: DataSolve | Representative's Phone: 610-6853 (Business) |
| Representative's First Name: Mike | Representative's Email: msscott@icmsolutions.com |
| Representative's Last Name: Scott | |

| General Opportunity Information | | |
|---|-------------------------|-------------------------|
| Opportunity Name: Western Trade Show | | Status: Accepted |
| Date Created: 9/14/2005 | | Expected Close Date: |
| Priority: Low | Territory: SouthWest | Expected Revenue: 50 |
| Customer Type: General | Budget Price: | Probability of Sale: |
| * Lead Source: Tradeshows | Budget Approved: N/A | |

FIGURE 141. Opportunity Detail Page: Edit Properties Tab

- Click **Manage Proposals**.

This displays the Product List tab.

atrx • SOLUTIONS

POWERED BY COMERGENT

My Home | My Account | Account Activity | Logout

All Categories | Computers | Portable Devices | Alla's testing | Handhelds | Peripherals | Software | Accessories | Product Advisor

Opportunity: Lead 27 - No Proposal Items [Return To List](#)

[Edit Properties](#) [Manage Proposals](#) [Add Notes](#)

| | | |
|------------------|--------------|------------------------|
| Name: | Product List | change |
| Customer Type: | Education | |
| Currency: | EUR | |
| Last Modified: | 9/13/2005 | |
| Status: | New | |
| Expiration Date: | | |

| | |
|---------------------------|----------------------|
| Percent Discount: | Total Price: €0.000 |
| Absolute Discount: €0.000 | Total Margin: €0.000 |

Use this page to prepare your proposal.
 You can adjust the prices that are presented to your contact using the Uplift and Discount fields: the uplift is applied to the list price extended to you, and the discount is applied to the uplifted price. When you print the proposal, only the discounted price is displayed.
 Major Line Items can be marked Below the Line (BTL) to indicate that they are not part of the formal proposal but might be items of interest for the user. Minor lines can be marked Do Not Display (DND) when they are part of the proposal but they should not be displayed in the print view of the proposal.
 Use the Calculate button to try out different combinations of uplifts and discounts. Save your final uplift and discount choices by clicking [Convert to Order](#) Save.

FIGURE 142. Opportunity Detail Page: Manage Proposals Tab

6. Add products.

You can do this in one of three ways:

- Click **Continue Shopping** to browse the product catalog.

By browsing the catalog, you can add products to a minilist in the left-hand frame. When you click the **Cart** link, the Product List window is re-displayed showing the products you selected (Figure 143 on page 257).

- Click **Help Me Find Products** to find products by answering questions.

This displays the cart window with a questionnaire that leads you through a guided selling experience. You can add products to a minilist. When you click **Process List**, the Product List window is re-displayed showing the products you selected.

- Click **Enter Product ID's** to add products by enter specific product IDs.

A frame appears that enables you to enter a product ID.

As you add products, they appear in the product list. When you are finished adding products to the cart, then click the **Cart** link.

Use the Calculate button to try out different combinations of uplifts and discounts. Save your final uplift and discount choices by clicking **Convert to Order** Save.

[Continue Shopping](#) [Enter Product IDs](#)

[Compare](#) [Remove](#) [Print View](#) [Calculate](#) [Save As New](#) [Save](#)

| <input type="checkbox"/> | <input type="checkbox"/> | BTL/DND | Name | Product ID | Supplier | | Price | Qty | Ext. Price | Status |
|--------------------------|--------------------------|---------|---------------------------|------------|------------|---|------------|--------------------------------|------------|--------|
| <input type="checkbox"/> | <input type="checkbox"/> | | 7410 Notebook "Workhorse" | MXLP-7410 | Enterprise | Pct. <input type="radio"/> Abs. <input type="radio"/> | €100.00000 | <input type="text" value="1"/> | €100.000 | |
| | | | | | | Uplift <input type="text" value="0.00"/> | €100.000 | | | |
| | | | | | | Discount <input type="text" value="0.00"/> | €100.000 | | | |

| Proposals for Opportunity | | | |
|---------------------------|--------------|---------------|--------|
| Proposal ID | Name | Last Modified | Status |
| 600705 | Product List | 9/13/2005 | New |

[More](#)

| | | | |
|--------------------|--------|---------------|----------|
| Percent Discount: | 0% | Total Price: | €100.000 |
| Absolute Discount: | €0.000 | Total Margin: | €0.000 |

FIGURE 143. Opportunity Detail Page: Manage Proposals Tab with Product

- Decide whether to convert any of the current “below the line” (BTL) items to “above the line” items. Below the line items are not included when you convert the proposal into an order.
- Click **Convert to Order** when you are ready to convert the proposal to an order.

To Add Notes About An Opportunity

- Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

- Click the link to your opportunities.

This displays the Opportunities tab for the Lists page (Figure 144 on page 258).

- Find the opportunity for which you want to add notes.

An opportunity must be accepted before you can add notes. See "To Accept an Opportunity" on page 246.

The screenshot shows the Atrix Solutions web interface. At the top, there's a navigation bar with "My Home", "My Account", "Account Activity", and "Logout". Below this is a section titled "Account Activity" with tabs for "Active", "Approvals", "Routed", "Quotes", "Sales Contracts", "Orders", "Returns", "Opportunities", "Proposals", and "Invoices". The "Opportunities" tab is selected. Below the tabs is a search box labeled "Find Opportunities that contain:" with a dropdown for "Opportunity ID" and buttons for "Search" and "Show All". Below the search box is a table of opportunities.

| <input type="checkbox"/> | Opportunity ID | Opportunity Name | Priority | Primary Contact | Received Date | Assigned To | Status |
|--------------------------|----------------|---|----------|-----------------|---------------|-------------|----------|
| <input type="checkbox"/> | 600547 | Lead 27 - No Proposal Items | Medium | Fong, Al | 9/13/2005 | msscott | Accepted |

FIGURE 144. Opportunity List Page for Partners

4. Click the opportunity name.

This displays the opportunity detail page.

The screenshot shows the Comergent eBusiness System "Lead Management" page. The page title is "Opportunity: Western Trade Show [Organization: DataSolve]". There are tabs for "Edit Properties", "Manage Proposals", and "Add Notes". The "Edit Properties" tab is selected. Below the tabs is a form with two sections: "Organization Information" and "General Opportunity Information".

| Organization Information | |
|------------------------------|--------------------------|
| Organization Name: | Representative's Phone: |
| DataSolve | 610-6053 (Business) |
| Representative's First Name: | Representative's Email: |
| Mike | msscott@icmsolutions.com |
| Representative's Last Name: | |
| Scott | |

| General Opportunity Information | |
|---------------------------------|----------------------|
| Opportunity Name: | Status: |
| Western Trade Show | Accepted |
| Date Created: | Expected Close Date: |
| 9/14/2005 | |
| Priority: | Expected Revenue: |
| Low | 50 |
| Customer Type: | Probability of Sale: |
| General | |
| * Lead Source: | Budget Price: |
| Tradeshows | N/A |
| | Budget Approved: |
| | |

FIGURE 145. Opportunity Detail Page: Edit Properties Tab

5. Click Add Notes.

This displays the Add Notes tab.

The screenshot displays the Atrix Solutions web interface. At the top, the Atrix Solutions logo is on the left, and 'POWERED BY COMERGENT' is on the right. A navigation bar contains links: 'My Home', 'My Account', 'Account Activity', and 'Logout'. Below this is a secondary navigation bar with links: 'All Categories', 'Computers', 'Portable Devices', 'Alla's testing', 'Handhelds', 'Peripherals', 'Software', 'Accessories', and 'Product Advisor'. The main header area shows 'Opportunity: Western Trade Show' with a 'Return To List' link. The 'Add Notes' tab is selected, showing a text input field, an 'Add Note' button, and a table with columns: 'Date', 'Note', 'Organization', and 'Created By'. The table is empty, with 'No Rows Found' displayed below it.

FIGURE 146. Opportunity Detail Page: Add Notes Tab

6. Enter the note text.
7. Click **Add Note**.

To Close an Opportunity

As partner sales manager or sales representative, it is your responsibility to close opportunities when you are no longer working on them. Closing opportunities enables the enterprise to review how well partners perform in closing leads and how valuable the opportunities to their partners.

When you close an opportunity, you must mark it as a Win or a Loss. This helps the enterprise determine how successful partners are in transacting business.

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.
2. Click the link to your opportunities.

This displays the Opportunities tab for the Lists page (Figure 144 on page 258).
3. Click the link to the opportunity that you want to close.
4. In the Status drop-down list, select “Closed”.

5. If the opportunity is being closed as a Win, then enter a value in the Expected Revenue field. Be sure to use the value as expressed in the Enterprise currency (for example, US dollars).
6. Click **Save**.




FIGURE 147. Close Opportunity Window

7. Enter a note regarding the reason for winning or losing the opportunity.
8. Click **Win** or **Loss**.

The opportunity is closed and becomes read-only in your workspace.

To Create a New Proposal by Copying an Existing Proposal

If you copy an existing proposal, then it is created with all of the same opportunity information of the original proposal.

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.

2. Click **Account Activity**.
3. Click the **Proposals** tab.




FIGURE 148. Proposals List Page

4. In the list of proposals, find the proposal that you want to copy and click the link to its detail page.
5. On the Proposal Detail page, click **Save as New**.

A new proposal is listed. You can work this proposal just as you can the original proposal.

To Create a New Proposal and New Opportunity

If you copy an existing proposal, then it is created with all of the same opportunity information of the original proposal.

1. Log into the server at the enterprise site by clicking the appropriate portal link on the Comergent eBusiness System home page.

Typically, this link is created for partners by the enterprise administration team, and they need to let you know what this link is.
2. Click **Account Activity**.
3. Click the **Proposals** tab.




FIGURE 149. Proposals List Page

4. Click **New**.




FIGURE 150. New Proposal Page

5. Enter a name for the new proposal and contact information.

6. Click **Save**.


The new proposal and opportunity is created. The Product List tab of the opportunity is displayed.

Invoice Administration by Partners


Partner users who have been assigned the Financials function can manage invoices for their partner. Other partner users can view the invoices associated with their orders, but they cannot change the status of invoices.

To View an Invoice

1. Click the **Invoices** tab on your Account Activity page.



POWERED BY



[My Home](#) | [My Account](#) | [Account Activity](#) | [Logout](#)

Account Activity

Active

Approvals

Routed

Quotes

Sales Contracts

Orders

Returns

Opportunities

Proposals

Invoices

Find Invoices that contain:

Ref Order/Invoice #

Search

Show All

Advanced Search

| <input type="checkbox"/> | Invoice Number | Invoice Type | Ref Order/Invoice # | User Name | Due Date | Date created | Amount | Balance | Invoice Status |
|--------------------------|--------------------------|--------------|----------------------------|-----------|-----------|--------------|---------------|-------------|----------------|
| <input type="checkbox"/> | 75927613 | Invoice | 9912593762 | fsutton | 5/16/2003 | 5/16/2003 | \$3,721,490 | \$2,577,310 | Disputed |
| <input type="checkbox"/> | 71137155 | Invoice | 4601604194 | fsutton | 5/16/2003 | 5/16/2003 | \$120,204.040 | \$0.000 | Paid |
| <input type="checkbox"/> | 14591430 | Invoice | 2782598787 | fsutton | 5/16/2003 | 5/16/2003 | \$6,314,040 | \$6,314,040 | Disputed |
| <input type="checkbox"/> | 96049622 | Invoice | 8985592576 | icollins | 5/16/2003 | 5/16/2003 | \$191,924.640 | \$0.000 | Paid |
| <input type="checkbox"/> | 44444460 | Invoice | 9801592809 | icollins | 5/16/2003 | 5/16/2003 | \$1,374,110 | \$432.630 | Partially Paid |
| <input type="checkbox"/> | 69986980 | Invoice | 9801592809 | icollins | 5/16/2003 | 5/16/2003 | \$1,756.300 | \$1,756.300 | Disputed |
| <input type="checkbox"/> | 85628537 | Invoice | 9801592809 | icollins | 5/16/2003 | 5/16/2003 | \$7,375.100 | \$0.000 | Paid |
| <input type="checkbox"/> | 77917785 | Invoice | 6525602281 | msscott | 5/16/2003 | 5/16/2003 | \$5,393.820 | \$0.000 | Paid |
| <input type="checkbox"/> | 43064349 | Invoice | 6525602281 | msscott | 5/16/2003 | 5/16/2003 | \$5,531.300 | \$0.000 | Paid |
| <input type="checkbox"/> | 32813262 | Invoice | 6525602281 | msscott | 5/16/2003 | 5/16/2003 | \$8,193.820 | \$5,852.800 | New |
| <input type="checkbox"/> | 53915431 | Invoice | 6525602281 | msscott | 5/16/2003 | 5/16/2003 | \$4,200.040 | \$0.000 | Paid |

FIGURE 151. Partner Account Activity Page: Invoices Tab

2. Click the link of the invoice whose detail you want to view. The Invoice Detail page is displayed.

atatrix • SOLUTIONS POWERED BY **COMERGEN**

My Home | My Account | Account Activity | Help | Logout

Invoice Details: Invoice # 75827613 [Return to List](#)

| | |
|-----------------------------|--------------------------|
| Invoice Type: Invoice | Invoice Status: Disputed |
| Invoice Dates: May 16, 2003 | Due Dates: May 16, 2003 |
| Balance: \$2,577,310 | Order Number: 9912593762 |

| | | |
|--|---|---|
| Shipping Information Ship To: 172 Barford Ave. First floor Salt Lake City, UT 84093 USA | Billing Information Bill To: 172 Barford Ave. First floor Salt Lake City, UT 84093 USA | Sold-To Information Sold To: 172 Barford Ave. First floor Salt Lake City, UT 84093 USA |
|--|---|---|

| |
|--|
| Remit-To Information Remit To: Matrix Solutions Ms. Caroline Jones 14303 Matrix Drive Matrix Plaza Hampton City, CA 92064 USA |
|--|

[Update](#)

[Mark All Paid](#)

| | Line # | Product ID | Customer Status | Enterprise Status | Updated By | Unit Price | Quantity | Extended Price |
|-------------------------|--------|------------|-----------------|-------------------|------------|------------|----------|----------------|
| History | 6451 | MX-SC0204 | Paid | Payment Received | gones | \$85.330 | 6 | \$511.980 |
| History | 6452 | MX-FW3343 | Paid | Disputed | gones | \$63.220 | 10 | \$632.200 |

FIGURE 152. Partner Invoice Detail Page

- You can update the customer status of any invoice line by selecting the appropriate status from the drop-down list and clicking **Update**. The status of the invoice is updated by applying the rules described in "Invoice Statuses" on page 38.
- You can view the history of an invoice line item by clicking **History**. The Invoice Line Item History page is displayed.

atatrix • SOLUTIONS POWERED BY **COMERGEN**

My Home | My Account | Account Activity | Logout

Line Item History List: Invoice # 75827613 [Return to List](#)

[Done](#)

| Product ID | Customer Status | Enterprise Status | Updated By | Updated Date | Quantity |
|------------|-----------------|-------------------|------------|--------------|----------|
| MX-SC0204 | Paid | Payment Received | gones | 5/16/2003 | 6 |
| MX-SC0204 | Paid | New | mscott | 5/16/2003 | 6 |
| MX-SC0204 | New | New | ERPAdmin | 5/16/2003 | 6 |

FIGURE 153. Invoice Line Item History Page

Program Administration by Partners

When a program is assigned to your partner, you can submit preapproval requests and claims for activities. You must submit preapproval requests for each program activity that you participate in, and the preapproval request must be approved before you can submit claims against the request.

This section describes these tasks:

To Submit a Preapproval Request

You submit preapproval requests against specific program activities. You can submit more than one request against the same program activity.

1. Click **Partner Programs** on your home page.

The screenshot shows the 'Program List' page in the Matrix Solutions system. At the top, there is a logo for 'MATRIX SOLUTIONS' and a 'POWERED BY COMERGENT' badge. Navigation links include 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. Below the header, the title 'Program List' is displayed. A search section allows users to 'Find programs that contain:' with a dropdown for 'Program Name' and buttons for 'Search' and 'Show All'. Below this, a table lists 'All programs shown'. The table has columns for Program ID, Program Name, Program Type, Creation Date, Activities Start Date, Activities End Date, and Program Status. One program is listed: Program ID 101, Program Name 'Workstation Launch', Program Type 'MDF', Creation Date '10/5/2005', Activities Start Date '10/1/2005', Activities End Date '10/31/2005', and Program Status 'Active'.

| Program ID | Program Name | Program Type | Creation Date | Activities Start Date | Activities End Date | Program Status |
|------------|--------------------|--------------|---------------|-----------------------|---------------------|----------------|
| 101 | Workstation Launch | MDF | 10/5/2005 | 10/1/2005 | 10/31/2005 | Active |

FIGURE 154. Program List Page

2. On the Program List page, click the link to the appropriate program.
3. On the Program Detail page, click the Activities tab.
4. On the Activities List page, click the link to the appropriate activity.
5. On the Activity Detail page, click **Create Preapproval Request**.
6. Enter the preapproval request details as required for this activity.
7. Click **Save**.
8. Click **Submit Request**.

To Submit a Claim

Before you can submit a claim against a program activity, you must have submitted a preapproval request for the program activity, and the request must have been approved by the enterprise. You can submit only one claim against each preapproval request.

1. Click **Partner Program Preapprovals and Claims** on your home page.

The screenshot shows the 'Claim List' page. At the top, there's a header with the 'MATRIX SOLUTIONS' logo and 'POWERED BY COMERGENT'. Navigation links include 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. Below the header, the page title 'Claim List' is displayed. A search bar is present with the text 'Find records that contain:' and a 'Program Name' dropdown menu. To the right of the search bar are 'Search' and 'Show All' buttons. Below the search bar, it says 'All records shown'. A table lists the records with columns: 'Preapproval ID', 'Preapproval Status', 'Preapproval Request Date', 'Claim ID', 'Claim Status', 'Claim Date', 'Activity Name', and 'Program Name'. The first record has a Preapproval ID of 101, a status of 'Pending Approval', a request date of 10/5/2005, and links for 'Press Release' and 'Workstation Launch'.

| Preapproval ID | Preapproval Status | Preapproval Request Date | Claim ID | Claim Status | Claim Date | Activity Name | Program Name |
|----------------|--------------------|--------------------------|----------|--------------|------------|-------------------------------|------------------------------------|
| 101 | Pending Approval | 10/5/2005 | | | | Press Release | Workstation Launch |

FIGURE 155. Claim List Page

2. On the Claim List page, click the link to the appropriate preapproval request.
3. On the Preapproval Request Detail page, click **Create Claim**.

The screenshot shows the 'Claim for Press Release' page. At the top, there's a header with the 'MATRIX SOLUTIONS' logo and 'POWERED BY COMERGENT'. Navigation links include 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. Below the header, the page title 'Claim for Press Release' is displayed. A link 'Go to Claim List' is visible. Below the title, there's a 'Claim Form' section. A message says: 'Save the data you entered by clicking the Save button. Click Clear to clear the form. Click Update to view changes. Cancel changes by clicking the Cancel button.' Below this message are four buttons: 'Save', 'Update', 'Clear', and 'Cancel'. The 'Claim Application Form' is divided into two sections: 'Claim Details' and 'Actual Sales'. The 'Claim Details' section includes fields for 'Program Name' (with a link to 'Workstation Launch'), 'Activity Name' (with a link to 'Press Release'), 'Preapproval ID' (101), 'Approval Number' (1128532275915), and 'Claim ID'. The 'Actual Sales' section includes fields for 'Actual Unit Sales' and 'Actual Sales Revenue' (with a note '(In dollars)').

FIGURE 156. Claim Detail Page

4. Enter the basic claim details.
5. Click **Save**.
6. Click **Submit Claim**.

Managing Product Information

To Upload Product Mapping

Use this task to upload product mapping to the database. See "Product Mapping File Format" on page 905 for the required format and an example.



FIGURE 157. Comergent eBusiness System Partner Home Page

1. Click **Upload & Maintain Products** in the Storefront Administration panel on the Comergent eBusiness System home page.

This displays the SKU Administration page.

2. Click the **SKU Upload** tab.




FIGURE 158. SKU Upload Tab of the Product Administration Page

3. Select the file that contains the products by completing one of the following:
 - Enter the filename (including the path) in the Product Upload file field.
 - Click **Browse...** and select the appropriate filename.
4. Click **Upload**.

To Download Products

1. Click **Upload and Maintain Products** in the Storefront Administration panel on the Comergent eBusiness System home page.
2. Click **SKU Download**.
3. Select the format for the download.

- Click **in Excel format** for the information to be displayed in an Excel spreadsheet.

| |
|---|
| Attention: If you are using Internet Explorer 5.0 on a Windows NT 4.0 machine with cookies turned on, then you cannot download product information in a Microsoft Excel format. Instead, download this information in a text format. |
|---|

If you have Microsoft Excel installed, then the application is opened in a browser window and the information is displayed in an Excel spreadsheet. Use the Excel program to save or print the product information.

- Click **in Text format** for the information to be displayed in a text format.
The information is displayed in text format in a browser window. Save or print the product information.

To Update Product Mappings

You can change the mappings between your product IDs and the enterprise product IDs at any time.

| |
|--|
| Note: You cannot use the product update tab to create new products. Instead, upload a product file with the new products. |
|--|

1. Click **Upload and Maintain Products** in the Storefront Administration panel on the Comergent eBusiness System home page.
2. Click the **SKU Update** tab.

The screenshot shows the Atrix Solutions web interface. At the top, there's a logo for 'atrix • SOLUTIONS' and a 'POWERED BY COMERGENT' badge. Navigation links include 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. The main section is titled 'SKU Administration' and has a sub-tab 'SKU Update' with links for 'SKU Download' and 'SKU Upload'. A search area contains a 'Find:' label, an input field, and a 'Find' button. A note states: '*** can be used as a wildcard (e.g. MX*)'. Below this, it says 'Search Results for: (0 of 0 found)'. Further down, there are three rows: 'Pricing SKU:' with a 'previous|next' link, 'Pricing SKU Authority:', and 'Mapped SKU:' with an 'Update' button.

FIGURE 159. SKU Update Tab

3. Enter the enterprise product number in the Find Pricing SKU field.

You can perform a wild-card search using an asterisk (*).

4. Click **Find**.

The Pricing SKU to which the product is mapped is displayed.

This screenshot shows the same Atrix Solutions interface after a search. The 'Find:' input field now contains 'MXLP*'. The 'Search Results for:' line shows 'MXLP*' and '(1 of 11 found)'. The 'Pricing SKU:' field now displays 'MXLP-7410' with a 'previous|next' link. The 'Pricing SKU Authority:' field displays 'Matrix'. The 'Mapped SKU:' field contains 'AL-MXLP-7410' with an 'Update' button.

FIGURE 160. SKU Update Tab with Information

5. Modify the Mapped SKU as necessary.

6. Click **Update**.

If you performed a wildcard search, then you can click **next** to view and update any other mappings that were found.

Managing Prices

To Assign Price Lists to Partners

When you create price lists for your products, you must assign the price lists that contain the products to those customers for whom you want to make the products available.

Note: You can only assign price lists that your partner owns and you can only assign them to customer partners of your partner.

1. Access the Partner Profile Detail page as described in "To Maintain Your Profile" on page 212.
2. Click the **Hierarchy** tab.




FIGURE 161. Partner Profile Detail Page: Hierarchy Tab

3. In the list of Children, find the customer to whom you want to assign price lists.

Customers are designated with [*] after their name.

4. Click on the customer name.
5. Click **Go To Child**.

This displays the Profile page for the selected customer.

The screenshot shows the 'Organization Profile: DataSolve' page. The header includes the Atrix Solutions logo, 'POWERED BY COMERGENT', and navigation links: My Home, My Account, Account Activity, Help, Logout. The main navigation bar has tabs: Info, Addresses, Detail, Business, Hierarchy, Logo, Commerce, Forecast, Print Templates, Notes. Below the tabs are 'View Users' and 'Save' buttons. A note states: 'NOTE: (*) items are required.' The 'General Information' section contains the following fields:

| | | |
|--|--|----------------------|
| Profile name * | Organization website address | Custom Field #1 |
| <input type="text" value="DataSolve"/> | <input type="text" value="www.datasolve.com"/> | <input type="text"/> |
| Main telephone | Organization Email | Custom Field #2 |
| <input type="text" value="610-6800"/> | <input type="text" value="corp@datasolve.com"/> | <input type="text"/> |
| Main facsimile | Distributors | Custom Field #3 |
| <input type="text" value="N/A"/> | <input type="text" value="Select to add"/> | <input type="text"/> |
| Profile Type * | <div>OmniTech UNISTOR Andersel RTI Solutions</div> | Custom Field #4 |
| Reseller | <input type="button" value="Remove"/> | <input type="text"/> |
| Profile level * | Message URL | Custom Field #5 |
| Gold | <input type="text"/> | <input type="text"/> |
| XML Message Version | Content Type | |
| <input type="text" value="dXML 3.0"/> | <input type="text"/> | |
| Login/Password required | | |
| <input type="checkbox"/> | | |

Below the general information is a 'Profile Status' section with a table:

| Status |
|--------|
| Open |

FIGURE 162. Customer Profile Page

6. Click the **Pricelists** tab.

This displays the Partner Manager page with a list of price lists.

The screenshot shows the 'Organization Profile: AllNet Corp > Allnet Customer' page. The main navigation bar has tabs: Info, Addresses, Detail, Business, Hierarchy, Logo, Forecast, Pricelists, Product Entitlements, Notes. Below the tabs are 'View Users' and 'Save' buttons. A note states: 'Select appropriate price list for assignment and click Save button to save changes. \$ indicates the price list inherited from parent.' The table below lists available price lists:

| Assign | Sharable | Price List Name | Starting Date | Ending Date | Currency | Customer Type | Supplier | Status |
|--------------------------|--------------------------|-------------------|---------------|-------------|----------|---------------|-------------|--------|
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_allnet | 1/17/2001 | 10/4/2010 | USD | General | AllNet Corp | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Allnet Price List | 9/1/2005 | 9/30/2005 | USD | General | AllNet Corp | Active |

FIGURE 163. Available Price Lists

7. Click in the check box next to the price list(s) you want to assign.

Note: You can assign an inactive price list to a customer. Inactive price lists have no effect on product prices until you activate the price list.

8. Click **Update**.

The selected price lists are assigned to the partner. You should also check that the correct product entitlements are assigned to the customer.

9. Click **Product Entitlements**.

10. Verify that the correct product entitlements are assigned to this customer.

Managing Email Templates

To Set Your Email Templates

The Comergent eBusiness System enables you to create email templates for the following situations:

- email sent notifying you that an order has been placed with your company
 - email sent notifying you that an order placed with your company has been updated
 - email to a customer acknowledging receipt of an order
 - email to a customer providing updates on an order
1. Click **Configure E-Mail Notifications** in the Storefront Administration panel on the Comergent eBusiness System partner home page.

The screenshot displays the 'Notification Admin' interface. At the top, there's a navigation bar with 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. Below this, a 'Save All' button is visible. A list of email templates is shown: 'Order Placement Email', 'Order Update Email', 'Order Placement Email to Customer', and 'Order Update Email to Customer'. The 'Email Address' field is populated with 'USERNAME@PARTNERNAME.com'. The 'Your Email Header' section contains the text: 'Hello, Please be advised that there is a new order received for you. Thank you for using MANUFACTURERNAME's Partner.com.' The 'Your Email Footer' section contains the text: 'Regards, Partner.com Service, MANUFACTURERNAME XXXX.XXXX.XXXX.'

FIGURE 164. Email Notification Administration Page

2. In the **Email Address** field, enter an appropriate email address that the customer should see when they receive email. Typically, choose an email

address such as sales@mycompany.com, so that if a customer replies to the email the reply will be sent to a supported address at your company.

3. If it is not already selected, then click the **Order Placement Email** tab.

This tab enables you to specify the header and footer of emails that are sent notifying you that an order has been placed with your company.

- a. Enter header information in the area below Your Email Header.
- b. Enter footer information in the area below Your Email Footer.
- c. Click **Save All**.

4. Click the **Order Update Email** tab.

This tab enables you to specify the header and footer of emails that are sent to your partner when an order is updated.

- a. Enter header information in the area below Your Email Header.
- b. Enter footer information in the area below Your Email Footer.
- c. Click **Save All**.

5. Click the **Order Placement Email to Customer** tab.

This tab enables you to specify the header and footer of emails that are sent to a customer acknowledging receipt of an order.

- a. Enter header information in the area below Your Email Header.
- b. Enter footer information in the area below Your Email Footer.
- c. Click **Save All**.

6. Click the **Order Update Email to Customer** tab.

This tab enables you to specify the header and footer of emails that are sent to a reseller providing updates on an order.

- a. Enter header information in the area below Your Email Header.
- b. Enter footer information in the area below Your Email Footer.
- c. Click **Save All**.

Managing Inbound Orders

Storefronts are set up so that they can receive inbound orders from their partners: these partners may be partners of the enterprise or they may be customer partners of

the storefront. In either case, a profile administrator can log in and view these inbound orders and perform some basic administration as described in this section.

To View Inbound Orders

1. Log in to your storefront home page.
2. Click **Account Activity**.
3. Click the **Orders** tab.

The screenshot shows the Atrix Solutions web interface. At the top, the logo 'atrix • SOLUTIONS' is on the left, and 'POWERED BY COMERGENT' is on the right. Below the logo is a navigation bar with links: 'My Home', 'My Account', 'Account Activity', and 'Logout'. The main heading is 'Account Activity'. Below this is a row of tabs: 'Active', 'Approvals', 'Routed', 'Quotes', 'Sales Contracts', 'Orders', 'Returns', 'Inbound Orders', 'Opportunities', and 'Proposals'. The 'Inbound Orders' tab is selected. Below the tabs is a search section with the text 'Find orders that contain:' and a dropdown menu set to 'Sales Order #'. There is a search input field, a 'Search' button, and a 'Show All' link. Below the search section is a table with the following columns: a checkbox, 'Sales Order #', 'Purchase Order #', 'Last Modified', 'Date Submitted', 'Amount', 'Overall Status', and 'User Name'. The table is currently empty, with the text 'No Rows Found' centered below it. At the bottom right of the table area are two links: 'Download Selected Orders' and 'Email Selected Orders'.

FIGURE 165. Partner Account Activity Page: Orders Tab

4. If the inbound order is listed on this page, then click the link to it. You can search for the inbound order or navigate through the paginated list of inbound orders to find it.
5. On the Inbound Order Detail page, you can accept the order.

This chapter covers all of the tasks associated with managing basic product information. "Administering the Product Catalog" on page 55 provides an overview of how product administration works.

- "Product Management Interface" on page 279
 - "To Access the Product Manager Page" on page 280
- "Product Category Administration Tasks" on page 281
 - To Create a Product Category
 - To Modify a Product Category
 - To Move a Product to Another Category
 - To Reconcile Feature Mismatch
 - To Delete a Product Category
 - To Enable Access Control
 - To Change the Display of a Product Category
- "Product Administration Tasks" on page 298
 - To Create a Product
 - To Create A Product As a Child of an Aggregated Product

- To Copy a Product
- To Modify a Product
- To Delete a Product
- To Assign Products as Children to an Aggregated Product
- To Unassign Child Products from an Aggregated Product
- To Find and Select a Product in the Navigation Panel
- "Pricing Products" on page 318
 - To Change Prices for a Product
 - To Change All Prices for a Product
- "Related Products" on page 322
 - To Relate One Product to Another
 - To Remove a Product Relationship
- "Superseding a Product" on page 325
 - To Supersede a Product
 - To Remove a Superseding Product
- "Managing Assemblies" on page 326
 - To Define the Parts in an Assembly
 - To Modify a Line Item in an Assembly
 - To Define or Relocate Hot Spots in a Parts Diagram
 - To Delete a Hot Spot
 - To Delete an Item from an Assembly
- "Managing Pre-Configured Products" on page 337
 - To Pre-configure a Configurable Product
 - To Delete a Configuration for a Pre-Configured Product
- "Importing Products" on page 340
 - To Create an Import Set
 - To Delete an Import Set

- To Import a Catalog Immediately
- To Import a Catalog Using a Cron Job
- "Exporting the Product Catalog" on page 349
 - To Create an Export Set
 - To Add or Remove Categories and Products from the Export Set
 - To Add Feature Types and Features to an Export Set
 - To Delete an Export Set
 - To Export the Catalog Immediately
 - To Export the Catalog Using a Cron Job
- "Suppressing Empty Product Categories" on page 358
 - To Suppress Display of Empty Product Categories
- "Product Availability" on page 359
- "Using the Hierarchical Entity Chooser" on page 360
 - To Select Products from the Product Hierarchy
 - To Search for Products in the Hierarchical Entity Chooser
- "Administering Advanced Search" on page 362
 - To Build a New Index
 - To Build Indexes Using a Cron Job
 - To Build an Index Incrementally
 - To Activate an Index Set
 - To Change the Index and Search Settings
 - To Update Dictionary Definitions

Product Management Interface

This section describes the product management interface.

To Access the Product Manager Page

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.




FIGURE 166. Product Manager Page

The Product Manager page provides these tabs:

- **Product Management:** used to manage product categories and products. This means creating and modifying product categories and products (either assigned to categories or unassigned), assigning domains to products, as well as features and resources. This also includes superseding one product with another, and the definition of assemblies.
- **Feature Management:** used to create the features that will be assigned to products and used when creating questionnaires in **C3** Advisor. See CHAPTER 13, "Managing Features in C3 Product Manager"
- **Import:** used to manage the import of data into the Knowledgebase.
- **Export:** used to manage the export of product information including products, feature types, features, resources, and prices.
- **Suppression:** used to initiate the calculations to suppress empty product categories.

- **Search Admin:** used to manage search indexes: their creation and deletion, and setting the active search index.

| | |
|--------------|---|
| Note: | Partner administrators do not have access to the Import , Export , and SearchAdmin tabs. |
|--------------|---|

In the **Product Management** tab display, the upper left panel provides a navigation panel to navigate the product category hierarchy and to select individual product categories. When you select a product category, the products belonging to that category appear in the lower left panel. The right panel is used to display the details of a selected category or product.

Product Category Administration Tasks

To Create a Product Category

| | |
|--------------|--|
| Note: | Partner administrators can only create categories within categories they have created or within categories to which they have been given access by the <i>enterprise administrator</i> . |
|--------------|--|

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.




FIGURE 167. Product Management Tab

2. To create the category under the root category, click **Create New Category**.
3. To create the category in a category below the root category:

- a. Navigate to and select the parent category under which you wish to create the new product category.

The content panel displays the details of the selected category.

- b. Click the **Category** tab.

The **Category** tab displays a list of the current child product categories for this product category.




FIGURE 168. Product Management Panel: Category Tab

- c. Click **Create New Category**.

The screenshot shows the 'Category' tab of the Product Management panel. It contains a form with two input fields: 'Product Category Name' and 'Description'. Below the 'Description' field is a small dropdown menu. At the bottom of the form, there are two buttons: 'Save All and Return to List' and 'Cancel and Return to List'.

FIGURE 169. Category Tab Displaying Fields for New Category

4. Enter a name and description for the new product category.
5. Click **Save All and Return to List**.

The parent category's **Category** tab is re-displayed with the new product category added.

At this point, you can follow the instructions in "To Modify a Product Category" on page 284 to do one or more of the following:

- Assign products to the category.

- Assign features types to the category.

When you assign features to products in the category, you can choose from among the features in the assigned feature types.

- Assign features to the category.

These features are automatically assigned to all the products in the category.

- Assign resources.
- Provide access for one or more partners for inserting new products.

To Modify a Product Category

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. Navigate to and select the product category that you wish to modify.

The **General** tab displays the name and description of the category.

Attention: Make sure you click **Save All Changes** to save your changes before you move on to another tab.




FIGURE 170. Product Category Detail: General Tab

3. If you want to associate an image with the product category, then perform these steps:
 - a. Click **Upload** next to the Image URL text field.




FIGURE 171. Product Manager Upload Window

- b. Click **Browse....** In the File Upload window, navigate to the image file you want to upload.
 - c. Click **Upload**.
 - d. Click **Save Changes**.

If you have a Content Manager server set up to serve images, then you can navigate to the image by clicking **Browse Content Manager....** The location of the Content Manager is specified by the value of the C3 Product Manager ContentManager URL business rule. Typically, this is of the form:
`http://server:port/docushare`

4. Click the **Category** tab to display the child product categories of the current product category selected in the navigation panel.
 - You can create a new child product category ("To Create a Product Category" on page 281).
 - You can delete one of the existing child product categories ("To Delete a Product Category" on page 294).
 - You can modify the order in which the product categories are displayed to the customer by moving the child categories up and down.
5. Click **Save All Changes** to save your changes before you move to the next tab.
6. Click the **Product** tab to display a list of the products currently assigned to this product category.

See "To Assign or Remove Products" on page 290.

7. Click **Save All Changes** to save your actions before you move to the next tab.

Note: If you assigned a product to a category, and if that product was previously assigned to another category, then the product might have features that have no corresponding feature type in the current product category. The tab will display fields that enable you to reconcile the mismatch. You must reconcile these features to the new category. See "To Reconcile Feature Mismatch" on page 293.

8. Click the **Feature Type** tab to associate feature types to product categories.




FIGURE 172. Product Category Detail: Feature Type Tab

9. To assign a new feature type to the product category, click **Assign....** Using the Hierarchical Entity Picker, select the feature types you want to assign and click **Done**. When you associate a feature type with a category, you make it possible to assign features belonging to the feature type to all products in the product category.

Click the **Delete** button next to a feature type to remove a feature type.

10. Click the **Feature** tab to assign features to (or unassign features from) *all the products* in the product category and its sub-categories.




FIGURE 173. Product Category Detail: Feature Tab

11. On this tab, you can perform a number of actions:
 - a. To create a new feature within a feature type that is already assigned to the product category, click the **Create and Assign Feature** button next to the feature type. In the Create and Assign New Feature pop-up window, enter information about the new feature and click **Save**.
 - b. To assign an existing feature within a feature type that is already assigned to the product category, click the **Assign Feature** button next to the feature type. In the Assign Feature pop-up window, select the feature(s) and click **Assign**.
 - c. To remove the assignment of a feature from the product category, click the **Delete** button next to the feature.
 - d. To remove all assigned features from this product category, click **Unassign All**.
12. You can use power assignment to assign features to all products within a product category. In doing so, you do not assign the feature to the product category itself, and so if a new product is added to the product category it does not inherit the feature.

To assign features to all the products within the product category, use power assignment as follows:

- a. Click **Power Assign....**

- b. Using the Hierarchical Entity Chooser window, select one or more features from the feature hierarchy.
 - c. Click **Done**.
 - d. A dialog box is displayed to confirm that the selected features are assigned to the products in the product category.
- 13. You can unassign features from all products within a product category as follows:
 - a. Click **Power Unassign....**
 - b. Using the Hierarchical Entity Chooser window, select one or more features from the feature hierarchy.
 - c. Click **Done**.
 - d. A dialog box is displayed to confirm that the selected features are unassigned from the products in the product category.

Any action you take in the **Feature** tab is automatic. You do not have to save changes before you move to the next tab.

| | |
|--------------|--|
| Note: | Later, if you add additional products to this product category, then you need to assign the feature to each new product individually, or again do a macro (global) assignment to all the products and subcategories in a product category through this Feature tab. |
|--------------|--|




FIGURE 174. Product Management: Feature Tab

14. Click the **Resource** tab to assign resources to the product category and its subcategories.

See "Resources and Resource Types" on page 106 for more information about resources.

- To assign a resource, select the appropriate resource type, click **Assign**, and enter or change the details (Table 19 on page 290).

Note: Unlike features, assigning a resource to a product category *does not* assign the resource to all products and subcategories within that product category. The resource is assigned only to the selected product category itself.

- To unassign a resource, select the appropriate resource type and click **Unassign**.
- To modify a resource, click on the resource in the list of Assigned Resource Types and edit the appropriate fields.

15. Click **Save All Changes** to save your actions before you move to the next tab.

TABLE 19. Resource Fields

| Field | Description |
|-------------|--|
| Type | Resource type. For example, white paper, product image, data sheet, URL, and so on. |
| Value | Location of the resource. For example, the URL address or the path to a resource. |
| Label | Optional. For example, the image caption, the title of a data sheet or white paper, and so on. |
| Description | Your comments about this resource. |

16. Click the **Access Control** tab to enable or disable partner access (if any) to this category.

By enabling access, you allow the partner administrator for the enabled partner to create categories and products within this category. See "To Enable Access Control" on page 295 for a description of the procedure.

17. Click **Save All Changes** to save your actions before you move to the next tab.

To Assign or Remove Products

When you modify a product category ("To Modify a Product Category" on page 284), you can assign products to or remove products from a category.

1. Click the **Product** tab.

This displays the products currently assigned to the product category.




FIGURE 175. Product Management: Product Tab

2. To assign products, click **Assign** to display the Product Browser window.
See "Using the Hierarchical Entity Chooser" on page 360 for information about finding and selecting products in the Product Browser window.
Once you have selected the product(s), the **Product** tab is re-displayed. The products appear in the Assigned Products list box with a plus (+) sign, indicating that the product assignments have not been saved.
3. To unassign products, click the product in the Assigned Product list box, then click **Unassign**.
A minus (-) appears next to the product in the list box, indicating that the product unassignments have not been saved.
4. Click **Save All Changes**.

The product assignments and unassignments are saved.

To Move a Product to Another Category

On occasion, you might want to simply change the product category that a product is in. You could do this by removing the product from the original product category and then assigning the product to the new category as described in "To Assign or Remove Products" on page 290. However, you can do it more quickly as follows:

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. Navigate to the product category that contains the product you want to move.
3. Click the **Products** tab.




FIGURE 176. Product Management: Products Tab

4. In the Assigned Product list, select the product you want to move, then click **Move...**

This displays a chooser (Figure 177 on page 293).




FIGURE 177. Hierarchical Entity Chooser

5. Select the category to which you want to move the product.
 - a. Navigate to and select the category to which you want to move the product.
 - b. Click **Done**.

The product you are moving might have features that have no corresponding feature type in the current product category. The tab will display fields that enable you to reconcile the mismatch. You must reconcile these features to the new category. See "To Reconcile Feature Mismatch" on page 293.

6. Click **Save All Changes**.

To Reconcile Feature Mismatch

When you have assigned products to a category (see "To Assign or Remove Products" on page 290) or when you move a product ("To Move a Product to Another Category" on page 291, the products may contain features that have no corresponding feature types in the current category. In this case, the Feature Reconciliation Panel appears. (See Figure 178 on page 294).

The feature resolution screen provides support for administrators to preserve the feature assignments on products when the target destination does not have the required feature types. The list below shows all the additional feature types that are required on the destination. Select the feature types you want to assign to the target destination and the associated features will be automatically assigned to the copied or moved products.

| Feature Type | Product | Feature |
|--|--------------|---------------------------------------|
| <input type="checkbox"/> Digital Imaging | MD-PR-IMG-01 | Imaging Solution Still Photography |

FIGURE 178. Feature Reconciliation Panel

The Feature Reconciliation Panel contains a list of the feature types that contain the features associated with the product(s) you are assigning to the category.

1. Check the box next to those feature types you want to retain.
2. Click **Save All Changes**.

The feature types (and their features) you selected will automatically be added to the category. The features belonging to any unselected feature types will automatically be dis-associated from newly assigned products.

To Delete a Product Category

When you delete a product category, all subcategories are automatically deleted. The products assigned to the deleted category are not deleted. If the products in the category are not assigned to other categories, then they become unassigned products.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. Using the Navigation Panel, navigate to and select the parent category that contains the category you want to delete.

The **General** tab displays the details of the parent category.

3. On the detail panel, click the **Category** tab.

The **Category** tab displays a list of the current child product categories for the product category selected in the Navigation Panel.




FIGURE 179. Product Category Detail: Category Tab

4. Select the product category you want to delete from the list of child categories.
5. Click **Delete**.
6. Click **Save All Changes**.

To Enable Access Control

Your partners can add and modify products in the Comergent eBusiness System specific to their storefront organization. To do this, however, they can only add them to categories which they (storefront administrators) have created or to which they have been granted access by the *enterprise administrator*. The *enterprise administrator* uses the following procedure to grant storefront administrators access to product categories.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. In the Product Category frame, find and click on the product category to which you want to grant access.
3. Click the **Access Control** tab.




FIGURE 180. Product Category Detail: Access Control Tab

4. Click the appropriate radio button.

To close the category to all partners, click **Closed**. This means only the *enterprise administrator* has access to this category. Partner administrators can browse the information in this category, but they cannot add products, make changes, and so on.

To enable access to all partners, click **Open for all**.

To return ownership to the original owner, click **Owner**.

Note: This button appears only if the category was created by a partner. If subsequently other partners were granted access to this category, then you can click **Owner** to restrict ownership to the partner who originally created the category.

To enable access for selected partners:

- a. Click **Selected open**.

This displays a frame for selecting partners (see Figure 181 on page 297).




FIGURE 181. Enabling Selected Partner Access

- b. From the Closed Groups list box, select one or more partners.
- c. Click **Add**.

The partner(s) moves to the Open Groups list box.

5. Click **Save All Changes**.

To Change the Display of a Product Category

In this release, you can manage which display style is used to present a product category to end-users. Each display style is set up as part of the implementation of your Comergent eBusiness System and is defined in the **CategoryDisplayStyle.xml** configuration file. See "Category Display Style" on page 898 for more information.

Display styles can take additional parameters: you can use these to adjust the display so that the same general display style is used for different categories, but the additional parameters adjust the display for a particular category (such as a background image or color).

By default, categories inherit the display style of their parent product category. When you set a display style for a category, you can also clear the styles used by its children, and in so you can reset all the child categories to use the parent display style.

You can manage how product categories are displayed to end-users as follows:

1. Navigate to the product category whose display you want to change.
2. Click the **Display** tab.




FIGURE 182. Product Category Detail: Display Tab

3. For each partner level, you can specify whether the current category uses the same display style as its parent, or to use a different style.
4. If need be, you can specify additional parameters that should be passed to the display. These take the form of Name-Value pairs: for example, "DisplayImage=Workstation.gif&Background=Plain".
5. If you want to override any previously specified display styles on child product categories, then click **Clear Descendants**.
6. Click **Save**.

Product Administration Tasks

This section contains the tasks related to creating and maintaining specific products.

To Create a Product

Products are created either in the context of a specific product category or as unassigned products, not affiliated with any category.

Note: When you create a product, you should consider adding it to the price list that is used for **C3** Analyzer: the so-called reporting price list. Only products on this price list will have prices associated with them for reporting purposes. By default, this price list is the Enterprise Master List price list.

Depending on the setup of your Comergent eBusiness System Knowledgebase, product IDs may or may not be case-sensitive. Check with your Comergent eBusiness System administrator for details.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.




FIGURE 183. Product Management Tab

2. Create and assign the new product.

You can either create the product unassigned, or you can create it assigned to a product category.

To create a product unassigned to a product category, click the **Unassigned** tab. A **New Product** tab appears.




FIGURE 184. Product Management Tab: Unassigned Products

To create the product assigned to a product category:

- a. Navigate to and select the product category in the Product Category navigation frame.
- b. Click the **Product** tab.
- c. Click **Create New Product** to display the **New Product** tab.

Note: Partner administrators can only create product within categories they have created or within categories to which they have been given access by the *enterprise administrator*.

3. Enter a Product ID, Product Name, and Description for the new product.

Attention: Do not use the characters “*”, “<”, and “>” in product IDs.

4. Select a component type.

TABLE 20. Valid Component Types

| Component Type | Description |
|---------------------------|--|
| Normal | Most products belong to this type. |
| Configurable ^a | <p>A product is configurable if you have implemented C3 Configurator or support the ability for a customer to punch out to a configuration application to configure this product.</p> <p>If you select this type, then the Model field appears. You must associate the product with a model (created with Visual Modeler), selected from the drop-down list. Note that you can only select models that have been compiled. See "Compiling a Model" on page 479 for more information.</p> |
| Assembly | <p>A product is an Assembly if it is made up of a number of sub-assembly items each of which is a product or a plain text item (an item that can only be ordered as part of the assembly). If you select the Assembly option, then you can use the Assembly tab to specify the sub-assembly structure. See "Managing Assemblies" on page 326 for more information.</p> |
| Aggregated | See "Aggregated Products" on page 59 for an explanation of this product type. See "To Assign Products as Children to an Aggregated Product" on page 314 for information on managing aggregated products. |

- a. Partner administrators cannot create models, but they can associate products they create with models created by enterprise administrators.
5. Set the status for the product. See "Product Statuses" on page 57 for more information about product statuses.
6. Select a start and end date for the product.
7. Click **Save Changes**.

Once you have saved the product, you can add and modify product information as appropriate. See "To Modify a Product" on page 307 for more information.

If you created the product as assigned to a parent category, then the new product appears among the list of child products for that category in the lower left Navigation Panel. If you created the product unassigned, then the product appears among the unassigned products.

If you selected “Assembly” as the component type, then the new product is preceded by an icon. For Assemblies, you must define the parts that comprise the assembly. See "Managing Assemblies" on page 326.

If you selected “Configurable” as the component type, then you can either leave the product as a generic configured product (no pre-configured items) or you can pre-select the items to be configured with the product. See "Managing Pre-Configured Products" on page 337.

If the product is an aggregated product, then you can assign child products. See "To Assign Products as Children to an Aggregated Product" on page 314.

See "To Modify a Product" on page 307 to:

- Designate a supplier for the product.
- Assign classification codes to the product.
- Assign features and resources.
- Define products that will supersede this product when it reaches its expiration date.
- Define parts that are part of the product, if the product is an assembly.

To Create A Product As a Child of an Aggregated Product

See "Aggregated Products" on page 59 for an overview of aggregated products. Once you have created the aggregated product ("To Create a Product" on page 299), there are two ways to assign products to the aggregated product.

- Use the procedures in "To Assign Products as Children to an Aggregated Product" on page 314.
- Create the product as part of the aggregated product.

The steps in this task describe how to create a product as child of the aggregated product:

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

-
2. Navigate to and select the parent category of the aggregated product. If the aggregated product is not assigned to any category, then click the **Unassigned** tab to select from a list of unassigned products.

Once you select the parent category, the products assigned to that category appear in the product frame (lower left) of the navigation panel.

-
-
3. Select the aggregated product.

Find and click the product from the list in the product frame. The right-hand frame displays the tabs containing information about the product.




FIGURE 185. Product Detail Page: General Tab

-
-
-
4. Click the **Child** tab.




FIGURE 186. Product Detail Page: Child Tab

5. Click **Create Child Product**.




FIGURE 187. Product Detail Page: New Child Product

6. Enter a Product ID, Product Name, and Description for the new child product.

7. Select a component type.

TABLE 21. Valid Component Types

| Component Type | Description |
|---------------------------|---|
| Normal | Most products belong to this type. |
| Configurable ^a | <p>A product is configurable if you support the ability for a customer to punch out to a configuration application to configure this product.</p> <p>If you select this type, then the Model field appears. You must associate the product with a model (created with Visual Modeler), selected from the drop-down list. Note that you can only select models that have been compiled. See "Compiling a Model" on page 479 for more information.</p> |
| Assembly | <p>A product is an Assembly if it is made up of a number of sub-assembly items each of which is a product or a plain text item (an item that can only be ordered as part of the assembly). If you select the Assembly option, then you can use the Assembly tab to specify the sub-assembly structure. See "Managing Assemblies" on page 326 for more information.</p> |
| Aggregated | A product is an aggregated product if it is used to represent a set of similar products all of which share a common set of features. |

- a. Partner administrators cannot create models, but they can associate products they create with models created by the enterprise administrator.

8. Set the status for the product. See "Product Statuses" on page 57 for more information about product statuses.
9. Select a start and end date for the product.
10. Click **Save Changes**.

The new product appears indented below its parent product in the lower left Navigation Panel.




FIGURE 188. Product Detail Page: Child Product Created

For Assemblies, you can define products and text items that comprise the assembly. See "Managing Assemblies" on page 326. For Configurable products, you can either leave the product as a generic configured product (no pre-configured items) or you can pre-select the items to be configured with the product. See "Managing Pre-Configured Products" on page 337.

Now that you have created the product, you can modify the product to:

- Assign domain codes to the product.
- Assign features and resources.

See "To Modify a Product" on page 307.

To Copy a Product

One way to create a product is simply to copy an existing product. When you copy a product, you copy its name and description and its other attributes, so having created the new product, you must go back to modify any attributes that are different.

1. Navigate to the product category of the product that you wish to copy.
2. Click the Product tab.
3. In the list of products, select the product you wish to copy.

- Click **Copy...**. The Copy Products window is displayed.

Copy Products

Copy to Destination:
Please pick a category or an aggregated product as the copy destination. For each product, specify a new product ID and optionally modify the new product name. Note: Cannot copy to an aggregated product if an aggregated product exist in the copy list.

Peripherals/Cables **Browse...**

| Source Product ID | Source Product Name | New Product ID | New Product Name |
|-------------------|---------------------|----------------|---------------------------|
| MXBT-1000 | Long-life Battery | MXBT-1001 | Copy of Long-life Battery |

Copy **Cancel**

FIGURE 189. Copy Products Window

- Click **Browse...** to specify the product category in which you want to create the copy.
- Enter a new product ID for the copied product. As usual, this must be a unique product ID and so must not be the same as an existing product.
- Click **Copy**. A message is displayed to let you know that the copy operation has been successful and then you can close the window.
- Navigate to the new product to complete updating its information.

To Modify a Product

- Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

- Navigate to and select the product.

See "To Find and Select a Product in the Navigation Panel" on page 317.

- Select the product that you want to modify.

Once you selected the product, you can modify the information in one or more of the tabs described in the remaining steps.

| |
|--|
| Note: Make sure you click Save Changes before you move to another tab. |
|--|




FIGURE 190. Product Detail Page: General Tab

4. In the **General** tab, change general information about the product and click **Save Changes**.
5. Click the **Sales** tab.




FIGURE 191. Product Detail Page: Sales Tab

- a. If you want to denote that a product is not sellable as a separate item, then click the **Cannot Be Sold Separately** check box.

See "Products Sold Separately" on page 58 for an explanation of this check box.

- b. If you want to denote that a product is a service product, then click the **Service Type** check box.

When a product detail page is displayed, related products that are marked as service products are listed separately from the other related products.

- c. Specify a quantity per unit (the default is one) and a unit of measure.
- d. Specify a minimum order quantity and the lead time (in days).
- e. In the Image URL field, enter the URL to an image that can be displayed with the product.

Attention: Do not include any spaces in the image name. For example, you can enter **images/300series.gif** or **images/300_series.gif**, but not **images/300 series.gif**.

- f. In the Data Sheet URL field, enter the path to a data sheet file that can be displayed with the product.
- g. If you want to designate that one of your partners is the supplier of the product, then click **Assign....** A popup window prompts you to select the supplier partner.




FIGURE 192. Supplier Name Picker

The default value is "Enterprise": this denotes that the product is supplied by the enterprise.

- 6. Click the **Domains** tab.

You can assign classification codes to or remove a classification code from a product.

 - a. Select the appropriate domain from the drop-down list.
 - b. Assign or remove a code

- To assign a code, enter a classification code for the product and click **Assign**. The classification code is added to the list of assigned classifications for the product in that domain.
 - To remove a code, select the classification from the list of classification codes for the domain and click **Delete Selected**.
- c. Click **Save Changes**.
7. Click the **Features** tab.




FIGURE 193. Product Detail Page: Feature Tab

- To assign features, select a feature type from the drop-down list, and then select the features from the Unassigned Features list box. Click **Add**.

Note: If the product belongs to multiple categories, then the **Feature** tab includes an extra field called Product Category Paths. This drop-down list displays all the category paths to which the product belongs. If you select a path, then the feature type drop-down list contains the feature types for this path.

- To unassign features, select the features in the Assigned Features list box and click **Remove**.

Note: Users cannot unassign features belonging a category to which the user does not have access.

Make sure you click **Save All Changes** before moving to another tab.

8. Click the **Resource** tab.

- To assign resources, select the appropriate resource type from the drop-down list, and then enter the appropriate details (see Table 22 on page 312). Click **Assign**.

TABLE 22. Resource Fields

| Field | Description |
|-------------|--|
| Type | Resource type. |
| Value | Location of the resource. For example, the URL address or the path to a resource. |
| Label | Optional. For example, the image caption, the title of a data sheet or white paper, and so on. |
| Description | Your comments about this resource. |

- To unassign resources, select them in the Assigned Resources list box then click **Unassign**.

9. Click the Related Products tab.

See "Related Products" on page 322 for the more information about related products.

10. Click the **Supersessions** tab.

See "Superseding a Product" on page 325 for the tasks involved in supersession.

Click **Save All Changes**.




FIGURE 194. Product Detail Page: Resource Tab

To Delete a Product

You can delete products when you no longer wish to manage them: typically, this is when the products have reached the end of their useful life. Products can only be deleted when their status is either “In Creation” or “Blocked”.

1. Navigate to the product that you wish to delete.
2. On the product detail page, verify that the product has either the In Creation or Blocked status.
3. Click **Delete**.
4. A confirmation dialog box is displayed. If you click **OK**, then the Comergent eBusiness System checks that the product is not currently in use. If the product is in use (as described below), then an error message is displayed to say that the

product cannot be deleted. If you want to delete the product, then you must correct the conditions preventing its deletion.

Once the product is deleted, then it is no longer visible to enterprise users or end-users.

TABLE 23. Conditions that Prevent Deletion

| Condition | Comments |
|--------------|---|
| Pricing | If the product is on any price list, then it cannot be deleted. |
| Configurator | If the product is attached to any item in a model, then it cannot be deleted. |

To Assign Products as Children to an Aggregated Product

You can create a product as a child to a parent product ("To Create A Product As a Child of an Aggregated Product" on page 302), or you can create a product ("To Create a Product" on page 299), then assign the product to the parent. This task describes how to assign a product to a parent.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. Navigate to and select the parent category of the aggregated product.

If the aggregated product is not assigned to any category, then click the **Unassigned** tab to select from a list of unassigned products.

Once you select the parent category, the products assigned to that category appear in the product frame (lower left) of the navigation panel.

3. Select the aggregated product.

If the product is assigned to a category, then find and click the product from the list in the product frame. The right-hand frame displays the tabs containing information about the product.

4. Click the **Child** tab.




FIGURE 195. Product Detail Page: Child Tab

5. Assign the product.
 - a. In the **Enter or select a child product ID** field, enter a product ID.
 You can click **Browse...** to display the Hierarchical Entity Chooser to browse or search for the product. See "Using the Hierarchical Entity Chooser" on page 360.
 - b. Click **Assign**.
6. Repeat the last step for each product ID you want to assign.
7. Click **Save Changes**.
8. If there are features associated with the products, then a frame appears to select the feature types:
 - a. Select feature types.
 - b. Click **Save All Changes** in the Feature Type Selection frame.
 - c. The Child tab is re-displayed.
 - d. Click **Save Changes** in the Child tab.

The newly-assigned products appear indented below the parent product in the lower left frame. If the product that is assigned to the aggregated product belonged to a category, then after assignment the product will belong to no category.

To Unassign Child Products from an Aggregated Product

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. Navigate to and select the parent category of the aggregated product.

If the aggregated product is not assigned to any category, then click the **Unassigned** tab to select from a list of unassigned products.

Once you select the parent category, the products assigned to that category appear in the product frame (lower left) of the navigation panel.

3. Select the aggregated product.

If the product is assigned to a category, then find and click the product from the list in the product frame. The right-hand frame displays the tabs containing information about the product.




FIGURE 196. Product Detail Page: General Tab

4. Click the **Child** tab.




FIGURE 197. Product Detail Page: Child Tab

5. In the list box, find and select the product IDs you want to unassign.
6. Click **Unassign**.
7. Click **Save Changes**.

To Find and Select a Product in the Navigation Panel

There are three ways to find products in the navigation panel: browse the unassigned products, browse products that are assigned to a category, and searching for the product.

To browse unassigned products, click the **Unassigned** tab in the navigation panel, then find and select the assembly from the list.

To browse products assigned to a category:

1. Navigate to the parent category for the product and select the parent category. The product frame displays the products associated with the parent category.
2. In the product frame of the navigation panel, select the assembly.

To search for the product, click the **Search** tab. This enables you to search the product catalog according to product ID, product name, product description, assigned feature, or assigned resource.

Note: An assembly icon next to the product designates the product as an assembly.

Pricing Products

Earlier releases of the Comergent eBusiness System managed pricing through the pricing administration application as described in "Setting Prices for Products" on page 600. This release also enables you to manage the prices for a product through the product management UI as described in this section. In general, the basic organization of pricing remains the same: products are priced by adding them to price lists and then assigning the prices to partners. Users see prices based on the effective price lists assigned to their partner. See "Setting Prices for Products" on page 21 for more information.

To Add a Product to a Price List

1. Using the product manager UI, navigate to the product.
2. Click the Prices tab.

General Sales Domain Feature Resource Supersession **Prices**

Maintain Prices Assign New Mass Update

Product ID: MXBT-1000 Product Name: Long-life Battery

Find: Price List Name [Show All](#) [Advanced Search](#)

Select appropriate search criteria to find price list(s). Partial entries along with the wild card character(*) are supported. Press the Delete button to delete selected price list. After changing prices, press the Save button to save changes.

| Name | Currency | List Price | +/- in % | +/- in Abs. | Price | Conditions |
|---|----------|------------|----------|-------------|-------|------------|
| Back to Top ↑ <input type="button" value="Save"/> | | | | | | |

FIGURE 198. Prices Tab: Maintain Prices Tab

3. Click the Assign New tab.

General **Sales** **Domain** **Feature** **Resource** **Supersession** **Prices**

Maintain Prices **Assign New** Mass Update

Product ID: MXBT-1000 **Product Name:** Long-life Battery

First search for price lists you want to assign to the selected product. Partial entries using the wild card character(*) are supported. Enter price and discounts/Uplifts, select the price list and press the Assign button to assign the product to a price list.

Find: Price List Name ☐ View Unassigned Only [Show All](#) [Advanced Search](#)

[Select All](#) [Deselect All](#) Previous | [Next](#)

| | Name | Currency | List Price | +/- in % | +/- in Abs. | Price |
|--------------------------|------------|----------|----------------------|----------------------|----------------------|-------|
| <input type="checkbox"/> | Aessten_uc | USD | <input type="text"/> | <input type="text"/> | <input type="text"/> | |
| <input type="checkbox"/> | Aeßten_uc | USD | <input type="text"/> | <input type="text"/> | <input type="text"/> | |
| <input type="checkbox"/> | Assten_uc | USD | <input type="text"/> | <input type="text"/> | <input type="text"/> | |
| <input type="checkbox"/> | Alßten_uc | USD | <input type="text"/> | <input type="text"/> | <input type="text"/> | |
| <input type="checkbox"/> | Ca_uc | USD | <input type="text"/> | <input type="text"/> | <input type="text"/> | |
| <input type="checkbox"/> | Cat | USD | <input type="text"/> | <input type="text"/> | <input type="text"/> | |
| <input type="checkbox"/> | China | CNY | <input type="text"/> | <input type="text"/> | <input type="text"/> | |
| <input type="checkbox"/> | Commercial | USD | <input type="text"/> | <input type="text"/> | <input type="text"/> | |

FIGURE 199. Prices Tab: Assign New Tab

- For each price list to which you want to add the product, check the price list check box and enter the price for the product. Optionally, you can enter a percentage price adjustment and an absolute price adjustment.
- Click **Assign**.

To Change Prices for a Product

You can update prices for a product through the product manager UI as follows:

- Using the product manager UI, navigate to the product.
- Click the Prices tab.
- For each price list on which to modify the price, check the price list check box and enter the new price for the product on the price list. Optionally, you can modify the percentage price adjustment and the absolute price adjustment.

4. If you want to modify the conditional rules associated with this product on this price list, then click the Conditional Rules button.

The Conditional Rules window is displayed.

Commercial: MXBT-1000

[Edit Quantity Tiers](#) [Edit Conditional Rules](#)

Make changes to quantity tiers and/or conditional rules and save changes by clicking on 'Save'

| # | From Qty | To Qty | List Price | +/- In % | +/- In Abs. | Price |
|----|----------|--------|------------|----------|-------------|-------|
| 1 | 1 | | 10 | | | 10.0 |
| 2 | | | | | | |
| 3 | | | | | | |
| 4 | | | | | | |
| 5 | | | | | | |
| 6 | | | | | | |
| 7 | | | | | | |
| 8 | | | | | | |
| 9 | | | | | | |
| 10 | | | | | | |

FIGURE 200. Conditional Rules Window

5. Enter conditional rules as appropriate. See "Conditional Pricing" on page 605 for more information about conditional rules.
6. Click **Save**.
7. On the Maintain Prices tab, click **Save**.

To Change All Prices for a Product

You can use the mass update functionality of the pricing administration application through the product manager UI to update all the prices for a product as follows:

1. Using the product manager UI, navigate to the product.
2. Click the Prices tab.
3. Click the Mass Update tab.

[General](#) [Sales](#) [Domain](#) [Feature](#) [Resource](#) [Supersession](#) [Prices](#)

[Maintain Prices](#) [Assign New](#) [Mass Update](#)

Product ID: MXBT-1000 **Product Name:** Long-life Battery

Perform changes on all or only the set of price lists specified via the search criteria. First define the scope of the mass update by showing all or searching for a specified subset of price lists. The update button executes defined mass adjustments to all the price lists in scope and saves the changes.

Find: Price List Name ▾ [Go](#) [Show All](#) [Advanced Search](#)

[Mass Update](#)

| Name ▴ ▾ | Currency | List Price | +/- in % | +/- in Abs. | Price |
|--------------------------|--------------------------|----------------------------|--------------------------|-----------------------------|-----------------------|
| Commercial | USD | 15 | | | 15.0 |

[Back to Top](#) ↑

FIGURE 201. Prices Tab: Mass Update Tab

4. Select the price lists to which you want to apply the mass update by conducting a search that retrieves those price lists and no others.
5. Click **Mass Update**.

Pricing Mass Update

Product ID: MK-ABAT05 Product Name: Triple-Capacity Lithium-Ion Battery **Close**

Perform changes on the selected price lists. The 'Delete' button removes the product from the selected price lists and saves the changes. The 'Update' button executes defined mass adjustments to all the product's prices on the selected price lists and saves the changes.

Prices

For each price list item in scope:

Delete Delete price list items

Update

Modify 'List Price' by ☐ replacing the current value with .
☐ incrementing/decrementing the current value by % .
☐ incrementing/decrementing the current value by .

Modify '% in %' by ☐ replacing the current value with .
☐ incrementing/decrementing the current value by % .
☐ incrementing/decrementing the current value by .

Modify '% in Abs' by ☐ replacing the current value with .
☐ incrementing/decrementing the current value by % .
☐ incrementing/decrementing the current value by .

FIGURE 202. Pricing Mass Update Window

6. Specify the change.
 - a. If you click **Delete**, then the product is deleted from all the price lists in scope.
 - b. If you click **Update**, then the change is applied to all of the price lists in scope.

See "To Set Prices for Products as a Mass Update" on page 601 for more information about the sort of changes that you can make.

Related Products

In this release, you can link products together by specifying that one product is related to another. When a customer views the product detail page for a product, then they can see that the product has related products: typically, these are items such as service contracts, warranties, and so on that a customer might want to buy at the same time as the product.

We say that "product B is related to product A" or "product A has product B related to it" if when you view the product detail page for product A, you see product B

listed as a related product. Note that this is not a symmetrical relationship: most of the time, the relationship is defined in one direction only.

You can relate one or more products to any product, and conversely a product can be related to one or more products. For example, a hardware product A may have two related service contract products B and C, and service contract product B may also be related to product D.

- When customers view the product detail page for product A, then they see both related products B and C listed.
- When customers view the product detail page for product D, then they see only related product B listed.

Types of Related Products

There are different types of related products as follows:

- Complimentary: when an end-user views a product detail page, then these products are displayed on the Complimentary items tab.
- Alternate: when an end-user view a product detail page, then these products are displayed in a list under the Alternative Selections heading.
- Competitive: this type of related product is not displayed through the out-of-the-box UI, but the information can be used to track competitive products for product managers.
- Related Categories: these are displayed to end-users as they navigate the product catalog to help them quickly access products in related categories.

To Relate One Product to Another

If you want to relate product B to product A, then you must decide what type of relation product B has to product A.

1. Using the Product Manager UI, navigate to the product detail page for Product A.
2. Click the Related tab.

You can assign related Products to selected Product. Related products displayed might be inherited due to an assignment to a Product Category and therefore can't be removed here. '1' is the highest sort order and user will see this on the top.

Complimentary

| Product Id | Product Name | Sort | Action |
|-------------|------------------|------|---------------------------|
| MX-STDBAT35 | Standard Battery | 1 | Assign... |

Alternate Products

| Product Id | Product Name | Sort | Action |
|--------------|-------------------------------------|------|---------------------------|
| MX-PR-IMG-01 | Matrix Digital-Imaging-Beginner-Set | 1 | Assign... |

Competitive Products

| Product Id | Product Name | Sort | Action |
|------------|-----------------------------|------|---------------------------|
| MX-KBMW | Wireless Keyboard and Mouse | 1 | Assign... |

Related Categories

| Category Name | Category Description | Sort | Action |
|---------------|----------------------|------|--------|
|---------------|----------------------|------|--------|

FIGURE 203. Product Detail Page: Related Items Tab

3. Click **Assign...** for the appropriate relation type.
4. Using the Hierarchical Entity Chooser, navigate to and select product B, and click **Done**.
5. Check that the correct product is listed in the list of related products.
6. Click **Save Changes**.

You can repeat Steps 2 through 5 as many times as need be to relate other products to product A.

To Remove a Product Relationship

If Product B is related to Product A, and you want to remove this relationship, then do the following:

1. Using the Product Manager UI, navigate to the product detail page for Product A.
2. Click the Related tab.
3. Identify Product B in the lists of related products and click **Delete**.
4. Click **Save Changes**.

Superseding a Product

See "Superseding One Product with Another" on page 64 for an explanation of supersession.

To Supersede a Product

After you have displayed the product you want to supersede (see "To Modify a Product" on page 307), you can use this procedures to supersede a product.

1. Click the **Supersession** tab.




FIGURE 204. Product Management Panel: Supersession Tab

2. Click **Supersede**.

This displays the Hierarchical Entity Chooser.

Attention: This step fails if the current product is already superseded. If there is a supersession chain, then click Remove Chain to remove the chain.

3. Using the chooser, select the product you want to supersede, then click **Done** in the chooser window.

See "Using the Hierarchical Entity Chooser" on page 360 for detailed instructions on using the chooser.

After you click **Done**, the product ID of the superseding product appears in the Supersession Chain box.

The screenshot shows a software window with several tabs: General, Domain, Feature, Resource, Related Products, Supersession (selected), and Supplier. The Supersession tab contains the following elements:

- Superseded Product:** A label followed by "MWVS-1000 - [Name: Standard Workstation]".
- Description:** A text input field with a small arrow icon on the right.
- Supersession Chain:** A text input field containing "MWVS-2000".
- Buttons:** To the right of the Supersession Chain field are two buttons: "Remove Chain" and "Supersede...". At the bottom of the window are "Save Changes" and "Cancel" buttons.

FIGURE 205. Supersession Tab: Superseding Product

To Remove a Superseding Product

After you have displayed the product you want to supersede (see "To Modify a Product" on page 307), you can use this procedures to supersede a product.

1. Click the **Supersession** tab.

The Supersession Chain field displays the superseding product (as well as any other products along the chain).

2. Click **Remove Chain**.

The superseded product is detached from the entire supersession chain. All superseding products are removed from the supersession chain.

| | |
|--------------|---|
| Note: | The relationship between any products in the supersession chain remain valid. |
|--------------|---|

Managing Assemblies

When you create a product as component type "Assembly", the next step is to define the products and text items that comprise the assembly. See "Managing Assemblies" on page 63 for a complete description of the process.

To Define the Parts in an Assembly

1. Create a product with the component type "Assembly".

See "To Create a Product" on page 299. When you click the product in the lower-left navigation panel, you will see a new tab, the **Assembly** tab (Figure 206 on page 327).

2. Click the **Assembly** tab.




FIGURE 206. Product Management Panel: Assembly Tab

3. Add parts to the list.

You can add parts using the Hierarchical Entity Chooser, or you can add parts manually.

To add parts using the Hierarchical Entity Chooser:

- a. Click **Browse...** in the work area.

This displays the chooser window. See "Using the Hierarchical Entity Chooser" on page 360 for instructions on using the chooser. The line items will fill the list automatically when you click **Done** in the chooser window.

- b. For each line item, click its corresponding update icon in the Action column.

The selected line item is displayed in the fields at the bottom of the panel.

- c. Enter the information as described in Table 24 on page 328.

Seq # and Quantity are required fields.

- d. Click **Add/Update**.

To add parts manually:

- e. Enter the information as described in Table 24 on page 328.

Seq # and Quantity are required fields.

- f. Click **Add/Update**.

| |
|--|
| Attention: You must click Save to add the part permanently to the assembly list. |
|--|

- g. Repeat these steps for each component you want to add manually.

TABLE 24. Part Information: Assembly

| Field | Description |
|-------------|---|
| Seq # | Required. The position of the part relative to the other parts in the assembly, usually mapped to a callout number in a parts diagram. |
| Part Name | The product ID. If you select a product from the navigation list, then this field is auto-filled with the product ID. If you select “product” as the part type (see below), then you can manually type a product ID. If you select “text”, then you can manually type a part name. |
| Description | The description of the part. |
| Item # | The item number represents an integral part of the assembly to which the part you are adding will belong. For example, the item number might represent a subassembly of the larger assembly. It could also represent a single item such as a warranty. |
| Quantity | Required. The quantity-per-assembly (the amount of the part needed in each assembly) |

TABLE 24. Part Information: Assembly (Continued)

| Field | Description |
|-----------|---|
| Part Type | Product (a product used to complete the assembly) or Text (a text item that is included as part of the assembly) If you select Product , then when you click Save the Comergent eBusiness System will attempt to match the item name with a product ID in the product catalog. |

4. Click **Save**.

Once you have added the parts, you can modify the part information ("To Modify a Line Item in an Assembly" on page 329). You can also define "hot spots" within a parts diagram ("To Define or Relocate Hot Spots in a Parts Diagram" on page 330).

To Modify a Line Item in an Assembly

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3** Product Manager page.

2. Find and select the assembly.

See "To Find and Select a Product in the Navigation Panel" on page 317.

When you select the product, the detail information for the product appears in the content panel. A product of the "Assembly" type includes an **Assembly** tab.

3. Click the **Assembly** tab.

The content panel displays the line items belonging to the assembly.

| Seq # | Coords | Part Name | Description | Item # | Quantity | Type |
|-------|--------|-----------|-----------------|--------|----------|------|
| 10 | | MXDS-2001 | Docking Station | 1 | 1 | text |
| 20 | | MXPC-2000 | Power Cord | 2 | 1 | text |

FIGURE 207. Assembly Tab

- In the list of parts in the **Assembly** tab, find the item you want to modify, then click its corresponding update icon in the Action column.

The line item information appears in the fields in the lower area of the Assembly tab.

- As necessary, modify the information as described in Table 24 on page 328.
- Click **Add/Update**.

To Define or Relocate Hot Spots in a Parts Diagram

A "hot spot" is a set of coordinates in an image, typically a parts diagram, that enables end-users to order parts by displaying the parts diagram and clicking on the appropriate "hot spot" in the image.

- Display the Assembly panel as described in either "To Define the Parts in an Assembly" on page 327 or "To Modify a Line Item in an Assembly" on page 329.

| Seq # | Coords | Part Name | Description | Item # | Quantity | Type |
|-------|--------|-----------|-----------------|--------|----------|------|
| 10 | | MXDS-2001 | Docking Station | 1 | 1 | text |
| 20 | | MXPC-2000 | Power Cord | 2 | 1 | text |

Image URL: [Set Image](#) [Clear Image](#) [Edit Hotspots...](#)

[Add/Update](#) [Browse...](#)

[Save](#) [Cancel](#)

FIGURE 208. Assembly Panel

2. Load an image, if necessary.

Attention: The image you load will replace any image that is currently displayed.

- Scroll to the bottom of the parts list until you see the Image URL field.
- In the Image URL field, type the URL for the image you want to load.

The Comergent eBusiness System supports any image format that can be invoked by HTML.

- Click **Set Image**.

The image is displayed at the bottom of the list of parts.

| Seq # | Coords | Part Name | Description | Item # | Quantity | Type |
|-------|--------|-----------|-----------------|--------|----------|------|
| 10 | | MXDS-2001 | Docking Station | 1 | 1 | text |
| 20 | | MXPC-2000 | Power Cord | 2 | 1 | text |

Image URL: comergent/en/US/images/laptop3.jpg

| Seq # | Part Name | Description | Item # | Quantity |
|-------|-----------|-------------|--------|----------|
| | | | | |

FIGURE 209. Assembly Panel with Image Loaded

3. Click **Save**.
4. Click **Edit Hot Spots**.

This displays the Edit Hot Spots window.




FIGURE 210. Edit Hot Spots Window

5. Create the hot spot.
 - a. In the list of parts, find the part for which you want to define or relocate its “hot spot”.
 - b. Click the radio button at the far left of the line.

If the part already has a designated hot spot, then two sets of crosshairs will be displayed on the image, showing the area designated for the hot spot.
 - c. In the image, find the location that you want for the “hot spot”.

This can be any area you want to designate; for example, the individual part itself or a callout designation for the part.

- d. Click in the upper left-hand corner of the hot spot.

A set of crosshairs appear in the spot you clicking (Figure 211 on page 334), designating the first set of coordinates for the hot spot. The coordinates of this spot also appear in the first set of fields at the bottom of the window.

Note: You can also enter the coordinates manually using the fields in the lower part of the window: the first set of fields for the first set of coordinates, the second set of fields for the second set of coordinates.




FIGURE 211. Edit Hot Spots Window with Coordinates Selected

- e. Click in the lower right hand corner of the spot.

Another set of crosshairs appear in the spot you clicking, designating the second set of coordinates for the hot spot. The coordinates of this spot also appear in the second set of fields at the bottom of the window.

- f. Click **Set Hotspot**.

A checkmark appears in the Coords column in the list of parts, indicating that this part has a hot spot designated for it in the image.

Note: You can click **Clear Hotspot** to clear the hot spot and start over.

6. Repeat the last step for each hot spot you want to create.
7. Click **Done** when you are done creating hot spots.

This closes the Edit Hot Spot window and returns you to the Edit Assembly tab. A checkmark appears in the Coords column for all parts for which a hot spot is defined.

To Delete a Hot Spot

1. Display the Edit Hot Spots window as described in "To Define or Relocate Hot Spots in a Parts Diagram" on page 330.




FIGURE 212. Edit Hot Spots Window

2. In the list of parts, find the part whose hot spot you want to delete.
3. Click the radio button at the far left of the line.

Two sets of crosshairs will appear, designating the current hotspot.

4. Click **Clear Hotspot**.

The crosshairs will disappear. The checkmark in the Coords column will be removed.

5. Repeat the last two steps for each hot spot you want to delete.
6. Click **Done** when you are done deleting hot spots.

This closes the Edit Hot Spot window and returns you to the Edit Assembly tab.

To Delete an Item from an Assembly

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3** Product Manager page.

2. Find and select the assembly.

For assigned products:

- a. Navigate to the parent category for the product and select the parent category. The product frame displays the products associated with the parent category.
- b. In the product frame of the navigation panel, select the product that is the assembly

For unassigned products, click the **Unassigned** tab in the navigation panel, then find and select the assembly from the list.

You can also click the **Search** tab to search the product catalog according to product ID, product name, product description, assigned feature, or assigned resource.

When you select the product, the detail information for the product appears in the content panel.

3. Click the **Assembly** tab.

The content panel displays the line items belonging to the assembly.

4. In the list of items at the top of the tab, find the item that you want to delete.
5. Click the **Delete** icon in the Action column.

The item is no longer displayed in the list of items.

6. Click **Save**.

The item is deleted from the list of items.

Managing Pre-Configured Products

When you create a configurable product, you must associate the new product with a model previously created using the Visual Modeler. You can either leave the product-model association as is, in which case it represents a generic configured product (no pre-defined configurations), or you can pre-configure the product with your own selections. These selections form the starting point for any configuration performed by the end-users.

To Pre-configure a Configurable Product

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. Find and select the configurable product.

For assigned products:

- a. Navigate to the parent category for the product and select the parent category. The product frame displays the products associated with the parent category.
- b. In the product frame of the navigation panel, select the product.

For unassigned products, click the **Unassigned** tab in the navigation panel, then find and select the product in the list.

You can also click the **Search** tab to search the product catalog according to product ID, product name, product description, assigned feature, or assigned resource.

When you select the product, the detail information for the product appears in the content panel.

3. In the content panel, click the **Configuration** tab.

FIGURE 213. Product Management Panel: Configuration Tab

4. Click **Configure**.

This displays the Configuration screen.

FIGURE 214. Product Configuration Screen

5. Define the configuration.

- a. Select the items to be included in the configuration.
- b. Click **Done**.

This re-displays the **Configuration** tab in **C3** Product Manager.

Product ID: MXWS-9999

Model: Computers/Workstations/MXWS-1000

Configuration:

| Product ID | Item Name | Item Description | Qty |
|------------|--------------|-------------------------|-----|
| MXWS-1000 | MXWS-1000 | | 1 |
| | Monitors | Please select a monitor | 1 |
| | Optquest Q95 | Optquest Q95 | 1 |

Changes have not been saved.

[Save Changes](#) [Configure](#) [X Delete](#)

FIGURE 215. Configurable Product with Configuration

6. Click **Save Changes**.

To Delete a Configuration for a Pre-Configured Product

Note: The steps described here refer only to deleting the configuration for the associated model. This does not delete the product itself or the product-model association.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. Find and select the configurable product.

For assigned products:

- a. Navigate to the parent category for the product and select the parent category. The product frame displays the products associated with the parent category.
- b. In the product frame of the navigation panel, select the product.

For unassigned products, click the **Unassigned** tab in the navigation panel, then find and select the product from the list.

You can also click the **Search** tab to search the product catalog according to product ID, product name, product description, assigned feature, or assigned resource.

When you select the product, the detail information for the product appears in the content panel.

3. In the content panel, click the **Configuration** tab.

The **Configuration** tab displays the items included in the current configuration (see Figure 215 on page 339).

4. Click **Delete**.
5. Click **Save Changes**.

You can either create a new configuration for the product (see "To Pre-configure a Configurable Product" on page 337) or you leave the product as a generic configured product.

Importing Products

When you have large amounts of product data that you want to add to the Comergent eBusiness System, you can create an import set consisting of the categories and products you want to import. You import the products as a catalog import set in dXML format (see "Import File Properties" on page 342 for its description). You may customize parameters for an import set by using the System Administration feature.

Partners can also use this mechanism to import their catalog data. See "Importing Partner Product Information" on page 348 for more information.

You can also post updates to the product catalog into the Comergent eBusiness System using the CatalogRequest message. See "Posting CatalogRequest Messages" on page 349 for more details.

To Create an Import Set

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. Click the **Import** tab.

The screenshot shows the 'Product Manager' interface for the 'COMERGENT eBusiness System'. The 'Import' tab is active. The 'Import Set Name' is 'CatalogImportSet'. The 'General' section is expanded, showing a 'Selected Insertion point' with a 'Clear' button. The 'Product Category' list on the left includes 'ProductCategories', 'Accessories', 'Appliances', 'Bug 11540', 'Computers', 'David Test Cat', 'Handhelds', 'makiguan.test', 'Peripherals', and 'Software'. The right-hand form fields are: 'Name' (CatalogImportSet), 'Import Format' (dXML_3.0), 'Price List' (China), 'Supplier Name' (None), and 'File Name' (dxmlImportDataFile). A 'Save All Changes' button is at the bottom.

FIGURE 216. Import Panel

3. Click New....

The screenshot shows the 'Product Manager' interface for the 'COMERGENT eBusiness System'. The 'Import' tab is active. The 'Create New Import Set' section is expanded, showing a 'Selected Insertion point' with a 'Clear' button. The 'Product Category' list on the left is the same as in Figure 216. The right-hand form fields are: 'Name' (empty), 'Import Format' (dXML_4.0), 'Price List' (A. alones for Allnet), 'Supplier Name' (None), and 'File Name' (empty). 'Save' and 'Cancel' buttons are at the bottom.

FIGURE 217. Import Panel with General Tab: New Import Set

4. Enter the information for the fields listed below.

TABLE 25. Import Set Fields

| Field | Description |
|---------------|---|
| Name | Description for the import set |
| Import Format | dXML_3.0 or dXML_4.0 |
| Price List | If you want to import price information with the products, then select the price list to which the price information should be added or updated. |
| Supplier Name | The default supplier name. Select the supplier of the data only if the supplier is not specified in the file being imported. |
| File Name | The name of the file that contains the data being imported. You can specify the full path. If you do not specify the full path, then the system will default to the following directory <i>debs_home/Comergent/catalogexport/</i> . |

5. Select the insertion point.

This is the point in the product hierarchy where the imported data should be placed. To select the point, navigate through the product hierarchy until you find the location you want, then select the directory. The direction appears in the Selected Insertion Point Field.

| |
|---|
| Note: If you do not select an insertion point, then the imported data will be placed in the root product category. |
|---|

6. Click **Save**.

The General tab reappears with the new import set displayed. You can either import the file now ("To Import a Catalog Immediately" on page 345) or schedule the import ("To Import a Catalog Using a Cron Job" on page 346).

Import File Properties

When you import products using the import set mechanism, you must use an XML file that conforms to the Catalog DTD defined in the dXML message family. This section describes the rules that determine how information in this file is processed during the import process.

| |
|---|
| Note: Make sure that the files have no formatting information that makes them invalid XML documents. If the file is not a valid XML document, then no information is imported. |
|---|

The file must begin with the `MessageHeader` element and declare the `MessageType` as `Catalog`:

```
<dXML>
  <MessageHeader>
    <MessageType>Catalog</MessageType>
    <MessageVersion>4.0</MessageVersion>
    <MessageID/>
    <SessionID/>
    <SessionKeepAlive>30</SessionKeepAlive>
  </MessageHeader>
  <RemoteUser>
    <UserLogin/>
    <UserAuthenticator/>
  </RemoteUser>
  <Catalog>
    <CatalogHeader>
      <Description>dXML Catalog</Description>
      <DefaultSettings>
        <Currency>USD</Currency>
        <Language>en-US</Language>
      </DefaultSettings>
      <Supplier>
        <Name Type="PartnerID">Datasolve</Name>
        <SupplierID Domain="Supplier">29</SupplierID>
        <URL/>
        <PriceList>Datasolve Master List</PriceList>
      </Supplier>
    </CatalogHeader>
    <CatalogItems>
      ...
    </CatalogItems>
  </Catalog>
</dXML>
```

The `Supplier` element is used to identify from which supplier the catalog data is being imported. In the case of an import of enterprise data, you should set the value of the `Type` attribute to “`PartnerID`”, and set the value of the `Name` child element to the Manufacturer Name system property.

In the `Catalog` element, there is a child element for the `CatalogItems`. Each product that is to be imported is declared using a `ProductUpdate` element. This can include product and resource information for one or more locales.

```
<ProductUpdate Action="FullUpdateOrInsert">
  <Path>/Computers/Desktops</Path>
  <ProductID>MXDS-7510</ProductID>
  ...
</ProductUpdate>
```

You can define the following values for the Action attribute for a ProductUpdate element:

- **Insert:** use this action to add a product to the product catalog. An error is recorded if the product already exists in the catalog.
- **FullUpdate:** update all the information in the product using values provided in the import set or if nothing is specified the default value for the product. An error is recorded if the product does not exist.
- **IncUpdate:** update all the information in the product using values provided in the import set, but leave values already defined for other fields. An error is recorded if the product does not exist.
- **FullUpdateOrInsert:** if the product does not exist, then treat this in the same way as the Insert action. If it does exist, then treat this as a FullUpdate action.
- **IncUpdateOrInsert:** if the product does not exist, then treat this in the same way as the Insert action. If it does exist, then treat this as a IncUpdate action.

You can import pricing information for the product as part of the ProductUpdate element. This information is used to add or edit price information on the price list defined in the import set. It can include quantity tier information and this will override any quantity tier information currently specified for the product on the price list:

```
<Prices>
  <Price ListPrice="8600" PercentDiscount="100"
    AbsoluteDiscount="200"/>
  <QuantityTier From="100" To="190">
    <Price ListPrice="8000" PercentDiscount="50"/>
  </QuantityTier>
  <QuantityTier From="300">
    <Price ListPrice="70000" AbsoluteDiscount="1300"/>
  </QuantityTier>
  <QuantityTier From="400">
    <Price ListPrice="700000" AbsoluteDiscount="13000"/>
  </QuantityTier>
</Prices>
```

You can provide supplier information for products as part of the product import. This is how supplier information is processed:

1. The application will try to find out if there is a supplier defined in the importing file header. If there is one, then it will be used.

2. If there is no supplier defined in the header, then the supplier name defined in the import set will be used.
 - a. If the supplier name matches the Manufacturer Name system property, then all product IDs will be regarded as enterprise product IDs and imported directly.
 - b. If the supplier name does not match the Manufacturer Name, then the product IDs in the importing XML file will be regarded as partner product IDs, and they will be converted to enterprise product IDs using the CMGT_SKU_MAPPING database table.
3. If you do not need product ID mapping, then just make sure the value of the Name child element of the Supplier element in the dXML file matches the Manufacturer Name system property.

To Delete an Import Set

Before you delete an import set, make sure you delete any scheduled cron jobs involving the import set being deleted.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Import** tab.
3. Select the appropriate import set from the Import Set Name drop-down list.
4. Click **Delete**.

To Import a Catalog Immediately

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3 Product Manager** page.

2. Click the **Import** tab.
3. Select the appropriate import set from the Import Set Name drop-down list.
4. Click **Import Now**.

When you click **Import Now**, the screen displays the progress of your import. You can click **Result Statistics** to display import result statistics.

Also, once the import is complete, three results files are created in the directory defined by the path in the File Name field of the import set (see Table 25 on page 342):

- Import Results File
- Import Errors File
Lists all the import records not imported.
- Import Statistics File

To Import a Catalog Using a Cron Job

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
This displays the Product Management tab of the **C3** Product Manager page.
2. Click the **Import** tab to display the Import page.
3. Click **Schedule**.
This displays a list of the current cron jobs.
4. Click the link for the **Import Catalog** cron job.
5. This displays the Cron Job Configuration page for the Import Catalog cron job.

The screenshot displays the 'Edit Cron Job Configuration' page in the Comergent eBusiness System Administration interface. The page is divided into several sections:

- Header:** Includes the Comergent logo, 'Administration' title, and navigation links (My Home, My Account, About, Help, Logout).
- Section Header:** 'Edit Cron Job Configuration' with 'Save All Changes' and 'Cancel' buttons.
- Cron Job Information:**
 - Job Name: Import Catalog
 - Active: ☐
 - Program: com.comergent.apps.productMgr.dataSynd.CatalogImportC
 - Command Line Arguments: ImportSetName=CatalogImportSet
- Cron Job Type:**
 - System: ☐
 - Application: ☒ (Selected)
 - Username: sjones
 - Password: *****
- Cron Job Schedule:**
 - Start date and time: May 1, 2001 (Hours: 0, Minutes: 0)
 - End date and time: Dec 31, 2199 (Hours: 0, Minutes: 0)
 - Frequency: every 1 weeks

FIGURE 218. Cron Job Configuration Page

6. Change the information as necessary.

TABLE 26. Cron Job Configuration Page

| Field | Description |
|--|--|
| Job Name | The name of the cron job |
| Program | <p>The java implementation class that executes the job. You can use the predefined import cron job: com.comergent.apps.productMgr.dataSynd.CatalogImport Cron.</p> <p>Refer to the <i>Comergent eBusiness System Developer Guide</i> for more information on creating cron jobs.</p> |
| Command Line Arguments | The command line parameters that provide information about the job. The format is: ImportSetName=NAME, where NAME is the name of the import set you are scheduling. |
| Cron Job Type | <p>Automatically set to Application. The displayed username and password are defaults. Enter a username and password. These are usernames and passwords for users specific to the Comergent eBusiness System.</p> <p>The username and password you enter must have the privileges to be able to create import sets.</p> |
| Start date and time End date and time | <p>The effective start and end period between which dates and times the cron job will run. This, along with Frequency, determines when the job will run. For example, if you entered a frequency of three days, then the job will run every three days from the task start date and time until the task end date and time is reached.</p> <p>You can enter the same dates and times for both start date and time, in which case the job will be run only once, at a specific time.</p> |
| Frequency | How often will the job be run? Every three days? Every week? Every five minutes? and so on. |

7. Activate the job by checking the **Active** check box.
8. Click **Save All Changes**.

The import creates three results files in the directory defined by the path in the File Name field of the export set (see Table 25 on page 342):

- Import Results File

- Import Errors File
Lists all the import records not imported.
- Import Statistics File

Importing Partner Product Information

Partners can use the import sets to import catalog and pricing data into the Comergent eBusiness System using their own product IDs and other product information. To import a product, they must perform these steps:

1. Define a SKU mapping entry which maps their product ID to a corresponding enterprise product ID. In defining the mapping, they must specify the enterprise partner ID as the Pricing SKU Authority using the unique string for the enterprise. This is defined as the Partner.com Manufacturer Name system property. They specify the enterprise product ID as the Pricing SKU and their corresponding product ID as the Mapped SKU. For example:

```
Pricing SKU Pricing SKU Authority Mapped SKU
MX-GV15F Matrix DS-GV15F
```

2. Create a catalog import set that includes the product in an element along these lines. The Name element in the Supplier element must take the value defined as the External Partner ID in the partner profile for their partner. You must set the value of the Type attribute to “PartnerID”.

```
<Supplier Type="PartnerID">
  <Name>Datasolve</Name>
  <SupplierID Domain="InternalSupplierID">29</SupplierID>
  <URL/>
  <PriceList>Datasolve Enterprise Master List</PriceList>
</Supplier>
...
<ProductUpdate Action="FullUpdateOrInsert">
<Path>/Computers/Notebooks</Path>
  <ProductID>DSL-7410</ProductID>
...
</ProductUpdate>
```

Here the ProductID element is the partner product ID previously declared as the Mapped SKU.

Note that you can use a legacy form of the Catalog dXML file, in which you do not specify a Type attribute in the Supplier element. However, to use this legacy form, you must upload the SKU mapping information using the legacy form of the uploaded SKU mapping, in which the SKU authority is set to the partner external Partner ID.

3. Send the catalog import file to an enterprise administrator.
4. The enterprise administrator copies the catalog import file to the standard import location on the file system: ***debs_home/Comergent/catalogexport/***.
5. The enterprise administrator creates an import set as described in "To Create an Import Set" on page 340.
6. The enterprise administrator executes the import as described in "To Import a Catalog Immediately" on page 345 or "To Import a Catalog Using a Cron Job" on page 346.

Posting CatalogRequest Messages

You can update the product catalog by using a utility to post XML messages into the Comergent eBusiness System. The XML message must conform to the CatalogRequest DTD which is defined in ***debs_home/Comergent/dXML/4.1/CatalogRequest.dtd***. See "CatalogRequest DTD" on page 897 for more information.

To Update the Product Catalog using CatalogRequest

1. Create an XML document that conforms to the CatalogRequest DTD and which provides the update information you want to submit. Make sure that the MessageType element has the value "CatalogRequest" and the MessageVersion element has the value "4.0".
2. Using a utility such as the LocalPost utility, post the XML document into the Comergent eBusiness System using the standard message URL with "/catalogimport" appended. For example:

`http://server:port/Comergent/msg/matrix/catalogimport`
3. Verify that a CatalogResponse message is returned. This provides information about the status of the request.

Exporting the Product Catalog

To export products and product categories, you create an export set that defines the product and categories to be exported, the file format to be used, and the name of the file to be generated. When the set is exported, the file is generated in the selected format and stored, by default, in the ***debs_home/Comergent/catalogexport/*** directory. You can change the name of the **catalogexport** directory, but the new directory *must* be located in the ***debs_home/Comergent/*** directory. See

the *Comergent eBusiness System Implementation Guide* for the location of the **debs_home** directory.

If you export catalog information and specify one of the dXML formats, then the exported XML file will conform to the DTD defined by the **Catalog.dtd** file of the corresponding dXML message family.


To Create an Export Set

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Export** tab.

The Export page appears.



The screenshot shows the 'Product Manager' interface for 'COMERGENT eBusiness System'. The 'Export' tab is selected, displaying the 'Export Set Name' as 'CatalogExportSet'. Below this, there are tabs for 'General', 'Product', and 'Feature Sets'. The 'General' tab is active, showing fields for 'Name' (CatalogExportSet), 'Export Format' (dXML_4.0), 'Price List' (testinoExportIm), 'Filename Prefix' (dxmlExportedDataFile), 'URL', and 'Export Type' (Punchout Export). A 'Save All Changes' button is at the bottom.

FIGURE 219. Product Management: Export Tab

3. Click **New...**

The Create New Export Set panel appears.

Create New Export Set

Name

Export Format

Price List

Filename Prefix

URL

Export Type

FIGURE 220. Create New Export Set Tab

4. Enter the information for the fields listed below.

TABLE 27. Export Set Fields

| Field | Description |
|-----------------|--|
| Name | A name to describe the export set |
| Export Format | dhXML_1.0, dXML_4.0, or cXML_1.1 Note that dhXML is a variation of the dXML format in which the product category hierarchy is also preserved. |
| Price List | The price list that contains the products in the export set. Each product in the export set must have corresponding price information. Therefore each product must be part of the selected price list. Note: only list price information is exported. The export does not include any conditional pricing that might be part of the price list. |
| Filename Prefix | A maximum of 10 characters. The filename can contain an underscore or dash, but cannot contain spaces or periods. |

TABLE 27. Export Set Fields (Continued)

| Field | Description |
|-------------|--|
| URL | This field is only available for cXML_1.1 export format. URL provides a link for the customer to obtain more information about the products in this export set. |
| Export Type | This drop-down list is only available for cXML_1.1 export format: Punchout Export or Item Add Export. Punchout Export enables customers to punch out to your catalog to find and order products. Item Add Export encapsulates all the product information into an export set and the customer experience is dictated by a separate catalog management system. |

5. Click **Save**.

The screen re-displays the original export page with the new export set selected.

To Add or Remove Categories and Products from the Export Set

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3** Product Manager page.
2. Click **Export** to display the Export page.
3. Select the appropriate export set from the Export Set Name drop-down list.

The **General** tab displays the information for this set.
4. Click the **Product** tab.




FIGURE 221. Export Panel with Product Tab

5. Add a product category and products.
 - a. In the navigation panel, navigate through the product hierarchy and select a product category.

The children of this category (categories and products) are displayed in their respective lists.
 - b. In either the Product Category or the Products list, click the item you want to export.

When you add a category, you are adding all the products in that category to the export set.
 - c. Click **Add**.

The selected items appear in the appropriate list on the right.




FIGURE 222. Adding Products to the Export Set

6. Add unassigned products.
 - a. Click the **Unassigned** tab in the navigation panel.
The unassigned products are displayed in the Products list.
 - b. Click on the product you want to export.
 - c. Click **Add**.
The selected items appear in the Products To Export list.
7. Remove categories and products from the export set.
 - a. Click on the category or product in the appropriate list box.
 - b. Click **Remove**.
The category or products are removed from the set.
8. Click **Save All Changes**.

To Add Feature Types and Features to an Export Set

You can select specific features of the products in the export set that will be exported with the product.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click **Export** to display the Export page.
3. Select the appropriate export set from the Export Set Name drop-down list.
The **General** tab displays the information for this set.
4. Click the **Feature Type** tab to display the Feature Type panel.




FIGURE 223. Export Panel with Feature Type Tab

5. In the Feature Types list, select the feature types you want to export, then click **Add**.

The selected feature types appear in the Feature Types to Export list.

6. Click **Save All Changes**.

To Delete an Export Set

Before you delete an export set, make sure you delete any scheduled cron jobs that involve the export set being deleted.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3 Product Manager** page.

2. Click the **Export** tab.

3. Select the appropriate export set from the Export Set Name drop-down list.
4. Click **Delete**.

To Export the Catalog Immediately

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3** Product Manager page.

2. Click the **Export** tab.
3. Select the appropriate export set from the Export Set Name drop-down list.
4. Click **Export Now**.

When you click **Export Now**, the system starts a separate process to generate the file that is created under the filename you selected. This filename is appended with a timestamp and by default, is stored in the *debs_home/Comergent/htdocs/catalogexport/* directory when the process is complete.

To Export the Catalog Using a Cron Job

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3** Product Manager page.

2. Click **Export** to display the Export page.
3. Click **Schedule**.

This displays a list of the current cron jobs.

4. Click the link for the **Export Catalog** cron job.

This displays the Cron Job Configuration page for the Export Catalog cron job.

COMERGENT eBusiness System | Administration

My Home | My Account | About | Help | Logout

Edit Cron Job Configuration

[Save All Changes](#) [Cancel](#)

Cron Job Information

Job Name: Export Catalog ☐ Active

Program: com.comergent.apps.productMgr.dataSynd.CatalogExportCron

Command Line Arguments: ExportSetName=CatalogExportSet

Cron Job Type

☐ System ☒ Application

Username: ajones

Password: *****

Cron Job Schedule

Start date and time: May 1 2001 Hours: 0 Minutes: 0

End date and time: Dec 31 2199 Hours: 0 Minutes: 0

Frequency: every 1 weeks

FIGURE 224. Cron Job Configuration Page

5. Enter the information about the job.

TABLE 28. Cron Job Configuration Page

| Field | Description |
|------------------------|---|
| Job Name | The name of the cron job |
| Program | The java implementation class that executes the job. You can use the predefined export cron job: com.comergent.apps.productMgr.dataSynd.CatalogExportCron. |
| Command Line Arguments | The command line parameters that provide information about the job. The format is: ExportSetName=NAME, where NAME is the name of the export set you are scheduling. |
| Cron Job Type | Automatically set to Application . The displayed username and password are defaults. Enter a username and password. (The username and password you enter must have the privileges to be able to create export sets.) |

TABLE 28. Cron Job Configuration Page (Continued)

| Field | Description |
|--|---|
| Start date and time End date and time | The effective start and end period between which dates and times the cron job will run. This, along with Frequency, determines when the job will run. For example, if you entered a frequency of three days, then the job will run every three days from the task start date and time until the task end date and time is reached. You can enter the same dates and times for both start date and time, in which case the job will be run only once, at a specific time. |
| Frequency | How often will the job be run? Every three days? Every week? Every five minutes? and so on. |

6. Activate the job by checking the **Active** check box.
7. Click **Save All Changes**.

Suppressing Empty Product Categories

To Suppress Display of Empty Product Categories

See "Suppressing Display of Empty Product Categories" on page 70 for an explanation of suppressed display. Before starting this task, make sure that the **C3** Product Manager business rule to suppress empty categories has been set to "suppress empty categories". You have to re-start the servlet container for this rule to take effect. See CHAPTER 39, "Business Rules Administration" for further information on business rules.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page, or click on the root category in the Product Category navigation panel.
2. Click the **Suppression** tab.




FIGURE 225. Product Management: Suppression Tab

3. Click **Update**.
4. Optionally, click **Schedule...** to navigate to the Job Scheduler page to calculate suppression using a cron job.

A message is displayed noting that the calculation has started. The calculation can take some time to complete. You can check the log located in the servlet container log file for the result of the calculation.

| | |
|--------------|---|
| Note: | You can also schedule a cron job to calculate product category suppression. Click Schedule to display the Job Scheduler window. See CHAPTER 40, "Job Scheduling Administration", for instructions on creating a cron job and "Update Catalog" on page 886 for the details of the specific cron job. |
|--------------|---|

Product Availability

As part of the shopping experience you offer customers, you can enable them to check for the availability of products. In the reference implementation of the Comergent eBusiness System, a **Check Availability** button is provided as part of the UI that end-users see as they place orders.

Availability data for products is maintained in the CMGT_AVAILABILITY table of the Knowledgebase. In earlier releases, there was no UI provided to maintain data in this table, and so you had to use a custom mechanism to update this table from your inventory or ERP system. In Release 7.0 and higher, you can maintain availability information: see CHAPTER 12, "Managing Availability Information" for more information.

However, to support the check availability function, you must make sure that the message URL field of the Enterprise profile is set to the standard message URL for

the Comergent eBusiness System. For example, suppose that the main enterprise administration URL is:

`http://catalog.matrix.com:1030/Comergent/en/US/enterpriseMgr/matrix`

Then, in the Enterprise profile, set the Message URL field to:

`http://catalog.matrix.com:1030/Comergent/msg/matrix`

Partner administrators can maintain availability information for their products as described in CHAPTER 12, "Managing Availability Information".

Using the Hierarchical Entity Chooser

At certain points during product administration, you can use a chooser window to navigate the product catalog and select product IDs to populate fields or add products to lists. When you click the appropriate button, a Hierarchical Entity Chooser window is displayed as shown in Figure 226 on page 360.




FIGURE 226. Hierarchical Entity Chooser

To Select Products from the Product Hierarchy

This task describes procedures according to the window shown in Figure 226 on page 360.

1. If the tab is not already selected, then click the **Hierarchy** tab.

2. Navigate to the category that contains the product or products you want.
When you expand the category, the products and categories assigned to the category appear in the chooser.
3. Find and click the product you want.
The product ID appears in the list box at the bottom of the window.
4. Repeat the last two steps for each product you want to add.
To remove a product from the list box, click on the product then click **Remove**.
5. Click **Done**.

The product or products appear in the field for which you accessed the Product Browser window.

To Search for Products in the Hierarchical Entity Chooser

This task describes procedures according to the window shown in Figure 226 on page 360.

1. If the tab is not already selected, then click the **Search** tab.




FIGURE 227. Hierarchical Entity Chooser: Search Tab

2. In the Search Type drop-down list, select the search type: product name, product ID, or product description.

3. In the Search Criteria field, type the search string.
You use an asterisk (*) to perform wildcard searches.
4. If desired, uncheck the Unassigned check box to search only among products assigned to product categories.
5. Click **Search**.
The chooser displays the results of the search.
6. Find and select the product(s) you want.
The product ID(s) appears in the list box at the bottom of the window.
7. Repeat from Step 2 for each product you want to add.
To remove a product from the list box, click on the product, and then click **Remove**.
8. Click **Done**.
The product or products appear in the field for which you accessed the Product Browser window.

Administering Advanced Search

Overview

This release of the Comergent eBusiness System provides advanced capabilities for searching for products and for creating advanced searches in other parts of the system. This section describes how this functionality is implemented. See "Supported Search Syntax" on page 372 for a description of the supported search syntax that your customers can use.

Conceptually, there are two components to the advanced search functionality:

- Searching

- Index Building

| |
|---|
| <p>Attention: To generate search indexes, you must enable application Cron jobs and set the message URL for Cron jobs. See "Job Scheduler Settings" on page 864 for general information about setting cron job system properties. Update the Job Scheduler settings to support application Cron jobs and the message URL should be of the form:</p> <p><code>http://<servername:port>/Comergent/msg/matrix</code></p> <p>Note that both "Comergent" and "matrix" may be changed in your implementation of the Comergent eBusiness System. In a clustered installation of the Comergent eBusiness System, use the entry point to the cluster, not any particular member of the cluster.</p> |
|---|

Searching

When end-users perform a search, the search is performed against an index: the index ensures that the search engine can rapidly retrieve all the objects that meet the search criteria and can assign a *score* to each match. The score can be used to rank the results in such a way that the best matches are displayed first to a user. The search index is a set of files generated by the index building process.

The Quick Search field provides a convenient way to search for products. When a user searches for a single string, the Comergent eBusiness System looks for the string in the product ID, product name, product description, and names of features assigned to the product. If the user enters two terms separated by a space, then this is treated as an OR search: products are returned that match either term. If the user enters two terms separated by "+", then this is treated as an AND search: products are returned only if both terms occur in one of the product ID, product name, product description, and names of features assigned to the product.

Index Building

A search index is created by the index building process. Administrators initiate the building of an index or it can be automated using a Cron job. Each index entry is associated with a *weight*: these reflect the relative importance that you want to associate with the indexing fields. For example, you might want it to be more important that the occurrences of a string in product IDs is more important than in their occurrence in product descriptions. Weights are used to calculate the score for each search result: the scores reflect how well each item matches the search criteria.

At any one time, there can be one or more indexes created, but only one is the *current* index. When a user conducts a search the current index is used to retrieve the search results.

You can customize the index by:

- determining which fields in data objects are used to create the index
- specifying the weight associated with each field

The configuration parameters that control these factors are defined in the **SearchConfigurationProperties.xml** configuration file. See "To Change the Index and Search Settings" on page 368 for more information.

Administration Tasks

If your implementation of the Comergent eBusiness System supports advanced search capabilities, then you can initiate the creation of a new search index and specify whether user searches should use the most recent index. You can also set the configuration parameters that determine the relative weight of occurrences of search words. See:

- "Index Building Tasks" on page 364
- "To Activate an Index Set" on page 368
- "To Change the Index and Search Settings" on page 368
- "To Update Dictionary Definitions" on page 370

You can also use XML messages to build, activate, and delete indexes. See "Using XML Messages to Manage Search Indexes" on page 370 for more information.

Index Building Tasks

Over time, you may add new products, features, data sheets, and so on to your product catalog. You may also decide that certain search characteristics are more important than others and so should be weighted differently. To reflect these changes in the advanced search functions, you must re-build the search index. You can either build a new index by re-indexing the whole product catalog or build a new index incrementally by generating a new index based on an existing index and all the product catalog changes made since the existing index was built. See:

- "To Build a New Index" on page 365
- "To Build Indexes Using a Cron Job" on page 366
- "To Build an Index Incrementally" on page 367

You can determine how the index builders work through system properties.

To Build a New Index

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
This displays the Product Management tab of the **C3** Product Manager page.
2. Click the Search Admin tab.

COMERGENT eBusiness System | Product Manager

My Home | My Account | About | Help | Logout

Product Management | Feature Management | Import | Export | **Search Admin**

- Generate Index**
 You can start creating a new index set or schedule index set creation on a regular basis. You need to enter the user name and password for generating a new index.
 Username: Password:
- Refresh Search Properties**
 Click the button below to reload the settings from the "SearchConfigurationProperties.xml" file.
- Manage Search Indexes**
 Below are the latest 1 index sets. You can activate or remove an index set using the action buttons. Set the date and click the "Delete" button to remove older index sets. Click "Refresh" to refresh the table.
 Delete index sets older than:

| Date | Name | Index Set Path | Status | Action |
|--------------------|-------------|--------------------|--------|----------------------------------|
| 10/25/2006 1:49 PM | MasterIndex | MasterIndex_600500 | Active | <input type="button" value="X"/> |

FIGURE 228. Product Management: Search Admin tab

3. Enter your enterprise administrator password.
4. Click **Generate New**.

A new index build is initiated and a dialog box gives you the name of the log file that is generated by the build process. The index can take several minutes to build. Once the build has completed, the status of the build is recorded: if the build is successful, then you can set the operational index to this new build. See "To Activate an Index Set" on page 368.

Note: If you initiate index building manually, then you do not have to enable application cron jobs, but you must make sure that the cron job message URL is set correctly.

5.

Note: If your Comergent eBusiness System installation runs in a clustered environment, then ensure that you configure the cluster such that all servers in the cluster pick up new and updated files, including newly-generated index files, as soon as possible. This ensures that all servers are in sync and will serve the same information to customers accessing your site.

Then, set the AutoReload element of the **SearchConfigurationProperties.xml** file as follows:

```
<AutoReload activated="true" reloadFilePeriod="30"/>
```

This activates the AutoReload function and instructs the cluster to check for updates every 30 seconds.

To Build Indexes Using a Cron Job

You can set index set creation to be performed as a cron job. To do so:

1. If the cron job has not already been created, then create the Index Builder cron job: see "Index Builder" on page 885 for more information.
2. Navigate to the Product Manager Administration page.
3. Click **Search Admin**.
4. Click **Schedule....**

Administration

[My Home](#)
[My Account](#)
[About](#)
[Help](#)
[Logout](#)

List of Cron Jobs (10)

Create New Cron Job

| Name | Actions | CronStatus | CronType | Frequency | Start Date | End Date | Last Exec Date | Last Exec Status |
|--------------------------------------|---------|------------|-------------|--------------|------------|------------|----------------|------------------|
| Cache Cleanup | | Active | System | 40 minute(s) | 5/1/2001 | 12/31/2199 | 9/20/2005 | Failed |
| Campaigns Execution | | Active | Application | 5 minute(s) | 1/1/2004 | 12/31/2199 | 9/20/2005 | Success |
| CommerceOne_PO | | Inactive | Application | 6 hour(s) | 5/1/2001 | 12/31/2199 | | |
| Export Catalog | | Inactive | Application | 1 week(s) | 5/1/2001 | 12/31/2199 | | |
| Import Catalog | | Inactive | Application | 1 week(s) | 5/1/2001 | 12/31/2199 | | |
| Inventory Collection | | Inactive | System | 3 hour(s) | 5/1/2001 | 12/31/2199 | | |
| Maintain Indexsets | | Inactive | Application | 60 week(s) | 1/23/2003 | 12/31/2199 | | |
| OrdersToERP | | Active | Application | 5 minute(s) | 5/1/2001 | 12/31/2199 | 9/20/2005 | Success |
| Update Catalog | | Inactive | Application | 1 day(s) | 5/1/2001 | 12/31/2199 | | |
| UpdateCatalogIndex | | Inactive | Application | 1 minute(s) | 11/20/2002 | 11/20/2199 | 11/21/2002 | |

FIGURE 229. Cron Job List Page

5. On the list of cron jobs, click **Maintain Index Sets**.
6. Check the **Active** check box.
7. Set the appropriate schedule to run the cron job.

8. Click **Save All Changes**.

To Build an Index Incrementally

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the Search Admin tab.




FIGURE 230. Product Management: Search Admin tab

3. In the list of search indices, identify the index from which you want to incrementally build the new index.
4. Click the **Build New Set Incrementally** button in its row.

An incremental index build is initiated and a dialog box is displayed to let you know that the index building process has been started. The index can take several minutes to build, although typically incremental builds are relatively quick to build. The name of the index is the same as the existing index, with an appropriate version number. For example, if you build a new index incrementally from MasterIndex_600501, then the new index will be called MasterIndex_600501.1. Once the build has completed, the status of

the build is recorded: if the incremental build is successful, then you can set the operational index to this new build. See "To Activate an Index Set" on page 368.

To Activate an Index Set

Once a new index build has completed, you may want to update the advanced search so that the new index is used in searches. To do this, you must set the operational index to this new build as follows:

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Search Admin** tab.
3. In the list of current indexes, identify the index you want to use: typically, this is the most recently created index as identified by the Date column.
4. Click **Activate Index Set** in the row for the selected index set.

The advanced search functionality is set to use the most recently activated index set. New users performing searches will have their search results generated from this new index set. Users currently performing searches will continue to use the results from their current search until they initiate a new search.

To Change the Index and Search Settings

You can customize the settings used to create an index and settings used while performing a search as follows:

1. Edit the **SearchConfigurationProperties.xml** and **CatalogDictionary.mappings** files. The meaning of the elements and attributes in this file are described below. See "Configuration File Settings" on page 369.

2. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Management tab of the **C3 Product Manager** page.

3. Click the **Search Admin** tab.
4. Click **Reload Search Settings**.
5. Click **Generate New**.

6. Activate the new index set as described in "To Activate an Index Set" on page 368.

Configuration File Settings

The **SearchConfigurationProperties.xml** file is used to determine how an search index set is created and how it is used in searches. A sample file is included in "Search Configuration Parameters" on page 901.

Each index set is described in an IndexSet element. It has the following child elements:

- **Locales:** specifies for what locales indexes should be created. You can only specify locales that are defined in your Knowledgebase.
- **SearchFields:** this specifies what fields in data objects can be searched on. Each SearchField element declares an id attribute: this is the name that the search application uses to refer to the indexed field, and the key attribute references the field created by the indexing process.
 - The defaultWeight attribute is used to calculate the score for each search result: if you want a particular field to be most significant in ranking search results, then you should set its defaultWeight higher than the other search results.
 - The useDictionary attribute determines whether the search uses the dictionary mappings defined in the CatalogDictionary.mappings file. See "To Update Dictionary Definitions" on page 370 for more information about the use of dictionary terms.
- **Builder:** the builderClass attribute specifies which indexing class should be used to build the index. The key attribute specifies the initial part of the index string used to retrieve fields. Typically, each builder will use the following child elements:
 - **IndexFields:** the IndexField elements determine what fields of data objects are indexed and how they are mapped to keys in the index. The id attribute must correspond to the name of a data field of a data object and the key attribute must correspond to the key attribute declared in the SearchField element that you want to use to reference the field.

The store attribute specifies whether the value of the field is saved with the index: setting this attribute to true simply ensures that the search operation can retrieve the value without having to restore the data object. The index attribute specifies whether the field can be used during the search operation. The tokenize attribute determines whether

the value of the data field is broken down into its component tokens (such as individual words) or treated as a single string. If you set this attribute to true, then there is an index entry for each of the tokens that make up the value of the data field.

- **Builder:** a builder class may invoke other builders. In building the index, the key attribute of a child builder is appended to the key attribute of its parent builder.

For example, suppose that you have a parent builder whose key attribute is set to “product” and it declares an `IndexField` whose key is “id”. Suppose that it also has a child builder whose key is “name” and it has two `IndexField` elements: “short” and “long”. Then you can declare the following search fields:

```
<SearchField id="productID" key="product.id" active="true"
  defaultWeight="1"/>
<SearchField id="productShortName" key="product.name.short"
  active="true" defaultWeight="1"/>
<SearchField id="productLongName" key="product.name.long"
  active="true" defaultWeight="1"/>
```

To Update Dictionary Definitions

If a user is searching for “color”, then you might want them to find items that use the terms “colour” or “hue”. You specify the equivalence of search terms and words using the **CatalogDictionary.mappings** file. Each line of this file takes the form:

```
term, word, word, word, ...
```

The first string is referred to as the “term” and the following words are equivalent words. You can add terms or edit terms to specify the word equivalences you want. When a search is performed, occurrences of these words are regarded as equivalent to occurrences of the term. If a user searches for the term, they will see results that contain any of the other words. For example, suppose that you have in the mappings file:

```
color, colour, hue
```

Searches for “color” will also return references to “colour” and “hue”; however, searches for “hue” will not return references to “color” and “colour” unless you have another line that reads:

```
hue, color, colour
```

Using XML Messages to Manage Search Indexes

You can perform some search-related tasks by posting XML messages into the Comergent eBusiness System as follows:

1. Create an XML message for the search index action. In Release 7.1, you can generate a new index, activate an index, and delete an index using XML messages.

You must provide user authentication information in the RemoteUser element. The user must be an enterprise user with the Program Management function.

2. Using your preferred tool, post the XML message into the Comergent eBusiness System using the standard message URL, for example:

`http://server:port/Comergent/msg/matrix`

- You must use POST rather than GET.
- Set the Content-type to “application/x-icc-xml”.
- The XML message must be the body of the request.

The following is an example of a message used to generate a new index:

```
<Comergent>
  <MessageHeader>
    <MessageType>MaintainIndex</MessageType>
    <MessageVersion>4.0</MessageVersion>
    <MessageID>1</MessageID>
    <SessionID>???Remote SessionId Unknown???</SessionID>
    <MessageTimeStamp>
      Thu Jan 22 11:25:43 PST 2004
    </MessageTimeStamp>
    <SystemCredentials>
      <SenderID>Matrix</SenderID>
      <SenderName>Matrix</SenderName>
    </SystemCredentials>
  </MessageHeader>
  <RemoteUser>
    <UserLogin>admin</UserLogin>
    <UserFullName>Not required</UserFullName>
    <UserAuthenticator>admin</UserAuthenticator>
  </RemoteUser>
  <IndexMaintenance state="INSERTED" type="BusinessObject">
    <CommandName state="INSERTED">BuildIndexFull</CommandName>
    <IndexSetName state="INSERTED">MasterIndex</IndexSetName>
    <IndexSetPath state="INSERTED">MasterIndex</IndexSetPath>
    <RunningMode state="INSERTED">Build</RunningMode>
    <EmailAddress state="INSERTED">
      changeme@changeme.com
    </EmailAddress>
    <NumberOfBuilderThreads state="INSERTED">
      1
    </NumberOfBuilderThreads>
  </IndexMaintenance>
</Comergent>
```

```
</NumberOfBuilderThreads>
<ListSizePerThread state="INSERTED">200</ListSizePerThread>
<UpdateListName state="INSERTED">None</UpdateListName>
<StartingFrom state="INSERTED"/>
<CheckDBUpdateList state="INSERTED">true</CheckDBUpdateList>
<PreprocessList state="INSERTED"/>
<Result state="INSERTED"/>
</IndexMaintenance>
</Comergent>
```

The `CommandName` element can take the following values:

- `BuildIndexFull`
- `BuildIndexIncrementalNewFromLatest`
- `ActivateIndex`
- `DeleteIndex`

When you are building a new index, then you can specify whether the new index is to be activated by using the `RunningMode` element: this can be set to “Build” or “Build_Activate”.

When activating or deleting an index set, you must specify the name of the index set using the `IndexSetName` element and the path to the index set files using `IndexSetPath` element.

The other parameters behave as they do for creating an index generation cron job: see “Index Builder” on page 885 for more information.

Supported Search Syntax

This section describes the supported search syntax that users may use as they conduct searches. It is based on the Lucene search syntax.

As well as space-separated strings, users may also enter:

- `+`: this unary operator specifies that the string must be present.
- `-`: this unary operator specifies that the string must not be present
- `AND`: this binary operator specifies that the two clauses joined by the operator must both be satisfied. In its simplest form it is used to specify that two words must both be present.
- `OR`: this binary operator specifies that one or both clauses joined by the operator must be satisfied. In its simplest form it is used to specify that either one word or the other must be present.

Examples

This section provides examples of the uses of these operators:

- **+MXWS-7600:** will return any product in which the string “MXWS-7600” occurs.
- **-MXLP-7410:** will exclude products in which the string “MXLP-7410” occurs.
- **MXWS* AND graphics:** will return products in which there is a match for MXWS* and the string “graphics” occurs.
- **MXLP* OR laptops:** will return products in which there is a match for either MXLP* or the string “laptops” occurs.

This chapter covers tasks that are performed only by enterprise or partner administrators.

| | |
|--------------|--|
| Note: | You can set a business rule so that price lists are used determine product entitlements. See "Create Product Entitlement Based on Pricelist" on page 873 for more information. |
|--------------|--|

See "Product Entitlements" on page 67 for an overview of product entitlements in the Comergent eBusiness System. This chapter covers the following tasks:

- "To Create a Product Entitlement" on page 376
- "To Modify a Product Entitlement" on page 377
- "To Delete a Product Entitlement" on page 378
- "To Assign a Product Entitlement" on page 378
- "To Unassign a Product Entitlement" on page 379
- "To Search for a Product Entitlement" on page 380

Managing Product Entitlements


You must have the appropriate administrative functions in order to perform these tasks:

- "To Create a Product Entitlement" on page 376
- "To Modify a Product Entitlement" on page 377
- "To Delete a Product Entitlement" on page 378
- "To Assign a Product Entitlement" on page 378
- "To Unassign a Product Entitlement" on page 379

Users do not require administrative functions in order to search for product entitlements, described in "To Search for a Product Entitlement" on page 380.

To Create a Product Entitlement

1. Click **Product Entitlement** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. On the Product Entitlement List page, click **New Product Entitlement**. This displays the Product Entitlement Detail page.



The screenshot displays the 'Product Entitlement: New' form in the Comergent eBusiness System Administration interface. The form is titled 'Product Entitlement: New' and includes a 'Save' button. The form fields are as follows:

- Name ***: A text input field.
- Description**: A text input field.
- Supplier ***: A text input field with an 'Assign...' button next to it.
- StartDate(M/D/YYYY) (hh:mm) ***: A date and time picker set to 9/12/2005 00:00.
- EndDate(M/D/YYYY) (hh:mm) ***: A date and time picker set to 9/12/2015 23:59.
- Status ***: A checkbox labeled 'Active'.

FIGURE 231. Product Entitlement Detail Page: New Tab

3. On the New tab, enter the header information. See Table 30 on page 383 for a complete description of the fields on this page.
4. Click **Save**.

Define the items on the product entitlement as follows:

5. Click the **Item** tab.
6. Select the type of product entitlement and click **New**. You can specify one of the following types:
 - a. Price List: all product IDs on the selected price list are on the item.
 - b. Product Category: all products in the selected product category are on the item.
 - c. Feature: all products that are assigned the feature are on the item.
7. The Hierarchical Entity Picker window is displayed: navigate to the appropriate price list, product category, or feature for the item. Click it, and then click **Done**.

The selected item is displayed.

8. You can specify whether the item should be used to include or exclude products. Check the check box next to the item and click **Include** or **Exclude**.
9. You can add further items by repeating Step 6 through Step 8 as many times as you like.

Bear in mind that the order of items is important: items are evaluated for inclusion and exclusion in the order displayed in the Order column: 1, 2, and so on. Thus if the first item on a product entitlement excludes a product, but a subsequent item includes it, then the effect of the product entitlement as a whole is to include the item.

10. You can change the order of items by editing the sequence number values, and then clicking **Update Order**.

To Modify a Product Entitlement

1. Search for the product entitlement. See "To Search for a Product Entitlement" on page 380.
2. On the Product Entitlement Detail page Info tab, modify the header details as appropriate.

3. For example, you can modify the starting or ending dates or the status of the product entitlement. See Table 30 on page 383 for a description of the fields.
4. Save your changes by clicking **Save**.
5. Modify the list of product entitlement items as appropriate:
 - a. Click the **Item** tab.
 - b. Remove items by checking their check boxes and clicking **Delete**.
 - c. Change the order in which items are evaluated by editing the sequence number values for each item, and then click **Update Order**.

To Delete a Product Entitlement

1. Search for the product entitlement(s) you want to delete. See "To Search for a Product Entitlement" on page 380.
2. On the resulting Product Entitlement Search page, check the check box(es) next to the product entitlement(s) that you want to delete, and click **Delete**.

To Assign a Product Entitlement

By assigning a product entitlement to a partner, you are managing what products users of that partner can see as they browse or search the product catalog. You can assign a product entitlement to a partner either from the Product Entitlement UI as described here or from the **C3** Profile Manager UI: see "To Assign a Product Entitlement to a Profile" on page 184.

1. Search for the product entitlement(s) you want to assign. See "To Search for a Product Entitlement" on page 380.
2. Click its link to display its Product Entitlement Detail page.

COMERGENT eBusiness System Administration

My Home | My

Product Entitlement: Allnet Price List

Info Item Organization

Save

General Information

Name *

Allnet Price List

Description

Supplier *

Allnet Corp Assign...

StartDate(M/D/YYYY) (hh:mm) *

9/1/2005 0 0

EndDate(M/D/YYYY) (hh:mm) *

9/30/2005 0 59

Status *

☒ Active

FIGURE 232. Product Entitlement Detail Page

3. Click the Organization tab.
4. Click **Assign...**
5. In the Hierarchy Entity Picker window, navigate to or search for the partner(s) to which you want to assign the product entitlement.
6. Select the partner and their name is displayed in the lower list box.
7. Repeat Step 6 for each partner to which you want to assign this product entitlement.
8. Click **Done**.

The Organization tab is re-displayed and now includes the selected partner(s).

To Unassign a Product Entitlement

1. Search for the product entitlement(s) you want to unassign. See "To Search for a Product Entitlement" on page 380.
2. Click its link to display its Product Entitlement Detail page.


The screenshot shows the 'COMERGENT eBusiness System' Administration page. The main heading is 'Product Entitlement: Allnet Price List'. Below this is a tabbed interface with 'Info', 'Item', and 'Organization' tabs. The 'Info' tab is active, showing a 'Save' button and a 'General Information' section. The 'General Information' section contains fields for 'Name' (Allnet Price List), 'Description', 'Supplier' (Allnet Corp. with an 'Assign...' button), 'StartDate(M/D/YYYY) (hh:mm)' (9/1/2005 00:00), 'EndDate(M/D/YYYY) (hh:mm)' (9/30/2005 00:59), and 'Status' (Active, with a checked checkbox).

3. Click the Organization tab.
4. Check the check box(es) for the profile(s) you want to unassign this product entitlement from.
5. Click **Unassign**.

To Search for a Product Entitlement

1. Click **Product Entitlement** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Product Entitlement List Page.


Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Product Entitlement List:

Find:

[Previous](#) [Next](#)

| <input type="checkbox"/> | ListID | Name | Description | Start Date | End Date | Supplier | Status |
|--------------------------|--------|--------------------------------|----------------------|------------|------------|-------------|--------|
| <input type="checkbox"/> | 10 | Germany | German Mark | 1/17/2001 | 8/21/2006 | Enterprise | Active |
| <input type="checkbox"/> | 1 | Government | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 5 | High Technology | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 11 | Japan | Japanese Yen | 1/17/2001 | 5/1/2004 | Enterprise | Active |
| <input type="checkbox"/> | 600004 | NorthSea Tech - Yonkers | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 600003 | NorthSea Tech Eastern Division | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 10027 | Ost_uc9 | Ost | 9/25/2001 | 12/31/2999 | Enterprise | Active |
| <input type="checkbox"/> | 10032 | Ostrich_uc1 | Ostrich | 9/25/2001 | 12/31/2999 | Enterprise | Active |
| <input type="checkbox"/> | 3 | Pharmaceutical | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 16 | Pricelist_allnet | Pricelist for allnet | 1/17/2001 | 10/4/2010 | AllNet Corp | Active |

FIGURE 233. Product Entitlement List Page

2. Search for the product entitlement(s).
 - a. Enter search criteria. You can use an asterisk (*) wild card character with all criteria to perform a wild card search.

TABLE 29. Product Entitlement Search Fields

| Field | Description |
|------------------|--|
| List ID | The ID of the product entitlement. |
| Name | Enter the name of the product entitlement. |
| Description | Search for a string in the product entitlement description. |
| Effectivity Date | You can search for product entitlements by specifying an effectivity date. Only those product entitlements that are effective on that date are displayed. Click the calendar icon to select the date you want. |
| Supplier | You can search for product entitlements by the name of the supplier. |
| Status | You can search for either active or inactive product entitlements. |


b. Click **Search**.

The search results are displayed as a list on the Product Entitlement Search page.

Note: Partner administrators will only see product entitlements created by partner administrators in their own organization.

3. In the list of results, find the product entitlement whose details you want to view.
4. In the List ID column, click the ID of the product entitlement to view its details.

This displays the Product Entitlement Detail page for that product entitlement.



Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Product Entitlement List:

Find:

ListID

Search

Show All

New

Delete

[Previous](#)
[Next](#)

| <input type="checkbox"/> | ListID | Name | Description | Start Date | End Date | Supplier | Status |
|--------------------------|--------|--------------------------------|----------------------|------------|------------|-------------|--------|
| <input type="checkbox"/> | 10 | Germany | German Mark | 1/17/2001 | 8/21/2006 | Enterprise | Active |
| <input type="checkbox"/> | 1 | Government | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 5 | High Technology | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 11 | Japan | Japanese Yen | 1/17/2001 | 5/1/2004 | Enterprise | Active |
| <input type="checkbox"/> | 600004 | NorthSea Tech - Yonkers | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 600003 | NorthSea Tech Eastern Division | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 10027 | Ost_uc9 | Ost | 9/25/2001 | 12/31/2999 | Enterprise | Active |
| <input type="checkbox"/> | 10032 | Ostrich_uc1 | Ostrich | 9/25/2001 | 12/31/2999 | Enterprise | Active |
| <input type="checkbox"/> | 3 | Pharmaceutical | US Dollar | 1/17/2001 | 10/6/2003 | Enterprise | Active |
| <input type="checkbox"/> | 16 | Pricelist_allnet | Pricelist for allnet | 1/17/2001 | 10/4/2010 | AllNet Corp | Active |

FIGURE 234. Product Entitlement List Page

5. Search for the product entitlement(s).

- a. Enter search criteria. You can use an asterisk (*) wild card character with all criteria to perform a wild card search.

TABLE 30. Product Entitlement Search Fields

| Field | Description |
|------------------|--|
| List ID | The ID of the product entitlement. |
| Name | Enter the name of the product entitlement. |
| Description | Search for a string in the product entitlement description. |
| Effectivity Date | You can search for product entitlements by specifying an effectivity date. Only those product entitlements that are effective on that date are displayed. Click the calendar icon to select the date you want. |
| Supplier | You can search for product entitlements by the name of the supplier. |
| Status | You can search for either active or inactive product entitlements. |

- b. Click **Search**.

The search results are displayed as a list on the Product Entitlement Search page.

| | |
|--------------|--|
| Note: | Partner administrators will only see product entitlements created by partner administrators in their own organization. |
|--------------|--|

6. In the list of results, find the product entitlement whose details you want to view.
7. In the List ID column, click the ID of the product entitlement to view its details.

This displays the Product Entitlement Detail page for that product entitlement.

COMERGENT Administration
eBusiness System

My Home | My Account | About | Help | Logout

Product Entitlement: Allnet Price List [Goto List](#)

Info | **Item** | Organization

Pricelist

| <input type="checkbox"/> | Name | Seq. # ↕ | Type | Inclusion/Exclusion |
|--------------------------|-------------------|--------------------------|-----------|---------------------|
| <input type="checkbox"/> | Allnet Price List | 0 | Pricelist | Inclusion |

FIGURE 235. Product Entitlement Detail Page: Item Tab

- **Organization:** use this tab to assign the product entitlement to partners.

COMERGENT Administration
eBusiness System

My Home | My Account | About | Help | Logout

Product Entitlement: Allnet Price List [Goto List](#)

Info | Item | **Organization**

| <input type="checkbox"/> | <input type="checkbox"/> | Profile Name ↕ | Root Profile Name | Profile Type | Profile Level |
|--------------------------|--------------------------|--|-----------------------------------|------------------------------|-------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | AMT Systems | | Reseller | Gold |
| <input type="checkbox"/> | <input type="checkbox"/> | AffinityNet | | Reseller | Gold |
| <input type="checkbox"/> | <input type="checkbox"/> | Allnet Corp | | Distributor | Silver |

FIGURE 236. Product Entitlement Detail Page: Organization Tab

This chapter covers all of the tasks associated with managing availability information for your products: inventory, warehouse, and restock quantities and dates. See "Managing Availability Information" on page 69 for an overview of availability information. This chapter covers the following tasks:

- "To Upload Product Availability" on page 385
- "To Download Product Availability" on page 387
- "To Update Product Availability" on page 388

You must be assigned the Program Management function to manage availability information.

Product Availability Tasks

To Upload Product Availability

Use this task to upload product availability to the database. See "Product Availability File Format" on page 906 for the required format and an example.

1. Click **Upload and Maintain Product Inventory Information** in the Availability Administration panel on the Comergent eBusiness System home page.

The screenshot shows the 'Availability Administration' section of the Atrix Solutions web application. At the top, there are navigation links: 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. Below the navigation bar, there are three tabs: 'Availability Update' (selected), 'Availability Download', and 'Availability Upload'. The main content area contains a form with the following fields and buttons:

- Find ProductID:** A text input field followed by a blue 'Find' button.
- Warehouse Location:** A text input field.
- Search Results:** A horizontal line separator.
- ProductID:** A text input field.
- Warehouse Location:** A text input field.
- Available Qty:** A text input field followed by a blue 'Update' button.
- Restock Qty:** A text input field.
- Restock Date:** A date picker with a calendar icon and '(MM/DD/YYYY)' format.
- ETA:** A date picker with a calendar icon and '(MM/DD/YYYY)' format.

FIGURE 237. Partner Availability Update Page

2. Click **Availability Upload**.

The screenshot shows the 'Availability Administration' section of the Atrix Solutions web application. At the top, there are navigation links: 'My Home', 'My Account', 'Account Activity', 'Help', and 'Logout'. Below the navigation bar, there are three tabs: 'Availability Update', 'Availability Download', and 'Availability Upload' (selected). The main content area contains a form with the following fields and buttons:

- Uploadfile:** A text input field followed by a 'Browse...' button and an 'Upload' button.

At the bottom of the form, there is a note: "Please select a tab delimited text file that has Availability details in the format: <Status> <SKU Name> <Warehouse Location> <Availability> <Restock Date> <Restock Quantity> <ETA>".

FIGURE 238. Partner Availability Upload Page

3. Select the file that contains the products by completing one of the following:
 - Enter the filename (including the path) in the Upload file field.
 - Click **Browse...** and select the appropriate filename.
4. Click **Upload**.

To Download Product Availability

1. Click **Upload and Maintain Product Inventory Information** in the Availability Administration panel on the Comergent eBusiness System home page.
2. Click **Availability Download**.




FIGURE 239. Partner Availability Download Page

3. Select the format for the products that are to be downloaded.
 - Click **in Excel format** for the information to be displayed in an Excel spreadsheet.

Attention: If you are using Internet Explorer 5.0 on a Windows NT 4.0 machine with cookies turned on, then you cannot download product availability information in a Microsoft Excel format. Instead, download this information in a text format.

If you have Microsoft Excel installed, then the application is opened in a browser window and the information is displayed in an Excel spreadsheet. Use the Excel program to save or print the product information.

- Click **in Text format** for the information to be displayed in a text format.

The information is displayed in text format in a browser window. Save or print the product information.

To Update Product Availability

1. Click **Upload & Maintain Product Inventory Information** in the Availability Administration panel on the Comergent eBusiness System home page.
2. Click the **Availability Update** tab.

The screenshot shows the 'Availability Administration' section of the Comergent eBusiness System. The 'Availability Update' tab is selected. The interface contains two main sections: a search section and an update section. The search section has fields for 'Find ProductID:' and 'Warehouse Location:', with a 'Find' button. The update section has fields for 'ProductID:', 'Warehouse Location:', 'Available Qty:', 'Restock Qty:', 'Restock Date:', and 'ETA:'. The 'Restock Date' and 'ETA' fields include a calendar icon and a '(MM/DD/YYYY)' format hint. An 'Update' button is located next to the 'Available Qty' field.

FIGURE 240. Availability Update Tab

3. Enter a product ID and Warehouse Location in the appropriate fields.
This field is case sensitive. You cannot use asterisks (*) to perform a wildcard search.
4. Click **Find**.
The current availability information for that product is displayed.
5. As necessary, modify the information for the fields listed in Table 31, "Product Availability Fields", on page 388:

TABLE 31. Product Availability Fields

| Field | Description |
|--------------------|---|
| Available Quantity | Number of the products that are available for purchase. |
| Restock Date | Expected date of the restock. |

TABLE 31. Product Availability Fields (Continued)

| Field | Description |
|------------------|--|
| Restock Quantity | Number of products that will be restocked. |
| ETA | Estimated time of availability of the product to the customer. |

6. Click **Update**.

Managing Features in C3 Product Manager

This chapter describes the tasks used to manage the feature hierarchy. "Feature Management in C3 Product Manager" on page 60 provides a description of the feature elements, how they relate to **C3** Advisor, and how you use **C3** Product Manager to manage them.

| |
|---|
| Note: You can also manage features through the C3 Advisor Administration user interface. See CHAPTER 20, "Managing Features in C3 Advisor". |
|---|

- "To Create a Feature Type Group" on page 392
- "To Modify a Feature Type Group" on page 394
- "To Delete a Feature Type Group" on page 395
- "To Create a Feature Type within a Feature Type Group" on page 395
- "To Create an Unassigned Feature Type" on page 398
- "To Modify a Feature Type" on page 401
- "To Assign a Feature Type to a Product Category" on page 404
- "To Unassign a Feature Type from a Product Category" on page 406
- "To Assign a Feature Type to a Feature Type Group" on page 407
- "To Unassign a Feature Type from a Feature Type Group" on page 408

- "To Delete a Feature Type" on page 409
- "To Create a Feature" on page 410
- "To Modify a Feature" on page 412
- "To Modify a Feature from the Feature Type Detail Panel" on page 414
- "To Delete a Feature" on page 417
- "To Assign a Feature to a Product Category" on page 418
- "To Unassign a Feature from a Product Category" on page 420
- "To Assign a Feature to a Product" on page 421
- "To Unassign a Feature from a Product" on page 423
- "To Assign a Resource to an Entity" on page 424
- "To Unassign a Resource from an Entity" on page 426

Working with Feature Type Groups

In the feature hierarchy, features belong to feature types. When you create feature types, you have the option of assigning feature types to a feature type group. Therefore, when you build your feature hierarchy, you should create feature type groups first.

Feature types that are not assigned to a feature type group are displayed on the Unassigned tab in the Feature Hierarchy panel.

To Create a Feature Type Group

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Feature Management** tab.

This displays the Feature Management panel.




FIGURE 241. Feature Management Panel

3. In the Feature Type Groups panel, click **Create Feature Type Group** to display the New Feature Type Group Panel.




FIGURE 242. New Feature Type Group Panel

4. In the New Feature Type Group panel, enter a name and description for this feature type group.

5. Save the new feature type group.

You can click **Save** to save the feature type group and remain at the New Feature Type Group panel (to create more groups).

You can click **Save All and Return to List** to return to the Feature Type Groups panel. The new feature type group appears in the List of Feature Type Groups list box. The new feature type group also appears in the Feature Hierarchy panel.

To Modify a Feature Type Group

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Feature Management** tab.
3. In the Feature Hierarchy Panel, click the feature type group that you want to modify.

This displays the Feature Type Group detail tabs.

The screenshot shows the 'Feature Type Group: Performance' detail page. At the top, there are four tabs: 'General' (selected), 'Feature Type', 'Assign', and 'Resource'. Below the tabs, the title 'Feature Type Group: Performance' is displayed. Underneath, there are two input fields: 'Name' with the value 'Performance' and 'Description' with the value 'This feature type group is used for all performance-related features.' Both fields have a small 'X' icon to the right. At the bottom, there is a blue button labeled 'Save All Changes'.

FIGURE 243. Feature Type Group Detail: General Tab

4. In the **General** tab make any necessary changes to the Name, and Description of the feature type group, and click **Save All Changes**.
5. Click the **Feature Types** tab to manage the feature types assigned to this group. You can:
 - Create feature types within this group. See "To Create a Feature Type within a Feature Type Group" on page 395.
 - Rearrange the order of the feature types currently assigned to this group. This rearranges the order of how the feature types appear to the end-user.

- Delete a feature type. See "To Delete a Feature Type" on page 409.
 - Unassign a feature type currently assigned to this group.
6. Click the **Assign** tab to assign unassigned feature types to this group.
 7. Click the **Resource** tab to assign or unassign resources.
See "Resources and Resource Types" on page 106 for explanation of resources and resource types.
 - For each resource you want to assign, follow the procedure in "To Assign a Resource to an Entity" on page 424.
 - For each resource you want to unassign, follow the procedure in "To Unassign a Resource from an Entity" on page 426.
 8. Click **Save All Changes**.

To Delete a Feature Type Group

When you delete a feature type group, the feature types belonging to the group become unassigned feature types.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
This displays the **Product Management** tab of the **C3 Product Manager** page.
2. Click the **Feature Management** tab.
3. In the Feature Type Group panel, find and select the group you want to delete in the List of Feature Type Groups.
4. Click **Delete**.
The feature type group is deleted from both the list box and the Feature Hierarchy panel.
5. Click **Save All Changes**.

Working with Feature Types

Feature types can belong to a feature type group, or they can be unassigned.

To Create a Feature Type within a Feature Type Group

You can create a feature type either as assigned to a feature type group, or as unassigned, that is, not assigned to any feature type group. This task describes how

to create a feature type assigned to a group. See "To Create an Unassigned Feature Type" on page 398 for instructions on creating feature types unassigned to any group.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Feature Management** tab.




FIGURE 244. Feature Management Panel

3. In the Feature Hierarchy Panel, find and click the feature type group within which you want to create the feature type.

This displays the Feature Type Group Detail.




FIGURE 245. Feature Type Group Detail: General Tab

4. Click the **Feature Type** tab.



FIGURE 246. Feature Type Group Detail: Feature Type Tab

5. Click **Create Feature Type** to display the New Feature Type panel.

FIGURE 247. New Feature Type Panel

6. Type a name and description for the new feature type in the appropriate fields.

The Name field is the name your customers will see. The Description field is for internal use. Your customers will never see this text.

7. Select the Row Type from the drop-down list.

Row type determines how the features within the feature type will be displayed when products having this feature type are compared.

- **Multiple Feature Row** specifies that all of the features within this feature type that apply to the product will appear in a single row of the comparison table.
- **Single Feature Row** specifies that each feature within this feature type will have its own row in the comparison table.

8. Check **Use to compare** to include all the features associated with the feature type in any product comparisons.

When you check this box, the **Use to compare** check box for each of its corresponding features is automatically checked.

9. Save the new feature type.

You can click **Save** to save the new type and remain at the New Feature Type panel (to create more feature types).

You can click **Save All and Return to List** to return to the Feature Types Panel. The new feature type appears in the List of Feature Types list box. The new feature type appears in the Feature Hierarchy panel.

To Create an Unassigned Feature Type

You can create a feature type either as assigned to a feature type group, or as unassigned, that is, not assigned to any feature type group. This task describes how to create a feature type that is not assigned to any feature type group. See "To Create a Feature Type within a Feature Type Group" on page 395 for instructions on creating feature types assigned to a specific feature type group.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Feature Management** tab.




FIGURE 248. Feature Management Panel

3. In the Feature Hierarchy Panel, click the **Unassigned** tab.

This displays the Unassigned Feature Type panel.




FIGURE 249. Unassigned Feature Type Panel

4. Click **Create Feature Type** to display the New Feature Type panel.

FIGURE 250. New Feature Type Panel

5. Type a name and description for the new feature type in the appropriate fields.

The Name is the name your customers will see. The Description is for internal use. Your customers will never see this text.

6. Select the Row Type from the drop-down list.

Row type determines how the features within the feature type will be displayed when products having this feature type are compared.

- **Multiple Feature Row** specifies that all of the features within this feature type that apply to the product will appear in a single cell of the comparison table.
- **Single Feature Row** specifies that each feature within this feature type will have its own row in the comparison table.

7. Check **Use to compare** to include all the features associated with the feature type in any product comparisons.

The **Use to compare** check box determines whether or not the features belonging to this type are included in a product comparison. When your customer uses your questionnaire to find products, they are free at any time to select two or more products from the product list, and compare them. When they do this, **C3 Advisor** generates and displays a *product comparison table*, which lists the products and the features they have, allowing your customer to compare the products.

Note: If you check **Use to compare** for a feature, then you must make sure that **Use to compare** is checked for its feature type also.

8. Save the new feature type.

You can click **Save** to save the new feature type and remain at the New Feature Type panel (to create more feature types).

You can click **Save All and Return to List** to return to the Feature Types Panel. The new feature type appears in the List of Feature Types list box as well as in the Feature Hierarchy panel.

To Modify a Feature Type

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3** Product Manager page.

2. Click the **Feature Management** tab.

3. Find and select the feature type.

If the feature type is assigned to a feature type group:

- a. Navigate the hierarchy until you find the group to which the feature type belongs.
- b. Expand the group to display the feature types by clicking the plus (+) symbol.
- c. Navigate the feature types and click on the feature type you want to modify.

This displays the Feature Type Detail Panel.

If the feature type is unassigned:

- a. In the Feature Hierarchy panel, click the **Unassigned** tab.
- b. Click on the feature type you want to modify.

This displays the Feature Type Detail panel.




FIGURE 251. Feature Type Detail: General Tab

4. In the **General** tab make any necessary changes.

- Name and Description

The Name is the name your customers will see. The Description is for internal use. Your customers will never see this text.

- Row Type

Row type determines how the features within the feature type will be displayed when products having this feature type are compared.

- **Multiple Feature Row** specifies that all of the features within this feature type that apply to the product will appear in a single row of the comparison table.
- **Single Feature Row** specifies that each feature within this feature type will have its own row in the comparison table.
- Check **Use to compare** to include all the features associated with the feature type in any product comparisons.

5. Click the **Feature** tab.

You can:

- Create features within this type. See "To Create a Feature" on page 410.
- Rearrange the order of the features currently assigned to this feature type.

- Delete a feature. See "To Delete a Feature" on page 417.
- Modify a feature. See "To Modify a Feature from the Feature Type Detail Panel" on page 414.

6. Click the **Category** tab.

In this tab, you can:

- View the categories to which the feature type is currently assigned.
- Assign the feature type to a category. See "To Assign a Feature Type to a Product Category" on page 404.
- Unassign the feature type from existing categories. See "To Unassign a Feature Type from a Product Category" on page 406.

7. Click the **Feature Type Group** tab.

In this tab, you can:

- Assign the feature type to a feature type group.

If the feature type is already assigned to a group, then you can use this tab to reassign it. Otherwise, you can use this tab to assign an unassigned feature type to a feature type group. See "To Assign a Feature Type to a Feature Type Group" on page 407.

| | |
|--------------|--|
| Note: | A feature type can only belong to one feature type group. When you reassign the feature type, the feature type is unassigned from its original feature type group. |
|--------------|--|

- Unassign a feature type.

See "To Unassign a Feature Type from a Feature Type Group" on page 408.

8. Click the **Resource** tab.

See "Resources and Resource Types" on page 106 for more detailed information about resources.

- For each resource you want to assign, follow the procedure in "To Assign a Resource to an Entity" on page 424.
- For each resource you want to unassign, follow the procedure in "To Unassign a Resource from an Entity" on page 426.

9. Click **Save All Changes**.

To Assign a Feature Type to a Product Category

When you modify a feature type ("To Modify a Feature Type" on page 401), you can assign the feature type to a product category. Assigning a feature type to a product category enables you to assign the features in that feature type to the product category and to products in the product category.

Note: You can also assign feature types to a product category through the **Product Management** tab. See "To Modify a Product Category" on page 284. By assigning the features from the **Feature Management** tab, however, you can assign a single feature type to more than one category at the same time.

1. Navigate to the feature type using the Feature Hierarchy panel.
2. Display the **Category** tab.
See "To Modify a Feature Type" on page 401.

General Feature **Category** Feature Type Group Resource

Feature Type: Processor Speed

Enter or select a category to assign to

Assigned Categories

Laptops

FIGURE 252. Feature Type Detail: Category Tab

3. Find the category you want.
 - a. Click **Browse....**
This displays the Hierarchical Entity Chooser.




FIGURE 253. Hierarchical Entity Chooser

- b. Find the product category to which you want to assign the feature type.

Using the Hierarchical Entity Chooser, navigate down through the product category hierarchy to find the product category you want. Click the plus (+) sign to expand the category to display its contents.

Notice that when you click a product category, the chooser window is re-displayed with a list of nested categories (if any) within the category.

Notice also that the name of the selected category appears in the drop-down list at the top of the chooser window. As you click categories in the window, the category will appear in this field. You can re-display categories you have selected by selecting the category from the drop-down list.

- c. When you find the product category you want, click the category name.

The selected category appears in the field at the bottom of the window.

- d. Click **Done**.

The category is displayed in the **Category** tab, along with the parent category path, if any.




FIGURE 254. Category Tab with Entry

4. Click **Assign**.
5. Click **Save All Changes**.

The category appears in the Assigned Categories list along with the parent category path, if any.

To Unassign a Feature Type from a Product Category

When you modify a feature type ("To Modify a Feature Type" on page 401), you can unassign the feature type to a product category.

1. Navigate to the feature type using the Feature Hierarchy panel.
2. Display the **Category** tab.

See "To Modify a Feature Type" on page 401.




FIGURE 255. Category Tab

3. Find the category (or categories) you want in the Assigned Categories list.
4. Select the category (or categories) you want.

You can select multiple categories using the Shift or Control key.

5. Click **Unassign**.

The selected category (or categories) is removed from the Assigned Categories list.

6. Click **Save All Changes**.

To Assign a Feature Type to a Feature Type Group

When you modify a feature type ("To Modify a Feature Type" on page 401), you can assign an unassigned feature type to a feature type group, or you can re-assign an assigned feature type to a different feature type group.

1. Navigate to the feature type using the Feature Hierarchy panel.
2. Display the **Feature Type Group** tab.

See "To Modify a Feature Type" on page 401.

| | |
|--------------|--|
| Note: | If you are assigning a currently unassigned feature type, then the Feature Type Group tab appears as in Figure 256 on page 407. If you are re-assigning an assigned feature type, then the tab appears the same, but contains only Assign and Cancel buttons. |
|--------------|--|




FIGURE 256. Feature Type Group Tab

3. In the List of Feature Type Groups, find the feature type group to which you want to assign the feature type.

- Click the feature type group in the list.
- Assign the feature type.

If you are assigning an unassigned feature type, then you can click **Assign** or **Assign and Continue**. Click **Assign** to assign the feature type and re-display the Feature Hierarchy with the feature type displayed within its assigned feature type group. Click **Assign and Continue** to assign the feature type and continue to display the unassigned feature types.

If you are re-assigning an already assigned feature type, then click **Assign** to assign the feature type to the selected feature type group. The Feature Hierarchy is re-displayed with the feature type displayed within its newly assigned feature type group.

To Unassign a Feature Type from a Feature Type Group

When you modify a feature type ("To Modify a Feature Type" on page 401), you can unassign a feature type from its assigned feature type group.

- Navigate to the feature type using the Feature Hierarchy panel.
- Display the **Feature Type Group** tab.

See "To Modify a Feature Type" on page 401.




FIGURE 257. Feature Type Detail: Feature Type Group Tab

- Click **Unassign**.

The page is re-displayed. The Feature Hierarchy panel displays the unassigned feature types, now including the feature type you unassigned.

To Delete a Feature Type

Deleting a feature type automatically deletes its features as well as any assignments.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Feature Management** tab.
3. In the Feature Hierarchy Panel, find the feature type.

If the feature type belongs to a feature type group:

- a. Find the group in the Feature Hierarchy panel.
- b. Click on the name of the group.

This displays the detail for the group.

- c. Click the **Feature Type** tab.

This displays the list of feature types belonging to this group.




FIGURE 258. Feature Type Tab

- d. In the List of Feature Types, click on the feature type you want to delete.
- e. Click **Delete**.

If the feature type is unassigned, then temporarily assign it to a feature type group and delete it from the feature type group.

4. Click **Save All Changes**.

Working with Features

Each feature is created as a member of a specific feature type. See "Feature Management in C3 Product Manager" on page 60 for a discussion of features and the concepts involved.

To Create a Feature

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3** Product Manager page.

2. Click the **Feature Management** tab.
3. Find the feature type within which you want to create the feature.

The feature type can be an assigned feature type (that is, assigned to a feature type group) or an unassigned type.

If you want to create the feature as part of an assigned feature type, then in the upper-left Feature Hierarchy panel, navigate to the feature type within which you want to create the features. If you have not created the feature type, see "To Create a Feature Type within a Feature Type Group" on page 395.

If you want to create the feature within an unassigned feature type, then in the upper-left Feature Hierarchy panel, click the **Unassigned** tab, find the feature type among the list of unassigned types. If you have not created the feature type, then see "To Create an Unassigned Feature Type" on page 398.

4. Click the feature type within which you want to create the new feature.
This displays the detail panel for that feature type.
5. Click the **Feature** tab.




FIGURE 259. Features Tab

6. Click **Create Feature**.

This displays the New Feature Panel.

FIGURE 260. New Feature Panel

7. Enter a name and description for the feature.

This name is also the name your customers will see. The description is for internal use only. Your customers will never see this text.

8. If you want this feature to be used to compare products, then check the **Use To compare** box.

The **Use to compare** check box determines whether or not this feature is included in a product comparison. When your customer uses your questionnaire to find products, they are free at any time to select two or more products from the product list, and compare them. When they do this,

C3 Advisor generates and displays a *product comparison table*, which lists the products and the features they have, allowing your customer to compare the products.

| |
|---|
| Note: If you check Use to compare for a feature, then you must make sure that Use to compare is checked for its feature type also. |
|---|

9. Use the Start Date and End Date controls to define the effectivity of the feature.

For features that are only effective over a specific time period, the start date defines when the feature becomes effective. The end date defines when the feature ceases to be effective.

Feature effectivity is described in the section "Feature Effectivity" on page 62.

10. Save the new feature.

Click **Save** to save the feature and remain at the New Feature panel.

Click **Save All and Return to List** to save the feature and return to the **Features** tab of the Feature Types Detail Panel.

The new feature appears in the List of Features list box. The new feature appears in the Feature Hierarchy panel.

To Modify a Feature

| |
|--|
| Note: You can also modify a feature when you modify a feature type. See "To Modify a Feature from the Feature Type Detail Panel" on page 414. |
|--|

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3** Product Manager page.

2. Click the **Feature Management** tab.
3. Find and select the feature.

If the feature belongs to an assigned feature type:

- a. Navigate the hierarchy until you find the group to which the type belongs.
- b. Expand the group to display the feature types by clicking the plus (+) symbol.

- c. Navigate the feature types and click on the feature type to which the feature belongs.

The features appear in the lower-left panel.

- d. Find and click the feature you want to modify.

This displays the detail panel for the feature.

If the feature type is unassigned:

- a. In the Feature Hierarchy panel, click the **Unassigned** tab.
- b. Click on the feature type to which the feature belongs.

The features appear in the lower-left panel.

- c. Find and click the feature you want to modify.

This displays the detail panel for the feature.

General Category Product Resource

Feature: 1 GHz

Name
1 GHz

Description

☒ Use to compare

Start Date (MM/DD/YYYY)
10/20/2003

End Date (MM/DD/YYYY)
10/20/2103

Save All Changes

FIGURE 261. Feature Detail Panel

4. In the **General** tab make any necessary changes.

- Name and Description

This name is also the name your customers will see. The description is for internal use only. Your customers will never see this text.

- Use to compare

The **Use to compare** check box determines whether or not this feature is included in a product comparison. When your customer uses your questionnaire to find products, they are free at any time to select two or more products from the product list, and compare them. When they do

this, **C3** Advisor generates and displays a *product comparison table*, which lists the products and the features they have, allowing your customer to compare the products.

| |
|---|
| Note: If you check Use to compare for a feature, then you must make sure that Use to compare is checked for its feature type also. |
|---|

- Start Date and End Date

For features that are only effective over a specific time period, the start date defines when the feature becomes effective. The end date defines when the feature ceases to be effective.

Feature effectivity is described in the section "Feature Effectivity" on page 62.

5. Click **Save All Changes**.

6. Click the **Category** tab.

You can assign the feature to or unassign the feature from a product category. When you do this, the feature is automatically assigned to all the products within the category or within any nested categories. See "To Assign a Feature to a Product Category" on page 418 or "To Unassign a Feature from a Product Category" on page 420.

7. Click the **Product** tab.

You can assign or unassign the feature being modified to individual products within a category. See "To Assign a Feature to a Product" on page 421 or "To Unassign a Feature from a Product" on page 423.

8. Click the **Resource** tab.

Modifying resource assignment includes assigning and unassigning resources. See "Resources and Resource Types" on page 106 for more details about resources.

- For each resource you want to assign, follow the procedure in "To Assign a Resource to an Entity" on page 424.
- For each resource you want to unassign, follow the procedure in "To Unassign a Resource from an Entity" on page 426.

9. Click **Save All Changes**.

To Modify a Feature from the Feature Type Detail Panel

You can also modify a feature from within the detail panel for a feature type.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Feature Management** tab.
3. Find and select the feature type.

If feature type is assigned to a feature type group:

- a. Navigate the hierarchy until you find the group to which the type belongs.
- b. Expand the group to display the feature types by clicking the plus (+) symbol.
- c. Navigate the feature types and click on the feature type you want to modify.

This displays the Feature Type Detail Panel.

If the feature type is unassigned:

- a. In the Feature Hierarchy panel, click the **Unassigned** tab.
- b. Click on the feature type you want to modify.

This displays the Feature Type Detail panel.

4. Click the **Feature** tab.




FIGURE 262. Feature Type Detail: Feature Tab

5. In the List of Features list box, click on the feature you want to modify.
6. Click **Edit**.

This displays the Feature Detail Panel for the selected feature.

7. In the **General** tab make any necessary changes.

- Name and Description

This name is also the name your customers will see. The description for internal use. Your customers will never see this text.

- **Use to compare**

The **Use to compare** check box determines whether or not this feature is included in a product comparison. When your customer uses your questionnaire to find products, they are free at any time to select two or more products from the product list, and compare them. When they do this, *C3 Advisor* generates and displays a *product comparison table*, which lists the products and the features they have, allowing your customer to compare the products.

| |
|---|
| Note: If you check Use to compare for a feature, then you must make sure that Use to compare is checked for its feature type also. |
|---|

- Start Date / End Date

For features that are only effective over a specific time period, the start date defines when the feature becomes effective. The end date defines when the feature ceases to be effective.

Feature effectivity is described in the section "Feature Effectivity" on page 62.

8. Click **Save All Changes**.

9. Click the **Category** tab.

You can assign the feature to or unassign the feature from a product category. When you do this, the feature is automatically assigned to all the products within the category. See "To Assign a Feature to a Product Category" on page 418 or "To Unassign a Feature from a Product Category" on page 420.

10. Click the **Product** tab.

You can assign or unassign the feature being modified to individual products within a category. See "To Assign a Feature to a Product" on page 421 or "To Unassign a Feature from a Product" on page 423.

11. Click the **Resource** tab.

Modifying resource assignment includes assigning and unassigning resources.

- For each resource you want to assign, follow the procedure in "To Assign a Resource to an Entity" on page 424.
- For each resource you want to unassign, follow the procedure in "To Unassign a Resource from an Entity" on page 426.

12. Click **Save All Changes**.

To Delete a Feature

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Feature Management** tab.
3. In the upper-left Feature Hierarchy panel, find and click the feature type to which the feature belongs.

The **General** tab of the Feature Type detail panel appears.

4. Click the **Feature** tab.

The **Feature** tab appears.




FIGURE 263. Feature Type Detail: Feature Tab

5. In the List of Features list box, highlight the feature you want to delete, and click **Delete**.

The feature disappears from the list box.

6. Click **Save All Changes**.

To Assign a Feature to a Product Category

When you modify a feature ("To Modify a Feature" on page 412), you can assign the feature to a product category. When you assign a feature to a product category, the feature is automatically assigned to the products belonging to the category.

Note: You can only assign features to a product category if the feature type to which the feature belongs has been assigned to the product category. See "To Assign a Feature Type to a Product Category" on page 404.

You can also assign feature types to a product category through the **Product Management** tab. See "To Modify a Product Category" on page 284. By assigning the features from the **Feature Management** tab, however, you can assign a single feature type to more than one category at the same time.

1. Navigate to the feature using the Feature Hierarchy and Feature panels.
2. Display the **Category** tab.




FIGURE 264. Feature Detail: Category Tab

3. Find the product category you want.
 - a. Click **Browse...**

This displays the Hierarchical Entity Chooser.




FIGURE 265. Hierarchical Entity Chooser

- b. Find the product category to which you want to assign the feature.

Using the Hierarchical Entity Chooser, navigate down through the product hierarchy to find the category you want. Click the plus (+) sign to expand the category to display its contents.

Notice that when you click a product category, the chooser window is re-displayed with a list of nested categories (if any) within the category.

Notice also that the name of the selected category appears in the drop-down list at the top of the chooser window. As you click categories in the window, the category will appear in this field. You can re-display categories you have selected by selecting the name from the drop-down list.

- c. When you find the category you want, click the category name.

The selected category appears in the field at the bottom of the window. (Notice that some categories are unselectable: these are displayed in black. This means that the feature type to which the feature belongs is not assigned to those categories.)

- d. Click **Done**.

The category is displayed in the **Category** tab, along with the parent category path, if any.

4. Click **Assign**.

The feature is assigned to the category and to all the products in the category. The lower part of the frame displays the assignments to categories. The green and red icons indicate whether the assignment is direct or by inheritance.




FIGURE 266. Category Tab Showing Assignments

To Unassign a Feature from a Product Category

When you modify a feature ("To Modify a Feature" on page 412), you can unassign the feature from a product category.

1. Navigate to the feature using the Feature Hierarchy and Feature panels.
2. Display the **Category** tab.




FIGURE 267. Feature Detail: Category Tab

3. From the displayed list of categories, identify the category from which you want to unassign the feature.
4. Click the Unassign icon.

The feature is unassigned from the category and from all the products in the category. You can unassign the feature from all product categories by clicking **Unassign All**.

To Assign a Feature to a Product

When you modify a feature ("To Modify a Feature" on page 412), you can assign the feature to an individual product within a category.

Note: You can only assign features to a product if the feature type to which the feature belongs has been assigned to the product category to which the product belongs. See "To Assign a Feature Type to a Product Category" on page 404.

1. Navigate to the feature using the Feature Hierarchy and Feature panels.
2. Display the **Product** tab.

General Category **Product** Resource

Select 'X' to unassign this Feature from a Product. Select 'Unassign All' to unassign this Feature from all Products. Select 'Assign' button to assign this Feature to selected Products.
Note: Inherited feature cannot be unassigned.

Unassign All **Assign...**

| Product ID | Product Name |
|--------------|-------------------------------------|
| MX-PR-IMG-01 | Matrix-Digital-Imaging-Beginner-Set |
| MX-PR-IMG-02 | Matrix-Digital-Imaging-Expert-Set |
| MX-SP998 | Altec Lansing ACS340 Speakers |
| MXA-MSS | Matrix Satellite Speaker |
| MXA-MSW | Matrix Subwoofer |
| MXDS-7480 | 7480 Desktop "Base" |
| MXDS-7490 | 7490 Desktop "Base Plus" |
| MXDS-7500 | 7500 Desktop |

FIGURE 268. Feature Detail: Product Tab

3. Find the product you want.
 - a. Click **Assign...**

This displays the Hierarchical Entity Chooser.




FIGURE 269. Hierarchical Entity Chooser

- b. Find the product to which you want to assign the feature.

Using the Hierarchical Entity Chooser, navigate down through the product hierarchy to find the product you want.

Notice that when you click a product category, the chooser window is re-displayed with a list of nested categories (if any) within the category. (Notice that some categories are unselectable. This means that the feature type to which the feature belongs is not assigned to those categories.)

- c. Notice also that the name of the selected category appears in the drop-down list at the top of the chooser window. As you click categories in the window, the category will appear in this field. You can re-display categories you have selected by selecting the name from the drop-down list.
- d. When you find the product you want, click the product name.

The selected product appears in the field at the bottom of the window.

- e. Click **Done**.

The feature is assigned to the product.

To Unassign a Feature from a Product

When you modify a feature ("To Modify a Feature" on page 412), you can unassign the feature from an individual product within a category.

1. Navigate to the feature using the Feature Hierarchy and Feature panels.
2. Display the **Product** tab.

General Category **Product** Resource

Select 'X' to unassign this Feature from a Product. Select 'Unassign All' to unassign this Feature from all Products. Select 'Assign' button to assign this Feature to selected Products.
Note: Inherited feature cannot be unassigned.

Unassign All **Assign...**










| Product ID  | Product Name |
|--|-------------------------------------|
|  MX-PR-IMG-01 | Matrix-Digital-Imaging-Beginner-Set |
|  MX-PR-IMG-02 | Matrix-Digital-Imaging-Expert-Set |
|  MX-SP998 | Altec Lansing ACS340 Speakers |
|  MXA-MSS | Matrix Satellite Speaker |
|  MXA-MSW | Matrix Subwoofer |
|  MXDS-7480 | 7480 Desktop "Base" |
|  MXDS-7490 | 7490 Desktop "Base Plus" |
|  MXDS-7500 | 7500 Desktop |

FIGURE 270. Feature Detail: Product Tab

3. In the Assigned Products list box, find the product you want.
4. Click the **Unassign** icon.

The feature is unassigned from the product.

Assigning Resources to Feature Type Groups, Feature Types, and Features

See "Resources and Resource Types" on page 106 for an overview of resources. You create resources in **C3** Advisor, but you assign the resources in **C3** Product Manager. See CHAPTER 21, "Managing Resources in C3 Advisor", for the tasks involved in managing resources.

To Assign a Resource to an Entity

When you modify an entity (feature type group, feature type or feature), you can assign resources.

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3** Product Manager page.
2. Click the **Feature Management** tab.

3. In the Feature Hierarchy Panel, find the feature type group, feature type, or feature to which you want to assign resources.
4. Click the link of the entity to which you want to assign a resource to display its detail panel.
5. Click the **Resource** tab.

The screenshot shows a web interface for assigning resources. At the top, there are tabs: General, Feature, Category, Feature Type Group, and Resource. The 'Resource' tab is selected. Below the tabs, the text 'Feature Type: Processor Speed' is displayed. The main area is divided into two sections. On the left, 'Unassigned Resource Types' has a dropdown menu with 'Datasheet' selected and an 'Assign' button below it. Below this is an 'Assigned Resource Types' section with an empty list box and an 'Unassign' button. On the right, the 'Resource contents' section contains four input fields: 'Type', 'Value', 'Label', and 'Description'. The 'Description' field has a small icon in its bottom right corner. At the bottom of the form is a 'Save All Changes' button.

FIGURE 271. Feature Type: Resource Tab

6. In the Unassigned Resource Types drop-down list, select the resource type you want to assign to this entity, and click **Assign**.

The following things occur:

- The resource type is removed from the Unassigned Resource Types drop-down list and appears in the Assigned Resource Types list box.
 - The resource type appears in the Type field.
 - The resource type's label appears in the Label field.
 - The resource type's description appears in the Description text box.
7. In the Value field, type the location of the resource you want to assign.

This can be either a path to the file selected as the resource, or it can be a URL to a Web page that displays the information for the resource.

8. (Optional) In the Label field, type the text you want to use as a label for the resource when it is displayed.

When you assign a resource type, its label is automatically populated in the Label field. You can choose to use this label if you want. You only need to overwrite the label if you want to give the resource a label that is different from the resource type's label.

9. (Optional) In the Description field, type the text you want to use as a description for the resource when it is displayed on a questionnaire page.

When you assign a resource type, the resource type's description is automatically populated in the Description field. You can choose to use this description if you want. You only need to overwrite the description if you want to give the resource a description that is different from the resource type's.

10. Click **Save All Changes**.

To Unassign a Resource from an Entity

1. Click **Product Master** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the **Product Management** tab of the **C3 Product Manager** page.

2. Click the **Feature Management** tab.
3. In the Feature Hierarchy Panel, find the feature type group, feature type, or feature from which you want to unassign resources.
4. Click the link of the entity from which you want to unassign a resource to display its detail panel.
5. Click the **Resource** tab.

The resource types currently assigned to the entity are displayed in the Assigned Resource Types list box.

6. In the Assigned Resource Types list box, select the resource type you want to unassign.

The defined value, label, and description for the resource appear in the appropriate fields.

7. Click **Unassign**.

The following actions occur:

- The resource type disappears from the Assigned Resource Types list box and appears in the Unassigned Resource Types drop-down list.
 - The Value, Label, and Description fields are emptied.
8. Click **Save All Changes**.

This chapter covers the tasks involved in creating and modifying models. See "Using the Visual Modeler" on page 71 for an overview of the modeling process.

| | |
|-------------------|--|
| Attention: | Models are compiled to XML files. Consequently, do not use the following characters when naming models and model entities such as groups, properties, and rules: "&", "/", "@", "!", and the quote characters " and '. |
|-------------------|--|

Visual Modeler Interface

The Visual Modeler page consists of three frames:

- **Model Groups:** When you first access the Visual Modeler page, this frame displays the root model group, that is, the highest group in the model group hierarchy. See "Model Group Hierarchy" on page 73 for a more detailed explanation of the hierarchy.

You can expand a model group to display the model groups within it by clicking on the plus (+) sign.




FIGURE 272. Visual Modeler Page

- **Models and Groups:** This displays the models and groups that are children of the model group selected in the Model Groups frame.
- **Content:** This displays information about the model group selected in the Model Groups frame. The information is collected into the following tabs:
 - **General Info:** Displays the children of the model group (where you can select, delete, and reorder children). You can also create new model groups, new models, and new groups. You can also upload models or model groups to the currently selected model group.
 - **Properties:** You can define new properties in this tab which you can then attach to any model, option class, or option item within the model group for which the property was defined. In the same way, you can also use the property in rules defined for any model or model group in the hierarchy below the model group for which it is defined.
 - **Rules:** You can define rules for the model group. These rules can be attached to any models, option classes, or option items in the hierarchy below the model group for which it is defined.
 - **Lists:** The list you define here can be used in any properties in the hierarchy below the model group for which it is defined.

In addition, the Visual Modeler page contains a *toolbar* across the top with access to the following tasks:

- **Edit:** This enables you to edit a model, option class group, or option item group highlighted in the Models and Groups frame.
- **Compile:** This enables you to compile a model, option class group, or option item group into an XML file. See "Compiling a Model" on page 479. Only compiled models can be associated with configurable products.
- **Test:** This enables you to test a model that you are creating or modifying. See "Testing a Model" on page 478.
- **Copy:** This enables you to copy a selected entity (model group, model, option class group, and so on).
- **Import:** This enables you to import an entity into your library of entities. See "Importing Model Groups and Models" on page 553
- **Export:** This enables you to export an entity. See "Exporting Model Groups and Models" on page 555.
- **Report:** This enables you to produce a report on some entity in the model library. See "Reporting" on page 561.
- **Search:** This enables you to search for entities based on selected search parameters. See "Searching" on page 558.

When you build a model, you use the model detail page. The detail page contains the following frames:

- **Toolbar:** as described above.
- **Navigation:** Click on the plus (+) sign to expand the model or group and display the elements of the model or group: the sub-models, option classes, option items, or groups.
- **Content:** This displays information about the model selected in the Navigation frame. By navigating to a particular node in the model, you can create and update information on that node. This information is collected into the following tabs:
 - **General Info:** Displays general information about the model or group, as well as the children. You can delete or re-order children in this frame. You can translate the model, assign a product ID to the model, create option

classes and (for option item groups) option items, and attach groups. You can also download models from here.

| |
|--|
| Note: Only the General Info tab appears for option class groups or option item groups. |
|--|

- **Display:** This tab enables you to define display properties at the model level. These properties include things like constant guiding text, as well as pre- and post-pick guiding text. Some display properties have default values which can be overridden by display values set at the option class or option item levels. Note that all the properties displayed on the **Display** tab can also be set by setting UI properties on the **Properties** tab. See "Working with Display Properties" on page 566 for more information about display properties and UI properties.
- **Properties:** If the current node is a model, then this tab consists of two tabs: **Attach** and **Define**; otherwise you can use this tab to attach properties to the node. In the **Attach** tab, you can attach to the model properties to which the model has access. (The model has access either to properties defined specifically for the model itself or to properties defined for any model group above the model in the model group hierarchy.) In the **Define** tab, you can define new properties for use locally, in the model's structure.
- **Rules:** If the current node is a model, then this tab consists of two tabs: **Attach** and **Define**; otherwise you can use this tab to attach rules to the node. In the **Attach** tab, you can attach to the model rules to which the model has access. (The model has access either to rules defined specifically for the model or rules defined for any model group above the model in the model group hierarchy.) In the **Define** tab, you can define new rules for use locally, in the model's structure.
- **Lists:** If the current node is a model, then the lists you define here can be used locally, in any properties you define for the model.
- **Tables:** If the current node is a model, then you create constraint tables here. See "Managing Option Constraints" on page 90 for an explanation of table constraints.
- **Tabs:** If the current node is a model, then you can create a tab-based configuration for your customers here. See "Working with a Tabbed User Interface" on page 482.
- **Worksheets:** If the current node is a model, then this tab enables you to manage properties using worksheets. These provide you with a quick way

to view and manage related properties and option items. See "Using Worksheets" on page 500.

To Access the Visual Modeler

1. Click **Configuration Models** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

This displays the Visual Modeler page (Figure 272 on page 430).

2. In the Models and Groups frame, click on a model or a group.

This displays the current structure (option classes, option items, and groups) for the selected model or group. Click the plus (+) sign to the left to expand the structure of the model.

The screenshot displays the Visual Modeler interface with three main sections:

- Model Group navigation:** A tree view on the left showing the hierarchy: Model Groups > Matrix > Computers > Workstations. The 'Workstations' group is selected.
- Models and Groups:** A list below the navigation tree showing 'MXWS-7700' as the selected model.
- Model preview:** A central panel showing details for 'MXWS-7700'.

| | |
|----------------------------------|-----------------------------|
| Name | MXWS-7700 |
| Description | Matrix Graphics Workstation |
| Start Date | 2/3/2005 |
| End Date | 2/3/2055 |
| Product ID assigned | MXWS-7700 |
| Referenced | 0 |
| Contains | |
| Option Classes | 8 |
| Option Items | 17 |
| References to Models | 0 |
| References to Option Class | 0 |
| Groups | 0 |
| References to Option Item Groups | 0 |

| Locale | Runtime Version | |
|---------------|-----------------|-------|
| | Date | Size |
| United States | 2005/02/07 | 22 Kb |
| Germany | none | 0 Kb |
| France | none | 0 Kb |
| Taiwan | none | 0 Kb |
- Model Structure:** A tree view on the right showing the expanded structure of 'MXWS-7700':
 - MXWS-7700
 - Monitors
 - Optiquequest 095
 - Optiquequest Q115
 - Graphics Cards
 - Processors
 - RAM
 - SDRAM 256MB
 - DDR 256MB
 - RDRAM 256MB
 - Keyboards
 - Case
 - Monitor Weight
 - Color

FIGURE 273. Model Structure Panel

3. Click **Edit** in the taskbar.

This displays the detail page for the model, option class group, or option item group.




FIGURE 274. Model Detail Page

4. In the Navigation frame, click on the plus (+) sign to expand the model or group (see Figure 275 on page 434).



FIGURE 275. Navigation Frame

5. Click an option class.

This displays the following tabs in the Content frame (see Figure 276 on page 435):

- **General Info:** This tab provides general information about the selected option class. A list box displays the children belonging to this option class. You can also assign a product ID here, define a ratio for the class (the number by which the option item quantity will be multiplied to get the necessary option item quantity). You can create nested option classes and option items as well as attach groups.
- **Display:** This tab enables you to set display property values specific to the selected option class.

- **Properties:** You can associate with the option class properties to which the option class has access. (The option class has access either to properties defined specifically for the model to which the option class belongs or to properties defined for any model group above the option class in the model group hierarchy.)
 - **Rules:** You can attach rules defined for the model, as well as for the model group to which it belongs (or to any ancestor model group).
6. In the Navigation frame, click the plus (+) to expand the option class.
- This displays the children of the option class: these may be option items or option classes.




FIGURE 276. Model Detail Page with Option Class Selected

7. Click an option item.

This displays the following tabs in the Content frame (see Figure 277 on page 436):

- **General Info:** This tab provides general information about the selected option item: name and description, effectivity dates, and a field for assigning a product ID.
- **Display:** You can set display property values specific to the selected option item.

- **Properties:** You can associate with the option items properties to which the option item has access. (The option item has access either to properties defined specifically for the model to which the option item belongs or to properties defined for any model group above the option item in the model group hierarchy.)
- **Rules:** You can attach any accessible rules to the option item. (The option item has access to any rules defined at any level above it in the model group hierarchy.)




FIGURE 277. Model Detail Page with Option Item Selected

Working with Model Groups

Model groups provide you with a way of organizing related models into appropriate sections. See "Model Group Hierarchy" on page 73 for more information about how model groups relate to models, option classes, and so on.

To Create a Model Group

1. Navigate to and select the model group under which you wish to create the new model group.

See "To Access the Visual Modeler" on page 433 for information on how to display the model group.

2. Click **New Model Group**.

This displays the **New Model Group** tab.




FIGURE 278. New Model Group Tab

3. Enter a name and description for the new model group.

| | |
|--------------|---|
| Note: | On Windows platforms, there is a 256 character limit for a fully-qualified pathname (this includes the pathname <i>and</i> the filename). Therefore, in Visual Modeler, take care not use long names for either model groups or models, particularly if you are using non-ASCII characters. When you compile a model, Visual Modeler recreates the model group structure as directories in the file system and, in the process, expands any non-ASCII characters. |
|--------------|---|

4. Click **Save** or **Save and Edit** to save the new model group.

The new model group appears in the Model Groups frame. If you clicked **Save and Edit**, then the Visual Modeler page appears, ready for you to edit the new model group. See "To Modify a Model Group" on page 437.

To Modify a Model Group

1. Navigate to and display the model group you want to modify.

See "To Access the Visual Modeler" on page 433 for information on how to display the model group.

This displays the **General Info** tab where you can modify the name and description of the group. You can also do one or more of the following:

- Delete model groups, models, or groups that are children of the selected model group (see "To Delete the Children of a Model Group" on page 438).

| | |
|-------------------|--|
| Attention: | Click Save All Changes to save your changes before you leave the General Info tab. |
|-------------------|--|

- Create a model group as a child of this group. See "To Create a Model Group" on page 436.
 - Create a model as a child of this group. See "To Create a Model" on page 441.
 - Create either an option class group or an option item group. See "Working with Option Class Groups and Option Item Groups" on page 460.
2. Click the **Properties** tab to create or modify properties for this model group. See "Properties" on page 490.

| |
|--|
| Attention: Click Save All Changes to save your changes before you leave the Properties tab. |
|--|

3. Click the **Rules** tab to create or modify rules for this model group. See "Rules" on page 508.
4. Click the **Lists** tab to create or modify lists for this model group. See "Lists" on page 505.

To Delete the Children of a Model Group

To delete one or more children in a group (a model group, a model, an option class group, or an option item group), use the following procedure:

1. Navigate to and select the parent model group that contains the child you want to delete.

See "To Access the Visual Modeler" on page 433 for information on how to display the model group.
2. In the list box, select one or more model groups (MG), models (M), option class groups (OCG) or option item groups (OIG) to be deleted.
 - You cannot delete a model group if the group has children. You must delete the children first.
 - You cannot delete a model if it is attached as a sub-model elsewhere in the model group hierarchy.
 - You cannot delete an option class group if it is attached to another model or option class group.
 - You cannot delete an option item group if it is attached to another model, option class group, or option item group.

3. Click **Delete**.
4. Click **Save All Changes**.

The model group hierarchy will no longer display the deleted items.

To Copy a Model Group

You can copy a model group and its components into another model group. See "Copying and Embedding" on page 91 for an explanation of this process and the effect it has on properties.

1. Navigate to and select the model group you wish to copy.
See "To Access the Visual Modeler" on page 433 for information on how to display the model group.
2. In the taskbar, click **Copy**.
This displays the Copy window.

VISUAL MODELER COPY

Source: Model Group

Model Groups.Workstations

Destination: Model Group

Please click 'Browse' to select a destination

Browse...

Destination name

Copy **Close**

FIGURE 279. Copy Window for Model Groups

3. Enter the Destination Model Group.

- a. Click **Browse....**

This displays a Hierarchy Browser.




FIGURE 280. Hierarchical Entity Chooser

- b. Browse the model group hierarchy until you find the destination model group.
- c. Select the destination model group.
- d. Click **Done**.

The model group appears in the Destination Model Group field.

4. As desired, modify the Destination Name field.

The name defaults to the name of the model group being copied.

5. Click **Copy** in the Copy window.

The model group is copied to the destination model group. Properties are handled as described in "Copying and Embedding" on page 91.

Working with Models

To Create a Model

1. Navigate to and display the model group under which you wish to create a model.

See "To Access the Visual Modeler" on page 433 for information on how to display the model group.




FIGURE 281. General Info Tab

2. In the **General Info** tab, click **New Model**.

This displays the **New Model** tab.

FIGURE 282. Creating a New Model

3. Enter a name and description for the new model.

If you plan to associate the model with a product ID, consider skipping this step. If the name and description match the name and description of the product ID, you can auto-fill these fields when you assign the product ID in Step 5.

Note: On Windows platforms, there is a 256 character limit for a fully-qualified pathname (this includes the pathname *and* the filename. Therefore, in Visual Modeler, take care not use long names for either model groups or models, particularly if you are using non-ASCII characters. When you translate a model, Visual Modeler recreates the model group structure as directories in a file system and, in the process, expands any non-ASCII characters.

4. Select the Start Date and End Date for the model.

These are the dates within which the model is available for configuration. If the current date is outside these dates, the model is not available for configuration for any product with which it is associated.

5. If applicable, assign a product ID.

See "To Associate a Product with a Model, Option Class, or Option Item" on page 444.

6. Click **Save** or **Save and Edit** to save the new model.

If you click **Save**, the **New Model** tab remains and the new model appears in the Models and Groups frame. You can create another model in this group.

If you click **Save and Edit**, the Model Detail page appears with the new model in the Navigation frame. You can now add properties, rules, lists, and constraint tables for this model. You can also associate the model with a product. See "To Modify an Existing Model" on page 443.

To Modify an Existing Model

1. In the model group hierarchy, navigate and display the Model Detail page for the model you want to modify.

See "To Access the Visual Modeler" on page 433 for information on how to display the Model Detail page.

2. In the **General Info** tab, you can do one or more of the following:
 - Modify the name, description, and/or the start and end dates.
 - Delete one or more of the option classes or groups associated with the model. See "To Delete the Children of a Model" on page 444.
 - Arrange the order of the children in the list.
 - Assign a product to the model, or change the current product assignment.See "To Associate a Product with a Model, Option Class, or Option Item" on page 444.

| |
|--|
| Attention: Click Save All Changes to save your changes before you leave the General Info tab. |
|--|

- Create one or more option classes. See "To Create an Option Class" on page 450.
 - Attach an option class group. See "Working with Option Class Groups and Option Item Groups" on page 460.
 - Modify display properties. See "Working with Display Properties" on page 566.
3. Click the **Properties** tab to define properties for or to attach properties to this model.
See "Properties" on page 490.
 4. Click the **Rules** tab to define rules for or attach rules to this model.
See "Rules" on page 508.
 5. Click the **Lists** tab to create lists for this model.
See "Lists" on page 505.
 6. Click the **Tables** tab to create or modify constraint tables.
See "Option Constraints" on page 544.

To Delete a Model

You delete a model by finding the model group that is its parent, then deleting the model from that group. You cannot delete a model if it is attached as a sub-model elsewhere in the model group hierarchy.

See "To Delete the Children of a Model Group" on page 438 for the procedure.

To Delete the Children of a Model

Use this procedure to delete one or more option classes or groups that are children of a model:

1. Navigate to and display the Model Detail page for the model with the elements you want to delete.

See "To Access the Visual Modeler" on page 433 for information on how to display the model.

The **General Info** tab contains a list box showing the option classes (OC), option class groups (OCG) or option item groups (OIG) that are children to the model.

2. In the list box, select one or more objects to be deleted.
3. Click **Delete**.

| | |
|--------------|--|
| Note: | Attached sub-models and groups are not deleted by this action. Only the attachment to those models and groups is removed. See "To Delete a Group" on page 475. |
|--------------|--|

4. Click **Save All Changes**.

The model hierarchy no longer displays the deleted children.

To Associate a Product with a Model, Option Class, or Option Item

You can reference a model, option class, or option item to a product ID in the product catalog. If the product ID has been assigned to one or more price lists in **C3 Pricing**, then this enables you to associate a price with the entity. In addition, if the item associated with a product is selected as part of a configuration, then when the user adds the configured product to their cart, the item is displayed with associated product ID and product information. See "Associating a Product with a Model, an Option Class, or Option Item" on page 74 for more information.

1. In the model group hierarchy, find the entity that you want to associate with a product ID.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the **General Info** tab for the model, option class, or option item, click **Browse...** to search for the product ID in the product catalog.
 - The product ID must exist in the product catalog. You create the product using **C3 Product Manager**. See "Product Administration Tasks" on page 298 for information about creating products.
 - See "Searching the Product Catalog for a Product ID" on page 481 for help in browsing for a product ID. When you select the product ID, the product ID is displayed in the Assigned Product ID field and its product name and description are auto-filled into those fields.
 - You can manually enter the product ID in the Assigned Product ID field, but the Product Name and Product Description fields are not auto-filled until you save the information.
 - You can use the product name as the name of the new model. If the Name field is blank, then the field will be auto-filled with the product name. If the field has an entry already, then you will be prompted to use the product name.
 - If you are modifying a model, then you can click **Product Detail** to view the details of the assigned product.
3. Click **Save All Changes**.

To Copy a Model

You can copy a model and its components into a model group. See "Copying and Embedding" on page 91 for an explanation of this process and the effect it has on properties.

1. In the Model Groups frame, navigate to and select the model group that contains the model you want to copy. The model name is displayed in the Models and Groups frame.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Models and Groups frame, click on the model you want to copy.

This displays the current structure of the model.

3. Click **Copy** in the taskbar.

This displays the Copy window.




FIGURE 283. Copy Window for Models

4. Enter the Destination Model Group.

- a. Click **Browse....**

This displays a Hierarchy Browser.

- b. Browse the hierarchy until you find the destination model group.
 - c. Select the destination model group.
 - d. Click **Done**.

The model group appears in the Destination Model Group field.

5. As desired, modify the Destination Name field.

The name defaults to the name of the model being copied.

6. Click **Copy** in the Copy window.

The model is copied to the destination model group. Properties are handled as defined in "Copying and Embedding" on page 91.

To Copy a Model Reference

As described in "Groups and Sub-Models" on page 76, you can re-use a model as part of another entity without having to recreate the model. You do this by attaching the model to the entity. The attachment then becomes a model reference. You can copy this model reference; that is, instead of copying the actual model, you can copy the reference to a model that is attached.

1. In the Model Groups frame, navigate to and select the model group that contains the entity with the model reference you want to copy. The entity name is displayed in the Models and Groups frame.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Models and Groups frame, click on the entity that contains the reference you want to copy.

This displays the current structure of the entity.

3. Click **Edit** in the taskbar.

This displays the **General Info** tab.

4. In the Navigation frame, find and select the model reference you want to copy.

5. Click **Copy** in the taskbar.

This displays the Copy window.




FIGURE 284. Copy Window for Copying Model References

6. Enter the Destination Option Class.
 - a. Click **Browse....**
This displays a Hierarchy Browser.
 - b. Browse the model group hierarchy until you find the destination option class.
 - c. Select the destination option class.
 - d. Click **Done**.The option class appears in the Destination Option Class field.
7. As desired, modify the Destination Name field.
The name defaults to the name of the model reference being copied.
8. Click **Copy** in the Copy window.

The model reference is copied to the destination option class. Properties are handled as defined in "Copying and Embedding" on page 91.

To Embed a Model

You can embed a model within an option class. See "Copying and Embedding" on page 91 for an explanation of the process and its effect on properties.

1. In the Model Groups frame, navigate to and select the model group that contains the model structure you want to embed. The model name is displayed in the Models and Groups frame.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Models and Groups frame, click on the model whose structure you want to embed.

This displays the current structure of the model.

3. Click **Edit** in the taskbar.

This displays the **General Info** tab.

4. Click **Copy** in the taskbar.

This displays the Copy window.




FIGURE 285. Copy Window for Embedding Models

5. Enter the Destination Option Class by typing or by browsing.

To browse for the option class:

- a. Click **Browse....**

This displays a Hierarchy Browser.

- b. Browse the model group hierarchy until you find the destination option class.
- c. Select the destination option class.
- d. Click **Done**.

The option class appears in the Destination Option Class field.

6. As desired, modify the Destination Name field.

The name defaults to the name of the model being embedded.

7. Click **Copy** in the Copy window.

Working with Option Classes and Option Items

Option classes and option items comprise configurable parts or services of a model. You can think of option classes as representing questions or components that need to be configured, while option items represent answers or choices of components. Sometimes the answer to a question can give rise to further questions. In these cases it is useful to nest option classes within other option classes to help guide a user to the configuration that best meets their needs.

To Create an Option Class

1. In the model group hierarchy, navigate to and display the model, option class group, or option class in which you want to create the option class.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

You can create an option class within another option class, within a model, or within an option class group.

2. To create option classes as children of the model or option class group:
 - a. Click **New Option Class**.

This displays the **New Option Class** tab.

- b. Proceed to Step 4.
3. To create nested option classes:
 - a. In the Navigation frame, navigate to and select the option class where you want to nest the new class.
 - b. Click **New Option Class**.

This displays the **New Option Class** tab.
 - c. Proceed to Step 4.




FIGURE 286. New Option Class Tab

4. Enter a name and description for the new option class.

If you plan to associate the option class with a product ID, then you might consider skipping this step. If the name and description match the name and description of the product ID, then you can auto-fill these fields when you assign the product ID in Step 6.
5. Define the effectivity dates by modifying the start and end dates.

You can click the calendar icon to select the dates from a calendar.
6. If applicable, assign a product ID.

See "To Associate a Product with a Model, Option Class, or Option Item" on page 444.
7. Click **Save** to save the new option class and remain at the **New Option Class** tab (to create additional option classes); click **Save and Edit** to save the new option class and display the option class tabs for editing.

The new option class appears in the Navigation frame. The new option class is selected, ready to be modified.

To Modify an Option Class

1. In the model group hierarchy, navigate to and display the model, option class group, or option class that contains the option class.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Navigation frame, find and click on the option class that you want to modify.

This displays the **General Info** tab for the option class.

The screenshot shows the COMERGENT Visual Modeler interface. On the left is a 'Model navigation' pane with a tree structure including 'MXWS-7550', 'Microprocessor', 'Memory', 'Disk Drives', 'Monitor', 'Software', 'Service', 'Placeholder for Service row', and 'Accessories'. The 'Memory' folder is expanded. The main area has tabs for 'General Info', 'Display', 'Properties', and 'Rules'. The 'General Info' tab is selected, showing the following fields:

- Name:** Memory
- Description:** Main Memory
- Display Name:** (empty field with a checkmark icon)
- Start Date (MM/DD/YYYY):** 9/12/2001
- End Date (MM/DD/YYYY):** 9/20/2020
- Ratio:** 1
- Children:** A list containing '0i:64MB', '0i:128MB', '0i:256MB', and '0i:512MB'.

On the right side of the main area are three buttons: 'Move Up', 'Move Down', and 'Delete'. At the bottom of the interface are three buttons: 'New Option Class', 'New Option Item', and 'Attach'.

FIGURE 287. Model Detail Page with Option Class Selected

3. Modify Name, Description, and Start and End Dates as applicable.
4. Enter a ratio in the **Ratio** field, if applicable.

The ratio field determines the quantity of option items that are added to a customer's order. The quantity of any child item selected is multiplied by this ratio to compute the "extended" quantity of the child item. For example, a bicycle model may have a wheel option class defined with a ration of "2". When a user selects a particular wheel item from this option class, then two wheels will be added to the configured product.

You can enter the **Ratio** as either a whole number or a decimal.

5. As applicable, modify the order of the children or delete the children.
See "To Delete the Children of an Option Class" on page 459.
6. If applicable, assign a product ID or modify the current assignment.
See "To Associate a Product with a Model, Option Class, or Option Item" on page 444.
7. Before you click the other tabs, click **Save All Changes**.
8. Click the **Display** tab to modify the display properties for this option class.
See "Working with Display Properties" on page 566.
9. Click the **Properties** tab to attach properties to this option class.
See "To Attach a Property" on page 493.
10. Click the **Rules** tab to attach rules to this option class.
See "To Attach a Rule" on page 514.

When you have completed modifying the option class, click **Save All Changes**.

You can also create option items for this option class. See "To Add Option Items to an Option Class" on page 453.

To Add Option Items to an Option Class

1. In the model group hierarchy, navigate to the option class to which you want to add the option items.
See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.
2. In the **General Info** tab, click **New Option Item** to display the **New Option Item** tab.




FIGURE 288. New Option Item Tab

3. Enter a name and description for the new option item.

If you plan to associate the option item with a product ID, then you might consider skipping this step. If the name and description match the name and description of the product ID, then you can auto-fill these fields when you assign the product ID in Step 5.

4. Define the effectivity dates by modifying the start and end dates.
5. If applicable, assign a product Id.

See "To Associate a Product with a Model, Option Class, or Option Item" on page 444.

6. Click **Save** or **Save and Edit**.

The new option item appears in the model hierarchy in the Navigation frame.

To Copy an Option Class

You can copy an option class and its components into a model, an option class group, or another option class. See "Copying and Embedding" on page 91 for an explanation of this process and the effect it has on properties.

1. Navigate to and select the parent model group for the model or option class group that contains the option class.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Models and Groups frame, click on the model or option class group that contains the option class.

This displays the current structure of the model or option class group.

3. Click **Edit** in the taskbar.

This displays the **General Info** tab for the model or option class group.

4. In the Navigation frame, find and click on the option class that you want to copy.

This displays the **General Info** tab for the option class.

5. Click **Copy** in the taskbar.

This displays the Copy window.

VISUAL MODELER COPY

Source: Option Class

Model Groups.Workstations.MXWS-7650.Custom Color

Destination: Model/Option Class Group/Option Class

Please click 'Browse' to select a destination

Browse...

Destination name

Copy Close

FIGURE 289. Copy Window for Option Classes

6. Enter the destination model, option class group, or option class as follows:

- a. Click **Browse...**

This displays a Hierarchy Browser.

- b. Browse the model group hierarchy until you find the destination model, option class group, or option class and select it.

- c. Click **Done**.

The model, option class group, or option class appears in the Destination Model/OCG/Option Class field.

7. Enter the Destination name.

The name defaults to the name of the option class being copied.

8. Click **Copy** in the Copy window.

The option class is copied to the destination model, option class group, or option class. Properties are handled as defined in "Copying and Embedding" on page 91.

To Modify an Option Item

1. Find the option item that you want to modify.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

When you click the option item, the **General Info** tab is displayed.

The screenshot shows the Comergent Visual Modeler web application. On the left is a 'Model navigation' tree with categories like Microprocessor, Memory, Disk Drives, Monitor, Software, Service, Placeholder for Service row, and Accessories. The 'Memory' category is expanded, showing options like 0-4MB, 128MB, 256MB, and 512MB. The main area has tabs for 'General Info', 'Display', 'Properties', and 'Rules'. The 'General Info' tab is selected, displaying a form with the following fields: Name (128MB), Description (128 Mbyte Memory), Display Name (with a checkmark icon), Start Date (3/12/2001), End Date (3/20/2020), Assigned Product ID (MX-PR128S with a 'Browse...' button), Product Name (128MB SIMMS), and Product Description (128MB SIMMS). At the bottom are buttons for 'Product Detail' and 'Save All Changes'.

FIGURE 290. Model Detail Page with Option Item Selected

2. If applicable, modify the name, description, start/end dates.

3. If applicable, assign a product Id.

See "To Associate a Product with a Model, Option Class, or Option Item" on page 444.

| |
|--|
| Attention: Before you click the other tabs, click Save All Changes . |
|--|

4. Click the **Display** tab to modify the display properties for this option item.

See "Working with Display Properties" on page 566.

5. Click the **Properties** tab to attach properties to this option item.

See "To Attach a Property" on page 493.

6. Click the **Rules** tab to attach rules to this option item.

See "To Attach a Rule" on page 514.

To Copy an Option Item

You can copy an option item into an option item group or an option class. See "Copying and Embedding" on page 91 for an explanation of this process and the effect it has on properties.

1. Find the option item that you want to copy.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

When you click the option item in the Navigation frame, the **General Info** tab is displayed.

2. Click **Copy** in the taskbar.

This displays the Copy window.




FIGURE 291. Copy Window for Option Items

3. Enter the destination option item group or option class.

a. Click **Browse....**

This displays a Hierarchy Browser.

b. Browse the model group hierarchy until you find the option item group or option class and select it.

c. Click **Done**.

The option item group or option class appears in the Destination: Option Item Group/Option Class field.

4. Enter the Destination name.

The name defaults to the name of the option item being copied.

5. Click **Copy** in the Copy window.

The option item is copied to the destination option item group or option class. Properties are handled as defined in "Copying and Embedding" on page 91.

To Delete an Option Class

You delete an option class by deleting the option class as a child of the parent to which it belongs. This can be one of the following:

- A model. See "To Delete the Children of a Model" on page 444.
- An option class. See "To Delete the Children of an Option Class" on page 459.
- An option class group. See "To Delete the Children of a Group" on page 476.

Deleting the option class automatically deletes any option items, nested option classes, or attachments to groups.

| | |
|--------------|---|
| Note: | Nested groups are not deleted when you delete an option class, only the attachment to those groups. |
|--------------|---|

To Delete the Children of an Option Class

You can delete option items and nested option classes, as well as any attachments to groups.

1. Navigate to and display the detail page for the model or option class group that contains the option class.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Navigation frame, navigate to and select the option class.

This displays the **General Info** tab which contains a list box showing the children of the option class.




FIGURE 292. Model Detail Page with Option Class Selected

3. Click on the item to be deleted: option item (OI), option class (OC), model, option class group (OCG), or option item group (OIG).

| | |
|--------------|--|
| Note: | Nested groups are not deleted. However, the attachment to those groups is removed. |
|--------------|--|

4. Click the **Delete** button.
5. Click **Save All Changes**.

The items are no longer displayed in the Navigation frame.

Working with Option Class Groups and Option Item Groups

See "Groups and Sub-Models" on page 76 for an explanation of how groups work.

To Create a Group

1. In the Model Groups frame, navigate to and select the model group for which you are creating the option class group or option item group.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

This displays the **General Info** tab for the group. Make sure you are creating the group within the appropriate model group. The group will be available for attachment to any items below this model group in the model group hierarchy.

2. Click **New Option Group**.

This displays the **New Option Class/Item Group** tab (see Figure 293 on page 461).




FIGURE 293. New Option Class/Item Group tab

3. Enter a name and description for the group.
4. Select the type of group (Option Class Group or Option Item Group).
5. Click **Save** or **Save and Edit**.

The group appears in the hierarchy. You can now begin to build the group. The first step is to create one or more option classes. See "To Create an Option Class" on page 450.

To Modify a Group

When you modify a group and then compile it, the modifications are reflected in any model to which the group is attached, once the model is recompiled.

1. In the model group hierarchy, navigate to and select the option class group or option item group that you want to modify.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

This displays the **General Info** tab for the group.




FIGURE 294. Modifying a Group

2. Modify the name and description, reorder or delete the children.

See "To Delete the Children of a Group" on page 476 for information about deleting the children of a group.

3. (Option item groups only) If applicable, define start/end dates.
4. Click **Save All Changes**.

You can also do the following:

- Add option classes to an option class group. See "To Create an Option Class" on page 450.
- Attach groups to the group. See "To Attach a Group to a Model or Another Group" on page 468.

To Copy an Option Class Group

You can copy an option class group to a model group.

1. In the Model Groups frame, navigate to and select the model group that contains the group you want to copy. (See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.)
2. In the Models and Groups frame, click on the group you want to copy.
The current structure of the group, if any, appears in the content frame.
3. Click **Copy** in the taskbar.
This displays the Copy window.




FIGURE 295. Copy Window for Option Class Groups

4. Enter the Destination Model Group.
 - a. Click **Browse....**
This displays a Hierarchy Browser.
 - b. Browse the model group hierarchy until you find the destination model group and select it.
 - c. Click **Done**.
The model group appears in the Destination Model Group field.

5. Enter the Destination name.

The name defaults to the name of the option class group being copied.

6. Click **Copy** in the Copy window.

The option class group is copied to the destination model group. Properties are handled as defined in "Copying and Embedding" on page 91.

To Embed an Option Class Group

You can embed an option class group within a model, another option class group, or an option class. See "Copying and Embedding" on page 91 for an explanation of how the process handles properties.

1. In the Model Groups frame, navigate to and select the model group that contains the option class group you want to embed. The group name is displayed in the Models and Groups frame.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Models and Groups frame, click on the group you want to embed.

This displays the current structure of the group.

3. Click **Edit** in the taskbar.

This displays the **General Info** tab.

4. Click **Copy** in the taskbar.

This displays the Copy window.




FIGURE 296. Copy Window for Embedding Option Class Groups

5. Enter the destination model, option class group, or option class as follows:

- a. Click **Browse....**

This displays a Hierarchy Browser.

- b. Browse the model group hierarchy until you find the destination model, option class group, or option class and select it.

- c. Click **Done**.

The model, option class group, or option class appears in the Destination Model/Option Class Group/Option Class field.

6. Click **Copy** in the Copy window.

The option class group is embedded in the destination model, option class group, or option class. Properties are handled as defined in "Copying and Embedding" on page 91.

To Copy an Option Item Group

You can copy an option item group to a model group.

1. In the Model Groups frame, navigate to and select the model group that contains the option item group you want to copy. (See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.)
2. In the Models and Groups frame, click on the option item group you want to copy.

The current structure of the group, if any, appears in the content frame.

3. Click **Copy** in the taskbar.

This displays the Copy window.




FIGURE 297. Copy Window for Option Item Groups

4. Enter the Destination Model Group.
 - a. Click **Browse....**

This displays a Hierarchy Browser.
 - b. Browse the model group hierarchy until you find the destination model group.
 - c. Select the destination model group.

- d. Click **Done**.

The model group appears in the Destination Model Group field.

5. Enter the Destination name.

The name defaults to the name of the option item group being copied.

6. Click **Copy** in the Copy window.

The option item group is copied to the destination model group. Properties are handled as defined in "Copying and Embedding" on page 91.

To Embed an Option Item Group

You can embed an option item group within another option item group or option class. See "Copying and Embedding" on page 91 for an explanation of how the process handles properties.

1. In the Model Groups frame, navigate to and select the model group that contains the option item group you want to embed. The group name is displayed in the Models and Groups frame.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Models and Groups frame, click on the group you want to copy.

This displays the current structure of the group.

3. Click **Edit** in the taskbar.

This displays the **General Info** tab.

4. Click **Copy** in the taskbar.

This displays the Copy window.




FIGURE 298. Copy Window for Embedding Option Item Groups

5. Enter the destination option item group or option class.

a. Click **Browse...**

This displays a Hierarchy Browser.

b. Browse the model group hierarchy until you find the destination option item group or option class and select it.

c. Click **Done**.

The option item group or option class appears in the Destination OIG/Option Class field.

6. Click **Copy** in the Copy window.

The option item group is embedded in the destination option item group or option class. Properties are handled as defined in "Copying and Embedding" on page 91.

To Attach a Group to a Model or Another Group

You can attach a model only to an option class (see "To Attach a Model, Option Class Group, or Option Item Group to an Option Class" on page 470). You can attach an option class group to a model, an option class, or another option class

group. You can attach an option item group to an option class or to another option item group.

1. In the Model Groups frame, navigate to and select the model group that contains the model or group to which you want to attach the group.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Models and Groups frame, click on the model or group to which you want to attach the option class group or option item group.
3. Click **Edit**.

This displays the **General Info** tab for the model or group.

4. In the **General Info** tab, click **Attach**.

This displays the **Attach** tab.


The screenshot shows a web-based form titled "Attach". It contains a "Name" text input field, a "Description" text input field with a small icon to its right, and a "Browse..." button. Below these fields is a message: "Please click 'Browse' to select a Model/OCG/DIG to attach." followed by a selection field and another "Browse..." button. At the bottom of the form are two buttons: "Assign" and "Return to General".

FIGURE 299. Attach Tab

5. Enter a name and description for the attachment to the group or model.
6. Select the option class group or option item group to be attached.

- a. Click **Browse....**

This displays a Hierarchy Browser.

- b. Browse the model group hierarchy until you find the option class group or option item group.
- c. Select the group.
- d. Click **Done**.

The group appears in the selection field.

7. Click **Assign**.

You can click **Return to General** to return to the **General Info** tab.

The name you entered for the attached group or model appears in the model hierarchy in the Navigation frame.

To Attach a Model, Option Class Group, or Option Item Group to an Option Class

You can attach a model, an option class group, or an option item group to an option class.

1. In the Model Groups frame, navigate to and select the model group that contains the model with the option class.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Models and Groups frame, click on the model or option class group that contains the option class.

The current structure of the model or group, if any, appears in the content frame.

3. Click **Edit**.

This displays the **General Info** tab for the model or group.

4. In the Navigation frame, navigate to and select the option class to which you want to attach the group.

This displays the **General Info** tab for the option class.

5. In the **General Info** tab, click **Attach**.

This displays the **Attach** tab.


The screenshot shows a web-based form titled "Attach". It contains two text input fields: "Name" and "Description". Below the "Description" field is a small dropdown menu with two visible options. A message below the fields reads "Please click 'Browse' to select a Model/OCG/DIG to attach". There is a "Browse..." button to the right of this message. At the bottom of the form are two buttons: "Assign" and "Return to General".

FIGURE 300. Attach Tab

6. Enter a name and description for the attached group or model.
7. Select the model, option class group, or option item group to be attached.

- a. Click **Browse....**

This displays a Hierarchy Browser.

- b. Browse the model group hierarchy until you find the model, option class group, or option item group.
- c. Select the model or group.
- d. Click **Done**.

The model or group appears in the selection field.

8. Click **Assign**.

You can click **Return to General** to return to the **General Info** tab.

The name you entered for the attached model or group appears in the model hierarchy in the Navigation frame.

To View the Structure of an Attached Group

Once a group is attached, you can view the group's structure by clicking **Show Detail**.

1. Navigate to the level in the hierarchy (model, option class or option item) where the group is attached.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click **Show Detail**.

This displays a read-only view of the group's structure.




FIGURE 301. Model Group View

To Copy an Option Class Group Attachment

You can copy a reference to an option class group; that is, rather than copy the group itself, you copy the reference to the group. You can copy the reference into either a model, an option class group or into an option class.

1. In the Model Groups frame, navigate to and select the model group that contains the entity with the option class group attachment you want to copy. (See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.)
2. In the Models and Groups frame, click on the entity that contains the attachment you want to copy.

The current structure of the model appears in the content frame.

3. Click **Edit** in the taskbar.

This displays the model in the Navigation frame and the **General Info** tab for the group.

4. In the Navigation frame, navigate the model until you find the attached group you want to copy.
5. Click the attached group.
6. Click **Copy** in the taskbar.

This displays the Copy window.




FIGURE 302. Copy Window for Option Class Group Attachments

7. Enter the destination model, option class group, or option class as follows:
 - a. Click **Browse....**

This displays a Hierarchy Browser.
 - b. Browse the model group hierarchy until you find the destination model, option class group, or option class and select it.
 - c. Click **Done**.

The model, option class group, or option class appears in the Destination Model/Option Class Group/Option Class field.
8. Enter the Destination name.

The name defaults to the name of the option class group being copied.
9. Click **Copy** in the Copy window.

The attachment is copied to the destination model, option class group, or option class. Properties are handled as defined in "Copying and Embedding" on page 91.

To Copy an Option Item Group Attachment

You can copy a reference to an option item group; that is, rather than copy the group itself, you copy the reference to the group. You can copy the reference into either an option item group or into an option class.

1. In the Model Groups frame, navigate to and select the model group that contains the entity with the option item group attachment you want to copy. (See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.)
2. In the Models and Groups frame, click on the entity that contains the attachment you want to copy.

The current structure of the entity appears in the content frame.

3. Click **Edit** in the taskbar.

This displays the entity in the Navigation frame and the **General Info** tab for the group.

4. In the Navigation frame, navigate the entity until you find the attached group you want to copy.
5. Click the attached group.
6. Click **Copy** in the taskbar.

This displays the Copy window.




FIGURE 303. Copy Window for Option Item Group Attachments

7. Enter the destination option item group or option class.
 - a. Click **Browse...**
This displays a Hierarchy Browser.
 - b. Browse the model group hierarchy until you find the option item group or option class and select it.
 - c. Click **Done**.
The option item group or option class appears in the Destination Option Item Group/Option Class field.
8. Click **Copy** in the Copy window.

The attachment is copied to the destination option item group or option class. Properties are handled as defined in "Copying and Embedding" on page 91.

To Delete a Group

You delete a group by finding the model group that is the parent of the group you want to delete, then deleting the group from that model group. See "To Delete the Children of a Model Group" on page 438 for the procedure.

- You cannot delete an option class group if it is being referenced from another model or option class group.
- You cannot delete an option item group if it is referenced from another model, option class group, or option item group.

To Delete the Children of a Group

Use this procedure to delete one or more option classes or groups that are children of a group:

1. Navigate to and select the parent model group that contains the group with the children you want to delete.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. In the Models and Groups frame, click on the group.

This displays the current structure of the group.

3. Click **Edit**.

This displays the **General Info** tab that contains a list box showing the children belonging to the group. This can include option classes (OC) and option class groups (OCG).

4. In the list box, select one or more elements to be deleted.
5. Click **Delete**.

| |
|--|
| Note: Groups are not deleted by this action. Only the attachment to those groups is removed. See "To Delete a Group" on page 475. |
|--|

6. Click **Save All Changes**.

The model hierarchy no longer displays the deleted elements.

Including Sub-Models in Models

You can include one model in another so that a sub-component of the parent model can be modeled and configured separately.

To Include a Sub-Model in a Model

Suppose that you have a model A, and you want to use Model B as an option item in Model A, so that end-users can configure the Model B component as part of a session to configure model A.

1. Create Model B as a model in its own right, and compile it. Make a note of the location of this model in the model group and model hierarchy. For example: Matrix/Computers/Workstations/Configurable Monitors/Matrix Monitor.
2. Navigate to Model A and to the location in the Model hierarchy at which you want to include Model B as an option item.
3. Create the option item and enter a name, description, and effectivity dates for it. Click **Save**.
4. Click the **Properties** tab.
5. Select CONFIG: SUBMODEL NAME in the Unattached Properties drop-down list.
6. In the Value field, enter the fully qualified name to Model B. For example, Matrix/Computers/Workstations/Configurable_0020Monitors/Matrix_0020Monitor. Note the use of escape characters to encode special characters such as spaces. See "Special Characters Encoding" on page 477 for more information.
7. Click **Attach**.
8. Click **Save All Changes**.
9. A separate property called CONFIG: SUBMODEL RETURN controls whether end-users return to the main model after configuring the child model.
 - a. If you want to have end-users return to the main model when they have finished configuring Model B, then set the value of CONFIG: SUBMODEL RETURN to "true".
 - b. If you want to have end-users return to directly to the calling application when they have finished configuring Model B, then set the value of CONFIG: SUBMODEL RETURN to "false".
10. Click **Attach**.
11. Click **Save All Changes**.
12. Click **Compile** to re-compile Model A.
13. You can optionally test the model by clicking **Test**.

Special Characters Encoding

If the names of model groups and models use characters that are not alphanumeric characters (A through Z, a through z, and 0 through 9), then you must encode them

when providing paths to model groups and names of models. The following table lists the common character encodings:

TABLE 32. Character Encodings

| Character | Encoding |
|-----------|----------|
| “ ” | _0020 |
| “/” | _002F |
| “!” | _0021 |
| “@” | _0040 |
| “#” | _0023 |
| “\$” | _0024 |

Testing a Model

You can test the model at any point while you are creating it. The test model feature performs the following steps:

1. Compiles the model into an XML file.
2. Launches the browser.
3. Displays the model as a HTML page.

To Test a Model

1. Navigate to the model that you want to test.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click **Compile**.

A dialog box reports that compilation is successful.

3. Click **Test Model**.

This displays a configuration window as the end-user will see it, based on the current model.

Note that if you click **Compile and Test**, then both actions are taken.

4. By clicking **Set Defaults**, you can change some of the environmental variables that can affect how a model is displayed.




FIGURE 304. Set Defaults Window

5. These include:

- **Current Effective Date:** by changing the date in this field, you can view the model as it would be viewed by a customer on the specified date. This means that you would see only option classes and option items that are effective on that date, and the prices that you see are based on price lists effective on that date.
- **Current Partner:** By selecting a specified a partner, you view the model as it would be seen by a user of that particular partner. Depending on the assignment of price lists to the partner, this may affect which option classes and option items are displayed.
- **Vertical Market:** When customers create carts and orders, they can specify a customer type: this is used to filter which price lists are to be used in calculating prices. By selecting a customer type, you can check how the model will be seen by customers who select the same customer type.
- **Currency:** When customers create carts and orders, they can specify a currency: this is used to filter which price lists are to be used in calculating prices. By selecting a currency, you can check how the model will be seen by customers who select the same currency.

Compiling a Model

Before a model can be associated with a configurable product and a customer can use the model you have created to configure a product, you must compile the model into XML format and store the model in a location accessible by **C3** Configurator. Only compiled models can be associated with configurable products.

To Compile a Model

1. Navigate to the model that you want to compile.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.




FIGURE 305. Model Navigation Detail Page

2. Click **Compile**.

The model is compiled into an XML file. This XML file is placed in the following location in *debs_home/Comergent/WEB-INF/data/config/*. This directory contains several directories, one for each locale. The model resides within the directory representing your preferred locale in either the folder representing the root model group folder or in one of the folders representing model groups within the root model group. They are stored in the shared location of a clustered deployment of the Comergent eBusiness System.

Attention: If your implementation of the Comergent eBusiness System makes use of a staging and a production system, then bear in mind that the XML files may have to be moved over to the production environment or the model directories must be shared between the systems.

In addition, the product records in the Knowledgebase for configurable products may have to be updated to point to the location of the XML files.

If your model group and model hierarchy include special characters (that is, non-alphanumeric characters), then these are encoded in the directory and files names that correspond to them. See "Special Characters Encoding" on page 477 for more information.

To Compile All Models

Rather than compile models one by one, you can also compile all the models in a model group at once.

1. Navigate to the model group whose models you want to compile. This can be the top-level model group.
2. Click **Compile All**.
3. In the Compile All Models window, click **Compile All Models**.
4. The Compile All Models Status window is displayed.
5. When it reports that all the models have been compiled, then click **Close**.

Searching the Product Catalog for a Product ID

See "Associating a Product with a Model, an Option Class, or Option Item" on page 74 for a description of associating products with models, option classes, and option items. When you assign a product ID, you can click **Browse...** to display the Hierarchical Entity Chooser.




FIGURE 306. Hierarchical Entity Chooser

You can use this window to navigate through the hierarchy until you find the product ID that you want to assign to the model object. You can click the **Search** tab to search through products unassigned to any product category.

Click **Done** when you find the product ID that you want to assign. The product ID appears in the Assigned Product ID field.

Working with a Tabbed User Interface

You can design your end-user interface so that, rather than being displayed in a single frame, the option classes appear within a series of tabs. You do this by first selecting the Tabbed Configurator JSP template at the model level, which sets the display property UI:JSP Filename (see "Working with Display Properties" on page 566). You then design the end-user interface using **Tabs** tab.

To Create a Tabbed User Interface

1. Navigate to the model for which you want to create the tabbed interface.

See "To Access the Visual Modeler" on page 433 for information about how to navigate the model group hierarchy.




FIGURE 307. Detail Page with Model Selected

2. Click the **Display** tab.

The **Display** tab displays.

The screenshot shows the COMERGENT Visual Modeler web interface. The top navigation bar includes the logo, 'My Home | My Account | About | Help | Logout', and a series of icons. Below this is a tabbed interface with 'General Info', 'Display' (selected), 'Properties', 'Rules', 'Lists', 'Tables', 'Tabs', and 'Worksheets'. The 'Display' tab contains two sections: 'Configurator Behaviour' and 'Pricing and Lead time'. The 'Configurator Behaviour' section includes checkboxes for 'Default Selection', 'Ignore in Quote', and 'Multi-Pass Rule Firing'; a text input for 'Number of Columns' set to '3'; a dropdown for 'JSP Template' set to 'Tabbed Configurator'; and a dropdown for 'Submit to Server' set to 'Automatically after each user selection'. The 'Pricing and Lead time' section includes a dropdown for 'Price Display', and text inputs for 'Price' and 'Lead Time in Days'. Below these is a 'User Guidance' section with text inputs for 'Help URL', 'Image' (set to '.images/workstation.gif'), 'Constant Guiding Text', 'Pre-Pick Guiding Text', and 'Post-Pick Guiding Text'. At the bottom of this section are two checkboxes for 'Option Class Display Name' and 'Option Item Display Name', both of which are checked. 'Reset' and 'Save All Changes' buttons are located at the top and bottom of the configuration area.

3. Select Tabbed Configurator from the JSP Template drop-down list.

This automatically sets the UI: JSP FILENAME property to Configurator_Tabbed.jsp.

4. Click the **Tabs** tab.

This displays the **Tabs** tab.



FIGURE 308. Tabs Tab

5. Enter a name for the tab in the Tab Name field.
6. Click **Add**.

The content frame displays an area for editing the new tab.




FIGURE 309. Tabs Tab with Entry

7. Select the option classes or option class groups for the tab.
 - a. Select an option class or option class group from the drop-down list.
 - b. Click **Add**.

- Repeat the last step for each option class or option class group you want in the tab.

Note: If you are creating a tabbed UI, then not all option classes must be accounted for in the tabs. Any option classes not included in a tab will not be displayed to the end-user.

- Click **Move Up** or **Move Down** to arrange the order of the entities. To remove an entity, click the entity, then click **Remove**.
- Click **Save All Changes**.

To Modify a Tab

- Navigate to the model with the tabbed interface.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.




FIGURE 310. Detail Page with Model Selected

- Click the **Tabs** tab.
This displays the **Tabs** tab.




FIGURE 311. Tabs Tab

3. Find the tab element you want to modify.
4. To rearrange the order of the entities within the tab:
 - a. Find and select the entity you want to move.
 - b. Click **Move Up** or **Move Down**.
5. To remove an entity:
 - a. Find and select the entity you want to remove.
 - b. Click **Remove**.
6. To rearrange the location of the tab within the list of tabs, click the up or down arrows in the far right.
7. Click **Save All Changes**.

To Delete a Tab

1. Navigate to the model with the tabbed interface.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.
2. Click the **Tabs** tab.

This displays the **Tabs** tab.




FIGURE 312. Tabs Tab

3. Find the tab element you want to delete.
4. On the far right, click the **Delete** icon (X) for that tab.
5. Click **Save All Changes**.

The basic concepts and tasks of modeling are covered in CHAPTER 14, "Using the Visual Modeler". This chapter and the next, CHAPTER 16, "Visual Modeler UI Concepts", describes the more advanced concepts associated with building complex models. This chapter covers:

- "Properties" on page 490
 - "Working With Properties" on page 490
 - "Using Worksheets" on page 500
 - "Properties as Variables" on page 503
 - "Comergent eBusiness System Properties" on page 504
- "Lists" on page 505
 - "Working With Lists" on page 506
- "Rules" on page 508
 - "Working With Rules" on page 509
 - "Working With Rule Fragments" on page 523
 - "Working with Rule Actions" on page 537
- "Fragments" on page 523

- "Working with Rule Actions" on page 537
- "Option Constraints" on page 544
 - "Working With Constraints" on page 544
- "Importing and Exporting Models" on page 553
 - "Importing Model Groups and Models" on page 553
 - "Exporting Model Groups and Models" on page 555
- "Using Dynamic Instantiation" on page 556
- "Searching" on page 558
- "Reporting" on page 561

Properties

As described in "Properties" on page 77, a property is an attribute of a model, option class, or option item. It is used as a basic building block for rule creation.

The Comergent eBusiness System provides a set of built-in properties which are understood by the **C3** Configurator engine. These control the behavior of the engine and the presentation of the model to the end-user. These properties are summarized in "Comergent eBusiness System Properties" on page 504.

You can also define properties and they are available for use in any part of the model group and model hierarchy beneath the point at which they are defined. These defined properties are used to describe the product so that the **C3** Configurator engine can ensure that the user-configured model is valid.

Working With Properties

To Define a Property

1. Navigate to and select the location in the model group hierarchy where you want to create the property.

See "To Access the Visual Modeler" on page 433 for information about how to navigate the model group hierarchy.

This is important since where you create the property determines what objects in the hierarchy can use the property. See "Properties" on page 77 for a more detailed explanation.

2. When you reach the appropriate level, click the **Properties** tab.

Attach | Define

Unattached Properties

| Name | Value | Action |
|------------------|-------|------------------------|
| controller cards | 1 | Attach |

[Reset](#) [Save All Changes](#)

Attached Properties

| Name | Value | Action |
|--------------------------|-------|------------------------|
| UITEMP:num_cols | 2 | Remove |
| MX75_Mem_Ordered | 0 | Remove |
| MX75_Mem_Required | 0 | Remove |
| MX75_Card_Slot_Available | 4 | Remove |
| MX75_Bays_Available | 2 | Remove |

[Reset](#) [Save All Changes](#)

FIGURE 313. Model Properties Tab: Attach Sub-Tab

General Info | **Properties** | Rules | Lists

New property

| Name | Type | Default Value | Localize | Action |
|------|--------|---------------|----------|---------------------|
| | Number | | | Add |

[Reset](#) [Save All Changes](#)

Defined properties

| Name | Type | Default Value | Localize | Action |
|-----------------------------|--------|---------------------------|--------------------------|------------------------|
| MX75_HDD_Raid_List | List | MX750X-RAID_0_allowed Qty | | In use |
| MX75_Memory_Slots_available | Number | 4 | | In use |
| MX75_Memory_Slots_required | Number | 4 | | In use |
| MX75_Raid_1_List | List | MX750X-RAID_1_allowed Qty | | Delete |
| MX75_Raid_5_List | List | MX750X-RAID_5_allowed Qty | | Delete |
| MX75_Raid_Level_0 | Number | 0 | | In use |
| MX75_Raid_Level_1 | Number | 1 | | In use |
| MX75_Raid_Level_5 | Number | 5 | | In use |
| RAID_Wizard_RAID_Level | Number | 0 | | In use |
| RAID_wizard_selected | String | Yes | <input type="checkbox"/> | In use |
| Up to RAID level 5 | String | Yes | <input type="checkbox"/> | Delete |

[Reset](#) [Save All Changes](#)

FIGURE 314. Model Group Properties Tab

3. If you are working in a model, then within the **Properties** tab, click the **Define** tab.

General Info | Display | **Properties** | Rules | Lists | Tables | Tabs | Worksheets

Attach | Define

New property

| Name | Type | Default Value | Localize |
|------|--------|---------------|----------|
| | Number | | |

Reset | Save All Changes

Defined properties

| Name | Type | Default Value | Localize |
|---------------------|--------|---------------|--------------------------|
| Color | String | Beige | <input type="checkbox"/> |
| IsPicked | Number | 0 | |
| Maximum Resolution | String | | <input type="checkbox"/> |
| Maximum Weight | Number | 0 | |
| Monitor Area | Number | 0 | |
| Monitor Area String | String | | <input type="checkbox"/> |
| Monitor Size | Number | 15 | |
| Monitor Weight | Number | | |
| Resolution | String | | <input type="checkbox"/> |

Reset | Save All Changes

FIGURE 315. Properties Tab: Define Sub-Tab

4. Enter a name for the property.

Note: Do not begin a property name with “UI:” or “CONFIG”. Do not include a period (.) in a property name.

5. Select a property type from the drop-down list.

- **Number:** use this for any property whose value is determined by a number. For example, the weight of an item could be expressed as a real number of grams (including decimals).
- **String:** use this for any property that is expressed as a word or phrase. For example, you can use a string-valued property to indicate the color of an option item.

If you select this type, then the Localize field is enabled. If you check this box, then you can enter values for this property in any of the supported locales. In other words, if you enter the original value in English, then you can change the system locale to German and then modify the property’s value in German. The German value will appear for those users whose locale is German; the English value will appear for those users whose locale is English.

- **List:** use this for any property where the value of the property must be selected from a list. For example, the availability of an item might be limited to specifying one or more days of the week. You can capture this

in the form of a property by defining a list called “Weekdays” whose values are Sunday, Monday, and so on, concluding with Saturday.

6. If applicable, define a default value that this property takes. You can override this value when you apply the property to an item or class.

If you selected “List” as the property type, then the Value field displays a drop-down selection of the current lists available. Select a list. See "Lists" on page 505 for information about creating lists.

7. Click **Add**.

The new property appears in the boxes below the fields.

8. Click **Save All Changes** to save the new property.

To Attach a Property

You define a property at the model group or model level (see "To Define a Property" on page 490). You attach a property to a model, an option class, or an option item.

1. Click **Configuration Models** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation frame, navigate to the object to which you want to attach the property.




FIGURE 316. Detail Page with Model Selected

3. Click the **Properties** tab.

This displays two sets of fields: one called Unattached Properties for selecting properties and defining values for them, and one called Attached Properties that shows the properties that are currently attached.

Note: The **Properties** tab for a model contains two tabs: **Attach** and **Define**. You use the **Define** tab to define properties. See "To Define a Property" on page 490.

| Unattached Properties | | |
|-----------------------|-------|--------|
| Name | Value | Action |
| controller cards | 1 | Attach |

Reset Save All Changes

| Attached Properties | | |
|--------------------------|-------|--------|
| Name | Value | Action |
| UITEMP:num_cols | 2 | Remove |
| MX75_Mem_Ordered | 0 | Remove |
| MX75_Mem_Required | 0 | Remove |
| MX75_Card_Slot_Available | 4 | Remove |
| MX75_Bays_Available | 2 | Remove |

Reset Save All Changes

FIGURE 317. Properties Tab

4. Select a property from the Unattached Properties drop-down list.
The property will display any default value defined for it.
5. Enter a value for the property. You can set the value of a property simply by entering its value in the text field, or you can use a property editor window to set a value. See "To Use the Property Editor Window" on page 495 for details.
6. Click **Attach**.
The newly-attached property appears among the Attached Properties.
7. Click **Save All Changes**.

Attention: You must perform this last step. Otherwise the property will not be attached.

To Use the Property Editor Window

The Numeric Property Editor window and the String Property Editor window are used to edit property values.

1. You can invoke the property window editor simply by clicking the **Edit** button next to any property.
When you do so, a Property Editor window is displayed.




FIGURE 318. Numeric Property Editor Window




FIGURE 319. String Property Editor Window

2. You can use this window to specify a fixed value of a property or to specify a formula that is used to calculate a value at runtime. If the first character of the text area is "=", then the editor window assumes that you want to create a formula, and the expansion fields are activated to help you define the formula.
3. The syntax of a formula depends on whether you are editing a numeric or a string property:
 - a. If you are working on a numeric property, then when you specify a formula, use the drop-down lists as follows:
 - Function: select one of the defined functions. See Table 12, "Function Definitions", on page 83 for a description of the available functions.

- **Property:** specify the property whose values should be used to calculate the function.
- **Location:** specify where the named property (or properties) should be located. You can select an option item or select one of the following values for the location:
 - **unspecified:** select this to use the named property anywhere it is defined in the model. First, the current position is checked to see if the property is defined at that location, if not, then the standard algorithm is followed to see if the property is defined anywhere else in the model.
 - **relative:** select this to use the named property at the current location.
- a. If you are working on a string property, then when you specify a formula, use the drop-down lists as follows:
 - **Choose among gather, match, and expand:**
 - **gather:** use this in assigning actions to a string property. It finds all occurrences of the specified property in the property pool and creates a string with the semicolon separating the values of these occurrences.
 - **match:** use this in writing rule fragments. It provides a mechanism to compare a string to the value of a property.
 - **expand:** use the expand function as described in "Working with Display Properties" on page 566.

To Modify or Remove an Attached Property

You can only modify the value of an attached property at the local level to which it is attached. To modify the name or default value, see "To Modify or Delete a Property Definition" on page 498.

1. Click **Configuration Models** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Model Groups frame, navigate to the element to which the property is attached.

If the property is attached to a model:

- a. In the Model Groups frame, click the model group that contains the model.
- b. In the Models and Groups frame, click the model to which the property is attached.

- c. Click **Edit** in the toolbar.

If the property is attached to an option class or option item:

- a. In the Model Groups frame, click the model group that contains either the model or group with the option class or option item.
 - b. In the Models and Groups frame, click the model or group.
 - c. Click **Edit** in the toolbar.
 - d. In the Navigation frame, find and click the option class or option item.
3. Click the **Properties** tab.

This tab displays two sets of fields: one called Unattached Properties for selecting properties and defining values for them, and one called Attached Properties that shows the properties that are currently attached.

| | |
|--------------|--|
| Note: | If the property is attached to a model, you will see two tabs within the Properties tab: Attach and Define . The Attach tab is automatically displayed. |
|--------------|--|

4. Find the property you want to modify or remove.
5. Modify or remove the attached property:
 - If necessary, change the value of a property.

Note that this only changes the value locally, at the level it is attached. To change the default value of the property, see "To Modify or Delete a Property Definition" on page 498.
 - To remove an attached property, click **Remove**.
6. Click **Save All Changes**.

To Modify or Delete a Property Definition

1. Click **Configuration Models** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Navigate to and select the location in the model group hierarchy where the property is defined.
 - At the root model group level:

The Visual Modeler page automatically displays the root model group when you access Visual Modeler. If the root model group is not selected, then click on the root model group.

- At the model group level, navigate to and click the model group in the Model Groups frame.
- At the model level, navigate to and click the model group that contains the model. Then, in the Models and Groups frame, click the model. Now click **Edit Model** in the toolbar.

In all of these cases, this displays the **General Info** tab for the group or model.

3. Click the **Properties** tab.

At the model group level, this displays the properties defined at that level.

At the model level, this displays two tabs: **Attach** and **Define**. If the property is attached anywhere in the model group hierarchy, you will not be able to modify the property type. If the property is attached anywhere in the model group hierarchy, you will not be able to delete the property definition.

4. If you want to modify an unattached property, click the **Define** tab. Within the **Define** tab, find the property you want to modify or delete.

The screenshot shows a software interface with a top navigation bar containing tabs: General Info, Display, Properties, Rules, Lists, Tables, Tabs, and Worksheets. The 'Properties' tab is active. Below this, there are two sub-tabs: 'Attach' and 'Define', with 'Define' selected. The 'Define' tab contains two sections. The first section, 'New property', has a table with columns: Name, Type, Default Value, Localize, and Action. The 'Name' column has an input field, 'Type' has a dropdown menu set to 'Number', 'Default Value' has an input field, 'Localize' has a checkbox, and 'Action' has an 'Add' button. Below this section are 'Reset' and 'Save All Changes' buttons. The second section, 'Defined properties', has a table with the same columns. It lists two properties: 'Time to deliver' and 'Time to manufacture', both with 'Number' as the type and '0' as the default value. Each row has a 'Delete' button in the 'Action' column. Below this section are also 'Reset' and 'Save All Changes' buttons.

FIGURE 320. Model Properties Define Tab

5. If you want to modify an attached property, click the **Attach** tab. Within the **Attach** tab, find the property you want to modify or remove.

| Name | Value | Action |
|-------|-------|--------|
| color | black | Attach |

| Name | Value | Action |
|-----------------------------|------------------------|--------|
| _description | Matix 7650 Workstation | Remove |
| _enddate | 9/20/2020 | Remove |
| _sku | MOVS-7650 | Remove |
| _startdate | 9/12/2001 | Remove |
| MK75_Bays_Available | 6 | Remove |
| MK75_Card_Slot_Available | 8 | Remove |
| MK75_HDD_Ordered | 0 | Remove |
| MK75_Memory_Slots_available | 8 | Remove |

FIGURE 321. Model Properties Attach Tab

6. Modify or delete the property definition (property type or value).
7. Click **Save All Changes**.

Name changes and value changes will be propagated to anywhere the property is attached. The value change is the default value for the property. It will not override any values set for the attached property.

Using Worksheets

You can use worksheets to maintain properties. Worksheets provide quick access to a group of properties and so you can rapidly update the properties together, rather than having to navigate to each property individually to change its value.

Each worksheet belongs to a model and can be used to set the values of properties of that model. You can still set the values for properties as described in "To Attach a Property" on page 493.

A worksheet is a table that assigns property values to option items:

- Rows represent option items
- Columns represent properties

For example, if you are maintaining a model of a computer, then you might have an option class for hard drives. Each hard drive option item has a number of properties

such as capacity, RPM, latency, and buffer cache. You can create a worksheet like this:

TABLE 33. Hard Drive Worksheet

| Option Item | Capacity | RPM | Latency | Buffer Cache |
|--------------------|-----------------|------------|----------------|---------------------|
| WD Protege | 160 | 5400 | 5.00 | 2 |
| WD Caviar | 250 | 7200 | 4.20 | 2 |
| WD Caviar SE | 250 | 7200 | 4.20 | 8 |
| WD Essential | 250 | 7200 | 4.20 | 2 |

To Create a Worksheet

1. Navigate to the model for which you want to create a worksheet.
2. Click the Worksheets tab.
3. Click **New...**
4. In the New Worksheet window, enter a name for the worksheet, and click **Create**.
5. Add the option items whose properties you want to set using this worksheet. You do this by clicking **Add Row**, and then navigating to each option item in turn using the entity picker window.
6. Add the properties to the worksheet by clicking **Add Column** and in the Add Column dialog box, select each property from the drop-down list of properties defined for this model. You can create a new property by clicking **New Property** in the Add Column window, and then entering the new property details in the Define New Property window.
7. After you have added the rows and columns for your worksheet, you can enter values for each option item and property.
8. Click **Save All Changes**.

To Modify a Worksheet

You can modify a worksheet at any time. Changes to property values are effective immediately, and will be compiled with the other model details when you next compile the model.

1. Navigate to the model to which the worksheet belongs.
2. Click the Worksheets tab.

3. Select the name of the worksheet from the drop-down list.
4. Click **Select**.
5. In the worksheet, you can do the following:
 - Change the name of the worksheet: click the worksheet name and enter a new name for the worksheet.
 - Add a new row: click **Add Row** and select option items as required.
 - Move a row: click the link to the row, and select its new position from the drop-down list of rows.
 - Remove a row: click the link to the row, and click **Delete**.
 - Add a new column: click **Add Column**, and select the property from the drop-down list.
 - Move a column: click the column name, and select its new position from the drop-down list of columns.
 - Delete a column: click the column name and click **Delete**.

To Export a Worksheet

There are times when it is more convenient to manage the values of properties when you have the worksheet in the form of a spreadsheet that you maintain on your local machine. You can export a worksheet in the form of a comma-separated values (CSV) file, and then open this file in your preferred spreadsheet program to manage the values. You can then import the modified spreadsheet to update the values in the worksheet: see "To Import a Worksheet" on page 503 for details on importing a worksheet.

1. Navigate to the model to which the worksheet belongs.
2. Click the Worksheets tab.
3. Select the name of the worksheet from the drop-down list.
4. Click **Select**.
5. Click **Export...**
6. In the File Download window, click **Save**.
7. In the Save As window, navigate to the directory on your local machine to which you want to save the file, and then click **Save**.

The file is saved to your local machine.

To Import a Worksheet

When you have finished editing a spreadsheet for a worksheet, save it as a comma-separated values (CSV) file. Follow these steps to import the worksheet into the Comergent eBusiness System.

1. Navigate to the model to which the worksheet belongs.
2. Click the Worksheets tab.
3. Click **Import....**
4. In the Worksheet Import window, click the **Browse...** button.
5. In the Choose File window, navigate to and select the spreadsheet that you want to import.
6. Click **Open**.
7. In the Worksheet Import window, click **Import Now**.

The spreadsheet is imported into the Comergent eBusiness System.

Properties as Variables

You can evaluate the value of a property in defining rules and properties using this syntax: `${function(...)}`. This enables you to define a property as a function of another property. This can be useful in defining display properties and in defining mathematical formulae for rules. For example, you can use `${expand(property[,default[,format]])}` to display properties of models.

For example, suppose that you have a numerical property called "Monitor Size" defined on a series of monitors that expresses the screen size in inches and suppose that you want to present this information in a table in the form "17.00 inches". You can define a property called Display Monitor Size by `"${expand("Monitor Size","n/a",0.00)} inches"`. Now use this new property in the display of the model and users will see the size expressed as "17.00 inches" if the underlying Monitor Size property has the value "17". Note that if the Monitor Size property is not defined, then "n/a inches" is displayed.

Comergent eBusiness System Properties

The following table summarizes the properties that are built in to the Comergent eBusiness System. Note that UI properties are covered in CHAPTER 16, "Visual Modeler UI Concepts".

TABLE 34. Comergent eBusiness System Properties

| Property | Type | Comments |
|-------------------------|---------|---|
| CONFIG: FIRST FIRE | numeric | 1 if this is the first time firing rules, 0 otherwise. |
| CONFIG: POOL SIZE | numeric | Number of copies of a model to keep in the model pool. |
| CONFIG: REPEAT FIRING | string | "yes" or "true" turns on looping in the rule engine, causing rules to fire as long as the current state keeps changing. Since rules are removed from the rule list whenever they fire, this is not an infinite loop. |
| CONFIG: SUBMODEL NAME | string | The encoded name of another model. Encoding replaces potentially unsafe file system characters with _XXXX where XXXX is the hex representation of their Unicode character code. For example, a space is represented by "_0020". See "Special Characters Encoding" on page 477 for more information. |
| CONFIG: SUBMODEL RETURN | string | "yes" or "true" implies that when we punch into a submodel specified by the previous property we will be returning with that models BOM as a child of this model. |
| _cacheKey | string | Used on a model node to contain the key used to store the model in the model cache. |
| _description | string | The description of an item. |
| _errorCount | numeric | Number of errors encountered during rule firing. |
| _fileSize | string | String representation of a Long value, size of the XML file for a model. |
| _lastModified | string | Last modified date for a model as a string (number of seconds since some important date). |
| _modelTabs | list | List of tab names for the model. |
| _name | string | The name of an option item, option class, or model. |

TABLE 34. Comerger eBusiness System Properties (Continued)

| Property | Type | Comments |
|----------------------|---------|--|
| _parent.<item names> | varies | Properties inherited by a submodel from the parent. |
| _pickItems | list | Internally used to keep track of picked items. |
| _pickmap.<itemKey> | string | Mapping of an item to an option class. |
| _picks | list | Internally used to keep track of picked items. |
| _quantity | integer | Quantity selected, if >0 the item is picked. |
| _sequence | numeric | Rule firing sequence, if 0 this is the first time through the loop, 1 is the second, and so on. |
| _tabMembers<#> | list | Where <#> is a tab number (0...N), these properties contains the names of the root level option classes that are part of the tab whose index is <#>. |

Lists

In many cases, the values a property may take can be expressed as a number or as a string of characters. In some cases however, a property has to take one of a certain number of pre-specified values such as the days of the week, or one of a set of manufacturer-specified formats such as SM, M, L, or XL.

In these situations, the best approach to take is to define a property, of List type. Then you can write rules to test whether the value of the first property is in the list that is the value of the List property. See "Lists" on page 80 for a more detailed explanation of lists.

Thus, if you have a property called ShirtSize and you want to restrict the choices that a user can select to SM, M, L, or XL, then the steps are:

1. Create a list called ShirtSizeList. Enter values for the list: in this case SM, M, L, and X.
2. Create a property called AvailableShirtSizes whose type is List and assign it the value ShirtSizeList.
3. Create the ShirtSize property and assign it to option items as appropriate.
4. Create a rule that specifies that the value of the ShirtSize property must be in the list of the AvailableShirtSizes property.

Working With Lists

To Define a List

1. Navigate to the model group or model for which you want to define the list.
See "To Access the Visual Modeler" on page 433 for information about how to navigate the model group hierarchy.
2. Click the **Lists** tab.
This displays any lists already defined.
3. Click **New...**
This displays the **New List** tab.




FIGURE 322. New List Tab

4. Enter a name and description for the list.
5. Define the values for the list.
 - a. Enter a value in the New Value field.
 - b. Click **Add Item**.
6. Repeat the last step for each value you want to add.
7. Click **Save** to save the values and remain at the **New List** tab.

When you click **Save and Return**, you save the values and return to the **Lists** tab. The new list appears among the defined lists.

To Modify a List

1. Navigate to the model which contains the list you want to modify.

See "To Access the Visual Modeler" on page 433 for information about how to navigate the model group hierarchy.

2. Click the **Lists** tab (see Figure 323 on page 507).

This displays any lists already defined.



FIGURE 323. Lists Tab with Defined Lists

3. Click the name of the list you want to modify.

This displays the **Edit List** tab.




FIGURE 324. Edit List Tab

4. Modify the name or description.

5. Delete values from the list.
 - a. Select one or more values in the list.
 - b. Click **Delete**.
6. Add values to the list.
 - a. Type a value in the New Value field.
 - b. Click **Add Item**.

7. Modify values in the list.

There is no way to modify a value in a single step. You must delete the old value and add the new one.

8. Click **Save** to save the values and remain at the **Edit List** tab.

When you click **Save and Return**, you save your changes and return to the **Lists** tab.

To Delete a List

1. Navigate to the model which contains the list you want to delete.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.
2. Click the **Lists** tab (see Figure 323 on page 507).

This displays any lists already defined.
3. Among the defined lists, find the list you want to delete.
4. Click **Delete** on the same line as the list you want to delete.

The list disappears from among the defined lists.

| |
|---|
| Attention: This last step is important! If you click Delete , but do not click Save All Changes , then the list will not be deleted. |
|---|

5. Click **Save All Changes**.

Rules

See "Rules in Visual Modeler" on page 81 for an explanation of rules and how they work.

Working With Rules

To Define a Rule

1. Navigate to the detail page for the model group or model where you want to create the rule.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click the **Rules** tab.
 - a. If you are defining the rule at the model level, then the **Rules** tab displays two tabs: **Attach** and **Define**. Click the **Define** tab.
 - b. The model group level contains a single tab for defining the rule.




FIGURE 325. Define Tab for a Model Rule

3. Click **New...**

This displays the **New Rule** tab.

FIGURE 326. Model Page: New Rule Tab

FIGURE 327. Model Group Page: New Rule Tab

4. Select a classification for the rule and specify a priority.

You can create your own rule classifications: see "To Create a Rule Classification" on page 513. Rule priorities are used to determine the order in which rules are fired: lowest numbers fire first. You should use values between 0 and 100: 50 is the default value.

5. Enter a name and description for the rule. Also, select whether the rule is triggered when the rule's conditions are met (success) or not met (failure).

6. Define the fragments of the rule.

See "Fragments" on page 523.

7. Define the rule actions.

You can define messages to be displayed, a rule expansion formula, or you can assign properties and values. See "Working with Rule Actions" on page 537.

| | |
|--------------|--|
| Note: | No syntax checking is performed on rules. The configurator engine will fail to load a model if there is a syntax error in any of the assigned rules. |
|--------------|--|

8. Click **Save**.

To Modify a Rule

1. Navigate to the model group or model where the rule was created.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click the **Rules** tab.

The **Rules** tab for the Model level displays two tabs: **Attach** and **Define**. To modify the rule, click the **Define** tab. The model group level contains a single tab for defining the rule.

The **Rules** tab displays a table with the currently defined rules.




FIGURE 328. Model Group Page: Rules Tab with Current Rules

- Find the rule you want to modify, then click the **Edit** icon.
This displays the **Edit Rule** tab.
- As necessary, modify the Name and Description.
- As necessary, add or modify Comments.
- As necessary, modify whether the rule is triggered when the rule's conditions are met (success) or not met (failure).

Edit Rule

Classification: Default Priority:

Name: ADV_up to RAID level 5

Description: Sets option "RAID 5 Parity" on model, if end user selected answer "up to RAID level 5" in Questionnaire.

Comments:

Rule Triggered on: ☐ Failure ☒ Success

| Fragments | If Not Specified | Actions |
|-------------------------------------|------------------|---------|
| and value(up to RAID level 5) = Yes | Rule is false | |

Message Actions

Error

Type Message

FIGURE 329. Edit Rule Tab

7. Modify the rule fragments in the Fragments table.

See "Fragments" on page 523.

8. Add or modify actions in the Actions area.

You can define messages to be displayed, a rule expansion formula, or assign properties and values. See "Working with Rule Actions" on page 537.

Repeat these steps for each rule you want to modify. You can click **Where Used** at the bottom of the tab to view the entities to which the rule is attached. See "To View Rule Attachments" on page 517.

To Create a Rule Classification

You can create new rule classifications as follows.

1. Navigate to the rule creation page: see "To Define a Rule" on page 509.
2. Click ... next to the Classification drop-down list.




FIGURE 330. Rule Classification Window

3. In the Rule Classification Window, enter a name for the classification, and click **Add Item**.
4. Click **Save and Return**.

To Attach a Rule

1. Navigate to the level in the model hierarchy (model, option class or option item) where you want to attach the rule.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click the **Rules** tab.

At the model level, the **Rules** tab contains two tabs: **Attach** and **Define**. At the option class and option item levels, the **Rules** tab looks like the **Attach** tab.

The **Attach** tab displays a drop-down list of the unattached rules, as well as a table showing the rules that are currently attached.

General Info | Display | Properties | **Rules** | Lists | Tables | Tabs

Attach | Define

Unattached Rules

| Name | Description | Action |
|-------------------------------------|--|--------|
| EXP_Mx75_Automatic_Memory_Selection | This rule adds and selects the minimum required memory for an end user | Attach |

Reset Save All Changes

Attached Rules

| Name | Start date (MM/DD/YYYY) | End date (MM/DD/YYYY) | Stop firing | Action |
|---------------------------------|-------------------------|-----------------------|--------------------------|--------|
| MSG_S_Mx75_Accessories_Warranty | 6/23/2002 | 6/23/2052 | <input type="checkbox"/> | ⬆ ⬇ ⬆ |
| MSG_E_Mx75_HW_Service_Warranty | 6/23/2002 | 6/23/2052 | <input type="checkbox"/> | ⬆ ⬇ ⬆ |

Reset Save All Changes

FIGURE 331. Rules Tab

3. Select a rule from the drop-down list in the Unattached Rules table.
4. Click **Attach**.
The rule is appended to the end of the current rules in the Attached Rules table.
5. Define the start and end dates for the rule.
6. If you want this rule to be a checkpoint, check the box the Stop Firing column.
When checked, this rule acts as a checkpoint: if any errors have occurred up to this point in the rule firing, then processing will stop at this point and the errors will be displayed. If no errors have occurred, then rule firing will continue until all the rules are fired or the next checkpoint is hit.
7. Determine the sequence.
The rules will fire within the element to which they are attached in the order they appear in the list. You can modify the order using the up or down arrows to the right of the rule. See "Rule Firing" on page 89 for a complete description of how rules are fired.
8. Click **Save All Changes**.

To View the Details of an Attached Rule

Once you have attached a rule, you can view the details of the attached rule by clicking the rule's name in the **Attach** tab.

1. Navigate to the level in the hierarchy (model, option class, or option item) where the rule is attached.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click the **Rules** tab.

At the model level, the **Rules** tab contains two tabs: **Attach** and **Define**. At the option class and option item levels, the **Rules** tab looks like the **Attach** tab.

The **Attach** tab displays a drop-down list of the unattached rules, as well as a table showing the rules that are currently attached.

The screenshot shows the 'Attach' tab of the 'Rules' section. It features a tab bar with 'Attach' and 'Define'. Below the tab bar, there's a section for 'Unattached Rules' with a table containing columns for 'Name', 'Description', and 'Action'. A rule named 'EXP_MX75_Automatic_Memory_Selection' is listed. Below this, there are 'Reset' and 'Save All Changes' buttons. The main part of the interface is a table for 'Attached Rules' with columns for 'Name', 'Start date (M/D/YYYY)', 'End date (M/D/YYYY)', 'Stop firing', and 'Action'. Two rules are listed: 'MSG_S_MX75_Accessories_Warranty' and 'MSG_E_MX75_HW_Service_Warranty'. Both have start and end dates of 6/23/2002 and 6/23/2052 respectively, and a 'Stop firing' checkbox that is unchecked. Each rule has an 'Action' column with icons for edit, delete, and add. At the bottom, there are 'Reset' and 'Save All Changes' buttons.

| Unattached Rules | | | | |
|-------------------------------------|--|--------|--|--|
| Name | Description | Action | | |
| EXP_MX75_Automatic_Memory_Selection | This rule adds and selects the minimum required memory for an end user | Attach | | |

Reset Save All Changes

| Attached Rules | | | | |
|---------------------------------|-----------------------|---------------------|--------------------------|--------|
| Name | Start date (M/D/YYYY) | End date (M/D/YYYY) | Stop firing | Action |
| MSG_S_MX75_Accessories_Warranty | 6/23/2002 | 6/23/2052 | <input type="checkbox"/> | ✕ ↻ ⬇ |
| MSG_E_MX75_HW_Service_Warranty | 6/23/2002 | 6/23/2052 | <input type="checkbox"/> | ✕ ↻ ⬇ |

Reset Save All Changes

FIGURE 332. Attach Tab

3. Find the rule among the list of attached rules in the lower part of the frame.
4. Click the name of the rule.

This displays the Rule Detail Viewer.




FIGURE 333. Rules Detail Viewer

To View Rule Attachments

You can use this procedure to see where a rule is attached.

1. Navigate to the model group or model where the rule was created.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click the **Rules** tab.

The **Rules** tab for the Model level displays two tabs: **Attach** and **Define**. To modify the rule, click the **Define** tab. The model group level contains a single tab for defining the rule.

The **Rules** tab displays a table with the currently defined rules.




FIGURE 334. Rules Tab with Current Rules

3. Find the rule you want to modify, then click the **Edit** icon.
- The **Edit Rule** tab displays.




FIGURE 335. Edit Rule Tab

4. Click **Where Used...**

The Rule Usage window displays.

| VIEW RULE USAGE FOR: MSG E MX75 Memory Software Check. | | |
|--|------------|--------------------|
| Rule Usage | | |
| Model Group | Model Name | Attached At |
| Workstations | MXWS-7650 | MXWS-7650 Software |
| Workstations | MXWS-7550 | MXWS-7550 Software |
| PCs.Desktops | MXDS-7500 | MXDS-7500 Software |
| PCs.Desktops | MXDS-7500 | MXDS-7500 Memory |
| PCs.Desktops | MXDS-7550 | MXDS-7550 Memory |
| PCs.Desktops | MXDS-7550 | MXDS-7550 Software |
| Workstations | MXWS-7550 | MXWS-7550 Memory |
| Workstations | MXWS-7650 | MXWS-7650 Memory |
| PCs.Desktops | MXDS-7550 | MXDS-7550 |

FIGURE 336. Rule Usage Window

To Unattach a Rule

1. Navigate to the level in the model hierarchy (model, option class or option item) where the rule is attached.

See "To Access the Visual Modeler" on page 433 for information about how to navigate the model group hierarchy.

2. Click the **Rules** tab.

At the model level, the **Rules** tab contains two tabs: **Attach** and **Define**. At the option class and option item levels, the **Rules** tab only contains attachments.

The Rules tab displays a drop-down list of the unattached rules, as well as a table showing the rules that are currently attached.

3. Find the rule in the Attached Rules table.
4. Click the **Delete** symbol (X) at the end of the rule's row in the table.

The rule returns to the Unattached Rules table.

5. Click **Save All Changes**.

To Delete a Rule

You can delete rules when they are no longer required.

Note: You cannot delete a rule if the rule is currently attached to any node in the model hierarchy.

1. Navigate to the model group or model where you created the rule.
See "To Access the Visual Modeler" on page 433 for information about how to navigate the model group hierarchy.
2. Click the **Rules** tab.
At the model level, the **Rules** tab contains two tabs: **Attach** and **Define**. At the model group level, you can only define. If the rule you want to delete was created at the model level, then click the **Define** tab.
3. Find the rule you want to delete.
4. Click the **Delete** icon next to the rule you want to delete.
5. Click **Save All Changes**.

To Move or Copy a Rule

It is sometimes necessary to re-organize your model hierarchy and in doing so, you may need to move the rule definitions too. You can move or copy a rule: *moving* means that the rule definition is deleted from its previous location whereas *copying* means that you create a copy of the rule without deleting its original definition.

1. Navigate to the rule definition that you wish to move or copy.
2. Click **Copy Rule**.




FIGURE 337. Rule Copy or Move Window

3. Click **Browse...** to open the entity picker window.
4. Navigate to the model group or group to which you want to move or copy the rule definition, select it and click **Done**.
5. If you want to, you can then change the name of the rule definition.

- Click **Move** or **Copy** as appropriate.

An error message is displayed if a rule with the same name already exists in the target location. If a property referenced in the rule does not exist in the new location, then it is created at the same time as the rule is.

- Click **Close**.

Rule Firing

Each time a model is validated, the rules are fired to determine whether each rule succeeds or fails. You can control the order in which rules fire by setting a priority for each rule: see "To Specify the Rule Firing Sequence" on page 521. When you are testing a model, you can review the model firing behavior: see "To Review Rule Firing" on page 521. You can also specify whether rules are fired just once or possibly multiple times: see "To Force Multiple-Pass Rule Testing" on page 523.

To Specify the Rule Firing Sequence

- Navigate to the model.
- Click the Rules tab.
- Click the Firing Sequence sub-tab.

| Priority | Classification | Name | End date |
|----------|----------------|----------------------------------|--------------------------|
| 50 | Classification | ASG Service offerings visible | MX-7500 Service.Warranty |
| 50 | Classification | MSG_E_MX75_HW_Service_Warranty | MX-7500 Service.Hardware |
| 50 | Classification | ASG Service offerings visible | MX-7500 Service.Hardware |
| 50 | Classification | MSG_E_Available_Card_Slots_Check | MXDS-7500.Accessory Car |
| 50 | Classification | EXP_MX75_Fire_Wire | MXDS-7500.Software Appli |
| 50 | Classification | MSG_VV_Num_OS_Check | MXDS-7500.Software |

FIGURE 338. Firing Sequence Tab

- Enter a priority for each rule: this should be an integer between 0 and 100.

The higher the value the lower the priority: that is rules with lower priority value will fire before rules with a higher priority value. The default value is 50.

To Review Rule Firing

- Navigate to the model whose rule firing you want to review.

2. Click **Test**.
3. In the Product Configurator window, click **Show Trace Log**.

| MatrixWorkstations/MXWS_002D7550 Rule Firing Trace | |
|---|--|
| # | Result |
| 0 | Firing phase [0]:begin |
| 1 | Firing rules on MXWS-7550.Memory |
| 2 | |
| 3 | MSG_E_max_memory_slots_exceeded ==> fires on FALSE |
| 4 | Property not found [MX75_Memory_Slots_available or MX75_Memory_Slots_required], taking null action |
| 5 | |
| 6 | MSG_E_MX75_Memory_Software_Check ==> fires on TRUE |
| 7 | Property not found [MX75_Mem_Ordered or MX75_Mem_Required], taking null action |
| 8 | |
| 9 | Firing rules on MXWS-7550.Disk Drives |
| 10 | |
| 11 | MSG_E_Available_HDD_Slots ==> fires on TRUE |
| 12 | TESTING:sum(MX75_HDD_Ordered) >value(MX75_Bays_Available) [nullreturn=false] |
| 13 | FALSE: 1.0>MX75_Bays_Available:4.0 |
| 14 | FALSE: sum(MX75_HDD_Ordered) >value(MX75_Bays_Available) [nullreturn=false] |
| 15 | |
| 16 | Firing rules on MXWS-7550.Software.Application |
| 17 | |
| 18 | EXP_MX75_Fire_Wire ==> fires on TRUE |
| 19 | Left side property [MX75_Video_Editing] not found, taking null action |
| 20 | |

FIGURE 339. Configurator Rule Firing Trace Window

4. The secondary window displays a trace of the results of the rule firing. You can review this to determine if rules are firing as you expect.

Controlling Rule Firing

When **C3** Configurator validates a model and the current set of picks, it tests each rule in turn to evaluate them for success or failure, and performs expansion and assignment actions as appropriate. There are different ways in which rule firing can behave:

- Each rule is tested only once when a model is validated. This is referred to as single-pass rule firing.

- You can configure a model so that if any rules are fired, the fired rules are removed from the rules list and the remaining rules are tested again. This process continues until no more rules are fired. This is referred to as multiple-pass rule firing.

There is a property called CONFIG: REPEAT FIRING to control this behavior. By default, only single-pass firing is performed.

To Force Multiple-Pass Rule Testing

1. Navigate to the model whose rule firing you want to control.
2. Click **Properties**.
3. Select CONFIG: REPEAT FIRING from the **Unattached Properties** drop-down list.
4. Set its value to “true” and click **Attach**.
5. Click **Save All Changes**.

You can verify that the rules fire only once by following the steps described in "To Review Rule Firing" on page 521. In the summary section of the trace log, you should see that there was one firing phase.

| | |
|----|---|
| 48 | Summary of rules fired during this pass |
| 49 | Firing phase [0]:end (rules fired=0) |
| 50 | Applying picks |
| 51 | done |
| 52 | Applying Constraints |

FIGURE 340. Trace Log Summary Section

Fragments

As you create rules, you must create rule fragments that perform the rule logic. This section describes in detail how to create and work with rule fragments.

Working With Rule Fragments

Use these procedures to define or modify a rule's fragments when you are creating ("To Define a Rule" on page 509) or modifying ("To Modify a Rule" on page 511) a rule.








FIGURE 341. New Rule and Defining Fragments

When you are creating a rule, the Fragment area appears as in Figure 341 on page 524.

TABLE 35. Rule Buttons

| Button | Name |
|---|---------------------|
|  | New Operator button |
|  | New Fragment button |
|  | Delete button |
|  | Edit button |

Click the **New Fragment** icon here to create a fragment at the currently displayed level (in this case, the top level) in the rule structure. Click **New Fragment** again to

create a second fragment at the currently displayed level. In other words, the rule would be:

FragmentA AND FragmentB

Clicking the **New Operator** icon creates a nested level for creating fragments, as shown in Figure 342 on page 525. The new level displays a new set of **New Fragment** and **New Operator** links. You use this **New Fragment** link to create the fragments at this nested level. If you click **New Operator** at this level, then you will create another nested level below this one with another set of **New Fragment** and **New Operator** links for that level.

The screenshot shows the 'New Rule' tab in a software interface. The tab is divided into several sections:

- General Info:** Includes fields for Name, Description, and Comments.
- Rule Triggered on:** Radio buttons for Failure and Success.
- Fragments:** A table with columns for Fragments, If Not Specified, and Actions. It shows a nested structure with 'and' operators and 'New Fragment' links.
- Message Actions:** A section for defining message actions, including a dropdown for Error, a text field, and an 'Add Item' button.
- Formula:** A section for defining a formula, with a text field and a 'Browse...' button.
- Expansion Actions:** A section for defining expansion actions, including a table with columns for Min, Max, Qty, and Rem, and an 'Add Item' button.
- Assignment Actions:** A section for defining assignment actions, including a dropdown for controller cards, a text field, and an 'Add Item' button.

At the bottom of the tab are three buttons: Save, Save and Return, and Cancel and Return.

FIGURE 342. New Rule Tab with Nested Levels

Example: To Create a Simple Level of Fragments

In this example, you are attempting to create a rule consisting of two fragments, joined by a single operator, with no nested levels: FragmentA AND FragmentB. When you access the tab, the **New Rule** tab appears as in Figure 343 on page 526.

FIGURE 343. New Rule Tab for a Single-Level Rule

1. Select the boolean operator you want for these fragments.
 2. Click the **New Fragment** icon
- This displays the **New Fragment** tab.

FIGURE 344. New Fragments Tab

3. Define the fragment.
 - a. Check the **Not** check box if you want to define the fragment as a negative: “NOT (sum(PropertyA <= 250))”.
 - b. Select the first function from the Function1 drop-down list.
See Table 12, "Function Definitions", on page 83.
 - c. Select a property from the Property1 drop-down list.
 - d. Select the operator.
See Table 13, "Operators", on page 85.
 - e. Select the second function from the Function2 drop-down list.
 - f. In the Property2 field, select a property from the drop-down list or enter a literal value in the field (if you selected “literal” as the function).
 - g. Select the value for the If Not Specified drop-down list.
See "If Not Specified" on page 86 for an explanation of these values.

4. Click **Save and Return**.

This re-displays the **New Rule** tab with the new fragment, as shown in Figure 345 on page 528. Also, notice the infix representation.

New Rule

Name:

Description:

Comments:

Rule Triggered on: ☒ Failure ☐ Success

| Fragments | If Not Specified | Actions |
|---|-----------------------|---|
| and <input type="button" value="1"/> <input type="button" value="2"/> | sum(PropertyA) <= 250 | Rule is true <input type="button" value="X"/> <input type="button" value="Edit"/> <input type="button" value="New Operator"/> <input type="button" value="New Fragment"/> |
| | | <input type="button" value="Delete"/> <input type="button" value="Add Item"/> |

Message Actions

Error

Type

Formula

Expansion Actions

| Min | Max | Qty | Item | |
|----------------------|----------------------|----------------------|----------------------|--|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="button" value="Browse..."/> <input type="button" value="Add Item"/> |
| | | | | <input type="button" value="Delete"/> |

Assignment Actions

controller cards

| Property | Value | Assign To | |
|----------------------|----------------------|----------------------|---------------------------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="button" value="Delete"/> |

FIGURE 345. New Rule Tab with New Fragment

5. Click the **New Fragment** icon to create the next fragment in the rule.
6. Repeat Step 3 to define the second fragment.
7. Click **Save and Return**.

This re-displays the **New Rule** tab with the fragment you created, as shown in Figure 346 on page 529. Notice that the rule has two fragments now.

You can click **Save** to save the rule and continue defining the rule. Click **Save and Return** to return to the list of rules in the **Define** tab.

General Info | Display | Properties | **Rules** | Lists | Tables | Tabs

Edit Rule

Name: Simple Level of Fragments

Description: Simple Level of Fragments

Comments:

Rule Triggered on: ☒ Failure ☐ Success

| Fragments | If Not Specified | Actions |
|---|------------------|--|
| and sum(PropertyA) <= 250 | Rule is true | X Edit |
| sum(PropertyB) <= 200 | Rule is true | X Edit |
| X Delete + Edit + New Operator + New Fragment | | |

Message Actions

Error [Add Item](#)

| Type | Message | Delete |
|------|---------|------------------------|
| | | Delete |

Formula

Expansion Actions

| Min | Max | Qty | Item | Browse... | Add Item |
|-----|-----|-----|------|---------------------------|--------------------------|
| | | | | Browse... | Add Item |

Assignment Actions

| Property | Value | Assign To | Delete |
|------------------|-------|---------------------------|--------------------------|
| controller cards | | Browse... | Add Item |

[Save](#) [Save and Return](#) [Cancel and Return](#) [Where Used...](#)

FIGURE 346. New Rule Tab with Two New Fragments

Example: To Create Nested Fragments

In this example, the modeler is creating the following rule with nested fragments:

(FragmentA AND FragmentB) OR (FragmentC AND FragmentD)

The screenshot shows the 'New Rule' dialog box. The 'Rules' tab is selected. The 'Classification' dropdown is set to 'Error'. The 'Default Priority' is '50'. The 'Name' field is empty. The 'Description' field is empty. The 'Comments' field is empty. The 'Rule Triggered on:' section has 'Failure' selected. The 'Fragments' section has a dropdown menu showing 'and' and two small circular icons. The 'If Not Specified' section is empty. At the bottom of the main area are buttons for 'Delete', 'Edit', 'New Operator', and 'New Fragment'. Below this is a 'Message Actions' section with a dropdown menu showing 'Error' and an 'Add Item' button. At the very bottom is a table with columns 'Type' and 'Message', and a 'Delete' button.

FIGURE 347. New Rule Tab

1. Click **New Operator** icon.

A nested level appears in the **New Rule** tab, as shown in Figure 348 on page 531. This level has its own drop-down boolean operators, as well as its own **New Fragment**, **New Operator**, and **Delete Operator** icons.

The screenshot shows a 'New Rule' configuration window with the following sections:

- General Info** (selected): Name, Description, Comments.
- Rules**: Rule Triggered on: ☒ Failure ☐ Success.
- Fragments**: A nested structure with two levels of fragments. Each level has a dropdown menu (currently showing 'and') and a 'New Fragment' icon (a small 'f' in a circle). Below the fragments are icons for Delete, Edit, New Operator, and New Fragment.
- Message Actions**: A section with a dropdown menu (currently showing 'Error') and an 'Add Item' button.
- Formula**: A text area for entering a formula.
- Expansion Actions**: A section with a 'Browse...' button and an 'Add Item' button.
- Assignment Actions**: A section with a dropdown menu (currently showing 'controller cards'), a 'Value' field, an 'Assign To' field, and an 'Add Item' button.
- Buttons**: 'Save', 'Save and Return', 'Cancel and Return'.

FIGURE 348. New Rule Tab with Nested Fragments

2. Create two fragments as described in "Example: To Create a Simple Level of Fragments" on page 525.

Use the nested drop-down list to select the boolean operator for these fragments. The default is AND.

Use the nested **New Fragment** icon to create the fragments at this nested level.

When the two fragments are completed, the **New Rule** tab appears as in Figure 349 on page 532.

You can nest as many fragments as you want by clicking the nested **New Operator** icon. Each time, a new nested operator will appear with a new set of nested icons. You use these nested icons to create the fragments for the nested level.

The screenshot shows the 'New Rule' tab in a software interface. The 'Name' field is 'Nested Level of Fragments' and the 'Description' is also 'Nested Level of Fragments'. The 'Rule Triggered on' section has 'Failure' selected. The 'Fragments' section contains two nested fragments: 'sum(PropertyA) <= 250' and 'sum(PropertyB) <= 200', both with 'Rule is true' conditions. The 'Message Actions' section has 'Error' selected. The 'Expansion Actions' section has 'Min', 'Max', 'Qty', and 'Item' fields. The 'Assignment Actions' section has 'controller cards' selected. At the bottom are 'Save', 'Save and Return', and 'Cancel and Return' buttons.

| Fragments | | If Not Specified | Actions |
|-----------|-----------------------|------------------|---------|
| and | sum(PropertyA) <= 250 | Rule is true | [X] [✓] |
| | sum(PropertyB) <= 200 | Rule is true | [X] [✓] |

| Expansion Actions | | | |
|-------------------|-----|-----|------|
| Min | Max | Qty | Item |

| Assignment Actions | | | |
|--------------------|-------|-----------|--------|
| controller cards | | | |
| Property | Value | Assign To | Delete |

FIGURE 349. New Rule Tab with Nested Fragments

- Using the top-level list, select the boolean operator (in this example, OR) that will join the two nested levels.

General Info | Display | Properties | **Rules** | Lists | Tables | Tabs

New Rule

Name: Nested Level of Fragments

Description: Nested Level of Fragments

Comments:

Rule Triggered on: ☒ Failure ☐ Success

| Fragments | | If Not Specified | Actions |
|-----------|-----------------------|------------------|--|
| or | | | |
| | sum(PropertyA) <= 250 | Rule is true | X Edit |
| | sum(PropertyB) <= 200 | Rule is true | X Edit |
| | | | X - Delete Edit - Edit New Operator New Fragment |

Message Actions

Error [Add Item](#)

Type Message [Delete](#)

Formula

Expansion Actions

[Browse...](#) [Add Item](#)

Min Max Qty Item [Delete](#)

Assignment Actions

controller cards [Browse...](#) [Add Item](#)

Property Value Assign To [Delete](#)

[Save](#) [Save and Return](#) [Cancel and Return](#)

FIGURE 350. Nested Fragments with OR Boolean

4. Click the **New Operator** icon at the top level.

A new nested level appears in the fragments tab, as shown in Figure 351 on page 534. This level has its own drop-down boolean operators, as well as its own **New Fragment**, **New Operator**, and **Delete Operator** icons.

New Rule

Name: Nested Level of Fragments

Description: Nested Level of Fragments

Comments:

Rule Triggered on: ☒ Failure ☐ Success

| Fragments | | | If Not Specified | Actions |
|-----------|-----|-----------------------|------------------|-------------|
| or | and | sum(PropertyA) <= 250 | Rule is true | [X] [P] [N] |
| | | sum(PropertyB) <= 200 | Rule is true | [X] [P] [N] |
| | and | | | |

[X] - Delete [P] - Edit [N] - New Operator [U] - New Fragment

Message Actions

Error [Add Item]

| Type | Message | Delete |
|------|---------|--------|
| | | |

Formula

[Add Item]

Expansion Actions

| Min | Max | Qty | Item | Delete |
|-----|-----|-----|------|--------|
| | | | | |

[Browse...] [Add Item]

Assignment Actions

| Property | Value | Assign To | Delete |
|------------------|-------|-----------|--------|
| controller cards | | | |

[Browse...] [Add Item]

[Save] [Save and Return] [Cancel and Return]

FIGURE 351. Nested Fragments

5. Create two fragments as described in "Example: To Create a Simple Level of Fragments" on page 525.

Use the nested drop-down list of boolean operators and the nested **New Fragment** icon for these fragments.

When the two fragments are completed, the **New Rule** tab appears as in Figure 352 on page 535.

Edit Rule

Name: Nested Level of Fragments

Description: Nested Level of Fragments

Comments:

Rule Triggered on: ☒ Failure ☐ Success

| Fragments | | | If Not Specified | Actions |
|-----------|-----|----------------------------------|------------------|---------|
| or | and | sum(PropertyA) <= 250 | Rule is true | |
| | | sum(PropertyB) <= 200 | Rule is true | |
| | and | sum(PropertyC) <= sum(PropertyD) | Rule is true | |
| | | sum(PropertyC) <= sum(PropertyA) | Rule is true | |

- Delete - Edit - New Operator - New Fragment

Message Actions

Error

Type Message

Formula

Expansion Actions

Min Max Qty Item

Assignment Actions

controller cards

Property Value Assign To

FIGURE 352. Two Nested Fragments Joined by OR

To Modify a Fragment

1. Find the fragment you want to modify, then click on the **Edit Fragment** icon in the Actions column.

This displays the **Edit Fragment** tab.

FIGURE 353. Edit Fragment Tab

2. Modify one or more elements of the fragment.
 - a. Check the **Not** check box if you want to define the fragment as a negative: “NOT (sum(PropertyA <= 250))”.
 - b. Select the first function from the Function1 drop-down list.
See Table 12, "Function Definitions", on page 83.
 - c. Select a property from the Property1 drop-down list.
 - d. Select the operator.
 - e. See Table 13, "Operators", on page 85.
 - f. Select the second function from the Function2 drop-down list.
 - g. In the Property2 field, select a property from the drop-down list or enter a literal value in the field (if you selected “literal” as the function).
 - h. Select the value for the If Not Specified drop-down list.
See "If Not Specified" on page 86 for an explanation of these values.
3. Click **Save And Return**.

To Delete a Fragment

Find the fragment you want to delete in the Fragments table, then click the **Delete** icon in the Actions column on the same line as the fragment.

Working with Rule Actions

Perform these tasks when you want to include a rule action when you are creating ("To Define a Rule" on page 509) or modifying ("To Modify a Rule" on page 511) a rule.

You define rule actions in the lower part of the **New Rule** or **Edit Rule** tab. Rule actions comprise three types of actions:

- **Message Actions:** A message that is displayed when the rule is triggered.
- **Expansion Action:** Defines an expansion action based on a rule expansion formula.
- **Assignment Action:** Assigns the value calculated by the rule formula to one or more properties when the rule is triggered.

The screenshot shows the 'Edit Rule' tab in a system administration interface. The 'Rules' tab is selected, and the 'Edit Rule' sub-tab is active. The interface includes fields for Name, Description, and Comments. Below these is a section for 'Rule Triggered on' with radio buttons for 'Failure' (selected) and 'Success'. The main area is divided into several sections for defining rule actions:

- Fragments:** A table with columns for 'Fragments', 'If Not Specified', and 'Actions'. It contains two rows: 'sum(PropertyA) <= 250' and 'sum(PropertyB) <= 200'. The 'If Not Specified' column contains 'Rule is true' for both. The 'Actions' column contains 'Rule is true' for both. There are buttons for 'Delete', 'Edit', 'New Operator', and 'New Fragment' at the bottom of this section.
- Message Actions:** A section with a dropdown for 'Error' and a text input field. There is an 'Add Item' button and a 'Delete' button.
- Formula:** A section with a text input field and a 'Delete' button.
- Expansion Actions:** A section with a table for 'Min', 'Max', 'Qty', and 'Item'. There is a 'Browse...' button and an 'Add Item' button.
- Assignment Actions:** A section with a dropdown for 'controller cards', a text input field, and a 'Browse...' button. There is an 'Add Item' button and a 'Delete' button.

At the bottom of the interface are buttons for 'Save', 'Save and Return', 'Cancel and Return', and 'Where Used...'.

FIGURE 354. New Rule Tab Showing Action Area

To Create a Message Action

When you are creating ("To Define a Rule" on page 509) or modifying ("To Modify a Rule" on page 511) a rule, you perform this task in the Message Actions area of the **New Rule** or **Edit Rule** tab.

1. Select the type of message action from the drop-down list: Error, Warning, Suggestion.
2. Type the message.
3. Click **Add Item**.
4. Repeat these steps to enter additional messages.
5. Click **Save** to save the message action and continue editing. Click **Save and Return** to save the message and return to the **Define** tab.

Edit Rule

Name: Simple Level of Fragments

Description: Simple Level of Fragments

Comments:

Rule Triggered on: ☒ Failure ☐ Success

| Fragments | If Not Specified | Actions |
|-----------------------|------------------|---------|
| and | Rule is true | |
| sum(PropertyA) <= 250 | Rule is true | |
| sum(PropertyB) <= 200 | | |

Message Actions

| Type | Message | Actions |
|-------|-------------------------------------|---------|
| Error | We recommend you order more memory! | |

Formula

Expansion Actions

| Min | Max | Qty | Item | Actions |
|-----|-----|-----|------|---------|
| | | | | |

Assignment Actions

| Property | Value | Assign To | Actions |
|------------------|-------|-----------|---------|
| controller cards | | | |

Save Save and Return Cancel and Return Where Used ...

FIGURE 355. Edit Rule Tab with Message Action

To Create an Expansion Action

When you are creating ("To Define a Rule" on page 509) or modifying ("To Modify a Rule" on page 511) a rule, you perform this task in the Expansion Actions area of the **New Rule** or **Edit Rule** tab.

1. Enter a formula. The formula can use the supported functions as described in "Rule Fragments" on page 83.

The results of formula will be used to perform the expansion. See "Expansion" on page 87 for an explanation of rule formulas.

Edit Rule

Name: EXP_MX75_Automatic_Memory_Selection

Description: This rule adds and selects the minimum required memory for an end user

Comments:

Rule Triggered on: ☐ Failure ☒ Success

| Fragments | | If Not Specified | Actions |
|-----------|-----------------------------------|------------------|---|
| and | value(MX75_Mem_Auto_Select) = Yes | Rule is false | <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> |
| | | | <input checked="" type="checkbox"/> Delete <input checked="" type="checkbox"/> Edit <input checked="" type="checkbox"/> New Operator <input checked="" type="checkbox"/> New Fragment |

Message Actions

Error

Type: Message

Suggestion: RAM modules are autoselected based on your software choi

Formula

sum(MX75_Mem_Required) - sum(MX75_Mem_Ordered)

Expansion Actions

| Min | Max | Qty | Item | |
|-----|-----|-----|-------------------------------|---|
| 128 | 256 | 1 | *AutoMemory.Auto Memory 256MB | <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> |
| 0 | 64 | 1 | *AutoMemory.Auto Memory 64MB | <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> |
| 64 | 128 | 1 | *AutoMemory.Auto Memory 128MB | <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> |
| 256 | 512 | 2 | *AutoMemory.Auto Memory 256MB | <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> |

Assignment Actions

controller cards

Property: Value

isViewable: 1

Assign To

Save Save and Return Cancel and Return Where Used...

FIGURE 356. Expansion Action

- Enter a minimum and a maximum amount of the formula result.

The minimum amount is the minimum value the rule formula result must be greater than. This value can be negative or greater than or equal to zero. The value must be less than the maximum value (Max). The maximum amount is the maximum value the rule formula result must match. This value must be greater than the minimum value (Min).

Note: Min and Max work slightly differently: for a fragment to evaluate to true, the rule formula must evaluate to greater than the Min value, but less than *or equal* to the Max value.

- Enter the quantity of the expansion items (must be greater than zero). You can use the supported functions to calculate the quantity and so you can specify the quantity as a function of a property. For example:

2*value(Memory Cards)

- Enter the item that will be expanded.

You must provide the full path to the expansion item within the current model. In the figure above, for example, the rule adds an option item called either 64MB, 128MB, or 256MB, located in option class AutoMemory in the current model.

| Formula | | | |
|------------------------|----------------------|---------------------------------|--|
| value(Expansion Cards) | | | |
| Expansion Actions | | | |
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> Browse... |
| Min | Max | Qty | Item |
| 0 | 10 | 3*value (Expansion Cards) | MXWS-7550.Memory.64MB |

FIGURE 357. Expansion Action With Example of Using Quantity Function

When a rule is used in multiple models, this fully qualified path could be difficult to specify since the current model name will very likely not be "MXWS-7650" for all the models where the rule is attached. To facilitate the use of expansion rules across multiple models, you can use special symbols as follows:

- You can begin the path with a period (.), which means "from the attachment point of the rule". In other words, if you attach a rule to a

model, then ".Memory.64MB" means "an option item called 64MB in an option class called Memory in the current model".

- You can begin the path with an asterisk (*), which means from the root of the model group hierarchy.
- If the name of a path component includes a quote character (' or "), then you must escape the quote character or wrap the whole expression in quotes. For example, to get the gauge property from the Tubing.3"pipe.threading option item, you can use

```
x = value(Tubing.3\"pipe.threading.gauge)
```

or

```
x = value('Tubing.3"pipe.threading.gauge')
```

To retrieve Board.8'plank.thickness, use

```
x = value(Board.8\'plank.thickness)
```

or

```
x = value("Board.8'plank.thickness")
```

5. Repeat these steps to enter additional items.

6. Click **Save All Changes**.

Typically, the result of an expansion action is to pick a quantity selected on an option item. If the option item quantity is a drop-down list, you should ensure that the possible calculated values are consistent with the pickable values: otherwise, the drop-down list will not be able to display the calculated value.

To Create an Assignment Action

When you are creating ("To Define a Rule" on page 509) or modifying ("To Modify a Rule" on page 511) a rule, you perform this task in the Assignment Actions area at the bottom of the **New Rule** or **Edit Rule** tab.

New Rule

Name: Assignment Rule

Description: Assignment Rule

Comments:

Rule Triggered on: ☒ Failure ☐ Success

| Fragments | If Not Specified | Actions |
|-----------|------------------|---------|
| and | | |
| 0 | 0 | |

☒ - Delete ☒ - Edit ☐ - New Operator ☐ - New Fragment

Message Actions

| Error | |
|-------|---------|
| Type | Message |

Formula

Expansion Actions

| Min | Max | Qty | Item |
|-----|-----|-----|------|
| | | | |

FIGURE 358. Assignment Actions

1. Select a property from the drop-down list. The table below summarizes some of the special properties that can be assigned.
2. Enter a value for the property. You can use the supported functions to calculate the value and so you can specify the value as a function of a property. For example:

2*value(Memory Cards)

When you are assigning a value to a property whose type is String, you must use the following syntax to refer to properties:

$\${function}(arg1, arg2, ..., arg N)$

For example, $\${expand}("Color", "Black", 0)$. See "Example Uses of Expand" on page 543 for other examples of the usage of the expand function.

3. Type the entity to which you want to assign the property and its value.
If you leave this field blank, the assignment defaults to the entity to which the rule is attached.
4. Click **Add Item**.

| Assignment Actions | | |
|--------------------|--------------------------|---------------------------|
| CONFIG: FIRST FIRE | | Browse... |
| Property | Value | Assign To |
| Expansion Slots | 2*value(Expansion Cards) | MXWS-7550 |

FIGURE 359. Assignment Action With Example of Using Quantity Function

- Repeat these steps to add additional items.
- Click **Save All Changes**.

The following table summarizes some of the available properties for assignment. These properties may change in each release so check with your Comergent Technologies representative for further information if required.

TABLE 36. Assignment Action Properties

| Property | Action |
|--------------------|---|
| _constraintMessage | String: a message on an item because it is constrained |
| _constraintType | Integer: type of constraint; 0 is suggest, 1 is warn, and 2 is error |
| _description | String: an items description |
| _amEntitled | Integer: 0 false, 1 true |
| _isConstrained | Integer: 0 false, 1 true |
| _isSelected | Integer: 0 false, 1 true |
| _isViewable | Integer: 0 false, 1 true |
| _itemKey | Integer: database key of the item |
| _pickOverride | Integer: 0 false, 1 true; pick was overridden by a rule |
| _quantity | Integer: quantity; 0 quantities are not in the rule pool |
| _ratio | Numeric: ratio of this item to its children, computed if nested within another parent |
| _rawRatio | Numeric: raw ratio used in previous computation |
| _rulePick | Integer: 0 false, 1 true |
| _tabLevel | Integer: depth of this item |

Example Uses of Expand

The syntax of the expand function is:

```
${expand(property[,defaultValue[,format[,lookup]])}
```

For example, suppose that you want to display the name of the model as the name of the associated product together with the product description. At the model level, set the value of the UI: DISPLAY NAME property to: `${expand("UI: PRODUCT NAME")}` or `${expand("UI: PRODUCT DESCRIPTION", "Description not available")}`.

Doing this ensures that if the product name or description changes and you recompile the model, the name or description displays with the new version when users next configure the product.

Here are some further examples of the expand function:

- String-valued property:
 - `${expand("color")}`
 - `${expand("color", "Black")}`
- Numeric-valued property:
 - `${expand("weight")}`
 - `${expand("weight", 0.0)}`
 - `${expand("weight", 0.0, "#.00")}`

Option Constraints

Constraint tables enable you to limit a customer's choice of one or more option items based on the customer's choice of another option item. For example, the choice of an exterior color for a car might limit the choice of interior colors.

Working With Constraints

To Create a Constraint Table


You create an option constraint by creating a constraint table. You define constraint tables at the model level.

1. Navigate to the model where you want to create the constraint table.

See "To Access the Visual Modeler" on page 433 for information about how to navigate the model group hierarchy.

2. Click the **Tables** tab.

This displays two tabs: **General Info** and **Records**. The **General Info** tab displays general information about the table displayed in the Table Name field.



The screenshot shows the Visual Modeler application window. The title bar reads "VISUAL MODELER" and "COMERGENT E-BUSINESS SYSTEM". The menu bar includes "Home", "Group", "Detail", "About", "Help", and "Logout". The toolbar contains various icons for file operations and editing. The "Model navigation" pane on the left shows a tree structure with "MXWS-7700" selected. The main area displays the "Tables" tab, which has two sub-tabs: "General Info" (selected) and "Records". The "General Info" sub-tab contains the following fields: "Name" (text input), "Description" (text input), "Start Date (MM/DD/YYYY)" (date picker set to 2/8/2005), "End Date (MM/DD/YYYY)" (date picker set to 2/8/2055), "Message Type" (dropdown menu set to "Error"), "Message" (text input), and a "Disable" checkbox. A "Save Changes" button is located at the bottom right of the form.

FIGURE 360. Tables Tab

3. Click **New...**

This displays the **Create New Constraint Table** tab.

The screenshot shows a software window titled "Create New Constraint Table". At the top, there is a tabbed interface with the following tabs: "General Info", "Display", "Properties", "Rules", "Lists", "Tables", "Tabs", and "Worksheets". The "Tables" tab is currently selected. The main area of the window contains several input fields and controls:

- Name:** A text input field.
- Description:** A text input field.
- Start Date (M/D/YYYY):** A date picker showing "2/8/2005".
- End Date (M/D/YYYY):** A date picker showing "2/8/2005".
- Message Type:** A dropdown menu with "Error" selected.
- Message:** A text input field.
- Disable:** A checkbox that is currently unchecked.

At the bottom of the window, there are two buttons: "Save Changes" and "Cancel".

FIGURE 361. Create New Table Tab

4. Enter a Table Name, a Description, and a date range (Start Date/End Date) for the table. (You can click the **Calendar** icon to select dates from the calendar.)
5. Enter a message.

This message appears when the end-user chooses a selection which is incompatible with a constraint defined in the table.

- a. Select the message type: error, warning, or suggestion.
 - b. Enter the message in the Message field.
6. Click **Save Changes**.

This re-displays the **Tables** tab with the new table in the Table Name field. The next step is to create the option constraints that are a part of the table. You do this in the **Records** tab. See "To Define Option Constraints" on page 547.

To Modify a Constraint Table

1. Navigate to the model that contains the table you want to modify.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.
2. Click the **Tables** tab.
3. Select the table from the Table Names drop-down list.

4. Modify the table. You can:
 - Define option constraints (see "To Define Option Constraints" on page 547).
 - Modify option constraints (see "To Modify an Option Constraint" on page 551).
 - Delete option constraints (see "To Delete Option Constraints" on page 552).
 - Modify the name, description, or effectivity dates in the **General Info** tab.
 - Modify the error/warning/suggestion message in the **General Info** tab.

To Define Option Constraints

After you create a table and the option classes that will provide the constraints, you define the constraints. Each row in the table represents a constraint.

1. Navigate to the model that contains the table for which you want to define the constraint.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click the **Tables** tab.

This displays two tabs: **General Info** and **Records**. The **General Info** tab displays general information about the table displayed in the Table Name field. The **Records** tab is where you will define the constraints.




FIGURE 362. Tables Tab

3. Select the table from the Table Names drop-down list.
4. Click the **Records** tab.

This displays the currently defined option constraints.




FIGURE 363. Records Tab

5. Add columns to the constraint table.

- a. Select an option class from the Table Column name drop-down list.

The drop-down list includes all the option classes belonging to the model including any option classes nested within option classes as well as option classes that are part of option class groups attached to the model. The drop-down list will display the path to the option class relative to the model.

For example, the following figure shows two selections in the drop-down list called **Monitor** and **Software**. Notice that the Navigation frame shows two option classes by these names directly below the model.

The drop-down list has another selection, **Software.Application**. Notice that the model has an option class called **Software** directly below the model, with a nested option class called **Application**. Notice how the drop-down list indicates the path relative to the model, **Software.Application**.

The drop-down list also includes a selection, **MX-7500 Service.Warranty**. This corresponds to the option class group, **MX-7500 Service**, directly below the model. **Warranty** is an option class within the group.




FIGURE 364. Records Tab with Drop-Down List

- b. Click **Add**.

The column name is added to the table.

- c. Repeat the last two steps for every column you want to add.




FIGURE 365. Records Tab with Columns

6. Define an option constraint.
 - a. Click **New Constraint** to add a new row to the table.



FIGURE 366. Constraint Table with New Constraint Added

- b. Click **Edit**.

This displays the option classes as table columns, along with their option items.

The option items that display include any option items belonging to an any option item group attached to the option class.




FIGURE 367. Defining Constraints

- c. Define compatibility (“Selected Values are all”). That is, will the selections you make in one column be valid or invalid with the selections in the other column(s)?
- d. Select one or more option items in each column.
- e. Click **Save**.

A new row appears in the table.

7. Repeat the last step for each constraint you want to define.


To Modify an Option Constraint

1. Navigate to the model that contains the table with the constraint you want to modify.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Select the table from the Table Names drop-down list.
3. Click the **Records** tab.

This displays the currently defined option constraints.

**FIGURE 368. Records Tab**

4. Find the constraint row you want to modify and click **Edit**.

This displays the constraint information.

5. Modify the constraint information.

- a. Modify compatibility.

Will the selections you make in one column be valid/invalid with the selections in the other column(s)?

- b. Modify the option items in each column.

- c. Click **Save**.

The row is changed based on your modifications.

To Delete Option Constraints

1. Navigate to the model that contains the table with the constraint you want to delete.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click the **Tables** tab.
3. Select the table from the Table Names drop-down list.
4. Click the **Records** tab.

This displays the currently defined option constraints.




FIGURE 369. Records Tab

5. Find the constraint row you want to delete.
6. Click **Delete (X)**.

The constraint row is deleted.

To Delete a Constraint Table

1. Navigate to the model that contains the table with the constraint you want to delete.

See "To Access the Visual Modeler" on page 433 for information about how to navigate the model group hierarchy.

2. Click the **Tables** tab.
3. Select the table from the Table Names drop-down list.
4. Click the **Delete** button.

The constraint table is deleted.

Importing and Exporting Models

Importing Model Groups and Models

You can import model groups and models in the form of XML files. You can either import the entity relative to its original root model group, or you can designate a location into which to import. The model will appear in the Navigation frames, enabling you as modeler to add to or modify the imported model.

See "Importing and Exporting" on page 93 for an explanation of the process.

To Import Model Groups and Models

See "Importing and Exporting" on page 93 for an explanation of this process as well as an explanation of how the process handles properties, rules, and attached groups.

1. Access the Visual Modeler page.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. If you want to import to a selected point, then navigate to the model group within which you want to import the file.




FIGURE 370. Visual Modeler Page

3. Click **Import** in the toolbar.

This displays the Visual Modeler Import window (see Figure 371 on page 555).




FIGURE 371. Import Window

4. Click **Browse...** to find the XML file you want to import.

When you select the file, the file will be displayed in the field along with the complete path to the file.

5. Select the import option.

- **Import with its original structure relative to its root model group**

When you make this selection, the Import process will ignore any Destination Model Group indicated at the top of the window.

- **Import into the selected destination model group**

6. Click **Import Now**.

The imported model group or model and its structure will be imported based on the import option you selected. See "Importing and Exporting" on page 93 for an explanation of the process.

Exporting Model Groups and Models

You can export any model group or model as an XML file to a specified location on your machine.

To Export a Model Group or Model

1. Navigate to the model group or the model that you want to export.
See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.



FIGURE 372. Model Navigation Detail Page

2. Click **Export** in the toolbar.

You can either open the XML file at its current location, choosing a desired text processing tool, or you can save the file to a desired location.

Using Dynamic Instantiation

Dynamic instantiation provides a way to allow users to configure products on the fly while avoiding the need to create option items for each possible product configuration in your model. For example, consider a server rack. The user can decide on the number of slots they need and create dynamic instantiation controls for each type of component, such as servers and storage arrays that can fit into a slot, AC or DC power, and so on. As the modeler, you create the rack model, then create option classes for each of the rack's configurable features (such as servers and storage arrays) and set them as dynamic instantiation control classes. An end-user buying computer racks navigates to the rack product on your site and clicks the

Configure button next to the servers and storage array choices. This causes a new option item to be added to the model for that configurable feature. The user can then configure each option item by clicking the Configure button that appears next to each added item. When the entire rack and all the configurable features have been added and configured, the user clicks the Add button located in the button bar at the top of the Configurator page to add the rack to their cart.

The following steps describe the process in more detail.

1. On the Model Group Navigation page, click New Model.
The New Model page displays.
2. Enter a name for the model, then click Save and Edit.
The Model Navigation page for the new model displays.
3. Click New Option Class.
The New Option Class page displays.
4. Enter a name for the new option class, then click Save and Edit.
5. Click the Display tab, then choose Dynamic Instantiation from the UI Control drop-down list, as shown in the following figure.




FIGURE 373. Choosing Dynamic Instantiation for the UI Control Type

Set other Display properties as appropriate, then click Save All Changes.

6. Click the Properties tab, then set the following properties from the Unattached Properties drop-down list:
 - a. **CONFIG: SUBMODEL NAME**
Enter the name of an existing submodel for the property value, then click Attach.
 - b. **CONFIG: SUBMODEL RETURN**
Enter the name of an existing submodel to which the end-user should return after clicking the Add button, then click Attach.
7. Click Save All Changes.
8. Return to the new model's root node, then click the Compile and Test icon to test your dynamic instantiation option class.

Searching

You can search for entities that contain properties and property values that you specify as parameters. You can search across the entire hierarchy, or you can limit

your search to model groups, models, option classes, option items, and rules, or you can limit your search even further to the currently selected model or group.

To Search for Entities

1. Access the Visual Modeler page.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.




FIGURE 374. Visual Modeler Page

2. If you want to search within a specific model or group, then navigate to and select the model or group.
3. Click **Search** in the toolbar.

This displays the Search window (Figure 375 on page 559).




FIGURE 375. Search Window

4. Select the scope for the search from the Search drop-down list.

You can search all entities, you can limit the search to model groups, models, option classes, option items, or rules. If you are searching within a specific model or group (see Step 2), then you can limit your search to **Current Model** or **Current Group**.

5. Enter either a property name or a property value or both.

Click **Browse...** to display a browser window to select a property from a list of all the properties in the Visual Modeler.

Use the drop-down list to select AND or OR. Select AND to produce search results that include both the Property Name and Property Value parameters you select. Select OR to produce search results that include either parameter.

When you enter a property value, the search results will include property values that contain the property value you enter. For example, if you enter “75”, then the search results will include any properties with the value “75” as well as property values such as “7550-1” or “MX-75-1”.

6. Click **Search**.

The search results will display below the parameters. By default, the result is sorted in ascending order by property name. You can click on one of the following columns to sort:

- Property Name
- Value
- Location

When you click the column title the first time, the column is sorted in ascending order.




FIGURE 376. Search Window with Results

Reporting

In Release 7.1, you can run a report on a model that you specify. You can select the types of information you want in the report:

- Rule definitions
- List definitions
- Property definitions
- Display Settings
- Attached Properties
- Attached Rules
- Expand Groups

To Run A Report

1. Access the Visual Modeler page.
See "To Access the Visual Modeler" on page 433.
2. Click **Report** in the toolbar.
This displays the Report Entry window.

FIGURE 377. Report Entry Window

3. Enter the model you want to report on.

You can click **Browse...** to find and select the model in the model hierarchy.

4. Select the locale in which you want to run the report.
5. Select a date to report.

This produces a report for the models for whom the selected date falls within the range of their effectivity dates. The report does not display any models (or entities within the model) for whom the selected date falls outside their effectivity dates.

6. Select the information you want to include in the report.
7. Click **Run Report**.

A report is displayed based on the parameters you entered (Figure 378 on page 563).

VISUAL MODELER REPORT

[Back](#)

Model Report: MXDS-7550 Date: 6/23/2002

Model Hierarchy: MXDS-7550

▼ MXDS-7550

Description: Matrix 7550 Desktop
Effectivity Dates: 9/12/2001 to 9/20/2002
Product ID: MXDS-7550

Display Parameters

| Name | Value |
|------------------|-------------------------|
| LIK ICON GRAPHIC | .Images/desktop.gif |
| LIK JSP FILENAME | Configurator_Tabbed.jsp |

Attached Properties

| Name | Value |
|--------------------------|-------|
| LITEMPnum_cols | 2 |
| MX75_Mem_Ordered | 0 |
| MX75_Mem_Required | 0 |
| MX75_Card_Slot_Available | 4 |
| MX75_Bays_Available | 2 |

Attached Rules

| Name | Start Date | End Date |
|-------------------------------------|------------|-----------|
| MSG_E_Available_Card_Slots_Check | 10/8/2001 | 10/8/2101 |
| EXP_MX75_Automatic_Memory_Selection | 10/8/2001 | 10/8/2101 |
| MSG_E_Available_HDD_Slots | 10/8/2001 | 10/8/2101 |
| MSG_E_MX75_Memory_Software_Check | 10/8/2001 | 10/8/2101 |

▼ Microprocessor

Description: CPU
Effectivity Dates: 9/12/2001 to 9/20/2002
Product ID: Not Assigned

Display Parameters

| Name | Value |
|---------------------|-------|
| LIK IGNORE IN QUOTE | yes |

FIGURE 378. Report Results Window

The basic concepts and tasks of modeling are covered in CHAPTER 14, "Using the Visual Modeler". This chapter describes the user interface (UI) controls and how they can be used to help your customers configure your products. It covers:

- "UI Properties" on page 565
 - "Comergent eBusiness System UI Properties" on page 566
 - "Working with Display Properties" on page 566
- "Display Properties" on page 574
- "Tabular Display of Properties" on page 580
- "Image Properties" on page 583
- "User-Entered Values" on page 583

UI Properties

As described in "Properties" on page 77, a property is an attribute of a model, option class, or option item. UI properties are used to determine the look-and-feel of a product as it is configured. You can use UI properties to control how option classes are displayed, how to display properties of option items, as well as basic guiding text and pictures.

The Comergent eBusiness System provides a set of built-in UI properties which are understood by the **C3** Configurator engine. These control the behavior of the engine and the presentation of the model to the end-user. These properties are summarized in "To Define Display Property Values" on page 574.

Working with Display Properties

The Visual Modeler provides certain *display properties* that come pre-defined with the Comergent eBusiness System. These display properties enhance the customer experience by enabling you to provide values that define various aspects of the model or its elements. They can all be specified using the Display tab of a model, option class, or option item, or as UI properties in the Properties tab. For example, you can define a "Pre-Pick Guiding Text" for an option class either by defining it on the Display tab or by specifying the value of the UI: PRE-PICK GUIDING TEXT property on the Properties tab.

Display properties also allow you to create fields and options that end-users may use to enter their own values rather than values specified by you. See "User-Entered Values" on page 583. Note that every property displayed on the Display tab corresponds to a UI property. This means that display properties can also be set using the Properties tab provided that you know which UI property matches the display property. See "Display Properties" on page 574 for more details.

Comergent eBusiness System UI Properties

The following table summarizes the UI properties that are built in to the Comergent eBusiness System.

TABLE 37. Comergent eBusiness System UI Properties

| Property | Type | Comments |
|----------------------------|--------|--|
| UI: ADDITIONAL DESCRIPTION | string | You can use this property to add additional descriptive text to an option class. use this property in conjunction with the UI: DISPLAY RESULTS property. |
| UI: ALIGNMENT | string | "Horizontal" or "Vertical" controls layout of radio buttons and check box controls. |

TABLE 37. Comergernt eBusiness System UI Properties (Continued)

| Property | Type | Comments |
|------------------------|--------|---|
| UI: AUTOMATIC POST | string | <p>“yes” or “true” turns on automatic posting for an option class.</p> <p>After a customer makes a pick of an option item, then you usually want the server to re-display the page so that rules can be fired and any changes to the available option classes displayed. However, if you do not want picks in an option class to cause a re-display, then set this property to “no” or “false”. This is equivalent to selecting On User Request from the Submit to Server Display property drop-down list.</p> <p>The option class is displayed with Update button: after making a pick in this option class, a user can click the Update button to request a re-display of the page from the server.</p> |
| UI: CLASS DISPLAY NAME | string | <p>Use this property at the model level to determine what is displayed as the displayed name of option classes. By default, this property takes the value <code>\${expand(“_description”)}</code> which means that the value of the option class’s Description field is displayed.</p> <p>For example, if you want to display option class names instead of descriptions, then set this property to <code>\${expand(“_name”)}</code>. You can overwrite this value at a single class by using the UI: DISPLAY NAME property.</p> |
| UI: COLUMN ALIGNMENT | string | <p>Used in the tabular display control to specify the alignment of the values in the column. The tabular display control uses the “;” character to separate entries from each other, so the format of this column is something like:</p> <p>“left;left:center:right”.</p> |
| UI: COLUMN HEADINGS | string | <p>Used in the tabular display control to specify the titles of columns. Each title is separated from each other with the “;” character. For example: “Speed;Pins;Manufacturer”.</p> <p>See "Tabular Display of Properties" on page 580 for an example of using this property.</p> |
| UI: COLUMN PROPERTIES | string | <p>A semi-colon-separated list of property names used in the tabular display of properties. For example:</p> <p>“SPEED;NOPINS;SUPPLIER”, where SPEED, NOPINS, and SUPPLIER are properties defined on option items in an option class.</p> <p>See "Tabular Display of Properties" on page 580 for an example of using this property.</p> |

TABLE 37. Comerger eBusiness System UI Properties (Continued)

| Property | Type | Comments |
|----------------------------|---------|---|
| UI: COLUMN SPAN | numeric | Controls how many columns an option class requires for its display in the customer-facing display of the model. This is the same as entering a number for the Number of Columns field on the Display tab. See also UI: SKIP COLUMNS. |
| UI: CONFIG CELL HTML CLASS | string | Sets the CSS class attribute in the HTML. Use this property to control the look-and-feel of cells. Note that the Visual Modeler uses the internal.css CSS file when you test models. |
| UI: CONSTANT GUIDING TEXT | string | Defines the guiding text that will always be shown for an option class. This is the same as entering text for the Constant Guiding Text field on the Display tab. See also UI: POST PICK GUIDING TEXT and UI: PRE PICK GUIDING TEXT. |
| UI: CONTROL | string | The name of the JSP fragment used to render an option class. Do not use UI: JSP FILENAME at the option class level. |
| UI: DEFAULT SELECTION | string | “true” or “yes” on an item makes the item a default selection within its parent option class. |
| UI: DISPLAY NAME | string | Use this property to determine what is displayed as the displayed name of the option class. By default, this property takes the value <code>\${expand("_description")}</code> which means that the value of the option class's Description field is displayed. |
| UI: DISPLAY RESULTS | string | This property is deprecated. A property that is displayed along with the description of items. This special property also allows the usage of text expansion macros. Currently we support: <code>\${expand(propname[,defaultValue[,picture-String]])}</code> but the name of this “function”, expand in this case, is accessed via the object manager. ^a An example usage is to set a description string in the UI: ADDITIONAL DESCRIPTION property, and then set the value of this property to <code>\${expand("UI: ADDITIONAL DESCRIPTION")}</code> . |

TABLE 37. Comergernt eBusiness System UI Properties (Continued)

| Property | Type | Comments |
|---------------------------|---------|---|
| UI: HELP URL | string | A URL that is used to turn an option class description into a hyperlink, typically used to provide additional information about what that option class is for, but could also be a datasheet or any other hyperlink. Clicking on the hyperlink will bring up the page in a new window. This is the same as entering text for the Help URL field on the Display tab. |
| UI: ICON GRAPHIC | string | Used with an option class to display a picture along with the description of the option class. This is the same as entering text for the Image field on the Display tab: see "Image Properties" on page 583 for information on how values in this field are resolved to URLs. |
| UI: IGNORE IN QUOTE | string | When set to “yes” or “true” will cause whatever item this property is attached to, to be filtered out of the summary page, and flagged as not visible in the BOM transfer to the shopping cart. This is the same as checking Ignore in Quote on the Display tab. Typically, this field is used to ensure that only selected option items are displayed in shopping carts and to suppress option classes in the list of items in a shopping cart. |
| UI: JSP FILENAME | string | The name of the JSP page that will render the model: Configurator_Tabbed.jsp or configurator.jsp . This property is added to support easier customization and eventually to allow different presentations per model. Using built-in customization elements of C3 Configurator, it is possible to dynamically change pages as well. |
| UI: LEAD TIME | numeric | Attached to items in the model. It is used to build a maximum lead time for the entire model by finding the largest lead time of all items currently selected. |
| UI: NUMBER OF COLUMNS | numeric | Number of columns to divide the end-user configurator presentation. This property is defined at the model level to manage how many columns are used to display the option classes for a model. This property in conjunction with UI: COLUMN SPAN, UI: ROW SPAN, and UI: SKIP COLUMNS controls how option classes are arranged on the page. This property is the same as setting the Number of Columns property in the Display tab. |
| UI: OPTION CLASS REQUIRED | string | “yes” or “true” causes C3 Configurator to require that a selection be made for an option class. For radio buttons this causes the None selection to be removed. |

TABLE 37. Comerger eBusiness System UI Properties (Continued)

| Property | Type | Comments |
|------------------------------|--------|--|
| UI: OPTION CLASS SELECT | string | <p>This property is used to specify what UI control should be used when no specific UI: CONTROL value is specified. Its use is primarily to support importing models from external configuration systems or from earlier releases of the Comerger eBusiness System.</p> <p>It takes “single” or “multiple” as values, and is only used in the absence of a UI: CONTROL property to determine if a radio button or checkbox control should be shown for an option class.</p> |
| UI: OPTION CLASS TYPE | string | Obsolete: do not use. |
| UI: OPTION CLASS VIEW | string | <p>“POPUP”, “POPUP-QTY”, or “INVISIBLE”. This controls the display behavior of an option class. If POPUP, a standard option class is shown; if POPUP-QTY is selected, then a quantity box will be shown for each selected item within that control. Finally, INVISIBLE is used to prevent the display of the control entirely.</p> <p>INVISIBLE is often used to hide option classes until other picks made by the customer requires the class to be displayed.</p> |
| UI: POPUP-QTY ALLOWED VALUES | string | <p>This controls what values are available for a selection in a popup drop-down list. Use this at the option class level, in conjunction with setting UI: OPTION CLASS VIEW to POPUP-QTY.</p> <p>A “,” separated list of allowed values. Ranges can be specified with “-”, so 1-4,7-9 is the same as 1,2,3,4,7,8,9. If you leave this field blank, then a text field is displayed with the current value; otherwise a drop-down list with the allowed values is displayed.</p> |
| UI: POST PICK GUIDING TEXT | string | <p>A guiding text message displayed with an option class description if the user has made at least one pick from within the option class. This is the same as entering text for the Pre-Pick Guiding Text field on the Display tab.</p> <p>This property is not displayed until a customer makes a pick. See also UI: CONSTANT GUIDING TEXT and UI: PRE PICK GUIDING TEXT.</p> |
| UI: PRE PICK GUIDING TEXT | string | <p>A guiding text message displayed with an option class description if the user has not made a pick from within the option class. This is the same as entering text for the Post-Pick Guiding Text field on the Display tab.</p> <p>Once a pick has been made, then this property is no longer displayed. See also UI: CONSTANT GUIDING TEXT and UI: POST PICK GUIDING TEXT.</p> |

TABLE 37. Comergernt eBusiness System UI Properties (Continued)

| Property | Type | Comments |
|-----------------------|---------|--|
| UI: PREVENT SELECTION | string | “yes” or “true” causes the C3 Configurator to prevent the user from selecting items that would violate a constraint table rule. If the Constraint Selections display property is set to “Hide constrained items”, then this property is set to “yes”. |
| UI: PRICE | numeric | The price for an item that will be used if STATIC_PRICING or OVERRIDE_PRICINC is set in the business rules. In the case of OVERRIDE_PRICING , this value will be used if a price cannot be found for the item in the price list. |
| UI: PRICING SKU | string | The SKU to use when looking up the item in the price list. Note that if you set a product ID value for this property, then it overrides the value of the Assigned Product ID in determining prices. |
| UI: PRICING STYLE | string | Usually, you use this property at the option class level. It controls how prices of option items are displayed to the end user as follows: NONE: Do not display prices as user configures product. ABSOLUTE: Display prices next to option items as absolute prices. DELTA: Display prices next to option items as their effect on the price of the whole configured product. This property is the same as setting Pricing Style in the Display tab. |
| UI: PRODUCT ID | string | If a product has been associated with a node of a model, then this property can be used to retrieve the product ID of the associated product. The value of this property is resolved at compile time, so if the product ID is changed, then you must re-compile the model for the change to take effect. |
| UI: PRODUCT NAME | string | If a product has been associated with a node of a model, then this property can be used to retrieve the product name of the associated product. The value of this property is resolved at compile time, so if the product name is changed, then you must re-compile the model for the change to take effect. |

TABLE 37. Comergerent eBusiness System UI Properties (Continued)

| Property | Type | Comments |
|-----------------------------|---------|--|
| UI: PRODUCT DESCRIPTION | string | <p>If a product has been associated with a node of a model, then this property can be used to retrieve the description of the associated product.</p> <p>The value of this property is resolved at compile time, so if the product description is changed, then you must re-compile the model for the change to take effect.</p> |
| UI: QUANTITY AVAILABLE | numeric | <p>Do not use in this release.</p> <p>Used in the quantity matrix, this can optionally be attached to the items for the matrix. If so it will set the quantity available of each item. If the control is set to show quantity available this property value will be displayed in a secondary row for each item.</p> |
| UI: REQUIRED | string | Obsolete: do not use. |
| UI: ROW SPAN | numeric | <p>Controls how many rows an option class requires for its display in the end-user presentation of the page. In conjunction with UI: NUMBER OF COLUMNS and UI: COLUMN SPAN, this property controls the layout of the page viewed by end-users. This is the same as entering a number for the Number of Rows field on the Display tab.</p> <p>See also UI: SKIP COLUMNS.</p> |
| UI: SHOW ITEM IMAGES | string | “yes” or “true” controls whether item images are shown. |
| UI: SKIP COLUMNS | numeric | <p>Number of columns to skip after this class. It is used to add to the count variable that is tracking how many cells are being used to lay out the option classes. This is the same as entering a number for the Number of Columns to Skip field on the Display tab.</p> <p>If you have used the UI: COLUMN SPAN property or UI: ROW SPAN for another option class, then use this property to account for table cells in the layout that the multiple span class uses.</p> |
| UI: SUPPRESS NAME DISPLAY | string | “yes” or “true” causes C3 Configurator to not display the names of option classes. |
| UI: SUPPRESS NONE SELECTION | string | “yes” or “true” suppresses the NONE selection value for radio buttons. |

TABLE 37. Comergernt eBusiness System UI Properties (Continued)

| Property | Type | Comments |
|-----------------------------|--------|--|
| UI: SUPPRESS UEV NONE VALUE | string | <p>“yes” or “true” suppresses the NONE selection for UEV combo boxes. Use this in conjunction with UI: UEV ALLOWED VALUES property.</p> <p>For example, if you have specified that a user-entered value field can only take the values Red, Green, Blue, then if the value of this property is set to “yes”, then None will not appear in the drop-down list of selectable values. If you set the value of this property to “no”, or do not attach this property, then None will be a selectable value.</p> |
| UI: UEV ALLOWED VALUES | string | <p>Comma-separated list of values for a combobox UEV control.</p> <p>Suppose that you want to allow customers to enter only one color from a small list of colors. Then enter the list like this:</p> <p>Black,Blue,Green,Red,White</p> <p>When this property is set, then the user-entered value option item is displayed as a drop-down list of these values. None is also displayed as a selectable option, unless you set the UI: SUPPRESS UEV NONE VALUE property to “yes”.</p> <p>This property is the same as setting values in the Allowed Values display property.</p> |
| UI: UEV ASSIGNMENT PROPERTY | string | <p>The name of a property where a UEV will store its value. This property should be of the correct type to contain the UEV. Note: numeric properties can be used to hold INTEGER UEVs as well as NUMERIC UEVs.</p> <ul style="list-style-type: none"> • If the value of this property is just a property name, then the property will be set on the current item. • If the value contains a path to a property as well as the property name, then the property will be set on the item referenced by the path if it exists. <p>Once a user makes their pick in the user-entered value field, then the assigned property can be used by rules or in the display of the model, just like any other property.</p> <p>This property is the same as setting a value in the Assign Value to Property display property.</p> |

TABLE 37. Comerger eBusiness System UI Properties (Continued)

| Property | Type | Comments |
|-----------------------|---------|---|
| UI: UEV INTEGER VALUE | integer | Filled in by the engine when an integer UEV has a value in it. This provides you with a way to reference the value of the field without assigning it to another property: see UI: UEV ASSIGNMENT PROPERTY to use another property. |
| UI: UEV LIST VALUE | list | Filled in by the engine when a list UEV has a value in it (not currently used). This provides you with a way to reference the value of the field without assigning it to another property: see UI: UEV ASSIGNMENT PROPERTY to use another property. |
| UI: UEV NUMERIC VALUE | numeric | Filled in by the engine when a numeric UEV has a value in it. This provides you with a way to reference the value of the field without assigning it to another property: see UI: UEV ASSIGNMENT PROPERTY to use another property. |
| UI: UEV POSTFIX | string | A string of text displayed after the UEV entry field. This property is the same as setting a value in the Text After Entry Field display property. |
| UI: UEV PREFIX | string | A string of text displayed before a UEV entry field. This property is the same as setting a value in the Text Before Entry Field display property. |
| UI: UEV SELECTION | varies | Obsolete: do not use. |
| UI: UEV SPECIAL | string | Used by the user entered value control to enable a file list or notes control. This will be phased out and replaced by a new file attachment control and notes control in future releases: do not use. |
| UI: UEV STRING VALUE | string | Filled in by the engine when a string UEV has a value in it. This provides you with a way to reference the value of the field without assigning it to another property: see UI: UEV ASSIGNMENT PROPERTY to use another property. |
| UI: UEV TYPE | string | “string”, “integer”, or “numeric”; the type of UEV control. |

- a. To add additional macros, define a new class that implements the IExpansionHandler interface, and put a reference to it into the object manager.

Display Properties

To Define Display Property Values

See "Display Properties" on page 80 for an explanation of display properties.

1. Navigate to and display the detail page for the model, option class, or option item.

See "To Access the Visual Modeler" on page 433 for information on how to navigate the model group hierarchy.

2. Click the **Display** tab.

This displays the display properties appropriate to the level.

The screenshot shows the 'COMERGENT eBusiness System' Visual Modeler interface. The 'Display' tab is selected in the top navigation bar. On the left, a 'Model navigation' pane shows a tree structure with 'MXWS-7650' selected. The main content area displays configuration settings for the selected model. At the top of this area are 'Reset' and 'Save All Changes' buttons. The settings are organized into sections: 'Configurator Behaviour' (with checkboxes for 'Default Selection', 'Ignore In Quote', and 'Multi-Pass Rule Filing'; a text field for 'Number of Columns' set to '3'; a dropdown for 'JSP Template' set to 'Tabbed Configurator'; and a dropdown for 'Submit to Server' set to 'Automatically after each user selection'); 'Pricing and Lead time' (with a dropdown for 'Price Display', and text fields for 'Price' and 'Lead Time in Days'); and 'User Guidance' (with text fields for 'Help URL' and 'Image' set to '/images/workstation.gif').

FIGURE 379. Display Properties

3. Edit the desired fields.

See Table 38 on page 576 for an alphabetical list of the properties, where they can be assigned, and what they mean. Because each display property corresponds to a UI property, the table also provides the name of the corresponding UI property, and further information about each UI property is provided in "Comergent eBusiness System UI Properties" on page 566.

4. Click **Save All Changes**.**TABLE 38. Display Properties**

| Field Name/Property Name | Where Used | Description |
|--|-----------------------|--|
| Automatic Post/UI: AUTOMATIC POST | Model Option Class | Depending on the value you choose, this property specifies how posting is done: none: No update is performed when the customer selects an option item. update: An incremental update occurs when the customer selects an option item. final (default): A final update occurs when the customer selects an option item. |
| Constant Guiding Text/UI: CONSTANT GUIDING TEXT | Model Option Class | Used to add extra text to the displayed HTML page. This text is “constant”, that is, it appears all the time, even after a selection is made. For example, guiding text for a configurable camcorder may state "Only lithium batteries type XYZ are compatible with this model." |
| Control/UI: CONTROL | Option Class | Enables you to determine how the option items are displayed: Radio button: Items appear as radio buttons. Customer can only select one. Checkbox: Option items will appear with check boxes; multiple selection allowed. Drop down list: Items appear in a drop-down list. Combobox: Items appear in drop-down list, but end-users can also type in a selection. Multiple Selection listbox: Items appear in a scrollable list from which the customer can make multiple selections. Display All Children: When you have nested option classes, nested classes appear with their option items visible (as opposed to option items only appearing when nested option classes are “picked”). User EnteredValue: Items appear as user-entered fields. Tabular Display: Items appear as rows in a table. |

TABLE 38. Display Properties (Continued)

| Field Name/Property Name | Where Used | Description |
|--|--------------------------------------|--|
| Default Selection/UI: DEFAULT SELECTION | Model Option Class Option Item | This property specifies that, if the user does not choose an entity in the option class, this entity (embedded model, nested option class, or option item) is automatically selected. You can use this property in conjunction with the Option Class Required special property. You can only assign it to one option item in an option class. |
| Display Template | Model | Select the type of user interface from the drop-down list: Tabbed UI or Non-tabbed UI. See "Working with a Tabbed User Interface" on page 482. |
| Help URL/UI: HELP URL | Model Option Class | Enables you to display a link (URL) to a page that has additional information about the model, option class, or option item. |
| Icon Graphic/UI: ICON GRAPHIC | Model Option Class | Provides the location (fully qualified path) of a GIF format file to be displayed next to this model, option class, or option item. |
| Ignore In Quote/UI: IGNORE IN QUOTE | Model Option Class Option Item | This special property is attached to option classes and option items that will not be transferred into the summary page when these option items are selected by the customer or through an expansion rule. |
| Lead Time/ UI: LEAD TIME | Model Option Class Option Item | Enables you to specify a lead time between when a customer orders a product that includes this item and when that product can be expected to ship. |
| Option Class Required/UI: OPTION CLASS REQUIRED | Option Class | Enables you to specify whether or not a customer must make a selection in that option class to complete the configuration. Customer must select one of the option items to complete the configuration. |

TABLE 38. Display Properties (Continued)

| Field Name/Property Name | Where Used | Description |
|---|-----------------------|--|
| Option Class View/UI: OPTION CLASS VIEW | Option Class | <p>Determines (1) if the items in this option class are displayed, and (2) if the pop-up quantity is displayed next to the option item.</p> <p>Popup: When the customer clicks the drop-down arrow, the line is expanded to display all items.</p> <p>Popup-qty: Customer types in a number in the quantity field. The entered value influences the quantity of option items that are ordered for this option class.</p> <p>Invisible: Option class and its items are not displayed to the customer. This is typically used for an automatic expansion when the customer does not need to know about the added option items that are part of the configuration. For example, if a customer orders a special wheel, then invisible option items may include nuts and bolts that are included with the special wheel.</p> |
| Popup-Qty Values/ UI: POPUP-QTY ALLOWED VALUES | Option Class | Enables you to set quantity for that item. The quantities specified appear as possible selections in a quantity box next to the item. |
| Post-Pick Guiding Text/UI: POST PICK GUIDING TEXT | Model Option Class | Used to add extra text displayed on the HTML page after the customer has made a selection. For example, a model of a computer has an option class called “Operating System”, and that option class has an option item called “Windows 2000”. Post-pick guiding text for that option item might be “Windows 2000 requires a minimum of 256MB of RAM; make sure the amount of RAM you select is at least 256MB”. |
| Pre-Pick Guiding Text/UI: PRE PICK GUIDING TEXT | Model Option Class | This special property is assigned at the option class level, and is used to add extra text that is displayed on the HTML page. The text disappears once a selection is made. For example, pre-pick guiding text for a CPU option class of a configurable computer may state “Choose a Processor”. Once a processor is chosen, the text disappears. |
| Prevent Selection of Items Resulting in Constraint Errors/ UI: PREVENT SELECTION | Option Class | <p>Enables you to prevent a customer from selecting items in this class that are incompatible with items in another class (based on an option constraint table).</p> <p>If the Constraint Selections display property is set to “Hide constrained items”, then this property is set to “yes”.</p> <p>If Option Class Required is selected, then you cannot check this box.</p> |

TABLE 38. Display Properties (Continued)


| Field Name/Property Name | Where Used | Description |
|--|--------------------------------------|--|
| Pricing Style/UI: PRICING STYLE | Model Option Class | <p>This special property enables you to specify how option class items will display price information. There are three possible values:</p> <p>none: If you assign this property with the value <i>none</i>, then the option class' items are displayed without any pricing information.</p> <p>delta: If you assign this property with the value delta, then the option items display pricing information in relation to the total base price of the configurable product.</p> <p>When end-users first see the option class, they see the option items with prices as "Add \$xxx.xx", meaning "selecting this item adds this amount to the current configuration price of the model." Once the end-user selects an option item, the other option items will show either "Add \$xxx.xx" or "Subtract \$xxx.xx", depending on how choosing those option items will affect the price.</p> <p>absolute: If you assign this property with the value <i>absolute</i>, then the option items display pricing information as the total cost of that item. This kind of pricing information is not relative to any base price. It is simply the cost of that item.</p> |
| Price/UI: PRICE | Model Option Class Option Item | <p>This special property enables you to assign a specific price to the item. This property is used to attach a price to a model if your model, option class, or option item is not associated with a product ID (see "To Associate a Product with a Model, Option Class, or Option Item" on page 444).</p> <p>Note that prices assigned to option items in this way are not preserved when the configured product is returned to a cart.</p> |
| User Entered Value Type/UI: UEV TYPE | Option Item | <p>This property is displayed only if you selected "User entered value" for the Control display property of the option class to which the item belongs. This property enables you to define the type: string, integer, or numeric.</p> |
| User Entered Value Prefix/UI: UEV PREFIX | Option Item | <p>This property is displayed only if you selected "User entered value" for the Control display property of the option class to which the item belongs. This enables you to provide a text string that precedes a user-entered value (For example, "\$").</p> |

TABLE 38. Display Properties (Continued)

| Field Name/Property Name | Where Used | Description |
|--|-------------|--|
| User Entered Value Postfix/UI: UEV POSTFIX | Option Item | This property is displayed only if you selected “User entered value” for the Control display property of the option class to which the item belongs. This enables you to provide a text string that follows any user-entered values (for example, “inches”, “feet”, and so on). |
| User Entered Value Allowed Values/UI: UEV ALLOWED VALUES | Option Item | This property is displayed only if you selected “User entered value” for the Control display property of the option class to which the item belongs. This property enables you to define a comma-delimited list of values for numbers (1-3, 5, 9, 10-12, and so on). For strings, you can enter the name of a list property. |

Tabular Display of Properties

To help users choose between two or more option items in an option class, it is often helpful to display one or more properties for each option item in the form of a table. For example:



| CPU | | | |
|---|-----------------|-----------------|-----------|
| Dual processor capable motherboard, supporting Intel processors | | | |
| Name | Processor Speed | Volume Purchase | Lead Time |
| Intel Pentium III 733MHz Processor | 733.0 | 0.0 | 0.0 |
| Intel Pentium III 800MHz Processor | 800.0 | 500.0 | 5.0 |
| Intel Pentium III 866MHz Processor | 866.0 | 1000.0 | 15.0 |

FIGURE 380. Example Tabular Display of an Option Class

Note that in Release 7.1, you cannot use the tabular display for pickable option items, and so this display is often used in conjunction with another option class that lets users make a selection.

To Display Properties in a Tabular Form

1. Navigate to the option class whose option items you want to display in a tabular form.

2. Either:
 - a. Click the **Display** tab.
 - b. Select Tabular Display from the Control drop-down list.
 - c. Click **Save All Changes**.Or:
 - a. Click the **Properties** tab.
 - b. Select UI: CONTROL from the Unattached Properties drop-down list and enter “controls/displayProps.jsp ” as its value.
 - c. Click **Attach**.
3. Select UI: COLUMN HEADINGS from the Unattached Properties drop-down list and enter a semi-colon delimited list of headings as its value.

For example, “Size;Weight;Color”.
4. Click **Attach**.
5. Select UI: COLUMN PROPERTIES from the Unattached Properties drop-down list and enter a semi-colon delimited list of the property names as its value.

For example, “Monitor Size;Monitor Weight;Monitor Color”.

You can use property values as described in "Properties as Variables" on page 503 to help you display the values of properties exactly as you need.

To Display Properties in a Tabular Form

1. Navigate to the option class whose option items you want to display in a tabular form.
2. Either:
 - a. Click the **Display** tab.
 - b. Select Tabular Display from the Control drop-down list.
 - c. Click **Save All Changes**.Or:
 - a. Click the **Properties** tab.
 - b. Select UI: CONTROL from the Unattached Properties drop-down list and enter “controls/displayProps.jsp ” as its value.

- c. Click **Attach**.
3. Select UI: COLUMN HEADINGS from the Unattached Properties drop-down list and enter a semi-colon delimited list of headings as its value.
For example, "Size;Weight;Color".
4. Click **Attach**.
5. Select UI: COLUMN PROPERTIES from the Unattached Properties drop-down list and enter a semi-colon delimited list of the property names as its value.
For example, "Monitor Size;Monitor Weight;Monitor Color".
You can use property values as described in "Properties as Variables" on page 503 to help you display the values of properties exactly as you need.
6. Click **Attach**.

| Unattached Properties | | |
|-----------------------|-------|--------|
| Name | Value | Action |
| CONFIG: FIRST FIRE | | Attach |

Reset Save All Changes

| Attached Properties | | |
|-----------------------|---|--------|
| Name | Value | Action |
| UI: COLUMN HEADINGS | Monitor size (in inches);Monitor weight (in kg);Color | Remove |
| UI: NUMBER OF COLUMNS | 2 | Remove |
| UI: CONTROL | controls/displayProps.jsp | Remove |
| UI: COLUMN PROPERTIES | Monitor Size;Monitor Weight;Monitor Color | Remove |

Reset Save All Changes

FIGURE 381. Defining Tabular Display Properties

Note that the number of columns in the table is inferred from the number of properties you define in the UI: COLUMN PROPERTIES property.

7. Click **Save All Changes**.
8. If you now click **Test**, then you can verify that the option class is now presented as a table with one row for each option item and one column for each property specified.

Image Properties

You can associate images with models, option classes, and option items as described in this section.

Models and Option Classes

Use the Icon Graphic field on the **Display** tab for models and option classes. This corresponds to the UI: ICON GRAPHIC property.

Option Items

You can attach images to option items and display them to end-users using the UI: ITEM IMAGE NAME property to specify an image for each option item. You must set the UI: SHOW ITEM IMAGES property to be “true” at the option class level.

The value of the UI: ITEM IMAGE NAME can be interpreted as a relative URL or as an absolute URL:

- If you enter “2of4stars.gif” or “../images/2of4stars.gif”, then the image will be displayed by resolving the image location to:
`http://server:port/Comergent/en/US/images/2of4stars.gif`
- You can use absolute URLs to point to different locations anywhere on the Web. This is particularly useful if you use a different Web server to serve up static content for your Web site. For example:

`http://imageserver:port/configurator/images/2of4stars.gif`

User-Entered Values

When you create a model, there may be occasions where you want to give the end-user the opportunity to specify a value simply by typing it in. For example, you may want to let the user enter a color that is not one of the pre-defined colors in a model, or you may want to let them enter a product ID for a product that is not in your product catalog, but which you can fulfil by special order.

To do this, you use the User Entered Value properties described in Table 38 on page 576. For example, suppose that you have a configurable product and you want to let the user specify their own choice of color. Do the following:

1. Navigate to the model and click **Edit**.
2. Click **New Option Class**.

3. In the Name field, enter “Custom Color Class”.
4. In the Description field, enter “Enter your preferred color”.
5. Click **Save**.
6. Click the **Display** tab.
7. Set the Control display property to “User Entered Values”.
8. Check the **Ignore in Quote** check box.
9. Click **Save All Changes**.
10. Click the **General Info** tab.
11. Click **New Option Item**.
12. In the Name field, enter “Custom Color Item”.
13. In the Description field, enter “We will provide a color match before shipping.”.
14. In the Navigation panel, navigate to the Custom Color Item option item.
15. Click the **Display** tab.
16. Select String, Integer, or Numeric from the **User Entered Value Type** drop-down list.
17. Click **Save All Changes**.
18. Click **Compile**.

You can use user-entered values in rules by referring to the appropriate UEV property: UEV: NUMERIC VALUE (for Integer or Numeric values) or UEV: STRING VALUE (for String values).

This chapter covers tasks that are performed only by enterprise or **C3** Partner.com partner employees. It covers the Comergent **C3** Pricing application: check with your system administrator to see if this application has been installed as part of your implementation of the Comergent eBusiness System.

| | |
|--------------|--|
| Note: | You can set a business rule so that price lists are used for entitlement only. This means that price lists assigned to partners define only the products the partners are entitled to purchase, not the prices for those products. Prices are obtained from an external source rather than the price lists. See CHAPTER 39, "Business Rules Administration". |
|--------------|--|

See "Setting Prices for Products" on page 21 for an overview of Pricing in the Comergent eBusiness System. See CHAPTER 18, "Advanced Pricing Administration" for tasks associated with order level pricing.

- "To Search for a Price List" on page 586
- "To Create a Price List" on page 594
- "To Modify a Price List" on page 595
- "To Delete a Price List" on page 596
- "To Duplicate a Price List" on page 596
- "To Import a Price List" on page 597


- "To Set Prices for Products as a Mass Update" on page 601
- "To Set Prices for Individual Products" on page 603
- "To Set Conditional Prices for a Product" on page 605
- "To Download Pricing Information for All Products in a Price List" on page 608
- "To Assign a Price List to a Partner using C3 Profile Manager" on page 609
- "To Assign a Price List to All Partners Using C3 Pricing" on page 610
- "To Unassign a Price List from All Partners Using C3 Pricing" on page 610

Searching for and Displaying Price Lists

To Search for a Price List

1. Click **Price Lists** in the Pricing Administration panel on the Comergent eBusiness System home page.

This displays the Price List Search Page (see Figure 382 on page 586).



Price Lists

My Home | My Account | About | Help | Logout

Price Lists

Find:

Price List Name

Search Show All Advanced Search

All price lists shown

New Price List

PreviousNext

| Price List Name | Starting Date | Ending Date | Currency | Customer Type | Supplier | Status | |
|--|---------------|-------------|----------|-----------------|------------|--------|------------------------|
| Enterprise Master List | 1/17/2001 | 10/4/2010 | USD | General | Enterprise | Active | Delete |
| Euro | 1/17/2001 | 7/25/2007 | EUR | General | Enterprise | Active | Delete |
| Fat Coca Cola | 1/17/2001 | 10/4/2010 | USD | General | Coca Cola | Active | Delete |
| France | 1/17/2001 | 5/12/2005 | FRF | General | Enterprise | Active | Delete |
| Germany | 1/17/2001 | 8/21/2006 | DEM | General | Enterprise | Active | Delete |
| Government | 1/17/2001 | 10/6/2003 | USD | Government | Enterprise | Active | Delete |
| High Technology | 1/17/2001 | 10/6/2003 | USD | High Technology | Enterprise | Active | Delete |
| Japan | 1/17/2001 | 5/1/2008 | JPY | General | Enterprise | Active | Delete |
| NorthSea Tech - Yonkers | 1/17/2001 | 10/6/2003 | USD | High Technology | Enterprise | Active | Delete |
| NorthSea Tech Eastern Division | 1/17/2001 | 10/6/2003 | USD | High Technology | Enterprise | Active | Delete |

FIGURE 382. Price List Search Page

2. Search for the price list(s).
 - a. Enter search criteria. You can use an asterisk (*) wild card character with all criteria to perform a wild card search.

TABLE 39. Price List Search Fields

| Field | Description |
|-----------------|--|
| Price List Name | Enter the name of the price list. |
| Effective Date | You can search for price lists by specifying an effectivity date. Only those price lists that are effective on that date are displayed. Click the calendar icon to select the date you want. |
| Currency | You can search for price lists by one or more currency. |
| Customer Type | You can search for price lists by one or more customer types: |
| Status | You can search for either active or inactive price lists or include both in your search. |

- b. Click **Search**.


You can also click **Show All** to display all the price lists in the system or you can click **Advanced Search** to perform a more custom search for a price list. See "Advanced Search for Price Lists" on page 592 for more details.

The search results are displayed as a list on the Price List Search page.

| |
|--|
| Note: Partner administrators will only see price lists created by partner administrators in their own organization. |
|--|

3. In the list of results, find the list whose details you want to view.
4. In the Price List Name column, click the name of the price list to view its details.

This displays the Price List Detail page for that list.

Price Lists

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Enterprise Master List

[Go to Price Lists](#)

[Edit Header](#) | [Edit Items](#) | [Assign Products](#) | [Mass Update](#) | [View Organization Assignments](#)

Make a duplicate of this price list by using the Copy button. The Download button provides the ability to download this price list as tab delimited file. After changing price list header information save changes using the Save button. Click on the Assign All button to assign this price list to all organizations in the system. Click on the Unassign All button to remove all current assignments of this price list.

[Assign All](#) [Unassign All](#) [Download](#) [Copy](#) [Save](#)

Price List Header

*Required Fields

* Name:

Enterprise Master List

Description:

Enterprise Master List

* Currency:

USD

* Customer Type:

General

* Supplier:

Enterprise

[Assign...](#)

* Starting Date (M/D/YYYY):

1/17/2001

17:00

* Ending Date (M/D/YYYY):

10/4/2010

15:00

Active:

☒

FIGURE 383. Price List Detail Page

The Price List Detail page comprises the following tabs:

- **Edit Header:** this tab displays header information about the price list:

TABLE 40. Header Fields

| Field | Description |
|---------------|--|
| Name | Each price list must have a unique name. The price list name is displayed on the Price List Display page. |
| Description | This provides a brief description of the price list and its purpose. |
| Currency | The currency used in all of the prices of this price list. You cannot mix currencies in a price list. |
| Customer Type | The type of customer (Education, Commercial) for this price list. |
| Supplier | The partner key of the supplier for this price list. Enterprise administrators can accept the default value ("1") or enter a partner key for any storefront partner. Storefront administrators will see this field pre-populated with their partner key and they cannot change it. |
| Starting Date | You can specify dates within which a price list is available. Click the calendar icon to select the dates you want. |
| Ending Date | |
| Active | Check the box to make the price list active. You can assign an inactive price list to a partner, but the partner cannot see prices from an inactive list. |

You can also download the price list in the form of a text file by clicking **Download**, and make a copy of the price list by clicking **Duplicate**.

- **Edit Items:** use this tab to change prices of products that are already on the price list. You can search for a specific product or for products that belong to a specific product category.

COMERGENT eBusiness System | Price Lists

My Home | My Account | About | Help | Logout

Enterprise Master List [Go to Price Lists](#)

Edit Header | Edit Items | Assign Products | Mass Update | View Organization Assignments

Find:

Category

Select appropriate search criteria to find price list items. Partial entries for searches by Product ID are supported. Search by Product Category displays all price list items belonging to specified product category. Use Delete button to delete selected products from the price list. After changing prices save changes using the Save button.

Previous [Next](#)

| <input type="checkbox"/> | Product ID | Product Name | Start Date | End Date | Supplier | List Price | +/- in % | +/- in Abs. | Price |
|--------------------------|------------------|-------------------------|------------|----------|----------|------------|----------|-------------|-------------|
| <input type="checkbox"/> | Creative-MuVO128 | Muvo MP3 player | | | | 89.95 | | | 89.95000 |
| <input type="checkbox"/> | Inspiron 8600 | Dell Inspiron 8600 | | | | 1499.01 | | | 1,499.01000 |
| <input type="checkbox"/> | Ipod Mini | Mini IPOD | | | | 199.95 | | | 199.95000 |
| <input type="checkbox"/> | MS-NSBP | Netscape Navigator 6.0 | | | | 20 | | | 20.00000 |
| <input type="checkbox"/> | MSG-32A | Memory Stick Media 32MB | | | | 49.95 | | | 49.95000 |

FIGURE 384. Price List Detail Page: Edit Items Tab

- **Assign Products:** use this tab to add products to the price list. You can search for a specific product or for products that belong to a specific product category.

COMERGENT eBusiness System | Price Lists

My Home | My Account | About | Help | Logout

Enterprise Master List [Go to Price Lists](#)

Edit Header | Edit Items | Assign Products | Mass Update | View Organization Assignments

Find:

Category ☒ View Unassigned Only

Select appropriate search criteria to find products you want to add to this price list. Partial entries for searches by Product ID are supported. Search by Product Category displays products belonging to specified product category. Use Assign button to add selected products with corresponding prices to the current price list.

| <input type="checkbox"/> | Product ID | Product Name | Start Date | End Date | Supplier | List Price | +/- in % | +/- in Abs. | Price |
|--------------------------|------------|--------------|------------|----------|----------|------------|----------|-------------|-------|
| No Rows Found | | | | | | | | | |

[Back to Top](#)


FIGURE 385. Price List Detail Page: Assign Products Tab

- **Mass Update:** use this tab to perform bulk operations on the price list. For example, you can increase the prices on the price list by a fixed or percentage amount.

The screenshot shows the 'Enterprise Master List' page for 'Price Lists' in the COMERGENT eBusiness System. The page has a navigation bar with links: My Home, My Account, About, Help, and Logout. Below the navigation bar is a tabbed interface with five tabs: Edit Header, Edit Items, Assign Products, Mass Update (selected), and View Organization Assignments. A 'Go to Price Lists' link is also present. The main content area contains a paragraph explaining the mass update process. Below this is a 'Scope' section with two radio buttons: 'Entire Price List' and 'Category' (selected). The 'Category' option has a text input field and a 'Browse...' button. There is also a checkbox for 'Apply to child categories'. Below the 'Scope' section is a 'Prices' section. It contains a text input field for 'Delete price list items' with a 'Delete' button. Below that is a 'Modify List Price by' section with two radio buttons: 'replacing the current value with' (selected) and 'incrementing/decrementing the current value'. The 'replacing' option has a text input field. The 'incrementing/decrementing' option has a 'by' text input field followed by a '%' symbol. An 'Update' button is located to the right of the 'Modify List Price by' section.

FIGURE 386. Price List Detail Page: Mass Update Tab

- **View Organization Assignments:** use this tab to view the assignment of this price list to partners.


Price Lists

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Enterprise Master List
[Go to Price Lists](#)

[Edit Header](#) | [Edit Items](#) | [Assign Products](#) | [Mass Update](#) | [View Organization Assignments](#)

Find:

Profile Name ▾
[Search](#) [Show All](#)

The following is a list of all the Organizations to which this Price List is assigned. You can filter the list by using the search box above. You can also sort the results by clicking on any of the column headings

[Previous](#) [Next](#)

| Profile Name ↵ | Commerce | Profile Type | Profile Level |
|--------------------------------|--------------------------|------------------------------|-------------------------------|
| A1 | Direct | Distributor | Platinum |
| AMT Systems | Direct | Reseller | Gold |
| ARCnet Group | Direct | Reseller | Gold |
| AffinityNet | Direct | Reseller | Gold |
| Archer Technologies | Direct | Systems Integrator | Gold |
| Banana Republic | Direct | Retailer | Platinum |
| Call Center - EMEA | Direct | Enterprise | Enterprise |
| Call Center - NA East | Direct | Enterprise | Enterprise |
| Call Center - NA West | Direct | Enterprise | Enterprise |
| Commerce One Partner | Direct | OEM | Platinum |


[Back To Top](#)

FIGURE 387. Price List Detail Page: View Organization Assignments Tab

You can use a business rule to set the number of rows that are displayed in the pricing list. See CHAPTER 39, "Business Rules Administration".

Advanced Search for Price Lists

By clicking **Advanced Search** on the Price List Search page, you can perform a more detailed search for a price list.



Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Price List Search

Search for price lists by defined criteria. Partial entries and wild card character (*) is supported for fields Price List Name, Profile Name and Product ID.

[Go to Price Lists](#) [Submit](#)

Find Price Lists by name, profile associated, product assigned

Price List Name:

Profile Name:

Product ID:

Status:

☒ Active
 ☐ Inactive

Currencies

Select all that apply
☐ ARS ☐ ATS ☐ BEF ☐ CAD
☐ CHF ☐ CHY ☐ DEM ☐ ESP
☐ FIM ☐ FRF ☐ GBP ☐ GRD
☐ HKD ☐ IEP ☐ ILS ☐ ITL
☐ JPY ☐ LUF ☐ ILG ☐ PTE
☐ SEK ☐ TWD ☐ USD ☐ EUR

Customer Type

Select all that apply
☐ General
☐ Government
☐ Commercial
☐ Pharmaceutical
☐ Telecommunications
☐ High Technology
☐ Education

Find Price Lists by effective date range

Starting Date: MM/YYYY

Ending Date: MM/YYYY

FIGURE 388. Price List Advanced Search Page

You can search using the following criteria:

TABLE 41. Price List Advanced Search Criteria

| Criteria | Comments |
|-------------------|--|
| Price List Name | <p>Enter a string. You can use * to denote a wild card.</p> <p>The search will return all price lists whose name matches the search string.</p> <p>For example, if you enter Com*, then price lists with names such as Commercial and Communications are found.</p> |
| Partner Name | <p>Enter a string. You can use * to denote a wild card.</p> <p>The search will return all price lists that are assigned to a partner whose name matches the search string.</p> |
| Price List Status | Select Active, Inactive, or Active and Inactive. |
| Product ID | <p>Enter a product ID. You can use * to denote a wild card.</p> <p>The search returns all price lists that have a product whose product ID matches the search string.</p> <p>For example, if you enter MXWS*, then price lists with products such as MXWS-7500 and MXWS-OLP are found.</p> |

TABLE 41. Price List Advanced Search Criteria (Continued)

| Criteria | Comments |
|-------------------|--|
| Customer Type | Select one or more customer types. Price lists with these customer types are returned. |
| Currencies | Select one or more currencies. Price lists with these currencies are returned. |
| Effectivity Dates | Enter a Starting Date, Ending Date, or both. If you specify only a Starting Date, then all price lists whose start date is before the specified Starting Date are returned. If you specify only an Ending Date, then all price lists whose end date is after the specified Ending Date are returned. If you specify both, then all price lists that are effective between the your specified dates are returned. Note that price lists must be effective for the entire interval. |

If you provide more than one search criteria, then the search returns only those price lists that match all the specified criteria.

Managing Price Lists

You must have the appropriate administrative functions in order to perform these tasks:

- "To Create a Price List" on page 594
- "To Modify a Price List" on page 595
- "To Delete a Price List" on page 596
- "To Duplicate a Price List" on page 596
- "To Import a Price List" on page 597

To Create a Price List

1. Click **Price Lists** in the Pricing Administration panel on the Comergent eBusiness System home page.
2. On the Price List Search page, click **New Price List**. This displays the Price List Detail page.

COMERGENT eBusiness System | Price Lists

My Home | My Account | About | Help | Logout

New Price List [Go to Price List](#)

Edit Header

Enter data and click on Create button to create price list.

Create **Cancel**

Price List Header *Required Fields

* Name:

Description:

* Currency:

* Customer Type:

* Supplier: [Assign...](#)

* Starting Date (M/D/YYYY):

* Ending Date (M/D/YYYY):

Active: ☐

FIGURE 389. Price List Detail Page: Edit Header Tab

3. On the Header tab, enter the header information. See Table 40 on page 589 for a complete description of the fields on this page.
4. Click **Save**.
5. If desired, add products from the product hierarchy as follows:

- a. Click **Assign Products**.
- b. Search for the product or product category that you want to add to the price list. Click **Search**.
- c. Enter prices for each product and check the check box next to the product IDs that you want to add to the price list. Click **Assign**.

The resulting products are displayed

The selected products are added to the price list.

You have several options for setting prices. See "Setting Prices for Products" on page 600 for these options and for step-by-step instructions.

To Modify a Price List

1. Search for the price list. See "To Search for a Price List" on page 586.

2. On the Price List Detail page Header tab, modify the header details as appropriate.

For example, you can modify the starting or ending dates or the status of the price list. See Table 40 on page 589 for a description of the fields.

3. Modify the list of products by adding or removing products as appropriate:
 - a. Add products by clicking the **Assign Products** tab and searching for products.
 - b. Modify products by clicking the Edit Items tab and searching for products whose prices you want to update. You can remove products from a price list by checking the check box next to their product ID and clicking **Delete**.

4. Modify individual prices, discounts, and +/- amounts as appropriate.

See "To Set Prices for Products as a Mass Update" on page 601

| |
|---|
| Note: If you make changes to a price list while a customer is shopping, then the customer will not see the new prices until the customer updates the cart. |
|---|

5. Save your changes by clicking **Save**.

To Delete a Price List

1. Search for the price list(s) you want to delete. See "To Search for a Price List" on page 586.
2. On the resulting Price List Search page, click **Delete** next to the price list to be deleted.

To Duplicate a Price List

1. Search for the price list(s) you want to duplicate. See "To Search for a Price List" on page 586.
2. Click the name of the price list to navigate to the Price List Detail page.

3. On the Header tab, click **Copy**.

A dialog box is displayed asking if you want to copy the partner assignments to whom the copied list(s) are currently assigned. Click **OK** to copy the assignments. Click **Cancel** to copy the price list(s) without copying the assignments.

| | |
|--------------|---|
| Note: | If a price list is assigned to a partner and marked as “sharable”, then that price list is also assigned to any child partners of the partner to whom the price list is assigned. If you copy that sharable list and its assignments, then the assignments to the children are also copied. See "Making Price Lists Sharable with Child Profiles" on page 27 for an explanation of sharing price lists. |
|--------------|---|

To Import a Price List

In Release 7.1, you can import a new price list or update an existing price list by posting an XML message as follows:

1. Create an XML message for price list import. It must conform to the PriceListImportRequest DTD. You can find this in the deployed Web application in the file: ***debs_home/Comergent/WEB-INF/dXML/4.0/PriceListImportRequest.dtd***.

You must provide user authentication information in the RemoteUser element, and the price list itself is defined using the PriceList DTD to be found in the same directory.

2. You must provide the Name of the price list as the Name attribute of the PriceList element.

3. Provide the following information in the PriceListHeader element:

TABLE 42. PriceList Header Elements

| Element | Description |
|--------------|--|
| Name | The name of the price list. If a price list with this name exists already, then it will be updated with the price list information provided in the XML message. If the price list name does not exist, then a new price list will be created with this name and the price list information to create new price list lines. |
| Description | A description of the price list. |
| Currency | The currency to be used for the price list. You must provide it in the standard abbreviated form: "USD", "GBP", and so on. |
| CustomerType | The customer type: it must be one of the valid customer types supported by your Comergent eBusiness System. For example, the reference implementation supports "General", "Government", and so on. |
| StartDate | Provide this in the form: MM:DD:YYYY HH:MM:SS |
| EndDate | Provide this in the form: MM:DD:YYYY HH:MM:SS |
| Active | "0" denotes an inactive price list and "1" an active price list |
| SupplierID | Set this to the partner key of the supplier: "1" represents the Enterprise partner |

A typical PriceListHeader element looks like this:

```
<PriceListHeader Action="Insert">
  <Description>This is my new price list</Description>
  <Currency>USD</Currency>
  <PartnerType>General</PartnerType>
  <StartDate>2003-01-01 00:00:00.0</StartDate>
  <EndDate>2003-12-31 23:59:59.999</EndDate>
  <Active>0</Active>
  <SupplierID>1</SupplierID>
</PriceListHeader>
```

4. Each Prices element provides the price(s) for a particular product, identified by the ProductID attribute. A typical Prices element looks like this:

```
<Prices ProductID="SKU_1234" StartDate="2003-01-01"
  EndDate="2003-09-30" Action="UpdateOrInsert">
  <Price ListPrice="100" PercentDiscount="-10"
    AbsoluteDiscount="5" />
  <QuantityTier From="100" To="190">
    <Price ListPrice="95" PercentDiscount="-10" />
  </QuantityTier>
```

```
<QuantityTier From="300" To="399">
  <Price ListPrice="90" AbsoluteDiscount="-5" />
</QuantityTier>
<QuantityTier From="400">
  <Price ListPrice="90" AbsoluteDiscount="-10" />
</QuantityTier>
</Prices>
```

5. Using your preferred tool, post the XML message into the Comergent eBusiness System using the standard message URL, for example:

`http://server:port/Comergent/msg/matrix`

- You must use POST rather than GET.
- Set the Content-type to “application/x-icc-xml”.
- The XML message must be the body of the request.

When a price list is imported using this process, the processing logic is as follows:

1. If the imported price list name already exists as the name of an existing price list, then the PriceListHeader element is used to update header information in the existing price list. Each Prices element is used to update or insert corresponding information:
 - a. First, the product ID, StartDate, and EndDate attributes are used to see if the Prices element matches an existing price list line:
 - If neither StartDate or EndDate attributes are defined, then the Prices element matches an existing line if the line has the same product ID and no start and end dates defined.
 - If the StartDate or EndDate attributes are defined, then the Prices element matches an existing line if the line has the same product ID and the date(s) specified in the attribute(s) are the same as the corresponding dates in the line.
 - b. If the Prices element does match an existing price list line, then the Price element is used to update the corresponding information in the line. If no such price list line exists, then a new line is inserted.
 - c. If a Prices element does match an existing price list line, and if it has any child QuantityTier elements, then any existing quantity tiers are removed and new quantity tiers are created as defined in the QuantityTier elements.
2. If the imported price list name does not exist as the name of an existing price list, then the PriceListHeader element is used to create a new price list. Each Prices element is used to insert a price list line into the new price list.

Setting Prices for Products

When you are creating or modifying a price list (see "Managing Price Lists" on page 594), you have several options for setting prices.

- Setting product prices by category

You set a price that is applied to each product in a product category. This is useful in cases where all the products in a product category are very similar products. See "To Set Prices for Products as a Mass Update" on page 601.

- Setting prices by individual product

You set a price for each product in the price list individually. See "To Set Prices for Individual Products" on page 603.

- Setting prices according to certain defined conditions

You can set prices for a category of products or for individual products that are in effect only when certain conditions are met. You can condition the prices on one or two options. For example, you might want to set a price for a product (or products) that is in effect only for OEMs who are rated Platinum level. See "To Set Conditional Prices for a Product" on page 605.

You can also assign multiple rules to one product. For example, you can create a rule based on partner type and partner membership level, and a second rule based on territory and approved customer types.

| | |
|--------------|---|
| Note: | These rule options are set up during the Comergent eBusiness System implementation. |
|--------------|---|

Frequently, you will use a combination of these methods to define prices for your price lists.

| | |
|--------------|--|
| Note: | <p>Before creating your price lists, you should consider how many decimal places will be required to store and display prices. For example, you may need to provide the unit price of some products to four decimal places. C3 Pricing supports entering prices with an arbitrary degree of accuracy. The Scale attribute of the UnitListPrice DataElement determines this precision. By default, this is set to “2”, but you can change its value as part of your implementation of the Comergent eBusiness System. Whenever you are editing prices, you can enter this number of digits after the decimal point and this number is saved to the Knowledgebase. This precision is used to calculate all list and extended prices that are displayed to end-users.</p> <p>Prices that are displayed to end-users are truncated to a fixed number of decimal places. To change the number of decimal places displayed to end-users, you must change the Allowed Decimal Places system administration properties to be found under Application Settings. See CHAPTER 38, "Enterprise System Administration" for more information.</p> |
|--------------|--|

To Set Prices for Products as a Mass Update

When you are creating a price list ("To Create a Price List" on page 594) or once you have displayed a price list that you want to modify ("To Search for a Price List" on page 586), you can use the following procedure to set the prices for all the products or for all products that belong to the price list from a specific category. You can also remove all products from a price list or remove all products that belong to a product category (and its children).

1. On the Price List Detail page, click **Mass Update**.

The Mass Update tab is displayed.

COMERGENT | Price Lists
eBusiness System

My Home | My Account | About | Help | Logout

Enterprise Master List [Go to Price Lists](#)

Edit Header | Edit Items | Assign Products | Mass Update | View Organization Assignments

Perform changes on all or only a selective set of price list items. First define the scope of the mass update, selecting the entire price list or price list items belonging to a product category. The 'Delete' button removes all price list items in scope and saves the changes. The 'Update' button executes defined mass adjustments to all price list items in scope and saves changes.

Scope

☐ Entire Price List

☒ Category [Browse...](#) ☐ Apply to child categories

Prices

For each price list item in scope:

Delete price list items [Delete](#)

Modify List Price by [Update](#)

☐ replacing the current value with

☐ incrementing/decrementing the current value by %

FIGURE 390. Price List Detail Page: Mass Update Tab

2. Specify the scope of the update:
 - a. For all products currently on the price list: click **Entire Price List**.
 - b. For a product category: click the **Category** radio button. Browse for the desired product category by clicking **Browse ...** and use the Hierarchical Entity Picker to select the category. Check the **Apply to child categories** check box if you want to set the price for all products in child categories too.
3. To enter a price to be applied to all products in the scope of the update.
 - a. Enter either a list price or specify a change to the current price. If you are entering pricing information for the first time (as shown in Figure 390 on page 602), then you must enter at least a List Price. You can specify price changes either as an absolute change in price based on the price list currency or as a percentage change.
 - b. Specify a change to the current percentage change.
 - c. Specify a change to the current absolute change.
 - d. Click **Update**.
4. To remove all the products in scope from the price list, click **Delete**.

At this point, you can define the individual prices for the products ("To Set Prices for Individual Products" on page 603) or you can define conditional prices ("To Set Conditional Prices for a Product" on page 605).

To Set Prices for Individual Products

When you are creating a price list ("To Create a Price List" on page 594) or once you have displayed a price list that you want to modify ("To Search for a Price List" on page 586), you can use this procedure to set the prices for individual products assigned to a list.

1. Click **Assign Products**.

COMERGENT eBusiness System | Price Lists

My Home | My Account | About | Help | Logout

Enterprise Master List [Go to Price Lists](#)

Edit Header | Edit Items | **Assign Products** | Mass Update | View Organization Assignments

Find:

Category ☒ View Unassigned Only

Select appropriate search criteria to find products you want to add to this price list. Partial entries for searches by Product ID are supported. Search by Product Category displays products belonging to specified product category. Use Assign button to add selected products with corresponding prices to the current price list.

| <input type="checkbox"/> | Product ID | Product Name | Start Date | End Date | Supplier | List Price | +/- in % | +/- in Abs. | Price |
|--------------------------|------------|--------------|------------|----------|----------|------------|----------|-------------|-------|
| No Rows Found | | | | | | | | | |

[Back to Top](#)

FIGURE 391. Price List Detail Page: Assign Products Tab

2. On the **Assign Products** tab, you can search for a particular product or you can browse for it using the ... button.
 - a. To search for a product:
 - Either select Product ID and enter the some or all of the product ID (use * as a wild card). Click **Search**. The search results are displayed on the price list.
 - Or select Category and click ... to browse for the category within which you want to search. Note that if you search for products within a category, then the results will not include child products of aggregated products in this category.

b. To browse for a product, click Use the Hierarchical Entity Picker window to navigate to the product and select it. Click **Done**.

c. Click **Search**.

The selected products are listed.

3. Define the pricing information.

If you are entering pricing information for the first time (as shown in Figure 385 on page 590), then you must enter at least a List Price.

You can enter a Start Date and End Date for each price line item. See "Price List Line Item Effectivity Dates" on page 23 for more information on how price list line item effectivity dates are used.

If a price line item already exists for a product ID and you want to specify a different price for a particular date range, then you can clone the price line item as follows:

a. Click the Clone button:



b. In the Clone Price List Item dialog box, enter a Start Date and End Date for the new price list item.


The 'Clone Price List Item' dialog box is shown. It has a title bar 'Clone Price List Item'. Below the title bar, there is a text area with instructions: 'Enter a unique combination of Start Date and End Date or a unique Supplier for the cloned price line. Leaving a date field blank will default to the corresponding price list effectivity date.' Below this, it shows 'Price List: Export Price List' and 'Product ID: MMWS-7510 (7510 Workstation)'. There are two date pickers: 'Start Date:' and 'End Date:'. Below these is a 'Supplier:' field with an 'Assign...' button. A checkbox labeled 'Clone Quantity Tiers and Conditionals' is checked. At the bottom are 'Clone' and 'Cancel' buttons.

FIGURE 392. Clone Price List Item Dialog Box

c. Click **Clone**.

- d. Find the newly cloned price list item, and enter the list price.

You can enter a modification to the price expressed as either a percentage change or as an absolute amount. To enter a positive (+) number, simply enter the number. Do not add a plus (+) sign before the number. To enter a negative number, enter a minus (-) before the number (for example, -50). A positive (+) number represents the percentage or absolute amount to be added to the list price. A negative (-) number represents a percentage or absolute amount to be discounted from the list price.

4. Repeat these steps for each product whose prices you want to define.
5. Click **Assign**.

Conditional Pricing

You can set prices that depend on the user and their cart that further refine the prices that they see. If you create pricing rules for a product, then the pricing information you entered for each product ID in the **Assign Products** and **Edit Items** tabs will apply to customers who satisfy *none* of the pricing rules that you create for the product.

To Set Conditional Prices for a Product

When you are creating a price list ("To Create a Price List" on page 594) or once you have displayed a price list that you want to modify ("To Search for a Price List" on page 586), you can use this procedure to set conditional prices for individual products. You can define quantity tiers and one or more one- or two-option rules that define certain conditions for prices.

1. On the Price List Detail page, click **Edit Items**.
The Edit Items tab is displayed.
2. Either search for the product or browse for it by clicking **Browse ...**.
3. Click on the **Rule** button for that product to open the Conditional Rules page.

COMERGENT eBusiness System | Price Lists

My Home | My Account | About | Help | Logout

Export Price List: MXWS-7510

[Return](#)

[Edit Quantity Tiers](#) | [Edit Conditional Rules](#)

Make changes to quantity tiers and/or conditional rules and save changes by clicking on 'Save' or return back to price list lines by clicking on 'Return'

[Save](#)

| # | From Qty | To Qty | List Price | +/- in % | +/- in Abs. | Price |
|----|----------|--------|------------|----------|-------------|----------|
| 1 | 1 | | 749 | | | 749.0000 |
| 2 | | | | | | |
| 3 | | | | | | |
| 4 | | | | | | |
| 5 | | | | | | |
| 6 | | | | | | |
| 7 | | | | | | |
| 8 | | | | | | |
| 9 | | | | | | |
| 10 | | | | | | |

FIGURE 393. Conditional Rules Page: Edit Quantity Tiers Tab

You can use this page to set volume discounts based on the quantity ordered and to set rules-based rule options. The rule options available to you are set up at implementation time. They may include options such as partner type and territory.

4. To create quantity tiers:
 - a. Click **Edit Quantity Tiers**.
 - b. Enter quantity tiers for the product by entering **From Qty** values: these must be whole numbers and the **From Qty** value must increase.
 - c. Enter list prices for each tier and any pricing adjustments for each tier. As you enter each **From Qty** value, the **To Qty** of the preceding tier is calculated automatically.
 - d. Click **Save**.
5. To create conditional rules:
 - a. Click **Edit Conditional Rules**.

Export Price List: MXWS-7510 Return

Edit Quantity Tiers **Edit Conditional Rules**

Make changes to quantity tiers and/or conditional rules and save changes by clicking on 'Save' or return back to price list lines by clicking on 'Return'

Save

| Profile Type | Profile Membership Level | +/- in % | +/- in Abs. |
|--------------|--------------------------|----------|-------------|
| Distributor | Platinum | | |
| Distributor | Gold | | |
| Distributor | Silver | | |
| Distributor | Tin | | |
| Distributor | Not Applicable | | |
| OEM | Platinum | | |
| OEM | Gold | | |
| OEM | Silver | | |
| OEM | Tin | | |
| OEM | Not Applicable | | |
| Reseller | Platinum | | |
| Reseller | Gold | | |
| Reseller | Silver | | |
| Reseller | Tin | | |
| Reseller | Not Applicable | | |
| Retailer | Platinum | | |
| Retailer | Gold | | |
| Retailer | Silver | | |

FIGURE 394. Conditional Rules Page: Edit Conditional Rules Tab

- b. Click on the **First Option** drop-down list and select the first rule option.
The options available to you were determined at the time of your Comercent eBusiness System implementation.
- c. Click on the **Second Option** drop-down list and select the second rule option.
 - To create a single option rule, select the blank option line.
 - To create a double-option rule, select a rule option. Both options must be satisfied before the pricing rule is fired.

The options available to you were determined at the time of your Comercent eBusiness System implementation.

- d. Edit the discount and the +/- amount (either as a percentage or as an absolute amount) for each row as desired.

To enter a positive (+) number, simply enter the number. Do not add a plus (+) sign before the number. To enter a negative number, enter a minus (-) before the number (for example, -50). A positive (+) number represents the percentage or absolute amount to be added to the list price. A negative (-) number represents a percentage or absolute amount to be discounted from the list price.

- e. Click **Save**.
- 6. Click **Return**.
- 7. On the Pricing List Detail page, click **Save**.

To see *all* the rules associated with all products in a price list, click **Download** in the Price List Detail page.

Downloading Pricing Information

You can download the pricing information with all the products on a price list.

To Download Pricing Information for All Products in a Price List

1. Find the price list you want to download.
See "To Search for a Price List" on page 586.
2. In the Price List Detail page Edit Header tab, click **Download**.
A text file containing all prices on the price list is generated and you are prompted to save the file to your local machine. If your browser displays the data in the browser window, then right-click the browser window and select **View Source**. In the text editor window, you can now save the data to your local machine. You can navigate back to the price list as described in "To Search for a Price List" on page 586.

Assigning Price Lists to Partners

Once you have created the price list, you make the prices available to users by assigning the price list to partners (and therefore to their users) through the partner profile. You can assign price lists to partners either through the **C3** Profile Manager or through **C3** Pricing:

- Use **C3** Profile Manager if you want to assign one or more price lists to a single partner. See "To Assign a Price List to a Partner using C3 Profile Manager" on page 609.
- Use **C3** Pricing if you want to assign a price list to all your partners or if you want to unassign a price list from all partners. See "To Assign a Price

List to All Partners Using C3 Pricing" on page 610 and "To Unassign a Price List from All Partners Using C3 Pricing" on page 610.

Note: A partner administrator can assign price lists that they or another partner administrator for the same partner have created to child partners of their partner.

Only an *enterprise administrator* can assign price lists to enterprise partners. Therefore, after creating a price list, the partner administrator must notify an *enterprise administrator* if they want the price list to be assigned to an enterprise partner.


To Assign a Price List to a Partner using C3 Profile Manager

1. Click **C3 Profile Manager** on the Comergent eBusiness System home page.
2. Search for a partner.

Enter the partner name, or enter search criteria such as the partner type or the first few letters of their name, then click **Search**, or click **Show All** to view all the partners.

3. Click on the partner name to display the Partner Profile Detail page.
4. Click **Pricelists**.

The Partner Manager page is displayed with a list of price lists.



| Assign | Sharable | Price List Name | Starting Date | Ending Date | Currency | Customer Type | Supplier | Status |
|--------------------------|--------------------------|------------------------|---------------|-------------|----------|---------------|-------------|--------|
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_unistor | 1/17/2001 | 10/4/2010 | USD | General | UNISTOR | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_taiwantech | 1/17/2001 | 10/4/2010 | USD | General | TaiwanTech | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_syspoint | 1/17/2001 | 10/4/2010 | USD | General | SysPoint | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_paristech | 1/17/2001 | 10/4/2010 | USD | General | ParisTech | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_omnitech | 1/17/2001 | 10/4/2010 | USD | General | OmniTech | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Pricelist_dataLink | 1/17/2001 | 10/4/2010 | USD | General | DataLink | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Government | 1/17/2001 | 10/6/2003 | USD | Government | Enterprise | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Enterprise Master List | 1/17/2001 | 10/4/2010 | USD | General | Enterprise | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Commercial | 1/17/2001 | 10/6/2003 | USD | Commercial | Enterprise | Active |
| <input type="checkbox"/> | <input type="checkbox"/> | Allnet Price List | 9/1/2005 | 9/30/2005 | USD | General | AllNet Corp | Active |

FIGURE 395. Available Price Lists for a Partner

5. Click in the check box next to the appropriate price list(s).

| |
|--|
| Note: You can assign an inactive price list to a customer. Inactive price lists have no effect on product prices until you activate the price list. |
|--|

6. If you want this price list to be automatically assigned to any partners beneath this partner in the partner hierarchy, then check the box in the Sharable column.

A dollar sign (\$) designates any list that is shared with a parent (and therefore automatically assigned to the current partner). However, you can still assign that price list to the child and mark it as sharable. This guarantees that the price list will still be assigned to the child (and to its children), even after the assignment is removed from the parent.

See "Making Price Lists Sharable with Child Profiles" on page 27 for an explanation of sharable price lists.

7. Click **Update**.

The selected price lists are assigned to that partner.

To Assign a Price List to All Partners Using C3 Pricing

1. Navigate to the Price List Detail page for the price list.
2. On the Edit Header tab, click **Assign All**.

To Unassign a Price List from All Partners Using C3 Pricing

1. Navigate to the Price List Detail page for the price list.
2. On the Edit Header tab, click **Unassign All**.

In addition to managing prices for products using price lists, you can also manage prices using pricing rules and coupons. These can manage discounts and special offers at the level of carts: as users add products to their carts, the prices of items reflect special offers based on the total value of items in the cart or on the combination of particular items chosen. If a user adds a coupon to their cart, then the rule associated to the coupon can apply a price change to a line item.

For example:

- *Buy one, get one free*: if you buy two of an item, then the second item is free.
- *Special offer for Gold distributors: 10% off if you buy more than \$1000.00 worth of items*: If you are a partner user that belongs to a distributor whose partner level is Gold, and if your cart total (before tax and shipping) is greater than \$1000, then the cart total is reduced by 10%.

Pricing rules are managed using the rule administration pages described in "Pricing Rule Tasks" on page 613. Coupons are managed using the coupon administration pages described in "Coupon Administration" on page 618.

This release supports the ability to define pricing rules using features: this enables you to construct pricing rules along the lines of: *buy any of our wireless-ready laptops and get a carry case free*. Any cart containing a product that has the wireless-ready feature would satisfy this rule.

Overview

Price lists give you the ability to create rules that apply to a specific product ID or to products to which specific features have been assigned. These rules are managed using the conditional pricing rules: see "Conditional Pricing" on page 605. In this section, we describe rules that apply at the level of the cart.

Rule Types

Rules are specified by conditions and actions: when the condition of a rule is satisfied, then the corresponding action is taken: in the case of cart rules these actions are pricing adjustments. Conditions are evaluated on the basis of the source product IDs or, in the case of item quantity rules, source features. Each cart rule is one of the following types:

- **Combination:** A combination rule is used to adjust the price of a target product ID if a certain combination of source product IDs is in the cart. Combination rules are only applied if the target product ID is already in the cart. Combination rules can require that certain quantities of source product IDs are present: buy five PCs and get a sixth one free for example.
- **Item Quantity:** these rules provide you the ability to specify quantity-tiered pricing for products. You can specify what price a product should sell for if the user buys more than a specified number of the product. The product can be specified by product ID or you can use features to select the products to which the rule applies.
- **Order Total:** these rules take an action if the total value of the cart (before shipping and tax) fall in a range. Typically, the action is to reduce the cart total by a percentage discount or by an absolute value specified in the currency of the rule.

The range of totals is specified as an ascending set of tiers: if the total value of an cart falls in the range specified by a tier, then make the corresponding price adjustment.

These types of rules can be applied either to all carts or only to carts that meet certain additional constraints: these can depend on the partner to whom the owner of the cart belongs or on the currency of the cart. For example, you can create a rule that is applied only to distributors, or to partners of a specified partner level, or that are being placed for customers of a particular type, or some combination of these constraints.

Any rule that uses absolute values in modifying product ID prices or cart totals only applies to one currency. A rule that modifies product ID prices or cart totals by a percentage amount can apply to one currency or all. In general, pricing rules should be applied only to users to whom the prices can be honored.

Coupons

The pricing rules described in "Rule Types" on page 612 are global: that is, they apply to all carts and users do not have to do anything to have them modify the prices that they see in their carts. By contrast, coupons only modify the prices of items in carts if the user actively adds them to their cart.

When a user is viewing one of their carts, they can add a coupon to it by entering the coupon ID. A user can add one or more coupons to an cart. However, the coupon will only affect the price of items in the cart if the user and cart meet the constraints defined for the coupon. When the pricing rules are applied, the rule associated with the coupon is also applied and, if it is valid for that cart, then it modifies a line item price in the same way that other pricing rules do.


Pricing Rule Tasks

This section describes the main administration tasks associated with pricing rules.

To Create a Pricing Rule

1. Click **Pricing Rules** in the Pricing Administration panel on the Comergent eBusiness System home page.

This displays the Rules List page.



Pricing Rules

My Home

My Account

About

Help

Logout

Rules List

Find:

Rule ID

Search

Show All

All Rules Shown

Delete

New Combination Rule

New Order Total Rule

New Item Quantity Rule


| <input type="checkbox"/> | Rule ID | Rule Name | Target | Start Date | End Date | Rule Type | Enabled |
|--------------------------|---------|--|-----------|------------|-----------|---------------|---------|
| <input type="checkbox"/> | 20 | More than \$100, get \$10.00 off | None | 10/7/2002 | 10/7/2102 | Order Total | Yes |
| <input type="checkbox"/> | 16 | Qty price breaks for LCD Monitor 19" | MX-GV19F | 10/3/2002 | 10/3/2102 | Item Quantity | Yes |
| <input type="checkbox"/> | 14 | Qty price breaks for 56k Modem | MX-MD98 | 10/3/2002 | 10/3/2102 | Item Quantity | Yes |
| <input type="checkbox"/> | 13 | Qty price breaks for LCD Monitor 18" | MX-GV18F | 10/3/2002 | 10/3/2102 | Item Quantity | Yes |
| <input type="checkbox"/> | 12 | Qty price breaks for LCD Monitor 17" | MX-GV17TF | 10/3/2002 | 10/3/2102 | Item Quantity | Yes |
| <input type="checkbox"/> | 11 | Qty price breaks for LCD Monitor 15" | MX-GV15L | 10/3/2002 | 10/3/2102 | Item Quantity | Yes |
| <input type="checkbox"/> | 10 | Discount for Orders above value \$120.00 | None | 10/3/2002 | 10/3/2102 | Order Total | Yes |
| <input type="checkbox"/> | 9 | Value Tiers for Vertical High Tech | None | 10/3/2002 | 10/3/2102 | Order Total | Yes |

FIGURE 396. Rule List Page

2. On the Rules List page, click:

- **New Combination Rule:** click to create a rule which changes the price of a target product ID based on a combination of products in the cart.
- **New Order Total Rule:** click to create a rule which changes the total charged to the customer based on the total of the cart.
- **New Item Quantity Rule:** click to create a rule that changes the unit price of a product ID based on the quantity being bought.

This displays the Rule Detail page.



COMERGENT | Pricing Rules
eBusiness System

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Item Quantity Rule: Qty price breaks for LCD Monitor 19" [Go to Rules List](#)

Enter new rule information or change existing information. Press the Save As New button to save the current information as a new rule. Press the Save button to save the current changes. Press the Cancel button to reverse current changes.

Note: Negative absolute or percentage amounts indicate discounts while positive absolute or percentage amounts indicate markups.

[Save As New](#) [Save](#) [Cancel](#)

General Rule Information *Required Fields

| | | | | | |
|-------------------|--------------------------------------|-------------------------|-----------|-----------------|---------|
| *Rule Name: | Qty price breaks for | *Start Date (M/D/YYYY): | 10/3/2002 | *Profile Type: | --All-- |
| Rule Description: | Qty price breaks for LCD Monitor 19" | *End Date (M/D/YYYY): | 10/3/2102 | *Profile Level: | --All-- |
| Enabled: | <input checked="" type="checkbox"/> | *Customer Type: | --All-- | *Currency: | USD |

Rule Trigger

Select whether the rule should use Product ID(s) or Feature Type(s) as the target.

☒ Use Product ID ☐ Use Feature

Select one or more Product IDs for the rule target.
Any product matching one of the Product IDs will receive the specified discount based on its quantity.

*Target Product ID: [Add](#)

MX-GV19F

FIGURE 397. Rule Detail Page

3. Enter general rule information:
 - a. A Rule Name and optionally a brief description of the rule in Rule Description.
 - b. Check **Enabled**.
 - c. Specify a Start Date and End Date for the rule.
4. Specify the rule filters that constrain when the rule is applied:
 - a. Profile Type
 - b. Profile Level
 - c. Customer Type
 - d. Currency: if you specify absolute price adjustments, then you must select a currency. That is, in order to select All, you must check that you use only percentage adjustments everywhere in this rule.
 - e. Rule Operation: if you select Any Products, then if any of the source product IDs are present, then the rule action will act on the target product ID; if you select All Products, then the rule will only act if all the products are present in the cart.

The screenshot shows the 'General Rule Information' panel. It contains the following fields:

- *Rule Name:** Qty price breaks for
- Rule Description:** Qty price breaks for LCD Monitor 19"
- *Start Date (M/D/YYYY):** 10/3/2002
- *End Date (M/D/YYYY):** 10/3/2102
- *Profile Type:** --All--
- *Profile Level:** --All--
- *Customer Type:** --All--
- *Currency:** USD
- Enabled:** ☒

FIGURE 398. General Rule Information Panel

5. Set the rule targets: if the rule is an item quantity rule, then specify the target product ID or features. You can either use the hierarchical entity picker to select the product IDs or features and enter them in the list box.
 - a. If you specify **Use Product ID**, then the target products are treated separately when the rule is evaluated. That is, if you specify products A and B as targets and you specify a quantity tier of five, and if a user has in their cart three of product A and three of product B, then neither product has the rule applied. If the user adds two more product A items, then product A will have the rule applied, but product B will not.
 - b. If you specify **Use Feature**, then the features are treated collectively when the rule is evaluated. That is, if you specify features F and G as targets and you specify a quantity tier of five, and if a user has in their cart five or more of a product that has both features F and G, then the rule is applied. However, the rule is not applied to a product that has only feature A even if there is another product in the same cart that has feature G.

The screenshot shows the 'Set Targets' panel. It contains the following fields and instructions:

- Select whether the rule should use Product ID(s) or Feature Type(s) as the target.
 - ☒ Use Product ID
 - ☐ Use Feature
- Select one or more Product IDs for the rule target.
Any product matching one of the Product IDs will receive the specified discount based on its quantity.
- *Target Product ID:**
- Below the input field is a list box containing the text 'MX-GV19F'.

FIGURE 399. Set Targets Panel

6. Specify the amount of the discount or markup as a negative (for discount) or positive (for markup) amount. Note that absolute amounts apply to the whole line item, not to the unit cost of the line item.
7. If the rule is a combination rule or item quantity rule, then specify how the rule should be applied using the **Applies To** field:

- a. Single Item: apply the pricing adjustment to just one occurrence of the target product ID or assigned feature.
 - b. All Items: apply the pricing adjustment to each occurrence of the target product ID or assigned feature.
 - c. Each Combination: apply the pricing rule for each occurrence of the combination of source product IDs or assigned features.
8. Specify the condition for the rule action:
- a. If the rule is an item quantity rule, specify the tiers and the price adjustment that applies at each tier. The price adjustment applies to the unit price of the line item.
 - b. If the rule is a combination rule, then specify the combination of source product IDs and quantities that must be present for the rule action to act on the source product ID. You can specify up to ten different product IDs and quantities in the combination. The price adjustment applies to the unit price of the line item.
 - c. If the rule is a cart total rule, then specify the tiers that effect the price adjustment. The price adjustment is to the order as a whole.

The tier value is the lower bound for the tier. Each tier value must be greater than the previous one: that is the tier value for tier 1 must be less than the tier 2 value which must be less than the tier 3 value, and so on. The tier 1 range is taken to be from the tier 1 value to the tier 2 value, the tier 2 range is between the tier 2 value and the tier 3 value, and so on. The last tier defined is the range from that tier value upwards without limit.

Rule Trigger

Enter tiered item Quantities that will cause the rule to fire and discount/markup the target item. Choose 'Single Item' to apply the discount/markup on a single unit of the target item. Choose 'All Items' to apply the discount/markup on each unit of the target item.

*Applies to:

| # | Quantity | Type | Amount |
|-----|----------|----------|--------|
| (1) | 2 | Absolute | -51.0 |
| (2) | 4 | Absolute | -134.0 |
| (3) | 8 | Absolute | -285.0 |
| (4) | 16 | Absolute | -324.0 |
| (5) | 32 | Absolute | -351.0 |

| # | Quantity | Type | Amount |
|------|----------|----------|--------|
| (6) | 64 | Absolute | -402.0 |
| (7) | 128 | Absolute | -498.0 |
| (8) | | Absolute | |
| (9) | | Absolute | |
| (10) | | Absolute | |

FIGURE 400. Rule Trigger Panel for Item Quantity Rule

9. Click **Save**.

To Delete a Rule

There may come a time when you want to stop using a pricing rule. You can set its End Date to make it ineffective or you can delete the rule. If you delete a rule, then it will no longer be used to adjust prices in carts.

| | |
|--------------|---|
| Note: | If a user views a cart that previously had its total price affected by a pricing rule, and if the rule is deleted, then when the user next views the cart, they may see different prices. |
|--------------|---|

1. Click **Pricing Rules** in the Pricing Administration panel on the Comergent eBusiness System home page.
2. On the Price List Search page, click **Order Level Rules**.
3. Select the rule(s) that you would like to delete by checking the check box next to their Rule ID.
4. Click **Delete**.

Coupon Administration

You create and modify coupons using the coupon administration pages. You can create coupons of the same types as for pricing rules:

- Combination
- Item Total
- Order Total

Users can add coupons to a cart before placing the cart as an order. When they add a coupon, the coupon is displayed as an additional line item in the cart. Its effect on the inquiry (such as applying a discount to the order) is displayed in the Amount column.

| | |
|--------------|--|
| Note: | Coupons apply only to products supplied by the enterprise. When a user has products from more than one supplier in their cart, then the coupon is not applied to the cart until the order is split between the suppliers, and then the coupon is applied to the order for enterprise-supplied products. Users will only see the effect of the coupon after they have placed the order. |
|--------------|--|

To Create a Coupon

1. Click **Coupons & Promotional Prices** in the Pricing Administration panel on the Comergent eBusiness System home page.

This displays the Coupons List page.

COMERGENT eBusiness System | Coupons

My Home | My Account | About | Help | Logout

Coupons List

Find:

Coupon ID [Search](#) [Show All](#)

All Coupons Shown

[Delete](#) [New Combination Coupon](#) [New Order Total Coupon](#) [New Item Quantity Coupon](#)

| <input type="checkbox"/> | Coupon ID | Description | Target Product ID | Start Date | End Date | Type | Enabled | Exclusive |
|--------------------------|---------------------------|---|-------------------|------------|-----------|---------------|---------|-----------|
| <input type="checkbox"/> | QXD15002 | Buy a CD-ROM drive and receive US\$10 rebate on any DVD drive! | MX-CD180D | 10/3/2002 | 10/3/2102 | Combination | Yes | No |
| <input type="checkbox"/> | ORD0665 | Receive a 5% rebate on Order if you purchase more than US\$200.00 | None | 10/3/2002 | 10/3/2102 | Order Total | Yes | No |
| <input type="checkbox"/> | IHDD00034 | Get 15% off if you purchase 20 or more 10GB Seagate Hard Disk Drives! | MX-ST010D | 10/3/2002 | 10/3/2102 | Item Quantity | Yes | No |

[Back to Top ↑](#)

FIGURE 401. Coupons List Page

2. On the Coupons List page, click one of the following:
 - **New Combination Coupon:** click to create a coupon which changes the price of a target product ID based on a combination of products in the cart.
 - **New Order Total Coupon:** click to create a coupon which changes the total charged to the customer based on the total of the cart.
 - **New Item Quantity Coupon:** click to create a coupon that changes the unit price of a product ID based on the quantity being bought.

This displays the Coupon Detail page.

COMERGENT | Coupons
eBusiness System

My Home | My Account | About | Help | Logout

Combination Coupon: QXD15009 [Go to Coupon List](#)

Enter new coupon information or change existing information. Press the 'Save As New' button to save the current information as a new coupon. Press the 'Save' button to save the current changes. Press the 'Cancel' button to reverse current changes.

Note: Negative absolute or percentage amounts indicate discounts while positive absolute or percentage amounts indicate markups.

[Save As New](#) [Save](#) [Cancel](#)

*Required Fields

General Coupon Information

| | | | | | |
|--------------------------------|--|-------------------------|-------------|-----------------|--------------------------|
| *Coupon ID: | QXD15009 | *Start Date (M/D/YYYY): | 10/3/2002 | *Profile Type: | --All-- |
| Coupon Description: | Buy a CD-ROM drive and receive US\$10 rebate on any DVD drive! | *End Date (M/D/YYYY): | 10/3/2102 | *Profile Level: | --All-- |
| *Target Product ID: | MX-CD1800 | *Discount/Markup Type: | Absolute | *Customer Type: | --All-- |
| Enabled: | <input checked="" type="checkbox"/> | *Amount/Percentage: | -10.0 | *Currency: | USD |
| Not Applicable Coupon Message: | Sorry promotion is not effective anymore! | *Applies to: | Single Item | Exclusive: | <input type="checkbox"/> |

Coupon Trigger

Enter Product IDs and their Quantities that will cause the coupon to fire. Select Coupon Operation 'All Products' if all of

FIGURE 402. Coupon Detail Page

3. Enter a Coupon ID and optionally a brief description of the coupon in Coupon Description. The coupon ID is what users must enter to add the coupon to their cart.

Note: Do not use "*" in a coupon ID.

4. If the coupon is a combination coupon or item quantity coupon, then specify the target product ID. You can either use the product picker or simply enter the product ID in the text field.
5. Check **Enabled**.
6. Specify a Start Date and End Date for the coupon.
7. Specify the amount of the discount or markup as a negative (for discount) or positive (for markup) amount. Note that absolute amounts apply to the whole line item, not to the unit cost of the line item.
8. If the coupon is a combination coupon or item quantity coupon, then specify how the coupon should be applied using the **Applies To** field:
 - a. Single Item: apply the pricing adjustment to just one occurrence of the target product ID.
 - b. All Items: apply the pricing adjustment to each occurrence of the target product ID.

- c. Each Combination: apply the coupon for each occurrence of the combination of source product IDs.
- 9. Specify the rule filters that constrain when the coupon is applied:
 - a. Profile Type
 - b. Profile Level
 - c. Customer Type
 - d. Currency: if you specify absolute price adjustments, then you must select a currency. That is, in order to select “All”, you must check that you use only percentage adjustments everywhere in this rule.
 - e. Exclusive: if a coupon is marked as exclusive, then if an end-user adds it to their cart, then no other coupon can be applied to the cart.
 - f. Coupon Operation: if you select Any Products, then if any of the source product IDs are present, then the coupon action acts on the target product ID; if you select All Products, then the coupons only act if all the products are present in the cart.
- 10. Specify the condition for the coupon action:
 - a. If the coupon is an item quantity coupon, specify the tiers and the price adjustment that applies at each tier. The price adjustment applies to the unit price of the line item.
 - b. If the coupon is a combination coupon, then specify the combination of source product IDs and quantities that must be present for the coupon action to act on the source product ID. You can specify up to ten different product IDs and quantities in the combination. The price adjustment applies to the unit price of the line item.
 - c. If the coupon is an order total rule, then specify the tiers that effect the price adjustment. The price adjustment is to the order as a whole.

The tier value is the lower bound for the tier. Each tier value must be greater than the previous one: that is the tier value for tier 1 must be less than the tier 2 value which must be less than the tier 3 value, and so on. The tier 1 range is taken to be from the tier 1 value to the tier 2 value, the tier 2 range is between the tier 2 value and the tier 3 value, and so on. The last tier defined is the range from that tier value upwards without limit.
- 11. Click **Save**.

To Delete a Coupon

There may come a time when you want to stop using a coupon. You can set its End Date to make it ineffective or you can delete the coupon. If you delete a rule, then it will no longer be used to adjust prices in carts.

Note: If a user views a cart that previously had its total price affected by a coupon, and if the coupon is deleted, then when the user next views the cart, they may see different prices.

The user will have to remove the deleted coupon from their cart before they can place the cart as an order.

1. Click **Coupons & Promotional Prices** in the Pricing Administration panel on the Comergent eBusiness System home page.
2. On the Coupon List page, select the coupon(s) that you would like to delete by checking the check box next to their Coupon Key.
3. Click **Delete**.

This chapter covers tasks involved in serving promotions. The promotions feature is *only* available through the Comergent eBusiness System if you have purchased the Comergent **C3 Promotions** application as part of your implementation of the Comergent eBusiness System.

"Serving Promotions" on page 32 provides an overview of **C3 Promotions** in the Comergent eBusiness System.

Managing Promotions

Promotion Administration List Page

You manage your promotions by clicking **Promotions** in the Pricing Administration panel on the Comergent eBusiness System home page. The Promotion Administration List page is displayed.

COMERGENT

eBusiness System

Promotions

My Home

My Account

About

Help

Logout

Promotion List:

Search for Promotions

ID

Search

Show All

Advanced Search

Promotion List page.

Copy

Delete

New

Previous

Next

| <input type="checkbox"/> | ID | Name | Locale | View Count | Add To List Count | Priority | Product ID | Start Date | End Date | <input type="checkbox"/> |
|--------------------------|--------|---|--------------------------|------------|-------------------|----------|------------|------------|-----------|-------------------------------------|
| <input type="checkbox"/> | 600500 | Quote Promotion | United States of America | 0 | 0 | 1 | MXDS-7550 | 9/21/2005 | 9/21/2006 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 616 | Digital Camera Promotion | United States of America | 0 | 0 | 3 | CATALOG | 7/15/2005 | 9/30/2006 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 615 | Back to School Promotion | United States of America | 0 | 0 | 2 | CATALOG | 7/15/2005 | 9/30/2006 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 614 | LCD Monitor Promotion | United States of America | 0 | 0 | 1 | CATALOG | 8/5/2005 | 8/5/2010 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 613 | Macromedia Software Promotion | United States of America | 0 | 0 | 1 | CATALOG | 8/5/2005 | 8/5/2010 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 612 | Built to Order Workstation | United States of America | 0 | 0 | 1 | CATALOG | 8/5/2005 | 8/5/2010 | <input checked="" type="checkbox"/> |

FIGURE 403. Promotion Administration List Page

Note: You can sort the table on the Promotion Administration List page by any column (except for Actions and Products) by clicking the column title. The page is refreshed and the table is sorted based on the selected column.

The Promotion Administration List page consists of the fields listed in the following table.

TABLE 43. Columns in the Promotion Administration List Page

| Column | Description |
|-------------------|--|
| ID | ID number assigned by the Comergent eBusiness System to identify the promotion uniquely. |
| Name | Name of the promotion. |
| Actions | Enables promotion administrators to duplicate or delete promotions. |
| View Count | Number of times a customer clicks the promotion icon and views the promotion. |
| Add to List Count | Number of times Add to List is clicked in the promotions window. |

624

Comergent eBusiness System Administration Guide

TABLE 43. Columns in the Promotion Administration List Page (Continued)

| Column | Description |
|------------|---|
| Priority | Priority of the promotion. See "Promotion Control" on page 34 for an explanation of how priority is used. |
| Product ID | <p>The identification number for the item. The entry in this column can take one of three forms: a single product ID, a product ID followed by three dots (...) indicating more than one product ID, or an asterisk (*) indicating the promotion is linked with all products.</p> <p>If you enter "PORTAL", then this promotion is displayed when the Promotions widget is added to the end-user home page.</p> <p>If you enter "CATALOG", then this promotion is displayed when users visit the catalog landing page: this is the page that is displayed when users click All Categories.</p> |
| Date Range | The date the promotion begins appearing (Start Date) through the date when the promotion ceases appearing (End Date). |
| Enabled | Promotion is enabled or disabled. |

Note: You can specify the parameters for some of these columns by configuring the business rules for promotions. See CHAPTER 39, "Business Rules Administration".

Managing Promotions

When the Comergent eBusiness System is installed for an enterprise, the tasks of an enterprise promotion administrator are:

- "To Create or Duplicate a Promotion" on page 626
- "To Modify a Promotion" on page 631
- "To Delete a Promotion" on page 632
- "To Disable a Promotion" on page 632

COMERGENT

eBusiness System

Promotions

My Home

My Account

About

Help

Logout

Promotion List:

Search for Promotions

ID

Search

Show All

Advanced Search

Promotion List page.

Copy

Delete

New

Previous

Next

| <input type="checkbox"/> | ID | Name | Locale | View Count | Add To List Count | Priority | Product ID | Start Date | End Date | <input type="checkbox"/> |
|--------------------------|--------|---|--------------------------|------------|-------------------|----------|------------|------------|-----------|-------------------------------------|
| <input type="checkbox"/> | 600500 | Quote Promotion | United States of America | 0 | 0 | 1 | MXDS-7550 | 9/21/2005 | 9/21/2006 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 616 | Digital Camera Promotion | United States of America | 0 | 0 | 3 | CATALOG | 7/15/2005 | 9/30/2006 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 615 | Back to School Promotion | United States of America | 0 | 0 | 2 | CATALOG | 7/15/2005 | 9/30/2006 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 614 | LCD Monitor Promotion | United States of America | 0 | 0 | 1 | CATALOG | 8/5/2005 | 8/5/2010 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 613 | Macromedia Software Promotion | United States of America | 0 | 0 | 1 | CATALOG | 8/5/2005 | 8/5/2010 | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | 612 | Built to Order Workstation | United States of | 0 | 0 | 1 | CATALOG | 8/5/2005 | 8/5/2010 | <input checked="" type="checkbox"/> |

FIGURE 404. Promotion Administration List Page

To Create or Duplicate a Promotion

1. Click **Promotions** in the Pricing Administration panel on the Comergent eBusiness System home page.

The Promotion Administration List page is displayed. See Figure 404 on page 626.

2. Do one of the following:
 - To create a promotion, click **New**.
 - To duplicate a promotion, identify the promotion you want to duplicate and check its check box and click **Copy**. Then click the link to the new promotion.

626

Comergent eBusiness System Administration Guide

FIGURE 405. Promotion Detail Page

3. Enter a name for the promotion.

The name is used to identify the promotion on the Promotion List page; it is not displayed to customers.

4. (Optional) Enter a short description.

The short description is displayed when the customer places the mouse over the promotion icon. If you associate an image with the promotion, then the description is also displayed when the image is displayed.

5. Click **Create** before proceeding.

6. Enter one of the following:

- The filename (a GIF or JPG file) for an image to be used for the promotion. Click **Browse...** to find and select the file, then click **Upload**. If you entered a description, then the description will appear with the image.
- A URL for a page that provides the promotion text. The URL must include the schema (that is, “http://” or “https://”). The URL takes precedence over either a description or an image. For example, if you enter both an image and a URL, then the promotion displays the URL rather than the image.

Note: You can click **Preview** to see how the last saved version of this promotion will be displayed to the end user.

7. Enter a date range during which the promotion will appear. You must specify both the Start Date and End Date dates.
8. Select a priority level from the drop-down list (lower numbers indicate a higher priority).
9. Select a profile type and a profile level from the drop-down lists. Alternately, you can select Match All to match all profile types or all profile levels.

By selecting a profile type and a profile level, you can target a promotion to a specific kind of partner. For particular products, you can create one promotion for distributor partners at the platinum level and a *different* promotion for OEM partners at the silver level.

| | |
|--------------|--|
| Note: | These fields appear only if the appropriate permissions are set during implementation. |
|--------------|--|

10. Select a locale for the promotion. Only users whose current locale is the same as your selection will see the promotion.
11. Check the **Enabled** check box.
12. Enter the product ID(s) to which this promotion should be assigned:
 - Enter the product ID for a single product, then click **Add**. This assigns this promotion to just this one product.
 - Enter multiple product IDs. You can enter a single ID and click **Add**, then repeat the process for each ID, or you can enter multiple IDs separated by a comma, then click **Add**.
 - Enter * to assign this promotion to all products.
 - Enter a promotion control product ID. Promotion control product ID's allow you to specify the catalog pages and the merchandising area(s) on those pages in which to display a promotion. There are two possible formats for promotion control product ID's:
 - a. `<KEYWORD>:<itemKey>:<property>`

The *KEYWORD* indicates the type of the promotion: CATEGORY for an entire category of products, or PRODUCT for specific product items. The *itemKey* is the product category assigned to this promotion. The *property* indicates the merchandising area of the catalog page in which the promotion will appear. The promotion control product ID elements are separated by colons (:).

b. *<location>*

The *location* indicates in which merchandising area of the catalog landing page the promotion will appear, for example, the Special Offers area or the Featured Products area.

TABLE 44. Promotion Control Product ID's

| Product ID Pattern | Description |
|--|---|
| CATEGORY:< <i>itemKey</i> >:CategoryMainPromo | This promotion appears in the main merchandising area of the <i>itemKey</i> category page. |
| CATEGORY:< <i>itemKey</i> >:CategoryFeaturedProducts | This promotion appears in the Featured Products merchandising area of the <i>itemKey</i> category page. |
| CATEGORY:< <i>itemKey</i> >:TopSeller | This promotion appears in the Top Sellers merchandising area of the <i>itemKey</i> category page. |
| CATEGORY:< <i>itemKey</i> >:NewArrival | This promotion appears in the New Arrivals merchandising area of the <i>itemKey</i> category page. |
| CATEGORY:< <i>itemKey</i> >:CategoryOffers | This promotion appears in the Special Offers merchandising area of the <i>itemKey</i> category page. |
| PRODUCT:< <i>productID</i> >:ItemPromo | This promotion appears in the Item Promotions merchandising area of the <i>productID</i> catalog page. |
| PRODUCT:< <i>productID</i> >:ItemCrossSell | This promotion appears in the cross sell ("You may also like") merchandising area of the <i>productID</i> catalog page. |
| HomeMainPromo | This promotion appears in the main merchandising area of the catalog landing page. |

TABLE 44. Promotion Control Product ID's (Continued)

| Product ID Pattern | Description |
|----------------------|---|
| HomeFeaturedCategory | This promotion appears in the Featured Categories merchandising area of the catalog landing page. |
| HomeFeaturedProduct | This promotion appears in the Featured Products merchandising area of the catalog landing page. |
| HomeSpecialOffers | This promotion appears in the Special Offers merchandising area of the catalog landing page. |
| CARTPROMO | This promotion appears in the merchandising area of the user's Shopping Cart page. |

- To get category keys, click Product Master in the Product and Catalog Administration panel, then navigate the Product Category hierarchy to locate the product(s) to feature in the promotion. Place the cursor over a category link, then check your browser's status bar. You will see a line such as:

```
javascript:sellitem('catKey','pc')
```

where *catKey* is the category key.

- Leave the field blank. If you do this, then the promotion is not assigned to any product. You can still create the promotion, but before it can be used you must assign a product ID (or use *) to activate it.

If you assign the wrong product ID, then select that product ID and click **Remove**.

- If you want a customer to add promotion item(s) to a cart from the separate promotions window, then complete *both* of the following fields.
 - Enter the product ID to be added (for the promotion item) in the Add to Cart Product ID field.

- b. Enter the quantity of that product (to be added to the cart) in the Add to Cart Quantity field.

| |
|---|
| Note: These fields appear only if the appropriate permissions are set during implementation. |
|---|

14. If you want to enable a customer to click a promotion and go directly to the product category page (also called "click through"), then complete *both* of the following fields:
 - a. Enter the keyword CATEGORY followed by the category key in the Add to Cart Product ID field. The format is:

CATEGORY:<categoryKey>

For example, to enable customers to click through to the digital cameras catalog page, enter:

CATEGORY:1013
 - b. Enter the quantity of that product (to be added to the cart) in the Add to Cart Quantity field.
15. Click **Create**.

To Modify a Promotion

1. Click **Promotions** in the Pricing Administration panel on the Comergent eBusiness System home page.
2. On the Promotion Administration List page, click the promotion ID number from the current list of promotions.

The screenshot shows the 'Promotion Detail' page for a 'Digital Camera Promotion'. The page has a header with the Comergent eBusiness System logo and navigation links (My Home, My Account, About, Help, Logout). Below the header is a sub-header with the promotion name and a 'Go to Promotion List' link. The main content area is divided into two sections: 'General Info on page.' and 'Promotion Controls'.

General Info on page.

| | |
|---|--|
| Name * Digital Camera Promotion | Description Let us help you find the right Digital Camera for you. |
| Upload Image [Browse...] | Image Name DigiCamAdvisor.gif |
| URL [] | |

Promotion Controls

| | | |
|--|---|---|
| Start Date * 7/15/2005 | Priority * 3 | Enabled <input checked="" type="checkbox"/> |
| End Date * 9/30/2006 | Partner Level -- Match All -- | Locale * United States of America |
| Partner Type -- Match All -- | Product ID (Entering * will match all Products) [] Add | |
| [Go] CATALOG | | |

FIGURE 406. Promotion Detail Page

- On the Promotion Detail page, modify the appropriate entries.
- Click **Save**.

You can delete a promotion to remove it from the system (see "To Delete a Promotion" on page 632). Rather than deleting a promotion, however, you can disable it (by leaving the **Enabled** check box unchecked). This renders the promotion unusable until you want to reuse it.

To Delete a Promotion

- Click **Promotions** in the Pricing Administration panel on the Comergent eBusiness System home page.
- Identify the promotion you want to delete, check its check box, and click **Delete**.

To Disable a Promotion

- Click **Promotions** in the Pricing Administration panel on the Comergent eBusiness System home page.
- Identify the promotion you want to disable and click the link to its detail page.
- On the Promotion Detail page, uncheck the **Enabled** check box.
- Click **Save**.

Features are attributes of products, and are created as part of a feature hierarchy. When your customers use your questionnaire, **C3 Advisor** uses features to identify the products that interest them. This chapter describes the feature hierarchy and how to create it.

CHAPTER 4, "Introduction to C3 Advisor" provides a description of **C3 Advisor** and how it works as well as a short tutorial.

Working with Feature Type Groups

When you create a feature type, you have the option of assigning feature types to a feature type group. Therefore, when you build your feature hierarchy, you should create feature type groups first. How many feature type groups you create depends on how many different feature types you have, and how many of these feature types are related.

To Create a Feature Type Group

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation panel, click the Feature Type Groups link to display the Feature Type Groups List Panel.




FIGURE 407. Feature Type Groups List Panel

3. In the Feature Type Groups List panel, click **Create Feature Type Group** to display the New Feature Type Group Panel.




FIGURE 408. New Feature Type Group Panel

4. In the New Feature Type Group panel, enter a name and description for this feature type group.
5. Click **Save All and return to List**.

The following things occur:

- You return to the Feature Type Groups List panel.
 - The new feature type group appears in the List of Feature Type Groups list box.
 - The new feature type group appears in the Navigation panel.
6. In the Navigation panel, click the new feature type group's link to display its detail panel.




FIGURE 409. New Feature Type Group Detail Panel

7. If you want to assign resources, then click the **Resources** tab.

The assignment of resources is optional, and can be done at any time. If you do not want to assign a resource now, then skip this step and go to Step 8.

For each resource you want to assign, follow the procedure in "To Assign a Resource to an Entity" on page 652.

8. Click **Save All Changes**.

To Modify a Feature Type Group

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Feature Type Groups link to expand the tree.
3. Click the link of the feature type group that you want to modify.

4. In the **General** tab make any necessary changes to the Name, and Description of the feature type group, and click **Save All Changes**.
5. If you want to assign or unassign resources, then click the **Resources** tab.
See "Resources and Resource Types" on page 106 for more detailed information about resources. The assignment of resources is optional, and can be done at any time. If you do not want to assign or unassign a resource now, then skip this step and go to Step 6.
 - For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.
 - For each resource you want to unassign, follow the procedure "To Unassign a Resource from an Entity" on page 654.
6. Click **Save All Changes**.

To Delete a Feature Type Group

Deleting a feature type group automatically deletes any feature type that has that feature type group as an attribute.

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In **C3 Advisor Administration**, click the Feature Type Group's link to display the Feature Type Groups List Panel.
3. In the List of Feature Type Groups list box, highlight the feature type group you want to delete, and click **Delete**.
The feature type group disappears from both the list box and the navigation panel.
4. Click **Save All Changes**.




FIGURE 410. Feature Type Groups List Panel

Working with Feature Types

Once you have created your feature type groups, you can create your feature types. Feature types have the following properties:

- **Name**
This is the name you give the feature type, and is also the name your customers will see.
- **Description**
This is a description for internal use. Your customers will never see this text.
- **Row type**
Row type determines how the features within the feature type will be displayed when products having this feature type are compared.
 - **Multiple Feature Row** specifies that all of the features within this feature that apply to the product will appear in a single cell of the comparison table.
 - **Single Feature Row** specifies that each feature within this feature type will have its own row in the comparison table.

- Feature type group

This is where you attribute a specific feature type group to the feature type. This is optional.

In addition to these, you can specify whether the features associated with this feature type are included in product comparisons. You check either **Comparable** (to include) or **Incomparable** (to exclude).

To Create a Feature Type

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation Panel, click the Feature Types link to display the Feature Types List Panel.




FIGURE 411. Feature Types List Panel

3. Click **Create Feature Type** to display the New Feature Type Panel.

The screenshot shows the 'COMERGENT eBusiness System' logo and 'Advisor Administration' title. A navigation bar includes links for 'My Home', 'My Account', 'About', 'Help', and 'Logout'. On the left, under 'All Objects', there is a list of links: 'Feature Type Groups', 'Feature Types', 'Questions', 'Questionnaire Pages', 'Rules', and 'Resource Types'. The 'Feature Types' link is selected, and the 'New Feature Type' panel is displayed on the right. This panel contains a 'Name' text field, a 'Description' text area, a 'Row Type' dropdown menu (currently set to 'Multiple Feature Row'), and a 'Feature Type Group' dropdown menu. A 'Use to compare' checkbox is checked. At the bottom of the panel are two buttons: 'Save All and Return to List' and 'Cancel and Return to List'.

FIGURE 412. New Feature Type Panel

4. Type a name and description for the new feature type in the appropriate fields.
5. In the Row Type drop-down list, choose the row type to apply to this feature type.

Row type determines how the features within the feature type will be displayed when products having this feature type are compared.

- **Multiple Feature Row** specifies that all of the features within this feature type that apply to the product will appear in a single cell of the comparison table.
 - **Single Feature Row** specifies that each feature within this feature type will have its own row in the comparison table.
6. (Optional) In the Feature Type Group drop-down list, choose the feature type group to attribute to this feature type.
 7. Check **Use to compare** to include all the features associated with the feature type in any product comparisons.

The **Use to compare** check box determines whether or not the features belonging to this type are included in a product comparison. When your customer uses your questionnaire to find products, they are free at any time to select two or more products from the product list, and compare them.

When they do this, **C3 Advisor** generates and displays a *product comparison table*, which lists the products and the features they have, allowing your customer to compare the products.

Note: If you check **Use to compare** for a feature, then you must make sure that **Use to compare** is checked for its feature type also.

8. Click **Save All and Return to List**.

The following actions occur:

- You return to the Feature Types List Panel.
- The new feature type appears in the List of Feature Types list box.
- The new feature type appears in the Navigation panel.

9. In the Navigation panel, click the new feature type's link to display its detail panel.

10. Click the **Features** tab.

Create the features that need to exist within this feature type, using the procedure described in "To Create a Feature" on page 643.




FIGURE 413. Feature Type Detail Panel: Features Tab

11. Click the **Resources** tab.

See "Resources and Resource Types" on page 106 for more detailed information about resources. The assignment of resources is optional, and can be done at any time. If you do not want to assign a resource now, then skip this step and go to Step 12.

- For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.
- For each resource you want to unassign, follow the procedure in "To Unassign a Resource from an Entity" on page 654.

12. Click **Save All Changes**.

To Modify a Feature Type

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Feature Types link to expand the tree to display all existing feature types.
3. Click the link of the feature type that you want to modify to display its detail panel.
4. In the **General** tab make any necessary changes and click **Save All Changes**.
You can change Name, Description, Row Type, Feature Type Group, and Comparable/Incomparable of the feature type.
5. Click the **Resources** tab.

See "Resources and Resource Types" on page 106 for more detailed information about resources. The assignment of resources is optional, and can be done at any time. If you do not want to assign or unassign a resource now, then skip this step and go to Step 6.

Modifying resource assignment includes assigning and unassigning resources.

- For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.
- For each resource you want to unassign, follow the procedure "To Unassign a Resource from an Entity" on page 654.

6. Click **Save All Changes**.

To Delete a Feature Type

Deleting a feature type automatically deletes its child features.

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

2. In the Navigation Panel, click the Feature Types link to display the Feature Types List Panel.
3. In the List of Feature Types list box, highlight the feature type you want to delete, and click **Delete**.
4. Click **Save All Changes**.

Working with Features

Each feature is created as a member of a specific feature type. Features have the following properties:

- Name

This is the name you give the feature, and is also the name your customers will see.

- Description

This is a description for internal use. Your customers will never see this text.

- Use to Compare

The **Use to compare** check box determines whether or not the features belonging to this type are included in a product comparison. When your customer uses your questionnaire to find products, they are free at any time to select two or more products from the product list, and compare them. When they do this, **C3 Advisor** generates and displays a *product comparison table*, which lists the products and the features they have, allowing your customer to compare the products.

| |
|---|
| Note: If you check Use to compare for a feature, then you must make sure that Use to compare is checked for its feature type also. |
|---|

- Start Date

For features that are only effective over a specific time period, this defines when the feature becomes effective.

- End Date

For features that are only effective over a specific time period, this defines when the feature ceases to be effective.

To Create a Feature

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Feature Types link to expand the tree and display the list of existing feature types.
3. Click the link of the feature type in which you want to create the new feature to display that feature's detail panel.
4. Click the **Features** tab.




FIGURE 414. Feature Type Detail Panel: Features Tab

5. Click **Create Feature** to display the New Feature Panel.




FIGURE 415. New Feature Panel

6. Enter the name and description you want to give to the new feature.
7. If you want this feature to be used to compare products, then check the **Use to compare** box.
8. Use the Start Date and End Date controls to define the effectivity of the feature (if applicable).

Feature effectivity is described in the section "Feature Effectivity" on page 62.

9. Click **Save All and Return to List**.

The following actions occur:

- You return to the **Features** tab of the Feature Types Detail Panel.
 - The new feature appears in the List of Features list box.
 - The new feature appears in the Navigation panel.
10. Click the new feature's link to display its detail panel.
 11. Click the **Resources** tab.

See "Resources and Resource Types" on page 106 for more detailed information about resources. The assignment of resources is optional, and can be done at any time. If you do not want to assign a resource now, then skip this step and go to Step 12.

- For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.
- For each resource you want to unassign, follow the procedure in "To Unassign a Resource from an Entity" on page 654.

12. Click **Save All Changes**.

To Modify a Feature

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Feature Types link to expand the tree and display all existing feature types.
3. Click the folder next to the feature type that includes the feature you want to modify to expand the tree and display all of the features that exist within that feature type.
4. Click the link of the feature that you want to modify to display that feature's Feature Detail Panel.

The screenshot displays the Comergent eBusiness System Advisor Administration interface. On the left, a tree view under 'All Objects' shows various feature categories like 'Accessory Card Slots', 'Accessory Type', 'Audio Card', etc. The 'Accessory Card Slots' folder is expanded, showing sub-items '2', '4', and '8'. The '2' sub-item is selected, leading to the 'Feature Detail Panel' on the right. This panel has two tabs: 'General' (active) and 'Resources'. The 'General' tab contains fields for 'Name' (value: 2), 'Description' (value: 2), a checked 'Use to compare' checkbox, 'Start Date (MM/DD/YYYY)' (value: 3/15/2002), and 'End Date (MM/DD/YYYY)' (value: 3/15/2102). A 'Save All Changes' button is at the bottom of the panel.

FIGURE 416. Feature Detail Panel

5. In the **General** tab make any necessary changes to Name, Description, Use To Compare, Start Date, and End Date, and click **Save All Changes**.

6. Click the **Resources** tab.

See "Resources and Resource Types" on page 106 for more detailed information about resources. The assignment of resources is optional, and can be done at any time. If you do not want to assign or unassign a resource now, then skip this step and go to Step 7.

Modifying resource assignment includes assigning and unassigning resources.

- For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.
- For each resource you want to unassign, follow the procedure "To Unassign a Resource from an Entity" on page 654.

7. Click **Save All Changes**.

To Delete a Feature

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Feature Types link to expand the tree.
3. Click the link of the feature type that contains the feature you wish to delete.
The **General** tab of the Feature Type detail panel appears.
4. Click the **Features** tab.
The **Features** tab appears.
5. In the List of Features list box, highlight the feature you want to delete, and click **Delete**.
The feature disappears from the list box.
6. Click **Save All Changes**.

This chapter describes resource types and resources. Resources are electronic media you assign to the business objects in your questionnaire to enhance presentation.

CHAPTER 4, "Introduction to C3 Advisor" provides a description of C3 Advisor and how it works, as well as a short tutorial.

Working with Resource Types

A resource type business object is just a definition. It has a type, a label, and a description.

- The *type* property is the unique name you give to a resource type for your internal use.
- The *label* is a text string that you define when you create a resource type. When you assign a resource of this type, this is the default label text. Note that you can define a unique label for each resource if you choose.
- The *description* property allows you to enter a description or your comments about that resource type for internal use. When you assign a resource of this type, this is the default description text. Note that you can define a unique description for each resource if you choose.

It is up to you to decide how many resource types to create, and what those resource types should be. One common approach is to create a resource type for each kind of resource you want to assign. In this case, you might create resource types such as "Photographic Images," "Data Sheets," "Promotions," and "URLs."

One important thing to note is that while you can assign multiple resources to any of your business objects (entities), you can only assign one resource of a given resource type to each entity. Thus, if you define three resource types, you can assign up to three resources to any entity.

For this reason, many administrators choose to create what seem to be redundant resource types. For example, if you create the resource types "Photographs1" and "Photographs2," you can assign two different photographic resources to an entity.

To Create a Resource Type

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation panel, click the Resource Types link to display the Resource Types List Panel.




FIGURE 417. Resource Types List Panel

3. In the Resource Types panel, click **Create Resource Type** to display the New Resource Type Panel.

The screenshot displays the 'COMERGENT eBusiness System' logo and 'Advisor Administration' header. A navigation menu on the left lists 'All Objects' with links to 'Feature Type Groups', 'Feature Types', 'Questions', 'Questionnaire Pages', 'Rules', and 'Resource Types'. The 'Resource Types' link is selected, leading to a 'New Resource Type' form. The form includes fields for 'Type', 'Label', and 'Description'. At the bottom of the form are two buttons: 'Save All and Return to List' and 'Cancel and Return to List'.

FIGURE 418. New Resource Type Panel

4. In the New Resource Type panel, enter the appropriate information you want to give this resource type.
 - In the Type field, type the name of the resource type.
 - In the Label field, type the label.
 - In the Description field, type a description.
5. Click **Save All and Return to List**.

To Modify a Resource Type

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation panel, click the folder next to the Resource Types link to expand the Resource Types tree so that it shows all existing resource types.




FIGURE 419. Resource Type Tree (expanded)

3. Click the link of the resource type you want to modify to show its detail panel.




FIGURE 420. Resource Type Detail Panel

4. In the Resource Type detail panel, make any necessary changes.

5. Click **Save All Changes**.

To Delete a Resource Type

If you delete a resource type, then you automatically delete any resources of that resource type.

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation panel, click the Resource Types link to display the Resource Types List Panel.




FIGURE 421. Resource Types List Panel

3. In the List of Resource Types list box, highlight the resource type you want to delete, and click **Delete**.

The resource type disappears from the List of Resource Types list box.

4. Click **Save All Changes**.

The resource type disappears from the Navigation panel.

Note that when you delete a resource type, you also delete all resources of that type that have been assigned to entities.

Working with Resources

Because a resource can be one of many different kinds of things: a URL, a document file, and so on, the **C3 Advisor** handles resources differently than it does business objects of a known type. Instead of creating resources as business objects, you assign a resource type to an entity (feature type group, feature type, and so on), and then define the location of the resource (the path to a file or a URL that displays the information).

The management of resources includes assigning resources to entities and unassigning resources from entities. Resource assignment is performed in the **Resources** tab of the detail panel of the business object to which you are assigning the resource. For example, to assign a resource to a question (or to unassign a resource from a question), you must go to the **Resources** tab of that question's detail panel. Every kind of entity that can have a resource assigned to it has a **Resources** tab. The process for assigning and unassigning is the same, regardless of the kind of entity.

To Assign a Resource to an Entity

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation Panel, click the folder of the entity type to which you want to assign a resource to display the list of existing entities of that type.
3. Click the link of the entity to which you want to assign a resource to display its detail panel.
4. Click the **Resources** tab.




FIGURE 422. Resources Tab

5. In the Unassigned Resource Types drop-down list, select the resource type you want to assign to this entity, and click **Assign**.

The following things occur:

- The resource type disappears from the Unassigned Resource Types drop-down list and appears in the Assigned Resource Types list box.
 - The resource type appears in the Type field.
 - The resource type's label appears in the Label field.
 - The resource type's description appears in the Description text box.
6. In the Value field, type the location of the resource you want to assign.
This can be either a path to the file selected as the resource, or it can be a URL to a Web page that displays the information for the resource.
 7. (Optional) In the Label field, type the text you want to use as a label for the resource when it is displayed on a questionnaire page.

When you assign a resource type, its label is automatically populated in the Label field. You can choose to use this label if you want. You only need to overwrite the label if you want to give the resource a label that is different from the resource type's label.

8. (Optional) In the Description field, type the text you want to use as a description for the resource when it is displayed on a questionnaire page.

When you assign a resource type, the resource type's description is automatically populated in the Description field. You can choose to use this description if you want. You only need to overwrite the description if you want to give the resource a description that is different from the resource type's.

9. Click **Save All Changes**.

To Unassign a Resource from an Entity

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation Panel, click the folder of the entity type from which you want to unassign a resource to display the list of existing entities of that type.
3. Click the link of the entity from which you want to unassign a resource to display its detail panel.
4. Click the **Resources** tab.

The resource types currently assigned to the entity are displayed in the Assigned Resource Types list box (Figure 423 on page 655).

5. In the Assigned Resource Types list box, select the resource type you want to unassign.

The defined value, label, and description for the resource appear in the appropriate fields.




FIGURE 423. Resources Tab with Assigned Resources

6. Click **Unassign**.

The following things occur:

- The resource type disappears from the Assigned Resource Types list box and appears in the Unassigned Resource Types drop-down list.
- The Value, Label, and Description fields are emptied.

7. Click **Save All Changes**.

Managing Questionnaire Pages in C3 Advisor

This chapter describes how to create and manage your questionnaire pages. Questionnaire pages are the part of your questionnaire that your customers see. They can display one or more questions, and they usually display the product list as well.

See CHAPTER 4, "Introduction to C3 Advisor" for a description of **C3** Advisor and how it works as well as a short tutorial.

| |
|--|
| Attention: C3 Advisor will not work unless you create and activate a search index. See "Administering Advanced Search" on page 362 for more information. |
|--|

Working with Questionnaire Pages

Working with questionnaire pages entails defining their properties and also managing the assignment of questions to questionnaire pages. The properties of a questionnaire page are:

- The name of the questionnaire page.
This is the name you give the questionnaire page for internal use.
- A description of the questionnaire page
This is a description of the page for internal use.

- The name of a template JSP page to use with the questionnaire page.

Enables you to specify a JSP page to render the questionnaire page. If left blank, then the JSP defaults to a JSP page defined in the Business Rules Manager. See CHAPTER 39, "Business Rules Administration" for more information about setting this default.

- Show Product List.

Enables you to show or not show the product list for preliminary questionnaire pages that contain a long list of matching products. Instead the product list will appear only on later questionnaire pages that contain a short list of matching products.

- The number of columns in the question panel.

This determines how many columns of questions will display in the question panel of the questionnaire page.

You determine which questions are assigned to the questionnaire page, and specify the sequence in which these questions are displayed on the page. As you create other pages that are part of the questionnaire, you will also need to set which of your questionnaire pages will be the start page.

In addition, you can assign resources to a questionnaire page.

Note that within the question panel questions are displayed left to right across columns. Thus, if a questionnaire page has five assigned questions, and is defined to have three columns, then the first row will display three questions, and the next row will display two questions.

To Create a Questionnaire Page

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation panel, click the Questionnaire Pages link to display the Questionnaire Pages List Panel.




FIGURE 424. Questionnaire Pages List Panel

3. In the Questionnaire Pages List Panel, click **Create Questionnaire Page** to display the New Questionnaire Page Panel.




FIGURE 425. New Questionnaire Page Panel

4. Type the Name and Description of the new questionnaire page in the appropriate fields.

5. (Optional) Type the name of the template JSP page you want to use to render the questionnaire page.

If you leave this field blank, then the JSP page defaults to a page defined in a system property. See "Enterprise System Administration" on page 861 for information on accessing the system properties.

6. Leave the box checked next to **Show Product List** if you want your customer to see a list of products that match the customer's requirements displayed on the questionnaire page. If you uncheck this box, then the questionnaire page does not display the list of products that currently match the answers given by the customer.

In general, use this check box to avoid the display of preliminary questionnaire pages with a long list of matching products. You should design the questionnaire so that the list of matching products is displayed only on later questionnaire pages when the list of matching products is shorter.

7. Select the number of columns to be displayed in the question panel of the questionnaire page from the drop-down menu in the Number of Columns field.
8. Click **Save All and Return to List**.

The following actions occur:

- You return to the Questionnaire Pages List Panel.
 - The new questionnaire page appears in the List of Questionnaire Pages list box.
 - The new questionnaire page appears in the Navigation panel.
9. In the Navigation panel, click the new questionnaire page's link to display its detail panel.




FIGURE 426. Questionnaire Page Detail Panel

10. Click the **Assign Questions** tab.




FIGURE 427. Questionnaire Page Detail Panel: Assign Questions Tab

11. In the Unassigned Questions list box, highlight the questions that you want to assign to this questionnaire page, and click **Add**.

The highlighted questions move from the Unassigned Questions list box to the Assigned Questions list box.

12. Click **Save All Changes**.

13. Click the **Sequence Questions** tab.




FIGURE 428. Questionnaire Page Detail Panel: Sequence Questions Tab

14. One at a time, highlight each question and use the up and down arrows to sequence the questions as they should appear on the questionnaire page when it is displayed.
15. Click **Save All Changes**.
16. Click the **Resources** tab.

The assignment of resources is optional, and can be done at any time. If you do not want to assign a resource now, then skip this step and go to Step 18.
17. For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.
18. Click **Save All Changes**.

To Modify a Questionnaire Page

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questionnaire Pages link to expand the tree and display all existing questionnaire pages.
3. Click the link of the questionnaire page that you want to modify to display its detail panel.




FIGURE 429. Questionnaire Page Detail Panel

4. In the **General** tab, make any necessary changes to the Name, Description, and Number of Columns.
5. Click **Save All Changes**.
6. Click the **Assign Questions** tab.

Modifying question assignment comprises assigning new questions and unassigning existing ones.

- To assign a new question to the questionnaire page, highlight the question in the Unassigned Questions list box, and click **Add**.
- To unassign a question that is currently assigned to the questionnaire page, highlight the question in the Assigned Question list box, and click **Remove**.

7. Click **Save All Changes**.
8. Click the **Sequence Questions** tab.
9. Use the up and down arrows to order the questions in the sequence in which they need to be displayed on the questionnaire page.
10. Click **Save All Changes**.

11. Click the **Resources** tab.

The assignment of resources is optional, and can be done at any time. If you do not want to assign or unassign a resource now, then skip this step and go to Step 12.

Modifying resource assignment includes assigning and unassigning resources.

- For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.
- For each resource you want to unassign, follow the procedure "To Unassign a Resource from an Entity" on page 654.

12. Click **Save All Changes**.

To Delete a Questionnaire Page

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questionnaire Pages link to expand the tree and display all existing questionnaire pages.




FIGURE 430. Questionnaire Pages List Panel

3. In the Questionnaire Pages List Panel, highlight the questionnaire page you want to delete, and click **Delete**.
4. Click **Save All Changes**.

To Assign Questions and Sequence Questions

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questionnaire Pages link to expand the tree and display all existing questionnaire pages.
3. Click the link of the questionnaire page to which you want to assign a question to display that questionnaire page's detail panel.




FIGURE 431. Questionnaire Page Detail Panel

4. Click the **Assign Questions** tab.




FIGURE 432. Questionnaire Page Detail Panel: Assign Questions Tab

5. In the Unassigned Questions list box, highlight the question or questions you want to assign to this questionnaire page, and click **Add**.

The highlighted questions move from the Unassigned Questions list box to the Assigned Questions list box.

6. Click **Save All Changes**.
7. Click the **Sequence Questions** tab.




FIGURE 433. Questionnaire Page Detail Panel: Sequence Questions Tab

8. In the List of Questions list box, highlight the question you want to reposition, and use the up and down arrows to move it to its proper position in the sequence.

Repeat this step until the list of questions appears in the order in which you want them to be displayed.

9. Click **Save All Changes**.

To Set the Start Page

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questionnaire Pages link to expand the tree and display all existing questionnaire pages.
3. In the Navigation panel, click the Questionnaire Pages link to display the Questionnaire Pages List Panel.




FIGURE 434. Questionnaire Pages List Panel

4. In the List of Questionnaire Pages list box, highlight the page that you want to set as the start page, and click **Set Start**.

You can only specify one start page. If you highlight multiple questionnaire pages and click Set Start Page, then you will get an error message. If you have already set a start page, and then highlight and set a different page, then the new page takes the place of the old one as the start page.

5. Click **Save All Changes**.

Managing Questions and Answers in C3 Advisor

This chapter describes how you create and manage questions and answers. Answers map to features, which allows the questionnaire to identify products by the answers your customers choose. Both questions and answers are also key elements in the rules you create.

CHAPTER 4, "Introduction to C3 Advisor" provides a description of **C3 Advisor** and how it works as well as a short tutorial.

Working with Questions

Creating and managing a question entails defining its properties and creating its answers. This section deals with managing a question's properties. The section "Working with Answers" on page 674 describes how you manage the answers within a question.

Managing questions includes creating, modifying, and deleting.

To Create a Question

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation Panel, click the Questions link to display the Questions List Panel.




FIGURE 435. Questions List Panel

3. In the Questions List Panel, click **Create Question** to display the New Question Panel.




FIGURE 436. New Question Panel

4. Type the Name, Question Text, and Description for the new question in the appropriate fields.
5. Choose the kind of control that should be applied to the question's answers.
You can choose either Check Box, Drop-down List, or Radio Button.

6. Click **Save All and Return to List**.

The following actions occur:

- You return to the Questions List Panel.
- The new question appears in the List of Questions list box.
- The new question appears in the Navigation panel.

7. Click the new question's link in the Navigation panel to display its detail panel.

8. Click the **Answers** tab

Follow the procedure "To Create an Answer" on page 674 to create the question's answers.

9. Click the **Resources** tab.

The assignment of resources is optional, and can be done at any time. If you do not want to assign a resource now, then skip this step and go to Step 11.

10. For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.

11. Click **Save All Changes**.

To Modify a Question

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questions link to expand the tree and display all of the existing questions.
3. Click the link of the question that you want to modify to display its detail panel.




FIGURE 437. Question Detail Panel

4. In the **General** tab, make any necessary changes to the Name, Question Text, Description, or Control Type.
 - To change the information for Name, Question Text, or Description, type your changes in the appropriate field.
 - To change the Control Type, select a different control from the drop-down list.
5. Click **Save All Changes**.
6. Click the **Answers** tab.
7. In the **Answers** tab (see Figure 438 on page 673), make any necessary changes to the Question's answers.
 - To create a new answer, follow the procedure "To Create an Answer" on page 674.
 - To delete an answer, follow the procedure "To Delete an Answer" on page 682.
 - To reorder the answers, select each answer one at a time, and use the up and down arrows to position the answer in its proper place in the sequence.




FIGURE 438. Question Detail Pane: Answers Tab

8. Click **Save All Changes**.

9. Click the **Resources** tab.

The assignment of resources is optional, and can be done at any time. If you do not want to assign or unassign a resource now, then skip this step and go to Step 10.

Modifying resource assignment includes assigning and unassigning resources.

- For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.
- For each resource you want to unassign, follow the procedure "To Unassign a Resource from an Entity" on page 654.

10. Click **Save All Changes**.

To Delete a Question

Deleting a question automatically deletes all of that question's answers.

1. In the **C3** Advisor Administration page, click the Questions link to display the Questions List Panel.
2. In the List of Questions list box, highlight the question you want to delete, and click **Delete**.

The question disappears from the list box.

3. Click **Save All Changes**.

Working with Answers

Creating and managing answers entails defining its properties and assigning features to it. This section describes how to manage both a answer's properties and its feature assignments.

To learn about managing features, see "Working with Features" on page 642.

Managing answers includes creating, modifying, and deleting answers, as well as assigning features.

To Create an Answer

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questions link to expand the tree and display all existing questions.
3. Click the link of the question in which you want to create the new answer to display its detail panel.
4. Click the **Answers** tab.




FIGURE 439. Question Detail Panel: Answers Tab

5. Click **Create Answer** to display the New Answer Panel.

The screenshot shows the 'COMERGENT eBusiness System' logo and 'Advisor Administration' title. Navigation links include 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The 'All Objects' sidebar lists various categories like 'Questions', 'Assistance Type of Accessory', 'Assistance Type of Camera', 'Assistance Type of Computer', 'Assistance Type of Handheld', 'Assistance Type of Peripheral', 'Assistance Type of Product', 'Assistance Type of Server', 'Assistance Type of Software', 'Computer Usage', 'Enterprise', 'Enterprise - ERP Systems', 'Entry questions', 'Expert - DS Accessory Card Slots', 'Expert - DS Bays', and 'Expert - Handheld Operating System'. The main panel is titled 'Questions' and 'Assistance Type of Software'. It contains a 'New Answer' section with fields for 'Name', 'Answer Text', and 'Description'. Below these fields is a 'Filter Logic for features assigned to Answers' section with radio buttons for 'AND' and 'OR'. At the bottom are two buttons: 'Save All and Return to List' and 'Cancel and Return to List'.

FIGURE 440. New Answer Panel

6. Type the name, answer text, and description you want to give to the new answer in the appropriate fields.
7. Click **Save All and Return to List**.

The following actions occur:

- You return to the **Answers** tab of the Questions Detail Panel.
 - The new answer appears in the List of Answers list box.
 - The new answer appears in the Navigation Panel under the condition for which you created it.
8. Click the new answer's link in the Navigation panel to display its detail panel.




FIGURE 441. Answer Detail Panel: General Tab

9. Click the **Features** tab.




FIGURE 442. Answer Detail Panel: Features Tab

10. In the Feature Types drop-down list, select the feature type that includes the feature type or types you want to assign.

All of the available features in that feature type appear in the Unassigned Features list box.

11. Highlight the feature or features you want to assign to this answer, and click **Add**.

The highlighted features move from the Unassigned Features list box to the Assigned Features list box. These features appear in the Assigned Features list box under their feature type.

12. Click **Save All Changes**.

13. Click the **Resources** tab.

The assignment of resources is optional, and can be done at any time. If you do not want to assign a resource now, then skip this step and go to Step 15.

14. For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.

15. Click **Save All Changes**.

To Modify an Answer

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questions link to expand the tree to display all existing questions.
3. Click the folder next to the question that includes the answer you want to modify to display all of the answers that exist within that question.
4. Click the link of the answer that you want to modify to display its detail panel.




FIGURE 443. Answer Detail Panel

5. In the **General** tab make any necessary changes to the Name, Question Text, Description, or Control Type. To change the information for Name, Description, or Answer Text, type your changes in the appropriate field.
6. Click **Save All Changes**.
7. Click the **Features** tab.




FIGURE 444. Answer Detail Panel: Features Tab

8. Use the **Add** and **Remove** buttons to assign new features or unassign existing ones as needed.

To assign a feature:

- a. In the Feature Types drop-down list, select the feature type that includes the feature type or types you want to assign.

All of the available features in that feature type appear in the Unassigned Features list box.

- b. Highlight the feature or features you want to assign to this answer, and click **Add**.

Note that you can highlight and assign multiple features at once.

The highlighted features move from the Unassigned Features list box to the Assigned Features list box. These features appear in the Assigned Features list box under their feature type.

- c. Click **Save All Changes**.

To unassign a feature:

- a. Highlight the feature in the Assigned Features list box and click **Remove**.

The highlighted features move from the Assigned Features list box to the Unassigned Features list box.

- b. Click **Save All Changes**.

Note that you can unassign all the assigned features of a given feature type by highlighting the name of the feature type and clicking **Remove**.

9. Click the **Resources** tab.

The assignment of resources is optional, and can be done at any time. If you do not want to assign or unassign a resource now, then skip this step and go to Step 10.

Modifying resource assignment includes assigning and unassigning resources.

- For each resource you want to assign, follow the procedure "To Assign a Resource to an Entity" on page 652.
- For each resource you want to unassign, follow the procedure "To Unassign a Resource from an Entity" on page 654.

10. When you have finished modifying the answer, click **Save All Changes**.

To Assign a Feature to an Answer

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questions link to expand the tree to display all existing questions.
3. Click the folder next to the question that includes the answer you want to modify to display all of the answers that exist within that question.
4. Click the link of the answer to which you want to assign a feature to display its detail panel.
5. Click the **Features** tab.




FIGURE 445. Answer Detail Panel: Features Tab

6. In the Feature Types drop-down list, select the feature type that includes the feature type or types you want to assign.

All of the available features in that feature type appear in the Unassigned Features list box.

7. Highlight the feature or features you want to assign to this answer, and click **Add**.

The highlighted features move from the Unassigned Features list box to the Assigned Features list box. These features appear in the Assigned Features list box under their feature type.

8. Click **Save All Changes**.

Note that you can highlight and assign multiple features at once.

To Unassign a Feature from an Answer

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questions link to expand the tree to display all existing questions.
3. Click the folder next to the question that includes the answer you want to modify to display all of the answers that exist within that question.
4. Click the link of the answer from which you want to unassign a feature to display its detail panel.
5. Click the **Features** tab.




FIGURE 446. Answer Detail Panel: Features Tab

6. In the All Assigned Features list box, select the feature that you want to unassign.

Note that you can select all of the features of a feature type by selecting just the feature type. Also, you can select more than one feature at a time in the All Assigned Features list box.

7. Click **Remove**.

The highlighted features move from the All Assigned Features list box to the Unassigned Features list box.

8. Click **Save All Changes**.

Note that you can highlight and unassign multiple features at once.

To Delete an Answer

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. Click the folder next to the Questions link to expand the tree to display all existing questions.
3. Click the link of the question that contains the answer you wish to delete to display that question's detail panel.

The screenshot displays the Comergent eBusiness System Advisor Administration interface. On the left, under 'All Objects', a tree view shows 'Questions' expanded, listing various assistance types. The main panel on the right is titled 'Questions' and 'Assistance Type of Software'. It features three tabs: 'General' (selected), 'Answers', and 'Responses'. The 'General' tab contains fields for 'Name' (Assistance Type of Software), 'Question Text' (Select the type of software you are looking for.), and 'Description'. Below these is a 'Control Type' dropdown set to 'Radio button' and a 'Filter Logic' section with radio buttons for 'AND' and 'OR'. A 'Save All Changes' button is at the bottom right.

FIGURE 447. Question Detail Panel

4. Click the **Answers** tab.




FIGURE 448. Question Detail Panel: Answers Tab

5. In the List of Answers list box, highlight the answer you want to delete, and click **Delete**.

The answer disappears from the list box.

6. Click **Save All Changes**.

This chapter describes the creation and management of rules, which are the logic that determine the behavior of the questionnaire. To learn more about the concept of rules in the **C3** Advisor, see "Rules in the C3 Advisor" on page 112.

See CHAPTER 4, "Introduction to C3 Advisor" provides a description of **C3** Advisor and how it works as well as a short tutorial.

Working with Rules

This section describes how you create and manage rules in the **C3** Advisor Administration interface. Before you begin creating rules (or any other **C3** Advisor business object), you need to design the questionnaire that you want to build. See "Designing the Questionnaire" on page 121.

| | |
|--------------|---|
| Note: | Rules in C3 Advisor are distinct from rules in Visual Modeler. See "Rules" on page 508 for the tasks associated with Visual Modeler rules. |
|--------------|---|

Managing rules includes creating, modifying, and deleting rules.

To Create a Rule

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation panel, click the Rules link to display the Rules List Panel.




FIGURE 449. Rules List Panel

3. In the Rules panel, click **Create Rule** to display the New Rule Panel.




FIGURE 450. New Rule Panel

4. In the New Rule panel, enter the name and description you want to give to this rule.
5. Click **Save All and Return to List**.

The following actions occur:

- The New Rule panel disappears.
- The new rule appears in the List of Rules list box.

- The new rule appears in the Navigation Panel.
6. In the Navigation Panel, click the new rule's link, to display the Rule Detail Panel.




FIGURE 451. Rule Detail Panel

7. Click the **Construction** tab.




FIGURE 452. Rule Detail Panel: Construction Tab

8. In the Priority text field, type the priority you want to assign to this rule.

Priority determines the order in which rules are tested against the current state. Rules with a smaller numerical value are tested before rules of larger value.

9. Define the IF clause.

To assign a questionnaire page to the IF clause:

- a. Select Questionnaire Page in the Questions drop-down list.
- b. Select a questionnaire page in the Values drop-down list.
- c. Click the **Add Clause** button to the right of the IF list box.

To assign a question to the IF clause:

- a. Select either AND or AND NOT in the Modifier drop-down list.
- b. Select a question in the Questions drop-down list.
- c. Select an answer in the Values drop-down list.
- d. Click the **Add Clause** button to the right of the IF list box.

If you add an argument to the IF clause by mistake, then highlight that argument in the IF list box, and click **Delete Clause** to remove the argument from the clause.

Repeat these steps to add all of the necessary arguments to the IF clause.

10. Define the THEN clause.

The process is exactly the same as that shown in step 9 above, except that you use the Add and Delete buttons to the right of the THEN list box.

11. When the **Construction** tab displays the rule as it needs to be, click **Save All Changes**.

Note that both the IF clause and the THEN clause may contain either one questionnaire page or none. If you try to add a second questionnaire page to either clause, then it will replace the questionnaire page previously added to that clause. Both clauses may contain an unlimited number of question arguments.

To Modify a Rule

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.

2. In the Navigation panel, click the Rules folder to expand the tree and display all existing rules.
3. Click the link of the rule you wish to modify to display its detail panel.




FIGURE 453. Rule Detail Panel

4. Make any necessary changes to the rule's name and description and click **Save All Changes**.
5. Click the **Construction** tab.




FIGURE 454. Rule Detail Panel: Construction Tab

6. Make any necessary changes to the rule's construction.

- To change the rule's priority value, highlight and overwrite the value in the Priority text field.
- To modify the IF and THEN clauses, use the drop-down lists and the Add and Delete buttons as described in steps 9 and 10 in the task "To Create a Rule" on page 685.

7. Click **Save All Changes**.

To Delete a Rule

Note that, because rules are by their nature interdependent, deleting a rule may cause unexpected behavior in your questionnaire.

1. Click **Advisor Flows & Questionnaires** in the Product and Catalog Administration panel on the Comergent eBusiness System home page.
2. In the Navigation panel, click the Rules link to display the Rules List Panel.




FIGURE 455. Rules List Panel

3. In the List of Rules list box, highlight the rule you want to delete.
4. Click **Delete**.
5. Click **OK** to confirm that you want to delete the rule.

The Rule disappears from both the List of Rules list box and the Navigation panel.

6. Click **Save All Changes**.

This chapter covers the tasks performed by enterprise employees or **C3 Partner.com** partner employees to manage carts. This chapter also covers the tasks performed by the customer service representative to manage quotes. "Quotes Management" on page 37 provides an overview of how customers submit quotes and the responses by the customer service representative.


"Using Carts" on page 31 provides an overview of cart administration.

Working with Carts

You can search for and display carts belonging to partner users.

To Search for a Cart

1. Click **Customer Account Activity** on the Commerce Activity panel on the Comergent eBusiness System home page.

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Account Activity

Active | **Quotes** | Sales Contracts | Orders | Returns | Invoices

Find carts that contain:

Product ID [Search](#) [Show All](#) [Advanced Search](#)

Select a Cart to Copy or Delete. Click New to create a new Cart.


[Copy](#) [Delete](#) [New](#)

[Previous](#) [Next](#)

| <input type="checkbox"/> | Cart ID | Name | Last Modified | Date Created | User Name | Organization |
|--------------------------|---------|---------------------------------------|---------------|--------------|----------------------------------|--------------------------------------|
| <input type="checkbox"/> | 602057 | List for Jennifer | 11/15/2005 | 11/15/2005 | Miles, Jennifer | DataMatrix |
| <input type="checkbox"/> | 602051 | Cart | 11/14/2005 | 11/14/2005 | Scott, Mike | DataSolve |
| <input type="checkbox"/> | 1270 | SimpleCart | 2/21/2003 | 2/21/2003 | Wells, Brent | AffinityNet |
| <input type="checkbox"/> | 300030 | Product List | 6/7/2002 | 6/7/2002 | unknown, unknown | AnonymousUserPartner |
| <input type="checkbox"/> | 300029 | Product List | 6/7/2002 | 6/7/2002 | unknown, unknown | AnonymousUserPartner |
| <input type="checkbox"/> | 7501 | Principal Health Care | 4/11/2002 | 4/11/2002 | Mason, Chuck | Virtual Networks |

FIGURE 456. Cart List Page

2. You can perform a quick search on product ID, cart ID, or name, or search for the cart(s) by clicking **Advanced Search**.

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Carts Search

[Return to List](#)

Search for Carts with the given criteria. Partial entries with the wildcard character (*) are supported for Organization, Username, User First Name, User Last Name and Product ID.

[Submit](#) [Reset](#)

Find by Accounts handled by Manager/Rep

Find Carts by Organization or User

Organization: Username: User First Name: User Last Name:

Find Carts with the following attributes

Cart ID Product ID

Search Carts By Status

Cart Status:

Find Carts by Date Range

Creation Date Starting Date: Last Modified Starting Date:

FIGURE 457. Carts Search Page


3. You can click **Submit** to display all the lists or quotes, or enter search criteria:

Enter search criteria to help you locate a list or set of lists. You can specify criteria to limit the scope of the search. The search criteria are described in Table 45 on page 693.

TABLE 45. Search Fields

| Field | Description |
|---------------|--|
| Profile Name | If you enter the name of an organization, then only carts that belong to users of that organization are listed. |
| Product Id | If you enter one or more product IDs, then only carts that contain one or more of those IDs are listed. |
| Cart ID | Enter the ID number for the cart if you are searching for a particular cart. |
| Status | Select Active or Routed. |
| Username | Enter the username of a user to find all carts created by the specific user. |
| First Name | Enter the first name of a user to find all carts created by the specific user. |
| Last Name | Enter the last name of a user to find all carts created by the specific user. |
| Creation Date | Enter the Starting Date and Ending Date to find all carts created within a certain time frame. Enter Starting Date only to find all carts from the specified date forward. Enter an Ending Date only to find all carts up to the specified date. |
| Last Updated | Enter the Starting Date and Ending Date to find all carts updated within a certain time frame. Enter Starting Date only to find all carts from the specified date forward. Enter an Ending Date only to find all carts up to the specified date. |

The Search Results page displays all of the lists that meet your search criteria.



Administration

My Home

My Account

About

Help

Logout

Account Activity

Active

Quotes

Sales Contracts

Orders

Returns

Invoices

"Find carts that contain:"

Product ID

Search

Show All

Advanced Search

You are viewing lists for Organization Data'

Select a Cart to Copy or Delete. Click New to create a new Cart.

Copy

Delete

New

Previous

Next

| <input type="checkbox"/> | Cart ID | Name | Last Modified | Date Created | User Name | Organization |
|--------------------------|---------|-----------------------------------|---------------|--------------|---------------------------------|----------------------------|
| <input type="checkbox"/> | 602057 | List for Jennifer | 11/15/2005 | 11/15/2005 | Miles, Jennifer | DataMatrix |
| <input type="checkbox"/> | 602051 | Cart | 11/14/2005 | 11/14/2005 | Scott, Mike | DataSolve |
| <input type="checkbox"/> | 1053 | New Cart | 11/15/2001 | 11/15/2001 | Whitehall, Pat | DataMatrix |
| <input type="checkbox"/> | 1054 | Subst of 1053 | 11/15/2001 | 11/15/2001 | Whitehall, Pat | DataMatrix |
| <input type="checkbox"/> | 736 | New Cart | 11/15/2001 | 11/15/2001 | Dale, Chuck | DataMatrix |
| <input type="checkbox"/> | 789 | New Cart | 11/15/2001 | 11/15/2001 | Dale, Chuck | DataMatrix |
| <input type="checkbox"/> | 796 | New Cart | 11/15/2001 | 11/15/2001 | Dale, Chuck | DataMatrix |

FIGURE 458. Search Results

4. Click on an item or refine your search.

If you can identify the cart that you are looking for, then simply click its name to be taken to the Cart Detail page.

This page provides a complete description of a list, including line items and prices.

COMERGENT eBusiness System | Administration

My Home | My Account | About | Help | Logout

Build your Cart: [Return to list](#)

Name: List for Jennifer [change](#)

Customer Type: General

Currency: USD

Last Modified: 11/15/2005

Items: 1

User Name: [Miles, Jennifer](#)

Organization: [DataMatrix](#)

[Checkout >](#)

Ready to order? Click on Checkout to go to the next page and enter or update address and payment information and confirm your order.

You are currently on step 1 of 2 in processing this Cart. Add items to the Cart below by clicking on Continue Shopping to browse the catalog or click on Enter Product IDs if you know the SKU numbers you are interested in. When finished click on 'Checkout' to complete the Order.

[Save as Quote](#)

[Continue Shopping](#) [Help Me Find Products](#) [Enter Product IDs](#)

[Compare](#) [Move to Cart](#) [Copy to Cart](#) [Remove](#) After changing quantities, click 'Update' [Update](#)

| <input type="checkbox"/> | Name | Product ID | Supplier | Price | Quantity | Ext. Price | Status |
|--------------------------|----------------------------|---------------------------|------------|---------------|----------|-------------|--------|
| <input type="checkbox"/> | 7520 Notebook "Tough Line" | MPLP-7520 | Enterprise | \$1,985.00000 | 1 | \$1,985.000 | |
| | MS Word | MX-MSWORD | Included | | 1 | | |

* indicates one or more supplier prices for a product is (are) remote. Click on 'Select' to view actual price for the supplier(s). [View Notes](#) [Download](#) [Email](#)

FIGURE 459. Cart Detail Page

To Download Cart Information

1. Click **Customer Account Activity** on the Commerce Activity panel on the Comergent eBusiness System home page.
2. Search for a list or set of carts.

See "To Search for a Cart" on page 691.

The cart list page is displayed. It presents all of the carts that meet your search criteria.

3. Select those carts whose details you wish to export by checking the check box next to each cart.

You can click **Select All** to select all the carts displayed on the current page.

4. Click **Download Selected Carts** in the lower-right corner of the page.
5. Click **Go**.

A new browser window is displayed showing the selected cart data in HTML format.

You can save this file to your machine. If the file has been generated by a UNIX installation of the Comergent eBusiness System, then the file has UNIX end-of-line characters. This means that some Windows text-editing applications such as Notepad may display the file as one continuous line.

To View Cart Activity for Selected Partners

See "To View Cart Activity for Selected Profiles" on page 187.

Working with Quotes

Partner users can create quotes from product carts. They can also submit requests for price negotiation. The customer service representative uses the tasks in this section to approve or reject the quotes. Once approved, a price-negotiation quote becomes an orderable quote. The customer service representative can use the tasks in this section to edit quote details. For further details:

- See "Processing Quotes" on page 725

To Search for a Quote

You can search for a quote as follows:

1. Click **Advanced Search** in the Quotes panel on the Comergent eBusiness System home page.

The screenshot displays the 'Quote Search' page within the Comergent eBusiness System Administration interface. The page header includes the Comergent logo, the text 'Administration', and navigation links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main heading is 'Quote Search:', followed by a 'Return to List' link. Below this, a search instruction states: 'Search for Quotes with the given criteria. Partial entries with the wildcard character (*) are supported for Organization, Username, User First Name, User Last Name and Quote Name.' Two buttons, 'Submit' (orange) and 'Reset' (blue), are positioned to the right of the instruction. The search criteria are organized into several sections: 'Find by Accounts handled by Manager/Rep' with a dropdown menu; 'Find Inquiry Lists by Organization or User' with input fields for Organization, Username, User First Name, and User Last Name; 'Quotes with the following attributes' with input fields for Quote ID and Quote Name; 'Quotes By Status' with a dropdown menu for Quote Status; and 'Find Quotes by Date Range' with three columns for Creation Date, Last Modified, and Expiration Date, each containing 'Starting' and 'Date: M/d/yyyy' input fields.

FIGURE 460. Quotes Search Page

2. Enter search criteria.

Note: You can click **Submit** to display all the lists of the selected list type.

You can specify one or more of the criteria listed in Table 45 on page 693 to limit the scope of the search.

3. Click **Submit**.

The Search Results page displays all of the quotes that meet your search criteria.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

Product Lists

Active | Quotes | Sales Contracts | Orders | Returns | Invoices

"Find Quotes that contain"

Product ID: Search Show All Advanced Search

Select a list to Remove.

Delete

| <input type="checkbox"/> | Quote ID | Quote Name | Owned By | Expiration Date | Last Modified | Status |
|--------------------------|----------|------------|----------|-----------------|---------------|----------|
| <input type="checkbox"/> | 602051 | Cart | mscott | 12/15/2005 | 11/15/2005 | Accepted |

FIGURE 461. Quotes Search Results Page

To View Cart Activity for Selected Partners

See "To View Cart Activity for Selected Profiles" on page 187.

This chapter covers tasks performed on the enterprise server only by enterprise employees who have been assigned the Commerce function in the Comergent eBusiness System. See CHAPTER 6, "User Administration" for information about assigning functions. "Customer Service" on page 35 provides an overview of customer service in the Comergent eBusiness System.

The users assigned the Commerce function can perform the following tasks in the Comergent eBusiness System:

- "Viewing and Modifying Order Information" on page 700
 - "To Search for Orders" on page 701
 - "To Modify Price and Quantity Information" on page 704
 - "To Modify Order Header Information" on page 706
 - "To Modify Header Information for a Line Item" on page 709
 - "To View Order History" on page 713
- "Ordering On Behalf Of Customers" on page 714
 - "To Create Orders On Behalf of Customers" on page 715
 - "To Download Order Information" on page 718
- "Processing Return Requests" on page 721

- "To Search for Return Requests" on page 721
- "To Process Return Requests" on page 724
- "Processing Quotes" on page 725
 - "To Search for Quotes" on page 725
 - "To Process Quotes" on page 727
 - "To Modify a Quote" on page 728
 - "To Reject a Quote" on page 730
- "Creating Tasks From Commerce Objects" on page 730
 - "To Create a Task from a Commerce Object" on page 730

Viewing and Modifying Order Information

Once an order has been placed and accepted, customer service representatives can modify information about the order. This includes order header information (addresses and shipping details), and line item information (quantities, prices, ship-to addresses). For example, the original order quantity might have warranted a price break; a change in quantity might mean the price break is no longer relevant.

You can only modify orders whose status is either "In Process", "Partially Shipped", or "Partially Shipped, Partially Returned". When the order status is any of the "submitted" states ("Order Submitted", "Change Submitted", and so on), you cannot modify the order until the submission has been processed.

Simultaneous Changes to an Order

When an order is being modified simultaneously by two or more (users or administrators modifying orders at a Comergent installation, automatic ERP updates to the Comergent installation, and so on), the last-saved changes override previous changes.

For example, Person A displays the Order Detail page and change a line item quantity from 5 to 10. At the same time, Person B displays the Order Detail page for the same order and changes the quantity for another line item from 5 to 8. Person B submits their changes which are then committed to the database. Person A then submits changes which are committed to the database. When Person B logs in later and displays the Order Detail page for the changed order, the quantity that Person B changed will still show 5 not 8. The quantity for the line item changed by Person A will show correctly, 10 not 5.

In the same way, Person A can make a change to a partially-shipped line item which, while Person A is making the change, is being completely shipped. When Person A attempts to submit the change, the database will show that the line item cannot be modified. The system will refuse to allow the change by Person A.

If you suspect that changes have been made to an order, then you should log out of the Comergent eBusiness System and log back in again. When you display the order, the order will contain the latest changes.

To Search for Orders

You can search for orders as follows:

1. Click **Advanced Search** in the Orders panel on the Comergent eBusiness System home page.

The screenshot shows the 'COMERGENT eBusiness System Administration' interface. At the top, there are navigation links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below this is the 'Orders Search' section with a 'Return to List' link. A search instruction states: 'Search for Orders with the given criteria. Partial entries with the wildcard character (*) are supported for Organization, Username, User First Name, User Last Name, Supplier Name, Order Number, Purchase Order Number and Product ID.' There are two buttons: 'Submit' (orange) and 'Reset' (blue). The search criteria are organized into several sections: 'Find by Accounts handled by Manager/Rep' with a text input and a 'Go' button; 'Find Orders by Organization or User' with inputs for Organization, Username, User First Name, and User Last Name; 'Find Orders with the following attributes' with inputs for Reference #, Supplier Name, Sales Order #, Purchase Order #, Product ID, and Serial Number; 'Find Orders By Status' with a dropdown menu for Order Status; and 'Find Orders by Date Range' with inputs for Date Submitted, Last Modified, Starting, and Ending, each with a date format hint (Date:MM/DD/YYYY).

FIGURE 462. Order Search Page

2. Enter one or more search criteria (Table 46 on page 702), then click **Submit**.
You can use the asterisk (*) to perform wildcard searches.

The Orders tab of your Workspace page (Figure 463 on page 703) displays all of the orders that meet your search criteria.

TABLE 46. Searching for Orders: Search Fields

| Field | Description |
|-----------------------------|---|
| Accounts by Manager/ Rep | You can specify that the search should be performed only over partner accounts that are assigned to particular enterprise managers and users. Click ... to select users from the enterprise organization. |
| Organization | If you enter the name of an organization, then only orders that belong to users of that organization are listed. |
| Username | Enter the username of a user to find all orders created by the specific user. |
| User First Name | Enter the first name of a user to find all orders created by the specific user. |
| User Last Name | Enter the last name of a user to find all orders created by the specific user. |
| Reference Number | Enter a reference number to retrieve an order by its reference number. |
| Supplier Name | Enter the name of a supplier to find all orders placed with the supplier. |
| Order Number | Enter a order number to retrieve an order by its order number. |
| PO Number | Enter a purchase order number to retrieve an order by its purchase order number. |
| Product Id | If you enter one or more product IDs, then only lists that contain one or more of those IDs are listed. |
| Serial Number | Enter a serial number to retrieve orders that use this serial number. |
| Order Status | Select an order status. |

TABLE 46. Searching for Orders: Search Fields (Continued)

| Field | Description |
|--------------|---|
| Ordered Date | Enter the Starting Date and Ending Date to find all orders placed within a certain time frame. Enter Starting Date only to find all orders from the specified date forward. Enter an Ending Date only to find all orders up to the specified date. |
| Last Updated | Enter the Starting Date and Ending Date to find all orders updated within a certain time frame. Enter Starting Date only to find all orders from the specified date forward. Enter an Ending Date only to find all orders up to the specified date. |


The screenshot shows the 'COMERGENT eBusiness System Administration' interface. The 'Account Activity' section is active, with tabs for Active, Quotes, Sales Contracts, Orders, Returns, and Invoices. The 'Orders' tab is selected, displaying a search bar and a table of order results. The search bar contains 'Reference #' and a search button. Below the search bar, a message states 'You are viewing lists for Username ms'. A 'Reorder' button is also present. The table lists orders with columns: Supplier, Reference #, Sales Order #, Purchase Order #, Last Modified, Date Submitted, Amount, Overall Status, User Name, and Organization. The table contains 8 rows of data, each representing an order from 'Enterprise' to 'DataSolve'.

| Supplier | Reference # | Sales Order # | Purchase Order # | Last Modified | Date Submitted | Amount | Overall Status | User Name | Organization |
|------------|-------------|---------------|------------------|---------------|----------------|--------------|-------------------|-------------|--------------|
| Enterprise | 300048 | 8311308327 | qw75987qwe98 | 9/22/2005 | 6/7/2002 | \$247,781.42 | Partially Shipped | Scott, Mike | DataSolve |
| Enterprise | 600600 | 8096603576 | | 9/22/2005 | 9/20/2005 | \$1,577.95 | Shipped | Scott, Mike | DataSolve |
| Enterprise | 600744 | 2374589202 | | 9/22/2005 | 9/22/2005 | \$3,255.01 | Shipped | Scott, Mike | DataSolve |
| Enterprise | 600740 | 9316593600 | | 9/22/2005 | 9/22/2005 | \$50.08 | Rejected | Scott, Mike | DataSolve |
| Enterprise | 600633 | 8935582094 | | 9/21/2005 | 9/21/2005 | \$50.08 | Shipped Returned | Scott, Mike | DataSolve |
| Enterprise | 600638 | 1018600516 | | 9/21/2005 | 9/21/2005 | \$50.09 | Cancelled | Scott, Mike | DataSolve |
| Enterprise | 600532 | 6525602281 | 9274023 | 5/16/2003 | 5/16/2003 | \$24,776.43 | Shipped | Scott, Mike | DataSolve |

FIGURE 463. Workspace Page: Orders Tab with Search Results

- Click on the order number to see the Order Detail page.

This page provides specific information about the order, including relevant information about the user, the order, and the line item(s).

 **COMERGENT**
eBusiness System

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Order Details: Order # 8096603576 [Return to List](#)

Order #:
Customer Type:
Currency:
Last Modified:
Items:
User Name:
Organization:

8096603576
General
USD
9/22/2005
1
[Scott, Mike](#)
[DataSolve](#)

Back

Review the order details. To return already delivered products click Request Return. To view Invoices for this Order, click the Invoices button below.

Supplier: Enterprise

Shipping Information

Ship To:
Mike Scott
172 Barford Ave, First floor
Salt Lake City, UT 84093 USA
Ship Via: UPS
Ship when complete: No
Delivery on:
Memo:

Billing Information

Bill To:
Mike Scott
172 Barford Ave, First floor
Salt Lake City, UT 84093 USA
PO Number: None
Email Address:
mscott@omsolutions.com
Account Number: 12342345
Expiry Date: 11/30/2008

Sold-To Information

Sold To:
Mike Scott
172 Barford Ave, First floor
Salt Lake City, UT 84093 USA

FIGURE 464. Order Detail Page

If the order has not yet been accepted, then the page will be displayed as read-only. Otherwise, the page is displayed as in Figure 464 on page 704.

To Modify Price and Quantity Information

You may be required to change an order, for example in response to a request by a user.

1. Search for and display the Order Detail page for the order you want to modify.
See "To Search for Orders" on page 701.

2. Click **Change Order**.

This displays the Order Change page.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

Change Order: [Return to List](#)

Order #: 1729601098
 Customer Type: General
 Currency: USD
 Last Modified: 9/23/2005
 Items: 1
 User Name: [Clu.Chen](#)
 Organization: [DataSolve](#)

Checkout >
 Finished changes to your order? Click on Checkout to finish your order. You can make changes to your billing and shipping information before submitting the changes.

You are currently on step 1 of 2 in processing this Order. Add items to the Order below by clicking on Continue Shopping to browse the catalog or click on Enter Product IDs if you know the SKU numbers you are interested in. When finished click on 'Checkout' to complete the Order.

[Continue Shopping](#) [Help Me Find Products](#) [Enter Product IDs](#)

[Compare](#) [Move to Cart](#) [Copy to Cart](#) [Remove](#) After changing quantities, click 'Update' [Update](#)

| <input type="checkbox"/> | Name | Product ID | Price | Quantity | Ext. Price | Status |
|--------------------------|----------------------|-----------------------------|-----------|----------|------------|--------|
| <input type="checkbox"/> | Matrix 7550 Notebook | MXLP-7550-S | \$2563.00 | 1 | \$2,563.00 | |

Misc. Adjustments: \$0.00
 Subtotal: \$2,563.00
 Tax: \$358.82
 Shipping Cost: \$333.19
 Total Price: \$3,255.01

* indicates one or more supplier prices for a product is (are) remote. Click on 'Select' to view actual price for the supplier(s).
[View Notes](#) [Download](#) [Email](#)

FIGURE 465. Order Change Page

3. Modify the price or quantity of the line items you want to change. You can add products to the carts in these ways:
 - a. Click **Continue Shopping** to navigate through the product catalog to the product that you want to add.
 - b. Click **Help Me Find Products** to use **C3 Advisor** to identify products that meet the customer's needs.
 - c. Click **Enter Product ID's**. This opens up a panel in which you can enter product IDs directly. Use this panel if you know the exact product ID of the product you want to add.

[Continue Shopping](#) [Enter Product IDs](#)

Enter Product ID and QTY below, and Add. Once you are done entering products, click 'Add To List' to include the products in your Product List.

Product ID# QTY [Add](#)

Click the 'Add to List' button below to include these products in your Product List

[Add to List](#)

FIGURE 466. Enter Product ID Panel

Enter the product ID and quantity and then click **Add**. You can enter product IDs that do not exist in the product catalog: these are referred to as *external products*. If you do so, then you must uncheck the

Validate product check box. When you do, extra fields open up so that you can enter a Name, Description, and Price for this external product. Then click **Add to List**. Note that external product prices cannot be validated against the price lists stored in the Knowledgebase: if the currency of the cart changes, then the prices of external products are marked as N/A (not available).

4. Click **Update**.
5. Click **Checkout**. If you want to change information in the order header such as delivery or payment information, then click **Edit**. When you have finished making changes, then click **Save** to return to the Change Order Header page.
6. Click **Place Order** to submit the changes.

The changes are submitted and the status of the order changes to "Change Submitted".

7. On the Confirmation of Order page, click **Done** to return to the Orders tab of your Workspace page.

To Modify Order Header Information

This task describes how to modify header information for the entire order. See "To Modify Header Information for a Line Item" on page 709 for information about modifying header information for a specific line item.

1. Search for and display the Order Detail page for the order you want to modify.
See "To Search for Orders" on page 701.
2. Click **Change Order**.

This displays the Order Change page.

COMERGENT
eBusiness System

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Change Order:

[Return to List](#)

Order #:

1729601098

Customer Type:

General

Currency:

USD

Last Modified:

9/23/2005

Items:

1

User Name:

[Clu.Chen](#)

Organization:

[DataSolve](#)

Checkout >

Finished changes to your order? Click on Checkout to finish your order. You can make changes to your billing and shipping information before submitting the changes.

You are currently on step 1 of 2 in processing this Order. Add items to the Order below by clicking on Continue Shopping to browse the catalog or click on Enter Product IDs if you know the SKU numbers you are interested in. When finished click on 'Checkout' to complete the Order.

Continue Shopping

Help Me Find Products

Enter Product IDs

[Compare](#)
[Move to Cart](#)
[Copy to Cart](#)
[Remove](#)

After changing quantities, click 'Update'

Update

| <input type="checkbox"/> | Name | Product ID | Price | Quantity | Ext. Price | Status |
|--------------------------|----------------------|-----------------------------|-----------|----------|------------|--------|
| <input type="checkbox"/> | Matrix 7550 Notebook | MXLP-7550-S | \$2563.00 | 1 | \$2,563.00 | |

Misc. Adjustments:

\$0.00

Subtotal:

\$2,563.00

Tax:

\$358.82

Shipping Cost:

\$333.19

Total Price:

\$3,255.01


* Indicates one or more supplier prices for a product is (are) remote. Click on 'Select' to view actual price for the supplier(s).
[View Notes](#) [Download](#) [Email](#)

FIGURE 467. Order Change Page

3. Click **Checkout**.

Note: If no such button is displayed, then a change has already been submitted for this order. You cannot make a change the submitted change has been processed.

This displays the Change Order Header page.

 **COMERGENT**
eBusiness System

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Change Order Header [Return to List](#)

Order #:
Customer Type:
Currency:
Last Modified:
Items:
User Name:
Organization:

1729601098
General
USD
9/23/2005
1
Cl, Chen
DataSolve

Ready to submit changes to your Order? Click on Place Order to submit your order. You will receive an e-mail message confirming your changes. If you aren't done yet, [Go Back and Edit your Order.](#)

[PLACE ORDER](#)

You are currently on step 2 of 2 in processing this Order. Click 'Edit' to prepare order header. This order may contain multiple headers - Please scroll down to view and edit information for each supplier. To provide line level shipping information, click the 'edit' link in the first column in the list of products below. Click 'Place Order' to place the order.

[Check Availability](#)

Suppliers: **Enterprise** [Edit](#)


Shipping Information
Ship To:
Chen Cl
172 Barford Ave, First floor
Salt Lake City, UT 84093 USA
Ship Via: UPS
Ship when complete: No
Deliver on:
Memo:

Billing Information
Bill To:
Chen Cl
172 Barford Ave, First floor
Salt Lake City, UT 84093 USA
PO Number: None
Email Address:
mgilchrist@comergent.com
Credit Card Number:
XXXXXXXXXXXX1111
Expiry Date: 9/30/2010
Card Holder Name:

Sold-To Information
Sold To:
Chen Cl
172 Barford Ave, First floor
Salt Lake City, UT 84093 USA

FIGURE 468. Change Order Header Page

4. Click **Edit** to display the Order Header Info page.

 **COMERGENT**
eBusiness System

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Order Header Info: Supplier: Enterprise [Return to List](#)

All fields with asterisk(*) are required.

[Save](#) [Cancel](#)

Payment and other Information

P.O.#:

Payment Type:*

Credit card

Account Number or Credit Card Number: *

XXXXXXXXXXXX1111

Expiration Date: *

September 2010

Card Holder Name fields required only if using Credit Card:

First Name: *

Chris

Middle Name/Initial:

Last Name: *

Chen

Credit Card Type (if selected Credit Card):

Visa

Phone Number:

610-6856

Email Address:

mgilchrist@comerge

Taxable:

☒

FIGURE 469. Order Header Info Page

5. You can change the following information:

- **General Order Information**

This includes payment information, phone numbers, and email addresses.

- **Ship To, Bill To, and Sold To Addresses**

The ship to address you enter here is used as the default for the order. Each line item can have its own ship to address. You can choose to have this line item address override the order level ship to address.

- **Modify the shipping details as necessary.** To change the delivery date, you can click the calendar icon to the right of the field to display a calendar.

6. Click **Save** to save your changes and re-display the Order Header Change page (Figure 468 on page 708).

7. Click **Review Changes**.

This displays a read-only screen that enables you to review the changes you have made.

| |
|--|
| Attention: Do not click Place Order until you have made all the order modifications you want to make. Once you submit the changes, you cannot make any changes to the order until the changes have been processed. |
|--|

8. Click **Place Order** to submit the changes.

To Modify Header Information for a Line Item


This task describes how you can modify order information specific to a line item. To modify price and quantity, see "To Modify Price and Quantity Information" on page 704.

1. Search for and display the Order Detail page for the order you want to modify.

See "To Search for Orders" on page 701.

2. Click **Change Order**.

This displays the Order Change page.

 **COMERGENT**
eBusiness System

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Change Order: [Return to List](#)

Order #:
Customer Type:
Currency:
Last Modified:
Items:
User Name:
Organization:

1729601098
General
USD
9/23/2005
1
Clj.Chen
[DataSolve](#)

Checkout >

Finished changes to your order? Click on Checkout to finish your order. You can make changes to your billing and shipping information before submitting the changes.

You are currently on step 1 of 2 in processing this Order.
Add items to the Order below by clicking on Continue Shopping to browse the catalog or click on Enter Product IDs if you know the SKU numbers you are interested in.
When finished click on 'Checkout' to complete the Order.

[Continue Shopping](#) [Help Me Find Products](#) [Enter Product IDs](#)

[Compare](#) [Move to Cart](#) [Copy to Cart](#) [Remove](#) After changing quantities, click 'Update' [Update](#)

| <input type="checkbox"/> | Name | Product ID | Price | Quantity | Ext. Price | Status |
|--------------------------|----------------------|-----------------------------|-----------|----------|------------|--------|
| <input type="checkbox"/> | Matrix 7550 Notebook | MXLP-7550-S | \$2563.00 | 1 | \$2,563.00 | |

Misc. Adjustments:

Subtotal: \$0.00
Tax: \$2,563.00
Shipping Cost: \$333.19
Total Price: \$3,255.01

* indicates one or more supplier prices for a product is (are) remote. Click on 'Select' to view actual price for the supplier(s).


[View Notes](#) [Download](#) [Email](#)

FIGURE 470. Change Order Page

3. Click **Checkout**.

Note: If no such button is displayed, then a change has already been submitted for this order. You cannot make a change the submitted change has been processed.

This displays the Change Order Header page.



Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Change Order Header

[Return to List](#)

Order #:

1729601098

Customer Type:

General

Currency:

USD

Last Modified:

9/23/2005

Items:

1

User Name:

[Cl, Chen](#)

Organization:

[DataSolve](#)

Ready to submit changes to your Order? Click on Place Order to submit your order. You will receive an e-mail message confirming your changes. If you aren't done yet, [Go Back and Edit your Order.](#)

PLACE ORDER

You are currently on step 2 of 2 in processing this Order. Click 'Edit' to prepare order header. This order may contain multiple headers - Please scroll down to view and edit information for each supplier. To provide line level shipping information, click the 'edit' link in the first column in the list of products below. Click 'Place Order' to place the order.

Check Availability

Suppliers: Enterprise

Edit

Shipping Information

Ship To:

Chen Cl

172 Barford Ave, First floor

Salt Lake City, UT 84093 USA

Ship Via: UPS

Ship when complete: No

Deliver on:

None

Billing Information

Bill To:

Chen Cl

172 Barford Ave, First floor

Salt Lake City, UT 84093 USA

PO Number: None

Email Address:

mgldivst@comergent.com

Credit Card Number:

XXXXXXXXXXXX1111

Expiry Date:

9/30/2010

Card Holder Name:

Sold-To Information

Sold To:

Chen Cl

172 Barford Ave, First floor

Salt Lake City, UT 84093 USA

FIGURE 471. Change Order Header Page

4. Find the line item whose header information you want to modify.
 5. Click **Edit** for the line item number of the line item you want to modify.
- This displays the Shipping Detail page (see Figure 472 on page 712).

The screenshot shows the 'Shipping Details' page in the Comergent eBusiness System Administration interface. The page title is 'COMERGENT Administration eBusiness System'. Navigation links include 'My Home', 'My Account', 'About', 'Help', and 'Logout'. A 'Return to List' link is in the top right. The main heading is 'Shipping Details:'. Below it, a message says 'Enter Shipping Information. When you are finished filling out the information below click 'Done''. There are '< Back' and 'Done' buttons. A table lists the line item:

| Name | Product ID | Description | Quantity | Shipped Qty. | Status |
|----------------------|-----------------------------|--------------------------------------|----------|--------------|------------|
| Matrix 7550 Notebook | MGLP-7550-S | Matrix 7550 Notebook Power Magnitude | 1 | | In Process |

Below the table, a checkbox is labeled 'Use this shipping information'. A section titled 'Ship-To Information' contains fields for Title (Mr.), Last name, First name, Organization, Address Line 1, Address Line 2, City, State and Zip, and Country (USA). An 'Address Book' link is below these fields. At the bottom, a 'Shipping Information' section has a 'Ship Via' dropdown menu set to 'UPS'.

FIGURE 472. Shipping Detail Page: Line Item

6. Change information as necessary. Check the box marked **Use this shipping information** if you want to use the line-item specific ship to address for this line item. If you do not check this box, then the order level ship to address will be used as the default.
 - Ship To Address

The ship to address you enter here is used as the ship to address for this particular line item.
 - Modify the shipping details as necessary.

You use the Shipping Details frame in the lower right portion of the page (see Figure 472 on page 712). To change the delivery date, you can click the calendar icon to the right of the field to display a calendar.

You can also enter shipping details that apply to this specific line item.
7. Click **Done** to save your changes and re-display the Change Order Header page (Figure 471 on page 711).
8. Repeat steps 4 through 7 to modify additional line items.
9. Click **Place Order** to submit the changes.

To View Order History

Perform these steps to view the history for an individual line item on an order.

1. Search for and display the Order Detail page for the order you want to modify.
See "To Search for Orders" on page 701.
2. Click the Order Number to display the detail page.

COMERGENT | Administration
eBusiness System

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Order Details: Order # 8096603576 [Return to List](#)

[Back](#)

| | |
|----------------|-----------------------------|
| Order #: | 8096603576 |
| Customer Type: | General |
| Currency: | USD |
| Last Modified: | 9/22/2005 |
| Items: | 1 |
| User Name: | Scott, Mike |
| Organization: | DataSolve |

Review the order details. To return already delivered products click Request Return. To view Invoices for this Order, click the Invoices button below.


Supplier: Enterprise

| Shipping Information | Billing Information | Sold-To Information |
|--|---|---|
| Ship To: Mike Scott 172 Barford Ave. First Floor Salt Lake City, UT 84093 USA Ship Via: UPS Ship when complete: No Deliver on: Hemo: | Bill To: Mike Scott 172 Barford Ave. First Floor Salt Lake City, UT 84093 USA PO Number: None Email Address: msscott@icmsolutions.com Account Number: 12342345 Expiry Date: 11/30/2008 | Sold To: Mike Scott 172 Barford Ave. First Floor Salt Lake City, UT 84093 USA |

FIGURE 473. Order Detail Page

3. Find the line item whose history you want to view.
4. Click **History** for the line item.

This displays the Line History list page. This page lists the actions that have been performed on the line item. You can click **Done** to return to the Order Detail page.



Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Line History for Order number: 1729601098


[Return to List](#)

[Done](#)

| | Last Updated | Updated By | Ordered Qty | Price | Shipped Qty | Status |
|-------------------------|--------------|------------|-------------|------------|-------------|-----------------|
| Details | 9/23/2005 | cchen | 1 | \$2,563.00 | | Order Submitted |
| Details | 9/23/2005 | ERPAdmin | 1 | \$2,563.00 | | In Process |

FIGURE 474. Line History List Page

- Find the action for which you want to view the details.
- Click **Details** for the action.




| | | | | | |
|--|-------------|--------------------------------------|-----|--|--|
|  | | Administration | | | |
| My Home My Account About Help Logout | | | | | |
| Shipping Details: PO#: Done | | | | | |
| Product Information | | | | | |
| Product Name | Product ID | Description | QTY | | |
| Matrix 7550 Notebook | M5LP-7550-S | Matrix 7550 Notebook Power Magnitude | 1 | | |
| <input type="checkbox"/> Using Shipping Information | | | | | |
| Ship To Address | | | | | |
| First name: | | | | | |
| Last name: | | | | | |
| Organization: | | | | | |
| Address Line 1:* | | | | | |
| Address Line 2: | | | | | |
| City:* | | | | | |
| State and Zip: | | | | | |
| Country:* | | | | | |
| Shipping Details | | | | | |
| Shipped Via:* | | | | | |
| <input type="checkbox"/> Ship only when complete | | | | | |
| Shipping Instructions: | | | | | |

FIGURE 475. Line History Detail Page

- Click **Back** to return to the Line History list page.

Ordering On Behalf Of Customers

Occasionally, a customer is unwilling or temporarily unable to place orders themselves. They might not have access to online ordering or their online system may not be working. In Release 6.4.1 and higher, an enterprise user with the

Commerce function can use the tasks in this chapter to place an order on behalf of a customer.

Note: You can only place orders on behalf of users who already exist in the Comergent eBusiness System and who belong to partners that have been assigned to you.

In particular, you can only create orders for new customers if you have been assigned the Anonymous User partner.

To Create Orders On Behalf of Customers

1. Click **Customer Account Activity** on the Commerce Activity panel on the Comergent eBusiness System home page.

This displays the Workspace for creating and modifying orders on behalf of the customers.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

Account Activity

Active | Quotes | Sales Contracts | Orders | Returns | Invoices

Find carts that contain:

Product ID: Search Show All Advanced Search

Select a Cart to Copy or Delete. Click New to create a new Cart.

Copy Delete New

Previous Next

| <input type="checkbox"/> | Cart ID | Name | Last Modified | Date Created | User Name | Organization |
|--------------------------|---------|------|---------------|--------------|------------------|----------------------|
| <input type="checkbox"/> | 600778 | Cart | 9/23/2005 | 9/23/2005 | Kelley, Pat | Andere |
| <input type="checkbox"/> | 600777 | Cart | 9/23/2005 | 9/23/2005 | Kelley, Pat | Andere |
| <input type="checkbox"/> | 600776 | Cart | 9/23/2005 | 9/23/2005 | Allison, Larry | CompCom |
| <input type="checkbox"/> | 600775 | Cart | 9/23/2005 | 9/23/2005 | unknown, unknown | AnonymousUserPartner |
| <input type="checkbox"/> | 600774 | Cart | 9/23/2005 | 9/23/2005 | Kelley, Pat | Andere |
| <input type="checkbox"/> | 600764 | Cart | 9/23/2005 | 9/23/2005 | Barney, Marvin | AffinityNet |

FIGURE 476. CSR Workspace

2. Click **New**.

This displays the Create New List panel.

Target User X
New List Name Product List Create

FIGURE 477. Create New List

3. Enter the username of the registered user.
4. Enter the name that you want to give the cart.

Typically this might be something like “List Ordered for Anderel” or some other partner name. Comergent recommends that you include the name of the user in the cart name. This will make it easier to distinguish between carts later on.

5. Click **Create**.
6. Click on the cart name.

This displays the Build Your Cart page.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

Build your Cart: [Return to List](#)

Name: Rush order [Change](#)

Customer Type: General

Currency: USD

Last Modified: 9/23/2005

Items: 0

User Name: [Scott, Mike](#)

Organization: [DataSolve](#)

You have no products in your Cart. Please add one or more products before checking out. [Checkout](#)

You are currently on step 1 of 2 in processing this Cart. Add items to the Cart below by clicking on Continue Shopping to browse the catalog or click on Enter Product IDs if you know the SKU numbers you are interested in. When finished click on 'Checkout' to complete the Order.

[Save as Quote](#)

[Continue Shopping](#) [Help Me Find Products](#) [Enter Product IDs](#)

[Compare](#) [Move to Cart](#) [Copy to Cart](#) [Remove](#) After changing quantities, click 'Update' [Update](#)

| <input type="checkbox"/> | Name | Product ID | Supplier | Price | Quantity | Ext. Price | Status |
|--------------------------|------|------------|----------|-------|----------|------------|--------|
|--------------------------|------|------------|----------|-------|----------|------------|--------|

FIGURE 478. Build Your Cart Page

7. Modify the general information, if necessary.
 - a. Click **Change**.

This displays the Change List Info window.

List Name: [Update](#)

Customer Type:

Currency:

Last Modified:

Items:

User Name: [Go](#)

Organization:

FIGURE 479. Change List Info

- b. If desired, change the list name, the customer type, or the currency code.

The customer types and currency codes in the drop-down lists represent the customer types and currency codes of the price lists assigned to the partner user for whom you are creating the order. When you create the order, you will only find products (and prices) from price lists assigned to the partner that have the displayed combination of customer type and currency code.

- c. Click **Save**.

8. Build the product list.

You can either add products in one of three ways:

- Browse the product catalog.

Click **Continue Shopping** to browse the product hierarchy.

- Add products by answering questions.


Click **Help Me Find Products**. This displays a series of questions, the answers to which determine the products that are displayed.

- Add products by entering product IDs.

Click **Enter Product IDs**. This displays Product ID# and QTY fields.

9. Click **Checkout**.

This displays the Prepare Order Header window.

 **COMERGENT**
eBusiness System

Administration

My Home | My Account | About | Help | Logout

Prepare Order Header: [Return to List](#)

| | | |
|----------------|-----------------------------|------------------------|
| Name: | Rush order | Change |
| Customer Type: | General | |
| Currency: | USD | |
| Last Modified: | 9/23/2005 | |
| Items: | 1 | |
| User Name: | Scott, Mike | |
| Organization: | DataSolve | |

Ready to order? [PLACE ORDER](#)
Click on Place Order to submit your order. You will receive an e-mail message confirming your order. If you aren't done yet, [Go Back and Edit your Cart](#).

You are currently on step 2 of 2 in processing this Cart.
Click 'Edit' to prepare order header. This order may contain multiple headers - Please scroll down to view and edit information for each supplier. To provide line level shipping information, click the 'edit' link in the first column in the list of products below.
Click 'Place Order' to place the order.

Check Availability

Supplier: Enterprise **DATA**

| | | |
|--|---|--|
| Shipping Information Ship To: Mike Scott 172 Barford Ave, First floor Salt Lake City, UT 84093 USA Ship Via: UPS Ship when complete: No Deliver on: Memo: | Billing Information Bill To: Mike Scott 172 Barford Ave, First floor Salt Lake City, UT 84093 USA PO Number: None Email Address: msscott@imsolutions.com Credit Card Number: XXXXXXXXXXXX1111 Expiry Date: 11/1/2008 | Sold-To Information Sold To: Mike Scott 172 Barford Ave, First floor Salt Lake City, UT 84093 USA |
|--|---|--|

FIGURE 480. Prepare Order Header Page

10. Prepare the order header.

You can prepare information either at the order level or at the line item level. To enter information at the order level, click **Edit**. To enter information at the line item level, click the icon at the far left of the line item you want to edit.

11. Click **Place Order**.

The order is submitted. A confirmation number is displayed.

Once the order has been accepted and is “in process”, the partner user for whom the order was placed can view and modify the order by logging in as an end-user.

The customer service representative can view and modify the order using the procedures in "Viewing and Modifying Order Information" on page 700.

To Download Order Information

1. Click **Advanced Search** in the Orders panel on the Comergent eBusiness System home page.

2. Enter search criteria to help you locate an order or set of orders. You can specify criteria to limit the scope of the search as described in "To Search for Orders" on page 701. Click **Submit**.

The Orders tab of the Workspace page is displayed with the orders that meet your search criteria displayed.

3. Select those orders whose details you wish to download by checking the check boxes next to each order.
4. Click **Download Selected Orders**.

A new browser window is displayed showing the selected order data in text format.

http://madoka.jcc:1030/Comergent/en/US/enterpriseMgr/matrix?cmd=DownloadOrderRequest - Microsoft Internet E...

File Edit View Favorites Tools Help

Back Forward Stop Search Favorites Media Print

Order Number: 8761592881
PO Number:
Supplier: Enterprise

| Product ID | Description | List Price | Qty | Extended Price |
|--------------------|-------------------------------------|------------|-----|----------------|
| MXLP-7410 | The Matrix 7410 Notebook is the rig | \$1,506.50 | 1 | \$1,506.50 |
| Misc. Adjustments: | | | | \$0.00 |
| Sub Total: | | | | \$1,506.50 |
| Shipping Charges: | | | | \$75.32 |
| Taxes: | | | | \$90.39 |
| Total: | | | | \$1,672.22 |

Order Number: 8917592737
PO Number:
Supplier: Enterprise

| Product ID | Description | List Price | Qty | Extended Price |
|------------|--|------------|-----|----------------|
| MX-GV17T | 17" Monitor | \$374.00 | 1 | \$374.00 |
| MXDS-7480 | The Matrix 7480 Desktop is a comple | \$733.95 | 1 | \$733.95 |
| MX-GV17T | 17" Monitor | included | 1 | |
| MX-MSW2K | Win2K | included | 1 | |
| MXA-MSS | Matrix Satellite Sound Speaker | included | 2 | |
| MXD-7600 | Matrix 7600 Notebook Tough Lite has \$2,663.00 | | 1 | \$2,663.00 |

FIGURE 481. Download Selected Lists Page

You can save this file to your machine. When you open this saved file in a spreadsheet application, you must specify that it has been created in a tab-delimited format.

If the file has been generated by a UNIX installation of the Comergent eBusiness System, then the file has UNIX end-of-line characters. This means that some Windows text-editing applications (such as Notepad) may display the file as one continuous line. You can still open the file as a spreadsheet.

To Email Order Information

1. Click **Advanced Search** in the Orders panel on the Comergent eBusiness System home page.

The screenshot shows the 'Orders Search' page of the Comergent eBusiness System Administration interface. The page has a header with the Comergent logo and navigation links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below the header is a yellow bar with the title 'Orders Search' and a 'Return to List' link. The main content area contains several search criteria sections: 'Find by Accounts handled by Manager/Rep' with a text input and a 'Go' button; 'Find Orders by Organization or User' with fields for Organization, Username, User First Name, and User Last Name; 'Find Orders with the following attributes' with fields for Reference #, Supplier Name, Sales Order #, Purchase Order #, Product ID, and Serial Number; 'Find Orders By Status' with a dropdown menu for Order Status; and 'Find Orders by Date Range' with fields for Date Submitted and Last Modified. At the top right of the search area are 'Submit' and 'Reset' buttons.

FIGURE 482. Order Search Page

2. Enter search criteria to help you locate an order or set of orders. You can specify criteria to limit the scope of the search as described in "To Search for Orders" on page 701. Click **Submit**.

The Orders tab of the Workspace page is displayed with the orders that meet your search criteria displayed.

3. Select those orders whose details you wish to download by checking the check boxes next to each order.
4. Click **Email Selected Orders**.

The Email Lists window is displayed




FIGURE 483. Email Lists Window


5. Enter the email to which you want to send the orders and a From address, and optionally the other information as desired.
6. Click **Send**.
7. Click **Close** to close the window.

Processing Return Requests

The customer service representative can view all the return requests currently in the system. In addition, the representative can manually approve or reject those requests for which no decision has been reached.

To Search for Return Requests

1. Click **Advanced Search** in the Returns panel on the Comergent eBusiness System home page.

 **COMERGENT**
eBusiness System

Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Returns Search [Return to List](#)

Search for Returns with the given criteria. Partial entries with the wildcard character (*) are supported for Organization, Username, User First Name, User Last Name, Order Number, RMA Number, Serial Number and Product ID.

Submit **Reset**

Find by Accounts handled by Manager/Rep

Find Returns by Organization or User
Organization: Username: User First Name: User Last Name:

Find Returns with the following attributes
Return Number Order Number RMA Number Serial Number
Product ID

Find Returns By Status
Return Status

Find Returns by Date Range
Request Date Approval Date


FIGURE 484. Returns Search Page

2. Enter search criteria to help you locate a return request. You can use the asterisk (*) wildcard for your search. Click **Submit**.

TABLE 47. Search Criteria: Returns

| Field | Description |
|-------------------------|---|
| Accounts by Manager/Rep | You can specify that the search should be performed only over partner accounts that are assigned to particular enterprise managers and users. Click ... to select users from the enterprise organization. |
| Organization | If you enter the name of an organization, then only returns requested by users of that organization are listed. |
| Username | Enter the username of a user to find all returns requested by the specific user. |
| User First Name | Enter the first name of a user to find all returns requested by the specific user. |
| User Last Name | Enter the last name of a user to find all returns requested by the specific user. |
| Return Number | Enter the identification number for the return assigned when the return was created. |
| Order Number | Enter an order number to display the requests associated with that order. |
| RMA Number | Enter the Return Material Authorization (RMA) number to display the return request associated with that RMA number. |
| Serial Number | Inactive. You cannot use this field. |
| Product ID | Enter the product ID number to list all the return requests that contain this product ID. |
| Return Status | Enter the status (approved, rejected, or pending) to display requests that have that particular status. |
| Request Date | Enter starting and ending dates to display any requests created within a given time period. |
| Approval Date | Enter the starting and ending date to display any returns approved with the given period. |

The Returns tab of the Workspace page is displayed with the returns that meet your search criteria displayed.

Administration

My Home | My Account | About | Help | Logout

Account Activity

Active | Quotes | Sales Contracts | Orders | Returns | Invoices

Find Returns that contain:
Product ID: Search Show All Advanced Search


You are viewing lists for Username c'
To return an item, locate the original order # within the 'Orders' tab above.

| Return Number | RMA Number | Order Number | Request Date | Approval Date | Status | User Name | Organization |
|------------------------|------------|----------------------------|--------------|---------------|-----------------|------------------------------|----------------------------------|
| 600655 | 2987 | 3163599573 | 9/21/2005 | 9/21/2005 | Approved by ERP | Cl Chan | DataSolve |
| 300053 | 2987 | 2609302629 | 6/7/2002 | 6/7/2002 | Approved by ERP | Mason, Chuck | Virtual Networks |
| 300051 | | 3118303066 | 6/7/2002 | | Denied by CSR | Mason, Chuck | Virtual Networks |

FIGURE 485. Workspace Page: Returns Tab

- Click on the return number of the appropriate return request.

This displays the Return Request Detail page.

Administration

My Home | My Account | About | Help | Logout

Return Information: 600781 [Return to List](#)

Placed on: 9/23/2005
Items: 1
Status: Pending
Order Number: [9742593063](#)
User Name: [Mason, Chuck](#)
Organization: [Virtual Networks](#)

To change the Warehouse location, enter new Warehouse location and click on Go. To approve the Return request click on Approve Return. To reject the Return request click on Reject Return.

Shipping Information

Return To

Tracking Number
Tracking #:
Ship Via:
Date:

Memo

Warehouse Location: None

List of items which are part of this Return.

| Product ID | Quantity | Serial Number | Return Reason | Return Criteria |
|------------|----------|---------------|---------------|---------------------|
| MX-LNXA | 1 | | Defective | Equipment is broken |

FIGURE 486. Return Request Detail Page

To Process Return Requests

- Search for the return as described in "To Search for Return Requests" on page 721.

2. Navigate to the detail page for the request.
3. On the Return Request Detail page, click **Approve Return** or **Reject Return**.
If you approve the request, then a Returns Management Authorization (RMA) number is assigned and an email notification is sent to the customer.
If you reject the request, then only an email notification is sent to the customer.

Processing Quotes

The customer service representative can view all the quotes currently in the system. In addition, the representative can override details of the quote, including its expiration date, and the quantity and prices of each line item saved in the quote.

To Search for Quotes

1. Click **Advanced Search** in the Quotes panel on the Comergerent eBusiness System home page.

The screenshot shows the 'COMERGENT eBusiness System Administration' interface. At the top right are links for 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main heading is 'Quote Search:' with a 'Return to List' link. Below this is a search criteria section with a 'Submit' button and a 'Reset' button. The search criteria are organized into several sections: 'Find by Accounts handled by Manager/Rep' with a text input field; 'Find Inquiry Lists by Organization or User' with fields for 'Organization:', 'Username:', 'User First Name:', and 'User Last Name:'; 'Quotes with the following attributes' with fields for 'Quote ID' and 'Quote Name'; 'Quotes By Status' with a 'Quote Status' dropdown menu; and 'Find Quotes by Date Range' with a table for 'Creation Date', 'Last Modified', and 'Expiration Date', each with 'Starting' and 'Ending' input fields.

| Creation Date | Last Modified | Expiration Date |
|---------------|---------------|-----------------|
| Starting | Starting | Starting |
| Ending | Ending | Ending |

FIGURE 487. Quotes Search Page

2. Enter search criteria to help you locate a quote. You can use the asterisk (*) wildcard for your search. Click **Submit**.

TABLE 48. Search Criteria: Quotes

| Field | Description |
|-------------------------|---|
| Accounts by Manager/Rep | You can specify that the search should be performed only over partner accounts that are assigned to particular enterprise managers and users. Click ... to select users from the enterprise organization. |
| Organization | Enter the company name of the user that created the quote. |
| Username | Enter the username of the user that created the quote. |
| User First Name | Enter the first name of the user that created the quote. |
| User Last Name | Enter the last name of the user that created the quote. |
| Quote ID | Enter the ID of the quote that you are looking for. |
| Product ID | Enter the product ID number to list all the quotes that contain this product ID. |
| Creation Date | Enter starting and ending dates to display any quotes created within the given time period. |
| Expiration Date | Enter the starting and ending date to display any quotes that expire within the given time period. |

The Quotes tab of the Workspace page is displayed with the quotes that meet your search criteria displayed.

The screenshot shows the Comergent eBusiness System Administration interface. The top navigation bar includes the Comergent logo, the text "Administration", and links for "My Home", "My Account", "About", "Help", and "Logout". Below this is a "Product Lists" section with tabs for "Active", "Quotes", "Sales Contracts", "Orders", "Returns", and "Invoices". The "Quotes" tab is currently selected. Under the "Find Quotes that contain:" section, there is a "Product ID" dropdown menu, a "Search" button, and links for "Show All" and "Advanced Search". Below this, a message says "Select a list to Remove." and a "Delete" button. The main content area displays a table of quotes with columns: "Quotes ID", "Quote Name", "Owned By", "Expiration Date", "Last Modified", and "Status". The table contains five rows of data, each with a checkbox in the "Quotes ID" column.

| Quotes ID | Quote Name | Owned By | Expiration Date | Last Modified | Status |
|---------------------------------|-----------------------------------|----------|-----------------|---------------|-----------|
| <input type="checkbox"/> 600733 | Quote List 6 | mbarry | 9/23/2005 | 9/22/2005 | Accepted |
| <input type="checkbox"/> 600730 | Quote List 5 | mbarry | 10/22/2005 | 9/22/2005 | Accepted |
| <input type="checkbox"/> 600621 | Quote List | mbarry | 10/21/2005 | 9/21/2005 | Accepted |
| <input type="checkbox"/> 600616 | Pricing Rule List | mbarry | 10/21/2005 | 9/21/2005 | Accepted |
| <input type="checkbox"/> 600604 | Cart | mbarry | 10/20/2005 | 9/20/2005 | Submitted |

FIGURE 488. Workspace Page: Quotes Tab

- Click on the quote name of the appropriate quote.

This displays the Quote Detail page.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

Quote Display [Return to List](#)

Name: [Cart](#) [Change](#)

Customer Type: General

Currency: USD

Last Modified: 9/20/2005

Status: Submitted

Expiration Date: 10/20/2005

User Name: [Barry, Mike](#)

Organization: [AMT Systems](#)

Use this page to prepare your quote.
You can adjust the prices that are presented to your contact using the Uplift and Discount fields: the uplift is applied to the list price, and the discount is applied to the uplifted price. When you print the quote, only the discounted price is displayed. Major Line items can be marked Below the Line (BTL) to indicate that they are not part of the formal quote but might be items of interest for the user. Minor lines can be marked Do Not Display (DND) when they are part of the quote but they should not be displayed in the print view of the quote. Use the Calculate button to try out different combinations of uplifts and discounts. Save your final uplift and discount choices by clicking Update.

[Continue Shopping](#) [Help Me Find Products](#) [Enter Product IDs](#)

[Compare](#) [Remove](#) [Calculate](#) [Reject](#) [Accept](#) [Update](#)

| <input type="checkbox"/> BTL <input type="checkbox"/> DND | Name | Product ID | Supplier | Price | Qty | Ext. Price | Status |
|---|----------------------------|------------|------------|---------------|-----|------------|---------------------------|
| <input type="checkbox"/> | Matrix 7550 Desktop 'Xtra' | MCG-7550 | Enterprise | \$1,378.00 | 1 | \$1,378.00 | Configure |
| | | | | Uplift 0.00 | | \$1,378.00 | |
| | | | | Discount 0.00 | | \$1,378.00 | |

FIGURE 489. Quote Detail Page

To Process Quotes

Customer services representatives can modify the details of a quote and they can place the quote as an order on behalf of the user that saved the quote.

- Search for the return as described in "To Search for Quotes" on page 725.
- Navigate to the detail page for the quote.
- On the Quote Detail page, modify the quote details as appropriate.
- Click **Update**.

If you want to place the quote as an order, then follow these additional steps:

- Click **Prepare Order Header**.
- Click **Edit Header Info**. Enter order information as appropriate on behalf of the user.
- Click **Review and Place Order**. On the Review and Place Order page, you can double-check any order details before placing the order.


8. Click **Place Order**.

A confirmation page is displayed. Click **Done** to return to your workspace page.

To Modify a Quote

As an enterprise user, you can modify quotes as follows:

- 1. Search for the quote.
See "To Search for Quotes" on page 725.
- 2. Click on an ID to view the details of the quote.

 Administration

My Home | My Account | About | Help | Logout

Quote Display [Return to List](#)

Name: Cart [Change](#)

Customer Type: General

Currency: USD

Last Modified: 9/20/2005

Status: Submitted

Expiration Date: 10/20/2005

User Name: [Barry, Mike](#)

Organization: [AMT Systems](#)

Use this page to prepare your quote.

You can adjust the prices that are presented to your contact using the Uplift and Discount fields: the uplift is applied to the list price, and the discount is applied to the uplifted price. When you print the quote, only the discounted price is displayed. Major Line items can be marked Below the Line (BTL) to indicate that they are not part of the formal quote but might be items of interest for the user. Minor lines can be marked Do Not Display (DND) when they are part of the quote but they should not be displayed in the print view of the quote. Use the Calculate button to try out different combinations of uplifts and discounts. Save your final uplift and discount choices by clicking Update.

[Continue Shopping](#) [Help Me Find Products](#) [Enter Product IDs](#)

[Compare](#) [Remove](#)

[Calculate](#) [Reject](#) [Accept](#) [Update](#)

| <input type="checkbox"/> BTL <input type="checkbox"/> DND | Name | Product ID | Supplier | | Price | Qty | Ext. Price | Status | |
|---|----------------------------|------------|------------|---|---|-------------------------|--|--------|---------------------------|
| <input type="checkbox"/> | Matrix 7550 Desktop "Xtra" | MIGS-7550 | Enterprise | <div><div>Pct.</div><div>Abs.</div></div> | <div><div>Uplift</div><div>Discount</div></div> | <div><div>1</div></div> | <div><div>\$1,378.00</div><div>\$1,378.00</div><div>\$1,378.00</div></div> | | Configure |

FIGURE 490. Quote Detail Page

- 3. Modify the information as necessary.
You can click the calendar icon to select a new expiry date.
- 4. Click **Update** to save the changes and continue editing the quote; click **Back** to return to the list of quotes.

Users can request better prices by clicking **Negotiate Prices** while viewing a cart. When they do so, they are prompted to specify the discount that they want for each line item and to provide a reason for the request (such as a volume discount or a competing offer). When the request is submitted, then:

- It can be automatically approved: this occurs if the requested price for each line item is within a certain percentage of the user's list price. This percentage is determined by the RFQ Rule Acceptance Percentage system property. See "RFQ Rule Acceptance Percentage" on page 866 for more information. If a quote is automatically approved, then it is saved as an orderable quote, and so the user can immediately place it as an order.
- If it is not automatically approved, then it is saved as an submitted quote and an email message is sent to an email address used to alert customer service representatives that a user has requested a quote. The email address is determined by the Email Address for CSR system property. See "Email Address for CSR" on page 866 for more information. A customer service representative must then approve or reject the quote as described in this section.

A customer service representative can view all the quotes currently in the system that have not been automatically approved. In addition, the representative can override details of the quote, including its expiration date, and the quantity and prices of each line item saved in the quote.

- If you approve a quote, then the quote is converted to an orderable quote. When the user who requested the quote next logs in, they will see that the quote is now approved, and they can proceed to place the quote as an order.
- If you reject a quote, then the quote status is set to Rejected. When the user who requested the quote next logs in, they will see that the quote has been rejected. If they want to, the user can navigate to the quote and re-submit it.

To Approve a Quote

Customer services representatives can modify the details of a submitted quote and they can approve or reject it. If they approve a quote, then it is saved as an orderable quote: it can then be placed as an order either by the user or by a customer service presentative. Note that once an quote is accepted, then any pricing rules associated with the quote are removed because their effect on prices is overwritten by manual pricing changes.

1. Search for the quote as described in "To Search for Quotes" on page 725.
2. Navigate to the detail page for the quote.
3. You can modify the quote before acting on it. If necessary, modify the quote to provide information about the approval or rejection.

- Memo: the reason for approval or rejection
- Quantity: an acceptable quantity.
- CSR Price: an acceptable price. If you leave this field blank, then the quoted price defaults to the price requested by the user (User Price).

If desired, modify the comment for each line.

4. Click **Approve**.

The quote is saved as an orderable quote and can now be placed as an order.

To Reject a Quote

Customer services representatives can modify the details of a submitted quote and they can approve or reject it. If they reject a quote, then the user can review the reasons for your rejection and they can re-submit the request.

1. Search for the quote as described in "To Search for Quotes" on page 725.
2. Navigate to the detail page for the quote.
3. You can modify the quote before acting on it. If necessary, modify the quote to provide information about the approval or rejection.
 - Memo: the reason for approval or rejection
 - Quantity: an acceptable quantity.
 - CSR Price: an acceptable price. If you leave this field blank, then the quoted price defaults to the price requested by the user (User Price).

If desired, modify the comment for each line.

4. Click **Reject**.

Creating Tasks From Commerce Objects

You can create tasks from orders and quotes. By doing so, you can add a task to your own "To do" list, or have a colleague work on the order or quote. See "Task Management" on page 48 for more information about tasks.

To Create a Task from a Commerce Object

1. Navigate to the detail page of the commerce object.
2. Click **Create Task**.

The screenshot shows the 'Task Manager' interface for the 'COMERGENT eBusiness System'. The page title is 'Task Detail:'. There are navigation links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. A 'Go to Task List' link is in the top right. Below the title bar, there's a 'Detail' section with the text 'Task Detail page.' and two buttons: 'Create' (orange) and 'Cancel' (blue). The main form is titled 'General Information' and includes a note: 'NOTE: (*) items are required.' The form fields are: '*Task Name' (text input), '*Priority' (dropdown menu with 'High' selected), '*Task Type' (dropdown menu with 'Commerce' selected), 'Due Date' (text input with a calendar icon), '*Status' (dropdown menu with 'New' selected), 'Task Summary' (large text area), 'URL 1', 'URL 2', 'URL 3' (text inputs), 'Watcher List' (a list box with an 'Add' button), and 'Email Creator' (checkbox). There is a small 'X' icon in the bottom left corner of the form area.

FIGURE 491. Task Detail Page for new Commerce Task

3. Enter the task details as appropriate.
4. Assign watchers to the new task.
5. Click **Create**.

The Task Detail page is re-displayed.

6. Click **Notes** to enter task-related notes.

This chapter covers the capability of the Comergent eBusiness System to gather information about the stock held of its products by your partners. It describes tasks that are performed only by enterprise employees on the enterprise server. "Inventory and Demand" on page 49 provides an overview of the various methods for gather information in the Comergent eBusiness System.

| | |
|--------------|--|
| Note: | Before inventory collection can be started, the Inventory Collection cron job must be created. See "Inventory Collection" on page 884 for further information on how to set up the cron job. |
|--------------|--|

Setting Up Inventory Collection

Before inventory collection can be performed, you have to specify which partners participate in it, and specify login information if partners require it.

To Perform Inventory Collection

1. Click **Channel Inventory** on the Channel Management panel on the Comergent eBusiness System home page.

If you do not see this link on the Comergent eBusiness System home page, then you have not been assigned the appropriate function to perform this task.

| <input type="checkbox"/> | Partner Name | Login | Password | Product ID Count |
|--------------------------|---------------|----------------------|----------------------|----------------------|
| <input type="checkbox"/> | TaiwanTech | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | SysPoint | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | RIT Solutions | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | ParisTech | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | Ostrich_uc | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | Ost_uc | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | OmniTech | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | New Partner | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | DataLinq | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | Côté | <input type="text"/> | <input type="text"/> | <input type="text"/> |

FIGURE 492. Inventory Collection Page

- On the Inventory Collection page, select by clicking those sales partners from whom you wish to gather inventory information. Only partners whose partner type is "Distributor" are displayed on this page.

For one or more distributors, you might need to enter login information to be authenticated on the partner site. The username/password combination that you enter here must be agreed in advance between you and each sales partner. Note that the need for login information is a configurable attribute that is set by the distributor in the distributor's partner profile.

- Click **Save**.

The Comergent eBusiness System polls the selected distributors for availability information on each product, and saves the resulting information in the database.

- (Optional) Enter a value in the Product Count column.

The product count value is the number of products that are sent in each message to the distributor. If no value is entered, then all the products are sent in one message. A product count value is useful when there are many products.

This chapter covers all of the tasks associated with managing leads, opportunities, and proposals. "Leads Management" on page 40 provides an overview of how you work with *C3 Leads*.

Creating and Modifying Leads

Lead administrators can add leads to the system either by creating the leads manually or by uploading a file as described in "To Upload a Lead" on page 738. Before uploading leads, check that the system property Job Scheduler URL has been set: typically it should be set to:


`http://<server:port>/Comergent/msg/matrix`

See "Job Scheduler Settings" on page 864 for further information.

To Create a Lead

1. Click **Lead Activity** on the Channel Management panel on the Comergent eBusiness System home page.

This displays the Leads Management List page.

 **COMERGENT**
eBusiness System

Lead Management

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Lead List

Find:

Lead ID

Search

Show All

All Leads Shown

AutoAssign

Assign

Close

New

Upload

Previous

Next

| <input type="checkbox"/> | Lead ID | Lead Name | Priority | Primary Contact | Created By | Creation Date | Status |
|--------------------------|---------|---|----------|-----------------|------------|---------------|------------|
| <input type="checkbox"/> | 600548 | ALBERT'S NEW LEAD | Medium | Guan, Mark | ajones | 9/14/2005 | Unassigned |
| <input type="checkbox"/> | 600538 | Lead 24 - No Proposal Currency Code | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600537 | Lead 23 - No Proposal Name | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600518 | Lead 8 - No Lead Source | Low | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600515 | Lead 6 - No RecommendedPartner | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600512 | Lead 4 - Allnat Corp | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600511 | Lead 3 - AffinityNet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600510 | Lead 2 - ARCnet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600509 | Lead 1 - AMT System | High | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600571 | Western Trade Show | Low | Stermer, Alex | ajones | 9/14/2005 | Assigned |

FIGURE 493. Leads List Page

2. On the Lead Management List page, click **New Lead**.
This displays the lead detail page.

COMERGENT | Lead Management
eBusiness System

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Lead: [Go To Leads List](#)

Edit Properties

Enter new lead information or change existing information. Press the 'Save' button to save the current changes. Press the 'Cancel' button to reverse current changes.

[Save & New](#) [Save](#) [Cancel](#)

* Required Fields

General Lead Information

* Lead Name: Status: Customer Type:

Date Created: Priority: --Select--

* Lead Source: * Territory: * Assign to Profile Type:

* Assign to Profile Level:

Contact Information

Title: * Address Line 1: * Phone Numbers:

* First Name: Address Line 2: [Add](#)

* Last Name: * City:

Job Title: State / Province: [Remove](#)

FIGURE 494. Lead Detail Page: General Tab

3. Enter the general lead information.

See "To Add or Modify Lead Information" on page 743.

4. Enter contact information for the lead. You can add one or more contacts for a lead.
5. Click **Save & New** to save the lead and clear the fields so you can create another new lead. Click **Save** to save the lead and display the Detail page for the new lead, so you can modify the lead.

The lead is created. At this point, you can do one or more of the following:

- Repeat the steps to create another lead (if you clicked **Save & New**).
- Create a proposal by adding products to the product list. To do this, click **Manage Proposals**. Add products, either by adding them from the product catalog or by entering them directly using the rapid-entry UI.
- Add notes about the lead.

See "To Add or View Notes About a Lead" on page 746.

- Assign the lead to one or more partners.
See "Assigning Leads" on page 750.

The screenshot displays the 'COMERGENT eBusiness System' interface for 'Lead Management'. The top navigation bar includes links for 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main header shows the lead name 'Lead: Western Trade Show' and a 'Go To Leads List' link. Below this is a tabbed interface with 'Edit Properties', 'Manage Proposals', 'Add Notes', 'Assign Lead', and 'Review Activity'. The 'Edit Properties' tab is active, showing instructions to enter or change lead information and buttons for 'Save' and 'Cancel'. The form is divided into two sections: 'General Lead Information' and 'Contact Information'. The 'General Lead Information' section includes fields for Lead Name (Western Trade Show), Date Created (9/14/2005), Lead Source (Tradeshov), Status (Low), Priority (Low), Territory (SouthWest), Customer Type (General), Assign to Profile Type (Distributor), and Assign to Profile Level (Platinum). The 'Contact Information' section includes fields for Title (Mr.), Address Line 1 (1301 Hacienda Ave), Address Line 2, First Name (Alex), Last Name (Stermer), City (Campbell), and Phone Numbers (Business: (650) 232 6800). Navigation links like 'New', 'Duplicate', 'Previous', and 'Next' are also present.

FIGURE 495. Lead Detail Page: Edit Properties Tab

To Upload a Lead

You can upload leads to the **C3** Leads application using an XML file. The file must conform to the requirements described in "Uploading Leads" on page 43.

The Automatic assign uploaded leads to their fixed recommended partners business rule determines whether uploaded leads are automatically assigned to partners. See "Automatic assign uploaded leads to their fixed recommended partners" on page 872.

- Click **Lead Activity** on the Channel Management panel on the Comergent eBusiness System home page.

This displays the Leads Management List page.

COMERGENT eBusiness System | Lead Management

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Lead List

Find:

Lead ID [Show All](#)

All Leads Shown

[AutoAssign](#) [Assign](#) [Close](#) [New](#) [Upload](#)

[Previous](#) [Next](#)

| <input type="checkbox"/> | Lead ID | Lead Name | Priority | Primary Contact | Created By | Creation Date | Status |
|--------------------------|---------|---|----------|-----------------|------------|---------------|------------|
| <input type="checkbox"/> | 600548 | ALBERT'S NEW LEAD | Medium | Guan, Mark | ajones | 9/14/2005 | Unassigned |
| <input type="checkbox"/> | 600538 | Lead 24 - No Proposal Currency Code | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600537 | Lead 23 - No Proposal Name | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600518 | Lead 8 - No Lead Source | Low | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600515 | Lead 6 - No RecommendedPartner | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600512 | Lead 4 - Allnat Corp | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600511 | Lead 3 - AffinityNet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600510 | Lead 2 - ARCnet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600509 | Lead 1 - AMT System | High | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600571 | Western Trade Show | Low | Stermmer, Alex | ajones | 9/14/2005 | Assigned |

FIGURE 496. Leads List Page

- On the Lead Management List page, click **Upload**.

This displays a page that enables you to specify the file location.

COMERGENT eBusiness System | Lead Management

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Lead Upload

[Go to Leads List](#)

Note (*) Items are Required.

*Format:

*Upload Lead File:

FIGURE 497. Uploading a Lead

- Select the appropriate format for the file which you want to upload.
- Click **Browse...** to find the file of leads that you want to upload.
- Click **Upload**.

The lead information is added to the system and the new lead names appear in the Lead Management List page. At this point, you can assign the leads or modify any other elements of the new leads. See "To Modify a Lead" on page 740.


Note: If you see an error page that reports a timeout error, then the leads have been created correctly, but it has taken longer than the system timeout parameter allows. You can increase the value of this timeout by navigating to the system property Commerce Manager -> Partner Request Timeout Value, and set this to a higher value such as 300 (five minutes).

To Modify a Lead

If you modify a lead after it has been assigned to partners, then the modifications that you make are not propagated to the existing partner opportunities. Your changes will be seen only by those partners to whom you assign the lead after making your changes.

1. Click **Lead Activity** on the Channel Management Tasks panel on the Comergent eBusiness System home page.

This displays the Lead Management List page.

 **COMERGENT**
eBusiness System

Lead Management

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Lead List

Find:

Lead ID

[Search](#) [Show All](#)

All Leads Shown

[AutoAssign](#) [Assign](#) [Close](#) [New](#) [Upload](#)

[Previous](#) [Next](#)


| <input type="checkbox"/> | Lead ID | Lead Name | Priority | Primary Contact | Created By | Creation Date | Status  |
|--------------------------|---------|---|----------|-----------------|------------|---------------|--|
| <input type="checkbox"/> | 600548 | ALBERT'S NEW LEAD | Medium | Guan, Mark | ajones | 9/14/2005 | Unassigned |
| <input type="checkbox"/> | 600538 | Lead 24 - No Proposal Currency Code | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600537 | Lead 23 - No Proposal Name | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600518 | Lead 8 - No Lead Source | Low | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600515 | Lead 6 - No RecommendedPartner | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600512 | Lead 4 - Allnet Corp | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600511 | Lead 3 - AffinityNet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600510 | Lead 2 - ARCnet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600509 | Lead 1 - AMT System | High | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600571 | Western Trade Show | Low | Stermer, Alex | ajones | 9/14/2005 | Assigned |

FIGURE 498. Leads List Page

2. In the Lead Name column, find the lead you want to modify.

- Click on the lead name.

This displays the lead detail page.

The screenshot shows the 'COMERGENT eBusiness System' interface for 'Lead Management'. The page title is 'Lead: Western Trade Show' with a 'Go To Leads List' link. A navigation bar includes 'Edit Properties', 'Manage Proposals', 'Add Notes', 'Assign Lead', and 'Review Activity'. Below this is a message: 'Enter new lead information or change existing information. Press the 'Save' button to save the current changes. Press the 'Cancel' button to reverse current changes.' with 'Save' and 'Cancel' buttons. A note indicates '* Required Fields'.

The 'General Lead Information' section contains the following fields:

- * Lead Name: Western Trade Show
- Status: (dropdown menu)
- Customer Type: General (dropdown menu)
- Date Created: 9/14/2005
- Priority: Low (dropdown menu)
- * Lead Source: Tradeshow (dropdown menu)
- * Territory: SouthWest (dropdown menu)
- * Assign to Profile Type: Distributor (dropdown menu)
- * Assign to Profile Level: Platinum (dropdown menu)

The 'Contact Information' section includes links for 'New', 'Duplicate', 'Previous 1 out of 1', and 'Next'. It contains the following fields:

- Title: Mr. (dropdown menu)
- * Address Line 1: 1301 Hacienda Ave
- * Address Line 2: (empty)
- * City: Campbell
- * Phone Numbers: Business (dropdown menu) and a text field for the number.
- * First Name: Alex
- * Last Name: Stermer
- Business: (650) 232 6800

FIGURE 499. Lead Detail Page: Edit Properties Tab

At this point, you can modify the following information about a lead:


- Enter or modify general lead information.
See "To Add or Modify Lead Information" on page 743.
- Add or modify contact information.
- Add or remove products from the product list.
- Add or view notes about the lead.
See "To Add or View Notes About a Lead" on page 746.
- Assign the lead to one or more partners.
See "Assigning Leads" on page 750.
- View any activity on the lead by partners.
See "Viewing Partner Activity" on page 757.

To Search for a Lead

You can use the fields at the top of the Leads Management List page to search for a specific lead.

1. Click **Lead Activity** on the Channel Management Tasks panel on the Comergerent eBusiness System home page.

This displays the Lead Management List page.

 **COMERGENT**
eBusiness System

Lead Management

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Lead List

Find:

Lead ID

Search Show All

All Leads Shown

AutoAssign Assign Close New Upload

[Previous](#) [Next](#)

| <input type="checkbox"/> | Lead ID | Lead Name | Priority | Primary Contact | Created By | Creation Date | Status |
|--------------------------|---------|---|----------|-----------------|------------|---------------|------------|
| <input type="checkbox"/> | 600548 | ALBERT'S NEW LEAD | Medium | Guan, Mark | ajones | 9/14/2005 | Unassigned |
| <input type="checkbox"/> | 600538 | Lead 24 - No Proposal Currency Code | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600537 | Lead 23 - No Proposal Name | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600518 | Lead 8 - No Lead Source | Low | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600515 | Lead 6 - No RecommendedPartner | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600512 | Lead 4 - Allnet Corp | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600511 | Lead 3 - AffinityNet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600510 | Lead 2 - ARCnet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600509 | Lead 1 - AMT System | High | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600571 | Western Trade Show | Low | Stermer, Alex | ajones | 9/14/2005 | Assigned |

FIGURE 500. Leads List Page

2. Select a criteria for the search from the drop-down list.

COMERGENT eBusiness System | Lead Management

My Home | My Account | About | Help | Logout

Lead List

Find:

Lead ID

All Leads Shown

[Previous](#) [Next](#)

| <input type="checkbox"/> | Lead ID | Lead Name | Priority | Primary Contact | Created By | Creation Date | Status |
|--------------------------|---------|---|----------|-----------------|------------|---------------|------------|
| <input type="checkbox"/> | 600548 | ALBERT'S NEW LEAD | Medium | Guan, Mark | ajones | 9/14/2005 | Unassigned |
| <input type="checkbox"/> | 600538 | Lead 24 - No Proposal Currency Code | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600537 | Lead 23 - No Proposal Name | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600518 | Lead 8 - No Lead Source | Low | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600515 | Lead 6 - No RecommendedPartner | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600512 | Lead 4 - Allnat Corp | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600511 | Lead 3 - AffinityNet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600510 | Lead 2 - ARCnet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600509 | Lead 1 - AMT System | High | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600571 | Western Trade Show | Low | Stermer, Alex | ajones | 9/14/2005 | Assigned |

FIGURE 501. Searching for Leads

- In the field next to the drop down list, type a search string or select a value from the drop-down list.

The search is case insensitive and you can use an asterisk (*) to perform wildcard searches.

- Click **Search**.

Note: You can click **Show All** to display all the leads.

To Add or Modify Lead Information

When you create ("To Create a Lead" on page 735) or modify ("To Modify a Lead" on page 740) a lead, you can enter or modify lead information.

* Required Fields

General Lead Information

* Lead Name: Status: Customer Type:

Date Created: Priority: * Assign to Profile Type:

* Lead Source: * Territory: * Assign to Profile Level:

FIGURE 502. Lead Detail Page: General Lead Information

1. In the upper part of the page, enter the General Lead Information, as described in Table 49 on page 744.

In the opportunity page, required fields are marked with an asterisk (*). At any time, you can click **Cancel** to clear any new or modified information and begin again.

TABLE 49. General Lead Information

| Field | Description |
|-------------------------|---|
| Lead Name | Name of the Lead |
| Date Created | The date the lead was created. System-generated and read-only. If you are creating a lead, then this field is empty. |
| Lead Source | Where the lead came from: Phone, Tradeshow, Fax, Website |
| Status | <p>Lead Status. This field is read-only. Values are Unassigned, Assigned, Working, and Closed.</p> <p>An Unassigned Lead is a lead that has not yet been assigned to a partner.</p> <p>An Assigned Lead is one which has been assigned to a partner, and which the partner has neither accepted nor declined.</p> <p>A Working Lead is one which has been assigned to and accepted by a partner.</p> <p>A Closed Lead is one which has been closed by the Enterprise Lead Administrator. See "To Close a Lead" on page 760.</p> |
| Priority | The priority of the lead. |
| Territory | The territory to which the lead belongs |
| Customer Type | The vertical market to which the lead belongs |
| Assign To Profile Type | The profile type to whom the lead should be assigned: distributor, OEM, reseller, retailer. (Note: this list is customizable.) |
| Assign To Profile Level | The level of the profile to whom the lead should be assigned: platinum, gold, silver, tin. (Note: this list is customizable.) |

Contact Information

[New](#) [Duplicate](#) Previous: 1 out of 1 Next

Title:

* Address Line 1:

* Phone Numbers

* First Name:

Address Line 2:

Business:

* Last Name:

* City:

Business: (650) 232 6000

Job Title:

State / Province:

* Postal Code:

Department:

* Country:

To Add: select phone type (e.g. Fax) and then click Add

To Remove: select phone number from list and then click Remove

Company:

☒ Use as Primary Contact

Email:

FIGURE 503. Lead Detail Page: Contact Information

- In the lower part of the Lead page, enter the contact information, as described in Table 50 on page 745.

In the Lead Header General tab, required fields are marked with an asterisk (*).

TABLE 50. Contact Information

| Field | Description |
|------------------------|---|
| Title | The title of the lead contact (Mr., Mrs., and so on) |
| First Name | The first name of the lead contact |
| Last Name | The last name of the lead contact |
| Job Title | The job title for the lead contact |
| Department | The department to which the lead contact belongs at their company |
| Company | The company to which the contact belongs |
| Use as Primary Contact | Every lead must have one contact designated as the primary contact |
| Address Line 1 | First line for an address. (In the United States, this is normally the street address.) |
| Address Line 2 | Second line for an address. (In the United States, this is normally the apartment or mailstop.) |
| City | The city for the address |
| State/Province | The state for the address |
| Postal Code | The postal code for the address |
| Country | The country for the address |

TABLE 50. Contact Information (Continued)

| Field | Description |
|-------|--|
| Email | The email address for the lead contact |

3. Enter one or more phone numbers for the contact.
 - a. Select the type of phone number from the drop-down list.
 - b. Enter the phone number in the entry field.
 - c. Click **Add**.
 - d. Repeat these steps for each number you want to add.

To remove a phone number, select the number in the list, then click **Remove**.

4. Click **Save**.

The information is saved and the Lead Header page is re-displayed.

At this point, you can do one or more of the following:

- Add another contact or modify another contact.
- Add notes about the lead.

See "To Add or View Notes About a Lead" on page 746.

- Assign the lead to one or more partners.

See "Assigning Leads" on page 750.

- Add products to the lead product list.

To Add or View Notes About a Lead

When you modify ("To Modify a Lead" on page 740) a lead, you can add notes about the lead. In addition, notes can be generated by the system automatically when the lead is assigned or accepted.

The screenshot shows the 'COMERGENT eBusiness System' interface for 'Lead Management'. The page title is 'Lead: Western Trade Show' with a 'Go To Leads List' link. A navigation bar includes 'Edit Properties', 'Manage Proposals', 'Add Notes', 'Assign Lead', and 'Review Activity'. Below this, a message states: 'Enter new lead information or change existing information. Press the 'Save' button to save the current changes. Press the 'Cancel' button to reverse current changes.' There are 'Save' and 'Cancel' buttons. A note '* Required Fields' is present. The 'General Lead Information' section contains fields for:

- * Lead Name: Western Trade Show
- Status: (dropdown)
- Customer Type: General (dropdown)
- Date Created: 9/14/2005
- Priority: Low (dropdown)
- * Lead Source: Tradeshow (dropdown)
- * Territory: SouthWest (dropdown)
- * Assign to Profile Type: Distributor (dropdown)
- * Assign to Profile Level: Platinum (dropdown)

 The 'Contact Information' section includes:

- Navigation: New, Duplicate, Previous 1 out of 1, Next
- Title: Mr. (dropdown)
- * Address Line 1: 1301 Hacienda Ave
- * Address Line 2: (empty)
- * City: Campbell
- * Phone Numbers: Business (dropdown), Add button, (650) 232 6800
- * First Name: Alex
- * Last Name: Stermer

FIGURE 504. Lead Detail Page: Edit Properties Tab

1. On the Lead Detail page, click **Add Notes**.

This displays a list of the current notes as well as a text field for adding additional notes. The window displays all notes, system-generated as well as user-generated.

By default the notes are sorted by date. You can sort the Date column in ascending or descending order by clicking the triangle in the Date column. You can also sort by Company or Created By.

COMERGENT | Lead Management
eBusiness System

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Lead: Western Trade Show [Go To Leads List](#)

[Edit Properties](#) | [Manage Proposals](#) | **Add Notes** | [Assign Lead](#) | [Review Activity](#)

Enter a new note in the textbox and click the 'Add Note' button to save the note.

Lead Notes

[Add Note](#)

| Date | Note | Organization | Created By |
|-----------|--|--------------|------------|
| 9/14/2005 | Lead accepted by dtensor. | DataSolve | System |
| 9/14/2005 | Lead has been assigned by ajones to DataSolve. | Enterprise | System |
| 9/14/2005 | Lead created by ajones. | Enterprise | System |

[Back to Top](#)

FIGURE 505. Lead Detail Page: Add Notes Tab

2. In the Lead Notes field, enter the note you want to add.
3. Click **Add Note**.

The note is added to the list.

To Add Product Information to a Lead

One of the main things that you want to communicate to your partners is which of your products the contact is interested in. You do this by adding them to the product list associated with the lead.

1. On the Lead Detail page, click **Manage Proposals**.

The screenshot shows the 'COMERGENT eBusiness System' interface. The top navigation bar includes links for 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main heading is 'Lead: Western Trade Show' with a 'Go To Leads List' link. Below this is a tabbed interface with 'Edit Properties', 'Manage Proposals' (selected), 'Add Notes', 'Assign Lead', and 'Review Activity'.

The 'Manage Proposals' tab displays a form with the following details:

- Name: Western Trade Show
- Customer Type: General
- Currency: USD
- Last Modified: 9/14/2005
- Status: New
- Expiration Date:
- User Name: Jones, Alison
- Organization: Enterprise

Below the form, there is a summary box showing:

- Percent Discount: Total Price: \$0.000
- Absolute Discount: \$0.000 Total Margin: \$0.000

A paragraph of instructions follows, explaining how to use the Uplift and Discount fields to prepare a proposal. Below this are three buttons: 'Continue Shopping', 'Help Me Find Products', and 'Enter Product IDs'.

At the bottom, there is a 'Compare Remove' section with a 'Calculate' button and a 'Save' button. Below these is a table with the following columns: BTL/DND, Name, Product ID, Supplier, Price, Qty, Ext. Price, and Status.

FIGURE 506. Lead Detail Page: Manage Proposals Tab

2. You can add products to the product list in the following ways:
 - Click **Add from Catalog**, and navigate to the product(s) using the standard catalog navigation pages.
 - Click **Help Me Find Products**, and select the product(s) using the C3 Advisor questionnaire.
 - Click **Enter Product IDs**, and add the product(s) using the rapid-entry form provided.

When you assign this lead to a partner, then products that you add to the product list will appear on the partner's opportunity product list.

3. You can remove products by checking the check box next to the product ID, and clicking **Remove**.
4. If you want to indicate that a product is to marked "below the line", then check the BTL check box and click **Save**.

You can use the below the line (BTL) flag to include products as suggestions in a lead. BTL products are not automatically part of an order placed from a lead, but they can be moved to "above the line" by the end-user and hence become part of the order.

Assigning Leads

You can assign a lead manually, or you can let the system assign the lead automatically. Refer to "To Assign a Lead Automatically" on page 755 for details about automatic assignment.

There are two ways to assign a lead manually:

- You can select one or more leads from the Leads Management List, then choose the partner (or partners) to whom you want to assign them: see "To Assign Leads Manually from the Leads Management List" on page 750.
- You can also access the lead detail page for a particular lead, then assign that single lead from the Assignments tab: see "To Assign a Lead Manually from Lead Header Page" on page 753.

To Assign Leads Manually from the Leads Management List

1. Click **Lead Activity** on the Channel Management Tasks panel on the Comercent eBusiness System home page.

This displays the Leads Management List.

COMERGENT

eBusiness System

Lead Management

My Home

My Account

About

Help

Logout

Lead List

Find:

Lead ID

Search

Show All

All Leads Shown

AutoAssign

Assign

Close

New

Upload

Previous

Next

| <input type="checkbox"/> | Lead ID | Lead Name | Priority | Primary Contact | Created By | Creation Date | Status |
|--------------------------|---------|--|----------|-----------------|------------|---------------|------------|
| <input type="checkbox"/> | 600548 | ALBERT'S NEW LEAD | Medium | Guan, Mark | ajones | 9/14/2005 | Unassigned |
| <input type="checkbox"/> | 600538 | Lead 24 - No Proposal Currency Code | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600537 | Lead 23 - No Proposal Name | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600518 | Lead 8 - No Lead Source | Low | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600515 | Lead 6 - No RecommendedPartner | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600512 | Lead 4 - Allnet Corp | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600511 | Lead 3 - AffinityNet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600510 | Lead 2 - ARCnet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600509 | Lead 1 - AMT System | High | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600571 | Western Trade Show | Low | Stermer, Alex | ajones | 9/14/2005 | Assigned |

FIGURE 507. Leads List Page

750

Comercent eBusiness System Administration Guide

2. In the list, find the lead(s) that you want to assign to one or more partners.
See "To Search for a Lead" on page 742 for information on finding leads.
3. Click the check box to the left of the Lead Id.
4. Repeat the last two steps for each lead you want to assign.

Attention: If you check the box next to one or more leads, and then search for a lead before you click **Assign**, then the leads you selected will become unselected. Likewise, if you click either **Show All**, **Next**, or **Previous**, before you click **Assign**, then the leads you selected become unselected.

5. Click **Assign**.

If you have selected only one lead, then the Assign Lead tab of the Lead header is displayed. This displays the list of partners to whom you can assign this lead.

The screenshot shows the 'COMERGENT eBusiness System' interface. The main header is 'Lead Management'. Below it, there's a navigation bar with 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The current page is titled 'Lead: Lead 2 for the Enterprise' with a 'Go To Leads List' link. The 'Assign Lead' tab is selected in the sub-navigation bar. The main content area includes a 'Find Organization' search box with a dropdown menu and buttons for 'Search', 'Show All', and 'Show Recommended'. Below this is a 'Fixed Recommended organization' section with an 'Assign to this Partner' button and a note to check the box for assignment. A table titled 'All Organizations Shown' lists various organizations with checkboxes, profile types, levels, and statuses. The table has columns for 'Organization', 'Profile Type', 'Profile Level', and 'Status'. The organizations listed are AI, AllNet Corp, Anderel, CompuNet, DataLinq, DataSolve, and DataSolve Western Division.

| Organization | Profile Type | Profile Level | Status |
|---|--------------|---------------|--------|
| <input type="checkbox"/> AI | Distributor | Platinum | |
| <input type="checkbox"/> AllNet Corp | Distributor | Silver | |
| <input type="checkbox"/> Anderel | Distributor | Silver | |
| <input type="checkbox"/> CompuNet | Reseller | Gold | |
| <input type="checkbox"/> DataLinq | Distributor | Platinum | |
| <input type="checkbox"/> DataSolve | Reseller | Gold | |
| <input type="checkbox"/> DataSolve Western Division | Reseller | Gold | |

FIGURE 508. Lead Detail Page: Assign Lead Tab

If you have selected more than one lead, then a general Assignments page is displayed. This displays the list of partners to whom you can assign the selected leads.

COMERGENT | Lead Management
eBusiness System

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Lead: [Go To Leads List](#)

Assignments

Find Organization:

Organization [Search](#) [Show All](#) [Show Recommended](#)

Check the box by the organization or organizations that the lead should be assigned to. Then press the 'Assign' button to commit the assignment.

All Organizations Shown

[Assign](#)

Previous [Next](#)

| <input type="checkbox"/> | Organization ↗ | Profile Type | Profile Level | Status |
|--------------------------|--------------------------------|--------------|---------------|--------|
| <input type="checkbox"/> | A1 | Distributor | Platinum | |
| <input type="checkbox"/> | AllNet Corp | Distributor | Silver | |
| <input type="checkbox"/> | Andereel | Distributor | Silver | |
| <input type="checkbox"/> | CompuNet | Reseller | Gold | |
| <input type="checkbox"/> | DataLink | Distributor | Platinum | |
| <input type="checkbox"/> | DataSolve | Reseller | Gold | |
| <input type="checkbox"/> | DataSolve Western Division | Reseller | Gold | |
| <input type="checkbox"/> | Dexus Communication | Reseller | Gold | |

FIGURE 509. Leads Assignments Page

In either case, the list displays only those partners who have a sales executive: that is, a partner user to whom the Sales Executive function has been assigned. See "Assigning Functions for Managing Leads" on page 42.

6. In the Partner Name column, find the partner(s) to whom you want to assign the lead.

You can search for a particular partner name. Enter the name of the partner in the Search Partner Name for field, then click **Search**. You can use an asterisk (*) to do a wildcard search.

If you are assigning only one lead, then you can click **Show Recommended** to display a list of partners filtered according to a set of criteria defined in the Lead Management Recommended Partner Search Attributes business rule. The criteria includes one to four attributes (partner type, partner level, territory, and customer type). You choose one of these attributes when creating a lead (see Table 49, "General Lead Information", on page 744). The system recommends partners whose attributes (as defined in their partner profile) match the same attributes in the lead.

You can click **Show All** to re-display the list of all partners that have a sales executive user.

- Click the check box to the left of each partner name to whom you want to assign the lead.

If there is no check box to the left of the partner, then that partner has already been assigned the lead.

Attention: If you check the box next to one or more partners, then search for a partner before you click **Assign**, the partners you selected will become unselected. Likewise, if you click either **Show All**, **Show Recommended Partners**, **Next**, or **Previous**, before you click **Assign**, then the partners you selected become unselected.

- Click **Assign**.

The lead(s) you selected are assigned to the partner (or partners) you selected.

To Assign a Lead Manually from Lead Header Page

When you create ("To Create a Lead" on page 735) or modify ("To Modify a Lead" on page 740) a lead, you can assign the lead to one or more partners from the Leads Management Detail page.

- Navigate to the lead that you want to assign.

COMERGENT | Lead Management
eBusiness System

My Home | My Account | About | Help | Logout

Lead: Western Trade Show [Go To Leads List](#)

Edit Properties | Manage Proposals | Add Notes | Assign Lead | Review Activity

Enter new lead information or change existing information. Press the 'Save' button to save the current changes. Press the 'Cancel' button to reverse current changes.

[Save](#) [Cancel](#)

* Required Fields

General Lead Information

* Lead Name: Western Trade Show Status: Customer Type: General

Date Created: 9/14/2005 Priority: Low

* Lead Source: Tradeshow * Territory: SouthWest * Assign to Profile Type: Distributor

* Assign to Profile Level: Platinum

Contact Information

[New](#) [Duplicate](#) Previous 1 out of 1 Next

Title: Mr. * Address Line 1: 1301 Hacienda Ave. * Phone Numbers: Business

* First Name: Alex Address Line 2: [Add](#)

* Last Name: Sterner * City: Campbell Business: (650) 232 6800

FIGURE 510. Lead Detail Page: Edit Properties Tab

1. Click **Assign Lead**.

This displays a list of the partners to whom you can assign this lead. The list displays only those partners who have a partner sales manager.

You can click **Show Recommended** to display the list of recommended partners. The recommended list of partners is filtered according to a set of criteria defined in the Lead Management Recommended Partner Search Attributes business rule. The criteria includes one to four attributes (profile type, profile level, profile territories, and customer type). You choose one of these attributes when creating a lead (see Table 49, "General Lead Information", on page 744). The system recommends partners whose attributes (as defined in their profile) match the same attributes in the lead.

You can click **Show All** to re-display the list of all partners that have a partner sales manager.

COMERGENT | Lead Management
eBusiness System

My Home | My Account | About | Help | Logout

Lead: Lead 2 for the Enterprise [Go To Leads List](#)

Edit Properties | Manage Proposals | Add Notes | **Assign Lead** | Review Activity

Find Organization:
 Organization [Show All](#) [Show Recommended](#)

Fixed Recommended organization:
[Assign to this Partner](#)

Check the box by the organization or organizations that the lead should be assigned to. Then press the 'Assign' button to commit the assignment.

All Organizations Shown

Previous [Next](#)

| <input type="checkbox"/> | Organization ↕ | Profile Type | Profile Level | Status |
|--------------------------|----------------------------|--------------|---------------|--------|
| <input type="checkbox"/> | A1 | Distributor | Platinum | |
| <input type="checkbox"/> | AllNet Corp | Distributor | Silver | |
| <input type="checkbox"/> | Andere1 | Distributor | Silver | |
| <input type="checkbox"/> | CompuNet | Reseller | Gold | |
| <input type="checkbox"/> | DataLink | Distributor | Platinum | |
| <input type="checkbox"/> | DataSolve | Reseller | Gold | |
| <input type="checkbox"/> | DataSolve Western Division | Reseller | Gold | |

FIGURE 511. Lead Detail Page: Assign Lead Tab

2. In the Partner Name column, find the partner to whom you want to assign the lead.

If the partner is greyed-out, then that partner has already been assigned the lead.

You can search for a particular partner name. Enter the name of the partner in the Search Partner Name for field, then click **Search**. You can use an asterisk (*) to do a wildcard search.

3. Click the check box to the left of each partner name to whom you want to assign the lead.
4. Repeat the last two steps for each partner to whom you want to assign the lead.

| |
|---|
| Attention: If you check the box next to a partner, then search for a partner before you click Assign , the partners you selected will become unselected. Likewise, if you click either Show All , Show Recommended Partners , Next , or Previous , before you click Assign , then the partners you selected become unselected. |
|---|

5. Click **Assign**.

The lead is assigned to the partner (or partners you selected).

To Assign a Lead Automatically

You can provide for automatic lead assignment by defining partner criteria in a business rule.

1. Click **Lead Activity** on the Channel Management Tasks panel in the Comergent eBusiness System home page.

This displays the Leads Management List.

2. In the list, find the lead that you want to assign to a partner.

See "To Search for a Lead" on page 742 for information about searching.

3. Click the check box to the left of the Lead Id column.
4. Repeat the last two steps for each lead you want to assign.

| |
|---|
| Attention: If you check the box next to a lead, then search for a lead before you click Auto Assign , the leads you selected will become unselected. Likewise, if you click either Show All , Show Recommended Partners , Next , or Previous , before you click Auto Assign , then the leads you selected become unselected. |
|---|

5. Click **Auto Assign**.

The Comergent eBusiness System assigns the selected leads automatically to those partners defined by the business rule criteria. See "Assigning Leads" on page 43 for explanation of this business rule.

You can set a business rule (see "Lead Management Number of Recommended Partners/Users for Popup" on page 872) so that a confirmation page is displayed for each lead that is being automatically assigned. This page displays the partners to which the lead(s) will be automatically assigned. If this page is displayed, then uncheck the box(es) next to the partner(s) to whom you do not want to assign the lead, then click **Assign** (to confirm). You can click **Cancel** to cancel the auto-assignment for the specific lead for which the page appears.

Note: The confirmation page only displays partners for whom a user has been created with the SalesExecutive function.

To Retract a Lead

On occasion, you may wish to retract an opportunity from a partner to whom you have assigned it. Retracting an opportunity has the effect of making the opportunity read-only for the partner sales executive and the sales representative to whom the opportunity has been delegated. You can re-assign a lead that you have retracted.

1. Click **Lead Activity** in the Channel Management Tasks panel on the Comergent eBusiness System home page.

This displays the Leads List page.

2. Identify the lead that you want to retract and click the link to its lead detail page.
3. On the Lead Detail page, click **Partner Activity**.

The screenshot shows the 'COMERGENT eBusiness System' interface. The main header is 'Lead Management'. Below it, there are navigation links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The current lead is 'Lead: Western Trade Show', with a link 'Go To Leads List'. Below this, there are tabs: 'Edit Properties', 'Manage Proposals', 'Add Notes', 'Assign Lead', and 'Review Activity'. The 'Review Activity' tab is selected. The text below the tabs says: 'Below is a list of organization or organizations that the lead is assigned. In order to view detail information, select the 'View Details' link for the appropriate organization.' Below this is a table with columns: 'Organization', 'Sales Rep', 'Assigned Date', 'Status', 'Retract', and 'View Details'. The table contains one row: 'DataSolve', 'mscott', '9/14/2005', 'Accepted', and a 'Retract' button (with a minus icon) and a 'View Details' link. At the bottom left, there is a link 'Back to Top'.

| Organization | Sales Rep | Assigned Date | Status | Retract | View Details |
|--------------|-----------|---------------|----------|---------|------------------------------|
| DataSolve | mscott | 9/14/2005 | Accepted | | View Details |

FIGURE 512. Lead Detail Page: Review Activity Tab

4. Identify the partner(s) from whom you want to retract the lead.
5. Click **Retract** in their row.

The Status of the opportunity changes to Retracted. If the assigned sales representative now views the opportunity, then they will see it only as a read-only object. You can re-assign this lead to the partner later if you want to.


Viewing Partner Activity

You can view any activity performed by a partner to whom the lead is assigned. For example, when the partner sales representative speaks with the opportunity contact, they may create a proposal or modify. You can view the proposals created by the partner sales representatives when you view partner activity. You can also view any notes entered by the partner sales representative about the opportunity.

To View Partner Activity

1. Click **Lead Activity** in the Channel Management Tasks panel on the Comergent eBusiness System home page.

This displays the Leads Management List page.

 **COMERGENT**
eBusiness System

Lead Management

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Lead List

Find:

Lead ID

Search

Show All

All Leads Shown

AutoAssign

Assign

Close

New

Upload

Previous

Next

| <input type="checkbox"/> | Lead ID | Lead Name | Priority | Primary Contact | Created By | Creation Date | Status |
|--------------------------|---------|---|----------|-----------------|------------|---------------|------------|
| <input type="checkbox"/> | 600548 | ALBERT'S NEW LEAD | Medium | Guan, Mark | ajones | 9/14/2005 | Unassigned |
| <input type="checkbox"/> | 600538 | Lead 24 - No Proposal Currency Code | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600537 | Lead 23 - No Proposal Name | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600518 | Lead 8 - No Lead Source | Low | Fong, Al | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600515 | Lead 6 - No RecommendedPartner | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600512 | Lead 4 - Allnat Corp | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600511 | Lead 3 - AffinityNet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600510 | Lead 2 - ARCnet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600509 | Lead 1 - AMT System | High | Fong, Albert | ajones | 9/13/2005 | Unassigned |
| <input type="checkbox"/> | 600571 | Western Trade Show | Low | Stermer, Alex | ajones | 9/14/2005 | Assigned |

FIGURE 513. Leads List Page

2. In the Lead Name column, find the lead whose partner activity you want to view.

See "To Search for a Lead" on page 742 for information about searching.

3. Click the lead name to display the Lead Detail page.

4. Click **Review Activity**.

This displays the Review Activity tab which contains a list of the partners to whom leads have been assigned.

COMERGENT | Lead Management
eBusiness System

My Home | My Account | About | Help | Logout

Lead: Western Trade Show [Go To Leads List](#)

Edit Properties | Manage Proposals | Add Notes | Assign Lead | **Review Activity**

Below is a list of organization or organizations that the lead is assigned. In order to view detail information, select the 'View Details' link for the appropriate organization.

| Organization | Sales Rep | Assigned Date | Status | Retract | |
|--------------|-----------|---------------|----------|-------------------------------------|------------------------------|
| DataSolve | mccott | 9/14/2005 | Accepted | <input checked="" type="checkbox"/> | View Details |

[Back to Top](#)

FIGURE 514. Lead Detail Page: Review Activity Tab

5. Find the partner whose activity you want to view.
6. In the right-most column, click **View Details**.

This displays the Opportunity Detail window.

COMERGENT | Lead Management
eBusiness System

My Home | My Account | About | Help | Logout

Opportunity: Western Trade Show [Organization: DataSolve] [Go To Leads List](#)

Edit Properties | **Manage Proposals** | Add Notes

Organization Information

| | |
|---|---|
| Organization Name: DataSolve | Representative's Phone: 610-6853 (business) |
| Representative's First Name: Mike | Representative's Email: mccott@icmsolutions.com |
| Representative's Last Name: Scott | |

General Opportunity Information

| | |
|--|-----------------------------------|
| Opportunity Name: Western Trade Show | Status: Accepted |
| Date Created: 9/14/2005 | Expected Close Date: |
| Priority: Low | Expected Revenue: |
| Customer Type: General | Probability of Sale: 50 |
| * Lead Source: Tradeshov | Budget Price: N/A |
| | Budget Approved: |

FIGURE 515. Opportunity Detail Page: Edit Properties Tab

The opportunity information is derived from the information entered when the lead was created. The partner information is derived from the information about either the partner sales manager or partner sales representative.

7. Click **Manage Proposals** to display a list of products associated with the lead.
After the enterprise lead administrator creates and assigns the lead, the partner manages their opportunity and creates a proposal for the contact.
8. Click **Add Notes** to view notes about the partner activity.

Closing a Lead

Once you determine that a lead has been fulfilled, you can use these steps to close a lead. Typically, you would close a lead when you view partner activity for a lead (see "Viewing Partner Activity" on page 757) and see that the opportunity status for one or more partners is Closed.

To Close a Lead

1. Click **Lead Activity** in the Channel Management Tasks panel on the Comergent eBusiness System home page.

This displays the Lead Management List page.

COMERGENT
eBusiness System

Lead Management

My Home

My Account

About

Help

Logout

Lead List

Find:

Lead ID

Search

Show All

All Leads Shown

AutoAssign

Assign

Close

New

Upload

Previous

Next

| <input type="checkbox"/> | Lead ID | Lead Name | Priority | Primary Contact | Created By | Creation Date | Status | |
|--------------------------|---------|---|----------|-----------------|------------|---------------|------------|--|
| <input type="checkbox"/> | 600548 | ALBERT'S NEW LEAD | Medium | Guan, Mark | ajones | 9/14/2005 | Unassigned | |
| <input type="checkbox"/> | 600538 | Lead 24 - No Proposal Currency Code | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned | |
| <input type="checkbox"/> | 600537 | Lead 23 - No Proposal Name | Medium | Fong, Al | ajones | 9/13/2005 | Unassigned | |
| <input type="checkbox"/> | 600518 | Lead 8 - No Lead Source | Low | Fong, Al | ajones | 9/13/2005 | Unassigned | |
| <input type="checkbox"/> | 600515 | Lead 6 - No RecommendedPartner | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned | |
| <input type="checkbox"/> | 600512 | Lead 4 - Allnet Corp | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned | |
| <input type="checkbox"/> | 600511 | Lead 3 - AffinityNet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned | |
| <input type="checkbox"/> | 600510 | Lead 2 - ARCnet | Medium | Fong, Albert | ajones | 9/13/2005 | Unassigned | |
| <input type="checkbox"/> | 600509 | Lead 1 - AMT System | High | Fong, Albert | ajones | 9/13/2005 | Unassigned | |
| <input type="checkbox"/> | 600571 | Western Trade Show | Low | Stermer, Alex | ajones | 9/14/2005 | Assigned | |

FIGURE 516. Leads List Page

2. In the list, find the lead that you want to close.

See "To Search for a Lead" on page 742 for information about finding leads.

3. Click the check box to the left of the Lead ID.
4. Repeat the last two steps for each lead you want to close.

| |
|---|
| <p>Attention: If you check the box next to a lead, then search for a lead before you click Close, then the leads you selected will become unselected. Likewise, if you click either Show All, Show Recommended Partners, Next, or Previous, before you click Close, then the leads you selected become unselected.</p> |
|---|

5. Click **Close**.

A confirmation popup appears that enables you to enter a reason for closing the lead.




FIGURE 517. Closing a Lead: Confirmation Popup

6. Enter a reason and click **OK**.

The lead status is changed to "Closed".

This chapter covers all of the tasks associated with managing email campaigns. "Campaigns Management" on page 45 provides an overview of how you work with *C3 Campaigns*.

Before creating any campaigns make sure that you have created the cron job necessary to run campaigns. See "Campaigns Cron Job" on page 770.

Creating and Modifying Campaigns

Campaign administrators can add campaigns to the system and manage existing ones.

To Create a Campaign

1. Click **Campaigns** in the Channel Management panel on the Comergernt eBusiness System home page.

The Campaign List page is displayed.




FIGURE 518. Campaign List Page

2. Click **New Campaign**.

The Campaign Detail Header tab is displayed.




FIGURE 519. Campaign Detail Edit Header Tab

- On the Edit Header tab, enter a Name and Description for the new campaign.
- Enter an execution date and time.
- Check the **Enable** check box.
- Click **Create**.

7. Click the **Manage Content** tab.

The Campaign Detail Manage Content tab displays.

COMERGENT eBusiness System | Campaigns

My Home | My Account | About | Help | Logout

Campaign: Resellers Conference [Go to Campaign List](#)

Edit Header **Manage Content** **Manage Recipients**

After changing campaign information save changes using the Save button.
All fields with asterisk(*) are required.

Campaign Content

* **Locale**
United States

* **From**
changeme@changeme.changeme

* **Subject**
Resellers Conference

Body

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/>
<title>Resellers Conference</title>
</head>
<body>
<table cellpadding=0 cellspacing=0 border=0 width=100%>
<tr><td>Resellers Conference</td></tr>
<tr><td><br></td></tr>
<tr><td>Dear @RECIPIENT_NAME@</td></tr>
<tr><td><br></td></tr>
<tr><td>For more information on item1, go to @LINK1@</td></tr>
<tr><td>For more information on item2, go to @LINK2@</td></tr>
</table>
</body>
</html>
```

Test **Save** **Cancel**

FIGURE 520. Campaign Detail Manage Content Tab

Use the Manage Content tab to specify the email message(s) sent to the recipients of the campaign. You can create messages for one or more of the locales supported by the Comergent eBusiness System. Repeat the following steps for each locale you want to use for this campaign.

- Locale: select the appropriate locale for the email message. Only users whose preferred locale matches this value will be sent the email message. See "Campaigns and Locales" on page 45 for more information about how locales are used when campaigns are executed.
- From: specify an appropriate email address.
- Subject: specify an appropriate subject line for the email message.

- d. Enter the message in the form of an HTML document. You can create the HTML file using your preferred HTML editor and then cut and paste it into this text area.

If you use the @Linkn@ tags in the HTML message, then make sure that you provide the corresponding values for the Linkn fields. The first field is the URL set in the hypertext reference, and the second field is what recipients will see displayed as the link. For example, suppose that you enter:

```
Link1:  
http://www.comergent.comText: this link
```

Recipients will see the following in the received email message:
For more information on item1, go to this link.

When they click this link, their browser opens to
<http://www.comergent.com>

Note that the link URL in the generated email message is actually pointing back to the Comergent eBusiness System. When the Comergent eBusiness System server receives the request, it logs the request, and then redirects the browser to the target URL. This way, you can compile statistics that track which links from your email campaigns are clicked by users.

8. Click **Save**.
9. You can test the message as follows:
 - a. Click **Test**.
 - b. The Test Campaign dialog box is displayed.




FIGURE 521. Test Campaign Dialog Box

- c. In the Test Campaign dialog box, enter your email address.

d. Click **Send**.

You should be able to verify that you have been sent the email message correctly. If you do not receive the email message, then:

- Either you did not correctly enter the email address;
- Or the address of the SMTP server used for campaigns has not been set up correctly. Check the value of the Campaigns.SMTP Host Machine property by navigating to the system properties. See CHAPTER 38, "Enterprise System Administration" for more information about system properties.

You should also verify that any automatically-generated URLs (using the *Linkn* tags described in Step 7) point back to the Comergent eBusiness System server. If they start "http://localhost...", then you must set the ServerName system property to the externally-visible name of the Comergent eBusiness System server.

10. Click the **Manage Recipients** tab.

11. The Campaign Detail Manage Recipients tab displays.

The screenshot shows the Comergent eBusiness System interface. At the top, there's a header with the Comergent logo and 'Campaigns' title. Below this, there's a navigation bar with links like 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main content area is titled 'Campaign: Resellers Conference' and has a 'Go to Campaign List' link. Below the title, there are three tabs: 'Edit Header', 'Manage Content', and 'Manage Recipients'. The 'Manage Recipients' tab is active. It contains a text box with instructions: 'Define new selection criteria and assign it to this campaign by clicking the Add New Criteria button. Upload an external mailing list and assign it to this campaign by clicking the Upload button.' Below this text box are three buttons: 'Add New Criteria', 'Upload', and 'Cancel'. At the bottom, there's a table with the following columns: 'Include', 'Exclude', 'Ignore', 'Mailing List Name', 'Description', 'Mailing List Type', 'Created By', and 'Created Date'. The table is currently empty, and at the bottom of the table area, it says 'No Rows Found'.

FIGURE 522. Campaign Detail Manage Recipients Tab

Use the Manage Recipients tab to specify which recipients should receive the email message. You can specify the recipients by selecting which mailing lists should be used. See "Mailing Lists" on page 768 for information about creating mailing lists.

For each mailing list, you can decide whether to use it to include its email addresses, exclude its email addresses, or not to use it at all. Click the appropriate radio button for each mailing list for your email campaign.

12. Click **Save**.

Mailing Lists

You can create a mailing list by:

- Uploading a list of email addresses.
- Specifying a query.

Mailing List Files

The format for uploading mailing lists is a tab-delimited text file. You can download a template for the file from the Upload Detail page. Each line must comprise the following fields, separated by tab characters:

TABLE 51. Mailing List Fields

| Field | Required? | Description |
|---------------|-----------|--|
| Email Address | Yes | Email address of user |
| Company | No | Company of user |
| Title | No | Title: for example, Ms, Dr, and so on |
| First Name | No | First name |
| Last Name | No | Last name |
| Job Title | No | Job Title: for example, CTO, Product Manager, and so on |
| Department | No | Department: for example, Sales, Marketing, and so on |
| Locale | No | Locale: for example, en_US, fr_CA, and so on. You should only specify locales that are supported by the Comergent eBusiness System. If you leave this field blank, then the user is assumed to have the default system locale as their preferred locale. |
| Telephone | No | Telephone |

To Create a Mailing List by Uploading a File

1. Navigate to the **Manage Recipients** tab of any campaign.
2. Click **Upload**.

The screenshot shows the 'COMERGENT eBusiness System' logo and 'Campaigns' header. Below the header, there's a navigation bar with 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main content area is titled 'Campaign: Resellers Conference' and has a 'Go to Campaign List' link. Below this, there are three tabs: 'Edit Header', 'Manage Content', and 'Manage Recipients'. The 'Manage Recipients' tab is active. Below the tabs, there's a message: 'Enter data and click on Upload button to create and add it to the campaign. All fields with asterisk(*) are required.' There are 'Upload' and 'Cancel' buttons. Below this, there's a 'Mailing List Upload Details' form with fields for '*Mailing List Name', 'Description', and '*Upload File'. The '*Upload File' field has a 'Browse...' button and a 'View Template' link.

FIGURE 523. Upload Detail Page

3. On the Upload Detail page, enter a mailing list name and description. Make sure that the mailing list name is unique.
4. Browse to the mailing list file by clicking **Browse...** and navigating to the file using the file dialog box. Select the file and click **Open**.
5. Click **Upload**.

If the file upload is successful, then you will see a success message. An error message displays if the file does not conform to the template format.

To Create a Mailing List by Specifying Selection Criteria

1. Navigate to the **Manage Recipients** tab of any campaign.
2. Click **Add New Criteria**.

The Selection Criteria Details page is displayed.

COMERGENT eBusiness System | Campaigns

My Home | My Account | About | Help | Logout

Campaign: Resellers Conference [Go to Campaign List](#)

Edit Header **Manage Content** **Manage Recipients**

Enter data and click on Create button to create and add it to the campaign
All fields with asterisk(*) are required.

Selection Criteria Details

*Mailing List Name

Description

Selection Criteria: Profile Type
Select all that apply
☐ Distributor
☐ OEM
☐ Reseller
☐ Retailer
☐ Systems Integrator
☐ SystemPartner
☐ Not Applicable

Selection Criteria: Profile Level
Select all that apply
☐ Platinum
☐ Gold
☐ Silver
☐ Tin
☐ Not Applicable

Selection Criteria: Profiles
Select all that apply

FIGURE 524. Selection Criteria Details Page

- On the Selection Criteria Details page, enter a mailing list name and description. Make sure that the mailing list name is unique.
- Define the appropriate criteria from the available panels. Each criterion is defined by making selections in its panel, for example by checking one or more check boxes. If you specify criteria from more than one panel, then only users that satisfy all the criteria will be added to the mailing list.
- Click **Create**.

Campaigns Cron Job

When you create a campaign, it is designed to be run at a specified time in the future. A cron job called the campaigns cron job ensures that the campaign is run. Because the campaigns cron job runs as an application cron job, make sure that you enable application cron jobs and specify the message URL for cron jobs. See "Job Scheduling Administration" on page 877 for more information on cron jobs.

Attention: Make sure that you have set the ServerName property of the **Comergent.xml** configuration file to the externally visible name of the Comergent eBusiness System machine.

If the campaigns cron job is not already created, then follow these steps:

1. Log in as an enterprise administrator.
2. Navigate to the cron job list page by clicking **Job Scheduler** in the System Administration panel on the Comergent eBusiness System home page.
3. Click **Create New Cron Job**.
4. On the Create New Cron Job page, enter the following information:
 - **Job Name:** Campaigns Execution
 - **Program:**
com.comergent.apps.mktMgr.campaigns.bizAPI.CampaignsCron
 - **Command Line Arguments:** RequestTimeout=-1
 - Select **Application** cron job. Enter your username and password.
 - **Cron Job Schedule:** Enter appropriate start and end dates for the cron job. We suggest setting a frequency of one minute, but you can choose another lower frequency if you prefer.
5. Click **Save All Changes**.

This chapter covers all of the tasks associated with managing programs and activities. See "Program Management and Payment Accounts" on page 46 for an overview of programs and activities.

You can manage programs if you have been assigned the Program Manager or Channel Executive function. You can assign a program to a partner if you are the account manager for the partner. The tasks associated with program management are:

- "To Create a Program" on page 774
- "To Add an Activity" on page 776
- "To Upload a Marketing Plan" on page 775
- "To Assign a Program to a Partner" on page 777
- "To Create an Approval Form" on page 778
- "To Create a Claim Form" on page 780
- "To Manage Approval Requests" on page 783
- "To Manage Claims for an Activity" on page 787
- "To Upload Co-op Account Information" on page 789
- "To Download a Co-op Account Update Template File" on page 790

Before you can start approving requests and claims, you must create payment accounts for your partners. See "Payment Accounts" on page 189 for more information.

Creating and Modifying Programs

To Create a Program

1. Click **Partner Programs** in the Channel Management panel on the Comergent eBusiness System home page.

The Program List page displays.

The screenshot shows the 'Program List' page in the Comergent eBusiness System Administration interface. At the top, there is a header with the Comergent logo and 'Administration' text. Below the header, there is a navigation bar with links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main content area is titled 'Program List'. It features a search section with a text input field labeled 'Find programs that contain:', a dropdown menu for 'Program Name', and buttons for 'Search' and 'Show All'. Below the search section, there are two buttons: 'New Program' (orange) and 'Upload Co-op Accounts' (blue). A table displays the list of programs with the following columns: Program ID, Program Name, Program Type, Creation Date, Activities Start Date, Activities End Date, Program Status, and a link to 'Delete'.

| Program ID | Program Name | Program Type | Creation Date | Activities Start Date | Activities End Date | Program Status | Link |
|------------|--------------------|--------------|---------------|-----------------------|---------------------|----------------|--------|
| 600500 | Workstation Launch | MDF | 11/16/2005 | 11/15/2005 | 12/15/2005 | In Creation | Delete |
| 600501 | Brand Campaign | MDF | 11/16/2005 | 12/1/2005 | 1/31/2006 | Active | |

FIGURE 525. Program List Page

2. Click **New Program**.

The screenshot shows the 'New Program' page in the Comergent eBusiness System Administration interface. The page has a header with the Comergent logo and 'Administration' text. Below the header, there's a navigation bar with links like 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main content area is titled 'New Program' and 'Program Details'. It contains a form with the following fields:

- Program Name ***: A text input field.
- Description**: A large text area.
- Program ID**: A text input field with 'N/A' as a placeholder.
- Program Status ***: A dropdown menu with 'In Creation' selected.
- Program Type**: A dropdown menu with 'MDF' selected.
- Notify Channel Managers**: A checkbox.
- Activities Start Date ***: A date picker.
- Activities End Date ***: A date picker.
- Associated Products/Solutions**: A text area.

At the top right of the form, there are 'Create' and 'Cancel' buttons. A note at the top left of the form says 'Enter data and click on the Create button to create a program.'

FIGURE 526. New Program Page

3. Enter a name and description for the new program.
4. Specify whether this is an MDF or a Co-op program.
Your choice determines whether MDF or Co-op payment accounts are used to allocate funds to partner activities undertaken under this program.
5. If you want channel managers to be notified that the program has been created, then check the Notify Channel Managers check box.
6. Set start and end dates for the new program.
7. If you want to specify that only a restricted set of partners is eligible for this program, then check the appropriate check boxes under Organization Eligibility: Profile Types, Organization Eligibility: Profile Levels, and Organization Eligibility: Territories.
8. Click **Create**.

To Upload a Marketing Plan

After you create a program, you associate a marketing plan with it. A marketing plan is a document that describes the program and the activities that it supports. Partners consult the marketing plan when they want to choose how to participate in it. The plan is simply a file, typically a Word document, that you upload to the Comergent eBusiness System.

1. Navigate to the program to which you want to add a marketing plan.

2. Click **Browse** next to the Marketing Plan text field.
3. In the File Chooser dialog box, navigate to the file that describes the marketing plan. Select it and click **Open**.
4. Click **Upload**.

The file is uploaded to the Comergent eBusiness System. Check that it is correct by clicking **View Marketing Plan**.

To Add an Activity

After you create a program, you define activities for the program.

1. Navigate to the program to which you want to add an activity.
2. On the Program Detail page, click the Activities tab.
3. Click **New Activity**.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

New Activity

Return

Enter data and click on the Create button to create an activity. After changing activity information save changes using the Save button. Use the Cancel button to reverse the changes.

Cancel Create

* Required Fields

| Activity Information | |
|---|--|
| Activity Name * | Activity ID |
| <input type="text"/> | Activity Status In Creation |
| Program Name Workstation Launch | Start Date * |
| Description <input type="text"/> | <input type="text" value="11/16/200"/> |
| | End Date * |
| | <input type="text" value="12/15/200"/> |
| Preapproval Required <input checked="" type="checkbox"/> | Preapproval Process * |
| Last Date for Preapproval Request Submission * | <input type="text"/> |
| | Claim Process * |
| Last Date for Claim Submission * | <input type="text"/> |

FIGURE 527. New Activity Page

4. Enter a name and description for the new activity.
5. Set submission dates as appropriate.
6. Specify which form should be used to submit pre-approval requests. See "To Create an Approval Form" on page 778 for more information on creating approval forms.

- a. Click ... under the Preapproval Process text field.
 - b. In the Hierarchical Entity Picker window, navigate to the MDF Application Forms -> Approval Request Forms list.
 - c. Select the form that you want to use.
 - d. Click **Done**.
7. Specify which form should be used to submit claims. See "To Create a Claim Form" on page 780 for more information on creating claim forms.
 - a. Click ... under the Claims Process text field.
 - b. In the Hierarchical Entity Picker window, navigate to the MDF Application Forms -> Claims Request Forms list.
 - c. Select the form that you want to use.
 - d. Click **Done**.
8. Click **Create**.

To Assign a Program to a Partner

Once you have created a program and its activities, you can assign it to one or more partners so that they can begin to plan and execute activities, and make claims against the activities. Note that you can only assign an active program to partners: programs that are In Creation cannot be assigned.

1. Navigate to the program to which you want to assign a partner.
2. On the Program Detail page, click **Assignments**. The list of eligible partners displays.

| | |
|--------------|---|
| Note: | By default, the list shows only the eligible partners that are assigned to you as an account manager. To see all eligible partners, click Show All, then click Show Eligible to remove ineligible partners from the list. |
|--------------|---|

COMERGENT Administration
eBusiness System

My Home | My Account | About | Help | Logout

Workstation Launch [Go To Program List](#)

Program Details | **Activities** | Assignments

"Find organizations that contain:"
Organization Name [Search](#) [Show All](#)

All organizations shown
Check the partners to which you want to assign the program, then click Save to perform the assignment.

[Select All](#) [Deselect All](#) [Show Eligible](#) [Show All](#) [Save](#)

[Previous](#) [Next](#)

| Assigned | Organization ↙ | Profile Type | Profile Level |
|--------------------------|----------------|--------------|---------------|
| <input type="checkbox"/> | AMT Systems | Reseller | Gold |
| <input type="checkbox"/> | ARCnet Group | Reseller | Gold |
| <input type="checkbox"/> | Aessten_uc | Distributor | Gold |
| <input type="checkbox"/> | Aelften_uc | Distributor | Gold |
| <input type="checkbox"/> | AffinityNet | Reseller | Gold |
| <input type="checkbox"/> | AllNet Corp | Distributor | Silver |
| <input type="checkbox"/> | Anderel | Distributor | Silver |

FIGURE 528. Assignments List Page

3. Check the check boxes for the partners to whom you want to assign this program.
4. Click **Save**.

Creating Forms

When a partner wants to submit an approval request or claim for an activity, they must complete the corresponding form. You can associate pre-existing forms with approval requests or claims, or you can create new forms using the Visual Modeler.

To Create an Approval Form

1. Click **Configuration Models** in the Product and Catalog Administration panel.
2. In the Model Groups navigation panel, navigate to **Model Groups -> MDF Application Forms -> Activities**.
3. Click the activity for which you want to create the claim form.
4. Click **New Model**.

FIGURE 529. New Form Page

5. Enter a Name and a Description for the new form.
6. Click **Save**.
7. When the new form displays in the list of forms, select it and click **Edit**.

FIGURE 530. Edit Form Page

8. Now you can create the fields to be displayed on the form, by specifying them as option classes and option items. You can add pre-built portions of the form by attaching the corresponding option class assemblies as follows:

- a. Click **Attach**.
- b. Click **Browse....**




FIGURE 531. Hierarchy Entity Chooser Window

- c. Navigate to the Activities model group.
 - d. Select one of the option class assemblies such as Pre-Approval.
 - e. Click **Done**.
9. Once you have completed the form, then click **Test** to verify that it meets your needs. If it does not, then close the Test window and modify the form as appropriate.
 10. Once the form is correct, then click **Compile**.

The form is now available to use as a form for approval requests.

To Create a Claim Form

1. Click **Configuration Models** in the Product and Catalog Administration panel.
2. In the Model Groups navigation panel, navigate to **Model Groups -> MDF Application Forms -> Activities**.
3. Click the activity for which you want to create the claim form.
4. Click **New Model**.

The screenshot shows the 'New Model' page in the Comergent Visual Modeler. The interface includes a 'Model Group navigation' tree on the left, a top navigation bar with links like 'My Home', 'My Account', 'About', 'Help', and 'Logout', and a main form area. The form area has fields for 'Name', 'Description', 'Start Date (MD/Y/YY)', 'End Date (MD/Y/YY)', and 'Assigned Product ID'. There are also buttons for 'Save', 'Save and Edit', 'Cancel and Return', and a 'Browse...' button.

FIGURE 532. New Form Page

5. Enter a Name and a Description for the new form.
6. Click **Save**.

When the new form displays in the list of forms, select it and click **Edit**.

The screenshot shows the 'Edit Form' page in the Comergent Visual Modeler. The interface includes a 'Model navigation' tree on the left with the 'Press Release Submission Form' selected. The main area is titled 'General Info' and contains fields for 'Name', 'Description', 'Display Name', 'Start Date (MD/Y/YY)', 'End Date (MD/Y/YY)', and a 'Children' list. There are also buttons for 'Move Up', 'Move Down', 'Delete', 'New Option Class', and 'Attach'.

FIGURE 533. Edit Form Page

7. Now you can create the fields to be displayed on the form by specifying them as option classes and option items. You can add pre-built portions of the form by attaching the corresponding option class assemblies as follows:

- a. Click **Attach**.
- b. Click **Browse....**




FIGURE 534. Hierarchy Entity Chooser Window

- c. Navigate to the Activities model group.
 - d. Select one of the option class assemblies such as Pre-Approval.
 - e. Click **Done**.
8. Once you have completed the form, click **Test** to verify that it meets your needs. If it does not, then close the Test window and modify the form as appropriate.
 9. Once the form is correct, click **Compile**.

The form is now available to use as a form for claims.

Managing Approval Requests and Claims

Once you have created programs and activities, your partners will start submitting approval requests and claims for their activities. This section describes how to process these requests and claims.

To Manage Approval Requests

As an account manager for one or more accounts, you review approval requests made by your partners. For each program activity, one or more approval requests can be submitted by partner program managers (partner users assigned the Marketing Executive function).

1. Navigate to the activity.

FIGURE 535. Program Activity Detail Page


2. Click View Preapprovals & Claims.

| Preapproval ID | Preapproval Status | Preapproval Request Date | Claim ID | Claim Status | Claim Date | Activity Name | Program Name | Organization |
|----------------|--------------------|--------------------------|----------|--------------|------------|-------------------------------|------------------------------------|---------------------------|
| 600500 | Pending Approval | 11/16/2005 | | | | Press Release | Workstation Launch | DataSolve |

FIGURE 536. Program Claim List Page

The claims list page displays all approval requests made against this activity. Requests that require approval have the Pending Approval status.

3. Click the Preapproval Id to the approval request that you want to consider.

 Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Preapproval Request

[Go to Claim List](#)

Preapproval FormNotes

Click Allocate Funds to see eligible accounts and allocate funds to this request. Deny the request by clicking the Deny button. Save the data you entered by clicking the Save button. Click Update to view changes. Cancel changes by clicking the Cancel button.

[Save](#) [Deny](#) [Allocate Funds](#) [Update](#) [Cancel](#)

Preapproval Application Form

Preapproval Request Details

Program Name

[Workstation Launch](#)

Activity Name

[Press Release](#)

Channel Partner:

DataSolve

Preapproval ID

600500

Submission Date

11/16/2005

Preapproval Status

Pending Approval

Approval Number

Currency

USD

Projected Sales

Projected Unit Sales

Projected Sales Revenue

(in dollars)

FIGURE 537. Preapproval Request Page

4. You can:
- a. Approve the request by allocating funds: click **Allocate Funds**.
 - b. Deny this request: click **Deny**.
- If you deny the request, then the approval request becomes read-only and cannot be acted on further.
- If you click **Allocate Funds**, the Approve Funds page displays.

 Administration

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Approve Funds

[Go to Claim List](#)

Specify the quantity of funds you want to apply to this request from each account. Click Approve Funds to approve the request and put the funds on hold. Click Cancel Allocation to cancel allocations and return to the previous page. Click Update to update the total.

Preapproval ID: 600500

Projected Request for Funds: \$100,000

Preapproval Currency: USD

[Cancel Allocation](#) [Approve Funds](#) [Update](#)

| Account Name | Available Date | Available Balance | Expiration Date | Program Name | Activity Name | Amount to Allocate |
|---------------------|----------------|-------------------|-----------------|--------------|---------------|--------------------|
| General MDF Account | 11/16/2005 | \$5,000,000 | 2/14/2006 | | | 0.00 |
| Total | | | | | | 0,000 |

FIGURE 538. Approve Funds Page

5. You can choose to allocate funds from any of the partner's funds. The amount that you allocate is deducted from the available balance of the fund and is put on hold.
6. Click **Approve Funds**.

The Approval Request page re-displays with updated information.

Managing Claims

As an account manager for one or more accounts, you review and approve claims made by your accounts. You can view all claims or you can navigate to the claims made against a specific activity.

To Manage a Claim

1. Click **Partner Program Preapprovals & Claims** in the Channel Management panel on the Comergent eBusiness System home page.

The Claim List page is displayed. Claims that require approval have the Pending Approval status.

The screenshot shows the 'Claim List' page within the 'COMERGENT eBusiness System Administration' interface. At the top, there is a navigation bar with links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below the header, the page title 'Claim List' is displayed. A search section contains a text input field with the placeholder 'Find records that contain:', a dropdown menu for 'Activity Name', and buttons for 'Search' and 'Show All'. Below the search section, the text 'Search Results for Activity Name: Press Release' is shown. A table lists the search results with columns: 'Preapproval ID', 'Preapproval Status', 'Preapproval Request Date', 'Claim ID', 'Claim Status', 'Claim Date', 'Activity Name', 'Program Name', and 'Organization'. The table contains one row with the following data: '600500', 'Pending Approval', '11/16/2005', and links for 'Press Release', 'Workstation Launch', and 'DataSolve'.

| Preapproval ID | Preapproval Status | Preapproval Request Date | Claim ID | Claim Status | Claim Date | Activity Name | Program Name | Organization |
|----------------|--------------------|--------------------------|----------|--------------|------------|-------------------------------|------------------------------------|---------------------------|
| 600500 | Pending Approval | 11/16/2005 | | | | Press Release | Workstation Launch | DataSolve |

FIGURE 539. Claim List Page

2. Click the Claim Id link to the claim that you want to consider.

COMERGENT | Administration
eBusiness System

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Claim for Press Release [Go to Claim List](#)

Claim Form **Notes**

Click Allocate Funds to see eligible accounts and allocate funds to this claim. Deny the claim by clicking the Deny button. Save the data you entered by clicking the Save button. Click Update to view changes. Cancel changes by clicking the Cancel button.

Save **Deny** **Allocate Funds** **Update** **Cancel**

Claim Application Form

Claim Details

Program Name [Workstation Launch](#)
Activity Name [Press Release](#)
Channel Partner DataSolve
Preapproval ID 600500
Approval Number 1132165194063
Claim ID 600501
11/16/2005
Claim Status Pending Approval

Actual Sales

Actual Unit Sales
Actual Sales Revenue (in dollars)

FIGURE 540. Claim Detail Page

3. You can:
- a. Approve the claim by allocating funds: click **Allocate Funds**.
 - b. Deny this claim: click **Deny**.

If you deny the claim, then the claim becomes read-only and cannot be acted on further.

If you click **Allocate Funds**, the Approve Funds page displays.

COMERGENT | Administration
eBusiness System

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Approve Funds [Go to Claim List](#)

Specify the quantity of funds you want to apply to this request from each account. Click Approve Funds to approve the request and put the funds on hold. Click Cancel Allocation to cancel allocations and return to the previous page. Click Update to update the total.

Preapproval ID: 600500
Projected Request for Funds: \$100,000
Preapproval Currency: USD

Cancel Allocation **Approve Funds** **Update**

| Account Name | Available Date | Available Balance | Expiration Date | Program Name | Activity Name | Amount to Allocate |
|---------------------|----------------|-------------------|-----------------|--------------|---------------|------------------------------------|
| General MDF Account | 11/16/2005 | \$5,000,000 | 2/14/2006 | | | <input type="text" value="0.00"/> |
| Total | | | | | | <input type="text" value="0.000"/> |

FIGURE 541. Approve Funds Page

4. You can choose to allocate funds from any of the partner's funds. The amount that you allocate is deducted from the available balance of the fund.

5. Click **Approve Funds**.

The Claim Detail page re-displays with updated information.

To Manage Claims for an Activity

1. Navigate to the activity.



COMERGENT eBusiness System | Administration

My Home | My Account | About | Help | Logout

Workstation Launch: Press Release [Return](#)

After changing activity information save changes using the Save button. Use the Cancel button to reverse the changes.

[View Preapprovals & Claims](#) [Cancel](#) [Save](#)


* Required Fields

Activity Information

| | |
|---|---|
| Activity Name * Press Release | Activity ID 600500 |
| Program Name Workstation Launch | Activity Status Active |
| Description Press releases for the workstation launch. | Start Date * 11/24/2000 |
| Preapproval Required Y | End Date * 12/15/2000 |
| Last Date for Preapproval Request Submission * 11/20/2005 | Preapproval Process * MDF Application Forms/Activities/Direct Mail/Preapproval Form |
| Last Date for Claim Submission * 12/31/2005 | Claim Process * MDF Application Forms/Activities/Direct Mail/Claim Submission Form |

FIGURE 542. Program Activity Detail Page

2. Click **View Claims**.



COMERGENT eBusiness System | Administration

My Home | My Account | About | Help | Logout

Claim List

"Find records that contain:"

Activity Name [Search](#) [Show All](#)

Search Results for Activity Name: Press Release

| Preapproval ID | Preapproval Status | Preapproval Request Date | Claim ID | Claim Status | Claim Date | Activity Name | Program Name | Organization |
|----------------|--------------------|--------------------------|----------|--------------|------------|-------------------------------|------------------------------------|---------------------------|
| 600500 | Pending Approval | 11/16/2005 | | | | Press Release | Workstation Launch | DataSolve |

FIGURE 543. Program Claim List Page

The claims list page displays all approval requests and claims made against this activity. Claims that require approval have the Pending Approval status.

3. Click the Claim Id link to the claim that you want to consider.

COMERGENT | Administration
eBusiness System

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Claim for Press Release [Go to Claim List](#)

Claim Form **Notes**

Click Allocate Funds to see eligible accounts and allocate funds to this claim. Deny the claim by clicking the Deny button. Save the data you entered by clicking the Save button. Click Update to view changes. Cancel changes by clicking the Cancel button.

Save **Deny** **Allocate Funds** **Update** **Cancel**

Claim Application Form

Claim Details

Program Name [Workstation Launch](#)
Activity Name [Press Release](#)
Channel Partner DataSolve
Preapproval ID 600500
Approval Number 1132165194063
Claim ID 600501
11/16/2005
Claim Status Pending Approval

Actual Sales

Actual Unit Sales
Actual Sales Revenue (in dollars)

FIGURE 544. Claim Detail Page

4. You can:
- a. Approve the claim by allocating funds: click **Allocate Funds**.
 - b. Deny this claim: click **Deny**.

If you deny the claim, the claim becomes read-only and cannot be acted on further.

If you click **Allocate Funds**, then the Approve Funds page displays.

COMERGENT | Administration
eBusiness System

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Approve Funds [Go to Claim List](#)

Specify the quantity of funds you want to apply to this request from each account. Click Approve Funds to approve the request and put the funds on hold. Click Cancel Allocation to cancel allocations and return to the previous page. Click Update to update the total.

Preapproval ID: 600500
Projected Request for Funds: \$100,000
Preapproval Currency: USD

Cancel Allocation **Approve Funds** **Update**

| Account Name | Available Date | Available Balance | Expiration Date | Program Name | Activity Name | Amount to Allocate |
|---------------------|----------------|-------------------|-----------------|--------------|---------------|------------------------------------|
| General MDF Account | 11/16/2005 | \$5,000,000 | 2/14/2006 | | | <input type="text" value="0.00"/> |
| Total | | | | | | <input type="text" value="0.000"/> |

FIGURE 545. Approve Funds Page

5. You can choose to allocate funds from any of the partner's funds. The amount that you allocate is deducted from the available balance of the fund.

6. Click **Approve Funds**.

The Claim Detail page re-displays with updated information.

Managing Payment Accounts

You can upload updates to Co-op accounts from data saved in a text file. When you do so, you specify a base amount for each account: a percentage of the base amount is added to the account up to a maximum balance allowed for the account. The percentage and maximum amount are managed in the partner profile.

The format of the text file is specified in "Co-op Account Update File Format" on page 907. You can download a template as described in "To Download a Co-op Account Update Template File" on page 790.


For each line in the uploaded text file, the processing is as follows:

- If an account key is not provided, a new account is created with the header information provided in the line.
- If an account key is provided, the account amount is updated by the specified amount. However, the other header information is not updated.

To Upload Co-op Account Information

1. Click **Partner Programs** in the Channel Management panel on the Comergernt eBusiness System home page.

The Program List page displays.



The screenshot shows the 'Program List' page in the Comergernt eBusiness System Administration interface. The page has a header with the Comergernt logo and 'Administration' text. Below the header is a navigation bar with links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main content area is titled 'Program List' and contains a search bar with the text 'Find programs that contain:'. Below the search bar is a table with the following columns: 'Program ID', 'Program Name', 'Program Type', 'Creation Date', 'Activities Start Date', 'Activities End Date', 'Program Status', and a 'Delete' link. The table contains two rows of data:

| Program ID | Program Name | Program Type | Creation Date | Activities Start Date | Activities End Date | Program Status | Delete |
|------------|--------------------|--------------|---------------|-----------------------|---------------------|----------------|--------|
| 600500 | Workstation Launch | MDF | 11/16/2005 | 11/15/2005 | 12/15/2005 | In Creation | Delete |
| 600501 | Brand Campaign | MDF | 11/16/2005 | 12/1/2005 | 1/31/2006 | Active | |

Below the table are two buttons: 'New Program' and 'Upload Co-op Accounts'.

FIGURE 546. Program List Page

2. Click **Upload Co-op Accounts**.

The screenshot shows the 'Co-op Account Upload' page. At the top is the 'COMERGENT eBusiness System' logo and 'Administration' title. Navigation links include 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The page title is 'Co-op Account Upload'. Below the title, it says 'Enter file name and click on Upload button to create or update Co-op accounts.' There are 'Upload' and 'Cancel' buttons. A section labeled '*Required Fields' contains a 'Co-op Account Upload' form. Inside this form, there is a text field for '*Upload File:' with a 'Browse...' button and a 'View' link. A 'Template' link is also present below the text field.

FIGURE 547. Co-op Account Upload Page

3. Click **Browse...** and navigate to the file that you want to upload.
4. Click **Open** to insert the name of the file into the Upload File text field.
5. Click **Upload**.

The Co-op Account Upload Results page displays, reporting the results of your upload.

The screenshot shows the 'Co-op Account Upload Results' page. It has the same header as Figure 547. The page title is 'Co-op Account Upload Results'. Below the title, it says 'Co-op Accounts Upload Completed' with a 'Done' button. The main content area displays the following text: 'Co-op account upload file C:\temp\AnderelCoopAccountUpload.txt has been uploaded with the following results: Total number of accounts: 2 Number of accounts successfully uploaded: 2 Number of accounts not uploaded due to errors: 0'.

FIGURE 548. Co-op Account Upload Results Page

To Download a Co-op Account Update Template File

1. Click **Partner Programs** in the Channel Management panel on the Comergent eBusiness System home page.

The Program List page displays.

The screenshot shows the 'Program List' page. At the top, there's a header with the Comergent logo and 'Administration' text. Below the header, there's a navigation bar with links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main content area has a title 'Program List' and a search box with the placeholder text 'Find programs that contain:'. Below the search box, there's a dropdown menu for 'Program Name' and a 'Search' button. A 'Show All' link is also present. Below the search area, there's a section titled 'All programs shown' with two tabs: 'New Program' and 'Upload Co-op Accounts'. The 'Upload Co-op Accounts' tab is selected. Below the tabs, there's a table with the following data:

| Program ID | Program Name | Program Type | Creation Date | Activities Start Date | Activities End Date | Program Status | |
|------------|--------------------|--------------|---------------|-----------------------|---------------------|----------------|--------|
| 600500 | Workstation Launch | MDF | 11/16/2005 | 11/15/2005 | 12/15/2005 | In Creation | Delete |
| 600501 | Brand Campaign | MDF | 11/16/2005 | 12/1/2005 | 1/31/2006 | Active | |

FIGURE 549. Program List Page

- Click **Upload Co-op Accounts**.

The screenshot shows the 'Co-op Account Upload' page. At the top, there's a header with the Comergent logo and 'Administration' text. Below the header, there's a navigation bar with links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. The main content area has a title 'Co-op Account Upload' and a text box with the placeholder text 'Enter file name and click on Upload button to create or update Co-op accounts.' Below the text box, there's a section titled '*Required Fields' with a sub-section 'Co-op Account Upload'. In this sub-section, there's a label '*Upload File:' followed by a text box and a 'Browse...' button. Below the text box, there's a 'Template' link. To the right of the text box, there's an 'Upload' button and a 'Cancel' button.

FIGURE 550. Co-op Account Upload Page

- Click **Template** and save the template file to your local system.

This chapter covers all of the tasks associated with managing sales contracts. See "Sales Contracts" on page 29 for an overview of sales contracts.


You can manage sales contracts if you have been assigned the Channel Executive function. The tasks associated with program management are:

- "To Create a Sales Contract" on page 793
- "To Submit a Sales Contract" on page 796
- "To Search for a Sales Contract" on page 797

Creating and Modifying Sales Contracts

To Create a Sales Contract

1. Click **Customer Account Activity** in the Commerce Activity panel on the Comergent eBusiness System home page.
2. Click the Sales Contract tab.

Administration

My Home | My Account | About | Help | Logout

Account Activity

Active | Quotes | Sales Contracts | Orders | Returns | Invoices


Find contracts that contain:
Product ID: Search Show All Advanced Search

Click New to create a new contract.
[New](#)

| Contract ID | Contract Name | Offer Expiry Date | Start Date | End Date | Status | Fulfilled | Organization | |
|-------------|------------------|-------------------|------------|------------|--------|-----------|--------------|------------------------|
| 600622 | Web service test | 11/23/2005 | 11/9/2005 | 11/30/2005 | Open | False | ABCnet Group | Delete |

FIGURE 551. Customer Workspace: Sales Contract Tab

- Click **New**.
- Using the Organization Picker, enter the Organization name and a name for the new sales contract.

Administration

My Home | My Account | About | Help | Logout

Contract: [Return to List](#)

Header

Review the Contract terms below. Enter the contract header information and click 'Create'. Click 'Cancel' to return to the list of contracts.
All fields with asterisk(*) are required.

[Create](#) [Cancel](#)

Contract Header Information

Contract Header Information

Status:
New

*Organization:

*Name:

Description:

*Start Date:
 (M/D/Y)

FIGURE 552. Sales Contract Detail Page: Header Tab

- Set the header information as follows:
 - Offer Expiry Date
 - Contract Start Date

- c. Contract End Date
 - d. Freight Terms
 - e. Payment Terms
 - f. Attached Document
 - g. Prepay
 - h. User details for intended partner user
6. Click **Create**.

Once you have created the basic header for the sales contract, you now add products and their contract prices to the contract.

7. Click the Details tab.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

Build Product List: [Return to List](#)

Header | **Details** | **Notes**

Name: Web service test [Change](#)

Customer Type: General

Currency: USD

Last Modified: 11/21/2005

Items: 1

User Name: [Guiness, Alex](#)

Organization: [ARCnet Group](#)

Add items to the list below by clicking on 'Continue Shopping' to browse the catalog or click on 'Enter Product IDs' if you know the SKU numbers you are interested in.
To place an order from this contract return to the Contract Header page and click the Place Order button.

[Continue Shopping](#) [Help Me Find Products](#) [Enter Product IDs](#)

[Compare](#) [Remove](#) After changing quantities, click 'Update' [Update](#)

| <input type="checkbox"/> | Name | Product ID | Supplier | Price | Contract Price | Quantity | Ext. Price | Ordered Quantity | Status |
|--------------------------|--------------------------|---------------------------|------------|----------|----------------|----------|------------|------------------|--------|
| <input type="checkbox"/> | 7480 Desktop "Base" | MXDS-7480 | Enterprise | \$733.95 | \$733.95 | 5 | \$3,669.75 | | |
| | 17" Monitor | MX-GV17T | | included | | 5 | | | |
| | Windows 2000 | MX-MSW2K | | included | | 5 | | | |
| | Matrix Satellite Speaker | MXA-MSS | | included | | 10 | | | |

* Indicates one or more supplier prices for a product is (are) remote. Click on 'Select' to view actual price for the supplier(s).

FIGURE 553. Sales Contract Detail Page: Details Tab

8. You add products in the same way as for any cart:
 - a. Click **Continue Shopping** to add products through browsing and searching the product catalog.
 - b. Click **Help Me Find Products** to add products through the **C3** Advisor questionnaire.

- c. Click **Enter Product IDs** to add products by entering their product IDs directly.
9. As you add products to the sales contract, you can specify the sales contract price by entering it in the Contract Price field.
10. You can specify the quantity: this is the maximum quantity of the line item that can be ordered using the sales contract. As orders are placed using the sales contract, the quantity ordered for each line item is tracked so that the total quantity does not exceed the specified quantity.
11. Click **Update** to save prices and quantities.

| | Name | Product ID | Supplier | Price | Contract Price | Quantity | Ext. Price | Status |
|--------------------------|---------------------------|------------|------------|------------|----------------|----------|------------|--------|
| <input type="checkbox"/> | 7410 Notebook "Workhorse" | MDLP-7410 | Enterprise | \$1,506.50 | \$ | 5 | \$7,532.50 | |

FIGURE 554. Sales Contract Line Item with Contract Price and Quantity

12. Click the Header tab.
13. Click **Save**.

Once you have created the sales contract, you must submit it to the designated organization. Only a partner user who has the Commerce Executive function can accept the sales contract, so make sure that at least one partner user has been assigned this function. If you do not submit the contract, then partner users cannot see the sales contract at all.

To Submit a Sales Contract

Once you have created a sales contract, you can submit it to the intended partner.

1. Navigate to the sales contract.

See "To Search for a Sales Contract" on page 797 on how to find a sales contract.

COMERGENT eBusiness System Administration

My Home | My Account | About | Help | Logout

Contract: Web service test [Return to List](#)

Header Details Notes

Review the Contract terms below. Submit the contract to the organization by clicking the 'Submit' button. Save changes on the contract by clicking the 'Save' button. Create a new contract by clicking the 'Copy' button. Click 'Cancel' to return to the list of contracts.

All fields with asterisk(*) are required.

[Copy](#) [Save](#) [Submit](#) [Cancel](#)

Contract Header Information

| | |
|--|--|
| <p>Contract Header Information</p> <p>Status: Open</p> <p>*Organization: ARCnet Group</p> <p>*Name: <input type="text" value="Web service test"/></p> <p>Description: <input type="text" value="Web service test"/></p> <p>*Start Date: <input type="text" value="11/9/05"/> (M/D/YYYY)</p> <p>*End Date:</p> | <p>Bill-To Information</p> <p>Title: <input type="text" value="Mr."/></p> <p>Last name: <input type="text" value="Guinness"/></p> <p>First name: <input type="text" value="Alex"/></p> <p>Organization: <input type="text" value="ARCnet Group"/></p> <p>*Address Line 1: <input type="text" value="4322 Howe Street"/></p> <p>Address Line 2: <input type="text" value="First floor"/></p> |
|--|--|

FIGURE 555. Sales Contract Detail Page: Header Tab

2. Click **Submit**.

To Search for a Sales Contract

1. On the Enterprise Home page, click **Advanced Search** in the Contracts panel.

COMERGENT Administration
eBusiness System

My Home | My Account | About | Help | Logout

Search Header [Return to List](#)

Search for Contracts with the given criteria. Partial entries with the wildcard character (*) are supported for Organization, Username, User First Name, User Last Name and Contract Name.

Find by Accounts handled by Manager/Rep

Find Inquiry Lists by Organization or User

Organization: Username: User First Name: User Last Name:

Contracts with the following attributes

Contract ID: Contract Name: Fulfilled:

Contracts By Date Ranges

Contract Start Date: Contract End Date:
Starting Date: M/D/YYYY Starting Date: M/D/YYYY
Ending Date: M/D/YYYY Ending Date: M/D/YYYY

FIGURE 556. Sales Contract Search Page

2. Enter your search criteria as appropriate. If you want to look for contracts assigned to partners that have been assigned to a particular enterprise user, then click ... below the Find by Accounts field.
3. Click **Submit**.

COMERGENT Administration
eBusiness System

My Home | My Account | About | Help | Logout

Account Activity

[Active](#) [Quotes](#) [Sales Contracts](#) [Orders](#) [Returns](#) [Invoices](#)

Find contracts that contain:

Product ID: [Search](#) [Show All](#) [Advanced Search](#)

Click New to create a new contract.

[New](#)

| Contract ID | Contract Name | Offer Expiry Date | Start Date | End Date | Status | Fulfilled | Organization | |
|-------------|------------------|-------------------|------------|------------|--------|-----------|--------------|------------------------|
| 600622 | Web service test | 11/23/2005 | 11/9/2005 | 11/30/2005 | Open | False | ARCnet Group | Delete |

FIGURE 557. Sales Contract List Page

4. Click the link to the sales contract you want.

This chapter covers all of the tasks associated with managing product reviews. See "Product Reviews" on page 30 for an overview of product reviews.

You can manage product reviews if you have been assigned the Product Review Administration function. The tasks associated with product review administration are:

- "To View a Product Review" on page 801
- "To Hide or Reject a Review" on page 802
- "To Search for a Product Review" on page 803

Managing Product Reviews

To View a Product Review

1. Click **Review Management** in the Review Management panel on the Comergent eBusiness System home page.

The Review List page is displayed.

COMERGENT Administration
eBusiness System

My Home | My Account | About | Help | Logout

Review List:

Search for Reviews

Product ID

Review List page.

| Product ID | Product Name | ReviewDate | Review Brief | Status | Helpful Count | ReviewRating | <input type="checkbox"/> Hide |
|----------------|-------------------------------------|------------|--------------------------------------|----------|---------------|--------------|-------------------------------|
| MXLP-7500-Best | Best 7500 Notebook "Tough Line" | 7/19/2006 | Early-adopter review | Approved | 1 | 1 | <input type="checkbox"/> |
| MX-PR-IMG-01 | Matrix-Digital-Imaging-Beginner-Set | 7/19/2006 | Timely product | Approved | 1 | 1 | <input type="checkbox"/> |

FIGURE 558. Review List Page

- Click the link to the review that you want to view.
The Review Detail page is displayed.

COMERGENT Administration
eBusiness System

My Home

MXLP-7500-Best

User Name and Date : Mike Scott 7/19/2006

Hide ☐

☐ Out of 0 found it useful

Review Status:

Review Rating:

OneLineSummary:

Pros:

Cons:

Full Review:

I have worked for about a week with the product. It was easy to set up. It meets all my immediate needs and I'm currently testing some more advanced features to see what they have to offer.

FIGURE 559. Review Detail Page

To Hide or Reject a Review

- Navigate to the product review.
See "To View a Product Review" on page 801 on how to view a product review.

COMERGENT eBusiness System Administration [My Home](#)

MXLP-7500-Best

User Name and Date : Mike Scott 7/19/2006

Hide ☐ Out of 0 found it useful

Review Status: Approved

Review Rating: 1

OneLineSummary: Early-adopter review

Pros: Good installation and documentation

Cons: Expensive!

Full Review:

I have worked for about a week with the product. It was easy to set up. It meets all my immediate needs and I'm currently testing some more advanced features to see what they have to offer.

FIGURE 560. Review Detail Page

2. To hide a review: check the **Hide** check box.
3. To reject a review, select Rejected in the Review Status drop-down list.
4. Click **Save**.

To Search for a Product Review

1. Click **Review Management** in the Review Management panel on the Comergent eBusiness System home page.

COMERGENT eBusiness System Administration [My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Review List:

Search for Reviews

Product ID ▼ [Go Search](#) [Show All](#)


Review List page.

[Update](#)

| Product ID | Product Name | Review Date | Review Brief | Status | Helpful Count | Review Rating | <input type="checkbox"/> Hide |
|----------------|-------------------------------------|-------------|--------------------------------------|----------|---------------|---------------|-------------------------------|
| MXLP-7500-Best | Best 7500 Notebook "Tough Line" | 7/19/2006 | Early-adopter review | Approved | | 1 | <input type="checkbox"/> |
| MX-PR-IMG-01 | Matrix-Digital-Imaging-Beginner-Set | 7/19/2006 | Timely product | Approved | | 1 | <input type="checkbox"/> |

FIGURE 561. Review List Page

2. Select your search criteria as appropriate.
3. Click **Search**.

Administration

My Home | My Account | About | Help | Logout

Review List:

Search for Reviews

Product ID

Search Show All

Review List page.

Update

| Product ID | Product Name | ReviewDate | Review Brief | Status | Helpful Count | ReviewRating | <input type="checkbox"/> Hide |
|----------------|-------------------------------------|------------|--------------------------------------|----------|---------------|--------------|-------------------------------|
| MXLP-7500-Best | Best 7500 Notebook "Tough Line" | 7/19/2006 | Early-adopter review | Approved | 1 | | <input type="checkbox"/> |
| MX-PR-IMG-01 | Matrix-Digital-Imaging-Beginner-Set | 7/19/2006 | Timely product | Approved | 1 | | <input type="checkbox"/> |

FIGURE 562. Review List Page with Search Results

4. Click the link to the product review you want to view.

This chapter covers all of the tasks associated with managing payment transactions. See "Payment Processing and Credit Cards" on page 31 for an overview of payment transactions.

You can manage payment transactions if you have been assigned the Financials function. The tasks associated with payment transactions are:

- "To View a Payment Transaction" on page 805
- "To Make a Manual Transaction" on page 806

Viewing and Modifying Payment Transactions

To View a Payment Transaction

1. Click **Payment History** in the Commerce Activity panel on the Comergent eBusiness System home page.

COMERGENT | Payment History

eBusiness System

My Home | My Account | About | Help | Logout

Payment History


Find credit card transactions that contain:

Last Name Search Show All Advanced Search

| First Name | Last Name | Transaction Date ▼ | Transaction Amount | Transaction Type | Accepted | Transaction ID | Order ID | Manual Payment | Credit Card# |
|------------|-----------|--------------------|--------------------|------------------|----------|------------------------|------------|----------------|--------------|
| Michael | Scott | 11/13/2005 | \$6,516.00 | Authorization | true | 1319108868020169622529 | 2515599011 | false | *****1111 |
| 1 | 1 | 11/11/2005 | \$202.00 | Authorization | true | 1317453694280169622532 | 1384601921 | false | *****1111 |
| a | a | 11/11/2005 | \$100,881.00 | Authorization | false | 1317451265380169622530 | 1940601532 | false | *****1111 |

FIGURE 563. Transaction List Page

2. Click the transaction ID of the transaction that you want to view.



Payment History

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

[Return to List](#)

Transaction Detail:

Back


| | |
|---------------------|-------------------------|
| Transaction Detail: | |
| First Name | Michael |
| Middle Name/Initial | |
| Last Name | Scott |
| Bill To Address1 | 172 Barford Ave. |
| Bill To Address2 | First floor |
| Bill To City | Salt Lake City |
| Bill To State | UT |
| Bill To Postal Code | 84093 |
| Bill To Country | USA |
| Bill To Email | mscott@icmsolutions.com |
| Credit Card Type | Visa |
| Credit Card Number | *****1111 |
| Expiration Date | November 2008 |
| Transaction Date | 11/13/2005 |
| Transaction Amount | 6,516.00 |
| Currency | USD |
| Transaction Type | Authorization |
| Accepted | true |
| Transaction ID | 1319108868020169622529 |
| Reason | Success |

FIGURE 564. Transaction Detail Page

To Make a Manual Transaction

Once an order has shipped, the corresponding payment transaction can be updated. You can make a manual transaction against an existing payment transaction as follows:

1. Navigate to the payment transaction as described in "To View a Payment Transaction" on page 805.

 **COMERGENT**
eBusiness System

Payment History

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Transaction Detail: [Return to List](#)

Issue Credit

Issue Debit

| Transaction Detail: | |
|---------------------|--------------------------|
| First Name | Michael |
| Middle Name/Initial | |
| Last Name | Scott |
| Bill To Address1 | 172 Barford Ave. |
| Bill To Address2 | First floor |
| Bill To City | Salt Lake City |
| Bill To State | UT |
| Bill To Postal Code | 84093 |
| Bill To Country | USA |
| Bill To Email | msscott@icmsolutions.com |
| Credit Card Type | Visa |
| Credit Card Number | *****1111 |
| Expiration Date | November 2008 |
| Transaction Date | 11/18/2005 |
| Transaction Amount | 6,516.00 |
| Currency | USD |
| Transaction Type | Capture |
| Accepted | true |

FIGURE 565. Transaction Detail Page

2. Click **Issue Credit** or **Issue Debit** as appropriate.

The Manual Transaction Page is displayed.

COMERGENT eBusiness System | Payment History

[My Home](#) | [My Account](#) | [About](#) | [Help](#) | [Logout](#)

Manual Debit Transaction: [Return To List](#)

[Submit Transaction](#) [Cancel](#)

Enter a Transaction Amount, update other fields as required, and click 'Submit Transaction'.

Transaction Detail

First Name *

Middle Name/Initial

Last Name *

Bill To Address1 *

Bill To Address2

Bill To City *

Bill To State *

Bill To Postal Code *

Bill To Country *

Bill To Email *

Credit Card Type *

Credit Card Number *

Expiration Date *

FIGURE 566. Manual Transaction Page

3. Enter the relevant details (usually the transaction amount and currency code), and click **Submit Transaction**.

This chapter covers the tasks associated with managing tasks. "Task Management" on page 48 provides an overview of how you work with tasks. See "Creating Tasks From Commerce Objects" on page 730 for more information about creating tasks from orders and quotes.

Creating Tasks

To Create a Task

Any enterprise user can create a task as follows:

1. Click **Task Management** in the Commerce Activity panel on the Comergent eBusiness System home page.

This displays the Task List page.

Home About Help Logout

Task List:

Search for Tasks

ID Search Show All Advanced Search

Task List page. [Create Task](#)

| ID | Name | Create Date | Priority | Update Date | Status | Due Date |
|--------|---|-------------|----------|-------------|--------|-----------|
| 600510 | RFQ Creation Task | 4/22/2005 | | 4/22/2005 | New | |
| 600509 | abcd | 4/22/2005 | High | 4/22/2005 | Open | 4/30/2005 |
| 600508 | abc | 4/22/2005 | Medium | 4/22/2005 | New | 4/29/2005 |
| 600506 | RFQ Creation Task | 4/21/2005 | Medium | 4/22/2005 | Open | |
| 600606 | Customer Credit Hold Task | 4/21/2006 | | 4/21/2006 | New | |

FIGURE 567. Task List Page

2. Click **New**.
- The task detail page is displayed.

COMERGENT eBusiness System Task Manager My Home My Account About Help Logout

Task Detail: [Go to Task List](#)

Detail

Task Detail page. [Create](#) [Cancel](#)

General Information

NOTE: (*) items are required.

*Task Name

*Priority

*Task Type

Due Date

*Status

Task Summary

URL 1

URL 2

URL 3

Email Creator ☐

Watcher List

FIGURE 568. Task Detail Page

3. Enter the following for the new task:
- Task Name
 - Task Summary

- Priority
 - Due Date
 - Task Type
4. To assign enterprise users as watchers of this task, click ... next to the Watcher list box.

The Hierarchical Entity Chooser window is displayed to help you select watchers for the task.




FIGURE 569. Hierarchical Entity Chooser

5. Click the Green arrow to navigate through the enterprise hierarchy. Click users to add them to the watcher list box.
6. When you have selected all the users you want, then click **Done**.
7. On the Task Detail page, click **Create**.
- When the Task Detail page is displayed again, you can enter a note associated with the task.
8. Click **Notes**.

The screenshot shows the 'Task Management' interface with the 'Notes' tab selected. The header includes 'TASK MANAGEMENT' and the 'COMERGENT E-BUSINESS SYSTEM' logo with links for 'Home', 'About', 'Help', and 'Logout'. Below the header, the 'Task Notes:' section has two tabs: 'Detail' and 'Notes'. The 'Notes' tab is active, displaying a text area for entering a new note and an 'Add Note' button. A table at the bottom has columns for 'Date', 'Note', 'Organization', and 'User Name'.

FIGURE 570. Task Detail Page: Notes Tab

9. Enter an appropriate note and click **Add Note**.

To Update an Existing Task

Users who have been assigned tasks or who are on the watcher list for a task can update a task as follows.

1. Click **Task Management** in the Commerce Activity panel on the Comergent eBusiness System home page.

This displays the Task List page.

The screenshot shows the 'Task List' page. The header is identical to Figure 570. Below the header, the 'Task List:' section contains a 'Search for Tasks' box with a dropdown menu for 'ID' and a search button. There are also links for 'Show All' and 'Advanced Search'. At the bottom right, there is a 'Create Task' button.

FIGURE 571. Task List Page

2. Click the link to the task you want to update.

The task detail page is displayed.

TASK MANAGEMENT **COMERGENT E-BUSINESS SYSTEM**

[Home](#) [About](#) [Help](#) [Logout](#)

Task Detail:

Detail **Notes**

Task Detail page. [Accept](#) [Cancel](#)

General Information

NOTE: (*) items are required.

***Task Name**
Reminder to check orders

***Task Summary**
Reminder to check orders

***Due Date**
9/10/2004

***Owner**
[Empty]

***Priority**
High

***Creator**
ajones

***Task Type**
EnterpriseCommerce

***Object ID**
[Empty]

***Status**
New

***URL 1**
[Empty]

***URL 2**
[Empty]

***URL 3**
[Empty]

Watcher List

| |
|----------|
| cService |
|----------|

FIGURE 572. Task Detail Page

- Click **Accept** to take ownership of a task.

Automated Task Creation

Tasks can be created automatically when end-users perform specific actions such as requesting a price negotiation. This section describes what tasks are automatically created and which users are added to their watchers list.

TABLE 52. Automatically-Created Tasks

| Application | Action | Watchers |
|---------------------|-------------------------------------|--|
| C3 Partner Programs | End-user submits claim | Enterprise users assigned to the end-user's account who have been assigned the Channel Executive function. |
| | End-user submits approval request | Enterprise users assigned to the end-user's account who have been assigned the Channel Executive function. |
| | Enterprise user activates a program | Enterprise users who have been assigned the Channel Executive function. |

TABLE 52. Automatically-Created Tasks (Continued)

| Application | Action | Watchers |
|--------------------|---|---|
| C3 Quotes | End-user submits price negotiation request | Enterprise users assigned to the end-user's account who have been assigned the Commerce function. |
| C3 Orders | End-user places order beyond their credit limit | Enterprise users assigned to the end-user's account who have been assigned the Commerce function. |
| | End-user requests a return against an order | Enterprise users assigned to the end-user's account who have been assigned the Commerce function. |

After a purchase has been made, an invoice may be generated to complete the transaction. The invoice is sent by the enterprise to the customer and the customer can either submit payment against the invoice or contest some aspect of the invoice. The Comergent eBusiness System enables the enterprise and its customers to track invoices through their life cycles. See "Invoice Management" on page 37 for an overview of invoices and how they should be managed in the Comergent eBusiness System.

This chapter covers the following tasks:


- "To View an Invoice" on page 816
- "To Modify an Invoice" on page 818
- "To View the History of an Invoice" on page 818
- "To Create a Credit Memo" on page 819
- "To Create a Debit Memo" on page 819

Invoice Administration

Enterprise users can view and modify invoices as follows. You must be assigned the Financials function to perform these tasks.

To View an Invoice

1. Click the link to the invoice in the Invoices panel on the Comergent eBusiness System home page or if it is not listed, then click **More** to go to your Invoices tab on your workspace.



The screenshot shows the 'Invoices' tab selected in the 'Product Lists' section. Below the tab are search options: 'Find Invoices that contain:' with a dropdown for 'Order Number' and a search bar, followed by 'Search', 'Show All', and 'Advanced Search' links. Below the search bar is a table of invoices.

| | Invoice Number | Order Number | Due Date | Date Created | Amount | Balance | Invoice Status | User Name | Organization |
|--------------------------|----------------|--------------|-----------|--------------|--------------|------------|----------------|----------------|--------------|
| <input type="checkbox"/> | 75827613 | 9912593762 | 5/16/2003 | 5/16/2003 | \$3,721.49 | \$2,577.31 | Disputed | Sutton, Felix | DataSolve |
| <input type="checkbox"/> | 71137155 | 4601604194 | 5/16/2003 | 5/16/2003 | \$120,204.04 | \$0.00 | Paid | Sutton, Felix | DataSolve |
| <input type="checkbox"/> | 14591430 | 2783598787 | 5/16/2003 | 5/16/2003 | \$6,314.04 | \$6,314.04 | Disputed | Sutton, Felix | DataSolve |
| <input type="checkbox"/> | 96049622 | 8985592576 | 5/16/2003 | 5/16/2003 | \$191,924.64 | \$0.00 | Paid | Collins, Linda | DataSolve |

FIGURE 573. Invoice Tab of Workspace Page

By clicking **Advanced Search** in the Invoices panel, you search for an invoice.

HOME **COMERGENT**
E-BUSINESS SYSTEM [About](#) [Help](#) [Logout](#)

Invoices Search

Search for Invoices with the given criteria. Partial Entries and the wildcard character (*) are supported for Company Name, Customer ID, Customer First Name, Customer Last Name and Product ID.

Submit

Find Invoices by Partner or User

Company Name: Customer ID: Customer First Name: Customer Last Name:

Order Number Invoice Number Product ID

Invoice Status

Due Date
Starting Date: MD/YYYY
Ending Date: MD/YYYY

Last Updated
Starting Date: MD/YYYY
Ending Date: MD/YYYY

[Back to Top ↑](#)

FIGURE 574. Invoice Search Page

2. On the Invoice Search page, enter criteria to perform a search and click **Submit**.

The Invoices Tab of your workspace page is displayed with the results of your search.

3. On the Invoice List page, click the link corresponding to the invoice whose detail you want to view.
4. The Invoice Detail page is displayed.

INVOICE ADMINISTRATION

COMERGENT
SELL-SIDE E-BUSINESS SYSTEM

[Home](#) > [Search](#) > [List](#) > [Detail](#)

[About](#) | [Help](#) | [Logout](#)

Invoice Detail

Invoice Number: **Cchen invoice** Invoice Status: **New**
Invoice Date: **1/1/2003** Due Date: **8/8/2008**
Balance: **\$0.22** Order Number: **4701295329**

Notes

Order Number: 4701295329

Bill To:
Comergent
Ms. Alla Budman
1201 Radio road
suite 100
Redwood City, CA
94065 USA

Ship To:
yahoo
Mr. John Smith
500 Scott Blvd
Building 1
Sunnyvale, CA
95099 USA

Sold To:
Ms. Mary Brown
555 Pine street
around the corner
Boston ,
France

Remit To:
RC
Mr. RF RL
RA1
RA2
Leningrad , 09090
USA

[Mark All Paid](#) [Update](#)

FIGURE 575. Invoice Detail Page

To Modify an Invoice

1. Navigate to the invoice as described in "To View an Invoice" on page 816.
2. You can update the enterprise status of each invoice line item. The status for the invoice is updated automatically applying the rules described in "Invoice Statuses" on page 38.

To View the History of an Invoice

1. Navigate to the invoice as described in "To View an Invoice" on page 816.
2. For any line item, click **History**. The Invoice History List page is displayed.

| Update Date | Updated By | Customer Status | Enterprise Status | Product ID | Quantity |
|-------------|------------|-----------------|-------------------|------------|----------|
| 11/4/2002 | ERPAdmin | New | New | MXD9-7500 | 10 |

FIGURE 576. Invoice History List Page

3. Click **Done** to return to the Invoice Detail page.

Memo Administration

You can create credit and debit memos for an invoice.

To Create a Credit Memo

1. Navigate to the invoice against which you want to create a credit memo.
2. Click **Create Memo**.
3. Select Credit from the drop-down list.
4. Enter the adjustment information as required.
5. Click **Save**.

To Create a Debit Memo

1. Navigate to the invoice against which you want to create a debit memo.
2. Click **Create Memo**.
3. Select Debit from the drop-down list.
4. Enter the adjustment information as required.
5. Click **Save**.

This chapter covers tasks that are performed only by enterprise employees: that is, only tenant users who have been assigned the Program Management function can view reports. It covers the Comergent **C3** Analyzer: check with your system administrator to see if this application has been installed as part of your implementation of the Comergent eBusiness System.

Viewing Reports

See CHAPTER 37, "C3 Analyzer Reports" for a description of the available reports.

To View a Report

To access the reports, you must be logged into the Comergent eBusiness System as an enterprise user.

1. Click **Commerce, Sales & Product Dashboards** in the Analytics panel on the Enterprise Home page.

This displays the Analyzer Home page (see Figure 577 on page 822). It provides links to the dashboards and to the report scheduler.




FIGURE 577. Analyzer Home Page

2. Click the link to the appropriate dashboard:

- **Order Management Dashboard:** provides all the reports related to orders, products, and partner activity.
- **PRM Dashboard:** provides all the reports related to sales forecasts, inventory, and leads.
- **Catalog Dashboard:** provides all the reports related to products and the *C3* Advisor.

3. Click the report you wish to generate. (Complete descriptions of the available reports are provided in CHAPTER 37, "C3 Analyzer Reports".)

You can usually choose between viewing a report based on default parameters or performing a search based on search parameters that you provide. The search parameters differ depending on the report.

4. You can do one of the following:

- Enter the appropriate parameters for the report, then click **Search** to display a report based on the chosen parameters. (You can use an asterisk (*) for wildcard searches.)

Note: If you select "Not Applicable" for either Partner Type or Partner Level, then the search will result in only those partners who have been assigned "Not Applicable" for those criteria.

- Leave the fields blank and click **Show All** or **Show Current**, depending on the report, to generate a report that uses all the data or all the current data.

Each report is generated in real-time to give you up-to-date access to the activity on your Comergent eBusiness System.

Refreshing the Dashboard Graphs

Each of the dashboards presents some summary graphs that summarize the activity in the Comergent eBusiness System. These graphs can be regularly refreshed with updated data in these ways:

- You can schedule when the reports are run. See "Refreshing the Dashboard Graphs" on page 823.
- You can refresh them manually whenever you like. See "Refreshing the Dashboard Graphs" on page 823.

To Schedule Refreshing the Dashboard Graphs

1. Log in as an enterprise administrator.
2. Click **Commerce, Sales & Product Dashboards** in the Analytics panel on the Enterprise Home page.
3. Click **Dashboard Graphs**.

ANALYZER **COMERGENT E-BUSINESS SYSTEM**
Home > List > Detail About Help Logout

Change Dashboard Graph Refresh Schedules

Select dates and times to run and refresh the dashboard graphs. It is usual to run the graphs once immediately and to choose a recurring schedule. If you don't want to run them immediately, use Run Once instead.
Setting up a recurring schedule here will overwrite any previous recurring schedule for that report.

Schedules

| Dashboard | Run immediately | Run once | Recurring | Date MD/YY | Frequency | Hour | Minute |
|----------------------------|--------------------------|--------------------------|-------------------------------------|------------|-----------|------|--------|
| Order Management Dashboard | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 12/24/03 | Every day | 00 | 00 |
| PRM Dashboard | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 12/24/03 | Every day | 00 | 00 |
| Catalog Dashboard | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 12/24/03 | Every day | 00 | 00 |

Submit **Reset**

FIGURE 578. Dashboard Refresh Schedule Page

4. For each dashboard, you can choose whether to run the dashboard report immediately, or to specify a time at which to run it, or schedule a regular recurring time at which the report is generated, or any combination of these.
5. Click **Submit**.

Exporting and Printing Reports

You can download and print reports as needed.

To Save a Report in PDF Format

If you want to save a copy of a report for later offline viewing or to send to a colleague, then you can save the report in PDF as follows:

1. Create the report using appropriate search parameters.
2. Click **Download/Print** in the report menu bar.
A new browser window opens.
3. In the **Save/View report in Adobe PDF format** section, select the range of pages you want to include.
4. Click **Save PDF**. By clicking **View PDF**, you can preview the report in your browser. Note that your browser must be configured to support the display of PDF files.
5. Save the file to an appropriate location on your local machine.
6. You can view and print the PDF file from your local machine using Adobe Acrobat Reader.

To Export a Report to Excel Format

If you want to export the data in a report for later analysis or to send to a colleague, then you can save the report in Excel format as follows:

1. Create the report using appropriate search parameters.
2. Click **Download/Print** in the report menu bar.
A new browser window opens.
3. In the **Export report to Microsoft Excel** section, select the range of pages you want to include.
4. Click **Export Report** or **Export Table**. Only click **Export Table** for reports that are already in tabular form.

5. Save the file to an appropriate location on your local machine.
6. You can view and print the Excel file from your local machine using Microsoft Excel.

Analyzing Report Results with e.Analysis

Actuate's e.Analysis™ tool enables you to transform the data from the reports you generated into interactive information. You can extract specific fields from a report then search the report for matches to these fields. You can then view and analyze this data in various forms, including bar and pie charts, in order to determine relationships and trends.

| | |
|--------------|---|
| Note: | e.Analysis is implemented as a Java applet. To load it into your browser, you must enable support for Java applets. You are prompted to accept a security certificate the first time you load e.Analysis. |
|--------------|---|

Note that an Actuate search operates on the values as they appear in the report, and not against the Knowledgebase. In most cases there is no difference. However, product IDs are the exception to this rule; before a report displays a product ID, dashes in the ID are replaced by underscores. This is to prevent product IDs like 5678-1234 from being interpreted by e.Analysis as numeric formulae. To search for product IDs that contain dashes, therefore, substitute an underscore for each dash in the ID in the search string.

To Analyze Reports Using e.Analysis

1. Generate a report as described in "To View a Report" on page 821. In this example, we use the Direct E-Commerce Product Activity report.

ANALYZER

COMERGENT
DISTRIBUTED E-BUSINESS SYSTEM

[Home](#) > [List](#) > [Search](#) > [Detail](#)

[About](#) | [Help](#) | [Logout](#)

NavBar First Prev Next Last Goto Page 32 of 77 100% Search Download/Print

Product Activity Report1/1/20

| | | | | | | | | | |
|-----------------------------|-----------|--------------------|------------|-------|-------------|--------------|----------------------|---------------|-----|
| 559 | 6/7/01 | Matrix 811 Digital | MXC_DV811 | 1 | \$ | 963.30 | AnonymousUserPartner | SystemPartner | Tin |
| | | | | Total | 12 | \$ | 11559.60 | | |
| Product Line: Digital Video | | | | | | | | | |
| List ID | Access Dt | Product | Product ID | Qty | Total Value | Partner Name | Partner Type | Partner Level | |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | \$ | 1325.00 | AnonymousUserPartner | SystemPartner | Tin |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | \$ | 1325.00 | AnonymousUserPartner | SystemPartner | Tin |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | \$ | 1325.00 | AnonymousUserPartner | SystemPartner | Tin |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | \$ | 1325.00 | AnonymousUserPartner | SystemPartner | Tin |
| | | | | Total | 4 | \$ | 5300.00 | | |
| Product Line: Memory | | | | | | | | | |
| List ID | Access Dt | Product | Product ID | Qty | Total Value | Partner Name | Partner Type | Partner Level | |
| 367 | 6/7/01 | 128MB SIMMS | MX_PR128S | 1 | \$ | 65.00 | AnonymousUserPartner | SystemPartner | Tin |
| 588 | 6/7/01 | 128MB SIMMS | MX_PR128S | 1 | \$ | 65.00 | AnonymousUserPartner | SystemPartner | Tin |
| 367 | 6/7/01 | 128MB SIMMS | MX_PR128S | 1 | \$ | 65.00 | AnonymousUserPartner | SystemPartner | Tin |
| 367 | 6/7/01 | 128MB SIMMS | MX_PR128S | 1 | \$ | 65.00 | AnonymousUserPartner | SystemPartner | Tin |

FIGURE 579. Product Activity Report

2. Click the **Search** button in the toolbar to display the search frame.

ANALYZER

COMERGENT
DISTRIBUTED E-BUSINESS SYSTEM

[Home](#) > [List](#) > [Search](#) > [Detail](#)

[About](#) | [Help](#) | [Logout](#)

NavBar First Prev Next Last Goto Page 32 of 77 100% Search Download/Print

New Search Search Now Help x

Click on a report field to add it to the search

Report Field Value Display

Search Now

Product Activity Report

| | | | | | | | | | |
|-----------------------------|-----------|--------------------|------------|-------|-------------|---------|----------|--|--|
| 559 | 6/7/01 | Matrix 811 Digital | MXC_DV811 | 1 | \$ | 963.30 | | | |
| | | | | Total | 12 | \$ | 11559.60 | | |
| Product Line: Digital Video | | | | | | | | | |
| List ID | Access Dt | Product | Product ID | Qty | Total Value | | | | |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | \$ | 1325.00 | | | |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | \$ | 1325.00 | | | |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | \$ | 1325.00 | | | |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | \$ | 1325.00 | | | |
| | | | | Total | 4 | \$ | 5300.00 | | |
| Product Line: Memory | | | | | | | | | |
| List ID | Access Dt | Product | Product ID | Qty | Total Value | | | | |
| 367 | 6/7/01 | 128MB SIMMS | MX_PR128S | 1 | \$ | 65.00 | | | |
| 588 | 6/7/01 | 128MB SIMMS | MX_PR128S | 1 | \$ | 65.00 | | | |
| 367 | 6/7/01 | 128MB SIMMS | MX_PR128S | 1 | \$ | 65.00 | | | |
| 367 | 6/7/01 | 128MB SIMMS | MX_PR128S | 1 | \$ | 65.00 | | | |
| 488 | 6/7/01 | 128MB SIMMS | MX_PR128S | 1 | \$ | 65.00 | | | |

FIGURE 580. Product Activity Report with Search Frame

- In the report frame, select the fields you want for your search by clicking each field you want to include. As you click the fields, they are displayed in the Search frame.

Note that some reports begin with summary sections that do not have searchable fields: you may have to scroll forward through the report pages using the **Next** button to locate a detail page that has fields that you can click on. As shown in Figure 581 on page 827, the selected fields are shaded in the report frame and also appear in the search frame.

Note It is important to have at least one numerical field among the selected fields.

ANALYZER COMERGENT DISTRIBUTED E-BUSINESS SYSTEM

[Home](#) > [List](#) > [Search](#) > [Detail](#) [About](#) | [Help](#) | [Logout](#)

NavBar First Prev Next Last Goto Page 32 of 77 100% Search Download/Print

New Search Search Now Help x

Click on a report field to add it to the search

| Report Field | Value | Display |
|--------------|-------|-------------------------------------|
| Product ID | MXD | <input checked="" type="checkbox"/> |
| Quantity | | <input checked="" type="checkbox"/> |
| Total Value | | <input checked="" type="checkbox"/> |

Search Now [Show Search URL](#)

Product Activity Report

| | | | | | |
|------------------------------------|------------------|--------------------|-------------------|--------------|----|
| 559 | 6/7/01 | Matrix 811 Digital | MXC_DV811 | 1 | |
| | | | | Total | 12 |
| Product Line: Digital Video | | | | | |
| List ID | Access Dt | Product | Product ID | Qty | |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | |
| 653 | 6/7/01 | Matrix 912 Digital | MXC_DV912 | 1 | |
| | | | | Total | 4 |

FIGURE 581. Search Frame with Search Fields

- If you want to analyze a particular subset of data from the report, then enter values to search for in the fields in the search frame. For example, if you have Product ID selected as a search field, then you can enter a product ID to view data from orders containing that product ID.

If you leave fields blank, then the search defaults to all values for those fields. (You can also use the wildcard (*) character.)

- Click **Search Now** in the search frame.

The search frame displays the results of the search. In Figure 582 on page 828, the results match all the products, quantities, and values.




FIGURE 582. Search Frame with Search Results

6. Click **Analyze Results** at the bottom of the search frame.

This has the effect of initiating the e.Analysis applet and loading the data from the search into the applet. You can now use the applet to manipulate and display the data as you want. By default, when the applet first loads, it displays a chart of the search results, as shown in Figure 583 on page 829.

The screenshot shows the Actuate eAnalysis application window. The title bar reads 'Actuate eAnalysis - Actuate eAnalysis'. Below the title bar is a toolbar with various icons. The main area is divided into two panes. The left pane, titled 'Product ID', contains a list of product IDs: M:DS_7480, M:DS_7490, M:DS_7500, M:DS_7510, M:DS_7520, M:DS_7540, M:DS_7550, and M:DS_7600. The right pane, titled 'Measures', contains a table with two columns: 'Quantity' and 'Total Value'. The table data is as follows:

| Product ID | Quantity | Total Value |
|------------|----------|-------------|
| M:DS_7480 | 640.00 | 447,360.00 |
| M:DS_7490 | 220.00 | 153,780.00 |
| M:DS_7500 | 328.00 | 700,280.00 |
| M:DS_7510 | 308.00 | 264,880.00 |
| M:DS_7520 | 180.00 | 144,000.00 |
| M:DS_7540 | 168.00 | 151,536.00 |
| M:DS_7550 | 324.00 | 446,472.00 |
| M:DS_7600 | 104.00 | 137,280.00 |

FIGURE 583. Analyzing the Results in the Search Frame

Once you have completed the last step, you can do a variety of things with the results. For example, you can click on one of the green headings across the top (such as Total Value), and then click the pie-chart icon in the tool bar.




FIGURE 584. Analyzing the Results in the Search Frame

In Figure 584 on page 830, the pie chart shows percentages of product IDs according to total value.

You can click the **Spreadsheet** button to download the data in the Excel spreadsheet format. You can click the **Save** button to save the analysis in a variety of different formats including Microsoft Word or Adobe PDF files.

For additional ways you use Actuate's eAnalysis to analyze results, click the **Help** button on the eAnalysis applet or refer to the Actuate documentation for eAnalysis on the Actuate CD-ROM.

Prices in Reports

When *C3 Analyzer* displays reports, it displays the values of orders, quotes, and so on in two different ways. When an order is placed, the actual value of the order and line items is saved, and so the value of orders and line items displayed in reports is based on these values. If the order is placed in a currency other than the reporting currency, then the value of orders and line items is converted using the conversion rates taken from the CMGT_CURRENCIES database table (see the *Comergent eBusiness System Reference Guide* for further information).

However, for active and abandoned lists, there are no set prices for the line items. To display prices and values for these objects, a price list is used. We refer to this

price list as the *reporting price list*. This price list is identified by its key and is specified by the AnalyzerPricelistKey element in the **Comergent.xml** file. By default, its value is "0" which is the key of the Enterprise Master List price list. This price list is created as part of the loading of the minimal data and so should always be present in the Comergent eBusiness System.

Note that you must ensure that every product must be assigned to this reporting price list so that their prices can be used in reports. If you change to a different price list, then again ensure that every product is assigned to the new reporting price list. You can determine the price list key of a price list by locating it in the list of the price lists and letting your mouse hover over the link: the URL is displayed in the status field of the browser, and the priceListKey parameter of the URL gives the key.

You can change to a different price list by changing the **Analyzer Price List ID** system property to be found in the **C3** Analyzer list of system properties. See CHAPTER 38, "Enterprise System Administration" for more information on changing system properties.

C3 Analyzer Reports

This chapter contains detailed descriptions of the various reports that the tenant administrator can generate using **C3** Analyzer. The reports are organized into the following dashboards:

- "Order Management Dashboard" on page 834: provides all the reports related to orders, products, and partner activity for the tenant's storefront.
- "PRM Dashboard" on page 843: provides all the reports related to sales forecasts, inventory, and leads for the tenant's storefront.
- "Catalog Dashboard" on page 856: provides all the reports related to products and the **C3** Advisor.

Note that these reports are not available to storefront administrators.

Terminology and Useful Information

Table 53 on page 834 contains a description of the terminology used in **C3 Analyzer**.

TABLE 53. Report Terminology

| Term | Definition |
|------------------|---|
| Active Cart | A cart is active if its status is either “Open” or “Routed” and it has not been deleted from a user’s workspace. |
| Abandoned Cart | A Deleted cart, a Not Ordered cart, or a Stale cart. See the definitions in this table. |
| Deleted Cart | A cart is deleted if its status is either “Open” or “Routed”, and it has been deleted from a user’s workspace. |
| Not Ordered Cart | Legacy definition: For indirect commerce only. A cart is “Not Ordered” if it has been transferred to a distributor, has been in the “Transferred” state for at least three days, and has not been executed as an order on the distributor side. |
| Ordered Cart | A cart is “Ordered” if it has been placed as an order. Orders with the following statuses are ignored in reports: Cancelled, Cancel Submitted, Pending Approval, Rejected, and Unknown. |
| Stale Cart | A cart is stale if its status is either “Open” or “Routed”, and the last time the cart was updated ^a (update date) is more than fourteen days ago. |

- a. The update date of a cart is initially set to the creation date of the cart and is subsequently updated each time the cart is updated. A cart is updated only when a value in the cart changes: simply viewing a cart does not update the cart. Similarly, if a partner user saves a cart with no changes, then no update takes place.

Order Management Dashboard

When the Order Management dashboard is first displayed, these summary graphs are shown:

- **Monthly Order Volume:** Shows the number of orders placed in each month of the preceding twelve months (including the current month).
- **Mean Order Value by Month:** Shows the mean value of all the orders placed in each month of the preceding twelve months (including the current month). The values are always shown in the currency of the

Analyzer PriceList. See "Prices in Reports" on page 830 for an explanation of the reporting price list.

- **Orders by Timeslot:** For each month in the preceding twelve months (including the current month), shows the number of orders broken down by the time range in which they were submitted. The three time ranges are:
 - midnight to 8am (0000-0800)
 - 8am to 4pm (0800-1600)
 - 4pm to midnight (1600-2400)

An order placed exactly at midnight falls into the first timeslot; one placed exactly at 8am into the second timeslot; and one placed exactly at 4pm into the third timeslot.

The Order Management reports are organized into these sections:

- "E-Commerce" on page 835

E-Commerce

You can generate the following reports from commerce activity:

- Key Performance Indicators Report
- Customer Activity Report
- Product Activity Report
- Order Activity Report
- Order Analysis Report
- Forecast Sales versus Actual Report
- Abandoned Carts Report

Key Performance Indicators Report

This report provides you with a view of the commerce activity that is being generated for the tenant storefront via the Comergent eBusiness System. You can report for a single currency or for all currencies. The report differs depending on your selection.

If you select all currencies, the report (see Figure 585 on page 836) contains two sections, summary and detail. The summary section shows two charts:

- The *Orders by Status* chart shows all the orders in the system according to status.

- The *Orders by Month* chart shows all the orders in the system by month.

The detail section contains the same charts, one set for each currency.

If you select for a specific currency, then the report consists of two pages containing the Orders by Status and Orders by Month charts for the selected currency.




FIGURE 585. e-Commerce Key Performance Indicators: Example Report Format

Customer Activity Report

You can use this report to view the commerce activity of your e-commerce partners. Parameters for this report include: profile name, profile type, profile level, profile territory and date range. A list containing the profiles that match these parameters is displayed. By clicking on a profile, you can display a report on that profile.

The report comprises the following charts:

- A *Partner Profile* chart lists the partner's name, type, level, territories, and customer types.
- A *Commerce Summary* chart compares the number of ordered and abandoned carts.

The report also includes the top five product IDs by quantity and by value for all orders placed during the period selected for the report, as well as the top five

product IDs by quantity and by value for all carts abandoned during the period selected for the report.

Values are displayed using the reporting price list. Its currency code is displayed at the top of the report.




FIGURE 586. Partner Activity Report: Example Report

Product Activity Report

You can use this report to understand in 'real-time' the demand signals for products being sold. Parameters for this report include product ID, cart type (ordered or abandoned), and a date range. In addition, you can report for a single currency or for all currencies.

The report contains a summary section and a detail section. For a report of ordered carts, the Summary section includes:

- A page for each currency showing summaries for orders placed in that currency.
- A Grand Totals page consisting of a single line of totals for each Product ID with values in the currency defined for the reporting price list.

For a report of abandoned carts, only the Grand Totals page appears in the Summary section. The values are displayed in the currency defined for the reporting price list.

NavBar

First

Prev

Next

Last

Goto

Page 1

of 3

100%

Search

Download/Print

Product Activity Report

Product Grand Totals in: USD

Ordered

Product Line: Computers

| Product | Product ID | Quantity | Total Value |
|----------------------|------------|----------|-------------|
| Standard Workstation | MXWS_1000 | 1 | \$ 999.00 |
| Total | | 1 | \$ 999.00 |
| Grand Total | | 1 | \$ 999.00 |

FIGURE 587. e-Commerce Product Activity Report: Example Report Summary
The Detail section displays the details for each cart by product, grouped by product category.

| | | | | | | |
|---|------------|----------------------|------------|----------|-------------|----------|
| NavBar First Prev Next Last Goto Page 3 of 3 100% Search Download/Print | | | | | | |
| Product Activity Report | | | | | | |
| Product Detail: Ordered | | | | | | |
| Product Line: Computers | | | | | | |
| Order | Order Date | Product | Product ID | Quantity | Total Value | Currency |
| 200020 | 5/30/02 | Standard Workstation | MXWS_1000 | 1 | \$ 999.00 | USD |
| Total | | | | 1 | \$ 999.00 | |

FIGURE 588. e-Commerce Product Activity Report: Example Report Detail

Values for ordered items are the actual amounts that the user will be charged. Values for items in Abandoned Carts are taken from the reporting price list. See "Prices in Reports" on page 830 for an explanation of the reporting price list.

Order Activity Report

The Order Activity report gives information about orders for partners and individual users by hyperlinking together several report documents, thus allowing you to drill down to various levels of detail.




FIGURE 589. Order Activity Report: Partner Summary

Here is a brief description of the report detail levels:

TABLE 54. Order Activity Report

| Name | Description | Links to |
|---------------------------|--|---|
| Partner and User List | Shows a list of all partners and their users who have been active during the reporting period. | Partner Summary (from partner name) User Summary (from user name) |
| Partner Summary | Contains some high-level indicators of partner performance. | List All Users by Revenue User Summary (from user name) Back to Partner and User List |
| List All Users by Revenue | List of partner users with order totals. | User Summary (from user name) Back to Partner Summary |
| User Summary | Contains some high-level indicators of user activity. | List Orders for User Back to report level from which this was reached |
| List Orders for User | List of orders placed by user, with brief information on each | Back to User Summary |

This report shares a generic partner search page already used by other reports. The Starting Date and Ending Date fields bound the reporting period for all the connected reports. Search fields are:

TABLE 55. Order Activity Report Parameters

| Parameter | Values |
|-------------------|--|
| Profile Name | <p>You can enter a single profile name or a string representing a partial name with one or more wildcard (*) characters anywhere in the string. If the box is left blank, then the search will include all partners.</p> <p>If any of the following four characters appear alone in the Profile Name text box, then they will be ignored, and the report will be run as if no Profile Name parameter had been entered: * \ ;</p> |
| Profile Type | You can select one or more profile types, which will be used as criteria to select partners for which the report will be run. If no selection is made, then partner type will not be used as a selection criterion. |
| Profile Level | Users may select one or more profile levels, which will be used as criteria to select partners for which the report will be run. If no selection is made, then partner level will not be used as a selection criterion. |
| Profile Territory | Users may select one or more profile territories, which will be used as criteria to select partners for which the report will be run. If no selection is made, then profile territory will not be used as a selection criterion. |
| Starting Date | <p>User may use these fields to select the start of the date range for which the report will be run.</p> <p>If no Starting Date is entered, then 1/1/2000 is used as the starting date for the report.</p> |
| Ending Date | <p>User may use these fields to select the end of the date range for which the report will be run.</p> <p>If no Ending Date is entered, then the current date and time is used as the ending date for the report.</p> |
| Show All | Runs the report using the beginning of the day on 1/1/2000 as the starting date and time and the end of the day on which the report is run as the ending date and time. If you click this button, then all parameters that have been specified (including invalid values) are ignored. |

TABLE 55. Order Activity Report Parameters (Continued)

| Parameter | Values |
|---------------|---|
| Search | Creates a report using the specified parameters. If no parameters have been specified, then the report is displayed as if you had clicked Show All . |
| Reset | Returns all parameter fields to their initial states. |

Order Analysis Report

The Order Analysis report is a tabular report listing all orders submitted by each partner during the reporting period (excluding those orders that have subsequently been cancelled or rejected). The data is grouped and totalled by partner, and a Grand Total appears at the end of the report.

| TOC First Prev Next Last Goto Page 1 of 3 100% Search Download/Print Help | | | | | | |
|---|---------------|------------------|----------------------|--------------------|------------|----------|
| Order Analysis | | | | | | 1/1/2 |
| A_gold_direct_partner | | | | | | |
| Company Name | Sales Order # | Purchase Order # | Date/Time Ordered | Value | # of Lines | Curr Cod |
| A_gold_direct_partner | 9218593344 | 9218593344 | 1/24/2003 6:55:24 AM | \$ 23800.50 | 3 | USD |
| A_gold_direct_partner Totals | | | | \$ 23800.50 | 3 | |
| AffinityNet | | | | | | |
| Company Name | Sales Order # | Purchase Order # | Date/Time Ordered | Value | # of Lines | Curr Cod |
| AffinityNet | 3337599223 | 3337599223 | 1/24/2003 6:47:34 AM | \$ 8347.90 | 2 | USD |
| AffinityNet | 8624591959 | 8624591959 | 1/27/2003 2:39:47 PM | \$ 89.00 | 1 | USD |
| AffinityNet | 2070598574 | 2070598574 | 1/27/2003 3:31:12 PM | \$ 89.00 | 1 | USD |
| AffinityNet | 9813593849 | 9813593849 | 1/24/2003 2:10:52 PM | \$ 733.95 | 1 | USD |
| AffinityNet Totals | | | | \$ 9259.85 | 5 | |
| Anderel | | | | | | |

FIGURE 590. Order Analysis Report

This report shares a generic partner search page already used by other reports. The Starting Date and Ending Date fields bound the reporting period for all the connected reports. Search fields are:

TABLE 56. Order Analysis Report Parameters

| Parameter | Values |
|-------------------|---|
| Profile Name | <p>You can enter a single profile name or a string representing a partial name with one or more wildcard (*) characters anywhere in the string. If the box is left blank, then the search will include all partners.</p> <p>If any of the following four characters appear alone in the Profile Name text field, then they will be ignored, and the report will be run as if no Profile Name parameter had been entered:</p> <p>* \ ;</p> |
| Profile Type | You can select one or more profile types, which will be used as criteria to select partners for which the report will be run. If no selection is made, then profile type will not be used as a selection criterion. |
| Profile Level | Users may select one or more profile levels, which will be used as criteria to select partners for which the report will be run. If no selection is made, then profile level will not be used as a selection criterion. |
| Profile Territory | Users may select one or more profile territories, which will be used as criteria to select partners for which the report will be run. If no selection is made, then profile territory will not be used as a selection criterion. |
| Starting Date | <p>User may use these fields to select the start of the date range for which the report will be run.</p> <p>If no Starting Date is entered, then 1/1/2000 is used as the starting date for the report.</p> |
| Ending Date | <p>User may use these fields to select the end of the date range for which the report will be run.</p> <p>If no Ending Date is entered, then the current date and time is used as the ending date for the report.</p> |

TABLE 56. Order Analysis Report Parameters (Continued)

| Parameter | Values |
|-----------------|--|
| Show All | Runs the report using the beginning of the day on 1/1/2000 as the starting date and time and the end of the day on which the report is run as the ending date and time. If you click this button, then all parameters that have been specified (including invalid values) are ignored. |
| Search | Creates a report using the specified parameters. If no parameters have been specified, then the report is displayed as if you had clicked Show All . |
| Reset | Returns all parameter fields to their initial states. |

Forecast Sales versus Actual Report

This report first calculates the top fifteen partners by total sales within the reporting period (a single quarter). For those partners, it then graphs the values of their total sales against their forecast sales values for that quarter.

Abandoned Carts Report

You can run this report either from the Order Management dashboard or from the Partner Relationships Management (PRM) dashboard. See "Abandoned Carts Report" on page 855 for more information about this report.

PRM Dashboard

When the PRM dashboard is first displayed, these summary graphs are shown:

- **Lead Closure Rate:** This graph shows the % lead closure rate for the twenty partners with the highest percentage. Storefront partners are excluded. The lead closure rate is calculated as follows:
$$(\text{leads closed during month}) / (\text{leads received during month} + \text{leads open at start of month})$$
- **Sales Forecast Vs. Inventory:** This graph shows, for the twenty products with the highest combined forecast sales for the previous quarter, the quantity of sales forecast for that quarter against the inventory available at the beginning of that quarter. (The inventory values are taken from the most recent inventory collection for each partner as of the beginning of the quarter.)




FIGURE 591. Partner Relationships Management Dashboard

The partner relationship management reports are organized into these sections:

- "Sales and Inventory" on page 844
- "Lead Management" on page 848


Sales and Inventory

You can generate the following reports on sales and inventory:

- Sales Forecast Report
- Partner Inventory Report
- Sales History Report

Sales Forecast Report

You can use this report to view sales forecast information from your resellers. You can request a sales forecast report for a single partner or for all partners, at one or more profile levels. The data is derived from sales forecasts uploaded by the partner. See "Forecast Tab" on page 215 for information about forecasting.



| Inventory Report | | |
|------------------------------|------------------------------------|------------------------------------|
| Most recent inventory as of: | | 1/31/2003 04:07 PM |
| Product ID | Product Name | Description |
| MS_NSBP | Netscape Navigator 6.0 | Netscape Navigator 6.0 |
| MX_CD040D | 40X MAX DVD ROM Drive | 40X MAX DVD ROM Drive |
| MX_CD16D | 16X DVD ROM Drive | 16X DVD ROM Drive |
| MX_CD180D | DVD/CD-RW ROM Drive | DVD/CD-RW ROM Drive |
| MX_GV14T | 14" Touchscreen Monitor | 14" Touchscreen Monitor |
| MX_GV15F | 15" Flat Panel Monitor | 15" Flat Panel Monitor |
| MX_GV15T | 15" Flat Panel Monitor | 15" Flat Panel Monitor |
| MX_GV15TF | 15" Touchscreen Flat Panel Monitor | 15" Touchscreen Flat Panel Monitor |
| MX_GV15TS | 15" Touchscreen Monitor | 15" Touchscreen Monitor |
| MX_GV17T | 17" Monitor | 17" Monitor |
| MX_GV17TF | 17" Touchscreen Flat Panel Monitor | 17" Touchscreen Flat Panel Monitor |
| MX_GV17TS | 17" Touchscreen Monitor | 17" Touchscreen Monitor |
| MX_GV18F | 18" Flat Panel Monitor | 18" Flat Panel Monitor |

FIGURE 593. Partner Inventory Report: Example Summary Section

The inventory report consists of a table divided into summary and detail sections:

- Summary Section
 - Product ID
 - Product Name
 - Description
 - Total Inventory for All Partners: this is the sum of the quantities reported by the specified partners.

TOC First Prev Next Last Goto Page 1 of 1 100% Search Download Print Help

Inventory Report Inventory as of 2/8/2002 05:44 PM

| Partner | Product ID | Description | Inventory Date and Time | UNISTOR | |
|---------|-------------|---|-------------------------|---------------|----------|
| | | | | Product ID | Quantity |
| UNISTOR | MXLP_7520 | Matrix 7520 Notebook Tough Line | 1/16/01 05:09 PM | UN_MXLP_7520 | 25 |
| UNISTOR | MXLP_7530 | Matrix 7530 Notebook Executive Line | 1/16/01 05:09 PM | | 0 |
| UNISTOR | MXLP_7550 | Matrix 7550 Notebook Power Magnitude | 1/16/01 05:09 PM | UN_MXLP_7550 | 16 |
| UNISTOR | MXLP_7550_F | Matrix 7550 Notebook Power Magnitude | 1/16/01 05:09 PM | UN_MXLP_7550 | 16 |
| UNISTOR | MXLP_7550_G | Matrix 7550 Notebook Power Magnitude | 1/16/01 05:09 PM | UN_MXLP_7550 | 16 |
| UNISTOR | MXLP_7550_P | Matrix 7550 Notebook Power Magnitude | 1/16/01 05:09 PM | UN_MXLP_7550 | 16 |
| UNISTOR | MXLP_7550_S | Matrix 7550 Notebook Power Magnitude | 1/16/01 05:09 PM | UN_MXLP_7550 | 16 |
| UNISTOR | MXSR_NT1500 | Matrix 1500 NT Server | 1/16/01 05:09 PM | UN_MXSR_NT150 | 13 |
| UNISTOR | MXSR_NT2000 | Matrix 2000 NT Server | 1/16/01 05:09 PM | UN_MXSR_NT200 | 9 |
| UNISTOR | MXSR_NT2500 | Matrix 2500 NT Server | 1/16/01 05:09 PM | UN_MXSR_NT250 | 13 |
| UNISTOR | MXSR_UX1500 | Matrix 1500 UNIX Server | 1/16/01 05:09 PM | UN_MXSR_UX150 | 15 |
| UNISTOR | MXSR_UX2000 | Matrix 2000 UNIX Server | 1/16/01 05:09 PM | UN_MXSR_UX200 | 15 |
| UNISTOR | MXSR_UX2525 | Matrix 2525 UNIX Server | 1/16/01 05:09 PM | UN_MXSR_UX252 | 9 |
| UNISTOR | MXSR_UX5000 | Matrix 5000 UNIX Server | 1/16/01 05:09 PM | UN_MXSR_UX500 | 24 |
| UNISTOR | MXWS_7510 | The Matrix 7510 Workstation comes standard with | 1/16/01 05:09 PM | UN_MXWS_7510 | 51 |
| UNISTOR | MXWS_7530 | The Matrix 7530 Workstation comes standard with | 1/16/01 05:09 PM | | 0 |
| UNISTOR | MXWS_7550 | The Matrix 7550 Workstation comes standard with | 1/16/01 05:09 PM | | 0 |
| UNISTOR | MXWS_7550_1 | The Matrix 7550 Custom Workstation comes | 1/16/01 05:09 PM | | |
| UNISTOR | MXWS_7570 | The Matrix 7570 Workstation comes standard with | 1/16/01 05:09 PM | | 0 |
| UNISTOR | MXWS_7580 | The Matrix 7580 Workstation comes standard with | 1/16/01 05:09 PM | | 0 |
| UNISTOR | MXWS_7590 | The Matrix 7590 Workstation comes standard with | 1/16/01 05:09 PM | | 0 |
| UNISTOR | MXWS_7600 | The Matrix 7600 Workstation comes standard with | 1/16/01 05:09 PM | | 0 |

■ Product ID not found
 ■ Product ID replaced
 ■ Product ID discontinued
 ■ Other error

FIGURE 594. Partner Inventory Report: Example Detail Section

- Detail Section:
 - Partner
 - Product ID: Product Identifying Number
 - Product Name
 - Inventory Date and Time: Date and time of the inventory collection from which this data was taken
 - Profile Name (Product ID and Quantity): The partner's corresponding Product ID and quantity of the product stocked by the partner for the inventory collection from which the data was taken. If there was an error during the inventory collection, then these fields will be color-coded to indicate the type of error.

Sales History Report

This report is an adjunct to the Key Performance Indicators report. It is a historical profile of patterns of commerce over the last 24 months, including the current month (which may be incomplete). It shows total carts ordered over the previous 24 months.




FIGURE 595. Commerce Activity History Report

Lead Management

You can generate the following reports on leads and related activities:

- Lead Pipeline Report
- Lead Distribution Report
- Lead Closure Report
- Lead Execution Report
- Lead Performance Report
- Abandoned Carts Report

Lead Pipeline Report

The Lead Pipeline report is a graph representing a current snapshot of the state of the opportunity pipelines of the selected partners. For each partner, the graph shows

the number of opportunities associated with that partner, grouped by status. If more than fifteen partners are selected, then the report will show the fifteen partners with the most associated opportunities (irrespective of status).




FIGURE 596. Lead Pipeline Report

TABLE 57. Lead Pipeline Report Parameters

| Parameter | Values |
|--------------|--|
| Profile Name | <p>You can enter a single partner name or a string representing a partial name with one or more wildcard (*) characters anywhere in the string. If the box is left blank, then the search will include all partners.</p> <p>If any of the following characters appear alone in the Partner Name text box, then they will be ignored, and the report will be run as if no Partner Name parameter had been entered:</p> <p>* \ ;</p> |
| Profile Type | <p>You can select one or more partner types, which will be used as criteria to select partners for which the report will be run. If no selection is made, then partner type will not be used as a selection criterion.</p> |

TABLE 57. Lead Pipeline Report Parameters (Continued)

| Parameter | Values |
|-------------------|--|
| Profile Level | Users may select one or more partner levels, which will be used as criteria to select partners for which the report will be run. If no selection is made, then partner level will not be used as a selection criterion. |
| Profile Territory | You may select one or more partner territories, which will be used as criteria to select partners for which the report will be run. If no selection is made, then partner territory will not be used as a selection criterion. |
| Show All | Runs the report. If you click this button, then all parameters that have been specified (including invalid values) are ignored. |
| Search | Creates a report using the specified parameters. If no parameters have been specified, then behaves like “Show Current”. |
| Reset | Returns all parameter fields to their initial states. |

Lead Distribution Report

The report contains a summary of each partner’s leads received, accepted, and declined. The data is grouped and sub-totalled by partner level. The information that appears initially is for the last complete month. You can use the fields at the top of the report to enter new parameters and rerun the report.

The screenshot shows a web-based report titled "Lead Distribution". At the top, there is a navigation bar with links: TOC, First, Prev, Next, Last, Goto, Page 1 of 1, 100%, Search, Download/Print, and Help. Below the title bar, the report data is presented in a table with columns: Partner Name, Partner Type, Partner Level, and Leads Received. The data is grouped by Partner Level (Platinum, Gold, Silver) with sub-totals for each group.

| Partner Name | Partner Type | Partner Level | Leads Received |
|---------------------|--------------------|---------------|----------------|
| DatsaLink | Distributor | Platinum | 1 |
| | | Platinum | 1 |
| Archer Technologies | Systems Integrator | Gold | 2 |
| CompuNet | Reseller | Gold | 1 |
| InOffice Limited | Retailer | Gold | 1 |
| SysPoint | Distributor | Gold | 1 |
| UNISTOR | Distributor | Gold | 1 |
| | | Gold | 6 |
| AllNet Corporation | Distributor | Silver | 1 |
| Anderel | Distributor | Silver | 1 |
| Net Resources | Retailer | Silver | 1 |
| OmniTech | Distributor | Silver | 1 |
| | | Silver | 4 |

FIGURE 597. Lead Distribution Report: Example Report

For each partner, the report contains the information described in Table 58 on page 851.

TABLE 58. Lead Distribution Report Parameters

| Parameter | Values |
|---|---|
| Profile Name | Profile name |
| Profile Type | Profile type |
| Profile Level | Profile level |
| Leads Received | The number of leads received by the partner during the reporting period |
| Leads Declined | The number of leads received by the partner during the reporting period that were declined during or after the reporting period |
| Leads Accepted | The number of leads received by the partner during the reporting period that were accepted during or after the reporting period |
| % Accepted | Leads Accepted / Leads Received |
| % Declined | Leads Declined / Leads Received |
| Note: The sum of the Leads Accepted and Leads Declined may not equal the Leads Received. This is because some of the Leads Received may not yet have been either accepted or declined. | |

Lead Closure Report

The report contains summary data on lead closures.

| TOC First Prev Next Last Goto Page 1 of 1 100% Search Download/Print Help | | | | | | | | | |
|---|----------------------|------|------|--------------|--------|------|---------------|--|--|
| Lead Closure Rate | | | | | | | | | |
| Partner Name | Leads Rcd. in Period | | | Leads Closed | Losses | Wins | High Priority | | |
| | Rcd. | Acc. | Dec. | | | | | | |
| AllNet Corporation | 1 | 1 | 0 | 1 | 0 | 1 | 0 | | |
| Anderel | 1 | 0 | 1 | 0 | 0 | 0 | 0 | | |
| Archer Technologies | 2 | 2 | 0 | 2 | 0 | 2 | 0 | | |
| CompuNet | 1 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| DataLink | 1 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| InOffice Limited | 1 | 1 | 0 | 0 | 0 | 0 | 0 | | |
| Net Resources | 1 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| OmniTech | 1 | 1 | 0 | 1 | 1 | 0 | 0 | | |
| SysPoint | 1 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| UNISTOR | 1 | 0 | 0 | 0 | 0 | 0 | 0 | | |

FIGURE 598. Lead Closure Rate Report

For each partner, the report contains the following columns:

TABLE 59. Lead Closure Report Information

| Column Header | | Description |
|--|------|--|
| Profile Name | | Profile name. |
| Leads Received in Period | Rcd. | The number of leads received by the partner during the reporting period |
| | Acc. | The number of leads received by the partner during the reporting period that were accepted during or after the reporting period. |
| | Dec. | The number of leads received by the partner during the reporting period that were declined during or after the reporting period. |
| Leads Closed | | The number of leads closed during the reporting period. |
| Losses | | The number of leads closed as losses during the reporting period. |
| Wins | | The number of leads closed as wins during the reporting period. |
| Average Days to Close ^a High Priority | | Mean number of days between lead reception and closing for high priority leads closed during reporting period. |
| Average Days to Close Medium Priority | | Mean number of days between lead reception and closing for medium priority leads closed during reporting period. |

TABLE 59. Lead Closure Report Information (Continued)

| Column Header | Description |
|------------------------------------|---|
| Average Days to Close Low Priority | Mean number of days between lead reception and closing for low priority leads closed during reporting period. |
| Average Days to Close | Mean number of days between lead reception and closing for all leads closed during reporting period. |

- a. If a lead is closed less than a day after it is received, then the value of number of days to close for that lead is zero.

Lead Execution Report

The report contains information on lead execution.

| Partner Name | Partner Type | Partner Level | Leads Received | Avg. Days to Close | % of Losses |
|---------------------|--------------------|---------------|----------------|--------------------|-------------|
| AllNet Corporation | Distributor | Silver | 1 | 0 | 0.00% |
| Anderel | Distributor | Silver | 1 | 0 | 0.00% |
| Archer Technologies | Systems Integrator | Gold | 2 | 0 | 0.00% |
| CompuNet | Reseller | Gold | 1 | 0 | 0.00% |
| DataLink | Distributor | Platinum | 1 | 0 | 0.00% |
| InOffice Limited | Retailer | Gold | 1 | 0 | 0.00% |
| Net Resources | Retailer | Silver | 1 | 0 | 0.00% |
| OmniTech | Distributor | Silver | 1 | 0 | 100.00% |
| SysPoint | Distributor | Gold | 1 | 0 | 0.00% |
| UNISTOR | Distributor | Gold | 1 | 0 | 0.00% |

FIGURE 599. Lead Execution Report: Example Report

For each partner, the report contains the information described in Table 60 on page 853.

TABLE 60. Lead Execution Report

| Column Header | Description |
|----------------|---|
| Profile Name | Profile name |
| Profile Type | Profile type |
| Profile Level | Profile level |
| Leads Received | Number of leads received by partner during reporting period |

TABLE 60. Lead Execution Report (Continued)

| Column Header | Description |
|----------------------------|--|
| Average Days to Close | Mean number of days between lead receipt date and lead closing date for all closed leads received by partner during reporting period |
| % of Losses | Number of leads that were closed as losses during the reporting period / number of leads received during the reporting period |
| % of Wins | Number of leads that were closed as wins during the reporting period / number of leads received during the reporting period |
| Average Days to Close Loss | Mean number of days between lead receipt date and lead closing date for all leads closed as losses during reporting period |
| Average Days to Close Win | Mean number of days between lead receipt date and lead closing date for all leads closed as wins during reporting period |

Lead Performance Report

The report contains a summary of partner performance with respect to leads.

| Lead Performance | | | | |
|---------------------|--------------------|---------------|--------------|--------|
| Partner Name | Partner Type | Partner Level | Closed Leads | Losses |
| AllNet Corporation | Distributor | Silver | 1 | 0 |
| Archer Technologies | Systems Integrator | Gold | 2 | 0 |
| OmniTech | Distributor | Silver | 1 | 1 |

FIGURE 600. Lead Performance Report: Example Report

For each partner, the report contains the information shown in Table 61 on page 854.

TABLE 61. Lead Performance Report

| Column Header | Description |
|---------------|---------------|
| Profile Name | Profile name |
| Profile Type | Profile type |
| Profile Level | Profile level |

TABLE 61. Lead Performance Report (Continued)

| Column Header | Description |
|-----------------------------|---|
| Closed Leads | Number of leads closed during the reporting period |
| Losses | Number of leads closed as losses during the reporting period |
| Wins | Number of leads closed as wins during the reporting period |
| Avg. Potential Revenue/Lead | Total potential revenue from opportunities closed as wins / Number of wins |
| Total Potential Revenue | Total potential revenue from opportunities closed as wins during the reporting period |

Note: The revenue numbers are obtained by taking the value of the Expected Revenue field in each closed opportunity. You must ensure that when partner sales representatives enter values in this field that they consistently enter the value expressed in the currency of the reporting price list.

Abandoned Carts Report

You can use this report to identify business that has not been consummated. You can distribute these as leads to appropriate personnel to close potential business.

The Abandoned Carts report consists of deleted, not ordered, and stale carts grouped by partner (typically, a reseller) whose partner users created carts. It includes the potential revenue value for each cart. You can request the reports according to partner name, partner type, partner level, partner territory, and date range. Values for all items are taken from the reporting price list. See "Prices in Reports" on page 830 for a description of this price list.

[TOC](#)
[First](#)
[Prev](#)
[Next](#)
[Last](#)
[Goto Page](#)

[of 1](#)
[100%](#)
[Search](#)
[Download](#)
[Print](#)
[Help](#)

Abandoned Carts Report

11/1/2006 - 11/15/2006

PRM Reports

| Partner | AffinityNet | | | |
|--------------|--------------|---------|--------------|-------------------|
| Partner Name | List Name | Status | P&A Requests | Potential Revenue |
| AffinityNet | 7490 Laptop | DELETED | 0 | \$ 5955.00 |
| AffinityNet | 7480 Desktop | DELETED | 0 | \$ 699.00 |

FIGURE 601. Abandoned Carts Report: Example

Catalog Dashboard

When the Catalog dashboard is first displayed, these summary graphs are shown:

- **Top 5 Products: Previous vs. Current Month:** shows the top products for the indicated month, where the top product is the product with the highest total value of orders in direct commerce when converted to the Enterprise currency. Products ordered by storefront partners are excluded from this summary.
- **Top 5 Categories by Value: Current Month:** shows the top five categories for the indicated month, where the top product is the product with the highest total value of orders in direct commerce when converted to the Enterprise currency. Products ordered by storefront partners are excluded from this summary.
- **From Catalog to Cart: Source Pages:** summarizes how products have been added to carts.




FIGURE 602. Catalog Dashboard

The catalog reports are organized into these sections:

- "Sales and Inventory" on page 856
- "Catalog and Advisor" on page 857

Sales and Inventory

You can generate the following reports on sales and inventories:

- Product Activity Report

- Sales Forecast Report
- Partner Inventory Report

Product Activity Report

This report can be run from either the Order Management dashboard or from the Catalog dashboard. See "Product Activity Report" on page 837 for more information about this report.

Sales Forecast Report

This report can be run from either the Partner Relationship Management dashboard or from the Catalog dashboard. See "Sales Forecast Report" on page 844 for more information about this report.

Partner Inventory Report

This report can be run from either the Partner Relationship Management dashboard or from the Catalog dashboard. See "Partner Inventory Report" on page 845 for more information about this report.

Catalog and Advisor

You can generate the following reports on catalog activities:

- Catalog Report
- Advisor Summary Report

Catalog Report

The Catalog report produces a printable catalog of some or all of the products in the online catalog. It displays the following information for each product:

- Category and product detail information, including product ID, image and description
- If product is an assembly, the assembly line items
- Product feature information

When you use **C3** Analyzer to create a catalog, bear in mind the following:

- **C3** Analyzer does not obtain images directly from their storage places on the Comergent eBusiness System. Images to be included in the Catalog report must be copied into the **ac_server_home/CatalogImages/** directory on the Actuate Server machine. (Images missing from this directory will be replaced by the **missingimage.jpg** file, which is a blank white rectangle.)

- Images must all have the same aspect ratio (ratio of length to width of 1:1.33).
- The large quantity of images and the typically large number of products in a catalog may make it advisable to split the catalog into several smaller components, or if a full catalog must be created in one shot, then do so at a time when few users are accessing reports and the Knowledgebase.

Advisor Summary Report

The Advisor Summary report summarizes **C3** Advisor activity during the reporting period: that is, what questions and answers are being used to guide users in selecting products.

| |
|--|
| Note: To ensure that data is gathered for this report, you must set the Track Questionnaire Answers Action business rule to “On”. |
|--|

It contains these sections:

- The first section comprises a bar graph that shows how many times each response has been selected for the first question on the first page of the **C3** Advisor questionnaire.
- The second section is tabular. It shows for each question answered during the reporting period, how many times each response to that question was selected. The number of responses is then totalled for each question. The questions are ordered by the total number of responses each has received.




FIGURE 603. Advisor Summary Report

TABLE 62. Advisor Summary Report Parameters

| Parameter | Values |
|------------------------|--|
| Questions that contain | <p>Users may enter a string in order to search by question content. One or more wildcard (*) characters may be included anywhere in the string. Because of the nature of this kind of search, any string that is entered will be treated as if it has a wildcard at the beginning and the end. Search will not be case-sensitive.</p> <p>If any of the following characters appear alone in the Partner Name text box, then they will be ignored, and the report will be run as if no Partner Name parameter had been entered:</p> <p>* \ ;</p> <p>(These characters are meaningful to either the web server, the Actuate server or SQL, and therefore cannot be part of a partner name string.)</p> |
| Answers that contain | As for Questions that contain, but used for searching by answer content. |

TABLE 62. Advisor Summary Report Parameters (Continued)

| Parameter | Values |
|-------------------|--|
| Profile Name | Users may enter a single partner name or a string representing a partial name with one or more wildcard (*) characters anywhere in the string. If the box is left blank, then the search will include all partners. Character exclusions as for question and answer content. |
| Profile Type | Users may select one or more profile types, which will be used as criteria to select partners for which the report will be run. If no selection is made, then partner type will not be used as a selection criterion. |
| Profile Level | Users may select one or more profile levels, which will be used as criteria to select partners for which the report will be run. If no selection is made, then partner level will not be used as a selection criterion. |
| Profile Territory | Users may select one or more profile territories, which will be used as criteria to select partners for which the report will be run. If no selection is made, then partner territory will not be used as a selection criterion. |
| Starting Date | User may use these fields to select the start of the date range for which the report will be run. If no Starting Date is entered, then 1/1/2000 is used as the starting date for the report. |
| Ending Date | User may use these fields to select the end of the date range for which the report will be run. If no Ending Date is entered, then the current date and time is used as the ending date for the report. |
| Show All | Runs the report using the beginning of the day on 1/1/2000 as the starting date and time and the end of the day on which the report is run as the ending date and time. If you click this button, then all parameters that have been specified (including invalid values) are ignored. |
| Search | Creates a report using the specified parameters. If no parameters have been specified, then the report is displayed as if you had clicked Show All . |
| Reset | Returns all parameter fields to their initial states. |

This chapter covers all of the tasks associated with enterprise system administration for the Comergent eBusiness System. Enterprise employees are responsible for maintaining their enterprise installation. See "Configuring the Comergent eBusiness System" on page 52 for an overview of enterprise system administration.

Note that some site administration tasks are performed by site system administrators: see CHAPTER 41, "Site System Administration" for more information.

System Administration Tasks

You perform the System Administration tasks through the System Administration link on the Comergent eBusiness System Administration page. This link is accessible only to authorized personnel.

You can only modify system configuration settings if you have the appropriate access function. In the reference implementation provided with the Comergent eBusiness System, only users with the Program Management function (defined in the **Entitlements.xml** configuration file as EnterpriseProgramManagement) may access the System Administration pages.

To Modify System Settings

1. Click **System Services** in the System Administration panel on the Comergent eBusiness System home page.

The system configuration properties are organized into logically-related groups.




FIGURE 604. System Administration Page

2. Access each group by clicking the corresponding link on the System Administration page.

Each link takes you to a new page that displays the current values for each property.

3. Make the appropriate changes as necessary.

See "Configuration Properties" on page 863 for a description of each set of properties.

4. Click **Save All and return to List.**
5. Unless otherwise directed, the changes to the value of a system property takes effect immediately, and is persisted to the file system. This means that a server restart is not necessary, but if the server is restarted, then the new value of the property continues to be used.

Configuration Properties

Use the steps described in "To Modify System Settings" on page 862 to access the property you want to modify. With the exception of the following, the properties each contain a detailed description within the user interface.

Locale Settings

The locale names supported by your installation combine the ISO-639 language codes and ISO-3166 country codes. You can define display names that will appear for these locale names in the Comergent eBusiness System. You can define a display name for each supported locale, that is, how each locale name will appear for each supported locale. For example, you can decide that, in the en_us locale, "en_us" will be displayed as "United States", while in the de_de locale (Germany), "en_us" will be displayed as "Vereinigte Staaten".

Note: If a display name is not defined for a locale name for the locale effective during a session, then the fields in which that locale name should appear will be blank.

Changes that you make to locale names will not be displayed until you restart the Comergent eBusiness System.

| Locale Name | Display Name |
|--------------------------------|---------------|
| de_DE (German, Germany) | Germany |
| en_US (English, United States) | United States |
| fr_FR (French, France) | France |
| zh_TW (Chinese, Taiwan) | Taiwan |

FIGURE 605. Mapping Display Names to Locale Names

To Define the Display Names

1. Select an effective locale from the Effective Locale drop-down list.

The locale names for the supported locales appear in the Locale Name column. The current display name, if any, for each locale appears in the next field in the language of the effective locale.

2. In the text field next to each locale name, type the display name you want to appear for each locale name.
3. Repeat the last two steps for each supported locale.
4. Click **Save** to save the changes and remain at the Locale Settings page; click **Save All and return to List** to save the changes and redisplay the System Administration page.

If you click **Save**, then the Effective Locale field re-displays the default system locale, as defined in the Internationalization properties.

Repeat these steps for each locale in the Effective Locale drop-down list.

| |
|---|
| Attention: If you change the effective locale without clicking Save , then any unsaved changes to Display Names will be lost. |
|---|

Job Scheduler Settings

The Comergent eBusiness System supports the ability to schedule tasks that must be performed at regular intervals as cron jobs. See CHAPTER 40, "Job Scheduling Administration" for more information on this scheduling feature.

There are two types of cron jobs: system and application.

- System cron jobs are run without session information and without an associated Comergent eBusiness System user. Typically, they are used for low-level background tasks such as garbage collection. System cron jobs do not save their last execution time or execution status to the Knowledgebase because the same job may be run on several servers in a cluster.
- Application cron jobs are used when session information (such as a username or locale) is required to run the job or if audit information might be needed to determine how changes to data objects were made. Application cron jobs are initiated by posting an XML message to the Comergent eBusiness System using the message URL for cron jobs:

consequently, to enable application cron jobs, you must take care to set this URL correctly.

For example, if the main URL used to access the Comergent eBusiness System is:

`http://server:port/Comergent/en/US/enterpriseMgr/matrix`

then set the cron job message URL to:

`http://server:port/Comergent/msg/matrix`

Similarly, if the main URL used to access the Comergent eBusiness System is:

`http://server:port/store/en/US/enterpriseMgr/anderel`

then set the cron job message URL to:

`http://server:port/store/msg/anderel`

You can choose whether or not to allow either type of cron job to run on your implementation.

| |
|---|
| Attention: Some cron jobs such as the search index builder must be run as an application cron jobs. To support advanced search, you must enable application cron jobs. |
|---|

Application cron jobs are created specifying a username and password of a Comergent eBusiness System user. You must ensure that the Password data field of the CronConfig data object is not set to store one-way encrypted values.

In a clustered installation of the Comergent eBusiness System, if you want a job to run on all servers in the cluster, then make it a system cron job. If you want the job to be run on only one server in the cluster, then you must make it an application cron job.

Frequently Used System Administration Settings

This section describes some of the most commonly used system administration settings: it does not cover all the possible settings.

Commerce Manager

Are Comergent applications rendered as part of a frameset?

Set this property to True if the Comergent eBusiness System end-user pages are displayed within a frame set. For example, suppose that you have a frame set defined as:

```
<html>
```

```
<frameset rows="120,*">
  <frame src="http://server:port/Navigation.html">
  <frame src="http://server:port/Comergent/en/US/adirect/
    matrix?cmd=OnlineOrderingPageDisplay">
</frameset>
</html>
```

When this page is displayed, you want the Comergent eBusiness System pages to be displayed without their built-in banner heading. By setting this system property to “True”, you suppress the display of the built-in banner heading: end-users only see the navigation links provided in your **Navigation.html** page.

Application Settings

Allowed Decimal Places for displaying extended prices

The value of this property determines how many decimal places are used in displaying calculated extended prices to users.

Allowed Decimal Places for displaying list prices

The value of this property determines how many decimal places are used in displaying list prices to users.

Lines Per Page in List Displays

This property controls the pagination behavior of the Comergent eBusiness System. It specifies how many items appear on each page of a paginated list.

Orders

Email Address for CSR

Set this field to an appropriate address for customer service representatives. An email message is sent to this address when a user submits a quote for price negotiation and it is not automatically approved (see "RFQ Rule Acceptance Percentage" on page 866).

Quote Expiration Duration

When an end-user creates a quote, this system property determines the number of days for which the quote is valid.

RFQ Rule Acceptance Percentage

When a user submits a quote, you can set a rule so that if the user's requested price is within a certain percentage of the list price, then the request is automatically approved, and the submitted becomes an orderable quote immediately.

For example, if you set this value to 10, then a user who requests a price of \$95.00 for an item whose price to them is \$100.00, then the submitted quote is approved automatically. However, if the user requests a price of \$85.00, then the submitted quote must be approved (or rejected) by a customer service representative.

If you set the value to “0”, then submitted quotes are never approved automatically.

Send Orders XML msgs to ERP

A system administration setting determines whether orders are posted as XML messages to an external ERP system when they are placed in the Comergent eBusiness System (see *Comergent eBusiness System Implementation Guide* for more information). There may be occasions when you want to temporarily suspend sending these messages: use this system setting to do so.

- If you set this property to true, then orders are posted to the ERP system as soon as they are placed.
- If you set the property to false, then orders are not posted when they are placed. You can use a cron job to post them at a later time. See "OrdersToERP" on page 886 for more information about the cron job.

Product Manager

List Size for Each Indexing Thread

This parameter determines how many objects are retrieved in one batch by each indexing thread.

List Size for Each Indexing Thread for Incremental Indexing

This parameter determines how many objects are retrieved in one batch by each indexing thread for an incremental build.

During implementation, you can configure business rules by editing the property files provided with the Comergent eBusiness System. After implementation, you can manage the business rules from the Business Rules Manager page. See "Configuring the Comergent eBusiness System" on page 52 for an overview of business rules administration.

Business Rules Administration Tasks

To manage the business rules in your Comergent eBusiness System, you must be able to login as an enterprise user that has been assigned the appropriate function: typically, this is the Program Management function.

To Manage Business Rules

1. Click **Business Rules** in the System Administration panel on the Comergent eBusiness System home page.

This displays the Business Rules Manager page (see Figure 606 on page 870).

If you do not see this link on the Comergent eBusiness System home page, then you have not been assigned the appropriate function to perform this task.



FIGURE 606. Business Rules Manager Page

2. Click a link to modify the desired set of business rules.

The screenshot shows the 'Properties for ProductMgr' page. At the top, there is a header with the 'COMERGENT eBusiness System' logo and the title 'Business Rules Manager'. To the right of the header are links: 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below the header is a section titled 'Properties for ProductMgr' with a 'Go to List' link. Below this section are two buttons: 'Save All and Return to List' and 'Reset'. The main content area contains four sections: 'Aggregated Products accumulate features assigned to its children' with a radio button for 'YES' selected; 'Supplier ID Domain' with a text input field containing 'InternalSupplierID'; 'Supplier ID' with a text input field containing '29'; and 'Email Address for Done-Indexing Notification' with a text input field containing 'changeme@changeme.changeme'.

FIGURE 607. Business Rules Detail Page

Each business rule contains help text describing the rule.

3. Click **Save All and Return to List**.
4. Unless otherwise directed, the changes to the value of a business rule takes effect immediately, and is persisted to the file system. This means that a server restart is not necessary, but if the server is restarted, then the new value of the business rule continues to be used.

Frequently Used Business Rules

This section describes some of the most commonly used rules.

Advisor

Apply Dynamic Pricing to Product List

This rule controls the way pricing is displayed as a user navigates your product catalog or **C3** Advisor or performs a product search.

- If you select “On”, then prices are retrieved using the pricing engine.
- If you select “Off”, then prices are displayed as they were saved when the current search index was created.

Choose catalog navigate style

This rule controls the way in which end-users can navigate your product catalog.

- If you select MultiLevel, then a flyout menu is displayed to users. This enables users to rapidly navigate down to a product category without seeing products in higher-level categories.
- If you select SingleLevel, then end-users navigate the product category hierarchy one level at a time.

| |
|--|
| Attention: The flyout menu does not work in Netscape 6.2. |
|--|

Track Action Rules

A number of **C3** Advisor business rules enable you to record how users navigate the product catalog and use the **C3** Advisor questionnaire. On a busy site, the volume of data generated by this logging can be large; take care to size your database carefully, and take measures to archive data if need be.

Configurator

Pricing Type

This rule determines how prices are determined for configured products. You can set prices for an option class or option items either by associating a product with it (in which case the price is determined from the **C3** Pricing engine) or by setting the value of the Price display property. This rule determines which method should be used.

Show Promotions

If a product is associated with a model, option class or an option item, and if a promotion is associated with the product, then you have the possibility of presenting promotions to users as they configure products. This rule determines whether promotions are displayed as users configure products.

Coupons

Enable Coupon Management

If you want end-users to be able to add coupons to their carts, then set this rule to true.

Leads

Automatic assign uploaded leads to their fixed recommended partners

Lead administrators can upload leads using XML or tab-delimited text files. When they do so, this rule determines whether the uploaded leads are automatically assigned to their recommended partner. This is the optional RecommendedPartnerName child element of the LeadCreate element.

Note that if the partner name does not exist or if more than one partner has the same name, then the lead is created, but the RecommendedPartnerName element is ignored.

Lead Management Number of Recommended Partners/Users for Popup

This business rule determines how the auto-assign feature of **C3** Leads behaves. When you select one or more leads to auto-assign, you can be prompted to control how the Comergent eBusiness System works as follows:

- If you select Always, then a popup window prompts you to confirm the auto-assignment of the lead to partners.
- If you select Never, then the auto-assignment is performed without a confirmation.
- If you select Number of Partners and enter a positive integer, then the popup window is displayed if the number of partners exceeds the number that number you enter.

Lead Management Recommended Partner Search Attributes

This business rule determines which attributes are used to auto-assign leads. You can select any or all of the attributes:

- Partner Type
- Partner Level
- Territory
- Customer Type

Marketing

Automatic Promotion Display

This rule determines whether promotions are displayed automatically when a user views a cart for which promotions are relevant. If you set this to true, then promotions are displayed in a pop-up window that is displayed without any action by the user.

Orders

Anonymous Users

Use this business rule to control whether or not you want to allow people to browse your product catalog anonymously: that is, without identifying themselves by logging in.

Write Order Line Item History to the Database

Use this business rule to control whether changes to orders are logged to the Knowledgebase.

Enable Quotes

Use this rule to enable or disable support for quotes. If you set this rule to false, then end-users cannot save a cart as a quote.

| |
|---|
| Attention: If you disable support for quotes, then you should check that the Quotes widget has been removed or disabled on the end-user JSP page that displays the widget. |
|---|

Pricing

Create Product Entitlement Based on Pricelist

This rule is used to specify whether price lists and their assignment to partners are used to automatically specify product entitlements. If you set this rule to “Auto-Create”, then whenever a price list is created a corresponding product

entitlement is created, and each time the price list is assigned to a partner, then the product entitlement is also assigned.

Cache Currency and Customer Type assignments to a partner

Use this rule to determine whether the currencies and customer types available to partners are cached. If you set this rule to “Yes”, then if you change the assignment of price lists to partners in such a way as to change their access to currencies and customer types, then partner users will not see the change take effect until the cache is flushed. The time interval that determines when the cache is flushed is controlled by the Expiry time (minutes) for Currency Customer Type cache business rule.

Cache Price List assignments

Use this rule to determine if the assignment of price lists to a user’s partner should always be retrieved when there is a call to the pricing engine, or whether the assignments should be cached for the duration of the user’s session. If you set this rule to “Yes”, then if a new price list is assigned to a partner while a partner user is logged in, then they will not see the prices from the new list.

Pricing Engine Type

This rule controls whether the Comergent eBusiness System uses the **C3** Pricing engine to retrieve prices or not. If you set this rule to Entitlement Only, then prices must be supplied by an external pricing engine and the Comergent eBusiness System price lists are used only to determine which users can see which products. See the *Comergent eBusiness System Implementation Guide* for more information.

Product Manager

Suppress Empty Categories

A product category is empty if there are no products in it or in any of its child categories. This rule controls whether empty categories are displayed to end-users as they navigate the product catalog. If you select “suppress empty categories”, then make sure that you update the product category tree. See “To Suppress Display of Empty Product Categories” on page 358.

Quotes

Use Configuration Prices for Service Products?

This rule determines whether configurable service product line items retain prices specified in the configuration session once the configured product has been put in the cart.

- If the business rule is set to true, then prices from a configuration session of a service product are preserved as the user works with this cart and places it is an order.
- If the business rule is set to false, then prices from a configuration session of a service product are recalculated using the **C3** Pricing engine as the user works with this cart and places it is an order.

Merge Line Items in Cart?

This rule controls whether line items in carts are merged if they have the same product ID. For example, if a user has the product ID MXWS-7500 in their cart with quantity 10, and if they add another MXWS-7500 item to their cart, then one of two things can happen:

- If the business rule is set to true, then the existing line will be updated to set the quantity to 11.
- If the business rule is set to false, then a new line item is created for the newly-added MXWS-7500 item.

This chapter covers all of the tasks associated with Job Scheduler. For an overview of job scheduling, see "Job Scheduling" on page 53. The latter section also includes important information about setting properties related to job scheduling.

| |
|---|
| Note: Two settings define how jobs are run on your Comergent eBusiness System. See "Job Scheduler Settings" on page 864. |
|---|


Job Scheduling Tasks

You can perform the following tasks:

- "To Display a Scheduled Job" on page 878
- "To Create a Job" on page 879
- "To Modify a Job" on page 880
- "To Run a Cron Job Immediately" on page 882
- "To Delete a Job" on page 882
- "To View the History of a Cron Job" on page 882

To Display a Scheduled Job

1. Click **Job Scheduler** in the System Administration panel on the Comergent eBusiness System home page.



Administration

My Home

My Account

About

Help

Logout

List of Cron Jobs (10)

Create New Cron Job

















| Name | Actions | CronStatus | CronType | Frequency | Start Date | End Date | Last Exec Date | Last Exec Status |
|--------------------------------------|---|------------|-------------|--------------|------------|------------|----------------|------------------|
| Cache Cleanup |   | Active | System | 40 minute(s) | 5/1/2001 | 12/31/2199 | 9/20/2005 | Failed |
| Campaigns Execution |   | Active | Application | 5 minute(s) | 1/1/2004 | 12/31/2199 | 9/20/2005 | Success |
| CommerceOne PO |   | Inactive | Application | 6 hour(s) | 5/1/2001 | 12/31/2199 | | |
| Export Catalog |   | Inactive | Application | 1 week(s) | 5/1/2001 | 12/31/2199 | | |
| Import Catalog |   | Inactive | Application | 1 week(s) | 5/1/2001 | 12/31/2199 | | |
| Inventory Collection |   | Inactive | System | 3 hour(s) | 5/1/2001 | 12/31/2199 | | |
| Maintain Indexsets |   | Inactive | Application | 60 week(s) | 1/23/2003 | 12/31/2199 | | |
| OrdersToERP |   | Active | Application | 5 minute(s) | 5/1/2001 | 12/31/2199 | 9/20/2005 | Success |
| Update Catalog | | Inactive | Application | 1 day(s) | 5/1/2001 | 12/31/2199 | | |
| UpdateCatalogIndex | | Inactive | Application | 1 minute(s) | 11/20/2002 | 11/20/2199 | 11/21/2002 | |

FIGURE 608. Cron Job List Page

2. Click the name of a cron job to display the details of the selected job.

| COMERGENT Administration | | eBusiness System | | | | | | | | | | | | | |
|-----------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | My Home My Account About Help Logout | | | | | | | | | | | | | |
| Edit Cron Job Configuration | | | | | | | | | | | | | | | |
| Save All Changes Cancel | | | | | | | | | | | | | | | |
| Cron Job Information | | | | | | | | | | | | | | | |
| Job Name Export Catalog | | <input type="checkbox"/> Active | | Program com.comergent.apps.productMgr.dataSynd.CatalogExportC | | | | | | | | | | | |
| | | | | Command Line Arguments ExportSetName=CatalogExportSet | | | | | | | | | | | |
| Cron Job Type | | | | | | | | | | | | | | | |
| <input type="radio"/> System | | <input checked="" type="radio"/> Application | | | | | | | | | | | | | |
| | | Username ajones | | | | | | | | | | | | | |
| | | Password ***** | | | | | | | | | | | | | |
| Cron Job Schedule | | | | | | | | | | | | | | | |
| Start date and time May 1 2001 | | Hours 0 | | Minutes 0 | | | | | | | | | | | |
| End date and time Dec 31 2199 | | Hours 0 | | Minutes 0 | | | | | | | | | | | |
| Frequency every 1 weeks | | | | | | | | | | | | | | | |

FIGURE 609. Cron Job Configuration Page

To Create a Job

Attention: If you are running multiple instances of the Comergent eBusiness System, then creating or modifying a cron job will affect any of these instances running off the same Knowledgebase instance.

1. Click **Job Scheduler** in the System Administration panel on the Comergent eBusiness System home page.
2. Click **Create New Job**.

This displays the Cron Job Configuration page.

The screenshot shows the 'Create New Cron Job' page. At the top, there's a header with the 'COMERGENT eBusiness System' logo and 'Administration' text. Navigation links include 'My Home', 'My Account', 'About', 'Help', and 'Logout'. Below the header, the page title is 'Create New Cron Job'. There are two buttons: 'Save All Changes' and 'Cancel'. The form is divided into three sections: 'Cron Job Information', 'Cron Job Type', and 'Cron Job Schedule'. In 'Cron Job Information', there's a 'Job Name' text field, an 'Active' checkbox (checked), a 'Program' text field, and a 'Command Line Arguments' text field. In 'Cron Job Type', there are radio buttons for 'System' and 'Application' (selected), with 'Username' and 'Password' text fields below 'Application'. In 'Cron Job Schedule', there are 'Start date and time' and 'End date and time' fields, each with a date picker (month, day, year) and a time picker (hours, minutes). Below these is a 'Frequency' section with 'every' and 'months' dropdowns.

FIGURE 610. Cron Job Configuration Page

3. Enter the information about the job.

TABLE 63. Cron Job Configuration Page

| Field | Description |
|----------|---|
| Job Name | The name of the cron job |
| Program | The java implementation class that executes the job |

TABLE 63. Cron Job Configuration Page (Continued)

| Field | Description |
|---|--|
| Command Line Arguments | <p>The command line parameters that provide information about the job.</p> <p>For example, you can specify that a cron job should time out after 300 seconds (5 minutes) by setting the RequestTimeout parameter as follows:</p> <p>RequestTimeout=300</p> |
| Cron Job Type | <p>The type of the cron job: a system level cron job (such as cache cleaning) or an application level cron job (such as importing/exporting)</p> <p>If you select Application, then you must enter the username and password required for access to the particular data. For example, if the application-level cron job involves product manager, then you must enter a username and password with privileges to access C3 Product Manager.</p> |
| Frequency | How often will the job be run? Every three days? Every week? Every five minutes? and so on. |
| Start date and time/ End date and time | <p>The effective start and end period between which dates and times the cron job will run. This, along with Frequency, determines when the job will run. For example, if you entered a frequency of three days, then the job will run every three days from the task start date and time until the task end date and time is reached.</p> <p>You can enter the same dates and times for both start date and time, in which case the job will be run only once, at a specific time.</p> |

4. Check the box next to **Active** to make the job available to be run.
5. Click **Save All Changes**.

To Modify a Job

Attention: If you are running multiple instances of the Comergent eBusiness System, creating or modifying a cron job will affect any of these instances running off the same Knowledgebase instance as the cron job.

1. Click **Job Scheduler** in the System Administration panel on the Comergent eBusiness System home page.

COMERGENT Administration

eBusiness System

My Home | My Account | About | Help | Logout

List of Cron Jobs (10)

Create New Cron Job

| Name | Actions | CronStatus | CronType | Frequency | Start Date | End Date | Last Exec Date | Last Exec Status |
|----------------------|---------|------------|-------------|--------------|------------|------------|----------------|------------------|
| Cache Cleanup | | Active | System | 40 minute(s) | 5/1/2001 | 12/31/2199 | 9/20/2005 | Failed |
| Campaigns Execution | | Active | Application | 5 minute(s) | 1/1/2004 | 12/31/2199 | 9/20/2005 | Success |
| CommerceOne PQ | | Inactive | Application | 6 hour(s) | 5/1/2001 | 12/31/2199 | | |
| Export Catalog | | Inactive | Application | 1 week(s) | 5/1/2001 | 12/31/2199 | | |
| Import Catalog | | Inactive | Application | 1 week(s) | 5/1/2001 | 12/31/2199 | | |
| Inventory Collection | | Inactive | System | 3 hour(s) | 5/1/2001 | 12/31/2199 | | |
| Maintain Indexsets | | Inactive | Application | 60 week(s) | 1/23/2003 | 12/31/2199 | | |
| OrdersToERP | | Active | Application | 5 minute(s) | 5/1/2001 | 12/31/2199 | 9/20/2005 | Success |
| Update Catalog | | Inactive | Application | 1 day(s) | 5/1/2001 | 12/31/2199 | | |
| UpdateCatalogIndex | | Inactive | Application | 1 minute(s) | 11/20/2002 | 11/20/2199 | 11/21/2002 | |

FIGURE 611. Cron Job List Page

- Click the name of a cron job to display the details of the selected job.
The details are displayed on the Cron Job Configuration page.

| COMERGENT Administration | | My Home My Account About Help Logout | | | |
|-----------------------------------|---------------------------------|---|---------|--|--|
| Edit Cron Job Configuration | | | | | |
| Save All Changes | | Cancel | | | |
| Cron Job Information | | | | | |
| Job Name Export Catalog | <input type="checkbox"/> Active | Program com.comergent.apps.productMgr.dataSynd.CatalogExportTC Command Line Arguments ExportSetName=CatalogExportSet | | | |
| Cron Job Type | | | | | |
| <input type="radio"/> System | | <input checked="" type="radio"/> Application Username <input type="text" value="ajones"/> Password <input type="password" value="*****"/> | | | |
| Cron Job Schedule | | | | | |
| Start date and time May 1 2001 | | Hours | Minutes | | |
| | | 0 | 0 | | |
| End date and time Dec 31 2199 | | Hours | Minutes | | |
| | | 0 | 0 | | |
| Frequency every 1 weeks | | | | | |

FIGURE 612. Cron Job Configuration Page

- Enter the information about the job.
See Table 63, "Cron Job Configuration Page", on page 879 for a description of the fields.
- Check the box next to **Active** to make the job available to be run.

5. Click **Save All Changes**.

To Run a Cron Job Immediately

You may need to sometimes run a cron job immediately.

1. Click **Job Scheduler** in the System Administration panel on the Comergent eBusiness System home page.
2. In the list of cron jobs, identify the job that you want to run immediately.
3. Click **Run Now**.

The cron job will be immediately scheduled to run, but if jobs are ahead of it in the cron job queue, then it will not run until those jobs have completed.


To Delete a Job

1. Click **Job Scheduler** in the System Administration panel on the Comergent eBusiness System home page.
2. Check the box next to the job(s) you want to delete.
3. Click the Delete icon (**X**) in the Actions column.

To View the History of a Cron Job

You may need to review how a cron job has run in the past. To do this:

1. Click **Job Scheduler** in the System Administration panel on the Comergent eBusiness System home page.
2. In the list of cron jobs, identify the job whose history you want to view.
3. Click **Show History**.



Administration

[My Home](#)

[My Account](#)

[About](#)

[Help](#)

[Logout](#)

Cron Job History

Campaigns Execution

Cron Job List

[Previous](#)

[Next](#)

| Execution Start Time | Execution EndTime | Execution Duration (sec) | Execution Status | Execution Detail |
|-----------------------|-----------------------|--------------------------|------------------|------------------|
| 2005-11-28 13:00:00.0 | 2005-11-28 13:00:00.0 | 0.0 | Success | |
| 2005-11-28 12:00:00.0 | 2005-11-28 12:00:00.0 | 0.0 | Success | |
| 2005-11-28 11:00:00.0 | 2005-11-28 11:00:00.0 | 0.0 | Success | |
| 2005-11-28 10:00:00.0 | 2005-11-28 10:00:00.0 | 0.0 | Success | |
| 2005-11-28 09:00:00.0 | 2005-11-28 09:00:00.0 | 0.0 | Success | |
| 2005-11-28 08:00:00.0 | 2005-11-28 08:00:00.0 | 0.0 | Success | |
| 2005-11-28 07:00:00.0 | 2005-11-28 07:00:00.0 | 0.0 | Success | |
| 2005-11-28 06:00:00.0 | 2005-11-28 06:00:00.0 | 0.0 | Success | |
| 2005-11-28 05:00:00.0 | 2005-11-28 05:00:00.0 | 0.0 | Success | |
| 2005-11-28 04:00:00.0 | 2005-11-28 04:00:00.0 | 0.0 | Success | |
| 2005-11-28 03:00:00.0 | 2005-11-28 03:00:00.0 | 0.0 | Success | |
| 2005-11-28 02:00:00.0 | 2005-11-28 02:00:00.0 | 0.0 | Success | |
| 2005-11-28 01:00:00.0 | 2005-11-28 01:00:00.0 | 0.0 | Success | |
| 2005-11-28 00:00:00.0 | 2005-11-28 00:00:00.0 | 0.0 | Success | |
| 2005-11-27 23:00:00.0 | 2005-11-27 23:00:00.0 | 0.0 | Success | |

FIGURE 613. Cron Job History Page

Cron Jobs

If you install the Comergent eBusiness System with the reference data, then the installation includes the pre-defined cron jobs described in this section.

If you installed the Comergent eBusiness System with minimal data, then only the Cache Cleanup job is included. If you want to implement the other jobs, then you must create them by following the steps in "To Create a Job" on page 879. The following sections contain the information needed to create these jobs.

Cache Cleanup

This group of properties determine the frequency and class of the cron job used to clean the cache.

CommerceOne PO

CommerceOne posts purchase orders to *debs_home/WEB-INF/commerceone/*. This cron job takes the purchase orders in this directory and posts them to the local installation of the Comergent eBusiness System.

TABLE 64. CommerceOne PO Cron Job

| Cron Job Field | Entry |
|----------------|--------------------------------------|
| Program | com.comergent.apps.integrator.COnePO |
| Cron Job Type | Application |

Export Catalog

Export Catalog provides a template for when you want to schedule an export. You only need to change the command line argument field to point to the correct export set. See "To Export the Catalog Using a Cron Job" on page 356.

TABLE 65. Export Catalog Cron Job

| Cron Job Field | Entry |
|------------------------|--|
| Program | com.comergent.apps.productMgr.dataSynd.CatalogExportCron |
| Command Line Arguments | ExportSetName= <i>CatalogExportSet</i> |
| Cron Job Type | Application |

Inventory Collection

You can manage how the Inventory Collection application retrieves inventory data from partners. You can schedule regular messages to distributors that request inventory information.

For more information on inventory collection, see CHAPTER 27, "Inventory Collection".

TABLE 66. Inventory Collection Cron Job

| Cron Job Field | Entry |
|------------------------|---|
| Program | com.comergent.apps.profileMgr.inventoryCollection.blc.InventoryCollection |
| Command Line Arguments | defaultVerticalMarket=0&defaultCurrencyCode=23 |
| Cron Job Type | Application |

Import Catalog

Import Catalog provides a template for when you import products into the product catalog. See "To Import a Catalog Using a Cron Job" on page 346.

TABLE 67. Import Catalog Cron Job

| Cron Job Field | Entry |
|------------------------|--|
| Program | com.comergent.apps.productMgr.dataSynd.CatalogImportCron |
| Command Line Arguments | ImportSetName= <i>CatalogImportSet</i> |
| Cron Job Type | Application |

Index Builder

Index Builder creates a fresh search index. See "To Build a New Index" on page 365.

TABLE 68. Index Builder Cron Job

| Cron Job Field | Entry |
|----------------|--|
| Job Name | Maintain Index Sets |
| Program | com.comergent.appservices.search.indexBuilder.IndexMaintenanceCron |

TABLE 68. Index Builder Cron Job

| Cron Job Field | Entry |
|------------------------|--|
| Command Line Arguments | UpdatedListName= <i>IncrementalUpdateList.xml</i> &EmailAddress= <i>change me@changeme.com</i> &IndexSetName= <i>MasterIndex</i> &IndexSetPath= <i>MasterIndex</i> &IsFullBuild= <i>true</i> |
| Cron Job Type | Application |

OrdersToERP

This cron job defines how orders are sent to an ERP system. The application cron job user must be assigned the Commerce function.

TABLE 69. OrdersToERP Cron Job

| Cron Job Field | Entry |
|----------------|--|
| Program | com.comergent.apps.orderMgmt.orders.bizAPI.OrdersERPCron |
| Cron Job Type | Application |

Update Catalog

UpdateCatalog calculates product categories are empty, that is, whether the products within a category are displayable. See "Suppressing Display of Empty Product Categories" on page 70 for more explanation.

| | |
|--------------|---|
| Note: | You must set the Suppress Empty Categories business rule to “suppress empty categories” to run this cron job. |
|--------------|---|

The command line argument for this predefined job is `DaysOffset=` and it has a default setting of 0. This setting means that the calculation will be made ahead of the current date according to the setting of `DaysOffset`. For example, if the current date is 4/10/2002, and if the `DaysOffset` is set to 5, then the calculations will be made based on the status of the categories on 4/15/2002.

The frequency should be set to once a day in minimal data.

TABLE 70. Update Catalog Cron Job

| Cron Job Field | Entry |
|------------------------|---|
| Program | com.comergent.apps.productMgr.suppressPC.UpdateCategoryCron |
| Command Line Arguments | DayOffset=0 |
| Cron Job Type | Application |

This chapter describes the tasks associated with managing the Comergent eBusiness System site. Site system administrators are responsible for:

- managing system users: see "System User Administration" on page 891
- managing the system profile: see "System Profile Administration" on page 892
- managing system properties: see "System Property Administration" on page 892
- managing system cron jobs: see "System Cron Jobs" on page 894
- reviewing the system status: see "System Status" on page 895

Overview

In Release 7.1, there is a distinction between *system administration* and *enterprise administration*. System administration is the responsibility of *system administrators*: they manage the basic system properties of the Comergent eBusiness System and the system cron jobs. Enterprise administration is the responsibility of enterprise users: these users manage the building blocks of the enterprise e-commerce system: partners, users, products, price lists, storefronts, and so on.

A system administrator can manage:

- System users: see "System User Administration" on page 891
- System profile: see "System Profile Administration" on page 892
- System properties: see "System Property Administration" on page 892
- System cron jobs: see "System Cron Jobs" on page 894
- System status: see "System Status" on page 895

All these tasks are performed from the system administration home page.

To Access the System Administration Home Page

1. Point your browser to the System Administration URL. By default, this is:

`http://server:port/Comergent/en/US/enterpriseMgr/admin`

Check your site documentation to identify this URL.

2. Log in as a system administrator. When the Comergent eBusiness System is first installed, the default username/password combination is admin/admin. If other system administrator users have been created, then you can log in using one of these userids.

| |
|---|
| Attention: You must change at least the password of the admin user to protect the system from unauthorized access. We suggest that you create a different system administrator user, and then delete the admin user. |
|---|




FIGURE 614. System Administration Home Page

3. From this page, you can perform the task described in the following sections.

System User Administration

To Create a System Administrator User

1. Log in as a system administrator.
2. Click **System Users**.

The screenshot shows the 'User List: Site' page in the Comergent eBusiness System Administration interface. At the top, there's a header with the Comergent logo and 'Administration' title. Navigation links include 'My Home', 'My Account', 'Help', and 'Logout'. Below the header, there's a search section with a text input 'Find users that match:', a dropdown for 'Username', and buttons for 'Search', 'Show All', and 'Advanced Search'. A status line indicates 'Site: All users shown' and a 'Create User' button. A table lists users with columns: Username, Full Name, Functions, Manager, Profile, Business Phone, and Email Address. The first user is 'aspadmin', Administrator, ASP, No, Site, and 'gaguser@comergent.com'. A 'Back to Top' link is at the bottom left, and a note at the bottom right states '[*] denotes a Partner.com/Storefront Customer'.

| Username | Full Name | Functions | Manager | Profile | Business Phone | Email Address |
|----------|--------------------|-----------|---------|---------|----------------|-----------------------|
| aspadmin | Administrator, ASP | No | Site | | | gaguser@comergent.com |

FIGURE 615. System User List Page

3. Click **Create User**.

The screenshot shows the 'Create New User' page in the Comergent eBusiness System Administration interface. The header is similar to the previous page. Below the header, there's a 'Create New User' section with a sub-section 'Info'. It shows 'Belongs To: Site' and 'Cancel' and 'Save' buttons. A note states 'NOTE: (*) Items are required.' Below this, there are three main sections: 'User Information', 'User Locale', and 'User Functions'. 'User Information' includes fields for Username (*), Password (*), Confirm Password (*), Title (Mr. dropdown), and First name (*). 'User Locale' includes 'Preferred Locale' (United States dropdown) and a note: 'Note: changes to Preferred Locale will take effect on the next login.' 'User Functions' includes a checkbox for 'Manager' and a dropdown for 'User Type' (Site Administrator).

FIGURE 616. Create New User Page

4. Enter information for the new user as appropriate.

5. Click **Save**.

The new user information is saved.

6. You can verify that the new user has been successfully created, by logging out and logging back in as the newly-created user.

System Profile Administration

To Manage the System Administrator Profile

1. Log in as a system administrator.
2. Click **View Your Organization Profile**.

The screenshot shows the 'Profile Manager' interface for the 'COMERGENT eBusiness System'. The main heading is 'Organization Profile: Site'. Below this are tabs for 'Info', 'Addresses', 'Detail', 'Business', 'Hierarchy', and 'Notes'. The 'Info' tab is selected. A 'NOTE: (*) items are required.' is displayed. The 'General Information' section contains several fields: 'Profile name' (Site), 'Main telephone' (123-1234), 'Main facsimile' (123-1235), 'Profile type' (Enterprise), 'Profile level' (Enterprise), 'XML Message Version' (dXML 4.1.1), 'Login/Password required' (checkbox), 'Organization website address' (www.site.com), 'Organization Email' (admin@site.com), 'Distributors' (Select to add), 'Message URL' (http://localhost:8080/C), and 'Content Type'. There are also five 'Custom Field' boxes. A 'Remove' button is next to the 'Distributors' field. 'View Users' and 'Save' buttons are at the top right.

FIGURE 617. System Administration Profile Detail Page

3. Modify the profile details as appropriate.
4. Click **Save**.

System Property Administration

System administrators can manage the system-level properties for the Comergent eBusiness System.

To Update a System Property

1. Log in as a system administrator.
2. Click **System Services**.




FIGURE 618. System Administration Properties List Page

3. Click the link to the set of properties that you wish to update.




FIGURE 619. System Administration Properties Set Page


4. Modify the values of properties as required.
5. Click **Save All and Return to List**.

System Cron Jobs

System administrators can manage system cron jobs. Enterprise administrators manage application cron jobs.

To Create a System Cron Job

1. Log in as a system administrator.
2. Click **Job Scheduler**.



COMERGENT

eBusiness System

Administration

[My Home](#)

[My Account](#)

[Help](#)

[Logout](#)

List of Cron Jobs

Create New Cron Job



| Name | Name | Actions | CronStatus | CronType | Frequency | Start Date | End Date | Last Exec Time | Last Exec Status |
|------|---------------|---|------------|----------|--------------|------------|------------|---------------------|------------------|
| 101 | Cache Cleanup |   | Active | System | 40 minute(s) | 5/1/2001 | 12/31/2199 | 04/26/2006 10:40 AM | Success |

FIGURE 620. System Administration Cron Job List Page

3. Click **Create New Cron Job**.

COMERGENT eBusiness System Administration

[My Home](#) | [My Account](#) | [Help](#) | [Logout](#)

Create New Cron Job

[Save All Changes](#) [Cancel](#)

Cron Job Information

Job Name ☐

Program

Command Line Arguments

Cron Job Type

☒ System

Cron Job Schedule

Start date and time: Apr 26 2006 Hours: 11 Minutes: 7

End date and time: Apr 26 2007 Hours: 11 Minutes: 7

Frequency: every months

FIGURE 621. System Administration Create New Cron Job Page

4. Enter details for the new system cron job as appropriate.
5. Click **Save All Changes**.

System Status

To View the System Status

1. Log in as a system administrator.
2. Click **System Status**.




FIGURE 622. System Administration System Status Page

3. Review the system status details as appropriate.

This appendix provides description of files used by the Comergernt eBusiness System. It covers:

- "CatalogRequest DTD" on page 897
- "Category Display Style" on page 898
- "Proposal Templates" on page 899
- "Search Configuration Parameters" on page 901
- "Product Mapping File Format" on page 905
- "Product Availability File Format" on page 906
- "Co-op Account Update File Format" on page 907

CatalogRequest DTD

The CatalogRequest DTD is:

```
<?xml encoding="UTF-8"?>
<!-- DXML Catalog
      Document Type Declaration (DTD)
      Version 3.0
      01-April-01
      Authors:
```

```

Comergent
Contact: (650) 232-6000
support@comergent.com
Comergent Proprietary and Confidential
-->
<!ENTITY % MessageHeader SYSTEM "MessageHeader.dtd">
%MessageHeader;
<!ENTITY % RemoteUser SYSTEM "RemoteUser.dtd">
%RemoteUser;
<!ENTITY % Catalog SYSTEM "Catalog.dtd">
%Catalog;
<!ELEMENT dXML (MessageHeader, RemoteUser?, Catalog)>

```

It is a standard Comergent eBusiness System dXML message envelope. The authentication information is provided by the RemoteUser element and the product catalog information is provided in the Catalog element. The user specified in the RemoteUser element must be granted the appropriate role to execute the CatalogRequest message type. By default, this message type is granted to the ProductManager role.

Category Display Style

The **CategoryDisplayStyle.xml** configuration file controls what display styles are available to display product categories. Each display style is declared using a Style element. The Name element identifies each style in the **C3** Product Manager UI.

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE CatalogDisplayStyles [
  <!ENTITY % xmlLangCode "CDATA">
  <!ELEMENT Description (#PCDATA)>
  <!ELEMENT CatalogDisplayStyles (Style+)>
  <!ELEMENT MessageType (#PCDATA)>
  <!ELEMENT Name (#PCDATA)>
  <ATTLIST Name
    xml:lang NMTOKEN "en_US">
  <ATTLIST Description
    xml:lang NMTOKEN "en_US">
  <!ELEMENT Style (Name*, Description*, MessageType)>
]>
<CatalogDisplayStyles>
  <Style>
    <Name xml:lang="fr_FR">FRSingleLevelCategory</Name>
    <Name>SingleLevelCategory</Name>
    <Description>SingleLevel Category Display</Description>
    <Description xml:lang="fr_FR">FR SingleLevel Category
Display</Description>
    <MessageType>SingleLevelCategory</MessageType>
  </Style>
</CatalogDisplayStyles>

```

```
</Style>
<Style>
  <Name>B2CStyleCategory</Name>
  <Name xml:lang="fr_FR">B2CStyleCategory</Name>
  <Description>Business to customer Category
Display</Description>
  <Description xml:lang="fr_FR">FR Business to customer
Category Display</Description>
  <MessageType>B2CStyleCategory</MessageType>
</Style>
</CatalogDisplayStyles>
```

Proposal Templates

When a proposal is presented to a contact, then it can be rendered as a PDF file that is dynamically generated from an XML representation of the proposal. XSL stylesheets are used to specify how the PDF file is rendered.

Here is a sample proposal template stylesheet:

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0" xmlns:fo="http://www.w3.org/1999/XSL/
Format" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
  <xsl:decimal-format/>
  <xsl:output encoding="utf-8" indent="yes" media-type="text/html"
method="xml" omit-xml-declaration="no" version="1.0"/>
  <xsl:template match="/">
    <xsl:variable name="currency"
      select="//ProposalPrint/CurrencyCode"/>
    <xsl:variable name="discount"
      select="sum(//ProposalPrint/LineItemList/LineItem/Discount)"/>
    <xsl:variable name="currencySymbol" >
    <xsl:choose>
      <xsl:when test="$currency='EURO'">
        <xsl:value-of select="'&#x20AC;'"/>
      </xsl:when>
      <xsl:when test="$currency='USD'">
        <xsl:value-of select="'$'"/>
      </xsl:when>
      <xsl:when test="$currency='CAD'">
        <xsl:value-of select="'$'"/>
      </xsl:when>
      <xsl:when test="$currency='GBP'">
        <xsl:value-of select="'&#x00A3;'"/>
      </xsl:when>
      <xsl:when test="$currency='YEN'">
        <xsl:value-of select="'&#x00A5;'"/>
      </xsl:when>
```

```

</xsl:choose>
</xsl:variable>
<fo:root xmlns:fo="http://www.w3.org/1999/XSL/Format">
<fo:layout-master-set>
<!-- layout for the first page -->
<fo:simple-page-master margin-bottom="0.25in" margin-left="1in"
    margin-right="1in" margin-top="0.25in" master-name="first"
    page-height="11in" page-width="8.5in">
<fo:region-body margin-bottom="0.75in" margin-top="0.75in"/>
<fo:region-before extent="0.75in"/>
<fo:region-after extent="0.5in"/>
</fo:simple-page-master>
<!-- layout for the other pages -->
<fo:simple-page-master margin-bottom="0.25in" margin-left="1in"
    margin-right="1in" margin-top="0.25in" master-name="rest"
    page-height="11in" page-width="8.5in">
<fo:region-body margin-bottom="0.75in" margin-top="0.75in"/>
<fo:region-before extent="0.75in"/>
<fo:region-after extent="0.5in"/>
</fo:simple-page-master>
<fo:page-sequence-master master-name="basicPSM">
<fo:repeatable-page-master-alternatives>
<fo:conditional-page-master-reference master-reference="first"
    page-position="first"/>
<fo:conditional-page-master-reference master-reference="rest"
    page-position="rest"/>
<!-- recommended fallback procedure -->
<fo:conditional-page-master-reference master-reference="rest"/>
</fo:repeatable-page-master-alternatives>
</fo:page-sequence-master>
</fo:layout-master-set>
<!-- end: defines page layout -->
<!-- actual layout -->
<fo:page-sequence master-reference="basicPSM">
<!-- page footer -->
<fo:flow flow-name="xsl-region-body" font-family="Times Roman"
    font-size="12pt" text-align="left">
<!-- Quote header block-->
<fo:block font-weight="bold">Request Date: <xsl:call-template
name="getDate">
    <xsl:with-param name="date" select="//ProposalPrint/UpdateDate"/>
</xsl:call-template>
</fo:block>
<fo:block font-weight="bold">Proposal Title:
    <xsl:if test="//ProposalPrint/ProposalFieldSelection/ProposalTi-
tleFlag='true'">
        <xsl:value-of select="//ProposalPrint/ProposalFieldSelection/Pro-
posalTitle"/>
    </xsl:if>

```

```
</fo:block>
<fo:block font-weight="bold">Proposal ID: <xsl:value-of select="//
ProposalPrint/ShoppingCartKey"/>
</fo:block>
<fo:block font-weight="bold">Status: <xsl:value-of select="//Pro-
posalPrint/ProposalStatusString"/>
</fo:block>
<fo:block font-weight="bold" space-after="12pt">Expiration Date:
<xsl:call-template name="getDate">
  <xsl:with-param name="date"
    select="//ProposalPrint/ExpectedCloseDate"/>
</xsl:call-template>
</fo:block>
<!-- End user information -->
<!-- Opening Comments -->
<xsl:if test="//ProposalPrint/ProposalFieldSelection/Greeting-
Flag ='true'">
  <fo:block space-after="12pt"><xsl:value-of select="//Proposal-
Print/ProposalFieldSelection/Greeting"/></fo:block>
</xsl:if>
<!-- standard text -->
<fo:block space-after="12pt">Per your request, <xsl:value-of
select="//ProposalPrint/PartnerName"/> is pleased to assist you with
your purchase. Please review the information in this proposal and
respond to place the order. This information is subject to change at
any time.</fo:block>
<fo:block font-weight="bold" space-after="12pt">Currency:
<xsl:value-of select="$currency"/>
</fo:block>
<!-- Call to print out the Standard Cart -->
<xsl:call-template name="printShoppingCart">
  <xsl:with-param name="currencySymbol"
    select="$currencySymbol"/>
  <xsl:with-param name="displayTotal">true</xsl:with-param>
  <xsl:with-param name="belowTheLine">false</xsl:with-param>
  <xsl:with-param name="printTableHeader">true</xsl:with-param>
</xsl:call-template>
... Text omitted ...
</xsl:template>
</xsl:stylesheet>
```

Search Configuration Parameters

The advanced search capabilities of the Comergent eBusiness System are specified in the **SearchConfigurationParameters.xml** file. A sample file is included here:

```
<SearchConfigurations>
  <SearchSystemConfigurations>
```

```

<AutoReload activated="false" reloadFilePeriod="30"/>
<BooleanQueryMaxClauseCount value="100000"/>
  <MaxFieldLength value="10000"/>
  <MergeFactor value="2"/>
  <MaxMergeDocs value="2147483647"/>
  <MaxBufferedDocs value="10"/>
  <TermIndexInterval value="128"/>
  <UseCompoundFile value="true"/>
</SearchSystemConfigurations>
<IndexSets>
  <!--By convention, the attribute "id" through out the entire docu-
ment should be used by the application programmer to reference enti-
ties in their programs. The attribute "id" will then be resolved into
"key" via some algorithm by the internal processes. Attribute "name"
is added for readability and is not used to identify entities.-->
  <IndexSet description="MasterIndex" fullBuilderClass="com.comer-
gent.reference.appservices.productService.search.indexBuilder.Cata-
logIndexSetBuilder" id="MasterIndex"
incrementalBuilderClass="com.comergent.reference.appservices.products
ervice.search.indexBuilder.CatalogIndexSetIncrementalBuilder"
indexSetPath="MasterIndex_600634">
    <Locales>
      <Locale id="en_US" queryParserClass="com.comergent.api.appser-
vices.search.queryParser.standard.CmgtQueryParser">
        <Analyzers>
          <Analyzer analyzerClass="com.comergent.api.appser-
vices.search.analysis.CatalogSearchAnalyzer"
            description="CatalogAnalyzer" id="search"/>
          <Analyzer analyzerClass="com.comergent.api.appser-
vices.search.analysis.CatalogSearchAnalyzer"
            description="CatalogAnalyzer" id="build"/>
        </Analyzers>
        <DictionaryFile file="CatalogDictionary.mappings"/>
      </Locale>
    </Locales>
    <SearchFields>
      <!--The value of the attribute "key" is the concatenation of keys
from the Builder's path, plus the key from the IndexField's. For the
search to be correct this key value has to be exact. There will be
validation routine built into the loader in the future.-->
      <SearchField active="false" defaultWeight="1.0" id="AssignedPC"
        key="prod.pc.ID" useDictionary="false"/>
      <SearchField active="false" defaultWeight="1.0" id="AssignedFtr"
        key="prod.ftr.ID" useDictionary="false"/>
      <SearchField active="true" defaultWeight="1.0" id="prodID"
        key="prod.ID" useDictionary="true"/>
      <SearchField active="false" defaultWeight="1.0" id="prodSDate"
        key="prod.SDATE" useDictionary="false"/>
      <SearchField active="true" defaultWeight="1.0" id="prodAttach"

```

```
        key="prod.attach.DATASHEET" useDictionary="true"/>
<SearchField active="false" defaultWeight="1.0" id="supplierID"
    key="prod.supplier.ID" useDictionary="false"/>
<SearchField active="false" defaultWeight="1.0"
    id="AssignedVisibleFtr" key="prod.ftr.VID"
    useDictionary="false"/>
<SearchField active="true" defaultWeight="1.0" id="prodDesc"
    key="prod.DESC" useDictionary="true"/>
<SearchField active="false" defaultWeight="1.0" id="price"
    key="prod.pr.PRICE" useDictionary="false"/>
<SearchField active="false" defaultWeight="1.0" id="prodEDate"
    key="prod.EDATE" useDictionary="false"/>
<SearchField active="true" defaultWeight="1.0" id="prodName"
    key="prod.NAME" useDictionary="true"/>
<SearchField active="true" defaultWeight="1.0" id="ftrDesc"
    key="prod.ftr.DESC" useDictionary="true"/>
<SearchField active="true" defaultWeight="1.0" id="supersession"
    key="prod.SUPER" useDictionary="false"/>
<SearchField active="false" defaultWeight="1.0" id="prodSellable"
    key="prod.SF" useDictionary="false"/>
<SearchField active="false" defaultWeight="1.0" id="prodStat"
    key="prod.STAT" useDictionary="false"/>
<SearchField active="true" defaultWeight="1.0" id="ftrName"
    key="prod.ftr.NAME" useDictionary="true"/>
</SearchFields>
<Builder builderClass="com.comergent.reference.appservices.prod-
uctService.search.indexBuilder.GenericBuilder"
    description="productBuilder" entityClass="com.comergent.api.apps-
ervices.productService.IBizProduct" key="prod">
<IndexFields>
<IndexField id="EndDate" index="true" key="EDATE" store="true"
    tokenize="false"/>
<IndexField id="ProductID" index="true" key="ID" store="true"
    tokenize="true"/>
<IndexField id="Description" index="true" key="DESC" store="false"
    tokenize="true"/>
<IndexField id="ProductStatusCode" index="true" key="STAT"
    store="true" tokenize="false"/>
<IndexField id="StartDate" index="true" key="SDATE" store="true"
    tokenize="false"/>
<IndexField id="HasAssignedSupersession" index="true" key="SUPER"
    store="true" tokenize="false"/>
<IndexField id="SellableFlag" index="true" key="SF" store="true"
    tokenize="false"/>
<IndexField id="Name" index="true" key="NAME" store="true"
    tokenize="true"/>
</IndexFields>
<Builders>
<Builder builderClass="com.comergent.reference.appservices.prod-
```

```

uctService.search.indexBuilder.ProductFeatureBuilder"
    description="productFeatureBuilder" entityClass="com.comer-
gent.reference.appservices.productService.search.index-
Builder.IndexedFeatureBean" key="ftr">
    <IndexFields>
    <IndexField id="VisibleFeatureKey" index="true" key="VID"
        store="true" tokenize="true"/>
    <IndexField id="Description" index="true" key="DESC" store="false"
        tokenize="true"/>
    <IndexField id="Name" index="true" key="NAME" store="true"
        tokenize="true"/>
    <IndexField id="FeatureKey" index="true" key="ID" store="true"
        tokenize="true"/>
    </IndexFields>
    <Builders/>
    </Builder>
    <Builder builderClass="com.comergent.reference.appservices.prod-
uctService.search.indexBuilder.ProductSupplierBuilder"
        description="productSupplierBuilder"
        entityClass="com.comergent.bean.simple.IDataLightWeightPartner"
        key="supplier">
    <IndexFields>
    <IndexField id="PartnerKey" index="true" key="ID" store="true"
        tokenize="true"/>
    </IndexFields>
    <Builders/>
    </Builder>
    <Builder builderClass="com.comergent.reference.appservices.prod-
uctService.search.indexBuilder.ProductCachedPCBuilder"
        description="productCategoryBuilder" entityClass="" key="pc">
    <IndexFields>
    <IndexField id="ProductCategoryKey" index="true" key="ID"
        store="true" tokenize="true"/>
    </IndexFields>
    <Builders/>
    </Builder>
    <Builder builderClass="com.comergent.reference.appservices.prod-
uctService.search.indexBuilder.PriceListBuilder"
        description="productPriceListBuilder" entityClass="" key="pr">
    <IndexFields>
    <IndexField id="UnitListPrice" index="true" key="PRICE"
        store="true" tokenize="false"/>
    </IndexFields>
    <Builders/>
    </Builder>
    <Builder builderClass="com.comergent.reference.appser-
vices.productService.search.indexBuilder.ProductAttachmentBuilder"
        description="productAttachmentBuilder" entityClass=""
        key="attach">

```

```

<IndexFields>
  <IndexField id="DataSheet" index="true" key="DATASHEET"
    store="false" tokenize="true"/>
</IndexFields>
<Builders/>
</Builder>
</Builders>
</Builder>
</IndexSet>
</IndexSets>
</SearchConfigurations>

```

Product Mapping File Format

The product mapping file is used by partner administrators to upload product information into the Comergent eBusiness System. It specifies how their product IDs map to the product IDs maintained by the enterprise. It contains the following:

- Exactly one header line that comprises the parameters listed in Table 71 on page 905, each separated by a tab.
- One body line for each product included in the list.

TABLE 71. Parameters Required for Product Mapping File

| Parameter | Description |
|-----------------------|---|
| Status | Status of the body line for that product. E (existing) if the product is unchanged, I (insert) if this is a new product, and U (update) if the product has been modified. |
| Pricing SKU | Enterprise product ID |
| Pricing SKU Authority | The source for the Enterprise product ID (the Enterprise) |
| Mapped_SKU | Partner's product ID |

For example:

```

<Status><Pricing SKU><Pricing SKU Authority><Mapped_SKU>
U  MXDS-7480MatrixAN-MXDS-7480
E  MXDS-7490MatrixAN-MXDS-7490
I  MXDS-7500MatrixAN-MXDS-7500
E  MXDS-7510MatrixAN-MXDS-7510
E  MXDS-7520MatrixAN-MXDS-7520

```

In the preceding example, the partner administrator has made a change in the mapping of product MXDS-7480, status U (for Update), and inserted a mapping for product MXDS-7500, status I (for Insert). All other products are unchanged.

Consequently, when this amended product file is uploaded to the Comergent eBusiness System, the system processes the changes, and ignores the unchanged products.

| | |
|--------------|--|
| Note: | You must take care to ensure that your file follows the format of the product mapping or product availability file exactly. Make sure that no lines precede the header line. |
|--------------|--|

Note that you can import partner product data using a “legacy” form of the product mapping file. In this legacy form, the External Partner ID is used in the SKU Authority column, and the partner SKUs are used in the Pricing SKU column. The use of this format is deprecated and should not be used beyond Release 7.0.1.

Product Availability File Format

The product availability file is used by partner administrators to upload product availability information into the Comergent eBusiness System. It specifies the amount of inventory held in warehouse locations. The format is a tab-delimited file that contains the following:

- Exactly one header line that comprises the parameters listed in Table 72 on page 906, each separated by a tab.
- One body line for each product included in the list.

TABLE 72. Parameters Required for Product Availability File

| Parameter | Description |
|-----------------------|---|
| Status | Status of the body line for that product. E (existing) if the product is unchanged, I (insert) if this is a new product, and U (update) if the product has been modified. |
| SKU Name | Distributor’s (C3 Partner.com partner’s) product ID. |
| Warehouse Location | Name of the warehouse; for example, the name of the city in which the warehouse is located. |
| Availability | Number of the product items that are available to be purchased. |
| Restock Quantity | Number of product items that will be restocked. |
| Restock Date (M/D/YY) | Expected date of the restock. |
| ETA (M/D/YY) | Estimated time of availability of the product to the customer. |

For example:

```
<Status> <Product Name> <Warehouse Location> <Availability> \
<Restock Quantity> <Restock Date (M/D/YY)> <ETA (M/D/YY)>
E UNS-MXDS7480 Houston 8 5 10/6/02 10/11/02
E UNS-MXDS7490 Houston 9 6 10/6/02 10/11/02
U UNS-MXDS7500 Houston 10 7 10/6/02 10/11/02
E UNS-MXDS7510 Houston 6 3 10/6/02 10/11/02
I UNS-MXDS7520 Houston 4 1 10/6/02 10/11/02
```

In this preceding example, the partner administrator has made a change to the availability information for product UNS-MXDS7500 (status U) and inserted new availability information for UNS-MXDS7520 (status I). All other products are unchanged.

Consequently, when this amended product availability file is uploaded to the Comergent eBusiness System, the system processes the changes, and ignore the unchanged products.

Co-op Account Update File Format

The Co-op Account Update file is used by enterprise administrators to upload updates to Co-op accounts into the Comergent eBusiness System. It specifies the base amount to be used to calculate the update calculation. The format is a tab-delimited file that contains the following:

- Exactly one header line that comprises the parameters listed in Table 73 on page 907, each separated by a tab.
- One body line for each account update included in the list.

TABLE 73. Parameters Required for Co-op Account Update File

| Parameter ^a | Description |
|------------------------|--|
| Partner Key* | Partner key of the partner for the account. You can upload updates for several partners at once. |
| Partner Name | Partner name of the partner for the account. |
| Account Key | Account key of the account: if you do not provide this, then a new account is created. |
| Account Name | Account name of the account. |
| Base Amount* | Amount used to calculate the increase to the account. |
| Currency | Currency of base amount. |

TABLE 73. Parameters Required for Co-op Account Update File (Continued)

| Parameter ^a | Description |
|---------------------------|--|
| Available Date* (M/D/YY) | Date on which the funds will be available. |
| Expiration Date* (M/D/YY) | Date by which funds must be spent. |

a. * denotes a required field.

For example:

```
<*Partner Key><Partner Name><Account Key><Account Name><*Base Amount>  
<Currency><*Available Date><*Expiration Date>  
12 Anderel Promotion Fund1200USD7/25/200412/25/2006  
10 OmnitechSpecial Omnitech Fund1200USD7/25/200412/25/2006
```

Index

Symbols

\$

- notation in models 503
- used to denote shared price lists 610

A

- abandoned list 834
- Abandoned Lists report 855
- access
 - defined 16
- access control lists 16
- access control to product categories 295
- account limits 8
- accounts 36
- accounts payable users 38
- accounts receivable users 38
- Action attribute for catalog import 344
- actions types Assignment Action
 - defined 537
- actions types Expansion Action
 - defined 537
- actions types Message Action defined 537
- activating price lists 27
- active (price list) 589
- active list 834
- activities 46, 773
 - adding to programs 776
 - adding activities to programs 776
 - adding products to price lists 319
- administration session, starting an 99
- Advanced Search 592
- advanced search 362
- Advisor Summary report 858
- aggregated products 301
 - assigning child products to 314
 - creating 299
 - creating child products of 302
 - defined 59
 - exporting 66
 - feature types and 315
 - searching for 603
- Allowed Decimal Places for displaying
 - extended prices property 866
- Allowed Decimal Places for displaying list
 - prices property 866
- Allowed Decimal Places properties 601
- Alternate 323
- alternate related products 323
- Analyzer Price List ID system
 - property 831
- AnalyzerPricelistKey element 831
- ancestor 72
- ancestors
 - of storefronts 9

- ancestral chain 72
- AND search 363
- anonymous users 28
 - business rule to enable 873
 - prices 28
- Anonymous Users business rule 873
- Answer Text
 - of answer 108
- answers
 - Answer Text 108
 - defined 106
 - Description 108
 - Filter Logic 108
 - Name 108
 - working with 674
- application cron jobs 864
 - required for campaigns 770
- applications
 - C3 Analyzer 50, 821
 - C3 Profile Manager 3
- Apply Dynamic Pricing to Product List
 - business rule 871
- approval requests 48, 783
- approving quotes 729
- assemblies
 - defined 63
 - managing (overview) 63
 - product type 301, 305
- assigning accounts to user 203
- assigning features to products using power
 - assign 287
- assigning leads to partners 40
- assigning price lists 271
- assigning price lists to all partners 610
- assigning price lists to partners
 - partners
 - assigning price lists 609
- assigning product entitlements 184
- assigning products to a product
 - category 290
- assigning programs 777
- assigning resources 652
- assigning the price lists 29
- Assignment Action
 - creating 541
- Assignment Action defined 537
- assignment action properties 543
- assignment precedence 68
- assignment tabs 142

- attached properties
 - reporting on 561
- attached rules
 - reporting on 561
- attaching properties 493
- automatic lead assignment 755
- Automatic Post display property 576
- Automatic Promotion Display business
 - rule 873
- automatically-generated tasks 813
- availability checking
 - Enterprise Message URL 359
- availability of products 359
- available balance 785, 786, 788

B

- base amount currency 193
- batch
 - used in index building 867
- below the line products 257, 749
- Blocked
 - product status 58
- boolean operators 86
- BTL products 257, 749
- Builder element 369
- builderClass attribute 369
- building a search index 363
- business rule control 871
- business rules
 - Apply Dynamic Pricing to Product
 - List 871
 - logging changes to orders 873
 - managing tasks 869
 - merging line items 875
 - overview 53

C

- C3 Advisor
 - reporting on activity 858
- C3 Advisor
 - displaying products in questionnaire
 - pages 660
 - questionnaire rules, defining 112
- C3 Advisor Administration Page 135
- C3 Analyzer
 - overview 50
 - viewing reports 821
- C3 Configurator 71
- C3 Leads 40

- see also leads management
- C3 Profile Manager 3
- Cache Cleanup (cron job) 883
- Cache Currency and Customer Type
 - assignments to a partner business rule 874
- Cache Price List assignments business rule 874
- calculating prices 25
- campaign
 - mailing lists 768
- campaign locales 45
- campaigns 45, 763
- campaigns cron job 770
- carts
 - moving a user 182
 - recovering from deleted users 241
 - recovery 241
 - viewing profile activity 187
- cascading stylesheet 214
 - for storefront 161
- CATALOG
 - product used for promotions widget 625
- catalog
 - exporting 356
 - management 280
- Catalog dashboard 856
- Catalog DTD 342
- Catalog element 898
 - importing product catalog information 343
- catalog import
 - import set 340
- catalog navigation business rule 871
- Catalog report 857
- Catalog.dtd DTD file 350
- CatalogDictionary.mappings configuration file 368, 370
- catalogexport (directory) 65, 356
- CatalogRequest 349
- CatalogRequest DTD 897
- CatalogRequest message type 898
- CatalogResponse message 349
- categories
 - granting access 295
 - see product categories
- category
 - feature types 286
 - General tab 284
- category features 286
- CategoryDisplayStyle.xml configuration file 297, 898
- changes to orders
 - logging 873
- changing sales manager 246
- channel administrators
 - managing partner users 221
- Channel Executive function 46
- channel executives 46
- characters
 - invalid in models 429
- check box controls
 - used in questions 108
- checkwslookup function 83
- child partners
 - moving 173
- child product categories 294
 - product management 285
- child products
 - assigning to aggregated products 314
 - searching for 603
- childsum function 83
- Choose catalog navigate style business rule 871
- classifications
 - rules 513
- Closed
 - user status 19
- closed categories 66
- closing leads 760
- closing opportunities 259
- clusters
 - running cron jobs 865
- CMGT_CURRENCIES database
 - table 193, 830
- CMGT_SKU_MAPPING database
 - table 345
- CMGT_SYS_PROPERTIES table 52
- combination rules 612
 - pricing rules
 - combination 612
- Comercent System
 - administration URL 99
- Comercent.xml configuration file 770
- CommandName element 372
- Commerce Executive function
 - accepting sales contracts 30

- Commerce function 187
 - for customer service 699
- Commerce Summary chart 836
- Commerce tab 162
- CommerceOne PO (cron job) 884
- Company Web site address required for
 - Partner Selector 156
- competitive related products 323
- compile all models 481
- compiling models 479
- complimentary related products 323
- component types 301, 305
- condition 83
- conditional pricing
 - overview 26
- conditional rules
 - creating through product manager
 - UI 320
- CONFIG
 - REPEAT FIRING property 523
 - SUBMODEL NAME property 477
 - SUBMODEL RETURN property 477
- configurable products 71
 - associating a model with 301, 305
 - fragments 83
 - product type 301, 305
 - rules 81
- configuration files
 - defined 52
 - Entitlements.xml 861
- Configuration tab 64
- Constant Guiding Text display
 - property 576
- constraining configuration selections
 - using lists 80
- Constraint Selections display property 578
- constraints table
 - creating 544
 - deleting 553
 - modifying 546
- contacts 41
 - for leads 737
- content panel 101
- ContentManager URL business rule 285
- Content-type
 - for importing price lists 371, 599
- Control 576
- Control display property 576
- Control Type
 - of question 107
- Co-op accounts
 - uploading 789
- Co-op funds 46
- Co-op program 775
- Co-op programs 46
- CoopAccountsUsePoints business rule 47
- Coords (column) 334
- copying a rule 520
- copying model groups 439
- count 84
- coupon actions 621
- coupon operation 621
- coupons 618
 - business rule 872
 - creating 618
 - deleting 622
 - exclusive flag 621
 - managing 611
- create object panel 139
- Create Product Entitlement Based on
 - Pricelist business rule 69
- creating a cron job
 - suppressing display of empty
 - categories 359
- creating a message action 538
- creating a model 441
- creating a worksheet 501
- creating an Assignment Action 541
- creating an Expansion Action 539
- creating coupons 618
- creating cron jobs 879
- creating invoices 37
- creating partner sales representatives 246
- creating profile addresses 174
- creating profiles 169
- creating tasks 809
- CreditCardType lookup type 163
- Cron Job Configuration page 357, 879
- cron jobs 877
 - application 864
 - campaigns 770
 - creating 879
 - deleting 882
 - displaying 878
 - exporting catalog with 356
 - Import Catalog 885
 - importing catalog with 346
 - Index Builder 885

- inventory collection 733
- message URL 864, 865
- modifying 880
- Orders to ERP 886
- predefined jobs 883
- running immediately 882
- running in a cluster 865
- system 864
- system settings 864
- viewing 878
- viewing history 882
- CronConfig data object 865
- currencies
 - effect of changing on external products 706
 - used in coupons 621
 - used in pricing rules 615
 - used in testing models 479
- currencies in reports 830
- Currency 589
- currency 27, 587
- currency conversion rates
 - used in Co-op accounts 193
- customer service
 - processing return requests 724
 - searching for orders 701
 - searching for return requests 721
- customer service representative 36
 - tasks 699
- customer service representatives
 - setting email address 866
- customer type
 - used in recommending partners for leads 752
- customer types
 - defined 589
 - price lists, searching 587
 - used in coupons 621
 - used in pricing rules 615
 - used in testing models 479
- customer users 2
- cXML
 - product export format 351
- cXML_1.1
 - exporting catalog as 352
- cXML_1.1 format
 - exporting catalog as 65
- CyberSource 31

- D**
- dashboard graphs
 - scheduling rereshes 823
- data syndication
 - overview 7
- date range (promotions) 628
- DaysOffset 886
- decimal places
 - in prices 601
 - used in prices 601
- Default Selection 577
- Default Selection display property 576
- default system locale
 - use in campaigns 45
- default values for properties 493
- defaultWeight attribute 369
- defining display properties 574
- defining lists 506
- defining option constraints 547, 549
- delegating leads 40
- deleted list 834
- deleting a cron job 882
- deleting children of models 444
- deleting fragments 536
- deleting lists 508
- deleting model groups 438
- deleting models 444
- deleting option constraints 552
- deleting option constraints table 553
- deleting partner users 237
- deleting resource type 651
- deleting users 149
- descendants
 - of storefronts 9
- Description
 - of answer 108
 - of question 107
- description
 - resources 647
- designing the questionnaire
 - see questionnaire, designing the
- dhXML
 - product export format 351
- dictionary definitions for search 370
- DirectSales function 41
- DirectSalesExecutive function 41
- discounts 27, 611
 - assigning to partners 7
 - offered in proposals 254

- price lists 26
- display properties 566
 - Automatic Post 576
 - Constant Guiding Text 576
 - Control 576
 - Default Selection 576
 - defined 80
 - defining values 574
 - Display Template 576
 - fields 80
 - Help URL 576
 - Icon Graphics 576
 - Ignore In Quote 577
 - Lead Time 577
 - Option Class Required 577
 - Option Class View 578
 - Popup-Qty Values 578
 - Post-Pick Guiding Text 578
 - Pre-Pick Guiding Text 578
 - Price 579
 - Pricing Style 579
 - User Entered Value Allowed Values 580
 - User Entered Value Postfix 580
 - User Entered Value Prefix 579
 - User Entered Value Type 579
 - values 80
- display settings
 - reporting on 561
- display styles
 - for product categories 297
 - inheritance 297
- Display Template 577
- Display Template display property 576
- displaying product categories 298
- distributor 155
- Distributor partner type
 - used for inventory collection 734
- dollar sign (\$) 184, 610
- domains 310
- downloading
 - product availability 387
 - products 268
- downloading order information 718
- downloading reports 824
- dropdown list controls
 - used in questions 108
- DTD for lead upload 43
- dXML

- product export format 351
- dXML_3.0 format
 - exporting 65
 - importing 66, 342
- dXML_4.0 format
 - importing 342
- dynamic instantiation 556

E

- effective locales 864
- effective status
 - user 19
- effectivity dates
 - for price list line items 604
 - price lists 381, 383, 587, 589
 - products 301, 305
 - used in testing models 479
- effectivity dates for price list line items 23
- email addresses
 - used in campaigns 768
- email campaigns 45, 763
- email notification 273
- empty categories 874
- empty categories, suppressing 70, 358
- Enable Coupon Management business rule 872
- Enable Quotes business rule 873
- ending date
 - price lists 381, 383, 587, 589
- Enterprise currency 29, 260
- Enterprise Master List price list 831
- Enterprise Sales History report 847
- enterprise system administration 52
- enterprise users 2
- EnterpriseCommerce function 35
- EnterpriseLeadAdministratorSales function 41
- EnterpriseMaster List price list 299
- EnterpriseSales function 41
- EnterpriseSalesExecutive function 41
- entitlement roles
 - defined 16
 - Entitlements.xml 16
- Entitlements.xml 16, 152
 - assigning access roles 16
- ERP
 - configuring how orders are sent 886
- ERPAdministrator user type 147
- Error messages 87

-
- evaluating property values 503
 - Excel format
 - exporting reports 824
 - product availability download 387
 - product download 268
 - Exclusive flag
 - used in coupons 621
 - expand
 - use in string property window 497
 - expand function
 - syntax 543
 - expand groups
 - reporting on 561
 - Expansion Action
 - creating 539
 - Expansion Action defined 537
 - expansion rules 87
 - Expected Revenue
 - in opportunities 855
 - expiration date
 - quote 725, 729
 - Expiry time (minutes) for Currency
 - Customer Type cache business rule 874
 - Export Catalog (cron job) 884
 - export sets
 - adding products and categories 352
 - creating 350
 - scheduling 356
 - exporting a worksheet 502
 - exporting catalog information 350
 - exporting model groups 555
 - exporting models 555
 - exporting partner information (overview) 7
 - exporting products 349
 - overview 65
 - extended prices
 - definition 22
 - displaying 866
 - revised 252
 - External Partner ID 906
 - External Partner ID property
 - used for catalog import 348
 - external products 705
 - pricing 706
 - F**
 - feature 311
 - feature hierarchy 391
 - feature mismatch 65, 293
 - feature type groups 392, 633
 - feature types, unassigning 408
 - resources, assigning 424
 - feature type groups, assigning to 407
 - feature types
 - adding to export set 355
 - assigning to product categories 62, 286
 - feature type groups, assigning to 407
 - feature type groups, unassigning from 408
 - product catalog 62
 - product categories, assigning to 404
 - product categories, unassigning 406, 420
 - resources, assigning 424
 - working with 637
 - features
 - adding to export set 355
 - assigned to product categories 62
 - assigning to products 311
 - inheritance 62
 - power assignment 62
 - product categories, assigning to 418
 - products, assigning to 421, 423
 - resources, assigning 424
 - the product catalog 62
 - used in pricing rules 611
 - working with 642
 - features types
 - aggregated products and 315
 - file formats
 - upload Co-op accounts 907
 - Filter Logic
 - of answer 108
 - of question 108
 - Financials function 263, 805, 815
 - to access invoices 38
 - flyout menu
 - for catalog navigation 871
 - forecasts
 - creating file 216
 - file 216, 906, 907
 - specifying interval for 216
 - submitting file 217
 - format for downloading files 268, 387
 - formulas, rule 87
 - fragments
-

- deleting 536
 - explained 83
 - modifying 535
 - nested fragments, creating 529
 - simple fragments, creating 525
- frameset
 - using OnlineOrderingPageDisplay
 - message type 866
- frameset system property 865
- franchise model 51
- frequency (cron jobs) 347, 358, 880
- From Catalog to Cart
 - Source Pages report 856
- FullUpdate action in catalog import 344
- FullUpdateOrInsert action in catalog
 - import 344
- Function drop-down list
 - used in Numeric Property Editor
 - window 496
- function labels 16
- functions 16, 83, 496
 - defining 152
- G**
- gather
 - use in string property window 497
- general tabs 141
- groups
 - attached groups, viewing 471
 - importing models 96
 - modifying 461
 - of templates 219
 - product IDs, assigning 461
 - start and end dates for option
 - items 461
- H**
- Help URL 577
- Help URL display property 576
- hide constrained items 578
- hot spots
 - Coords (field) 334
 - creating 330
 - definition 63
 - deleting 335
- I**
- Icon Graphic 577
- Icon Graphic field 583
- Icon Graphics display property 576
- id attribute 369
- If Not Specified 86
- Ignore In Quote display property 577
- images
 - associated with product category 285
 - used in models 583
- images (promotions) 627
- Import Catalog cron job 885
- import set for catalog import 340
- import sets
 - creating 340
 - deleting 345
 - scheduling 346
- importing a worksheet 503
- importing model groups 553
- importing models 553
- importing price lists 597
- importing products
 - overview 66
- In Creation
 - product status 58
- inactive (price list) 589
- inbound orders 274
- including sub-models in models 476
- IncUpdate action in catalog import 344
- IncUpdateOrInsert action in catalog
 - import 344
- index attribute 369
- Index Builder cron job 885
- index set
 - activating 368
- index set creation 364
 - as cron job 366
- IndexFields element 369
- IndexSet element 369
- IndexSetName element 372
- IndexSetPath element 372
- inheritance of features 62
- insertion point 66, 342
- internationalization 50
- invalid characters in product IDs 300
- inventory collection 733
 - Distributor partner type 734
- Inventory Collection (cron job) 884
- inventory data, retrieving
 - defining properties 884
- Inventory report 845
- inventory, tracking 49

- invoice statuses 38
- invoices 815
 - administration 815
 - creating 37
 - Financials function 38
 - line item history 264
 - ownership 39
 - partner administration 263
 - updating customer status 264
 - viewing history 818
- ISO-3166 country codes 50, 863
- ISO-639 language codes 50, 863
- isselected function 84
- item precedence 67
- item quantity rules 612

J

- job scheduling
 - predefined jobs 883
- job scheduling tasks 877

K

- key attribute 369
- Key Performance Indicators report 835
- KPI report 835

L

- label
 - resources 647
- labels
 - of functions 16
- lead administrators 735
- Lead Closure report 851
- lead contacts 737
- Lead Distribution report 850
- Lead Execution report 853
- Lead Management Recommended Partner Search Attributes business rule 752, 754
- Lead Performance report 854
- Lead Pipeline report 848
- lead time 309
- Lead Time display property 577
- LeadCreate element 872
- LeadCreateListRequest.dtd DTD file 43
- leads
 - assigning 43
 - business rule 44
 - closing 760

- creating 42
- delegating 40
- notes 746
- partner activity 757
- primary contact 745
- recommended partners 752
- retracting 756
- uploading 738
- uploading timeout error 740
- leads assigning to partners 40
- leads management
 - assigning leads 43
 - business rules 44
 - creating a lead 735
 - creating leads 42
 - defined 40
- length function 83
- Lines Per Page in List Displays
 - property 866
- List as property type 492
- list definitions
 - reporting on 561
- list function 83
- list panel 139
- list prices
 - definition 21
 - displaying 866
- List Size for Each Indexing Thread for Incremental Indexing
 - property 867
- List Size for Each Indexing Thread
 - property 867
- lists 505
 - constraint rules 80
 - defining 506
 - deleting 508
 - explained 80
 - importing models 95
 - modifying 507
- literal 85
- locales 50
 - setting display names 863
 - used in campaigns 45, 765
 - used in promotions 628
 - used in search 369
- localization 50
- Location drop-down list
 - used in Numeric Property Editor window 497

- log out 101
- logging changes to orders 873
- logging order changes business rule 873
- logo
 - profile 161
- logo images 214
- logos
 - uploading 173
- lookup function 84
- lookupValues.properties configuration file 84

M

- mailing list file format 768
- mailing lists 768
- managers 19, 37
- managing accounts 199
- managing business rules 869
- manual transactions 806
- Manufacturer Name system property 343, 345, 348
- Marketing Executive function 783
- marketing plans 775
- mass update
 - product prices 320
- match
 - use in string property window 497
- max 84
- Max Reps Per Account field 196
- maximum number of users
 - assigned to an account 170
- MDF funds 46
- MDF program 775
- MDF programs 46
- Mean Order Value by Month graph 834
- merchant ID 31
- merchant key 31
- Merge Line Items in Product Inquiry List?
 - business rule 875
- merging line items 875
- message 86
 - suggest 87
 - warn 87
- message action
 - creating 538
- Message Action defined 537
- message URL
 - for importing price lists 599
 - for managing index sets 371

- message URL field
 - set in Enterprise profile for availability checking 359
- message URL for cron jobs 770, 864
- MessageHeader element
 - importing product catalog information 343
- messages
 - error 87
- messages (as a result of rules) 86
- MessageType element 349
- MessageVersion element 349
- min function 84
- minimum order quantity 309
- mismatch, feature 293
- Mobile Configurator 71
- Model field 301, 305
- model group 73
 - defined 72
- model group hierarchy
 - properties 77
- model groups 72, 436
 - copying 439
 - copying models into 445
 - creating 436
 - deleting children 438
 - modifying 437
- model images 583
- models 71
 - assigning a product 444
 - attaching to an option class 470
 - compiling 479
 - compiling all 481
 - copying 445
 - copying a model reference 447
 - copying option classes into 454
 - creating 441
 - deleting 444
 - deleting children 444
 - description 72, 73
 - effectivity dates 442
 - embedding 449
 - end date 442
 - invalid characters 429
 - modifying 443
 - setting prices 579
 - start date 442
 - sub-models 73
 - tabbed user interface 482

- testing 478
- validating 81
- modifying a cron job 880
- modifying cron jobs 880
- modifying models 443
- modifying option constraints 551
- modifying properties 497
- modifying property definitions 498
- modifying quotes 728
- modifying rule fragments 535
- Monthly Order Volume graph 834
- moving a product to another product
 - category 291
- moving a rule 520
- moving child partners 173
- moving users 232, 234
- multiple fragment rules 85
- multiple-pass rule firing 523

N

- Name
 - of answer 108
 - of question 107
- Name attribute
 - for price list import 597
- Name element 343, 898
- names
 - of profiles 155
- navigating product catalog 70
- navigation bar 101
- nested fragments 85
- nested fragments in rules 529
- node administrators 221
- node users 221
 - creating by node administrator 221
 - deleting by node administrator 237
 - modifying by node administrator 228
- Not Orderable
 - product status 58
- Not Ordered list
 - in C3 Analyzer 834
- notes
 - adding to opportunities as partner user 257
- notification administration 273
- Number as property type 492
- Numeric Property Editor window 495

O

- obsolete products 64
- On Credit Hold
 - user status 19
- On Hold
 - user status 19
- online help 101
- OnlineOrderingPageDisplay message type
 - used in frameset 866
- Open
 - user status 19
- open categories 66
- operators (Visual Modeler) 85
- opportunities 40, 245, 735
 - accepting opportunities 246
 - adding notes to opportunities 257
 - closing 259
 - creating an order from 254
 - declining opportunities 247
 - delegating by partners 248
 - Expected Revenue 855
 - general opportunity information, adding and modifying 250
 - Win and Loss 259
- opportunities management
 - accepting opportunities 246
 - adding notes to opportunities 257
 - declining opportunities 247
 - delegating by partners 248
 - general opportunity information, adding and modifying 250
- opportunity administration
 - by partners 245
- opportunity management
 - creating an order from an opportunity 254
- option class groups
 - attached, viewing 471
 - attaching to a model or group 468
 - attaching to an option class 470
 - copying option classes into 454
 - creating 461
 - defined 72
 - deleting 475
 - explained 76
 - removing an attachment to a group 476
 - removing an attachment to a model 444

- removing an attachment to an option class 459
- Option Class Required display property 577
- Option Class Viewdisplay property 578
- option classes
 - adding option items to 453
 - assigning a product 444
 - copying 454
 - copying option items into 457
 - creating 450
 - defining option constraints 549
 - definition 72, 76
 - deleting 459
 - display properties, setting 452
 - embedding models into 449
 - product IDs, assigning 452
 - properties, attaching 452
 - ratio, setting 452
 - rules, attaching 452
 - setting prices 579
- option constraints
 - defining 547
 - deleting 552
 - modifying 551
- option constraints table
 - creating 544
 - deleting 553
 - modifying 546
- option item groups 76
 - attached, viewing 471
 - attaching to a groups 468
 - attaching to an option class 470
 - copying option items into 457
 - creating 461
 - definition 72
 - deleting 475
 - removing an attachment to a group 476
 - removing an attachment to an option class 459
- option items
 - adding to option classes 453
 - assigning a product 444
 - constraining selections 80
 - copying 457
 - definition 73, 76
 - display properties, setting 456
 - in option constraints 550
 - product IDs, assigning 456
 - rules, attaching 456
 - setting prices 59, 579
- OR search 363
- Order Activity report 838
- Order Analysis report 841
- order header
 - specifying supported options 218
- order history 713
- order information
 - searching 701
- order management
 - line item header information, modifying 709
 - order header information, modifying 706
 - order on behalf of 714
 - overview 36
 - price and quantity, modifying 704
 - simultaneous changes to an order 700
 - view order history 713
- Order Management dashboard 834
- order numbers
 - search for orders by 702
- order on behalf of
 - creating an order 715
 - overview 36
- order statuses
 - search for orders by 702
- order total rules 612
- ordered dates
 - search for orders by 703
- ordered list 834
- ordering on behalf of 714
- orders
 - creating tasks 730
 - downloading 718
 - modifying 704
 - moving users 6, 182
 - searching 701
 - searching by order number 702
 - searching by order status 702
 - searching by ordered date 703
 - searching by PO number 702
 - searching by product ID 702
 - searching by serial number 702
- Orders by Status chart 835
- Orders by Time graph 835
- orders searching by supplier 702

Orders to ERP cron job 886
organizational functions 14
outstanding credit 8
ownership of invoices 39

P

pagination
 specifying number of items on each
 page 866
panel
 create object 139
 list 139
 tabbed 140
parent function 84
partner activity
 leads 757
partner addresses
 deleting 176
partner administrators
 channel administrator 211
 creating orders from
 opportunities 254
 defined 4, 42
 managing partner users 221
 responsibilities of 4
Partner Inventory report 857
partner lead administrators
 declining leads 247
partner level
 used in recommending partners for
 leads 752
partner logos 173
partner opportunity administration 245
Partner Profile chart 836
Partner Profile Search page 167
partner profiles 182
 creating 211
 maintaining 212
 overview 3
Partner Relationship Management
 report 843
Partner Request Timeout Value system
 property 740
partner sales manager
 defined 42
partner sales managers
 accepting opportunities 246
 delegating opportunities 248
partner sales representatives 246

 creating 246
Partner Selector
 Company Web site address required
 field 156
partner status 5
partner type
 used in recommending partners for
 leads 752
partner users 221
 adding notes to opportunities 257
 channel administrator 15, 221
 creating by enterprise
 administrator 176
 creating by partner administrator 221
 definition 221
 deleting by partner administrator 237
 modifying by partner
 administrator 228
 overview 4
Partner.com Partners
 Commerce tab 162
partners
 accepting opportunities 246
 adding notes to opportunities 257
 assigning discounts to 7
 assigning price lists 610
 assigning price lists to 27
 assigning special prices for 7
 contract 160
 creating orders from
 opportunities 254
 declining opportunities 247
 delegating opportunities 248
 deleting addresses 176
 enabling discounts 27
 enabling special prices for 27
 exporting partner information 7
 general opportunity information,
 adding and modifying 250
 managing products 60
 modifying 182
 price lists 4
 products 4
 recommended partners for leads 752,
 754
 territory 160
 used in testing models 479
 viewing product inquiry lists 7
parts diagram

- hot spots, creating 330
- hot spots, deleting 335
- image, uploading 331
- overview 63
- Password data field 865
- passwords 15, 147, 178
- payment accounts 46, 47, 157, 189
 - adding funds 193
 - removing funds 194
- payment gateways 31
- payment options 163, 218
- payment processor 31
- payment processors 186
- payment transactions 31
- PaymentType lookup type 163
- performing a search 363
- PO numbers
 - search for orders by 702
- points
 - used in Co-op accounts 47
- Popup-Qty Values display property 578
- PORTAL
 - product used for promotions
 - widget 625
- Post-Pick Guiding Text display
 - property 578
- power assign
 - of features to products 287
- power assignment 287
- power assignment of features 62
- power unassign
 - of features from products 288
- precision
 - displaying extended prices 866
 - displaying list prices 866
 - used in pricing 601
 - used to display prices 22
- pre-configured products 63
- preferences for users 20
- preferred locale 147, 223, 228
- Pre-Pick Guiding Text display
 - property 578
- Prevent Selection of Items Resulting in
 - Constraint Errors 578
- Preview (button) 627
- Price display property 59, 579
- Price element 599
- price information 26
- price list line item
 - effectivity dates 23
- price list line item effectivity dates 604
- price lists
 - active 27
 - active price lists 589
 - adding products using product
 - manager UI 319
 - assigning 183
 - assigning default prices (overview) 26
 - assigning to all partners 610
 - assigning to partners 609
 - associating a supplier ID 22
 - associating supplier IDs 51
 - conditional pricing 27
 - creating 594
 - currency 27
 - defined 7, 22
 - effectivity dates 381, 383, 587, 589
 - for reporting 831
 - importing 597
 - managing 594
 - modifying 595
 - number of decimal places 601
 - previewing 608
 - products 4, 25
 - searches 381, 383, 587
 - unassigning from partners 610
 - used when importing products 342
- PriceList DTD 597
- PriceList element 597
- PriceListHeader element 598
- PriceListImportRequest DTD 597
- prices
 - configured products business rule 871
 - for anonymous users 28
 - setting for a model, option class, or
 - option item 579
- Prices element 598
- prices in reports 830
- pricing
 - properties to control display 601
 - search 586
- Pricing Engine Type business rule 874
- pricing external products 706
- pricing rules 611, 613
 - combination 612
 - deleting 618
 - item quantity 612
 - order total 612

- removed from quotes 729
- Pricing SKU column 906
- Pricing Style display property 579
- pricing tiers 617, 621
- Pricing Type business rule 871
- primary contact
 - for a lead 745
- printing reports 824
- priorities
 - for rule firing 521
- priority (C3 Advisor) 113
- priority level (promotions) 628
- PRM dashboard 843
- Procurement User user type 5
- Product Activity report 837, 857
- product catalog 871
 - basic structure 56
 - exporting 356
- product categories
 - adding to export set 352
 - associating an image 285
 - child 285, 294
 - creating (overview) 57
 - definition 56
 - display 298
 - empty 70, 874
 - empty categories 358
 - feature types 404
 - feature types assigned to 62
 - feature types, unassigning 406, 420
 - features assigned to 62
 - features, assigning 418
 - maintained by partners 60
 - moving products between 65
 - open/closed 66
 - suppressing display of empty 358
- product entitlement items 67
- product entitlements 67
 - assigning to profiles 184
 - managing 376
 - modifying 377
 - search 380
- product entitlements derived from price
 - lists business rule 69
- product export formats
 - cXML 351
 - dhXML 351
 - dXML 351
- product IDs
 - invalid characters 300
 - search for orders by 702
- product import
 - supplier names 344
- product inquiry lists
 - commerce activity 7
 - defined 31
 - displaying in questionnaire pages 660
- product management 280
- Product Review Administration
 - function 31
- Product Review Administrators 31
- Product Reviewer function 30
- product reviews 801
 - overview 30
- product status 58, 301, 305
- ProductID attribute 598
- ProductID element 348
- production
 - moving compiled models 480
- ProductManager role 898
- products
 - adding to export set 352
 - adding to price lists 319
 - administering prices through product manager UI 318
 - and deleted categories 294
 - assigning resources to 312
 - assigning to a model, option class, option item 444
 - assigning to a product category 290
 - associating supplier IDs 51
 - availability 387
 - availability (C3 Partner.com partners) 388
 - availability in C3 Partner.com 385
 - availability information 359
 - configurable 301, 305
 - creating 57, 299
 - defined 56
 - downloading 268
 - exporting 65, 349
 - external 705
 - feature mismatch 293
 - feature types 62
 - features 62
 - features, assigning 421, 423
 - importing 66
 - maintained by partners 60

-
- making products obsolete 64
 - management 280
 - Model field 301, 305
 - modifying 307
 - moving to another product
 - category 291
 - pre-configured 63
 - price lists 4, 25
 - related 322
 - removing from a product
 - category 290
 - supersession 64
 - suppliers 66
 - unassigned products 294
 - updating (C3 Partner.com) 269
 - uploading (C3 Partner.com) 267
 - ProductUpdate element
 - importing product catalog
 - information 343
 - profile addresses
 - creating 174
 - Profile Administration function 211
 - profile administrator 221
 - Profile Detail page 154
 - profile levels 155
 - used in coupons 621
 - used in pricing rules 615
 - used in promotions 628
 - profile names 155
 - uniqueness 155
 - profile types 155
 - selection for distributors 156
 - used in coupons 621
 - used in pricing rules 615
 - used in promotions 628
 - profiles
 - assigning price lists 183
 - assigning product entitlements 184
 - cart activity 187
 - creating 169
 - creating addresses 174
 - level 155
 - type 155
 - Program Management function 869
 - for managing availability
 - information 385
 - programs 46, 773
 - adding activities 776
 - assigning to partners 777
 - Promotion Administration List Page 624
 - promotion content 34
 - promotion controls
 - described 34
 - promotion events 35
 - promotions
 - assigning images for 627
 - automatic display business rule 873
 - content 34
 - controls 34
 - customers 33
 - date range 628
 - description 33, 34
 - disabling 632
 - enterprise site 33
 - event 35
 - locale filter 628
 - overview 32
 - partner site 33
 - previewing 627
 - priority level 628
 - URL 33, 34
 - promotions (enterprise server)
 - creating 626
 - duplicating 626
 - modifying 631
 - properties 490, 565
 - attaching 493
 - catalog 78
 - default values 493
 - defining 490
 - definition 77
 - display properties 80
 - importing 95
 - model group hierarchy 77
 - modifying a definition 498
 - modifying an attached value 497
 - not specified values 86
 - removing an attachment 497
 - rules 73
 - properties, attaching 456
 - property definitions
 - reporting on 561
 - Property drop-down list
 - used in Numeric Property Editor
 - window 497
 - property editor window 495
 - property types
 - List 492

- Number 492
- String 492
- property values 497
 - evaluating 503
- proposal templates 42
 - sample 899
 - uploading 220
- Proposal Templates tab 219, 220
- proposals 41, 246, 735
 - creating as part of new lead 737
 - discounts 254
 - offering to contact 252
 - uplifts 254
- propval function 84

Q

- quantity per unit 309
- QuantityTier element 599
- Question Text
 - of question 107
- questionnaire
 - about the 110
 - building the 132
 - components of 111
 - conceptual design of 122
 - construction tasks in 132
 - creating 111
 - designing 121
 - example design 124
 - overview 110
 - rules, defining 112
 - start page 114
 - start state URL 114
- questionnaire pages
 - defined 109
 - displaying products in 660
 - working with 657
- questions 110
 - Control Type 107
 - defined 106
 - Description 107
 - Filter Logic 108
 - Name 107
 - Question Text 107
 - working with 669
- Quick Search field 363
- quote characters in names 541
- quotes 32, 696
 - approving 729

- business rule to enable 873
- customer service representative
 - actions 725
- expiration date 725, 729
- modifying 728
- moving a user 6, 182
- overview 37
- processing 727
- reasons for rejecting 730
- rejecting 730
- removing pricing rules 729
- searching 725
- searching for 696
- quotes widget 873

R

- radio button controls
 - used in questions 107
- ratio, setting a 452
- reasons for rejecting quotes 730
- recommended partners 752, 754
- RecommendedPartnerName element 872
- reconciliation, feature 293
- recovering carts 241
- rejecting a quote 730
- rejecting submitted quotes 730
- related categories 323
- related products 322
 - Alternate 323
 - Competitive 323
 - Complimentary 323
 - Related Categories 323
- relative
 - property locations 497
- Released
 - product status 58
- RemoteUser element 898
- removing products from a product category 290
- reporting
 - C3 Analyzer 50
 - inventory tracking 49
 - reseller forecasting 49
- reporting price list 29, 299, 831
- reports
 - Abandoned Lists report 855
 - currencies 830
 - downloading 824
 - exporting to Excel format 824

- Inventory report 845
- Key Performance Indicators 835
 - prices 830
 - printing 824
 - Product Activity report 837
 - viewing 821
 - Visual Modeler 97, 561
- requests for quotes 32, 696
- reseller forecasting 49
- resource 312
- resource descriptions 647
- resource labels 647
- resource tabs 143
- resource type
 - to create a 648
 - to delete a 651
 - to modify a 649
- resource types 647
 - defined 106
 - deleting 651
 - managing 647
 - working with 647
- resources
 - defined 106
 - feature type groups, assigning to 424
 - feature types, assigning to 424
 - features, assigning to 424
 - to assign 424, 652
 - to unassign 426, 654
 - working with 652
- retracting leads 756
- return requests
 - processing 724
 - searching for 721
- Return to General 469, 471
- returns
 - processing 724
 - searching 721
- returns management 721
 - overview 37
- revised extended prices 252
- RFQs
 - creating tasks 730
 - overview 37
- roles
 - defining 152
 - entitlement 16
 - partner administrator 178
 - sales representative 246
- root model group 73
- RosettaNet format
 - exporting data 65
- rule actions 617
- rule administration 611
- rule classifications 513
- rule definitions
 - reporting on 561
- rule firing 89, 515
 - controlling 522
 - testing 521, 523
- rule firing sequence 521
- rule message text 86
- rule operation 615
- rules 508
 - copying 520
 - importing models 95
 - moving 520
 - properties 73
- rules (C3 Advisor)
 - authoring tips 119, 121
 - construction of 115, 116
 - creating default 119
 - defined 109, 112
 - description 109
 - execution of 114
 - IF clause 109
 - in the C3 Advisor 112
 - name 109
 - priority of 117, 119
 - THEN clause 109
 - to create a 685
 - to delete a 690
 - to modify a 688
 - using AND NOT arguments to disable answers 120
- rules (Visual Modeler)
 - attaching 83
 - defining 82
 - expansion 87
 - explanation 81
 - firing sequence 515
 - fragments 83
 - functions 83
 - multiple fragment rules 85
 - nested fragments 85
 - processing 89
 - rule actions 537
 - rule formulas 87

- single fragment rules 85
- rules in **C3** Advisor
 - working with 685
- rules in Visual Modeler
 - attached rules, viewing 515
 - attaching 514
 - defining 509
 - definition 73
 - deleting a rule 519
 - modifying 511
 - unattaching 519
- running a cron job immediately 882
- RunningMode element 372

S

- sales contracts 29, 793
- Sales Executive function 219, 752
- Sales Forecast report 844, 857
- Sales function 40, 246
- sales manager
 - changing 246
- sales managers 246
- SalesExecutive function 40
- Scale attribute 601
- scheduling
 - export sets 356
 - import sets 346
- search
 - administration tasks 364
 - behavior of Quick Search field 363
 - creating an index set 364
 - setting dictionary definitions 370
 - using XML messages 370
- search index 363
- search index builder
 - run as application cron job 865
- search price list 381, 383, 587
- search settings 368
- search syntax 372
- search wild card characters 103
- SearchConfigurationProperties.xml
 - configuration file 364, 368, 369
- SearchField element 369
- SearchFields element 369
- searching for order by order number 702
- searching for order by order status 702
- searching for order by ordered date 703
- searching for order by PO number 702
- searching for order by product ID 702

- searching for order by serial number 702
- searching for orders by supplier 702
- searching for properties 558
- searching for quotes 696, 725
- searching for users 149
- selection criteria
 - used in campaigns 768
- Send Orders XML msgs to ERP
 - property 867
- serial numbers
 - search for orders by 702
- ServerName property 770
- service products 59, 309
 - configuration prices business rule 874
- session (**C3** Advisor) 113
- shipping options 163, 218
- ShippingMethod lookup type 163
- shopping carts
 - active 32
 - duplicate 32
- Show Product List check box 660
- Show Promotions business rule 872
- single condition 83
- single fragment rules 85
- single-pass rule firing 522
- site system administration 52
- skins
 - creating 195
- SKU Authority column 906
- source product IDs
 - used in pricing rules 612
- special characters
 - encoding in Visual Modeler 477
- special offers 611
- special prices 27
- special prices, assigning 7
- spreadsheet format
 - order activity 719
 - partner lists 169
- staging
 - moving compiled models 480
- stale list 834
- start page 114
- start state URL 114
- starting date
 - price lists 381, 383, 587, 589
- state 109, 113, 130
- states
 - current rule state 119

- status
 - of invoices 38
 - partner 5
 - setting for product 301, 305
 - user 19
- Stop Firing (column) 515
- store attribute 369
- storefront
 - cascading stylesheet 161
- storefront administrator partner 194
- storefront administrator tasks 8
- storefront administrators 194
- Storefront Partners
 - Commerce tab 162
- storefronts 2, 194
 - creating 194
- String as property type 492
- String Property Editor window 495
- Style element 898
- submitted quotes
 - rejecting 730
- sub-models 76, 476
 - of models 73
- Suggest messages 87
- sum function 84
- supersession 325, 325-326
 - defined 64
 - overview 64
- Supplier element 343, 348
- supplier ID
 - associated with a price list 51
 - associating with price list 589
 - used in pricing 22
- supplier IDs
 - partners creating price lists 29
- suppliers
 - associated to price lists 22
 - associating to products 51
 - partner profiles 51
 - product import 344
 - searching for orders by supplier 702
- suppliers of products 66
- supported search syntax 372
- Suppress Empty Categories business
 - rule 886
- suppress empty categories business
 - rule 874
- suppressing empty product categories 358
- system administration 52
 - system administration URL 890
 - system administrators 889
 - system cron jobs 864
 - system properties
 - frameset 865
 - system-generated notes 747

T

- tabbed panel 140
- tabbed user interface 482, 577
- table
 - used to display properties 580
- tabs
 - assignment tabs 142
 - general tabs 141
 - resources tabs 143
- tabular display of properties 580
- target product IDs
 - used in pricing rules 612
- task due date 811
- task name 810
- task priority 811
- task summary 810
- task type 811
- tasks 48, 809
 - automatically generated 813
 - creating 809
 - creating from orders 730
 - creating from RFQs 730
 - updating 812
- template groups 219
- templates
 - for proposals 42
- territory
 - used in recommending partners for leads 752
- testing models 478
- text format
 - product availability download 387
 - product download 268
- tiers used for order level pricing rules 617, 621
- timeout error
 - uploading leads 740
- to unassign a resource from an entity
 - see resource, to unassign a resource from an entity
- tokenize attribute 369
- toolbar 430

- Top 5 Categories by Value
 - Current Month report 856
- Top 5 Products
 - Previous vs. Current Month report 856
- tracing rule firing 521, 523
- Track Action Rules business rule 871
- Track Questionnaire Answers Action business rule 858
- Type attribute
 - used in catalog import 348
 - used in catalog importing 348
- types
 - resources 647
- types of users 2
- U**
- UI
 - ICON GRAPHIC property 583
 - ITEM IMAGE NAME property 583
 - PRICE property 571
 - PRICING SKU property 571
 - PRICING STYLE property 571
 - ROW SPAN property 572
 - SHOW ITEM IMAGES property 572, 583
 - UI: NUMBER OF COLUMNS 569
 - UI: OPTION CLASS VIEW 570
 - UI: POPUP-QTY ALLOWED VALUES 570
 - UI: PRODUCT DESCRIPTION property 572
 - UI: PRODUCT ID property 571
 - UI: PRODUCT NAME property 571
 - UI: SUPPRESS NAME DISPLAY 572
 - UI: SUPPRESS NONE SELECTION 572
 - UI: SUPPRESS UEV NONE VALUE 573
 - UI: UEV ALLOWED VALUES 573
 - UI: UEV ASSIGNMENT PROPERTY 573
 - UI: UEV POSTFIX 574
 - UI: UEV PREFIX 574
 - unassigning features
 - using power unassign 288
 - unassigning price lists from partners
 - partners
 - unassigning price lists 610
 - unassigning resources 426, 654
 - unit of measure 309
 - UnitListPrice DataElement 601
 - unspecified
 - property locations 497
 - updating
 - product availability C3 Partner.com partners) 388
 - updating profiles 182
 - updating tasks 812
 - uplifts
 - offered in proposals 254
 - upload Co-op accounts file format 907
 - uploading
 - logo file 214
 - uploading a proposal template 220
 - uploading Co-op accounts 789
 - uploading leads 738
 - timeout error 740
 - uploading mailing lists 768
 - uploading partner logos 173
 - URLs
 - system administration 890
 - Use Configuration Prices for Service Products? business rule 59, 874
 - useDictionary attribute 369
 - user administration 145, 699
 - user administrators 145
 - User Detail Page 147
 - user effective status 19
 - User Entered Value Allowed Values display property 580
 - User Entered Value Postfix display property 580
 - User Entered Value Prefix display property 579
 - User Entered Value Type display property 579
 - user functions 147
 - User List Page 146
 - user preferences 20, 221
 - cart view 20
 - workspace pagination 20
 - user status 19
 - user types
 - Procurement User 5
 - UserAuthenticator element 43
 - UserLogin element 43
 - username 147
 - usernames 178
 - requirements for 15

-
- restrictions 178
 - users
 - creating 146
 - deleting 149
 - deleting (effect on username) 15
 - modifying 149
 - moving 6
 - moving by enterprise administrator 180
 - moving from a lower level 234
 - moving from a top level 232
 - overview 15
 - relation to entitlement roles 15
 - searching for 149
 - setting preferred locale 50, 147, 223, 228
 - worksheets 500
 - creating 501
 - exporting 502
 - importing 503
 - wslookup function 85
- X**
- xCBL_2.0 format 65
 - XML message versions 155
 - XML messages
 - for managing index sets 370
- V**
- value function 84
 - values
 - of properties 497
 - values of orders
 - in reports 830
 - view of product catalog 70
 - viewing a cron job 878
 - viewing invoice history 818
 - viewing reports 821
 - viewing the history of a cron job 882
 - Visual Modeler 71
 - accessing 433
 - defined 73
 - how the Visual Modeler works 75
 - reporting 97
 - reports 561
 - tabbed user interface 482, 577
 - visual modeler
 - toolbar 430
- W**
- Warn messages 87
 - watchers 48, 811
 - automatically assigned 813
 - widget
 - CATALOG product used for promotions 625
 - PORTAL product used for promotions 625
 - wild card characters
 - in search 103