

IBM Security QRadar
Version 7.2.4

*Checking the integrity of event and
flow logs*



Note: Before using this information and the product that it supports, read the information in [Notices and Trademarks](#) on [page 5](#).

CONTENTS

1 CHECKING THE INTEGRITY OF QRADAR EVENT AND FLOW LOGS

A NOTICES AND TRADEMARKS

Notices	5
Trademarks	7

1

CHECKING THE INTEGRITY OF QRADAR EVENT AND FLOW LOGS

You check the integrity of event and flow logs to determine if the IBM® Security QRadar® logs were modified.

Unless otherwise noted, all references to QRadar refer to IBM Security QRadar SIEM and IBM Security QRadar Log Manager. References to flows do not apply to QRadar Log Manager.

Before you begin

This procedure assumes that log hashing is enabled for your QRadar system. See the *Administration Guide* for your product for information about how to enable the Flow Log Hashing or Event Log Hashing system setting.

About this task

To access the help message, type `-h` anywhere in the command line.

Use the parameters in the following table to check the integrity of event and flow logs..

Table 1 Checking the integrity of event and flow logs

Command	Description
<code><duration></code>	Length of time (in minutes), preceding the end time, to scan the logs. For example, if <code>-d 5</code> is entered, all logs five minutes preceding the end time are scanned.
<code><database name></code>	Type of log to be scanned. Valid logs types are events and flows.
<code><endtime></code>	Desired end time for the scan in the following format including the quotation marks: "yyyy/mm/dd hh:mm" where hh is specified in 24-hour format. If no end time is entered, the current time is used.
<code><hash algorithm></code>	Hashing algorithm to be used. This algorithm must be the same one that was used to create the hash keys. If no algorithm is entered, SHA-1 is used.

Table 1 Checking the integrity of event and flow logs (continued)

Command	Description
<hash root directory>	Location of the log hashing. This argument is only required if the log hashing is not in the location specified in the configuration file, that is /opt/qradar/conf/arielConfig.xml.
<hmac key>	key used for Hash-based Message Authentication Code (HMAC) encryption. If you do not specify an HMAC key and your system is enabled for HMAC encrypted, the check_ariel_integrity.sh script defaults to the key specified in the System Settings.

Procedure

Step 1 Using SSH, log in to QRadar as the root user.

Step 2 Type the following command:

```
/opt/qradar/bin/check_ariel_integrity.sh -d <duration>
-n <database name> [-t <endtime>] [-a <hash algorithm>]
[-r <hash root directory>] [-k <hmac key>]
```

For example, to validate the last ten minutes of event data, type the following command:

```
/opt/qradar/bin/check_ariel_integrity.sh -n events -d 10
```

Results

If a FAILED or ERROR message is returned, the hash key generated from the current data on the disk does not match the hash key that was created when the data was written to the disk; either the key or the data have been modified.

A

NOTICES AND TRADEMARKS

What's in this appendix:

- [Notices](#)
- [Trademarks](#)

This section describes some important notices, trademarks, and compliance information.

Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785 U.S.A.*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan*

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Corporation
170 Tracer Lane,
Waltham MA 02451, USA*

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the

capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

All IBM prices shown are IBM's suggested retail prices, are current and are subject to change without notice. Dealer prices may vary.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

Trademarks

IBM, the IBM logo, and [ibm.com](http://www.ibm.com) are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at <http://www.ibm.com/legal/copytrade.shtml>.

