

IBM Cúram Social Program Management  
Version 7.0.5

*Implementing the Eligibility Viewer*



**Edition**

This edition applies to IBM® Cúram Social Program Management v7.0.5 and to all subsequent releases unless otherwise indicated in new editions.

Licensed Materials - Property of IBM.

© **Copyright International Business Machines Corporation 2018.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

- List of Tables..... iv**
  
- Chapter 1. Implementing the Eligibility Viewer.....1**
  - Implementing a service provider interface for the Eligibility Viewer..... 1
  - The Eligibility Viewer data format..... 1
  - Binding the SPI to your integrated case type..... 3
  - Add, Enable, and Configure the Eligibility Viewer.....3
  - Implementing key events for the Eligibility Viewer..... 5
  
- Notices.....6**
  - Privacy Policy considerations..... 7
  - Trademarks..... 7

---

# List of Tables

- 1. TimelineCalendarRow Attribute.....1
- 2. TimelineCalendarTimeline Attribute.....2
- 3. .... 2
- 4. Cúram administration properties.....4

---

# Chapter 1. Implementing the Eligibility Viewer

The Eligibility viewer (EV) is an enhancement to caseworker functionality that gives caseworkers a holistic view of eligibility for a person or for an integrated case. The information can be presented in two tabs, one on the person view, and one on the integrated case view.

---

## Implementing a service provider interface for the Eligibility Viewer

---

You must define the data that you want to display, implement the Service Provider Interface that returns the required data that you specify, and bind the data to the appropriate integrated case.

### Before you begin

This information assumes that you are familiar with basic Cúram development tasks.

### About this task

This Service Provider Interface implementation is called every time that eligibility information about your integrated case type is needed. For example, whenever someone opens the eligibility tab on your IC, or whenever someone opens the eligibility tab for a person who is a member of your type of IC. This implementation returns the eligibility data for your integrated case type, for a specified case and year. If an eligibility interval is valid at any point in the specified year, it is included when this data is returned.

### Procedure

Create a java class to implement `curam.eligibilitytimelinecalendar.impl.TimelineCalendarDataRetrieval`.

## The Eligibility Viewer data format

Data that is returned by your Service Provider Interface implementation must be in the following format.

### TimelineCalendarRow

TimelineCalendarRow represents a single row in the Eligibility View. For eligibility, it represents a person.

| Attribute Name | Type   | Purpose   |
|----------------|--------|---|
| ID             | String | This attribute contains the ID of this row. For EV, the ID must be the string value of the ConcernRoleID of the person. This attribute must be populated. |
| title          | String | This attribute contains the string of text that represents the person. For example, James Smith (51). This attribute must be populated.                   |

Table 1: TimelineCalendarRow Attribute (continued)

| Attribute Name | Type                           | Purpose  |
|----------------|--------------------------------|--|
| timelines      | List<TimelineCalendarTimeline> | This attribute contains a list of eligibility timelines for this person. For overlapping eligibility information, use multiple TimelineCalendarTimeline types. |

### TimelineCalendarTimeline

TimelineCalendarTimeline represents an eligibility timeline. Eligibility information cannot overlap within this timeline.

Table 2: TimelineCalendarTimeline Attribute

| Attribute name | Type                               | Purpose  |
|----------------|------------------------------------|--|
| ID             | String                             | This attribute contains the ID by which you can reference this timeline. This attribute is not used in EV.                             |
| timeline       | Timeline<TimelineCalendarTimeline> | This attribute contains a Cúram Timeline of TimelineCalendarIntervalValue in which all the dates and values of eligibility are stored. |

### TimelineCalendarIntervalValue

Standardiseringssentral represents the eligibility value for a given timeline interval.

Table 3:

| Attribute Name | Type   | Purpose  |
|----------------|--------|--|
| ID             | String | This attribute contains the ID by which the interval is referenced. It is used to configure the color of the eligibility bar in EV. For eligibility, this attribute should be populated by the product type. This attribute must be populated. |
| title          | String | This attribute represents the text that is shown in the eligibility bar. For EV it should reference the name of the product for which the person is eligible in this period.   |
| categoryCode   | String | This attribute contains the category codetable code that describes the interval. This attribute is optional.   |

| Table 3: (continued)  |                     |  |
|-----------------------|---------------------|--|
| Attribute Name        | Type                | Purpose  |
| productNameCode       | String              | This attribute contains the product name codetable code which describes this interval. This attribute is optional. |
| subtitle              | String              | This attribute contains a subheading to be displayed in the eligibility overlay. This attribute is optional.       |
| additionalInformation | Map<String, String> | This attribute contains key value pairs that are displayed in tabular format in the eligibility overlay.           |

## Binding the SPI to your integrated case type

Binding the Service Provider to your integrated case type allows the SPI to be discovered and injected when needed.

### Procedure

1. Create a java class that extends `com.google.inject.AbstractModule` and override its `configure` method. In this method, create a `MapBinder` with a key of `String` and a value of `TimelineCalendarDataRetrieval.class`, for example, `MapBinder.newMapBinder(binder(), String.class, TimelineCalendarDataRetrieval.class)`. Add your implemented SPI to this map with a key of your integrated case type.
2. Add an entry to your `MODULECLASSNAME.dmx` data file so that your module can be found by Cúram.

## Add, Enable, and Configure the Eligibility Viewer

You must add client screens to display the eligibility data for the client. The following tasks describe how to add the EV to your application, enable EV, and configure EV.

### Adding and enabling an Eligibility tab to your navigation file

You must add the Eligibility viewer to your chosen integration case type and then enable the EV.

### About this task

The Eligibility Viewer needs to be added to your Integrated Case application navigation file (`.nav`). EV contains a timeline calendar widget that visually displays the eligibility information for your Integrated Case. For accessibility, EV also contains a list view of the information that is visually represented in the widget.

### Procedure

1. Add the following code fragment to your Integrated Case navigation file (`.nav`).

```
<nc:navigation-page id="EligibilityGraph" page-id="IntegratedCase_timelineCalendarGraph"
    title="Page.Title.EligibilityGraphView"/>
```

2. Add the following properties to your Integrated Case navigation `.propertyproperty` file.

```
Page.Title.EligibilityGraphView=Eligibility
```

3. Enable the Eligibility tab on the Person tab. Change the value of the environment variable `curam.core.timelinecalendar.enabled` to `true`.

## Configuring the Eligibility Viewer

The following options to configure the Eligibility Viewer are available by modifying properties in the Application Resource `TimelineCalendar.properties` file. This configuration can be done during either runtime or build time.

### About this task

You must be familiar with updating Cúram administration properties.

| Property name   | Type      | Purpose  |
|---|-----------|--|
| <code>{Integrated Case Type}.showRowTitles</code>           | Boolean   | This property determines whether the Person's name is displayed in the Eligibility Viewer. This determination is set on a per integrated case type basis using the <code>ProductCategory codetable</code> . For example, <code>CT2001.showRowTitles=false</code> , which hides the names of Persons eligible for the Person tab. |
| <code>{Product Type}.innerColor</code>                      | Hex color | The color that is to be used in the border of all eligible intervals of this product type. It refers to the <code>TimelineCalendarIntervalValue.id</code> set while implementing the SPI, for example, <code>#Ab2E4d</code> .  |
| <code>{TimelineCalendarInterval Value.id}.outerColor</code> | Hex color | The color that is to be used in the fill of all eligible intervals of this product type. It refers to the <code>TimelineCalendarIntervalValue.id</code> that is set while implementing the SPI, for example, <code>#A2e</code> .   |

**Note:** This procedure can also be completed at build time by overriding the `TimelineCalendar.properties` entry in a custom `AppResource.dmx` file.

### Procedure

1. Login to the Cúram Administration Application.
2. In the Shortcuts Panel for the Administration Workspace, select **Intelligent Evidence Gathering**.
3. Select **Application Resources**.
4. Use the **Property** category as a filter to search for `TimelineCalendar.properties`.
5. Select **download** from the list row menu.
6. Use the previous table to chose your configurations. Add those configurations to the file and save the file.
7. Open a modal by selecting **Edit** from the list row menu.
8. Browse to the saved file and add the New Content.
9. Click **Save**.

## Implementing key events for the Eligibility Viewer

Key events are changes to an integrated case that might affect eligibility. Key changes can be based on either evidence-based changes or non-evidence-based changes. An icon is displayed on the Eligibility Viewer below the month in which the key event occurs. Caseworkers can review key events to quickly determine what has changed on the case and the reason for a change in eligibility.

### Customizing the display of evidence-based key events

Customize the key events messages that the eligibility viewer displays based on changes to particular evidence types.

#### About this task

A key event is automatically generated when a change in evidence occurs. The default key events message is in the following format:

```
Date of change - Evidence Type - Case participant name (Case participant age)
```

The key events message is controlled by the following message:

```
BpoTimelineCalendarKeyEvents.INF_TIMELINE_KEY_EVENTS
```

#### Procedure

1. For your evidence type, create a class that implements the following:

```
curam.core.sl.util.timelinecalendar.impl.TimelineCalendarKeyEventsDataRetrieval
```

2. Bind the implementation by using a Guice MapBinder, where your evidence type is the key, for example:

```
MapBinder.newMapBinder(binder(), String.class, TimelineCalendarDataRetrieval.class);
```

### Customizing the display of non-evidence-based key events

Not all events that affect eligibility are based on changes to evidence, for example, when a person becomes 65 years of age. A key event can also be generated for non-evidence base events. Configure non-evidence-based key events based on the type of integrated case.

#### Procedure

1. For your integrated case type, create a class that implements the following:

```
curam.core.sl.util.timelinecalendar.impl.TimelineCalendarKeyEventsRulesDataRetrieval
```

2. Bind the implementation by using a Guice MapBinder, where your integrated case type is the key, for example:

```
MapBinder.newMapBinder(binder(), String.class,  
TimelineCalendarKeyEventsRulesDataRetrieval.class);
```

## Notices

---

This information was developed for products and services offered in the United States.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing IBM Corporation North Castle Drive, MD-NC119 Armonk, NY 10504-1785 US*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing Legal and Intellectual Property Law IBM Japan Ltd. 19-21, Nihonbashi-Hakozakicho, Chuo-ku Tokyo 103-8510, Japan*

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you provide in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Director of Licensing IBM Corporation North Castle Drive, MD-NC119 Armonk, NY 10504-1785 US*

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

The performance data and client examples cited are presented for illustrative purposes only. Actual performance results may vary depending on specific configurations and operating conditions.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

Statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

All IBM prices shown are IBM's suggested retail prices, are current and are subject to change without notice. Dealer prices may vary.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to actual people or business enterprises is entirely coincidental.

#### COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

## Privacy Policy considerations

---

IBM Software products, including software as a service solutions, ("Software Offerings") may use cookies or other technologies to collect product usage information, to help improve the end user experience, to tailor interactions with the end user or for other purposes. In many cases no personally identifiable information is collected by the Software Offerings. Some of our Software Offerings can help enable you to collect personally identifiable information. If this Software Offering uses cookies to collect personally identifiable information, specific information about this offering's use of cookies is set forth below.

Depending upon the configurations deployed, this Software Offering may use session cookies or other similar technologies that collect each user's name, user name, password, and/or other personally identifiable information for purposes of session management, authentication, enhanced user usability, single sign-on configuration and/or other usage tracking and/or functional purposes. These cookies or other similar technologies cannot be disabled.

If the configurations deployed for this Software Offering provide you as customer the ability to collect personally identifiable information from end users via cookies and other technologies, you should seek your own legal advice about any laws applicable to such data collection, including any requirements for notice and consent.

For more information about the use of various technologies, including cookies, for these purposes, see IBM's Privacy Policy at <http://www.ibm.com/privacy> and IBM's Online Privacy Statement at <http://www.ibm.com/privacy/details> the section entitled "Cookies, Web Beacons and Other Technologies" and the "IBM Software Products and Software-as-a-Service Privacy Statement" at <http://www.ibm.com/software/info/product-privacy>.

## Trademarks

---

IBM, the IBM logo, and [ibm.com](http://www.ibm.com) are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at <http://www.ibm.com/legal/copytrade.shtml>.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Java™ and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other names may be trademarks of their respective owners. Other company, product, and service names may be trademarks or service marks of others.





Part Number:

(1P) P/N: