

Extending Your Mainframe For More Business Value

Extend Data Security On The Mainframe

Mainframe Extension Solution – Data Security

Start with a secure foundation

System z platform with RACF

Protect customer data end-to-end

Protect data on-platform, off-platform, and in transit

Block unauthorized network access

Detect and prevent intrusions

Establish and monitor security compliance policies

Detect breaches of policy

A Secure Foundation Is A Prerequisite To Address Security Issues

Workload Isolation

- System z Hypervisor maintains strict isolation between workloads
- Hardware coded storage protect keys protects system and user workloads
- Architecture design makes typical buffer overflows and virus payloads inoperable
- HiperSockets provides secure internal communications

System z has the highest commercial common criteria ratings

PR/SM rated at EAL 5

Integrated access control throughout the stack

RACF enforces access control and logs security events

Secure cryptographic encoding

- On-chip crypto hardware assist and optional high speed cryptographic processors
- System z10 delivers stronger encryption using Advanced Encryption Standard (AES) 192 and 256, and SHA-384 and SHA-512

System z Provides Integrated Access Control

RACF* provides the basis of security

- Access, Authorization, Auditing and Administration
- Authenticates users through passwords or certificates
- Unified access control for System z resources

Security enforced automatically by internal "router"

You cannot bypass mainframe security

A centralized security mechanism is more secure

- RACF security extends across the sysplex
- Automatic switch to a backup RACF database when an error is detected on the primary



Manage all your resources consistently as you build out new applications

* Resource Access Control Facility

Built In Encryption On System z Protects Data Privacy



- Central Processor Assist for Cryptographic Function (CPACF)
 - A CP Assist for Cryptographic Function (CPACF) is on CPU chip
 - Provides clear key encryption

Crypto Express2 Card

- High performance cryptography for SSL
 - 6,000 handshakes per second
- Secure key cryptography
- Dynamically configurable
 - Co-processor or Accelerator
- FIPS 140-2 Level 4 compliant
- Clears out memory if tampered with
- Trusted Key Entry (TKE) Workstation
 - Secured workstation for remote key entry

Prevent Exposure If The Tape Falls Off The Truck!

High-performance tape encryption

- Protects data on lost tapes
- Standard feature on all new TS1120 Tape Drives
- Cost effectively encrypts all tape data
- Offloads host encryption overhead

Leverages System z Key protection

- Create a key and store it securely same key value can be available 20 years from now!
- Policy for encryption specified on DFSMS Data Class
- User never sees the key!



06 - Extend Data Security On The Mainframe v5.7.ppt

System z Encryption Key Management

Encryption Key Manager (EKM)

 Java program that transparently generates, serves and maintains encryption keys

Provides a single point of control

- Simplified recovery of keys
- Auditable through RACF
- Over a decade of proven production use
- Available at no additional charge

Helps protect and manage keys

- Generate and serves keys to tape drives
- Can retrieve required keys from protected key stores

Options to store the keys:

- RACF-protected key stores
- Uses tamper-resistant crypto cards to store "secure keys"
- Other protected data sets, files

New Tivoli Key Lifecycle Manager extends usability and reach

Protect Data Privacy Using DB2

- DB2 uses either clear key (CPACF) or secure key (Crypto Express2 card) for encryption
- DB2 supports encryption at every level:
 - In memory, buffers, disk, and archival media
 - Table, Index, logs, and backup copies
 - Data sent by remote access (DRDA)
- DB2 provides multiple options for table encryption:
 - Column level encryption
 - Enabled by the application
 - Row level encryption
 - IBM Encryption Tool for DB2



Multi-Level Security (MLS) Supports Users With Different Security Clearances

Goals of Multi-Level Security

- Share one data base among organizations with different "need to know"
- Prevent individuals from accessing information at a higher classification level than what is permitted
- Prevents reclassification of information

DB2 Multi-Level Security

- Restricts row level access to those with appropriate clearance
- Combines both low and high security data in the same database, eliminating redundant infrastructures

	SECURITY Classification	Revenue	Area	Loss
Underwriter	Business Broker	234	USA	50%
	. Underwriter	198	Ohio	23%
	Claims analyst	2	Maine	9%
	Underwriter	234	USA	11%
Claims Analyst	Claims analyst	87	Texas	14%
·	Affiliate broker	23	NewYork	20%
	National broker	223	USA	10%
National Broker	Affiliate broker	45	Canada	29%

Don't Forget To Protect Customer Data During Testing Of New Releases



masking throughout

- Protect customer data throughout testing cycle with Optim
- Customer data can be compromised during testing cycles, especially during audits
- Mask or replace customer data with fictional data in a consistent manner preserving the integrity of data relationships
- Extract a snapshot for testing purposes
- Helps ensure privacy of data shipped to outsourcers

Supports many data formats:

DB2, Informix, IMS, VSAM, Oracle, others

Block Unauthorized Network Access

- z/OS Communication Server is the first line of defense against network attacks
 - Defensive IP filtering (built-in firewall)
- z/OS Communications Server provides multiple styles of encryption for network traffic
 - Application layer encryption
 - Network layer encryption
 - Support for Virtual Private Networks with IPSec
- Application Transparent Transport Level Security (AT-TLS) transparently encrypts application data
- SSL and IPSec processed by crypto processor if available
 - IPSec can be offloaded to zIIP



*AT-TLS= application transparent transport level security

System z Communication Server Encrypts Network Data End-to-End

- Critical for companies that outsource their network yet want greater control over confidential data
- Other router based encryption alternatives expose data in the clear and lack the intrusion detection capabilities of the mainframe.



^{06 -} Extend Data Security On The Mainframe v5.7.ppt

RACF Security Event Logging

RACF helps audit access attempts

- Started during IPL to prevent vulnerabilities from being introduced
- Audit control functions specify information RACF should log
- SMF log datasets themselves are protected

RACF logs many events:

- Accesses to data sets, resources
- Accesses to a specified class of resources at a specified access level
- RACF-related activities of specific users
- Unauthorized attempts to use RACF commands
- RACF commands issued by users with SPECIAL authority
- Changes to RACF profiles

KAUDIT_200503.AUDIT (C:\Documents and Settings\ross\Desktop) - GVIM2	K III	X
Elle Edit Iools Syntax Buffers Window Help	Ele Edit Icols Syntax Buffers Window Help	
≙⊒₽₽₽₩₩₩₩₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽	≙₽₽₽₽ 000 % 000 0.2.2.2.8.2.4.1700	
Construction of the second seco	Image <td< th=""><th></th></td<>	
typ-nuscrastistal rest- mer 5 (122:18 5):18:18:17:18:17:17:13:11:18:18:11.classe for user acrists pr 5 19:21:19 19:21:03:000000000000000000000000000000000	Renot nade id Renot nade id Renot nade (visore: yz.zahana)guir.com Renot nade (visore: yz.zahana)guir.com Renot nade (visore: All and the second Renot nade (visore: All and the second Security audit (SECURITY) on CVONS, system id: 2073 Auditable event: Batch process login Event Line: 1-MMR-2005 00:02:02:22.61 PID: 20219477 Processor: Batch process login Processor: Batch processor: Second Processor: Sec	

With other systems, customers have to manually make sense out of all these different log formats

Top

Tivoli zSecure Suite Extends System z Security Management

- Tivoli zSecure Alert
 - Can issue alerts when conditions occur, taking action to stop breaches
 - Provides real-time threat monitoring for z/OS and RACF
 - RACF offline option simulates impact of RACF changes

Tivoli zSecure Audit

- Provides real-time exception alerts
- An audit and reporting tool for the mainframe
- Built-in knowledge base identifies exposures
- Tivoli zSecure Command Verifier
 - Prevent execution of erroneous RACF commands



**Also available for ACF2

Tivoli Compliance Insight Manager Security Management In Support Of Regulations

- Sarbanes-Oxley Section 404 specifies the need to implement controls designed to prevent or detect fraud
 - I.e. separation of incompatible business duties or responsibilities
- TCIM helps detect regulatory and policy violations
- Captures log data from multiple sources
- Correlates data to identify and investigate audit risks
 - Uses unique "W7" format to make log data understandable
 - Helps determine who acted upon what resource



DEMO: Tivoli Compliance Insight Manager

- Sarbanes-Oxley requires implementation of strong security controls
- However, broad privileges may be granted to authorized users
- Through either fraud or accident, privileges may be abused
- This can lead to a violation of segregation of duties
- Suspicious activity detected by TCIM helps identify weak controls, which then can be strengthened to prevent further abuse



Suggests

Mainframe Extension Solution – Data Security Make The Most Of What You Already Have!

System z	System z trusted base	Workload isolation and storage protection, common criteria evaluation	
	z/OS	Avoid need for extra virus control mechanisms or firewalls with System z architecture	
	SMF, RACF	Built in logging with SMF records in a consistent format, turn on logging, use RACF to log events	
Data Security	RACF	MLS capabilities of RACF, DB2 provide granular security to support different classification schemes	
	CPACF	Entitled clear key cryptography	
	ЕКМ	Provides the ability to issue, maintain and retrieve cryptographic keys	
Communications	z/OS Communications Server	Provides intrusion defense , policy management as well as secured communications	
	AT-TLS	Communications Server of System z provides easily accessible encrypted communications for applications	

Further extend security

Encryption TS 1120 tape drive and C00		Secured tape drive with encryption capabilities built in	
	Crypto Express2 Cards	Buy crypto cards for acceleration and co-processing	
	zIIPs (Comm Server + zIIP)	Leverage zIIPs for IPSec	
Compliance	zSecure	Simplifies administration and provides auditing analysis tools	
and Testing	TSOM	Tivoli Security Operations Manager provides advanced network and systems security event management	
	TCIM	Tivoli Compliance Insight Manager provides auditing and compliance reporting	
	Optim	Optim provides testing while protecting data confidentiality	
06 - Extend Data Security On The Mainframe v5.7.ppt			

U6 - Extend Data Security On The Mainframe V5.7.ppt

The Cost Of A Data Security Breach

- Total per-incident costs including average direct, indirect, and opportunity costs:
 - \$182 per record, or \$4.8M per company
- Range of surveyed breach costs:
 - \$226K to \$22M per incident
- Each incident resulted in an average 2% loss of existing customers
 - Worst case was 7%



Ponemon Study: 2006 Survey Cost of a Data Breach

